## BELLSOUTH® / CLEC Agreement

## Customer Name: Global Connection Inc. of America

Global Connection IA - 2004	2
Table of Contents	3
General Terms and Conditions	5
Signature Page	24
Exhibit A	25
Att 1 - Resale	26
Att 1 - Resale Discounts and Rates	54
Att 2 - UNEs	63
Att 2 - UNE Rates	126
Att 3 - Network Interconnection	474
Att 3 - Local Interconnection Rates	504
Att 4 - Collocation - Central Office	513
Att 4 - Collocation - Remote Site	555
Att 4 - Collocation Rates	591
Att 5 - Access to Numbers and Number Portability	639
Att 6 - Ordering and Provisioning	643
Att 7 - Billing	650
Att 7 - ODUF ADUF EODUF CMDS Rates	668
Att 8 - Rights of Way	677
Att 9 - Perf Meas Intro	679
Att 9 - Performance Measurements	681
Att 10 - Disaster Recovery Plan	856
Att 11 - BFR and NBR Process	865

## **Interconnection Agreement**

Between

**BellSouth Telecommunications, Inc.** 

and

**Global Connection Inc. of America** 

#### **TABLE OF CONTENTS**

#### **General Terms and Conditions**

Dei		

- 1. CLEC Certification
- 2. Term of the Agreement
- 3. Operational Support Systems
- 4. Parity
- 5. White Pages Listings
- 6. Court Ordered Requests for Call Detail Records and Other Subscriber Information
- 7. Liability and Indemnification
- 8. Intellectual Property Rights and Indemnification
- 9. Proprietary and Confidential Information
- 10. Resolution of Disputes
- 11. Taxes
- 12. Force Majeure
- 13. Adoption of Agreements
- 14. Modification of Agreement
- 15. Non-waiver of Legal Rights
- 16. Indivisibility
- 17. Waivers
- 18. Governing Law
- 19. Assignments
- 20. Notices
- 21. Rule of Construction
- 22. Headings of No Force or Effect
- 23. Multiple Counterparts
- 24. Filing of Agreement
- 25. Compliance with Applicable Law
- 26. Necessary Approvals
- 27. Good Faith Performance
- 28. Nonexclusive Dealings
- 29. Rate True-Up
- 30. Survival
- 31. Entire Agreement

Version 1Q03: 02/28/03

## TABLE OF CONTENTS (cont'd)

- **Attachment 1 Resale**
- **Attachment 2 Network Elements and Other Services**
- **Attachment 3 Network Interconnection**
- **Attachment 4 Physical Collocation**
- **Attachment 5 Access to Numbers and Number Portability**
- Attachment 6 Pre-Ordering, Ordering, Provisioning, Maintenance and Repair
- **Attachment 7 Billing**
- Attachment 8 Rights-of-Way, Conduits and Pole Attachments
- **Attachment 9 Performance Measurements**
- **Attachment 10- BellSouth Disaster Recovery Plan**
- Attachment 11-Bona Fide Request/New Business Request Process

Version 1Q03: 02/28/03

## AGREEMENT GENERAL TERMS AND CONDITIONS

**THIS AGREEMENT** is made by and between BellSouth Telecommunications, Inc., (BellSouth), a Georgia corporation, and Global Connection Inc. of America (Global Connection), a Georgia corporation on behalf of its certified operating affiliates identified in Exhibit A hereof, and shall be effective on the Effective Date, as defined herein. This Agreement may refer to either BellSouth or Global Connection or both as a "Party" or "Parties."

#### WITNESSETH

WHEREAS, BellSouth is a local exchange telecommunications company authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee; and

**WHEREAS**, Global Connection is or seeks to become a CLEC authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

**WHEREAS**, Global Connection wishes to resell BellSouth's telecommunications services and purchase network elements and other services, and, solely in connection therewith, may wish to utilize collocation space as set forth in Attachment 4 of this Agreement); and

**WHEREAS**, the Parties wish to interconnect their facilities and exchange traffic pursuant to Sections 251 and 252 of the Act.

**NOW THEREFORE**, in consideration of the mutual agreements contained herein, BellSouth and Global Connection agree as follows:

#### **Definitions**

**Affiliate** is defined as a person that (directly or indirectly) owns or controls, is owned or controlled by, or is under common ownership or control with, another person. For purposes of this paragraph, the term "own" means to own an equity interest (or equivalent thereof) of more than 10 percent.

**Commission** is defined as the appropriate regulatory agency in each state of BellSouth's nine-state region (Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee).

Competitive Local Exchange Carrier (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.

**Effective Date** is defined as the date that the Agreement is effective for purposes of rates, terms and conditions and shall be May 31, 2004. Future amendments for rate changes will be effective thirty (30) days after the date of the last signature executing the amendment.

**End User** means the ultimate user of the Telecommunications Service.

**FCC** means the Federal Communications Commission.

**General Terms and Conditions** means this document including all of the terms, provisions and conditions set forth herein.

**Telecommunications** means the transmission, between or among points specified by the user, of information of the user's choosing, without change in the form or content of the information as sent and received.

**Telecommunications Service** means the offering of telecommunications for a fee directly to the public, or to such classes of users as to be effectively available directly to the public, regardless of the facilities used.

**Telecommunications Act of 1996 (Act)** means Public Law 104-104 of the United States Congress effective February 8, 1996. The Act amended the Communications Act of 1934 (47 U.S.C. Section 1 et. seq.).

#### 1. CLEC Certification

- Prior to execution of this Agreement, Global Connection agrees to provide BellSouth in writing Global Connection's CLEC certification for all states covered by this Agreement except Kentucky prior to BellSouth filing this Agreement with the appropriate Commission for approval.
- 1.2 To the extent Global Connection is not certified as a CLEC in each state covered by this Agreement as of the execution hereof, Global Connection will notify BellSouth in writing and provide CLEC certification when it becomes certified to operate in any other state covered by this Agreement. Upon notification, BellSouth will file this Agreement with the appropriate Commission for approval.

#### 2. Term of the Agreement

2.1 The term of this Agreement shall be three years, beginning on the Effective Date and shall apply to the BellSouth territory in the state(s) of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee. Notwithstanding any prior agreement of the Parties, the rates, terms and conditions of this Agreement shall not be applied retroactively prior to the Effective Date.

- 2.2 The Parties agree that by no earlier than two hundred seventy (270) days and no later than one hundred and eighty (180) days prior to the expiration of this Agreement, they shall commence negotiations for a new agreement to be effective beginning on the expiration date of this Agreement (Subsequent Agreement).
- If, within one hundred and thirty-five (135) days of commencing the negotiation referred to in Section 2.2 above, the Parties are unable to negotiate new terms, conditions and prices for a Subsequent Agreement, either Party may petition the Commission to establish appropriate terms, conditions and prices for the Subsequent Agreement pursuant to 47 U.S.C. 252.
- If, as of the expiration of this Agreement, a Subsequent Agreement has not been executed by the Parties, this Agreement shall terminate. Upon termination of this Agreement, BellSouth shall continue to offer services to Global Connection pursuant to the terms, conditions and rates set forth in BellSouth's then current standard interconnection agreement. In the event that BellSouth's standard interconnection agreement becomes effective as between the Parties, the Parties may continue to negotiate a Subsequent Agreement or arbitrate disputed issues to reach a Subsequent Agreement as set forth in Section 2.3 above, and the terms of such Subsequent Agreement shall be effective as of the effective date as stated in the Subsequent Agreement.

#### 3. Operational Support Systems

Global Connection shall pay charges for Operational Support Systems (OSS) as set forth in this Agreement.

#### 4. Parity

When Global Connection purchases Telecommunications Services from BellSouth pursuant to Attachment 1 of this Agreement for the purposes of resale to End Users, such services shall be equal in quality, subject to the same conditions, and provided within the same provisioning time intervals that BellSouth provides to its Affiliates, subsidiaries and End Users. To the extent technically feasible, the quality of a Network Element, as well as the quality of the access to such Network Element provided by BellSouth to Global Connection shall be at least equal in quality to that which BellSouth provides to itself, its Affiliates or any other Telecommunications carrier. The quality of the interconnection between the network of BellSouth and the network of Global Connection shall be at a level that is equal to that which BellSouth provides itself, a subsidiary, an Affiliate, or any other party. The interconnection facilities shall be designed to meet the same technical criteria and service standards that are used within BellSouth's network and shall extend to a consideration of service quality as perceived by BellSouth's End Users and service quality as perceived by Global Connection.

#### 5. White Pages Listings

5.1 BellSouth shall provide Global Connection and its customers access to white pages directory listings under the following terms:

- 5.1.1 <u>Listings</u>. Global Connection shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include Global Connection residential and business customer listings in the appropriate White Pages (residential and business) or alphabetical directories in the geographic areas covered by this Interconnection Agreement. Directory listings will make no distinction between Global Connection and BellSouth subscribers.
- 5.1.2 <u>Rates.</u> So long as Global Connection provides subscriber listing information (SLI) to BellSouth in accordance with Section 5.2 below, BellSouth shall provide to Global Connection one (1) primary White Pages listing per Global Connection subscriber at no charge other than applicable service order charges as set forth in BellSouth's tariffs.
- 5.2 Procedures for Submitting Global Connection SLI are found in The BellSouth Business Rules for Local Ordering.
- 5.2.1 Global Connection authorizes BellSouth to release all Global Connection SLI provided to BellSouth by Global Connection to qualifying third parties via either license agreement or BellSouth's Directory Publishers Database Service (DPDS), General Subscriber Services Tariff (GSST), Section A38.2, as the same may be amended from time to time. Such Global Connection SLI shall be intermingled with BellSouth's own customer listings and listings of any other CLEC that has authorized a similar release of SLI.
- 5.2.2 No compensation shall be paid to Global Connection for BellSouth's receipt of Global Connection SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of Global Connection's SLI, or costs on an ongoing basis to administer the release of Global Connection SLI, Global Connection shall pay to BellSouth its proportionate share of the reasonable costs associated therewith. At any time that costs may be incurred to administer the release of Global Connection's SLI, Global Connection will be notified. If Global Connection does not wish to pay its proportionate share of these reasonable costs, Global Connection may instruct BellSouth that it does not wish to release its SLI to independent publishers, and Global Connection shall amend this Agreement accordingly. Global Connection will be liable for all costs incurred until the effective date of the amendment.
- Neither BellSouth nor any agent shall be liable for the content or accuracy of any SLI provided by Global Connection under this Agreement. Global Connection shall indemnify, hold harmless and defend BellSouth and its agents from and against any damages, losses, liabilities, demands, claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate Global Connection listings or use of the SLI provided pursuant to this Agreement. BellSouth may forward to Global Connection any complaints received by BellSouth relating to the accuracy or quality of Global Connection listings.

- 5.2.4 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.
- 5.3 <u>Unlisted/Non-Published Subscribers</u>. Global Connection will be required to provide to BellSouth the names, addresses and telephone numbers of all Global Connection customers who wish to be omitted from directories. Unlisted/Non-Published SLI will be subject to the rates as set forth in BellSouth's GSST.
- 5.4 <u>Inclusion of Global Connection End Users in Directory Assistance Database</u>.

  BellSouth will include and maintain Global Connection subscriber listings in BellSouth's Directory Assistance databases at no recurring charge and Global Connection shall provide such Directory Assistance listings to BellSouth at no recurring charge.
- 5.5 <u>Listing Information Confidentiality</u>. BellSouth will afford Global Connection's directory listing information the same level of confidentiality that BellSouth affords its own directory listing information.
- 5.6 <u>Additional and Designer Listings</u>. Additional and designer listings will be offered by BellSouth at tariffed rates as set forth in the General Subscriber Services Tariff.
- 5.7 <u>Directories</u>. BellSouth or its agent shall make available White Pages directories to Global Connection subscribers at no charge or as specified in a separate agreement with BellSouth's agent.

## 6. Court Ordered Requests for Call Detail Records and Other Subscriber Information

- 6.1 Subpoenas Directed to BellSouth. Where BellSouth provides resold services or local switching for Global Connection, BellSouth shall respond to subpoenas and court ordered requests delivered directly to BellSouth for the purpose of providing call detail records when the targeted telephone numbers belong to Global Connection End Users. Billing for such requests will be generated by BellSouth and directed to the law enforcement agency initiating the request. BellSouth shall maintain such information for Global Connection End Users for the same length of time it maintains such information for its own End Users.
- 6.2 <u>Subpoenas Directed to Global Connection</u>. Where BellSouth is providing to Global Connection Telecommunications Services for resale or providing to Global Connection the local switching function, then Global Connection agrees that in those cases where Global Connection receives subpoenas or court ordered requests regarding targeted telephone numbers belonging to Global Connection End Users, and where Global Connection does not have the requested information, Global Connection will advise the law enforcement agency initiating the request to redirect the subpoena or court ordered request to BellSouth for handling in accordance with 6.1 above.

In all other instances, where either Party receives a request for information involving the other Party's End User, the Party receiving the request will advise the law enforcement agency initiating the request to redirect such request to the other Party.

#### 7. Liability and Indemnification

- 7.1 <u>Global Connection Liability</u>. In the event that Global Connection consists of two (2) or more separate entities as set forth in this Agreement and/or any Amendments hereto, all such entities shall be jointly and severally liable for the obligations of Global Connection under this Agreement.
- 7.2 <u>Liability for Acts or Omissions of Third Parties</u>. BellSouth shall not be liable to Global Connection for any act or omission of another Telecommunications company providing services to Global Connection.

#### 7.3 <u>Limitation of Liability</u>

- 7.3.1 Except for any indemnification obligations of the Parties hereunder, each Party's liability to the other for any loss, cost, claim, injury, liability or expense, including reasonable attorneys' fees relating to or arising out of any negligent act or omission in its performance of this Agreement, whether in contract or in tort, shall be limited to a credit for the actual cost of the services or functions not performed or improperly performed.
- 7.3.2 <u>Limitations in Tariffs</u>. A Party may, in its sole discretion, provide in its tariffs and contracts with its End Users and third parties that relate to any service, product or function provided or contemplated under this Agreement, that to the maximum extent permitted by Applicable Law, such Party shall not be liable to the End User or third party for (i) any loss relating to or arising out of this Agreement, whether in contract, tort or otherwise, that exceeds the amount such Party would have charged that applicable person for the service, product or function that gave rise to such loss and (ii) consequential damages. To the extent that a Party elects not to place in its tariffs or contracts such limitations of liability, and the other Party incurs a loss as a result thereof, such Party shall indemnify and reimburse the other Party for that portion of the loss that would have been limited had the first Party included in its tariffs and contracts the limitations of liability that such other Party included in its own tariffs at the time of such loss.
- 7.3.3 Neither BellSouth nor Global Connection shall be liable for damages to the other Party's terminal location, equipment or End User premises resulting from the furnishing of a service, including, but not limited to, the installation and removal of equipment or associated wiring, except to the extent caused by a Party's negligence or willful misconduct or by a Party's failure to ground properly a local loop after disconnection.
- 7.3.4 Under no circumstance shall a Party be responsible or liable for indirect, incidental, or consequential damages, including, but not limited to, economic loss or lost

business or profits, damages arising from the use or performance of equipment or software, or the loss of use of software or equipment, or accessories attached thereto, delay, error, or loss of data. In connection with this limitation of liability, each Party recognizes that the other Party may, from time to time, provide advice, make recommendations, or supply other analyses related to the services or facilities described in this Agreement, and, while each Party shall use diligent efforts in this regard, the Parties acknowledge and agree that this limitation of liability shall apply to provision of such advice, recommendations, and analyses.

- 7.3.5 To the extent any specific provision of this Agreement purports to impose liability, or limitation of liability, on either Party different from or in conflict with the liability or limitation of liability set forth in this Section, then with respect to any facts or circumstances covered by such specific provisions, the liability or limitation of liability contained in such specific provision shall apply.
- Indemnification for Certain Claims. The Party providing services hereunder, its Affiliates and its parent company, shall be indemnified, defended and held harmless by the Party receiving services hereunder against any claim, loss or damage arising from the receiving Party's use of the services provided under this Agreement pertaining to (1) claims for libel, slander or invasion of privacy arising from the content of the receiving Party's own communications, or (2) any claim, loss or damage claimed by the End User of the Party receiving services arising from such company's use or reliance on the providing Party's services, actions, duties, or obligations arising out of this Agreement.
- 7.5 <u>Disclaimer</u>. EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY IN THIS AGREEMENT, NEITHER PARTY MAKES ANY REPRESENTATIONS OR WARRANTIES TO THE OTHER PARTY CONCERNING THE SPECIFIC QUALITY OF ANY SERVICES, OR FACILITIES PROVIDED UNDER THIS AGREEMENT. THE PARTIES DISCLAIM, WITHOUT LIMITATION, ANY WARRANTY OR GUARANTEE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM COURSE OF PERFORMANCE, COURSE OF DEALING, OR FROM USAGES OF TRADE.

#### 8. Intellectual Property Rights and Indemnification

8.1 No License. No patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement. The Parties are strictly prohibited from any use, including but not limited to, in the selling, marketing, promoting or advertising of telecommunications services, of any name, service mark, logo or trademark (collectively, the "Marks") of the Other Party. The Marks include those Marks owned directly by a Party or its Affiliate(s) and those Marks that a Party has a legal and valid license to use. The Parties acknowledge that they are separate and distinct and that each provides a separate and distinct service and agree that neither Party may, expressly or impliedly, state, advertise or market that it is or offers the same service as the Other Party or engage in any

other activity that may result in a likelihood of confusion between its own service and the service of the Other Party.

- 8.2 Ownership of Intellectual Property. Any intellectual property that originates from or is developed by a Party shall remain the exclusive property of that Party. Except for a limited, non-assignable, non-exclusive, non-transferable license to use patents or copyrights to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any service solely as provided under this Agreement, no license in patent, copyright, trademark or trade secret, or other proprietary or intellectual property right, now or hereafter owned, controlled or licensable by a Party, is granted to the other Party. Neither shall it be implied nor arise by estoppel. Any trademark, copyright or other proprietary notices appearing in association with the use of any facilities or equipment (including software) shall remain on the documentation, material, product, service, equipment or software. It is the responsibility of each Party to ensure at no additional cost to the other Party that it has obtained any necessary licenses in relation to intellectual property of third Parties used in its network that may be required to enable the other Party to use any facilities or equipment (including software), to receive any service, or to perform its respective obligations under this Agreement.
- 8.3 Intellectual Property Remedies
- 8.3.1 <u>Indemnification</u>. The Party providing a service pursuant to this Agreement will defend the Party receiving such service or data provided as a result of such service against claims of infringement arising solely from the use by the receiving Party of such service in the manner contemplated under this Agreement and will indemnify the receiving Party for any damages awarded based solely on such claims in accordance with Section 7 preceding.
- 8.3.2 <u>Claim of Infringement</u>. In the event that use of any facilities or equipment (including software), becomes, or in the reasonable judgment of the Party who owns the affected network is likely to become, the subject of a claim, action, suit, or proceeding based on intellectual property infringement, then said Party shall promptly and at its sole expense and sole option, but subject to the limitations of liability set forth below:
- 8.3.2.1 modify or replace the applicable facilities or equipment (including software) while maintaining form and function, or
- 8.3.2.2 obtain a license sufficient to allow such use to continue.
- 8.3.2.3 In the event Section 8.3.2.1 or 8.3.2.2 are commercially unreasonable, then said Party may terminate, upon reasonable notice, this contract with respect to use of, or services provided through use of, the affected facilities or equipment (including software), but solely to the extent required to avoid the infringement claim.
- 8.3.3 <u>Exception to Obligations</u>. Neither Party's obligations under this Section shall apply to the extent the infringement is caused by: (i) modification of the facilities or

equipment (including software) by the indemnitee; (ii) use by the indemnitee of the facilities or equipment (including software) in combination with equipment or facilities (including software) not provided or authorized by the indemnitor, provided the facilities or equipment (including software) would not be infringing if used alone; (iii) conformance to specifications of the indemnitee which would necessarily result in infringement; or (iv) continued use by the indemnitee of the affected facilities or equipment (including software) after being placed on notice to discontinue use as set forth herein.

- 8.3.4 <u>Exclusive Remedy</u>. The foregoing shall constitute the Parties' sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this Agreement.
- 8.4 <u>Dispute Resolution.</u> Any claim arising under this Section 8 shall be excluded from the dispute resolution procedures set forth in Section 10 and shall be brought in a court of competent jurisdiction.

#### 9. Proprietary and Confidential Information

- 9.1 Proprietary and Confidential Information. It may be necessary for BellSouth and Global Connection, each as the "Discloser," to provide to the other Party, as "Recipient," certain proprietary and confidential information (including trade secret information) including but not limited to technical, financial, marketing, staffing and business plans and information, strategic information, proposals, request for proposals, specifications, drawings, maps, prices, costs, costing methodologies, procedures, processes, business systems, software programs, techniques, customer account data, call detail records and like information (collectively the "Information"). All such Information conveyed in writing or other tangible form shall be clearly marked with a confidential or proprietary legend. Information conveyed orally by the Discloser to Recipient shall be designated as proprietary and confidential at the time of such oral conveyance, shall be reduced to writing by the Discloser within forty-five (45) days thereafter, and shall be clearly marked with a confidential or proprietary legend.
- 9.2 <u>Use and Protection of Information.</u> Recipient agrees to protect such Information of the Discloser provided to Recipient from whatever source from distribution, disclosure or dissemination to anyone except employees of Recipient with a need to know such Information solely in conjunction with Recipient's analysis of the Information and for no other purpose except as authorized herein or as otherwise authorized in writing by the Discloser. Recipient will not make any copies of the Information inspected by it.
- 9.3 <u>Exceptions</u>. Recipient will not have an obligation to protect any portion of the Information which:
- 9.3.1 (a) is made publicly available by the Discloser or lawfully by a nonparty to this Agreement; (b) is lawfully obtained by Recipient from any source other than

Discloser; (c) is previously known to Recipient without an obligation to keep it confidential; or (d) is released from the terms of this Agreement by Discloser upon written notice to Recipient.

- 9.4 Recipient agrees to use the Information solely for the purposes of negotiations pursuant to 47 U.S.C. 251 or in performing its obligations under this Agreement and for no other entity or purpose, except as may be otherwise agreed to in writing by the Parties. Nothing herein shall prohibit Recipient from providing information requested by the FCC or a state regulatory agency with jurisdiction over this matter, or to support a request for arbitration or an allegation of failure to negotiate in good faith.
- 9.5 Recipient agrees not to publish or use the Information for any advertising, sales or marketing promotions, press releases, or publicity matters that refer either directly or indirectly to the Information or to the Discloser or any of its affiliated companies.
- 9.6 The disclosure of Information neither grants nor implies any license to the Recipient under any trademark, patent, copyright, application or other intellectual property right that is now or may hereafter be owned by the Discloser.
- 9.7 <u>Survival of Confidentiality Obligations.</u> The Parties' rights and obligations under this Section 9 shall survive and continue in effect until two (2) years after the expiration or termination date of this Agreement with regard to all Information exchanged during the term of this Agreement. Thereafter, the Parties' rights and obligations hereunder survive and continue in effect with respect to any Information that is a trade secret under applicable law.

#### 10. Resolution of Disputes

Except as otherwise stated in this Agreement, if any dispute arises as to the interpretation of any provision of this Agreement or as to the proper implementation of this Agreement, the aggrieved Party shall petition the Commission for a resolution of the dispute. However, each Party reserves any rights it may have to seek judicial review of any ruling made by the Commission concerning this Agreement.

#### 11. Taxes

11.1 <u>Definition</u>. For purposes of this Section, the terms "taxes" and "fees" shall include but not be limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like fees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use of public streets or rights of way, whether designated as franchise fees or otherwise) imposed, or sought to be imposed, on or with respect

to the services furnished hereunder or measured by the charges or payments therefore, excluding any taxes levied on income.

- 11.2 <u>Taxes and Fees Imposed Directly On Either Providing Party or Purchasing Party.</u>
- Taxes and fees imposed on the providing Party, which are not permitted or required to be passed on by the providing Party to its customer, shall be borne and paid by the providing Party.
- Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.
- 11.3 <u>Taxes and Fees Imposed on Purchasing Party But Collected And Remitted By Providing Party.</u>
- 11.3.1 Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.
- To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 11.3.3 If the purchasing Party determines that in its opinion any such taxes or fees are not payable, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under applicable law. If any authority seeks to collect any such tax or fee that the purchasing Party has determined and certified not to be payable, or any such tax or fee that was not billed by the providing Party, the purchasing Party may contest the same in good faith, at its own expense. In any such contest, the purchasing Party shall promptly furnish the providing Party with copies of all filings in any proceeding, protest, or legal challenge, all rulings issued in connection therewith, and all correspondence between the purchasing Party and the taxing authority.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 11.3.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.

- 11.3.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 11.3.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- 11.4 Taxes and Fees Imposed on Providing Party But Passed On To Purchasing Party.
- 11.4.1 Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its customer, shall be borne by the purchasing Party.
- To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- If the purchasing Party disagrees with the providing Party's determination as to the application or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain ultimate responsibility for determining whether and to what extent any such taxes or fees are applicable, and the purchasing Party shall abide by such determination and pay such taxes or fees to the providing Party. The providing Party shall further retain ultimate responsibility for determining whether and how to contest the imposition of such taxes and fees; provided, however, that any such contest undertaken at the request of the purchasing Party shall be at the purchasing Party's expense.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 11.4.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.

- 11.4.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other reasonable charges or payable expenses (including reasonable attorneys' fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 11.4.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- Mutual Cooperation. In any contest of a tax or fee by one Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary out-of-pocket copying and travel expenses incurred in assisting in such contest.

#### 12. Force Majeure

In the event performance of this Agreement, or any obligation hereunder, is either directly or indirectly prevented, restricted, or interfered with by reason of fire, flood, earthquake or like acts of God, wars, revolution, civil commotion, explosion, acts of public enemy, embargo, acts of the government in its sovereign capacity, labor difficulties, including without limitation, strikes, slowdowns, picketing, or boycotts, unavailability of equipment from vendor, changes requested by Global Connection, or any other circumstances beyond the reasonable control and without the fault or negligence of the Party affected, the Party affected, upon giving prompt notice to the other Party, shall be excused from such performance on a day-to-day basis to the extent of such prevention, restriction, or interference (and the other Party shall likewise be excused from performance of its obligations on a day-to-day basis until the delay, restriction or interference has ceased); provided, however, that the Party so affected shall use diligent efforts to avoid or remove such causes of non-performance and both Parties shall proceed whenever such causes are removed or cease.

### 13. Adoption of Agreements

BellSouth shall make available, pursuant to 47 USC § 252 and the FCC rules and regulations regarding such availability, to Global Connection any interconnection, service, or network element provided under any other agreement filed and approved pursuant to 47 USC § 252, provided a minimum of six months remains on the term of such agreement. The Parties shall adopt all rates, terms and conditions concerning such other interconnection, service or network element and any other rates, terms and conditions that are legitimately related to or were negotiated in exchange for or in conjunction with the interconnection, service or

network element being adopted. The adopted interconnection, service, or network element and agreement shall apply to the same states as such other agreement. The term of the adopted agreement or provisions shall expire on the same date as set forth in the agreement that was adopted.

#### 14. Modification of Agreement

- 14.1 If Global Connection changes its name or makes changes to its company structure or identity due to a merger, acquisition, transfer or any other reason, it is the responsibility of Global Connection to notify BellSouth of said change and request that an amendment to this Agreement, if necessary, be executed to reflect said change.
- 14.2 No modification, amendment, supplement to, or waiver of the Agreement or any of its provisions shall be effective and binding upon the Parties unless it is made in writing and duly signed by the Parties.
- In the event that any effective legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of Global Connection or BellSouth to perform any material terms of this Agreement, Global Connection or BellSouth may, on thirty (30) days' written notice, require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within ninety (90) days after such notice, the Dispute shall be referred to the Dispute Resolution procedure set forth in this Agreement.

#### 15. Non-waiver of Legal Rights

Execution of this Agreement by either Party does not confirm or imply that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such decision(s) and each Party reserves all of its rights to pursue any and all legal and/or equitable remedies, including appeals of any such decision(s).

#### 16. Indivisibility

The Parties intend that this Agreement be indivisible and nonseverable, and each of the Parties acknowledges that it has assented to all of the covenants and promises in this Agreement as a single whole and that all of such covenants and promises, taken as a whole, constitute the essence of the contract. Without limiting the generality of the foregoing, each of the Parties acknowledges that any provision by BellSouth of collocation space under this Agreement is solely for the purpose of facilitating the provision of other services under this Agreement and that neither Party would have contracted with respect to the provisioning of collocation space under this Agreement if the covenants and promises of the other Party with respect to the other services provided under this Agreement had not been made. The

Parties further acknowledge that this Agreement is intended to constitute a single transaction, that the obligations of the Parties under this Agreement are interdependent, and that payment obligations under this Agreement are intended to be recouped against other payment obligations under this Agreement.

#### 17. Waivers

A failure or delay of either Party to enforce any of the provisions hereof, to exercise any option which is herein provided, or to require performance of any of the provisions hereof shall in no way be construed to be a waiver of such provisions or options, and each Party, notwithstanding such failure, shall have the right thereafter to insist upon the performance of any and all of the provisions of this Agreement.

### 18. Governing Law

Where applicable, this Agreement shall be governed by and construed in accordance with federal and state substantive telecommunications law, including rules and regulations of the FCC and appropriate Commission. In all other respects, this Agreement shall be governed by and construed and enforced in accordance with the laws of the State of Georgia without regard to its conflict of laws principles.

#### 19. Assignments

Any assignment by either Party to any non-affiliated entity of any right, obligation or duty, or of any other interest hereunder, in whole or in part, without the prior written consent of the other Party shall be void. A Party may assign this Agreement in its entirety to an Affiliate of the Party without the consent of the other Party; provided, however, that the assigning Party shall notify the other Party in writing of such assignment thirty (30) days prior to the Effective Date thereof and, provided further, if the assignee is an assignee of Global Connection, the assignee must provide evidence of Commission CLEC certification. The Parties shall amend this Agreement to reflect such assignments and shall work cooperatively to implement any changes required due to such assignment. All obligations and duties of any Party under this Agreement shall be binding on all successors in interest and assigns of such Party. No assignment or delegation hereof shall relieve the assignor of its obligations under this Agreement in the event that the assignee fails to perform such obligations. Notwithstanding anything to the contrary in this Section, Global Connection shall not assign this Agreement to any Affiliate or non-affiliated entity unless either (1) Global Connection pays all bills, past due and current, under this Agreement, or (2) Global Connection's assignee expressly assumes liability for payment of such bills.

#### 20. Notices

20.1 Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered by hand, by overnight courier or by US mail postage prepaid, address to:

#### **BellSouth Telecommunications, Inc.**

BellSouth Local Contract Manager 600 North 19<sup>th</sup> Street, 8<sup>th</sup> floor Birmingham, AL 35203

and

ICS Attorney Suite 4300 675 West Peachtree Street Atlanta, GA 30375

#### Global Connection Inc. of America

Bassam Abdallah Director of Operations 3957 Pleasantdale Road Atlanta, GA 30340

or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

- Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.
- Notwithstanding the foregoing, BellSouth may provide Global Connection notice via Internet posting of price changes and changes to the terms and conditions of services available for resale per Commission Orders. BellSouth will post changes to business processes and policies, notices of new service offerings, and changes to service offerings not requiring an amendment to this Agreement, notices required to be posted to BellSouth's website, and any other information of general applicability to CLECs.

#### 21. Rule of Construction

No rule of construction requiring interpretation against the drafting Party hereof shall apply in the interpretation of this Agreement.

#### 22. Headings of No Force or Effect

Version 1Q03: 02/28/03

The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

#### 23. Multiple Counterparts

This Agreement may be executed in multiple counterparts, each of which shall be deemed an original, but all of which shall together constitute but one and the same document.

#### 24. Filing of Agreement

Upon execution of this Agreement it shall be filed with the appropriate state regulatory agency pursuant to the requirements of Section 252 of the Act, and the Parties shall share equally any filing fees therefor. If the regulatory agency imposes any filing or public interest notice fees regarding the filing or approval of the Agreement, Global Connection shall be responsible for publishing the required notice and the publication and/or notice costs shall be borne by Global Connection. Notwithstanding the foregoing, this Agreement shall not be submitted for approval by the appropriate state regulatory agency unless and until such time as Global Connection is duly certified as a local exchange carrier in such state, except as otherwise required by a Commission.

#### 25. Compliance with Applicable Law

Each Party shall comply at its own expense with Applicable Law.

#### 26. Necessary Approvals

Each Party shall be responsible for obtaining and keeping in effect all approvals from, and rights granted by, governmental authorities, building and property owners, other carriers, and any other persons that may be required in connection with the performance of its obligations under this Agreement. Each Party shall reasonably cooperate with the other Party in obtaining and maintaining any required approvals and rights for which such Party is responsible.

#### 27. Good Faith Performance

Each Party shall act in good faith in its performance under this Agreement and, in each case in which a Party's consent or agreement is required or requested hereunder, such Party shall not unreasonably withhold or delay such consent or agreement.

#### 28. Nonexclusive Dealings

This Agreement does not prevent either Party from providing or purchasing services to or from any other person nor, except as provided in Section 252(i) of

the Act, does it obligate either Party to provide or purchase any services (except insofar as the Parties are obligated to provide access to Interconnection, services and Network Elements to Global Connection as a requesting carrier under the Act).

#### 29. Rate True-Up

- 29.1 This section applies to Network Interconnection and/or Unbundled Network Elements and Other Services rates that are expressly subject to true-up under this Agreement.
- The designated true-up rates shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final order (including any appeals) of the Commission. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with the designated true-up rates for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties shall submit the matter to the Dispute Resolution process in accordance with the provisions of this Agreement.
- An effective order of the Commission that forms the basis of a true-up shall be based upon cost studies submitted by either or both Parties to the Commission and shall be binding upon BellSouth and Global Connection specifically or upon all carriers generally, such as a generic cost proceeding.

#### 30. Survival

The Parties' obligations under this Agreement which by their nature are intended to continue beyond the termination or expiration of this Agreement shall survive the termination or expiration of this Agreement.

#### 31. Entire Agreement

This Agreement means the General Terms and Conditions, the Attachments identified in Section 31.2 below, and all documents identified therein, as such may be amended from time to time and which are incorporated herein by reference, all of which, when taken together, are intended to constitute one indivisible agreement. This Agreement sets forth the entire understanding and supersedes prior agreements between the Parties relating to the subject matter contained in this Agreement and merges all prior discussions between them. Any orders placed under prior agreements between the Parties shall be governed by the terms of this Agreement and Global Connection acknowledges and agrees that any and all amounts and obligations owed for services provisioned or orders placed under

prior agreements between the Parties, related to the subject matter hereof, shall be due and owing under this Agreement and be governed by the terms and conditions of this Agreement as if such services or orders were provisioned or placed under this Agreement. Neither Party shall be bound by any definition, condition, provision, representation, warranty, covenant or promise other than as expressly stated in this Agreement or as is contemporaneously or subsequently set forth in writing and executed by a duly authorized officer or representative of the Party to be bound thereby.

This Agreement includes Attachments with provisions for the following:

Resale
Network Elements and Other Services
Network Interconnection
Collocation
Access to Numbers and Number Portability
Pre-Ordering, Ordering, Provisioning, Maintenance and Repair
Billing
Rights-of-Way, Conduits and Pole Attachments
Performance Measurements
BellSouth Disaster Recovery Plan
Bona Fide Request/New Business Request Process

The following services are included as options for purchase by Global Connection pursuant to the terms and conditions set forth in this Agreement. Global Connection may elect to purchase said services by written request to its Local Contract Manager if applicable:

Optional Daily Usage File (ODUF)
Enhanced Optional Daily Usage File (EODUF)
Access Daily Usage File (ADUF)
Line Information Database (LIDB) Storage
Centralized Message Distribution Service (CMDS)
Calling Name (CNAM)
LNP Data Base Query Service

General Terms and Conditions Signature Page

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.

Name: Kristen & ho

Title: Director

Date: //16/04

Global Connection Inc. of America

Name: BASSAN ABBALLA

Title: Director of Muslims

Date: 12/29/03

Version 1Q03: 05/09/03

CCC\$ 24 of 869

# Schedule of Operating Affiliates for Global Connection Inc. of America ("Global Connection")

State	Operating Affiliate Name
AL FL GA KY MS NC SC TN	Global Connection Inc. of Alabama Global Connection, Inc. of America Global Connection Inc. of America Global Connection Inc. of Kentucky Global Connection of Mississippi, Inc. Global Connection, Inc. of North Carolina Global Connection of South Carolina, Inc. Global Connection Inc. of Tennessee

Attachment	-
анасишен	

Page 1

## **Attachment 1**

Resale

### **Table of Contents**

1.	Discount Rates	
2.	Definition of Terms	
3.	General Provisions	4
4.	BellSouth's Provision of Services to Global Connection	8
5.	Maintenance of Services	9
6.	Establishment of Service	10
7.	Discontinuance of Service	10
8.	Operator Services (Operator Call Processing and Directory Assistance)	11
9.	Line Information Database (LIDB)	15
10.	RAO Hosting	15
11.	Optional Daily Usage File (ODUF)	15
12.	Enhanced Optional Daily Usage File (EODUF)	16
Res	sale Restrictions	Exhibit A
Lin	e Information Database (LIDB) Storage Agreemt	Exhibit B
Op	tional Daily Usage File (ODUF)	Exhibit C
Enl	nanced Option Daily Usage File (EODUF)	Exhibit D
R	eale Discounts and Rates	Evhibit F

#### **RESALE**

#### 1. Discount Rates

- 1.1 The discount rates applied to Global Connection purchases of BellSouth Telecommunications Services for the purpose of resale shall be as set forth in Exhibit E. Such discounts have been determined by the applicable Commission to reflect the costs avoided by BellSouth when selling a service for wholesale purposes.
- 1.2 The telecommunications services available for purchase by Global Connection for the purposes of resale to Global Connection's End Users shall be available at BellSouth's tariffed rates less the discount set forth in Exhibit E to this Agreement and subject to the exclusions and limitations set forth in Exhibit A to this Agreement.

#### 2. Definition of Terms

- 2.1 COMPETITIVE LOCAL EXCHANGE COMPANY (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.
- 2.2 CUSTOMER OF RECORD means the entity responsible for placing application for service; requesting additions, rearrangements, maintenance or discontinuance of service; payment in full of charges incurred such as non-recurring, monthly recurring, toll, directory assistance, etc.
- 2.3 DEPOSIT means assurance provided by a customer in the form of cash, surety bond or bank letter of credit to be held by BellSouth.
- 2.4 END USER means the ultimate user of the Telecommunications Service.
- 2.5 END USER CUSTOMER LOCATION means the physical location of the premises where an End User makes use of the telecommunications services.
- 2.6 NEW SERVICES means functions, features or capabilities that are not currently offered by BellSouth. This includes packaging of existing services or combining a new function, feature or capability with an existing service.
- 2.7 RESALE means an activity wherein a certificated CLEC, such as Global Connection, subscribes to the telecommunications services of BellSouth and then offers those telecommunications services to the public.

#### 3. General Provisions

- 3.1 All of the negotiated rates, terms and conditions set forth in this Attachment pertain to the resale of BellSouth's retail telecommunications services and other services specified in this Attachment. Subject to effective and applicable FCC and Commission rules and orders, BellSouth shall make available to Global Connection for resale those telecommunications services BellSouth makes available, pursuant to its General Subscriber Services Tariff and Private Line Services Tariff, to customers who are not telecommunications carriers.
- 3.1.1 When Global Connection provides Resale service in a cross boundary area (areas that are part of the local serving area of another state's exchange) the rates, regulations and discounts for the tariffing state will apply. Billing will be from the serving state.
- 3.1.2 In Tennessee, if Global Connection does not resell Lifeline service to any end users, and if Global Connection agrees to order an appropriate Operator Services/Directory Assistance block as set forth in BellSouth's General Subscriber Services Tariff, the discount shall be 21.56%.
- 3.1.2.1 In the event Global Connection resells Lifeline service to any end user in Tennessee, BellSouth will begin applying the 16% discount rate to all services. Upon Global Connection and BellSouth's implementation of a billing arrangement whereby a separate Master Account (Q-account) associated with a separate Operating Customer Number (OCN) is established for billing of Lifeline service end users, the discount shall be applied as set forth in 3.1.2 preceding for the non-Lifeline affected Master Account (Q-account).
- 3.1.2.2 Global Connection must provide written notification to BellSouth within 30 days prior to either providing its own operator services/ directory services or orders the appropriate operator services/directory assistance blocking, to qualify for the higher discount rate of 21.56%.
- 3.2 Global Connection may purchase resale services from BellSouth for its own use in operating its business. The resale discount will apply to those services under the following conditions:
- 3.2.1 Global Connection must resell services to other End Users.
- 3.2.2 Global Connection cannot be a competitive local exchange telecommunications company for the single purpose of selling to itself.
- 3.3 Global Connection will be the customer of record for all services purchased from BellSouth. Except as specified herein, BellSouth will take orders from, bill and receive payment from Global Connection for said services.

- 3.4 Global Connection will be BellSouth's single point of contact for all services purchased pursuant to this Agreement. BellSouth shall have no contact with the End User except to the extent provided for herein. Each Party shall provide to the other a nation wide (50 states) toll-free contact number for purposes of repair and maintenance.
- 3.5 BellSouth will continue to bill the End User for any services that the End User specifies it wishes to receive directly from BellSouth. BellSouth maintains the right to serve directly any End User within the service area of Global Connection. BellSouth will continue to market directly its own telecommunications products and services and in doing so may establish independent relationships with End Users of Global Connection. Neither Party shall interfere with the right of any person or entity to obtain service directly from the other Party.
- 3.5.1 When an End User of Global Connection or BellSouth elects to change his/her carrier to the other Party, both Parties agree to release the End User's service to the other Party concurrent with the due date of the service order, which shall be established based on the standard interval for the End User's requested service as set forth in the BellSouth Product and Services Interval Guide.
- 3.5.2 BellSouth and Global Connection will refrain from contacting an End User who has placed or whose selected carrier has placed on the End User's behalf an order to change the End User's service provider from BellSouth or Global Connection to the other Party until such time that the order for service has been completed.
- 3.6 Current telephone numbers may normally be retained by the End User and are assigned to the service furnished. However, neither Party nor the End User has a property right to the telephone number or any other call number designation associated with services furnished by BellSouth, and no right to the continuance of service through any particular central office. BellSouth reserves the right to change such numbers, or the central office designation associated with such numbers, or both, whenever BellSouth deems it necessary to do so in the conduct of its business and in accordance with BellSouth practices and procedures on a nondiscriminatory basis.
- 3.7 Where BellSouth provides resold services to Global Connection, BellSouth will provide Global Connection with on-line access to intermediate telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. Global Connection acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. Global Connection acknowledges that there may be instances where there is a shortage of telephone numbers in a particular Common Language Location Identifier Code (CLLIC); and in such instances, Global Connection shall return unused intermediate telephone numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.

- 3.8 BellSouth will allow Global Connection to designate up to 100 intermediate telephone numbers per CLLIC, for Global Connection's sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations. Global Connection acknowledges that there may be instances where there is a shortage of telephone numbers in a particular CLLIC and BellSouth has the right to limit access to blocks of intermediate telephone numbers. These instances include: 1) where jeopardy status has been declared by the North American Numbering Plan (NANP) for a particular Numbering Plan Area (NPA); or 2) where a rate center has less than six months supply of numbering resources.
- 3.9 Service is furnished subject to the condition that it will not be used for any unlawful purpose.
- 3.10 Service will be discontinued if any law enforcement agency advises that the service being used is in violation of the law.
- 3.11 BellSouth can refuse service when it has grounds to believe that service will be used in violation of the law.
- 3.12 BellSouth will cooperate with law enforcement agencies with subpoenas and court orders relating to Global Connection's End Users, pursuant to Section 6 of the General Terms and Conditions.
- 3.13 If Global Connection or its End Users utilize a BellSouth resold telecommunications service in a manner other than that for which the service was originally intended as described in BellSouth's retail tariffs, Global Connection has the responsibility to notify BellSouth. BellSouth will only provision and maintain said service consistent with the terms and conditions of the tariff describing said service.
- Facilities and/or equipment utilized by BellSouth to provide service to Global Connection remain the property of BellSouth.
- White page directory listings for Global Connection End Users will be provided in accordance with Section 5 of the General Terms and Conditions.
- 3.16 Service Ordering and Operational Support Systems (OSS)
- 3.16.1 Global Connection must order services through resale interfaces, i.e., the Local Carrier Service Center (LCSC) and/or appropriate Complex Resale Support Group (CRSG) pursuant to this Agreement. BellSouth has developed and made available the interactive interfaces by which Global Connection may submit a Local Service Request (LSR) electronically as set forth in Attachment 2 of this Agreement. Service orders will be in a standard format designated by BellSouth.

- 3.16.2 LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic charge as set forth in Exhibit E to this Agreement. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (Mail, fax, courier, etc.) will incur a manual order charge as set forth in Exhibit E to this Agreement. Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 3.16.3 <u>Denial/Restoral OSS Charge.</u> In the event Global Connection provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 3.16.4 <u>Cancellation OSS Charge.</u> Global Connection will incur an OSS charge for an accepted LSR that is later canceled.
- 3.17 Where available to BellSouth's End Users, BellSouth shall provide the following telecommunications services at a discount to allow for voice mail services:
  - Message Waiting Indicator ("MWI"), stutter dialtone and message waiting light feature capabilities
  - Call Forward Busy Line ("CF/B")
  - Call Forward Don't Answer ("CF/DA")

Further, BellSouth messaging services set forth in BellSouth's Messaging Service Information Package shall be made available for resale without the wholesale discount.

- 3.18 BellSouth shall provide branding for, or shall unbrand, voice mail services for Global Connection per the Bona Fide Request/New Business Request process as set forth in Attachment 6 of this Agreement.
- 3.19 BellSouth's Inside Wire Maintenance Service Plan is available for resale at rates, terms and conditions as set forth by BellSouth and without the wholesale discount.
- 3.20 In the event Global Connection acquires an end user whose service is provided pursuant to a BellSouth Special Assembly, BellSouth shall make available to Global Connection that Special Assembly at the wholesale discount at Global Connection's option. Global Connection shall be responsible for all terms and conditions of such Special Assembly including but not limited to termination liability if applicable.
- 3.21 BellSouth shall provide 911/E911 for Global Connection customers in the same manner that it is provided to BellSouth customers. BellSouth shall provide and validate Global Connection customer information to the PSAP. BellSouth shall use its service order process to update and maintain, on the same schedule that it

uses for its customers, the Global Connection customer service information in the ALI/DMS (Automatic Location Identification/Location Information) databases used to support 911/E911 services.

- 3.22 BellSouth shall bill, and Global Connection shall pay, the End User line charge associated with implementing Number Portability as set forth in BellSouth's FCC No. 1 tariff. This charge is not subject to the wholesale discount.
- 3.23 Pursuant to 47 CFR Section 51.617, BellSouth shall bill to Global Connection, and Global Connection shall pay, the End User common line charges identical to the End User common line charges BellSouth bills its End Users.

#### 4. BellSouth's Provision of Services to Global Connection

- 4.1 Resale of BellSouth services shall be as follows:
- 4.1.1 The resale of telecommunications services shall be limited to users and uses conforming to the class of service restrictions.
- 4.1.2 Hotel and Hospital PBX services are the only telecommunications services available for resale to Hotel/Motel and Hospital End Users, respectively. Similarly, Access Line Service for Customer Provided Coin Telephones is the only local service available for resale to Payphone Service Provider (PSP) customers. Shared Tenant Service customers can only be sold those local exchange access services available in BellSouth's A23 Shared Tenant Service Tariff in the states of Florida, Georgia, North Carolina and South Carolina, and in A27 in the states of Alabama, Kentucky, Louisiana, Mississippi and Tennessee.
- 4.1.3 BellSouth reserves the right to periodically audit services purchased by Global Connection to establish authenticity of use. Such audit shall not occur more than once in a calendar year. Global Connection shall make any and all records and data available to BellSouth or BellSouth's auditors on a reasonable basis. BellSouth shall bear the cost of said audit. Any information provided by Global Connection for purposes of such audit shall be deemed Confidential Information pursuant to the General Terms and Conditions of this Agreement.
- 4.2 Subject to Exhibit A hereto, resold services can only be used in the same manner as specified in BellSouth's Tariffs. Resold services are subject to the same terms and conditions as are specified for such services when furnished to an individual End User of BellSouth in the appropriate section of BellSouth's Tariffs. Specific tariff features (e.g. a usage allowance per month) shall not be aggregated across multiple resold services.
- 4.3 Global Connection may resell services only within the specific service area as defined in its certificate of operation approved by the Commission.

- 4.4 If Global Connection cancels an order for resold services, any costs incurred by BellSouth in conjunction with provisioning of such order will be recovered in accordance with BellSouth's General Subscriber Services Tariffs and Private Line Services Tariffs.
- 4.5 <u>Service Jointly Provisioned with an Independent Company or Competitive Local Exchange Company Areas</u>
- 4.5.1 BellSouth will in some instances provision resold services in accordance with the General Subscriber Services Tariff and Private Line Tariffs jointly with an Independent Company or other Competitive Local Exchange Carrier.
- 4.5.2 When Global Connection assumes responsibility for such service, all terms and conditions defined in the Tariff will apply for services provided within the BellSouth service area only.
- 4.5.3 Service terminating in an Independent Company or other Competitive Local Exchange Carrier area will be provisioned and billed by the Independent Company or other Competitive Local Exchange Carrier directly to Global Connection.
- 4.5.4 Global Connection must establish a billing arrangement with the Independent Company or other Competitive Local Exchange Carrier prior to assuming an end user account where such circumstances apply.
- 4.5.5 Specific guidelines regarding such services are available on BellSouth's website @ www.interconnection.bellsouth.com.

#### 5. Maintenance of Services

- 5.1 Services resold pursuant to this Attachment and BellSouth's General Subscriber Service Tariff and Private Line Service Tariff and facilities and equipment provided by BellSouth shall be maintained by BellSouth.
- 5.2 Global Connection or its End Users may not rearrange, move, disconnect, remove or attempt to repair any facilities owned by BellSouth except with the written consent of BellSouth.
- 5.3 Global Connection accepts responsibility to notify BellSouth of situations that arise that may result in a service problem.
- 5.4 Global Connection will contact the appropriate repair centers in accordance with procedures established by BellSouth.
- For all repair requests, Global Connection shall adhere to BellSouth's prescreening guidelines prior to referring the trouble to BellSouth.

- BellSouth will bill Global Connection for handling troubles that are found not to be in BellSouth's network pursuant to its standard time and material charges. The standard time and material charges will be no more than what BellSouth charges to its retail customers for the same services.
- 5.7 BellSouth reserves the right to contact Global Connection's End Users, if deemed necessary, for maintenance purposes.

#### 6. Establishment of Service

- After receiving certification as a local exchange carrier from the applicable regulatory agency, Global Connection will provide the appropriate BellSouth Advisory team manager the necessary documentation to enable BellSouth to establish accounts for resold services ("master account"). Global Connection is required to provide the following before a master account is established: blanket letter of authorization, misdirected number form, proof of PSC/PUC certification, the Application for Master Account, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA") and a deposit and tax exemption certificate, if applicable.
- 6.1.1 If Global Connection needs to change its OCN(s) under which it operates when Global Connection has already bee conducting business utilizing those OCN(s), Global Connection shall bear all costs incurred by BellSouth to convert Global Connection Global Connection to the new OCN(s). OCN conversion charges include all time required to make system updates to all of Global Connection's end user customer records. Appropriate charges will appear in the OC&C section of Global Connection's bill.
- Global Connection shall provide to BellSouth a blanket letter of authorization ("LOA") certifying that Global Connection will have End User authorization prior to viewing the End User's customer service record or switching the End User's service. BellSouth will not require End User confirmation prior to establishing service for Global Connection's End User customer.
- BellSouth will accept a request directly from the End User for conversion of the End User's service from Global Connection to BellSouth or will accept a request from another CLEC for conversion of the End User's service from Global Connection to such other CLEC. Upon completion of the conversion BellSouth will notify Global Connection that such conversion has been completed.

#### 7. Discontinuance of Service

- 7.1 The procedures for discontinuing service to an End User are as follows:
- 7.1.1 BellSouth will deny service to Global Connection's End User on behalf of, and at the request of, Global Connection. Upon restoration of the End User's service, restoral charges will apply and will be the responsibility of Global Connection.

- 7.1.2 At the request of Global Connection, BellSouth will disconnect a Global Connection End User customer.
- 7.1.3 All requests by Global Connection for denial or disconnection of an End User for nonpayment must be in writing.
- 7.1.4 Global Connection will be made solely responsible for notifying the End User of the proposed disconnection of the service.
- 7.1.5 BellSouth will continue to process calls made to the Annoyance Call Center and will advise Global Connection when it is determined that annoyance calls are originated from one of its End User's locations. BellSouth shall be indemnified, defended and held harmless by Global Connection and/or the End User against any claim, loss or damage arising from providing this information to Global Connection. It is the responsibility of Global Connection to take the corrective action necessary with its End Users who make annoying calls. (Failure to do so will result in BellSouth's disconnecting the End User's service.)

#### 8. Operator Services (Operator Call Processing and Directory Assistance)

- 8.1 Operator Call Processing provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls). (2) operator or automated assistance for billing after the end user has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call and Operator-assisted Directory Assistance.
- 8.1 Upon request for BellSouth Operator Call Processing, BellSouth shall:
- 8.1.1. Process 0+ and 0- dialed local calls
- 8.1.3.2 Process 0+ and 0- intraLATA toll calls.
- 8.1.4 Process calls that are billed to Global Connection end user's calling card that can be validated by BellSouth.
- 8.1.5 Process person-to-person calls.
- 8.1.6 Process collect calls.
- 8.1.7 Provide the capability for callers to bill a third party and shall also process such calls.
- 8.1.8 Process station-to-station calls.
- 8.1.9 Process Busy Line Verify and Emergency Line Interrupt requests.

8.1.10 Process emergency call trace originated by Public Safety Answering Points. 8.1.11 Process operator-assisted directory assistance calls. 8.1.12 Adhere to equal access requirements, providing Global Connection local end users the same IXC access that BellSouth provides its own operator service. 8.1.13 Exercise at least the same level of fraud control in providing Operator Service to Global Connection that BellSouth provides for its own operator service. 8.1.14 Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-To-Third-Party calls. 8.1.15 Direct customer account and other similar inquiries to the customer service center designated by Global Connection. 8.1.16 Provide call records to Global Connection in accordance with ODUF standards. 8.1.17 The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards. 8.2 **Directory Assistance Service** 8.2.1 Directory Assistance Service provides local and non-local end user telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching. 8.2.2 Directory Assistance Service shall provide up to two listing requests per call, if available and if requested by Global Connection's end user. BellSouth shall provide caller-optional directory assistance call completion service at rates set forth in BellSouth's General Subscriber Services Tariff to one of the provided listings. 8.3.1 **Directory Assistance Service Updates** 8.3.1 BellSouth shall update end user listings changes daily. These changes include: 8.3.2 New end user connections 8.3.3 End user disconnections 8.3.4 End user address changes 8.3.5 These updates shall also be provided for non-listed and non-published numbers for use in emergencies. 8.4 Branding for Operator Call Processing and Directory Assistance

- 8.4.1 BellSouth's branding feature provides a definable announcement to Global Connection end users using Directory Assistance (DA)/ Operator Call Processing (OCP) prior to placing such end users in queue or connecting them to an available operator or automated operator system. This feature allows Global Connection's name on whose behalf BellSouth is providing Directory Assistance and/or Operator Call Processing. Rates for the branding features are set forth in Exhibit E of this Attachment.
- 8.4.2 BellSouth offers three branding offering options to Global Connection when ordering BellSouth's Directory Assistance and Operator Call Processing: BellSouth Branding, Unbranding and Custom Branding.
- 8.4.3 Upon receipt of the branding order from Global Connection, the order is considered firm after ten (10) business days. Should Global Connection decide to cancel the order, written notification to Global Connection's BellSouth Account Executive is required. If Global Connection decides to cancel after ten (10) business days from receipt of the branding order, Global Connection shall pay all charges per the order.
- 8.4.4 <u>Branding via Originating Line Number Screening (OLNS)</u>
- 8.4.4.1 BellSouth Branding, Unbranding and Custom Branding are also available for Directory Assistance, Operator Call Processing or both via OLNS software. When utilizing this method of Unbranding or Custom Branding Global Connection shall not be required to purchase dedicated trunking.
- 8.4.4.2 BellSouth Branding is the default branding offering.
- 8.4.4.3 For BellSouth to provide Unbranding or Custom Branding via OLNS software for Operator Call Processing or for Directory Assistance Global Connection must have its Operating Company Number ("OCN(s)") and telephone numbers reside in BellSouth's LIDB; however, a BellSouth LIDB Storage Agreement is not required. To Implement Unbranding and Custom Branding via OLNS software, Global Connection must submit a manual order form which requires, among other things, Global Connection's OCN and a forecast for the traffic volume anticipated for each BellSouth TOPS during the peak busy hour. Global Connection shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon Global Connection's purchase of Unbranding and Custom Branding using OLNS software for any particular TOPS, all Global Connection end users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.
- 8.4.4.4 Rates for Unbranding and Custom Branding via OLNS software for Directory
  Assistance and for Operator Call Processing are as set forth in Exhibit E of this
  Attachment. In addition to the charges for Unbranding and Custom Branding via
  OLNS software, Global Connection shall continue to pay BellSouth applicable

labor and other charges for the use of BellSouth's Directory Assistance and Call Processing platforms as set forth in Exhibit E of this Attachment.

- 8.4.5 <u>Selective Call Routing using Line Class Codes (SCR-LCC)</u>
- 8.4.5.1 Where Global Connection resells BellSouth's services and utilizes an operator services provider other than BellSouth, BellSouth will route Global Connection's end user calls to that provider through Selective Call Routing.
- 8.4.5.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for Global Connection to have its OCP/DA calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.
- 8.4.5.3 Custom Branding for Directory Assistance is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service and certain PBX services.
- Where available, Global Connection specific and unique line class codes are programmed in each BellSouth end office switch where Global Connection intends to service end users with customized OCP/DA branding. The line class codes specifically identify Global Connection's end users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional line class codes are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Global Connection intends to provide Global Connection-branded OCP/DA to its end users in these multiple rate areas.
- 8.4.5.5 BellSouth Branding is the default branding offering.
- 8.4.5.6 SCR-LCC supporting Custom Branding and Self Branding require Global Connection to order dedicated transport and trunking from each BellSouth end office identified by Global Connection, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Global Connection Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for Directory Assistance. Rates for transport and trunks are set forth in applicable BellSouth Tariffs.
- 8.4.5.7 The rates for SCR-LCC are as set forth in Exhibit E of this Attachment. There is a nonrecurring charge for the establishment of each Line Class Code in each BellSouth central office.
- 8.4.5.8 Unbranded Directory Assistance and/or Operator Call Processing calls ride common trunk groups provisioned by BellSouth from those end offices identified

by Global Connection to the BellSouth Tops. The calls are routed to "No Announcement."

- 8.4.6 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch and Network Applications Vehicle (NAV) equipment for which Global Connection requires service.
- 8.4.6.1 Directory Assistance customized branding uses:
- 8.4.6.2 the recording of Global Connection
- 8.4.6.3 the loading of the recording in each switch.
- 8.4.6.4 Operator Call Processing customized branding uses:
- 8.4.6.5 the recording of Global Connection
- 8.4.6.6 2 the loading of the recording in each switch.
- 8.4.6.7 the loading on the Network Applications Vehicle (NAV). All NAV shelves within the region where the customer is offering service must be loaded.

#### 9. Line Information Database (LIDB)

- 9.1 BellSouth will store in its Line Information Database (LIDB) records relating to service only in the BellSouth region. The LIDB Storage Agreement is included in this Attachment as Exhibit B.
- 9.2 BellSouth will provide LIDB Storage upon written request to Global Connection's Account Manager stating a requested activation date.

#### 10. RAO Hosting

10.1 RAO Hosting is not required for resale in the BellSouth region.

## 11. Optional Daily Usage File (ODUF)

- The Optional Daily Usage File (ODUF) Agreement with terms and conditions is included in this Attachment as Exhibit C. Rates for ODUF are as set forth in Exhibit E of this Attachment.
- 11.2. BellSouth will provide ODUF service upon written request to its Account Manager stating a requested activation date.

# 12. Enhanced Optional Daily Usage File (EODUF)

- 12.1 The Enhanced Optional Daily Usage File (EODUF) service Agreement with terms and conditions is included in this Attachment as Exhibit D. Rates for EODUF are as set forth in Exhibit E of this Attachment.
- BellSouth will provide EODUF service upon written request to its Account Manager stating a requested activation date.

# **EXCLUSIONS AND LIMITATIONS ON SERVICES AVAILABLE FOR RESALE (Note 3)**

Tyme of Convice	A	<b>A</b> L	]	FL	(	GA	]	KY	]	LA	I	MS	]	NC	1	SC	,	TN
Type of Service	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount
1 Grandfathered	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Services (Note 1)																		
2 Promotions - > 90	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Days(Note 2)																		
3 Promotions - $\leq$ 90	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
Days (Note 2)																		
4 Lifeline/Link Up	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Services																		
5 911/E911 Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
6 N11 Services	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	Yes	No	No	Yes	Yes
7 MemoryCall®Service	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
8 Mobile Services	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
9 Federal Subscriber	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
Line Charges																		
10 Non-RecurCharges	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
11 End User Line Chg-	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
Number Portability																		
12 Public Telephone	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes
Access Svc(PTAS)																		
13 Inside Wire Maint	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
Service Plan																		
Applicable Not	tes:																	
1. Grandfathered	d servic	es can be	resold o	nly to exis	ting sub	oscribers o	f the gra	andfathere	d servic	e.								
2. Where available	e for res	ale, <b>prom</b>	otions v	will be ma	de avail	able only t	to End U	Jsers who	would h	nave quali	fied for	the promo	tion had	l it been p	rovided	by BellSo	uth dire	ctly.
3. Some of BellSo	uth's loc	ool oveker	ago and	toll talaca	mmunic	entions som	vicos er	not avail	abla in	cortain cor	atrol off	icas and a	rone					

#### LINE INFORMATION DATA BASE (LIDB)

#### RESALE STORAGE AGREEMENT

### I. Definitions (from Addendum)

- A. Billing number a number used by BellSouth for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number a ten-digit number assigned by BellSouth that identifies a telephone line associated with a resold local exchange service.
- C. Special billing number a ten-digit number that identifies a billing account established by BellSouth in connection with a resold local exchange service.
- D. Calling Card number a billing number plus PIN number assigned by BellSouth.
- E. PIN number a four-digit security code assigned by BellSouth that is added to a billing number to compose a fourteen-digit calling card number.
- F. Toll billing exception indicator associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by Global Connection.
- G. Billed Number Screening refers to the query service used to determine whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the query service used to determine whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number or Calling Card number as assigned by BellSouth and toll billing exception indicator provided to BellSouth by Global Connection.
- J. Get-Data refers to the query service used to determine, at a minimum, the Account Owner and/or Regional Accounting Office for a line number. This query service may be modified to provide additional information in the future.
- K. Originating Line Number Screening ("OLNS") refers to the query service used to determine the billing, screening and call handling indicators, station type and Account Owner provided to BellSouth by Global Connection for originating line numbers.
- L. Account Owner name of the local exchange telecommunications company that is providing dialtone on a subscriber line.

#### II. General

- A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of Global Connection and pursuant to which BellSouth, its LIDB customers and Global Connection shall have access to such information. In addition, this Agreement sets forth the terms and conditions for Global Connection's provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. Global Connection understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of Global Connection, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Resale Agreement upon notice to Global Connection's account team and/or Local Contract Manager activate this LIDB Storage Agreement. The General Terms and Conditions of the Resale Agreement shall govern this LIDB Storage Agreement. The terms and conditions contained in the attached Addendum are hereby made a part of this LIDB Storage Agreement as if fully incorporated herein.
- B. BellSouth will provide responses to on-line, call-by-call queries to billing number information for the following purposes:

#### 1. Billed Number Screening

BellSouth is authorized to use the billing number information to determine whether Global Connection has identified the billing number as one that should not be billed for collect or third number calls.

### 2. Calling Card Validation

BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth, and where the last four digits (PIN) are a security code assigned by BellSouth.

#### 3. OLNS

BellSouth is authorized to provide originating line screening information for billing services restrictions, station type, call handling indicators, presubscribed interLATA and local carrier and account owner on the lines of Global Connection from which a call originates.

#### 4. GetData

BellSouth is authorized to provide, at a minimum, the account owner and/or Regional Accounting Office information on the lines of Global Connection indicating the local service provider and where billing records are to be sent for settlement purposes. This query service may be modified to provide additional information in the future.

#### 5. Fraud Control

BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify Global Connection of fraud alerts so that Global Connection may take action it deems appropriate.

#### III. Responsibilities of the Parties

A. BellSouth will administer all data stored in the LIDB, including the data provided by Global Connection pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's End User customers. BellSouth shall not be responsible to Global Connection for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

#### B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearing houses and as such these billing and collection customers ("B&C Customers") query BellSouth's LIDB to determine whether to accept various billing options from End Users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate Global Connection's data from BellSouth's data, the following shall apply:

- (1) BellSouth will identify Global Connection end user originated long distance charges and will return those charges to the interexchange carrer as not covered by the existing B&C agreement. Global Connection is responsible for entering into the appropriate agreement with interexchange carriers for handling of long distance charges by their end users.
- (2) BellSouth shall have no obligation to become involved in any disputes between Global Connection and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to Global Connection. It shall be the responsibility of Global Connection and the B&C Customers to negotiate and arrange for any appropriate adjustments.

#### IV. Fees for Service and Taxes

- A. Global Connection will not be charged a fee for storage services provided by BellSouth to Global Connection, as described in this LIDB Resale Storage Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by Global Connection in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

## **Optional Daily Usage File**

- 1. Upon written request from Global Connection, BellSouth will provide the Optional Daily Usage File (ODUF) service to Global Connection pursuant to the terms and conditions set forth in this section.
- 2. Global Connection shall furnish all relevant information required by BellSouth for the provision of the ODUF.
- 3. The ODUF feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a Global Connection customer.
- 4. Charges for ODUF will appear on Global Connection's monthly bills. The charges are as set forth in Exhibit E to this Attachment. ODUF charges are billed once a month for the previous month's usage. Global Connection will be billed at the ODUF rates that are in effect at the end of the previous month.
- 5. The ODUF feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- Messages that error in Global Connection's billing system will be the responsibility of Global Connection. If, however, Global Connection should encounter significant volumes of errored messages that prevent processing by Global Connection within its systems, BellSouth will work with Global Connection to determine the source of the errors and the appropriate resolution.
- 6. The following specifications shall apply to the ODUF feed.
- 6.1 ODUF Message to be Transmitted
- 6.1.1 The following messages recorded by BellSouth will be transmitted to Global Connection:
  - Message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt, Call Return, etc.)
  - Measured billable Local
  - Directory Assistance messages
  - IntraLATA Toll

- WATS and 800 Service
- N11
- Information Service Provider Messages
- Operator Services Messages
- Credit/Cancel Records
- Usage for Voice Mail Message Service
- 6.1.2 Rated Incollects (originated in BellSouth and from other companies) can also be on ODUF. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
- 6.1.3 BellSouth will perform duplicate record checks on records processed to ODUF. Any duplicate messages detected will be deleted and not sent to Global Connection.
- 6.1.4 In the event that Global Connection detects a duplicate on ODUF they receive from BellSouth, Global Connection will drop the duplicate message and will not return the duplicate to BellSouth).
- 6.2 ODUF Physical File Characteristics
- 6.2.1 The ODUF will be distributed to Global Connection via CONNECT:Direct or Secure File Transfer Protocol (FTP) or another mutually agreed medium. The ODUF feed will be a variable block format. The data on the ODUF feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- Onnection for the purpose of data transmission when utilizing CONNECT:Direct. Where a dedicated line is required, Global Connection will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Global Connection will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit data will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Global Connection. Additionally, all message toll charges associated with the use of the dial circuit by Global Connection will be the responsibility of Global Connection. Associated equipment on the

BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on Global Connection end for the purpose of data transmission will be the responsibility of Global Connection.

6.2.3 If Global Connection utilizes Secure File Transfer Protocol (FTP) for data file transmission, purchase of the Secure File Transfer Protocol (FTP) software will be the responsibility of Global Connection.

# 6.3 <u>ODUF Packing Specifications</u>

- 6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 6.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Global Connection which BellSouth RAO is sending the message. BellSouth and Global Connection will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Global Connection and resend the data as appropriate.

The data will be packed using ATIS EMI records.

### 6.4 ODUF Pack Rejection

6.4.1 Global Connection will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. Global Connection will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Global Connection by BellSouth.

## 6.5 ODUF Control Data

Global Connection will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Global Connection received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Global Connection for reasons stated in the above section.

### 6.6 ODUF Testing

6.6.1 Upon request from Global Connection, BellSouth shall send test files to Global Connection for the ODUF. The Parties agree to review and discuss the file's content and/or format. For testing of usage results, BellSouth shall request that Global

Attachment 1 Page 25 Exhibit C

Connection set up a production (live) file. The live test may consist of Global Connection's employees making test calls for the types of services Global Connection requests on the ODUF. These test calls are logged by Global Connection, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

## **Enhanced Optional Daily Usage File**

- 1. Upon written request from Global Connection, BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to Global Connection pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
- 2. Global Connection shall furnish all relevant information required by BellSouth for the provision of the EODUF.
- 3. The EODUF will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.
- 4. Charges for delivery of the EODUF will appear on Global Connection's monthly bills. EODUF charges are billed at the EODUF rates that are in effect at the end of the previous month. The charges are as set forth in Exhibit E to this Attachment.
- 5. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 6. Messages that error in the billing system of Global Connection will be the responsibility of Global Connection. If, however, Global Connection should encounter significant volumes of errored messages that prevent processing by Global Connection within its systems, BellSouth will work with Global Connection to determine the source of the errors and the appropriate resolution.
- 7. The following specifications shall apply to the EODUF feed.
- 7.1 <u>Usage To Be Transmitted</u>
- 7.1.1 The following messages recorded by BellSouth will be transmitted to Global Connection:

Customer usage data for flat rated local call originating from Global Connection's End User lines (1FB or 1FR). The EODUF record for flat rate messages will include:

Date of Call

From Number

To Number

Connect Time

**Conversation Time** 

Method of Recording

From RAO

Rate Class

Message Type

**Billing Indicators** 

Bill to Number

- 7.1.2 BellSouth will perform duplicate record checks on EODUF records processed to O DUF. Any duplicate messages detected will be deleted and not sent to Global Connection.
- 7.1.3 In the event that Global Connection detects a duplicate on EODUF they receive from BellSouth, Global Connection will drop the duplicate message (Global Connection will not return the duplicate to BellSouth).
- 7.2 Physical File Characteristics
- 7.2.1 The EODUF feed will be distributed to Global Connection via Connect: Direct, Secure File Transfer Protocol (FTP)or another mutually agreed medium. The EODUF messages will be intermingled among Global Connection's Optional Daily Usage File (ODUF) messages. The EODUF will be a variable block format. The data on the EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holiday.
- 7.2.2 Data circuits (private line or dial-up) may be required between BellSouth and Global Connection for the purpose of data transmission as set forth in Section 6.2.2 above.
- 7.2.3 If Global Connection utilizes Secure File Transfer Protocol (FTP)for data file transmission, purchase of the Secure File Transfer Protocol (FTP)software will be the responsibility of Global Connection.
- 7.3 Packing Specifications
- 7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.

7.3.2 The OCN, From (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Global Connection which BellSouth RAO is sending the message. BellSouth and Global Connection will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Global Connection and resend the data as appropriate.

The data will be packed using ATIS EMI Records.

RESALE DISC	COUNTS AND RATES - Alabama												Attach	ment: 1	Exhi	bit: E
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec				Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 20.1	po. 20.1	Electronic-			Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													150	Auu	D130 131	DISC Add I
										D'			000	D-4(A)		
<del></del>					+	Dan	Nonrec		Nonrecurring		COMEC	COMAN		Rates(\$)	SOMAN	COMAN
$\vdash$					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE DIS	COUNTS				+											
	Residence %				-	16.30										
	Business %					16.30										
	CSAs %					16.30										
	SUPPORT SYSTEMS (OSS) RATES		1		+	10.30										
	Electronic LSR				SOMEC		3.50	3.50	3.50	3.50						
	Manual LSR		1		SOMAN		19.99	19.99	19.99	19.99						
	L ROUTING USING LINE CLASS CODES (SCR-LCC)				CONFUT		10.00	10.00	10.00	10.00						
	Selective Routing Per Unique Line Class Code Per Request Per															
	Switch						84.70	84.70	14.11	14.11						
	SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	WARE				0 0	0 0								
	Recording of DA Custom Branded Announcement						3,000,00	3,000.00								
	oading of DA Custom Branded Anouncement per Switch per						0,000.00	-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,								
	DCN						1.170.00	1,170.00								
DIRECTORY ASS	SISTANCE UNBRANDING via OLNS SOFTWARE						·									
L	oading of DA per OCN (1 OCN per Order)						420.00	420.00								
L	oading of DA per Switch per OCN						16.00	16.00								
OPERATOR ASS	SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFTV	VARE													
	Recording of Custom Branded OA Announcement						7,000.00	7,000.00								
	oading of Custom Branded OA Announcement per shelf/NAV															
	er OCN						500.00	500.00								
	oading of OA Custom Branded Announcement per Switch per															
	DCN						1,170.00	1,170.00								
	SISTANCE UNBRANDING via OLNS SOFTWARE															
	oading of OA per OCN (Regional)						1,200.00	1,200.00								
ODUF/EODUF SE																
	AL DAILY USAGE FILE (ODUF)															
	DDUF: Recording, per message					0.000011								1	ļ	1
	DDUF: Message Processing, per message		$\sqcup$		ļ	0.004101									ļ	ļ
	DDUF: Message Processing, per Magnetic Tape provisioned					42.67										
	DDUF: Data Transmission (CONNECT:DIRECT), per message					0.000094								1	ļ	1
	ED OPTIONAL DAILY USAGE FILE (EODUF)		$\sqcup$		ļ										ļ	ļ
E	ODUF: Message Processing, per message					0.22										

RESALE DIS	COUNTS AND RATES - Florida							·		·			Attach	ment: 1	Exhi	ibit: E
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec				Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 20.1	po. 20.1	Electronic-			Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													100	Auu	D130 131	Disc Add I
								_								
						B	Nonrec		Nonrecurring		001150	001111		Rates(\$)	0011411	001441
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE D	DECOUNTS															
	Residence %	-	1			21.83										
						16.81										
	Business % CSAs %	1	1			16.81										
	. SUPPORT SYSTEMS (OSS) RATES		1		_	16.81										
	Electronic LSR	1	1		SOMEC		3.50	3.50	3.50	3.50						
	Manual LSR		1		SOMAN		19.99	19.99	19.99	19.99						
	ALL ROUTING USING LINE CLASS CODES (SCR-LCC)		1		SOIVIAIN	+	19.99	19.55	19.99	13.33	-	-		-		
	Selective Routing Per Unique Line Class Code Per Request Per		1		+											
	Switch						93.55	93.55	11.46	11.46						
	SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	WARE		+		93.33	93.33	11.40	11.40						
	Recording of DA Custom Branded Announcement	100111	MAINE			+	3.000.00	3,000.00								
	Loading of DA Custom Branded Annuncement per Switch per		1			+	3,000.00	3,000.00								
	OCN						1.170.00	1.170.00								
	SSISTANCE UNBRANDING via OLNS SOFTWARE				+		1,170.00	1,170.00								
	Loading of DA per OCN (1 OCN per Order)				+	1	420.00	420.00			1	1		-		
	Loading of DA per Switch per OCN				+		16.00	16.00								
	SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFTV	VARE													
	Recording of Custom Branded OA Announcement						7,000.00	7,000.00								
	Loading of Custom Branded OA Announcement per shelf/NAV						, , , , , , ,	,								
	per OCN						500.00	500.00								
	Loading of OA Custom Branded Announcement per Switch per															
	OCN						1,170.00	1,170.00								
OPERATOR AS	SISTANCE UNBRANDING via OLNS SOFTWARE						·	•								
	Loading of OA per OCN (Regional)						1,200.00	1,200.00								
ODUF/EODUF S	SERVICES															
OPTION	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0000071										
	ODUF: Message Processing, per message					0.002146										
	ODUF: Message Processing, per Magnetic Tape provisioned					35.91				-						
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010375										
	CED OPTIONAL DAILY USAGE FILE (EODUF)			-						•			•			
	EODUF: Message Processing, per message					0.080698		<u> </u>								

RESALE DISCOU	JNTS AND RATES - Georgia												Attach	ment: 1	Exhi	bit: E
	•										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually			Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m									<b>P</b>	p	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'I	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE DISCO	DUNTS															
	dence %		<del>                                     </del>			20.30										
	ness %		<del>                                     </del>			17.30										
CSAs						17.30										
	PPORT SYSTEMS (OSS) RATES					17.50										
	tronic LSR		<del>                                     </del>		SOMEC		3.50	3.50	3.50	3.50						
	ual LSR		<del>                                     </del>		SOMAN		19.99	19.99	19.99	19.99						
	ROUTING USING LINE CLASS CODES (SCR-LCC)				CONFU		10.00	10.00	10.00	10.00						
	ctive Routing Per Unique Line Class Code Per Request Per								-		1					
Swite							199.56	199.56								
	TANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	WARE													
Reco	ording of DA Custom Branded Announcement						3,000.00	3,000.00								
Load	ling of DA Custom Branded Anouncement per Switch per						·	· · · · · · · · · · · · · · · · · · ·								
OCN	ı						1,170.00	1,170.00								
DIRECTORY ASSIST	TANCE UNBRANDING via OLNS SOFTWARE															
	ling of DA per OCN (1 OCN per Order)						420.00	420.00								
	ling of DA per Switch per OCN						16.00	16.00								
	ANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFTV	VARE													
	ording of Custom Branded OA Announcement						7,000.00	7,000.00								
	ling of Custom Branded OA Announcement per shelf/NAV															
per C							500.00	500.00								
	ling of OA Custom Branded Announcement per Switch per															
OCN							1,170.00	1,170.00								
	ANCE UNBRANDING via OLNS SOFTWARE															
	ling of OA per OCN (Regional)						1,200.00	1,200.00								
ODUF/EODUF SERV																
	DAILY USAGE FILE (ODUF)		$oxed{oxed}$		1										<b>.</b>	<b>.</b>
	F: Recording, per message		<b>  </b>			0.0001275										
	F: Message Processing, per message		<del>                                     </del>			0.0082548										
	IF: Message Processing, per Magnetic Tape provisioned		<b>  </b>			28.85										
	F: Data Transmission (CONNECT:DIRECT), per message		<b>├</b>		1	0.0000434									-	-
	OPTIONAL DAILY USAGE FILE (EODUF)					0.0004555									1	1
EOD	UF: Message Processing, per message					0.0034555										

RESALE DISC	OUNTS AND RATES - Kentucky												Attach	ment: 1	Exhi	bit: E
	•										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc		Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per I SR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 20.1	po. zo.	Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'
							Nonreci	urring	Nonrecurring	Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE DIS	SCOUNTS															
R	tesidence %					16.79										
В	susiness %					15.54										
	SAs %					15.54										
OPERATIONAL S	SUPPORT SYSTEMS (OSS) RATES															
	lectronic LSR				SOMEC		3.50	3.50	3.50	3.50						
	fanual LSR				SOMAN		19.99	19.99	19.99	19.99						
SELECTIVE CAL	L ROUTING USING LINE CLASS CODES (SCR-LCC)															
	elective Routing Per Unique Line Class Code Per Request Per															
s	witch						93.53	93.53	15.58	15.58						
DIRECTORY ASS	SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	NARE													
R	lecording of DA Custom Branded Announcement						3,000.00	3,000.00								
	oading of DA Custom Branded Anouncement per Switch per															
	OCN						1,170.00	1,170.00								
	SISTANCE UNBRANDING via OLNS SOFTWARE															
	oading of DA per OCN (1 OCN per Order)						420.00	420.00								
	oading of DA per Switch per OCN						16.00	16.00								
	ISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFTV	VARE													
	ecording of Custom Branded OA Announcement						7,000.00	7,000.00								
	oading of Custom Branded OA Announcement per shelf/NAV er OCN						500.00	500.00								
L	oading of OA Custom Branded Announcement per Switch per															
	DCN						1.170.00	1,170.00								
	ISTANCE UNBRANDING via OLNS SOFTWARE						1,110.00	.,								
	oading of OA per OCN (Regional)						1.200.00	1,200,00								
ODUF/EODUF SE							,	,								
OPTIONA	AL DAILY USAGE FILE (ODUF)															
	DDUF: Recording, per message		1 1			0.0000136						İ				
	DDUF: Message Processing, per message		1 1			0.002506						İ				
	DDUF: Message Processing, per Magnetic Tape provisioned		1 1			35.90						İ				
0	DDUF: Data Transmission (CONNECT:DIRECT), per message				İ	0.00010372						İ				İ
	ED OPTIONAL DAILY USAGE FILE (EODUF)											İ				
	ODUF: Message Processing, per message				T)	0.235889					İ	i e			İ	

RESALE DI	SCOUNTS AND RATES - Louisiana												Attach	ment: 1	Exhi	bit: E
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -
		l									Elec				Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
0711200111		m		200	0000			==(+)			per LSR	per LSR				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec		Nonrecurring	Disconnect			220	Rates(\$)		
			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
						1100	1 1130	Addi	11130	Auui	COME	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
APPLICABLE	DISCOUNTS															
Ī	Residence %					20.72										
	Business %					20.72										
	CSAs %					9.05										
OPERATIONA	L SUPPORT SYSTEMS (OSS) RATES					3.00										
	Electronic LSR				SOMEC		3.50	3.50	3.50	3.50						
	Manual LSR				SOMAN		19.99	19.99	19.99	19.99						
SELECTIVE C	ALL ROUTING USING LINE CLASS CODES (SCR-LCC)															
1	Selective Routing Per Unique Line Class Code Per Request Per															
	Switch						82.25	82.25								
DIRECTORY A	ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	VARE													
	Recording of DA Custom Branded Announcement		1				3.000.00	3,000.00								
	Loading of DA Custom Branded Anouncement per Switch per						0,000.00	-,,,,,,,,,,								
	OCN Political po						1,170.00	1,170.00								
DIRECTORY A	ASSISTANCE UNBRANDING via OLNS SOFTWARE						1,170.00	1,170.00								
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
	Loading of DA per Switch per OCN						16.00	16.00								
OPERATOR A	SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFTV	VARE													
	Recording of Custom Branded OA Announcement						7.000.00	7.000.00								
	Loading of Custom Branded OA Announcement per shelf/NAV						.,	.,								
	per OCN						500.00	500.00								
	Loading of OA Custom Branded Announcement per Switch per															
	OCN						1.170.00	1.170.00								
OPERATOR A	SSISTANCE UNBRANDING via OLNS SOFTWARE						.,	.,								
	Loading of OA per OCN (Regional)						1,200.00	1,200.00								
ODUF/EODUF							,	,								
IOPTIC	ONAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0000117										
	ODUF: Message Processing, per message					0.004641										
	ODUF: Message Processing, per Magnetic Tape provisioned					48.45										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				1	0.00010568										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)				1		İ					İ		İ		İ
H - H	EODUF: Message Processing, per message				1	0.250015	İ									

RATE ELEMENTS  ITS  CCe % S %	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec	Submitted		Charge -	Incremental Charge -	Charge -
ит <b>S</b> се %		Zone	BCS	USOC			RATES(\$)			Elec					
ит <b>S</b> се %		Zone	BCS	USOC			RATES(\$)				Manually				
ит <b>S</b> се %		Zone	BCS	USOC			RATES(\$)								Manual Svc
ce %	m									per LSR		Order vs.	Order vs.	Order vs.	Order vs.
ce %										po. 20.1	po. zo	Electronic-	Electronic-	Electronic-	Electronic-
ce %												1st	Add'I	Disc 1st	Disc Add'l
ce %												101	Auu	Diac iat	Disc Add I
ce %						Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
ce %					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ce %															
															ļ
s %	ļ	<b>↓</b>			15.75										
	ļ	1			15.75										
					15.75										ļ
RT SYSTEMS (OSS) RATES		<u> </u>		201150				0.5-							
ic LSR				SOMEC		3.50	3.50	3.50	3.50						ļ
LSR				SOMAN		19.99	19.99	19.99	19.99						ļ
TING USING LINE CLASS CODES (SCR-LCC)															ļ
e Routing Per Unique Line Class Code Per Request Per															
						85.19	85.19	14.19	14.19						ļ
ICE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	WARE													ļ
ng of DA Custom Branded Announcement						3,000.00	3,000.00								
of DA Custom Branded Anouncement per Switch per															
	<u> </u>					1,170.00	1,170.00								<b>.</b>
ICE UNBRANDING via OLNS SOFTWARE						100.00	100.00								
of DA per OCN (1 OCN per Order)						420.00	420.00								
of DA per Switch per OCN		<u> </u>				16.00	16.00								ļ
	SOFIV	VARE				=	=								ļ
						7,000.00	7,000.00								ļ
of Custom Branded OA Announcement per shelf/NAV						500.00	500.00								
					1	000.00	000.00								<b>†</b>
or or outless Brandou rumounooment per outless per						1 170 00	1 170 00								
CE UNBRANDING via OLNS SOFTWARE						1,170.00	1,170.00								•
						1 200 00	1 200 00								•
S					1	1,200.00	1,200.00								<del> </del>
															•
				+	0.0000063										<del>                                     </del>
	1														
	1														
		t t		+				+							<del>                                     </del>
	<b>†</b>			+	2.000.0000			+							<del>                                     </del>
Data Transmission (CONNECT:DIRECT), per message TIONAL DAILY USAGE FILE (EODUF)															
COSC	E CUSTOM BRANDING ANNOUNCEMENT via OLNS g of Custom Branded OA Announcement of Custom Branded OA Announcement per shelf/NAV of OA Custom Branded Announcement per shelf/NAV of OA Custom Branded Announcement per Switch per E UNBRANDING via OLNS SOFTWARE of OA per OCN (Regional) S Y USAGE FILE (ODUF) ecording, per message essage Processing, per message essage Processing, per Magnetic Tape provisioned ata Transmission (CONNECT:DIRECT), per message	E CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTY g of Custom Branded OA Announcement of Custom Branded OA Announcement per shelf/NAV of OA Custom Branded Announcement per shelf/NAV of OA Custom Branded Announcement per Switch per E UNBRANDING via OLNS SOFTWARE of OA per OCN (Regional) S YUSAGE FILE (ODUF) ecording, per message essage Processing, per message essage Processing, per Magnetic Tape provisioned ata Transmission (CONNECT:DIRECT), per message	E CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE g of Custom Branded OA Announcement of Custom Branded OA Announcement per shelf/NAV of OA Custom Branded Announcement per Switch per E UNBRANDING via OLNS SOFTWARE of OA per OCN (Regional) S YUSAGE FILE (ODUF) ecording, per message essage Processing, per message essage Processing, per Magnetic Tape provisioned ata Transmission (CONNECT:DIRECT), per message	E CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE g of Custom Branded OA Announcement of Custom Branded OA Announcement per shelf/NAV of OA Custom Branded Announcement per Switch per E UNBRANDING via OLNS SOFTWARE of OA per OCN (Regional) S YUSAGE FILE (ODUF) ecording, per message essage Processing, per message essage Processing, per Magnetic Tape provisioned ata Transmission (CONNECT:DIRECT), per message	E CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE g of Custom Branded OA Announcement of Custom Branded OA Announcement per shelf/NAV of OA Custom Branded Announcement per Switch per E UNBRANDING via OLNS SOFTWARE of OA per OCN (Regional) S Y USAGE FILE (ODUF) ecording, per message essage Processing, per message essage Processing, per Magnetic Tape provisioned ata Transmission (CONNECT:DIRECT), per message	E CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE g of Custom Branded OA Announcement of Custom Branded OA Announcement per shelf/NAV of OA Custom Branded Announcement per Switch per E UNBRANDING via OLNS SOFTWARE of OA per OCN (Regional) S Y USAGE FILE (ODUF) ecording, per message essage Processing, per message essage Processing, per Magnetic Tape provisioned ata Transmission (CONNECT:DIRECT), per message 0.0001669	E CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE  g of Custom Branded OA Announcement of Custom Branded OA Announcement per shelf/NAV  fo OA Custom Branded Announcement per shelf/NAV  fo OA Custom Branded Announcement per Switch per  E UNBRANDING via OLNS SOFTWARE  of OA per OCN (Regional)  Y USAGE FILE (ODUF)  ecording, per message essage Processing, per message essage Processing, per message essage Processing, per Magnetic Tape provisioned ata Transmission (CONNECT:DIRECT), per message 0.0001669	E CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE g of Custom Branded OA Announcement of Custom Branded OA Announcement per shelf/NAV for Custom Branded OA Announcement per shelf/NAV for Custom Branded Announcement per Switch per for OA Custom Branded Announcement per Switch per for OA Custom Branded Announcement per Switch per for OA Per OCN (Regional) f	E CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE g of Custom Branded OA Announcement of Custom Branded OA Announcement per shelf/NAV for Custom Branded OA Announcement per shelf/NAV for OA Custom Branded Announcement per Switch per for OA Custom Branded Announcement per Switch per for OA Custom Branded Announcement per Switch per for OA Custom Branded Announcement per Switch per for OA Custom Branded Announcement per Switch per for OA Custom Branded Announcement per Switch per for OA Custom Branded Announcement per Switch per for OA Custom Branded Announcement per Switch per for OA Custom Branded OA Announcement per Switch per for OA Custom Branded OA Announcement per Switch per for OA Custom Branded OA Announcement per Switch per for OA Custom Branded OA Announcement per Switch per for OA Custom Branded OA Announcement per Switch per for OA Custom Branded OA Announcement per Switch per for OA Custom Branded OA Announcement per Switch per for OA Custom Branded OA Announcement per Switch per for OA Custom Branded OA Announcement per Switch per for OA OA OA OA OA OA OA OA OA OA OA OA OA	E CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE g of Custom Branded OA Announcement of Custom Branded OA Announcement per shelf/NAV for Custom Branded OA Announcement per shelf/NAV for OA Custom Branded Announcement per Switch per for OA Custom Branded Announcement per Switch per for OA Custom Branded Announcement per Switch per for OA Custom Branded Announcement per Switch per for OA Custom Branded Announcement per Switch per for OA Custom Branded Announcement per Switch per for OA Custom Branded Announcement per Switch per for OA Custom Branded Announcement per Switch per for OA Custom Branded Announcement per Switch per for OA Custom Branded Announcement per Switch per for OA Custom Branded OA Announcement per Switch per for OA Custom Branded OA Announcement per Switch per for OA Custom Branded OA Announcement per Switch per for OA Custom Branded OA Announcement per Switch per Switch per for OA Custom Branded OA Announcement per Switch per Switch per Switch per Switch per Switch per Intervent per Switch per Intervent per Switch per Swit	E CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE g of Custom Branded OA Announcement of Custom Branded OA Announcement per shelf/NAV for Custom Branded OA Announcement per shelf/NAV for OA Custom Branded Announcement per Switch per for OA Custom Branded Announcement per Switch per for OA Custom Branded Announcement per Switch per for OA Custom Branded Announcement per Switch per for OA Custom Branded Announcement per Switch per for OA Custom Branded Announcement per Switch per for OA Custom Branded Announcement per Switch per for OA Custom Branded Announcement per Switch per for OA Custom Branded Announcement per Switch per for OA Custom Branded Announcement per Switch per for OA Custom Branded OA Announcement per Switch per for OA Custom Branded OA Announcement per Switch per for OA Custom Branded OA Announcement per Switch per for OA Custom Branded OA Announcement per Switch per Switch per I,170.00 for OA Custom Branded OA Announcement per Switch per I,170.00 for OA Custom Branded OA Announcement per Switch per I,170.00 for OA Custom Branded OA Announcement per Switch per I,170.00 for OA Custom Branded OA Announcement per Switch per I,170.00 for OA Custom Branded OA Announcement per Switch per I,170.00 for OA Custom Branded OA Announcement per Switch per I,170.00 for OA Custom Branded OA Announcement per Switch per I,170.00 for OA Custom Branded OA Announcement per Switch per I,170.00 for OA Custom Branded OA Announcement per Switch per I,170.00 for OA Custom Branded OA Announcement per Switch per I,170.00 for OA Custom Branded OA Announcement per Switch per I,170.00 for OA Custom Branded OA Announcement per Switch per I,170.00 for OA Custom Branded OA Announcement per Switch per I,170.00 for OA Custom Branded OA Announcement per Switch per I,170.00 for OA Custom Branded OA Announcement per Switch per I,170.00 for OA Custom Branded OA Announcement per Switch per I,170.00 for OA Custom Branded OA Announcement per Switch per I,170.00 for OA Custom Branded OA Announcement per Switch per I,170.00 for OA Custom Br	E CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE g of Custom Branded OA Announcement of Custom Branded OA Announcement per shelf/NAV for Custom Branded OA Announcement per shelf/NAV for Custom Branded Announcement per Switch per for OA Custom Branded Announcement per Switch per for OA Custom Branded Announcement per Switch per for OA Custom Branded Announcement per Switch per for OA Custom Branded Announcement per Switch per for OA Custom Branded Announcement per Switch per for OA Custom Branded Announcement per Switch per for OA Custom Branded Announcement per Switch per for OA Custom Branded Announcement per Switch per for OA Custom Branded Announcement per Switch per for OA Custom Branded OA Announcement per Switch per for OA Custom Branded OA Announcement per Switch per for OA Custom Branded OA Announcement per Switch per for OA Custom Branded OA Announcement per Switch per for OA Custom Branded OA Announcement per Switch per for OA Custom Branded OA Announcement per Switch per for OA Custom Branded OA Announcement per Switch	E CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE g of Custom Branded OA Announcement of Custom Branded OA Announcement per shelf/NAV of OA Custom Branded Announcement per shelf/NAV of OA Custom Branded Announcement per Switch per of OA Custom Branded Announcement per Switch per of OA Custom Branded Announcement per Switch per of OA Custom Branded Announcement per Switch per of OA Custom Branded Announcement per Switch per of OA Custom Branded Announcement per Switch per of OA Custom Branded Announcement per Switch per of OA Custom Branded Announcement per Switch per of OA Custom Branded Announcement per Switch per of OA Custom Branded Announcement per Switch per of OA Custom Branded Announcement per Switch per of OA Custom Branded Announcement per Switch per of OA Custom Branded Announcement per Switch per of OA Custom Branded Announcement per Switch per of OA Custom Branded Announcement per Switch per Successing per Magnetic Tustom per Switch per Successing per Magnetic Tape provisioned of OA Custom Branded OA Announcement per Switch per Successing per Magnetic Tape provisioned of OA Custom Branded OA Announcement per Switch per Successing per Magnetic Tape provisioned of OA Custom Branded OA Announcement per Switch per Successing per Magnetic Tape provisioned of OA Custom Branded OA Announcement per Switch per Successing per Magnetic Tustom per Switch per Successing per Magnetic Tape provisioned of OA Custom Branded OA Announcement per Switch per Successing per Magnetic Tustom per Switch per Successing per Magnetic Tustom per Switch p	E CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE g of Custom Branded OA Announcement of Custom Branded OA Announcement per shelf/NAV  for Custom Branded OA Announcement per shelf/NAV  for OA Custom Branded Announcement per Switch per of OA Custom Branded Announcement per Switch per  1,170.00  1,170.00  1,170.00  1,170.00  1,170.00  1,200.00  1,	E CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE g of Custom Branded OA Announcement of Custom Branded OA Announcement per shelf/NAV of OA Custom Branded Announcement per shelf/NAV of OA Custom Branded Announcement per Switch per of OA Custom Branded Announcement per Switch per of OA Custom Branded Announcement per Switch per of OA Custom Branded Announcement per Switch per of OA Custom Branded Announcement per Switch per of OA Custom Branded Announcement per Switch per of OA Custom Branded Announcement per Switch per of OA Custom Branded Announcement per Switch per of OA Custom Branded Announcement per Switch per of OA Custom Branded Announcement per Switch per of OA Custom Branded Announcement per Switch per of OA Custom Branded Announcement per Switch per of OA Custom Branded Announcement per Switch per of OA Custom Branded Announcement per Switch per of OA Custom Branded OA Announcement per Switch per Switch per OA OA OA OA OA OA OA OA OA OA OA OA OA

<b>RESALE DI</b>	SCOUNTS AND RATES - North Carolina												Attach	ment: 1	Exhi	bit: E
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec				Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													ist	Add I	DISC 1St	DISC Add 1
							Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE																
	Residence %					21.50										
	Business %					17.60										
	CSAs %					17.60										
OPERATIONA	AL SUPPORT SYSTEMS (OSS) RATES															
	Electronic LSR				SOMEC		3.50	3.50	3.50	3.50						
	Manual LSR				SOMAN		19.99	19.99	19.99	19.99						
SELECTIVE C	CALL ROUTING USING LINE CLASS CODES (SCR-LCC)															
	Selective Routing Per Unique Line Class Code Per Request Per															
	Switch						82.25	82.25	14.14	14.14						
DIRECTORY	ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	WARE													
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
	Loading of DA Custom Branded Anouncement per Switch per															
	OCN						1,170.00	1,170.00								
DIRECTORY	ASSISTANCE UNBRANDING via OLNS SOFTWARE															
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
	Loading of DA per Switch per OCN						16.00	16.00								
OPERATOR A	ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFTV	VARE													
	Recording of Custom Branded OA Announcement						7,000.00	7,000.00								
	Loading of Custom Branded OA Announcement per shelf/NAV															
	per OCN						500.00	500.00								
	Loading of OA Custom Branded Announcement per Switch per															
	OCN						1,170.00	1,170.00								
OPERATOR A	ASSISTANCE UNBRANDING via OLNS SOFTWARE															
	Loading of OA per OCN (Regional)						1,200.00	1,200.00								
ODUF/EODUF	SERVICES															
OPTIO	ONAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0003			j							
	ODUF: Message Processing, per message					0.0032			j							
	ODUF: Message Processing, per Magnetic Tape provisioned					54.61			j							
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00004	İ									
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)						İ									
	EODUF: Message Processing, per message					0.2285406										

RESALE DISC	COUNTS AND RATES - South Carolina												Attach	ment: 1	Exhi	bit: E
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec				Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 20.1	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'I	Disc 1st	Disc Add'l
													100	Addi	D130 131	DISC Add I
								_								
						D	Nonrec		Nonrecurring		001150	001111		Rates(\$)	001141	0011411
					-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE DIS	COUNTS				-											
	Residence %				-	14.80										
	Business %					14.80										
	CSAs %					8.98										
	SUPPORT SYSTEMS (OSS) RATES				1	0.90										
	Electronic LSR				SOMEC		3.50	3.50	3.50	3.50						
	Manual LSR				SOMAN	+	19.99	19.99	19.99	19.99						
	L ROUTING USING LINE CLASS CODES (SCR-LCC)				CONTRA		10.00	10.00	10.00	10.00						
	Selective Routing Per Unique Line Class Code Per Request Per				1											
	Switch						84.89	84.89	14.14	14.14						
	SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFTV	VARE				0 1.00	0 1.00								
	Recording of DA Custom Branded Announcement						3,000,00	3,000.00								
	oading of DA Custom Branded Anouncement per Switch per						0,000.00	-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,								
	DCN						1.170.00	1,170.00								
DIRECTORY ASS	SISTANCE UNBRANDING via OLNS SOFTWARE						,	,								
L	oading of DA per OCN (1 OCN per Order)						420.00	420.00								
L	oading of DA per Switch per OCN						16.00	16.00								
OPERATOR ASS	SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFTV	/ARE													
	Recording of Custom Branded OA Announcement						7,000.00	7,000.00								
	oading of Custom Branded OA Announcement per shelf/NAV															
	er OCN						500.00	500.00								
	oading of OA Custom Branded Announcement per Switch per															
	DCN						1,170.00	1,170.00								
	SISTANCE UNBRANDING via OLNS SOFTWARE															
	oading of OA per OCN (Regional)						1,200.00	1,200.00								
ODUF/EODUF SE																
	AL DAILY USAGE FILE (ODUF)															
	DDUF: Recording, per message					0.0000216										
	DDUF: Message Processing, per message				1	0.004704										
	DDUF: Message Processing, per Magnetic Tape provisioned					48.87										
	DDUF: Data Transmission (CONNECT:DIRECT), per message	<u> </u>				0.00010863										
	ED OPTIONAL DAILY USAGE FILE (EODUF)				1	<b> </b>										ļ
E	ODUF: Message Processing, per message					0.258301										

RESALE DISCOU	UNTS AND RATES - Tennessee													ment: 1		bit: E
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc		Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per I SR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 20.1	po. zo.	Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'
															Disc 1st	DISC Add
							Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE DISC																
	idence %					16.00										
	ness %					16.00										
CSA						16.00										
	PPORT SYSTEMS (OSS) RATES															
	tronic LSR				SOMEC		3.50	3.50	3.50	3.50						
	ual LSR				SOMAN		19.99	19.99	19.99	19.99						
	ROUTING USING LINE CLASS CODES (SCR-LCC)															
	ective Routing Per Unique Line Class Code Per Request Per															
Swite							179.60	179.60								
	TANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	VARE													
	ording of DA Custom Branded Announcement						1,555.00	1,553.00	7.03	7.03						
	ding of DA Custom Branded Anouncement per Switch per															
OCN							240.71	240.71								
	TANCE UNBRANDING via OLNS SOFTWARE															
	ding of DA per OCN (1 OCN per Order)						420.00	420.00								
	ding of DA per Switch per OCN						16.00	16.00								
	TANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFTV	VARE													
	ording of Custom Branded OA Announcement						1,555.00	1,555.00								
	ding of Custom Branded OA Announcement per shelf/NAV															
per (							240.71	240.71								
	ding of OA Custom Branded Announcement per Switch per															
OCN							240.71	240.71								
	TANCE UNBRANDING via OLNS SOFTWARE															
	ding of OA per OCN (Regional)						1,200.00	1,200.00								
ODUF/EODUF SERV																
	DAILY USAGE FILE (ODUF)															
	JF: Recording, per message					0.0000044										
	JF: Message Processing, per message					0.0027366										
	JF: Message Processing, per Magnetic Tape provisioned					52.75										
	JF: Data Transmission (CONNECT:DIRECT), per message					0.0000339										
	OPTIONAL DAILY USAGE FILE (EODUF)															
EOD	OUF: Message Processing, per message					0.004										

# **Attachment 2**

**Network Elements and Other Services** 

# **TABLE OF CONTENTS**

1	INTRODUCTION	3
2	UNBUNDLED LOOPS	5
3	LINE SHARING	27
4	LOCAL SWITCHING	34
5	UNBUNDLED NETWORK ELEMENT COMBINATIONS	42
6	TRANSPORT, CHANNELIZATION AND DARK FIBER	46
7	DATABASES	50
8 SEF	BELLSOUTH SWITCHED ACCESS (SWA) 8XX TOLL FREE DIALING TEN DIGIT SCREEN	
9	LINE INFORMATION DATABASE (LIDB)	51
10	SIGNALING	54
11	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS)	60
12	CALLING NAME (CNAM) DATABASE SERVICE	61
13 AD	SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SMS VANCED INTELLIGENT NETWORK (AIN) ACCESS	-
14	OPERATIONAL SUPPORT SYSTEMS (OSS)	63
Ra	ates Exhib	it A

#### ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

# 1 <u>Introduction</u>

- 1.1 This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to Global Connection in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to Global Connection (Other Services). The rates for each Network Element and combination of Network Elements and Other Services are set forth in Exhibit A of this Attachment. Additionally, the provision of a particular Network Element or Other Service may require Global Connection to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment Global Connection used in the provision of a qualifying service, as defined by the FCC. Global Connection may not access a Network Element for the sole purpose of providing non-qualifying services as defined by the FCC. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.3 BellSouth shall, upon request of Global Connection, and to the extent technically feasible, provide to Global Connection access to its Network Elements for the provision of Global Connection's qualifying services. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 Global Connection may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R 51.309.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.6 Except to the extent required by the Report and Order on Remand and Further Notice of Proposed Rulemaking (rel. Aug. 21, 2003) ("TRO"), any Network Elements that no longer require unbundling on a national level will no longer be available pursuant to this Agreement.
- 1.7 Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent unbundled Network Element, or combination of elements that is available to Global Connection under Section 251(c)(3) of the Telecommunications Act of 1996. Nonrecurring switch-as-is rates for conversion of Network Elements are contained in Exhibit A of this Attachment. Conversion of a wholesale service or group of wholesale services shall be considered

termination for purposes of any volume and/or term commitments and/or grandfathered status between Global Connection and BellSouth. Any change from a wholesale service to a Network Element that requires a physical rearrangement of the Network Element will not be considered a conversion for purposes of this Agreement.

- 1.8 Except to the extent expressly provided otherwise in this Attachment, for elements or combinations of elements that are no longer offered pursuant to, or are not in compliance with, the terms set forth in this Agreement (for example, but not limited to, local channels or non-compliant EELs), Global Connection will submit orders to rearrange or disconnect those arrangements or services within thirty (30) calendar days of the Effective Date of this Agreement. If orders to rearrange or disconnect those arrangements or services are not received by the 31st day after the Effective Date of this Agreement, BellSouth may disconnect those arrangements or services without further notice. Where no re-termination or physical rearrangement of circuits or service is required, Global Connection will be charged a nonrecurring switch-as-is charge for the individual Network Element(s) as set forth in Exhibit A. For arrangements that require a re-termination or other physical rearrangement of circuits to comply with the terms of this Agreement, nonrecurring charges for the applicable Network Element from Exhibit A of this Attachment will apply. To the extent a Network Element requires re-termination or other physical rearrangement in order to comply with a tariff or separate agreement, the applicable rates, terms and conditions of such tariff or separate agreement shall apply.
- 1.8.1 Global Connection may utilize Network Elements and Other Services to provide services as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- 1.8.2 Except to the extent expressly provided otherwise in this Attachment, if a Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, Global Connection may request BellSouth to perform such routine network modifications. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Global Connection, BellSouth shall perform the routine network modifications.
- 1.8.3 Notwithstanding any other provision of this Agreement, BellSouth will not commingle or combine Network Elements or combinations of Network Elements with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.

## 1.9 Commingling of Services

1.9.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Network Element combination, to one or more telecommunications

services or facilities that Global Connection has obtained at wholesale from BellSouth, or the combining of a Network Element or Network Element combination with one or more such wholesale telecommunications services or facilities.

- 1.9.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a combination of Network Elements on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for non-qualifying services.
- 1.9.3 BellSouth will not "ratchet" a commingled circuit. Unless otherwise agreed to by the Parties, the Network Element portion of such circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates.
- 1.9.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment and Central Office Channel Interfaces will be billed from the same jurisdictional authorization (agreement or tariff) as the higher grade of service.
- 1.10 If Global Connection reports a trouble on a Network Element or Other Service and no trouble actually exists on the BellSouth portion, BellSouth will charge Global Connection for any dispatching and testing (both inside and outside the Central Office (CO)) required by BellSouth in order to confirm the working status.

### 1.11 Rates

- 1.11.1 The prices that Global Connection shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit A to this Attachment. If Global Connection purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.
- 1.11.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
- 1.11.3 If Global Connection modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by Global Connection in accordance with FCC No. 1 Tariff, Section 5.
- 1.11.4 A one-month minimum billing period shall apply to all Network Elements and Other Services.

#### 2 Unbundled Loops

#### 2.1 General

- 2.1.1 The local loop Network Element (Loop) is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the Loop demarcation point at an End User's customer premises, including inside wire owned by BellSouth. Facilities that do not terminate at a demarcation point at an End User customer premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's customer premises. Global Connection shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.
- 2.1.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.1.2 In new build (Greenfield) areas, where BellSouth has only deployed Fiber To The Home (FTTH) facilities, BellSouth is under no obligation to provide Loops.
- 2.1.1.3 In FTTH overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to Global Connection on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64kbps second voice grade channel over its FTTH facilities.
- 2.1.1.4 Furthermore, in FTTH overbuild areas, BellSouth is not obligated to ensure that copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by Global Connection. If a request is received by BellSouth for a copper Loop, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval.
- 2.1.1.5 For hybrid loops, where Global Connection seeks access to a hybrid loop for the provision of broadband services, BellSouth shall provide Global Connection with nondiscriminatory access to the time division multiplexing features, functions and capabilities of that hybrid loop, including DS1 or DS3, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's customer premises.

- 2.1.1.6 Global Connection may not purchase Loops or convert Special Access circuits to Loops if such Loops will be used to provide wireless telecommunications services.
- 2.1.2 The provisioning of a Loop to Global Connection's collocation space will require cross office cabling and cross connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross connects are separate components that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at <a href="http://www.interconnection.bellsouth.com">http://www.interconnection.bellsouth.com</a>. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.4 The Loop shall be provided to Global Connection in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.5 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.5.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If Global Connection wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g. UVL-SL1, UVL-SL2, and UCL-ND), Global Connection may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A of this Attachment.
- 2.1.5.2 In the event BellSouth must dispatch to the end-user's location more than once due to incorrect or incomplete information provided by Global Connection (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Global Connection for each additional dispatch required to provision the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

# 2.1.6 <u>Loop Testing/Trouble Reporting</u>

2.1.6.1 Global Connection will be responsible for testing and isolating troubles on the Loops. Global Connection must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled Loop (e.g., UVL-SL2, UCL-D, UVL-SL1,

UCL-ND, etc.) before reporting repair to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, Global Connection will be required to provide the results of the Global Connection test which indicate a problem on the BellSouth provided Loop.

- 2.1.6.2 Once Global Connection has isolated a trouble to the BellSouth provided Loop, and had issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its End Users.
- 2.1.6.3 If Global Connection reports a trouble on a non-designed or designed Loop and no trouble actually exists, BellSouth will charge Global Connection for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Loop's working status.
- In the event BellSouth must dispatch to the end-user's location more than once due to incorrect or incomplete information provided by Global Connection (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Global Connection for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

## 2.1.7 <u>Order Coordination and Order Coordination-Time Specific</u>

- 2.1.7.1 "Order Coordination" (OC) allows BellSouth and Global Connection to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Global Connection's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.7.2 "Order Coordination Time Specific" (OC-TS) allows Global Connection to order a specific time for OC to take place. BellSouth will make every effort to accommodate Global Connection's specific conversion time request. However, BellSouth reserves the right to negotiate with Global Connection a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. Global Connection may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Global Connection specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and

OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

## 2.1.8 <u>CLEC to CLEC Conversions for Unbundled Loops</u>

- 2.1.8.1 The CLEC to CLEC conversion process for unbundled Loops may be used by Global Connection when converting an existing unbundled Loop from another CLEC for the same End User. The Loop type being converted must be included in Global Connection's Interconnection Agreement before requesting a conversion.
- 2.1.8.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.8.3 The Loops converted to Global Connection pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

	Order Coordination (OC)	Order Coordination  - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

For UVL-SL1 and UCLs, Global Connection must order and will be billed for both OC and OC-TS if requesting OC-TS.

### 2.1.9 **Bulk Migration**

2.1.9.1 If Global Connection requests to migrate twenty-five (25) or more UNE-Port/Loop Combination (UNE-P) customers to UNE-Loop (UNE-L) in the same Central Office on the same due date, Global Connection must use the Bulk Migration process, which is described in the BellSouth CLEC Information Package, "UNE-Port/Loop Combination (UNE-P) to UNE-Loop (UNE-L) Bulk Migration." This CLEC Information package, incorporated herein by reference as it may be amended from time to time, is located at

Version 3Q03: 11/12/2003

www.interconnection.bellsouth.com/guides/html/unes.html. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A of this Attachment. Additionally, OSS charges will also apply per LSR generated per customer account as provided for in the Bulk Migration Request. The migration of loops from Integrated Digital Loop Carrier (IDLC) will be done pursuant to Section 2.6 of this Attachment.

## 2.1.10 Ordering Guidelines and Processes

- 2.1.10.1 For information regarding Ordering Guidelines and Processes for various UNEs, Global Connection should refer to the "Guides" section of the BellSouth Interconnection website, which is incorporated herein by reference, as amended from time to time. The website address is:

  <a href="http://www.interconnection.bellsouth.com/">http://www.interconnection.bellsouth.com/</a></a>
- 2.1.10.2 Additional information may also be found in the individual CLEC Information Packages, as amended from time to time and which are incorporated herein by reference, located at the "CLEC UNE Products" website at the following address: http://www.interconnection.bellsouth.com/guides/html/unes.html
- 2.2 Unbundled Voice Loops (UVLs)
- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Global Connection will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels Service Level One (SL1) and Service Level Two (SL2).
- 2.2.3 Unbundled Voice Loop SL1 (UVL-SL1) Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has

been requested by Global Connection. Global Connection may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.

- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that Global Connection may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.2.5 Unbundled Voice Loop SL2 (UVL-SL2) Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to Global Connection. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow Global Connection to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

## 2.3 **Unbundled Digital Loops**

- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
- 2.3.2.2 2-wire Unbundled ADSL Compatible Loop
- 2.3.2.3 2-wire Unbundled HDSL Compatible Loop
- 2.3.2.4 4-wire Unbundled HDSL Compatible Loop
- 2.3.2.5 4-wire Unbundled DS1 Digital Loop
- 2.3.2.6 4-wire Unbundled Digital Loop/DS0 64 kbps, 56 kbps and below
- 2.3.2.7 DS3 Loop

- 2.3.2.8 STS-1 Loop
- 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. Global Connection will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.3.3.1 Upon the Effective Date of this Agreement, Universal Digital Channel (UDC) elements will no longer be offered by BellSouth and no new orders for UDC will be accepted. Any existing UDCs that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Agreement. Existing UDCs that were provisioned prior to the Effective Date of this Agreement may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by Global Connection or BellSouth provides ninety (90) calendar days notice that such UDC must be terminated. Global Connection may order an ISDN loop, if available, to provide the same functionality as the previously offered UDC product.
- 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-Wire DS1 Network Interface at the End User's location.
- 2.3.7 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 DS3 Loop. DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second

(Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.

- STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a Service Inquiry (SI) in order to ascertain availability.
- 2.3.11 If DS3/STS-1 Loops are not readily available but can be made available through routine network modifications, as defined by the FCC, Global Connection may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Global Connection, BellSouth shall perform the routine network modifications.
- 2.3.12 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate<sup>®</sup> Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.13 Global Connection may access a total capacity of two (2) DS3s per End User location at the Network Element rates set forth in Exhibit A.

# 2.4 <u>Unbundled Copper Loops (UCL)</u>

2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.

# 2.4.2 <u>Unbundled Copper Loop – Designed (UCL-D)</u>

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2- or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be 18,000 feet or less in length and is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by Global Connection.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by Global Connection to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.2.5 Upon the Effective Date of this Agreement, Unbundled Copper Loop Long (UCL-L) elements will no longer be offered by BellSouth and no new orders for UCL-L will be accepted. Any existing UCL-Ls that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Agreement. Existing UCL-Ls that were provisioned prior to the Effective Date of this Agreement may remain connected, maintained and repaired according to BellSouth's TR73600 and may remain connected until such time as they are disconnected by Global Connection or BellSouth provides ninety (90) calendar days notice that such UCL-L must be terminated.

# 2.4.3 <u>Unbundled Copper Loop – Non-Designed (UCL-ND)</u>

2.4.3.1 The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6,000 feet of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18,000 feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for Loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.

- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, Global Connection can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that Global Connection may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by Global Connection to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 Global Connection may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.

## 2.5 <u>Unbundled Loop Modifications (Line Conditioning)</u>

- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Sub-loop that may diminish the capability of the Loop or Sub-loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth TR 73600.
- 2.5.2 BellSouth will remove load coils only on copper loops and sub-loops that are less than 18,000 feet in length.
- 2.5.3 For any copper loop being ordered by Global Connection which has over 6,000 feet of combined bridged tap will be modified, upon request from Global Connection, so that the loop will have a maximum of 6,000 feet of bridged tap. This modification will be performed at no additional charge to Global Connection. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper loop that will result in a combined total of

bridged tap between 2,500 and 6,000 feet will be performed at the rates set forth in Exhibit A of this Attachment.

- 2.5.4 Global Connection may request removal of any unnecessary and non-excessive bridged tap (bridged tap between 0 and 2,500 feet which serves no network design purpose), at rates pursuant to BellSouth's Special Construction Process as mutually agreed to by the Parties.
- 2.5.5 Rates for ULM are as set forth in Exhibit A of this Attachment.
- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If Global Connection requests ULM on a reserved facility for a new loop order, BellSouth may perform a pair change and provision a different loop facility in lieu of the reserved facility with ULM if feasible. The loop provisioned will meet or exceed specifications of the requested loop facility as modified. Global Connection will not be charged for ULM if a different loop is provisioned. For loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the loop provisioned.
- 2.5.8 Global Connection shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that Global Connection desires BellSouth to condition.
- When requesting ULM for a Loop that BellSouth has previously provisioned for Global Connection, Global Connection will submit a service inquiry to BellSouth. If a spare Loop facility that meets the loop modification specifications requested by Global Connection is available at the location for which the ULM was requested, Global Connection will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, Global Connection will not be charged for ULM but will only be charged the service order charges for submitting an order.

#### 2.6 Loop Provisioning Involving Integrated Digital Loop Carriers

- 2.6.1 Where Global Connection has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to Global Connection. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for Global Connection (e.g. hairpinning):
  - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.

- 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
- 3. If capacity exists, provide "side-door" porting through the switch.
- 4. If capacity exists, provide "Digital Access Cross Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.3 If no alternate facility is available, and upon request from Global Connection, and if agreed to by both Parties, BellSouth may utilize its Special Construction (SC) process to determine the additional costs required to provision facilities. Global Connection will then have the option of paying the one-time SC rates to place the Loop.

### 2.7 **Network Interface Device**

- 2.7.1 The NID is defined as any means of interconnection of the End User's customer premises wiring to BellSouth's distribution plant, such as a cross connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's customer premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit Global Connection to connect Global Connection's Loop facilities to the End User's customer premises wiring through the BellSouth NID or at any other technically feasible point.

## 2.7.3 Access to NID

- 2.7.3.1 Global Connection may access the End User's customer premises wiring by any of the following means and Global Connection shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow Global Connection to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.
- 2.7.3.1.2 Where an adequate length of the End User's customer premises wiring is present and environmental conditions permit, either Party may remove the customer

premises wiring from the other Party's NID and connect such wiring to that Party's own NID;

- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 Global Connection may request BellSouth to make other rearrangements to the End User customer premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's Loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting Loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Global Connection's responsibility to ensure there is no safety hazard, and Global Connection will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's Loop has been disconnected from the NID, to reconnect the disconnected Loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected Loop must be appropriately cleared, capped and stored.
- 2.7.3.3 Global Connection shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 Global Connection shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with Global Connection to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 Technical Requirements
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.

- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's customer premises and the distribution media and/or cross connect to Global Connection's NID.
- 2.7.4.3 Existing BellSouth NIDs will be provided in "as is" condition. Global Connection may request BellSouth to do additional work to the NID on a time and material basis. When Global Connection deploys its own local Loops in a multiple-line termination device, Global Connection shall specify the quantity of NID connections that it requires within such device.

#### 2.8 **Sub-loop Elements**

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) elements as specified herein.

#### 2.8.2 **Unbundled Sub-Loop Distribution**

2.8.2.1 The Unbundled Sub-Loop Distribution facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2-Wire or 4-Wire facility. BellSouth will make available the following sub-loop distribution offerings where facilities exist:

Unbundled Sub-Loop Distribution – Voice Grade
Unbundled Copper Sub-Loop
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a copper sub-loop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 2.8.2.3.1 If Global Connection requests a UCSL and it is not available, Global Connection may request the copper Sub-Loop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or

road. USLD-INC includes the facility from the cross connect device in the building equipment room up to and including the point of demarcation at the End User's premises.

- 2.8.2.4.1 Upon request for USLD-INC from Global Connection, BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for Global Connection's use on this cross-connect panel. Global Connection will be responsible for connecting its facilities to the 25-pair cross-connect block(s).
- 2.8.2.5 For access to Voice Grade USLD and UCSL, Global Connection shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. Global Connection's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by Global Connection is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Global Connection's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at the website address: http://www.interconnection.bellsouth.com/products/html/unes.html.
- 2.8.2.7 The site set-up must be completed before Global Connection can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Global Connection's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, Global Connection will request sub-loop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when Global Connection requests reuse of an existing facility, and the Order Coordination charge shall be billed in addition to the USL pair rate. For expedite requests by Global Connection for sub-loop pairs, expedite charges will apply for intervals less than five (5) calendar days.
- 2.8.2.9 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.
- 2.8.3 <u>Unbundled Network Terminating Wire (UNTW)</u>

- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, where a third party owns the wiring to the End User's premises.

# 2.8.3.3 <u>Requirements</u>

- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, Global Connection will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate Global Connection for each pair activated commensurate to the price specified in Global Connection's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.

- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten (10) percent of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

#### 2.8.4 <u>Unbundled Sub-Loop Feeder</u>

2.8.4.1 Upon the Effective Date of this Agreement, Unbundled Sub-Loop Feeder (USLF) elements will no longer be offered by BellSouth at TELRIC prices. Within ninety (90) calendar days of the Effective Date of this Agreement, Global Connection will either negotiate market-based rates for these elements or will issue orders to have these elements disconnected. If, after this ninety (90)-day period, market-based rates have not been negotiated and Global Connection has not issued the appropriate disconnect orders, BellSouth may immediately disconnect any remaining USLF elements and will bill Global Connection any applicable disconnect charges.

### 2.8.5 <u>Unbundled Loop Concentration</u>

2.8.5.1 Upon the Effective Date of this Agreement, the Unbundled Loop Concentration (ULC) element will no longer be offered by BellSouth and no new orders for ULC will be accepted. Any existing ULCs that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to this Agreement and may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by Global Connection, or BellSouth provides ninety (90) calendar days notice that such ULC must be terminated.

# 2.8.6 **Dark Fiber Loop**

- 2.8.6.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from the demarcation point at an End User's premises to the End User's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Global Connection to utilize Dark Fiber Loops.
- 2.8.6.2 If Dark Fiber Loop is not readily available but can be made available through routine network modifications, as defined by the FCC, Global Connection may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Global Connection, BellSouth shall perform the routine network modifications.

#### 2.8.6.3 Requirements

2.8.6.3.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by

BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.

- 2.8.6.3.2 Global Connection is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.
- 2.8.6.3.3 BellSouth shall use its commercially reasonable efforts to provide to Global Connection information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a SI from Global Connection.
- 2.8.6.3.4 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to Global Connection within twenty (20) business days after Global Connection submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable Global Connection to connect Global Connection provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

# 2.9 **Loop Makeup**

- 2.9.1 <u>Description of Service</u>
- 2.9.1.1 BellSouth shall make available to Global Connection LMU information so that Global Connection can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Global Connection intends to install and the services Global Connection wishes to provide. This section addresses LMU as a preordering transaction, distinct from Global Connection ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.
- 2.9.1.2 BellSouth will provide Global Connection LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to Global Connection as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.

- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 Global Connection may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by Global Connection and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Global Connection's ability to provide advanced data services over the ordered Loop type. Further, if Global Connection orders Loops that do not require a specific facility medium (i.e. copper only) or Loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible Loops) and that are not inventoried as advanced services Loops, the LMU information for such Loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Global Connection is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

# 2.9.2 <u>Submitting Loop Makeup Service Inquiries</u>

- 2.9.2.1 Global Connection may obtain LMU information by submitting a mechanized LMU query or a Manual LMUSI. Mechanized LMUs should be submitted through BellSouth's OSS interfaces. After obtaining the Loop information from the mechanized LMU process, if Global Connection needs further Loop information in order to determine Loop service capability, Global Connection may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit A of this Attachment.
- 2.9.2.2 Manual LMUSIs shall be submitted according to the guidelines in the LMU CLEC Information Package, incorporated herein by reference, as it may be amended from time to time, which can be found at the following BellSouth website:

  <a href="http://interconnection.bellsouth.com/guides/html/unes.html">http://interconnection.bellsouth.com/guides/html/unes.html</a>. The service interval for the return of a Manual LMUSI is three (3) business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

### 2.9.3 **Loop Reservations**

- 2.9.3.1 For a Mechanized LMUSI, Global Connection may reserve up to ten (10) Loop facilities. For a Manual LMUSI, Global Connection may reserve up to three (3) Loop facilities.
- 2.9.3.2 Global Connection may reserve facilities for up to four (4) business days for each facility requested through LMU from the time the LMU information is returned to Global Connection. During and prior to Global Connection placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If Global Connection does not submit an LSR for a UNE service on a reserved facility within the four (4)-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.
- 2.9.3.3 Charges for preordering Manual LMUSI or Mechanized LMU are separate from any charges associated with ordering other services from BellSouth.
- 2.9.3.4 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Global Connection will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, Global Connection does not reserve facilities upon an initial LMUSI, Global Connection's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A of this Attachment.
- 2.9.3.5 Where Global Connection has reserved multiple Loop facilities on a single reservation, Global Connection may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Global Connection, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Global Connection.

## 3 Line Sharing

- 3.1 General
- 3.1.1 Line Sharing is defined as the process by which Global Connection provides digital subscriber line service over the same copper loop that BellSouth uses to provide voice service, with BellSouth using the low frequency portion of the loop and Global Connection using the high frequency spectrum (as defined below) of the loop.
- 3.1.2 Line Sharing arrangements in service as of October 1, 2003, will be grandfathered until the earlier of the date the End User discontinues or moves service with Global Connection. Grandfathered arrangements pursuant to this Section will be billed at the rates set forth in Exhibit A.
- 3.1.3 For the period from October 2, 2003, through October 1, 2004, Global Connection may request new Line Sharing arrangements. For Line Sharing

arrangements placed in service between October 2, 2003, and October 1, 2004, the rates will be as set forth in Exhibit A. After October 1, 2004, Global Connection may not request new Line Sharing arrangements under the terms of this Agreement.

- 3.1.4 The rates set forth herein will be applied retroactively back to the date set forth in the Triennial Review Order.
- 3.1.5 As of the earlier of October 2, 2006, or the date that the End User discontinues or moves service with Global Connection, all Line Sharing arrangements pursuant to Section 3.1.3 of this Attachment shall be terminated.
- 3.1.6 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper Loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Global Connection the ability to provide Digital Subscriber Line (xDSL) data services to the End User for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the Loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Global Connection shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.1.7 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.8 BellSouth will provide Loop Modification to Global Connection on an existing Loop in accordance with procedures as specified in Section 2 of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If Global Connection requests that BellSouth modify a Loop and such modification significantly degrades the voice services on the Loop, Global Connection shall pay for the Loop to be restored to its original state.
- 3.1.9 Line Sharing shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the End User. In the event the End User terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the End User's voice service pursuant to its tariffs or applicable law, and Global Connection desires to continue providing xDSL service on such Loop, Global Connection shall be required to

purchase a full stand-alone Loop UNE. To the extent commercially practicable, BellSouth shall give Global Connection notice in a reasonable time prior to disconnect, which notice shall give Global Connection an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the End User and Global Connection purchases the full stand-alone Loop, Global Connection may elect the type of Loop it will purchase. Global Connection will pay the appropriate recurring and nonrecurring rates for such Loop as set forth in Exhibit A to this Attachment. In the event Global Connection purchases a voice grade Loop, Global Connection acknowledges that such Loop may not remain xDSL compatible.

- 3.1.10 If Global Connection reports a trouble on the High Frequency Spectrum of a Loop and no trouble actually exists on the BellSouth portion, BellSouth will charge Global Connection for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the working status. The rates charged for no trouble found (NTF) shall be as set forth in Exhibit A of this Attachment.
- 3.1.11 Only one CLEC shall be permitted access to the High Frequency Spectrum of any particular Loop.

# 3.2 **Provisioning of Line Sharing and Splitter Space**

- 3.2.1 BellSouth will provide Global Connection with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, Global Connection must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the End User of such Loop.
- 3.2.1.2 Global Connection may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of Global Connection's submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth Complex Resale Support Group.
- 3.2.1.3 Once a splitter is installed on behalf of Global Connection in a central office in which Global Connection is located, Global Connection shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and Global Connection shall pay the electronic or manual ordering charges as applicable when Global Connection orders High Frequency Spectrum for End User service.
- 3.2.1.4 BellSouth shall test the data portion of the Loop to ensure the continuity of the wiring for Global Connection's data.

### 3.3 **BellSouth Provided Splitter – Line Sharing**

- 3.3.1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide Global Connection access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to Global Connection's xDSL equipment in Global Connection's collocation space. At least thirty (30) calendar days before making a change in splitter suppliers, BellSouth will provide Global Connection with a carrier notification letter, informing Global Connection of change. Global Connection shall purchase ports on the splitter in increments of eight (8), twenty-four (24), or ninety-six (96) ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina. Global Connection shall purchase ports on the splitter in increments of twenty-four (24) or ninety-six (96) ports in Tennessee.
- 3.3.2 BellSouth will install the splitter in (i) a common area close to Global Connection's collocation area, if possible; or (ii) in a BellSouth relay rack as close to Global Connection's DS0 termination point as possible. Global Connection shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for Global Connection on the main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified Global Connection DS0 at such time that a Global Connection End User's service is established.

## 3.4 <u>CLEC Provided Splitter – Line Sharing</u>

- 3.4.1 Global Connection may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. Global Connection may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.4.2 Any splitters installed by Global Connection in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Global Connection may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

### 3.5 **Ordering – Line Sharing**

3.5.1 Global Connection shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.

- 3.5.2 BellSouth will provide Global Connection the LSR format to be used when ordering the High Frequency Spectrum.
- 3.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at <a href="http://www.interconnection.bellsouth.com">http://www.interconnection.bellsouth.com</a>.
- 3.5.4 BellSouth will provide Global Connection access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and Global Connection shall pay the rates for such services, as described in Exhibit A.

### 3.6 **Maintenance and Repair – Line Sharing**

- 3.6.1 Global Connection shall have access for repair and maintenance purposes to any Loop for which it has access to the High Frequency Spectrum. If Global Connection is using a BellSouth owned splitter, Global Connection may access the Loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If Global Connection provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premises and the Termination Point. Global Connection will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.6.3 Global Connection shall inform its End Users to direct data problems to Global Connection, unless both voice and data services are impaired, in which event the End Users should call BellSouth.
- 3.6.4 Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the End User that the trouble is on the other Party's portion of the Loop.
- 3.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to Global Connection, BellSouth will notify Global Connection. Global Connection will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, Global Connection will provide BellSouth an LSR with the new CFA pair information within twenty-four (24) hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue Global Connection's access to the High Frequency Spectrum on such Loop. BellSouth will not be responsible for any loss of data as a result of this action.

## 3.7 <u>Line Splitting</u>

- 3.7.1 Line splitting allows a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.
- 3.7.2 In the event Global Connection provides its own switching or obtains switching from a third party, Global Connection may engage in line splitting arrangements with another CLEC using a splitter, provided by Global Connection, in a Collocation Arrangement at the central office where the loop terminates into a distribution frame or its equivalent.
- 3.7.3 Where Global Connection is purchasing a UNE-port and a UNE-loop, BellSouth shall offer line splitting pursuant to the following sections in this Attachment.
- 3.7.4 Global Connection shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if Global Connection will not provide voice and data services.
- 3.7.5 End Users currently receiving voice service from a Voice CLEC through a UNE-P may be converted to Line Splitting arrangements by Global Connection or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, a UNE port, two collocation cross connects and the high frequency spectrum line activation. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, port, and one collocation cross connection.
- 3.7.6 When End Users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing Global Connection for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of Global Connection or its authorized agent to determine if the Loop is compatible for Line Splitting Service. Global Connection or its authorized agent may use the existing Loop unless it is not compatible with the Data LEC's data service and Global Connection or its authorized agent submits an LSR to BellSouth to change the Loop.

#### 3.8 **Provisioning Line Splitting and Splitter Space**

3.8.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When Global Connection or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location; a collocation cross connection connecting the Loop to the collocation space; a second collocation cross connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. The Loop and port cannot be a Loop and port combination (i.e. UNE-P),

but must be individual stand-alone Network Elements. When BellSouth owns the splitter, Line Splitting requires the following: a non designed analog Loop from the serving wire center to the NID at the End User's location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.

- 3.8.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.8.3 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement, BellSouth Retail Voice Service, BellSouth High Frequency Spectrum (CO Based) Line Sharing.
- 3.8.4 For other migration scenarios to line splitting, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same Loop.

## 3.9 <u>Ordering – Line Splitting</u>

- 3.9.1 Global Connection shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation CFA for use with Line Splitting.
- 3.9.2 BellSouth shall provide Global Connection the LSR format to be used when ordering Line Splitting service.
- 3.9.3 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at <a href="http://www.interconnection.bellsouth.com">http://www.interconnection.bellsouth.com</a>.
- 3.9.4 BellSouth will provide Global Connection access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and Global Connection shall pay the rates for such services as described in Exhibit A.
- 3.9.5 BellSouth will provide Loop modification to Global Connection on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at:

  <a href="http://www.interconnection.bellsouth.com/html/unes.html">http://www.interconnection.bellsouth.com/html/unes.html</a>. Nonrecurring rates for this offering are as set forth in Exhibit A of this Attachment.

## 3.10 Maintenance – Line Splitting

- 3.10.1 BellSouth will be responsible for repairing voice services and the physical loop between the NID at the customer's premises and the termination point. Global Connection will be responsible for maintaining the voice and data services. Each Party will be responsible for maintaining its own equipment.
- 3.10.2 Global Connection shall inform its End Users to direct all problems to Global Connection or its authorized agent.
- 3.10.3 If Global Connection is not the data provider, Global Connection shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the data provider.

# 4 <u>Local Switching</u>

4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to Global Connection for the provision of a telecommunications service.

#### 4.2 Local Circuit Switching Capability, including Tandem Switching Capability

- 4.2.1 Local circuit switching capability is defined as all line-side and trunk-side facilities, plus the features, functions, and capabilities of the switch. The features, functions, and capabilities of the switch shall include the basic switching function of connecting lines to lines, lines to trunks, trunks to lines, and trunks to trunks. Local circuit switching includes all vertical features that the switch is capable of providing, including custom calling, custom local area signalling service features, and Centrex, as well as any technically feasible customized routing functions.
- 4.2.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for Global Connection when Global Connection: (1) serves an End User with four (4) or more voice-grade (DS0) equivalents or lines served by BellSouth in Zone 1 of one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA; or (2) serves an End User with a DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that Global Connection is serving any End User as described in (2) above as of October 2, 2003, such arrangement may not remain in place any longer than April 1, 2004, after which such arrangement must be terminated by Global Connection or BellSouth shall convert such arrangement to tariff pricing. The filing of this Agreement with the applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.

- 4.2.3 Rates for unbundled switching at the DS1 level and above or for combinations with unbundled switching at the DS1 level and above provisioned prior to the Effective Date of this Agreement shall be those rates set forth in Exhibit A of this Attachment until April 1, 2004.
- 4.2.4 Local Switching that is not required to be provided as a UNE will be provided pursuant to a separate agreement or a tariff, at BellSouth's discretion.
- 4.2.5 Unbundled Local Switching consists of three separate unbundled elements:
  Unbundled Ports, End Office Switching Functionality, and End Office Interoffice
  Trunk Ports.
- 4.2.6 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to Global Connection's End User local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.2.7 Provided that Global Connection purchases unbundled local switching from BellSouth and uses the BellSouth Carrier Identification Code (CIC) for its End Users' Local Preferred Interexchange Carrier (LPIC) or if a BellSouth local End User selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a Global Connection local End User, or originated by a BellSouth local End User and terminated to a Global Connection local End User, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than BellSouth). For such calls, BellSouth will charge Global Connection the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and Global Connection shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.
- Where Global Connection purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its End Users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a Global Connection End User and terminate within the basic local calling area or within the extended local calling areas and that are dialed using seven (7) or ten (10) digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs (GSST). For such local calls, BellSouth will charge Global Connection the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and Global Connection shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.
- 4.2.9 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill Global Connection the UNE elements for the BellSouth facilities utilized. Each

Party may bill the toll provider originating or terminating switched access charges as appropriate.

## 4.2.10 **Unbundled Port Features**

- 4.2.10.1 Charges for Unbundled Port are as set forth in Exhibit A, and as specified in such exhibit, may or may not include individual features.
- 4.2.10.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.2.10.3 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.10.4 BellSouth will provide to Global Connection selective routing of calls to a requested Operator System platform pursuant to this Attachment. Any other routing requests by Global Connection will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.

### 4.2.11 **Remote Call Forwarding**

- 4.2.11.1 As an option, BellSouth shall make available to Global Connection an unbundled port with Remote Call Forwarding capability (URCF service). URCF service combines the functionality of unbundled local switching, tandem switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. When ordering URCF service, Global Connection will ensure that the following conditions are satisfied:
- 4.2.11.1.1 That the End User of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such End User is different from the URCF service End User);
- 4.2.11.1.2 That the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;
- 4.2.11.1.3 That the URCF service will not be utilized to forward calls to another URCF or similar service; and
- 4.2.11.1.4 That the forward-to number (service) is not a public safety number (e.g. 911, fire or police number).
- 4.2.11.2 In addition to the charge for the URCF service port, BellSouth shall charge Global Connection the rates set forth in Exhibit A for unbundled local switching, tandem switching, and common transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward-to number (service).

### 4.2.12 **Provision for Local Switching**

- 4.2.12.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.2.12.2 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.2.12.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.2.12.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to Global Connection all Advanced Intelligent Network (AIN) triggers in connection with its SMS/SCE offering.
- 4.2.12.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by Global Connection.

#### 4.2.13 **Local Switching Interfaces**.

- 4.2.13.1 Global Connection shall order ports and associated interfaces compatible with the services it wishes to provide as listed in Exhibit A. BellSouth shall provide the following local switching interfaces:
- 4.2.13.1.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
- 4.2.13.1.2 Coin phone signaling;
- 4.2.13.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
- 4.2.13.1.4 Two-wire analog interface to PBX;
- 4.2.13.1.5 Four-wire analog interface to PBX;
- 4.2.13.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);

- 4.2.13.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;
- 4.2.13.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
- 4.2.13.1.9 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.
- 4.2.14 All End Users of Global Connection who have service provisioned via 4-Wire ISDN DS1 Port with E911 Locator Capability shall physically be located in the E911 Tandem Switch service area.
- 4.2.15 Global Connection shall pass its End User's telephone number to BellSouth over the Primary Interface (PRI) trunk group via ANI or via direct Centralized Automated Message Accounting (CAMA) trunks to the appropriate E911 tandem switch.
- 4.2.16 Global Connection shall maintain the individual telephone number and the correct corresponding address/location data, including maintaining the End User listed address as the actual physical End User location in the E911 Automatic Location Identification (ALI) Database.
- 4.2.17 Global Connection will be responsible and liable for any errors resulting from the submission of invalid telephone number and address/location data for the CLEC's End Users.

#### 4.3 **Tandem Switching**

- 4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.
- 4.3.1.1 Where Global Connection utilizes portions of the BellSouth network in originating or terminating traffic, the Tandem Switching rates are applied in call scenarios where the Tandem Switching Network Element has been utilized. Because switch recordings cannot accurately indicate on a per call basis when the Tandem Switching Network Element has been utilized for an interoffice call originating from a UNE port and terminating to a BellSouth, Independent Company or Facility-Based CLEC office, BellSouth has developed, based upon call studies, a melded rate that takes into account the average percentage of calls that utilize Tandem Switching in these scenarios. BellSouth shall apply the melded Tandem

Switching rate for every call in these scenarios. BellSouth shall utilize the melded Tandem Switching Rate until BellSouth has the capability to measure actual Tandem Switch usage in each call scenario specifically mentioned above, at which point the rate for the actual Tandem Switch usage shall apply. The UNE Call Flows set forth on BellSouth's website, as amended from time to time and incorporated herein by this reference, illustrate when the full or melded Tandem Switching rates apply for specific scenarios.

### 4.3.2 Technical Requirements

- 4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, June 1, 1990. The requirements for Tandem Switching include but are not limited to the following:
- 4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by Global Connection and BellSouth;
- 4.3.2.1.3 Where applicable, Tandem Switching shall provide AIN triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 4.3.2.1.4 Where applicable, Tandem Switching shall provide access to Toll Free number database;
- 4.3.2.1.5 Tandem Switching shall provide connectivity to Public Safety Answering Point (PSAP)s where 911 solutions are deployed and the tandem is used for 911; and
- 4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.
- 4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to Global Connection.
- 4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.3.2.4 Tandem Switching shall process originating toll free traffic received from Global Connection's local switch.
- 4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability.

- 4.3.3 Upon Global Connection's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for Global Connection's traffic overflowing from direct end office high usage trunk groups.
- 4.4 <u>AIN Selective Carrier Routing for Operator Services, Directory Assistance</u> and Repair Centers
- 4.4.1 Where BellSouth provides local switching to Global Connection, BellSouth will provide AIN Selective Carrier Routing (AIN SCR) at the request of Global Connection. AIN SCR will provide Global Connection with the capability of routing operator calls, 0+ and 0- and 0+ NPA Local Numbering Plan Area (LNPA), 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.
- 4.4.2 Global Connection shall order AIN SCR through its Account Team and/or Local Contract Manager. AIN SCR must first be established regionally and then on a per central office per state basis.
- 4.4.3 AIN SCR is not available in DMS 10 switches.
- 4.4.4 Where AIN SCR is utilized by Global Connection, the routing of Global Connection's End User calls shall be pursuant to information provided by Global Connection and stored in BellSouth's AIN SCR Service Control Point database. AIN SCR shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each central office where AIN SCR is established.
- 4.4.5 Upon ordering AIN SCR Regional Service, Global Connection shall remit to BellSouth the Regional Service Order nonrecurring charges set forth in Exhibit A of this Attachment. There shall be a nonrecurring End Office Establishment Charge per office due at the addition of each central office where AIN SCR will be utilized. Said nonrecurring charge shall be as set forth in Exhibit A of this Attachment. For each Global Connection End User activated, there shall be a nonrecurring End User Establishment charge as set forth in Exhibit A of this Attachment. Global Connection shall pay the AIN SCR Per Query Charge set forth in Exhibit A of this Attachment.
- 4.4.6 This Regional Service Order nonrecurring charge will be non-refundable and will be paid with one half due up-front with the submission of all fully completed required forms including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN SCRSCR Order Request Form B, AIN SCR Central Office Identification Form Form C, AIN SCR Routing Options Selection Form Form D, and Routing Combinations Table Form E. BellSouth has thirty (30) calendar days to respond to Global Connection's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to Global Connection, BellSouth considers that the delivery schedule of

this service commences. The remaining half of the Regional Service Order payment must be paid when at least ninety (90) percent of the Central Offices listed on the original order have been turned up for the service.

- 4.4.7 The nonrecurring End Office Establishment Charge will be billed to Global Connection following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The nonrecurring End-User Establishment Charges will be billed to Global Connection following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.9 Additionally, the AIN SCR Per Query Charge will be billed to Global Connection following the normal billing cycle for per query charges.
- 4.4.10 All other network components needed, for example, unbundled switching, unbundled local transport, etc., will be billed per contracted rates.

# 4.5 <u>Selective Call Routing Using Line Class Codes (SCR-LCC)</u>

- 4.5.1 Where Global Connection purchases unbundled local switching from BellSouth and utilizes an operator services provider other than BellSouth, BellSouth will route Global Connection's End User calls to that provider through Selective Call Routing.
- 4.5.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for Global Connection to have its Operator Call Processing/Directory Assistance (OCP/DA) calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.
- 4.5.3 Custom Branding for Directory Assistance (DA) is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- Where available, Global Connection specific and unique LCCs are programmed in each BellSouth end office switch where Global Connection intends to serve End Users with customized OCP/DA branding. The LCCs specifically identify Global Connection's End Users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional LCCs are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Global Connection intends to provide Global Connection -branded OCP/DA to its End Users in these multiple rate areas.

- 4.5.5 SCR-LCC supporting Custom Branding and Self Branding require Global Connection to order dedicated trunking from each BellSouth end office identified by Global Connection, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Global Connection Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for DA. Rates for trunks are set forth in applicable BellSouth tariffs.
- 4.5.6 Unbranding Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by Global Connection to the BellSouth TOPS.
- 4.5.7 The Rates for SCR-LCC are as set forth in this Attachment. There is a nonrecurring charge for the establishment of each LCC in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.

# 5 <u>Unbundled Network Element Combinations</u>

- 5.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by Global Connection are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by Global Connection are not already combined by BellSouth in the location requested by Global Connection but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by Global Connection are not elements that BellSouth combines for its use in its network.
- 5.1.1 Upon request, BellSouth shall perform the functions necessary to combine unbundled Network Elements in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such combination is technically feasible and will not undermine the ability of other carriers to obtain access to unbundled Network Elements or to interconnect with BellSouth's network.

#### **Enhanced Extended Links (EELs)**

5.2.1 EELs are combinations of unbundled Loops and unbundled dedicated transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide Global

Connection with EELs where the underlying UNEs are available and in all instances where the requesting carrier meets the eligibility requirements, if applicable.

- High-capacity EELs are combinations of loop and transport UNEs or commingled loop and transport facilities at the DS1 and/or DS3 level as described in 47 CFR 51.318(b). High-capacity EELs must comply with the service eligibility requirements set forth in 5.2.4 below.
- By placing an order for a high-capacity EEL, Global Connection thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit Global Connection's high-capacity EELs as specified below.
- 5.2.4 If a high-capacity EEL or Ordinarily Combined Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, Global Connection may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Global Connection, BellSouth shall perform the routine network modifications.

# 5.2.5 <u>Service Eligibility Criteria</u>

- 5.2.5.1 Global Connection must certify for each high-capacity EEL that all of the following service eligibility criteria are met:
- 5.2.5.1.1 Global Connection has received state certification to provide local voice service in the area being served;
- 5.2.5.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:
- 5.2.5.2.1 1) Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit;
- 5.2.5.2.2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;
- 5.2.5.2.3 3) Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit;
- 5.2.5.2.4 4) Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 CFR 51.318(c);

- 5.2.5.2.5 5) Each circuit to be provided to each End User will be served by an interconnection trunk over which Global Connection will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.2.5.2.6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, Global Connection will have at least one (1) active DS1 local service interconnection trunk over which Global Connection will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.2.5.2.7 7) Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic.
- 5.2.6 BellSouth may, on an annual basis, audit Global Connection's records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that Global Connection failed to comply with the service eligibility criteria, Global Connection must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis. In the event the auditor's report concludes that, Global Connection did not comply in any material respect with the service eligibility criteria, Global Connection shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that Global Connection did comply in all material respects with the service eligibility criteria, BellSouth will reimburse Global Connection for its reasonable and demonstrable costs associated with the audit. Global Connection will maintain appropriate documentation to support its certifications.
- 5.2.7 In the event Global Connection converts special access services to UNEs, Global Connection shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

## 5.3 <u>UNE Port/Loop Combinations</u>

- 5.3.1 Combinations of port and loop unbundled Network Elements along with switching and transport unbundled Network Elements provide local exchange service for the origination or termination of calls. Port/loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.
- BellSouth is not required to provide combinations of port and loop Network Elements on an unbundled basis in locations where, pursuant to FCC and

Commission rules, BellSouth is not required to provide local circuit switching as an unbundled Network Element.

- 5.3.3 BellSouth shall not be required to provide local circuit switching as a UNE in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to Global Connection if Global Connection's customer has four (4) or more DS0 equivalent lines.
- 5.3.4 BellSouth shall not be required to provide local circuit switching as a UNE or combination of UNEs if the End User is being served by a BellSouth DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that Global Connection is serving any End User as described above as of October 2, 2003, such arrangement may not remain in place any longer than April 1, 2004, after which such arrangement must be terminated by Global Connection or BellSouth shall convert such arrangement to tariff pricing. The filing of this Agreement with the applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.
- 5.3.5 BellSouth shall make 911 updates in the BellSouth 911 database for Global Connection's UNE port/Loop combinations. BellSouth will not bill Global Connection for 911 surcharges. Global Connection is responsible for paying all 911 surcharges to the applicable governmental agency.

#### 5.4 Rates

- 5.4.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the rates associated with such combinations. Where a Currently Combined combination is not specifically set forth in Exhibit A, the rate for such Currently Combined combination of Network Elements shall be the sum of the recurring rates for those individual Network Elements in addition to the applicable non-recurring switch-as-is charge set forth in Exhibit A.
- 5.4.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the non-recurring and recurring charges for those combinations. Where an Ordinarily Combined combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined combination of Network Elements shall be the sum of the recurring and non-recurring rates for those individual Network Elements as set forth in Exhibit A.
- 5.4.3 Except as set forth in this Section 5, BellSouth shall provide UNE port/loop combinations specifically set forth in Exhibit A that are Currently Combined or Ordinarily Combined in BellSouth's network at the cost-based rates in Exhibit A.

5.4.4 BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to Global Connection in addition to those specifically referenced in this Section 5 above, where available. To the extent Global Connection requests a combination for which BellSouth does not have rates and methods and procedures in place to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.

## 6 Transport, Channelization and Dark Fiber

### 6.1 **Transport**

- 6.1.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rules 51.311, 51.319, and Section 251(c)(3) of the Act to interoffice transmission facilities described in this Section 6 on an unbundled basis to Global Connection for the provision of a qualifying service, as set forth herein.
- 6.1.1.1 Dedicated Transport is defined as BellSouth's interoffice transmission facilities, dedicated to a particular customer or carrier that Global Connection uses for transmission between wire centers or switches owned by BellSouth and within the same LATA.
- Dark Fiber Transport, defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics, between wire centers or switches owned by BellSouth and within the same LATA;
- 6.1.1.3 Common (Shared) Transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.
- 6.1.1.3.1 Notwithstanding any other provision of this Agreement, BellSouth will only provide unbundled access to Common (Shared) Transport to the extent BellSouth is required to provide and is providing unbundled Local Circuit Switching to Global Connection.
- 6.1.2 BellSouth shall:
- 6.1.2.1 Provide Global Connection exclusive use of Dedicated Transport to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- Provide all technically feasible features, functions, and capabilities of the transport facility;

- 6.1.2.3 Permit, to the extent technically feasible, Global Connection to connect such interoffice facilities to equipment designated by Global Connection, including but not limited to, Global Connection's collocated facilities; and
- 6.1.2.4 Permit, to the extent technically feasible, Global Connection to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.1.3 Technical Requirements of Common (Shared) Transport
- 6.1.3.1 Common (Shared) Transport provided on DS1, DS3, and STS-1 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office (CO to CO) connections in the applicable industry standards.
- 6.1.3.2 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 6.1.3.3 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.

## 6.2 **Dedicated Transport**

- 6.2.1 BellSouth shall offer Dedicated Transport in each of the following ways:
- 6.2.1.1 As capacity on a shared UNE facility.
- 6.2.1.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to Global Connection.
- 6.2.2 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- Global Connection may obtain a maximum of twelve (12) unbundled dedicated DS3 circuits, or their equivalent, for any single route at the UNE rates set forth in Exhibit A for which dedicated DS3 transport is available as unbundled transport. Additional capacity may be purchased pursuant to the rates, terms and conditions as set forth in the applicable tariff. A route is defined as a transmission path between one of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.
- Any request to re-terminate one end of a circuit will require the issuance of new service and disconnection of the existing service and the applicable charges in

Exhibit A shall apply, and the re-terminated circuit shall be considered a new circuit as of the installation date.

6.2.5 If Dedicated Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, Global Connection may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Global Connection, BellSouth shall perform the routine network modifications.

# 6.2.6 <u>Technical Requirements</u>

- 6.2.6.1 The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to Global Connection designated traffic.
- 6.2.6.2 For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.
- 6.2.6.3 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
- 6.2.6.3.1 DS0 Equivalent;
- 6.2.6.3.2 DS1;
- 6.2.6.3.3 DS3; and
- 6.2.6.3.4 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 6.2.6.4 BellSouth shall design Dedicated Transport according to its network infrastructure. Global Connection shall specify the termination points for Dedicated Transport.
- 6.2.6.5 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.
- 6.2.6.6 BellSouth Technical References:
- 6.2.6.6.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 6.2.6.6.2 TR 73501 LightGate® Service Interface and Performance Specifications, Issue D, June 1995.

6.2.6.6.3 TR 73525 MegaLink® Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

### 6.3 <u>Unbundled Channelization (Multiplexing)</u>

- Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) UNE or collocation cross connect to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross connect system at the discretion of BellSouth. Once UC has been installed, Global Connection may request channel activation on an as needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.
- 6.3.2 BellSouth shall make available the following channelization systems and interfaces:
- 6.3.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following Central Office Channel Interfaces (COCI) are available: Voice Grade, Digital Data and ISDN.
- DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.3.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.3.2.4 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as an optional feature on DS1 facilities.
- 6.3.3 <u>Technical Requirements</u>
- 6.3.3.1 In order to assure proper operation with BellSouth provided central office multiplexing functionality, Global Connection's channelization equipment must adhere strictly to form and protocol standards. Global Connection must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 6.3.3.2 TR 73501 LightGate<sup>®</sup> Service Interface and Performance Specifications, Issue D, June 1995
- 6.4 **Dark Fiber Transport**

- 6.4.1 Dark Fiber Transport is strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Global Connection to utilize Dark Fiber Transport.
- 6.4.2 If Dark Fiber Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, Global Connection may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Global Connection, BellSouth shall perform the routine network modifications.

### 6.4.3 <u>Requirements</u>

- BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.
- 6.4.3.2 Global Connection is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.
- 6.4.3.3 BellSouth shall use its best efforts to provide to Global Connection information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from Global Connection. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.
- 6.4.3.4 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to Global Connection within twenty (20) business days after Global Connection submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., LGX) to enable Global Connection to connect Global Connection provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.

#### 7 Databases

7.1 Call Related Databases are the databases set forth in this Attachment, other than OSS, that are used in signaling networks for billing and collection, or the

transmission, routing or other provision of a telecommunications service. Notwithstanding anything to the contrary herein, BellSouth shall only provide unbundled access to BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, Line Information Database (LIDB), Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, and Calling Name (CNAM) Database Service at the prices set forth herein where BellSouth is required to provide and is providing unbundled access to local circuit switching to Global Connection.

7.2 To the extent unbundled local circuit switching is converted to market based switching pursuant to Section 4.2.2 of this Attachment, BellSouth may, at its discretion, provide access to BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, LIDB, Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, Calling Name (CNAM) at market based rates pursuant to a separate agreement or tariff.

## 8 <u>BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit</u> Screening Service

- 8.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (8XX SCP Database) is a SCP that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the SSP or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD Service) utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At Global Connection's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by Global Connection.
- 8.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

#### **9** Line Information Database

9.1 LIDB is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, Global Connection must purchase appropriate signaling links pursuant to Section 10 of this Attachment. LIDB contains records associated with End User Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone

Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.

## 9.2 <u>Technical Requirements</u>

- 9.2.1 BellSouth will offer to Global Connection any additional capabilities that are developed for LIDB during the life of this Agreement.
- 9.2.2 BellSouth shall process Global Connection's customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to Global Connection what additional functions (if any) are performed by LIDB in the BellSouth network.
- 9.2.3 Within two (2) weeks after a request by Global Connection, BellSouth shall provide Global Connection with a list of the customer data items, which Global Connection would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 9.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed thirty (30) minutes per year.
- 9.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed twelve (12) hours per year.
- 9.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than twelve (12) hours per year.
- 9.2.7 All additions, updates and deletions of Global Connection data to the LIDB shall be solely at the direction of Global Connection. Such direction from Global Connection will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 9.2.8 BellSouth shall provide priority updates to LIDB for Global Connection data upon Global Connection's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 9.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of Global Connection customer records will be missing from LIDB, as measured by Global Connection audits. BellSouth will audit Global Connection records in LIDB against Data Base Administration System (DBAS) to identify record mismatches and provide this data to a designated Global Connection contact person to resolve

the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mismatches to Global Connection within one (1) business day of audit. Once reconciled records are received back from Global Connection, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact Global Connection to negotiate a time frame for the updates, not to exceed three business days.

- 9.2.10 BellSouth shall perform backup and recovery of all of Global Connection's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 9.2.11 BellSouth shall provide Global Connection with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between Global Connection and BellSouth.
- 9.2.12 BellSouth shall prevent any access to or use of Global Connection data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by Global Connection in writing.
- 9.2.13 BellSouth shall provide Global Connection performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by Global Connection at least at parity with BellSouth Customer Data. BellSouth shall obtain from Global Connection the screening information associated with LIDB Data Screening of Global Connection data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to Global Connection under the BFR/NBR process as set forth in Attachment 11.
- 9.2.14 BellSouth shall accept queries to LIDB associated with Global Connection customer records and shall return responses in accordance with industry standards.
- 9.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 9.2.16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 9.3 <u>Interface Requirements</u>

- 9.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 9.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 9.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 9.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation (GTT) shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 9.3.5 The application of the LIDB rates contained in Exhibit A to this Attachment will be based on a Percent CLEC LIDB Usage (PCLU) factor. Global Connection shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. Global Connection shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

#### 10 Signaling

10.1 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

#### 10.2 <u>Signaling Link Transport</u>

- 10.2.1 Signaling Link Transport is a set of two (2) or four (4) dedicated 56 kbps transmission paths between Global Connection designated Signaling Points of Interconnection that provide appropriate physical diversity.
- 10.2.2 Technical Requirements
- 10.2.3 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:
- 10.2.3.1 As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and

- 10.2.3.2 As a "B-link" Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs).
- 10.2.4 Signaling Link Transport shall consist of two (2) or more signaling link layers as follows:
- 10.2.4.1 An A-link layer shall consist of two (2) links.
- 10.2.4.2 A B-link layer shall consist of four (4) links.
- 10.2.4.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
- 10.2.4.4 No single failure of facilities or equipment causes the failure of both links in an Alink layer (i.e., the links should be provided on a minimum of two (2) separate physical paths end-to-end); and
- 10.2.4.5 No two (2) concurrent failures of facilities or equipment shall cause the failure of all four (4) links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).
- 10.2.5 <u>Interface Requirements</u>
- 10.2.5.1 There shall be a DS1 (1.544 Mbps) interface at Global Connection's designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.
- 10.3 **Signaling Transfer Points**
- 10.3.1 A STP is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPS) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.
- 10.3.2 <u>Technical Requirements</u>
- 10.3.2.1 STPs shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. STPs also provide access to third-party local or tandem switching and third-party-provided STPs.
- 10.3.2.2 The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit

messages, there shall be no alteration of the Integrated Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.

- 10.3.2.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a Global Connection local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between Global Connection local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- 10.3.2.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection Requirements. This includes GTT and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a Global Connection or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a Global Connection database, then Global Connection agrees to provide BellSouth with the Destination Point Code for Global Connection database.
- 10.3.2.5 STPs shall provide all functions of the Operations, Maintenance and Administration Part (OMAP) as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).
- 10.3.2.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a Global Connection or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

### 10.4 <u>SS7</u>

10.4.1 When technically feasible and upon request by Global Connection, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and

interconnection of the BellSouth SS7 network with Global Connection's SS7 network to exchange TCAP queries and responses with a Global Connection SCP.

- 10.4.2 SS7 AIN Access shall provide Global Connection SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and Global Connection SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the Global Connection SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.
- 10.4.3 <u>Interface Requirements</u>
- 10.4.3.1 BellSouth shall provide the following STP options to connect Global Connection or Global Connection-designated local switching systems to the BellSouth SS7 network:
- 10.4.3.1.1 An A-link interface from Global Connection local switching systems; and,
- 10.4.3.1.2 A B-link interface from Global Connection local STPs.
- Each type of interface shall be provided by one or more layers of signaling links.
- The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the CO where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 10.4.3.4 BellSouth shall provide intraoffice diversity between the SPOI and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 10.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 10.4.4 <u>Message Screening</u>
- 10.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from Global Connection local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the Global Connection switching system has a valid signaling relationship.
- 10.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from Global Connection local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the Global Connection switching system has a valid signaling relationship.

10.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from Global Connection from any signaling point or network interconnected through BellSouth's SS7 network where the Global Connection SCP has a valid signaling relationship.

### 10.5 Service Control Points (SCP)/Databases

- 10.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.
- 10.5.2 A SCP is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.
- 10.5.3 Technical Requirements for SCPs/Databases
- BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 10.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

#### 10.6 **Local Number Portability Database**

10.6.1 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

#### 10.7 **SS7 Network Interconnection**

10.7.1 SS7 Network Interconnection is the interconnection of Global Connection local signaling transfer point switches or Global Connection local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection

provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, Global Connection local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.

- 10.7.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and Global Connection or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 10.7.3 If traffic is routed based on dialed or translated digits between a Global Connection local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the Global Connection local signaling transfer point switches and BellSouth or other third-party local switch.
- 10.7.4 SS7 Network Interconnection shall provide:
- 10.7.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 10.7.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 10.7.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 10.7.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a Global Connection local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of Global Connection local STPs and shall not include SCCP Subsystem Management of the destination.
- 10.7.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
- 10.7.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.

- 10.7.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 10.7.9 <u>Interface Requirements</u>
- 10.7.9.1 The following SS7 Network Interconnection interface options are available to connect Global Connection or Global Connection-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 10.7.9.1.1 A-link interface from Global Connection local or tandem switching systems; and
- 10.7.9.1.2 B-link interface from Global Connection STPs.
- 10.7.9.2 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 10.7.9.3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 10.7.9.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 10.7.9.5 BellSouth shall set message screening parameters to accept messages from Global Connection local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Global Connection switching system has a valid signaling relationship.

## 11 <u>Automatic Location Identification/Data Management System (ALI/DMS)</u>

The ALI/DMS Database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. Global Connection will be required to provide BellSouth daily updates to E911 database. Global Connection shall also be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 service to its End Users.

- 11.2 <u>Technical Requirements</u>
- BellSouth shall provide Global Connection the capability of providing updates to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to Global Connection after Global Connection provides End User information for input into the ALI/DMS database.
- Global Connection shall conform to the National Emergency Number Association (NENA) recommended standards for LNP and updating the ALI/DMS database.

# 12 <u>Calling Name Database Service</u>

- 12.1 CNAM is the ability to associate a name with the calling party number, allowing the End User (to which a call is being terminated) to view the calling party's name before the call is answered. The calling party's information is accessed by queries launched to the CNAM database. This service also provides Global Connection the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- 12.2 Global Connection shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than sixty (60) calendar days prior to Global Connection's access to BellSouth's CNAM Database Services and shall be addressed to Global Connection's Local Contract Manager.
- 12.3 BellSouth's provision of CNAM Database Services to Global Connection requires interconnection from Global Connection to BellSouth CNAM SCPs. Such interconnections shall be established pursuant to Attachment 3 of this Agreement.
- In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, Global Connection shall provide its own CNAM SSP. Global Connection's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 12.5 If Global Connection elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that Global Connection desires to query.
- 12.6 If Global Connection queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification

document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway STPs. The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.

- 12.7 The mechanism to be used by Global Connection for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by Global Connection in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of Global Connection to provide accurate information to BellSouth on a current basis.
- Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- Global Connection CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.

# 13 <u>Service Creation Environment and Service Management System (SCE/SMS)</u> Advanced Intelligent Network Access

- 13.1 BellSouth's SCE/SMS AIN Access shall provide Global Connection the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to Global Connection. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application.
- BellSouth SCP shall partition and protect Global Connection service logic and data from unauthorized access.
- When Global Connection selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable Global Connection to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- Global Connection access will be provided via remote data connection (e.g., dialin, ISDN).

13.6 BellSouth shall allow Global Connection to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

## 14 <u>Operational Support Systems</u>

- 14.1 BellSouth has developed and made available electronic interfaces by which Global Connection may submit LSRs electronically.
- LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Exhibit A of this Attachment.

### 14.3 <u>Denial/Restoral OSS Charge</u>

- 14.3.1 In the event Global Connection provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 14.4 Cancellation OSS Charge
- 14.4.1 Global Connection will incur an OSS charge for an accepted LSR that is later canceled.
- Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 14.6 Network Elements and Other Services Manual Additive
- 14.6.1 The Commissions in some states have ordered per element manual additive nonrecurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A.

														ı			
UNB	UNDLE	D NETWORK ELEMENTS - Alabama			·								T -		ment: 2		bit: A
												1		Incremental			
													Submitted	Charge -	Charge -	Charge -	Charge -
CATE	CORV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	-	Manual Svc	Manual Svc	Manual Svc	
OA!L	00	NATE ELEMENTO	m	20110	500	0000			τοτι 20 (φ)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	Disc Auu i
							Rec	Nonre			Disconnect				Rates (\$)		
	+							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "Z	I one" shown in the sections for stand-alone loops or loops as	part of	a com	ination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograp	nically Deavera	ged UNE Zon	Designation	ons by Cent	ral Office, refe	er to internet \	Nebsite:	
		www.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion.ht	m	. ,			• • •								
OPER		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"													1		
		(1) CLEC should contact its contract negotiator if it prefers th															
		ither the state specific Commission ordered rates for the servi f the 9 states.	ice orae	ring ci	larges, or CLEC may	elect the re	gional service o	ordering charg	e, nowever, Ci	.EC can not or	itain a mixture	of the two	regardiess i	f CLEC nas a	Interconnecti	on contract e	stabiisned in
-		(2) Any element that can be ordered electronically will be bill	ed acco	rdina	to the SOMEC rate lis	sted in this o	category. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine i	if a product	can be order	ed electronica	IIv. For thos	e elements
		nnot be ordered electronically at present per the LOH, the list		•						•	` '		•			•	
	SOMAI	N, will be applied to a CLECs bill when it submits an LSR to B	BellSout	h.													
		OSS - Electronic Service Order Charge, Per Local Service				001450											
	+	Request (LSR) - UNE Only OSS - Manual Service Order Charge, Per Local Service Request				SOMEC		3.50	0.00	3.50	0.00				1		
		(LSR) - UNE Only				SOMAN		15.66	0.00	1.97	0.00						
UNE S	ERVICE	DATE ADVANCEMENT CHARGE				001111111		10.00	0.00		0.00				1		
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's F	CC No.1 Tariff, Section	n 5 as appli	cable.										
					UAL, UEANL, UCL, UEF. UDF. UEQ.												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3, U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL, UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1, ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1, UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
		Day			U1TUB, U1TUA	SDASP		200.00									
UNBU		EXCHANGE ACCESS LOOP  E ANALOG VOICE GRADE LOOP		<u> </u>								-	-				
<b>-</b>	∠-WIRE	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	<b>-</b>	1	UEANL	UEAL2	12.58	37.81	17.56	23.49	5.30	<del>                                     </del>			<del>                                     </del>		
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	21.05	37.81	17.56	23.49	5.30	<del>                                     </del>			<b>†</b>		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	34.34	37.81	17.56	23.49	5.30						
<u> </u>	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEASL	12.58	37.81	17.56	23.49	5.30						
-	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL UEANL	UEASL UEASL	21.05 34.34	37.81 37.81	17.56 17.56	23.49 23.49	5.30 5.30	1			-		
<b>-</b>	+	Unbundled Miscellaneous Rate Element, Tag Loop at End User	<b>-</b>	3	OLAINL	UEAOL	34.34	37.81	17.56	23.49	5.30	<del>                                     </del>			<del>                                     </del>		
		Premise			UEANL	URETL		8.33	0.83						1		
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.16	34.16								
	1	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.85	19.85					İ	I		İ

Version 3Q03: 11/12/2003 Page 1 of 348

UNBUNDLE	D NETWORK ELEMENTS - Alabama													ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonred		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch															
	(UVL-SL1)			UEANL	UREWO		15.78	8.94								
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.44									
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.15	8.15								
	Order Coordination for Specified Conversion Time for UVL-SL1															
	(per LSR)			UEANL	OCOSL		18.09									
2-WIRI	E Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	ı		UEQ	UEQ2X	11.20	34.14	15.10	21.25	4.15						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2			UEQ	UEQ2X	13.27	34.14	15.10	21.25	4.15						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	- 1	3	UEQ	UEQ2X	15.07	34.14	15.10	21.25	4.15					-	<del>                                     </del>
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIEO	LIDET:										I	
	Premise			UEQ	URETL		8.33	0.83							-	<del>                                     </del>
	Manual Order Coordination 2 Wire Unbundled Copper Loop -			LIFO	LICDAGO		0.4-								1	
	Non-Designed (per loop)		-	UEQ	USBMC		8.15		<del>                                     </del>		-		-	<del>                                     </del>	<del>                                     </del>	-
	Unbundled Copper Loop, Non-Design Copper Loop, billing for			UEQ	UEQMU		13.44								1	
	BST providing make-up (Engineering Information - E.I.)						34.16	34.16	-			-		-		
	Loop Testing - Basic 1st Half Hour		-	UEQ UEQ	URET1 URETA		19.85	19.85								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.85	19.85	-			-		-		
	CLEC to CLEC Conversion Charge Without Outside Dispatch			UEQ	LIDEWO		14.27	7.43								
LINDUNDI ED	(UCL-ND) EXCHANGE ACCESS LOOP			UEQ	UREWO		14.27	7.43	-			-		-		<del>                                     </del>
	E ANALOG VOICE GRADE LOOP				1						-					<del> </del>
Z-VVIKI	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				1						-					<del> </del>
	Zone 1		1	UEPSR UEPSB	UEALS	12.58	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		'	OLF SK OLF SB	ULALS	12.30	37.01	17.50	23.43	3.30						
	Zone 1		1	UEPSR UEPSB	UEABS	12.58	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		<u> </u>	OLI OR OLI OD	OLABO	12.00	07.01	17.00	20.40	0.00	<b>†</b>					<del>                                     </del>
	Zone 2		2	UEPSR UEPSB	UEALS	21.05	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-				-											
	Zone 2		2	UEPSR UEPSB	UEABS	21.05	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 3		3	UEPSR UEPSB	UEALS	34.34	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 3		3	UEPSR UEPSB	UEABS	34.34	37.81	17.56	23.49	5.30						
UNBUNDLED	EXCHANGE ACCESS LOOP															
2-WIRI	E ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.38	88.00	55.00	47.24	7.44						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	22.85	88.00	55.00	47.24	7.44						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	36.14	88.00	55.00	47.24	7.44						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.09									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				l											
	Battery Signaling - Zone 1		1	UEA	UEAR2	14.38	88.00	55.00	47.24	7.44						<b>_</b>
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				LUEADO	00.5=	00.00	FF 00		<b>-</b>					1	
	Battery Signaling - Zone 2		2	UEA	UEAR2	22.85	88.00	55.00	47.24	7.44	-		<b> </b>	<b>.</b>	-	<b>├</b>
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	1	3	UEA	UEAR2	20.44	00.00	FF 00	47.04	7 44		1			I	
	Order Coordination for Specified Conversion Time (per LSR)		3	UEA	OCOSL	36.14	88.00 18.09	55.00	47.24	7.44	<u> </u>			-	<del>                                     </del>	<del> </del>
	CLEC to CLEC Conversion Charge without outside dispatch	<b>-</b>	-	UEA	UREWO		18.09 87.72	36.36	<del>                                     </del>		-		-	-	<del></del>	<del> </del>
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1.10	<del>                                     </del>		<del>                                     </del>	<b>-</b>	<b>l</b>	1	<del>                                     </del>	<del>                                     </del>
4-WIDI	E ANALOG VOICE GRADE LOOP			ULA	ONLIL		11.21	1.10	<del>                                     </del>		<del>                                     </del>	<b>-</b>			+	+
7-1111	4-Wire Analog Voice Grade Loop - Zone 1	<b>-</b>	1	UEA	UEAL4	25.34	131.97	94.51	59.14	14.50	<del>                                     </del>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
+	4-Wire Analog Voice Grade Loop - Zone 1	<b>-</b>		UEA	UEAL4	38.58	131.97	94.51	59.14	14.50	<b>-</b>			<del> </del>	t	<del>                                     </del>
	4-Wire Analog Voice Grade Loop - Zone 2		3	UEA	UEAL4	60.02	131.97	94.51	59.14	14.50	<del>                                     </del>	<b>-</b>			<b>I</b>	<b>†</b>
						00.02		07.01	00.14	17.00	<del></del>		<b>-</b>	<b></b>	<del></del>	<del></del>
<del>-  </del>	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	I	18.09									l .

UNBUI	NDLE	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
0.1.201	12	/ / / / / / / / / / / / / / / / / / / /										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			l									Elec	Manually		Manual Svc		Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per Lor	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-WIRE	ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.88	117.24	79.77	52.88	10.54	İ					
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	32.85	117.24	79.77	52.88	10.54						
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	48.55	117.24	79.77	52.88	10.54						
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18.09									
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.63	44.16			İ					
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP								İ					
		2 Wire Unbundled ADSL Loop including manual service inquiry															
		& facility reservation - Zone 1		1	UAL	UAL2X	11.01	110.00	68.00	47.24	7.44						
		2 Wire Unbundled ADSL Loop including manual service inquiry										İ					
		& facility reservation - Zone 2		2	UAL	UAL2X	12.73	110.00	68.00	47.24	7.44						
		2 Wire Unbundled ADSL Loop including manual service inquiry										İ					
		& facility reservation - Zone 3		3	UAL	UAL2X	14.30	110.00	68.00	47.24	7.44				1	1	
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.09									
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 1		1	UAL	UAL2W	11.01	90.00	57.00	47.24	7.44						
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 2		2	UAL	UAL2W	12.73	90.00	57.00	47.24	7.44						
		2 Wire Unbundled ADSL Loop without manual service inquiry &		<del>-</del>													
		facility reservation - Zone 3		3	UAL	UAL2W	14.30	90.00	57.00	47.24	7.44						
		Order Coordination for Specified Conversion Time (per LSR)		Ť	UAL	OCOSL		18.09									
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.20	40.40								
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP		9112119											
		2 Wire Unbundled HDSL Loop including manual service inquiry	Ī														
		& facility reservation - Zone 1		1	UHL	UHL2X	8.74	110.00	68.00	47.24	7.44						
		2 Wire Unbundled HDSL Loop including manual service inquiry				91	•										
		& facility reservation - Zone 2		2	UHL	UHL2X	10.17	110.00	68.00	47.24	7.44						
		2 Wire Unbundled HDSL Loop including manual service inquiry										İ					
		& facility reservation - Zone 3		3	UHL	UHL2X	11.44	110.00	68.00	47.24	7.44						
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									
		2 Wire Unbundled HDSL Loop without manual service inquiry										İ					
		and facility reservation - Zone 1		1	UHL	UHL2W	8.74	90.00	57.00	47.24	7.44						
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 2		2	UHL	UHL2W	10.17	90.00	57.00	47.24	7.44						
		2 Wire Unbundled HDSL Loop without manual service inquiry										İ					
		and facility reservation - Zone 3		3	UHL	UHL2W	11.44	90.00	57.00	47.24	7.44						
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40								
1	1-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP										ĺ			
		4 Wire Unbundled HDSL Loop including manual service inquiry												ĺ			
		and facility reservation - Zone 1		1	UHL	UHL4X	13.95	148.36	68.00	51.70	9.73		1		I	I	
		4-Wire Unbundled HDSL Loop including manual service inquiry												Î			
		and facility reservation - Zone 2		2	UHL	UHL4X	15.56	148.36	68.00	51.70	9.73		1		I	I	
		4-Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL4X	15.25	148.36	68.00	51.70	9.73	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 1		1	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 2	<u></u>	2	UHL	UHL4W	15.56	94.00	57.00	51.70	9.73	<u></u>			<u> </u>	<u> </u>	<u> </u>
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 3	<u></u>	3	UHL	UHL4W	15.25	94.00	57.00	51.70	9.73			<u> </u>			<u> </u>
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40								
	1-WIRE	DS1 DIGITAL LOOP															
		4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	82.55	252.47	157.54		11.71						
		4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	154.18	252.47	157.54	44.70	11.71						
		4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	314.52	252.47	157.54	44.70	11.71						
		Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		18.09									

UNBUN	NDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGO	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-								Nonrec	urrina	Nonrecurring	Disconnect			220	Rates (\$)		<u></u>
$\vdash$				-			Rec	First	urring Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
$\vdash$		CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.09	43.05	FIISL	Auu i	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
	4-WIRE	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			UGL	UKLVVO		101.09	43.03			<b>+</b>					
	7 0011112	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	26.09	126.27	88.80	59.14	14.50	1					
		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	35.95	126.27	88.80	59.14	14.50	1					
		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	37.88	126.27	88.80	59.14	14.50	İ					
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	26.09	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	35.95	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	37.88	126.27	88.80	59.14	14.50						
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.09									
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	26.09	126.27	88.80	59.14	14.50						
$\vdash$		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	35.95	126.27	88.80	59.14	14.50						<u> </u>
$\vdash$		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	37.88	126.27	88.80	59.14	14.50						<b></b>
$\vdash$		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.09	40.75					ļ			<b></b>
<u> </u>		CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.13	49.75			ļ					
<b>⊢</b> − − + 2		Unbundled COPPER LOOP		-		+				<del>                                     </del>		ļ		-			<del> </del>
		2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.01	112.46	65.30	47.24	7.44						
-		2-Wire Unbundled Copper Loop-Designed including manual		1	UCL	UCLPB	11.01	112.46	65.30	47.24	7.44	<b> </b>					<del> </del>
		service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	12.73	112.46	65.30	47.24	7.44						
		2 Wire Unbundled Copper Loop-Designed including manual			OOL	OCLI D	12.75	112.40	00.00	71.27	7.44	1					-
		service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.30	112.46	65.30	47.24	7.44						
		Order Coordination for Unbundled Copper Loops (per loop)		Ŭ	UCL	UCLMC	14.00	8.15	8.15	77.24	7	1					
		2-Wire Unbundled Copper Loop-Designed without manual										İ					
		service inquiry and facility reservation - Zone 1	- 1	1	UCL	UCLPW	11.01	91.46	54.30	47.24	7.44						
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 2	- 1	2	UCL	UCLPW	12.73	91.46	54.30	47.24	7.44						
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 3	- 1	3	UCL	UCLPW	14.30	91.46	54.30	47.24	7.44						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
		CLEC to CLEC Conversion Charge without outside dispatch															
	4 14/15/5	(UCL-Des)		-	UCL	UREWO		97.23	42.48	-		1					-
<u> </u>		4-Wire Copper Loop-Designed including manual service inquiry		-								<b>.</b>					-
		and facility reservation - Zone 1		1	UCL	UCL4S	17.36	135.21	88.05	51.70	9.73						
-		4-Wire Copper Loop-Designed including manual service inquiry		-	OCL	UCL43	17.30	133.21	00.03	31.70	9.73	1					1
		and facility reservation - Zone 2		2	UCL	UCL4S	20.76	135.21	88.05	51.70	9.73						
		4-Wire Copper Loop-Designed including manual service inquiry				30270	20.70	100.21	00.03	31.70	5.73	1					<b>†</b>
		and facility reservation - Zone 3		3	UCL	UCL4S	28.21	135.21	88.05	51.70	9.73						
		Order Coordination for Unbundled Copper Loops (per loop)		Ť	UCL	UCLMC		8.15	8.15	20	20						
		4-Wire Copper Loop-Designed without manual service inquiry				1						İ					
		and facility reservation - Zone 1	I	1	UCL	UCL4W	17.36	114.21	67.05	51.70	9.73			<u></u>			
		4-Wire Copper Loop-Designed without manual service inquiry									-						
		and facility reservation - Zone 2	I	2	UCL	UCL4W	20.76	114.21	67.05	51.70	9.73						ļ
1 7		4-Wire Copper Loop-Designed without manual service inquiry															
$\vdash$		and facility reservation - Zone 3		3	UCL	UCL4W	28.21	114.21	67.05	51.70	9.73						<u> </u>
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15			ļ					
1.000		CLEC to CLEC conversion Charge without outside dispatch		<u> </u>	UCL	UREWO		97.23	42.48			ļ		-			<del></del>
LOOP M	IUUIFI(	SATION			UAL, UHL, UCL,	+				<del>                                     </del>		ļ		-			<del> </del>
					UEQ, ULS, UEA,												
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL. UEPSR.												
		pair less than or equal to 18k ft. per Unbundled Loop			UEPSB	ULM2L		0.00	0.00								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire	<u> </u>		02	J		0.00	0.00								
		less than or equal to 18K ft, per Unbundled Loop	1		UHL, UCL, UEA	ULM4L		0.00	0.00								
					UAL, UHL, UCL,	İ											
					UEQ,ULS,UEA,												
		Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,												
		per unbundled loop			UEPSB	ULMBT		32.41	32.41								
SUB-LO	OPS											1		l			

UNBUNDLI	ED NETWORK ELEMENTS - Alabama			T							T -		Attach			bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	The state of the s						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Sub-L	oop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-			UEANL	LICDOA		044.40									
	Up	- 1	1	UEANL	USBSA		244.42				-					
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		22.64									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder		1	ULANL	USBSB		22.04									
	Facility Set-Up	1		UEANL	USBSC		177.45									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
	Set-Up	- 1		UEANL	USBSD		55.15									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 1		1	UEANL	USBN2	11.21	65.80	30.96	45.25	6.70						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 2		2	UEANL	USBN2	11.94	65.80	30.96	45.25	6.70						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		_													
	Zone 3		3	UEANL	USBN2	16.86	65.80	30.96	45.25	6.70						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		+	UEANL	USBIVIC		8.15	8.15								-
	Zone 1		1	UEANL	USBN4	8.46	79.03	44.19	49.71	9.07						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		<del>- '</del>	OLANE	OODIV	0.40	7 3.03	44.13	43.71	3.01						
	Zone 2		2	UEANL	USBN4	16.67	79.03	44.19	49.71	9.07						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		<u> </u>	027412	002.11	10.07	7 0.00		10.11	0.01						
	Zone 3		3	UEANL	USBN4	32.57	79.03	44.19	49.71	9.07						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	2.27	53.01	18.17	45.25	6.70						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		ļ	UEANL	USBMC		8.15	8.15	10 =1							
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	-		UEANL	USBR4	5.16	59.25	24.41	49.71	9.07						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
	Loop Testing - Basic 1st Half Hour		1	UEANL	URET1		34.16	34.16								1
	Loop Testing - Basic Additional Half Hour		1	UEANL	URETA		19.85	19.85								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.22	65.80	30.96	45.25	6.70						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	8.76	65.80	30.96	45.25	6.70						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	11.27	65.80	30.96	45.25	6.70						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.15	8.15								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.11	79.03	44.19	49.71	9.07						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	12.61	79.03	44.19	49.71	9.07						<b></b>
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	15.36	79.03	44.19	49.71	9.07					-	<del>                                     </del>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.15	8.15								1
<del>                                     </del>	Loop Testing - Basic 1st Half Hour		<del>                                     </del>	UEF	URET1		34.16	34.16			1				<del> </del>	<del>                                     </del>
	Loop Testing - Basic Additional Half Hour		<b>t</b>	UEF	URETA		19.85	19.85							<del> </del>	<del>                                     </del>
Unbu	ndled Network Terminating Wire (UNTW)				J.KETA		10.00	10.00								<u> </u>
151124	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.40	30.01				İ					
Netwo	ork Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.23	28.38								
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		63.97	49.11								
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.87	5.87								1
LINE OTHER	Network Interface Device Cross Connect - 4W		1	UENTW	UNDC4		5.87	5.87								-
UNE OTHER,	PROVISIONING ONLY - NO RATE    NID - Dispatch and Service Order for NID installation		1	UENTW	UNDBX	0.00	0.00								-	<del>                                     </del>
<del></del>	UNTW Circuit Id Establishment, Provisioning Only - No Rate	<b>-</b>	1	UENTW	UENCE	0.00	0.00				-					<del>                                     </del>
-	ONTIVE OF CUIT OF ESTADISHITION, PROVISIONING ONLY - NO Rate		1	UEANL,UEF,UEQ,U	OLINGE	0.00	0.00								<del>                                     </del>	t
			1	10-7111-,0-11,0-0,0	1						1	i			1	1
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									

DE	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (17			per Lor	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	1	
			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			1						11101							
				UAL,UCL,UDC,UDL,												
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			, , , , , , , , , , , , , , , , , , , ,												
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -															
	no rate			USL	CCOEF	0.00	0.00									
HIGH CAPA	CITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per					İ										
	month			UE3	1L5ND	8.38										
	High Capacity Unbundled Local Loop - DS3 - Facility															
	Termination per month		1	UE3	UE3PX	308.98	451.52	263.94	119.49	83.58	1					1
i i	High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
	month			UDLSX	1L5ND	8.38										
	High Capacity Unbundled Local Loop - STS-1 - Facility															
	Termination per month			UDLSX	UDLS1	319.83	451.52	263.94	119.49	83.58						
LOOP MAKE	E-UP															
	Loop Makeup - Preordering Without Reservation, per working or													Î		
	spare facility queried (Manual).			UMK	UMKLW		20.00	20.00								
	Loop Makeup - Preordering With Reservation, per spare facility															
	queried (Manual).			UMK	UMKLP		21.00	21.00								
	Loop MakeupWith or Without Reservation, per working or															
	spare facility queried (Mechanized)			UMK	UMKMQ		0.59	0.59								
	NG AND LINE SPLITTING															
NOT	E 1: The Line Sharing monthly recurring rates for all installation	ns com	pleted	from October 02, 200	3 through m	idnight Octobe	r 01, 2004 shal	l be billed as f	ollows:							
	E 1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co	opper lo	op no	n-designed ("UCLND	)")											
	E 1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND															
	E 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND															
	E 1: Above will apply to USOCS: ULSDT and ULSCT															
	TE 2: The Line Sharing monthly recurring rates with USOCs UL	SDC an	d ULS	CC applies only to ci	rcuits install	ed and inservic	e on or before	October 1, 200	03							
	SHARING															
SPL	ITTERS-CENTRAL OFFICE BASED															
$\vdash$	Line Sharing Splitter, per System 96 Line Capacity		<b>!</b>	ULS	ULSDA	155.97	188.79	0.00	177.98	0.00					ļ	
$\vdash \vdash$	Line Sharing Splitter, per System 24 Line Capacity		1	ULS	ULSDB	38.99	188.79	0.00	177.98	0.00						
$\vdash$	Line Sharing Splitter, Per System, 8 Line Capacity  Line Sharing-DLEC Owned Splitter in CO-CFA activaton-	1	1	ULS	ULSD8	12.73	377.58	0.00	355.96	0.00					1	
1 1							1								1	
					05.0		20.4-									
	deactivation (per LSOD)			ULS	ULSDG		86.47	0.00	49.84	0.00						
END	deactivation (per LSOD) USER ORDERING-CENTRAL OFFICE BASED LINE SHARING			ULS	ULSDG		86.47	0.00	49.84	0.00						
END	deactivation (per LSOD)  USER ORDERING-CENTRAL OFFICE BASED LINE SHARING  Line Sharing - per Line Activation (BST Owned splitter) -					0.01										
END	deactivation (per LSOD)  USER ORDERING-CENTRAL OFFICE BASED LINE SHARING  Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see **NOTE 2			ULS	ULSDG	0.61	86.47 18.51	0.00	49.84	0.00 4.92						
END	deactivation (per LSOD)  USER ORDERING-CENTRAL OFFICE BASED LINE SHARING  Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see **NOTE 2  Line Share Service, TRO per line activation, BST owned splitter-					0.61										
END	deactivation (per LSOD)  USER ORDERING-CENTRAL OFFICE BASED LINE SHARING  Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see **NOTE 2  Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1			ULS	ULSDC		18.51	10.60	10.01	4.92						
END	deactivation (per LSOD)  USER ORDERING-CENTRAL OFFICE BASED LINE SHARING  Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see **NOTE 2  Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)					0.61										
END	deactivation (per LSOD)  USER ORDERING-CENTRAL OFFICE BASED LINE SHARING  Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see **NOTE 2  Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)  Line Share Service, TRO per line activation, BST owned splitter-			ULS	ULSDC		18.51	10.60	10.01	4.92						
END	deactivation (per LSOD)  USER ORDERING-CENTRAL OFFICE BASED LINE SHARING  Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see **NOTE 2  Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)  Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (50% of UCLND) - please see NOTE 1			ULS	ULSDC ULSDT	2.80	18.51	10.60	10.01	4.92						
END	deactivation (per LSOD)  USER ORDERING-CENTRAL OFFICE BASED LINE SHARING  Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see **NOTE 2  Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1  (E:10/2/2003)  Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1  (E:10/2/2004)			ULS	ULSDC		18.51	10.60	10.01	4.92						
END	deactivation (per LSOD)  USER ORDERING-CENTRAL OFFICE BASED LINE SHARING  Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2  Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1  (E:10/2/2003)  Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1  (E:10/2/2004)  Line Share Service, TRO per line activation, BST owned splitter -			ULS	ULSDC ULSDT	2.80	18.51	10.60	10.01	4.92						
END	deactivation (per LSOD)  USER ORDERING-CENTRAL OFFICE BASED LINE SHARING  Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see **NOTE 2  Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)  Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)  Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (75% of UCLND) - please see NOTE 1			ULS ULS ULS	ULSDT ULSDT	2.80	18.51 18.51	10.60	10.01	4.92 4.92 4.92						
END	deactivation (per LSOD)  USER ORDERING-CENTRAL OFFICE BASED LINE SHARING  Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see **NOTE 2  Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1  (E:10/2/2003)  Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1  (E:10/2/2004)  Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1  (E:10/2/2005)			ULS	ULSDC ULSDT	2.80	18.51	10.60	10.01	4.92						
END	deactivation (per LSOD)  USER ORDERING-CENTRAL OFFICE BASED LINE SHARING  Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see **NOTE 2  Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1  (E:10/2/2003)  Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1  (E:10/2/2004)  Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1  (E:10/2/2005)  Line Sharing - per Subsequent Activity per Line			ULS ULS ULS	ULSDT ULSDT ULSDT	2.80	18.51 18.51 18.51	10.60 10.60 10.60	10.01	4.92 4.92 4.92						
END	deactivation (per LSOD)  USER ORDERING-CENTRAL OFFICE BASED LINE SHARING  Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2  Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)  Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)  Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2005)  Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)  Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter			ULS ULS ULS	ULSDT ULSDT	2.80	18.51 18.51	10.60	10.01	4.92 4.92 4.92						
END	deactivation (per LSOD)  USER ORDERING-CENTRAL OFFICE BASED LINE SHARING  Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "*NOTE 2  Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)  Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)  Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)  Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter  Line Sharing - per Subsequent Activity per Line			ULS ULS ULS ULS	ULSDT ULSDT ULSDT ULSDT ULSDT	2.80	18.51 18.51 18.51 18.51 16.39	10.60 10.60 10.60 10.60 8.19	10.01	4.92 4.92 4.92						
END	deactivation (per LSOD)  USER ORDERING-CENTRAL OFFICE BASED LINE SHARING  Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2  Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)  Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)  Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2005)  Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)  Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter			ULS ULS ULS	ULSDT ULSDT ULSDT	2.80	18.51 18.51 18.51	10.60 10.60 10.60	10.01	4.92 4.92 4.92						

UNBUI	NDLE	D NETWORK ELEMENTS - Alabama													ment: 2		ibit: A
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Order vs. Electronic-
														1st	Add'l	DISC 1St	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
		Live Oleve Overice TDO and live out of the OLEO and I				1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (25% of UCLND) - please see															
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.80	47.44	19.31	20.02	9.83						
		Line Share Service, TRO per line activation, CLEC owned		-	ULS	ULSCI	2.00	47.44	19.31	20.02	9.03	1	-	-			<del> </del>
		splitter - Central Office Located (50% of UCLND) - please see															
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.60	47.44	19.31	20.02	9.83						
		Line Share Service, TRO per line activation, CLEC owned			020	02001	0.00		10.01	20.02	0.00						
		splitter - Central Office Located (75% of UCLND) - please see															
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	8.40	47.44	19.31	20.02	9.83						
		PLITTING															
	END U	SER ORDERING-CENTRAL OFFICE BASED							· · · · ·		· · · · ·						
		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.01	21.19		9.83	ļ		ļ			
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	37.01	21.19	20.02	9.83						
	MAINT	ENANCE				1		20.00	FF 00			ļ		<del>                                     </del>	-		<del> </del>
		No Trouble Found - per 1/2 hour increments - Basic  No Trouble Found - per 1/2 hour increments - Overtime		-		+		80.00 120.00	55.00 82.50					<del>                                     </del>			<del>                                     </del>
		No Trouble Found - per 1/2 hour increments - Overtime  No Trouble Found - per 1/2 hour increments - Premium		-		-		160.00	110.00			1	-	-			<del> </del>
LINBLIN	OLED I	DEDICATED TRANSPORT				1		100.00	110.00			1	1	-			-
		OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination			U1TVX	U1TV2	21.13	40.54	27.41	16.74	6.90						
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat															
		Facility Termination			U1TVX	U1TR2	21.13	40.54	27.41	16.74	6.90						
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			11477.07		40.70	40.54	07.44	40.74	0.00						
		- Facility Termination			U1TVX	U1TV4	18.73	40.54	27.41	16.74	6.90	-					<del>                                     </del>
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility		-	UTIDA	ILSAA	0.000030			-		1	-	-			<del> </del>
		Termination			U1TDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
- 1		Interoffice Channel - Dedicated Transport - 64 kbps - per mile			5.1DX	31100	10.12	70.04	21.+1	10.74	0.90	l	t	<b>†</b>	1		<b>—</b>
		per month			U1TDX	1L5XX	0.008838							I			
1		Interoffice Channel - Dedicated Transport - 64 kbps - Facility				i								1		l	
		Termination	L		U1TDX	U1TD6	15.12	40.54	27.41	16.74	6.90	L	<u></u>	<u> </u>		<u> </u>	
	•	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
		month			U1TD1	1L5XX	0.18					<u> </u>			ļ		
		Interoffice Channel - Dedicated Tranport - DS1 - Facility				l								I			
		Termination			U1TD1	U1TF1	60.16	89.27	81.81	16.35	14.44	ļ		1	ļ	ļ	ļ
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			LIATEDO	41.5307								1			
		month		<u> </u>	U1TD3	1L5XX	4.09					<b> </b>	1	1	<del> </del>	-	1
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	703.52	278.75	162.76	60.20	28.46			I			
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			סווט	01113	103.32	210.15	102.76	60.20	20.40	1	<del>                                     </del>	<del>                                     </del>	<del> </del>	<b> </b>	<del>                                     </del>
		month			U1TS1	1L5XX	4.09							I			
		Interoffice Channel - Dedicated Transport - STS-1 - Facility				.20,50	4.00							<u> </u>	1		
		Termination			U1TS1	U1TFS	701.37	278.75	162.76	60.20	28.46			I			
DARK F	IBER					1											
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
		Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	23.29										
		NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		639.09	137.87	317.06	197.66						
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction												I			
		Thereof per month - Local Loop			UDF, UDFCX	1L5DL	60.32			0.10.0	100.00	ļ					<b>_</b>
		NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4		639.09	137.87	317.06	197.66	L	1	1	l	<u> </u>	

UNRI	INDI F	O NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	oit: A
0.400		Alabania - Alabania				T	I					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	Disc Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX A	CESS 1	EN DIGIT SCREENING															
		8XX Access Ten Digit Screening, Per Call			OHD		0.00056										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX															
		Number Reserved			OHD	N8R1X		2.58	0.44								
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O			OLID			5.04	0.04	4.57	0.54						
-		POTS Translations 8XX Access Ten Digit Screening, Per 8XX No. Established With			OHD			5.94	0.81	4.57	0.54	-					
		POTS Translations			OHD	N8FTX		5.94	0.81	4.57	0.54						
-	1	8XX Access Ten Digit Screening, Customized Area of Service			OHD	INOI IX		3.54	0.61	4.57	0.54						
		Per 8XX Number			OHD	N8FCX		2.58	1.29								
		8XX Access Ten Digit Screening, Multiple InterLATA CXR			OTID	NOI OX		2.00	1.20								
		Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		3.02	1.73								
	1	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		3.02	0.44			İ			İ		
	1	8XX Access Ten Digit Screening, Call Handling and Destination				1	İ					İ			İ		
		Features			OHD	N8FDX		2.58									
		8XX Access Ten Digit Screening, w/ 8FL No. Delivery			OHD		0.000565										
		8XX Access Ten Digit Screening, w/ POTS No. Delivery			OHD		0.000565										
LINE II	NFORM <i>A</i>	TION DATA BASE ACCESS (LIDB)															
		LIDB Common Transport Per Query			OQT		0.00002										
		LIDB Validation Per Query			OQU		0.012002										
		LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		34.32		42.08							
SIGNA	LING (C																
		CCS7 Signaling Connection, Per 56Kbps Facility			LIDD	DTOOY	15.46	35.53	35.53	16.44	16.44						
-	-	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	130.83										
	-	CCS7 Signaling Usage, Per Call Setup Message			UDB	+	0.0000142 0.0000569										
-	1	CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	15.46	35.53	35.53	16.44	16.44						
-		CCS7 Signaling Connection, Per link (A link)  CCS7 Signaling Connection, Per link (B link) (also known as D			ODB	111177	15.40	33.33	33.33	10.44	10.44						
		link)			UDB	TPP++	15.46	35.53	35.53	16.44	16.44						
		CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000142	00.00	00.00		10.11						
		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	650.33										
		CCS7 Signaling Point Code, per Originating Point Code															
		Establishment or Change, per STP affected			UDB	CCAPO		29.01	29.01	35.57	35.57						
E911 S	ERVICE																
		Local Channel - Dedicated - 2-wr Voice Grade					13.97	193.10	33.17	36.64	3.20						
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.008838										
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility									_		1				
<u> </u>	ļ	Termination				1	21.13	40.54	27.41	16.74	6.90						
-	<b>!</b>	Local Channel - Dedicated - DS1 - Zone 1				1	35.76	177.47	153.72	22.19	15.26						
<b>—</b>	1	Local Channel - Dedicated - DS1 - Zone 2				+	49.98 107.63	177.47 177.47	153.72	22.19	15.26				-		
<b>-</b>	<del>                                     </del>	Local Channel - Dedicated - DS1 - Zone 3	-			+		1//.4/	153.72	22.19	15.26		-				
<b></b>	1	Interoffice Transport - Dedicated - DS1 Per Mile	-			+	0.18	-		<u> </u>		-	<b> </b>		<del> </del>		
		Interoffice Transport - Dedicated - DS1 Per Facility Termination					60.16	89.27	81.81	16.35	14.44						
CALLI	NG NAM	E (CNAM) SERVICE				+	00.10	03.21	01.01	10.33	17.44				<del> </del>		
JALLI	10 1471	CNAM For DB Owners - Service Establishment			OQV	1		22.95		21.11		<b>-</b>	<b> </b>				
		CNAM For Non DB Owners - Service Establishment			OQV	1		22.95		21.11					İ		
	İ	CNAM For DB Owners - Service Provisioning With Point Code		1													
		Establishment			OQV			990.88	732.84	268.93	197.74						
		CNAM For Non DB Owners - Service Provisioning With Point															
L	<u></u>	Code Establishment			OQV	1		342.33	245.14	275.25	197.74			<u> </u>			
		CNAM for DB Owners, Per Query			OQV		0.000902							_			
		CNAM for Non DB Owners, Per Query			OQV		0.000902										
SELEC	TIVE RO																
		Selective Routing Per Unique Line Class Code Per Request Per															
L	<u> </u>	Switch				1		84.70	84.70	14.11	14.11				ļ		
VIRTU	AL COLI	OCATION				1											
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.03	12.30	11.80	6.03	5.44						
		opiiturig			UEFOR UEFOR	VEILS	0.03	12.30	11.80	0.03	5.44	L	l		L		

UNBUNDLE	D NETWORK ELEMENTS - Alabama													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	Physical Collocation-2 Wire Cross Connects (Loop) for Line														-	1
	Splitting			UEPSR UEPSB	PE1LS	0.03	12.30	11.80	6.03	5.44						
AIN SELECTIV	/E CARRIER ROUTING			OLI OK OLI OD	I L ILO	0.03	12.50	11.00	0.03	3.44					-	
	Regional Service Establishment			SRC	SRCEC		101.098.91		8,590.70						t	
	End Office Establishment			SRC	SRCEO		169.88	169.88	1.70	1.70						
	Query NRC, per query			SRC		0.002749										
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State,								40.00	40.00						
<del></del>	Initial Setup			A1N	CAMSE		39.44	39.44	40.69	40.69					1	
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.83	7.83	9.09	9.09					1	
$\vdash$	AIN SMS Access Service - Port Connection - Dial/Shared Access AIN SMS Access Service - Port Connection - ISDN Access	<del>                                     </del>	<del>                                     </del>	A1N	CAM1P		7.83	7.83	9.09	9.09	<b> </b>	<b>-</b>			<del>                                     </del>	1
	AIN SMS Access Service - User Identification Codes - Per User		t						5.00	2.00					1	
	ID Code	L	L	A1N	CAMAU		35.00	35.00	27.06	27.06	<u> </u>	<u> </u>			<u> </u>	<u> </u>
	AIN SMS Access Service - Security Card, Per User ID Code,															
	Initial or Replacement		ļ	A1N	CAMRC		41.88	41.88	11.71	11.71					1	ļ
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.002188										
<b>———</b>	AIN SMS Access Service - Session, Per Minute					0.59									1	
	AIN SMS Access Service - Company Performed Session, Per Minute					0.73										
AIN - BELLSC	DUTH AIN TOOLKIT SERVICE					0.73									-	
AIN BELLOO	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		39.44	39.44	40.69	40.69						
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		4,202.17	4,202.17								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Term. Attempt				BAPTT		7.83	7.83	9.09	9.09						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTD		7.00	7.00	0.00	0.00						
<del></del>	DN, Off-Hook Delay AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPID		7.83	7.83	9.09	9.09					1	
	DN, Off-Hook Immediate				BAPTM		7.83	7.83	9.09	9.09						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAI TIVI		7.03	7.03	3.03	9.03					-	1
	DN, 10-Digit PODP				BAPTO		34.47	34.47	14.36	14.36						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, CDP				BAPTC		34.47	34.47	14.36	14.36						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
<b></b>	DN, Feature Code				BAPTF	0.05	34.47	34.47	14.36	14.36						
	AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit					0.05									1	
	Subscription, Per Node, Per Query					0.00582										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access				1	0.00302									<u> </u>	1
	Account, Per 100 Kilobytes		1			0.05					1				I	
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service											İ			1	
	Subscription		<u></u>	CAM	BAPMS	10.17	7.83	7.83	5.50	5.50						
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service															
$\vdash$	Subscription		<u> </u>	CAM	BAPLS	2.87	8.66	8.66								ļ
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription		1	CAM	BAPDS	7.39	7.83	7.00	5.50	5.50						
$\vdash$	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit	-	-	CAIVI	DAPUS	7.39	1.83	7.83	5.50	5.50					-	1
	Service Subscription		1	CAM	BAPES	0.10	8.66	8.66			1				I	
ENHANCED E	XTENDED LINK (EELs)		<del>                                     </del>	C, 11VI	5,11 20	0.10	0.00	0.00	<del>                                     </del>			1			<b>†</b>	1
NOTE:	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charg	e will not app	ly for UNE con	nbinations pro	visioned as ' C	ordinarily Comb	ined' Network	Elements.	İ			1	ĺ
NOTE:	The monthly recurring and the Switch-As-Is Charge and not t	he non	-recurri	ng charges below v	vill apply for	UNE combinati	ons provisione	ed as ' Current	ly Combined' N	etwork Eleme	nts.					
EXTEN	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS						· · · · ·		· · · · ·						
	First 2-Wire VG Loop (SL2) in Combination - Zone 1	<u> </u>		UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44					ļ	ļ
1 1	First 2-Wire VG Loop (SL2) in Combination - Zone 2	ļ	2	UNCVX UNCVX	UEAL2 UEAL2	22.85 36.14	88.00 88.00	55.00 55.00	47.24 47.24	7.44 7.44					<del> </del>	1
					11 IE AL 2			55 ()()	1/2/				ì		i	1
	First 2-Wire VG Loop (SL2) in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	ONCVX	OLALZ	30.14	88.00	00.00	71.27	7.44						<b>†</b>

UNBUNDI F	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Fyhil	bit: A
CHESHOLL											Svc Order	Svc Order	Incremental		Incremental	Incremental
1		1			1						Submitted	Submitted		Charge -	Charge -	Charge -
ĺ											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
ĺ																
İ													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)		•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.53	6.58	4.72								
1																
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
1	Fort A LEGIS OF ONE 1/0 Long (QL Q) in Qualifornia - 7000 Q			111000	115410	00.05	00.00	FF 00	47.04							
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2	-	2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44						
1	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	111000	UEAL2	36.14	88.00	55.00	47.24	7.44						
$\vdash$	Voice Grade COCI - Per Month		3	UNCVX UNCVX	1D1VG	0.53	6.58	55.00 4.72	47.24	7.44						
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	IDIVG	0.55	0.30	4.72								
1	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
FXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS	1 INTER				0.00	0.00	0.50	0.00						
		1			T											
1	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1	1	1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50		1				
					1											
1	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
1	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.18										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
	Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
$\sqsubseteq$	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.53	6.58	4.72								
1	Additional 4-Wire Analog Voice Grade Loop in same DS1				l											
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
1	Additional 4-Wire Analog Voice Grade Loop in same DS1		2						==							
	Interoffice Transport Combination - Zone 2	-	2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
1	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Additional Voice Grade COCI in combination - per month		3	UNCVX	1D1VG	0.53	6.58	4.72	33.14	14.50						
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOVA	IDIVO	0.55	0.30	7.72								
1	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIG	CATED	DS1 IN				5.55	5.55	0.30	0.30						
	The state of the s				1									1		
1 1	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	1	1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50		1				
		1									İ			İ		
1 1	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
					T i	İ	İ									
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
1	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
$\vdash$	Per Month			UNC1X	1L5XX	0.18								ļ		
1 1	Interoffice Transport - Dedicated - DS1 - combination Facility	1			1							1				
<del></del>	Termination Per Month	ļ	$\vdash$	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
$\vdash$	1/0 Channel System in combination Per Month	-		UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79				ļ		
$\vdash$	OCU-DP COCI (data) per month (2.4-64kbs)	<b>_</b>		UNCDX	1D1DD	1.12	6.58	4.72								
1 1	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			LINCDY	LIDI FC	20.00	400.07	00.00	50.11	44.50						
<del> </del>	Interoffice Transport Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	+	1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50	-	-			-	-
1 1	Interoffice Transport Combination - Zone 2	1	2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50		1				
$\vdash$	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1		OINCDA	UDLOO	აა.95	120.27	00.80	59.14	14.50	<b>-</b>					
1 1	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
<del></del>	Additional OCU-DP COCI (data) - in combination per month (2.4-	<del>                                     </del>		5.10DX	35200	37.00	120.21	00.00	33.14	17.50		<b>-</b>		<b> </b>		
1	64kbs)	1		UNCDX	1D1DD	1.12	6.58	4.72				1				
	Nonrecurring Currently Combined Network Elements Switch -As-	<del>                                     </del>		222.1		1.12	0.00	7.12						<b>i</b>		
	Inonfeculting Cuffently Complined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		-	-		1	<del>                                     </del>	Nonred		Nonrecurring	n Dissennest			000	Rates (\$)		
$\vdash$			1		+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			1		1		FIISt	Auu i	Filst	Addi	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						1 '
									-							, , , , , , , , , , , , , , , , , , ,
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						, '
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						1
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															1
	Per Month			UNC1X	1L5XX	0.18										
	interoffice Transport - Dedicated - DS1 combination - Facility															l .
<b></b>	Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						<del></del>
<del></del>	1/0 Channel System in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						<del>                                     </del>
$\vdash$	OCU-DP COCI (data) - in combination - per month (2.4-64kbs) Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		1	UNCDX	1D1DD	1.12	6.58	4.72						-		<b>——</b>
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						1
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		<del>-</del>	ONODX	ODLO4	20.03	120.21	00.00	33.14	14.50						<b>—</b>
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50				1		1
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	l	ΙŤ		32207	55.55	120.21	00.00	00.14	14.50				1		
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						1
	Additional OCU-DP COCI (data) - in combination - per month															
	(2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72								1
	Nonrecurring Currently Combined Network Elements Switch -As-															1
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						l
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER													
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						<b></b>
$\vdash$	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54		11.71						<del></del>
-	4-Wire DS1 Digital Loop in Combination - Zone 3  Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71				-		<b>—</b>
	Per Month			UNC1X	1L5XX	0.18										1
<del>                                     </del>	Interoffice Transport - Dedicated - DS1 combination - Facility			ONCIX	TLJAA	0.10								1		
	Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						1
	Nonrecurring Currently Combined Network Elements Switch -As-			0.10.17		00.10	00.21	01.01	10.00							
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						1
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER	OFFICE TRANSPOR	RT											
	First DS1Loop in Combination - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	First DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
$\vdash$	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						<del></del>
	Interoffice Transport - Dedicated - DS3 combination - Per Mile				L							1		I		1
$\vdash$	Per Month	<b>.</b>	-	UNC3X	1L5XX	4.09			1	-		<b> </b>	-	<del>                                     </del>	<b> </b>	<del>                                     </del>
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			LINICOV	U1TF3	703.52	278.75	160.70	60.00	58.46		1		I		1
$\vdash$	3/1 Channel System in combination per month	-	-	UNC3X UNC3X	MQ3	166.13	178.14	162.76 93.97	60.20 33.26	31.83	-			+		<del>                                     </del>
	DS1 COCI in combination per month	<b>-</b>		UNC1X	UC1D1	12.70	6.58	4.72		31.03		<b>-</b>		<del>                                     </del>		
	Additional DS1Loop in DS3 Interoffice Transport Combination -			0.101/		12.70	0.00	7.12						<u> </u>		
	Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71		1		I		1
	Additional DS1Loop in DS3 Interoffice Transport Combination -	1						. , , .		İ	İ		l	1	l	ſ
L	Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71	<u> </u>	<u> </u>	<u> </u>	<u> </u>		<u> </u>
	Additional DS1Loop in DS3 Interoffice Transport Combination -															1
$oxed{oxed}$	Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71			ļ		ļ	<b></b>
$\vdash$	Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72		ļ				1		<del>                                     </del>
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINIONY	LINIOGG									1		1
EVTF	Is Charge NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD	L E INTE	UNC3X	UNCCC	<del>                                     </del>	5.59	5.59	6.98	6.98	-		-	<del>                                     </del>	-	<del> </del>
EXIE	2-WireVG Loop in combination - Zone 1	GRAD	1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44	-			+		<del>                                     </del>
$\vdash$	2-WireVG Loop in combination - Zone 1	-	2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44	-			+		<del>                                     </del>
<del>                                     </del>	2-WireVG Loop in combination - Zone 2  2-WireVG Loop in combination - Zone 3	1		UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44			<b> </b>	<del> </del>	<b> </b>	
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per	<b>†</b>	-	5.101/	JL/ 11LE	30.14	00.00	35.00	77.24	7.44	<b>-</b>	<b> </b>		<b>I</b>		
	Month			UNCVX	1L5XX	0.008838								1		1
	Interoffice Transport - 2-wire VG - Dedicated - Facility	1														ſ
	Termination per month			UNCVX	U1TV2	21.13	40.54	27.41	16.74	6.90				1		1

UNBUI	NDLE	D NETWORK ELEMENTS - Alabama													ment: 2		bit: A
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						1		Nonroe	in a	Nonrecurring	Disconnect			000	Rates (\$)		
							Rec	Nonrec First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-						riist	Auu i	Filat	Addi	SOWIEC	JOWAN	JOWAN	JOWAN	JOIVIAIN	SOWAN
		Is Charge			UNCVX	UNCCC		5.59	5.59	6.98	6.98						
	EXTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRADI	EINTE				2.00		0.00							1
		4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50	1					
		4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
		4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per															
		Month			UNCVX	1L5XX	0.008838										ļ
		Interoffice Transport - 4-wire VG - Dedicated - Facility															
		Termination per month			UNCVX	U1TV4	18.73	40.54	27.41	16.74	6.90						
		Nonrecurring Currently Combined Network Elements Switch -As-			1110101	LINIOGO			F =0	0.00				I			
	EVTEN	Is Charge DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERR	EELOE	UNCVX	UNCCC		5.59	5.59	6.98	6.98	<b> </b>	1	1	<del> </del>	<del>                                     </del>	<del>                                     </del>
		DS3 Local Loop in combination - per mile per month	INIEKO	PFICE	UNC3X	1L5ND	8.38			1		<del>                                     </del>	1	<del>                                     </del>	<b> </b>	<del>                                     </del>	<del>                                     </del>
		200 Local Loop III Combination - per mile per month		-	OINOSA	ILDIND	0.38	-				<b> </b>		+			<del>                                     </del>
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	308.98	451.52	263.94	119.49	83.58						
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.09	401.02	203.34	113.43	03.30	1					<del>                                     </del>
		Interoffice Transport - Dedicated - DS3 combination - Facility			ONOOX	120701	4.00										
		Termination per per month			UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC3X	UNCCC		5.59	5.59	6.98	6.98						
	EXTEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT												
1		STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	8.38										
1		STS-1 Local Loop in combination - Facility Termination per															
		month			UNCSX	UDLS1	319.83	451.52	263.94	119.49	83.58						
		Interoffice Transport - Dedicated - STS-1 combination - per mile															
		per month			UNCSX	1L5XX	4.09										ļ
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month			UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46						
		Nonrecurring Currently Combined Network Elements Switch -As-															
	EVTEN	Is Charge	TDANK	DODT	UNCSX	UNCCC		5.59	5.59	6.98	6.98						-
		DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	IKAN		LINICNIV	LIALOV	21.88	447.04	79.77	52.88	10.54	-					<del>                                     </del>
		First 2-Wire ISDN Loop in Combination - Zone 1 First 2-Wire ISDN Loop in Combination - Zone 2		1 2	UNCNX UNCNX	U1L2X U1L2X	32.85	117.24 117.24	79.77	52.88	10.54	-	-	-			-
+		First 2-Wire ISDN Loop in Combination - Zone 3			UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54	1	1	1			<u> </u>
		Interoffice Transport - Dedicated - DS1 combination - per mile		3	ONONA	OTLZX	40.55	117.24	13.11	32.00	10.54		<b>-</b>				<del>                                     </del>
		per month			UNC1X	1L5XX	0.18										
		Interoffice Transport - Dedicated - DS1 combination - Facility															1
		Termination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44			I			
1		1/0 Channel System in combination - per month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
		2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	2.41	6.58	4.72		_						
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
		Combination - Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54			L	ļ	ļ	
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport		_		l								I			
		Combination - Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54	ļ		ļ			ļ
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport		_	LINICNIV	LIALOY	40.5-	447.01	70	50.00	10 = 1			1			
		Combination - Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54	<del>                                     </del>	1	<del>                                     </del>			
		Additional 2-wire ISDN COCI (BRITE) - in combination- per month			UNCNX	UC1CA	2.41	6.58	4.72					I			
		Nonrecurring Currently Combined Network Elements Switch -As-			0140147	JOTOA	۷.41	0.56	4.72	1		<del>                                     </del>	<b>H</b>	t	<del> </del>	<del> </del>	<del></del>
		Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98			1			
- 1	EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATI	ED STS	-1 INTE				0.00	0.00	0.00	5.30			<u> </u>	1	1	
- ľ		First DS1 Loop Combination - Zone 1			UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71	1		1	İ	İ	
1		First DS1 Loop Combination - Zone 2			UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71			1	İ	İ	
1		First DS1 Loop Combination - Zone 3			UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
		Interoffice Transport - Dedicated - STS-1 combination - Per Mile					İ	İ									
		Per Month			UNCSX	1L5XX	4.09										<u> </u>
Т		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month		Щ_	UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46	<u> </u>	<u> </u>			L	<u></u>

JNDUNDL	ED NETWORK ELEMENTS - Alabama													ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
					1		Manros	rina	Nonrecurring	Dissennest			220	Rates (\$)	1	
						Rec	Nonrec First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	3/1 Channel System in combination per month		-	UNCSX	MQ3	166.13	178.14	93.97	33.26	31.83	SOWIEC	SUMAN	SUMAN	SOWAN	SOMAN	SUMAN
	DS1 COCI in combination per month	-	-	UNC1X	UC1D1	12.70	6.58	4.72	33.20	31.03	-				-	<b>-</b>
	Additional DS1Loop in the same STS-1 Interoffice Transport			UNCIA	OCIDI	12.70	0.56	4.72								1
	Combination - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	Additional DS1Loop in the same STS-1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	Additional DS1Loop in the same STS-1 Interoffice Transport		_													
	Combination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCSX	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	BPS INT														
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0.008838										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
EVTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	DC INT	EDOE		UNCCC		5.55	5.55	0.30	0.30						
LAIL	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	I S IIVI	1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						1
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2	-	2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50	-				-	<b>-</b>
_	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						1
		-	3	UNCDA	UDL64	31.00	120.27	00.00	59.14	14.50	-				-	<b>-</b>
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.008838										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w													<u> </u>
	First 2-wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
	First 2-wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44						
	First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44						
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.18										
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination per month	l		UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44					1	
	Per each DS1 Channelization System Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	Per each Voice Grade COCI - Per Month per month	Ì		UNCVX	1D1VG	0.53	6.58	4.72								
	3/1 Channel System in combination per month	Ì		UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1	i –		İ	1				†		i				1	
	Interoffice Transport Combination - Zone 1  Each Additional 2-Wire VG Loop(SL2) in the same DS1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
	Interoffice Transport Combination - Zone 2  Each Additional 2-Wire VG Loop(SL2) in the same DS1		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44						
$\perp$	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44						<u> </u>
	Each Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.53	6.58	4.72								
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.18										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month	L		UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44					<u> </u>	
	Each Additional DS1 COCI combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge	l	1	UNC1X	UNCCC		5.59	5.59	6.98	6.98	1					
-	NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	FROFE	ICF TR	ANSPORT w/ 3/1 M	UX				i i							i e

UNBUNDL	ED NETWORK ELEMENTS - Alabama													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						D	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)	l.	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
	First 4-Wire Analog Voice Grade Local Loop in Combination -			ONOVA	OLAL	30.30	101.01	34.31	33.14	14.50						
	Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.18										
	First Interoffice Transport - Dedicated - DS1 - Facility			ONOTA	TESAX	0.10										
	Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79	1					
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.53	6.58	4.72								
İ	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						1
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
1	Additional 4-Wire Analog Voice Grade Loop in same DS1						_						ĺ	ĺ		1
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
İ	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.18										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.53	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3	1 MUX											
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		١.													
	Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	Zone 2 First 4-Wire 56Kbps Digital Grade Local Loop in Combination -			UNCDA	UDLS6	33.93	120.21	00.00	59.14	14.50	1	1				
	Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
	First Interoffice Transport - Dedicated - DS1 combination - Per		<del>ٽ</del>	ONODA	OBLOO	07.00	120.21	00.00	00.14	14.00		<b>-</b>				1
	Mile Per Month			UNC1X	1L5XX	0.18										
	First Interoffice Transport - Dedicated - DS1 - combination			- 2.00		2.10							İ	İ		
	Facility Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
j	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57		9.79						1
İ	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72					ĺ	ĺ		1
	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						1
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72			ĺ		Î	Î		1
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50	L					
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50			ļ	ļ		<u> </u>
	OCU-DP COCI (data) COCI in combination per month (2.4-															
	64kbs)		<u> </u>	UNCDX	1D1DD	1.12	6.58	4.72	ļ		ļ					<b>↓</b>
	Each Additional DS1 Interoffice Channel per mile in same 3/1			LINICAY	41.577	0.40										
	Channel System per month	-	-	UNC1X	1L5XX	0.18			-		<del>                                     </del>	1	<b> </b>	<b> </b>	-	+
	Each Additional DS1 Interoffice Channel Facility Termination in			LINC1Y	U1TF1	60.40	90.27	04.04	46.05	44.44						
	same 3/1 Channel System per month  Each Additional DS1 COCI in the same 3/1 channel system	<b>-</b>	+	UNC1X	UIIFI	60.16	89.27	81.81	16.35	14.44	1	-			-	<del>                                     </del>
	combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
+	Nonrecurring Currently Combined Network Elements Switch -As-			014017	ומוסט	12.70	0.56	4.72				<b>-</b>	<b> </b>	<b> </b>		<del>                                     </del>
	Golden and the state of	1	1	l	1				1		1	1	l .	1	l	1
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						

UNBUNDLE	D NETWORK ELEMENTS - Alabama													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			l l	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						1/60	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.18										
	First Interoffice Transport - Dedicated - DS1 combination -				l											
	Facility Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44	ļ					
	Per each Channel System 1/0 in combination Per Month Per each OCU-DP COCI (data) in combination - per month (2.4-			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	64kbs) 3/1 Channel System in combination per month			UNCDX	1D1DD MQ3	1.12 166.13	6.58 178.14	4.72 93.97	22.26	24.02						<del> </del>
<del>                                     </del>	Per each DS1 COCI in combination per month			UNC3X UNC1X	UC1D1	12.70	6.58	4.72	33.26	31.83						<del>                                     </del>
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			014017	00101	12.70	0.56	4.12	†		1					<del>                                     </del>
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
	Interoffice Transport Combination - Zone 2  Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50	1					ļ
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72								
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.18										
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXTEN	IDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 1 First 2-Wire ISDN Loop in a DS1 Interoffice Combination			UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54						
	Transport - Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54						
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.18										
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79	1		1	1		<b>—</b>
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	2.41	6.58	4.72	10.04	5.79						
	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83			1	1		
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			LINIONIY	1141.07/	04.00	447.01	70	50.00	40 = 1						
	Combination - Zone 1 Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54						<del>                                     </del>
	Combination - Zone 2 Additional 2-wire ISDN Loop in same DS1Interoffice Transport		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54						
	Combination - Zone 3 Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54						<del></del>
	system combination- per month			UNCNX	UC1CA	2.41	6.58	4.72								
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.18										
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						

ONRONDLE	D NETWORK ELEMENTS - Alabama					T					lo o :	06 :		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI in the same 3/1 channel system			LINICAY	LICADA	12.70	0.50	4.72								
	combination per month  Nonrecurring Currently Combined Network Elements Switch -As-		-	UNC1X	UC1D1	12.70	6.58	4.72	<b>—</b>						-	-
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	PORT												t	1
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.18										
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	3/1 Channel System in combination per month		-	UNC3X UNC1X	MQ3 UC1D1	166.13 12.70	178.14 6.58	93.97 4.72	33.26	31.83					1	-
	Per each DS1 COCI combination per month  Each Additional DS1 Interoffice Channel per mile in same 3/1		-	UNCIX	OCIDI	12.70	6.58	4.72							-	-
	Channel System per month			UNC1X	1L5XX	0.18										
	Each Additional DS1 Interoffice Channel Facility Termination in			UNCIA	ILJAA	0.10			+ +						-	
	same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Each Additional DS1 COCI in the same 3/1 channel system			0.10.1%		00.10	00.2.	0	10.00						1	1
	combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO														
	First 4-wire 56 kbps Local Loop in combination - Zone 1		1 2	UNCDX	UDL56 UDL56	26.09 35.95	126.27	88.80 88.80	59.14 59.14	14.50 14.50						
	First 4-wire 56 kbps Local Loop in combination - Zone 2 First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	35.95 37.88	126.27 126.27	88.80	59.14 59.14	14.50				-		
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Per Mile		3	UNCDX	UDLS6	37.88	126.27	88.80	59.14	14.50					-	-
	per month			UNCDX	1L5XX	0.008838										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility			CHODA	120/01	0.000000										
	Termination per month			UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90					1	1
	Nonrecurring Currently Combined Network Elements Switch -As-			1		2	10.04	2	.5 4	0.00				İ	1	1
	Is Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE	TRANSPORT												
	First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile														1	1
	per month			UNCDX	1L5XX	0.008838			ļ						ļ	ļ
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility			LINCDY	LIATES	15.10	40.51	07.44	107.	0.00					1	1
	Termination per month		-	UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90				<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98	1				I	I
ADDITIONAL	NETWORK ELEMENTS			O. NODA	014000	<del>                                     </del>	3.39	5.59	0.50	0.30				<del> </del>	t	t
	used as a part of a currently combined facility, the non-recurr	ng cha	raes do	o not apply, but a	Switch As Is c	harge does ann	ılv.				<b>†</b>				<b>I</b>	<del>                                     </del>
	used as a part of a currently combined facility, the non-recurr													1	1	1
	curring Currently Combined Network Elements "Switch As Is"										İ				1	
	Nonrecurring Currently Combined Network Elements Switch -As-					1			1					1		
	Is Charge - 2 wire/4-Wire VG	L		UNCVX	UNCCC	<u>                                      </u>	5.59	5.59	6.98	6.98	<u></u>			<u> </u>	<u> </u>	<u></u>
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - 56/64 kbps			UNCDX	UNCCC		5.59	5.59	6.98	6.98						<b>└</b>
	Nonrecurring Currently Combined Network Elements Switch -As-			l							1				I	I
	Is Charge - DS1	1	1	UNC1X	UNCCC	1	5.59	5.59	6.98	6.98	1	ı		1	1	1

ACTE CARLETINS  RATE ELEMENTS  RATE	UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
Company   Comp	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			.,			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic-	Charge -
Nonecontrag Currently Committed National Section Age   No.							Pec										
In Change - Doss							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Noncepting Controlled Network Evenedia Sentidon - April   NACOX   NA																	
Is Crasing- 5191					UNC3X	UNCCC		5.59	5.59	6.98	6.98						
Control Found Counting A Functiones					LINCOV	LINICCC		E E0	E E0	6.00	6.00						
Cear Charved Capability Extended Frame Option: per DSI   1	Ontion			-	UNCOX	UNCCC		5.59	5.59	0.90	0.90	1	-	-			-
Claser Channel Capathly Septender Primare Option per DS1   1 LDD1 LRCKX   COOSE   0   0   0   0   0   0   0   0   0	Оршоп	ai realules & runctions.			LI1TD1												
Chear Chainsed Capability Super Frame-Option - per DS1		Clear Channel Capability Extended Frame Option - per DS1	- 1			CCOEF		OI	01	OI	OI						
Clear Channer Capability (SPESP) Option - Subsequent   1		creat criatine capability Extended Frame option per per	•			0002.		0.	0.					t			
Actiony - part DS1		Clear Channel Capability Super FrameOption - per DS1	- 1		ULDD1,UNC1X	CCOSF		OI	OI	OI	OI						
Cote Partly Option - Subsequent Activity - part DSS   1 UHTDD LLDD3,					ULDD1, U1TD1,												
C-bit Parks Option - Subsequent Activity - per DG3		Activity - per DS1	I			NRCCC		184.85S	23.81S	1.99S	0.7741S						
MULTIPLEXERS   DSI DSI Channel System per month   UNCIX   M01   101.06   91.04   62.57   10.54   9.79																	
DS1 to DS0 Channel System per month			i		UE3, UNC3X	NRCC3		219.13S	7.67S	0.7355S	0S	ļ		ļ			
OCU-PP COCI (losa) - DS1 to DS0 Channel System - per month Local	MULTI						101.00			10.51							
month (12-464bb) used for a Local Loop					UNUTX	IVIQT	101.06	91.04	62.57	10.54	9.79	<del>                                     </del>	1	<del>                                     </del>	-		<del>                                     </del>
OCU-PP COCI (plast) - DST to DSD Channel System - per month					LIDI	10100	1 12	6 50	170	0.00	0.00			I			
month (2.4-64-bb) used for comecisin to a channelized DS1   Local Channel in the same SWC as collociation					ODL	IDIDD	1.12	0.56	4.72	0.00	0.00						
Local Channel in the same SWC as collocation   UTUD   1010D   1.12   6.58   4.72   0.00   0.00																	
2-were ISBN COCI (SRTE) - DST to DSD Channel System - per north used for connection to a channelized DST Local Channel UTUB					U1TUD	1D1DD	1.12	6.58	4.72	0.00	0.00						
month for a Local Loop   DON   UCICA   2.41   6.58   4.72   0.00   0.00								0.00			0.00						
month used for connection to a channelized DS1 Local Channel In the same SWC as collocation		month for a Local Loop			UDN	UC1CA	2.41	6.58	4.72	0.00	0.00						
In the same SWC as collocation																	
Voice Grade COCI - DSI to DSI Channel System - per month   UEA   IDTVG   0.53   6.58   4.72   0.00   0.00																	
Use   Use					U1TUB	UC1CA	2.41	6.58	4.72	0.00	0.00						
Vicios Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation   UITUC   1D1VG   0.53   6.58   4.72   0.00						454)40	0.50	0.50	4.70	0.00	0.00						
USL   USL				-	UEA	1D1VG	0.53	6.58	4.72	0.00	0.00	-	-	-			-
Same SWC as collocation																	
DS3 to DS1 Channel System per month					U1TUC	1D1VG	0.53	6.58	4 72	0.00	0.00						
STS-1 to DS1 Channel System per month												i e					
DST COCI (used for connection to a channelized DST Local Channel in the same SWC as collocation) per month									93.97								
Channel in the same SWC as collocation) per month					USL	UC1D1	12.70	6.58	4.72	0.00	0.00						
DS1 CCCl used with Interoffice Channel per month   U1TD1   UC1D1   12.70   6.58   4.72   0.00   0.																	
DS3 Interface Unit (DS1 COCI) used with Local Channel per month   ULDD1   UCD1   12.70   6.58   4.72   0.00   0.												<u> </u>					
MURBUNDLE DL DCAL EXCHANGE SWITCHING(PORTS)   ULDD1   UC1D1   12.70   6.58   4.72   0.00   0.00   0.00   ULDD1   ULDD1   ULDD1   12.70   6.58   4.72   0.00   0.00   0.00   ULDD1   ULDD1   ULDD1   12.70   6.58   4.72   0.00   0.00   0.00   ULDD1   ULDD1   ULDD1   ULDD1   12.70   6.58   4.72   0.00   0.00   0.00   ULDD1   UL				-	U1TD1	UC1D1	12.70	6.58	4.72	0.00	0.00	<u> </u>		<del>                                     </del>	<b> </b>	-	-
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)					LII DD1	LIC1D1	12.70	6 50	4 70	0.00	0.00			1			
Exchange Ports NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs  2-WIRE VOICE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.  UEPSR UEPRL 1.38 2.38 2.27 1.42 1.33  Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  UEPSR UEPRC 1.38 2.38 2.27 1.42 1.33  Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Res.  UEPSR UEPRR UEPRR 1.38 2.38 2.27 1.42 1.33  Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Res.  UEPSR UEPAR 1.38 2.38 2.27 1.42 1.33  Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)  UEPSR UEPAP 1.38 2.38 2.27 1.42 1.33  UEPSR UEPAP 1.38 2.38 2.27 1.42 1.33  Exchange Ports - 2-Wire VG alabama Residence Dialing Plan without Caller Id  UEPSR UEPAR 1.38 2.38 2.27 1.42 1.33  UEPSR UEPWA 1.38 2.38 2.27 1.42 1.33  UEPSR UEPRR 1.38 2.38 2.27 1.42 1.33  UEPSR UEPRR 1.38 2.38 2.27 1.42 1.33  UEPSR UEPRR 1.38 2.38 2.27 1.42 1.33  UEPSR UEPRR 1.38 2.38 2.27 1.42 1.33  UEPSR UEPRR 1.38 2.38 2.27 1.42 1.33  UEPSR UEPRR 1.38 2.38 2.27 1.42 1.33  UEPSR UEPRR 1.38 2.38 2.27 1.42 1.33  UEPSR UEPRR 1.38 2.38 2.27 1.42 1.33  UEPSR UEPRR 1.38 2.38 2.27 1.42 1.33  UEPSR UEPRR 1.38 2.38 2.27 1.42 1.33  UEPSR UEPRR 1.38 2.38 2.27 1.42 1.33  UEPSR UEPRR 1.38 2.38 2.27 1.42 1.33  UEPSR UEPRR 1.38 2.38 2.27 1.42 1.33  UEPSR UEPRR 1.38 2.38 2.27 1.42 1.33	UNBUNDI ED I				OLDDI	COIDI	12.70	0.56	4.72	0.00	0.00	1		<del> </del>			<del>                                     </del>
NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USCCS												1					
Exchange Ports - 2-Wire Analog Line Port Res.	NOTE:	Although the Port Rate includes all available features in GA, R	(Υ, LA	& TN, t	he desired features	will need to l	oe ordered usir	ng retail USOC	s								
Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.	2-WIRE																
Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Res.		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.38	2.38	2.27	1.42	1.33						
Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Res.						l								_			
Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Res.  Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)  UEPSR UEPAP 1.38 2.38 2.27 1.42 1.33  Exchange Ports - 2-Wire VG Alabama Residence Dialing Plan without Caller Id  UEPSR UEPWA 1.38 2.38 2.27 1.42 1.33  UEPSR UEPWA 1.38 2.38 2.27 1.42 1.33  UEPSR UEPWA 1.38 2.38 2.27 1.42 1.33  UEPSR UEPWA 1.38 2.38 2.27 1.42 1.33  UEPSR UEPWA 1.38 2.38 2.27 1.42 1.33  UEPSR UEPWA 1.38 2.38 2.27 1.42 1.33  UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR USASC 0.00 0.00 0.00 0.00  IEPSR UEPSR UEPSR USASC 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.38	2.38	2.27	1.42	1.33	<u> </u>	1		ļ		<u> </u>
Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Res.  Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)  UEPSR UEPAP 1.38 2.38 2.27 1.42 1.33  Exchange Ports - 2-Wire VG Alabama Residence Dialing Plan without Caller Id  UEPSR UEPWA 1.38 2.38 2.27 1.42 1.33  UEPSR UEPWA 1.38 2.38 2.27 1.42 1.33  UEPSR UEPWA 1.38 2.38 2.27 1.42 1.33  UEPSR UEPWA 1.38 2.38 2.27 1.42 1.33  UEPSR UEPWA 1.38 2.38 2.27 1.42 1.33  UEPSR UEPWA 1.38 2.38 2.27 1.42 1.33  UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR USASC 0.00 0.00 0.00 0.00  IEPSR UEPSR UEPSR USASC 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.		Evolungo Porto - 2 Wiro Anglog Line Port autoriae and - Day			LIEDED	LIEDDO	4.00	0.00	0.07	4 40	4.00			I			
dialing Parity Port with Caller ID - Res.				-	UEFOR	UEPKU	1.38	∠.38	2.27	1.42	1.33	<b> </b>		+			<del> </del>
Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)  Exchange Ports - 2-Wire VG Alabama Residence Dialing Plan without Caller Id UEPSR UEPWA 1.38 2.38 2.27 1.42 1.33  Exchange Ports - 2-Wire VG Alabama Residence Dialing Plan without Caller Id UEPSR UEPWA 1.38 2.38 2.27 1.42 1.33  2-Wire voice unbundled Low Usage Line Port without Caller ID Capability UEPSR UEPRT 1.38 2.38 2.27 1.42 1.33  Subsequent Activity UEPSR USASC 0.00 0.00 0.00  FEATURES  All Available Vertical Features  UEPSR UEPVF 1.98 0.00 0.00					UEPSR	UEPAR	1.38	2.38	2 27	1 42	1.33			I			
With Caller ID (LUM)						J=(1)	1.50	2.00	2.27	1.42	1.55	l	<u> </u>	<b>†</b>	1		t
Exchange Ports - 2-Wire VG Alabama Residence Dialing Plan   Without Caller Id   UEPSR   UEPWA   1.38   2.38   2.27   1.42   1.33					UEPSR	UEPAP	1.38	2.38	2.27	1.42	1.33			1			
Without Caller Id									1								i e
Capability		without Caller Id			UEPSR	UEPWA	1.38	2.38	2.27	1.42	1.33	<u></u>			<u> </u>		<u></u>
Subsequent Activity																	
FEATURES         Instruction										1.42	1.33	ļ		ļ			
All Available Vertical Features UEPSR UEPVF 1.98 0.00 0.00					UEPSR	USASC	0.00	0.00	0.00	1				<del> </del>			
	FEATU				LIEDOD	LIED\/E	1.00	0.00	0.00	1		<del>                                     </del>	1	<del>                                     </del>	-		<del>                                     </del>
	2-1//100	VOICE GRADE LINE PORT RATES (BUS)		-	ULFOR	UEFVF	1.98	0.00	0.00	1		1	-	<del>                                     </del>	-	-	<del>                                     </del>

<u>  JNBUNDLEL</u>	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
			ļ				Nonre		Nonrecurring	Diocennect			220	Rates (\$)		l
		-				Rec		Add'l	First	Add'l	COMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Freehouse Danie 2 Wise Applea Line Dani with aut Calles ID		ļ				First	Addi	FIRSt	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -			LIEDOD	LIEDDI	4.00	0.00	0.07	4.40	4.00						
	Bus		ļ	UEPSB	UEPBL	1.38	2.38	2.27	1.42	1.33						<u> </u>
	Exchange Ports - 2-Wire VG unbundled Line Port with			LIEDOD	UEPBC	4.00	0.00	0.07	4.40	4.00						
$\rightarrow$	unbundled port with Caller+E484 ID - Bus.	-		UEPSB	UEPBC	1.38	2.38	2.27	1.42	1.33						
	Fusheres Date 2 Wiss Applea Line Date staning calls Due			LIEDOD	UEPBO	4.00	2.20	0.07	4.40	4.00						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.	-		UEPSB	UEPBU	1.38	2.38	2.27	1.42	1.33	-	-				
	Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Bus.			LIEDOD	UEPAW	1.38	2.20	2.27	1.42	1.33						
		-		UEPSB	UEPAW	1.38	2.38	2.21	1.42	1.33						
	Exhange Ports - 2-Wire VG unbundled incoming only port with			LIEDOD	UEPB1	4.00	2.20	0.07	4.40	4.00						
	Caller ID - Bus	-		UEPSB	UEPB1	1.38	2.38	2.27	1.42	1.33						
	Exchange Ports - 2-Wire Voice Alabama Business Dialing Plan			LIEDOD	LIEDWD	4.00	0.00	0.07	4.40	4.00						
	without Caller ID			UEPSB	UEPWB	1.38	2.38	2.27	1.42	1.33						
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPSB	UEPBE	1.38	2.38	2.27	1.42	1.33						
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEATU																
	All Available Vertical Features			UEPSB	UEPVF	1.98	0.00	0.00								
	NGE PORT RATES (DID & PBX)															
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.38	31.27	14.85	13.94	0.90						
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.38	31.27	14.85	13.94	0.90						
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.38	31.27	14.85	13.94	0.90						
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.38	31.27	14.85	13.94	0.90						
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled 2-Way PBX Alabama Calling Port			UEPSP	UEPA2	1.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.38	31.27	14.85	13.94	0.90						
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.38	31.27	14.85	13.94	0.90			Î			
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD										İ	İ				
	Capable Port			UEPSP	UEPXE	1.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPSP	UEPXL	1.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			02. 0.	OL: AL	1.00	01.27	11.00	10.01	0.00	<del> </del>	<del> </del>				
	Room Calling Port			UEPSP	UEPXM	1.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		t	021 01	JEI AIVI	1.50	31.27	17.00	15.34	0.30	1	1	<b> </b>			<b> </b>
	Discount Room Calling Port			UEPSP	UEPXO	1.38	31.27	14.85	13.94	0.90						1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	<b>H</b>	1	UEPSP	UEPXS	1.38	31.27	14.85	13.94	0.90	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>		<b> </b>
	Subsequent Activity	<del>                                     </del>	<del>                                     </del>	UEPSP	USASC	0.00	0.00	0.00	13.94	0.90	<del>                                     </del>	<del>                                     </del>	1	<b> </b>		
FEATUR		-	<del>                                     </del>	OLI OF	UUAUU	0.00	0.00	0.00			<del>                                     </del>	<del>                                     </del>				
	All Available Vertical Features	<b>-</b>	<del>                                     </del>	UEPSP UEPSE	UEPVF	1.98	0.00	0.00	-		-	-	-	-		$\vdash$
	NGE PORT RATES (COIN)	-	1	UEFOR UEFOE	UEPVF	1.98	0.00	0.00			<del> </del>	<del> </del>				<del>                                     </del>
	INGE FOR I RATES (COIN)	-	1		-	1.00	2.20	2.07	1 40	1.00	<del> </del>	<del> </del>				
	Evolungo Porto, Coin Port				1	1.38	2.38	2.27	1.42	1.33	otod with 0	wire ICDN	l orto	-		<b></b>
	Exchange Ports - Coin Port	wite be		will also samboto -	rouit omital			eu gata transm	ussion by B-Cl	iaiineis associ	ated with 2-			l		<u> </u>
NOTE:	Transmission/usage charges associated with POTS circuit so									termeduce to 1 cl	L . D = .	to December 15	Maria Barata			
NOTE:	Transmission/usage charges associated with POTS circuit so Access to B Channel or D Channel Packet capabilities will be									termined via t	he Bona Fic	de Request/	New Business	Request Pro	cess.	
NOTE: NOTE: BUNDLED L	Transmission/usage charges associated with POTS circuit so Access to B Channel or D Channel Packet capabilities will be OCAL EXCHANGE SWITCHING(PORTS)									etermined via t	he Bona Fic	de Request/	New Busines:	Request Pro	cess.	
NOTE: NOTE: IBUNDLED L EXCHA	Transmission/usage charges associated with POTS circuit st Access to B Channel or D Channel Packet capabilities will be OCAL EXCHANGE SWITCHING(PORTS) NGE PORT RATES	availa	ble only	y through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be de						cess.	
NOTE: NOTE: BUNDLED L EXCHAI The DS	Transmission/usage charges associated with POTS circuit so Access to B Channel or D Channel Packet capabilities will be OCAL EXCHANGE SWITCHING(PORTS) NGE PORT RATES 1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	availa DN Por	ble only	y through BFR/New s rate exhibit apply to	Business Re	quest Process. ded base in pla	Rates for the	packet capabi 3 until 4/1/04.	lities will be de After 4/1/04 the	ese rates shall	revert to tar				cess.	
NOTE: NOTE: BUNDLED L EXCHAI The DS'	Transmission/usage charges associated with POTS circuit so Access to B Channel or D Channel Packet capabilities will be OCAL EXCHANGE SWITCHING(PORTS) NGE PORT RATES 11 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports at	availa DN Por	ble only	y through BFR/New s rate exhibit apply to ive date of this ame	Business Re the embedondment shall	quest Process. ded base in pla be provided p	Rates for the	packet capabi 3 until 4/1/04. eparate agreem	lities will be de After 4/1/04 the ent or tariff at	ese rates shall BellSouth's d	revert to tar				cess.	
NOTE: NOTE: NOTE: BUNDLED L EXCHAI The DS Reques	Transmission/usage charges associated with POTS circuit st Access to B Channel or D Channel Packet capabilities will be OCAL EXCHANGE SWITCHING(PORTS)  NGE PORT RATES 11 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS ts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports  Exchange Ports - 2-Wire DID Port	availa DN Por	ble only	y through BFR/New s rate exhibit apply to	Business Re	quest Process. ded base in pla	Rates for the	packet capabi 3 until 4/1/04.	lities will be de After 4/1/04 the ent or tariff at	ese rates shall BellSouth's d	revert to tar				cess.	
NOTE: NOTE: NOTE: IBUNDLED L EXCHAI The DS Reques	Transmission/usage charges associated with POTS circuit st Access to B Channel or D Channel Packet capabilities will be OCAL EXCHANGE SWITCHING(PORTS)  NGE PORT RATES  1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports : Exchange Ports - 2-Wire DID Port  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID	availa DN Por	ble only	y through BFR/New rate exhibit apply to re date of this amer UEPEX	o the embedondment shall	ded base in pla be provided p	Rates for the ce as of 10/2/0 ursuant to a se 119.31	3 until 4/1/04. parate agreem	After 4/1/04 the ent or tariff at 59.90	ese rates shall BellSouth's d 3.76	revert to tar				cess.	
NOTE: NOTE: BUNDLED L EXCHAI The DS Reques	Transmission/usage charges associated with POTS circuit so Access to B Channel or D Channel Packet capabilities will be OCAL EXCHANGE SWITCHING(PORTS) NGE PORT RATES 11 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS ts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports : Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability (E:4/1/2004)	availa DN Por	ble only	y through BFR/New rate exhibit apply to date of this amer UEPEX UEPDD	o the embedondment shall UEPP2 UEPDD	ded base in pla be provided p 8.05	Rates for the ce as of 10/2/0 ursuant to a se 119.31 202.02	3 until 4/1/04. parate agreem 18.74	After 4/1/04 the ent or tariff at 59.90	ese rates shall BellSouth's d 3.76	revert to tar				cess.	
NOTE: NOTE: BUNDLED L EXCHAI The DS Reques	Transmission/usage charges associated with POTS circuit stransmission/usage charges associated with POTS circuit stranscess to B Channel or D Channel Packet capabilities will be OCAL EXCHANGE SWITCHING(PORTS) NGE PORT RATES 1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports: Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability (E:4/1/2004) Exchange Ports - 2-Wire ISDN Port (See Notes below.)	availa DN Por	ble only	y through BFR/New rate exhibit apply to the date of this amerituepex UEPDD UEPTX, UEPSX	o the embedondment shall UEPP2 UEPDD U1PMA	ded base in pla be provided pr 8.05 60.09 9.79	ce as of 10/2/0 ursuant to a se 119.31 202.02 72.77	3 until 4/1/04. parate agreem 18.74 95.69 52.99	After 4/1/04 the ent or tariff at 59.90	ese rates shall BellSouth's d 3.76	revert to tar				cess.	
NOTE: NOTE: IBUNDLED L EXCHAI The DS Reques	Transmission/usage charges associated with POTS circuit st Access to B Channel or D Channel Packet capabilities will be OCAL EXCHANGE SWITCHING(PORTS)  NGE PORT RATES  11 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS sist for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports Exchange Ports - 2-Wire DID Port  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability (E:4/1/2004)  Exchange Ports - 2-Wire ISDN Port (See Notes below.)  All Features Offered	availa DN Por	ble only	y through BFR/New  rate exhibit apply to the date of this amer UEPEX UEPDD UEPTX, UEPSX UEPTX, UEPSX	business Recommended in the embedded independent shall UEPP2 UEPDD U1PMA UEPVF	ded base in pla be provided pr 8.05 60.09 9.79 1.98	ce as of 10/2/0 ursuant to a se 119.31 202.02 72.77 0.00	3 until 4/1/04. parate agreem 18.74 95.69 52.99 0.00	After 4/1/04 the ent or tariff at 59.90	ese rates shall BellSouth's d 3.76	revert to tar				Cess.	
NOTE: NOTE: SUNDLED L EXCHAI The DS: Reques	Transmission/usage charges associated with POTS circuit stransmission/usage charges associated with POTS circuit stranscess to B Channel or D Channel Packet capabilities will be OCAL EXCHANGE SWITCHING(PORTS)  NGE PORT RATES  1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS tst for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports: Exchange Ports - 2-Wire DID Port  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability (E:4/1/2004)  Exchange Ports - 2-Wire ISDN Port (See Notes below.)  All Features Offered  Exchange Ports - 2-Wire ISDN Port Channel Profiles	DN Por	t in this	rate exhibit apply to the date of this amenue DEPEX UEPDX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX	Business Reconstruction of the embedding ment shall UEPP2  UEPDD  U1PMA  UEPVF  U1UMA	ded base in pla be provided p 8.05 60.09 9.79 1.98 0.00	Rates for the  ce as of 10/2/0 ursuant to a se 119.31 202.02 72.77 0.00 0.00	3 until 4/1/04. parate agreem 18.74 95.69 52.99 0.00 0.00	After 4/1/04 the tent or tariff at 59.90 72.59 47.79	ese rates shall BellSouth's d 3.76 2.46 10.74	revert to tar	riff rates or	a separate ag		Cess.	
NOTE: NOTE: SUNDLED L EXCHAI The DS Reques NOTE: NOTE:	Transmission/usage charges associated with POTS circuit st Access to B Channel or D Channel Packet capabilities will be OCAL EXCHANGE SWITCHING(PORTS)  NGE PORT RATES  11 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS sist for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports Exchange Ports - 2-Wire DID Port  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability (E:4/1/2004)  Exchange Ports - 2-Wire ISDN Port (See Notes below.)  All Features Offered	DN Porafter the	t in this e effect	rate exhibit apply to the date of this amenuepex UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX WILLEMSX WILLEMSX WILLEMSX WILLEMSX WILLEMSX WILLEMSX WILLEMSX WILLEMSX WILLEMSX WILLEMSX WILLEMSX WILLEMSX WILLEMSX WILLEMSX	Business Re  to the embedo dment shall UEPP2 UEPDD U1PMA UEPVF U1UMA rouit switcher	ded base in pla be provided p 8.05 60.09 9.79 1.98 0.00 d voice and/or	Rates for the  ce as of 10/2/0 ursuant to a se 119.31 202.02 72.77 0.00 0.00 circuit switch	95.69 52.99 0.00 0.00 ed data transm	After 4/1/04 the lent or tariff at 59.90 72.59 47.79	ese rates shall BellSouth's d 3.76 2.46 10.74 aannels associ	revert to tall iscretion.	riff rates or	a separate ag	reement.		

UNBUNDLE	D NETWORK ELEMENTS - Alabama													Attachi	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS		usoc			RATES (\$)				Submitted Manually	Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonred	curring	Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911																1
	Locator Capability (E:4/1/2004)			UEPEX		UEPEX	84.32	203.81	101.56	79.18	20.06		ļ				<del>                                     </del>
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	DDV	UEPDX	84.32	203.81	101.56	79.18	20.06		ļ				<del>                                     </del>
	Physical Collocation - DS1 Cross-Connects			UEPEX UE	PDX	PE1P1	1.11	22.03	15.93	6.40	5.79	-	-				<del></del>
	Virtual collocation - Special Access & UNE, cross-connect per DS1			UEPEX UE	PDY	CNC1X	1.11	22.03	15.93	6.40	5.79						ĺ
Detaile	d E911 with Locator Capability (required with UEPEX port)			OLFLX OL	FDX	CINCIA	1.11	22.03	15.55	0.40	5.79						<b> </b>
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911									t		1	†				
	Locator Capability - Initial Profile Establishment per CLEC per State			UEPEX		UEP1A	0.00	1,804.00		156.08							
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions, Deletions			UEPEX		UEP1B	0.00	175.14									
New o	r Additional PRI Telephone Numbers			/			0.00	170.14		<b>†</b>		l	1				
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability 2-way Telephone Numbers, per number in E911 profile [New or Additional]			UEPEX		UEP1C	0.0697	0.49									
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Outdial Telephone Numbers, per number in E911 profile [New or Additional]			UEPEX		UEP1D	0.0697	11.51									
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward Telephone Numbers - Inward Data Only Option [New or Additional]			UEPDX		UEP1E	0.00	0.049									
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] Inward Tel Numbers [Customer Testing Purposes]			UEPEX		PR7ZT	0.00	23.02									
LOCAI	NUMBER PORTABILITY Local Number Portability (1 per port)		-	UEPEX UE	DDV	LNPCN	1.75			1		1					<del></del>
INTER	FACE (Provsioning Only)			UEPEX UE	PDX	LINPCIN	1.75										<b></b>
INTER	Voice/Data			UEPEX		PR71V	0.00	0.00	0.00				<b>+</b>				<del>                                     </del>
	Digital Data			UEPEX		PR71D	0.00	0.00	0.00			1	1				
	Inward Data			UEPDX		PR71E	0.00	0.00	0.00								
New o	Additional Channel																
	New or Additional - Voice/Data "B" Channel			UEPEX		PR7BV	0.00	14.53									1
	New or Additional - Digital Data "B" Channel			UEPEX		PR7BF	0.00	14.53									
	New or Additional Inward Data "B" Channel			UEPDX		PR7BD	0.00	14.53									<b></b>
	New or Additional Useage Sensitive Voice Data "B" Channel		<u> </u>	UEPEX		PR7BS PR7BU	0.00	14.53		<del>                                     </del>		<b> </b>	ļ				<del></del>
	New or Additional Useage Sensitive Digital Data "B" Channel New or Additional PRI "D" Channel			UEPEX UEPEX		PR7BU PR7EX	0.00	14.53 14.53		<del>                                     </del>		1	1				<del>                                     </del>
CALL	TYPES			OLFLA		11/1/1/	0.00	14.55		<del>                                     </del>		<u> </u>	<u> </u>				
UALL	Inward			UEPEX UE	PDX	PR7C1	0.00	0.00	0.00	<b>I</b>		<b> </b>	1				
	Outward			UEPEX		PR7CO	0.00	0.00	0.00	1		1					
	Two-way			UEPEX		PR7CC	0.00	0.00	0.00								
	NDLED PORT with REMOTE CALL FORWARDING CAPABILITY	,			•												
UNBU	NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE																
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR		UERAC	1.38	2.38	2.27	1.42	1.33						
	Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res		<u> </u>	UEPVR UEPVR		UERLC UERTE	1.38 1.38	2.38 2.38	2.27 2.27	1.42 1.42	1.33 1.33	<b> </b>	ļ				<del></del>
	Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res		-	UEPVR		UERTR	1.38	2.38	2.27	1.42	1.33						<del></del>
Non-R	ecurring			CLI VIX		SEIVIIV	1.50	2.30	2.21	1.42	1.33	1	1				<del>                                     </del>
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVR		USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVR		USACC		0.10	0.10								
UNBU	DLED REMOTE CALL FORWARDING - Bus			ļ						1		ļ					<b></b>
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB		UERAC	1.38	2.38	2.27	1.42	1.33						
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB		UERLC	1.38	2.38	2.27	1.42	1.33						

INBUNDLED NETWORK ELEMENTS - Alabama				-				· · · · · · · · · · · · · · · · · · ·				Attach	ment: 2	Exhi	bit: A
	Interi									Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Charge Manual S
ATEGORY RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic Disc Add
	ļ				Rec		curring	Nonrecurring					Rates (\$)		
Haland Hal Brooks Call France Page Control ATA Brooks	-		LIEDVD	LIEDTE	1.00	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, IntraLATA - Bus	+	<u> </u>	UEPVB UEPVB	UERTE UERTR	1.38 1.38	2.38 2.38	2.27 2.27	1.42 1.42	1.33 1.33	<b>.</b>					
Unbundled Remote Call Forwarding Service, intraLATA - Bus  Unbundled Remote Call Forwarding Service Expanded and	+		UEFVB	UEKIK	1.30	2.30	2.21	1.42	1.33	1					
Exception Local Calling			UEPVB	UERVJ	1.38	2.38	2.27	1.42	1.33						
Non-Recurring	1		OLI VD	OLITTO	1.00	2.00	2.27	1.42	1.00	1					
Unbundled Remote Call Forwarding Service - Conversion -	1								t	†					
Switch-as-is			UEPVB	USAC2		0.10	0.10								
Unbundled Remote Call Forwarding Service - Conversion with															
allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								
NBUNDLED LOCAL SWITCHING, PORT USAGE															
End Office Switching (Port Usage)	1	<u> </u>													
End Office Switching Function, Per MOU	1	-		-	0.0007025	-		-	<del>                                     </del>	ļ	<b> </b>		<b> </b>	<b> </b>	
End Office Trunk Port - Shared, Per MOU	1	-		1	0.0001638			-	<del>                                     </del>	ļ	-		-	-	
Tandem Switching (Port Usage) (Local or Access Tandem)  Tandem Switching Function Per MOU	+	-			0.000095				<b>-</b>	-	-	-			
Tandem Switching Function Per MOU  Tandem Trunk Port - Shared, Per MOU	+	1		-	0.000095				-	<b> </b>					
Tandem Switching Function Per MOU (Melded)	+	<del>                                     </del>			0.0002013				<del>                                     </del>	<b> </b>	<b> </b>				
Tandem Trunk Port - Shared, Per MOU (Melded)	1			1	0.000040333					1					
Melded Factor: 43.15% of the Tandem Rate	1			1	0.000000047					1					
Common Transport	1									İ					
Common Transport - Per Mile, Per MOU					0.0000023										
Common Transport - Facilities Termination Per MOU					0.0003224										
NBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES															
0 ( D   D - (     -   1															
Cost Based Rates are applied where BellSouth is required by FCC a															
Features shall apply to the Unbundled Port/Loop Combination - Cos	st Based	Rate s	section in the same i	nanner as th	ey are applied	to the Stand-A	lone Unbundle								
Features shall apply to the Unbundled Port/Loop Combination - Combined Office and Tandem Switching Usage and Common Transport U	st Based sage rat	Rate s	section in the same in the Port section of the	nanner as th is rate exhib	ey are applied it shall apply to	to the Stand-A	lone Unbundle ons of loop/po	rt network elei	ments except	for UNE Coi					
Features shall apply to the Unbundled Port/Loop Combination - Combined End Office and Tandem Switching Usage and Common Transport United The first and additional Port nonrecurring charges apply to Not Cur	st Based sage rat	Rate s	section in the same in the Port section of the	nanner as th is rate exhib	ey are applied it shall apply to	to the Stand-A	lone Unbundle ons of loop/po	rt network elei	ments except	for UNE Coi					
Features shall apply to the Unbundled Port/Loop Combination - Co- End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	st Based sage rat	Rate s	section in the same in the Port section of the	nanner as th is rate exhib	ey are applied it shall apply to	to the Stand-A	lone Unbundle ons of loop/po	rt network elei	ments except	for UNE Coi					
Features shall apply to the Unbundled Port/Loop Combination - Cos End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates	st Based sage rat	Rate ses in the	section in the same in the Port section of the	nanner as th is rate exhib	ney are applied it shall apply to ined Combos th	to the Stand-A	lone Unbundle ons of loop/po	rt network elei	ments except	for UNE Coi					
Features shall apply to the Unbundled Port/Loop Combination - Cos End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	st Based sage rat	Rate ses in the ombine 1	section in the same in the Port section of the	nanner as th is rate exhib	it shall apply to ined Combos the 12.70	to the Stand-A	lone Unbundle ons of loop/po	rt network elei	ments except	for UNE Coi					
Features shall apply to the Unbundled Port/Loop Combination - Cor End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	st Based sage rat	Rate ses in the ombine 1	section in the same in the Port section of the	nanner as th is rate exhib	tey are applied it shall apply to ined Combos the 12.70 21.19	to the Stand-A	lone Unbundle ons of loop/po	rt network elei	ments except	for UNE Coi					
Features shall apply to the Unbundled Port/Loop Combination - Cot End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates    2-Wire VG Loop/Port Combo - Zone 1   2-Wire VG Loop/Port Combo - Zone 2   2-Wire VG Loop/Port Combo - Zone 3	st Based sage rat	Rate ses in the ombine 1	section in the same in the Port section of the	nanner as th is rate exhib	it shall apply to ined Combos the 12.70	to the Stand-A	lone Unbundle ons of loop/po	rt network elei	ments except	for UNE Coi					
Features shall apply to the Unbundled Port/Loop Combination - Cor End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	st Based sage rat	Rate ses in the ombine 1	section in the same in the Port section of the	nanner as th is rate exhib	tey are applied it shall apply to ined Combos the 12.70 21.19	to the Stand-A	lone Unbundle ons of loop/po	rt network elei	ments except	for UNE Coi					
Features shall apply to the Unbundled Port/Loop Combination - Cos End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates	st Based sage rat	Rate ses in the ombine 1 2 3	section in the same report section of the Combos. For Cur	manner as this rate exhib rently Comb	ey are applied it shall apply to ined Combos the 12.70 21.19 34.80	to the Stand-A	lone Unbundle ons of loop/po	rt network elei	ments except	for UNE Coi					
Features shall apply to the Unbundled Port/Loop Combination - Cot End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates    2-Wire VG Loop/Port Combo - Zone 1   2-Wire VG Loop/Port Combo - Zone 2   2-Wire VG Loop/Port Combo - Zone 3   UNE Loop Rates    2-Wire Voice Grade Loop (SL1) - Zone 1	st Based sage rat	Rate ses in the combined of th	section in the same in Port section of the Combos. For Cur	manner as the state exhibits rate exhibits rently Comb	tey are applied it shall apply to ined Combos the 12.70 21.19 34.80	to the Stand-A	lone Unbundle ons of loop/po	rt network elei	ments except	for UNE Coi					
Features shall apply to the Unbundled Port/Loop Combination - Cot End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3	st Based sage rat	Rate ses in the combined of th	ueprx UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX	ey are applied it shall apply to ined Combos the 12.70 21.19 34.80 11.55 20.04 33.65	to the Stand-A all combinati- ne nonrecurrin	lone Unbundle ons of loop/pc g charges sha	rt network elei	ments except ntified in the N	for UNE Coi					
Features shall apply to the Unbundled Port/Loop Combination - Cot End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE POrt/Loop Combination Rates    2-Wire VG Loop/Port Combo - Zone 1   2-Wire VG Loop/Port Combo - Zone 2   2-Wire VG Loop/Port Combo - Zone 3   UNE Loop Rates   2-Wire Voice Grade Loop (SL1) - Zone 1   2-Wire Voice Grade Loop (SL1) - Zone 2   2-Wire Voice Grade Loop (SL1) - Zone 3   2-Wire Voice Grade Loop (SL1) - Zone 3   2-Wire Voice Grade Line Port Rates (Res)   2-Wire voice unbundled port - residence	st Based sage rat	Rate ses in the combined of th	ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx	UEPLX UEPLX UEPLX UEPLX UEPLX	ey are applied it shall apply to ined Combos the Combos	to the Stand-A all combination ne nonrecurrin	lone Unbundle ons of loop/pc g charges sha	rt network elei II be those ide	ments except ntified in the N	for UNE Coi					
Features shall apply to the Unbundled Port/Loop Combination - Cot End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE POrt/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res	st Based sage rat	Rate ses in the combined of th	ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx	UEPLX UEPLX UEPLX UEPRL UEPRC	ey are applied it shall apply to ined Combos the combos	to the Stand-A all combination on necurring the nonrecurrent the nonrecurring the nonrecurr	lone Unbundle ons of loop/pc g charges sha	et network elei II be those ide	ments except ntified in the N  6.63 6.63	for UNE Coi					
Features shall apply to the Unbundled Port/Loop Combination - Cot End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates    2-Wire VG Loop/Port Combo - Zone 1	st Based sage rat	Rate ses in the combined of th	ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx	UEPLX UEPLX UEPLX UEPLX UEPLX	ey are applied it shall apply to ined Combos the Combos	to the Stand-A all combination ne nonrecurrin	lone Unbundle ons of loop/pc g charges sha	rt network elei II be those ide	ments except ntified in the N	for UNE Coi					
Features shall apply to the Unbundled Port/Loop Combination - Cot End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates    2-Wire VG Loop/Port Combo - Zone 1   2-Wire VG Loop/Port Combo - Zone 2   2-Wire VG Loop/Port Combo - Zone 3   UNE Loop Rates    2-Wire Voice Grade Loop (SL1) - Zone 1   2-Wire Voice Grade Loop (SL1) - Zone 2   2-Wire Voice Grade Loop (SL1) - Zone 3   2-Wire Voice Grade Line Port Rates (Res)   2-Wire voice unbundled port - residence   2-Wire voice unbundled port outgoing only - res   2-Wire voice Grade unbundled port outgoing only - res   2-Wire voice Grade unbundled Alabama extended local dialing	st Based sage rat	Rate ses in the combined of th	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC	ey are applied it shall apply to ined Combos the combos	to the Stand-A all combination he nonrecurrin	lone Unbundle ons of loop/pc g charges sha 19.83 19.83	et network elei ii be those ide ii be those ide 24.91 24.91 24.91	ments except ntified in the N	for UNE Coi					
Features shall apply to the Unbundled Port/Loop Combination - Cot End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE POrt/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice Unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res	st Based sage rat	Rate ses in the combined of th	ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx	UEPLX UEPLX UEPLX UEPRL UEPRC	ey are applied it shall apply to ined Combos the combos	to the Stand-A all combination on necurring the nonrecurrent the nonrecurring the nonrecurr	lone Unbundle ons of loop/pc g charges sha	et network elei II be those ide	ments except ntified in the N  6.63 6.63	for UNE Coi					
Features shall apply to the Unbundled Port/Loop Combination - Cotend Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates    2-Wire VG Loop/Port Combo - Zone 1   2-Wire VG Loop/Port Combo - Zone 2   2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates    2-Wire Voice Grade Loop (SL1) - Zone 1   2-Wire Voice Grade Loop (SL1) - Zone 2   2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Line Port Rates (Res)   2-Wire voice unbundled port - residence   2-Wire voice unbundled port with Caller ID - res   2-Wire voice Unbundled port outgoing only - res   2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res   2-Wire voice unbundles res, low usage line port with Caller ID	st Based sage rat	Rate ses in the combined of th	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC	ey are applied it shall apply to ined Combos the 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15	40.19	lone Unbundle ons of loop/pc g charges sha 19.83 19.83 19.83	24.91 24.91	ments except ntified in the N  6.63 6.63	for UNE Coi					
Features shall apply to the Unbundled Port/Loop Combination - Cot End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port - residence 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Unbundled Port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundleds res, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled Alabama Residence Dialing Plan	st Based sage rat	Rate ses in the combined of th	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO	ey are applied it shall apply to ined Combos the Combos	40.19 40.19 40.19	19.83 19.83 19.83	24.91 24.91 24.91	6.63 6.63	for UNE Coi					
Features shall apply to the Unbundled Port/Loop Combination - Cot End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-Wire VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE POrt/Loop Combination Rates    2-Wire VG Loop/Port Combo - Zone 1	st Based sage rat	Rate ses in the combined of th	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC	ey are applied it shall apply to ined Combos the 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15	40.19	lone Unbundle ons of loop/pc g charges sha 19.83 19.83 19.83	24.91 24.91	ments except ntified in the N  6.63 6.63	for UNE Coi					
Features shall apply to the Unbundled Port/Loop Combination - Coten Combination - Coten Combination - Coten Combination - Coten Combination - Coten Combination - Coten Combination - Coten Combination - Coten Combination - Coten Combination - Coten Coten Combination - Coten Co	st Based sage rat	Rate ses in the combined of th	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP	ey are applied it shall apply to ined Combos the combos	40.19 40.19 40.19 40.19	19.83 19.83 19.83	24.91 24.91 24.91	ments except ntified in the N  6.63 6.63 6.63 6.63	for UNE Coi					
Features shall apply to the Unbundled Port/Loop Combination - Cot End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE POrt/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundleds res, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID	st Based sage rat	Rate ses in the combined of th	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO	ey are applied it shall apply to ined Combos the Combos	40.19 40.19 40.19	19.83 19.83 19.83	24.91 24.91 24.91	6.63 6.63	for UNE Coi					
Features shall apply to the Unbundled Port/Loop Combination - Cotend Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-Wire Volce GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Port with Caller ID or with Caller ID (LUM) 2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability	st Based sage rat	Rate ses in the combined of th	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP	ey are applied it shall apply to ined Combos the combos	40.19 40.19 40.19 40.19	19.83 19.83 19.83	24.91 24.91 24.91	ments except ntified in the N  6.63 6.63 6.63 6.63	for UNE Coi					
Features shall apply to the Unbundled Port/Loop Combination - Cotend Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Grade Loop (SL1) - residence (LUM)  2-Wire voice Unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID Capability  FEATURES	st Based sage rat	Rate ses in the combined of th	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPRO UEPAR UEPAP	ey are applied it shall apply to ined Combos the combos	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91	ments except ntified in the N  6.63 6.63 6.63 6.63	for UNE Coi					
Features shall apply to the Unbundled Port/Loop Combination - Cot End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-Wire Voice GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates    2-Wire VG Loop/Port Combo - Zone 1	st Based sage rat	Rate ses in the combined of th	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPRO UEPAR UEPAP	ey are applied it shall apply to ined Combos the combos	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91	ments except ntified in the N  6.63 6.63 6.63 6.63	for UNE Coi					
Features shall apply to the Unbundled Port/Loop Combination - Cotend Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Port outgoing only - res 2-Wire voice unbundled Port outgoing only - res 2-Wire voice unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability  FEATURES  All Features Offered  LOCAL NUMBER PORTABILITY  Local Number Portability (1 per port)  NORECURRING CHARGES (NRCs) - CURRENTLY COMBINED	st Based sage rat	Rate ses in the combined of th	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAR UEPAP UEPAP	ey are applied it shall apply to ined Combos the combos	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91	ments except ntified in the N  6.63 6.63 6.63 6.63	for UNE Coi					
Features shall apply to the Unbundled Port/Loop Combination - Cotend Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE POrt/Loop Combination Rates    2-Wire VG Loop/Port Combo - Zone 1   2-Wire VG Loop/Port Combo - Zone 2   2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates   2-Wire Voice Grade Loop (SL1) - Zone 1   2-Wire Voice Grade Loop (SL1) - Zone 2   2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port residence   2-Wire voice unbundled port with Caller ID - res   2-Wire voice unbundled port outgoing only - res   2-Wire voice unbundled port outgoing only - res   2-Wire voice unbundled Port outgoing only - res   2-Wire voice unbundled Alabama extended local dialing parity port with Caller ID - res   2-Wire voice unbundled Alabama Residence Dialing Plan without Caller ID   2-Wire voice unbundled Low Usage Line Port without Caller ID   Capability   FEATURES	st Based sage rat	Rate ses in the combined of th	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAR UEPAP UEPAP	ey are applied it shall apply to ined Combos the combos	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91	ments except ntified in the N  6.63 6.63 6.63 6.63	for UNE Coi					
Features shall apply to the Unbundled Port/Loop Combination - Core End Office and Tandem Switching Usage and Common Transport U The first and additional Port nonrecurring charges apply to Not Cur 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates    2-Wire VG Loop/Port Combo - Zone 1   2-Wire VG Loop/Port Combo - Zone 2   2-Wire VG Loop/Port Combo - Zone 3    UNE Loop Rates   2-Wire Voice Grade Loop (SL1) - Zone 1   2-Wire Voice Grade Loop (SL1) - Zone 2   2-Wire Voice Grade Loop (SL1) - Zone 2   2-Wire Voice Grade Loop (SL1) - Zone 3   2-Wire Voice Grade Line Port Rates (Res)   2-Wire voice unbundled port - residence   2-Wire voice unbundled port outgoing only - res   2-Wire voice unbundled port outgoing only - res   2-Wire voice unbundled port outgoing only - res   2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res   2-Wire voice unbundled Alabama Residence Dialing Plan without Caller ID   2-Wire voice unbundled Alabama Residence Dialing Plan without Caller ID   2-Wire voice unbundled Low Usage Line Port without Caller ID Capability   FEATURES   All Features Offered   LOCAL NUMBER PORTABILITY   Local Number Portability (1 per port)   NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED   2-Wire Voice Grade Loop / Line Port Combination - Conversion -	st Based sage rat	Rate ses in the combined of th	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAR UEPAP UEPAP UEPAP UEPWA UEPVF	ey are applied it shall apply to ined Combos the combos	40.19 40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83 19.83 19.83	24.91 24.91 24.91	ments except ntified in the N  6.63 6.63 6.63 6.63	for UNE Coi					

ONBONDLE	D NETWORK ELEMENTS - Alabama		1	1										ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity Unbundled Miscellaneous Rate Element, Tag Loop at End User		-	UEPRX	USAS2	0.00	0.00	0.00							1	-
	Premise			UEPRX	URETL		8.33	0.83								
OFF/O	N PREMISES EXTENSION CHANNELS			OLITIX	OKLIL		0.55	0.00							-	
01170	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	12.58	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	21.05	37.81	17.56	23.49	5.30	1				1	1
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	34.34	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	14.38	88.00	55.00	47.24	7.44						
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	22.85	88.00	55.00	47.24	7.44						
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	36.14	88.00	55.00	47.24	7.44						
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPRX	U1TV2	21.13	40.54	27.41	16.74	6.90					I	I
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPRX	U1TVM	0.008838	0.00	0.00								
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			12.70										
	2-Wire VG Loop/Port Combo - Zone 2		2			21.19										
	2-Wire VG Loop/Port Combo - Zone 3		3			34.80										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11.55										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	20.04										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	33.65										
2-Wire	Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.15	40.19	19.83	24.91	6.63						
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.15	40.19	19.83	24.91	6.63						
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.15	40.19	19.83	24.91	6.63						
	2-Wire voice Grade unbundled Alabama extended local dialing			LIEBBY .			40.40									
_	parity port with Caller ID - bus		-	UEPBX	UEPAW	1.15	40.19	19.83	24.91	6.63						
	2-Wire voice unbundled incoming only port with Caller ID - Bus		-	UEPBX	UEPB1	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Unbundled Alabama Business Dialing Plan without			LIEDDY	LIEDWD	4.45	40.40	40.00	04.04	0.00						
	Caller ID		-	UEPBX	UEPWB	1.15	40.19	19.83	24.91	6.63						
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPBX	UEPBE	1.15	40.19	19.83	24.91	6.63						
LOCAL	NUMBER PORTABILITY		-	UEPBA	UEPBE	1.15	40.19	19.03	24.91	0.03	<b>-</b>				-	-
LOCAL	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35					1				-	1
FEATU				OLFBX	LINFOX	0.55					1				-	1
I LAIG	All Features Offered		-	UEPBX	UEPVF	1.98	0.00	0.00	<del>                                     </del>							
NONRI	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLI DX	OLI VI	1.00	0.00	0.00			1				1	1
i tottiti	2-Wire Voice Grade Loop / Line Port Combination - Conversion -										1				1	
	Switch-as-is			UEPBX	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -								1							
	Switch with change			UEPBX	USACC		0.10	0.10								
ADDIT	IONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent								i i							
	Activity			UEPBX	USAS2		0.00	0.00							I	I
	Unbundled Miscellaneous Rate Element, Tag Loop at End User					İ			j							
	Premise			UEPBX	URETL		8.33	0.83								
OFF/O	N PREMISES EXTENSION CHANNELS															
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	12.58	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	21.05	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	34.34	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	14.38	88.00	55.00	47.24	7.44						
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	22.85	88.00	55.00	47.24	7.44						
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	36.14	88.00	55.00	47.24	7.44					ļ	<b></b>
INTED	OFFICE TRANSPORT		l													1

NDUNDED	NETWORK ELEMENTS - Alabama													ment: 2		bit: A
		l									Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		to to a									Elec	Manually	Manual Svc			Manual Sy
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per Lak				
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'l
			-		_		Monroe	urrina	Nonrecurring	Disconnoct	1		000	Potos (¢)		
					_	Rec	Nonrec							Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	teroffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
Te	ermination			UEPBX	U1TV2	21.13	40.54	27.41	16.74	6.90						
Int	teroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
or	Fraction Mile			UEPBX	U1TVM	0.008838	0.00	0.00								
2-WIRE VO	OICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)										1				1	
	/Loop Combination Rates															
	Wire VG Loop/Port Combo - Zone 1	<b>-</b>	1			12.70					1					
	Wire VG Loop/Port Combo - Zone 2	-	2		_	21.19					1				1	<b>†</b>
		-			_											ļ
	Wire VG Loop/Port Combo - Zone 3		3			34.80										
UNE Loop																
	Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	11.55					1				ļ	1
	Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	20.04										
	Wire Voice Grade Loop (SL 1) - Zone 3	l	3	UEPRG	UEPLX	33.65										
	ice Grade Line Port Rates (RES - PBX)										ĺ				1	
	Wire VG Unbundled Combination 2-Way PBX Trunk Port -	İ		1							İ	i	i	İ	i e	Ì
Re		l	1	UEPRG	UEPRD	1.15	69.08	32.41	37.43	6.20	1					
	UMBER PORTABILITY	<b>!</b>	<del>                                     </del>	521110	OLI ND	1.13	09.00	J2.+1	51.45	0.20	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del> </del>	<del>                                     </del>	+
		-	-	UEPRG	LNPCP	3.15	0.00	0.00			<b>-</b>			ł	<b>-</b>	<b>}</b>
	ocal Number Portability (1 per port)			UEPRG	LINPUP	3.15	0.00	0.00								
FEATURE																
	I Features Offered			UEPRG	UEPVF	1.98	0.00	0.00								<u> </u>
	URRING CHARGES (NRCs) - CURRENTLY COMBINED															
2-\	Wire Voice Grade Loop/ Line Port Combination (PBX) -															
Co	onversion - Switch-As-Is			UEPRG	USAC2		7.91	1.90								
	Wire Voice Grade Loop/ Line Port Combination (PBX) -										İ			İ		
	onversion - Switch with Change			UEPRG	USACC		7.81	1.90								
ADDITION				OLITIO	00/100		7.01	1.00						<b>-</b>		
	Wire Voice Grade Loop/ Line Port Combination (PBX) -				-											1
				LIEDDO	110400	0.00	0.00	0.00								
	ubsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
	BX Subsequent Activity - Change/Rearrange Multiline Hunt															
	roup						7.32	7.32								
Un	nbundled Miscellaneous Rate Element, Tag Loop at End User															
Pro	remise			UEPRG	URETL		8.33	0.83								
OFF/ON P	PREMISES EXTENSION CHANNELS															
Lo	ocal Channel Voice grade, per termination		1	UEPRG	P2JHX	14.38	88.00	55.00	47.24	7.44	İ			İ		
	ocal Channel Voice grade, per termination		2	UEPRG	P2JHX	22.85	88.00	55.00	47.24	7.44						
	ocal Channel Voice grade, per termination		3	UEPRG	P2JHX	36.14	88.00	55.00	47.24	7.44				<b>-</b>		
	on-Wire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	22.41	131.60	61.92	90.50	13.40						1
		<b>-</b>	2		SDD2X SDD2X	23.88			90.50	13.40	1	-	<b> </b>	1	1	1
	on-Wire Direct Serve Channel Voice Grade	<u> </u>		UEPRG			131.60	61.92			<b> </b>		<b> </b>	<b> </b>	<b>!</b>	<b></b>
	on-Wire Direct Serve Channel Voice Grade	<b>.</b>	3	UEPRG	SDD2X	33.72	131.60	61.92	90.50	13.40	ļ			ļ	ļ	<b>!</b>
	FICE TRANSPORT			1							ļ			ļ	ļ	ļ
	teroffice Transport - Dedicated - 2 Wire Voice Grade - Facility	l	l		1						1	]	1			
Te	ermination	<u> </u>	<u> </u>	UEPRG	U1TV2	21.13	40.54	27.41	16.74	6.90	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
Int	teroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	Fraction Mile	l	l	UEPRG	U1TVM	0.008838	0.00	0.00			1	]	1			
	OICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	<b>†</b>	1	<u> </u>			2.20	2.30			1	1	1	1	1	1
	/Loop Combination Rates	<b>-</b>	<del>                                     </del>	<b>†</b>		<b>-</b>					1			1	1	t
	Wire VG Loop/Port Combo - Zone 1	<del>                                     </del>	1	1	+	12.70					<del> </del>			+	1	1
		-		<b> </b>	_						1		-	1	1	<del> </del>
	Wire VG Loop/Port Combo - Zone 2	<u> </u>	2	ļ		21.19					<b> </b>		<b> </b>	<b> </b>	<b>!</b>	<b></b>
	Wire VG Loop/Port Combo - Zone 3	ļ	3	ļ		34.80					ļ			ļ	ļ	ļ
UNE Loop															ļ	
	Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	11.55										
2-\	Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	20.04										
	Wire Voice Grade Loop (SL 1) - Zone 3	Ì	3	UEPPX	UEPLX	33.65					1		l		1	
	vice Grade Line Port Rates (BUS - PBX)	<b>†</b>	Ť	1	1						1	1	l	1	1	1
		<b>!</b>	<del>                                     </del>	<del> </del>	+	<del>                                     </del>			<del>                                     </del>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del> </del>	<del>                                     </del>	<del>                                     </del>
1	no Cido Unbundled Combination 2 Way DRV True Is Dort - Dur	l	l	UEPPX	UEPPC	1 45	60.00	20.44	27.40	6.00	1	]	1			
	ne Side Unbundled Combination 2-Way PBX Trunk Port - Bus	<b> </b>	-			1.15	69.08	32.41	37.43	6.20			<b> </b>	ł	<del>                                     </del>	+
	ne Side Unbundled Outward PBX Trunk Port - Bus	L		UEPPX	UEPPO	1.15	69.08	32.41	37.43	6.20				1	Ļ	<b>.</b>
	ne Side Unbundled Incoming PBX Trunk Port - Bus	<b>-</b>		UEPPX	UEPP1	1.15	69.08	32.41	37.43	6.20		<b>†</b>	<b> </b>	1	1	$\vdash$

IUNBUND	DLED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Int : -									Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGORY	RY RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISC 1St	DISC Add I
						Rec	Nonred	urring	Nonrecurring	Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama															
$\vdash$	Calling Port			UEPPX	UEPA2	1.15	69.08	32.41	37.43	6.20						
$\vdash$	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.15	69.08	32.41	37.43	6.20						
$\vdash$	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.15	69.08	32.41	37.43	6.20						
$\vdash$	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.15	69.08	32.41	37.43	6.20						
$\vdash$	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.15	69.08	32.41		6.20						
$\vdash$	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.15	69.08	32.41	37.43	6.20	-					
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			UEPPX	UEPXE	1.15	69.08	32.41	37.43	6.20						
$\vdash$	Capable Port			UEPPX	UEPAE	1.15	69.08	32.41	37.43	6.20	-					
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1.15	69.08	32.41	37.43	6.20		1		I	I	
$\vdash$	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLFFA	JLFAL	1.15	80.60	32.41	31.43	0.20				t	t	
	Room Calling Port			UEPPX	UEPXM	1.15	69.08	32.41	37.43	6.20		1		I	I	
$\vdash$	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			OLI I X	OLI AW	1.13	03.00	JZ.41	57.45	0.20				<del>                                     </del>	<del>                                     </del>	l
	Discount Room Calling Port			UEPPX	UEPXO	1.15	69.08	32.41	37.43	6.20				1	1	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.15	69.08	32.41	37.43	6.20						
LO	OCAL NUMBER PORTABILITY			02.17	02.70	0	00.00	02.11	07.10	0.20						
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FE/	EATURES															
	All Features Offered			UEPPX	UEPVF	1.98	0.00	0.00								
NO	ONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPPX	USAC2		7.91	1.90								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
$\perp$	Conversion - Switch with Change			UEPPX	USACC		7.91	1.90								
AD	DDITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
$\vdash$	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt						=									
$\vdash$	Group						7.32	7.32								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPPX	URETL		8.33	0.83								
OF	FF/ON PREMISES EXTENSION CHANNELS			UEPPX	UKEIL		8.33	0.83								
UFI	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	14.38	88.00	55.00	47.24	7.44						
$\vdash$	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	22.85	88.00	55.00	47.24	7.44				-	-	
$\vdash$	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	36.14	88.00	55.00		7.44						
$\vdash$	Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	22.41	131.60	61.92		13.40	<b>-</b>	<b> </b>		<b>I</b>	<b>I</b>	
$\vdash$	Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X SDD2X	23.88	131.60	61.92	90.50	13.40	<b>-</b>	<b> </b>		<b>I</b>	<b>I</b>	
$\vdash$	Non-Wire Direct Serve Channel Voice Grade			UEPPX	SDD2X	33.72	131.60	61.92	90.50	13.40				<u> </u>	<b>†</b>	
INT	TEROFFICE TRANSPORT				1 1				22.30					1	1	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				1											
	Termination	<u></u>		UEPPX	U1TV2	21.13	40.54	27.41	16.74	6.90	<u> </u>	<u></u>		<u> </u>	L	<u></u>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPPX	U1TVM	0.008838	0.00	0.00								
	WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
UN	NE Port/Loop Combination Rates															
oxdot	2-Wire VG Coin Port/Loop Combo – Zone 1		1			12.70										
oxdot	2-Wire VG Coin Port/Loop Combo – Zone 2		2			21.19								L	L	
$\vdash \!$	2-Wire VG Coin Port/Loop Combo – Zone 3		3		ļ	34.80								1	1	
UN	NE Loop Rates			LIEBOO	LIEBUT									ļ	ļ	
$\vdash$	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	11.55			ļ					-	-	
$\vdash \vdash$	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	20.04			1			<b> </b>		<del>                                     </del>	<del>                                     </del>	
10.11	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	33.65								-	-	
2-1/	Wire Voice Grade Line Ports (COIN)				+									<del>                                     </del>	<del>                                     </del>	
	2-Wire Coin 2-Way without Operator Screening and without			UEPCO	UEPRF	1.15	40.19	19.83	24.91	6.63				1	1	
$\vdash$	Blocking (AL, KY, LA, MS)  2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	1.15	40.19	19.83	24.91	6.63				<del></del>	<del></del>	-
	2-vviie Coiii 2-vvay with Operator Screening (AL, KY)		_	ULFCU	UEPRE	1.15	40.19	19.83	24.91	0.03	1	<u> </u>		<del>                                     </del>	<del>                                     </del>	-
$\vdash$	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															

ONRONDE	ED NETWORK ELEMENTS - Alabama													ment: 2		ibit: A
											Svc Order	Svc Order		Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									p = = = = = = = = = = = = = = = = = = =	p = = = = = = =	Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
													130	Addi	Diac iat	Disc Add I
						Dee	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	•	-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
	(AL, LA, MS)			UEPCO	UEPRB	1.15	40.19	19.83	24.91	6.63						
	2-Wire Coin 2-Way with Operator Screening & Blocking:															
.	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.15	40.19	19.83	24.91	6.63						
	2-Wire Coin Outward with Operator Screening and 011 Blocking															
	(AL, FL)			UEPCO	UEPRK	1.15	40.19	19.83	24.91	6.63						
	2-Wire Coin Outward with Operator Screening and Blocking:															
	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.15	40.19	19.83	24.91	6.63						
	2-Wire Coin Outward Operator Screening & Blocking: 900/976,															
	1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.15	40.19	19.83	24.91	6.63						
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.15	40.19	19.83	24.91	6.63						
	2-Wire Coin Outward Smartline with 900/976 (all states except															
	LA)			UEPCO	UEPCR	1.15	40.19	19.83	24.91	6.63				1	1	
ADDI	TIONAL UNE COIN PORT/LOOP (RC)															1
1	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.56	0.00	0.00	0.00	0.00						1
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NONE	RECURRING CHARGES - CURRENTLY COMBINED															1
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		i e													
	Switch-as-is			UEPCO	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															1
	Switch with change			UEPCO	USACC		0.10	0.10								
ADDI	TIONAL NRCs															1
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															1
	Activity			UEPCO	USAS2		0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															1
	Premise			UEPCO	URETL		8.33	0.83								
2-WIF	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (	RES)												
UNE	Port/Loop Combination Rates															1
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.76										1
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.23										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			37.52										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	14.38										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	22.85										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	36.14										
2-Wir	e Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.38	90.38	57.27	48.66	8.77						
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.38	90.38	57.27	48.66	8.77						
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.38	90.38	57.27	48.66	8.77						
	2-Wire voice Grade unbundled Alabama extended local dialing															
	parity port with Caller ID - res		<u></u>	UEPFR	UEPAR	1.38	90.38	57.27	48.66	8.77						
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)			UEPFR	UEPAP	1.38	90.38	57.27	48.66	8.77						
	2-Wire Voice Unbundled Alabama Residence Dialing Plan															
	without Caller ID			UEPFR	UEPWA	1.38	90.38	57.27	48.66	8.77						
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination	1		UEPFR	U1TV2	21.13	40.54	27.41	16.74	6.90				I	I	1
i	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile	1		UEPFR	1L5XX	0.008838								I	I	1
FEAT	TURES															
i	All Features Offered			UEPFR	UEPVF	1.98	0.00	0.00								
LOCA	AL NUMBER PORTABILITY															1
	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										1
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															1
			-	†	1				1		<del>                                     </del>			1	1	1
Itolii	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															

ONBONDL	ED NETWORK ELEMENTS - Alabama													ment: 2	1	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		8.48	1.87								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at								1							
	End User Premise			UEPFR	URETN		11.21	1.10								
2-WIF	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (	BUS)												
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.76										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.23										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			37.52										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14.38										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	22.85										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	36.14										
2-Wir	e Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.38	90.38	57.27	48.66	8.77						
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.38	90.38	57.27	48.66	8.77						
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.38	90.38	57.27	48.66	8.77						
	2-Wire voice Grade unbundled Alabama extended local dialing															
	parity port with Caller ID - bus			UEPFB	UEPAW	1.38	90.38	57.27	48.66	8.77						
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.38	90.38	57.27	48.66	8.77						
	2-Wire Voice Unbundled Alabama Business Dialing Plan without															
	Caller ID			UEPFB	UEPWB	1.38	90.38	57.27	48.66	8.77						
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFB	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPFB	1L5XX	0.008838										
FEAT	URES															
	All Features Offered			UEPFB	UEPVF	1.98	0.00	0.00								
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		-													
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			LIEDED	110400		0.40	4.07								
	Combination - Conversion - Switch-as-is		-	UEPFB	USAC2		8.48	1.87								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			LIEDED	110400		0.40	4.07								
	Combination - Conversion - Switch with change	-	-	UEPFB	USACC		8.48	1.87								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFB	URETN		11.21	1.10								
2 14/15	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	I INE	ODT /		UKETN		11.21	1.10			-					
	Port/Loop Combination Rates	LINE	UKI (	 	_										<del></del>	
UNE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	<b>-</b>	1		_	15.76									<del></del>	-
-	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1  2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	-	2		+	24.23					<b>-</b>				+	<del>                                     </del>
_	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2  2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	1	3		+	37.52					1				+	<del>                                     </del>
LINE	Loop Rates	<b>-</b>	٥		_	31.32									<del></del>	-
OIVE	2-Wire Voice Grade Loop (SL2) - Zone 1	-	1	UEPFP	UECF2	14.38					<b>-</b>				+	<del>                                     </del>
-	2-Wire Voice Grade Loop (SL2) - Zone 1	<u> </u>	2	UEPFP	UECF2	22.85			<del>                                     </del>						<del>                                     </del>	
-	2-Wire Voice Grade Loop (SL2) - Zone 3	<del>                                     </del>	3	UEPFP	UECF2	36.14									<b>+</b>	
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)	l -	ľ	02.11	520.2	55.14									<u> </u>	
		<del>                                     </del>							1						t	<u> </u>
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	1		UEPFP	UEPPC	1.38	119.27	69.85	61.18	8.34	1				I	
_	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.38	119.27	69.85	61.18	8.34					<u> </u>	
	Line Side Unbundled Incoming PBX Trunk Port - Bus	i e		UEPFP	UEPP1	1.38	119.27	69.85	61.18	8.34					1	
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama				1			22.00	20	2.01					t	
	Calling Port			UEPFP	UEPA2	1.38	119.27	69.85	61.18	8.34						
	2-Wire Voice Unbundled PBX LD Terminal Ports	1		UEPFP	UEPLD	1.38	119.27	69.85	61.18	8.34					İ	
$\neg$	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	1		UEPFP	UEPXA	1.38	119.27	69.85	61.18	8.34					1	
$\neg$	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	İ		UEPFP	UEPXB	1.38	119.27	69.85	61.18	8.34						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.38	119.27	69.85	61.18	8.34						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	i –		UEPFP	UEPXD	1.38	119.27	69.85	61.18	8.34	i				1	1

ONBONDE	LED NETWORK ELEMENTS - Alabama													ment: 2		ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									p = = = = = = = = = = = = = = = = = = =	p	Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
													151	Addi	DISC 1St	DISC Add I
						В	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		*
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPFP	UEPXE	1.38	119.27	69.85	61.18	8.34						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	1													<b>†</b>
	Administrative Calling Port			UEPFP	UEPXL	1.38	119.27	69.85	61.18	8.34						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1													+
	Room Calling Port			UEPFP	UEPXM	1.38	119.27	69.85	61.18	8.34						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			02	02.7	1.00		00.00	01110	0.01						
	Discount Room Calling Port			UEPFP	UEPXO	1.38	119.27	69.85	61.18	8.34						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	1		UEPFP	UEPXS	1.38	119.27	69.85	61.18	8.34						+
1.00	CAL NUMBER PORTABILITY	_		CEITI	OLI AO	1.00	110.21	00.00	01.10	0.04						+
LOC	Local Number Portability (1 per port)	1	1	UEPFP	LNPCP	3.15	0.00	0.00								+
INITE	EROFFICE TRANSPORT	<del>                                     </del>	-	OLFIF	LINECE	3.13	0.00	0.00			1			<del>                                     </del>	<del>                                     </del>	+
INTE	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	-			+						-					+
				UEPFP	11471/0	24.42	40.54	07.44	40.74	0.00						
	Termination			UEPFP	U1TV2	21.13	40.54	27.41	16.74	6.90	ļ				ļ	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			l												
	or Fraction Mile	ļ		UEPFP	1L5XX	0.008838										
FEA	TURES															
	All Features Offered	ļ		UEPFP	UEPVF	1.98	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	ļ														
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		8.48	1.87								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change			UEPFP	USACC		8.48	1.87								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise			UEPFP	URETN		11.21	1.10								
UNBUNDLE	D PORT/LOOP COMBINATIONS - COST BASED RATES															
2-WI	IRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	( PORT														
	Port/Loop Combination Rates															1
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			22.40					İ					<b>—</b>
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			30.88										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	1	3			44.17										<b>†</b>
UNF	Loop Rates		Ť													
0.1.2	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	14.38					1				1	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	1	2	UEPPX	UECD1	22.85										+
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	_	3	UEPPX	UECD1	36.14										+
LIME	E Port Rate	1	3	ULFFA	OLCDI	30.14										+
UNE	Exchange Ports - 2-Wire DID Port	+	-	UEPPX	UEPD1	8.02	207.31	73.74	107.14	11.20	<b>-</b>			-	-	
NON	RECURRING CHARGES - CURRENTLY COMBINED	-		UEFFA	UEPDI	0.02	207.31	13.14	107.14	11.20	-					+
NON	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination	<del>                                     </del>			_											
		1														
	Switch-as-is			UEPPX	USAC1		7.31	1.87								
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			l												
	with BellSouth Allowable Changes			UEPPX	USA1C		7.31	1.87								
ADD	DITIONAL NRCs	ļ														
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		26.78	26.78			ļ			ļ	1	<del></del>
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise			UEPPX	URETN		11.21	1.10								
Tele	phone Number/Trunk Group Establisment Charges															
	DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00								
ı	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00								1
	Reserve DID Numbers		1	UEPPX	NDV	0.00	0.00	0.00								1
LOC	CAL NUMBER PORTABILITY		1													1
1-30	Local Number Portability (1 per port)	t	t –	UEPPX	LNPCP	3.15	0.00	0.00			1			1	1	1
2-WI	IRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDI	E PORT		T	50	3.30	5.50						t	<b>†</b>	
	Port/Loop Combination Rates		1		1						1			1	1	
0.42	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1	1	<del> </del>	+						1			<b>†</b>	t	<del>                                     </del>
	UNE Zone 1	1	1 .	UEPPB UEPPI	_1	27.28					1	1		1	1	1

UNBUNDLE	D NETWORK ELEMENTS - Alabama													Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	acs	usoc			RATES (\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		2	LIEDDD	LIEDDD		07.00										
	UNE Zone 2 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		2	UEPPB	UEPPR		37.86										
	UNE Zone 3		3	UEPPB	UEPPR		53.84										
UNE L	pop Rates		Ť	02	OL. III		00.01					1					
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	19.03										
			1														
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	29.62										
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	45.60										
	ort Rate							100.01	100 70	100.00	21.00						
	Exchange Port - 2-Wire ISDN Line Side Port  CURRING CHARGES - CURRENTLY COMBINED	1	<b>!</b>	UEPPB	UEPPR	UEPPB	8.24	190.01	132.76	100.67	21.28	<del>                                     </del>	1				-
NONKE	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port		<del>                                     </del>														
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	38.51	27.02								
	ONAL NRCs		t		3=(	3,105	3.50	33.51	202								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at		t														İ
	End User Premise	<u></u>	<u>L</u>	UEPPB	UEPPR	URETN		11.21	1.10			<u> </u>					
	Unbundled Miscellaneous Rate Element, Tag Loop at End User																
	Premise			UEPPB	UEPPR	URETL		8.33	0.83								
	NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CHA	NNEL USER PROFILE ACCESS:  CVS/CSD (DMS/5ESS)		ļ	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00			1					
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00			-	-				
-	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO	C.MS. 8	TN)	OLITE	OLITIK	01000	0.00	0.00	0.00			1					
	CVS/CSD (DMS/5ESS)		Ι ΄	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00			1					
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
	TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	1.98	0.00	0.00			-	-				
	OFFICE CHANNEL MILEAGE		<u> </u>	UEPPB	UEPPR	UEPVF	1.90	0.00	0.00								
	Interoffice Channel mileage each, including first mile and																
	facilities termination			UEPPB	UEPPR	M1GNC	21.13	40.54	27.41	16.74	6.90						
	Interoffice Channel mileage each, additional mile					M1GNM	0.008838	0.00	0.00			1					
	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK																
	IE-P DS1 combination rates below for 4-Wire DS1 Digital Loop	with 4	-Wire I	SDN DS1	Digital Tru	nk Port in thi	s rate exhibit a	pply to the em	bedded base i	n place as of 1	0/2/03 until 4/	1/04. After 4	1/1/04 these	rates shall rev	vert to tariff ra	ites or a sepa	rate
agreem																	
	sts for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital T	runk Po	ort afte	r the effec	ctive date o	f this amend	ment shall be p	provided pursu	iant to a separ	ate agreement	or tariff at Bel	South's di	scretion.				
UNE PO	ort/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE											-	-				
	Zone 1		1	UEPPP			166.87										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	t	<del>                                     </del>	J			100.07					l	<u> </u>				<b>†</b>
1	Zone 2		2	UEPPP			238.50										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1	i i	İ													İ
	Zone 3		3	UEPPP			398.85										
UNE Lo	pop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1			UEPPP		USL4P	82.55					ļ					
	4-Wire DS1 Digital Loop - UNE Zone 2	<b>.</b>		UEPPP		USL4P	154.18					<u> </u>					
LINE D	4-Wire DS1 Digital Loop - UNE Zone 3 ort Rate	1	3	UEPPP		USL4P	314.52					<del>                                     </del>	1				-
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	1	<del>                                     </del>	UEPPP		UEPPP	84.32	456.28	259.10	123.88	31.77	<u> </u>	<del>                                     </del>				
	ECURRING CHARGES - CURRENTLY COMBINED	t	<del>                                     </del>	J		J_111	04.52	-100.20	200.10	123.00	31.77	l	<u> </u>				<del>                                     </del>
INONRE		1		-		_				<b>-</b>		+	1				
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port						I										
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is (E:4/1/2004)  ONAL NRCs			UEPPP		USACP	0.00	119.07	78.56								

NRONDL	ED NETWORK ELEMENTS - Alabama													ment: 2	Exhil	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			II .	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						_	Nonre	curring	Nonrecurring	Disconnect	İ		oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-															
	Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF		0.49									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -				1						İ					
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		11.51									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -										İ					
	Subsequent Inward Tel Numbers			UEPPP	PR7ZT		23.02									
LOCA	AL NUMBER PORTABILITY				1						İ					
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTE	RFACE (Provsioning Only)										i e					
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00			i e					
	Digital Data		t	UEPPP	PR71D	0.00	0.00	0.00	İ		1					
	Inward Data		t	UEPPP	PR71E	0.00	0.00	0.00	İ		1					
New	or Additional "B" Channel			1							1					
	New or Additional - Voice/Data B Channel		t	UEPPP	PR7BV	0.00	14.53		İ		1					
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	14.53									
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	14.53				1					
CALI	TYPES															
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7CO	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Inter	office Channel Mileage															
	Fixed Each Including First Mile			UEPPP	1LN1A	60.34	89.27	81.81	16.35	14.44						
-			_										1			
1	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.18										
4-WII	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT			UEPPP	1LN1B	0.18										
The l	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT JNE-P DS1 combination rates below for 4-Wire DS1 Digital Loop			DDITS Trunk Port in	this rate exhi	bit apply to the					4/1/04 these	rates shall	revert to tarif	f rates or a se	parate agreer	nent.
The U	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT JNE-P DS1 combination rates below for 4-Wire DS1 Digital Loop lests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff			DDITS Trunk Port in	this rate exhi	bit apply to the					4/1/04 these	rates shall	revert to tarif	f rates or a se	parate agreer	nent.
The U	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT JNE-P DS1 combination rates below for 4-Wire DS1 Digital Loop tests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff Port/Loop Combination Rates			DDITS Trunk Port in this amendment sh	this rate exhi	bit apply to the					4/1/04 these	rates shall	revert to tarif	f rates or a se	parate agreer	nent.
The U	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT JNE-P DS1 combination rates below for 4-Wire DS1 Digital Loop tests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff- Port/Loop Combination Rates  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1			DDITS Trunk Port ir	this rate exhi	bit apply to the d pursuant to a 142.64					4/1/04 these	rates shall	revert to tarif	f rates or a se	parate agreer	nent.
The U	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT JNE-P DS1 combination rates below for 4-Wire DS1 Digital Loop ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff Port/Loop Combination Rates  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		1 2	DDITS Trunk Port in this amendment sh UEPDC UEPDC	this rate exhi	bit apply to the d pursuant to a 142.64 214.26					4/1/04 these	rates shall	revert to tarif	f rates or a se	parate agreer	nent.
The URE	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT  JNE-P DS1 combination rates below for 4-Wire DS1 Digital Loop  ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effertive policy of the		late of	DDITS Trunk Port in this amendment sh UEPDC	this rate exhi	bit apply to the d pursuant to a 142.64					4/1/04 these	rates shall	revert to tarif	f rates or a se	parate agreer	nent.
The URE	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT JNE-P DS1 combination rates below for 4-Wire DS1 Digital Loop wests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff Port/Loop Combination Rates  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Loop Rates		1 2	DDITS Trunk Port in this amendment sh UEPDC UEPDC UEPDC	this rate exhi	bit apply to the d pursuant to a 142.64 214.26 374.61					4/1/04 these	rates shall	revert to tarif	f rates or a se	parate agreer	nent.
The URE	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT JNE-P DS1 combination rates below for 4-Wire DS1 Digital Loop ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff Port/Loop Combination Rates  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1		1 2 3 1	DDITS Trunk Port in this amendment should be used to be	this rate exhi	bit apply to the d pursuant to a 142.64 214.26 374.61					4/1/04 these	rates shall	revert to tarif	f rates or a se	parate agreer	nent.
The URE	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT JNE-P DS1 combination rates below for 4-Wire DS1 Digital Loop sets for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff Port/Loop Combination Rates  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3  Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2		1 2 3 1 1 2	DDITS Trunk Port in this amendment should be used to be	uthis rate exhinal be provided  USLDC  USLDC	bit apply to the d pursuant to a 142.64 214.26 374.61 82.55 154.18					4/1/04 these	rates shall	revert to tarif	f rates or a se	parate agreer	nent.
The UNE	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT JNE-P DS1 combination rates below for 4-Wire DS1 Digital Loop sets for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff Port/Loop Combination Rates  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3  Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3		1 2 3 1	DDITS Trunk Port in this amendment should be used to be	this rate exhi	bit apply to the d pursuant to a 142.64 214.26 374.61					4/1/04 these	e rates shall	revert to tarif	f rates or a se	parate agreer	nent.
The UNE	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT JNE-P DS1 combination rates below for 4-Wire DS1 Digital Loop sets for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff Port/Loop Combination Rates  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate		1 2 3 1 1 2	DDITS Trunk Port in this amendment should be s	this rate exhi all be provide	142.64 214.26 374.61 82.55 154.18 314.52	a separate agr	eement or tarif	f at BellSouth's	discretion.	4/1/04 these	rates shall	revert to tarif	f rates or a se	parate agreer	nent.
The UNE	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT JNE-P DS1 combination rates below for 4-Wire DS1 Digital Loop sets for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff Port/Loop Combination Rates  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3  Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate  4-Wire DDITS Digital Trunk Port (E:4/1/2004)		1 2 3 1 1 2	DDITS Trunk Port in this amendment should be used to be	uthis rate exhinal be provided  USLDC  USLDC	bit apply to the d pursuant to a 142.64 214.26 374.61 82.55 154.18					4/1/04 these	rates shall	revert to tarif	f rates or a se	parate agreer	nent.
The UNE	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT JNE-P DS1 combination rates below for 4-Wire DS1 Digital Loop sets for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff Port/Loop Combination Rates  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3  Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate  4-Wire DDITS Digital Trunk Port (E:4/1/2004)  RECURRING CHARGES - CURRENTLY COMBINED		1 2 3 1 1 2	DDITS Trunk Port in this amendment should be s	this rate exhi all be provide	142.64 214.26 374.61 82.55 154.18 314.52	a separate agr	eement or tarif	f at BellSouth's	discretion.	4/1/04 these	rates shall	revert to tarif	f rates or a se	parate agreer	nent.
The UNE	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT JNE-P DS1 combination rates below for 4-Wire DS1 Digital Loop sets for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff Port/Loop Combination Rates  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate 4-Wire DDITS Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		1 2 3 1 1 2	DDITS Trunk Port in this amendment shupped UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	usldc Usldc Usldc Usldc Usldc	142.64 214.26 374.61 82.55 154.18 314.52	a separate agr	eement or tarif	f at BellSouth's	discretion.	4/1/04 these	rates shall	revert to tarif	f rates or a se	parate agreer	nent.
The UNE	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT JNE-P DS1 combination rates below for 4-Wire DS1 Digital Loop sets for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff Port/Loop Combination Rates  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate  4-Wire DDITS Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004)		1 2 3 1 1 2	DDITS Trunk Port in this amendment should be s	this rate exhi all be provide	142.64 214.26 374.61 82.55 154.18 314.52	a separate agr	eement or tarif	f at BellSouth's	discretion.	4/1/04 these	rates shall	revert to tarif	f rates or a se	parate agreer	nent.
The UNE	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT JINE-P DS1 combination rates below for 4-Wire DS1 Digital Loop tests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effertive performance of the port/Loop Combination Rates  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3  Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate  4-Wire DDITS Digital Trunk Port (E:4/1/2004)  RECURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004)  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		1 2 3 1 1 2	DDITS Trunk Port in this amendment should be s	usldc Usldc Usldc Usldc Usldc Usldc Usldc	142.64 214.26 374.61 82.55 154.18 314.52	454.49	253.23 67.02	f at BellSouth's	discretion.	4/1/04 these	rates shall	revert to tarif	f rates or a se	parate agreer	nent.
The UNE	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT JNE-P DS1 combination rates below for 4-Wire DS1 Digital Loop sets for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff Port/Loop Combination Rates  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3  Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate  4-Wire DDITS Digital Loop - UNE Zone 3  Port Rate  4-Wire DS1 Digital Loop - UNE Zone 3  4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate  4-Wire DS1 Digital Loop - UNE Zone 3  4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate  4-Wire DDITS Digital Trunk Port (E:4/1/2004)  8-CURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004)  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004)		1 2 3 1 1 2	DDITS Trunk Port in this amendment shupped UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	usldc Usldc Usldc Usldc Usldc	142.64 214.26 374.61 82.55 154.18 314.52	a separate agr	eement or tarif	f at BellSouth's	discretion.	4/1/04 these	rates shall	revert to tarif	f rates or a se	parate agreer	nent.
The UNE	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT JNE-P DS1 combination rates below for 4-Wire DS1 Digital Loop sets for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff Port/Loop Combination Rates  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate  4-Wire DS1 Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004)  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004)  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		1 2 3 1 1 2	DDITS Trunk Port in this amendment shup this amendment shup the pool of the po	USLDC USLDC USLDC USLDC USLDC USLDC USLDC USLDC	142.64 214.26 374.61 82.55 154.18 314.52	454.49 129.49	253.23 67.02	f at BellSouth's	discretion.	4/1/04 these	rates shall	revert to tarif	f rates or a se	parate agreer	nent.
The I Requ UNE UNE UNE UNE NONI	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT JINE-P DS1 combination rates below for 4-Wire DS1 Digital Loop sets for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff Port/Loop Combination Rates  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate 4-Wire DDITS Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004)  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004)  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004)		1 2 3 1 1 2	DDITS Trunk Port in this amendment should be s	usldc Usldc Usldc Usldc Usldc Usldc Usldc	142.64 214.26 374.61 82.55 154.18 314.52	454.49	253.23 67.02	f at BellSouth's	discretion.	4/1/04 these	rates shall	revert to tarif	f rates or a se	parate agreer	nent.
The I Requ UNE UNE UNE UNE NONI	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT JNE-P DS1 combination rates below for 4-Wire DS1 Digital Loop sets for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff Port/Loop Combination Rates  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3  Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate  4-Wire DDITS Digital Trunk Port (E:4/1/2004)  RECURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004)  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004)  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004)  TIONAL NRCS		1 2 3 1 1 2	DDITS Trunk Port in this amendment shup this amendment shup the pool of the po	USLDC USLDC USLDC USLDC USLDC USLDC USLDC USLDC	142.64 214.26 374.61 82.55 154.18 314.52	454.49 129.49	253.23 67.02	f at BellSouth's	discretion.	4/1/04 these	rates shall	revert to tarif	f rates or a se	parate agreer	nent.
The I Requ UNE UNE UNE UNE NONI	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT JNE-P DS1 combination rates below for 4-Wire DS1 Digital Loop sets for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff Port/Loop Combination Rates  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3  Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate 4-Wire DS1 Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004)  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004)  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004)  1TONAL NRCS  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -		1 2 3 1 1 2	DDITS Trunk Port in this amendment shupped UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	usldc usldc	142.64 214.26 374.61 82.55 154.18 314.52	454.49 129.49 129.49	253.23 67.02 67.02	f at BellSouth's	discretion.	4/1/04 these	rates shall	revert to tarif	f rates or a se	parate agreer	nent.
The I Requ UNE UNE UNE UNE NONI	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT JINE-P DS1 combination rates below for 4-Wire DS1 Digital Loop sets for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff Port/Loop Combination Rates  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3  Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate 4-Wire DS1 Digital Trunk Port (E:4/1/2004) RECURING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004)  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004)  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004)  1-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004)  1-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004)		1 2 3 1 1 2	DDITS Trunk Port in this amendment shup this amendment shup the pool of the po	USLDC USLDC USLDC USLDC USLDC USLDC USLDC USLDC	142.64 214.26 374.61 82.55 154.18 314.52	454.49 129.49	253.23 67.02	f at BellSouth's	discretion.	4/1/04 these	rates shall	revert to tarif	f rates or a se	parate agreer	nent.
The I Requ UNE UNE UNE UNE NONI	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT JNE-P DS1 combination rates below for 4-Wire DS1 Digital Loop sets for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff Port/Loop Combination Rates  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3  Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate  4-Wire DS1 Digital Trunk Port (E:4/1/2004)  RECURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004)  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004)  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004)  TIONAL NRCS  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		1 2 3 1 1 2	DDITS Trunk Port in this amendment ships a mendment ships	usldc usldc	142.64 214.26 374.61 82.55 154.18 314.52	454.49 129.49 129.49	253.23 67.02 67.02	f at BellSouth's	discretion.	4/1/04 these	rates shall	revert to tarif	f rates or a se	parate agreer	nent.
The I Requ UNE UNE UNE UNE NONI	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT JNE-P DS1 combination rates below for 4-Wire DS1 Digital Loop sets for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff Port/Loop Combination Rates  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3  Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate  4-Wire DDITS Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004)  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004)  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004)  1TONAL NRCS  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk		1 2 3 1 1 2	DDITS Trunk Port in this amendment shupped UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	usldc usldc	142.64 214.26 374.61 82.55 154.18 314.52	454.49 129.49 129.49	253.23 67.02 67.02	f at BellSouth's	discretion.	4/1/04 these	rates shall	revert to tarif	f rates or a se	parate agreer	nent.
The I Requ UNE UNE UNE UNE NONI	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT JINE-P DS1 combination rates below for 4-Wire DS1 Digital Loop sets for 4-Wire DS1 Digital Loop with 4-Wire DS1 Digital Loop sets for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff Port/Loop Combination Rates  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3  Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate  4-Wire DS1 Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004)  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004)  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004)  TIONAL NRCS  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk		1 2 3 1 1 2	DDITS Trunk Port in this amendment shupped UEPDC	USLDC USLDC USLDC USLDC USLDC USLDC USLDC USLDC USLDC UDD1T  USAC4 USAWA USAWA	142.64 214.26 374.61 82.55 154.18 314.52	454.49 129.49 129.49 14.48	253.23 67.02 67.02 14.48	f at BellSouth's	discretion.	4/1/04 these	rates shall	revert to tarif	f rates or a se	parate agreer	nent.
The I Requ UNE UNE UNE UNE NONI	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT JINE-P DS1 combination rates below for 4-Wire DS1 Digital Loop sets for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff Port/Loop Combination Rates  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3  Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate  4-Wire DS1 Digital Trunk Port (E:4/1/2004)  RECURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004)  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004)  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004)  TIONAL NRCS  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 2-Way Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk		1 2 3 1 1 2	DDITS Trunk Port in this amendment ships a mendment ships	usldc usldc	142.64 214.26 374.61 82.55 154.18 314.52	454.49 129.49 129.49	253.23 67.02 67.02	f at BellSouth's	discretion.	4/1/04 these	rates shall	revert to tarif	f rates or a se	parate agreer	nent.
The I Requ UNE UNE UNE UNE NONI	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT JNE-P DS1 combination rates below for 4-Wire DS1 Digital Loop sets for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff Port/Loop Combination Rates  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3  Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate  4-Wire DS1 Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004)  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004)  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004)  1TIONAL NRCS  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk - Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk - Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsquent Channel - Activation/Chan Inward Trunk Wout DID - Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsquent Channel - Activation/Chan Inward Trunk Wout DID - Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsque Channel - Activation/Chan Inward Trunk Wout DID - Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsque Channel - Activation/Chan Inward Trunk Wout DID - Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsque Channel - Activation/Chan Inward Trunk Wout DID - Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsque Channel - Activation/Chan Inward Trunk Wout DID - Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsque Channel		1 2 3 1 1 2	DDITS Trunk Port in this amendment shape the s	USLDC USLDC USLDC USLDC USLDC USLDC USLDC USLDC USLDC UDD1T  USAC4 USAWA USAWA USAWB	142.64 214.26 374.61 82.55 154.18 314.52	454.49 129.49 129.49 14.48 14.48	253.23 67.02 67.02 14.48 14.48	f at BellSouth's	discretion.	4/1/04 these	rates shall	revert to tarif	f rates or a se	parate agreer	nent.
The I Requ UNE UNE UNE UNE NONI	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT JNE-P DS1 combination rates below for 4-Wire DS1 Digital Loop sets for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff Port/Loop Combination Rates  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3  Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate  4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate  4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate  4-Wire DS1 Digital Trunk Port (E:4/1/2004)  RECURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004)  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004)  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004)  1TONAL NRCS  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 1-Way Outward Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsquent Channel Activation/Chan Inward Trunk w/out DID  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsquet Channel Activation/Chan Inward Trunk w/out DID  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsquet Channel Activation/Chan Inward Trunk w/out DID  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsquet Channel Activation/Chan Inward Trunk w/out DID  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsquet Chan Activation Per Chan - Inward Trunk w/out DID		1 2 3 1 1 2	DDITS Trunk Port in this amendment shupped UEPDC	USLDC USLDC USLDC USLDC USLDC USLDC USLDC USLDC USLDC UDD1T  USAC4 USAWA USAWA	142.64 214.26 374.61 82.55 154.18 314.52	454.49 129.49 129.49 14.48	253.23 67.02 67.02 14.48	f at BellSouth's	discretion.	4/1/04 these	rates shall	revert to tarif	f rates or a se	parate agreer	nent.
The I Requ UNE UNE UNE UNE NONI	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT JINE-P DS1 combination rates below for 4-Wire DS1 Digital Loop sets for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff Port/Loop Combination Rates  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3  Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate 4-Wire DS1 Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) TIONAL NRCS 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsquent Channel Activation/Chan - 1-Way Outward Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsquent Channel Activation/Chan - 1-Way Outward Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsquent Channel New Trunk Wire DDITS Trunk Port - Subsquent Activation Per Chan - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsquent Channel Activation Per Chan - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsquent Channel Activation Per Chan - Inward Trunk with DID		1 2 3 1 1 2	DDITS Trunk Port in this amendment should be s	USLDC USLDC USLDC USLDC USLDC USLDC USLDC USLDC USLDC UDD1T  USAC4 USAWA USAWA USAWB  UDTTA UDTTB UDTTC	142.64 214.26 374.61 82.55 154.18 314.52	454.49 129.49 129.49 14.48 14.48	253.23 67.02 67.02 14.48 14.48	f at BellSouth's	discretion.	4/1/04 these	rates shall	revert to tarif	f rates or a se	parate agreer	nent.
UNE UNE UNE ADDI	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT JNE-P DS1 combination rates below for 4-Wire DS1 Digital Loop sets for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff Port/Loop Combination Rates  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3  Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate  4-Wire DS1 Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004)  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004)  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004)  1TONAL NRCS  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-IWay Outward Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk with DID  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - 1-IWay DITS Trunk Port - Subsqnt Chan Activation Per Chan - 1-IWay DITS Trunk Port - Subsqnt Chan Activation Per Chan - 1-IWay DITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID W User Trans		1 2 3 1 1 2	DDITS Trunk Port in this amendment shape the s	USLDC USLDC USLDC USLDC USLDC USLDC USLDC USLDC USLDC UDD1T  USAC4 USAWA USAWB  UDTTA UDTTB	142.64 214.26 374.61 82.55 154.18 314.52	454.49 129.49 129.49 14.48 14.48	253.23 67.02 67.02 14.48 14.48	f at BellSouth's	discretion.	4/1/04 these	rates shall	revert to tarif	f rates or a se	parate agreer	nent.
UNE UNE UNE ADDI	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT JNE-P DS1 combination rates below for 4-Wire DS1 Digital Loop sets for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff Port/Loop Combination Rates  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3  Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate  4-Wire DDITS Digital Loop - UNE Zone 3  Port Rate  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004)  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004)  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004)  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004)  TIONAL NRCS  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk - Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk - Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsquent Channel Activation/Chan - 1-Way Outward Trunk - Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsquent Channel Activation/Chan Inward Trunk w/out DID - Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan - Activation / Chan - 2-Way DID W User Trans  LAR 8 ZERO SUBSTITUTION		1 2 3 1 1 2	DDITS Trunk Port in this amendment shape to the same the same that shape the same that	USLDC USLDC USLDC USLDC USLDC USLDC USLDC USLDC USLDC USLDC UDD1T  USAC4 USAWA USAWB  UDTTA UDTTB UDTTC UDTTC	bit apply to the d pursuant to :  142.64 214.26 374.61 82.55 154.18 314.52 60.09	129.49 129.49 14.48 14.48 14.48	253.23 67.02 67.02 67.02 14.48 14.48 14.48	f at BellSouth's	discretion.	4/1/04 these	erates shall	revert to tarif	f rates or a se	parate agreer	nent.
UNE UNE UNE ADDI	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT JINE-P DS1 combination rates below for 4-Wire DS1 Digital Loop sets for 4-Wire DS1 Digital Loop with 4-Wire DS1 Digital Loop sets for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff Port/Loop Combination Rates  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3  Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate  4-Wire DS1 Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004)  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004)  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004)  TIONAL NRCS  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk wind DID  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID W User Trans  LAR 8 ZERO SUBSTITUTION		1 2 3 1 1 2	DDITS Trunk Port in this amendment should be s	USLDC USLDC USLDC USLDC USLDC USLDC USLDC USLDC USLDC UDDIT  USAC4 USAWA USAWA USAWB UDTTA UDTTB UDTTC UDTTD UDTTE	bit apply to the d pursuant to :  142.64 214.26 374.61 82.55 154.18 314.52 60.09	454.49 129.49 129.49 14.48 14.48 14.48 0.00i	253.23 253.23 67.02 67.02 14.48 14.48 14.48 14.48	f at BellSouth's	discretion.	4/1/04 these	rates shall	revert to tarif	f rates or a se	parate agreer	nent.
The I Requ UNE UNE UNE ADDI	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT JINE-P DS1 combination rates below for 4-Wire DS1 Digital Loop sets for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff Port/Loop Combination Rates  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3  Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate  4-Wire DS1 Digital Trunk Port (E:4/1/2004)  RECURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004)  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004)  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004)  TIONAL NRCS  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Qutward Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Qutward Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan Inward Trunk wiott DID  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans  LAR 8-ZER OSUBSTITUTION  B82S - Superframe Format		1 2 3 1 1 2	DDITS Trunk Port in this amendment shape to the same the same that shape the same that	USLDC USLDC USLDC USLDC USLDC USLDC USLDC USLDC USLDC USLDC UDD1T  USAC4 USAWA USAWB  UDTTA UDTTB UDTTC UDTTC	bit apply to the d pursuant to :  142.64 214.26 374.61 82.55 154.18 314.52 60.09	129.49 129.49 14.48 14.48 14.48	253.23 67.02 67.02 67.02 14.48 14.48 14.48	f at BellSouth's	discretion.	4/1/04 these	rates shall	revert to tarif	f rates or a se	parate agreer	nent.
The I Requ UNE UNE UNE ADDI	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT JINE-P DS1 combination rates below for 4-Wire DS1 Digital Loop sets for 4-Wire DS1 Digital Loop with 4-Wire DS1 Digital Loop sets for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff Port/Loop Combination Rates  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3  Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate  4-Wire DS1 Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004)  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004)  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004)  TIONAL NRCS  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk wind DID  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID W User Trans  LAR 8 ZERO SUBSTITUTION		1 2 3 1 1 2	DDITS Trunk Port in this amendment should be s	USLDC USLDC USLDC USLDC USLDC USLDC USLDC USLDC USLDC UDDIT  USAC4 USAWA USAWA USAWB UDTTA UDTTB UDTTC UDTTD UDTTE	bit apply to the d pursuant to :  142.64 214.26 374.61 82.55 154.18 314.52 60.09	454.49 129.49 129.49 14.48 14.48 14.48 0.00i	253.23 253.23 67.02 67.02 14.48 14.48 14.48 14.48	f at BellSouth's	discretion.	4/1/04 these	erates shall	revert to tarif	f rates or a se	parate agreer	nent.

UNBUNDLE	D NETWORK ELEMENTS - Alabama													ment: 2	Exhil	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			l .	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec		curring	Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Teleph	none Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00					1					
	Telephone Number for 1-Way Inward Trunk Group Without DID DID Numbers for each Group of 20 DID Numbers			UEPDC UEPDC	UDTGZ ND4	0.00	0.00		-		-					
	DID Numbers for each Group of 20 DID Numbers  DID Numbers, Non- consecutive DID Numbers, Per Number		1	UEPDC	ND5	0.00	0.00		-		<b> </b>					
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00	1		1					
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00	<del> </del>							
Dedica	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	1 Digita				0.00	0.00	0.00								
200.00	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	Jigita	Г		1						İ					
	Termination)		-	UEPDC	1LNO1	60.16	89.27	81.81	16.35	14.44						
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.18	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.18	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.18	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point			UEPDC	CTG	0.00										
	E DS1 LOOP WITH CHANNELIZATION WITH PORT	<u> </u>														
Systen	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	ivations	<u> </u>								1					
Each S	System can have up to 24 combinations of rates depending on NE-P DS1 combination rates below for 4-Wire DS1 Loop with C	type al	na num	per of ports used	a avhihit ann	lu to the embe	ddad baaa in r	loop on of 10/	2/02	After 4/1/04	those retec	hall rayart	to toriff rotos	or a concrete	agraamant	
	ests for 4-Wire DS1 Loop with Channelization with Port after th											l levert	to tariii rates	or a separate	agreement.	
	S1 Loop	1	l date	or this amenamen	l	videa parsauri	t to a separate	agreement or	I Denoe	din 5 disorcin	1					
O.V.E. D	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	82.55	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2			UEPMG	USLDC	154.18	0.00	0.00	t		†					
	4-Wire DS1 Loop - UNE Zone 3			UEPMG	USLDC	314.52	0.00	0.00								
UNE D	SO Channelization Capacities (D4 Channel Bank Configuration	ns)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	101.40	0.00	0.00								
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	202.80	0.00	0.00								
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	405.60	0.00	0.00	ļ							
	144 DS0 Channel Capacity - 1 per 6 DS1s		<u> </u>	UEPMG	VUM14	608.40	0.00	0.00								
	192 DS0 Channel Capacity -1 per 8 DS1s		ļ	UEPMG	VUM19	811.20	0.00	0.00	-	-						
	240 DS0 Channel Capacity - 1 per 10 DS1s	1	1	UEPMG	VUM2O	1,014.00	0.00	0.00	<del>                                     </del>		ļ					
_			t		1 /I IN 400	4 040 00	0.00			1	1					-
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,216.80	0.00	0.00	-							<u> </u>
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,622.40	0.00	0.00								
	384 DS0 Channel Capacity - 1 per 16 DS1s 480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG UEPMG	VUM38 VUM4O	1,622.40 2,028.00	0.00 0.00	0.00 0.00								
	384 DS0 Channel Capacity - 1 per 16 DS1s 480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG UEPMG UEPMG	VUM38 VUM4O VUM57	1,622.40 2,028.00 2,433.60	0.00 0.00 0.00	0.00 0.00 0.00								
Non-R	384 DS0 Channel Capacity - 1 per 16 DS1s 480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity -1 per 24 DS1s 672 DS0 Channel Capacity -1 per 28 DS1s	h Chani		UEPMG UEPMG UEPMG UEPMG	VUM38 VUM4O VUM57 VUM67	1,622.40 2,028.00 2,433.60 2,839.20	0.00 0.00 0.00 0.00	0.00 0.00								
	384 DS0 Channel Capacity - 1 per 16 DS1s 480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity -1 per 24 DS1s		neliztio	UEPMG UEPMG UEPMG UEPMG n with Port - Conver	VUM38 VUM4O VUM57 VUM67 sion Charge	1,622.40 2,028.00 2,433.60 2,839.20 Based on a Sy	0.00 0.00 0.00 0.00	0.00 0.00 0.00								
A Mini	384 DS0 Channel Capacity - 1 per 16 DS1s 480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity -1 per 24 DS1s 672 DS0 Channel Capacity -1 per 28 DS1s ecurring Charges (NRC) Associated with 4-Wire DS1 Loop wit	l Bank,	neliztio and Up	UEPMG UEPMG UEPMG UEPMG UEPMG n with Port - Conver	VUM38 VUM4O VUM57 VUM67 sion Charge ith Feature A	1,622.40 2,028.00 2,433.60 2,839.20 Based on a Sy	0.00 0.00 0.00 0.00	0.00 0.00 0.00								
A Mini	384 DS0 Channel Capacity - 1 per 16 DS1s 480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 24 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with	l Bank,	neliztio and Up	UEPMG UEPMG UEPMG UEPMG UEPMG n with Port - Conver	VUM38 VUM4O VUM57 VUM67 sion Charge ith Feature A	1,622.40 2,028.00 2,433.60 2,839.20 Based on a Sy	0.00 0.00 0.00 0.00	0.00 0.00 0.00								
A Mini Multip	384 DS0 Channel Capacity - 1 per 16 DS1s 480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 24 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with	el Bank, dd'I afte	and Up	UEPMG UEPMG UEPMG UEPMG n with Port - Conver To 24 DSO Ports w inimum system con UEPMG	VUM38 VUM4O VUM57 VUM67 sion Charge ith Feature A figuration is	1,622.40 2,028.00 2,433.60 2,839.20 Based on a Sy citivations. counted.	0.00 0.00 0.00 0.00 0.00 stem	0.00 0.00 0.00 0.00								
A Mini Multip	384 DS0 Channel Capacity - 1 per 16 DS1s 480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 24 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with imum System configuration is One (1) DS1, One (1) D4 Channeles of this configuration functioning as one are considered Act DRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes	el Bank, dd'I afte th Char	neliztio and Up r the m	UEPMG UEPMG UEPMG UEPMG n with Port - Convert To 24 DSO Ports w inimum system con UEPMG ion with Port Combi	VUM38 VUM4O VUM57 VUM67 sion Charge ith Feature A figuration is	1,622.40 2,028.00 2,433.60 2,839.20 Based on a Sy citivations. counted.	0.00 0.00 0.00 0.00 0.00 stem	0.00 0.00 0.00 0.00								
A Mini Multip	384 DS0 Channel Capacity - 1 per 16 DS1s 480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 24 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with imum System configuration is One (1) DS1, One (1) D4 Channe less of this configuration functioning as one are considered Act NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes n Additions at End User Locations Where 4-Wire DS1 Loop with Vot Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	el Bank, dd'I afte th Char	neliztio and Up r the m	UEPMG UEPMG UEPMG UEPMG n with Port - Convert To 24 DSO Ports w inimum system con UEPMG ion with Port Combi	VUM38 VUM4O VUM57 VUM67 sion Charge ith Feature A figuration is	1,622.40 2,028.00 2,433.60 2,839.20 Based on a Sy citivations. counted.	0.00 0.00 0.00 0.00 0.00 stem	0.00 0.00 0.00 0.00	148.75	17.65						
A Mini Multip Systen New (N	384 DS0 Channel Capacity - 1 per 16 DS1s 480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 24 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with imum System configuration is One (1) DS1, One (1) D4 Channeleles of this configuration functioning as one are considered Ac NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes n Additions at End User Locations Where 4-Wire DS1 Loop wit Not Currently Combined) in all states, except in Density Zone 1	el Bank, dd'I afte th Char	neliztio and Up r the m	UEPMG UEPMG UEPMG UEPMG n with Port - Conver To 24 DSO Ports w inimum system con UEPMG ion with Port Combi 's	VUM38 VUM4O VUM57 VUM67 sion Charge ith Feature A figuration is USAC4 nation Curre	1,622.40 2,028.00 2,433.60 2,839.20 Based on a Sy citivations. counted.	0.00 0.00 0.00 0.00 0.00 stem	0.00 0.00 0.00 0.00	148.75	17.65						
A Mini Multip Systen New (N	384 DS0 Channel Capacity - 1 per 16 DS1s 480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity - 1 per 20 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with imum System configuration is One (1) DS1, One (1) D4 Channeles of this configuration functioning as one are considered Active Conversion (Currently Combined) with or without BellSouth Allowed Changes m Additions at End User Locations Where 4-Wire DS1 Loop without Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E:4/1/2004)	el Bank, dd'I afte th Char	neliztio and Up r the m	UEPMG UEPMG UEPMG UEPMG n with Port - Conver To 24 DSO Ports w inimum system con UEPMG ion with Port Combi 's	VUM38 VUM4O VUM57 VUM67 sion Charge ith Feature A figuration is USAC4 nation Curre	1,622.40 2,028.00 2,433.60 2,839.20 Based on a Sy citivations. counted.	0.00 0.00 0.00 0.00 stem	0.00 0.00 0.00 0.00	148.75	17.65						

	.ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
1											Svc Order	Svc Order	Incremental	Incremental		
												Submitted		Charge -	Charge -	Charge -
1		lustani									Elec	Manually		Manual Svc	Manual Svc	_
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
1													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	DISC Add I
						Rec	Nonre		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Alter	nate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format		D	UEPMG	MCOPO	0.00	0.00	0.00								
	nange Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Port													
EXCI	hange Ports  Line Side Combination Channelized PBX Trunk Port - Business		-		+						-					
	(E:4/1/2004)			UEPPX	UEPCX	1.15	0.00	0.00	0.00	0.00						
	Line Side Outward Channelized PBX Trunk Port - Business		-	ULFFA	OLFCX	1.13	0.00	0.00	0.00	0.00						
	(E:4/1/2004)			UEPPX	UEPOX	1.15	0.00	0.00	0.00	0.00						
	Line Side Inward Only Channelized PBX Trunk Port without DID			02.17	02. 07.	0	0.00	0.00	0.00	0.00	1					
	(E:4/1/2004)			UEPPX	UEP1X	1.15	0.00	0.00	0.00	0.00						
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			02.17	02. 170	0	0.00	0.00	0.00	0.00						
	(E:4/1/2004)	1		UEPPX	UEPDM	8.05	0.00	0.00	0.00	0.00						
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –															
	(AL, KY, LA, MS, & TN)(Conversion from Network Access															
	Service) (E:4/1/2004)			UEPPX	UEPCY	1.15										
	Unbundled Exchange Ports, 2-Wire Channelized - Combination															
	(AL, KY, LA, MS, & TN) (Conversion from Network Access															
	Service) (E:4/1/2004)			UEPPX	UEPCT	1.15										
	2-Wire Channelized PBX Area Calling Service Combination Port															ĺ
	(AL Only) (E:4/1/2004)			UEPPX	UEPA4	1.15	0.00	0.00								
	2 Wire Channelized PBX Area Calling Service Outgoing Only															
	Port (AL Only) (E:4/1/2004)			UEPPX	UEPA3	1.15	0.00	0.00								
Featu	ure Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4															
	Bank			UEPPX	1PQWM	0.56	54.55									
	Feature (Service) Activation for each Trunk Port Terminated in															
	D4 Bank			UEPPX	1PQWU	0.56	77.03									
I elep	phone Number/ Group Establishment Charges for DID Service			LIEBBY/		0.00										
	DID Trunk Termination (1 per Port)	-	-	UEPPX UEPPX	NDT ND4	0.00	0.00	0.00								-
+-	DID Numbers - groups of 20 - Valid all States Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
-+-	Reserve Non-Consecutive DID Numbers	1		UEPPX	ND6	0.00	0.00	0.00			1					
	Reserve DID Numbers		-	UEPPX	NDV	0.00	0.00	0.00			-					
Loca	Number Portability		-	OLITA	INDV	0.00	0.00	0.00								1
Local	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
FFAT	TURES - Vertical and Optional			OLITA	LIVI OI	0.10	0.00	0.00			1					
	Switching Features Offered with Line Side Ports Only															
1 2 2 2 2 2	All Features Available	l –		UEPPX	UEPVF	1.98	0.00	0.00					İ		İ	
UNBUNDLER	D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE	s			İ	1.0							l		l	1
	ost Based Rates are applied where BellSouth is required by FCC		State (	Commission rule to	provide Unbu	undled Local St	witching or Sv	itch Ports.								
2. Fea	eatures shall apply to the Unbundled Port/Loop Combination - C	ost Bas	ed Rat	e section in the sam	ne manner as	they are applie	ed to the Stand	-Alone Unbun								
3. En	nd Office and Tandem Switching Usage and Common Transport	Usage	rates ir	the Port section of	f this rate exh	ibit shall apply	to all combina	ations of loop/	port network e	lements excep	t for UNE C					
	ne first and additional Port nonrecurring charges apply to Not C	urrently	Comb	ined Combos. For	<b>Currently Co</b>	mbined Combo	s, the nonrect	irring charges	shall be those	identified in t	he Nonrecu	rring - Curre	ently Combine	ed sections.	Additional NR	RCs may
	y also and are categorized accordingly.															
	arket Rates for Unbundled Centrex Port/Loop Combination will		otiated	on an Individual Ca	ase Basis, un	til further notice	e									
	-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	()			ļ											
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo	ļ														
UNE	Port/Loop Combination Rates (Non-Design)	-			1						-		ļ		<b> </b>	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1		LIEDO4		10.70										
	Non-Design	<b> </b>	1	UEP91	1	12.70							ļ		<b> </b>	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		_	LIEDO4		04.40										
' T	INOU-LA-SIOD	1	2	UEP91	1	21.19					1		<b> </b>		ļ	<b></b>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	LIED01		24 90										
TIME	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP91		34.80										
UNE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	UEP91		34.80										

NARONDEF	D NETWORK ELEMENTS - Alabama			1							0 0 :	0		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			I .	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge - Manual Svo Order vs.
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP91		24.00										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP91		24.00										+
	Design		3	UEP91		37.29										
UNFI	pop Rate		L Č	OLI 01		07.20					<b>†</b>					+
ONE E	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	11.55					1					+
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	20.04					İ				İ	1
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	33.65					İ				İ	1
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	14.38					İ				İ	†
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	22.85					İ					1
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	36.14										1
UNE Po																1
All Stat	tes (Except North Carolina and Sout Carolina)															1
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP91	UEPYA	1.15	40.19	19.83	24.91	6.63						1
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local					i										
	Area			UEP91	UEPYB	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic															
	Local Area			UEP91	UEPYH	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	Note 2, 3 Basic Local Area			UEP91	UEPYM	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP91	UEPYZ	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP91	UEPY9	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP91	UEPY2	1.15	40.19	19.83	24.91	6.63						
AL, KY	, LA, MS, & TN Only															
	2-Wire Voice Grade Port (Centrex )			UEP91	UEPQA	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP91	UEPQM	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															
	Service Term			UEP91	UEPQZ	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.15	40.19	19.83	24.91	6.63						↓
	Switching															↓
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.5488										
	Number Portability		<u> </u>	115504	LVDC						1				ļ	4
	Local Number Portability (1 per port)		<u> </u>	UEP91	LNPCC	0.35					1				ļ	4
Feature			<u> </u>	LIEDO4	LIED: /=									<b> </b>	ļ	+
	All Standard Features Offered, per port		<b>—</b>	UEP91	UEPVF	1.98	405.50				ļ				ļ	4
	All Select Features Offered, per port		<u> </u>	UEP91	UEPVS	0.00	405.52				-					+
NA DO	All Centrex Control Features Offered, per port		-	UEP91	UEPVC	1.98					ļ			-	1	+
NARS	Unbundled Network Assess Bogistar, Combinetia-		-	UEP91	UARCX	0.00	0.00	0.00	0.00	0.00	1			-	-	+
	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial		-	UEP91	UARCX UAR1X	0.00	0.00	0.00	0.00	0.00				-	<b> </b>	+
	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial		+	UEP91	UARTX	0.00	0.00	0.00	0.00	0.00				-	1	+
Miccell			+	OEFSI	UARUX	0.00	0.00	0.00	0.00	0.00	<del>                                     </del>			-	1	+
	aneous Terminations Trunk Side		-	<del>                                     </del>	+				<del>                                     </del>		1			-	1	+
	Trunk Side Trunk Side Terminations, each		<del>                                     </del>	UEP91	CENA6	8.05	119.31	18.74	59.90	3.76	1			<del> </del>	1	+
	frunk Side Terminations, each		<del>                                     </del>	OLF91	CLIVAD	0.00	118.31	10.74	59.90	3.76	1			<del> </del>	1	+
	Interoffice Channel Facilities Termination - Voice Grade		-	UEP91	M1GBC	21.13	40.54	27.41	16.74	6.90	1			-	1	+
			-	UEP91	M1GBC M1GBM	0.008838	40.54	21.41	10.74	0.90	1			-	1	+
Foature	Interoffice Channel mileage, per mile or fraction of mile  Activations (DS0) Centrex Loops on Channelized DS1 Service	^	-	OEFSI	IVITGBIVI	0.008838			+		1			-	1	+
	nnel Bank Feature Activations	e	<del>                                     </del>	<del> </del>	+	+					<b> </b>				1	+
				•												

UNBU	NDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			to to a									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per Lor	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.56										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop										İ					
		Slot			UEP91	1PQW7	0.56										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP91	1PQWP	0.56										
							0.00										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.56										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop					0.00										
		Slot			UEP91	1PQWQ	0.56										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.56										
	Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex				~	0.00			t				<b>i</b>	<b>†</b>	<b> </b>	<b> </b>
		Conversion - Currently Combined Switch-As-Is with allowed				1				t				<b>i</b>	<b>†</b>	<b> </b>	<b> </b>
	1	changes, per port			UEP91	USAC2		0.10	0.10	I			1		I		
-	-	Conversion of Existing Centrex Common Block		<b>-</b>	UEP91	USACN		37.75	16.58	<del> </del>		1	<b> </b>	<b> </b>	1		
-	-	New Centrex Standard Common Block		<b>-</b>	UEP91	M1ACS	0.00	667.21	10.50	<del> </del>		1	<b> </b>	<b> </b>	1		
		New Centrex Standard Common Block			UEP91	M1ACC	0.00	667.21									
		Secondary Block, per Block			UEP91	M2CC1	0.00	78.02									
		NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.73				1					
	A dditic	onal Non-Recurring Charges (NRC)			OLI 31	OILLOA	0.00	12.13				1					
	Additio	Unbundled Miscellaneous Rate Element, Tag Loop at End Use				+						1					
		Premise			UEP91	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at			OLF91	UKLIL		0.33	0.03			1					
		End Use Premise			UEP91	URETN		11.21	1.10								
	LIME D	CENTREX - 5ESS (Valid in All States)		-	OLF91	UKLTN	-	11.21	1.10			<b>-</b>	-		-		
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo		-		+	-					<b>-</b>	-		-		
		ort/Loop Combination Rates (Non-Design)				+						1					
	ONL F	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+						1					
		Non-Design		1	UEP95		12.70										
-		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	OLF 95	+	12.70					<b>-</b>	-		-		
		Non-Design		2	UEP95		21.19										
-		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEF93	+	21.19					<b>-</b>	-		-		
		Non-Design		3	UEP95		34.80										
-	LINE D	ort/Loop Combination Rates (Design)		3	UEF93	+	34.00					-					
-	UNE P			-		+						-					
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1	LIEDOE		45.50										
<b>—</b>	_	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP95	+	15.53			<del>                                     </del>		-		-	<del>                                     </del>		
				2	UEP95	1	24.00			1							
<b>—</b>	_	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLF90	+	24.00			<del>                                     </del>		-		-	<del>                                     </del>		
1	1			3	UEP95		07.00			I			1		I		
-	LINE	Design		3	UEF95	+	37.29			<del></del>		-		-	<del></del>	-	-
<b>—</b>	UNE L	Dop Rate		1	LIEDOE	LIEC01	11.55			<del>                                     </del>		-		-	<del>                                     </del>		
<b>—</b>	_	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP95	UECS1	11.55			<del>                                     </del>		-		-	<del>                                     </del>		
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95 UEP95	UECS1	20.04 33.65			<del>                                     </del>		-	-	-	<del>                                     </del>		
⊢—		2-Wire Voice Grade Loop (SL 1) - Zone 3		3		UECS1				-		-		<b>.</b>	-	-	<b> </b>
-		2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP95	UECS2	14.38			<del>                                     </del>	-	<del>                                     </del>	-	<b> </b>	<del>                                     </del>	-	-
-		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	22.85			-		-	-		1		
<b></b>	LINE 5	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	36.14			<del>                                     </del>	-	<del>                                     </del>	-	<b> </b>	<del>                                     </del>	-	-
<u> </u>		ort Rate				+				-		-		<b>.</b>	-	-	<b> </b>
⊢—	All Sta				LIEDOE	LIEDY			10.5-			-		<b>.</b>	-	-	<b> </b>
<u> </u>		2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	1.15	40.19	19.83	24.91	6.63	-		<b>.</b>	-	-	<b> </b>
<u> </u>		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.15	40.19	19.83	24.91	6.63	-		<b>.</b>	-	-	<b> </b>
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local						40									
ļ		Area			UEP95	UEPYH	1.15	40.19	19.83	24.91	6.63			ļ	<b>.</b>		
1	1	2-Wire Voice Grade Port (Centrex from diff Serving Wire			l <u>_</u>	l				I			1		I		1
		Center)2,3 Basic Local Area			UEP95	UEPYM	1.15	90.38	57.27	48.66	8.77	1			1		
1	1	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			l <u>_</u>	l				I			1		I		
ļ		Service Term - Basic Local Area			UEP95	UEPYZ	1.15	90.38	57.27	48.66	8.77			ļ	<b>.</b>		
1	1	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1	1						I	1	1	I	l	1		1
		- Basic Local Area			UEP95	UEPY9	1.15	40.19	19.83	24.91	6.63					l	l

MOUNDLL	D NETWORK ELEMENTS - Alabama													ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP95	UEPY2	1.15	40.19	19.83	24.91	6.63						
AL, KY	Y, LA, MS, SC, & TN Only			LIEDAE	LUEBO A		10.10	10.00	2121							
	2-Wire Voice Grade Port (Centrex )		-	UEP95	UEPQA	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1		<u> </u>	UEP95 UEP95	UEPQB UEPQH	1.15 1.15	40.19 40.19	19.83 19.83	24.91 24.91	6.63 6.63						-
	2-Wire Voice Grade Port (Centrex with Caller 10)1  2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEF95	UEFQH	1.15	40.19	19.03	24.91	0.03						1
	Center)2,3			UEP95	UEPQM	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			02.00	02. 0	0	00.00	01.21	.0.00	0	1					
	Term 2,3			UEP95	UEPQZ	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.15	40.19	19.83	24.91	6.63	<u></u>		<u> </u>	<u> </u>		<u> </u>
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.15	40.19	19.83	24.91	6.63						
Local	Switching							· · · · ·		· · · · ·						
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.5488										
Local I	Number Portability															
F	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featur				UEP95	UEPVF	1.98										
	All Standard Features Offered, per port  All Select Features Offered, per port		<u> </u>	UEP95 UEP95	UEPVF	0.00	405.52									-
	All Centrex Control Features Offered, per port			UEP95	UEPVC	1.98	405.52				1					-
NARS				OLF 95	OLF VC	1.50										
IVAINO	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
Miscel	laneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	8.05	119.31	18.74	59.90	3.76						
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	60.09	202.02	95.69	72.59	2.46						
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.48									
Interof	fice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination		<u> </u>	UEP95	M1GBC	21.13	40.54	27.41	16.74	6.90						-
	Interoffice Channel mileage, per mile or fraction of mile		1	UEP95	M1GBC	0.008838	40.54	27.41	10.74	0.90						-
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	Α	<b>-</b>	OLI 33	WITODW	0.000030										
	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.56										
i i																
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.56							<u></u>			
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP95	1PQW7	0.56										1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			LIEDOS	40014/0	0 =0										I
	Different Wire Center		-	UEP95	1PQWP	0.56								ļ	1	-
	Facture Activation on D.4 Changel Beats British Line Law Class			LIEDOE	1PQWV	0.56										1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop		-	UEP95	1PQVVV	0.56	-				-					+
	Slot			UEP95	1PQWQ	0.56										1
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.56										<b>†</b>
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex		<b>†</b>			2.00										1
	NRC Conversion Currently Combined Switch-As-Is with allowed								1							
	changes, per port			UEP95	USAC2		0.10	0.10						<u> </u>		<u> </u>
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		37.75	16.58		•						
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	667.21									
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	667.21									
1	NAR Establishment Charge, Per Occasion		<u> </u>	UEP95	URECA	0.00	72.73									<del></del>
A .1													i e	1		1
Additio	onal Non-Recurring Charges (NRC) Unbundled Miscellaneous Rate Element, Tag Loop at End Use		1						1		1					

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	curring	Nonrecurring	Disconnect		•		Rates (\$)		
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP95	URETN		11.21	1.10								
UNE-	P CENTREX - DMS100 (Valid in All States)		1	UEP95	UKETIN		11.21	1.10								
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo				1											
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-	١.			40.00										
$\vdash$	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP9D	+	12.70										
	Non-Design		2	UEP9D		21.19										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP9D		34.80										
UNE	Port/Loop Combination Rates (Design)		<b>-</b>		+											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	İ	1	UEP9D		15.53										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	02. 02		10.00										
	Design		2	UEP9D		24.00										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
LINE	Design Loop Boto		3	UEP9D	+	37.29										
UNE	Loop Rate   2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	11.55										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		2	UEP9D	UECS1	20.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	33.65										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	14.38										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	22.85										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	36.14										
	Port Rate		1													
ALL	2-Wire Voice Grade Port (Centrex ) Basic Local Area		1	UEP9D	UEPYA	1.15	40.19	19.83	24.91	6.63						
<b>—</b>	2-Wire Voice Grade Fort (Centrex 800 termination)Basic Local		1	OLI 3D	OLI IX	1.10	40.13	13.03	24.51	0.03						
	Area			UEP9D	UEPYB	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
	Area			UEP9D	UEPYC	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local		1	OLF 9D	OLFID	1.13	40.19	19.03	24.51	0.03						
	Area			UEP9D	UEPYE	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local															
	Area			UEP9D	UEPYF	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			OLI 3D	OLI 10	1.13	40.13	13.03	24.51	0.03						
	Area			UEP9D	UEPYT	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
	Area		1	UEP9D	UEPYU	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local		t	021 00	JE1 1 V	1.13	70.13	10.00	24.31	0.03						
	Area			UEP9D	UEPY3	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local															
$\vdash$	Area  2 Wire Voice Grade Port (Centrey/Celler ID/Mcg Wtg Lamp		1	UEP9D	UEPYH	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYW	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4					5	.00	.0.50	201							
	Basic Local Area			UEP9D	UEPYJ	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			LIEDOD	LIEDVA	4.45	00.00	F7.07	40.00	0.77						, l
	2,3-Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4	<b>-</b>	<del>                                     </del>	UEP9D	UEPYM	1.15	90.38	57.27	48.66	8.77						
	Basic Local Area			UEP9D	UEPYO	1.15	90.38	57.27	48.66	8.77						, l
			-				22.20									

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	O Mire Veice Conde Dest (Control/differ CMC /EDC MECCO) 2.4	ļ			+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1 1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area			UEP9D	UEPYQ	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area			UEP9D	UEPYS	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area			UEP9D	UEPY6	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9D	UEPYZ	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.15	40.19	19.83	24.91	6.63						
AL, K	, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex)	ļ		UEP9D	UEPQA	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.15	40.19	19.83	24.91	6.63						
-	2-Wire Voice Grade Port (Centrex / EBS-PSET)4 2-Wire Voice Grade Port (Centrex / EBS-M5009)4	1		UEP9D UEP9D	UEPQC UEPQD	1.15 1.15	40.19 40.19	19.83 19.83	24.91 24.91	6.63 6.63	-					
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4  2-Wire Voice Grade Port (Centrex / EBS-M5209)4	1		UEP9D	UEPQE	1.15	40.19	19.83	24.91	6.63	1					
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPQF	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPQG	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPQT	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPQU	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPQV	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp						40.40									1
<b></b>	Indication)4  2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4	1		UEP9D UEP9D	UEPQW UEPQJ	1.15 1.15	40.19 40.19	19.83 19.83	24.91 24.91	6.63 6.63						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4  2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	1		UEF9D	UEPQJ	1.15	40.19	19.03	24.91	0.03						
	2,3			UEP9D	UEPQM	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.15	90.38	57.27	48.66	8.77						1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.15	90.38	57.27	48.66	8.77						<del> </del>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.15	90.38	57.27	48.66	8.77						<del>                                     </del>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.15	90.38	57.27	48.66	8.77						<del>                                     </del>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.15	90.38	57.27	48.66	8.77						<del>                                     </del>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.15	90.38	57.27	48.66	8.77						<del>                                     </del>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.15	90.38	57.27	48.66	8.77						

UNBU	NDLE	D NETWORK ELEMENTS - Alabama													ment: 2		ibit: A
CATEGO	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			II .	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							B	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	l.	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term 2,3			UEP9D	UEPQZ	1.15	90.38	57.27	48.66	8.77						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.15	40.19	19.83	24.91	6.63						
ļ.		Switching															
		Centrex Intercom Funtionality, per port			UEP9D	URECS	0.5488										
Į.		Number Portability															
		Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
	Feature																
		All Standard Features Offered, per port			UEP9D	UEPVF	1.98	10=				ļ					<b></b>
$\longrightarrow$		All Select Features Offered, per port		-	UEP9D	UEPVS	0.00	405.52				ļ					<b></b>
		All Centrex Control Features Offered, per port		<u> </u>	UEP9D	UEPVC	1.98										<b> </b>
	NARS	Halanda Balanda Balanda Balanda		ļ	LIEDAD	LIADOX								<b></b>	ļ	<b> </b>	<b></b>
		Unbundled Network Access Register - Combination		<u> </u>	UEP9D	UARCX	0.00	0.00	0.00		0.00						<del>                                     </del>
		Unbundled Network Access Register - Inward		-	UEP9D	UAR1X	0.00	0.00	0.00		0.00	ļ		<del>                                     </del>	<del>                                     </del>	<b> </b>	<del> </del>
		Unbundled Network Access Register - Outdial		-	UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00	1					-
		aneous Terminations		-													<b></b>
		Trunk Side		-	LIEDOD	OFNIDO	0.05	110.01	10.71	50.00	0.70	1					-
		Trunk Side Terminations, each		-	UEP9D	CEND6	8.05	119.31	18.74	59.90	3.76						
		Digital (1.544 Megabits)		-	LIEDOD	MALIDA	00.00	202.00	05.00	70.50	0.40						
		DS1 Circuit Terminations, each			UEP9D	M1HD1 M1HDO	60.09	202.02	95.69	72.59	2.46	-					<del>                                     </del>
		DS0 Channels Activiated per Channel fice Channel Mileage - 2-Wire			UEP9D	MIHDO	0.00	14.48				-					<del>                                     </del>
		Interoffice Channel Facilities Termination			UEP9D	M1GBC	21.13	40.54	27.41	16.74	6.90	-					<del>                                     </del>
				-	UEP9D	M1GBC M1GBM	0.008838	40.54	27.41	16.74	6.90	-					-
		Interoffice Channel mileage, per mile or fraction of mile  Activations (DS0) Centrex Loops on Channelized DS1 Service	_		UEP9D	IVITGBIVI	0.008838					<b> </b>					<b>+</b>
		nnel Bank Feature Activations	е									1					-
	D4 Cila	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.56					1					-
		realtire Activation on B-4 Charmer Bank Centrex Loop Glot			OLI 3D	11 Q V V O	0.50					1			1		-
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.56										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop			02. 02		0.00										
		Slot			UEP9D	1PQW7	0.56										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			02. 03		0.00										
		Different Wire Center			UEP9D	1PQWP	0.56										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot	<u></u>	L	UEP9D	1PQWV	0.56					<u> </u>		<u> </u>	<u> </u>	<u> </u>	
	•	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP9D	1PQWQ	0.56			<u> </u>				L		<u> </u>	
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.56										
		ecurring Charges (NRC) Associated with UNE-P Centrex															
Т		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP9D	USAC2		0.10	0.10								ļ
		Conversion of existing Centrex Common Block, each			UEP9D	USACN		37.75	16.58								
		New Centrex Standard Common Block			UEP9D	M1ACS	0.00	667.21	· ·								
		New Centrex Customized Common Block		<u> </u>	UEP9D	M1ACC	0.00	667.21									<u> </u>
		NAR Establishment Charge, Per Occasion		<b></b>	UEP9D	URECA	0.00	72.73									<u> </u>
		onal Non-Recurring Charges (NRC)												ļ	ļ		ļ
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise		ļ	UEP9D	URETL		8.33	0.83					<b></b>	ļ	<b> </b>	<b></b>
		Unbundled Miscellaneous Rate Element, Tag Design Loop at			LIEDOD	LIDETN		44.0.	4.40								
		End Use Premise		-	UEP9D	URETN		11.21	1.10	<del>                                     </del>		ļ		<b> </b>	<b> </b>	-	<del> </del>
		CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)		-		+				<del>                                     </del>		ļ		<b> </b>	<b> </b>	-	<del> </del>
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)		+		+	<b></b>			-		<del>                                     </del>					<del>                                     </del>
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		<del>                                     </del>		+		-				}		1	<del> </del>	<b> </b>	<del> </del>
		Non-Design ,		1	UEP9E		12.70										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9E		21.19										

	.ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									p	p	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .01	2.007.444.
						Rec	Nonrec		Nonrecurring					Rates (\$)		
$\vdash$							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo															
<del></del>	Non-Design		3	UEP9E		34.80										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1		LIEDOE		45.50										
$\vdash$	Design		1	UEP9E		15.53			-			-				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9E		24.00										
-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEF9E	+	24.00			-		1			-		
	Design		3	UEP9E		37.29										
LINE	Loop Rate		3	OLF 9L	+	31.29			-		1			-		
ONE	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	11.55			<del> </del>		1					
$\vdash$	2-Wire Voice Grade Loop (SL 1) - Zone 1		2	UEP9E	UECS1	20.04			t		<u> </u>		<b>l</b>	t		
$\vdash$	2-Wire Voice Grade Loop (SL 1) - Zone 3	<b>†</b>	3	UEP9E	UECS1	33.65			<b>I</b>		<del>                                     </del>	<b>-</b>		<b>I</b>		
$\vdash$	2-Wire Voice Grade Loop (SL 2) - Zone 1	<b>†</b>	1	UEP9E	UECS2	14.38			<b>I</b>		<del>                                     </del>	<b>-</b>		<b>I</b>		
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	22.85			t				<b> </b>	<b>†</b>	<b>i</b>	
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	36.14										
UNE	Port Rate		Ť	02. 02	02002	00.11										
	FL, KY, LA, MS, & TN only				1											
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9E	UEPYA	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP9E	UEPYB	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP9E	UEPYH	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3 Basic Local Area			UEP9E	UEPYM	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
$\sqsubseteq$	Service Term - Basic Local Area			UEP9E	UEPYZ	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
$oxed{oxed}$	- Basic Local Area			UEP9E	UEPY9	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
L	Basic Local Area			UEP9E	UEPY2	1.15	40.19	19.83	24.91	6.63						
AL, P	KY, LA, MS, & TN Only		-	LIEBOE	LIEDOA	4.45	40.40	10.00	04.04	0.00						
	2-Wire Voice Grade Port (Centrex ) 2-Wire Voice Grade Port (Centrex 800 termination)		-	UEP9E UEP9E	UEPQA UEPQB	1.15 1.15	40.19 40.19	19.83 19.83	24.91 24.91	6.63 6.63						
<b></b>				UEP9E UEP9E	UEPQB	1.15	40.19	19.83	24.91	6.63		-				
$\vdash$	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.15	40.19	19.83	24.91	6.63	-					
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP9E	UEPQM	1.15	90.38	57.27	48.66	8.77				I		
$\vdash$	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800	<b>-</b>		OLI 3L	JLI QIVI	1.13	30.30	31.21	40.00	0.77	<b>-</b>		<b> </b>	t	<b> </b>	
1 1	Service Term			UEP9E	UEPQZ	1.15	90.38	57.27	48.66	8.77				I		
<del>                                     </del>					1	5	22.20		13.30				İ	1	İ	
1 1	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.15	40.19	19.83	24.91	6.63				I		
	2-Wire Voice Grade Port Terminated on 800 Service Term	1		UEP9E	UEPQ2	1.15	40.19	19.83	24.91	6.63		İ	l	1	İ	
Loca	al Switching														1	
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.5488									1	
Loca	al Number Portability															
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP9E	UEPVF	1.98										
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	405.52									
$oxed{\Box}$	All Centrex Control Features Offered, per port			UEP9E	UEPVC	1.98										
NAR			<b></b>		1				<b></b>					<b></b>		
$\vdash$	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						
$\vdash$	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						
<del></del>	Unbundled Network Access Register - Outdial		ļ	UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00	-		<b> </b>	-	ļ	
Misc	tellaneous Terminations	-	-		+				<del>                                     </del>		1		-	<del>                                     </del>	<b> </b>	
	re Trunk Side		Ь		1				====	. =-	<b>!</b>	<b></b>	<b> </b>		<b></b>	
	Trunk Sido Torminations, each			II IEDOE		9 05 1										
2-Wii	Trunk Side Terminations, each re Digital (1.544 Megabits)			UEP9E	CEND6	8.05	119.31	18.74	59.90	3.76						

NARONDF	ED NETWORK ELEMENTS - Alabama													ment: 2	1	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	14.48									
Interd	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9E	M1GBC	21.13	40.54	27.41	16.74	6.90						
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.008838										
	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 CI	hannel Bank Feature Activations				1001110											
_	Feature Activation on D-4 Channel Bank Centrex Loop Slot		-	UEP9E	1PQWS	0.56										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9E	1PQWP	0.56										
	Dilletetit salie Oglifei		-	OLF.9E	IFQWF	0.56					-					-
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP9E	1PQWV	0.56										
	Slot			UEP9E	1PQWQ	0.56										
-	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.56										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex			OLI SL	II QWA	0.50										
11011	NRC Conversion Currently Combined Switch-As-Is with allowed				+											
	changes, per port			UEP9E	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		37.75	16.58								
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	667.21									
_	New Centrex Customized Common Block		-	UEP9E	M1ACC		667.21									
A -1 -1:4	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.73				-					
Addi	tional Non-Recurring Charges (NRC) Unbundled Miscellaneous Rate Element, Tag Loop at End Use		-		+	1										
	Premise			UEP9E	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP9E	URETN		11.21	1.10								
	P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo		-		+											-
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP93		12.70										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP93		21.19										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP93		34.80										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP93		15.53										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP93		24.00										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP93		37.29										
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	11.55										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	20.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	33.65										
_	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	14.38								ļ		
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	22.85										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	36.14								ļ		
	Port Rate															
AL, K	(Y, LA, MS, & TN only			LIEBOO	LIEDY'S			10.0-	212							
-	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP93	UEPYA	1.15	40.19	19.83	24.91	6.63						<u> </u>
1	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	l	1	1	1	i					l	1		ı	1	l

Area 2-Wire Voic Centery12,3 2-Wire Voic Service Ter 2-Wire Voic Basic Local 2-Wire Voic Basic Local 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic Center)2,3 2-Wire Voic Service Ter 2-Wire Voic Local Switching Centrex Int Local Number Por Local Number Features All Standar All Centrex NARS Unbundled Unbundled Unbundled Unbundled Wiscellaneous Ter 2-Wire Trunk Side 4-Wire Digital (1.5- DS1 Circuit DS0 Chann Interoffice Channe Interoffice C	Voice Grade Port (Centrex ) Voice Grade Port (Centrex 800 termination) Voice Grade Port (Centrex with Caller ID)1 Voice Grade Port (Centrex from diff Serving Wire 12,3 Voice Grade Port, Diff Serving Wire Center - 2,3 -800 1 Term Voice Grade Port terminated in on Megalink or equivalen Voice Grade Port Terminated on 800 Service Term 19 K Intercom Funtionality, per port	t t	Zone	UEP93 H UEPYM UEPYZ UEPY9 UEPY2 UEPQA UEPQB UEPQH UEPQM	Rec 1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.1	Nonrec First 40.19 90.38 90.38 40.19 40.19 40.19 40.19	rring Add'l 19.83 57.27 57.27 19.83 19.83 19.83	Nonrecurring First 24.91 48.66 48.66 24.91	Disconnect Add'I 6.63 8.77 8.77 6.63	Submitted Elec per LSR	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l Rates (\$) SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l	
Area 2-Wire Voic Centery12,3 2-Wire Voic Service Ter 2-Wire Voic - Basic Loc 2-Wire Voic Basic Local 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic Center)2,3 2-Wire Voic Service Ter 2-Wire Voic Local Switching Centrex Int Local Number Por Local Number	Voice Grade Port (Centrex from diff Serving Wire 12,3 Basic Local Area Voice Grade Port, Diff Serving Wire Center - 2,3 - 800 · Term - Basic Local Area Voice Grade Port terminated in on Megalink or equivalen Local Area Voice Grade Port Terminated on 800 Service Term - ocal Area Voice Grade Port (Centrex) Voice Grade Port (Centrex 800 termination) Voice Grade Port (Centrex with Caller ID)1 Voice Grade Port (Centrex from diff Serving Wire 2,3 Voice Grade Port, Diff Serving Wire Center - 2,3 -800 · Term  Voice Grade Port terminated in on Megalink or equivalen Voice Grade Port terminated on 800 Service Term 199 Kintercom Funtionality, per port			UEP93 UEP93 UEP93 UEP93 UEP93 UEP93 UEP93 UEP93 UEP93 UEP93	UEPYM UEPYZ UEPY9 UEPY2 UEPQA UEPQA UEPQB UEPQH UEPQM	1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15	90.38 90.38 40.19 40.19 40.19 40.19	Add'I 19.83 57.27 57.27 19.83	24.91 48.66 48.66 24.91	Add'I 6.63 8.77 8.77	SOMEC	SOMAN			SOMAN	SOMAN
Area 2-Wire Voic Centery12,3 2-Wire Voic Service Ter 2-Wire Voic - Basic Loca 2-Wire Voic - Basic Loca 2-Wire Voic - Basic Loca 2-Wire Voic - Basic Loca 2-Wire Voic - Basic Loca 2-Wire Voic - Basic Loca 2-Wire Voic - Basic Local - Basic Loc	Voice Grade Port (Centrex from diff Serving Wire 12,3 Basic Local Area Voice Grade Port, Diff Serving Wire Center - 2,3 - 800 · Term - Basic Local Area Voice Grade Port terminated in on Megalink or equivalen Local Area Voice Grade Port Terminated on 800 Service Term - ocal Area Voice Grade Port (Centrex) Voice Grade Port (Centrex 800 termination) Voice Grade Port (Centrex with Caller ID)1 Voice Grade Port (Centrex from diff Serving Wire 2,3 Voice Grade Port, Diff Serving Wire Center - 2,3 -800 · Term  Voice Grade Port terminated in on Megalink or equivalen Voice Grade Port terminated on 800 Service Term 199 Kintercom Funtionality, per port			UEP93 UEP93 UEP93 UEP93 UEP93 UEP93 UEP93 UEP93 UEP93 UEP93	UEPYM UEPYZ UEPY9 UEPY2 UEPQA UEPQA UEPQB UEPQH UEPQM	1.15 1.15 1.15 1.15 1.15 1.15 1.15 1.15	40.19 90.38 90.38 40.19 40.19 40.19	19.83 57.27 57.27 19.83	24.91 48.66 48.66 24.91	6.63 8.77 8.77	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Area 2-Wire Voic Centery12,3 2-Wire Voic Service Ter 2-Wire Voic - Basic Loc 2-Wire Voic Basic Local 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic Center)2,3 2-Wire Voic Service Ter 2-Wire Voic Local Switching Centrex Int Local Number Por Local Number	Voice Grade Port (Centrex from diff Serving Wire 12,3 Basic Local Area Voice Grade Port, Diff Serving Wire Center - 2,3 - 800 · Term - Basic Local Area Voice Grade Port terminated in on Megalink or equivalen Local Area Voice Grade Port Terminated on 800 Service Term - ocal Area Voice Grade Port (Centrex) Voice Grade Port (Centrex 800 termination) Voice Grade Port (Centrex with Caller ID)1 Voice Grade Port (Centrex from diff Serving Wire 2,3 Voice Grade Port, Diff Serving Wire Center - 2,3 -800 · Term  Voice Grade Port terminated in on Megalink or equivalen Voice Grade Port terminated on 800 Service Term 199 Kintercom Funtionality, per port			UEP93 UEP93 UEP93 UEP93 UEP93 UEP93 UEP93 UEP93 UEP93 UEP93	UEPYM UEPYZ UEPY9 UEPY2 UEPQA UEPQA UEPQB UEPQH UEPQM	1.15 1.15 1.15 1.15 1.15 1.15 1.15	90.38 90.38 40.19 40.19 40.19 40.19	57.27 57.27 19.83 19.83	48.66 48.66 24.91	8.77 8.77						
2-Wire Voic Center)2,3 2-Wire Voic Service Ter 2-Wire Voic - Basic Local 2-Wire Voic - Basic Local 2-Wire Voic - Basic Local 2-Wire Voic - Basic Local 2-Wire Voic - Basic Local 2-Wire Voic - Basic Local 2-Wire Voic - Basic Local 2-Wire Voic - Basic Local 2-Wire Voic - Basic Local 2-Wire Voic - Basic Local 2-Wire Voic - Basic Local 2-Wire Voic - Basic Local Switching - Basic Local Switchi	12,3 Basic Local Area Voice Grade Port, Diff Serving Wire Center - 2,3 - 800 Term - Basic Local Area Voice Grade Port terminated in on Megalink or equivalen Local Area Voice Grade Port Terminated on 800 Service Term - ocal Area Voice Grade Port (Centrex) Voice Grade Port (Centrex 800 termination) Voice Grade Port (Centrex with Caller ID)1 Voice Grade Port (Centrex from diff Serving Wire 12,3 Voice Grade Port, Diff Serving Wire Center - 2,3 -800 Term Voice Grade Port terminated in on Megalink or equivalen Voice Grade Port terminated on 800 Service Term 19 Kintercom Funtionality, per port			UEP93 UEP93 UEP93 UEP93 UEP93 UEP93 UEP93 UEP93 UEP93 UEP93	UEPYM UEPYZ UEPY9 UEPY2 UEPQA UEPQA UEPQB UEPQH UEPQM	1.15 1.15 1.15 1.15 1.15 1.15 1.15	90.38 90.38 40.19 40.19 40.19 40.19	57.27 57.27 19.83 19.83	48.66 48.66 24.91	8.77 8.77						
Center)2,3 2-Wire Voic Service Ter 2-Wire Voic - Basic Loc 2-Wire Voic Basic Local 2-Wire Voic - Basic Local 2-Wire Voic 2-Wire Voic 2-Wire Voic Center)2,3 2-Wire Voic Service Ter  2-Wire Voic Local Switching Centrex Int Local Number Por Local Number Features All Standar All Centrex NARS Unbundled Unbundled Unbundled Wiscellaneous Ter 2-Wire Trunk Side 4-Wire Digital (1.5- DS1 Circuit DS0 Chann Interoffice C	12,3 Basic Local Area Voice Grade Port, Diff Serving Wire Center - 2,3 - 800 Term - Basic Local Area Voice Grade Port terminated in on Megalink or equivalen Local Area Voice Grade Port Terminated on 800 Service Term - ocal Area Voice Grade Port (Centrex) Voice Grade Port (Centrex 800 termination) Voice Grade Port (Centrex with Caller ID)1 Voice Grade Port (Centrex from diff Serving Wire 12,3 Voice Grade Port, Diff Serving Wire Center - 2,3 -800 Term Voice Grade Port terminated in on Megalink or equivalen Voice Grade Port terminated on 800 Service Term 19 Kintercom Funtionality, per port			UEP93 UEP93 UEP93 UEP93 UEP93 UEP93 UEP93 UEP93	UEPYZ UEPY9 UEPY2 UEPQA UEPQB UEPQH UEPQM	1.15 1.15 1.15 1.15 1.15 1.15	90.38 40.19 40.19 40.19 40.19	57.27 19.83	48.66 24.91	8.77						
2-Wire Voic Service Ter 2-Wire Voic Service Ter 4-Wire Voic - Basic Local 2-Wire Voic - Basic Local 2-Wire Voic - Basic Local 2-Wire Voic - 2-Wire Name - All Standar - All Centrex NARS - Unbundled - Unbundled - Unbundled - Unbundled - Unbundled - Unbundled - 2-Wire Trunk Side - 2-Wire Trunk Side - 3-Wire Digital (1.5-DS1 Circuit - DS0 Chann - Interoffice C - Inter	Voice Grade Port, Diff Serving Wire Center - 2,3 - 800  Term - Basic Local Area  Voice Grade Port terminated in on Megalink or equivalen Local Area  Voice Grade Port Terminated on 800 Service Term - ocal Area  Voice Grade Port (Centrex)  Voice Grade Port (Centrex 800 termination)  Voice Grade Port (Centrex with Caller ID)1  Voice Grade Port (Centrex from diff Serving Wire 2,3  Voice Grade Port, Diff Serving Wire Center - 2,3 -800  Term  Voice Grade Port terminated in on Megalink or equivalen  Voice Grade Port Terminated on 800 Service Term  19  K Intercom Funtionality, per port			UEP93 UEP93 UEP93 UEP93 UEP93 UEP93 UEP93 UEP93	UEPYZ UEPY9 UEPY2 UEPQA UEPQB UEPQH UEPQM	1.15 1.15 1.15 1.15 1.15 1.15	90.38 40.19 40.19 40.19 40.19	57.27 19.83	48.66 24.91	8.77						
Service Ter 2-Wire Voic - Basic Local 2-Wire Voic Basic Local 2-Wire Voic - Wire Voic 2-Wire Voic - Service Ter -	Term - Basic Local Area  Voice Grade Port terminated in on Megalink or equivalen Local Area  Voice Grade Port Terminated on 800 Service Term - ocal Area  Voice Grade Port (Centrex)  Voice Grade Port (Centrex 800 termination)  Voice Grade Port (Centrex with Caller ID)1  Voice Grade Port (Centrex with Caller ID)1  Voice Grade Port (Centrex from diff Serving Wire 2,3  Voice Grade Port, Diff Serving Wire Center - 2,3 -800  Term  Voice Grade Port terminated in on Megalink or equivalen  Voice Grade Port Terminated on 800 Service Term  19  k Intercom Funtionality, per port			UEP93 UEP93 UEP93 UEP93 UEP93 UEP93	UEPY9  UEPY2  UEPQA  UEPQB  UEPQH  UEPQM	1.15 1.15 1.15 1.15 1.15	40.19 40.19 40.19 40.19	19.83 19.83	24.91							
- Basic Loc 2-Wire Voic Basic Local 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic Center)2,3 2-Wire Voic Service Ter 2-Wire Voic 2-Wire Voic 2-Wire Voic Local Switching Centrex Inti Local Number Por Local Number Features All Standar All Centrex NARS Unbundled Unbundled Unbundled Unbundled 4-Wire Digital (1.5- DS1 Circuit DS0 Chanr Interoffice Channe Interoffice	Local Area Voice Grade Port Terminated on 800 Service Term - ocal Area Voice Grade Port (Centrex) Voice Grade Port (Centrex 800 termination) Voice Grade Port (Centrex with Caller ID)1 Voice Grade Port (Centrex with Caller ID)1 Voice Grade Port (Centrex from diff Serving Wire 12,3 Voice Grade Port, Diff Serving Wire Center - 2,3 -800 Term Voice Grade Port terminated in on Megalink or equivalen Voice Grade Port Terminated on 800 Service Term 19 K Intercom Funtionality, per port			UEP93 UEP93 UEP93 UEP93 UEP93	UEPY2 UEPQA UEPQB UEPQH UEPQM	1.15 1.15 1.15 1.15	40.19 40.19 40.19	19.83		6.63						•
2-Wire Voic Basic Local 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic Center)2,3 2-Wire Voic Service Ter 2-Wire Voic Local Switching Centrex Int Local Number Por Local Number Features All Standar All Centrex NARS Unbundled Unbundled Unbundled Unbundled Unbundled Unbundled Unbundled Unbundled Unbundled Unbundled Unbundled Unbundled Unbundled Unbundled Unbundled Interview Side 4-Wire Digital (1.5- DS1 Circuit DS0 Chanr Interoffice Channe Interoffice C	Voice Grade Port Terminated on 800 Service Term - ocal Area Voice Grade Port (Centrex.) Voice Grade Port (Centrex 800 termination) Voice Grade Port (Centrex with Caller ID)1 Voice Grade Port (Centrex from diff Serving Wire 2,3 Voice Grade Port, Diff Serving Wire Center - 2,3 -800 Term Voice Grade Port terminated in on Megalink or equivalen Voice Grade Port Terminated on 800 Service Term 19 k Intercom Funtionality, per port	t		UEP93 UEP93 UEP93 UEP93 UEP93	UEPY2 UEPQA UEPQB UEPQH UEPQM	1.15 1.15 1.15 1.15	40.19 40.19 40.19	19.83		6.63						1
Basic Local 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic Center)2,3 2-Wire Voic Service Ter 2-Wire Voic Local Switching Centrex Int Local Number Por Local Numb Features All Standar All Centrex NARS Unbundled Unbundled Unbundled Unbundled Unbundled Unbundled Unbundled Unbundled Unbundled Irunk Side 4-Wire Digital (1.5- DS1 Circuit DS0 Chanr Interoffice Channe Interoffice C	ocal Area Voice Grade Port (Centrex ) Voice Grade Port (Centrex 800 termination) Voice Grade Port (Centrex with Caller ID)1 Voice Grade Port (Centrex from diff Serving Wire 12,3 Voice Grade Port, Diff Serving Wire Center - 2,3 -800 Term Voice Grade Port terminated in on Megalink or equivalen Voice Grade Port Terminated on 800 Service Term 19 K Intercom Funtionality, per port	t		UEP93 UEP93 UEP93 UEP93 UEP93	UEPQA UEPQB UEPQH UEPQM	1.15 1.15 1.15	40.19 40.19		24.91							<b></b>
2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic Service Ter  2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic 1-Wire Voic 1-Wire Voic 1-Wire Voic 1-Wire Voic 1-Wire Voic 1-Wire Voic 1-Wire Voic 1-Wire Voic 1-Wire Voic 1-Wire Voic 1-Wire Voic 1-Wire Voic 1-Wire Voic 1-Wire Voic 1-Wire Vigital 1-Wire Voic 1-	Voice Grade Port (Centrex ) Voice Grade Port (Centrex 800 termination) Voice Grade Port (Centrex with Caller ID)1 Voice Grade Port (Centrex from diff Serving Wire 12,3 Voice Grade Port, Diff Serving Wire Center - 2,3 -800 1 Term Voice Grade Port terminated in on Megalink or equivalen Voice Grade Port Terminated on 800 Service Term 19 K Intercom Funtionality, per port	t		UEP93 UEP93 UEP93 UEP93 UEP93	UEPQA UEPQB UEPQH UEPQM	1.15 1.15 1.15	40.19 40.19		24.91							í
2-Wire Voic 2-Wire Voic 2-Wire Voic 2-Wire Voic Center)2,3 2-Wire Voic Service Ter 2-Wire Voic Local Switching Centrex Int Local Number Por Lo	Voice Grade Port (Centrex 800 termination) Voice Grade Port (Centrex with Caller ID)1 Voice Grade Port (Centrex from diff Serving Wire 2,3 Voice Grade Port, Diff Serving Wire Center - 2,3 -800 1 Term Voice Grade Port terminated in on Megalink or equivalen Voice Grade Port Terminated on 800 Service Term 19 K Intercom Funtionality, per port	t		UEP93 UEP93 UEP93 UEP93	UEPQB UEPQH UEPQM	1.15 1.15	40.19	19.83	04.04	6.63						<b>——</b>
2-Wire Voic 2-Wire Voic Center)2,3 2-Vire Voic Service Ter 2-Wire Voic 2-Wire Voic 2-Wire Voic Center)2,3 Centres Interview In	Voice Grade Port (Centrex with Caller ID)1  Voice Grade Port (Centrex from diff Serving Wire 12,3  Voice Grade Port, Diff Serving Wire Center - 2,3 -800  Term  Voice Grade Port terminated in on Megalink or equivalen Voice Grade Port Terminated on 800 Service Term 109  k Intercom Funtionality, per port	t		UEP93 UEP93 UEP93	UEPQH	1.15			24.91	6.63						<del></del>
2-Wire Voic Center)2,3 2-Wire Voic Service Ter 2-Wire Voic Service Ter 2-Wire Voic Service Ter 2-Wire Voic Centrex Int Local Switching Centrex Int Local Number Por Local Numb Features All Standar All Centrex NARS Unbundled Unbundled Unbundled Wiscellaneous Ter 2-Wire Trunk Side 4-Wire Digital (1.5- DS1 Circuit DS0 Chant Interoffice Channe Interoffice C	Voice Grade Port (Centrex from diff Serving Wire 12,3 Voice Grade Port, Diff Serving Wire Center - 2,3 -800 Term Voice Grade Port terminated in on Megalink or equivalen Voice Grade Port Terminated on 800 Service Term 19 k Intercom Funtionality, per port	t		UEP93 UEP93	UEPQM		40.19	19.83	24.91	6.63						
Center)2,3 2-Wire Voic Service Ter 2-Wire Voic 2-Wire Voic Local Switching Centrex Int Local Number Por Local Number Features All Standar All Centrex NARS Unbundled Unbundled Unbundled Wiscellaneous Ter 2-Wire Trunk Side 4-Wire Digital (1.5- DS1 Circuit DS0 Chann Interoffice Channe Interoffice C	12,3 Voice Grade Port, Diff Serving Wire Center - 2,3 -800 Term Voice Grade Port terminated in on Megalink or equivalen Voice Grade Port Terminated on 800 Service Term 19 k Intercom Funtionality, per port	t		UEP93		1.15		19.83	24.91	6.63						
2-Wire Voic Service Ter  2-Wire Voic 2-Wire Voic 2-Wire Voic 1-Wir	Voice Grade Port, Diff Serving Wire Center - 2,3 -800 Term  Voice Grade Port terminated in on Megalink or equivalen Voice Grade Port Terminated on 800 Service Term 19 k Intercom Funtionality, per port	t		UEP93		1.15							l			
Service Ter  2-Wire Voic  2-Wire Voic  Local Switching  Centrex Int  Local Number Por  Local Number For  All Standar  All Centrex  NARS  Unbundled  Unbundled  Unbundled  Wiscellaneous Ter  2-Wire Trunk Side  4-Wire Digital (1.5-  DS1 Circuit  DS0 Chanr  Interoffice C	Term  Voice Grade Port terminated in on Megalink or equivalen Voice Grade Port Terminated on 800 Service Term 19  k Intercom Funtionality, per port	t			UFPQ7		90.38	57.27	48.66	8.77						<b></b>
2-Wire Voic  2-Wire Voic  Local Switching  Centrex Int  Local Number Por  Local Number Features  All Standar  All Centrex  NARS  Unbundled  Unbundled  Wiscellaneous Ter  2-Wire Trunk Side  4-Wire Digital (1.5-  DS1 Circuit  DS0 Chann  Interoffice Channe  Interoffice C	Voice Grade Port terminated in on Megalink or equivalen Voice Grade Port Terminated on 800 Service Term 19 k Intercom Funtionality, per port	t			IUFPOZ I											ł
2-Wire Voic Local Switching Centrex Int Local Number Por Local Number Features All Standar All Centrex NARS Unbundled Unbundled Unbundled Unbundled Trunk Side 4-Wire Digital (1.5- DS1 Circal Interoffice Channe Interoffice C	Voice Grade Port Terminated on 800 Service Term  ng  k Intercom Funtionality, per port	t		UEP93	JL1 WL	1.15	90.38	57.27	48.66	8.77						
2-Wire Voic Local Switching Centrex Int Local Number Por Local Numb Features All Standar All Centrex NARS Unbundled Unbundled Unbundled Unbundled Trunk Side 4-Wire Digital (1.5-b) DS1 Circuit DS0 Chanr Interoffice Channe	Voice Grade Port Terminated on 800 Service Term  ng  k Intercom Funtionality, per port				UEPQ9	1.15	40.19	19.83	24.91	6.63						ł
Local Switching Centrex Inti Local Number Por Local Number Features All Standar All Centrex NARS Unbundled Unbundled Unbundled Miscellaneous Ter 2-Wire Trunk Side 4-Wire Digital (1.5- DS1 Circuit DS0 Chanr Interoffice C	ng x Intercom Funtionality, per port			UEP93	UEPQ2	1.15	40.19	19.83	24.91	6.63						
Centrex Int Local Number Por Local Number Por Local Number Features All Standar All Centrex NARS Unbundled Unbundled Unbundled Unbundled Unbundled Unbundled Unbundled Unbundled Unbundled Internak Side Trunk Side Trunk Side 4-Wire Digital (1.5) DS1 Circuit DS0 Chanr Interoffice Channe Interoffice C	x Intercom Funtionality, per port			OL1 00	OLI QZ	1.10	40.10	10.00	24.01	0.00						ſ
Local Number Por Local Number Features All Standar All Centrex NARS Unbundled Unbundled Unbundled Unbundled Features Miscellaneous Ter 2-Wire Trunk Side 4-Wire Digital (1.5- DS1 Circuit DS0 Chanr Interoffice Channe Interoffice C				UEP93	URECS	0.5488										
Local Numi   Features				OLI 93	ONLOG	0.5400										
Features  All Standar All Centrex NARS  Unbundled Unbundled Miscellaneous Ter 2-Wire Trunk Side Trunk Side 4-Wire Digital (1.5- DS1 Circuit DS0 Chanr Interoffice Channe Interoffice ( Interoffice (	lumber Portability (1 per port)	1 1		UEP93	LNPCC	0.35										
All Standar All Centrex NARS Unbundled Unbundled Unbundled Unbundled Generation Miscellaneous Ter 2-Wire Trunk Side Trunk Side 4-Wire Digital (1.5) DS1 Circuit DS0 Chanr Interoffice Channe Interoffice ( Interoffice (	turnber i ortability (i per port)			OLI OU	LIVIOO	0.00										
All Centrex NARS Unbundled Unbundled Unbundled Unbundled Trunk Side Trunk Side 4-Wire Digital (1.5- DS1 Circuit DS0 Chanr Interoffice Channe Interoffice C	ndard Features Offered, per port			UEP93	UEPVF	1.98										
NARS Unbundled Unbundled Unbundled Unbundled Miscellaneous Ter 2-Wire Trunk Side Trunk Side 4-Wire Digital (1.5- DS1 Circuit DS0 Chanr Interoffice Channe Interoffice C	trex Control Features Offered, per port	+ +		UEP93	UEPVC	1.98										
Unbundled Unbundled Unbundled Miscellaneous Ter 2-Wire Trunk Side Trunk Side 4-Wire Digital (1.5) DS1 Circuit DS0 Chanr Interoffice Channe Interoffice (	tiex Control Features Offered, per port			OLF 93	OLF VC	1.90										
Unbundled Unbundled Miscellaneous Ter 2-Wire Trunk Side Trunk Side 4-Wire Digital (1,5) DS1 Circuit DS0 Chanr Interoffice Channe Interoffice ( Interoffice (	dled Network Access Register - Combination	+ +		UEP93	UARCX	0.00	0.00	0.00	0.00	0.00						
Unbundled Miscellaneous Ter 2-Wire Trunk Side Trunk Side 4-Wire Digital (1.5- DS1 Circuit DS0 Chann Interoffice Channe Interoffice Channe Interoffice Glinteroffice Channe	dled Network Access Register - Indial	+ +		UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00						
Miscellaneous Ter 2-Wire Trunk Side Trunk Side 4-Wire Digital (1.5- DS1 Circuit DS0 Chanr Interoffice Channe Interoffice ( Interoffice (	dled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00						
2-Wire Trunk Side Trunk Side 4-Wire Digital (1.5-) DS1 Circuit DS0 Chanr Interoffice Channe Interoffice ( Interoffice (				OLI 93	UARUA	0.00	0.00	0.00	0.00	0.00						
Trunk Side 4-Wire Digital (1.5- DS1 Circuit DS0 Chann Interoffice Channe Interoffice ( Interoffice Channe		+ +														
4-Wire Digital (1.5- DS1 Circuit DS0 Chann Interoffice Channe Interoffice ( Interoffice (	Side Terminations, each			UEP93	CEND6	8.05	119.31	18.74	59.90	3.76						
DS1 Circuit DS0 Chanr Interoffice Channe Interoffice ( Interoffice (				OLI OU	OLIVEO	0.00	110.01	10.14	00.00	0.70						
DS0 Chann Interoffice Channe Interoffice ( Interoffice (	rcuit Terminations, each	+ +		UEP93	M1HD1	60.09	202.02	95.69	72.59	2.46						
Interoffice Channe Interoffice C	nannels Activated, Per Channel	+ +	$\vdash$	UEP93	M1HDO	0.00	14.48	33.03	12.55	2.40						(
Interoffice (	nnel Mileage - 2-Wire	+ +		02. 00		0.00	14.40									(
Interoffice (	ice Channel Facilities Termination	+ +		UEP93	M1GBC	21.13	40.54	27.41	16.74	6.90						(
Feature Activation	ice Channel mileage, per mile or fraction of mile	1		UEP93	M1GBM	0.008838		=		2.00						í
	tions (DS0) Centrex Loops on Channelized DS1 Servi	ce	$\vdash$	- ::		2.300000							İ			
	ank Feature Activations													i		·
	e Activation on D-4 Channel Bank Centrex Loop Slot	1 1		UEP93	1PQWS	0.56							l			i
		1 1											l			i
Feature Ac	e Activation on D-4 Channel Bank FX Line Side Loop Slot	:		UEP93	1PQW6	0.56									J	i
	e Activation on D-4 Channel Bank FX Trunk Side Loop	1 1														i Total
Slot	•		L	UEP93	1PQW7	0.56			<u> </u>							
	e Activation on D-4 Channel Bank Centrex Loop Slot -															<del></del>
Different W				UEP93	1PQWP	0.56										
	nt Wire Center	1 7											l			1
	nt Wire Center			UEP93	1PQWV	0.56										
	nt Wire Center  e Activation on D-4 Channel Bank Private Line Loop Slot	1 1		l											J	i
Slot	nt Wire Center			UEP93	1PQWQ	0.56										<b></b>
	nt Wire Center  e Activation on D-4 Channel Bank Private Line Loop Slot e Activation on D-4 Channel Bank Tie Line/Trunk Loop		$\vdash$	UEP93	1PQWA	0.56										<b>.</b>
	at Wire Center  a Activation on D-4 Channel Bank Private Line Loop Slot be Activation on D-4 Channel Bank Tie Line/Trunk Loop be Activation on D-4 Channel Bank WATS Loop Slot															+
	nt Wire Center  2 Activation on D-4 Channel Bank Private Line Loop Slot 2 Activation on D-4 Channel Bank Tie Line/Trunk Loop 2 Activation on D-4 Channel Bank WATS Loop Slot 3 Charges (NRC) Associated with UNE-P Centrex			LIEBOO	110400			0.10								i
	nt Wire Center  e Activation on D-4 Channel Bank Private Line Loop Slot e Activation on D-4 Channel Bank Tie Line/Trunk Loop e Activation on D-4 Channel Bank WATS Loop Slot I Charges (NRC) Associated with UNE-P Centrex onversion Currently Combined Switch-As-Is with allowed			UEP93 UEP93	USAC2		0.10	0.10			1		-			
New Centre	nt Wire Center  2 Activation on D-4 Channel Bank Private Line Loop Slot 2 Activation on D-4 Channel Bank Tie Line/Trunk Loop 2 Activation on D-4 Channel Bank WATS Loop Slot 3 Charges (NRC) Associated with UNE-P Centrex				USACN M1ACS	0.00	37.75 667.21	16.58								

UNBU	NDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect		<u> </u>	OSS	Rates (\$)	l	<u> </u>
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		New Centrex Customized Common Block			UEP93	M1ACC	0.00	667.21									
		NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.73									
	Additio	onal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP93	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP93	URETN		11.21	1.10								
	Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	Note 2	- Requres Interoffice Channel Mileage															
	Note 3	- Installation is combination of Installation charge for SL2 Lo	op and	Port													
	Note 4	- Requires Specific Customer Premises Equipment															
	Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in	General Tern	ns and Condition	ns.									

	INIE: =	D NETWORK ELEMENTO												1			
UNB	UNDLE	D NETWORK ELEMENTS - Florida					1						1 -		ment: 2		bit: A
												1		Incremental			
													Submitted	Charge -	Charge -	Charge -	Charge -
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	-	Manual Svc	Manual Svc	Manual Svc	
07112			m			0000			101120 (4)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .01	2.007.444.
	+						Rec	First	curring Add'l	First	Disconnect Add'l	COMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
								FIISL	Addi	FIISL	Addi	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
	The "Z	one" shown in the sections for stand-alone loops or loops as	part of	a com	bination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograp	nically Deavera	ged UNE Zon	Designation	ns by Cent	ral Office, refe	er to internet \	Nebsite:	
		vww.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion.ht	m				1								
OPER		_ SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"  (1) CLEC should contact its contract negotiator if it prefers the	- "		:-   000 -b		h - Ct-t- C	ingiana Tha	000				Alea DellCa		   i		CI EC man
		(1) CLEC should contact its contract negotiator if it prefers the															
		f the 9 states.	ice orac	illig ci	larges, or occomay	elect the re	gioriai service (	ordering charg	e, nowever, or	LC can not of	nam a mixture	or the two	egararess i	i ollo nas a	merconnecti	on contract e	stabilished in
		(2) Any element that can be ordered electronically will be bill	ed acco	rding	to the SOMEC rate lis	sted in this	ategory. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine	if a product	can be order	ed electronica	Illy. For thos	e elements
		nnot be ordered electronically at present per the LOH, the list			e in this category ref	lects the cha	arge that would	l be billed to a	CLEC once ele	ectronic orderi	ng capabilities	come on-li	ne for that	element. Othe	erwise, the ma	anual orderin	g charge,
	SOMAI	N, will be applied to a CLECs bill when it submits an LSR to B	ellSout	h.					1								
		OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
	+	OSS - Manual Service Order Charge, Per Local Service Request				COIVILO		3.50	0.00	3.50	0.00	<del>                                     </del>			<del>                                     </del>		
		(LSR) - UNE Only				SOMAN		11.90	0.00	1.83	0.00						
UNE S		DATE ADVANCEMENT CHARGE															
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's FO	CC No.1 Tariff, Section	n 5 as appli	cable.								-		
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48, U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL, UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12, ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX, UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
LIMBII	NDI ED 1	Day EXCHANGE ACCESS LOOP		-	U1TUB, U1TUA	SDASP		200.00				-	-				
ONBO		E ANALOG VOICE GRADE LOOP										<del>                                     </del>			<del>                                     </del>		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10.69	49.57	22.83	25.62	6.57				1		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	15.20	49.57	22.83	25.62	6.57						
<u> </u>	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	26.97	49.57	22.83	25.62	6.57						
<b>-</b>	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	-		UEANL UEANL	UEASL UEASL	10.69 15.20	49.57 49.57	22.83 22.83	25.62 25.62	6.57 6.57	-			-		
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEASL	26.97	49.57	22.83	25.62	6.57	<del>                                     </del>			<b>†</b>		
	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User		Ť							2.37						
	1	Premise			UEANL	URETL		8.33	0.83								
<u> </u>	+	Loop Testing - Basic 1st Half Hour	-		UEANL	URET1 URETA		48.65 23.95	48.65			-			<del>                                     </del>		
		Loop Testing - Basic Additional Half Hour			UEANL	UKETA	l	23.95	23.95			L	l .	1	L		1

Version 3Q03: 11/12/2003 Page 41 of 348

UNBUNDLE	D NETWORK ELEMENTS - Florida													ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch															1
	(UVL-SL1)			UEANL	UREWO		15.78	8.94								<del>                                     </del>
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST						40.40									i .
	providing make-up (Engineering Information - E.I.)  Manual Order Coordination for UVL-SL1s (per loop)		-	UEANL UEANL	UEANM UEAMC		13.49 9.00	9.00			1					<del></del>
	Order Coordination for OVL-SL1s (per loop)  Order Coordination for Specified Conversion Time for UVL-SL1		-	UEANL	UEAIVIC		9.00	9.00	-		+	-			-	<b>——</b>
	(per LSR)			UEANL	OCOSL		23.02									1
2-WIRE	Unbundled COPPER LOOP			OLANE	OCCOL		25.02				+	<b>-</b>				<b>—</b>
Z WIIKE	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	7.69	44.98	20.90	19.65	5.09	+					<b>—</b>
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	i		UEQ	UEQ2X	10.92	44.98	20.90		5.09					t	
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	i		UEQ	UEQ2X	19.38	44.98	20.90		5.09						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise	L		UEQ	URETL		8.33	0.83		<u> </u>	<u> </u>	<u></u>	<u> </u>		<u> </u>	L
	Manual Order Coordination 2 Wire Unbundled Copper Loop -															
	Non-Designed (per loop)			UEQ	USBMC		9.00									
	Unbundled Copper Loop, Non-Design Cooper Loop, billing for	1			1										_	1
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.49									<b>——</b>
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		48.65	48.65								<b>——</b>
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.95	23.95								<b>——</b>
	CLEC to CLEC Conversion Charge Without Outside Dispatch							= 40								l .
LINDUNDU ED E	(UCL-ND) EXCHANGE ACCESS LOOP		-	UEQ	UREWO		14.27	7.43			1					<del></del>
	ANALOG VOICE GRADE LOOP										+					<del></del>
Z-VVIKE	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				+						-	-				<b>——</b>
	Zone 1		1	UEPSR UEPSB	UEALS	10.69	49.57	22.83	25.62	6.57						1
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		-	OLF SK OLF SB	ULALS	10.09	45.57	22.03	25.02	0.57	+				-	<del>                                     </del>
	Zone 1		1	UEPSR UEPSB	UEABS	10.69	49.57	22.83	25.62	6.57						1
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-				1											
	Zone 2		2	UEPSR UEPSB	UEALS	15.20	49.57	22.83	25.62	6.57						1
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
	Zone 2		2	UEPSR UEPSB	UEABS	15.20	49.57	22.83	25.62	6.57						l .
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															l .
	Zone 3		3	UEPSR UEPSB	UEALS	26.97	49.57	22.83	25.62	6.57						<b></b>
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		_													l .
	Zone 3		3	UEPSR UEPSB	UEABS	26.97	49.57	22.83	25.62	6.57						<del></del>
	EXCHANGE ACCESS LOOP  ANALOG VOICE GRADE LOOP	<del>                                     </del>	-		+				-		1	1	-	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
Z-WIRE	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1			+ -	-			+		+	<del>                                     </del>	<del> </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
	Ground Start Signaling - Zone 1	1	1	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01	1				I	1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	<u> </u>		J = 1 1E	12.27	100.70	02.47	00.00	12.01	†	t	1	1	<b>†</b>	
	Ground Start Signaling - Zone 2	1	2	UEA	UEAL2	17.40	135.75	82.47	63.53	12.01	1				I	1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	30.87	135.75	82.47	63.53	12.01						l .
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02							ĺ		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 1		1	UEA	UEAR2	12.24	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1		l	I I										1	1
	Battery Signaling - Zone 2	ļ	2	UEA	UEAR2	17.40	135.75	82.47	63.53	12.01	1				ļ	<b>—</b>
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	_		LIEADO	00.5-	405		00 =0	40.01	1				I	1
<b>—</b>	Battery Signaling - Zone 3	<del>                                     </del>	3	UEA	UEAR2 OCOSL	30.87	135.75	82.47	63.53	12.01	1	1	-	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
	Order Coordination for Specified Conversion Time (per LSR)  CLEC to CLEC Conversion Charge without outside dispatch		-	UEA UEA	UREWO	-	23.02 87.71	36.35	+		+				+	<del></del>
<del>- 1</del>	Loop Tagging - Service Level 2 (SL2)	<del>                                     </del>		UEA	URETL		11.21	1.10			<del>                                     </del>	<b>H</b>	<b>l</b>	<del> </del>	t	<u> </u>
4-WIRE	ANALOG VOICE GRADE LOOP	<del>                                     </del>		OLA.	JINETE		11.21	1.10	<u> </u>		<del>                                     </del>	<b>H</b>	<b>l</b>	<del> </del>	t	
7 11111	4-Wire Analog Voice Grade Loop - Zone 1	l	1	UEA	UEAL4	18.89	167.86	115.15	67.08	15.56	<del>                                     </del>	<del>                                     </del>			<b>I</b>	
1	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	26.84	167.86	115.15	67.08	15.56				İ	1	
	4-Wire Analog Voice Grade Loop - Zone 3	1	3	UEA	UEAL4	47.62	167.86	115.15		15.56			l	İ	1	
	Order Coordination for Specified Conversion Time (per LSR)	Ì		UEA	OCOSL		23.02									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.71	36.35					l	İ		

UNBUNDI	LED	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
	<del></del>											Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			to to a									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	r	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per Lor	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-W	/IRE IS	SDN DIGITAL GRADE LOOP															
		-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	19.28	147.69	94.41	62.23	10.71	İ					
	2-	-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	27.40	147.69	94.41	62.23	10.71						
		-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	48.62	147.69	94.41	62.23	10.71						
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		23.02									
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.61	44.15			İ					
2-W		ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP								İ					
		Wire Unbundled ADSL Loop including manual service inquiry															
		a facility reservation - Zone 1		1	UAL	UAL2X	8.30	149.53	103.85	75.05	15.63						
		Wire Unbundled ADSL Loop including manual service inquiry															
		facility reservation - Zone 2		2	UAL	UAL2X	11.80	149.53	103.85	75.05	15.63						
		Wire Unbundled ADSL Loop including manual service inquiry								1 2.30					İ		1
		facility reservation - Zone 3		3	UAL	UAL2X	20.94	149.53	103.85	75.05	15.63						
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.02							İ		İ
		Wire Unbundled ADSL Loop without manual service inquiry &															
		acility reservaton - Zone 1		1	UAL	UAL2W	8.30	124.83	71.12	60.64	9.12						
		Wire Unbundled ADSL Loop without manual service inquiry &									****						
		acility reservaton - Zone 2		2	UAL	UAL2W	11.80	124.83	71.12	60.64	9.12						
		Wire Unbundled ADSL Loop without manual service inquiry &		<del>-</del>							****						
		acility reservaton - Zone 3		3	UAL	UAL2W	20.94	124.83	71.12	60.64	9.12						
		Order Coordination for Specified Conversion Time (per LSR)		Ť	UAL	OCOSL		23.02			***						
	C	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.19	40.39								
2-W		HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		Wire Unbundled HDSL Loop including manual service inquiry	Ī	1													
		facility reservation - Zone 1		1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63						
		Wire Unbundled HDSL Loop including manual service inquiry															
		a facility reservation - Zone 2		2	UHL	UHL2X	10.26	159.09	113.41	75.05	15.63						
		Wire Unbundled HDSL Loop including manual service inquiry										İ					
		facility reservation - Zone 3		3	UHL	UHL2X	18.21	159.09	113.41	75.05	15.63						
	0	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL	_	23.02									
		Wire Unbundled HDSL Loop without manual service inquiry										İ					
		nd facility reservation - Zone 1		1	UHL	UHL2W	7.22	134.40	80.69	60.64	9.12						
		Wire Unbundled HDSL Loop without manual service inquiry															
		nd facility reservation - Zone 2		2	UHL	UHL2W	10.26	134.40	80.69	60.64	9.12						
		Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL2W	18.21	134.40	80.69	60.64	9.12						
	0	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02				İ					
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.12	40.39						ĺ		
4-W		HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP						İ					İ		1
		Wire Unbundled HDSL Loop including manual service inquiry													ĺ		
		nd facility reservation - Zone 1		1	UHL	UHL4X	10.86	193.31	138.98	77.15	12.61						1
		-Wire Unbundled HDSL Loop including manual service inquiry															
1 1		nd facility reservation - Zone 2		2	UHL	UHL4X	15.44	193.31	138.98	77.15	12.61		1				I
	4-	-Wire Unbundled HDSL Loop including manual service inquiry															
1 1	aı	nd facility reservation - Zone 3		3	UHL	UHL4X	27.39	193.31	138.98	77.15	12.61		1				I
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
		-Wire Unbundled HDSL Loop without manual service inquiry					j	j									
		nd facility reservation - Zone 1		1	UHL	UHL4W	10.86	168.62	115.47	62.74	11.22		1				I
	4-	-Wire Unbundled HDSL Loop without manual service inquiry															
L I		nd facility reservation - Zone 2		2	UHL	UHL4W	15.44	168.62	115.47	62.74	11.22	<u> </u>			<u> </u>		<u> </u>
	4-	-Wire Unbundled HDSL Loop without manual service inquiry															
L l		nd facility reservation - Zone 3	<u></u>	3	UHL	UHL4W	27.39	168.62	115.47	62.74	11.22	<u></u>	<u></u>		<u> </u>	<u> </u>	<u> </u>
	0	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL	İ	23.02									
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.12	40.39								
4-W		DS1 DIGITAL LOOP															
		-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	70.74	313.75	181.48	61.22	13.53						
		-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	100.54	313.75	181.48		13.53						
	- 4	-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	178.39	313.75	181.48	61.22	13.53						
	14-	- Wile Do i Digital Loop - Zone 3															

ONBONDLE	D NETWORK ELEMENTS - Florida													ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.07	43.04								1
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															1
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	22.20	161.56	108.85		15.56						l .
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	31.56	161.56	108.85	67.08	15.56						1
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	55.99	161.56	108.85	67.08	15.56						1
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	22.20	161.56	108.85	67.08	15.56						1
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	31.56	161.56	108.85	67.08	15.56						1
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	55.99	161.56	108.85	67.08	15.56						ſ
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.02									(
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	22.20	161.56	108.85	67.08	15.56						(
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	31.56	161.56	108.85	67.08	15.56						(
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	55.99	161.56	108.85	67.08	15.56						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.02		Î				Î	Î		
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.11	49.74	İ			ĺ	ĺ	ĺ		
	Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	8.30	148.50	102.82	75.05	15.63						1
	2-Wire Unbundled Copper Loop-Designed including manual					0.00										
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63						1
	2 Wire Unbundled Copper Loop-Designed including manual			002	002. 2	11.00	1 10.00	102.02	7 0.00	10.00	<b>†</b>					<b>——</b>
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	20.94	148.50	102.82	75.05	15.63						1
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	20.04	9.00	9.00		10.00	<b>†</b>					<b>——</b>
	2-Wire Unbundled Copper Loop-Designed without manual			OOL	OCLIVIC		3.00	3.00								<b>—</b>
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12						1
	2-Wire Unbundled Copper Loop-Designed without manual		<u>'</u>	OOL	OOLI W	0.50	125.01	70.03	00.04	3.12						<b>—</b>
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.80	123.81	70.09	60.64	9.12						l .
	2-Wire Unbundled Copper Loop-Designed without manual	-		UCL	UCLEVV	11.00	123.01	70.09	60.64	9.12	<b>-</b>	-			-	<del>                                     </del>
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	20.94	123.81	70.09	60.64	9.12						1
		-	3			20.94	9.00			9.12						<del></del>
	Order Coordination for Unbundled Copper Loops (per loop)	-	-	UCL	UCLMC		9.00	9.00								<del></del>
	CLEC to CLEC Conversion Charge without outside dispatch				LIDEWO		07.04	40.47								1
	(UCL -Des)			UCL	UREWO		97.21	42.47								<del></del>
	COPPER LOOP				<b>.</b>											<del></del>
	4-Wire Copper Loop-Designed including manual service inquiry		١.			44.00										1
	and facility reservation - Zone 1		1	UCL	UCL4S	11.83	177.87	132.76	77.15	17.73						<b></b>
	4-Wire Copper Loop-Designed including manual service inquiry															1
	and facility reservation - Zone 2		2	UCL	UCL4S	16.81	177.87	132.76	77.15	17.73						1
	4-Wire Copper Loop-Designed including manual service inquiry															1
	and facility reservation - Zone 3		3	UCL	UCL4S	29.82	177.87	132.76		17.73						1
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	4-Wire Copper Loop-Designed without manual service inquiry	1			1 7		$\neg$								_	1
	and facility reservation - Zone 1		1	UCL	UCL4W	11.83	153.18	100.03	62.74	11.22	1					L
	4-Wire Copper Loop-Designed without manual service inquiry															1
	and facility reservation - Zone 2		2	UCL	UCL4W	16.81	153.18	100.03	62.74	11.22						1
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 3		3	UCL	UCL4W	29.82	153.18	100.03	62.74	11.22						1
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								(
	CLEC to CLEC Conversion Charge without outside dispatch			UCL	UREWO		97.21	42.47								
LOOP MODIFIC	CATION															
				UAL, UHL, UCL,					Î				Î	Î		
		1	l	UEQ, ULS, UEA,			l					l	l	l	1	1
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire	l		UEANL, UEPSR,			l									1
	pair less than or equal to 18k ft, per Unbundled Loop	1		UEPSB	ULM2L		0.00	0.00				1			I	1
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
	less than or equal to 18K ft, per Unbundled Loop	1		UHL, UCL, UEA	ULM4L		0.00	0.00				1			I	1
				UAL, UHL, UCL,	1				1				ĺ	ĺ		
		l		UEQ, ULS, UEA,			l									1
	Unbundled Loop Modification Removal of Bridged Tap Removal,	1		UEANL, UEPSR,			l					1			I	1
	per unbundled loop	1	l	UEPSB	ULMBT		10.52	10.52				I	l	l	1	1
SUB-LOOPS		<del>                                     </del>	t —	-	<del>                                     </del>			2	†		1	<b>†</b>	†	†	t	

UNBUNDLE	ED NETWORK ELEMENTS - Florida			T								r -		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	The state of the s						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Sub-L	oop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-	Ι.		UEANL	LICDCA		407.00									
$\vdash$	Up	'	1	UEANL	USBSA		487.23					-				
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	١.,		UEANL	USBSB		6.25									
<del>                                     </del>	Sub-Loop - Per Building Equipment Room - CLEC Feeder	- '	+	OLANL	USBSB		0.25								-	
	Facility Set-Up	L		UEANL	USBSC		169.25									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
	Set-Up	- 1		UEANL	USBSD		38.65									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 1		1	UEANL	USBN2	6.46	60.19	21.78	47.50	5.26						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
$\vdash$	Zone 2		2	UEANL	USBN2	9.18	60.19	21.78	47.50	5.26					1	ļ
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		_	LIEANII	LIODAYO	40.0-									I	
$\vdash$	Zone 3	<b> </b>	3	UEANL	USBN2	16.29	60.19	21.78	47.50	5.26				<b> </b>	<del>                                     </del>	<del> </del>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00							I	
$\vdash$	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		+	UEAINL	USBIVIC		9.00	9.00			1				-	
	Zone 1		1	UEANL	USBN4	7.37	68.83	30.42	49.71	6.60						
<del>                                     </del>	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		+ '-	OLANE	CODINA	7.57	00.03	30.42	43.71	0.00					-	
	Zone 2		2	UEANL	USBN4	10.47	68.83	30.42	49.71	6.60						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		<u> </u>	02/11/2	005.11		00.00	00.12	10.7 1	0.00					t	
	Zone 3		3	UEANL	USBN4	18.58	68.83	30.42	49.71	6.60						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	- 1		UEANL	USBR2	3.96	51.84	13.44	47.50	5.26						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	0.07	9.00	9.00	40.74	0.00						
<del></del>	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		1	UEANL	USBR4	9.37	55.91	17.51	49.71	6.60					1	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
<del>                                     </del>	Loop Testing - Basic 1st Half Hour		+	UEANL	URET1		48.65	48.65							-	
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.95	23.95			1					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	5.15	60.19	21.78	47.50	5.26					t	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	- 1	2	UEF	UCS2X	7.31	60.19	21.78	47.50	5.26						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	12.98	60.19	21.78	47.50	5.26						
														l		
$\vdash$	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		<u> </u>	UEF	USBMC		9.00	9.00							1	ļ
$\vdash$	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	<u> </u>	1	UEF	UCS4X	5.36	68.83	30.42	49.71	6.60					-	ļ
<del>                                     </del>	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	+		UEF	UCS4X	7.61	68.83	30.42	49.71	6.60	1				1	-
$\vdash$	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	<del></del>	3	UEF	UCS4X	13.51	68.83	30.42	49.71	6.60	-			<b> </b>	<del></del>	+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00							I	
<del>                                     </del>	Loop Testing - Basic 1st Half Hour	<b>-</b>	<del>                                     </del>	UEF	URET1		48.65	48.65			<del>                                     </del>				<del> </del>	<u> </u>
	Loop Testing - Basic Additional Half Hour		1	UEF	URETA		23.95	23.95			<u> </u>	1			<b>†</b>	1
Unbu	ndled Network Terminating Wire (UNTW)		<del>                                     </del>	1			20.00	20.00							1	İ
	Unbundled Network Terminating Wire (UNTW) per Pair	İ	1	UENTW	UENPP	0.4572	18.02									1
Netwo	ork Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		71.49	48.87								
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		113.89	89.07								ļ
	Network Interface Device Cross Connect - 2 W	<b>!</b>		UENTW	UNDC2		7.63	7.63							ļ	ļ
LINE OTHER	Network Interface Device Cross Connect - 4W PROVISIONING ONLY - NO RATE	-	1	UENTW	UNDC4		7.63	7.63			1				1	-
ONE OTHER,	NID - Dispatch and Service Order for NID installation		1	UENTW	UNDBX	0.00	0.00				1	-			<del>                                     </del>	<b>+</b>
$\vdash$	UNTW Circuit Id Establishment, Provisioning Only - No Rate	-	1	UENTW	UENCE	0.00	0.00					-			+	1
	GIVE VV GIEGILIG ESTADIISTITICITI, FTOVISIOTITING OTILY - NO RALE	-		UEANL,UEF,UEQ,U	OLINOL	0.00	0.00								<del>                                     </del>	<u> </u>
											1		i e			1
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									

UNBU	NDLE	D NETWORK ELEMENTS - Florida												Attachi	ment: 2	Exhi	ibit: A
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			II .	Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge -
H-1								Nonre	curring	Nonrecurring	Disconnect			OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	LINEON	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			UDIN,UEA,UHL,ULC	UNECIN	0.00	0.00									
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
$\vdash$		rate Unbundled DS1 Loop - Superframe Format Option - no rate			UEA,USL,UCL,UDL USL	USBFR CCOSF	0.00	0.00									-
		Unbundled DS1 Loop - Expanded Superframe Format option -			OOL	00001	0.00	0.00									
		no rate			USL	CCOEF	0.00	0.00									
HIGH C	APACIT	TY UNBUNDLED LOCAL LOOP															
		High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	10.92										
		High Capacity Unbundled Local Loop - DS3 - Facility					10.02										
		Termination per month			UE3	UE3PX	386.88	556.37	343.01	139.13	96.84						
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	10.92										
		High Capacity Unbundled Local Loop - STS-1 - Facility			UDLSX	TLOND	10.92										
		Termination per month			UDLSX	UDLS1	426.60	556.37	343.01	139.13	96.84						
LOOP N	IAKE-U																
		Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		52.17	52.17								
		Loop Makeup - Preordering With Reservation, per spare facility			UWIK	UIVIKLVV		52.17	52.17								
		queried (Manual).			UMK	UMKLP		55.07	55.07								
		Loop MakeupWith or Without Reservation, per working or															
I INE SI	IADING	spare facility queried (Mechanized)  G AND LINE SPLITTING			UMK	UMKMQ		0.6784	0.6784								-
		1: The Line Sharing monthly recurring rates for all installation	ns comp	oleted f	rom October 02, 200	ı 3 through m	idnight Octobe	r 01, 2004 shal	l I be billed as f	ollows:							
	NOTE 1	1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co	pper lo	op nor	-designed ("UCLND	")		· ·									
		1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND															ļ
		1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND 1: Above will apply to USOCS: ULSDT and ULSCT															-
		2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	ULSC	C applies only to cir	cuits install	ed and inservice	e on or before	October 1, 20	03							
		HARING															
	SPLITT	TERS-CENTRAL OFFICE BASED			ULS	ULSDA	119.72	379.13	0.00	347.90	0.00						ļ
		Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDA	29.93	379.13	0.00	347.90	0.00						
		Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	8.33	379.13	0.00	347.90	0.00						
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-						480									
$\vdash$	END III	deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING			ULS	ULSDG		173.66	0.00	97.42	0.00						
$\vdash$	-ND 0	Line Sharing - per Line Activation (BST Owned splitter) -															
		OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	29.68	21.28	19.57	9.61						
		Line Share Service, TRO per line activation, BST owned splitter							-		-						
		Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)			ULS	ULSDT	1.99	29.68	21.28	19.57	9.61						
		Line Share Service, TRO per line activation, BST owned splitter -			020	02001	1.55	25.00	21.20	10.01	5.01						
		Central Office Located (50% of UCLND) - please see NOTE 1															
$\vdash$		(E:10/2/2004)			ULS	ULSDT	3.98	29.68	21.28	19.57	9.61	-					<del>                                     </del>
		Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1															
		(E:10/2/2005)			ULS	ULSDT	5.97	29.68	21.28	19.57	9.61						
		Line Sharing - per Subsequent Activity per Line Rearrangement															
$\vdash$		- (BST Owned Splitter) Line Sharing - per Subsequent Activity per Line Rearrangement			ULS	ULSDS		21.68	16.44								
		- (DLEC Owned Splitter)			ULS	ULSCS		21.68	16.44								
		Line Sharing - per Line Activation (DLEC owned Splitter) -															
ш		OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74						

UNBUN	NDLE	NETWORK ELEMENTS - Florida													ment: 2	1	ibit: A
CATEGO	DRY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)	•	
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)			ULS	ULSCT	4.00	47.44	19.31	20.07	12.74						
-+		Line Share Service, TRO per line activation, CLEC owned			ULS	ULSCI	1.99	47.44	19.31	20.67	12.74					-	
		splitter - Central Office Located (50% of UCLND) - please see															
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	3.98	47.44	19.31	20.67	12.74						
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (75% of UCLND) - please see															
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	5.97	47.44	19.31	20.67	12.74						
		PLITTING SER ORDERING-CENTRAL OFFICE BASED															ļ
		Line Splitting - per line activation DLEC owned splitter		-	UEPSR UEPSB	UREOS	0.61					1	-			-	1
$-\!\!\!-\!\!\!\!+$		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	29.68	21.28	19.57	9.61		<b>-</b>			t	<b>†</b>
-+		Line Splitting - per line activation BST owned - physical  Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61						
I I		ENANCE								13.3.	2.31	1					1
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
		No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
		DEDICATED TRANSPORT DEFICE CHANNEL - DEDICATED TRANSPORT															ļ
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -				+										-	
		Per Mile per month			U1TVX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			OTTVX	TESTON	0.0031									-	1
		Facility Termination			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat			l												
		Facility Termination			U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03						ļ
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			UTIVA	ILSAA	0.0091									1	1
		- Facility Termination			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			U1TDX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination			U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03					1	
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile			LIATOV	41.500	0.0001									I	
$-\!\!\!-\!\!\!\!+$		per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility		<u> </u>	U1TDX	1L5XX	0.0091			1		<b> </b>	1	<del>                                     </del>	<del>                                     </del>	1	1
		Termination			U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03						
-+		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			UTIDA	01100	10.44	41.35	31.70	10.31	7.03	1	<del>                                     </del>			<del>                                     </del>	1
		month			U1TD1	1L5XX	0.1856									1	
		Interoffice Channel - Dedicated Tranport - DS1 - Facility											1			1	
		Termination			U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05						
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
<b></b> -∔		month			U1TD3	1L5XX	3.87			ļ		<u> </u>	1				ļ
		Interoffice Channel - Dedicated Transport - DS3 - Facility			U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56						
$-\!+$		Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per		-	פעווט	UTIF3	1,071.00	333.46	219.28	72.03	70.56	<del>                                     </del>	-			-	1
		month			U1TS1	1L5XX	3.87										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility					3.37					1					1
		Termination			U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56						
DARK FI																	
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				===										1	
$\longrightarrow$		Thereof per month - Interoffice Channel		-	UDF, UDFCX	1L5DF	26.85	754.04	400.00	250.04	000.11	<u> </u>		<b>.</b>	<b>.</b>	<del>                                     </del>	1
$\longrightarrow$		NRC Dark Fiber - Interoffice Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		-	UDF, UDFCX	UDF14		751.34	193.88	356.21	230.11	1	<del>                                     </del>			<del>                                     </del>	-
		Thereof per month - Local Loop			UDF, UDFCX	1L5DL	55.04									1	
																	1

CATEGORY RATE ELEMENTS Intering Manual System of Manual S	UNBUNDLE	D NETWORK ELEMENTS - Florida											Attach	ment: 2	Exhi	bit: A
March   Marc	CATEGORY	RATE ELEMENTS	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
Person					1	B	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	1	1
BOX. Access Ten Dig Severence, Parc Cell   December   December   De						Rec			First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
BOX_Access for Dig Somering, Reconstruct Charge Pie DXX   Dept.   Septit.   Dept.   Septit.   Dept.   Septit.   Dept.   Septit.   Dept.   Septit.   Dept.	8XX ACCESS	TEN DIGIT SCREENING														
Number Responsed   OHD   NSRTX				OHD		0.0006252										
POTS Translation		Number Reserved		OHD	N8R1X		4.15	0.70								
POTS Translations		POTS Translations		OHD			8.78	1.18	5.77	0.70						
Per BOX Number   SOX Accounts for Digs Screening, Margin Status (1998)   Per Reguent (1998)				OHD	N8FTX		8.78	1.18	5.77	0.70						
Routing Ter CDR Requested Per BXX No.   OP-D   NPFBX				OHD	N8FCX		4.15	2.07								
BXX Access fro Digit Screening, Cell Funding of Deficiation   OHD   NIPTX   A.55   0.70		8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.		OHD	N8FMX		4.85	2.78								
Cost   Separating Contention, Per Str. (s) (sinc) (sino Normal of India)   Cost   Co		8XX Access Ten Digit Screening, Change Charge Per Request		OHD	N8FAX											
DATE   Control				OHD	N8FDX		4.15	4.15								
Query   Quer		8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query		OHD		0.0006252										
LINE NORMATION DATA ASSE ACCESS (LIDB)		8XX Access Ten Digit Screening, w/ POTS No. Delivery, per		OHD		0.0006252										
LIDS Common Transport Per Cluvy   OOT   O.00000033	LINE INFORMA			-												
UDB Originality Point Code Establishment or Change   OCT. OQU NRBPX   S5.13				OQT												
SIGNALING (CCST)   SIGNALING (CCST)   Signaling Termination, Per STP Port   UDB   PTSXX   135.05						0.0136959										
CCSF Signaling Termination, Per TSP Port   UDB				OQT, OQU	NRBPX		55.13	55.13	55.13	55.13						
CCS7 Signaling Usage, Per TCAP Message	SIGNALING (C															
CCSF Signaling Connection, Per link (B link) (also known as D link)		CCS7 Signaling Termination, Per STP Port			PT8SX											
CGST Signaling Connection, Per link (B link) (also known as D   UDB   TPP+		CCS7 Signaling Osage, Per TCAP Message	-		TDD		12.57	12.57	10 21	10 21					-	
CCS7 Signaling Usage, Evro ISUP Message		CCS7 Signaling Connection, Per link (B link) (also known as D														
CCS7 Signaling Usage Surrogate, per link per LATA					111177		40.01	40.07	10.51	10.51					-	
CCS7 Signaling Point Code, per Originating Point Code   UDB   CCAPO   46.03					STU56											
E911 SERVICE		CCS7 Signaling Point Code, per Originating Point Code					46.03	46.03	46.03	46.03						
Local Channel - Dedicated - 2-wr Voice Grade - Zone 2   29.62   265.84   46.97   37.63   4.00	E911 SERVICE			-												
Local Channel - Dedicated - 2-wr Voice Grade P Affile   Double Grade P Affile   Double Grade P Affile   Double Grade P Affile   Double Grade P Affile   Double Grade P Affile   Double Grade P Affile   Double Grade P Affile   Double Grade P Affile   Double Grade P Affile P Affile P Af																
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile   0.0091   18.1   18.31   7.03   7.03   7.03																
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility   25.32   47.35   31.78   18.31   7.03							265.84	46.97	37.63	4.00						
Termination					+	0.0091										
Local Channel - Dedicated - DS1 - Zone 1						25.22	47.25	21 70	10 21	7.02						
Local Channel - Dedicated - DS1 - Zone 2					+											
Local Channel - Dedicated - DS1 - Zone 3   92.01   216.65   183.54   21.47   19.05															t	
Interoffice Transport - Dedicated - DS1 Per Facility Termination   88.44   105.54   98.47   21.47   19.05																
CALLING NAME (CNAM) SERVICE         OQV         25.35         19.01         19		Interoffice Transport - Dedicated - DS1 Per Mile				0.1856										
CALLING NAME (CNAM) SERVICE         OQV         25.35         19.01         19		Interoffice Transport - Dedicated - DS1 Per Facility Termination			1	88 44	105.54	08 47	21 47	10.05					I	
CNAM For Non DB Owners - Service Establishment	CALLING NAM	IE (CNAM) SERVICE				00.44										
CNAM For DB Owners - Service Provisioning With Point Code   Establishment																
Establishment			 -	υψν	+		25.35	25.35	19.01	19.01				-	<del>                                     </del>	
Code Establishment		Establishment		OQV			1,592.00	1,177.00	352.36	259.09						
CNAM for Non DB Owners, Per Query		Code Establishment					546.51	393.82	358.06	259.09						
SELECTIVE ROUTING    Selective Routing Per Unique Line Class Code Per Request Per															ļ	
Selective Routing Per Unique Line Class Code Per Request Per Switch 93.55 93.55 12.71 12.71	SELECTIVE S			UQV	+	0.001024			1						1	
	SELECTIVE K	Selective Routing Per Unique Line Class Code Per Request Per														
					1		93.55	93.55	12.71	12.71						

ONBONDER	D NETWORK ELEMENTS - Florida													ment: 2	1	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'I
					1		Nonre	curring	Nonrecurring	Disconnect			OSS	Rates (\$)		
+			-			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line						THOL	Auu i	THOU	Auu i	OOMILO	JONAN	JONIAN	JONAN	JOINAIN	JONIAN
	Splitting			UEPSR UEPSB	VE1LS	0.0502	11.57	11.57	0.00	0.00						
PHYSICAL CO				02. 0. 02. 02	12.20	0.0002		11.01	0.00	0.00						
	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	PE1LS	0.0276	8.22	7.22	5.74	4.58						
AIN SELECTI	VE CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		193,444.00		7,737.00							
	End Office Establishment			SRC	SRCEO		187.36	187.36	0.69	0.69						
	Query NRC, per query			SRC		0.0031868										
AIN - BELLSC	OUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State,															
	Initial Setup			A1N	CAMSE		43.56	43.56	44.93	44.93						<b>↓</b>
	AIN CMC Assess Consists Doub Constitution District			AAN	CAMES		0.01	0.01	40.00	10.00						
	AIN SMS Access Service - Port Connection - Dial/Shared Access		-	A1N	CAMAR		8.64	8.64	10.03	10.03				-	1	<del>                                     </del>
<b>—</b>	AIN SMS Access Service - Port Connection - ISDN Access		-	A1N	CAM1P		8.64	8.64	10.03	10.03				-	1	+
	AIN SMS Access Service - User Identification Codes - Per User ID Code			A1N	CAMAU		20.60	20.00	20.00	29.88						
<b></b>	AIN SMS Access Service - Security Card, Per User ID Code,	<b>-</b>	-	AIN	CAIVIAU		38.66	38.66	29.88	29.88	-				1	+
	Initial or Replacement			A1N	CAMRC		75.10	75.10	12.93	12.93						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)		-	AIN	CAWING	0.0028	75.10	75.10	12.93	12.55						1
	AIN SMS Access Service - Storage, Per Onit (100 Kilobytes)  AIN SMS Access Service - Session, Per Minute		-			0.7809								1		
	AIN SMS Access Service - Company Performed Session, Per					0.7003										1
	Minute					0.4609										
AIN - BELLSC	OUTH AIN TOOLKIT SERVICE				1	0.1000										1
	AIN Toolkit Service - Service Establishment Charge, Per State,														İ	
	Initial Setup			CAM	BAPSC		43.56	43.56	44.93	44.93						
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		8,439.00	8,439.00								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Term. Attempt				BAPTT		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Delay				BAPTD		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															1
	DN, Off-Hook Immediate				BAPTM		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP				BAPTO		38.06	38.06	15.86	15.86						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, CDP				BAPTC		38.06	38.06	15.86	15.86						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DARTE		00.00	00.00	45.00	45.00						
	DN, Feature Code		-		BAPTF	0.0535927	38.06	38.06	15.86	15.86						
	AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit					0.0535927										
	Subscription, Per Node, Per Query					0.0063698										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access		-	<u> </u>	1	0.0003096										
	Account, Per 100 Kilobytes					0.06										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service					0.00										1
	Subscription			CAM	BAPMS	8.34	8.64	8.64	6.08	6.08						
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service				2,0	0.04	0.04	0.04	5.56	0.00				1		<b>†</b>
	Subscription			CAM	BAPLS	3.73	9.56	9.56			1					
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service				1		1,72				İ	1	l	İ		1
	Subscription			CAM	BAPDS	4.73	8.64	8.64	6.08	6.08	1					
İ	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit															
	Service Subscription		L	CAM	BAPES	0.12	9.56	9.56					<u></u>			<u> </u>
	XTENDED LINK (EELs)															
	: The monthly recurring and non-recurring charges below will															
NOTE	: The monthly recurring and the Switch-As-Is Charge and not t	he non-	recurr	ing charges below w	ill apply for	UNE combinati	ons provision	ed as ' Current	ly Combined' N	letwork Eleme	nts.					<u> </u>
EXTE	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS												ļ		<b></b>
	First 2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						<b></b>
	First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						ļ
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81			l		<u> </u>	L

UNBUNDLI	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	oit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						_	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	1/0 Channelization System in combination Per Month		1	UNC1X	MQ1	146.77	101.42	71.62	43.01	17.55						
	Voice Grade COCI - Per Month			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
	Each Additional 2-ville vo Ecop (SE 2) in Combination - Zone 2			ONOVA	OLALZ	17.40	127.55	00.54	42.73	2.01						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						
	Voice Grade COCI - Per Month			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	TED DS	1 INTER				0.90	0.90	0.90	0.90						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
	First 4 Mire Angles Vaisa Conda Laur in Combination 7 and 2		2	LINOVA	LIE AL 4	20.04	407.50	CO 54	40.70	2.04						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	99 44	174.46	122.46	45.61	17.95						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	88.44 146.77	101.42	71.62	45.01	17.95						
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
	Additional 4-Wire Analog Voice Grade Loop in same DS1			ONOVA	OLAL	20.04	127.55	00.54	42.13	2.01						
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
	Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		0.00	8.98	8.98	8.98						
FXTE	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN				8.98	8.98	8.98	8.98						
			1		1											
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	First A Mire FOlder Birth On to Least to One History 7 and 0			LINODY	1101.50	04.50	407.50	00.54	40.70	0.04						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			-						-						
	Per Month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 - combination Facility			LINGAY	U1TF1	00.44	474.40	400.40	45.04	47.05						
<del>                                     </del>	Termination Per Month  1/0 Channel System in combination Per Month			UNC1X UNC1X	MQ1	88.44 146.77	174.46 101.42	122.46 71.62	45.61	17.95						
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
$\vdash$	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	<del>                                     </del>		011007	ODEJU	31.30	121.39	00.34	42.19	2.01	-					
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
	Additional OCU-DP COCI (data) - in combination per month (2.4-			LINODY	10100	2.15			2.0-				-			
	64kbs)	l	<u> </u>	UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00	l					

UNBLINDI F	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	oit: A
CHOCHDEL			1								Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		lustani									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .00	2.007.00.
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	Name at the Common the Common the Common to the Common to Common to Common the Common to Common	-					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTEN	IDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN				0.90	0.90	0.90	0.90						
EXIL		I	1	TERROTTIOE TRAINS	I											
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						, ,
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						,
																1
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
1 1	Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINGAV	41.577	0.4050										
$\vdash$	Per Month interoffice Transport - Dedicated - DS1 combination - Facility	1	-	UNC1X	1L5XX	0.1856			1			-		-		
	Termination Per Month	1		UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		1				
	1/0 Channel System in combination Per Month	<del>                                     </del>	<b>t</b>	UNC1X	MQ1	146.77	101.42	71.62	75.01	17.33		<b> </b>				
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	İ														
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						1
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		_													
$\vdash$	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	Additional OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	10100	2.10	10.07	7.00	0.00	0.00						
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTEN	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER				0.00	0.00	0.00	0.00						
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month	-		UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						1
	Nonrecurring Currently Combined Network Elements Switch -As-			ONCIX	OTIF	00.44	174.40	122.40	45.01	17.95						
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTEN	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER				0.00	0.00	0.00	0.00						
	First DS1Loop in Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	First DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
1 1	Interoffice Transport - Dedicated - DS3 combination - Per Mile	1										1				
$\vdash$	Per Month	<del>                                     </del>	-	UNC3X	1L5XX	3.87			1			<b> </b>		-		
1 1	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	1.071.00	314.45	130.88	38.60	18.23						
$\vdash$	3/1Channel System in combination per month	<del>                                     </del>	-	UNC3X UNC3X	MQ3	211.19	199.28	118.64		39.07	-					
	DS1 COCI in combination per month	<del>                                     </del>	<b>t</b>	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00		<b> </b>				
	Additional DS1Loop in DS3 Interoffice Transport Combination -		<b>†</b>			.5.70			5.00	0.00						
	Zone 1	<u> </u>	1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45	<u> </u>	<u> </u>		<u> </u>		
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 2	<u> </u>	2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45				ļ		,
	Additional DS1Loop in DS3 Interoffice Transport Combination -	1		LINGAY	LIGING		6:					1				,
<del>                                     </del>	Zone 3	₩	3	UNC1X	USLXX UC1D1	178.39 13.76	217.75 10.07	121.62 7.08	51.44 0.00	14.45 0.00	-	-		-		
<del>                                     </del>	Additional DS1 COCI in combination per month  Nonrecurring Currently Combined Network Elements Switch -As-		<b>-</b>	UNC1X	וטוטט	13.76	10.07	7.08	0.00	0.00	1			<del> </del>		
	Is Charge	1		UNC3X	UNCCC		8.98	8.98	8.98	8.98						
EXTEN	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD	E INTF				0.00	0.30	5.50	0.30	<b>†</b>			1		
	2-WireVG Loop in combination - Zone 1	1	1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54		2.81						
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						

UNBU	NDLE	D NETWORK ELEMENTS - Florida			_									Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
1				1								Submitted	Submitted		Charge -	Charge -	Charge -
1			l	1								Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				-				
CAILG	OKI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
				1								1	1	1st	Add'l	Disc 1st	Disc Add'l
-			-	-		1	-	Manne		Nonrecurring	Dianamant			222	Rates (\$)		
$\vdash$							Rec	Nonrec									
$\vdash$								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per															
		Month		<u> </u>	UNCVX	1L5XX	0.0091										
		Interoffice Transport - 2-wire VG - Dedicated - Facility															
		Termination per month			UNCVX	U1TV2	25.32	94.70	52.59	50.49	21.53						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98						
	EXTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	E INTE	ROFFICE TRANSPO	RT											
		4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
		4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
$\vdash$		4-WireVG Loop in combination - Zone 3			UNCVX	UEAL4	47.62	127.59	60.54		2.81						
-		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per		3	UNCVA	ULAL4	47.02	127.59	00.54	42.13	2.01	-	-		-		
		Month		1	UNCVX	1L5XX	0.0004					l	l		I	1	
$\vdash$				-	UNCVA	ILOXX	0.0091			-	-	<b>.</b>	<b>.</b>	<b>-</b>	1	-	
		Interoffice Transport - 4-wire VG - Dedicated - Facility		1	1110101				====			l	l		I	1	
		Termination per month			UNCVX	U1TV4	22.58	94.70	52.59	50.49	21.53						
		Nonrecurring Currently Combined Network Elements Switch -As-	•														
		Is Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98						
	EXTEN	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE													
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.92										
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	386.88	249.97	162.05	67.10	26.82						
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	3.87										
		Interoffice Transport - Dedicated - DS3 combination - Facility															
		Termination per month			UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23						
$\vdash$		Nonrecurring Currently Combined Network Elements Switch -As-		<del>                                     </del>	011007	01110	1,07 1.00	014.40	100.00	00.00	10.20						
		Is Charge			UNC3X	UNCCC		8.98	8.98	8.98	8.98						
$\vdash$	CVTCN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	C 4 INIT	FRAFE		UNCCC		0.90	0.90	0.90	0.90						
$\vdash$	EXIEN		2-1 IN I	EKUFF		41 END	10.00										
$\vdash$		STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	10.92										
		STS-1 Local Loop in combination - Facility Termination per															
		month		<u> </u>	UNCSX	UDLS1	426.60	249.97	162.05	67.10	26.82						
		Interoffice Transport - Dedicated - STS-1 combination - per mile															
		per month			UNCSX	1L5XX	3.87										
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCSX	UNCCC		8.98	8.98	8.98	8.98						
	EXTEN	DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRANS	SPORT								ĺ	ĺ	ĺ	1	ĺ	
		First 2-Wire ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81	İ	İ	İ	1	İ	
$\vdash$		First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81	i e	i e	i e	1	i e	
$\vdash$		First 2-Wire ISDN Loop in Combination - Zone 3			UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81	<b>†</b>	<b>†</b>	<b> </b>	t	<b>†</b>	
$\vdash$		Interoffice Transport - Dedicated - DS1 combination - per mile	-	l -	5.1511/1	S ILEX	70.02	127.00	00.00	72.73	2.01	<del> </del>	<del> </del>	<del>                                     </del>	<del> </del>	<del>                                     </del>	
		per month			UNC1X	1L5XX	0.1856										
$\vdash$			-	-	UNUIA	ILOAA	U. 100b			-		-	-	-	-	-	
		Interoffice Transport - Dedicated - DS1 combination - Facility			LINICAV	шатеа	00.44	474 40	100.10	45.04	47.05						
$\vdash$		Termination per month		<u> </u>	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
$\vdash$		1/0 Channel System in combination - per month		<b>—</b>	UNC1X	MQ1	146.77	101.42	71.62								
$\vdash$		2-wire ISDN COCI (BRITE) - in combination - per month		<u> </u>	UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00	ļ	ļ	ļ	ļ		
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1								l	l		I	l	
		Combination - Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81						
1 7		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
		Combination - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81	l	l	l	I	l	
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
		Combination - Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81	l	l	l	I	l	
$\vdash$		Additional 2-wire ISDN COCI (BRITE) - in combination- per		Ť			.0.02	.2	00.00		2.51	i e	i e	i e	1	i e	
		month		1	UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00	l	l	l	I	l	
$\vdash$		Nonrecurring Currently Combined Network Elements Switch -As-	<del>                                     </del>	<del>                                     </del>	5.1011/1	30104	5.00	10.07	7.00	0.00	0.00	<del> </del>	<del> </del>	<b> </b>	<del>                                     </del>	1	
		Is Charge		1	UNC1X	UNCCC		8.98	8.98	8.98	8.98	l	l	l	I	l	
$\vdash$	EVTEN	IS Charge DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STO	1 INTE				8.98	8.98	8.98	8.98	-	-		<del>                                     </del>		
$\vdash$	EXIEN		ED SIS				70.74	047.75	404.00	54.44	44.45	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	
$\vdash \vdash \vdash$		First DS1 Loop Combination - Zone 1	<u> </u>		UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45	<b>.</b>	<b>.</b>	-	-	<b>.</b>	
$\vdash$		First DS1 Loop Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
		First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45	l	l	<u> </u>	<u> </u>	1	

UNBUNDLE	ED NETWORK ELEMENTS - Florida													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			l l	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
	Per Month			UNCSX	1L5XX	3.87										<b>_</b>
	Interoffice Transport - Dedicated - STS-1 combination - Facility			LINCOV	U1TFS	1,056.00	314.45	130.88	38.60	18.23						
	Termination per month  3/1 Channel System in combination per month		<u> </u>	UNCSX UNCSX	MQ3	211.19	199.28	118.64		39.07	<b>.</b>					
	DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08		0.00						
	Additional DS1Loop in the same STS-1 Interoffice Transport			ONOTA	OCIDI	15.70	10.07	7.00	0.00	0.00	1					1
	Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	Additional DS1Loop in the same STS-1 Interoffice Transport										İ					
	Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-									<u> </u>						
$oxed{oxed}$	Is Charge	L		UNCSX	UNCCC		8.98	8.98	8.98	8.98					ļ	<b></b>
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	BPS INT														
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	22.20	127.59	60.54		2.81	ļ					
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81	ļ					
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			LINODY	41.5007	0.0004										
	Per Mile per month  Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			UNCDX	1L5XX	0.0091					-	-		-		-
	Facility Termination per month			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53						
	Nonrecurring Currently Combined Network Elements Switch -As-		1	UNCDA	01103	10.44	34.70	32.39	30.49	21.33	1					
	Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98						
FXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	RPS INT	FROFE		ONOCC		0.30	0.30	0.30	0.30	1					<del>                                     </del>
LXIL	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	1		UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81	1					
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	31.56	127.59	60.54		2.81	İ					
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Per Mile per month			UNCDX	1L5XX	0.0091										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Facility Termination per month			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	KANSP			LIEALS	100:			10.77				<b> </b>	ļ	ļ	<del>                                     </del>
<del> </del>	First 2-wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	12.24	127.59	60.54		2.81	ļ		<b> </b>	<b>.</b>	<del>                                     </del>	<del> </del>
<del> </del>	First 2-wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	17.40	127.59	60.54		2.81	ļ		<b> </b>	<b>.</b>	<del>                                     </del>	<del> </del>
<del>                                     </del>	First 2-wire VG Loop (SL2) in Combination - Zone 3  First Interoffice Transport - Dedicated - DS1 combination - Per		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81	-					<b>+</b>
	Mile			UNC1X	1L5XX	0.1856										
<del>                                     </del>	First Interoffice Transport - Dedicated - DS1 combination -	1	<del>                                     </del>	ONCIA	ILUAA	U. 1000			1		1		<b> </b>	<del> </del>	<del> </del>	<del>                                     </del>
	Facility Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Per each DS1 Channelization System Per Month	<b>†</b>	<b>†</b>	UNC1X	MQ1	146.77	101.42	71.62	40.01	17.33	1	<b>-</b>				<del>                                     </del>
<del>                                     </del>	Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00				İ	İ	<b>†</b>
	3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64		39.07		İ	İ			
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08		0.00				<u> </u>		
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1				1											
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1				$\perp$											
$oxed{oxed}$	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81				ļ		<b></b>
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		_													
<b> </b>	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						<del>                                     </del>
$\vdash$	Each Additional Voice Grade COCI in combination - per month		<b></b>	UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						<b>_</b>
	Each Additional DS1 Interoffice Channel per mile in same 3/1			LINICAV	41.500/	0.4050										
	Channel System per month		<del>                                     </del>	UNC1X	1L5XX	0.1856					ļ			-	-	<del>                                     </del>
-															1	1
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						

UNBUNE	DLED	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: A
				1								Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-	-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
ļ	_							N		T 81	. D'		l		D-1 (A)		
-							Rec	Nonrec		Nonrecurring		SOMEC	SOMAN		Rates (\$)	0011411	001441
-		Nonrecurring Currently Combined Network Elements Switch -As-						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	l'	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC1X	UNCCC		8.98	8.98	8.98	8.98						i
FY	(TENI	DED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	FROFE	ICE TR				0.90	0.30	0.90	0.50						
		First 4-Wire Analog Voice Grade Local Loop in Combination -	<u> </u>	1	ANOTOR OF THE	1											
		Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						i
		First 4-Wire Analog Voice Grade Local Loop in Combination -															
		Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						í
		First 4-Wire Analog Voice Grade Local Loop in Combination -															
	- 2	Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						ł
		First Interoffice Transport - Dedicated - DS1 combination - Per															1
		Mile Per Month			UNC1X	1L5XX	0.1856										
		First Interoffice Transport - Dedicated - DS1 - Facility											1		I		i
$\vdash$		Termination Per Month	<u> </u>	<u> </u>	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95				ļ		<b>——</b>
		Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62								<b></b>
$\vdash$		Per each Voice Grade COCI in combination - per month		<u> </u>	UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00		<b> </b>		<del>                                     </del>		
$\vdash$		3/1 Channel System in combination per month	-	<del> </del>	UNC3X UNC1X	MQ3 UC1D1	211.19 13.76	199.28 10.07	118.64 7.08	40.34 0.00	39.07 0.00	-	-		1		
-		Per each DS1 COCI in combination per month		-	UNCIX	OCTOT	13.76	10.07	7.08	0.00	0.00						
		Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						í
-		Additional 4-Wire Analog Voice Grade Loop in same DS1	-	<u> </u>	UNCVX	ULAL4	10.09	127.59	00.34	42.73	2.01				-		
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						ł
		Additional 4-Wire Analog Voice Grade Loop in same DS1			ONOVA	OLAL	20.04	127.00	00.54	42.73	2.01						
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						ł
		Each Additional DS1 Interoffice Channel per mile in same 3/1		Ť													
		Channel System per month			UNC1X	1L5XX	0.1856										ł
		Each Additional DS1 Interoffice Channel Facility Termination in															·
		same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						í
	1	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						ĺ
		Nonrecurring Currently Combined Network Elements Switch -As-															i
		ls Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EX		DED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1	MUX											<b></b>
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		1	LINODY	1101 50	00.00	407.50	00.54	40.70	0.04						ł
$\vdash$		Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						<del></del>
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		2	UNCDX	UDL56	24.50	407.50	CO 54	40.70	2.81						ł
		Zone 2 First 4-Wire 56Kbps Digital Grade Local Loop in Combination -			UNCDX	UDLS6	31.56	127.59	60.54	42.79	2.81				-		
		Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81		1		I		i
		First Interoffice Transport - Dedicated - DS1 combination - Per	<b>-</b>	-	OI TODA	JDLJU	33.38	121.39	00.34	42.19	2.01		<b> </b>		t		
		Mile Per Month	l		UNC1X	1L5XX	0.1856						1		I		ł
		First Interoffice Transport - Dedicated - DS1 - combination		<b>1</b>	-						İ				1		i
	1	Facility Termination Per Month	l		UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		1		I		ł .
		Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62								i
		Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
		3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
$\perp$		Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	l												1		ł .
$\vdash$		Interoffice Transport Combination - Zone 1	ļ	1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81				-		
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	l	_	LINCDY	LIDLEC	04.50	407.50	00.51	40.70	0.01				1		ł .
$\vdash$		Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	<del>                                     </del>	2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81				<del>                                     </del>		
		Interoffice Transport Combination - Zone 3	l	3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81		1		I		ł .
$\vdash$		OCU-DP COCI (data) COCI in combination per month (2.4-		- 3	OINODA	ODESO	55.99	121.39	00.54	42.79	2.01		<b> </b>		<del>                                     </del>		
		64kbs)	l		UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00		1		I		ł
		Each Additional DS1 Interoffice Channel per mile in same 3/1	l	<b>†</b>	5.10DA	.5100	2.10	10.07	7.00	0.00	0.00	<u> </u>			<b>-</b>		
		Channel System per month	l		UNC1X	1L5XX	0.1856						1		I		1
		Each Additional DS1 Interoffice Channel Facility Termination in	i e	1		,	5550				İ				1		(
		same 3/1 Channel System per month	l		UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		1		I		ł
		Each Additional DS1 COCI in the same 3/1 channel system						İ									i
		combination per month	<u> </u>	L	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00				<u> </u>		1

UNBUNDLI	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	oit: A
													Incremental	Incremental	Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zono	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	ВСЭ	USUC			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_ 1	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	OFFICE	TRANSPORT w/ 3/1	1 MUX											
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	1	<u> </u>	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.01						
	Transport Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month	ļ		UNC1X	1L5XX	0.1856										
	First Interoffice Transport - Dedicated - DS1 combination -	1		UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.05						
$\vdash$	Per each Channel System 1/0 in combination Per Month	1	<del>                                     </del>	UNC1X UNC1X	MQ1	146.77	174.46	71.62	45.61	17.95				-		
	Per each OCU-DP COCI (data) in combination - per month (2.4-	<del>                                     </del>	<del>                                     </del>	014017	IVICEI	140.77	101.42	11.02	<del>                                     </del>					<del> </del>		
	64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1	ļ	1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			LINODY	LIBLOA	04.50	407.50	00.54	40.70	0.04						
	Interoffice Transport Combination - Zone 2  Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	1	2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System		Ť	0.10271	05201	00.00	127.00	00.01	12.10	2.01						
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1		1													
	Channel System per month			UNC1X	1L5XX	0.1856										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month	ļ	ļ	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	_	-	ONCIA	ОСТОТ	13.70	10.07	7.00	0.00	0.00						
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPO	RT w/ 3/	1 MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		2	LINICNIY	1141.07	07.40	407.50	00.00	40.70	0.01						
<del></del>	Transport - Zone 2 First 2-Wire ISDN Loop in a DS1 Interoffice Combination	<del>                                     </del>	2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81						
	Transport - Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81						
	First Interoffice Transport - Dedicated - DS1 combination - Per	t		5.10117	JILLA	70.02	121.05	00.00	72.13	2.01						
	Mile per month			UNC1X	1L5XX	0.1856										
	First Interoffice Transport - Dedicated - DS1 combination -															
$\vdash$	Facility Termination per month	ļ	<u> </u>	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
$\vdash$	Per each Channel System 1/0 in combination - per month	-	<u> </u>	UNC1X	MQ1	146.77	101.42	71.62	<u> </u>							
	Per each 2-wire ISDN COCI (BRITE) in combination - per month	1		UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00						
<del>                                     </del>	3/1 Channel System in combination per month	<u> </u>	<del>                                     </del>	UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07	-			-		
	Per each DS1 COCI in combination per month	1	<del>                                     </del>	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00	<b>†</b>	1		1		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	<b>1</b>		1	0	10.07		3.30	0.30				İ		
	Combination - Zone 1	<u> </u>	1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1														
	Combination - Zone 2	ļ	2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		3	LINICNIY	1141.07	40.00	407.50	00.00	40.70	0.01						
$\vdash$	Combination - Zone 3  Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel	<del>                                     </del>	3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81		-				
	system combination- per month			UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00						
	12/2 20monduon por mondi		1	12.70.01	100.071	0.00	10.01	7.50	0.00	0.00				·		

ONBONDLE	D NETWORK ELEMENTS - Florida			T									Attach			bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	F						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.1856										
	Each Additional DS1 Interoffice Channel Facility Termination in			UNCIA	ILSAA	0.1656			1							
	same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Each Additional DS1 COCI in the same 3/1 channel system						_									
	combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTEN	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRAN	_		1101101	====	0.17.77		=							
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2 First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3	-	3	UNC1X UNC1X	USLXX	100.54 178.39	217.75 217.75	121.62 121.62	51.44 51.44	14.45 14.45	-				-	<b> </b>
+	First Interoffice Transport - Dedicated - DS1 combination - Per		3	ONCIA	USLAA	170.39	211.15	121.02	51.44	14.45	<del>                                     </del>				<del> </del>	
	Mile Per Month		1	UNC1X	1L5XX	0.1856										
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	Per each DS1 COCI combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month		ļ	UNC1X	1L5XX	0.1856										
	Each Additional DS1 Interoffice Channel Facility Termination in			LINIOAN	LIATEA	00.44	474.40	100.10	45.04	47.05						
	same 3/1 Channel System per month  Each Additional DS1 COCI in the same 3/1 channel system			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95	-					
	combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		1	ONOTA	00151	10.70	10.07	7.00	0.00	0.00	1					
	1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	LINICOC		0.00	0.00	0.00	0.00						
EVTER	Is Charge NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTEDO	EEICE		UNCCC		8.98	8.98	8.98	8.98						
EXIE	First 4-wire 56 kbps Local Loop in combination - Zone 1	NIEKO	1 1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	First 4-wire 56 kbps Local Loop in combination - Zone 1		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile															
	per month			UNCDX	1L5XX	0.0091										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month		ļ	UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53						
	Nonrecurring Currently Combined Network Elements Switch -As-			LINCDY	LINICOC		8.98	0.00	0.00	8.98						
EVTER	Is Charge IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTEDO	EEICE	UNCDX	UNCCC		8.98	8.98	8.98	8.98						
EXIE	First 4-wire 64 kbps Local Loop in combination - Zone 1	NIERO		UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81	-					
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
1	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile															
	per month			UNCDX	1L5XX	0.0091										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility							<del></del>								
	Termination per month		<u> </u>	UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53						
	Nonrecurring Currently Combined Network Elements Switch -As-			LINCDY	LINICCO		0.00	0.00	0.00	0.00						
ADDITIONAL	Is Charge NETWORK ELEMENTS		<u> </u>	UNCDX	UNCCC		8.98	8.98	8.98	8.98	1					
	used as a part of a currently combined facility, the non-recurr	na cha	raes de	notanniv but a 9	Switch As Is a	arge does ann	ilv.		<del>                                     </del>		1				-	
	used as ordinarily combined network elements in All States, the															
	curring Currently Combined Network Elements "Switch As Is"															
			1	1							Ì					İ
	Nonrecurring Currently Combined Network Elements Switch -As-					ı			1							

UNBUNDLE	D NETWORK ELEMENTS - Florida													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec		curring		g Disconnect				Rates (\$)		
		<b>!</b>	<u> </u>		ļ		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	i														l .
	Is Charge - 56/64 kbps		ļ	UNCDX	UNCCC		8.98	8.98	8.98	8.98	1					<del></del>
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - DS1			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - DS3			UNC3X	UNCCC		8.98	8.98	8.98	8.98						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - STS1			UNCSX	UNCCC		8.98	8.98	8.98	8.98						
Option	al Features & Functions:															<b></b>
		١.		U1TD1,												ĺ
	Clear Channel Capability Extended Frame Option - per DS1			ULDD1,UNC1X U1TD1,	CCOEF		01	OI	OI	01						
	Clear Channel Capability Super FrameOption - per DS1	ı		ULDD1,UNC1X	CCOSF		01	01	01	01						
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1			ULDD1, U1TD1, UNC1X, USL	NRCCC		184.92S	23.82S	2.07S	0.8S						İ
	• •	<u> </u>	t	U1TD3, ULDD3,				20.020	0.0		<u> </u>					
	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		219.09S	7.67S	0.773S	0S						
MULTI	PLEXERS			LINIOAY	MQ1	140.77	404.40	71.62								<del>                                     </del>
	DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per		-	UNC1X	MQ1	146.77	101.42	71.62	-	-						<b>——</b>
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.10	10.07	7.08								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs) used for connection to a channelized DS1															l .
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.10	10.07	7.08	0.00	0.00						<b></b>
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop			UDN	UC1CA	3.66	10.07	7.08								1
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			ODN	UCTCA	3.00	10.07	7.06								
	month used for connection to a channelized DS1 Local Channel															1
	in the same SWC as collocation		ļ	U1TUB	UC1CA	3.66	10.07	7.08	0.00	0.00						
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	1.38	10.07	7.08								1
	Voice Grade COCI - DS1 to DS0 Channel System - per month			0271	12110	1.00	10.07	7.00								
	used for connection to a channelized DS1 Local Channel in the															İ
	same SWC as collocation			U1TUC	1D1VG	1.38	10.07	7.08	0.00	0.00						<u> </u>
	DS3 to DS1 Channel System per month			UNC3X	MQ3	211.19	199.28	118.64		39.07						<b></b>
	STS-1 to DS1 Channel System per month			UNXCS	MQ3	211.19	199.28	118.64		39.07						<del>                                     </del>
	DS1 COCI used with Loop per month		1	USL	UC1D1	13.76	10.07	7.08								<b></b>
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1	13.76	10.07	7.08	0.00	0.00						1
<del>                                     </del>	DS1 COCI used with Interoffice Channel per month	<b>-</b>	<b>†</b>	U1TD1	UC1D1	13.76	10.07	7.08	0.00	0.00	1					<del></del>
	DS3 Interface Unit (DS1 COCI) used with Local Channel per		l -				10.07	7.30	0.50							
	month		<u> </u>	ULDD1	UC1D1	13.76	10.07	7.08	0.00	0.00						
	OCAL EXCHANGE SWITCHING(PORTS)															
	nge Ports		0.7:	La disebut de la					1	1	<u> </u>			ļ	ļ	<del>                                     </del>
	Although the Port Rate includes all available features in GA, I VOICE GRADE LINE PORT RATES (RES)	ΛΥ, LA	o⊾ IN,t	ne desired features	will need to b	e oraered usir	ig retail USOC	S I	1	1	<del>                                     </del>			-	-	<del>                                     </del>
Z-WIKE	Exchange Ports - 2-Wire Analog Line Port- Res.	<b>-</b>	<del>                                     </del>	UEPSR	UEPRL	1.40	3.74	3.63	1.88	1.80	1					<u> </u>
	<u> </u>		i –								1					
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.40	3.74	3.63	1.88	1.80						-
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  Exchange Ports - 2-Wire VG unbundled Florida area calling with			UEPSR	UEPRO	1.40	3.74	3.63	1.88	1.80						
	Caller ID - Res.			UEPSR	UEPAF	1.40	3.74	3.63	1.88	1.80						
	Exchange Ports - 2-Wire VG unbundled Florida Residence Area Calling Plan, without Caller ID capability			UEPSR	UEPA9	1.40	3.74	3.63	1.88	1.80						1
	Exchange Ports - 2-Wire VG unbundled Florida extended															
	dialing port for use with CREX7 and Caller ID  Exchange Ports - 2-Wire VG unbundled Florida extended	-	1	UEPSR	UEPA1	1.40	3.74	3.63	1.88	1.80						
	dialing port for use with CREX7, without Caller ID capability			UEPSR	UEPA8	1.40	3.74	3.63	1.88	1.80						İ

UNBUNDLE	D NETWORK ELEMENTS - Florida											Γ-		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec	curring	Nonrecurring	g Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire VG unbundled res, low usage line port															
	with Caller ID (LUM)			UEPSR	UEPAP	1.40	3.74	3.63	1.88	1.80						
	2-Wire voice unbundled Low Usage Line Port without Caller ID						0 = 4									
	Capability			UEPSR UEPSR	UEPRT USASC	1.40 0.00	3.74 0.00	3.63 0.00	1.88	1.80						
FEATU	Subsequent Activity			UEPSK	USASC	0.00	0.00	0.00			-					
FEAT	All Available Vertical Features		1	UEPSR	UEPVF	2.26	0.00	0.00			1					
2-WIRI	E VOICE GRADE LINE PORT RATES (BUS)		1	OLI OIX	OLI VI	2.20	0.00	0.00								
2 *****	Exchange Ports - 2-Wire Analog Line Port without Caller ID -		1								1					
	Bus			UEPSB	UEPBL	1.40	3.74	3.63	1.88	1.80						
<u> </u>	Exchange Ports - 2-Wire VG unbundled Line Port with	1	i –				2.7 1	5.00				İ	İ	İ		
	unbundled port with Caller+E484 ID - Bus.	1		UEPSB	UEPBC	1.40	3.74	3.63	1.88	1.80						
					ĺ											
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.		<u> </u>	UEPSB	UEPBO	1.40	3.74	3.63	1.88	1.80						
	Exhange Ports - 2-Wire VG unbundled incoming only port with															
	Caller ID - Bus		<u> </u>	UEPSB	UEPB1	1.40	3.74	3.63	1.88	1.80						
	2-Wire voice unbundled Incoming Only Port without Caller ID	1														
	Capability			UEPSB	UEPBE	1.40	3.74	3.63	1.88	1.80						
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEATU				LIEDOD	LIED) (E	0.00	0.00	0.00								
EVOLU	All Available Vertical Features ANGE PORT RATES (DID & PBX)		ļ	UEPSB	UEPVF	2.26	0.00	0.00				-				-
EXCH	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.40	39.06	18.18	12.35	0.7187	-					
	2-Wire VG Unburidled 2-Way PBX Trunk - Res  2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.40	39.06	18.18	12.35	0.7187	-					
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.40	39.06	18.18	12.35	0.7187					1	1
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		1	UEPSP	UEPP1	1.40	39.06	18.18		0.7187						
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187	1					
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.40	39.06	18.18		0.7187						
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.40	39.06	18.18	12.35	0.7187						
ĺ	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		1	UEPSP	UEPXB	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPSP	UEPXE	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port	ļ	<u> </u>	UEPSP	UEPXL	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		LIEDOD	LIEDVA.											
-	Room Calling Port	ļ	<u> </u>	UEPSP	UEPXM	1.40	39.06	18.18	12.35	0.7187	-		<b> </b>	<b> </b>	ļ	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1		UEPSP	UEPXO	1.40	30.00	10 10	12.35	0.7187						
	Discount Room Calling Port  2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	-	<del>                                     </del>	UEPSP	UEPXO	1.40	39.06 39.06	18.18 18.18		0.7187		-				
+	Subsequent Activity	<del>                                     </del>	<del>                                     </del>	UEPSP	USASC	0.00	0.00	0.00		0.7187	<del>                                     </del>		<b> </b>		<del> </del>	
FEATL		<b> </b>	<del>                                     </del>	OL1 01	JUAGU	0.00	0.00	0.00	†		<b>-</b>					
I LAIG	All Available Vertical Features	<b> </b>	<del>                                     </del>	UEPSP UEPSE	UEPVF	2.26	0.00	0.00	†		<b>-</b>					
EXCH	ANGE PORT RATES (COIN)		t			2.20	0.00	5.50							1	
	Exchange Ports - Coin Port	1	i –			1.40	3.74	3.63	1.88	1.80		İ	İ	İ		
NOTE:	Transmission/usage charges associated with POTS circuit so	witched	usage	will also apply to ci	rcuit switche						iated with 2-	wire ISDN p	orts.			
NOTE:	Access to B Channel or D Channel Packet capabilities will be													Request Pro	cess.	
	LOCAL EXCHANGE SWITCHING(PORTS)															
	ANGE PORT RATES															
	S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS											riff rates or	a separate ag	reement.		
Reque	sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports	after the	effect								iscretion.					
	Exchange Ports - 2-Wire DID Port	ļ	<u> </u>	UEPEX	UEPP2	8.73	78.41	15.82	41.94	4.26						
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID	1		LIEDDD	LIEDES	=										
	capability (E:4/1/2004)	<b> </b>	<del>                                     </del>	UEPDD UEPTX, UEPSX	UEPDD	54.95	151.11	77.75	48.81	3.10			<b> </b>	<b> </b>	<del>                                     </del>	
1	Exchange Ports - 2-Wire ISDN Port (See Notes below.)	<b>├</b>	<b>├</b>	UEPTX, UEPSX UEPTX, UEPSX	U1PMA UEPVF	8.83 2.26	46.83 0.00	50.68 0.00	27.64	11.93	-	-	-	-		
1																
	All Features Offered  Exchange Ports - 2-Wire ISDN Port Channel Profiles		<u> </u>	UEPTX, UEPSX	U1UMA	0.00	0.00	0.00			1					

BUNDLE	D NETWORK ELEMENTS - Florida													ment: 2	1	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc		Manual S
TEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								l l
ILOOKI	KATE ELEMENTO	m	20116	500	0000			IXATEO (Ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add
											ļ					
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NOTE:	Access to B Channel or D Channel Packet capabilities will be	availal	ole onl	v through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	termined via t				s Request Pro	cess.	
	ANGE PORT RATES (continued)			ĺ	1								1			İ
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911										1	-		1	†	1
	Locator Capability (E:4/1/2004)			UEPEX	UEPEX	82.74	174.61	95.17	49.80	18.23						
			<u> </u>	UEPDX		82.74		95.17	49.80							
_	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)				UEPDX		174.61			18.23						ļ
	Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.32	27.77	15.52	5.93	4.77						
	Virtual collocation - Special Access & UNE, cross-connect per															
	DS1			UEPEX UEPDX	CNC1X	7.50	155.00	14.00								
Detaile	ed E911 with Locator Capability (required with UEPEX port)															
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															İ
	Locator Capability - Initial Profile Establishment per CLEC per															
	State		1	UEPEX	UEP1A	0.00	1,809.00		151.12			1				1
+			+	ULPEA	UEPIA	0.00	1,609.00		151.12		1	<b>!</b>	-	1	1	-
1	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	l	1	İ								I	1		1	1
	Locator Capability - Subsequent Profile Changes, Additions,	l	1	İ								I	1		1	1
	Deletions			UEPEX	UEP1B	0.00	175.66									
New o	r Additional PRI Telephone Numbers															
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911													1	1	1
	Locator Capability 2-way Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1C	0.0699	0.5412									
			<u> </u>	ULFLA	OLF IC	0.0033	0.3412									-
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability - Outdial Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1D	0.0699	12.71	12.71								
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															
	Telephone Numbers - Inward Data Only Option [New or															
	Additional			UEPDX	UEP1E	0.00	0.5412									
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]			OL: DX	022	0.00	0.0112				<b>†</b>	-		1	†	1
	Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	25.42	25.42								
1.004	L NUMBER PORTABILITY		-	ULFLX	FRIZI	0.00	25.42	23.42	-		<b>}</b>	-		<b>-</b>	<b>-</b>	<b>-</b>
LOCA																
	Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75					ļ					
INTER	FACE (Provsioning Only)															
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00								
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00								
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00								
New o	r Additional Channel															†
11011 0	New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	15.48									
_			-						-		<b>}</b>	-		<b>-</b>	<b>-</b>	<b>-</b>
_	New or Additional - Digital Data "B" Channel		├	UEPEX	PR7BF	0.00	15.48		<del>                                     </del>		1	-		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
	New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	15.48									
	New or Additional Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00					1					
	New or Additional Useage Sensitive Digital Data "B" Channel		<u> </u>	UEPEX	PR7BU	0.00										
	New or Additional PRI "D" Channel	$\Box$	$\bot$	UEPEX	PR7EX	0.00	15.48									
CALL	TYPES						İ									
	Inward		i i	UEPEX UEPDX	PR7C1	0.00	0.00	0.00			Ì	i	i	1	1	1
_	Outward		t	UEPEX	PR7CO	0.00	0.00	0.00			1	t	1	t	t	l
-	Two-way	-	<del>                                     </del>	UEPEX	PR7CC	0.00	0.00	0.00	<del>                                     </del>		<del>                                     </del>	<del></del>	-	<del>                                     </del>	<del></del>	<del>                                     </del>
LINIE		<u> </u>	├	OLFLA	1. K100	0.00	0.00	0.00	+ +		1	<del>                                     </del>	<del>                                     </del>	1	1	<del>                                     </del>
	NDLED PORT with REMOTE CALL FORWARDING CAPABILITY		<b>!</b>		1						<b>!</b>			L		ļ
UNBU	NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE			1							1	ļ				
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.40	3.74	3.63	1.88	1.80						
1	Unbundled Remote Call Forwarding Service, Local Calling - Res	l	1	UEPVR	UERLC	1.40	3.74	3.63	1.88	1.80		I	1		1	1
	Unbundled Remote Call Forwarding Service, InterLATA - Res		i –	UEPVR	UERTE	1.40	3.74	3.63	1.88	1.80	1	İ	İ			i –
	Unbundled Remote Call Forwarding Service, InterExtra Res		t	UEPVR	UERTR	1.40	3.74	3.63	1.88	1.80	1	t	l	1	1	<b>†</b>
Nor D	ecurring		<del>                                     </del>	OL: VIX	CLIVIIV	1.40	5.74	5.05	1.00	1.00	1	<b>-</b>		<b>†</b>	<del>                                     </del>	<del>                                     </del>
Non-R			+	<del>                                     </del>	+				<del>                                     </del>		1	<b>!</b>	-	1	1	<del>                                     </del>
	Unbundled Remote Call Forwarding Service - Conversion -	l	1	Lienia								I	1		1	1
	Switch-as-is			UEPVR	USAC2		0.102	0.102			1					
	Unbundled Remote Call Forwarding Service - Conversion with	l	1									<u> </u>	1			1
	allowed change (PIC and LPIC)	l	1	UEPVR	USACC		0.102	0.102				I	1		1	1
UNBU	NDLED REMOTE CALL FORWARDING - Bus		i –	İ					1		1	İ	İ			İ
			+	+	+				1		1	<b>-</b>		1	t	

	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Increment Charge
						B	Nonrec	urring	Nonrecurring	Disconnect		l .	oss	Rates (\$)	1	
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																Ī
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.40	3.74	3.63	1.88	1.80						
	Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.40	3.74	3.63	1.88	1.80						
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.40	3.74	3.63	1.88	1.80						
	Unbundled Remote Call Forwarding Service Expanded and															
	Exception Local Calling			UEPVB	UERVJ	1.40	3.74	3.63	1.88	1.80						
Non-Rec																
	Unbundled Remote Call Forwarding Service - Conversion -			UEPVB	USAC2		0.400	0.400								
	Switch-as-is	-	-	DEPAR	USAC2		0.102	0.102								
	Unbundled Remote Call Forwarding Service - Conversion with			UEPVB	USACC		0.102	0.102				1			I	1
	allowed change (PIC and LPIC)			UEPVB	USACC		0.102	0.102								
	OCAL SWITCHING, PORT USAGE ice Switching (Port Usage)	<del>                                     </del>	-		+						-	<b> </b>		<b> </b>	<del>                                     </del>	-
	End Office Switching Function, Per MOU	<del>                                     </del>	-		+	0.0007662					-	<b> </b>		<b> </b>	<del>                                     </del>	-
	End Office Trunk Port - Shared, Per MOU	-	1		+	0.0007662					<b>-</b>				+	<del>                                     </del>
	n Switching (Port Usage) (Local or Access Tandem)					0.000104										
	Tandem Switching Function Per MOU					0.0001319										
	Tandem Trunk Port - Shared, Per MOU					0.0001313										
	Tandem Switching Function Per MOU (Melded)					0.000027185										
	Tandem Trunk Port - Shared, Per MOU (Melded)				1	0.000048434									1	
	Melded Factor: 20.61% of the Tandem Rate					0.0000 10 10 1										
	n Transport															
IC	Common Transport - Per Mile, Per MOU					0.0000035										
	Common Transport - Facilities Termination Per MOU					0.0004372										
	ORT/LOOP COMBINATIONS - COST BASED RATES															
Cost Bas	sed Rates are applied where BellSouth is required by FCC a	nd/or St	ate Co	nmission rule to pr	ovide Unbun	dled Local Swit	tching or Swite	h Ports.								
Features	s shall apply to the Unbundled Port/Loop Combination - Cos	t Based	l Rate s	ection in the same	manner as th	ney are applied	to the Stand-A	lone Unbundle	d Port section	of this Rate E	xhibit.					
	ice and Tandem Switching Usage and Common Transport U															
	t and additional Port nonrecurring charges apply to Not Curr	rently C	ombine	d Combos. For Cu	rrently Comb	ined Combos th	ne nonrecurrin	g charges sha	l be those idea	ntified in the N	onrecurring	- Currently	Combined se	ections.		
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
	rt/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			10.94										
	2-Wire VG Loop/Port Combo - Zone 2		2													
	2-Wire VG Loop/Port Combo - Zone 3					15.05										
UNE Loo		_	3			15.05 25.80										
				LIEBBY	LIEBLY	25.80										
2	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	25.80 9.77										
2	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		1 2	UEPRX	UEPLX	25.80 9.77 13.88										
2 2 2	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		1 2			25.80 9.77										
2 2 2-Wire V	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res)		1 2	UEPRX UEPRX	UEPLX UEPLX	9.77 13.88 24.63	52.24	00.40	27.50	0.27						
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence		1 2	UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL	9.77 13.88 24.63	53.31	26.46	27.50	8.37						
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res		1 2	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC	25.80 9.77 13.88 24.63 1.17 1.17	53.31	26.46	27.50	8.37						
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence		1 2	UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL	9.77 13.88 24.63										
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO	25.80 9.77 13.88 24.63 1.17 1.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37						
2-Wire V 2-2-Wire V 2 2 2 2 2 2 2 2 2 2 2 2	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res		1 2	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC	25.80 9.77 13.88 24.63 1.17 1.17	53.31	26.46	27.50	8.37						
2-Wire V 2-Wire 2 2 2-Wire 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAF	25.80 9.77 13.88 24.63 1.17 1.17 1.17	53.31 53.31 53.31	26.46 26.46 26.46	27.50 27.50 27.50	8.37 8.37 8.37						
2 2-Wire V 2 2 2 2 2 2 2 2 ( ( (	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM)		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAF UEPAF	25.80 9.77 13.88 24.63 1.17 1.17 1.17 1.17	53.31 53.31 53.31	26.46 26.46 26.46	27.50 27.50 27.50	8.37 8.37 8.37						
2 2-Wire V. 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAF	25.80 9.77 13.88 24.63 1.17 1.17 1.17	53.31 53.31 53.31	26.46 26.46 26.46	27.50 27.50 27.50	8.37 8.37 8.37						
2 2-Wire V 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM)		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAF UEPAF	25.80 9.77 13.88 24.63 1.17 1.17 1.17 1.17	53.31 53.31 53.31	26.46 26.46 26.46	27.50 27.50 27.50	8.37 8.37 8.37						
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability		1 2	UEPRX L UEPRC UEPRO UEPAF UEPAF UEPAF	25.80 9.77 13.88 24.63 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37							
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID		1 2	UEPRX L UEPRC UEPRO UEPAF UEPAF UEPAF	25.80 9.77 13.88 24.63 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37							
2 2-Wire V. 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller		1 2	UEPRX X UEPRL UEPRC UEPRO UEPAF UEPAF UEPAF UEPAAP UEPAA1 UEPA8	25.80  9.77  13.88  24.63  1.17  1.17  1.17  1.17  1.17  1.17	53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37							
2   2   2   2   2   2   2   2   2   2	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability		1 2	UEPRX X UEPRL UEPRC UEPRO UEPAF UEPAF UEPAF UEPAAP UEPAA1 UEPA8	25.80  9.77  13.88  24.63  1.17  1.17  1.17  1.17  1.17  1.17	53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37							
2   2   2   2   2   2   2   2   2   2	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAF UEPAA1 UEPA8	25.80  9.77 13.88 24.63  1.17 1.17 1.17  1.17  1.17  1.17  1.17	53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37						
2-Wire V. 2-Wire V. 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAF UEPAA1 UEPA8	25.80  9.77 13.88 24.63  1.17 1.17 1.17  1.17  1.17  1.17  1.17	53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37						
2   2   2   2   2   2   2   2   2   2	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAF UEPAF UEPAP UEPA1 UEPA8 UEPA9 UEPA9	25.80  9.77 13.88 24.63  1.17 1.17 1.17 1.17 1.17 1.17 1.17 1.	53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37						
2   2   2   2   2   2   2   2   2   2	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES All Features Offered		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAF UEPAF UEPAP UEPA1 UEPA8 UEPA9 UEPA9	25.80  9.77 13.88 24.63  1.17 1.17 1.17 1.17 1.17 1.17 1.17 1.	53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37						

JNBUNDL	ED NETWORK ELEMENTS - Florida													ment: 2	1	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'
					1		Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		I.
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -								1							
	Switch-as-is			UEPRX	USAC2		0.102	0.102								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPRX	USACC		0.102	0.102								
ADDI	TIONAL NRCs													Î		
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPRX	USAS2	0.00	0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPRX	URETL		8.33	0.83								
OFF/	ON PREMISES EXTENSION CHANNELS															
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	10.69	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	15.20	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	26.97	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	12.24	135.75	82.47	63.53	12.01						
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	17.40	135.75	82.47	63.53	12.01						
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	30.87	135.75	82.47	63.53	12.01						
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPRX	U1TV2	25.32	47.35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPRX	U1TVM	0.0091	0.00	0.00								
2-WIF	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)													Î		
	Port/Loop Combination Rates													Î		
	2-Wire VG Loop/Port Combo - Zone 1		1			10.94								Î		
	2-Wire VG Loop/Port Combo - Zone 2		2			15.05										
	2-Wire VG Loop/Port Combo - Zone 3		3			25.80										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9.77										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	13.88										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	24.63										
2-Wir	e Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.17	53.31	26.46	27.50	8.37						
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.17	53.31	26.46	27.50	8.37						
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.17	53.31	26.46	27.50	8.37						
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.17	53.31	26.46	27.50	8.37						
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPBX	UEPBE	1.17	53.31	26.46	27.50	8.37						
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEAT	TURES															
	All Features Offered			UEPBX	UEPVF	2.26	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPBX	USAC2		0.102	0.102								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPBX	USACC		0.102	0.102								
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent				1 7											1
	Activity			UEPBX	USAS2		0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User										1					1
	Premise			UEPBX	URETL		8.33	0.83						ļ		<u> </u>
OFF/	ON PREMISES EXTENSION CHANNELS			ļ	1									ļ		<u> </u>
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	10.69	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	15.20	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	26.97	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	12.24	135.75	82.47	63.53	12.01						
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	17.40	135.75	82.47	63.53	12.01						
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	30.87	135.75	82.47	63.53	12.01						
	ROFFICE TRANSPORT		1	1								1		1	1	1

UNBUNDLE	ED NETWORK ELEMENTS - Florida										1			ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			II .	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				I											
	Termination			UEPBX	U1TV2	25.32	47.35	31.78			ļ					<b></b>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPBX	U1TVM	0.0091	0.00	0.00								
0.14/10	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		ļ	UEPBX	UTTVIVI	0.0091	0.00	0.00			-	-		-		<del></del>
	Port/Loop Combination Rates		1		+ +						1				1	
ONE	2-Wire VG Loop/Port Combo - Zone 1		1			10.94					1					<del>                                     </del>
	2-Wire VG Loop/Port Combo - Zone 2		2		+ +	15.05			1						1	
	2-Wire VG Loop/Port Combo - Zone 3		3		1	25.80					1					
UNE I	Loop Rates		Ť		1 1						†				t	
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9.77										
i	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	13.88										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	24.63										
2-Wire	e Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															1
	Res		<u> </u>	UEPRG	UEPRD	1.17	174.81	100.65	75.88	12.73				ļ	1	
LOCA	L NUMBER PORTABILITY		<u> </u>	LIEBBO	I NECT				ļ						ļ	
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEAT	URES															
	All Features Offered			UEPRG	UEPVF	2.26	0.00	0.00								<b></b>
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED				+ +						1					<b>!</b>
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPRG	USAC2		0.45	4.04								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		ļ	UEPRG	USACZ		8.45	1.91			-	-		-		<del>                                     </del>
	Conversion - Switch with Change			UEPRG	USACC		8.45	1.91								l
ADDI	FIONAL NRCs		1	UEPRG	USACC		0.40	1.91			1				1	<b>—</b>
ADDI	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1								1					<del> </del>
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt				10002						†				t	
	Group						7.86	7.86								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPRG	URETL		8.33	0.83								
OFF/0	ON PREMISES EXTENSION CHANNELS															
	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	12.24	135.75	82.47	63.53	12.01						
	Local Channel Voice grade, per termination		2	UEPRG	P2JHX	17.40	135.75	82.47		12.01						
	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	30.87	135.75	82.47		12.01						
	Non-Wire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	12.92	120.38	43.56		10.54						
	Non-Wire Direct Serve Channel Voice Grade			UEPRG	SDD2X	18.36	120.38	43.56		10.54						
	Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	32.58	120.38	43.56	95.00	10.54			ļ	ļ	-	<del></del>
INTER	ROFFICE TRANSPORT		<del>                                     </del>	-	+ +				<del> </del>	<del> </del>	ļ		<del>                                     </del>	<b>.</b>	<del>                                     </del>	<del></del>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			UEPRG	U1TV2	25.32	47.35	31.78							1	
<del>                                     </del>	Termination  Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	-	<del>                                     </del>	UEPKG	UTIVZ	25.32	47.35	31.78	+			-			<b>+</b>	<del></del>
	or Fraction Mile			UEPRG	U1TVM	0.0091	0.00	0.00							1	1
2-WID	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	1	<del>                                     </del>	OLI INO	O I I VIVI	0.0081	0.00	0.00	1	<del> </del>	1		<del> </del>	<del> </del>	<del> </del>	<del>                                     </del>
	Port/Loop Combination Rates	t	<del>                                     </del>		+ +				1		1	<b>-</b>			<b>I</b>	<b>†</b>
0.421	2-Wire VG Loop/Port Combo - Zone 1		1		1 1	10.94			İ				İ	İ	1	
	2-Wire VG Loop/Port Combo - Zone 2		2		1	15.05										
	2-Wire VG Loop/Port Combo - Zone 3		3		1	25.80					İ		1	1		
UNE I	oop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	9.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	13.88										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	24.63										
2-Wire	e Voice Grade Line Port Rates (BUS - PBX)		<u> </u>		+				ļ	ļ			ļ	ļ	1	
															I	1
<b></b>	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		<u> </u>	UEPPX	UEPPC	1.17	174.81	100.65	75.88	12.73			ļ	ļ	-	
	Line Side Unbundled Outward PBX Trunk Port - Bus	1	1	UEPPX	UEPPO	1.17	174.81	100.65	75.88	12.73	ļ					
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.17	174.81	100.65	75.88	12.73						

UNBUNDLE	D NETWORK ELEMENTS - Florida													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.17	174.81	100.65		12.73						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.17	174.81	100.65		12.73						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.17	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.17	174.81	100.65	75.88	12.73						-
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.17	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLITA	OLI AL	1.17	174.01	100.00	70.00	12.70	1					
	Administrative Calling Port			UEPPX	UEPXL	1.17	174.81	100.65	75.88	12.73						ĺ
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	İ														
	Room Calling Port			UEPPX	UEPXM	1.17	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital												_			
	Discount Room Calling Port			UEPPX	UEPXO	1.17	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.17	174.81	100.65	75.88	12.73						
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEATU				LIEBBY .			2.22									
NONE	All Features Offered			UEPPX	UEPVF	2.26	0.00	0.00								-
NONK	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDY	110400		0.45	4.04								l
	Conversion - Switch-As-Is  2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEPPX	USAC2		8.45	1.91			-					<del></del>
	Conversion - Switch with Change			UEPPX	USACC		8.45	1.91								ĺ
ADDIT	IONAL NRCs			UEPPA	USACC		0.43	1.91			1					<del></del>
ADDIT	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				<del>                                     </del>										1	<del>                                     </del>
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								l
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			02.17	00/102	0.00	0.00	0.00								
	Group						7.86	7.86								ĺ
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPPX	URETL		8.33	0.83								ĺ
OFF/O	N PREMISES EXTENSION CHANNELS															
	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	12.24	135.75	82.47		12.01						
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	17.40	135.75	82.47		12.01						
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	30.87	135.75	82.47		12.01						
	Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	12.92	120.38	43.56	95.00	10.54						
	Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	18.36	120.38	43.56	95.00	10.54						
INITES	Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	32.58	120.38	43.56	95.00	10.54		<b> </b>		<b> </b>	<del>                                     </del>	<del></del>
INTER	OFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				<del>                                     </del>				-		1					<del></del>
	Termination			UEPPX	U1TV2	25.32	47.35	31.78				1				1
<del>   </del>	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			OLI FX	UTIVZ	20.32	41.33	31.70	1					-	<del> </del>	<del></del>
	or Fraction Mile			UEPPX	U1TVM	0.0091	0.00	0.00				1				1
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	т			3	3.0001	0.00	0.00							1	
	ort/Loop Combination Rates				1									İ	İ	
	2-Wire VG Coin Port/Loop Combo – Zone 1		1		1	10.94								İ	İ	
	2-Wire VG Coin Port/Loop Combo – Zone 2		2		1	15.05									1	
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			25.80										
UNE L	oop Rates			-						•						
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	9.77										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	13.88										<b></b>
- 15.7	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	24.63										<del>                                     </del>
2-Wire	Voice Grade Line Ports (COIN)				1									<b> </b>	ļ	<del></del>
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,			LIEBOO	LIEDOE	4.47	50.04	20.42	07.50	0.07		1				1
	900/976, 1+DDD (FL)  2-Wire Coin 2-Way with Operator Screening and 011 Blocking			UEPCO	UEP2F	1.17	53.31	26.46	27.50	8.37		<b> </b>		<b> </b>	<del>                                     </del>	<del></del>
	2-wire Coin 2-way with Operator Screening and 011 Blocking (FL)			UEPCO	UEPFA	1.17	53.31	26.46	27.50	8.37		1				1
	2-Wire Coin 2-Way with Operator Screening and Blocking:			UEFCU	UEPFA	1.17	53.31	∠0.46	21.50	8.37						<del></del>
	900/976, 1+DDD, 011+, and Local (FL)			UEPCO	UEPCG	1.17	53.31	26.46	27.50	8.37						1
	2-Wire Coin Outward with Operator Screening and 011 Blocking	-			1		00.01	20.10	250	0.01	1	1		1	<b>†</b>	<b>—</b>
	12-Wire Coin Outward with Operator Screening and 011 Blocking I															

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge - Manual Svo Order vs.
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin Outward with Operator Screening and Blocking:						== = = 1									
	900/976, 1+DDD, 011+ (FL)	-	-	UEPCO	UEPOF	1.17	53.31	26.46	27.50	8.37						
	2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	1.17	53.31	26.46	27.50	8.37						
	2-Wire 2-Way Smartline with 900/976 (all states except LA)		-	UEPCO	UEPCK	1.17	53.31	26.46	27.50	8.37						<del>                                     </del>
	2-Wire Coin Outward Smartline with 900/976 (all states except			ULFCO	OLFCK	1.17	55.51	20.40	21.30	0.37						
	LA)			UEPCO	UEPCR	1.17	53.31	26.46	27.50	8.37						
ADDITI	ONAL UNE COIN PORT/LOOP (RC)			02. 00	02. 0.0		00.01	20.10	21.00	0.01						<u> </u>
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.86	0.00	0.00	0.00	0.00						
	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
	CURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPCO	USAC2		0.102	0.102								1
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				1 7			·								
	Switch with change			UEPCO	USACC		0.102	0.102						ļ	ļ	<b></b>
ADDITI	ONAL NRCs				+											<del>                                     </del>
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPCO	USAS2		0.00	0.00								<u> </u>
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIEBOO	UDET		0.00	0.00								
2 MIDE	Premise		ODT (	UEPCO	URETL		8.33	0.83			-	-				
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE ort/Loop Combination Rates	LINE	JORT (	KES)	+											<b>-</b>
UNE PO	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		+ +	13.64										<del>                                     </del>
	2-Wire VG Loop/IO Transport/Port Combo - Zone 2		2		+	18.80										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		+	32.27										1
	pop Rates		Ŭ			OZ.Z.										
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	12.24										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	17.40										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	30.87										
2-Wire	Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.40	174.81	100.65	75.88	12.73						
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.40	174.81	100.65	75.88	12.73						
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.40	174.81	100.65	75.88	12.73						
					=											
	2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPFR	UEPAF	1.40	174.81	100.65	75.88	12.73						<b></b>
	2-Wire voice unbundles res, low usage line port with Caller ID			LIEDED	LIEDAS	4 40	474.0.	400.0=	75.00	40 =0						
INTER	(LUM) DEFICE TRANSPORT			UEPFR	UEPAP	1.40	174.81	100.65	75.88	12.73					-	-
INTER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	<b>-</b>	-		+						-	-		-		<del>                                     </del>
	Termination			UEPFR	U1TV2	25.32	47.35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			OLITA	UTIVE	20.32	41.33	31.70							<b> </b>	<del>                                     </del>
	or Fraction Mile			UEPFR	1L5XX	0.0091										
FEATU					120,01	3.5551										
	All Features Offered			UEPFR	UEPVF	2.26	0.00	0.00							İ	i e
	NUMBER PORTABILITY	1			1	0	2.20	2.30			1	1	l	l	İ	1
	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		16.97	3.73						ļ	ļ	ļ
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			l	1											
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		16.97	3.73								<del>                                     </del>
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			LIEDED	LIDET.											
0.14/15-	End User Premise	<u> </u>	OPT "	UEPFR	URETN		11.21	1.10					<b> </b>	-	<b>.</b>	<del>                                     </del>
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE ort/Loop Combination Rates	LINE	OKI (	BUS)	+ +								-	-	<b> </b>	-
	DIVEOUD COMBINATION RATES	l										<b></b>	ļ		ļ	<del></del>
UNE Po			- 1			12.64	ı									
UNE Po	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		1 2			13.64 18.80										

UNBUNDL	ED NETWORK ELEMENTS - Florida										T -		Attach			bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1			UEPFB	UECF2	12.24										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	17.40										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	30.87										
2-Wi	re Voice Grade Line Port (Bus)		-	UEPFB	UEPBL	1.40	174.81	100.65	75.88	12.73						
	2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus		-	UEPFB	UEPBC	1.40	174.81	100.65	75.88	12.73					-	
	2-Wire voice unbundled port with Caller + E484 ID - bus  2-Wire voice unbundled port outgoing only - bus		-	UEPFB	UEPBO	1.40	174.81	100.65	75.88	12.73					-	
	2-Wire voice unburidled port outgoing only - bus  2-Wire voice unbundled incoming only port with Caller ID - Bus		-	UEPFB	UEPB1	1.40	174.81	100.65	75.88	12.73						
1.00	AL NUMBER PORTABILITY			OLFIB	OLFBI	1.40	174.01	100.03	75.00	12.73					-	
LOC	Local Number Portability (1 per port)		-	UEPFB	LNPCX	0.35			<del>                                     </del>							1
INTE	ROFFICE TRANSPORT			OLITB	LIVI OX	0.55										
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				+ -										<u> </u>	
	Termination			UEPFB	U1TV2	25.32	47.35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFB	1L5XX	0.0091										
FEA	TURES															
	All Features Offered			UEPFB	UEPVF	2.26	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFB	USAC2		16.97	3.73								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFB	USACC		16.97	3.73								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFB	URETN		11.21	1.10								
2-WI	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (		UKLTN		11.21	1.10							-	
	Port/Loop Combination Rates		1	1 57,9											1	
- 0.1.2	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.64										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18.80										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			32.27										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	12.24										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	17.40										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	30.87										
2-Wi	re Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.40	174.81	100.65	75.88	12.73						
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.40	174.81	100.65	75.88	12.73					1	
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPFP	UEPXL	1.40	174.81	100.65	75.88	12.73						
	Room Calling Port  2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPFP	UEPXM	1.40	174.81	100.65	75.88	12.73						
	Discount Room Calling Port			UEPFP	UEPXO	1.40	174.81	100.65	75.88	12.73						
1.00	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port AL NUMBER PORTABILITY		-	UEPFP	UEPXS	1.40	174.81	100.65	75.88	12.73						
	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00								
INTE	ROFFICE TRANSPORT				$\bot$				ļ							
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFP	U1TV2	25.32	47.35	31.78								

UNBUNDLE	D NETWORK ELEMENTS - Florida				_								Attach			bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring I					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFP	41.577	0.0091										
FEATU	or Fraction Mile		+	UEPFP	1L5XX	0.0091										-
FLAN	All Features Offered		1	UEPFP	UEPVF	2.26	0.00	0.00								1
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															t
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		16.97	3.73								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change			UEPFP	USACC		16.97	3.73								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			UEPFP	LIDETNI		44.04	4.40								
IINDIINDI ED	End User Premise PORT/LOOP COMBINATIONS - COST BASED RATES		<del> </del>	UEPFP	URETN		11.21	1.10								-
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT	1		+										<del> </del>	<del>                                     </del>
	Port/Loop Combination Rates	- OKI	<del>                                     </del>		+											<del> </del>
- 0.12	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			20.95										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			26.11										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			39.58										
UNE L	oop Rates															
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	12.24										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	17.40										
UNE	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	30.87										-
UNE P	Exchange Ports - 2-Wire DID Port		-	UEPPX	UEPD1	8.71	214.16	98.29								-
NONR	ECURRING CHARGES - CURRENTLY COMBINED		1	ULFFX	OLFDI	0.71	214.10	30.23								1
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -															
	Switch-as-is			UEPPX	USAC1		7.85	1.87								
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion															
	with BellSouth Allowable Changes			UEPPX	USA1C		7.85	1.87								
ADDIT	TONAL NRCs															
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk		ļ	UEPPX	USAS1		32.26	32.26								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			LIEDDY	LIDETN		44.04	4.40								
Toloni	End User Premise none Number/Trunk Group Establisment Charges		-	UEPPX	URETN		11.21	1.10								-
relepi	DID Trunk Termination (One Per Port)		1	UEPPX	NDT	0.00	0.00	0.00								-
	DID Numbers, Establish Trunk Group and Provide First Group		1	OLITA	INDI	0.00	0.00	0.00								-
	of 20 DID Numbers			UEPPX	NDZ	0.00	0.00	0.00								I
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
LOCA	L NUMBER PORTABILITY		<u> </u>	LIEDDY	LNPCP	0.45	0.00	0.00							-	1
2-11/10	Local Number Portability (1 per port)  E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE GIDI	E DOD	UEPPX	LNPCP	3.15	0.00	0.00								-
	e ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII Port/Loop Combination Rates	יב אוטו	LFUKI	1	+		-				1				<del> </del>	<del>                                     </del>
0.42 1	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1		1											<u> </u>
	UNE Zone 1		1	UEPPB UEPPI	3	22.63										1
1	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -						İ				Ì					
	UNE Zone 2		2	UEPPB UEPPR	t <u> </u>	29.05										<u> </u>
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -															
	UNE Zone 3		3	UEPPB UEPPR	2	45.84										
UNE L	oop Rates		4	HEDDD HEDDS	LIELOV	45.05									-	1
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	15.25					-					<del>                                     </del>
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UEPPR	USL2X	21.67										I
-	2-Wire ISDN Digital Grade Loop - UNE Zone 2  2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB UEPPR		38.46										<del> </del>
	Port Rate		Ť	CLITE CLITE	JOLLA	55.40									1	1
IUNE P																<del></del>
	Exchange Port - 2-Wire ISDN Line Side Port ECURRING CHARGES - CURRENTLY COMBINED			UEPPB UEPPR	UEPPB	7.38	194.52	145.09								

	D NETWORK ELEMENTS - Florida														ment: 2	Exhil	
CATEGORY	RATE ELEMENTS	Interi m	Zone	E	BCS	USOC			RATES (\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
							Rec	Nonred		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	25.22	17.00								
ADDITI	ONAL NRCs																
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			LIEDDD	LIEDDD	LIDETN		44.04	4.40								
	End User Premise Unbundled Miscellaneous Rate Element, Tag Loop at End User			UEPPB	UEPPR	URETN		11.21	1.10			-					-
	Premise			UEPPB	UEPPR	URETL		8.33	0.83								
	NUMBER PORTABILITY			OLITE	OLITIK	OKLIL		0.55	0.03								
	Local Number Portability (1 per port)		1	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00			1					
	NNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)	i –	i –	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	TN)														
	TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
	CAL FEATURES	1															
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	2.26	0.00	0.00								
INTERC	OFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and																
_	facilities termination				UEPPR	M1GNC	25.3291	47.35	31.78	18.31	7.03						
	Interoffice Channel mileage each, additional mile  DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	(		UEPPB	UEPPR	M1GNM	0.0091	0.00	0.00								
	EDST DIGITAL LOOP WITH 4-WIRE ISDN DST DIGITAL TRUNK IE-P DS1 combination rates below for in this rate exhibit apply			dalaal baaa	. !	6 40/0/00 -		an 4/4/04 th and	natae ab all na				-1				
Reques	sts for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital T			r the effe													
Reques	ort/Loop Combination Rates 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE						ment shall be										
Reques	ort/Loop Combination Rates		ort afte	UEPPP													
Reques UNE Po	prt/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE  Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		1 2	UEPPP			ment shall be										
Reques UNE Po	prt/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  pop Rates		1 2 3	UEPPP UEPPP		f this amend	153.48 183.28 261.12										
Reques UNE Po	prt/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  2One 3  2One 3  2One Rates  4-Wire DS1 Digital Loop - UNE Zone 1		1 2 3 1	UEPPP UEPPP UEPPP		f this amend	153.48 183.28 261.12										
Reques UNE Po	prt/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  2D Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2		1 2 3 1 1 2 2	UEPPP UEPPP UEPPP UEPPP		f this amend  USL4P  USL4P	153.48 183.28 261.12 70.74 100.54										
Reques UNE Po	prt/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  Pop Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3		1 2 3 1 1 2 2	UEPPP UEPPP UEPPP		f this amend	153.48 183.28 261.12										
Reques UNE Po	ort/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE  Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE  Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE  Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE  Zone 3  Top Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  Top Rates		1 2 3 1 1 2 2	UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P USL4P	153.48 183.28 261.12 70.74 100.54 178.38	provided pursu	iant to a separ								
UNE LC	prt/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  pop Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  port Rate  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)		1 2 3 1 1 2 2	UEPPP UEPPP UEPPP UEPPP		f this amend  USL4P  USL4P	153.48 183.28 261.12 70.74 100.54										
UNE LC	Drt/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  DOP Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  DIT Rate  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  CURRING CHARGES - CURRENTLY COMBINED		1 2 3 1 1 2 2	UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P USL4P	153.48 183.28 261.12 70.74 100.54 178.38	provided pursu	iant to a separ								
UNE LC UNE PC	prt/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  pop Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  port Rate  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  5CURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port		1 2 3 1 1 2 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P USL4P USL4P USL4P	153.48 183.28 261.12 70.74 100.54 178.38	provided pursu	276.65								
UNE LC UNE PC	ort/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  Top Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  Tot Rate  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  CURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004)		1 2 3 1 1 2 2	UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P USL4P	153.48 183.28 261.12 70.74 100.54 178.38	provided pursu	iant to a separ								
UNE LC UNE PC UNE CO UNE CO UNE CO UNE CO NONRE	prt/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  pop Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  port Rate  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  5CURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port		1 2 3 1 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P USL4P USL4P USL4P	153.48 183.28 261.12 70.74 100.54 178.38	provided pursu	276.65								
UNE LC UNE PC UNE PC UNE C	prt/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  Prescription of the Company of th		1 2 3 1 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P USL4P USL4P USL4P USACP	153.48 183.28 261.12 70.74 100.54 178.38	488.36	276.65								
UNE PO  UNE PO  UNE PO  UNE PO  NONRE	prt/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  Prescription of the Company of th		1 2 3 1 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P USL4P USL4P USL4P USACP	153.48 183.28 261.12 70.74 100.54 178.38	488.36	276.65								
UNE PO  UNE PO  UNE PO  UNE PO  ADDITI	prt/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  200 Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  200 Rates  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  CURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004)  ONAL NRCS  4-Wire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Actvy-Inward/two way Tel Nos. (except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers		1 2 3 1 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P USL4P USL4P USL4P USL4P USACP	153.48 183.28 261.12 70.74 100.54 178.38	488.36 84.17	276.65 61.38								
UNE PO  UNE PO  UNE PO  UNE PO  ADDITI	prt/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  200 Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  201 Rate  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  CURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is (E:4/1/2004)  ONAL NRCS  4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- Inward/two way Tel Nos. (except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers  NUMBER PORTABILITY		1 2 3 1 1 2	UEPPP SL4P USL4P PR7TF PR7TO PR7ZT	153.48 183.28 261.12 70.74 100.54 178.38 82.74	488.36 84.17 0.5412	276.65 61.38										
UNE LC UNE PC UNE PC UNE CO UN	prt/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  Prescription of the Company of th		1 2 3 1 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P USL4P USL4P USL4P USL4P USL4P USPPP	153.48 183.28 261.12 70.74 100.54 178.38	488.36 84.17 0.5412	276.65 61.38								
UNE LC UNE PC UNE PC UNE PC  UNE PC  NONRE  ADDITI	prt/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  2		1 2 3 1 1 2	UEPPP SL4P USL4P USL4P USPPP  USACP  PR7TF  PR7TO  PR7ZT  LNPCN	153.48 183.28 261.12 70.74 100.54 178.38 82.74 0.00	488.36 84.17 0.5412 12.71 25.42	276.65 61.38 12.71 25.42										
UNE LC UNE PC UNE PC UNE PC  UNE PC  NONRE  ADDITI	prt/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  DOP Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  DOP Rates  5-Wire DS1 Digital Loop - UNE Zone 3  DOP RATE  6-Wire DS1 Digital Loop - UNE Zone 3  DOP RATE  CURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is (E:4/1/2004)  ONAL NRCS  4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-Inward/two way Tel Nos. (except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers  NUMBER PORTABILITY  Local Number Portability (1 per port)  ACE (Provsioning Only)  Voice/Data		1 2 3 1 1 2	UEPPP SL4P USL4P USACP PR7TF PR7TO PR7ZT LNPCN PR71V	153.48 183.28 261.12 70.74 100.54 178.38 82.74 0.00 1.75	488.36 481.17 0.5412 12.71 25.42	276.65 61.38 12.71 25.42										
UNE LOCAL  INTERF	prt/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  DOP Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  DOP Rate  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  CURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is (E:4/1/2004)  ONAL NRCS  4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-Inward/two way Tel Nos. (except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers  NUMBER PORTABILITY  Local Number Portability (1 per port)  ACE (Provsioning Only)  Voice/Data  Digital Data		1 2 3 1 1 2	UEPPP SL4P USL4P USL4P USACP  PR7TF PR7TO PR7ZT LNPCN  PR71V PR71D	153.48 183.28 261.12 70.74 100.54 178.38 82.74 0.00 1.75	488.36 84.17 0.5412 12.71 25.42	276.65 61.38 12.71 25.42										
UNE PO  UNE PO  UNE PO  NONRE  ADDITI	prt/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  200 Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  200 Rates  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  CURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004)  ONAL NRCS  4-Wire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Actvy-Inward/two way Tel Nos. (except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers  NUMBER PORTABILITY  Local Number Portability (1 per port)  ACE (Provsioning Only)  Voice/Data  Inward Data		1 2 3 1 1 2	UEPPP SL4P USL4P USACP PR7TF PR7TO PR7ZT LNPCN PR71V	153.48 183.28 261.12 70.74 100.54 178.38 82.74 0.00 1.75	488.36 481.17 0.5412 12.71 25.42	276.65 61.38 12.71 25.42										
UNE PO  UNE PO  UNE PO  NONRE  ADDITI	prt/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  300 Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  301 Rate  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  CURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is (E:4/1/2004)  ONAL NRCS  4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- Inward/two way Tel Nos. (except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers  NUMBER PORTABILITY  Local Number Portability (1 per port)  ACE (Provisioning Only)  Voice/Data  Digital Data  Inward Data  Additional "B" Channel		1 2 3 1 1 2	UEPPP SL4P USL4P USPPP  USACP  PR7TF  PR7TO  PR7ZT  LNPCN  PR71U  PR71D  PR71E	153.48 183.28 261.12 70.74 100.54 178.38 82.74 0.00 1.75 0.00 0.00 0.00	488.36 488.36 84.17 0.5412 12.71 25.42 0.00 0.00 0.00	276.65 61.38 12.71 25.42										
UNE PC  UNE PC  UNE PC  UNE PC  NONRE  ADDITI	prt/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  DOP Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  DOP Rates  5-Wire DS1 Digital Loop - UNE Zone 3  DOP RATE  6-Wire DS1 Digital Loop - UNE Zone 3  DOP RATE  6-Wire DS1 Digital Loop - UNE Zone 3  DOP RATE  6-Wire DS1 Digital Loop - UNE Zone 3  DOP RATE  6-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004)  DNAL NRCS  4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-Inward/two way Tel Nos. (except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - CULWARD Tel Numbers (All States except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers  NUMBER PORTABILITY  Local Number Portability (1 per port)  ACE (Provsioning Only)  Voice/Data Digital Data Inward Data  Additional "B" Channel  New or Additional - Voice/Data B Channel		1 2 3 1 1 2 2	UEPPP SL4P USL4P USACP  PR7TF PR7TO PR7ZT LNPCN  PR71U PR71D PR71E PR7BV	153.48 183.28 261.12 70.74 100.54 178.38 82.74 0.00 1.75 0.00 0.00 0.00	488.36 488.36 84.17 0.5412 12.71 25.42 0.00 0.00 15.48	276.65 61.38 12.71 25.42										
UNE PC  UNE PC  UNE PC  UNE PC  UNE PC  LOCAL  INTERF	prt/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  300 Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  301 Rate  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  CURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is (E:4/1/2004)  ONAL NRCS  4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- Inward/two way Tel Nos. (except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers  NUMBER PORTABILITY  Local Number Portability (1 per port)  ACE (Provisioning Only)  Voice/Data  Digital Data  Inward Data  Additional "B" Channel		1 2 3 1 1 2 2	UEPPP SL4P USL4P USPPP  USACP  PR7TF  PR7TO  PR7ZT  LNPCN  PR71U  PR71D  PR71E	153.48 183.28 261.12 70.74 100.54 178.38 82.74 0.00 1.75 0.00 0.00 0.00	488.36 488.36 84.17 0.5412 12.71 25.42 0.00 0.00 0.00	276.65 61.38 12.71 25.42										

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted			Charge -	Charge -	Charge -
		Interi									Elec			Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .01	2.007.444.
						Rec		curring		Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7CO	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Interof	ffice Channel Mileage						10==1	00.4		10.05						
	Fixed Each Including First Mile			UEPPP	1LN1A	88.6256	105.54	98.47	21.47	19.05						
4 14/15/	Each Airline-Fractional Additional Mile		-	UEPPP	1LN1B	0.1856										
	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT						ton 4/4/04 th oo									
	NE-P DS1 combination rates below for in this rate exhibit appl										te commerc	iai agreeme	nt.			
	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	lective c	ate of t	ins amenament sha	iii ne blovide	u pursuant to	a separate agri	ement or tarif	i at Belloouth's	uiscretion.						
UNE P	Port/Loop Combination Rates  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	<del> </del>	1	UEPDC	1	125.69			-			<b> </b>	-	-		
$\vdash$	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	<del>                                     </del>	2	UEPDC	1	155.49			1		<del>                                     </del>					
<del>                                     </del>	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	<del>                                     </del>	3	UEPDC	1	233.33	1		1	<b> </b>	<b>H</b>		<b>l</b>	<del>                                     </del>		
LINE	oop Rates	<del>                                     </del>	-	OLI DO	1	200.00			1		<del>                                     </del>					
ONEL	4-Wire DS1 Digital Loop - UNE Zone 1	1	1	UEPDC	USLDC	70.74	1		1		<del>                                     </del>		<b> </b>	1		
<del>                                     </del>	4-Wire DS1 Digital Loop - UNE Zone 2	<del>                                     </del>	2	UEPDC	USLDC	100.54	<del>                                     </del>		1	<b> </b>	<b>H</b>		<del>                                     </del>	<del>                                     </del>		
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	178.38					1					
UNF P	Port Rate		Ŭ	OLI DO	COLDO	170.00					1					
0.1.2.	4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	54.95	464.86	259.23			1					
NONRI	ECURRING CHARGES - CURRENTLY COMBINED															
1101111	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		95.31	46.71								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	i														
	- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		95.31	46.71								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		95.31	46.71								
ADDIT	IONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15.69	15.69								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15.69	15.69								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			LIEDDO	LIDTTO		45.00	45.00								
	Activation/Chan Inward Trunk w/out DID  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan		-	UEPDC	UDTTC		15.69	15.69								
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		15.69	15.69								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	1		UEPDC	טווטט		15.69	15.09			1					
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		15.69	15.69								
BIPOL	AR 8 ZERO SUBSTITUTION			OLI DO	ODITE		10.00	10.00			1					
1 32	B8ZS -Superframe Format	l -		UEPDC	CCOSF		0.00i	655.00s					<b> </b>	<b>i</b>		
	B8ZS - Extended Superframe Format	t		UEPDC	CCOEF	İ	0.00i	655.00s		İ			İ	İ		
Alterna	ate Mark Inversion	1		-	1					l			l	İ		
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00						1		
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Teleph	none Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
	Telephone Number for 1-Way Inward Trunk Group Without DID	ļ	<u> </u>	UEPDC	UDTGZ	0.00										
	DID Numbers, Establish Trunk Group and Provide First Group	1		l	1							1				
	of 20 DID Numbers	ļ	L	UEPDC	NDZ	0.00	0.00	0.00								
$\vdash$	DID Numbers for each Group of 20 DID Numbers	<u> </u>	ļ	UEPDC	ND4	0.00			ļ	-	-		<b> </b>	ļ		
	DID Numbers, Non- consecutive DID Numbers , Per Number	<b>!</b>	-	UEPDC	ND5	0.00	0.00	0.00	1	-		<b> </b>	<b> </b>	<del>                                     </del>		
$\vdash$	Reserve Non-Consecutive DID Nos.	<del>                                     </del>	-	UEPDC	ND6	0.00	0.00	0.00	1	-	1		-	<b> </b>		
Dod!	Reserve DID Numbers	1 Diait-	Loor	UEPDC	NDV	0.00	0.00	0.00	1		-			-		
Dealca	ated DS1 (Interoffice Channel Mileage) - FX/FC0 for 4-Wire DS Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	i Digita	roop	with 4-Wire DDHS I	TUTIK PORT				1		-	-			-	
	Termination)	1		UEPDC	1LNO1	88.44	105.54	98.47	21.47	19.05		1				] '
	13.11.11.10.11)	<b>1</b>	<b>†</b>	021 00	,	00.44	105.54	30.47	21.4/	13.03	<del>                                     </del>	<b> </b>				
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	1	1	UEPDC	1LNOA	0.1856	0.00	0.00				1				
		1			,	0000	0.50	0.00	1	l						

NBUNDLED NETWORK ELEMENTS	- Florida												ment: 2	Exhi	
ATEGORY RATE EL	EMENTS Inter	ri Zone	BCS	USOC			RATES (\$)			1	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
					Rec		curring	Nonrecurring					Rates (\$)		
					Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Interoffice Channel Mileage - Fix	ked rate 9-25 miles (Facilities														
Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
Interoffice Channel Mileage - Ad	ditional rate per mile - 9-25														
miles			UEPDC	1LNOB	0.1856	0.00	0.00								
Interoffice Channel Mileage - Fix	ced rate 25+ miles (Facilities														
Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	ditional rate per mile - 25+ miles		UEPDC	1LNOC	0.1856	0.00	0.00	0.00							
Local Number Portability, per D			UEPDC	LNPCP	3.15		0.00	0.00							
Central Office Termininating Po			UEPDC	CTG	0.00										
4-WIRE DS1 LOOP WITH CHANNELIZ								-							
System is 1 DS1 Loop, 1 D4 Channel Each System can have up to 24 comb			har of parts us-1	1		1		<del>                                     </del>		<del>                                     </del>			<del>                                     </del>		
The UNE-P DS1 combination rates be				o ovbibit opp	ly to the embe	ddad basa in i	loop on of 10/	102 until 4/4/04	After 4/1/04	thana ratas	shall rayart	to toriff rotoo	or a concrete	agraamant	
											snaii revert	to tariff rates	or a separate	agreement.	
Requests for 4-Wire DS1 Loop with C UNE DS1 Loop	namiciization with Port after the effe	ctive dat	e or uns amenamen	L SHAH DE Pro	videu pursual	it to a separate	agreement or	latili at Beli50	uui s UISCretio	U11.		-	<del></del>	-	
4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	70.74	0.00	0.00	+		1			+		
4-Wire DS1 Loop - UNE Zone 2			UEPMG	USLDC	100.54	0.00	0.00	-					-		
4-Wire DS1 Loop - UNE Zone 3			UEPMG	USLDC	178.38		0.00			-					
UNE DSO Channelization Capacities (			ULFIVIG	USLDC	170.30	0.00	0.00			-			-		
24 DSO Channel Capacity - 1 p		+	UEPMG	VUM24	118.06	0.00	0.00	-					-		
48 DSO Channel Capacity - 1 p		+	UEPMG	VUM48	236.12		0.00	-					-		
96 DSO Channel Capacity - 1 pe		+	UEPMG	VUM96	472.24	0.00	0.00	-					-		
144 DS0 Channel Capacity - 1 p		+	UEPMG	VUM14	708.36		0.00	-					-		
192 DS0 Channel Capacity -1 p		+	UEPMG	VUM19	944.48		0.00	-					-		
240 DS0 Channel Capacity - 1 p		+	UEPMG	VUM2O	1.180.60		0.00								
288 DS0 Channel Capacity - 1 p		+	UEPMG	VUM28	1,416.72		0.00	<del> </del>		1					
384 DS0 Channel Capacity - 1 p		-	UEPMG	VUM38	1,888.96		0.00								
480 DS0 Channel Capacity - 1 p		+	UEPMG	VUM4O	2,361.20		0.00								
576 DS0 Channel Capacity - 1 p		+	UEPMG	VUM57	2,833.44		0.00	<del> </del>		1				1	
672 DS0 Channel Capacity - 1 p		+	UEPMG	VUM67	3,305.68		0.00								
Non-Recurring Charges (NRC) Associ		nneliztio					0.00								
A Minimum System configuration is 0						Jotein				1					
Multiples of this configuration function															
NRC - Conversion (Currently Co		101 1110 11	l	1						1			1		
BellSouth Allowed Changes	with or without		UEPMG	USAC4	0.00	96.77	4.24								
System Additions at End User Location	ons Where 4-Wire DS1 Loop with Cha	annelizat		ination Curre											
New (Not Currently Combined) in all s				1		Ì									
1 DS1/D4 Channel Bank - Addit		<u> </u>		i	İ		İ	i	İ	1		İ	1	İ	
and Assoc Fea Activation (E:4/			UEPMG	VUMD4	0.00	726.11	468.21	145.32	17.24				1		
Bipolar 8 Zero Substitution	· ·		1	1										ĺ	
Clear Channel Capability Forma	t, superframe - Subsequent														
Activity Only			UEPMG	CCOSF	0.00	0.00i	655.00s	I					I		
Clear Channel Capability Forma	t - Extended Superframe -														
Subsequent Activity Only	<u> </u>		UEPMG	CCOEF	0.00	0.00i	655.00s	<u> </u>	<u> </u>	<u></u>		<u> </u>	<u> </u>	<u> </u>	
Alternate Mark Inversion (AMI)															
Superframe Format			UEPMG	MCOSF	0.00		0.00								
Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
Exchange Ports Associated with 4-Wi	re DS1 Loop with Channelization wit	th Port													
Exchange Ports															
Line Side Combination Channel	ized PBX Trunk Port - Business							_					_		
(E:4/1/2004)			UEPPX	UEPCX	1.40	0.00	0.00	0.00	0.00				L		
Line Side Outward Channelized	PBX Trunk Port - Business			l				I					I		
(E:4/1/2004)			UEPPX	UEPOX	1.40	0.00	0.00	0.00	0.00	ļ		ļ	L	ļ	
	zed PBX Trunk Port without DID							1					1		
(E:4/1/2004)			UEPPX	UEP1X	1.40	0.00	0.00	0.00	0.00	ļ			ļ	ļ	
2-Wire Trunk Side Unbundled C	hannelized DID Trunk Port		l	1				I					I		
(E:4/1/2004)			UEPPX	UEPDM	8.71	0.00	0.00	0.00	0.00						
Feature Activations - Unbundled Loop	Concentration	1 -	1	1	I	1	I	1	I	1	I	I	1	1	_

IINRI	INDI E	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	hit: A
ONDO	NULL		1	1		1	1					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (,,			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Addi	DISC ISL	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	g Disconnect				Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature (Service) Activation for each Line Port Terminated in D4															1
		Bank			UEPPX	1PQWM	0.6402	25.40	13.41	3.96	3.93						
		Feature (Service) Activation for each Trunk Port Terminated in															1
		D4 Bank			UEPPX	1PQWU	0.6402	78.16	18.42	56.03	10.95						
	Teleph	one Number/ Group Establishment Charges for DID Service			HEDDY	NDT	0.00	0.00	0.00								
-	ļ	DID Trunk Termination (1 per Port)		<u> </u>	UEPPX UEPPX		0.00	0.00	0.00						1		
		Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) DID Numbers - groups of 20 - Valid all States		-	UEPPX	NDZ ND4	0.00	0.00	0.00								<b>—</b>
-	<b>-</b>	Non-Consecutive DID Numbers - per number		<u> </u>	UEPPX	ND5	0.00	0.00	0.00						-	-	
-		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
	l	Reserve DID Numbers		<b>†</b>	UEPPX	NDV	0.00	0.00	0.00	1		<u> </u>			<b>-</b>	<b>-</b>	
	Local I	Number Portability		t -	SE. 1 /		0.00	0.00	0.00						<b>†</b>	<u> </u>	
		Local Number Portability - 1 per port		1	UEPPX	LNPCP	3.15	0.00	0.00		İ			İ	1	1	
	FEATU	RES - Vertical and Optional		1		1	50	2.20	2.30		İ			İ	1	1	
		Switching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	2.26	0.00	0.00								
UNBU	NDLED (	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:	S														
	1. Cost	Based Rates are applied where BellSouth is required by FCC	and/or	State 0	Commission rule to	provide Unb	undled Local S	witching or Sw	itch Ports.								
		ures shall apply to the Unbundled Port/Loop Combination - C															
	3. End	Office and Tandem Switching Usage and Common Transport	Usage	rates in	the Port section of	this rate exh	ibit shall apply	to all combina	ations of loop	port network e	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions.		
		first and additional Port nonrecurring charges apply to Not C	urrently	Combi	ned Combos. For	Currently Co	mbined Combo	os, the nonrecu	irring charges	shall be those	identified in t	he Nonrecu	rring - Curre	ently Combine	ed sections.	Additional NR	.Cs may
		ilso and are categorized accordingly.									,						
		ket Rates for Unbundled Centrex Port/Loop Combination will		otiated	on an Individual Ca	ise Basis, un	til further notic	e.									
-		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo	')														
		ort/Loop Combination Rates (Non-Design)		<u> </u>		-						-					
-	UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		<u> </u>		-									-	-	
		Non-Design		1	UEP91		10.94										l .
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<del>-</del> '-	OLI 31	+	10.54										<b>——</b>
		Non-Design		2	UEP91		15.05										1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>		1											
		Non-Design		3	UEP91		25.80										1
	UNE P	ort/Loop Combination Rates (Design)		i													
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP91		13.41										1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP91		18.57										1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			l										1	1	1
<u> </u>	ļ	Design		3	UEP91	1	32.04				ļ				1	1	<del>                                     </del>
<u> </u>	UNE L	pop Rate		<b>.</b>	LIEDO4	LIEGG!									ļ	ļ	<b></b>
<u> </u>	ļ	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	9.77								-	-	
$\vdash$	<del>                                     </del>	2-Wire Voice Grade Loop (SL 1) - Zone 2	-	2	UEP91	UECS1	13.88			1	-			-	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
<b>-</b>	-	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		3	UEP91 UEP91	UECS1 UECS2	24.63 12.24			-			-		<del>                                     </del>	<b>-</b>	<b></b>
$\vdash$	<del>                                     </del>	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91 UEP91	UECS2	12.24			-					<del>                                     </del>	<del>                                     </del>	<del> </del>
$\vdash$	<del> </del>	2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3	<b>-</b>		UEP91 UEP91	UECS2	30.87			1		-	-	-	<del>                                     </del>	<del></del>	<del>                                     </del>
$\vdash$	UNE P		<b>H</b>	1	OLI 31	JL002	30.07			1	1			l	t	<del>                                     </del>	
$\vdash$		tes (Except North Carolina and Sout Carolina)	<b>-</b>	t		+	<del>                                     </del>			1			<b>-</b>		t	<del>                                     </del>	
	. ui ota	2-Wire Voice Grade Port (Centrex ) Basic Local Area		t -	UEP91	UEPYA	1.17	53.31	26.46	27.50	8.37				<b>†</b>	<u> </u>	
	<b>†</b>	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		1		1		00.01	20.10	250	5.57				<u> </u>	<u> </u>	
1	1	Area			UEP91	UEPYB	1.17	53.31	26.46	27.50	8.37		1		I	I	1
	1	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic	1	1		1				,,,,		İ		l	1	1	ſ
1	1	Local Area			UEP91	UEPYH	1.17	53.31	26.46	27.50	8.37	1	1		I	I	1
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	<u> </u>	Note 2, 3 Basic Local Area	<u></u>	<u></u>	UEP91	UEPYM	1.17	139.49	86.10	65.41	13.81	<u> </u>	<u></u>	<u></u>	<u> </u>	<u> </u>	1
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	ļ	Term - Basic Local Area		ļ	UEP91	UEPYZ	1.17	139.49	86.10	65.41	13.81						
1	1	2-Wire Voice Grade Port terminated in on Megalink or equivalent		I										<u> </u>	_	_	1
1		- Basic Local Area	1	1	UEP91	UEPY9	1.17	53.31	26.46	27.50	8.37	I	l	l	1	1	1

NDUNDLE	ED NETWORK ELEMENTS - Florida										0	001		ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates (\$)	•	•
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP91	UEPY2	1.17	53.31	26.46	27.50	8.37						
Georg	jia and Florida Only															
	2-Wire Voice Grade Port (Centrex )			UEP91	UEPHA	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPHB	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPHH	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP91	UEPHM	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			LIEDO4	LIEDUZ	4.47	100.10	00.40	05.44	10.01						
	Service Term		<u> </u>	UEP91	UEPHZ	1.17	139.49	86.10	65.41	13.81	-				<del>                                     </del>	<b>-</b>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPH9	1.17	53.31	26.46	27.50	8.37					I	
	2-Wire Voice Grade Port terminated in on Wegalink of equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPH2	1.17	53.31	26.46	27.50	8.37	<b>-</b>			<del> </del>	t	<b>-</b>
Local	Switching		-	OLI 01	OLITIZ	1.17	00.01	20.40	27.00	0.01	<b>-</b>					
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.7384					1				1	1
Local	Number Portability			02. 0.	ONEGO	0.7001									t	
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP91	UEPVF	2.26										
	All Select Features Offered, per port			UEP91	UEPVS	0.00	370.70									
	All Centrex Control Features Offered, per port			UEP91	UEPVC	2.26										
NARS																
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
	Ilaneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP91	CENA6	8.73										
Intero	ffice Channel Mileage - 2-Wire			115504		0.5.00										
_	Interoffice Channel Facilities Termination - Voice Grade		-	UEP91 UEP91	M1GBC M1GBM	25.32 0.0091										
Footus	Interoffice Channel mileage, per mile or fraction of mile re Activations (DS0) Centrex Loops on Channelized DS1 Service			UEP91	MIGBIN	0.0091					-					-
	annel Bank Feature Activations	е	-								1				-	1
D4 011	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66					1			1		
-	1 catalo nativation on 5 4 onaline Bank controx 200p diet		-	OLI 01	11 0000	0.00					<b>-</b>					
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66									I	
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			01		0.00			† †					İ	1	
	Slot			UEP91	1PQW7	0.66									I	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		Ì											İ	1	
	Different Wire Center		L	UEP91	1PQWP	0.66			<u>                                      </u>		<u> </u>			<u> </u>	<u> </u>	<u></u>
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP91	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66			ļ					ļ	1	
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex		<u> </u>		1				ļ						ļ	
	Conversion - Currently Combined Switch-As-Is with allowed			LIEDO4	110400		04.50	0.40							1	
	changes, per port		<u> </u>	UEP91 UEP91	USAC2 USACN		21.50 5.17	8.42 8.32	<del>                                     </del>					<b>.</b>	<del>                                     </del>	
_	Conversion of Existing Centrex Common Block					0.00		8.32	<del>                                     </del>						<del>                                     </del>	
-	New Centrex Standard Common Block New Centrex Customized Common Block		<u> </u>	UEP91 UEP91	M1ACS M1ACC	0.00	618.82 618.82				-				<del>                                     </del>	-
-+	Secondary Block, per Block		<del>                                     </del>	UEP91	M2CC1	0.00	71.31		<del>                                     </del>		<del>                                     </del>			<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
+-	NAR Establishment Charge, Per Occasion		-	UEP91	URECA	0.00	66.48		<del>                                     </del>		<del>                                     </del>				+	<del>                                     </del>
UNF-	P CENTREX - 5ESS (Valid in All States)		<del>                                     </del>	OLF31	UNLUA	0.00	00.48		<del>                                     </del>		<del>                                     </del>			<del>                                     </del>	<del>                                     </del>	
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo		<del>                                     </del>		+				<del>                                     </del>		<b>—</b>			<del> </del>	t	
	Port/Loop Combination Rates (Non-Design)				+				<del>                                     </del>		<b>-</b>			<del> </del>	t	<b>-</b>
3142	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		l —		+						<del>                                     </del>				<b>I</b>	<del>                                     </del>
1	Non-Design		1	UEP95	1	10.94					1				1	1

UNBUNDLI	ED NETWORK ELEMENTS - Florida			1		•					Г-	C -		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP95		45.05										
+	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP95		15.05									<del> </del>	<del> </del>
	Non-Design		3	UEP95		25.80										
UNE I	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design Control of the		1	UEP95		13.41										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		2	UEP95		18.57										
_	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEF95	+	10.57										-
	Design		3	UEP95		32.04										
UNE I	Loop Rate		Ŭ	02. 00	1	02.01									t	1
ĺ	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	9.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	13.88										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	24.63				· · · · ·						
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	12.24										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	17.40										
LINIE I	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	30.87					ļ					
All St	Port Rate		1		+						1				1	-
All St	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	1.17	53.31	26.46	27.50	8.37						-
	2-Wire Voice Grade Port (Centrex 800 termination)		1	UEP95	UEPYB	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			02. 00	02		00.01	20.10	27.00	0.01	†				t	1
	Area			UEP95	UEPYH	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3 Basic Local Area			UEP95	UEPYM	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800						100.10									
	Service Term - Basic Local Area			UEP95	UEPYZ	1.17	139.49	86.10	65.41	13.81	ļ					
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP95	UEPY9	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port Terminated on 800 Service Term -			OLF 93	OLF19	1.17	33.31	20.40	21.30	0.37						
	Basic Local Area			UEP95	UEPY2	1.17	53.31	26.46	27.50	8.37						
AL, K	Y, LA, MS, SC, & TN Only															
FL &	GA Only															
	2-Wire Voice Grade Port (Centrex )			UEP95	UEPHA	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex 800 termination)		<u> </u>	UEP95	UEPHB	1.17	53.31	26.46	27.50	8.37					ļ	
-	2-Wire Voice Grade Port (Centrex with Caller ID)1		-	UEP95	UEPHH	1.17	53.31	26.46	27.50	8.37	ļ			-	1	-
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP95	UEPHM	1.17	139.49	86.10	65.41	13.81						
-	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLI 33	OLI I IIVI	1.17	135.48	00.10	05.41	13.01	<del>                                     </del>				<b>-</b>	<del>                                     </del>
	Term 2,3			UEP95	UEPHZ	1.17	139.49	86.10	65.41	13.81					I	I
											İ			1		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPH9	1.17	53.31	26.46	27.50	8.37					<u> </u>	<u> </u>
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPH2	1.17	53.31	26.46	27.50	8.37						
Local	Switching		<u> </u>	LIEDOE	LIDECO	0 700 :			1		1					
11	Centrex Intercom Funtionality, per port		-	UEP95	URECS	0.7384					1				1	1
Local	Number Portability  Local Number Portability (1 per port)		<del>                                     </del>	UEP95	LNPCC	0.35	-		+ +		1				+	+
Featu			<del>                                     </del>	OL1 33	LIVIOU	0.33					1			<del> </del>	<del> </del>	<del> </del>
· sutu	All Standard Features Offered, per port			UEP95	UEPVF	2.26			1					1	1	1
	All Select Features Offered, per port			UEP95	UEPVS	0.00	370.70							<u> </u>		
	All Centrex Control Features Offered, per port			UEP95	UEPVC	2.26		_								
NARS	· I.															
	Unbundled Network Access Register - Combination		<u> </u>	UEP95	UARCX	0.00	0.00	0.00	0.00	0.00					ļ	
	Unbundled Network Access Register - Indial		1	UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00				-	<del>                                     </del>	-
Micon	Unbundled Network Access Register - Outdial	-	+	UEP95	UAROX	0.00	0.00	0.00	0.00	0.00	-				<del>                                     </del>	$\vdash$
	e Trunk Side		<del>                                     </del>		+										<del> </del>	<del> </del>
7-4411	Trunk Side Terminations, each	<b>—</b>	<del>                                     </del>	UEP95	CEND6	8.73			1		<del>                                     </del>			<del>                                     </del>	<del>                                     </del>	<del>                                     </del>

UNBUNDL	LED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
<u> </u>					+	1	Nonrec	urrina	Nonrecurring	Disconnoct			220	Rates (\$)		L
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-Wi	ire Digital (1.544 Megabits)						11100	Audi	1 11 31	Auu	COME	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
	DS1 Circuit Terminations, each			UEP95	M1HD1	54.95										
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	15.69									i
Inter	roffice Channel Mileage - 2-Wire															
$\vdash$	Interoffice Channel Facilities Termination			UEP95	M1GBC	25.32										
Foot	Interoffice Channel mileage, per mile or fraction of mile ture Activations (DS0) Centrex Loops on Channelized DS1 Service			UEP95	M1GBM	0.0091			-							
	Channel Bank Feature Activations	e			1				<del>                                     </del>							
1	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66										
							İ									
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop								Ι Τ							, 7
$\vdash$	Slot			UEP95	1PQW7	0.66			<del>                                     </del>							
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.66										ı l
	Different wife Center			UEF95	IFQWF	0.00										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										ı l
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP95	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.66										
Non	-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP95	USAC2	0.00	21.50	8.42								ı l
$\vdash$	Conversion of Existing Centrex Common Block, each			UEP95	USACN	0.00	5.17	8.32	+							
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	618.82	0.02								
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	618.82									
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	66.48									
Add	itional Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															ı l
	Premise Unbundled Miscellaneous Rate Element, Tag Design Loop at			UEP95	URETL		8.33	0.83	-							
	End Use Premise			UEP95	URETN		11.21	1.10								ı l
UNE	E-P CENTREX - DMS100 (Valid in All States)			02.00	U.L.III											
	ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	•														ı l
	Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP9D		10.94			-							$\vdash$
	Non-Design		2	UEP9D		15.05										, l
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_		1	.5.50			<del>                                     </del>							$\overline{}$
	Non-Design	<u> </u>	3	UEP9D		25.80			l							l
UNE	Port/Loop Combination Rates (Design)															
1 1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1		LIEDOD		40 **										ı l
$\vdash$	Design	-	1	UEP9D	+	13.41			<del>                                     </del>							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9D		18.57										ı l
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI 3D	+	10.57			<del>                                     </del>		<b> </b>					$\vdash$
	Design		3	UEP9D		32.04										, l
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	9.77			$oxed{\Box}$							
$\vdash$	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	13.88			<del>                                     </del>							$\vdash$
$\vdash$	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	<del>                                     </del>	3	UEP9D UEP9D	UECS1 UECS2	24.63 12.24			+		-					
	2-Wire Voice Grade Loop (SL 2) - Zone 1	1	2	UEP9D	UECS2	17.40			<del>                                     </del>					<b> </b>		$\overline{}$
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	30.87			<del>                                     </del>							
UNE	Port Rate															
ALL	STATES															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9D	UEPYA	1.17										

UNBUNDLE	D NETWORK ELEMENTS - Florida										1			ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			l l	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonre		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			LIEDOD	LIEDVD	4.47	50.04	00.40	07.50	0.07						
	Area  2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			UEP9D	UEPYB	1.17	53.31	26.46	27.50	8.37						-
	Area			UEP9D	UEPYC	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local				1											
	Area			UEP9D	UEPYD	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
	Area			UEP9D	UEPYE	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			OLI OD	OLI II	1.17	00.01	20.40	27.00	0.07						
	Area			UEP9D	UEPYG	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
	Area			UEP9D	UEPYT	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			OLI OD	OLI 10	1.17	00.01	20.40	27.00	0.07						
	Area			UEP9D	UEPYV	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
	Area			UEP9D	UEPY3	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			OLI 9D	OLI III	1.17	33.31	20.40	21.50	0.37						
	Indication))4 Basic Local Area			UEP9D	UEPYW	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4															
	Basic Local Area			UEP9D	UEPYJ	1.17	53.31	26.46	27.50	8.37						ļ
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3-Basic Local Area			UEP9D	UEPYM	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			OLF9D	OLFTW	1.17	33.31	20.40	27.30	6.37						
	Basic Local Area			UEP9D	UEPYO	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4															
	Basic Local Area			UEP9D	UEPYP	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area			UEP9D	UEPYQ	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			DEP9D	UEFTQ	1.17	139.49	00.10	05.41	13.01						
	Basic Local Area			UEP9D	UEPYR	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4															
	Basic Local Area			UEP9D	UEPYS	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			OFLAD	UEF 14	1.17	139.49	80.10	05.41	13.81						<del>                                     </del>
	Basic Local Area			UEP9D	UEPY5	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4															
	Basic Local Area			UEP9D	UEPY6	1.17	139.49	86.10	65.41	13.81						ļ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPY7	1.17	139.49	86.10	65.41	13.81						
	Basic Local Area  2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OFLAD	UEF1/	1.17	139.49	80.10	05.41	13.81						<del>                                     </del>
	Term 2,3			UEP9D	UEPYZ	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent							-								
	Basic Local Area			UEP9D	UEPY9	1.17	53.31	26.46	27.50	8.37						ļ
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			LIEDOD	LIEDVO	4.47	50.04	20.40	07.50	0.07						
FI 2.0	Local Area GA Only		-	UEP9D	UEPY2	1.17	53.31	26.46	27.50	8.37	1					-
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHB	1.17	53.31	26.46	27.50	8.37						
j	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPHC	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPHD	1.17	53.31	26.46		8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPHE	1.17	53.31	26.46	27.50	8.37						<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPHF	1.17	53.31	26.46	27.50	8.37			l		<u> </u>	

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
											Svc Order		Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		1111									p	p	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISC 1St	DISC Add I
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPHG	1.17	53.31	26.46	27.50	8.37				Î		
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPHT	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPHU	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPHV	1.17	53.31	26.46	27.50	8.37	1					
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPH3	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp								1							
	Indication)4			UEP9D	UEPHW	1.17	53.31	26.46	27.50	8.37						1
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPHJ	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2.3			UEP9D	UEPHM	1.17	139.49	86.10	65.41	13.81						1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPHO	1.17	139.49	86.10	65.41	13.81						1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPHP	1.17	139.49	86.10	65.41	13.81						1
<del></del>	2 Wile voice Grade Fort (Gentiewallier GWG /EBG MGGGS)2,0,4			OLI OD	OLITI	1.17	100.40	00.10	00.41	10.01	<b>†</b>					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	1.17	139.49	86.10	65.41	13.81						1
<del></del>	2 WHO VOICE Grade Fort (Schiller amer GWO / EBG 6200/2,0,4			OLI OD	OLITIQ	1.17	100.40	00.10	00.41	10.01	<b>†</b>					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	1.17	139.49	86.10	65.41	13.81						1
	2 Wile voice Grade Fort (Gentlewaller GWG /EBG WGT12)2,0,4			OLI OD	OLITIK	1.17	100.40	00.10	00.41	10.01						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3,4			UEP9D	UEPHS	1.17	139.49	86.10	65.41	13.81						1
	2-ville voice Grade Fort (Gentlewallier GWG /EBG-WB512)2, 5,4			OLI 3D	OLITIO	1.17	100.40	00.10	05.41	13.01						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPH4	1.17	139.49	86.10	65.41	13.81						1
	2-Wile Voice Grade Fort (Certifex differ SWC /EBC-W5000)2,5,4			OLI 3D	OLI 114	1.17	100.40	00.10	05.41	13.01	1					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPH5	1.17	139.49	86.10	65.41	13.81						i
	2-Wile Voice Grade Fort (Certifex diller SWC /LB3-W3200)2,3,4			OLFBD	OLFIIS	1.17	133.43	00.10	05.41	13.01	1					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPH6	1.17	139.49	86.10	65.41	13.81						1
	2-Wile Voice Grade Fort (Certifex diller SWC /LB3-W3210)2,3,4			OLFBD	OLFIIO	1.17	133.43	00.10	05.41	13.01	1					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPH7	1.17	139.49	86.10	65.41	13.81						i I
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLI 3D	OLI III	1.17	100.40	00.10	05.41	13.01	1					
	Term 2,3			UEP9D	UEPHZ	1.17	139.49	86.10	65.41	13.81						i I
	161111 2,3			OLFBD	ULFTIZ	1.17	133.43	00.10	05.41	13.01	1					
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	1.17	53.31	26.46	27.50	8.37						i I
	2-Wire Voice Grade Port Terminated in on Megalink of equivalent		-	UEP9D	UEPH2	1.17	53.31	26.46	27.50	8.37	<b>-</b>					<b>—</b>
Local	Switching			OLF 9D	OLFTIZ	1.17	33.31	20.40	27.50	0.37	1					
Local	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7384					1					
Local	Number Portability			OLFBD	UKLCS	0.7304					1					<u> </u>
LUCAI	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35					1					<u> </u>
Featur			-	OLF3D	LINECC	0.55					<b>-</b>					
Featur	All Standard Features Offered, per port			UEP9D	UEPVF	2.26					1					
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	370.70				1					
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.26	370.70				1					
NARS	An Control Control Leatures Offered, per port		<del>                                     </del>	OLFBD	OLF VC	2.20	-				<del>                                     </del>			1	1	
INAKS	Unbundled Network Access Register - Combination		+	UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00	-					
	Unbundled Network Access Register - Combination  Unbundled Network Access Register - Inward		+	UEP9D UEP9D	UARCX UAR1X	0.00	0.00	0.00	0.00	0.00	<del>                                     </del>					
			+	UEP9D UEP9D	UARTX	0.00	0.00	0.00	0.00	0.00	<del>                                     </del>					
Missel	Unbundled Network Access Register - Outdial laneous Terminations		<del>                                     </del>	OLFAD	VARUX	0.00	0.00	0.00	0.00	0.00	-			-	-	
	Trunk Side		<del>                                     </del>		+						-	<b>—</b>		-	-	
Z-VVIFE	Trunk Side Trunk Side Terminations, each		<del>                                     </del>	UEP9D	CEND6	8.73					-			-	-	
4 18/:	Digital (1.544 Megabits)		<del>                                     </del>	טבו שט	CLINDO	0.73					-	_		-	-	
4-vvire	DS1 Circuit Terminations, each		<del>                                     </del>	UEP9D	M1HD1	54.95					-	_		-	-	
	DS1 Circuit Terminations, each DS0 Channels Activiated per Channel		<del>                                     </del>	UEP9D	M1HD0	0.00	15.69				-	_		-	-	
Into			<del>                                     </del>	OLFAD	MILLINO	0.00	15.09				-			-	-	<del></del>
Intero	fice Channel Mileage - 2-Wire		1	UEP9D	M1GBC	05.00					<del>                                     </del>			<b> </b>	<del> </del>	<del>                                     </del>
	Interoffice Channel Facilities Termination		1			25.32					<del>                                     </del>			<b> </b>	<del> </del>	<del>                                     </del>
Factor	Interoffice Channel mileage, per mile or fraction of mile		1	UEP9D	M1GBM	0.0091					<del>                                     </del>			<b> </b>	<del> </del>	<del>                                     </del>
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	е	-		+						-			-	-	<del>                                     </del>
D4 Ch	annel Bank Feature Activations		-	LIEDOD	40014/0	0.00								-	<b>.</b>	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		L	UEP9D	1PQWS	0.66					l			l		<u> </u>

INBUNDLI	ED NETWORK ELEMENTS - Florida													ment: 2	1	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incrementa Charge - Manual Sv Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add'l
						_ 1	Nonrec	urring	Nonrecurring	Disconnect	†		oss	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9D	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9D	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			LIEBAB												
	Slot		-	UEP9D	1PQWQ	0.66 0.66					1					
Non I	Feature Activation on D-4 Channel Bank WATS Loop Slot		-	UEP9D	1PQWA	0.00					<b> </b>					-
NOTIF	Recurring Charges (NRC) Associated with UNE-P Centrex  NRC Conversion Currently Combined Switch-As-Is with allowed			1	+				1		1			<del> </del>	t	<b>H</b>
	changes, per port			UEP9D	USAC2		21.50	8.42							I	
	Conversion of existing Centrex Common Block, each		-	UEP9D	USACN		5.17	8.32						1		1
_	New Centrex Standard Common Block		<del>                                     </del>	UEP9D	M1ACS	0.00	618.82	0.32							<b>+</b>	
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	618.82								1	1
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	66.48									
Addit	ional Non-Recurring Charges (NRC)			OLI OD	ORLOR	0.00	00.40				1					
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use										İ					1
	Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP9D	URETN		11.21	1.10								
UNE-	P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
2-Wir	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP9E		10.94										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP9E		15.05										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP9E		25.80										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP9E		13.41										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2													
_	Design		2	UEP9E		18.57					-			-		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP9E		32.04										
LINE	Loop Rate		3	UEP9E		32.04					-			-		
UNE	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	9.77					1				+	<del>                                     </del>
-	2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	13.88			1		1			<del> </del>	t	<b>—</b>
_	2-Wire Voice Grade Loop (SL 1) - Zone 2	<b>-</b>	3	UEP9E	UECS1	24.63					<del>                                     </del>			<del> </del>	t	<b>-</b>
_	2-Wire Voice Grade Loop (SL 1) - Zone 3	<b>-</b>	1	UEP9E	UECS2	12.24					<del>                                     </del>			<del> </del>	t	<b>-</b>
_	2-Wire Voice Grade Loop (SL 2) - Zone 1		2	UEP9E	UECS2	17.40			1		1				<b>I</b>	<del>                                     </del>
_	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	30.87								1	<u> </u>	
UNE	Port Rate		Ť	1	1	55.57								İ	1	
	L, KY, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9E	UEPYA	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local							-			İ			1		
	Area	<u></u>		UEP9E	UEPYB	1.17	53.31	26.46	27.50	8.37	<u></u>			<u> </u>	<u> </u>	<u></u>
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area	<u></u>		UEP9E	UEPYH	1.17	53.31	26.46	27.50	8.37	<u></u>			<u> </u>	<u> </u>	<u></u>
i	2-Wire Voice Grade Port (Centrex from diff Serving Wire					İ	İ									
	Center)2,3 Basic Local Area			UEP9E	UEPYM	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800									-						
	Service Term - Basic Local Area			UEP9E	UEPYZ	1.17	139.49	86.10	65.41	13.81				ļ	L	<u> </u>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent														1	
1	- Basic Local Area		1	UEP9E	UEPY9	1.17	53.31	26.46	27.50	8.37	1	l			1	1

NADONADEL	D NETWORK ELEMENTS - Florida											1		ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates (\$)	•	•
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP9E	UEPY2	1.17	53.31	26.46	27.50	8.37						
Florida																
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPHA	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPHB	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPHH	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP9E	UEPHM	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3		<u> </u>	UEP9E	UEPHZ	1.17	139.49	86.10	65.41	13.81						-
	O Wise Vales Condo Dout towning and in an Manalist and in last			LIEDOE	LIEDLIO	4 47	50.04	00.40	07.50	0.07						I
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		-	UEP9E	UEPH9	1.17 1.17	53.31	26.46 26.46	27.50	8.37 8.37	1	ļ		-	1	<del>                                     </del>
Local	2-Wire Voice Grade Port Terminated on 800 Service Term Switching		-	UEP9E	UEPH2	1.17	53.31	26.46	27.50	8.37	1	ļ		-	1	<del>                                     </del>
Local S	Centrex Intercom Funtionality, per port		-	UEP9E	URECS	0.7384					-	1		<b> </b>	1	-
Local	Number Portability			OLF9L	UKLUS	0.7304			<del>                                     </del>		1					
Locari	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35					1					
Feature				02.02	2.11 00	0.00						İ				
	All Standard Features Offered, per port			UEP9E	UEPVF	2.26						†				
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	370.70									
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	2.26										
NARS																
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						
Miscell	laneous Terminations															
	Trunk Side															
	Trunk Side Terminations, each			UEP9E	CEND6	8.73										
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9E	M1HD1	54.95										
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	15.69									
Interon	fice Channel Mileage - 2-Wire			LIEDOE	M1GBC	05.00						-				
	Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile		-	UEP9E UEP9E	M1GBC M1GBM	25.32 0.0091						1				
Footure	e Activations (DS0) Centrex Loops on Channelized DS1 Service	_		UEF9E	IVITGDIVI	0.0091					1	<b> </b>				
	Innel Bank Feature Activations	e							<del>                                     </del>							
D4 One	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66					1					
	reaction notivation on b 4 channel bank centrex 2005 diet			OLI OL	11 QVV0	0.00										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										1
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop								i					ĺ		
	Slot		L	UEP9E	1PQW7	0.66								<u> </u>		<u></u>
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9E	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot		Ш.	UEP9E	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66										
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex							•		•						
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9E	USAC2		21.50	8.42								
	Conversion of Existing Centrex Common Block, each		<u> </u>	UEP9E	USACN		5.17	8.32								
	New Centrex Standard Common Block		<u> </u>	UEP9E	M1ACS	0.00	618.82									
	New Centrex Customized Common Block		ļ	UEP9E	M1ACC	0.00	618.82				-			<b> </b>		
	NAR Establishment Charge, Per Occasion onal Non-Recurring Charges (NRC)		├	UEP9E	URECA	0.00	66.48				-	ļ			1	-
	nai Non-Recurring Charges (NRC)	1	1	1	1				1		1	1		ı	1	1
Additio	Unbundled Miscellaneous Rate Element, Tag Loop at End Use		t				1		1		1					

UN	BUNDLE	NETWORK ELEMENTS - Florida												Attach	nent: 2	Exhil	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CAT	EGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-								Nonrec	urring	Nonrecurring I	Disconnect			oss	Rates (\$)	I	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP9E	URETN		11.21	1.10								
	Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
		- Requres Interoffice Channel Mileage															
	Note 3	<ul> <li>Installation is combination of Installation charge for SL2 Loc</li> </ul>	p and	Port													
	Note 4	- Requires Specific Customer Premises Equipment															
	Note:	Rates displaying an "R" in Interim column are interim and sub	ject to i	ate tru	e-up as set forth in (	Seneral Term	ns and Condition	ns.									

LINDI	INDI E	D NETWORK ELEMENTS - Georgia												Attach	mont. 2	Evhi	bit: A
ONB	MULE	D NET WORK ELEWIEN 13 - Georgia	ı —	1	I	l	I					Svc Order	Svc Order	Incremental	ment: 2	Incremental	Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
			l									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSK	per Lak	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Addi	DISC ISL	DISC Add I
						ĺ	Rec	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		one" shown in the sections for stand-alone loops or loops as				ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deavera	aged UNE Zon	e Designation	ons by Cent	ral Office, refe	er to internet \	Website:	
		www.interconnection.bellsouth.com/become_a_clec/html/inter	connec	tion.ht	m		r	1	1	1					ı	1	1
OPER		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	L	L		L		<u></u> .		L		L		<u> </u>	<u>L</u>	L	L
		(1) CLEC should contact its contract negotiator if it prefers th															
		ither the state specific Commission ordered rates for the servi	ce orde	ring ch	arges, or CLEC may	elect the re	gional service	ordering charg	e, however, Cl	EC can not of	otain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished in
		f the 9 states.															
		(2) Any element that can be ordered electronically will be bill															
		nnot be ordered electronically at present per the LOH, the list			e in this category ref	lects the cha	arge that would	be billed to a	CLEC once el	ectronic orderi	ng capabilities	come on-li	ne for that	element. Oth	erwise, the ma	anual ordering	g charge,
-	SOMAI	N, will be applied to a CLECs bill when it submits an LSR to B	ellSout	h.	Т	1	1	1	1	1	1		1	1	1		
		OSS - Electronic Service Order Charge, Per Local Service	1			COMEC		2.50	0.00	2.50	0.00						
-	+	Request (LSR) - UNE Only	-	-		SOMEC		3.50	0.00	3.50	0.00				-		
		OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMAN		11.73	0.00	6.13	0.00						
LINE	EDVICE	DATE ADVANCEMENT CHARGE				SOIVIAIN		11.73	0.00	0.13	0.00	-					
ONE 3		The Expedite charge will be maintained commensurate with I	PallSau	th's EC	C No 1 Tariff Soction	n 5 ac annli	cablo					1					
	NOTE.	The Expedite charge will be maintained commensurate with	l	liisrc	l No.1 Tallii, Sectio	l 3 as appli	Cable.										
					UAL, UEANL, UCL,												
					UEF, UDC, UDF,												
					UEQ, UDL, UENTW,												
					UDN, UEA, UHL,												
					ULC, USL, U1T12,												
					U1T48, U1TD1,												
					U1TD3, U1TDX,												
					U1TO3, U1TS1,												
					U1TVX, UC1BC.												
					UC1BL, UC1CC,												
					UC1CL, UC1DC,												
					UC1DL, UC1EC,												
					UC1EL, UC1FC,												
					UC1FL, UC1GC.												
					UC1GL, UC1HC, UC1HL, UDL12,												
					UDL48, UDLO3, UDLSX, UE3,												
					ULD12, ULD48,												
					ULDD1, ULDD3,												
					ULDDX, ULDO3,												
					ULDS1, ULDVX,												
					UNC1X, UNC3X,												
1			1	1	UNCDX, UNCNX,	l							1				
					UNCSX, UNCVX,												
					UNLD1, UNLD3,												
					UXTD1, UXTD3,												
					UXTS1, U1TUC,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUD, U1TUB,	00400		000.00									
LINIDA	NDI ED 1	Day EXCHANGE ACCESS LOOP	-	-	U1TUA	SDASP		200.00							-		
ONRO			<del>                                     </del>	-		<b>-</b>						-		-	-		
<b>—</b>	Z-WIRE	ANALOG VOICE GRADE LOOP  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	<del>                                     </del>	1	UEANL	UEAL2	10.51	40.02	9.99	5.61	1.72	1		<del>                                     </del>	1	-	-
-	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	-		UEANL	UEAL2	15.85	40.02	9.99	5.61	1.72				-		
$\vdash$	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	<del>                                     </del>		UEANL	UEAL2	31.97	40.02	9.99	5.61	1.72	-	-	-	1	-	-
<b>-</b>	<del> </del>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	<del>                                     </del>		UEANL	UEAL2 UEASL	10.51	40.02	9.99	5.61	1.72		-	<del>                                     </del>		<b> </b>	<b> </b>
<b>-</b>	<del> </del>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	<del>                                     </del>		UEANL	UEASL	15.85	40.02	9.99	5.61	1.72		-	<del>                                     </del>		<b> </b>	<b> </b>
$\vdash$	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	<b>!</b>		UEANL	UEASL	31.97	40.02	9.99	5.61	1.72	-	-		1	-	-
<b>-</b>	+	Unbundled Miscellaneous Rate Element, Tag Loop at End User	<del>                                     </del>	3	OLAINL	ULAGE	31.97	40.02	9.99	5.01	1.72	-	-	-	1	-	<b> </b>
		Premise	1		UEANL	URETL		8.33	0.83								
$\vdash$	+	Loop Testing - Basic 1st Half Hour	<del>                                     </del>	-	UEANL	URET1	-	8.33 25.12	25.12	-		-	-	-	1	-	-
<b>-</b>	1	Loop Testing - Basic 1st Hall Hour  Loop Testing - Basic Additional Half Hour	1	1	UEANL	URETA	1	13.62	13.62	<b> </b>	1	<del>                                     </del>	<b>-</b>	1	1	<b> </b>	<b> </b>
ь	1	Loop rooming - Daoio Additional Hall Houl	L		OLVIAL	ONLIA	I	13.02	13.02		ı	1	1	ı	1	L	L

Version 3Q03: 11/12/2003 Page 79 of 348

UNBUNDLE	D NETWORK ELEMENTS - Georgia													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch															
	(UVL-SL1)			UEANL	UREWO		15.75	8.92								
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
	providing make-up (Engineering Information - E.I.)			UEANL UEANL	UEANM UEAMC		7.30 18.92	7.30 18.92								
	Manual Order Coordiantion for UVL-SL1s (per loop)  Order Coordination for Specified Conversion Time for UVL-SL1			UEANL	UEAIVIC		18.92	18.92			-			-		
	(per LSR)			UEANL	OCOSL		57.79									
2-WIRI	E UNBUNDLED COPPER LOOP - NON-DESIGNED			OLANE	OCCOL		51.15									
2 *****	2 Wire Unbundled Copper Loop Non-Designed- Zone 1		1	UEQ	UEQ2X	11.02	44.69	22.40	0.00	0.00	1					
	2 Wire Unbundled Copper Loop Non-Designed- Zone 2			UEQ	UEQ2X	12.72	44.69	22.40	0.00	0.00						
<u> </u>	2 Wire Unbundled Copper Loop Non-Designed-Zone 3			UEQ	UEQ2X	20.22	44.69	22.40		0.00		İ	İ	1		
	Unbundled Miscellaneous Rate Element, Tag Loop at End User				1											
	Premise		L	UEQ	URETL		8.33	0.83	<u>                                      </u>		<u></u>	<u> </u>	<u> </u>	<u> </u>		<u> </u>
	Manual Order Coordination 2 Wire Unbundled Copper Loop -															
	Non-Designed (per loop)		<u> </u>	UEQ	USBMC		18.92	18.92								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for												I		l	
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		7.30	7.30								
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		25.12	25.12								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		13.62	13.62								
	CLEC to CLEC Conversion Charge Without Outside Dispatch															
	(UCL-ND)			UEQ	UREWO		14.25	7.42								
	EXCHANGE ACCESS LOOP															
	E ANALOG VOICE GRADE LOOP	44!	!!С	On match the laws		b - note - 1151	DI V\									
UNE L	oop Rates for Line Splitting (In Ga. PSC ordered the line spli 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	tting io		UEPSR UEPSB	UEALS	9.56	10.05	7.36	1.37	1.28		-				
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1  2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	-	1	UEPSR UEPSB	UEABS	9.56	10.05	7.36	1.37	1.28	1			-		
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	i i	2	UEPSR UEPSB	UEALS	14.86	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	i i		UEPSR UEPSB	UEABS	14.86	10.05	7.36	1.37	1.28	1					
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3	i i	3	UEPSR UEPSB	UEALS	31.66	10.05	7.36	1.37	1.28	1			1		
	2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3	i		UEPSR UEPSB	UEABS	31.66	10.05	7.36	1.37	1.28						
UNBUNDLED	EXCHANGE ACCESS LOOP															
	E ANALOG VOICE GRADE LOOP				1											
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	11.57	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	16.95	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		l .		[ ]				I I	_				I		
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	33.08	79.85	24.65	18.92	7.87				ļ		
	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UEA	OCOSL		57.79				-		<b> </b>	-	<b> </b>	ļ
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			UEA	UEAR2	11.57	70.05	04.05	18.92	7.87				1		
	Battery Signaling - Zone 1  2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	UEA	UEAR2	11.57	79.85	24.65	18.92	7.87				<del>                                     </del>		
	Battery Signaling - Zone 2		2	UEA	UEAR2	16.95	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			ULA	ULANZ	10.93	79.00	24.03	10.92	7.07	1			-		
	Battery Signaling - Zone 3		3	UEA	UEAR2	33.08	79.85	24.65	18.92	7.87						
	Order Coordination for Specified Conversion Time (per LSR)		Ŭ	UEA	OCOSL	00.00	57.79	24.00	10.02	7.07	1			1		
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								
<u> </u>	Loop Tagging - Service Level 2 (SL2)		t	UEA	URETL		11.19	1.10	1				İ	1	İ	İ
4-WIRI	E ANALOG VOICE GRADE LOOP		t		<del>                                     </del>				1				İ	1	İ	İ
1	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	17.80	93.01	28.17	19.52	8.12						1
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	21.68	93.01	28.17	19.52	8.12						
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	30.25	93.01	28.17	19.52	8.12						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		57.79									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								
			1	ı	1						1		I	1	_	l
2-WIRI	E ISDN DIGITAL GRADE LOOP		_								<del>†</del>					
2-WIRI	2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	21.89	180.06	35.25	18.23	6.97						
2-WIRI			1 2 3	UDN UDN UDN	U1L2X U1L2X U1L2X	21.89 25.27 40.17	180.06 180.06	35.25 35.25 35.25	18.23 18.23 18.23	6.97 6.97 6.97						

CATEORY   RATE ELEMENTS   Insuff   Zone   BCS   USOC   SATE (8)	JNBUNDLED	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
CATEGORY   RATE ELEMENS   Interior												Svc Order	Svc Order				Incremental
## PATE FLEMENTS   March   Mar												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY   RATE ELEMENTS   m   Some   SC5   USC   RATE (I)   Section   Sec			Interi														Manual Svc
Best	ATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)				,				Order vs.
Section   Process   Proc			m									per Lore	per Lore				Electronic-
CLEAR CALL Commission Charge whitest adulate depolition   UUCH   URS WO																	Disc Add'l
Commonwealth   Comm																D130 131	Disc Add I
CRESTOR SECTIONNINO COMPANY AND ADMINISTRATION CONTINUES AND SOURCE STATES AND SOU							Rec										
2 WWW Laborated ASS_Lock Including Printing March 2015   1 ALA   UALZX   11.20   44.69   31.55   0.00   0.00							1100				Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2 WW Ubunded APSL Loop including manual service requiry   1						UREWO		120.98	33.04								
Statilly receivable. Zoin 1   1   UAL   UALZX   11.23   M.489   31.55   0.00   0.00			PATIBLE	LOOP	1												
2 West Unbounded ADSL Loop including manual service requiry   1				١.													
A Stockly resourcion. Zeno 2   2 Vivo Librachind ADSL. Loop including manual service requiry 1   2 Vivo Librachind ADSL. Loop including manual service requiry 3   3 UAL				1	UAL	UALZX	11.23	44.69	31.55	0.00	0.00						
2 West bitsburdled ASSEL Loop including manual service requiry   1   3 UAL						1141.07	40.07	44.00	04.55	0.00	0.00						
Stroilly repersion - Zene 3   1   3   UAL   UALZX   2012   44-69   31-55   0.00   0.00			- 1	2	UAL	UAL2X	12.97	44.69	31.55	0.00	0.00						
Origin Continuation for Specified Convention I fine (per LSR)				2	LIAI	LIMIOV	20.62	44.60	21 55	0.00	0.00						
2 West Unbounded ACSL Loop without manual service inquiry & 1   LAL   UAL 2W   11.20   44.66   31.55   0.00   0.00				3			20.02		31.33	0.00	0.00	1			-		
Sealthy reservation - Zone 1   1   1   1   1   1   1   1   1   1				-	OAL	OCCOL		51.13				1					
2 Vive Unburided ADEL Loop without minuted service in paginy 6   1 2 UAL UNLZW 12:97 44:69 31:55 0.00 0.00			1	1	UAL	UAL2W	11 23	44 69	31.55	0.00	0.00		1		I		
Taulity reservation - Zone 2   1   2   UAL   UALZW   12:07   44:09   31:05   0.00			<u> </u>	<u> </u>		J	11.20	44.00	01.00	3.30	0.00				<u> </u>		
2     2			1	2	UAL	UAL2W	12.97	44.69	31.55	0.00	0.00		1		I		
Intellity respondent - Zene 3			<u> </u>	<u> </u>					230	2.30	2.30			İ	1	İ	
October Coordination for Specified Conversion Time (per LSR)   UAL   UREWIO   UREWING   UREWIN			1	3	UAL	UAL2W	20.62	44.69	31.55	0.00	0.00		1		I		
CLEC to CLEC Convenion Charge without outside dispatch   L.   U.H.   U	C	Order Coordination for Specified Conversion Time (per LSR)	i –		UAL	OCOSL											
2 Wire Unbrudied FIDS, Loop without growth and service inquiry   1 UHL	C	CLEC to CLEC Conversion Charge without outside dispatch	I		UAL	UREWO		44.69	29.29								
Stability reservation - Zone 1	2-WIRE I	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
2 Wire Unbundled HDSL Loop including manual service inquiry   1 2 UHL	2	Wire Unbundled HDSL Loop including manual service inquiry															
Seality reservation - Zone 2   1 2 UHL   UHL2X   9.09   44.69   31.55   0.00   0.00			- 1	1	UHL	UHL2X	7.88	44.69	31.55	0.00	0.00						
2 Wire Unburded HDSL Loop including manual service inquiry   1																	
Stacility reservation - Zone 3			- 1	2	UHL	UHL2X	9.09	44.69	31.55	0.00	0.00						
Corder-Coordination for Specified Conversion Time (per LSR)																	
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1				3			14.48		31.55	0.00	0.00						
And facility reservation - Zone 1					UHL	OCOSL		57.79									
2 Wire Unbundled HDSL Lop without manual service inquiry and facility reservation - Zone 2   1   2 UHL				١.													
and facility reservation - Zone 2			- 1	- 1	UHL	UHL2W	7.88	44.69	31.55	0.00	0.00						
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 9   1   3   UHL   UHLZW   14.48   44.69   31.55   0.00				2	шш	LILL OW	0.00	44.60	24 55	0.00	0.00						
and facility reservation - Zone 3			-		UNL	UHLZVV	9.09	44.09	31.33	0.00	0.00	-					
Order Coordination for Specified Conversion Time (per LSR)				2	ш	1111 2/4/	11 10	44.60	21 55	0.00	0.00						
CLEC to CLEC Conversion Charge without outside dispatch   UHL UREWO   44.69   31.55			<del>- '</del> -	3			14.40		31.33	0.00	0.00	1					
#WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP    AWrier Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2			1						31.55			<b>-</b>					
A Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1			TIBLE	OOP	OTIL	OKETTO		44.00	01.00			<b>-</b>					
And facility reservation - Zone 1			1	1								1					
A-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2   1   2   UHL   UHL4X   12.00   44.69   31.55   0.00			1	1	UHL	UHL4X	10.39	44.69	31.55	0.00	0.00				I		
A-Wire Instruction - Zone 2			<u> </u>	Ė					050	3.30	0.30			İ	1	İ	
A-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3			1	2	UHL	UHL4X	12.00	44.69	31.55	0.00	0.00		1		I		
Author   A	4	-Wire Unbundled HDSL Loop including manual service inquiry	i –														
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1			L	3			19.07		31.55	0.00	0.00			<u> </u>		<u></u>	
and facility reservation - Zone 1					UHL	OCOSL		57.79									
A-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2																	
And facility reservation - Zone 2			I	1	UHL	UHL4W	10.39	44.69	31.55	0.00	0.00						
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3																l	
and facility reservation - Zone 3				2	UHL	UHL4W	12.00	44.69	31.55	0.00	0.00				1		
Order Coordination for Specified Conversion Time (per LSR)			l .	_	l								1		I		
CLEC to CLEC Conversion Charge without outside dispatch   UHL   UREWO   44.69   31.55				3			19.07		31.55	0.00	0.00	-		<b> </b>	-	<b> </b>	
A-Wire DS1 Digital Loop - Zone 1			<del>-</del> -						01.55	ļ		-		<b> </b>	-	<b> </b>	
4-Wire DS1 Digital Loop - Zone 1				-	UIL	UKEWO		44.69	31.55	1			<b> </b>	<b> </b>	<del>                                     </del>	<b> </b>	
4-Wire DS1 Digital Loop - Zone 2   2 USL			-	4	1101	LICL VV	44.00	044.00	70.40	20.01	7.00	1		-	<del>                                     </del>	-	
4-Wire DS1 Digital Loop - Zone 3   3 USL   USLXX   62.03   211.93   72.49   38.24   7.20			+									-	-	-	<del>                                     </del>		-
Order Coordination for Specified Conversion Time (per LSR)			+									-	-	-	<del>                                     </del>		-
CLEC to CLEC Conversion Charge without outside dispatch   USL   UREWO   100.91   42.97			+	3			6∠.∪3		72.49	38.24	1.20	-	-	-	<del>                                     </del>		-
4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			<del>                                     </del>						12 07	1		<b>H</b>		<b>l</b>	t	<b>l</b>	
4 Wire Unbundled Digital 19.2 Kbps         1 UDL         UDL19         21.86         196.66         37.00         18.82         7.20           4 Wire Unbundled Digital 19.2 Kbps         2 UDL         UDL19         28.36         196.66         37.00         18.82         7.20	4-WIPE 1	IS 2 56 OR 64 KRPS DIGITAL GRADE LOOP	<del>                                     </del>		OOL	OINLAAO		100.91	42.97	1		<b>H</b>		<b>l</b>	t	<b>l</b>	
4 Wire Unbundled Digital 19.2 Kbps 2 UDL UDL19 28.36 196.66 37.00 18.82 7.20			<b>†</b>	1	UDL	UDL19	21.86	196 66	37 00	18.82	7 20	<del>                                     </del>	<b> </b>		<b>I</b>		
			<b>1</b>												<u> </u>		
4 Wire Unbundled Digital 19.2 Kbps 3 UDL UDL19 38.22 196.66 37.00 18.82 7.20															<u> </u>		

CATEGORY RATE ELEMENTS    Interi m   Zone   BCS   USOC   RATES (\$)   Submitted   Submitted   Charge - Charge - Manual Svc   Manual Svc   Manual Svc   Manual Svc   Manual Svc   Manual Svc   Corder vs.   Order vs	NBUNDLED	NETWORK ELEMENTS - Georgia										1			ment: 2		bit: A
New Holocolidad Digital Loop & Royae - Zonia   1 D.C.   U.C.S.   2-26   1966   3-270   19.52   7-20	ATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
### After Unbounded Spill Logs of Rights 2 Area 3							Rec										
A Wine Unbounded Digital Loop of Biologics 2-70m 2   2 U.D.   U.B. 60   23.00   166.00   27.00   16.00   7.20   7.20												SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4 Wire Unknowled Egipal Loco S6 Kigus - 20m 3   3 UCL   UCLS   39.22   198.68   27.50   19.82   7.20																	<b>——</b>
Order Coordination To Specified Conversion Time (per LSR)																	<b>——</b>
4 Wer Unbundled Digital Long 6 Kipps - Zone 1				3			38.22		37.00	18.82	7.20	ļ					<b></b>
A Vive Unburded Daily Long 64 Kings _ Zero 2				_			04.00		07.00	40.00	7.00	ļ					<del></del>
A Vivie Unburnded Digital Loss 64 Rope - Zero 3   3 JUL   SUD-64   38.2   57.0   19.82   7.20												<b>.</b>					<del>                                     </del>
Order Coverlination for Specified Conversion Tree (per LSR)   URL   OCCSL   S7.79												1					
CLEC to CLEC Convenion Charge without aurode degrate h   URL   UREWO   101.05   4066				3			30.22		37.00	10.02	7.20	1					
2									49.66			1					
2-West Unbounded Copper Loop-Designed including manual service incomplete and the complet				-	ODL	OKEWO		101.33	43.00			1					
Service Inquiry & Equility reservation - Zone 1   1   1   UCL   UCLPB   12.02   44.69   31.55   0.00   0.00												1					
2-Wire Unburdied Copper Loop-Designed including manual service inquiry shalling reservation 2 m s 1 2 UCL UCLPB 13.88 44.69 31.55 0.00 0.00   2 Wire Unburdied Copper Loop-Designed including manual service inquiry shalling reservation 2 m s 1 2 UCL UCLPB 22.07 44.68 31.55 0.00 0.00   2-Wire Unburdied Copper Loop-Designed without manual service inquiry and facility reservation 2 m s			Li	1	UCL	UCLPB	12.02	44,69	31.55	0.00	0.00						f
Service Inquiry & facility reservation - Zone 2   1   2   UCL   UCLPB   13.88   44.69   31.55   0.00   0.00			T .	Ė			.2.02	55	330	3.50	3.30			İ	İ		i
2 Yive Unbundled Copper Loop-Designed including manual enter inquiry a facility researation - Zone 2   1   3   UCL   UCLMC   18.92   18.92   18.92   18.92   18.92   18.92   18.92   18.92   19.92			1	2	UCL	UCLPB	13.88	44.69	31.55	0.00	0.00						f
Service Inguly & Sacisfy reservation - Zone 3   1   3   UCL   UCL/PB   2.207   44.69   31.55   0.00   0.00										1	3.44			İ			(
Critice Coordination for Untimeded Copper Loop- Segred without manual service inquiry and facility resendance. Zone 1   1   UCL   UCLPW   12.02   44.69   31.55   0.00   0.00			1	3	UCL	UCLPB	22.07	44.69	31.55	0.00	0.00						í
Service inquity and facility reservation - Zone 1					UCL	UCLMC		18.92	18.92								
Service inquity and facility reservation - Zone 1																	
Service Inquiry and facility reservation - Zone 2   1 2   UCL   UCLPW   13.88   44.69   31.55   0.00   0.00			- 1	1	UCL	UCLPW	12.02	44.69	31.55	0.00	0.00						í
Service Inquiry and facility reservation - Zone 3	2-	-Wire Unbundled Copper Loop-Designed without manual															
Service inquiry and facility reservation - Zone 3	s	ervice inquiry and facility reservation - Zone 2	- 1	2	UCL	UCLPW	13.88	44.69	31.55	0.00	0.00						í
Order Coordination for Unbundled Cooper Loops (per loop)	2-	-Wire Unbundled Copper Loop-Designed without manual															i
Order Coordination for Unbundled Copper Loops (per loop)			- 1	3			22.07		31.55	0.00	0.00						ı
CLEC to CLEC Conversion Charge without outside dispatch (UCL Des)   UCL   UC																	i .
UCL Des    1					UCL	UCLMC		18.92	18.92								
### Wile Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1																	í
A-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1   1   1   UCL   UCL4S   16.66   44.69   31.55   0.00			ı		UCL	UREWO		44.69	31.55								
And facility reservation - Zone 1																	<b></b>
4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3																	í
and facility reservation - Zone 2				1	UCL	UCL4S	16.65	44.69	31.55	0.00	0.00						<b>——</b>
## 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3    Order Coordination for Unbundled Copper Loops (per loop)			١.				40.00										í
International and facility reservation - Zone 3			- 1	2	UCL	UCL4S	19.22	44.69	31.55	0.00	0.00	-	-				
Order Coordination for Unbundled Copper Loops (per loop)			Ι.	2	1101	1101.40	20.55	44.00	24.55	0.00	0.00						í
A-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1			'	3			30.55				0.00	-	-				
and facility reservation - Zone 1	1	Wire Conner Lean Designed without manual agricultural		-	UCL	UCLIVIC		18.92	18.92			<b> </b>					
4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2			١.,	1	LICI	LICLAW	16.65	44.60	21 55	0.00	0.00						í
Additive the composition of th			<u> </u>	<u> </u>	OCL	OCLAVV	10.05	44.03	31.33	0.00	0.00	1					
4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3  Order Coordination for Unbundled Copper Loops (per loop)  OLEC to CLEC to CLEC conversion Charge without outside dispatch  LOOP MODIFICATION  Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop  Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop  Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop  Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop  Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop  Unbundled Loop Distribution			1 1	2	UCL	UCL4W	19 22	44 69	31.55	0.00	0.00						i
and facility reservation - Zone 3			<del></del>	-		COLTVI	10.22	44.03	01.00	0.00	3.00						
Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC conversion Charge without outside dispatch  LOOP MODIFICATION  Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop  Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop  Unbundled Loop Modification Removal of Bridged Tap Removal, UEANL, UEPSR, UEAN, UEPSR, UEANL, UEANL,			1 1	3	UCL	UCL4W	30.55	44.69	31.55	0.00	0.00						i
CLEC to CLEC conversion Charge without outside dispatch  LOOP MODIFICATION  Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop  Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop  Unbundled Loop Modification Removal of Bridged Tap Removal, UEANL, UEL, UEL, UEL, UEL, UEL, UEL, UEL, UE												İ					
LOOP MODIFICATION  Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop  Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop  Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop  Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop  Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop  Unbundled Loop Modification Removal of Bridged Tap Removal, UEANL, UEPSR, UEPSR, UEPSR, UEPSR, UEPSR, UEPSR, UEPSR, UEPSR, UEDSR, UEPS			1			UREWO											·
Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop  Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop  Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop  Unbundled Loop Modification Removal of Bridged Tap Removal, Unbundled Loop  Unbundled Loop Modification Removal of Bridged Tap Removal, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEPSB  ULMBT  17.91  Sub-Loop Distribution																	·
Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop  Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop  Undundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop  Undundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop  Undundled Loop Modification Removal of Bridged Tap Removal, UEANL, UEPSR, UEANL, UEPSR, UEPSR, UEPSR, UEPSR, UEPSR, UEPSR, UENBT  Sub-Loop Distribution					UAL, UHL, UCL,												
pair less than or equal to 18k ft, per Unbundled Loop I UEPSB ULM2L 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.					UEQ, ULS, UEA,												í
Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop I UHL, UCL, UEA ULM4L 0.00 0.00 0.00 ULM, UFL, UCL, UFL, UFL, UFL, UFL, UFL, UFL, UFL, UF	U	Inbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,												í
Sub-Loop Distribution   I	р	air less than or equal to 18k ft, per Unbundled Loop	- 1		UEPSB	ULM2L		0.00	0.00								í
Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop  SUB-LOOPS  Sub-Loop Distribution  UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEANL, UEPSR, UEPSB  ULMBT  17.91																	í —
Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop  SUB-LOOPS  Sub-Loop Distribution  UEQ, ULS, UEA, UEPSR, ULMBT  17.91  17.91	le	ess than or equal to 18K ft, per Unbundled Loop				ULM4L		0.00	0.00								
Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop  SUB-LOOPS  Sub-Loop Distribution			1					Ι Π									1
per Unbundled Loop			1														i
SUB-LOOPS Sub-Loop Distribution			1			l											i
Sub-Loop Distribution		er Unbundled Loop	ļ		UEPSB	ULMBT		17.91		ļ							-
		The state of the s	<b>!</b>														<del></del>
Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-			ļ							ļ							
Up UEANL USBSA 255.76			1		LIFANII	LICDOA		055.70					1				ł.

UNBUNDLE	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge - Manual Svo Order vs.
						Rec	Nonrec		Nonrecurring					Rates (\$)		T
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		7.29									
-	Sub-Loop - Per Building Equipment Room - CLEC Feeder			OLANL	USBSB		1.25									+
	Facility Set-Up			UEANL	USBSC		175.09									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															1
	Set-Up			UEANL	USBSD		51.61									
	Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working															
	and Spare Loop Activation			UEANL	USBRC	3.61	28.46	3.85	2.20	0.01						
	Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working					7.07	04.07	4.70	0.07	0.04						
	and Spare Loop Activation  Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			UEANL	USBRD	7.67	31.07	4.79	2.27	0.01					-	+
	Zone 1		1	UEANL	USBN2	6.52	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			OL7 II VL	COBINE	0.02	20.40	0.00	2.20	0.01						<del>                                     </del>
	Zone 2		2	UEANL	USBN2	10.18	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN2	19.51	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 1		1	UEANL	USBN4	5.93	31.07	4.79	2.27	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	9.71	31.07	4.79	2.27	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			UEAINL	USBIN4	9.71	31.07	4.79	2.21	0.01					<del> </del>	+
	Zone 3		3	UEANL	USBN4	18.85	31.07	4.79	2.27	0.01						
			Ť				0.1.01									1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	3.61	28.46	3.85	2.20	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	-		UEANL UEANL	USBMC USBR4	7.67	18.92	18.92 4.79	2.27	0.01					1	+
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	- 1		UEANL	USBR4	7.07	31.07	4.79	2.21	0.01					-	+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		25.12	25.12								<del>                                     </del>
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		13.62	13.62			1					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS2X	5.94	28.46	3.85	2.20	0.01						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	7.51	28.46	3.85	2.20	0.01						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı	3	UEF	UCS2X	9.22	28.46	3.85	2.20	0.01						4
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		18.92	18.92								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	- 1	1	UEF	UCS4X	6.37	31.07	4.79	2.27	0.01					<del> </del>	+
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	-i-	2	UEF	UCS4X	6.32	31.07	4.79	2.27	0.01						+
1	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i	3	UEF	UCS4X	9.10	31.07	4.79	2.27	0.01					t	+
																1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		18.92	18.92								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		25.12	25.12								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		13.62	13.62								
Unbui	ndled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.533	25.12	12.28							-	+
Netwo	ork Interface Device (NID)			UEINTVV	UENFF	0.555	25.12	12.20							1	+
Netwo	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		32.86	20.69							<u> </u>	+
	Network Interface Device (NID) - 1-6 lines	i	1	UENTW	UND16		56.03	43.86							1	1
	Network Interface Device Cross Connect - 2 W	ı		UENTW	UNDC2		2.45	2.45								
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		2.45	2.45		•						
UNE OTHER,	PROVISIONING ONLY - NO RATE										ļ					
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00				<u> </u>					
	UNTW Circuit Id Establishment, Provisioning Only - No Rate		<u> </u>	UENTW UEANL,UEF,UEQ,U	UENCE	0.00	0.00				<del>                                     </del>	-			1	+
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00								1	1
1																

UNBUND	DLED	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
		g											Svc Order Submitted Manually	Incremental Charge - Manual Svc		Incremental Charge -	
CATEGOR	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
																2.00 .01	2.007.444.
							Rec		curring	Nonrecurring		201150	001111		Rates (\$)	001111	001141
-								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					UAL,UCL,UDC,UDL,												
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															İ
		rate Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no		<u> </u>	UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									<del></del>
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									l
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -															
		no rate		<u></u>	USL	CCOEF	0.00	0.00									
HIGH CAP		Y UNBUNDLED LOCAL LOOP															
		High Capacity Unbundled Local Loop - DS3 - Per Mile per			LIES	41 END	10.0-										1
$\vdash$		month High Capacity Unbundled Local Loop - DS3 - Facility	-	<b> </b>	UE3	1L5ND	10.97					<b> </b>					<u> </u>
		Termination per month			UE3	UE3PX	253.38	1,753.23	131.90	112.91	75.88						
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	10.97										İ
		High Capacity Unbundled Local Loop - STS-1 - Facility					ĺ										
		Termination per month			UDLSX	UDLS1	305.42	1,753.23	131.90	112.91	75.88						
LOOP MAI																	
		Loop Makeup - Preordering Without Reservation, per working or			LINAIZ	1 18 41 21 1 47		45.40	45.40								İ
		spare facility queried (Manual).  Loop Makeup - Preordering With Reservation, per spare facility			UMK	UMKLW		15.19	15.19								-
		queried (Manual).			UMK	UMKLP		19.85	19.85								
		Loop MakeupWith or Without Reservation, per working or spare facility gueried (Mechanized)			UMK	UMKMQ		0.82	0.82								İ
	RING	AND LINE SPLITTING															
		: The Line Sharing monthly recurring rates for all installation					idnight Octobe	r 01, 2004 shal	I be billed as f	ollows:							
		: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled co	pper lo	op nor	-designed ("UCLND	")											
		: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND															<b>——</b>
		: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND : Above will apply to USOCS: ULSDT and ULSCT															<del></del>
		2: The Line Sharing monthly recurring rates with USOCs ULS	SDC an	d III SC	C annlies only to cit	ruits install	ed and inservic	e on or before	October 1 20	N3							<del>                                     </del>
		HARING	l an	T	upplies only to on	ourts mistan	l libervio	e on or belore	Cottober 1, 20	Ī							
SP	LITT	ERS-CENTRAL OFFICE BASED															
		Line Sharing Splitter, per System 96 Line Capacity				ULSDA	131.00	0.00	0.00		0.00						
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	32.00	0.00	0.00	0.00	0.00						
		Line Sharing Splitter, Per System, 8 Line Capacity	<u> </u>	<u> </u>	ULS	ULSD8	11.00	0.00	0.00	0.00	0.00	ļ					1
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton- deactivation (per LSOD)			ULS	ULSDG		66.34	0.00	51.20	0.00						
FN		SER ORDERING-CENTRAL OFFICE BASED LINE SHARING	<b>-</b>	<b>†</b>	OLO	OLODG		00.34	0.00	31.20	0.00	1					<del></del>
		Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	10.51	7.70	7.00	4.20						
		Line Share Service, TRO per line activation, BST owned splitter -					0.01	10.01	7.70	7.30	7.20						
		Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)			ULS	ULSDT	2.76	10.51	7.70	7.00	4.20						
		Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	5.51	10.51	7.70	7.00	4.20						
		Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	8.27	10.51	7.70	7.00	4.20						
		Line Sharing - per Subsequent Activity per Line				ULSDS		00.00	40.00	40.04	4.00						1
		Rearrangement(BST Owned Splitter Line Sharing - per Subsequent Activity per Line			ULS			36.23	13.23	16.94	1.69						
		Rearrangement(DLEC Owned Splitter Line Sharing - per Line Activation (DLEC owned Splitter) -		-	ULS	ULSCS		36.23	13.23	16.94	1.69	-					<del>                                     </del>
		OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	17.82	9.36	8.53	4.30						

UNBUNDLE	D NETWORK ELEMENTS - Georgia													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			II .	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonred		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Share Service, TRO per line activation, CLEC owned															
	splitter - Central Office Located (25% of UCLND) - please see															
	NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.76	17.82	9.36	8.53	4.30	ļ					
	Line Share Service, TRO per line activation, CLEC owned															
	splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.51	17.82	9.36	8.53	4.30						
	Line Share Service, TRO per line activation, CLEC owned			ULS	ULSCI	5.51	17.02	9.30	0.55	4.30			<u> </u>			
	splitter - Central Office Located (75% of UCLND) - please see															
	NOTE 1 (E:10/2/2005)			ULS	ULSCT	8.27	17.82	9.36	8.53	4.30						
LINE S	SPLITTING				1						†		t			
	JSER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.6297	20.10	12.40	7.68	4.30						
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.6288	20.10	12.40	7.68	4.30						
MAIN	TENANCE															
	No Trouble Found - per 1/2 hour increments - Basic	ļ			1		80.00	55.00						ļ		
	No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
	No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
	DEDICATED TRANSPORT															
INTER	ROFFICE CHANNEL - DEDICATED TRANSPORT	-			1								1			
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0057										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			UTIVX	ILSXX	0.0057					<b> </b>					-
	Facility Termination			U1TVX	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			OTTVX	OTTVZ	12.07	40.40	13.40	10.50	3.00	<u> </u>			1		
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0057										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.			01177	120/01	0.0007					1					
	Facility Termination			U1TVX	U1TR2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -				1											
	Per Mile per month			U1TVX	1L5XX	0.0057										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
	- Facility Termination			U1TVX	U1TV4	10.78	48.46	19.48	16.58	5.00						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			U1TDX	1L5XX	0.0057										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination	ļ		U1TDX	U1TD5	7.83	48.46	19.48	16.58	5.00			1	ļ	ļ	1
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			LIATOV	41.500								1			1
	per month	<del>                                     </del>	-	U1TDX	1L5XX	0.0057			1		ļ		<del>                                     </del>	-	<b>.</b>	-
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility	1		U1TDX	U1TD6	7.83	48.46	19.48	16.58	5.00		1	I			I
<del> </del>	Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	<del>                                     </del>	-	UTIDA	סטווט	7.83	48.46	19.48	10.58	5.00		-	+			<del>                                     </del>
	month	1		U1TD1	1L5XX	0.1154							I			
<del>                                     </del>	Interoffice Channel - Dedicated Tranport - DS1 - Facility	<del>                                     </del>	<b>t</b>	0.101	/LUAA	0.1154					<b> </b>		t			<del>                                     </del>
	Termination	1		U1TD1	U1TF1	34.19	111.03	80.28	31.36	21.73			I			
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	<b>1</b>			7	55		55.20	550	270			<u> </u>	1	1	
	month			U1TD3	1L5XX	2.53							1			1
	Interoffice Channel - Dedicated Transport - DS3 - Facility	l			1							Ì		1	1	İ
	Termination per month	<u> </u>		U1TD3	U1TF3	342.02	320.47	86.32	66.77	52.81	<u> </u>	<u> </u>	<u> </u>			<u> </u>
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
	month	<u> </u>		U1TS1	1L5XX	2.53										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility				<u>-</u>								1			1
	Termination	ļ	<u> </u>	U1TS1	U1TFS	358.67	320.47	86.32	66.77	52.81			ļ			<b></b>
DARK FIBER		-	ļ		1				1			ļ	-	ļ	ļ	-
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			LIDE LIDEOV	1L5DF	23.29							1			1
<del></del>	Thereof per month - Interoffice Channel NRC Dark Fiber - Interoffice Channel	+	+	UDF, UDFCX UDF, UDFCX	UDF14	23.29	1,776.53	89.75	73.64	18.70	<del>                                     </del>	-	<del>                                     </del>			<del>                                     </del>
. 1		<del>                                     </del>	<del>                                     </del>	ODF, ODFGA	UDF 14		1,770.53	89.75	13.04	18.70	}	-	<del>                                     </del>	<del> </del>	<del> </del>	<del>                                     </del>
																1
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop			UDF, UDFCX	1L5DL	46.84										

UNBUNDL	ED NETWORK ELEMENTS - Georgia													ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrec	urrina	Nonrecurring	Disconnect			220	Rates (\$)		
			-		-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX ACCESS	S TEN DIGIT SCREENING				+		FIISL	Auu i	FIISt	Auu i	JOINIEC	SOWAN	JOWAN	SOWAN	JOWAN	JOWAN
DAX ACCEDE	8XX Access Ten Digit Screening, Per Call			OHD		0.0008543										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX			OLID		0.0000040					1				1	
	Number Reserved			OHD	N8R1X		2.50	0.43								
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O														t	t
	POTS Translations			OHD			5.65	0.76	4.24	0.51						
	8XX Access Ten Digit Screening, Per 8XX No. Established With															
	POTS Translations			OHD	N8FTX		5.65	0.76	4.24	0.51						
	8XX Access Ten Digit Screening, Customized Area of Service															
	Per 8XX Number			OHD	N8FCX		2.50	1.25								
	8XX Access Ten Digit Screening, Multiple InterLATA CXR															
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		2.93	1.68								
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		2.93	0.43								
	8XX Access Ten Digit Screening, Call Handling and Destination														I	I
	Features			OHD	N8FDX		2.50									
	8XX Access Ten Digit Screening, w/8FL No. Delivery			OHD	+	0.0008543					-			ļ	-	-
LINE INCOR	8XX Access Ten Digit Screening, w/POTS No. Delivery			OHD		0.0008543										
LINE INFORI	MATION DATA BASE ACCESS (LIDB)			007		0.0000000										
	LIDB Common Transport Per Query  LIDB Validation Per Query		-	OQT	_	0.0000682									1	-
	LIDB Originating Point Code Establishment or Change		-	OQU OQT, OQU	NRBPX	0.0266962	33.24	33.24	39.35	39.35	-				-	-
SIGNALING			-	OQ1, OQU	INRBPA		33.24	33.24	39.35	39.35	-					
SIGNALING	CCS7 Signaling Connection, Per 56Kbps Facility			UDB	TPP++	8.73	34.77	34.77	16.91	16.91	1				-	-
	CCS7 Signaling Termination, Per STP Port		-	UDB	PT8SX	108.80	54.77	54.77	10.31	10.51				1		
	CCS7 Signaling Usage, Per Call Setup Message			UDB	1 100%	0.0000132										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000132					1					
	CCS7 Signaling Connection, Per link (A link) (same as E.3.1)			UDB	TPP++	8.73	34.77	34.77	16.91	16.91	1					
	CCS7 Signaling Connection, Per link (B link) (also known as D					0.1.0		•	1							
	link) (same as E.3.1)			UDB	TPP++	8.73	34.77	34.77	16.91	16.91						
	CCS7 Signaling Usage, Per ISUP Message (same as E.3.3)			UDB		0.0000132										
	CCS7 Signaling Usage Surrogate, per link			UDB	STU56	907.44										
	CCS7 Signaling Point Code, Establishment or Change, per STP															
	affected			UDB	CCAPO		28.15	28.15	33.32	33.32						
E911 SERVIC																
	Local Channel - Dedicated - 2-wr Voice Grade					7.74	121.07	53.30	46.40	13.37						
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile				1	0.0057									L	L
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility									_					1	1
	Termination					12.87	48.46	19.48	16.58	5.00					<b>.</b>	<b></b>
	Local Channel - Dedicated - DS1 - Zone 1				4	18.47	149.46	111.20	40.36	26.12						
<b></b>	Local Channel - Dedicated - DS1 - Zone 2				+	56.30	149.46	111.20	40.36	26.12	-			ļ	-	-
	Local Channel - Dedicated - DS1 - Zone 3				+	164.70	149.46	111.20	40.36	26.12	-	-		-	1	1
	Interoffice Transport - Dedicated - DS1 Per Mile		-		+	0.1154					1			<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					34.19	111.03	80.28	31.36	21.73					1	1
CALLING NA	ME (CNAM) SERVICE		-		+	34.19	111.03	00.28	31.30	21.73				-	<del></del>	<del></del>
CALLING NA	CNAM For DB Owners - Service Establishment	-	<b>-</b>	OQV	+		22.90		20.32			-		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
	CNAM For Non DB Owners - Service Establishment		<del>                                     </del>	OQV	+		22.90		20.32					<del> </del>	<del>                                     </del>	<del>                                     </del>
	CNAM For DB Owners - Service Provisioning With Point Code		<del>                                     </del>		+		22.90		20.32						<b>+</b>	<b>+</b>
	Establishment			OQV			959.77	709.83	251.47	184.91					I	I
	CNAM For Non DB Owners - Service Provisioning With Point				+		300.11	700.00	201.71	10-1.01	<del>                                     </del>	<b>-</b>			<b>I</b>	<b>I</b>
	Code Establishment			OQV			331.89	237.45	257.65	184.91					1	1
	CNAM for DB Owners, Per Query			OQV	1	0.0009924	2200							İ	t	t
	CNAM for Non DB Owners, Per Query			OQV	1	0.0009924								İ	1	1
	CNAM (Non-Databs Owner), NRC, applies when using the				1									İ	1	1
	Character Based User Interface (CHUI)			OQV	CDDCH		595.00	595.00							1	1
SELECTIVE														1		
	Selective Routing Per Unique Line Class Code Per Request Per															
	Switch	1					102.19	61.15	12.68	6.34		1			I	I
	LLOCATION															

UNBUNDLE	D NETWORK ELEMENTS - Georgia													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	Vistoria College Control Control Control Control						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0188	0.00	0.00	0.00	0.00						
PHYSICAL CO				OLF SK OLF SB	VLILS	0.0100	0.00	0.00	0.00	0.00						
	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	PE1LS	0.0197	0.00	0.00								
AIN SELECTIV	/E CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		101,311.67	101,311.67	7,833.25	7,833.25						
igwdown	End Office Establishment			SRC SRC	SRCEO SRCLP		158.92 2.06	158.92 2.06	1.64	1.64						
<b></b>	Line/Port NRC, per end user Query NRC, per query			SRC	SKCLP	0.0020368	2.06	2.06							-	<u> </u>
AIN - BELLSC	UTH AIN SMS ACCESS SERVICE			SKC	+	0.0020308										-
1 1	AIN SMS Access Service - Service Establishment, Per State,		t		1		1									
	Initial Setup	L	L	A1N	CAMSE	<u>                                      </u>	41.41	41.41	41.63	41.63	<u> </u>			<u> </u>	<u> </u>	
$\vdash \vdash \vdash$	AIN SMS Access Service - Port Connection - Dial/Shared Access		ļ	A1N	CAMDP		8.15	8.15	9.16	9.16						ļ
$\vdash \vdash \vdash$	AIN SMS Access Service - Port Connection - ISDN Access		<u> </u>	A1N	CAM1P		8.15	8.15	9.16	9.16						<b></b>
	AIN SMS Access Service - User Identification Codes - Per User ID Code			A1N	CAMAU		35.29	35.29	26.50	26.50						
<b></b>	AIN SMS Access Service - Security Card, Per User ID Code,			AIN	CAIVIAU		35.29	35.29	26.50	26.50					-	-
	Initial or Replacement			A1N	CAMRC		40.24	40.24	11.72	11.72						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			7.1114	O7 WII (O	0.0038	40.24	40.24	11.72	11.72						
	AIN SMS Access Service - Session, Per Minute					1.81										
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					0.8323										
AIN - BELLSC	UTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,			CAM	BAPSC		44.44	41.41	41.63	41.63						
$\vdash$	Initial Setup AIN Toolkit Service - Training Session, Per Customer		<u> </u>	CAIVI	BAPVX		41.41 4,236.62	4,236.62	41.63	41.03						
	AIN Toolkit Service - Training Session, Fer Customer  AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAFVA		4,230.02	4,230.02							<u> </u>	
	DN, Term. Attempt				BAPTT		8.15	8.15	9.16	9.16						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Delay				BAPTD		8.15	8.15	9.16	9.16						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Immediate				BAPTM		8.15	8.15	9.16	9.16						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTO		33.98	33.98	44.00	44.00						
	DN, 10-Digit PODP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTO		33.98	33.98	14.09	14.09					-	
	DN. CDP				BAPTC		33.98	33.98	14.09	14.09						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				27 11 10		00.00	00.00								
	DN, Feature Code				BAPTF		33.98	33.98	14.09	14.09						
	AIN Toolkit Service - Query Charge, Per Query					0.0271438										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
	Subscription, Per Node, Per Query					0.0059195										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access					0.04										
$\vdash$	Account, Per 100 Kilobytes  AIN Toolkit Service - Monthly report - Per AIN Toolkit Service		<del>                                     </del>		+	0.04	-								+	<del>                                     </del>
	Subscription			CAM	BAPMS	14.78	8.15	8.15	5.71	5.71					1	
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service		<b>†</b>				50	3.70	51	J I						
	Subscription	<u> </u>	<u>L</u>	CAM	BAPLS	6.46	8.98	8.98								
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service							<u> </u>								
$\vdash$	Subscription		<u> </u>	CAM	BAPDS	8.54	8.15	8.15	5.71	5.71					ļ	<b></b>
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			CAM	BAPES	0.22	8.98	8.98								
ENHANCEDE	Service Subscription XTENDED LINK (EELs)		<del>                                     </del>	CAIVI	BAPES	0.22	8.98	8.98							<del>                                     </del>	-
NOTE	The monthly recurring and non-recurring charges below will	applv a	nd the	Switch-As-Is Charn	e will not and	oly for UNF con	binations pro	visioned as ' C	rdinarily Comb	ined' Network	Elements				<b>-</b>	+
NOTE	The monthly recurring and the Switch-As-Is Charge and not t	he non-	-recurri	ng charges below v	will apply for	UNE combinati	ons provisione	ed as ' Current	ly Combined' N	etwork Eleme	nts.				1	
EXTE	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS	1 INTER	ROFFICE TRANSPO	RT											
	First 2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						
	First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86					1	<u> </u>

ACTIONN BATE REMENTS HIME   2000   10	UNBUNDI F	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	bit: A
MATE ELEMENTS	5.155115E											Svc Order	Svc Order				Incremental
RATE CLEMENTS   March																	
ATTEMPS NAME FOLIA DESIGNATION OF THE ADMINISTRATION OF THE ADMINI			to to a														
Best	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)				,				
The Author   Company   C			m						.,			per Lor	per Lor				
Part   Deliver																	
Part   Part																DISC 1St	DISC Add I
PRIZ   MIN   Color (BLT)   Commission 2 mag   Solution   Solutio							Rec										
State   Stat												SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Description   Description				3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						
Biological Production Confidence - District International Confidence - Policy   Confid																	1
Terrentotro per month	-				UNC1X	1L5XX	0.1154										
10 Charmodiscone Sizeren in contensation for Motion   M					LINIOAN		04.40	07.70	45.70	40.00	07.07						í
Vender Grade COCO - Per More   Light Commission - Zone 1   Light Commission - Zone 2   Light Commission - Zone 2   Light Commission - Zone 2   Light Commission - Zone 2   Light Commission - Zone 2   Light Commission - Zone 2   Light Commission - Zone 2   Light Commission - Zone 2   Light Commission - Zone 2   Light Commission - Zone 2   Light Commission - Zone 2   Light Commission - Zone 2   Light Commission - Zone 2   Light Commission - Zone 3   Light Commission - Zone 2	<b></b>								45.73	43.80	27.97						
Each Additional 2 Winn VG Loop (St. 2) in Combination - Zone 1   L NACVX	<del>                                     </del>								2 90	16.86	1.04				1		
Each Additional Z-Wire VGLoop (St. 2) in Combination - Zone 2   2 UNCVX		Voice Grade GGG1-1 et Wortti			ONCVX	IDIVO	0.4003	21.00	2.30	10.00	1.04						
Each Additional Z-Wire VGLoop (St. 2) in Combination - Zone 2   2 UNCVX		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						i
Cach Additional 2-Wire VOLCO (Et. 2) in Contribution - Zone 3   3 UNCV   UEAL   53.06   196.56   26.36   16.42   6.86																	
Cach Additional 2-Wire VOLCO (Et. 2) in Contribution - Zone 3   3 UNCV   UEAL   53.06   196.56   26.36   16.42   6.86		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86						ı
Vaces Grader COD - Per Monter   UNCYX   101/0G   0.4899   27:33   2.90   16.86   1.04															1		1
Nonexaming Currenty Combined Network Elements Switch - As-   NaCIX	LI			3				195.94				<u> </u>	<u> </u>	<u> </u>			<u>.                                    </u>
INCLUS   I					UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						i
Extracted 4-Wirk Work Ending Vision Grade Loop in Combination - Zone 1																	1
First 4-Wire Analog Voice Grade Loop in Combination - Zone 1								5.70	5.70	6.61	6.61						
First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 2 UNCVX UEAL4 21.68 196.94 36.38 18.42 6.86	EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS	1 INTER	ROFFICE TRANSPO	PRT											<b></b>
First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 2 UNCVX UEAL4 21.68 196.94 36.38 18.42 6.86   First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 3 UNCVX UEAL4 30.25 196.94 36.38 18.42 6.86   Interoffice Transport - Dedicated - DS1 - Facility Termination Per Mile Per Menth UNCYX UEAL4 1.15.0X 0.1194   UNCYX USCH UNCXX USCH UNCXX																	í
First 4-Wire Analog Voice Grade Loop in Combination - Zone 3   3 UNCVX   UEAL4   30.25   195.94   36.38   18.42   6.86		First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						<b></b>
First 4-Wire Analog Voice Grade Loop in Combination - Zone 3   3 UNCVX   UEAL4   30.25   195.94   36.38   18.42   6.86							0.4.00										í
Interoffice Transport - Dedicated - DS1 combination - Per Mile   Per Month   Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month   UNC1X	<b>—</b>	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						
Interoffice Transport - Dedicated - DS1 combination - Per Mile   Per Month   Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month   UNC1X		First 4 Wiss Apples Vaiss Conda Lass in Combination 7 2		_	LINIOVO	LIEAL 4	20.05	405.04	20.20	40.40	0.00						i I
Per Month	<b></b>			3	UNCVX	UEAL4	30.25	195.94	30.38	18.42	0.80						
Interoffice Transport - Dedicated - DS1 - Facility Termination Per   NOTIX   U1TF1   34.19   87.76   45.73   43.80   27.97   170 Channel System in combination - per month   NOTIX   M01   69.75   86.10   1.04   1.05					LINC1Y	11 5YY	0.1154										1
Month					ONOTA	TESTA	0.1154										
10 Channel System in combination per Month					UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						i
Voice Grade COCI in combination - per month																	
Interoffice Transport Combination - Zone 1					UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						·
Interoffice Transport Combination - Zone 1		Additional 4-Wire Analog Voice Grade Loop in same DS1															
Interoffice Transport Combination - Zone 2		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						ı
Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 30.25 195.94 36.38 18.42 6.86 Interoffice Transport Combination - Zone 2 1 UNCX UDL56 21.86 Interoffice Transport Combination - Per Month UNCX UDL56 21.86 Interoffice Transport Combination - Zone 1 UNCX UDL56 21.86 Interoffice Transport Combination - Zone 2 UNCDX UDL56 21.86 Interoffice Transport Octobination - Zone 2 UNCDX UDL56 21.86 Interoffice Transport - Dedicated - DS1 - combination - Zone 3 UNCDX UDL56 21.86 Interoffice Transport - Dedicated - DS1 - combination - Zone 3 UNCDX UDL56 UNCX UDL56 Interoffice Transport - Dedicated - DS1 - combination - Zone 3 UNCDX UDL56 UNCX UDL56 UN																	í
Interoffice Transport Combination - Zone 3   3 UNCVX   UEAL4   30,25   195,94   36,38   18,42   6,88   Additional Voice Grade COCI In combination - per month   UNCVX   DIVIG   0.4689   27,33   2,90   16,86   1,04   1,				2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						i
Additional Voice Grade COCI in combination - per month   UNCVX   1D1VG   0.4689   27.33   2.90   16.86   1.04																	í
Nonrecurring Currently Combined Network Elements Switch -As-   Is Charge				3													<b></b>
Is Charge   UNC1X					UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						<b></b>
EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT					LINIOAN			F 70	F 70	0.04	0.04						ł
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	EVTE		CATED	DE4 IN				5.70	5.70	6.61	6.61				-		
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL56 28.36 195.94 36.38 18.42 6.86  First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 38.22 195.94 36.38 18.42 6.86  Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.1154  Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month UNC1X 1L5XX 0.1154  UNC1X 1L5XX	EXIE	ADED 4-MAIKE 30 KDF3 EXTENDED DIGITAL LOOP WITH DEDI	CATED	אוופע	LKOFFICE IKANS	J OK I				<del>                                     </del>			-	-	-		
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL56 28.36 195.94 36.38 18.42 6.86  First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 38.22 195.94 36.38 18.42 6.86  Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.1154  Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month UNC1X 1L5XX 0.1154  UNC1X 1L5XX	1 1	First 4-Wire 56Khps Digital Grade Loop in Combination - Zone 1		1	LINCDX	LIDL 56	21.86	195 94	36.38	18 42	6 86		1				1
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3   3 UNCDX   UDL56   38.22   195.94   36.38   18.42   6.86	<del>                                     </del>	11 1130 - VVIII OUTOPS DIGITAL OFACE LOOP III COMBINATION - ZONE I	<b>-</b>		OI TODA	JULJU	21.00	130.34	30.30	10.42	0.00		<b>-</b>		<b> </b>		$\leftarrow$
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3   3 UNCDX   UDL56   38.22   195.94   36.38   18.42   6.86		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86		1				1
Interoffice Transport - Dedicated - DS1 combination - Per Mile   Per Month   UNC1X   1L5XX   0.1154   UNC1X   1L5XX   0.1154   UNC1X   U1TF1   34.19   87.76   45.73   43.80   27.97   UNC1X   U1TF1   34.19   87.76   45.73   43.80   27.97   UNC1X   U1TF1   34.19   87.76   45.73   43.80   27.97   UNC1X   U1TF1   34.19   87.76   45.73   43.80   27.97   UNC1X   U1TF1   34.19   87.76   45.73   43.80   27.97   UNC1X   U1TF1   34.19   87.76   45.73   43.80   27.97   UNC1X   UNC1X   UNC1X   MQ1   69.75   86.10   UNC1X   UNC1X   UNC1X   UNC1X   UNC1X   UNC1X   UNC1X   UNC1X   UNC1X   UNC1X   UNC1X   UNC1X   UNC1X   UNC1X   U1TF1   UNC1X   UNC1X   U1TF1   U1TF1			l	Ė		1	20.00		55.50	2	0.50				1		
Interoffice Transport - Dedicated - DS1 combination - Per Mile   Per Month   UNC1X   1L5XX   0.1154   UNC1X   1L5XX   0.1154   UNC1X   U1TF1   34.19   87.76   45.73   43.80   27.97   UNC1X   U1TF1   34.19   87.76   45.73   43.80   27.97   UNC1X   U1TF1   34.19   87.76   45.73   43.80   27.97   UNC1X		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86		1				1
Interoffice Transport - Dedicated - DS1 - combination Facility   Termination Per Month   UNC1X   U1TF1   34.19   87.76   45.73   43.80   27.97																	1
Termination Per Month			<u></u>		UNC1X	1L5XX	0.1154							<u> </u>			<u>.                                    </u>
1/0 Channel System in combination Per Month																	
OCU-DP COCI (data) per month (2.4-64kbs)						_			45.73	43.80	27.97						
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1   Interoffice Transport Combination - Zone 1   UNCDX   UDL56   21.86   195.94   36.38   18.42   6.86																	
Interoffice Transport Combination - Zone 1	$\vdash$				UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						<b> </b>
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1   Interoffice Transport Combination - Zone 2   2 UNCDX   UDL56   28.36   195.94   36.38   18.42   6.86					LINODY			,					1				1
Interoffice Transport Combination - Zone 2	$\vdash$			1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86			<b> </b>	ļ		
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3  Additional OCU-DP COCI (data) - in combination per month (2.4-				_	LINCDY	LIDLEC	20.22	405.04	20.00	40.40	0.00						ı
Interoffice Transport Combination - Zone 3   3 UNCDX   UDL56   38.22   195.94   36.38   18.42   6.86	$\vdash$		<b>-</b>		UNCDX	UDLOB	28.36	195.94	36.38	18.42	6.86	-	-			-	
Additional OCU-DP COCI (data) - in combination per month (2.4-				2	LINCDX	LIDL 56	38 33	105 04	36 30	19.42	6.96		1				1
					OITODA	CDLOG	50.22	133.34	30.30	10.42	0.00	<u> </u>					
		64kbs)		1	UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04	1	1				1

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											· .	'	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
ļ.,						ļ.,										
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	Normal Continuity of Florida Original				1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	LINICOC		F 70	F 70	0.04	0.04						ı l
EVE	Is Charge ENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DC4 IN		UNCCC	-	5.70	5.70	6.61	6.61	-					
EXI	ENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	D21 IN	TEROFFICE TRANS	PORT	-					-					
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						i l
	I list 4-Wile 04Rbps Digital Grade Loop III Combination - Zone 1		-	ONODA	ODL04	21.00	133.34	30.30	10.42	0.00	<b>†</b>					$\overline{}$
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						i l
	That I was a mape bigital crade 2005 in combination. 2010 2		_	0.10271	05201	20.00	100.01	00.00	.02	0.00	İ					$\overline{}$
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						i l
	Interoffice Transport - Dedicated - DS1 combination - Per Mile										İ					
	Per Month			UNC1X	1L5XX	0.1154										ı l
	interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month	<u></u>		UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97	<u></u>	<u></u>		<u> </u>		<u> </u>
	1/0 Channel System in combination Per Month			UNC1X	MQ1	69.75	86.10									
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						i
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1													l		, 7
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															ı l
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		_													i l
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						<b></b>
	Additional OCU-DP COCI (data) - in combination - per month			LINIODY	1D1DD	0.0000	07.00	2.00	40.00	4.04						i l
<b>—</b>	(2.4-64kbs)  Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	טטוטו	0.9963	27.33	2.90	16.86	1.04	-					
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						i l
EVT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INITED			<b>+</b> + + + + + + + + + + + + + + + + + +	5.70	5.70	0.01	0.01	1					
LAI	4-Wire DS1 Digital Loop in Combination - Zone 1	LD D31	1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86	<b>†</b>					$\overline{}$
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86	i e					
	4-Wire DS1 Digital Loop in Combination - Zone 3			UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86	İ					
	Interoffice Transport - Dedicated - DS1 combination - Per Mile										İ					
	Per Month			UNC1X	1L5XX	0.1154										i l
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						ı l
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER													
	First DS1Loop in Combination - Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
$\vdash$	First DS1Loop in Combination - Zone 2			UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86	ļ					
$\vdash$	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
	Interoffice Transport - Dedicated - DS3 combination - Per Mile			LINICOV	1L5XX	2.53						1				, !
$\vdash$	Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per	<b>-</b>		UNC3X	ILDAX	2.53					<del>                                     </del>	-	-		-	
	month			UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88						ı
$\vdash$	3/1Channel System in combination per month	-		UNC3X UNC3X	MQ3	342.02 121.90	323.91	77.07	49.30	32.68	}	<b> </b>		<b> </b>		
<del>                                     </del>	DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04	<b>†</b>	<b> </b>				$\overline{}$
	Additional DS1Loop in DS3 Interoffice Transport Combination -	<b>†</b>		5.101/	100101	7.55	21.00	2.30	10.00	1.04	1	<b> </b>				
	Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						ı l
	Additional DS1Loop in DS3 Interoffice Transport Combination -	1		-	1					2.30				l		
	Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86		1				ı l
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86				<u></u>		
	Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Nonrecurring Currently Combined Network Elements Switch -As-	1			I	I T										ı 🗔
	Is Charge			UNC3X	UNCCC		5.70	5.70	6.61	6.61						
EXT	ENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD	E INTE													
$\vdash$	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86	ļ					
$\vdash$	2-WireVG Loop in combination - Zone 2			UNCVX	UEAL2 UEAL2	16.95 33.08	195.94	36.38	18.42	6.86	ļ	<b> </b>		<b> </b>		
$\Box$	2-WireVG Loop in combination - Zone 3	1	3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86	1	l		l		

UNBUN	DLE	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
		-										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		·····-	m									per Lak	per LSK				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						1		Nonrec	urring	Nonrecurring	Disconnect		l	oss	Rates (\$)	l	
						1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per				1		11100	Addi	11130	Addi	COME	COMPAR	COMPAR	COMPAR	COMPAN	COMPAN
		Month			UNCVX	1L5XX	0.0057										1
h +	_	Interoffice Transport - 2-wire VG - Dedicated - Facility	<b>-</b>	<del>                                     </del>	ONOVA	TLOVOX	0.0007										<b>——</b>
		Termination per month			UNCVX	U1TV2	12.87	66.53	33.61	43.42	27.60						1
$\vdash$	_	Nonrecurring Currently Combined Network Elements Switch -As-	-	-	UNCVA	UTIVZ	12.07	00.55	33.01	43.42	27.00	-	-		-		<b></b>
		Is Charge	1		UNCVX	UNCCC		5.70	5.70	6.61	6.61						1
-	VTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	CDAD	E INITEI				5.70	5.70	0.01	0.01	-	-		-		<b></b>
	VIEN	4-WireVG Loop in combination - Zone 1	GRAD	1 1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86	-	-		-		<b></b>
-	-		-			UEAL4	21.68	195.94		18.42	6.86						<del></del>
-	-	4-WireVG Loop in combination - Zone 2	-	2	UNCVX				36.38								<del></del>
-	-	4-WireVG Loop in combination - Zone 3	-	3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						<del></del>
		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per				41 =>04											1
		Month			UNCVX	1L5XX	0.0057										<del></del>
		Interoffice Transport - 4-wire VG - Dedicated - Facility															1
		Termination per month			UNCVX	U1TV4	10.78	66.53	33.61	43.42	27.60						<b></b>
		Nonrecurring Currently Combined Network Elements Switch -As-															1
		Is Charge			UNCVX	UNCCC		5.70	5.70	6.61	6.61						<b></b>
E	XTEN	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE													<b></b>
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.97										1
																	1
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	253.38	1,260.47	628.84	41.53	20.76						l
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2.53										l
		Interoffice Transport - Dedicated - DS3 combination - Facility															1
		Termination per month			UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88						1
		Nonrecurring Currently Combined Network Elements Switch -As-															[
		Is Charge			UNC3X	UNCCC		5.70	5.70	6.61	6.61						1
E	XTEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT												1
		STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	10.97										
		STS-1 Local Loop in combination - Facility Termination per															
		month			UNCSX	UDLS1	305.42	1,260.47	628.84	41.53	20.76						1
		Interoffice Transport - Dedicated - STS-1 combination - per mile															
		per month			UNCSX	1L5XX	2.53										1
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month			UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88						1
		Nonrecurring Currently Combined Network Elements Switch -As-													1		
		Is Charge			UNCSX	UNCCC		5.70	5.70	6.61	6.61						1
E	XTEN	DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRANS	SPORT													
		First 2-Wire ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86						
		First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86						
$\vdash$	$\neg$	First 2-Wire ISDN Loop in Combination - Zone 3	<b>i</b>		UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86			i	1	i	
		Interoffice Transport - Dedicated - DS1 combination - per mile										İ				İ	
		per month	1	1	UNC1X	1L5XX	0.1154					1	1		I		1
		Interoffice Transport - Dedicated - DS1 combination - Facility	i –			,	3					i e	i		1	i e	
		Termination per month	1	1	UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97	1	1		I		1
$\vdash$		1/0 Channel System in combination - per month	l -	<b>1</b>	UNC1X	MQ1	69.75	86.10		.0.00	257	<del> </del>	1	<b> </b>	t	<b>†</b>	
$\vdash$	_	2-wire ISDN COCI (BRITE) - in combination - per month	l -		UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04	<b>†</b>	l		<u> </u>	<b>†</b>	
$\vdash$		Additional 2-wire ISDN Loop in same DS1Interoffice Transport	l -	<b>1</b>	2	30.0/1	1.00	27.00	2.30	10.00	1.04	<del> </del>	1	<b> </b>	t	<b>†</b>	<u> </u>
		Combination - Zone 1	l	1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86						1
$\vdash$	-	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	<b>-</b>	<del>- '-</del>	5.1011/1	JILLA	10.02	100.04	30.36	10.42	0.00	<b>-</b>	<b> </b>	<b> </b>	<b>†</b>		<u> </u>
		Combination - Zone 2	l	2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86	I	1	1	1	l	1
$\vdash$	-	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	<del>                                     </del>	-	5.1011/1	JILLA	20.20	100.04	30.30	10.42	0.00			<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	
		Combination - Zone 3	l	3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86						1
$\vdash$	-	Additional 2-wire ISDN COCI (BRITE) - in combination- per	<del>                                     </del>	3	CITOITA	JILEA	42.17	133.34	30.30	10.42	0.00			<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	
		month	1	1	UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04	1	1		I		1
$\vdash$	-	Nonrecurring Currently Combined Network Elements Switch -As-	-	<del>                                     </del>	OINOINA	OUTUA	1.00	۷1.33	2.90	10.00	1.04	-	-	-	<del></del>	-	
			1		UNC1X	UNCCC		5.70	5.70	6.61	6.61						1
<del>-</del>	VTEN	Is Charge DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STO	1 INTE				5.70	5.70	1'0.0	10.0		<b> </b>	-	<del></del>	-	<del></del>
F - F	VIEW.		ED 919				44.00	209.45	70.44	37.91	6.86		-		<del>                                     </del>		<b>—</b>
$\vdash$		First DS1 Loop Combination - Zone 1 First DS1 Loop Combination - Zone 2	<del>                                     </del>		UNC1X UNC1X	USLXX	41.02 46.41	209.45	70.44	37.91 37.91	6.86				<del>                                     </del>		<del>                                     </del>
$\vdash$			<b>.</b>	2					70.44		6.86	<b>.</b>	<b> </b>	-	-	<b>.</b>	
		First DS1 Loop Combination - Zone 3	l	3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86		l	l	l .		

UNBUNDL	ED NETWORK ELEMENTS - Georgia													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			II .	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
$\overline{}$					1	I	Nonrec	urring	Nonrecurring	Disconnect		l	OSS	Rates (\$)		
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile				1 1			71441		71441	0020	00		00	00	
	Per Month			UNCSX	1L5XX	2.53										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88						
	3/1 Channel System in combination per month			UNCSX	MQ3	121.90										
	DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
	Additional DS1Loop in the same STS-1 Interoffice Transport															
$\longrightarrow$	Combination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						-
1	Additional DS1Loop in the same STS-1 Interoffice Transport Combination - Zone 3	1	3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86		1	I			
<del></del>	DS1 COCI in combination per month	<del>                                     </del>	3	UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04	1	<u> </u>	<del> </del>	<b> </b>	<del> </del>	
<del></del>	Nonrecurring Currently Combined Network Elements Switch -As-	<del>                                     </del>		014017	30101	1.33	21.33	2.90	10.00	1.04	1	<u> </u>	<del> </del>	<b> </b>	<del> </del>	
	Is Charge	1		UNCSX	UNCCC		5.70	5.70	6.61	6.61		1	I			
FXT	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	RPS INT	FROFF		014000		5.70	3.70	0.01	0.01	1					
	4-wire 56 kbps Local Loop in combination - Zone 1	1		UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86	İ					
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
	4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Per Mile per month			UNCDX	1L5XX	0.0057										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination per month			UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge		<u> </u>	UNCDX	UNCCC		5.70	5.70	6.61	6.61						
EXT	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	BPS INT				04.00	10= 01		10.10							
-+	4-wire 64 kbps Lcoal Loop in Combination - Zone 1 4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64 UDL64	21.86 28.36	195.94 195.94	36.38 36.38	18.42 18.42	6.86 6.86	-					-
+	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		3	UNCDX UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86	<b>.</b>		-			
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		3	ONCDA	ODL04	30.22	195.94	30.30	10.42	0.00	1		1			
	Per Mile per month			UNCDX	1L5XX	0.0057										
_	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			ONODA	120/01	0.0007					1					
	Facility Termination per month			UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60						
	Nonrecurring Currently Combined Network Elements Switch -As-										†					
	Is Charge			UNCDX	UNCCC		5.70	5.70	6.61	6.61						
EXT	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP														
	First 2-wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						
	First 2-wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86						
	First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86					ļ	
	First Interoffice Transport - Dedicated - DS1 combination - Per	1										1	I			
$-\!+\!-$	Mile	ļ	-	UNC1X	1L5XX	0.1154							<del>                                     </del>		-	
	First Interoffice Transport - Dedicated - DS1 combination -	1		LINC1V	III1TE1	24.40	07 70	4E 70	42.00	27.07		1	I			
+	Facility Termination per month  Per each DS1 Channelization System Per Month	<del>                                     </del>		UNC1X UNC1X	U1TF1 MQ1	34.19 69.75	87.76 86.10	45.73	43.80	27.97	1		<del>                                     </del>	-	-	
$-\!\!+\!\!-$	Per each Voice Grade COCI - Per Month per month	-		UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04	1	<b> </b>	<del>                                     </del>	-	-	
	3/1 Channel System in combination per month	<del>                                     </del>		UNC3X	MQ3	121.90	21.33	2.90	10.00	1.04	1		t	<b>l</b>	<del> </del>	
-+	Per each DS1 COCI in combination per month	1		UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04	1		<b>†</b>	1	1	
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1	i e			1		200	2.30					1	İ	İ	
	Interoffice Transport Combination - Zone 1	1	1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86		1	I			
	Each Additional 2-Wire VG Loop(SL2) in the same DS1	İ			1	İ									1	
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86			<u> </u>	<u> </u>		
	Each Additional 2-Wire VG Loop(SL2) in the same DS1	l												I		
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						
	Each Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04					ļ	
	Each Additional DS1 Interoffice Channel per mile in same 3/1	1			1L5XX							1	I			
				UNC1X							1	ı	1	1	1	1
	Channel System per month			UNCIA	ILJAA	0.1154			-		1		<b>-</b>			
	Channel System per month  Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						

UNBUNDI	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
			1								Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec			g Disconnect				Rates (\$)		
<b></b>							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	1														
EVE	Is Charge	LEBOEE	IOF TO	UNC1X	UNCCC		5.70	5.70	6.61	6.61						<b>├</b>
EXI	ENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT First 4-Wire Analog Voice Grade Local Loop in Combination -	ERUFF	ICE IR	ANSPORT W/ 3/1 WI	UX						-					
	Zone 1		4	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						
<del>                                     </del>	First 4-Wire Analog Voice Grade Local Loop in Combination -		<u> </u>	UNCVA	ULAL4	17.00	193.94	30.30	10.42	0.00						<del></del>
	Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						İ
	First 4-Wire Analog Voice Grade Local Loop in Combination -		-	ONOVA	OL/ L	21.00	100.04	00.00	10.42	0.00				1		
	Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.1154										
	First Interoffice Transport - Dedicated - DS1 - Facility															
	Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97				<u> </u>	<u> </u>	1
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	69.75	86.10	•								
$\Box$	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
	3/1 Channel System in combination per month			UNC3X	MQ3	121.90										
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Additional 4-Wire Analog Voice Grade Loop in same DS1					4=00										
$\vdash$	Interoffice Transport Combination - Zone 1	ļ	1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						<b></b>
	Additional 4-Wire Analog Voice Grade Loop in same DS1		2	LINIOVO	LIEAL 4	04.00	405.04	20.20	40.40	0.00						ĺ
$\vdash$	Interoffice Transport Combination - Zone 2  Additional 4-Wire Analog Voice Grade Loop in same DS1	1	2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86				-		<del></del>
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						ĺ
<b>—</b>	Each Additional DS1 Interoffice Channel per mile in same 3/1	1	3	UNCVA	ULAL4	30.23	193.94	30.30	10.42	0.00				-		
	Channel System per month			UNC1X	1L5XX	0.1154										
	Each Additional DS1 Interoffice Channel Facility Termination in			ONOTA	120/01	0.1104								1		
	same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXT	ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB	3PS INT	EROFF	ICE TRANSPORT W	/ 3/1 MUX											
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															ĺ
	Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
$\vdash$	Zone 2	<b>.</b>	2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86		<b> </b>		<del>                                     </del>	<b> </b>	-
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1	3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86		1		I		1
$\vdash$	Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per	<del>                                     </del>	3	UNCDX	UDLOB	38.22	195.94	30.38	18.42	0.86	-			+		<del></del>
	Mile Per Month	1		UNC1X	1L5XX	0.1154						1		I		1
	First Interoffice Transport - Dedicated - DS1 - combination	l	<del>                                     </del>	0.101/	.20/01	0.1104			1		<del>                                     </del>			<b>-</b>		<b>—</b>
	Facility Termination Per Month	1		UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97		1		I		1
	Per each 1/0 Channel System in combination Per Month	1		UNC1X	MQ1	69.75	86.10			257				1		
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)		i –	UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	3/1 Channel System in combination per month			UNC3X	MQ3	121.90										
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1							<del></del>								1
	Interoffice Transport Combination - Zone 1	<u> </u>	1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86				L		<b>└</b>
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1										1		I		1
$\vdash$	Interoffice Transport Combination - Zone 2	ļ	2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86				-		<del></del>
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	3	LINCDY	LIDLES	20.00	405.04	20.00	40.40	0.00		1		I		1
$\vdash$	Interoffice Transport Combination - Zone 3  OCU-DP COCI (data) COCI in combination per month (2.4-	1	3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86	-	-	-	<del>                                     </del>		<del></del>
	64kbs)	1		UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04		1		I		1
$\vdash$	Each Additional DS1 Interoffice Channel per mile in same 3/1	1	<del>                                     </del>	ONODA	טטוטו	0.9903	21.33	2.90	10.00	1.04	-	<b> </b>		<del>                                     </del>	<b> </b>	<del>                                     </del>
	Channel System per month	1		UNC1X	1L5XX	0.1154						1		I		1
<del>                                     </del>	Each Additional DS1 Interoffice Channel Facility Termination in	<b>†</b>	<b>†</b>	CHOIN	ILUAA	0.1154			1			<b>-</b>		t		<del>                                     </del>
	same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97				1		1
	Each Additional DS1 COCI in the same 3/1 channel system	t	t		1	00	50		.5.50	257				1	İ	
1 1	combination per month	1		UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04	1	1		I		1

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	oit: A
CATEGORY	RATE ELEMENTS	Interi	7	BCS	USOC			RATES (\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Charge - Manual Svc	Incremental Charge - Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BC3	0300			KATES (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
			1			Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
EVTE	Is Charge NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTER	SEEICE	UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXIE	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	Trice	TRANSPORT W/ 3/1	I WIOA						-					
	Transport Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						1
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice									5.55						
	Transport Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															1
	Transport Combination - Zone 3  First Interoffice Transport - Dedicated - DS1 combination - Per	ļ	3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86	-					
	Mile Per Month			UNC1X	1L5XX	0.1154										1
	First Interoffice Transport - Dedicated - DS1 combination -			ONOTA	120/01	0.1104										
	Facility Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						1
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	69.75	86.10									
	Per each OCU-DP COCI (data) in combination - per month (2.4-															
	64kbs)	ļ		UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	3/1 Channel System in combination per month Per each DS1 COCI in combination per month	1	1	UNC3X UNC1X	MQ3 UC1D1	121.90 7.35	27.33	2.90	16.86	1.04						
$\vdash$	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	1	<u> </u>	UNCIX	OCIDI	7.35	21.33	2.90	10.00	1.04						
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						1
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1									0.00						
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						ı
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System			LINIODY	40400	0.0000	07.00	0.00	40.00	4.04						1
	combination - per month (2.4-64kbs)  Each Additional DS1 Interoffice Channel per mile in same 3/1	<u> </u>		UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	Channel System per month			UNC1X	1L5XX	0.1154										1
	Each Additional DS1 Interoffice Channel Facility Termination in			0.1017	120701	0.1.10.1										
	same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						1
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month	ļ		UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINICAV	LINICOC		F 70	F 70	0.04	0.04						1
EVTE	Is Charge  NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	DT w/ 2/	4 MILLY	UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXIL	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	W/ 3/	IWIOX													
	Transport - Zone 1		1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86						1
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
$\vdash$	Transport - Zone 2		2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86						<b>!</b>
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		3	LINIONIV	1141.027	40.4-	405.01	20.00	40.40	0.00						İ
$\vdash$	Transport - Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per	<del>                                     </del>	3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86	-	-				
	Mile per month			UNC1X	1L5XX	0.1154										i
	First Interoffice Transport - Dedicated - DS1 combination -	t	<b>†</b>			3.1104										
	Facility Termination per month		<u> </u>	UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97	<u></u>					ı
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	69.75	86.10	•								
	December 10 to 100 IODN 0001 (DDTT)			LINIONIX	11046											
$\vdash$	Per each 2-wire ISDN COCI (BRITE) in combination - per month	-	<b> </b>	UNCNX UNC3X	UC1CA MQ3	1.66 121.90	27.33	2.90	16.86	1.04	-					
<del>                                     </del>	3/1 Channel System in combination per month Per each DS1 COCI in combination per month	<u> </u>	<del>                                     </del>	UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04	1					
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	t	<b>†</b>	5.1017	30101	7.55	21.00	2.30	10.00	1.04						
1 1	Combination - Zone 1		1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 2		2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86						1
1 1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		_	LINICNIV	1141.027	40.4-	405.01	20.00	40.40	0.00						i
<del></del>	Combination - Zone 3 Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel	-	3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86	<del>                                     </del>	-				
	system combination- per month			UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04						, ,
	1-y		1		150.0/1	1.00	27.00	2.30	10.00	1.04		·		·		

ONBONDLE	D NETWORK ELEMENTS - Georgia			Т									Attach			bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	F						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.1154										
	Each Additional DS1 Interoffice Channel Facility Termination in		1	UNCIA	ILSAA	0.1154					1					
	same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXTE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	_		1101301	44.00		=	27.04							
<del>                                     </del>	First 4-wire DS1 Digital Local Loop in Combination - Zone 1	-	1	UNC1X	USLXX	41.02 46.41	209.45	70.44 70.44	37.91	6.86	1				<del> </del>	
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2 First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3	-	3	UNC1X UNC1X	USLXX	46.41 62.03	209.45 209.45	70.44	37.91 37.91	6.86 6.86	-				-	<b> </b>
<del>                                     </del>	First Interoffice Transport - Dedicated - DS1 combination - Per	<b>-</b>	3	ONCIA	USLAA	02.03	209.45	70.44	31.18	0.00	<del>                                     </del>				<del> </del>	
	Mile Per Month		1	UNC1X	1L5XX	0.1154										
	First Interoffice Transport - Dedicated - DS1 combination -														İ	
	Facility Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	3/1 Channel System in combination per month			UNC3X	MQ3	121.90										
	Per each DS1 COCI combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month		ļ	UNC1X	1L5XX	0.1154										
	Each Additional DS1 Interoffice Channel Facility Termination in			LINICAV	LIATEA	24.40	07.70	45.70	42.00	27.07						
	same 3/1 Channel System per month  Each Additional DS1 COCI in the same 3/1 channel system			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		1	ONOTA	00101	7.00	27.00	2.00	10.00	1.04	1					
	1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
	Nonrecurring Currently Combined Network Elements Switch -As-	1		UNC1X	LINICOO		F 70	F 70	0.04	0.04						
EVTER	Is Charge NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTEDO	EEICE		UNCCC		5.70	5.70	6.61	6.61						
EXIE	First 4-wire 56 kbps Local Loop in combination - Zone 1	I	1 1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
-	First 4-wire 56 kbps Local Loop in combination - Zone 1		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile															
	per month			UNCDX	1L5XX	0.0057										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month			UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINCDY	LINICOO		F 70	F 70	0.04	6.61						
EVTER	Is Charge IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTEDO	EEICE	UNCDX	UNCCC		5.70	5.70	6.61	6.61						
EXIE	First 4-wire 64 kbps Local Loop in combination - Zone 1	I		UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86	-					
-	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile															
	per month			UNCDX	1L5XX	0.0057										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility							<del></del>								
	Termination per month	<u> </u>	<u> </u>	UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60						
	Nonrecurring Currently Combined Network Elements Switch -As-			LINCDY	LINICOO		E 70	E 70	0.04	0.01						
ADDITIONAL I	Is Charge NETWORK ELEMENTS		<u> </u>	UNCDX	UNCCC		5.70	5.70	6.61	6.61	1					
	used as a part of a currently combined facility, the non-recurr	na cha	raes de	notanniv but a	Switch As Is a	narge does ann	ilv.		<del>                                     </del>		<del>                                     </del>				-	
	used as ordinarily combined network elements in All States, the															
	curring Currently Combined Network Elements "Switch As Is"					is onarge t									1	
	Nonrecurring Currently Combined Network Elements Switch -As-		1		,				i i		1				İ	ĺ
	Indiffecting Currently Combined Network Elements Switch -As-															

UNBUNI	DLE	NETWORK ELEMENTS - Georgia													ment: 2		ibit: A
CATEGO	RY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec		curring	Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - 56/64 kbps			UNCDX	UNCCC		5.70	5.70	6.61	6.61						
		Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - DS1			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS3			UNC3X	UNCCC		5.70	5.70	6.61	6.61						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		ls Charge - STS1			UNCSX	UNCCC		5.70	5.70	6.61	6.61						
O	ptiona	al Features & Functions:			LIATOA												
		Clear Channel Capability Extended Frame Option - per DS1			U1TD1, ULDD1,UNC1X	CCOEF		OI.	OI	οι	OI						
		Clear Charmer Capability Extended Frame Option - per DST	- '		U1TD1,	CCOLI		OI .	OI .	UI .	OI						
		Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent	I		ULDD1,UNC1X ULDD1, U1TD1,	CCOSF		OI	OI	OI	OI						
		Activity - per DS1			UNC1X, USL	NRCCC		184.62S	23.78S	2.03S	0.79S						
		Activity - per DS1	- '		U1TD3, ULDD3,	INICOC		104.023	23.763	2.033	0.793						
		C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		218.74S	7.66S	0.7591S	0S						
M		PLEXERS			,												
		DS1 to DS0 Channel System per month			UNC1X	MQ1	69.75	86.10									
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	0.9963	11.98	11.39	6.61	6.61						
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs) used for connection to a channelized DS1															
		Local Channel in the same SWC as collocation		-	U1TUD	1D1DD	0.9963	11.98	11.39	6.61	6.61						
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop			UDN	UC1CA	1.66	15.81	11.39	6.61	6.61						
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel															
		in the same SWC as collocation  Voice Grade COCI - DS1 to DS0 Channel System - per month			U1TUB	UC1CA	1.66	15.81	11.39	6.61	6.61						-
		used for a Local Loop			UEA	1D1VG	0.4689	11.98	11.39	6.61	6.61						
		Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for connection to a channelized DS1 Local Channel in the															
		same SWC as collocation			U1TUC	1D1VG	0.4689	11.98	11.39	6.61	6.61						
		DS3 to DS1 Channel System per month			UNC3X	MQ3	121.90										ļ
		STS-1 to DS1 Channel System per month DS1 COCI used with Loop per month		1	UNCSX USL	MQ3 UC1D1	121.90 7.35	15.81	11.39	6.61	6.61	-					-
		DS1 COCI used with Loop per month DS1 COCI (used for connection to a channelized DS1 Local			USL	ОСТОТ	7.35	15.81	11.39	0.01	0.01						1
		Channel in the same SWC as collocation) per month			U1TUA	UC1D1	7.35	15.81	11.39	6.61	6.61						
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	7.35	15.81	11.39	6.61	6.61	1			1	1	
		DS3 Interface Unit (DS1 COCI) used with Local Channel per					50		30	1					İ		
		month	<u> </u>	<u></u>	ULDD1	UC1D1	7.35	15.81	11.39	6.61	6.61						
		OCAL EXCHANGE SWITCHING(PORTS)															
		ge Ports				1		L							ļ		
		Although the Port Rate includes all available features in GA, I	KY, LA	& TN, t	ne desired features	will need to b	e ordered usir	ng retail USOC	S I	-					-	<b>!</b>	<del>                                     </del>
2-	WIRE	VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port- Res.		-	UEPSR	UEPRL	1.09	2.42	2.31	1.37	1.28	1			<del>                                     </del>	<b> </b>	1
	-	Exchange Forts - 2-Wire Arialog Line Fort- Res.		1	UEPSK	UEPKL	1.09	2.42	2.31	1.37	1.20	1					-
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.09	2.42	2.31	1.37	1.28						
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.09	2.42	2.31	1.37	1.28						
		Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.09	2.42	2.31	1.37	1.28						
		Exchange Ports - 2-Wire Voice Georgia basic dialing port															
		without Caller ID		<b>-</b>	UEPSR	UEPWC	1.09	2.42	2.31	1.37	1.28	1					
		2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res			UEPSR	UEPWQ	1.09	2.42	2.31	1.37	1.28						
		2-Wire voice unbundled Georgia basic dialing port - outgoing only			UEPSR	UEPWR	1.09	2.42	2.31	1.37	1.28						

UNBUND	LED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	Y RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									p = = = = = = = = = = = = = = = = = = =	p	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	DISC Add I
						Rec	Nonrec			g Disconnect				Rates (\$)		
						IXEC	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled Low Usage Line Port without Caller ID															
	Capability			UEPSR	UEPRT	1.09	2.42	2.31	1.37	1.28						
	2-Wire Voice Grade Unbundled Port without Caller ID capability															
	Georgia			UEPSR	UEPRV	1.09	2.42	2.31	1.37	1.28						
	2-Wire Voice Grade Unbundled Port with Caller ID capability,															
	Georgia			UEPSR	UEPRU	1.09	2.42	2.31	1.37	1.28						
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
FE	ATURES															
	All Available Vertical Features			UEPSR	UEPVF	0.775	0.00	0.00								
2-W	/IRE VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus	1	1	UEPSB	UEPBL	1.09	2.42	2.31	1.37	1.28			ļ	ļ		
	Exchange Ports - 2-Wire VG unbundled Line Port with	1	1								1	1				
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.09	2.42	2.31	1.37	1.28						
	Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing	1	1													
	Port, with Caller ID capability	1	1	UEPSB	UEPWP	1.09	2.42	2.31	1.37	1.28						
			1													
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.09	2.42	2.31	1.37	1.28						
	Exhange Ports - 2-Wire VG unbundled incoming only port with															
	Caller ID - Bus			UEPSB	UEPB1	1.09	2.42	2.31	1.37	1.28						
	Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan															
	without Caller ID			UEPSB	UEPWD	1.09	2.42	2.31	1.37	1.28						
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPSB	UEPBE	1.09	2.42	2.31	1.37	1.28						
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FE	ATURES															
	All Available Vertical Features			UEPSB	UEPVF	0.775	0.00	0.00								
EX	CHANGE PORT RATES (DID & PBX)															
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.09	28.88	13.63	11.48	0.83						
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.09	28.88	13.63	11.48	0.83						
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.09	28.88	13.63	11.48	0.83						
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.09	28.88	13.63	11.48	0.83						
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.09	28.88	13.63	11.48	0.83						
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.09	28.88	13.63	11.48	0.83						
$\vdash$	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	<b> </b>	<u> </u>	UEPSP	UEPXB	1.09	28.88	13.63	11.48	0.83						
$\vdash$	2-Wire Voice Unbundled PBX LD DDD Terminals Port	<b> </b>	ļ	UEPSP	UEPXC	1.09	28.88	13.63		0.83			ļ	ļ		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1	1	UEPSP	UEPXD	1.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1	1								1	1				
	Capable Port	1	1	UEPSP	UEPXE	1.09	28.88	13.63	11.48	0.83			ļ	ļ		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1		1											
$\vdash$	Administrative Calling Port	<b> </b>	ļ	UEPSP	UEPXL	1.09	28.88	13.63	11.48	0.83			ļ	ļ		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1		1											
	Room Calling Port	1	1	UEPSP	UEPXM	1.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		1													
	Discount Room Calling Port	1	1	UEPSP	UEPXO	1.09	28.88	13.63	11.48	0.83			ļ	ļ		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	1	1	UEPSP	UEPXS	1.09	28.88	13.63	11.48	0.83			ļ	ļ		
	2-Wire voice unbundled Georgia basic dialing port - 1-Way		1													
	Oudial Trunk	1	1	UEPSP	UEPWS	1.09	28.88	13.63	11.48	0.83			ļ	ļ		
	2-Wire voice unbundled Georgia basic dialing port - 2-Way	1	1								1	1				
$\vdash$	Trunk	<b> </b>	<u> </u>	UEPSP	UEPWT	1.09	28.88	13.63	11.48	0.83						
	2-Wire voice unbundled Georgia basic dialing port - 2-way PBX	1	1	l	I						1	1				
	Trunk	1	1	UEPSP	UEPPQ	1.09	28.88	13.63	11.48	0.83						
$\vdash$	Subsequent Activity	<b> </b>	<u> </u>	UEPSP	USASC	0.00	0.00	0.00								
FE/	ATURES	<b>_</b>	<u> </u>		<u> </u>					ļ			ļ	ļ		
$\vdash$	All Available Vertical Features	<b> </b>	<u> </u>	UEPSP UEPSE	UEPVF	0.775	0.00	0.00								
EX	CHANGE PORT RATES (COIN)	<b> </b>	ļ		1				ļ	ļ			ļ	ļ		
$oxed{oxed}$	Exchange Ports - Coin Port	<u> </u>		L		1.09	2.42	2.31	1.37	1.28	L	L	l			
NO.	TE: Transmission/usage charges associated with POTS circuit s	witched	usage	will also apply to c	ircuit switche	d voice and/or	circuit switche	ed data transn	nission by B-Cl	nannels associ	ated with 2-	-wire ISDN p	oorts.	l		

UNBU	NDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
				1								Svc Order	Svc Order	Incremental	Incremental		
												Submitted			Charge -	Charge -	Charge -
			Instant									Elec		Manual Svc	Manual Svc		Manual Sv
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .01	2.007.00
							Rec	Nonred			Disconnect				Rates (\$)		
			<u> </u>	<u> </u>		<u></u>		First	Add'l	First	Add'l			SOMAN		SOMAN	SOMAN
		Access to B Channel or D Channel Packet capabilities will be	e availal	ole only	through BFR/New	Business Rec	quest Process.	Rates for the	packet capabi	lities will be de	etermined via t	he Bona Fid	le Request/	New Business	s Request Pro	cess.	
		LOCAL EXCHANGE SWITCHING(PORTS) UNGE PORT RATES	-	<u> </u>		-						-					-
		The Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Port	in this	rata avhihit annly te	the embedd	lad basa in nla	co as of 10/2/0	2 until 4/1/04	After 4/1/04 th	oco ratoc chall	rovert to ta	riff rates or	a congrato ag	roomont		
		sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports											III rates or	a separate ag	leement.		
	Neques	Exchange Ports - 2-Wire DID Port		enecu	UEPEX	UEPP2	5.50	122.26	18.65		3.45	iscretion.					
		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID			OLI LX	OLI I Z	0.00	122.20	10.00	04.02	0.40						
		capability (E:4/1/2004)			UEPDD	UEPDD	41.20	200.96	93.00	65.81	2.33						
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	6.09	76.39	51.50	45.67	10.36						
		All Features Offered			UEPTX, UEPSX	UEPVF	0.775	0.00	0.00								
		Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
	NOTE:	Transmission/usage charges associated with POTS circuit s	witched	usage	will also apply to ci	rcuit switche	d voice and/or	circuit switch	ed data transm	ission by B-Cl	hannels associ	ated with 2	wire ISDN p	orts.			
	NOTE:	Access to B Channel or D Channel Packet capabilities will be	e availal	ole only	through BFR/New	Business Red	quest Process.	Rates for the	packet capabi	lities will be de	etermined via t	he Bona Fid	le Request/	New Busines:	s Request Pro	cess.	
	<b>EXCHA</b>	NGE PORT RATES (continued)															
		Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911												-	I		
L		Locator Capability (E:4/1/2004)			UEPEX	UEPEX	65.13	198.74	97.29	72.95	17.69					ļ	
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	65.13	198.74	97.29	72.95	17.69						
		Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	0.3726										
		Virtual collocation - Special Access & UNE, cross-connect per															
		DS1			UEPEX UEPDX	CNC1X	0.3726										
	Detaile	d E911 with Locator Capability (required with UEPEX port)															
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Initial Profile Establishment per CLEC per			UEPEX	UEP1A	0.00	4 040 00									
-		State Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	-	<u> </u>	UEPEX	UEPTA	0.00	1,818.00				-					-
		Locator Capability - Subsequent Profile Changes, Additions,															
		Deletions			UEPEX	UEP1B	0.00	176.57									
	New or	Additional PRI Telephone Numbers			OLFLX	OLFID	0.00	170.57									
-	11011 01	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911				<b> </b>						<b>-</b>					
		Locator Capability 2-way Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1C	0.0703	0.50									
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Outdial Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1D	0.0703	10.72	10.72								
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															
		Telephone Numbers - Inward Data Only Option [New or															
		Additional]			UEPDX	UEP1E	0.00	0.50									
		Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]															
L		Inward Tel Numbers [Customer Testing Purposes]	ļ		UEPEX	PR7ZT	0.00	21.43	21.43								
		NUMBER PORTABILITY															
<u> </u>		Local Number Portability (1 per port)	ļ		UEPEX UEPDX	LNPCN	1.75			ļ	ļ					ļ	
<u> </u>	INTERF	FACE (Provsioning Only)	ļ	<u> </u>	UEDEV												
L		Voice/Data	ļ	<u> </u>	UEPEX	PR71V	0.00	0.00	0.00								
		Digital Data	<u> </u>	ļ	UEPEX	PR71D	0.00	0.00	0.00			-			<b> </b>	ļ	
	May: -	Inward Data	<b> </b>	-	UEPDX	PR71E	0.00	0.00	0.00	<b> </b>	<b>!</b>		<b> </b>		<b> </b>	<del>                                     </del>	
<b></b> -	New or	Additional Channel New or Additional - Voice/Data "B" Channel	1	-	UEPEX	PR7BV	0.00	28.71		-	-	1			-	<b> </b>	<del>                                     </del>
<del> </del>		New or Additional - Voice/Data "B" Channel New or Additional - Digital Data "B" Channel	+	+	UEPEX	PR7BV PR7BF	0.00	28.71				-	-				<del>                                     </del>
<del> </del>		New or Additional Inward Data "B" Channel	+	+	UEPEX	PR7BD	0.00	28.71				-	-				<b>-</b>
$\vdash$		New or Additional Inward Data B Channel  New or Additional Useage Sensitive Voice Data "B" Channel	<del>                                     </del>	-	UEPEX	PR7BS	0.00	20.11		-	-		<b> </b>		<b> </b>	<del> </del>	
$\vdash$		New or Additional Useage Sensitive Voice Data B Channel	<del>                                     </del>		UEPEX	PR7BU	0.00					<b>-</b>	<b>-</b>			<b> </b>	<b>-</b>
		New or Additional PRI "D" Channel	<b>†</b>	<b>†</b>	UEPEX	PR7EX	0.00	28.71				<del>                                     </del>	<b> </b>				<del>                                     </del>
	CALL T						0.00	20.71		1	1					1	
		Inward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00	1	1					1	
		Outward			UEPEX	PR7CO	0.00	0.00	0.00						İ		
-		Two-way			UEPEX	PR7CC	0.00	0.00	0.00								
1 .				1		<b></b>						<del>                                     </del>					1
	UNBUN	IDLED PORT with REMOTE CALL FORWARDING CAPABILITY	ľ			]											
		NDLED PORT with REMOTE CALL FORWARDING CAPABILITY NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE				UERAC											

UNBUNDLI	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			II .	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Incrementa Charge -
						Rec	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.09	2.42	2.31	1.37	1.28						
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR UEPVR	UERTE UERTR	1.09 1.09	2.42 2.42	2.31 2.31	1.37 1.37	1.28 1.28						ļ
Non-F	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERIR	1.09	2.42	2.31	1.37	1.28				-		<b>+</b>
NOTIFI	Unbundled Remote Call Forwarding Service - Conversion -										<b>+</b>			-		+
	Switch-as-is			UEPVR	USAC2		2.01	0.31								
	Unbundled Remote Call Forwarding Service - Conversion with															
	allowed change (PIC and LPIC)			UEPVR	USACC		2.01	0.31								
UNBU	INDLED REMOTE CALL FORWARDING - Bus															
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.09	2.42	2.31	1.37	1.28				ļ		
	Habitandlad Dameta Call Familia Picca Control Collins			LIED\/D	LIEDIO	1.00	0.40	0.00	1.0=	1.00				I		
	Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus		<b>—</b>	UEPVB UEPVB	UERLC UERTE	1.09	2.42	2.31	1.37 1.37	1.28 1.28	ļ			1	-	ļ
	Unbundled Remote Call Forwarding Service, InterLATA - Bus  Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.09	2.42	2.31	1.37	1.28				-		<b>-</b>
+	Unbundled Remote Call Forwarding Service, IntraLATA - Bus			OLF VB	OLKIK	1.09	2.42	2.31	1.37	1.20	<b>+</b>			-		-
	Exception Local Calling			UEPVB	UERVJ	1.09	2.42	2.31	1.37	1.28						
Non-F	Recurring										†			t		
	Unbundled Remote Call Forwarding Service - Conversion -				1											
	Switch-as-is			UEPVB	USAC2		2.01	0.31								
	Unbundled Remote Call Forwarding Service - Conversion with															
	allowed change (PIC and LPIC)			UEPVB	USACC		2.01	0.31								
	LOCAL SWITCHING, PORT USAGE															
End C	Office Switching (Port Usage)					0.0006153					ļ					
	End Office Switching Function, Per MOU  End Office Trunk Port - Shared, Per MOU					0.0006153					<b>.</b>			-		-
Tanda	em Switching (Port Usage) (Local or Access Tandem)					0.0001226					1			1		1
Tana	Tandem Switching Function Per MOU					0.0000972					<b>+</b>			-		+
	Tandem Trunk Port - Shared, Per MOU					0.0001557										<b>†</b>
	Tandem Switching Function Per MOU (Melded)				1	0.000017904										
	Tandem Trunk Port - Shared, Per MOU (Melded)					0.00002868										
	Melded Factor: 18.42% of the Tandem Rate															
Comn	non Transport															ļ
	Common Transport - Per Mile, Per MOU					0.0000027										
INDUNE ED	Common Transport - Facilities Termination Per MOU					0.0001914					ļ					<b></b>
	PORT/LOOP COMBINATIONS - COST BASED RATES  Based Rates are applied where BellSouth is required by FCC ar	nd/or St	ato Co-	nmission rulo to se	ovide Unbrin	dlad Local Swit	tching or Suite	ch Porte	-		1			<del>                                     </del>		├──
	res shall apply to the Unbundled Port/Loop Combination - Cos								d Port section	of this Rate F	yhihit			1		1
	Office and Tandem Switching Usage and Common Transport Us											n Port/Loon	Combination	ns.		<b>—</b>
The fi	rst and additional Port nonrecurring charges apply to Not Curr	ently Co	ombine	d Combos. For Cur	rently Comb	ined Combos th	ne nonrecurrin	g charges sha	Il be those ide	ntified in the N	lonrecurring	- Currently	Combined s	ections.	İ	<b>†</b>
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE I	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			10.46										
	2-Wire VG Loop/Port Combo - Zone 2		2		ļ	15.76								1	ļ	ļ
	2-Wire VG Loop/Port Combo - Zone 3		3		<b>_</b>	32.56			-		ļ			<del>                                     </del>	-	<del>                                     </del>
UNE	Loop Rates		-1	UEPRX	UEPLX	9.56					1			<del>                                     </del>		
-	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2			UEPRX	UEPLX	14.86					-		-	<del>                                     </del>		-
	2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3			UEPRX	UEPLX	31.66					1			<del>                                     </del>	1	1
2-Wir	e Voice Grade Line Port Rates (Res)		J	OLI IVA	JLI LA	31.00					1			t		<del>                                     </del>
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	0.9019	10.05	7.36	1.37	1.28				1	1	
1	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port without Caller ID capability - res			UEPRX	UEPWC	0.9019	10.05	7.36	1.37	1.28						

UNBU	NDLE	D NETWORK ELEMENTS - Georgia													ment: 2	1	ibit: A
CATEGO	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates (\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice unbundled Georgia basic dialing port for use with															
		Caller ID - res			UEPRX	UEPWQ	0.9019	10.05	7.36	1.37	1.28						ļ
		2-Wire voice unbundled Georgia basic dialing port - outgoing				1											
		only			UEPRX	UEPWR	0.9019	10.05	7.36	1.37	1.28						
		2-Wire voice unbundled Low Usage Line Port without Caller ID			UEPRX	UEPRT	0.9019	10.05	7.36	1.37	1.28						
		Capability  2-Wire Voice Grade Unbundled Port without Caller ID, Georgia		-	UEPRX	UEPRV	0.9019	10.05	7.36	1.37	1.28	1			-	-	<del>                                     </del>
		2-Wire Voice Grade Unbundled Port with Caller ID, Georgia			UEPRX	UEPRU	0.9019	10.05	7.36	1.37	1.28				<u> </u>	1	
	FEATU				OLITAX	OLI IXO	0.3013	10.03	7.50	1.07	1.20					-	
ľ		All Features Offered			UEPRX	UEPVF	0.775	0.00	0.00								1
		NUMBER PORTABILITY				1											
ĺ		Local Number Portability (1 per port)			UEPRX	LNPCX	0.35						İ				
		CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPRX	USAC2		0.10	0.10								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEBBY .				_						I	I	
		Switch with change			UEPRX	USACC		0.10	0.10								
	ADDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent			LIEDDY	110400	0.00	0.00	0.00								
		Activity Unbundled Miscellaneous Rate Element, Tag Loop at End User		-	UEPRX	USAS2	0.00	0.00	0.00			-			-	-	
		Premise			UEPRX	URETL		8.33	0.83								
- 1	OFF/OI	N PREMISES EXTENSION CHANNELS		-	OLFKA	UKLIL		0.33	0.03			<del> </del>	<del> </del>				
	011701	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	10.51	40.02	9.99	5.61	1.72				-		
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	15.85	40.02	9.99	5.61	1.72	1	1		1	1	1
t		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	31.97	40.02	9.99	5.61	1.72		İ				
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	11.57	79.85	24.65	18.92	7.87						
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	16.95	79.85	24.65	18.92	7.87						
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	33.08	79.85	24.65	18.92	7.87						
l l	NTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPRX	U1TV2	12.87	48.46	19.48	16.58	5.00						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				l											
		or Fraction Mile			UEPRX	U1TVM	0.0057	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
	UNE PO	ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1		1			10.46					-			-	-	
		2-Wire VG Loop/Port Combo - Zone 1		2		1	15.76					1	1		-	-	
		2-Wire VG Loop/Port Combo - Zone 2	<b>-</b>	3		+	32.56			+			<del>                                     </del>	+	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
	UNE Lo	pop Rates		Ť		1	32.30				1				<u> </u>	<u> </u>	
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9.56			İ	ĺ		Ì		1	1	1
i		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	14.86										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	31.66										
- 2	2-Wire	Voice Grade Line Port (Bus)							•								
		2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	0.9019	10.05	7.36	1.37	1.28						ļ
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	0.9019	10.05	7.36		1.28	ļ	ļ		ļ	ļ	<b>↓</b>
		2-Wire voice unbundled port outgoing only - bus		-	UEPBX	UEPBO	0.9019	10.05	7.36	1.37	1.28	<u> </u>	ļ	1	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
		2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice unbundled Georgia basic dialing port, without		-	UEPBX	UEPB1	0.9019	10.05	7.36	1.37	1.28	<u> </u>	-	1	<del>                                     </del>	<del>                                     </del>	+
		Caller ID capability - bus			UEPBX	UEPWD	0.9019	10.05	7.36	1.37	1.28				I	I	
		2-Wire voice unbundled Georgia basic dialing port for use with			OLFBA	OLF WD	0.9019	10.05	1.30	1.37	1.28	<del>                                     </del>	1	1	t	t	1
		Caller ID - bus			UEPBX	UEPWP	0.9019	10.05	7.36	1.37	1.28				1	1	
<del></del>		2-Wire voice unbundled Incoming Only Port without Caller ID				32. 771	0.0019	10.00	7.30	1.57	1.20			1	1	1	<b>—</b>
		Capability			UEPBX	UEPBE	0.9019	10.05	7.36	1.37	1.28				1	1	
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
	FEATU																
		All Features Offered			UEPBX	UEPVF	0.775	0.00	0.00						L	L	ļ
l l	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED				1					l	l	1		l .	l .	<u></u>

ONBOND	LED NETWORK ELEMENTS - Georgia													ment: 2	1	bit: A
CATEGORY	/ RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
			ļ												Diac rat	Diac Add I
			ļ			Rec	Nonrec		Nonrecurring					Rates (\$)		
	2 Wise Value Conda Lana (Line Bart Combination Commission	+			+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop / Line Port Combination - Conversion	1		UEPBX	USAC2		0.10	0.10								
	Switch-as-is  2-Wire Voice Grade Loop / Line Port Combination - Conversion	+		UEPBX	USACZ		0.10	0.10								
	Switch with change			UEPBX	USACC		0.10	0.10								
ADI	DITIONAL NRCs	+		OLI DX	OOACC		0.10	0.10						1		
ADI	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1	1		+											
	Activity			UEPBX	USAS2		0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1														
	Premise			UEPBX	URETL		8.33	0.83								
OF	F/ON PREMISES EXTENSION CHANNELS															
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	10.51	40.02	9.99	5.61	1.72						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	15.85	40.02	9.99	5.61	1.72						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	31.97	40.02	9.99	5.61	1.72						
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	11.57	79.85	24.65	18.92	7.87						
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	16.95	79.85	24.65	18.92	7.87						
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	33.08	79.85	24.65	18.92	7.87						
INT	EROFFICE TRANSPORT	ļ														
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEBBY .		40.00			40.50							
	Termination			UEPBX	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	•		HEDDY	11477.04	0.0057	0.00	0.00								
0.14	or Fraction Mile  VIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			UEPBX	U1TVM	0.0057	0.00	0.00							1	
	E Port/Loop Combination Rates	-			_											
ON	2-Wire VG Loop/Port Combo - Zone 1	+	1	1	+	10.46									-	
	2-Wire VG Loop/Port Combo - Zone 2	+	2		+	15.76									-	
	2-Wire VG Loop/Port Combo - Zone 3	1	3		+	32.56										
UNI	E Loop Rates		l u			02.00										
-	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEPRG	UEPLX	9.56										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEPRG	UEPLX	14.86										
	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEPRG	UEPLX	31.66										
2-W	fire Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res			UEPRG	UEPRD	0.9019	10.05	7.36	1.37	1.28						
LO	CAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FE/	ATURES	ļ														
NO	All Features Offered	-		UEPRG	UEPVF	0.775	0.00	0.00								
NOI	NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	+	<del>                                     </del>	+	+									-	<del>                                     </del>	+
	Conversion - Switch-As-Is		1	UEPRG	USAC2		0.10	0.10			1				I	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	+	<del>                                     </del>	OLFING	USAUZ		0.10	0.10	1					<del> </del>	t	1
	Conversion - Switch with Change			UEPRG	USACC		0.10	0.10			1				I	
ADI	DITIONAL NRCs	1	t		0000		0.10	0.10						1	1	1
1.0	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	t	1										1	1	1
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00			1				I	
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															Ì
	Group						6.70	6.70								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise		<u> </u>	UEPRG	URETL		8.33	0.83								
OFI	F/ON PREMISES EXTENSION CHANNELS															
	Local Channel Voice grade, per termination	1	1	UEPRG	P2JHX	11.57	79.85	24.65	18.92	7.87				ļ	1	
	Local Channel Voice grade, per termination	1	2	UEPRG	P2JHX	16.95	79.85	24.65	18.92	7.87				ļ	-	ļ
	Local Channel Voice grade, per termination	1	3	UEPRG	P2JHX	33.08	79.85	24.65	18.92	7.87				ļ	-	ļ
	Non-Wire Direct Serve Channel Voice Grade  Non-Wire Direct Serve Channel Voice Grade	+	1	UEPRG	SDD2X SDD2X	12.74	56.92 56.92	7.70	4.40 4.40	0.02				-	<del>                                     </del>	+
-+	Non-Wire Direct Serve Channel Voice Grade  Non-Wire Direct Serve Channel Voice Grade	+	2	UEPRG UEPRG	SDD2X SDD2X	19.76 37.18	56.92 56.92	7.70 7.70	4.40	0.02	-				<del>                                     </del>	<del> </del>
INIT	EROFFICE TRANSPORT	+	3	ULFRU	ΟυυΖλ	37.18	56.92	7.70	4.40	0.02	<b> </b>			<del>                                     </del>	<del>                                     </del>	1
INI	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	+	<del>                                     </del>	1	+				1					<del> </del>	t	1
	Interested transport - Dedicated - 2 Wile Voice Grade - Facility	1	1	UEPRG	U1TV2	12.87	48.46	19.48	16.58	5.00	ı	ı		I	1	1

UNBUNDLI	ED NETWORK ELEMENTS - Georgia													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
			ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRG	U1TVM	0.0057	0.00	0.00								
2-WIR	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			ULFRG	OTTVIVI	0.0037	0.00	0.00								<del> </del>
	Port/Loop Combination Rates								†						t	
	2-Wire VG Loop/Port Combo - Zone 1		1			10.46										
	2-Wire VG Loop/Port Combo - Zone 2		2			15.76										ļ
IINE I	2-Wire VG Loop/Port Combo - Zone 3		3			32.56									-	<u> </u>
UNE	_oop Rates   2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	9.56			-						-	<b>-</b>
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	14.86										<del> </del>
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	31.66										
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus		<u> </u>	UEPPX UEPPX	UEPPC UEPPO	0.9019 0.9019	10.05 10.05	7.36 7.36	1.37 1.37	1.28 1.28	-					<del>                                     </del>
	Line Side Unbundled Outward PBX Trunk Port - Bus  Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPPO UEPP1	0.9019	10.05	7.36	1.37	1.28					-	<b>-</b>
	2-Wire Voice Unbundled PBX LD Terminal Ports		<del>                                     </del>	UEPPX	UEPLD	0.9019	10.05	7.36	1.37	1.28						+
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		1	UEPPX	UEPXA	0.9019	10.05	7.36	1.37	1.28					1	<u> </u>
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		<u> </u>	UEPPX	UEPXD	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			LIEDDY	UEPXE	0.0040	40.05	7.00	4.07	4.00						
	Capable Port  2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		<u> </u>	UEPPX	UEPXE	0.9019	10.05	7.36	1.37	1.28					-	<b>-</b>
	Administrative Calling Port			UEPPX	UEPXL	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1	OLI I X	OLI AL	0.0010	10.00	7.00	1.07	1.20					1	<u> </u>
	Room Calling Port			UEPPX	UEPXM	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPPX	UEPXO	0.9019	10.05	7.36	1.37	1.28						ļ
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port 2-Wire voice unbundled Georgia basic dialing port - 1-Way		<u> </u>	UEPPX	UEPXS	0.9019	10.05	7.36	1.37	1.28					1	<del> </del>
	Oudial Trunk			UEPPX	UEPWS	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - 2-Way		<del>                                     </del>	OLITA	OLI WO	0.0010	10.00	7.00	1.07	1.20						
	Trunk			UEPPX	UEPWT	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - 2-way PBX															
	Trunk		<u> </u>	UEPPX	UEPPQ	0.9019	10.05	7.36	1.37	1.28	-					ļ
	2-Wire voice unbundled Georgia basic dialing port - PBX LD Terminal Ports			UEPPX	UEPPS	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - PBX Toll		<del>                                     </del>	ULFFA	UEFFS	0.9019	10.05	7.36	1.3/	1.28	<del>                                     </del>				<del>                                     </del>	+
	Terminal Ports			UEPPX	UEPPT	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - PBX LD		l			Ì										
	DDD Terminal Port			UEPPX	UEPPU	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - PBX LD															
	Terminal Switchboard Port		<u> </u>	UEPPX	UEPPV	0.9019	10.05	7.36	1.37	1.28						<b>_</b>
	2-Wire voice unbundled Georgia basic dialing port - PBX LD Terminal Switchboard DDD Capable Port		1	UEPPX	UEPPW	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - PBX 2-Way		<u> </u>	OLITA	JLFFVV	0.5019	10.05	1.30	1.37	1.20	<del>                                     </del>					<del>                                     </del>
	Trunk			UEPPX	UEPPC	0.9019	10.05	7.36	1.37	1.28						
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEAT	URES		<u> </u>	LIEDDY	LIED) (E	0.777	0.00	0.00			<u> </u>					<b></b>
NONE	All Features Offered RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		1	UEPPX	UEPVF	0.775	0.00	0.00	<del>                                     </del>						<del>                                     </del>	<del>                                     </del>
NONE	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		<del>                                     </del>		+	+					-				-	+
	Conversion - Switch-As-Is		1	UEPPX	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		l		1			20	1							1
	Conversion - Switch with Change		<u> </u>	UEPPX	USACC		0.10	0.10								
ADDI	TIONAL NRCs															

UNBUNDLE	D NETWORK ELEMENTS - Georgia			•										ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates (\$)	_	
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						6.70	6.70								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPPX	URETL		8.33	0.83								
OFF/O	N PREMISES EXTENSION CHANNELS				D0 !! !! /		====	01.05	10.00							<b></b>
	Local Channel Voice grade, per termination			UEPPX	P2JHX	11.57	79.85	24.65	18.92	7.87						
	Local Channel Voice grade, per termination			UEPPX	P2JHX	16.95	79.85	24.65	18.92	7.87						<b></b>
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	33.08	79.85	24.65	18.92	7.87						
	Non-Wire Direct Serve Channel Voice Grade	<b> </b>	1	UEPPX	SDD2X	12.74	56.92	7.70	4.40	0.02	-	ļ			-	<del></del>
	Non-Wire Direct Serve Channel Voice Grade	-	2	UEPPX	SDD2X	19.76	56.92	7.70	4.40	0.02	-					<b>├</b>
INITES :	Non-Wire Direct Serve Channel Voice Grade	ļ	3	UEPPX	SDD2X	37.18	56.92	7.70	4.40	0.02						+
INTER	OFFICE TRANSPORT															<b></b>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPPX	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPPX	U1TVM	0.0057	0.00	0.00								
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
UNE Po	ort/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			10.46										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			15.76										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			32.56										
UNE Lo	pop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.56										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	14.86										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	31.66										
2-Wire	Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way with Operator Screening (GA)			UEPCO	UEPGC	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (GA)			UEPCO	UEP2G	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (GA)			UEPCO	UEPGA	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Coin 2-Way with Operator Screening and 900/976 Blocking (GA)			UEPCO	UEPGB	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Coin 2-Way with Operator Screening and Blocking:										İ					
	900/976, 1+DDD, 011+, and Local (GA)			UEPCO	UEPCH	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Coin Outward with Operator Screening and 011 Blocking (GA, KY, MS)			UEPCO	UEPRJ	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	0.9019	10.05	7.36	1.37	1.28						
	2-Wire 2-Way Smartline with 900/976 (all states except LA)	<del>                                     </del>	<del>                                     </del>	UEPCO	UEPCK	0.9019	10.05	7.36	1.37	1.28		<b> </b>				
	2-Wire Coin Outward Smartline with 900/976 (all states except			UEPCO	UEPCR	0.9019	10.05	7.36	1.37	1.28						
ADDITI	ONAL UNE COIN PORT/LOOP (RC)	-	<del>                                     </del>	01.00	OLFOR	0.5019	10.05	1.30	1.37	1.20	<del>                                     </del>	-			-	<del></del>
	UNE Coin Port/Loop Combo Usage (Flat Rate)	<del>                                     </del>		UEPCO	URECU	3.59	0.00	0.00	0.00	0.00	<b>H</b>				l	
	NUMBER PORTABILITY	<del>                                     </del>	<del>                                     </del>	0L1 00	UNLOU	3.39	0.00	0.00	0.00	0.00	<b>H</b>				<del>                                     </del>	<del>                                     </del>
	Local Number Portability (1 per port)	<del>                                     </del>	<del>                                     </del>	UEPCO	LNPCX	0.35					<u> </u>	<b> </b>			<b> </b>	<b>—</b>
	ECURRING CHARGES - CURRENTLY COMBINED	<b> </b>		021 00	LI 11 OX	0.55					<b>-</b>	<b>-</b>				<b>—</b>
1101111	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPCO	USAC2		0.10	0.10								
	Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion -				1											
ADDITI	Switch with change ONAL NRCs			UEPCO	USACC		0.10	0.10			<del>                                     </del>					<del>                                     </del>
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8.33	0.83								1
	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	I INE	OPT (		1		2.20	2.30			1	l			1	l

UNBUNDLE	D NETWORK ELEMENTS - Georgia										Ι			ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE F	Port/Loop Combination Rates		1		+	25.52						-			1	<del>                                     </del>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		+ -	25.53 30.92					<b>-</b>	-			-	<del></del>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		3		+	47.04					1	1			1	
UNE L	oop Rates		ľ		+	47.04									-	
0.12	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	11.57									t	
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	16.95										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	33.08										
2-Wire	Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled port with Caller ID - res	<b>!</b>	1	UEPFR	UEPRC	1.09	166.05	43.66	41.89	15.44	ļ		<b> </b>	-	<del>                                     </del>	
	2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundles res, low usage line port with Caller ID	-	-	UEPFR	UEPRO	1.09	166.05	43.66	41.89	15.44	ļ	1	-	-	1	<del></del>
	(LUM)			UEPFR	UEPAP	1.09	166.05	43.66	41.89	15.44					1	1
	2-Wire voice unbundled Georgia basic dialing port, without			OLITIK	OLI AI	1.03	100.03	43.00	41.03	13.44	<b>+</b>				-	
	Caller ID capability - res			UEPFR	UEPWC	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled Georgia basic dialing port for use with															
	Caller ID - res			UEPFR	UEPWQ	1.09	166.05	43.66	41.89	15.44						İ
	2-Wire voice unbundled Georgia basic dialing port - outgoing															
	only			UEPFR	UEPWR	1.09	166.05	43.66	41.89	15.44						
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEDED	11477.60	40.07	40.40	10.10	40.50	5.00						
	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFR	U1TV2	12.87	48.46	19.48	16.58	5.00					-	
	or Fraction Mile			UEPFR	1L5XX	0.0057	0.00	0.00								
FEAT				OLITIK	TESTON	0.0037	0.00	0.00			1					<del>                                     </del>
1 = 7 1.1	All Features Offered			UEPFR	UEPVF	0.775	0.00	0.00			†				t	
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		7.85	1.86			ļ					
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-With-Change			UEPFR	USACC		7.85	1.86								
<b></b>	Unbundled Miscellaneous Rate Element, Tag Designed Loop at		1	UEFFR	USACC		7.00	1.00			<b>-</b>	-			-	<del> </del>
	End User Premise			UEPFR	URETN		11.19	1.10								
2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (		O.L.						†				t	
	Port/Loop Combination Rates		Ι ,													
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			25.53										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			30.92										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			47.04										
UNE L	oop Rates		1	LIEDED	LIEGEO	44.57					ļ					
	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFB UEPFB	UECF2 UECF2	11.57 16.95									-	
	2-Wire Voice Grade Loop (SL2) - Zone 2  2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	33.08					1	1			1	
2-Wire	e Voice Grade Line Port (Bus)	<b>-</b>	3	OLITO	OLOI Z	33.00					1	<del>                                     </del>			<del>                                     </del>	<u> </u>
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.09	166.05	43.66	41.89	15.44					1	
	2-Wire voice unbundled port with Caller + E484 ID - bus	İ		UEPFB	UEPBC	1.09	166.05	43.66	41.89	15.44	İ					
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled Georgia basic dialing port, without						,								1	1
	Caller ID capability - bus	<b>!</b>	1	UEPFB	UEPWD	1.09	166.05	43.66	41.89	15.44	ļ		<b> </b>	-	<del>                                     </del>	
	2-Wire voice unbundled Georgia basic dialing port for use with	1		LIEDED	LIEDWD	1.00	166.05	42.00	44.00	15 44					1	1
1.00^	Caller ID - bus  L NUMBER PORTABILITY	-	-	UEPFB	UEPWP	1.09	166.05	43.66	41.89	15.44			-		-	<del></del>
LUCA	Local Number Portability (1 per port)	<del>                                     </del>	<del>                                     </del>	UEPFB	LNPCX	0.35					1	<del>                                     </del>	<b> </b>		<del> </del>	<del></del>
INTER	OFFICE TRANSPORT			02.10	2141 0/1	0.00									1	
1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	i			1 1					l	Ì		1	l	1	
	Termination	1		UEPFB	U1TV2	12.87	48.46	19.48	16.58	5.00					I	1

UNBUNDLI	ED NETWORK ELEMENTS - Georgia													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
					$\perp$		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			LIEDED	1L5XX	0.0057	0.00	0.00								
EEAT	or Fraction Mile		1	UEPFB	ILSXX	0.0057	0.00	0.00							-	<del> </del>
FLAT	All Features Offered			UEPFB	UEPVF	0.775	0.00	0.00							1	
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			02	02. 1.	00	0.00	0.00								
1.0	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		7.85	1.86								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change			UEPFB	USACC		7.85	1.86								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
0.14/15	End User Premise RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	 - 1 INT	ODT /	UEPFB	URETN		11.19	1.10							1	<del> </del>
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE Port/Loop Combination Rates	LINE	JORT (	PBX)											-	<b>-</b>
UNE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	<b>-</b>	1	-	+ +	25.53					<b>-</b>	1			<del>                                     </del>	+
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			30.92										<del>                                     </del>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			47.04									t	
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	11.57										
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFP	UECF2	16.95										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	33.08										ļ
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)				$\perp$											ļ
	Live Oil a Halana Had On allineita of Man PRV Tanal Road R			UEPFP	UEPPC	4.00	100.05	40.00	44.00	45.44						
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPC	1.09 1.09	166.05 166.05	43.66 43.66	41.89 41.89	15.44 15.44					1	
	Line Side Unbundled Incoming PBX Trunk Port - Bus		1	UEPFP	UEPP1	1.09	166.05	43.66	41.89	15.44					-	<del>                                     </del>
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.09	166.05	43.66	41.89	15.44					1	-
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.09	166.05	43.66	41.89	15.44						1
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPFP	UEPXE	1.09	166.05	43.66	41.89	15.44						ļ
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy							40.00								
	Administrative Calling Port			UEPFP	UEPXL	1.09	166.05	43.66	41.89	15.44					1	<del> </del>
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	1.09	166.05	43.66	41.89	15.44					1	
+	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	<b>-</b>	<del>                                     </del>	OLFIF	ULF AIVI	1.09	100.03	43.00	41.09	15.44					<del> </del>	+
	Discount Room Calling Port			UEPFP	UEPXO	1.09	166.05	43.66	41.89	15.44					I	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.09	166.05	43.66	41.89	15.44					1	
İ	2-Wire voice unbundled Georgia basic dialing port - 1-Way															
	Oudial Trunk			UEPFP	UEPWS	1.09	166.05	43.66	41.89	15.44						ļ
	2-Wire voice unbundled Georgia basic dialing port - 2-Way	l		l		_									1	
	Trunk		<b>_</b>	UEPFP	UEPWT	1.09	166.05	43.66	41.89	15.44						<b>_</b>
LOCA	L NUMBER PORTABILITY	-	-	UEPFP	LNPCP	3.15	0.00	0.00			-	-			1	<del>                                     </del>
INTE	Local Number Portability (1 per port)  ROFFICE TRANSPORT	-	<del>                                     </del>	UEPFP	LINPUP	3.15	0.00	0.00	<del>                                     </del>					<b> </b>	<del></del>	+
INTE	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	<b>-</b>			+										t	<b>†</b>
	Termination			UEPFP	U1TV2	12.87	48.46	19.48	16.58	5.00					1	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile					01	.2.10		12.00	2.00					1	
	or Fraction Mile	L	L	UEPFP	1L5XX	0.0057	0.00	0.00	<u> </u>		<u></u>	<u></u>		<u> </u>	<u> </u>	<u> </u>
FEAT	URES							-		-						
	All Features Offered			UEPFP	UEPVF	0.775	0.00	0.00								ļ
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	<u> </u>	<u> </u>												ļ	<b>↓</b>
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			LIEDED	LICACO		7.05	4.00							I	
	Combination - Conversion - Switch-as-is  2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		-	UEPFP	USAC2		7.85	1.86			-	-			<del>                                     </del>	<del> </del>
. [	Combination - Conversion - Switch with change			UEPFP	USACC		7.85	1.86							I	
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at				30,100		7.00	1.00							<u> </u>	
	End User Premise	l		UEPFP	URETN		11.19	1.10			1	1		1	I	

UNBUNDL	ED NETWORK ELEMENTS - Georgia														ment: 2	1	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	3	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	D PORT/LOOP COMBINATIONS - COST BASED RATES																
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT	-														-
UNE	Port/Loop Combination Rates  2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				17.05										+
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				22.44					-					+
-	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3	1			38.56					1				1	+
UNE	Loop Rates		3				30.30										+
OITE	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	11.57					1					<del>                                     </del>
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	16.95					1					
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	33.08										
UNE	Port Rate	1	Ť	<u> </u>											İ	1	1
	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	5.48	174.55	13.64	59.31	4.27				1		
NON	RECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																
	Switch-as-is			UEPPX		USAC1		6.66	1.86								
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																
	with BellSouth Allowable Changes			UEPPX		USA1C		6.66	1.86								
ADD	ITIONAL NRCs																
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
	End User Premise			UEPPX		URETN		11.19	1.10								
Tele	phone Number/Trunk Group Establisment Charges																
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
	DID Numbers, Establish Trunk Group and Provide First Group			LIEDDY		NDZ	0.00	0.00	0.00								
	of 20 DID Numbers		-	UEPPX		NDZ ND4	0.00	0.00	0.00								+
-	Additional DID Numbers for each Group of 20 DID Numbers DID Numbers, Non- consecutive DID Numbers, Per Number		-	UEPPX		ND4 ND5	0.00	0.00	0.00			-				-	+
<b></b>	Reserve Non-Consecutive DID numbers	-	-	UEPPX		ND6	0.00	0.00	0.00			-				-	
	Reserve DID Numbers		-	UEPPX		NDV	0.00	0.00	0.00						1		+
LOC	AL NUMBER PORTABILITY		-	OLITA		INDV	0.00	0.00	0.00						1		+
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00			1					
2-WI	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	PORT			2.1. 0.	0.10	0.00	0.00								
	Port/Loop Combination Rates																1
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																1
	UNE Zone 1		1	UEPPB	UEPPR		19.44										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																1
	UNE Zone 2		2	UEPPB	UEPPR		24.45										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 3		3	UEPPB	UEPPR		38.09										
UNE	Loop Rates								· · · · ·		· · · · ·						
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB L	JEPPR	USL2X	14.25										
	l	1	_	l		[ <b>.</b>										I	1
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2		UEPPR	USL2X	19.26									-	
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB L	JEPPR	USL2X	32.90									-	
UNE	Port Rate	<b> </b>	-	HEDDS	IEDEE	LIEDDS	5.10	404.00	111.00	40.00	0.65				<b>.</b>	<del>                                     </del>	+
NO	Exchange Port - 2-Wire ISDN Line Side Port	<del>                                     </del>	-	UEPPB U	JEPPR	UEPPB	5.19	161.36	141.68	43.68	8.37	-			-	<del>                                     </del>	+
NON	RECURRING CHARGES - CURRENTLY COMBINED  2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	-	-	<u> </u>												<del>                                     </del>	+
	Combination - Conversion			UEPPB U	IEDDD	USACB	0.00	42.52	26.99							1	
Δηη	ITIONAL NRCs	<del>                                     </del>		OLIID U	ELL'IX	COAOD	0.00	42.52	20.99			<b>H</b>			<del> </del>	t	$\leftarrow$
700	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Activy	<b> </b>		<del>                                     </del>								<b>-</b>			<del> </del>	<del>                                     </del>	+
	Non Feature/Add Trunk	1		UEPPB L	JEPPR	USASB		0.00								I	
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	i e						0.00							İ	1	<b>†</b>
	End User Premise	1		UEPPB L	JEPPR	URETN		11.19	1.10							I	1
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1		<u> </u>											İ	1	1
I	Premise	<u></u>		UEPPB L	JEPPR	URETL		8.33	0.83						<u> </u>	<u> </u>	<u> </u>
LOC	AL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB L	JEPPR	LNPCX	0.35	0.00	0.00					_			
B-CI	HANNEL USER PROFILE ACCESS:																
. —	CVS/CSD (DMS/5ESS)			UEPPB L	JEPPR	U1UCA	0.00	0.00	0.00								1

UNBUNDLE	D NETWORK ELEMENTS - Georgia														ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	E	scs	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CVS (EWSD)	ļ	1	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								<b></b>
ВСПА	CSD NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C MC 9	TAIL	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00							-	<b>_</b>
	TERMINAL PROFILE	C,IVIS, 6	k IIV)	1		+						<b>-</b>				-	<del> </del>
OOLK	User Terminal Profile (EWSD only)		1	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00			<b>†</b>				-	
VERTI	CAL FEATURES			OLITE	OLITIK	O TOWN	0.00	0.00	0.00								
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.775	0.00	0.00								
	OFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and																
	facilities termination			UEPPB	UEPPR	M1GNC	12.8757	48.46	19.48	16.58	5.00						
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0057	0.00	0.00								
	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK			11.11		1 40/0/00		4/4/04 //				<u> </u>	-1				ļ
	NE-P DS1 combination rates below for in this rate exhibit appl sts for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital 1													п.		<del>                                     </del>	<del>                                     </del>
	ort/Loop Combination Rates	I GIIK F	I and	. the enec	ouve date (	or uno ameno	ament andii De	J. Svided pursu	unt to a sepai	are agreement	o. tariii at Dei	Journa di	JOI GUIJII.		<del> </del>	<del> </del>	+
ONE F	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1	<del>                                     </del>	1		1	<b>†</b>			<b>†</b>		1				<b>†</b>	t
	Zone 1		1	UEPPP			106.15										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 2		2	UEPPP			111.54										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 3		3	UEPPP			127.15										
UNE L	oop Rates		<u> </u>														
ļ	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	41.02					ļ					
-	4-Wire DS1 Digital Loop - UNE Zone 2	ļ	3	UEPPP		USL4P USL4P	46.41					1				1	
LINE D	4-Wire DS1 Digital Loop - UNE Zone 3 ort Rate	<u> </u>	3	UEPPP		USL4P	62.03					<b>-</b>				-	<del>                                     </del>
ONET	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	1	1	UEPPP		UEPPP	65.13	365.73	187.42	73.41	21.80	1					1
NONRE	ECURRING CHARGES - CURRENTLY COMBINED			OLITI		OLI I I	00.10	000.70	107.42	70.41	21.00						
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port											İ					1
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	122.56	77.97								
ADDIT	IONAL NRCs																
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																
	Inward/two way Tel Nos. (except NC)		ļ	UEPPP		PR7TF		0.50									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			LIEDDD		DDZTO		40.70									
-	Outward Tel Numbers (All States except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	1	<del> </del>	UEPPP		PR7TO	-	10.72		1		<b>.</b>				-	<b>.</b>
	Subsequent Inward Tel Numbers			UEPPP		PR7ZT		21.43									
LOCAL	NUMBER PORTABILITY			OLITI		11021		21.40				i e					
1 2 3 1 1	Local Number Portability (1 per port)	i –		UEPPP		LNPCN	1.75								İ	1	
INTER	FACE (Provsioning Only)														<u> </u>		
	Voice/Data			UEPPP		PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP		PR71D	0.00	0.00	0.00								
	Inward Data	ļ		UEPPP		PR71E	0.00	0.00	0.00							1	<b></b>
New or	r Additional "B" Channel	ļ	1	HEDDE		DDZD) (	0.00	40 =0		-						-	<b></b>
<del>                                     </del>	New or Additional - Voice/Data B Channel  New or Additional - Digital Data B Channel	1	<del>                                     </del>	UEPPP		PR7BV PR7BF	0.00	13.59 13.59				ļ			-	1	<del> </del>
	New or Additional Inward Data B Channel	<del>                                     </del>	-	UEPPP		PR7BD	0.00	13.59		+						<del>                                     </del>	+
CALL '		<del>                                     </del>	<del>                                     </del>	OLFFF		I KIDD	0.00	13.39								<del> </del>	<del>                                     </del>
OALL	Inward	<del>                                     </del>	<del>                                     </del>	UEPPP		PR7C1	0.00	0.00	0.00	<b>†</b>		<b>†</b>				t	<b>†</b>
	Outward	i –	1	UEPPP		PR7CO	0.00	0.00	0.00	İ					İ	1	
	Two-way	1		UEPPP		PR7CC	0.00	0.00	0.00			Ì			ĺ	1	1
Interof	fice Channel Mileage																
	Fixed Each Including First Mile			UEPPP		1LN1A	34.31	111.03	80.28	31.36	21.73						
	Each Airline-Fractional Additional Mile			UEPPP		1LN1B	0.1154		•								
	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT					L	1								ļ		<del></del>
	NE-P DS1 combination rates below for in this rate exhibit appl											te commerc	ial agreeme	nt.			<b>_</b>
	sts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	rective o	ate of	tnis amer	ament sha	all be provide	ed pursuant to	a separate agre	ement or tarif	Tat BellSouth's	discretion.	ļ			-	1	<del> </del>
UNE P	ort/Loop Combination Rates  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	<del>                                     </del>	1	UEPDC		1	82.22			-		1				<del>                                     </del>	<del> </del>
	1444 DO LOIGITAL LOOP/444 DOLLO TRUTIK PORT - UNE ZONE T	1	1 1	DEPDU		1	82.22			L		1	ı		1	L	

UNBUN	DLE	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
CITECITI		THE THORIT ELEMENTO GOODING				1						Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc		Manual Svc
CATEGOR	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	.		m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		-
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		87.61										
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		103.22					İ					
UI	NE Lo	op Rates															
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	41.02										
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	46,41										
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	62.03					İ					
U		rt Rate										İ					
		4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	41.20	392.25	185.06	80.17	7.86						
N		CURRING CHARGES - CURRENTLY COMBINED															
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination										İ					
		- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		132.19	66.79						1		1
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination												ĺ		ĺ	
		- Conversion with DS1 Changes (E:4/1/2004)	1		UEPDC	USAWA		132.19	66.79				1		I		1
	- 1	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination												İ	t	İ	
		- Conversion with Change - Trunk (E:4/1/2004)	1		UEPDC	USAWB		132.19	66.79				1		I		1
A	DDITIO	DNAL NRCs	t					.02.70	55.75		İ			i	t e	i	
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
		Service Activity Per Service Order			UEPDC	USAS4		0.00	0.00								l
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
		Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		13.95	13.95								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			02. 50	02		10.00	10.00								
		Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		13.95	13.95								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
		Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		13.95	13.95								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
		Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		13.95	13.95								l
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan						10.00									
		Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		13.95	13.95								
BI		IR 8 ZERO SUBSTITUTION															
		B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	392.25s								
		B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	392.25s			İ					
Al		te Mark Inversion										İ					
		AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
		AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00			İ					
Te		one Number/Trunk Group Establisment Charges										İ					
		Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
		Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
		Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										
		DID Numbers, Establish Trunk Group and Provide First Group												ĺ		ĺ	
		of 20 DID Numbers	1		UEPDC	NDZ	0.00	0.00	0.00				1		I		1
		DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00										
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00										
		Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
Dr	edicat	ed DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digital	Loop	with 4-Wire DDITS T	runk Port											
		Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
		Termination)	<u> </u>		UEPDC	1LNO1	34.19	111.03	80.28	31.36	21.73	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u>                                      </u>
		Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	1		UEPDC	1LNOA	0.1154	0.00	0.00				1		I		1 '
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
		Termination)	<u></u>		UEPDC	1LNO2	0.00	0.00	0.00	<u>                                       </u>	<u> </u>	<u></u>	<u></u>		L	<u> </u>	<u> </u>
		Interoffice Channel Mileage - Additional rate per mile - 9-25															
		miles	1		UEPDC	1LNOB	0.1154	0.00	0.00				1		I		1
		Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
		Termination)	<u> </u>		UEPDC	1LNO3	0.00	0.00	0.00	<u>                                       </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
		Interoffice Channel Mileage - Additional rate per mile - 25+ miles	<u> </u>	L	UEPDC	1LNOC	0.1154	0.00	0.00			<u> </u>	<u> </u>		<u> </u>		<u> </u>
		Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15										
		Central Office Termininating Point			UEPDC	CTG	0.00										

CATEGORY   RATE ELEMENTS   Inter   Zone   BCS   USOC   RATES (8)   Security   Submitted Submit	2 Exhibit	Exhibit: A	Exhi	Exhi	E:	nent: 2	Attachi													ia	D NETWORK ELEMENTS - Georgia	UNDLE
CATEGORY   RATE ELEMENTS   Insert   Done   BCS   USOC   RATES (S)   Pril 150   Pril 150   Pril 150   Pril 150   Pril 150   Done   Pril 150   Pril 150   Done   Done   Pril 150   Done   Pril 150   Done   Pril 150   Done   Pril 150   Done   Pril 150   Done   Pril 150   Done   Pril 150   Done   Pril 150   Done   Pril 150   Done   Pril 150   Done   Pril 150   Done   Pril 150   Done   Pril 150   Done   Pril 150   Done   Pril 150   Done   Done   Pril 150   Done   Pril 150   Done   Pril 150   Done   Pril 150   Done   Pril 150   Done   Pril 150   Done   Pril 150   Done   Pril 150   Done   Done   Pril 150   Done   Pril 150   Done   Pril 150   Done   Pril 150   Done   Pril 150   Done   Pril 150   Done   Pril 150   Done   Pril 150   Done   Pril 150   Done   Pril 150   Done   Pril 150   Done   Pril 150   Done   Pril 150   Done   Pril 150   Done   Pril 150   Done   Done   Pril 150   Done   Pril 150   Done   Pril 150   Done   Pri	mental Incremental In	remental Incren	incremental	cremental	Increment	Incremental	Incremental	Svc Order	Svc Order													
ATE CLEMENTS IN THE PLANT COLOR OF THE PLANT COLOR	arge - Charge -	harge - Cha	Charge -	Charge -	Charge	Charge -	Charge -	Submitted	Submitted										1			
AND EDITION   AND EDITION   AND EDITION   ADDRESS   APPLIES   APPLIES   ADDRESS   APPLIES   ADDRESS   APPLIES   ADDRESS   AD						Manual Svc		Manually	Elec										Intori			
Bestronnic   Bes	er vs. Order vs.	rder vs. Orde	Order vs.	Order vs.	Order vs	Order vs.	Order vs.	per LSR	per LSR				RATES (\$)			USOC	BCS	Zone			RATE ELEMENTS	GORY
April   Committee   Committe						Electronic-																
A VINE DEST LOOP WITH CHANNELIZATION WITH PORT	dd'I Disc 1st [	Disc 1st Disc	Disc 1st	Disc 1st	Disc 1st	Add'l													1			
A-WIRE DR I LODP WITH CHANNELIZATION WITH PORT																			<u> </u>			
System 15   Si Loop - With CHANNELLATION WITH PORT															Rec							
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations   Each System can have up to 24 combinations or fate depending on type and number of ports used	MAN SOMAN	SOMAN SOM	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMEC	Add'l	irst	Firs	Add'l	First					·			
Each System can have up to 24 combinations of ristes depending on type and number of ports used   The UKEP PSI combination ranks below for AWING DSI Loop with Channelization with Prof. in this rate exhibit apply to the embedded base in place as of 10203 until 47/04. After 47/04 these stress half revert to sariff rates or a separal receivable of the same of the combination of the provided pursuant to a separate separatement or truff at BellSouth's discretion.																						
The WREP DS1 combination rates below for AWIR DS1 Loop with Channelization with Port after fire defective dato of this amendment with ID provided pursuant to a separate agreement or with IT desired by the Channelization of the Channelizatio																						
Request for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided present a separate greement or tariff at BellSouth's discretion.												2/22				L						
UNE BST Loop	parate agreement.	eement.	greement.	reement.	greement	or a separate	tariff rates	shall revert														
H-Wire DS1 Logo - UNE Zone 1									n.	h's discretio	t BellSouth	tariff at B	agreement or	t to a separate	vided pursuan	shall be pro	e of this amendment	ve date	effecti	tion with Port after t		
A-Wine DST Loop - UNE Zone 2												<del> </del>	0.00	0.00	44.00	1101.00	LIEDMO	4				UNE D
All Wiles Dis Logo - UNE Zone 3   3   UEPMG	-+-+											+										
WIR DSD Channel Capacity - 1 per DST   UPPMG   MAD4   4.04   0.00   0.00												<del> </del>										-
24 BSC Channel Capacity - 1 per DS1	-+-+											1	0.00	0.00	62.03	USLDC	UEPING	3	>	al Danis Cantinonati		UNED
48 DSQ Channel Capacity - 1 per 2 DS1s	-+											+	0.00	0.00	42.04	V/LIM24	LIEDMC		19)	ei balik configuratio		ONE D
BE DS O Channel Capacity - 1 per 16 DS1s	<del>-   -  </del>										<del></del>	<del>                                     </del>										+
144 DSD Channel Capacity -1 pr 8 DS1s	<del>- + - +</del>	+										1										+
192 DSG Channel Capacity -1 per 10 DS1s	<del>-   -  </del>										<del></del>	<del>                                     </del>										+
240 DSQ Channel Capacity - 1 per 10 DS1s	<del>-   -  </del>																	+				+
288 BSG Channel Capacity - 1 per 12 DS1s	<del>- + - +</del>	+																				+
384 DSD Channel Capacity - 1 per 16 DS1s	<del>- + - +</del>											+										+
480 DSO Channel Capacity - 1 per 20 DS1s	-+	<del></del>										1						1	-			+
S76 DSO Channel Capacity -1 per 24 DS1s	-+											1										+
S72 DSD Channel Capacity -1 per 28 DS1s	-+											1										+
Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System																						
Multiples of this contiguration is One (f) DSI, One (f) D4 Channel Bank, and Up To 24 DSD Ports with Feature Activations.													0.00						Chanr			Non-R
Multiples of this configuration functioning as one are considered Add" after the minimum system configuration is counted.												1										
NRC - Conversion (Currently Combined) with or without   UEPMG   USAC4   0.00   153.24   8.37   8.38   8.39   8.39   8.39   8.39   8.39   8.39   8.39   8.39   8.30   8.3																						
BellSouth Allowed Changes												1				I	, , , , , , , , , , , , , , , , , , , ,					
System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and   New (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 MSA's							ŀ						8.37	153.24	0.00	USAC4	UEPMG		,			
New (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 MSA's   1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E-4/1/2004)   UEPMG															ntly Exists and	ination Curre	ion with Port Combi	nelizati	h Chan	e 4-Wire DS1 Loop w		Systen
1 DST/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Addition (E-4/12004)   UEPMG   VUMD4   0.00   379.04   253.97   68.43   8.35																						
Bipolar 8 Zero Substitution																						
Clear Channel Capability Format, superframe - Subsequent							ŀ			8.35	69.43	6	253.97	379.04	0.00	VUMD4	UEPMG		,		and Assoc Fea Activation (E:4/1/2004)	
Activity Only																					r 8 Zero Substitution	Bipola
Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only   UEPMG   CCOEF   0.00   0.00i   392.25s																			1	ame - Subsequent	Clear Channel Capability Format, superframe -	
Subsequent Activity Only													392.25s	0.00i	0.00	CCOSF	UEPMG					
Alternate Mark Inversion (AMI)							Į.												,	ed Superframe -		
Superframe Format													392.25s	0.00i	0.00	CCOEF	UEPMG					
Extended Superframe Format																						Alterna
Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port																						
Exchange Ports													0.00	0.00	0.00	MCOPO	UEPMG					
Line Side Combination Channelized PBX Trunk Port - Business (E:4/1/2004)												1				ļ		Port	n with	op with Channelizat		
CE:4/1/2004)												-								Total Book S. C.		Exchai
Line Side Outward Channelized PBX Trunk Port - Business (E:4/1/2004)							ŀ				0.00					HEDOX	HEDDY		1	Trunk Port - Business		
(E:4/1/2004)										0.00	0.00	1	0.00	0.00	1.09	UEPCX	UEPPX			I Deat Deather		
Line Side Inward Only Channelized PBX Trunk Port without DID (E:4/1/2004)							ŀ			0.00	0.00	1	0.00	0.00	4.00	LIEDOY	LIEDDY	I.		IK HOLL - BUSINESS		
CE:4/1/2004)   UEPPX   UEP1X   1.09   0.00	$\longrightarrow$									0.00	0.00	-	0.00	0.00	1.09	UEPUX	UEPPX			Farrell Death 191 - 1 202		
2-Wire Trunk Side Unbundled Channelized DID Trunk Port   UEPDX			!				!			0.00	0.00		0.00	2.00	1.00	LIEDAY	LIEDDY	l.	i i	runk Port without DID		
(E:4/1/2004)	<del></del>									0.00	0.00	+	0.00	0.00	1.09	UEPTX	UEPPX			d DID Terrol: De-rt		_
Feature Activations - Unbundled Loop Concentration  Feature (Service) Activation for each Line Port Terminated in D4 Bank  UEPPX 1PQWM 0.4689 12.90 6.80 1.96 1.95							ŀ			0.00	0.00	1	0.00	0.00	E 50	LIEDDM	LIEDDY	I.		ו עוט אוועווו עוט ט וועווא א		
Feature (Service) Activation for each Line Port Terminated in D4 Bank UEPPX 1PQWM 0.4689 12.90 6.80 1.96 1.95	<del></del>									0.00	0.00	1	0.00	0.00	5.50	DEPUN	ULFFA			tration		Foat
Bank   UEPPX												+			-	1						reatur
							ŀ			1.05	1 96	1	6 90	12.00	0.4690	1POWM	LIEDDY	I.		i on reminated in D4		
Feature (Service) Activation for each Trunk Port Terminated in	<del>-   -  </del>									1.90	1.30	+	0.80	12.90	0.4009	IT Q VVIVI	OLFFA			Port Terminated in	Dank	+
Peature (Service) Activation for each Trunk Port Terminated in							ŀ			5 24	26.77	-	0 10	38.00	0.4690	1POWII	LIEDDY	I.		A FOIL FEITHINALEU IN		
Telephone Number/ Group Establishment Charges for DID Service	<del>-   -  </del>									5.54	20.77	+	5.10	30.09	0.4009		OLITA			res for DID Service		Telenh
Telephotne National State   Port	<del>- + - +</del>											<del>                                     </del>	0.00	0.00	0.00	NDT	LIEPPX			200 101 DID 001 VICE		, orebit
	<del>- + - +</del>																			(FL GA NC & SC)		+
Sista Tilk Groups of 20 - Valid all States   UEPPX   ND4   0.00   0.00   0.00   0.00   0.00   0.00	<del></del>										-											+
Non-Consecutive DID Numbers - per number	<del>- + +</del>											<del>                                     </del>										+
Reserve Non-Consecutive DID Numbers	<del></del>											+										+

UNBUNDI	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Fyhi	bit: A
5.1D511DL		1	1		1	I					Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				per LSR				Order vs.
		m						== (+)			per LSR	per LSK	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													ist	Addi	DISC 1St	DISC Add I
		i –	1			Rec	Nonred	curring	Nonrecurring	g Disconnect		•	oss	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Loca	al Number Portability															
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	TURES - Vertical and Optional															
Loca	al Switching Features Offered with Line Side Ports Only		ļ		ļ											
LINIDI NIDI E	All Features Available		-	UEPPX	UEPVF	0.775	0.00	0.00								
	D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE		Ct-t- (		nanciala Ilada	undlad Lasal C	itabina an C.	itali Danta				-				
	ost Based Rates are applied where BellSouth is required by FC eatures shall apply to the Unbundled Port/Loop Combination -								dlad Dart saati	on of this Bots	Evhibit					
												`oin Dort/Lo	on Combine	iono		-
3. En	nd Office and Tandem Switching Usage and Common Transpor ne first and additional Port nonrecurring charges apply to Not (	TUSage	Comb	ined Combos For	Currently Co	mbined Combo	to all combina	irring charges	ehall he those	identified in t	he Nonrecu	rring - Curr	op Combinat	od sections	Additional NE	Ce may
	y also and are categorized accordingly.	uncitiy	COIIID	inea combos. To	Currently Co	ilibilied Collibe	os, the nomect	iring charges	Silali be tilose	identined in t	ne nomecu	ining - Curre	entry Combin	su sections.	Additional N	.O3 may
	larket Rates for Unbundled Centrex Port/Loop Combination wil	he neg	otiated	on an Individual Ca	se Rasis un	til further notic	Δ		I	1			1	1	1	
	-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN onl		Liated	air maividual Ga		rararer motic	-				<del>                                     </del>	<b>-</b>				<b>—</b>
	ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo	,			1						1					
	Port/Loop Combination Rates (Non-Design)				1						1					<del>                                     </del>
J	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	+	1		1					1			1	1	1	
	Non-Design		1	UEP91		10.46										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo															
	Non-Design		2	UEP91		15.76										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-														
	Non-Design		3	UEP91		32.56										
UNE	Port/Loop Combination Rates (Design)												ĺ		ĺ	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
	Design		1	UEP91		12.47										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-														
	Design		2	UEP91		17.85										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-														
	Design		3	UEP91		33.98										
UNE	Loop Rate			LIEBOA	115001	0.50										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	9.56										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	-	2	UEP91	UECS1	14.86										
	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		3	UEP91 UEP91	UECS1 UECS2	31.66 11.57					-					
	2-Wire Voice Grade Loop (SL 2) - Zone 1	+	2	UEP91	UECS2	16.95					1					<del></del>
	2-Wire Voice Grade Loop (SL 2) - Zone 3	+	3	UEP91	UECS2	33.08					1					<del></del>
LINE	Ports		-	OLI 31	00002	33.00					1		1	1	1	
	States (Except North Carolina and Sout Carolina)	+	1		+											<u> </u>
711 0	2-Wire Voice Grade Port (Centrex ) Basic Local Area	<del>                                     </del>	1	UEP91	UEPYA	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1	1		1	5.55.0				20		İ				
	Area	1	1	UEP91	UEPYB	0.9019	10.05	7.36	1.37	1.28						I
1	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic	T T			1											
	Local Area		<u> </u>	UEP91	UEPYH	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	Note 2, 3 Basic Local Area	<u></u>	<u></u>	UEP91	UEPYM	0.9019	82.27	26.96	20.29	9.15			<u> </u>		<u> </u>	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area		1	UEP91	UEPYZ	0.9019	82.27	26.96	20.29	9.15						Ь——
	2-Wire Voice Grade Port terminated in on Megalink or equivalen	t			l			_								I
	- Basic Local Area	<del>                                     </del>	1	UEP91	UEPY9	0.9019	10.05	7.36	1.37	1.28						<b>↓</b>
	2-Wire Voice Grade Port Terminated on 800 Service Term -	1		LIEDO4	LIEDVO											I
	Basic Local Area	<del>                                     </del>	1	UEP91	UEPY2	0.9019	10.05	7.36	1.37	1.28						<b>↓</b>
Geor	rgia and Florida Only	<del>                                     </del>	1	LIEDO4	LIEDITA		10.0-				-		ļ	ļ	ļ	<b>└</b>
	2-Wire Voice Grade Port (Centrex )	+	1	UEP91	UEPHA	0.9019	10.05	7.36	1.37	1.28	1		<del>                                     </del>	<b> </b>	<del>                                     </del>	<del>                                     </del>
	2-Wire Voice Grade Port (Centrex 800 termination)	+	1	UEP91	UEPHB	0.9019	10.05 10.05	7.36	1.37	1.28 1.28	1		<del>                                     </del>	<b> </b>	<del>                                     </del>	<del>                                     </del>
	2-Wire Voice Grade Port (Centrex with Caller ID)1  2-Wire Voice Grade Port (Centrex from diff Serving Wire	+	1	UEP91	UEPHH	0.9019	10.05	7.36	1.37	1.28	1		<del>                                     </del>	<b> </b>	<del>                                     </del>	<del>                                     </del>
	Center)2.3			UEP91	UEPHM	0.9019	82.27	26.96	20.29	9.15						1
	INCHEUS.	1	1	OLFBI	UEPHIVI	0.9019	02.21	∠0.96	20.29	9.15	<del>                                     </del>	-			<u> </u>	<del>                                     </del>
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800	T														

<u>UNBUNDLE</u>	ED NETWORK ELEMENTS - Georgia													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	L						40.05									ĺ
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91 UEP91	UEPH9 UEPH2	0.9019	10.05 10.05	7.36	1.37	1.28						
Local	2-Wire Voice Grade Port Terminated on 800 Service Term Switching			UEP91	UEPH2	0.9019	10.05	7.36	1.37	1.28						<del></del>
Local	Centrex Intercom Funtionality, per port			UEP91	URECS	0.4237										<del></del>
l ocal	Number Portability		1	OLI 31	UNLOG	0.4257										<del>                                     </del>
Locui	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Featur					1											
	All Standard Features Offered, per port			UEP91	UEPVF	0.775										
	All Select Features Offered, per port			UEP91	UEPVS	0.00	0.00									
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00		•		•						
NARS					1				$\Box$						ļ	<del></del>
	Unbundled Network Access Register - Combination		ļ	UEP91	UARCX	0.00	0.00	0.00	0.00	0.00					ļ	<del></del>
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial	<b>.</b>	<u> </u>	UEP91	UAROX	0.00	0.00	0.00	0.00	0.00			<b> </b>	<b> </b>	<b> </b>	<b>├</b>
	Ilaneous Terminations Trunk Side		<del>                                     </del>		+				<del>                                     </del>						-	<del></del>
∠-vvire	Trunk Side Trunk Side Terminations, each	-	<del>                                     </del>	UEP91	CENA6	5.50	122.26	18.65	54.82	3.45			<b> </b>	<b> </b>	1	<del>                                     </del>
Intero	ffice Channel Mileage - 2-Wire		1	OLF91	CLIVAO	5.50	122.20	10.05	34.02	3.43						<del>                                     </del>
Intere	Interoffice Channel Facilities Termination - Voice Grade		1	UEP91	M1GBC	12.87	48.46	19.48	16.58	5.00						
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0057	10.10	10.10	10.00	0.00						
Featur	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.4689										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.4689										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															l
	Slot			UEP91	1PQW7	0.4689										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			LIEBOA	4 D O M D	0.4000										İ
	Different Wire Center		ļ	UEP91	1PQWP	0.4689										⊢—
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.4689										İ
+	Feature Activation on D-4 Channel Bank Frivate Line Loop Slot			OLF91	IFQVVV	0.4009										<del>                                     </del>
	Slot			UEP91	1PQWQ	0.4689										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.4689										
Non-R	Recurring Charges (NRC) Associated with UNE-P Centrex															
	Conversion - Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP91	USAC2		0.10	0.10								
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	317.90	37.59	48.99	5.92						
	New Centrex Customized Common Block		<u> </u>	UEP91	M1ACC	0.00	317.90	37.59	48.99	5.92						<b>↓</b>
	Secondary Block, per Block		<u> </u>	UEP91	M2CC1	0.00	77.10						<b> </b>	<b> </b>	ļ	<b>├</b>
V 4 -1;1;	NAR Establishment Charge, Per Occasion onal Non-Recurring Charges (NRC)	-	<del> </del>	UEP91	URECA	0.00	0.00						-	-	<del>                                     </del>	<del></del>
Additi	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	<b>-</b>	<del>                                     </del>		+ +								-	-	-	<del></del>
1	Premise			UEP91	URETL		8.33	0.83								1
<del> </del>	Unbundled Miscellaneous Rate Element, Tag Design Loop at		<del>                                     </del>	OLI 31	JINETE		0.33	0.03								<b> </b>
	End Use Premise			UEP91	URETN		11.19	1.10								1
UNE-F	P CENTREX - 5ESS (Valid in All States)		i –					0					İ	İ		
2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1	i i		1								1	1	ĺ	
	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-						<del></del>								1
	Non-Design		1	UEP95		10.46									ļ	<b>└</b>
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo															1
	Non-Design	1	2	UEP95	1	15.76							ļ	ļ		<b>├</b>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	UEP95		22.52										1
LIME	Non-Design Port/Loop Combination Rates (Design)	<b>-</b>	3	UEP95	+ +	32.56							-	-	-	<del></del>
IONE		-	-		+ +								<b> </b>	<b> </b>	<b>-</b>	+
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	4				l l										

UNBUNDLE	D NETWORK ELEMENTS - Georgia													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP95		17.85										<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP95		33.98										<b>.</b>
	pop Rate		1	LIEBOE	115004	0.50										-
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95 UEP95	UECS1 UECS1	9.56 14.86										<b></b>
	2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95 UEP95	UECS1	31.66										<del>                                     </del>
	2-Wire Voice Grade Loop (SL 1) - Zone 3		1	UEP95	UECS2	11.57										<del>                                     </del>
	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	16.95										+
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	33.08										<del>                                     </del>
UNE Po	ort Rate		۲		02002	55.55									1	
All Stat		i e	t										İ	İ	İ	
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	0.9019	10.05	7.36	1.37	1.28						<b>†</b>
1	2-Wire Voice Grade Port (Centrex 800 termination)	l	i –	UEP95	UEPYB	0.9019	10.05	7.36	1.37	1.28			l	l	İ	
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		i –												1	
	Area	<u></u>	L	UEP95	UEPYH	0.9019	10.05	7.36	1.37	1.28			<u> </u>	<u> </u>	<u> </u>	<u></u>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3 Basic Local Area		<u>L</u>	UEP95	UEPYM	0.9019	82.27	26.96	20.29	9.15				<u></u>		
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
	Service Term - Basic Local Area			UEP95	UEPYZ	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP95	UEPY9	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP95	UEPY2	0.9019	10.05	7.36	1.37	1.28						ļ
FL & G																
	2-Wire Voice Grade Port (Centrex )			UEP95	UEPHA	0.9019	10.05	7.36	1.37	1.28						ļ
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	0.9019	10.05	7.36	1.37	1.28						<b></b>
	2-Wire Voice Grade Port (Centrex with Caller ID)1		ļ	UEP95	UEPHH	0.9019	10.05	7.36	1.37	1.28						<del></del>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP95	UEPHM	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP95	UEPHIVI	0.9019	82.27	26.96	20.29	9.15						-
	Term 2,3			UEP95	UEPHZ	0.9019	82.27	26.96	20.29	9.15						
	Term 2,3		1	OLF 95	OLFTIZ	0.9019	02.21	20.90	20.25	9.13						-
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPH9	0.9019	10.05	7.36	1.37	1.28						
_	2-Wire Voice Grade Port Terminated in 60 Megalink of equivalent		1	UEP95	UEPH2	0.9019	10.05	7.36	1.37	1.28						<del>                                     </del>
	Switching			OL1 50	OLITIZ	0.0010	10.00	7.00	1.07	1.20						
2000. 0	Centrex Intercom Funtionality, per port			UEP95	URECS	0.4237										<b>†</b>
Local N	lumber Portability	1	i –										İ	İ		
	Local Number Portability (1 per port)		i –	UEP95	LNPCC	0.35									1	
Feature	es															
	All Standard Features Offered, per port			UEP95	UEPVF	0.775										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	0.00									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00										
NARS	-															
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						<u> </u>
	Unbundled Network Access Register - Indial	<b>!</b>	<u> </u>	UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						<del>                                     </del>
	Unbundled Network Access Register - Outdial	ļ	<u> </u>	UEP95	UAROX	0.00	0.00	0.00	0.00	0.00			<b> </b>	<b> </b>	ļ	<del>                                     </del>
	aneous Terminations	<b> </b>	<del>                                     </del>		+ +				-				<b> </b>	<b> </b>	<del>                                     </del>	₩
	Trunk Side	<del>                                     </del>	<del>                                     </del>	LIEDOE	CENIDO	F F0	400.00	40.05	F4.00	0.45			-	-	<b> </b>	-
	Trunk Side Terminations, each Digital (1.544 Megabits)	<b>!</b>	<del>                                     </del>	UEP95	CEND6	5.50	122.26	18.65	54.82	3.45				-		₩
	DS1 Circuit Terminations, each	<del>                                     </del>	<del>                                     </del>	UEP95	M1HD1	41.20	200.96	93.00	65.81	2.33			<b> </b>	<b> </b>	<del> </del>	├
	DS0 Channels Activated, each	<b>!</b>	<del>                                     </del>	UEP95 UEP95	M1HD1 M1HDO	0.00	13.95	93.00	18.60	∠.33				-		+
	ice Channel Mileage - 2-Wire	<del>                                     </del>	<del>                                     </del>	OLI 33	WITIDO	0.00	13.33						<b>l</b>	<b>l</b>	<del> </del>	<del></del>
meron	Interoffice Channel Facilities Termination	<del>                                     </del>	<del>                                     </del>	UEP95	M1GBC	12.87	48.46	19.48	16.58	5.00			<b>l</b>	<b>l</b>	<del> </del>	$\vdash$
-+-	Interoffice Channel mileage, per mile or fraction of mile	1	<del>                                     </del>	UEP95	M1GBC M1GBM	0.0057	70.70	13.40	10.36	5.00						<del></del>
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e	1		O D W	3.0007							<b> </b>	<b> </b>	<b>i</b>	$\vdash$
	nnel Bank Feature Activations	Ť	+	l	+ +				<del>                                     </del>		<del>                                     </del>		<b> </b>	<b> </b>		

UNBL	INDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
-												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually		Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 2011	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	Disc Add I
							Rec	Nonrec	urring	Nonrecurring	g Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.4689										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.4689										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP95	1PQW7	0.4689										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP95	1PQWP	0.4689										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.4689										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			LIEBOE	400000	0.4000			I					I	I	
-	-	Slot	-	<del>                                     </del>	UEP95	1PQWQ	0.4689			<del>                                     </del>	-	1		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	
<b>—</b>	Non D	Feature Activation on D-4 Channel Bank WATS Loop Slot ecurring Charges (NRC) Associated with UNE-P Centrex	<b>-</b>	<del>                                     </del>	UEP95	1PQWA	0.4689			<del>                                     </del>		-	-		<del>                                     </del>	<del>                                     </del>	-
-	NON-RE	NRC Conversion Currently Combined Switch-As-Is with allowed	<b>-</b>	<del>                                     </del>		+	<del>                                     </del>			<del>                                     </del>		-	-		<del>                                     </del>	<del>                                     </del>	-
		changes, per port			UEP95	USAC2		0.10	0.10	I					I	I	
-	<del>                                     </del>	New Centrex Standard Common Block	<del>                                     </del>	<del>                                     </del>	UEP95	M1ACS	0.00	317.90	37.59	48.99	5.92	<del>                                     </del>	<b>-</b>	1	+	<del>                                     </del>	
$\vdash$	<b>H</b>	New Centrex Standard Common Block	<b>H</b>	<del>                                     </del>	UEP95 UEP95	M1ACC	0.00	317.90	37.59	48.99	5.92	<b>H</b>		<del> </del>	t	t	
<b>—</b>	<b>-</b>	NAR Establishment Charge, Per Occasion	<b>-</b>	<b>†</b>	UEP95	URECA	0.00	0.00	31.39	40.39	5.32	<b>-</b>		<b> </b>	t	<del>                                     </del>	
-	Δdditic	onal Non-Recurring Charges (NRC)			OL1 95	OILLOA	0.00	0.00		<del> </del>		1		1			
	Additio	Unbundled Miscellaneous Rate Element, Tag Loop at End Use		1								<b>-</b>					
		Premise			UEP95	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at			02. 00	0.12.12		0.00	0.00								
		End Use Premise			UEP95	URETN		11.19	1.10								
	UNE-P	CENTREX - DMS100 (Valid in All States)						-									
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE P	ort/Loop Combination Rates (Non-Design)												ĺ			
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP9D		10.46										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP9D		15.76										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP9D		32.56										
	UNE P	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														
		Design		1	UEP9D		12.47										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	LIEDOD		47.05										
		Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9D	+	17.85			-			-				
		Design		3	UEP9D		33.98										
-	LINE	pop Rate		3	OFLAD	+	33.98			<del>                                     </del>				-	<del></del>	<del></del>	
-	ONE L	2-Wire Voice Grade Loop (SL 1) - Zone 1	-	1	UEP9D	UECS1	9.56			+		<del>                                     </del>	<b>-</b>		+	+	
$\vdash$		2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	14.86			<del>                                     </del>				<del> </del>	<del>                                     </del>	<del>                                     </del>	
<b>-</b>	<b>-</b>	2-Wire Voice Grade Loop (SL 1) - Zone 2	<b>-</b>	3	UEP9D	UECS1	31.66			t		<b>-</b>		<b> </b>	t	<del>                                     </del>	
<b>-</b>	<b>-</b>	2-Wire Voice Grade Loop (SL 2) - Zone 1	<b>-</b>	1	UEP9D	UECS2	11.57			t		<b>-</b>		<b> </b>	t	<del>                                     </del>	
	<b>†</b>	2-Wire Voice Grade Loop (SL 2) - Zone 2	<b>†</b>	2	UEP9D	UECS2	16.95			<b>I</b>		<del>                                     </del>	<b>-</b>		<b>I</b>	<b>I</b>	
		2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP9D	UECS2	33.08			<u> </u>				1	<u> </u>	<u> </u>	
	UNE P	ort Rate		<u> </u>			22.00			t				İ	t	t	
	ALL ST		1	i –						1	l		İ	İ	1	1	
		2-Wire Voice Grade Port (Centrex ) Basic Local Area		1	UEP9D	UEPYA	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	<u></u>	Area	<u></u>	L	UEP9D	UEPYB	0.9019	10.05	7.36	1.37	1.28	<u></u>	<u> </u>	<u></u>	<u> </u>	L	
		2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
		Area			UEP9D	UEPYC	0.9019	10.05	7.36	1.37	1.28				1	1	
		2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															
		Area			UEP9D	UEPYD	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
<u></u>		Area		<u> </u>	UEP9D	UEPYE	0.9019	10.05	7.36	1.37	1.28			ļ	L	L	
		2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			l	[				1					1	1	
1		Area			UEP9D	UEPYF	0.9019	10.05	7.36	1.37	1.28						

UNBUNDLE	D NETWORK ELEMENTS - Georgia										r -	T -	Attach			bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local				+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Area			UEP9D	UEPYG	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			02.05	020	0.00.0	10.00	7.00	1.07	20						
	Area			UEP9D	UEPYT	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			OLF9D	OLFTO	0.9019	10.03	7.30	1.37	1.20						
	Area			UEP9D	UEPYV	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
	Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			UEP9D	UEPY3	0.9019	10.05	7.36	1.37	1.28						
	Area			UEP9D	UEPYH	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication))4 Basic Local Area			UEP9D	UEPYW	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYJ	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			OLI OD	OLI 10	0.0010	10.00	7.00	1.07	1.20						
	2,3-Basic Local Area			UEP9D	UEPYM	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			LIEDOD	LIEDVO	0.0040	00.07	20.00	00.00	0.45						
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPYO	0.9019	82.27	26.96	20.29	9.15						
	Basic Local Area			UEP9D	UEPYP	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4															
	Basic Local Area		-	UEP9D	UEPYQ	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			OLI OD	OLI III	0.0010	OZ.ZI	20.00	20.20	0.10						
	Basic Local Area			UEP9D	UEPYS	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPY4	0.9019	82.27	26.96	20.29	9.15						
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			OEF9D	UEF14	0.9019	02.21	20.90	20.29	9.15						
	Basic Local Area			UEP9D	UEPY5	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4															
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPY6	0.9019	82.27	26.96	20.29	9.15						
	Basic Local Area			UEP9D	UEPY7	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP9D	UEPYZ	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			02.05	020	0.00.0	10.00	7.00	1.07	20						
	Local Area			UEP9D	UEPY2	0.9019	10.05	7.36	1.37	1.28						
FL & G	GA Only			UEP9D	UEPHA	0.9019	10.05	7.26	1 27	1.28						
	2-Wire Voice Grade Port (Centrex)  2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHA	0.9019	10.05	7.36 7.36	1.37 1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPHC	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPHD	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPHE	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPHF	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPHG	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPHT	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4		<u> </u>	UEP9D	UEPHU	0.9019	10.05	7.36	1.37	1.28						
$\vdash$	2-Wire Voice Grade Port (Centrex / EBS-M5216)4		<u> </u>	UEP9D	UEPHV	0.9019	10.05	7.36	1.37	1.28						
$\vdash$	2-Wire Voice Grade Port (Centrex / EBS-M5316)4		₩	UEP9D UEP9D	UEPH3	0.9019	10.05	7.36	1.37	1.28					-	<u> </u>
<del>                                     </del>	2-Wire Voice Grade Port (Centrex with Caller ID)  2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp		-	UEP9D	UEPHH	0.9019	10.05	7.36	1.37	1.28					-	$\vdash$
	Indication)4			UEP9D	UEPHW	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPHJ	0.9019	10.05	7.36	1.37	1.28	İ				İ	İ

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3			UEP9D	UEPHM	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPHO	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPHP	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3,4			UEP9D	UEPHS	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPH4	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPH5	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5260)2,3,4			UEP9D	UEPH6	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPH7	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2.3			UEP9D	UEPHZ	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH2	0.9019	10.05	7.36	1.37	1.28						
Local	Switching															
Local	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.4237										<del>                                     </del>
Local	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										<del>                                     </del>
Featur																
	All Standard Features Offered, per port			UEP9D	UEPVF	0.775										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	0.00									
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00										<b></b>
NARS				LIEBAB					2.00							
	Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward		-	UEP9D UEP9D	UARCX UAR1X	0.00	0.00	0.00	0.00	0.00	-					<del></del>
_	Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial		-	UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						<del></del>
Miscel	Ianeous Terminations			OLI 3D	UARUX	0.00	0.00	0.00	0.00	0.00	1					<del>                                     </del>
	Trunk Side										1					
	Trunk Side Terminations, each			UEP9D	CEND6	5.50	122.26	18.65	54.82	3.45						
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	41.20	200.96	93.00	65.81	2.33						
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	13.95									
Interof	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	12.87	48.46	19.48	16.58	5.00						
F	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0057										-
	e Activations (DS0) Centrex Loops on Channelized DS1 Services Innel Bank Feature Activations	e	-		+											<del>                                     </del>
D4 Cha	Feature Activation on D-4 Channel Bank Centrex Loop Slot	-	<del>                                     </del>	UEP9D	1PQWS	0.4689	-					-	<b> </b>	<b> </b>	<b> </b>	<del>                                     </del>
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.4689										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Slot			UEP9D	1PQW6	0.4689										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -				1PQW7											
	Different Wire Center			UEP9D		0.4689										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP9D	1PQWV	0.4689					<del>                                     </del>					
	Slot		<u> </u>	UEP9D	1PQWQ	0.4689					<u> </u>					

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
	_										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		to to all									Elec					Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Addi	DISC ISL	DISC Add I
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.4689										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		0.10	0.10								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	317.90	37.59	48.99	5.92						
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	317.90	37.59	48.99	5.92						
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	0.00									
Additio	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															'
	End Use Premise			UEP9D	URETN		11.19	1.10								
Additio	onal Non-Recurring Charges (NRC)															<u> </u>
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP9E	URETL											
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP9E	URETN											
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	2 - Requres Interoffice Channel Mileage															
	- Installation is combination of Installation charge for SL2 Loc	op and	Port													
	- Requires Specific Customer Premises Equipment															<u> </u>
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to I	rate tru	e-up as set forth in	General Tern	ns and Condition	ns.									

														ı			
UNB	UNDLE	D NETWORK ELEMENTS - Kentucky			1		1						1_		ment: 2		bit: A
												1		Incremental			
													Submitted	Charge -	Charge -	Charge -	Charge -
CATE	CORV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	
OAIL	00	NATE ELEMENTO	m	20110	500	0000			τοτι 20 (φ)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	Disc Add I
							Rec	Nonre			Disconnect	201150	SOMAN		Rates (\$)	SOMAN	001111
-								First	Add'l	First	Add'l	SOMEC	SUMAN	SUMAN	SOMAN	SOWAN	SOMAN
	The "Z	one" shown in the sections for stand-alone loops or loops as	part of	a com	bination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deavera	ged UNE Zon	e Designation	ns by Cent	ral Office, refe	er to internet \	Nebsite:	
		www.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion.ht	m		_			-							
OPER		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"			"- " 000 - h			**	000 -1								01.50
		(1) CLEC should contact its contract negotiator if it prefers the ither the state specific Commission ordered rates for the servi															
		f the 9 states.	ice orde	illig ci	larges, or CLEC may	elect the re	gioriai service (	ordering charg	e, nowever, Cr	LC can not of	italii a illixture	of the two	regardiess i	I CLEC IIas a	interconnecti	on contract e	stabilshed in
		(2) Any element that can be ordered electronically will be bill	ed acco	rding	to the SOMEC rate lis	sted in this o	category. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine i	if a product	can be order	ed electronica	lly. For thos	e elements
		nnot be ordered electronically at present per the LOH, the list			e in this category ref	lects the cha	arge that would	l be billed to a	CLEC once ele	ectronic orderi	ng capabilities	come on-li	ne for that	element. Oth	erwise, the ma	anual orderin	g charge,
	SOMAI	N, will be applied to a CLECs bill when it submits an LSR to B	ellSout	h.													
		OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
	+	OSS - Manual Service Order Charge, Per Local Service Request				SOIVIEC		3.50	0.00	3.50	0.00				<u> </u>		
		(LSR) - UNE Only				SOMAN		7.86	0.00	0.99	0.00						
UNE S		DATE ADVANCEMENT CHARGE															
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's FO	CC No.1 Tariff, Section	n 5 as appli	cable.										
					UAL, UEANL, UCL,												
					UEF. UDF. UEQ.												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3, U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL, UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX, UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX, UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
LIMBU	NDI ED 1	Day EXCHANGE ACCESS LOOP		-	U1TUB, U1TUA	SDASP		200.00				-	-				
ONBU		E ANALOG VOICE GRADE LOOP										<del>                                     </del>			<del>                                     </del>		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10.56	46.66	22.57	26.65	7.65				1		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	15.34	46.66	22.57	26.65	7.65						
<u> </u>	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	31.11	46.66	22.57	26.65	7.65						
<u> </u>	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	-		UEANL UEANL	UEASL UEASL	10.56 15.34	46.66 46.66	22.57 22.57	26.65 26.65	7.65 7.65	1			<del>                                     </del>		
<b>-</b>	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEASL	31.11	46.66	22.57	26.65	7.65	<del>                                     </del>					
	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User		Ť			2	.5.00			. 100				1		
	1	Premise			UEANL	URETL		8.33	0.83								
	1	Loop Testing - Basic 1st Half Hour			UEANL	URET1		46.88	46.88								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA	<u> </u>	24.16	24.16			I	<u> </u>	<u> </u>	l		l

Version 3Q03: 11/12/2003 Page 116 of 348

UNBUNDL	ED NETWORK ELEMENTS - Kentucky													ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Svo Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
			1		1 1	B	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		L
			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch															
	(UVL-SL1)			UEANL	UREWO		15.78	8.94								
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.49	13.49								
	Manual Order Coordination for UVL-SL1s (per loop)		ļ	UEANL	UEAMC		9.00	9.00								
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	ocosl		00.04	00.04								
2 14/1	RE Unbundled COPPER LOOP			UEANL	OCOSL		23.01	23.01							-	
2-9911	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	10.58	44.97	20.89	25.64	6.65					-	
-	2 Wire Unbundled Copper Loop - Non-Designed 2 one 2	<u> </u>		UEQ	UEQ2X	11.51	44.97	20.89	25.64	6.65				1		
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	i		UEQ	UEQ2X	13.19	44.97	20.89	25.64	6.65					1	
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		Ť							2,00					1	1
	Premise			UEQ	URETL		8.33	0.83							1	
	Manual Order Coordination 2 Wire Unbundled Copper Loop -															
	Non-Designed (per loop)			UEQ	USBMC		9.00	9.00								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for															
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.49	13.49								
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		46.88	46.88								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		24.16	24.16								
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)			LIFO	LIDEWO		44.07	7.40								
INDUNDUE	D EXCHANGE ACCESS LOOP			UEQ	UREWO		14.27	7.43							-	
	RE ANALOG VOICE GRADE LOOP		-		+										-	
2-4411	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1		1										1	
	Zone 1		1	UEPSR UEPSB	UEALS	10.56	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			02. 0. 02. 02	02,120	10.00	10.00	22.01	20.00	7.00					t	
	Zone 1		1	UEPSR UEPSB	UEABS	10.56	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
	Zone 2		2	UEPSR UEPSB	UEALS	15.34	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		_													
	Zone 2		2	UEPSR UEPSB	UEABS	15.34	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	UEPSR UEPSB	UEALS	24.44	46.66	22.57	26.65	7.65						
	Zone 3  2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	UEPSK UEPSB	UEALS	31.11	46.66	22.57	20.00	7.00					-	
	Zone 3		3	UEPSR UEPSB	UEABS	31.11	46.66	22.57	26.65	7.65						
JNBUNDLED	EXCHANGE ACCESS LOOP		l ŭ	OLI OK OLI OD	OLABO	01.11	40.00	22.01	20.00	7.00						
	RE ANALOG VOICE GRADE LOOP				1 1										t	
İ	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1		1											
	Ground Start Signaling - Zone 1	<u> </u>	1	UEA	UEAL2	12.67	134.89	81.87	73.65	14.88					L	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or									<del></del>						
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	17.45	134.89	81.87	73.65	14.88	ļ			ļ	1	1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		_	LIEA	LIEALO	00.00	404.00	04.6=	70.0-	44.00	1				I	
	Ground Start Signaling - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UEA UEA	UEAL2 OCOSL	33.22	134.89 23.01	81.87	73.65	14.88	-			-	1	1
_	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	UEA	OCOSL		23.01				-				<del>                                     </del>	1
	Battery Signaling - Zone 1		1	UEA	UEAR2	12.67	134.89	81.87	73.65	14.88	1				I	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		+-	OL/\	JEAN	12.07	134.09	01.07	75.05	17.00					<b>-</b>	1
	Battery Signaling - Zone 2		2	UEA	UEAR2	17.45	134.89	81.87	73.65	14.88	1				I	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		✝−		1					50				İ	1	
	Battery Signaling - Zone 3		3	UEA	UEAR2	33.22	134.89	81.87	73.65	14.88					1	
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.01									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1.10								
	RE ANALOG VOICE GRADE LOOP		<u> </u>	lue A	1										ļ	
4-WII	La Mine Angley Veine Canda Lana Zana a		1	UEA	UEAL4	29.26	164.11	112.36	78.91	18.66					1	ļ
4-WII	4-Wire Analog Voice Grade Loop - Zone 1						101	110	·	10					1	
4-WII	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	34.25	164.11	112.36	78.91	18.66						
4-WII			2		UEAL4 UEAL4 OCOSL		164.11 164.11 23.01	112.36 112.36	78.91 78.91	18.66 18.66						

UNBUNDLE	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
CHECHEL	NETWORK ELEMENTO ROMAGNY			1							Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		to to a									Elec	Manually		Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Addi	DISC ISL	DISC Add I
						_	Nonrec	curring	Nonrecurring	Disconnect	İ		oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIR	E ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	18.44	146.77	95.02	71.38	13.83			Î	Î		
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	25.08	146.77	95.02	71.38	13.83			Î	Î		
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	42.87	146.77	95.02	71.38	13.83			Î	Î		
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		23.01			Î			Î	Î		
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.63	44.16		Î			Î	Î		
2-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP	)												
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UAL	UAL2X	10.82	141.98	79.73	69.02	11.47						
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UAL	UAL2X	11.79	141.98	79.73	69.02	11.47						
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UAL	UAL2X	12.87	141.98	79.73	69.02	11.47						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.01									
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1		1	UAL	UAL2W	10.82	121.18	69.00	69.09	11.54						
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 2		2	UAL	UAL2W	11.79	121.18	69.00	69.09	11.54						
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 3		3	UAL	UAL2W	12.87	121.18	69.00	69.09	11.54						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.01									
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.20	40.40								
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UHL	UHL2X	8.75	151.54	89.29	69.09	11.54						
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UHL	UHL2X	9.56	151.54	89.29	69.09	11.54						
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UHL	UHL2X	10.61	151.54	89.29	69.09	11.54						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01									
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL2W	8.75	130.74	78.56	69.09	11.54						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL2W	9.56	130.74	78.56	69.09	11.54						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL2W	10.61	130.74	78.56	69.09	11.54						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01	10.10								
4 14	CLEC to CLEC Conversion Charge without outside dispatch	TID: - :	000	UHL	UREWO		86.14	40.40	-							
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	IIBLE	LOOP	-					-	-	-		<b>.</b>	ļ	<b>.</b>	
	4 Wire Unbundled HDSL Loop including manual service inquiry			L	11111 457	10.0-	405 7-	100 50	74.0-	1100						
$\vdash$	and facility reservation - Zone 1	<b>—</b>	1	UHL	UHL4X	13.95	185.75	123.50	74.95	14.69	<del>                                     </del>	-	<b> </b>	<del> </del>	<del> </del>	
	4-Wire Unbundled HDSL Loop including manual service inquiry	Ι.		L	11111 47	45.00	405.75	400.50	74.05	44.00		1				
$\vdash$	and facility reservation - Zone 2		2	UHL	UHL4X	15.68	185.75	123.50	74.95	14.69	-	-	-	-	-	
	4-Wire Unbundled HDSL Loop including manual service inquiry		3	UHL	11111 457	10.00	405 7-	100 50	74.0-	1100		1				
$\vdash$	and facility reservation - Zone 3  Order Coordination for Specified Conversion Time (per LSR)	-	3	UHL	UHL4X OCOSL	16.98	185.75 23.01	123.50	74.95	14.69	-		-			
$\vdash$	4-Wire Unbundled HDSL Loop without manual service inquiry	<b>-</b>	<del>                                     </del>	UITL	OCOSL		∠3.01		1	-	-		-	-	-	
	and facility reservation - Zone 1		1	UHL	UHL4W	13.95	164.95	114.04	77.32	15.80		1				
$\vdash$	4-Wire Unbundled HDSL Loop without manual service inquiry	<b>-</b>	+ -	OI IL	OI IL4VV	13.95	104.95	114.04	11.32	15.60	-		-	-	-	
	and facility reservation - Zone 2		2	UHL	UHL4W	15.68	164.95	114.04	77.32	15.80						
<del>                                     </del>	4-Wire Unbundled HDSL Loop without manual service inquiry		-	OI IL	UI IL+VV	13.00	104.95	114.04	11.32	13.00			<del> </del>	<del> </del>	<del> </del>	
	and facility reservation - Zone 3		3	UHL	UHL4W	16.98	164.95	114.04	77.32	15.80		1				
<del>                                     </del>	Order Coordination for Specified Conversion Time (per LSR)		-	UHL	OCOSL	10.50	23.01	114.04	11.32	15.60	<b>H</b>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	
<del>                                     </del>	CLEC to CLEC Conversion Charge without outside dispatch		$\vdash$	UHL	UREWO		86.14	40.40	<del>                                     </del>	<del> </del>			<del> </del>	<del> </del>	<del> </del>	
4-W/ID	E DS1 DIGITAL LOOP	<b>-</b>	<del>                                     </del>	J	OI LEVIO		00.14	40.40	<b>†</b>							
4-4411	4-Wire DS1 Digital Loop - Zone 1	<b>-</b>	1	USL	USLXX	86.47	306.69	174.44	65.83	14.55	<b>-</b>		<b> </b>	<b> </b>	<b> </b>	
<del>                                     </del>	4-Wire DS1 Digital Loop - Zone 2	<b>-</b>		USL	USLXX	114.10	306.69	174.44		14.55						
	4-Wire DS1 Digital Loop - Zone 3	<b>—</b>	3	USL	USLXX	297.76	306.69	174.44	65.83	14.55	<u> </u>					
	Order Coordination for Specified Conversion Time (per LSR)		۲	USL	OCOSL	201.10	23.01	17-3-4-4	00.00	14.00	1	<b> </b>	<b> </b>	<b> </b>	<b> </b>	
	12.22. 230 amaton for opcomed conversion fillio (pol LON)		-	1	0000L		20.01			1	<u> </u>	1	L	L	L	

UNBUN	IDLE	D NETWORK ELEMENTS - Kentucky													ment: 2		bit: A
CATEGO	DRY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -
														1st	Add'l	Disc 1st	Disc Add'
								Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates (\$)	1	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.09	43.04								
4	-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP										ĺ			Î		
		4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.59	157.81	106.06	78.91	18.66	ĺ			Î		
		4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	32.48	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	36.37	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	27.59	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	32.48	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	36.37	157.81	106.06	78.91	18.66	1	1	1			
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.01									
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	27.59	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	32.48	157.81	106.06		18.66						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	i –		UDL	UDL64	36.37	157.81	106.06	78.91	18.66	1	1	1	i e		
		Order Coordination for Specified Conversion Time (per LSR)	1	Ť	UDL	OCOSL	55.57	23.01	100.00	70.01	10.00			<b>†</b>	<b>i</b>	<b> </b>	<b>—</b>
+		CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.13	49.75								-
2		Unbundled COPPER LOOP		<b>-</b>		CALLAND		102.10	40.70			<del> </del>	1	1	<b> </b>		
		2-Wire Unbundled Copper Loop-Designed including manual															-
		service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54						
			-		UCL	UCLPB	10.02	140.95	70.70	69.09	11.54	<b>-</b>	<b>-</b>	-			<del> </del>
		2-Wire Unbundled Copper Loop-Designed including manual		2	UCL	UCLPB	44.70	440.05	70.70	00.00	11.54						
		service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54						<b></b>
		2 Wire Unbundled Copper Loop-Designed including manual		_			40.00										
		service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	12.87	140.95	78.70	69.09	11.54						<b></b>
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								<b></b>
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	10.82	120.15	67.97	69.09	11.54						
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.79	120.15	67.97	69.09	11.54						
		2-Wire Unbundled Copper Loop-Designed without manual															İ
		service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	12.87	120.15	67.97	69.09	11.54						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
		CLEC to CLEC Conversion Charge without outside dispatch															İ
		(UCL-Des)			UCL	UREWO		97.23	42.48								
4		COPPER LOOP															
		4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 1		1	UCL	UCL4S	16.92	170.31	108.06	74.95	14.69						
		4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 2		2	UCL	UCL4S	17.36	170.31	108.06	74.95	14.69						
		4-Wire Copper Loop-Designed including manual service inquiry										ĺ			Î		
		and facility reservation - Zone 3		3	UCL	UCL4S	28.10	170.31	108.06	74.95	14.69						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00			1	1	1			
		4-Wire Copper Loop-Designed without manual service inquiry											İ				
		and facility reservation - Zone 1		1	UCL	UCL4W	16.92	149.52	97.33	74.95	14.69						
		4-Wire Copper Loop-Designed without manual service inquiry															
		and facility reservation - Zone 2		2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69						
		4-Wire Copper Loop-Designed without manual service inquiry			002	002		1 10.02	01.00	7 1.00	11100	1	<b>†</b>				<del>                                     </del>
		and facility reservation - Zone 3		3	UCL	UCL4W	28.10	149.52	97.33	74.95	14.69						İ
		Order Coordination for Unbundled Copper Loops (per loop)		Ŭ	UCL	UCLMC	20.10	9.00	9.00		14.00	1	<b>†</b>				<del>                                     </del>
		CLEC to CLEC Conversion Charge without outside dispatch			002	COLIVIO		5.00	0.00			1	<b>†</b>				<del>                                     </del>
		(UCL-Des)			UCL	UREWO		97.23	42.48								İ
OOP M	ODIEI	CATION			OOL	OKEWO		31.23	42.40				1				<del></del>
1001	ODII I	SATION			UAL, UHL, UCL,	1							1				<del></del>
			1	1	UEQ, ULS, UEA,			l						I			1
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire	l	l	UEANL, UEPSR,			l									1
		pair less than or equal to 18k ft, per Unbundled Loop	1	1	UEPSB	ULM2L		9.24	9.24			1	1	1	l	1	1
-			-	<u> </u>	UEFOB	ULIVIZL		9.24	9.24			<del>                                     </del>	1	1	<del>                                     </del>		<del></del>
		Unbundled Loop Modification Removal of Load Coils - 4 Wire	1	1					001					I			1
-+		less than or equal to 18K ft, per Unbundled Loop	<b> </b>	-	UHL, UCL, UEA	ULM4L		9.24	9.24	-		<b> </b>	<del>                                     </del>	<del>                                     </del>	<del> </del>	-	<del></del>
			1	1	UAL, UHL, UCL,			l						I			1
		Habitadlad Lass Madification Device of ADM to 1 To 2	1	1	UEQ, ULS, UEA,			l						I			1
		Unbundled Loop Modification Removal of Bridged Tap Removal,	1	1	UEANL, UEPSR,							1	1	1	l	1	1
1		per unbundled loop			UEPSB	ULMBT		10.47	10.47	1			1	1		l	

UNBUNDLE	D NETWORK ELEMENTS - Kentucky										Т-	r -		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonred		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SUB-LOOPS																
Sub-L	oop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up	ı		UEANL	USBSA		207.91	207.91								
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	ı		UEANL	USBSB		12.50	12.50								
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	1		UEANL	USBSC		80.87	80.87								
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	ı		UEANL	USBSD		45.04	45.04								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	I	1	UEANL	USBN2	6.34	85.03	39.05	59.81	7.90						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	I	2	UEANL	USBN2	9.06	85.03	39.05	59.81	7.90						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	ı	3	UEANL	USBN2	14.82	85.03	39.05	59.81	7.90						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	8.14	102.31	56.32	65.24	10.88						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	8.63	102.31	56.32		10.88						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	25.60	102.31	56.32		10.88						
			3		USBMC	25.60			65.24	10.00						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL UEANL	USBR2	2.57	9.00 68.35	9.00 22.36	59.81	7.90						
	Oub-Loop 2-vviile intrabuliding Network Gable (ING)		1	OLANE	OODINZ	2.07	00.55	22.50	33.01	7.50						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	4.98	76.49	30.51	65.24	10.88						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Loop Testing - Basic 1st Half Hour				URET1		46.88	46.88								
	Loop Testing - Basic Additional Half Hour				URETA		24.16	24.16								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1		UCS2X	5.45	85.03	39.05	59.81	7.90						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I		UEF	UCS2X	7.06	85.03	39.05		7.90						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	9.67	85.03	39.05	59.81	7.90						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	- 1	1	UEF	UCS4X	7.09	102.31	56.32	65.24	10.88	1					
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	ı	2	UEF	UCS4X	8.66	102.31	56.32	65.24	10.88				ĺ		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	-	3	UEF	UCS4X	19.40	102.31	56.32	65.24	10.88						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
	Loop Testing - Basic 1st Half Hour		<del>                                     </del>	UEF	URET1		46.88	46.88	1		<u> </u>			<del> </del>		
	Loop Testing - Basic Additional Half Hour		t		URETA		24.16	24.16								
Unbu	ndled Network Terminating Wire (UNTW)		t	-			0	0					İ			
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.53	23.51	23.51								
Netwo	rk Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines		<u> </u>	UENTW	UND12		73.53	49.47	ļ		ļ					
	Network Interface Device (NID) - 1-6 lines		├		UND16		115.96	91.91	1		ļ			-	-	
	Network Interface Device Cross Connect - 2 W  Network Interface Device Cross Connect - 4W	1	<b>!</b>	UENTW UENTW	UNDC2 UNDC4		8.56 8.56	8.56 8.56	1		<del>                                     </del>	-	-	-		
LINE OTHER	PROVISIONING ONLY - NO RATE	<b>-</b>	<del>                                     </del>	OLIVIVV	UNDC4		შ.ებ	8.36	1	-	1		-	-	-	
ONE OTHER,	NID - Dispatch and Service Order for NID installation		<del>                                     </del>	UENTW	UNDBX	0.00	0.00		1		<u> </u>		-	<del> </del>	<del> </del>	
	UNTW Circuit Id Establishment, Provisioning Only - No Rate		<b>†</b>	UENTW	UENCE	0.00	0.00		1					<b> </b>	<b> </b>	
	S.T.T. STOUR IS ESTADISHINGTH, FTOVISIONING OTHY - NO INdie		<b>†</b>	UEANL,UEF,UEQ,U												
l	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00			1	1	l	1	l		1

UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
		l										Svc Order Submitted Manually	Incremental Charge - Manual Svc		Incremental Charge -	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
			1			Rec	Nonred First	urring Add'l	Nonrecurring First	Add'l	COMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
			<u> </u>				FIRST	Addi	FIRST	Addi	SOMEC	SUMAN	SOWAN	SUMAN	SOWAN	SOWAN
				UAL,UCL,UDC,UDL,												İ
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									ĺ
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									İ
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									<del>                                     </del>
	Unbundled DS1 Loop - Expanded Superframe Format option -			002		0.00	0.00									
	no rate			USL	CCOEF	0.00	0.00									
HIGH CAPA	CITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															ĺ
	month High Capacity Unbundled Local Loop - DS3 - Facility	-		UE3	1L5ND	9.25										<del>                                     </del>
	Termination per month			UE3	UE3PX	308.31	551.38	338.08	173.00	120.42						İ
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per			020	OLOI X	000.01	001.00	000.00	170.00	120.42						
	month			UDLSX	1L5ND	9.25										
	High Capacity Unbundled Local Loop - STS-1 - Facility															
	Termination per month			UDLSX	UDLS1	320.51	551.38	338.08	173.00	120.42						
LOOP MAKE																<del></del>
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		23.40	23.40								İ
	Loop Makeup - Preordering With Reservation, per spare facility			OWIK	UIVIKLVV		23.40	23.40								<del>                                     </del>
	queried (Manual).			UMK	UMKLP		24.85	24.85								İ
	Loop MakeupWith or Without Reservation, per working or		1			ĺ										
	spare facility queried (Mechanized)			UMK	UMKMQ		0.67	0.67								
	NG AND LINE SPLITTING		<u> </u>		<u> </u>	<u> </u>			l							
	E 1: The Line Sharing monthly recurring rates for all installation E 1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co					idnight Octobe	r 01, 2004 shal	l be billed as t	ollows:							<del></del>
	E 1: 10/02/2003 – 10/01/2004: 25 % of the rate for UCLND	pper io	l lioi	I-designed ( OCLIND	,											<del>                                     </del>
	E 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND															
NOT	E 1: Above will apply to USOCS: ULSDT and ULSCT															
	TE 2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	d ULSC	C applies only to cit	cuits install	ed and inservic	e on or before	October 1, 200	03							
	SHARING															
SPL	ITTERS-CENTRAL OFFICE BASED  Line Sharing Splitter, per System 96 Line Capacity		1	ULS	ULSDA	198.83	379.05	0.00	358.55	0.00						<del></del>
	Line Sharing Splitter, per System 96 Line Capacity  Line Sharing Splitter, per System 24 Line Capacity		<u> </u>	ULS	ULSDA	49.71	379.05	0.00	358.55	0.00						<del></del>
	Line Sharing Splitter, Per System 8 Line Capacity		<del>                                     </del>	ULS	ULSD8	16.94	377.71	0.00	357.29	0.00						
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-		<b>†</b>					2.00	22.720	2.00						
	deactivation (per LSOD)			ULS	ULSDG		173.62	0.00	100.40	0.00						
END	USER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
	Line Sharing - per Line Activation (BST Owned splitter) -				LII CDC	0.04	07.40	04.00	20.47	0.00						1
	OBSOLETE see **NOTE 2  Line Share Service, TRO per line activation, BST owned splitter -		<b>!</b>	ULS	ULSDC	0.61	37.16	21.28	20.17	9.90	-					<del></del>
	Central Office Located (25% of UCLND) - please see NOTE 1															1
	(E:10/2/2003)			ULS	ULSDT	2.65	37.16	21.28	20.17	9.90						1
	Line Share Service, TRO per line activation, BST owned splitter -		İ	-			20	0		2.30						
	Central Office Located (50% of UCLND) - please see NOTE 1															1
$\vdash$	(E:10/2/2004)		<u> </u>	ULS	ULSDT	5.29	37.16	21.28	20.17	9.90						<b></b>
	Line Share Service, TRO per line activation, BST owned splitter -															1
	Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	7.94	37.16	21.28	20.17	9.90		1				1
	Line Sharing - per Subsequent Activity per Line		<del>                                     </del>	OLO	OLODI	1.94	31.10	21.20	20.17	9.90						<del>                                     </del>
	Rearrangement(BST Owned Splitter)			ULS	ULSDS		32.90	16.43								1
	Line Sharing - per Subsequent Activity per Line		İ													
	Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		32.90	16.43								
	Line Sharing - per Line Activation (DLEC owned Splitter) -															
	OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74	1					

UNBUN	IDLE	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
		,										Svc Order	Svc Order	Incremental	Incremental		
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGO	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												1	ļ ·	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring		L			Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (25% of UCLND) - please see					0.05	47.44	40.04	00.07	10.71						
<u> </u>		NOTE 1 (E:10/2/2003)		-	ULS	ULSCT	2.65	47.44	19.31	20.67	12.74	1					
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.29	47.44	19.31	20.67	12.74						
-		Line Share Service, TRO per line activation, CLEC owned		-	ULS	ULSCI	5.29	47.44	19.51	20.67	12.74	+	1				1
		splitter - Central Office Located (75% of UCLND) - please see															
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	7.94	47.44	19.31	20.67	12.74						
		PLITTING			OLO	02001	7.04	77.77	10.01	20.07	12.77	<b>+</b>	<b>-</b>				1
		SER ORDERING-CENTRAL OFFICE BASED				1								1			1
	Ť	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61					1		İ	l	l	Î
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.02	21.20	21.10	9.87						1
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	37.02	21.20	21.10	9.87						1
M		ENANCE				1	İ							1			1
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								ĺ
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
		No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
		DEDICATED TRANSPORT															
11		OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.01										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			l <u> </u>												
		Facility Termination			U1TVX	U1TV2	29.11	47.34	31.78	22.77	8.75						
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			11477.07	41.500/	0.04										
$\vdash$		Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat		-	U1TVX	1L5XX	0.01					<del>                                     </del>					<b>.</b>
		Facility Termination			U1TVX	U1TR2	29.11	47.34	31.78	22.77	8.75						
$\vdash$		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			UTIVA	UTIKZ	29.11	47.54	31.70	22.11	0.75	-	1				<del> </del>
		Per Mile per month			U1TVX	1L5XX	0.01										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			OTTVX	TESTON	0.01					+					<b>†</b>
		- Facility Termination			U1TVX	U1TV4	25.86	47.34	31.78	22.77	8.75						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile			011474	0	20.00	11.01	00		0.70						
		per month			U1TDX	1L5XX	0.0115										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination			U1TDX	U1TD5	20.97	47.35	31.78	22.77	8.75						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
		per month			U1TDX	1L5XX	0.0115										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility							-								
$\perp \perp$		Termination			U1TDX	U1TD6	20.97	47.35	31.78	22.77	8.75						ļ
1 1		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per				1						1					
$\vdash$		month			U1TD1	1L5XX	0.23						-	<b></b>	<b> </b>	<b> </b>	<del> </del>
		Interoffice Channel - Dedicated Tranport - DS1 - Facility			LIATDA		20.01	405 50	00.72	20.00	00 :0	1					
$\vdash$		Termination		-	U1TD1	U1TF1	96.04	105.52	98.46	23.09	20.49			<del>                                     </del>	<b> </b>	<b> </b>	<del> </del>
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	4.97					1					
<del></del>		Interoffice Channel - Dedicated Transport - DS3 - Facility			פטווט	ILOAA	4.97					+	<del>                                     </del>				<del>                                     </del>
		Termination per month			U1TD3	U1TF3	1,175.15	335.40	219.24	89.57	87.75						
<b>-</b>		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			01103	01113	1,173.13	333.40	213.24	03.51	07.73	+					
		month			U1TS1	1L5XX	4.97										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility				1.22.21								İ	İ	İ	1
		Termination			U1TS1	U1TFS	1,149.51	335.40	219.24	89.57	87.75						
DARK FII																	1
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
		Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	30.74										
$\Box$		NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		732.53	192.67	377.27	241.67						
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction										1					
$\vdash \vdash$		Thereof per month - Local Loop			UDF, UDFCX	1L5DL	47.01							ļ		ļ	<b></b>
		NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4		732.53	192.67	377.27	241.67	1	1		l	l	

UNBUNDL	ED NETWORK ELEMENTS - Kentucky													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
							Nonros		Nonrecurring	Dissennest				Rates (\$)		
						Rec	Nonrec First	urring Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX ACCESS	TEN DIGIT SCREENING				+		riist	Auu	FIISL	Auu i	JOINIEC	SOWAN	JOWAN	SOWAN	JOWAN	JOWAN
DAX ACCEDE	8XX Access Ten Digit Screening, Per Call			OHD	+	0.0006478					<b>†</b>					
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX			OTID		0.0000470					1				1	
	Number Reserved			OHD	N8R1X		4.14	0.70								
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O														t	
	POTS Translations			OHD			8.78	1.18	7.08	0.86						
	8XX Access Ten Digit Screening, Per 8XX No. Established With															
	POTS Translations			OHD	N8FTX		8.78	1.18	7.08	0.86						
	8XX Access Ten Digit Screening, Customized Area of Service															
	Per 8XX Number			OHD	N8FCX		4.14	2.07								
	8XX Access Ten Digit Screening, Multiple InterLATA CXR															
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		4.85	2.78								
<del>                                     </del>	8XX Access Ten Digit Screening, Change Charge Per Request 8XX Access Ten Digit Screening, Call Handling and Destination			OHD	N8FAX		4.85	0.70						-	<del>                                     </del>	1
				OLID	NOEDY		444	4.44								
	Features  8XX Access Ten Digit Screening w/ 8FL No. Delivery,		-	OHD OHD	N8FDX	0.0006478	4.14	4.14			-					
	8XX Access Ten Digit Screening w/ 6/ E No. Delivery,		-	OHD	+	0.0006478			<del>                                     </del>					1		
LINE INFORM	MATION DATA BASE ACCESS (LIDB)			OTID	+	0.0000470					<b>†</b>					
LINE IN OIL	LIDB Common Transport Per Query			OQT	+	0.000023					<b>†</b>					
	LIDB Validation Per Query			OQU		0.0137322									t	
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		55.12		67.59							
SIGNALING (																
	CCS7 Signaling Connection, Per 56 Kbps Facility			UDB	TPP++	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	151.39										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000656										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Connection, Per link (B link) (also known as D						40.50	40.50	00.45							
	link)			UDB	TPP++	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Usage, Per ISUP Message		-	UDB UDB	STU56	0.0000164 751.08					-				-	
	CCS7 Signaling Usage Surrogate, per link per LATA CCS7 Signaling Point Code, per Originating Point Code			UDB	31036	751.06					1				-	
	Establishment or Change, per STP affected			UDB	CCAPO		46.02	46.02	56.43	56.43						
	CCS7 Signaling Point Code, per Destination Point Code			000	00/11/0		40.02	40.02	00.40	00.40	1					
	Establishment or Change, Per Stp Affected			UDB	CCAPD		46.02	46.02	56.43	56.43						
E911 SERVIC																
	Local Channel - Dedicated - 2-wr Voice Grade					18.57	265.78	46.96	46.79	4.98						
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0115										
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility															
	Termination				1	29.11	47.34	31.78	22.77	8.75					1	
	Local Channel - Dedicated - DS1 - Zone 1					40.46	209.60	176.51	30.21	21.07					ļ	
	Local Channel - Dedicated - DS1 - Zone 2				1	43.39	209.60	176.51	30.21	21.07				-	<del>                                     </del>	1
<del></del>	Local Channel - Dedicated - DS1 - Zone 3  Interoffice Transport - Dedicated - DS1 Per Mile				+	164.50 0.23	209.60	176.51	30.21	21.07	1	-			<del>                                     </del>	1
<b></b>	interonice transport - Dedicated - DST Per Mile	<b>-</b>	-		+	0.∠3			<del>                                     </del>		-				<del>                                     </del>	1
I	Interoffice Transport - Dedicated - DS1 Per Facility Termination					96.04	105.52	98.46	23.09	20.49					1	
CALLING NA	ME (CNAM) SERVICE				+	30.04	100.02	30.40	23.09	20.49	<b>-</b>				t	1
	CNAM For DB Owners - Service Establishment			OQV	1		25.34	25.34	23.30	23.30				1	<u> </u>	
<u> </u>	CNAM For Non DB Owners - Service Establishment			OQV	1		25.34	25.34	23.30	23.30		1		İ	1	
	CNAM For DB Owners - Service Provisioning With Point Code											İ		ĺ	1	
I	Establishment			OQV	<u>                                     </u>	<u> </u>	1,591.54	1,177.08	431.95	317.61				<u> </u>	<u> </u>	
	CNAM For Non DB Owners - Service Provisioning With Point															
	Code Establishment			OQV			546.40	393.74	438.93	317.61						
	CNAM for DB Owners, Per Query			OQV		0.0010348										
	CNAM for Non DB Owners, Per Query			OQV	1	0.0010348								ļ	1	
	CNAM (Non-Databs Owner), NRC, applies when using the														I	
	Character Based User Interface (CHUI)			OQV	CDDCH		595.00	595.00			ļ					1
CELECTIVE !	COUTING															
SELECTIVE I	ROUTING Selective Routing Per Unique Line Class Code Per Request Per															

UNBUNDLE	NETWORK ELEMENTS - Kentucky													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring					Rates (\$)		
MDTILL: GC::	COATION	ļ			ļ	1.50	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
VIRTUAL COLL																<b></b>
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line			UEPSR UEPSB	VE41.0	0.0000	04.00	22.00	40.44	10.05						İ
PHYSICAL COL	Splitting			UEPSK UEPSB	VE1LS	0.0309	24.68	23.68	12.14	10.95						<b>—</b>
	Physical Collocation-2 Wire Cross Connects (Loop) for Line		-		1						-			-		<del></del>
	Splitting			UEPSR UEPSB	PE1LS	0.0333	24.68	23.68	12.14	10.95						İ
AIN SELECTIV	E CARRIER ROUTING			OLI OK OLI OB	1 2 120	0.0000	24.00	20.00	12.17	10.00						
	Regional Service Establishment			SRC	SRCEC		193,401.00	193,401.00	9,483,34	9,483.34						
	End Office Establishment			SRC	SRCEO		194.09	194.09	0.85	0.85						
	Line/Port NRC, per end user			SRC	SRCLP		2.06	2.06								
	Query NRC, per query			SRC		0.0037502										
AIN - BELLSOL	ITH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State,			l										1		1
	Initial Setup			A1N	CAMSE		43.55	43.55	44.93	44.93						
		1										1		I		1
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP CAM1P		8.64	8.64	10.03	10.03						-
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAMTP		8.64	8.64	10.03	10.03						<del></del>
	AIN SMS Access Service - User Identification Codes - Per User ID Code			A1N	CAMAU		38.65	38.65	29.88	29.88						
	AIN SMS Access Service - Security Card, Per User ID Code,			AIN	CAIVIAU		30.03	30.03	29.00	29.00	-					-
	Initial or Replacement			A1N	CAMRC		75.08	75.08	12.93	12.93						İ
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			Ally	CAWING	0.0025	73.00	73.00	12.33	12.55						
	AIN SMS Access Service - Session, Per Minute					0.666					1			1		
	AIN SMS Access Service - Company Performed Session, Per					0.000										
	Minute					0.4608										
AIN - BELLSOL	ITH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		43.55	43.55	44.93	44.93						
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		8,436.93	8,436.93								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															ĺ
	DN, Term. Attempt				BAPTT		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per								40.00							ĺ
	DN, Off-Hook Delay				BAPTD		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTM		8.64	8.64	40.00	10.03						ĺ
	DN, Off-Hook Immediate  AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		-		BAPTM		8.04	8.64	10.03	10.03	-			-		<del></del>
	DN, 10-Digit PODP	1			BAPTO		51.01	51.01	18.50	18.50				I		1
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	l			5,1110		31.01	51.01	10.30	10.30	<del>                                     </del>	<b> </b>		<b>I</b>		<b>—</b>
	DN, CDP				BAPTC		51.01	51.01	18.50	18.50				1		1
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	i e					221	231	1.5.50	12.30				1	İ	
	DN, Feature Code	<u></u>			BAPTF		51.01	51.01	18.50	18.50	<u> </u>	<u> </u>		<u> </u>		<u> </u>
	AIN Toolkit Service - Query Charge, Per Query					0.0549207										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															1
	Subscription, Per Node, Per Query				ļ	0.0066492										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access													1		1
$\vdash$	Account, Per 100 Kilobytes	ļ			ļ	0.07			ļ		1		ļ			<del></del>
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service	1		CAM	DADMC	7.07	0.04	0.04	0.00	0.00		1		I		1
<del>                                     </del>	Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service			CAM	BAPMS	7.87	8.64	8.64	6.08	6.08	-			<del>                                     </del>	-	<del></del>
	AIN TOOIKIT Service - Special Study - Per AIN TOOIKIT Service Subscription	1		CAM	BAPLS	3.26	9.56	9.56						I		1
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service	<del>                                     </del>		ONIVI	DAFLO	3.20	9.00	9.36	1	<b> </b>	<b>H</b>		<b>l</b>	t	<del>                                     </del>	<del>                                     </del>
	Subscription	1		CAM	BAPDS	4.72	8.64	8.64	6.08	6.08		1		I		1
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit					2	3.04	0.04	5.00	3.00				1	İ	
	Service Subscription	1		CAM	BAPES	0.11	9.56	9.56				1		I		1
ENHANCED EX	TENDED LINK (EELs)															
NOTE:	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charge	e will not app	ly for UNE con	nbinations pro	visioned as ' (	Ordinarily Coml	bined' Networl	Elements.					
	The monthly recurring and the Switch-As-Is Charge and not t					UNE combinati	ons provision	ed as ' Current	ly Combined' N	Network Eleme	nts.					
	TED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	FED DS														<b></b>
	First 2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84		l	l	L	l	

UNBUNDLE	D NETWORK ELEMENTS - Kentucky			1							1-	-		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84						<u> </u>
$\vdash$	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84				-		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 combination - Facility			LINIOAV	LIATEA	70.00	404.04	100 50	50.70	00.00						
	Termination per month		-	UNC1X	U1TF1 MQ1	79.02 113.33	181.24	123.53 14.74	56.72 1.86	22.32					1	<del> </del>
<b></b>	1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month		-	UNC1X UNCVX	1D1VG	0.62	57.26 6.71	4.84	1.86	1.67					-	<b>-</b>
	voice Grade COCI - Per Month		-	UNCVX	IDIVG	0.62	0.71	4.84							-	<b>-</b>
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84					I	
$\vdash$	Voice Grade COCI - Per Month		٥	UNCVX	1D1VG	0.62	6.71	4.84	59.69	1.84	-				+	+
<del>                                     </del>	Nonrecurring Currently Combined Network Elements Switch -As-			OINCVA	טעוטו	0.02	0.71	4.04						<del> </del>	<del> </del>	+
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXTEN	IDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS	1 INTE				0.00	0.00							t	
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
	That I will y mainly voice draws 2005 in combination 2010 i			0.1017	02,12.	20.20	120.22	00.10	00.00	7.01					t	
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
	Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per			UNC1X	1L5XX	0.19										
	Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						1
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.62	6.71	4.84								
	Additional 4-Wire Analog Voice Grade Loop in same DS1				1											1
	Interoffice Transport Combination - Zone 1 Additional 4-Wire Analog Voice Grade Loop in same DS1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						-
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
	Additional Voice Grade COCI in combination - per month		3	UNCVX	1D1VG	0.62	6.71	4.84	59.69	7.04					1	-
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC	0.02	8.98	8.98	11.17	11.17						
EXTEN	IDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	ATED	DS1 IN				0.30	0.30	111.17	11.17					-	-
LATER	THE STATE OF THE PERSON WITH DEDICATE AND THE			I THE THAT											<u> </u>	
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						

UNBUNI	DLE	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhil	bit: A
	ī					T	Ι					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	.		m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	-					1		Nonrec	urring	Nonrecurring	Disconnect	<b>†</b>		OSS	Rates (\$)		<u> </u>
h	-					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
h	-	Additional OCU-DP COCI (data) - in combination per month (2.4-				1		11100	Addi	11100	Addi	COMILO	COMPAR	COMPAR	COMPAN	COMPAR	COMPAN
		64khs)			UNCDX	1D1DD	1.32	6.71	4.84								
<del>                                     </del>	$\rightarrow$	Nonrecurring Currently Combined Network Elements Switch -As-			ONODA	10100	1.02	0.71	4.04								
		Is Charge	1		UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EV	/TENI	DED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN				0.30	0.30	11.17	11.17	1					
L/	VI LIVI	DED 4-WIRE 04 RBF3 EXTENDED DIGITAL LOOF WITH DEDI	CAILD	DSTIN	TEROFFICE TRAINS	I OK I						1					
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
-	-	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	-	-	UNCDA	UDL04	27.59	123.22	00.40	39.09	7.04						
		First 4 Wiss CAl/box Digital Conds Languis Combination 7 2		2	LINCDY	UDL64	20.40	405.00	CO 40	50.00	7.04						
-		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84	ļ					
		First 4 Wire 04/4 to Pictol Octob Long to Octob 1 1 2 2	1		LINORY	LIBLOA	00.5=	405.00	00.10	F0 00	7	1	l		l		
$\vdash$		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	<b>!</b>	3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84	-		<b>.</b>	ļ		
		Interoffice Transport - Dedicated - DS1 combination - Per Mile	1	1								1	l		l		
$\vdash$		Per Month	ļ	<b></b>	UNC1X	1L5XX	0.19			ļ		<b></b>	ļ				
		interoffice Transport - Dedicated - DS1 combination - Facility			l <b>.</b>	1											
		Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
<b>—</b>		1/0 Channel System in combination Per Month	ļ	L	UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67		ļ				
		OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
		Additional OCU-DP COCI (data) - in combination - per month															
		(2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
		Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
E)	(TENI	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	OFFICE TRANSPOR	RT											
		4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
		4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
		4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		Per Month			UNC1X	1L5XX	0.19										
		Interoffice Transport - Dedicated - DS1 combination - Facility												Î	Î		
		Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
		Nonrecurring Currently Combined Network Elements Switch -As-															
	ļ	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
E)	TENI	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER			į į							ĺ	ĺ		
	Ť	First DS1Loop in Combination - Zone 1	1		UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		İ	İ	İ		
	1	First DS1Loop in Combination - Zone 2	1	2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		1	İ	İ		
		First DS1Loop in Combination - Zone 3	1	3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97	1	İ	İ	İ		
		Interoffice Transport - Dedicated - DS3 combination - Per Mile	1	T	-					22.30			1	İ	İ		
		Per Month	1	1	UNC3X	1L5XX	4.09					1	l	l	l		
		Interoffice Transport - Dedicated - DS3 - Facility Termination per	<b>†</b>	t —		1						t	<del> </del>	l	<b> </b>		
		month	1	1	UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39		1				
		3/1Channel System in combination per month	<b>†</b>	t —	UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30	t	<del> </del>	l	<b> </b>		
		DS1 COCI in combination per month	t	t	UNC1X	UC1D1	11.80	6.71	4.84	10.12	3.30	<b>-</b>	<b>†</b>	<b> </b>	<b> </b>		
		Additional DS1Loop in DS3 Interoffice Transport Combination -	<del>                                     </del>	<del>                                     </del>	5.101A	30101	11.00	0.71	7.04	<b>†</b>		<u> </u>					
		Zone 1	1	1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97	1	l	l	l		
<del></del>		Additional DS1Loop in DS3 Interoffice Transport Combination -	<del>                                     </del>	<del>-</del> -	011017	JOLAA	00.47	210.70	117.00	00.90	17.97	<del>                                     </del>	<del>                                     </del>	<del> </del>			
		Zone 2	1	2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97	1	l	l	l		
$\vdash$		Additional DS1Loop in DS3 Interoffice Transport Combination -	<del>                                     </del>		OINOIA	USLAA	114.10	210.70	114.00	03.90	17.97	<del>                                     </del>	<del>                                     </del>	<del> </del>			
		Zone 3	1	3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97		1				
$\vdash$		Additoinal DS1 COCI in combination per month	<del>                                     </del>	, s	UNC1X UNC1X	UC1D1	11.80	6.71	4.84	03.96	17.97	1	-			-	
$\vdash$			<del>                                     </del>	+	OINCIA	OCIDI	11.80	0.71	4.84	1		<del>                                     </del>				-	
	l	Nonrecurring Currently Combined Network Elements Switch -As-	1	1	UNC3X	UNCCC		0.00	8.98	44 47	44.47		1				
	/TEN!	Is Charge DED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	CDAD	L E INITE			<del>                                     </del>	8.98	8.98	11.17	11.17	<del>                                     </del>				-	
E)	VI ENI		GKAD		UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84	-		-			
$\vdash$		2-WireVG Loop in combination - Zone 1	-									-	<b>.</b>	-	-		
		2-WireVG Loop in combination - Zone 2	<u> </u>	2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84	1	l				

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	oit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	1	_	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Elec			Manual Svc	Manual Svc	Manual Svc
CATEGORI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
															DISC 1St	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	O Mine VO Lana in name in stine. Zana 2	ļ	3	LINIOVAY	UEAL2	33.22	First 125.22	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WireVG Loop in combination - Zone 3 Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per		3	UNCVX	UEALZ	33.22	125.22	60.48	59.69	7.84						
	Month			UNCVX	1L5XX	0.01										
	Interoffice Transport - 2-wire VG - Dedicated - Facility															
	Termination per month			UNCVX	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINIOVA	LINICOC		0.00	0.00	44.47	44.47						
EXTE	Is Charge NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	I F INTE	UNCVX	UNCCC		8.98	8.98	11.17	11.17						
EXIL	4-WireVG Loop in combination - Zone 1	I		UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per			LINCVV	11.5	0.04										
	Month Interoffice Transport - 4-wire VG - Dedicated - Facility	1	<del>                                     </del>	UNCVX	1L5XX	0.01						-				
	Termination per month			UNCVX	U1TV4	21.28	98.09	53.67	56.31	22.42						
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge	<u> </u>	<u> </u>	UNCVX	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE		1L5ND	9.25										
	DS3 Local Loop in combination - per mile per month	<b>.</b>	<u> </u>	UNC3X	ILDIND	9.25										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	308.31	237.36	147.69	83.43	32.67						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.09										
	Interoffice Transport - Dedicated - DS3 combination - Facility															
	Termination per month	ļ		UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC3X	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF		014000		0.90	0.90	11.17	11.17						
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	9.25										
	STS-1 Local Loop in combination - Facility Termination per															
	month	ļ		UNCSX	UDLS1	320.51	237.36	147.69	83.43	32.67						
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	4.09										
	Interoffice Transport - Dedicated - STS-1 combination - Facility	1	1	ONOON	120701	4.00										
	Termination per month			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39						
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
EVTE	Is Charge	TDAN	CDODT	UNCSX	UNCCC		8.98	8.98	11.17	11.17						
EXIE	NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE First 2-Wire ISDN Loop in Combination - Zone 1	IRAN	1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84						
	First 2-Wire ISDN Loop in Combination - Zone 2	1	2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84						
	First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84						
	Interoffice Transport - Dedicated - DS1 combination - per mile			LINGAY	41.5007				1 7							
$\vdash$	per month Interoffice Transport - Dedicated - DS1 combination - Facility	-	<del>                                     </del>	UNC1X	1L5XX	0.19			<del>                                     </del>		-	<del>                                     </del>				
	Termination per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	1/0 Channel System in combination - per month		<b>†</b>	UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	2.84	6.71	4.84								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			LINIONIX	1141.024	40.4.	405.00	00.40	50.00	7.01						
$\vdash$	Combination - Zone 1 Additional 2-wire ISDN Loop in same DS1Interoffice Transport	-	1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84	-	<del>                                     </del>				
	Combination - Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		T													
	Combination - Zone 3	ļ	3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84						
	Additional 2-wire ISDN COCI (BRITE) - in combination- per			LINICNIV	LICACA	0.04	0.74	4.04								
	month Nonrecurring Currently Combined Network Elements Switch -As-	_	<del>                                     </del>	UNCNX	UC1CA	2.84	6.71	4.84	<del>                                     </del>			-				
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INTE													
	First DS1 Loop Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
	First DS1 Loop Combination - Zone 2	l	2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						

UNBUN	DLE	NETWORK ELEMENTS - Kentucky													ment: 2		bit: A
												Svc Order		Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		_	Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonroa	u rein a	Nonrecurring	Dissennest	-		220	Rates (\$)	1	1
-	-			-		-	Rec	Nonrec First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97	JOINIEC	SOWAN	JOWAN	SOWAN	JOWAN	JOWAN
		Interoffice Transport - Dedicated - STS-1 combination - Per Mile			ONOTA	OOLXX	231.10	210.70	114.00	03.30	17.57	<b>†</b>					
		Per Month			UNCSX	1L5XX	4.09										
		Interoffice Transport - Dedicated - STS-1 combination - Facility			0.10071	120701						1					
		Termination per month			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39						
		3/1 Channel System in combination per month			UNCSX	MQ3	158.20	115.48	56.53	15.12	5.30						
		DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
		Additional DS1Loop in the same STS-1 Interoffice Transport															
$\vdash$		Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97					ļ	ļ
$\vdash \vdash$		DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84	ļ						ļ	<b></b>
		Nonrecurring Currently Combined Network Elements Switch -As-			LINIOOV	LINGOO		0.00	0.00		44					I	I
<del></del>	VTC	Is Charge DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB	DC :::-		UNCSX	UNCCC		8.98	8.98	11.17	11.17			<b> </b>	<b>.</b>	<del>                                     </del>	<del>                                     </del>
E.	XIEN		PS IN I			UDL56	27.59	125.22	60.48	59.69	7.84		-		-		
	_	4-wire 56 kbps Local Loop in combination - Zone 1 4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84		-		-		
-		4-wire 56 kbps Local Loop in combination - Zone 2		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84	-					
	-	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		3	UNCDX	UDLS6	30.37	123.22	00.40	59.69	7.04	1				-	1
		Per Mile per month			UNCDX	1L5XX	0.01										
<b>-</b>	-	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			ONODA	TESTA	0.01			1							
		Facility Termination per month			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42						
		Nonrecurring Currently Combined Network Elements Switch -As-			0110271	020	11.20	00.00	00.01	00.01		1				1	1
		Is Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
E	XTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KB	PS INT	EROFF	ICE TRANSPORT												
		4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
		Per Mile per month			UNCDX	1L5XX	0.01										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
		Facility Termination per month			UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42						
		Nonrecurring Currently Combined Network Elements Switch -As-															
<del>                                     </del>	VT-:	Is Charge	D 44:0-	00-	UNCDX	UNCCC		8.98	8.98	11.17	11.17	-		<b> </b>	ļ	-	<b>-</b>
E	XIEN	DED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	KANSP			LIEALO	40.07	405.00	00.40	50.00	7.04			<b> </b>	<b>.</b>	<del>                                     </del>	<del>                                     </del>
$\vdash \vdash$		First 2-wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84			<b> </b>	<b>.</b>	<del>                                     </del>	<del>                                     </del>
$\vdash$		First 2-wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2 UEAL2	17.45 33.22	125.22	60.48 60.48	59.69 59.69	7.84 7.84	1		-	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
$\vdash$	-	First 2-wire VG Loop (SL2) in Combination - Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per	<b>-</b>	3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84	-				<del>                                     </del>	<del>                                     </del>
		Mile			UNC1X	1L5XX	0.19									I	I
$\vdash$		First Interoffice Transport - Dedicated - DS1 combination -			ONOIA	ILUAA	0.19			1		<b>H</b>		<b>l</b>	<del> </del>	t	t
		Facility Termination per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32					I	I
$\vdash$		Per each DS1 Channelization System Per Month	<b>-</b>		UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67	<b>-</b>			<del> </del>	t	<del>                                     </del>
		Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	0.62	6.71	4.84	1.50	1.07				1	<u> </u>	t
	-	3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30			İ	İ	1	1
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
		Each Additional 2-Wire VG Loop(SL 2) in the same DS1															
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84					1	1
		Each Additional 2-Wire VG Loop(SL2) in the same DS1					l i	İ									
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84						
	$\neg$	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						
		Each Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.62	6.71	4.84								
, I		Each Additional DS1 Interoffice Channel per mile in same 3/1				1										1	1
$\vdash \vdash$		Channel System per month			UNC1X	1L5XX	0.19										<b></b>
		Each Additional DS1 Interoffice Channel Facility Termination in				l				====			1			I	I
. 1		same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32	1	l	l	l	1	L

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	1	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	Fort A Life and DO4 COCK and Conference and	1	-	LINIOAY	LIOADA		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI combination per month  Nonrecurring Currently Combined Network Elements Switch -As			UNC1X	UC1D1	11.80	6.71	4.84								
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						1 '
EXTEN	DED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 IN	TEROFF	ICE TR	ANSPORT w/ 3/1 M	UX											
	First 4-Wire Analog Voice Grade Local Loop in Combination -		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						i '
	Zone 1 First 4-Wire Analog Voice Grade Local Loop in Combination -	1	1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
	Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						i '
	First 4-Wire Analog Voice Grade Local Loop in Combination -															i
	Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per	-	3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84		-				<del>                                     </del>
	Mile Per Month	1		UNC1X	1L5XX	0.19										İ
	First Interoffice Transport - Dedicated - DS1 - Facility											İ				
	Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						<b></b>
	Per each 1/0 Channel System in combination Per Month Per each Voice Grade COCI in combination - per month	1		UNC1X UNCVX	MQ1 1D1VG	113.33 0.62	57.26 6.71	14.74 4.84	1.86	1.67						<del>                                     </del>
	3/1 Channel System in combination per month	1		UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Additional 4-Wire Analog Voice Grade Loop in same DS1															ĺ
	Interoffice Transport Combination - Zone 1	1	1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						<del>                                     </del>
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						1
	Additional 4-Wire Analog Voice Grade Loop in same DS1			O. TO TA	02/121	01120	120.22	00.10	00.00	7.01						
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						<u> </u>
	Each Additional DS1 Interoffice Channel per mile in same 3/1			LINGAV	41 EVV	0.40										1
	Channel System per month  Each Additional DS1 Interoffice Channel Facility Termination in	1		UNC1X	1L5XX	0.19										
	same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						1
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.62	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -As-	-		UNC1X	UNCCC		0.00	0.00	44.47	44.47						1
EXTEN	Is Charge  IDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				8.98	8.98	11.17	11.17						<del>                                     </del>
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1	1													
	Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -			LINODY	LIDI FO	00.40	405.00	00.40	50.00	7.04						i
	Zone 2 First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1	2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						<b>—</b>
	Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						i
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month	1	-	UNC1X	1L5XX	0.19										<del>                                     </del>
	First Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						1
	Per each 1/0 Channel System in combination Per Month	1		UNC1X	MQ1	113.33	57.26	14.74		1.67						
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
	3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						<b></b>
	Per each DS1 COCI in combination per month  Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1		UNC1X	UC1D1	11.80	6.71	4.84								<b> </b>
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						i
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	†	Ė									1				
	Interoffice Transport Combination - Zone 2	<u> </u>	2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						İ
<del>                                     </del>	OCU-DP COCI (data) COCI in combination per month (2.4-	<b>†</b>	3	UNCDA	ODLOB	30.37	125.22	00.48	59.69	7.84	-	<del>                                     </del>				
	64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								i
	Each Additional DS1 Interoffice Channel per mile in same 3/1					ĺ										
	Channel System per month	<u> </u>	<u> </u>	UNC1X	1L5XX	0.19			1							<del>                                     </del>
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month	1		UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						İ
	James S. Condition Officers per month	1			12	70.02	101.24	120.00	00.72	22.02	1	1				-

UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec			Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI in the same 3/1 channel system			LINIOAY	110454	44.00	0.74	4.04								
<b>—</b>	combination per month			UNC1X	UC1D1	11.80	6.71	4.84			-					
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EVT	ENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTER	EEICE				0.90	0.90	11.17	11.17						
LATI	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	FFICE	TRANSFORT W/ 3/1	MOX											
	Transport Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		<u> </u>	ONODA	ODLOT	27.00	120.22	00.40	00.00	7.04						
1 1	Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month	<u></u>		UNC1X	1L5XX	0.19						<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	Per each OCU-DP COCI (data) in combination - per month (2.4-															
	64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
	3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
1 1	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			LINODY	LIDLO4	07.50	405.00	00.40	50.00	7.04						
$\vdash$	Interoffice Transport Combination - Zone 1		- 1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84	-					
1 1	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
$\vdash$	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			UNCDX	ODL04	32.40	123.22	00.40	39.09	7.04				-		
1 1	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System			ONODA	ODLO4	30.31	120.22	00.40	39.03	7.04						
1 1	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
1 1	Channel System per month			UNC1X	1L5XX	0.19										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge		<u> </u>	UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXT	ENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	≺Γw/3/	1 MUX		ļ				ļ	-			<b> </b>	-	<b> </b>	<b> </b>
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination			LINIONIV	1141.07	40.44	405.00	00.40	50.00	7.01		1		I		
$\vdash$	Transport - Zone 1 First 2-Wire ISDN Loop in a DS1 Interoffice Combination		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84				<del>                                     </del>		
	Transport - Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84		1		I		
<del>                                     </del>	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	<b>H</b>		OIVOIVA	UILZA	25.08	123.621	00.48	59.09	1.84			<b>l</b>	t	<b>l</b>	<b>l</b>
	Transport - Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84				1		
	First Interoffice Transport - Dedicated - DS1 combination - Per	l	Ť		J/\	72.01	120.22	JU10	00.00	7.54				1		
	Mile per month			UNC1X	1L5XX	0.19						1		I		
	First Interoffice Transport - Dedicated - DS1 combination -	1			1					l	1		l	1	l	l
	Facility Termination per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32	<u> </u>	<u> </u>	<u> </u>	<u> </u>		
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	2.84	6.71	4.84								
	3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84						ļ		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			LINIONIN	1141.02							1		I		
$\vdash$	Combination - Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84			<b> </b>	-	<b> </b>	<b> </b>
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		2	LINICNIV	U1L2X	05.00	405.00	00.40	50.00	7.04				1		
H	Combination - Zone 2 Additional 2-wire ISDN Loop in same DS1Interoffice Transport	<b>-</b>	2	UNCNX	UILZX	25.08	125.22	60.48	59.69	7.84	-	-		<del>                                     </del>		-
	Combination - Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84		1		I		
<del>                                     </del>	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel	<b>-</b>	3	014014/	JILZA	42.07	120.22	00.40	39.09	1.04		<b>-</b>		<del>                                     </del>		
	system combination- per month			UNCNX	UC1CA	2.84	6.71	4.84				1		I		
	12,2000 Somemone per menut	1			20.0/1	2.04	0.71	7.07	·		1			L		·

ONBONDE	D NETWORK ELEMENTS - Kentucky			1							- ·			ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
-+-	F1-A-1-17 1-DO4-1-1 (7 Ob 1 Ol4						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.19										
	Each Additional DS1 Interoffice Channel Facility Termination in			UNCIA	ILSAA	0.19										
	same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Each Additional DS1 COCI in the same 3/1 channel system			LINIOAY	110454	44.00	0.74	101								
	combination per month  Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	UC1D1	11.80	6.71	4.84	-							
	Is Charge	1		UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	SPORT		011000		0.30	0.30	11.17	11.17						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1	1		UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
	First 4-wire DS1 Digital Looal Loop in Combination - Zone 2	i e	2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97					İ	İ
	First 4-wire DS1 Digital Looal Loop in Combination - Zone 3	i e		UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97					İ	İ
	First Interoffice Transport - Dedicated - DS1 combination - Per		Ť													
	Mile Per Month			UNC1X	1L5XX	0.19										
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
	Per each DS1 COCI combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.19										
	Each Additional DS1 Interoffice Channel Facility Termination in			0.1.0 1.7.	120701	0.10										
	same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
	Nonrecurring Currently Combined Network Elements Switch -As-			ONCIX	OOLAX	231.10	210.70	114.00	05.90	17.57						
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE													
	First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile															
	per month			UNCDX	1L5XX	0.01										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNCDX	UNCCC		8.98	8.98	11.17	11.17						
EVTE	IS Charge NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTEDO	EEICE		UNCCC		8.98	8.98	11.17	11.17						
EXIE	First 4-wire 64 kbps Local Loop in combination - Zone 1	I		UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
-+-	First 4-wire 64 kbps Local Loop in combination - Zone 1		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						1
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile	i e	Ť			55.57	.20.22	33.10	55.55	7.54					İ	İ
	per month	l		UNCDX	1L5XX	0.01					1					
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility						İ								1	
	Termination per month		<u></u>	UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42						
	Nonrecurring Currently Combined Network Elements Switch -As-			l	I				Ι Τ							
	Is Charge	ļ	<u> </u>	UNCDX	UNCCC		8.98	8.98	11.17	11.17					ļ	ļ
ADDITIONAL	NETWORK ELEMENTS	L		<u> </u>												
1,000	used as a part of a currently combined facility, the non-recurr	ng cha	rges do	o not apply, but a s	Switch As Is cl	narge does app	oly.									<u> </u>
	and a continuation of the same transfer of the same state of the s			or or other or or other or oth		A - 1- C:										
When	used as ordinarily combined network elements in All States, the					As Is Charge of	does not.									
When	used as ordinarily combined network elements in All States, ti curring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As-	Charge				As Is Charge of	does not.									

ONBOND	LED NETWORK ELEMENTS - Kentucky													ment: 2		bit: A
CATEGOR	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
			<u> </u>			Rec	Nonre		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-			LINODY	UNCCC		0.00	8.98	44.47	44.47						ĺ
	Is Charge - 56/64 kbps  Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	UNCCC		8.98	8.98	11.17	11.17						-
	Is Charge - DS1			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS3			UNC3X	UNCCC		8.98	8.98	11.17	11.17						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - STS1		<u> </u>	UNCSX	UNCCC		8.98	8.98	11.17	11.17						<b></b>
Opt	ional Features & Functions:										ļ					
	Clear Channel Capability Extended Frame Option - per DS1	١.		U1TD1, ULDD1,UNC1X	CCOEF		OI.	ΟI	OI.	OI.						ĺ
	Clear Channel Capability Extended Frame Option - per DS1	<u> </u>	<u> </u>	U1TD1,	CCOEF		UI	UI	UI	UI						<del></del>
	Clear Channel Capability Super FrameOption - per DS1	1		ULDD1,UNC1X	CCOSF		OI	OI	OI	OI						
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
	Activity - per DS1	- 1		UNC1X, USL	NRCCC		184.91S	23.82S	1.99S	0.78S						
				U1TD3, ULDD3,				_		_						ĺ
	C-bit Parity Option - Subsequent Activity - per DS3	i	ļ	UE3, UNC3X	NRCC3		205.70S	7.20S	.6924S	0S						
MU	LTIPLEXERS			LINICAV	MQ1	113.33	57.26	14.74	1.86	1.67						<b>——</b>
	DS1 to DS0 Channel System per month  OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						<del>                                     </del>
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.32	10.07	7.08								ĺ
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			052		1.02	10.01	7.00			†					
	month (2.4-64kbs) used for connection to a channelized DS1															ĺ
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.32	10.07	7.08								<u> </u>
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															İ
	month for a Local Loop			UDN	UC1CA	2.84	10.07	7.08			ļ					
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel															ĺ
	in the same SWC as collocation			U1TUB	UC1CA	2.84	10.07	7.08								ĺ
	Voice Grade COCI - DS1 to DS0 Channel System - per month			01100	OCTOA	2.04	10.07	7.00			<b>+</b>					<del>                                     </del>
	used for a Local Loop			UEA	1D1VG	0.6228	10.07	7.08								ĺ
	Voice Grade COCI - DS1 to DS0 Channel System - per month															
	used for connection to a channelized DS1 Local Channel in the															İ
	same SWC as collocation		<u> </u>	U1TUC	1D1VG	0.6228	10.07	7.08								<b></b>
	DS3 to DS1 Channel System per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						<b>——</b>
	STS-1 to DS1 Channel System per month DS1 COCI used with Loop per month			UNCSX USL	MQ3 UC1D1	158.20 11.80	115.48 10.07	56.53 7.08	15.12	5.30						<del></del>
	DS1 COCI used with Loop per month  DS1 COCI (used for connection to a channelized DS1 Local			USL	OCIDI	11.00	10.07	7.00								<del>                                     </del>
	Channel in the same SWC as collocation) per month		1	U1TUA	UC1D1	11.80	10.07	7.08								1
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	11.80	10.07	7.08								
	DS3 Interface Unit (DS1 COCI) used with Local Channel per															
	month		<u> </u>	ULDD1	UC1D1	11.80	10.07	7.08	1				ļ		ļ	
	D LOCAL EXCHANGE SWITCHING(PORTS)		<u> </u>		1											<del></del>
	hange Ports ΓE: Although the Port Rate includes all available features in GA, i	KV 1 A	9 TNI 4	ha dasirad factures	will pood to b	o ordored ::-!	na rotail LISCO		1							<del></del>
	IRE VOICE GRADE LINE PORT RATES (RES)	I LA	Ox IIN, T	ile desired realures	will need to b	e oruereu USII	ig retail 0300	•	1							<del>                                     </del>
	Exchange Ports - 2-Wire Analog Line Port- Res.		<del>                                     </del>	UEPSR	UEPRL	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.49	3.74	3.63	2.23	2.13						
																1
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.	ļ	<u> </u>	UEPSR	UEPRO	1.49	3.74	3.63	2.23	2.13	1					
	Exchange Ports - 2-Wire VG unbundled KY extended local		1	LIEDED	UEPRM	1.49	3.74	2.00	0.00	2.13						1
	dialing parity Port with Caller ID - Res.  Exchange Ports - 2-Wire VG unbundled res, low usage line port	<del>                                     </del>	<del>                                     </del>	UEPSR	UEPKIVI	1.49	3.74	3.63	2.23	2.13	1		-		-	<del></del>
	with Caller ID (LUM)		1	UEPSR	UEPAP	1.49	3.74	3.63	2.23	2.13						1
	Exchange Ports - 2-Wire Voice Kentucky Residence Dialing Plan	1	<b>†</b>	OLI OK	OLI AI	1.45	5.74	5.05	2.23	2.13						
1	without Caller ID		1	UEPSR	UEPWE	1.49	3.74	3.63	2.23	2.13						1
	2-Wire voice unbundled Low Usage Line Port without Caller ID															
1 1	Capability	<u> </u>		UEPSR	UEPRT	1.49	3.74	3.63	2.23	2.13	<u>                                     </u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - Kentucky													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring		001150	001111		Rates (\$)	001441	
	Subsequent Activity			UEPSR	USASC	0.00	First 0.00	Add'I 0.00	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FEAT				UEPSK	USASC	0.00	0.00	0.00			1	1			1	1
I LAI	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00			<b>†</b>					<del> </del>
2-WIR	E VOICE GRADE LINE PORT RATES (BUS)			OLI OIL	OLI VI	0.00	0.00	0.00			<b>†</b>					<del> </del>
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -										1					
	Bus			UEPSB	UEPBL	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.49	3.74	3.63	2.23	2.13						
	·															
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports - 2-Wire VG unbundled KY extended local															
	dialing parity Port with Caller ID - Bus.			UEPSB	UEPBM	1.49	3.74	3.63	2.23	2.13						
	Exhange Ports - 2-Wire VG unbundled incoming only port with															
	Caller ID - Bus			UEPSB	UEPB1	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports - 2-Wire Voice Kentucky Business Dialing Plan				1										1	
	without Caller ID			UEPSB	UEPWF	1.49	3.74	3.63	2.23	2.13						
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPSB	UEPBE	1.49	3.74	3.63	2.23	2.13						
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								<b>.</b>
FEAT			-	LIEDOD	LIED) /E	0.00	0.00	0.00			1					-
EVOL	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00			-					
EXCH	ANGE PORT RATES (DID & PBX)  2-Wire VG Unbundled 2-Way PBX Trunk - Res		-	UEPSE	UEPRD	1.49	39.05	18.17	15.38	0.89	<b>+</b>	-			-	-
	2-Wire VG Unburidied 2-Way PBX Trunk - Res  2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.49	39.05	18.17	15.38	0.89	<b> </b>	-				<b>+</b>
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.49	39.05	18.17	15.38	0.89	1	1			-	1
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus  2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.49	39.05	18.17	15.38	0.89	1	1			-	1
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus		-	UEPSP	UEPLD	1.49	39.05	18.17	15.38	0.89	<u> </u>					-
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.49	39.05	18.17	15.38	0.89	1	1			1	<b>†</b>
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.49	39.05	18.17	15.38	0.89	1	1			1	<b>†</b>
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.49	39.05	18.17	15.38	0.89	İ					
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPSP	UEPXE	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area															
	Calling Port Without LUD			UEPSP	UEPXF	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPSP	UEPXG	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX Kentucky Premium Callling Port			UEPSP	UEPXH	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled 2-Way PBX Kentucky Area Callling															
	Port Without LUD			UEPSP	UEPXJ	1.49	39.05	18.17	15.38	0.89					1	<u> </u>
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy														I	
	Administrative Calling Port			UEPSP	UEPXL	1.49	39.05	18.17	15.38	0.89					-	<b></b>
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDOD	LIEDYAA	4 40	20.25	40.4=	45.00	2.55					I	
	Room Calling Port		-	UEPSP	UEPXM	1.49	39.05	18.17	15.38	0.89	ļ				<del>                                     </del>	<del> </del>
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			LIEDOD	LIEDVO	4 40	20.05	40.47	45.00	0.00					1	
	Discount Room Calling Port  2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP UEPSP	UEPXO UEPXS	1.49 1.49	39.05 39.05	18.17 18.17	15.38	0.89	-				<del>                                     </del>	<del>                                     </del>
	Subsequent Activity		-	UEPSP	USASC	0.00	0.00	0.00	15.38	0.89					<del></del>	<del>                                     </del>
FEAT		-	<u> </u>	OLFOF	USASU	0.00	0.00	0.00	+ -		}				<del>                                     </del>	<del> </del>
ILAI	All Available Vertical Features		<del>                                     </del>	UEPSP UEPSE	UEPVF	0.00	0.00	0.00	<del>                                     </del>						<del>                                     </del>	<del>                                     </del>
EXCH	ANGE PORT RATES (COIN)		-	OLI OI OLI OL	OLI VI	0.00	0.00	0.00	<del>                                     </del>						<b>+</b>	<del>                                     </del>
EXOIT	Exchange Ports - Coin Port				1	1.49	3.74	3.63	2.23	2.13					<u> </u>	<b>†</b>
Local	Switching Features offered with Port				1	1.40	0.74	0.00	2.20	2.10					<u> </u>	
	: Transmission/usage charges associated with POTS circuit sv	vitched	usage	will also apply to o	ircuit switche	d voice and/or	circuit switch	ed data transn	nission by B-Ch	annels assoc	iated with 2	-wire ISDN r	orts.		<u> </u>	
	Access to B Channel or D Channel Packet capabilities will be													Request Pro	cess.	
1.2.12	Exchange port - 4-wire ISDN trunk port -all available features		T,						1			12.50				
	included				UEPEX	101.60	188.36	95.15	61.92	22.67					1	
UNBUNDLED	LOCAL EXCHANGE SWITCHING(PORTS)															
EVCH	ANGE PORT RATES								l i							

UNBL	INDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
,												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			laster.	1								Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						(4)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						1		Nonre	curring	Nonrecurring	g Disconnect	1	1	OSS	Rates (\$)	l	
						1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	The DS	i I Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Port	in this	rate exhibit annly t	o the embed	ded hase in nla									COMPAN	COMPAR
		sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports											I Tates of	l separate ag	Tecinicit.		<b>——</b>
	rtoquot	Exchange Ports - 2-Wire DID Port	1	CITCOL	UEPEX	UEPP2	10.51	92.18	15.82		5.30	loor ction.	<b>†</b>				<b>——</b>
		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID			OLI LX	OLITZ	10.01	02.10	10.02	02.10	0.00	<b>†</b>					
		capability (E:4/1/2004)			UEPDD	UEPDD	74.77	164.86	77.74	60.69	3.86						
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	13.46	60.60	50.67	32.83	14.17	<b>†</b>					
		All Features Offered			UEPTX, UEPSX	UEPVF	0.00	0.00	0.00	32.03	14.17	<b>†</b>					<del> </del>
	1	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00	1	<del> </del>	1	<b>†</b>		<del>                                     </del>		<del>                                     </del>
	NOTE:	Transmission/usage charges associated with POTS circuit si	witched								hannala acces	iotod with 2	wire ICDM r	a o rito			<del></del>
															. Damilant Din		<del></del>
		Access to B Channel or D Channel Packet capabilities will be NGE PORT RATES (continued)	avaliai	oie oniy	through BFR/New	Business Re	quest Process.	Rates for the	раскет сараві	littles will be a	etermined via t	ne Bona Fi	de Request/	New Busines	s Request Pro	cess.	<del></del>
	EXCHA					+						-	-				<del></del>
		Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911			HEDEV	LIEDEY	404.00	400.00	05.45	04.00	00.07						ĺ
	<u> </u>	Locator Capability (E:4/1/2004)	<b>—</b>	<b>—</b>	UEPEX	UEPEX	101.60	188.36	95.15	61.92	22.67	<u> </u>	-	<b>.</b>	-	<b>.</b>	<b>├</b>
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	101.60	188.36	95.15		22.67						<b>!</b>
		Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.48	44.23	31.98	12.81	11.57	ļ	ļ				<del></del>
		Virtual collocation - Special Access & UNE, cross-connect per			HEREY HERE:					40							1
		DS1			UEPEX UEPDX	CNC1X	1.48	44.23	31.98	12.81	11.57						<b>!</b>
	Detaile	d E911 with Locator Capability (required with UEPEX port)															<u> </u>
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Initial Profile Establishment per CLEC per															ĺ
		State			UEPEX	UEP1A	0.00	1,811.00		156.69							
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Subsequent Profile Changes, Additions,															ĺ
		Deletions			UEPEX	UEP1B	0.00	175.82									İ
	New or	Additional PRI Telephone Numbers															
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability 2-way Telephone Numbers, per number in															ĺ
		E911 profile [New or Additional]			UEPEX	UEP1C	0.07	0.54									ĺ
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Outdial Telephone Numbers, per number in															ĺ
		E911 profile [New or Additional]			UEPEX	UEP1D	0.07	12.71	12.71								ĺ
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward												Î			
		Telephone Numbers - Inward Data Only Option [New or															ĺ
		Additional]			UEPDX	UEP1E	0.00	0.54									ĺ
		Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]											İ				
		Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	25.41	25.41								ĺ
	LOCAL	NUMBER PORTABILITY										İ					
		Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75					i e					
	INTER	FACE (Provsioning Only)					0			Ì	t			i	1	i	
	1	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00	Ì	1	İ	1	i e	1	i e	
		Digital Data			UEPEX	PR71D	0.00	0.00	0.00	Ì	t			i	1	i	
		Inward Data			UEPDX	PR71E	0.00	0.00	0.00	Ì	1	İ	1	i e	1	i e	
	New or	Additional Channel					5.00	0.00	3.00		1	1	1	1	1	1	
		New or Additional - Voice/Data "B" Channel		<del>                                     </del>	UEPEX	PR7BV	0.00	15.48		1	t	<b>†</b>	<del>                                     </del>		<b>†</b>		<b>—</b>
	t	New or Additional - Digital Data "B" Channel		<b> </b>	UEPEX	PR7BF	0.00	15.48		<del> </del>	t	<del> </del>	1	<b> </b>	t	<b>†</b>	
	<del>                                     </del>	New or Additional Inward Data "B" Channel		<b>-</b>	UEPDX	PR7BD	0.00	15.48		<del> </del>	t	<del> </del>	1	<b> </b>	1	<b> </b>	<del></del>
	<del>                                     </del>	New or Additional Useage Sensitive Voice Data "B" Channel		<del>                                     </del>	UEPEX	PR7BS	0.00	15.48		1	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del></del>
	<del>                                     </del>	New or Additional Useage Sensitive Voice Data B Channel	<del>                                     </del>	<del>                                     </del>	UEPEX	PR7BU	0.00	15.48		1	t	<del> </del>	1	<b> </b>	t	1	<del></del>
	1	New or Additional PRI "D" Channel	<del>                                     </del>	<del>                                     </del>	UEPEX	PR7EX	0.00	15.48		1	+	1	<del>                                     </del>	1	<del>                                     </del>	1	<del>                                     </del>
	CALL 1			<del>                                     </del>	0L1 LX	. A/LA	0.00	15.46		1	<del>                                     </del>	†	<del> </del>	<del> </del>	<del> </del>	<del> </del>	<del></del>
	OALL	Inward	<del>                                     </del>	<del>                                     </del>	UEPEX UEPDX	PR7C1	0.00	0.00	0.00	1	+	1	<del>                                     </del>	1	<del>                                     </del>	1	<del>                                     </del>
	<del>                                     </del>	Outward	<b>-</b>	<del>                                     </del>	UEPEX UEPDX	PR7CO	0.00	0.00	0.00	<b> </b>	<del>                                     </del>	<del> </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del></del>
	-	Two-way	<b>-</b>	-	UEPEX	PR7CC	0.00	0.00	0.00	1	<del>                                     </del>	1	-	-	<del></del>	-	<del></del>
	LIMBUT	Two-way  IDLED PORT with REMOTE CALL FORWARDING CAPABILITY	,—	-	UEPEX	FR/CC	0.00	0.00	0.00	1	<del>                                     </del>	+	1	<del>                                     </del>	1	<del>                                     </del>	<del></del>
				-		+				-	<del>                                     </del>	1	<u> </u>	-	<del>                                     </del>		<del></del>
	ONBON	IDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE	-	-	LIED\/D	LIEDAG	4.40	3.74	0.00	1	<del>                                     </del>	<b>}</b>	-	<b> </b>	<del>                                     </del>	<del> </del>	<del></del>
	<b>!</b>	Unbundled Remote Call Forwarding Service, Area Calling, Res	-	-	UEPVR	UERAC	1.49	3.74	3.63	1	<del>                                     </del>	<b>}</b>	-	<b> </b>	<del>                                     </del>	<del> </del>	+
	1	Habita diad Barreta Call Familia III - Control Collins		1	LIED\/D	LIEDLO		0	0.00		I	1			I		1
		Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.49	3.74	3.63	ļ	<b></b>	ļ	ļ				<del></del>
		Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.49	3.74	3.63		1	]	l		l		

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Incremental Charge -		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	
					1	B	Nonrec	curring	Nonrecurring	g Disconnect			oss	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.49	3.74	3.63								
Non-Re	ecurring															
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVR	USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service - Conversion with			UEPVR	USACC		0.10	0.10								
LINBU	allowed change (PIC and LPIC)  NDLED REMOTE CALL FORWARDING - Bus			UEPVR	USACC		0.10	0.10								
ONBOI	NDLED REMOTE CALL FORWARDING - Bus				+									-		
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.49	3.74	3.63								
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.49	3.74	3.63								
	Unbundled Remote Call Forwarding Service, InterLATA - Bus	l		UEPVB	UERTE	1.49	3.74	3.63	1	1	<b>†</b>		1	1	1	
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus	1		UEPVB	UERTR	1.49	3.74	3.63	İ	ĺ		İ		1		
	Unbundled Remote Call Forwarding Service Expanded and						_									
<u>                                     </u>	Exception Local Calling	<u></u>	L	UEPVB	UERVJ	1.49	3.74	3.63	<u> </u>	<u> </u>	<u></u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u></u>
Non-Ro	ecurring															
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVB	USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service - Conversion with															
	allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10	1				ļ		ļ	
	LOCAL SWITCHING, PORT USAGE								1							
End Of	ffice Switching (Port Usage)	ļ	<u> </u>		1	0.05			1					ļ		
$\vdash$	End Office Switching Function, Per MOU				1	0.0011971				ļ			ļ	1	ļ	ļ
	End Office Trunk Port - Shared, Per MOU	1	<b>_</b>			0.0002112			ļ		1					
Tander	m Switching (Port Usage) (Local or Access Tandem)		ļ		+	0.000401			ļ				ļ	-	ļ	ļ
	Tandem Switching Function Per MOU	-	-		+	0.000194			1	<del> </del>			<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<b>.</b>
$\vdash$	Tandem Trunk Port - Shared, Per MOU  Tandem Switching Function Per MOU (Melded)	-	-		+	0.0002416 0.000094381			1	-	1		<b> </b>	<del>                                     </del>	<b> </b>	<del>                                     </del>
$\vdash$	Tandem Switching Function Per MOU (Melded)  Tandem Trunk Port - Shared, Per MOU (Melded)	-	-		+	0.000094381			1	-	1		<b> </b>	<del>                                     </del>	<b> </b>	<del>                                     </del>
$\vdash$	Melded Factor: 48.65% of the Tandem Rate	-	+		+	0.00011/538			1		-	-		<del>                                     </del>		-
Comm	non Transport	<b>H</b>	<b>!</b>		+				1	<del> </del>	<b>H</b>		<del> </del>	t	<del> </del>	<del>                                     </del>
Commi	Common Transport - Per Mile, Per MOU	<b>-</b>			+	0.000003			1		<b>-</b>		<b> </b>	t	<b> </b>	<del>                                     </del>
	Common Transport - Facilities Termination Per MOU	<b>†</b>	<b>†</b>		t	0.0007466			1		<del>                                     </del>	<b>-</b>		<b>I</b>		<b>H</b>
UNBUNDLED	PORT/LOOP COMBINATIONS - COST BASED RATES				†	0.000.700								<u> </u>		
	Based Rates are applied where BellSouth is required by FCC ar	nd/or St	ate Co	mmission rule to pr	ovide Unbun	dled Local Swi	tching or Swite	ch Ports.		İ			İ	1	İ	
	es shall apply to the Unbundled Port/Loop Combination - Cos								ed Port section	of this Rate E	xhibit.		1		1	1
	ffice and Tandem Switching Usage and Common Transport Us											n Port/Loor	Combination	ns.		
	st and additional Port nonrecurring charges apply to Not Curr	ently C	ombine	ed Combos. For Cur	rently Combi	ned Combos th	ne nonrecurrin	g charges sha	II be those ide	ntified in the N	onrecurring	g - Currently	Combined s	ections.		
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE P	ort/Loop Combination Rates															
$\vdash$	2-Wire VG Loop/Port Combo - Zone 1		1		1	10.79				ļ			ļ	1	ļ	ļ
$\vdash$	2-Wire VG Loop/Port Combo - Zone 2		2		1	15.52								-		
	2-Wire VG Loop/Port Combo - Zone 3		3		1	31.74								-		
UNE Lo	oop Rates		1	HEDDY	LIEDLY	0.01			1					<del>                                     </del>		-
$\vdash$	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9.64			1		-		-	<del>                                     </del>	-	<u> </u>
$\vdash$	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	14.37 30.59			-					<del>                                     </del>		
2-14/:	Voice Grade Line Port Rates (Res)	<del>                                     </del>	3	UEPRX	UEPLA	30.59				1		-	<del> </del>	<del>                                     </del>	<del> </del>	<del>                                     </del>
2-44116	2-Wire voice unbundled port - residence		1	UEPRX	UEPRL	1.15	21.29	15.49	2.85	2.67			<del> </del>	<del>                                     </del>	<del> </del>	<del> </del>
<del>                                     </del>	2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res	1	<del>                                     </del>	UEPRX	UEPRC	1.15	21.29	15.49		2.67	<del>                                     </del>		<del> </del>	<del> </del>	<del> </del>	
	2-Wire voice unburidled port with Caller 15 - res  2-Wire voice unbundled port outgoing only - res	<b>†</b>	<b>†</b>	UEPRX	UEPRO	1.15	21.29	15.49		2.67	<del>                                     </del>	<b>-</b>		<b>I</b>		<b> </b>
	2-Wire voice dribtinded port dagging drily 1183 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res			UEPRX	UEPRM	1.15	21.29	15.49	2.85	2.67						
<del>                                     </del>	2-Wire voice unbundles res, low usage line port with Caller ID	1	<del>                                     </del>	OLI IVA	OLI IVIVI	1.15	21.29	15.49	2.05	2.07	<del>                                     </del>		<del> </del>	<del> </del>	<del> </del>	
1 1	(LUM)			UEPRX	UEPAP	1.15	21.29	15.49	2.85	2.67				I		
	2-Wire Voice Unbundled Kentucky Residence Dialing Plan without Caller ID			UEPRX	UEPWE	1.15	21.29	15.49	2.85	2.67						
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX	UEPRT	1.15	21.29	15.49		2.67						

ARONDL	ED NETWORK ELEMENTS - Kentucky			1							I			ment: 2		ibit: A
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FEAT	TURES															
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00								
LOCA	AL NUMBER PORTABILITY			HEDDY	LNDOV	0.05										
NON	Local Number Portability (1 per port)		1	UEPRX	LNPCX	0.35			-							
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion -		-		+				<b>+</b> + + + + + + + + + + + + + + + + + +						-	
	Switch-as-is			UEPRX	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1	OLI IXX	OOAOZ		0.10	0.10	<del>                                     </del>							
	Switch with change			UEPRX	USACC		0.10	0.10								
ADD	TIONAL NRCs						-		† †						t	İ
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity		L	UEPRX	USAS2	0.00	0.00	0.00	<u> </u>		<u> </u>				<u> </u>	
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise		<u></u>	UEPRX	URETL		8.33	0.83	<u> </u>							<u> </u>
OFF/	ON PREMISES EXTENSION CHANNELS															
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	10.56	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	15.34	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	31.11	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	12.67	134.89	81.87	73.65	14.88						
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	17.45	134.89	81.87	73.65	14.88						
INITE	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	33.22	134.89	81.87	73.65	14.88						1
INIE	ROFFICE TRANSPORT		1		+				-							-
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRX	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		-	ULFRA	01172	23.93	90.09	33.07	30.31	22.42					-	
	or Fraction Mile			UEPRX	U1TVM	0.0095	0.00	0.00								
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			OLITOX	OTT VIVI	0.0000	0.00	0.00							1	
	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			10.79										
	2-Wire VG Loop/Port Combo - Zone 2		2			15.52										
	2-Wire VG Loop/Port Combo - Zone 3		3			31.74										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9.64										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	14.37										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	30.59										
2-Wii	re Voice Grade Line Port (Bus)															
_	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.15	21.29	15.49	2.85	2.67						1
	2-Wire voice unbundled port with Caller + E484 ID - bus		<del>                                     </del>	UEPBX UEPBX	UEPBC UEPBO	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67					<del>                                     </del>	ļ
	2-Wire voice unbundled port outgoing only - bus     2-Wire voice Grade unbundled Kentucky extended local dialing	<b>-</b>	<del>                                     </del>	ULPDA	UEFBU	1.15	21.29	15.49	∠.85	2.07	-				<del>                                     </del>	<del>                                     </del>
	parity port with Caller ID - bus			UEPBX	UEPBM	1.15	21.29	15.49	2.85	2.67	1				I	
	2-Wire voice unbundled incoming only port with Caller ID - Bus		<b>-</b>	UEPBX	UEPB1	1.15	21.29	15.49	2.85	2.67	<del>                                     </del>				<b>-</b>	
	2-Wire Voice Unbundled Kentucky Business Dialing Plan		<del>                                     </del>	021 0/1	02. 01	1.13	21.29	15.45	2.03	2.07	<b>†</b>				<b>I</b>	1
	without Caller ID			UEPBX	UEPWF	1.15	21.29	15.49	2.85	2.67	1				I	
	2-Wire voice unbundled Incoming Only Port without Caller ID		t		1 / / /	5	220	.0.10		2.57					<u> </u>	
	Capability			UEPBX	UEPBE	1.15	21.29	15.49	2.85	2.67	1				I	
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEAT	TURES															
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		<u> </u>						ļ						1	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -										1				I	
_	Switch-as-is		<u> </u>	UEPBX	USAC2		0.10	0.10							-	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEDBY	LIEACO		0.40	0.40							1	
ADDI	Switch with change TIONAL NRCs	<b>-</b>	<del>                                     </del>	UEPBX	USACC		0.10	0.10	<del>                                     </del>		-				<del>                                     </del>	$\vdash$
IADDI		-	<del>                                     </del>		+				<del>                                     </del>		1				<del>                                     </del>	<del>                                     </del>
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															

JNBUNDL	ED NETWORK ELEMENTS - Kentucky													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrec		Nonrecurring	Diagona					DISC 1St	DISC Add
		<u> </u>				Rec	First	arring Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	<del> </del>			+		riist	Auu i	Filat	Auu i	JOINIEC	SOWIAN	JOWAN	JOWAN	JOWAN	JOWAN
	Premise			UEPBX	URETL		8.33	0.83								
OFF	ON PREMISES EXTENSION CHANNELS															
	2 Wire Analog Voice Grade Extension Loop - Non-Design		1	UEPBX	UEAEN	10.56	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	15.34	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	31.11	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	12.67	134.89	81.87	73.65	14.88						
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	17.45	134.89	81.87	73.65	14.88						
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	33.22	134.89	81.87	73.65	14.88						
INTE	ROFFICE TRANSPORT				$\bot$											
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPBX	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPBX	U1TVM	0.0095	0.00	0.00								
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			10.79										
	2-Wire VG Loop/Port Combo - Zone 2		2			15.52										
	2-Wire VG Loop/Port Combo - Zone 3		3			31.74										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1	ļ	1	UEPRG	UEPLX	9.64										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	ļ	2	UEPRG	UEPLX	14.37										1
0.14/	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	30.59						1				1
2-001	re Voice Grade Line Port Rates (RES - PBX)	<u> </u>									-	<b> </b>				-
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	1.15	21.29	15.49	2.85	2.67						
LOC	AL NUMBER PORTABILITY			ULFRG	OLFKD	1.13	21.29	13.45	2.00	2.07						
	Local Number Portability (1 per port)	1		UEPRG	LNPCP	3.15	0.00	0.00			1	1				
FEA	TURES						0.00					İ				İ
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED										1					
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPRG	USAC2		8.45	1.91								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPRG	USACC		8.45	1.91								
ADD	ITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity	ļ		UEPRG	USAS2	0.00	0.00	0.00	ļ		ļ	ļ	1		ļ	
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1					7.00	7.00					I			
-	Group	<del>                                     </del>			+		7.86	7.86			<u> </u>	-	<del>                                     </del>			ļ
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPRG	URETL		8.33	0.83					I			
OFF	/ON PREMISES EXTENSION CHANNELS	<del>                                     </del>		OLFING	UNLIL		0.33	0.63	1		<del>                                     </del>	1	t	l	l	1
OPF.	Local Channel Voice grade, per termination	<del>                                     </del>	1	UEPRG	P2JHX	12.67	134.89	81.87	73.65	14.88	<del>                                     </del>	1	t	l	l	1
-	Local Channel Voice grade, per termination	<b>†</b>	2	UEPRG	P2JHX	17.45	134.89	81.87	73.65	14.88		<del>                                     </del>	<del>                                     </del>			<del>                                     </del>
	Local Channel Voice grade, per termination	<u> </u>	3	UEPRG	P2JHX	33.22	134.89	81.87	73.65	14.88			<u> </u>			
	Non-Wire Direct Serve Channel Voice Grade	1	1	UEPRG	SDD2X	12.68	170.06	78.10	119.62	15.80			1	İ	İ	
	Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	18.12	170.06	78.10	119.62	15.80						
	Non-Wire Direct Serve Channel Voice Grade			UEPRG	SDD2X	29.64	170.06	78.10	119.62	15.00		İ				İ
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRG	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile								16.00	22.42						
	or Fraction Mile	<u> </u>		UEPRG	U1TVM	0.0095	0.00	0.00				<u> </u>	L		ļ	<u> </u>
10.140	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	ļ			$\rightarrow$				ļ		ļ	ļ	1		ļ	ļ
		1	1	l					1		1	1	1	l	l	1
	Port/Loop Combination Rates		-		+				1		1	1				
	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		1 2			10.79 15.52										

UNBUNDLE	D NETWORK ELEMENTS - Kentucky													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	_	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEPPX	UEPLX	9.64										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEPPX	UEPLX	14.37										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	30.59										
2-Wire	e Voice Grade Line Port Rates (BUS - PBX)															<b>.</b>
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.15	21.29	15.49	2.85	2.67						
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.15	21.29	15.49	2.85	2.67						
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Unbundled OutDial Alabama NAR Area Calling															
	Port			UEPPX	UEPOA		04									<b>_</b>
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.15	21.29	15.49	2.85	2.67	-	-	<b></b>	<b> </b>	ļ	<b></b>
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.15	21.29	15.49	2.85	2.67	-	-	ļ	<b> </b>	ļ	<b></b>
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		-	UEPPX UEPPX	UEPXB	1.15	21.29	15.49	2.85	2.67			<del>                                     </del>	<b> </b>	<del>                                     </del>	<del> </del>
-	2-Wire Voice Unbundled PBX LD DDD Terminals Port		-		UEPXC	1.15	21.29	15.49	2.85	2.67						<u> </u>
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		-	UEPPX	UEPXD	1.15	21.29	15.49	2.85	2.67	-	-				-
	Capable Port			UEPPX	UEPXE	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area				l											
	Calling Port without LUD			UEPPX	UEPXF	1.15	21.29	15.49	2.85	2.67						
-	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port		-	UEPPX	UEPXG UEPXH	1.15	21.29	15.49	2.85	2.67						<u> </u>
	2-Wire Voice Unbundled PBX Kentucky Premium Calling Port 2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port		-	UEPPX	UEPXH	1.15	21.29	15.49	2.85	2.67	-	-				-
	without LUD			UEPPX	UEPXJ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Unbundled OutDial Kentucky NAR Area Calling Port			UEPPX	UEPOK	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.15	21.29	15.49	2.85	2.67	1	1				<b>†</b>
LOCA	L NUMBER PORTABILITY			02.17	02.70	0	21120	10.10	2.00	2.0.	1	1				<b>†</b>
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEAT																
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00								
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPPX	USAC2		8.45	1.91								<b></b>
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDY	LICACO		2.4-	4.01								
ADDIT	Conversion - Switch with Change			UEPPX	USACC		8.45	1.91	<b> </b>		1	1			-	<del></del>
ADDII	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				+				<b> </b>		1	1			-	<del> </del>
	2-vvire voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			DEFFX	USA32	0.00										
	Group Unbundled Miscellaneous Rate Element, Tag Loop at End User						7.86	7.86			<del>                                     </del>	<del>                                     </del>				<del>                                     </del>
055/0	Premise			UEPPX	URETL		8.33	0.83								1
UFF/C	DN PREMISES EXTENSION CHANNELS  Local Channel Voice grade, per termination	<b>-</b>	1	UEPPX	P2JHX	12.67	134.89	81.87	73.65	14.88			<del> </del>	<b> </b>	<del>                                     </del>	<del> </del>
+	Local Channel Voice grade, per termination  Local Channel Voice grade, per termination		2	UEPPX	P2JHX P2JHX	17.45	134.89	81.87	73.65	14.88			<del> </del>	-	<del> </del>	+
+	Local Channel Voice grade, per termination  Local Channel Voice grade, per termination	<b>-</b>		UEPPX	P2JHX	33.22	134.89	81.87	73.65	14.88			<b> </b>		<b> </b>	<del>                                     </del>
<del> </del>	Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	12.68	170.06	78.10	119.62	15.80			<del> </del>		<del> </del>	<del>                                     </del>
	Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	18.12	170.06	78.10	119.62	15.80	<del>                                     </del>	<del>                                     </del>	<b> </b>			<b>†</b>
	Non-Wire Direct Serve Channel Voice Grade			UEPPX	SDD2X	29.64	170.06	78.10	119.62	15.00						
INTER	ROFFICE TRANSPORT		<b>.</b>		+											<del>                                     </del>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPPX	U1TV2	23.95	98.09	53.67	56.31	22.42						

ONRONDI	LED NETWORK ELEMENTS - Kentucky													ment: 2	1	ibit: A
CATEGORY	Y RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
		+	-				Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	1	
		1	+			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	2	1		+		11131	лиит	11100	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAN
	or Fraction Mile			UEPPX	U1TVM	0.0095	0.00	0.00								
2-W	/IRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PO	DRT														
UNE	E Port/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1	Ť –	1			10.79										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			15.52										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			31.74										
UNE	E Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.64										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	14.37										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	30.59										
2-W	/ire Voice Grade Line Ports (COIN)		ļ													
	2-Wire Coin 2-Way without Operator Screening and without	1	1	LIEDOO	LIEDEE		04.00	45.00	0.0-	0.07					I	
	Blocking (AL, KY, LA, MS)	+	<u> </u>	UEPCO	UEPRF	1.15	21.29	15.49	2.85	2.67				ļ	-	<del>                                     </del>
	2-Wire Coin 2-Way with Operator Screening (AL, KY)	+	₩	UEPCO	UEPRE	1.15	21.29	15.49	2.85	2.67	-			-	<del>                                     </del>	<del>                                     </del>
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011 900/976, 1+DDD (AL, KY, LA, MS)	,		UEPCO	UEPRA	1.15	21.29	15.49	2.85	2.67						
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (KY)			UEPCO	UEPKA	1.15	21.29	15.49	2.85	2.67						
	2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.15	21.29	15.49	2.85	2.67						
	2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS)			UEPCO	UEPRN	1.15	21.29	15.49	2.85	2.67						
	2-Wire Coin Outward with Operator Screening and 011 Blocking (GA, KY, MS)	9		UEPCO	UEPRJ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Coin Outward Operator Screening & Blocking: 900/976, 1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.15	21.29	15.49	2.85	2.67						
-	2-Wire 2-Way Smartline with 900/976 (all states except LA)		+	UEPCO	UEPCK	1.15	21.29	15.49	2.85	2.67	<u> </u>			1		+
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1.15	21.29	15.49	2.85	2.67						
ADE	DITIONAL UNE COIN PORT/LOOP (RC)	+	1	OLI CO	OLI OK	1.10	21.23	13.43	2.00	2.01	<b>†</b>					+
ADL	UNE Coin Port/Loop Combo Usage (Flat Rate)	+	1	UEPCO	URECU	2.57	0.00	0.00	0.00	0.00	<b>†</b>					+
LOC	CAL NUMBER PORTABILITY			02.00	UNLEGO	2.07	0.00	0.00	0.00	0.00	i e					1
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35					İ					
NON	NRECURRING CHARGES - CURRENTLY COMBINED		1													
	2-Wire Voice Grade Loop / Line Port Combination - Conversion Switch-as-is	-		UEPCO	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion Switch with change	-		UEPCO	USACC		0.10	0.10								
ADD	DITIONAL NRCs	1			120000		2.10	2.10						İ	t	
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise	r		UEPCO	URETL		8.33	0.83								
2-W	/IRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIF	PELINE	PORT /		UNLIL		0.33	0.03	1					<del> </del>	<del>                                     </del>	<del>                                     </del>
	E Port/Loop Combination Rates	T	J. (1)		+ +				1						<b>-</b>	<b>†</b>
ONE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	1	1		1	13.90			1		<b>†</b>				t	<b>†</b>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	1	2			18.68									<u> </u>	<del>                                     </del>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	1	3		1	34.45								İ	1	
UNE	E Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1	1	1	UEPFR	UECF2	12.67										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	17.45										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	33.22										
2-W	/ire Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence		$\perp$	UEPFR	UEPRL	1.23	128.96	64.11	61.92	9.97						
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.23	128.96	64.11	61.92	9.97						
I -	2-Wire voice unbundled port outgoing only - res	1	1	UEPFR	UEPRO	1.23	128.96	64.11	61.92	9.97	1			I		1

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice Grade unbundled Kentucky extended local dialing															ĺ
	parity port with Caller ID - res			UEPFR	UEPRM	1.23	128.96	64.11	61.92	9.97	ļ					-
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.23	128.96	64.11	61.92	9.97						
	2-Wire Voice Unbundled Kentucky Residence Dialing Plan															l
INTER	without Caller ID DFFICE TRANSPORT		-	UEPFR	UEPWE	1.23	128.96	64.11	61.92	9.97					1	<del></del>
INTER			-		+						<b>.</b>				-	<del></del>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFR	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			LIEDED	41.5007	0.0005										l
FEATU	or Fraction Mile	<b>!</b>	-	UEPFR	1L5XX	0.0095					<del>                                     </del>	-		-	<del>                                     </del>	<del>                                     </del>
	All Features Offered	<del>                                     </del>		UEPFR	UEPVF	0.00	0.00	0.00			<u> </u>		<del> </del>	-	<del>                                     </del>	<del>                                     </del>
	NUMBER PORTABILITY	<del>                                     </del>		OLI FR	OLF VI	0.00	0.00	0.00			<u> </u>		<del> </del>	-	<del>                                     </del>	<del>                                     </del>
	Local Number Portability (1 per port)	<b> </b>		UEPFR	LNPCX	0.35					<del>                                     </del>		<b> </b>		t	<del>                                     </del>
	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLITIK	LIVIOX	0.55					1					<del></del>
110.1111	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				1								1		<u> </u>	
	Combination - Conversion - Switch-as-is	1		UEPFR	USAC2		9.03	1.87							1	1
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port										İ					
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		9.03	1.87								l
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise			UEPFR	URETN		11.21	1.10								ĺ
	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE F	PORT (	BUS)												
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.90										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18.68										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			34.45					ļ					
UNE LO	pop Rates		_	UEDED	LIEGEO	40.07										
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	12.67									1	<del></del>
	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3		2	UEPFB UEPFB	UECF2 UECF2	17.45 33.22					<b> </b>					-
2-Wire	Voice Grade Line Port (Bus)		3	OLFIB	OLCI 2	33.22					1					<del>                                     </del>
Z-WIIE	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.23	128.96	64.11	61.92	9.97	<b>+</b>				-	<del></del>
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.23	128.96	64.11	61.92	9.97	1					<del></del>
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.23	128.96	64.11	61.92	9.97	İ					
	2-Wire voice Grade unbundled Kentucky extended local dialing				1			•	00							
	parity port with Caller ID - bus			UEPFB	UEPBM	1.23	128.96	64.11	61.92	9.97						l
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.23	128.96	64.11	61.92	9.97						
	2-Wire Voice Unbundled Kentucky Business Dialing Plan															
	without Caller ID			UEPFB	UEPWF	1.23	128.96	64.11	61.92	9.97						L
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)	<b>!</b>		UEPFB	LNPCX	0.35									ļ	<b>↓</b>
INTER	OFFICE TRANSPORT				1										-	<b>└</b>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFB	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFB	1L5XX	0.0095										<u> </u>
FEATU																
	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00								
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
1	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1													I	1
-	Combination - Conversion - Switch-as-is	ļ		UEPFB	USAC2		9.03	1.87		-			ļ	<b> </b>	-	1
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFB	USACC		9.03	1.87								1
1	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	<u> </u>			1		0.00		1				1		1	
1	End User Premise	1		UEPFB	URETN		11.21	1.10							I	1
2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE F	ORT (													
	ort/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.90										

UNBU	JNDLE	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
0.1.2.0	1											Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	1		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									p = = = = = = = = = = = = = = = = = = =	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
		. W. VO. 10 T. VD. 10 T. 0						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		3		+	18.68					1					
-	UNELA	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		+	34.45			-		<b> </b>					
-	UNE LO	op Rates 2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	12.67			-		<b> </b>					
		2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	17.45					<b> </b>	-				
-		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	33.22			<del> </del>		<del> </del>					
	2-Wire	/oice Grade Line Port Rates (BUS - PBX)		Ŭ	OLITI	02012	00.22					1	1				
		1000 01000 11101 01110100 (200 1 27)										İ					
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.23	164.27	78.65	75.05	8.73						
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.23	164.27	78.65	75.05	8.73						
		Line Side Unbundled Incoming PBX Trunk Port - Bus	L		UEPFP	UEPP1	1.23	164.27	78.65	75.05	8.73						
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.23	164.27	78.65	75.05	8.73						
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.23	164.27	78.65	75.05	8.73						
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.23	164.27	78.65	75.05	8.73						
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.23	164.27	78.65	75.05	8.73						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.23	164.27	78.65	75.05	8.73						
1		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1					,									
		Capable Port			UEPFP	UEPXE	1.23	164.27	78.65	75.05	8.73						
		2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area							=								
-		Calling Port without LUD		-	UEPFP UEPFP	UEPXF	1.23	164.27	78.65	75.05	8.73	1					
-	_	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPFP	UEPXG UEPXH	1.23	164.27	78.65	75.05	8.73	<b> </b>					
		2-Wire Voice Unbundled PBX Kentucky Premium Calling Port 2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port			UEPFP	UEPAH	1.23	164.27	78.65	75.05	8.73	<b> </b>	-				
		without LUD			UEPFP	UEPXJ	1.23	164.27	78.65	75.05	8.73						
-		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLITI	OLI AU	1.20	104.27	70.00	75.05	0.73	<u> </u>					
		Administrative Calling Port			UEPFP	UEPXL	1.23	164.27	78.65	75.05	8.73						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLITI	OLI AL	1.20	104.27	70.00	70.00	0.70	1	1				
		Room Calling Port			UEPFP	UEPXM	1.23	164.27	78.65	75.05	8.73						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital				1						İ					
		Discount Room Calling Port			UEPFP	UEPXO	1.23	164.27	78.65	75.05	8.73						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.23	164.27	78.65	75.05	8.73						
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00								
	INTERC	FFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPFP	U1TV2	23.95	98.09	53.67	56.31	22.42						
1		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1		LIEDED	41.500	0.000=			I							
	EE A TII	or Fraction Mile			UEPFP	1L5XX	0.0095										
<u> </u>	FEATU	RES All Features Offered	-	₩	UEPFP	UEPVF	0.00	0.00	0.00	<del>                                     </del>		-	-		-		
$\vdash$		CURRING CHARGES (NRCs) - CURRENTLY COMBINED	<b>!</b>	+	UEPFP	UEPVF	0.00	0.00	0.00	<del>                                     </del>		<del>                                     </del>	-	-		-	
$\vdash$	NONKE	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	<del>                                     </del>	<b>!</b>		+ +				t		1	<b>H</b>	<b>l</b>	<del>                                     </del>		
		Combination - Conversion - Switch-as-is	l		UEPFP	USAC2		9.03	1.87	1							
-	$\vdash$	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1	<b>†</b>		3002		0.00	1.01	<b>I</b>		1	<del>                                     </del>				
1		Combination - Conversion - Switch with change	1		UEPFP	USACC		9.03	1.87	I							
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at	1			1		2.00		1				İ			
1		End User Premise	1		UEPFP	URETN		11.21	1.10	I							
UNBUN		ORT/LOOP COMBINATIONS - COST BASED RATES															
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
	UNE Po	rt/Loop Combination Rates															
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1		1	21.30										
<u> </u>		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	ļ	2		1	26.08			1		ļ			ļ		
<u> </u>		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	<b>!</b>	3		1	41.85			ļ		ļ					
-	UNE LO	op Rates	ļ	-	HEDDY	LIEOD4	10.07			<del>                                     </del>		-					
$\vdash$	$\vdash$	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	<del>                                     </del>	1 2	UEPPX UEPPX	UECD1 UECD1	12.67 17.45			<del>                                     </del>		<del> </del>	-	-	<b> </b>		<b> </b>
$\vdash$	1	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	<b>!</b>	3	UEPPX UEPPX	UECD1 UECD1	17.45 33.22			<del>                                     </del>		<del>                                     </del>	-			-	
$\vdash$	UNE Po		<del>                                     </del>	3	ULFFA	DECDI	33.22			<del>                                     </del>		<b>+</b>		-	<del> </del>		
$\vdash$		Exchange Ports - 2-Wire DID Port	<del>                                     </del>	<b>!</b>	UEPPX	UEPD1	8.63	336.11	27.75	132.37	9.31	1	<b>H</b>	l	<del> </del>		
	$\perp$	Exonango i ono - 2-Wile DID i on		<u> </u>	OLITA	OLIDI	0.03	550.11	21.13	102.31	3.31		I	l	i		

NRONDLE	D NETWORK ELEMENTS - Kentucky														ment: 2	1	bit: A
TEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
														1st	Add'l	Disc 1st	Disc Add
							Do.	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NONRE	ECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																
	with BellSouth Allowable Changes			UEPPX		USA1C		7.85	1.87								
ADDITI	ONAL NRCs																
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		32.25	32.25								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			LIEDDY		LIDETN		44.04	4.40								
Talank	End User Premise one Number/Trunk Group Establisment Charges			UEPPX		URETN		11.21	1.10						-	1	
reiepn	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								-
_	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00			-			-	-	
_	DID Numbers. Non- consecutive DID Numbers . Per Number			UEPPX		ND5	0.00	0.00	0.00							-	
_	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00			<del>                                     </del>			<b>I</b>	<b>I</b>	1
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00						1	1	
LOCAL	NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
2-WIRE	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIN	NE SIDE	PORT	r r													
UNE Po	ort/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 1		1	UEPPB	UEPPR		25.69										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR		31.92										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB	UEPPR		50.21										
UNE Lo	pop Rates		Ť	02	OLITIK		00.21					1					
-	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	16.10										
	2 THIS ISSUED SIGNAL STAGE ESSES SITE ESTES I			02.7.0	02	COLLX	10.10								1	t	
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	22.33										
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	40.63										
	ort Rate																
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	9.59	320.53	289.13	92.19	17.56						
NONRE	CURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			UEPPB	UEPPR	USACB	0.00	22.77	17.00								
ADDITI	ONAL NRCs																
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPPB	UEPPR	URETN		11.21	1.10								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User																
	Premise			UEPPB	UEPPR	URETL		8.33	0.83								ļ
	NUMBER PORTABILITY			ļ											L	L	<u> </u>
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00						ļ	ļ	ļ
B-CHA	NNEL USER PROFILE ACCESS:			LIEBBB	LIEBBE	114116						-			-	-	1
-	CVS/CSD (DMS/5ESS)		-	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00						<del>                                     </del>	<del>                                     </del>	<b> </b>
$-\!\!\!+\!\!\!-\!\!\!\!-$	CVS (EWSD)		-	UEPPB UEPPB	UEPPR	U1UCB U1UCC	0.00	0.00	0.00						<del>                                     </del>	<del>                                     </del>	<b> </b>
D CUA	CSD	C MC O	TAI	OEPPB	UEPPK	01000	0.00	0.00	0.00			1			<del>                                     </del>	<del>                                     </del>	├
B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC CVS/CSD (DMS/5ESS)	ی,ا∨اک, ق	IN)	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00			-			<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
_	CVS/CSD (DMS/SESS)	-	<del>                                     </del>	UEPPB	UEPPR	U1UCE	0.00	0.00	0.00						<del>                                     </del>	<del>                                     </del>	1
+	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00			<b>H</b>			t	t	+
USER	TERMINAL PROFILE	<b>-</b>		JELLID	OL/ III	31001	0.00	0.00	0.00			<b>-</b>			<del>                                     </del>	t	<del>                                     </del>
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00						t	<u> </u>	
	CAL FEATURES		<b>—</b>		J=1 1 1 1	- 10	3.00	3.00	3.00						1	1	<b>†</b>
1 =	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00						t	t	
INTER	OFFICE CHANNEL MILEAGE			İ		1											İ
	Interoffice Channel mileage each, including first mile and			İ		1											İ
	facilities termination			UEPPB	UEPPR	M1GNC	29.12	47.34	31.78	22.77	8.75				1	1	
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.01	0.00	0.00								
4-WIRE	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT		1													
	IE-P DS1 combination rates below for in this rate exhibit apply																

NRUNDLE	D NETWORK ELEMENTS - Kentucky			1										ment: 2		ibit: A
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE F	ort/Loop Combination Rates															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP		170.06										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP		197.70										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 3		3	UEPPP		381.35										
UNE L	oop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	86.47										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	114.10										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	297.76					ļ				ļ	ļ
UNE F	Port Rate		<b>├</b>	LIEBBB	LUEDDD	20.77	=00:-		450 :-	10	ļ				-	
110::-	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)		<b>├</b>	UEPPP	UEPPP	83.59	736.16	382.74	159.48	48.82	1					
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port			LIEDDD	LICACE	0.00	04.70	04.6=							I	
ADDIT	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP	USACP	0.00	81.70	61.37			1					
ADDII	TONAL NRCs										1					
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-			UEPPP	PR7TF		0.54									
	Inward/two way Tel Nos. (except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			UEPPP	PR/IF		0.54									
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		12.71	12.71								
_	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			UEPPP	PR/IU		12.71	12.71			<b> </b>					
	Subsequent Inward Tel Numbers			UEPPP	PR7ZT		25.41	25.41								
LOCA	L NUMBER PORTABILITY		-	ULFFF	FRIZI		25.41	23.41			1				-	
LOUA	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75					<u> </u>					
INTER	PACE (Provsioning Only)		1	OLITI	LIVI OIV	1.75					<b>†</b>					
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00			İ					
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00			İ					
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00			İ					
New o	r Additional "B" Channel		1													
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	15.48									
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	15.48									
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	15.48									
CALL	TYPES															
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								<u> </u>
	Outward			UEPPP	PR7CO	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Intero	ffice Channel Mileage		<u> </u>	LIEDDD	41.514.5	22.25	/0= ==		20.0-		ļ				ļ	
_	Fixed Each Including First Mile		<u> </u>	UEPPP	1LN1A	96.27	105.52	98.46	23.09	20.49				<b> </b>	-	
4 1477-	Each Airline-Fractional Additional Mile E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT		<u> </u>	UEPPP	1LN1B	0.23					ļ			<b> </b>	<del>                                     </del>	ļ
		. 4 - 4		lded been in aless			4/4/04 th				<u> </u>	:-!				
Poc	NE-P DS1 combination rates below for in this rate exhibit apply ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	y to the	tate of	this amondmort of	as 01 10/2/03 U	d pursuant to a	er 4/1/04 these	oment or torif	rent to tariff fate	es or a separa	te commerc	iai agreemei	п.	-	<del></del>	1
	ests for 4-wire DS1 Digital Loop with 4-wire DD115 after the efficient/Loop Combination Rates	ective 0	iale Of	uns amenament sh	an be provide	u pursuant to a	separate agre	ement or tariff	at Deligouth's	discretion.	<del>                                     </del>		-	-	<del>                                     </del>	1
ONE	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC	+	147.99					<b> </b>				+	1
-	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	<b>-</b>	2	UEPDC	+	175.62					<del>                                     </del>				t	1
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC	1	359.28					1			1	<b>I</b>	1
UNE L	oop Rates		Ť		1	555.20									1	1
7	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	86.47									<u> </u>	
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	114.10			i		1			İ	İ	İ
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	297.76										
UNE F	Port Rate										İ					
	4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	61.52	780.61	375.52	176.19	16.98						
NONR	ECURRING CHARGES - CURRENTLY COMBINED								<u> </u>							
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004)			UEPDC	USAC4		92.84	46.70								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination								i i		1					

NRUNDL	ED NETWORK ELEMENTS - Kentucky													ment: 2	1	bit: A
		Interi									Svc Order Submitted Elec	Svc Order Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Charge -	Incrementa Charge - Manual Sv
ATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic Disc Add
					1	_	Nonre	curring	Nonrecurring	Disconnect	1		oss	Rates (\$)		1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination							71441		71441		00				
	- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		92.84	46.70								
ADDI	TIONAL NRCs															i e
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															İ
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15.09	15.09								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															i e
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15.09	15.09								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															i e
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.09	15.09								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															i e
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		15.09	15.09								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			02. 50	02112		10.00	10.00								İ
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		15.09	15.09				1			I	1
BIPO	LAR 8 ZERO SUBSTITUTION			02. 50	022		10.00	10.00			1					
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	730.00s								
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	730.00s								i e
Alteri	nate Mark Inversion			02. 20	0002.		0.00.	700.000								i e
7	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								i e
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								<b> </b>
Telen	hone Number/Trunk Group Establisment Charges			OLI DO	WOOT O		0.00	0.00								<b> </b>
Telep	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00	0.00	0.00								<b> </b>
_	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00	0.00	0.00								1
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00	0.00	0.00								1
_	DID Numbers for each Group of 20 DID Numbers		-	UEPDC	ND4	0.00	0.00	0.00	-		<b>-</b>	-		-	-	ł
-	DID Numbers, Non- consecutive DID Numbers , Per Number		-	UEPDC	ND5	0.00	0.00	0.00	-		<b>-</b>	-		-	-	ł
-	Reserve Non-Consecutive DID Nos.		-	UEPDC	ND6	0.00	0.00	0.00	-		<b>-</b>	-		-	-	ł
-	Reserve DID Numbers		-	UEPDC	NDV	0.00	0.00	0.00	-		<b>-</b>	-		-	-	ł
Dodic	cated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digital	Loon			0.00	0.00	0.00								1
Deald	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	Digital	Loop	With 4-Wife DDITS	Trunk Port						-					
	Termination)			UEPDC	1LNO1	96.04	105.52	98.46	23.09	20.49						
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.23	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			02. 50	12.1071	0.20	0.00	0.00								İ
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.45	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities										İ					i e
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
	,										İ					i e
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.45	0.00	0.00				1			I	1
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00								
	Central Office Termininating Point			UEPDC	CTG	0.00										1
4-WIF	RE DS1 LOOP WITH CHANNELIZATION WITH PORT															1
Syste	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	vations									İ					i e
Each	System can have up to 24 combinations of rates depending on	type ar	nd num	ber of ports used							İ					i e
The L	INE-P DS1 combination rates below for 4-Wire DS1 Loop with C	hannel	ization	with Port in this ra	ate exhibit app	ly to the embe	dded base in r	lace as of 10/2	2/03 until 4/1/04	. After 4/1/04	these rates	shall revert	to tariff rates	or a separate	agreement.	
	ests for 4-Wire DS1 Loop with Channelization with Port after the															
	DS1 Loop															1
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	86.47	0.00	0.00	į į					ĺ		
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	114.10	0.00	0.00	į į					ĺ		
	4-Wire DS1 Loop - UNE Zone 3			UEPMG	USLDC	297.76	0.00	0.00	į į					ĺ		
UNE	DSO Channelization Capacities (D4 Channel Bank Configuration	ns)		Ì					į į					ĺ		
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	111.16	0.00	0.00	į į					ĺ		
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	222.32	0.00	0.00	† 1					İ	İ	1
$\neg$	96 DSO Channel Capacity -1per 4 DS1s		<b>†</b>	UEPMG	VUM96	444.64	0.00	0.00	1		1	İ		İ		
$\neg$	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	666.96	0.00	0.00					i	i	1	<b>†</b>
	192 DS0 Channel Capacity -1 per 8 DS1s		<del>                                     </del>	UEPMG	VUM19	889.28	0.00	0.00	1		1	t	l	t	1	t
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	1,111,60	0.00	0.00								

NBUNDLE	D NETWORK ELEMENTS - Kentucky										1			ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			II .	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Charge -
		m									per Lor	per Loix	Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add
						Rec		curring	Nonrecurring			•		Rates (\$)	•	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,778.56	0.00	0.00			ļ					
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O VUM57	2,223.20	0.00	0.00			ļ					
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG UEPMG	VUM67	2,667.84	0.00	0.00			1					
Non E	672 DS0 Channel Capacity - 1 per 28 DS1s Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with	Chann				3,112.48		0.00			<b>.</b>					
	imum System configuration is One (1) DS1, One (1) D4 Channel						ystem	1			1					
	bles of this configuration functioning as one are considered Ad								1		1					
munn	NRC - Conversion (Currently Combined) with or without	ia i aito		minum system con	I garation is	l l					1					
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	94.30	4.24								
Syste	m Additions at End User Locations Where 4-Wire DS1 Loop wit	h Chan	nelizat	ion with Port Comb	nation Curre	ntly Exists an	d									
New (	Not Currently Combined) in all states, except in Density Zone 1	of Top	8 MSA	's												
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port															
	and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	718.89	469.86	149.83	17.77						
Bipola	ar 8 Zero Substitution				1											1
	Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMG	CCOSF	0.00	0.00i	730.00s								
	Clear Channel Capability Format - Extended Superframe -															
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	730.00s								
Altern	ate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00		0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	inge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port								ļ					
Excha	inge Ports										ļ					
	Line Side Combination Channelized PBX Trunk Port - Business (E:4/1/2004)			UEPPX	UEPCX	1.15	0.00	0.00	0.00	0.00						
	Line Side Outward Channelized PBX Trunk Port - Business (E:4/1/2004)			UEPPX	UEPOX	1.15	0.00	0.00	0.00	0.00						
	Line Side Inward Only Channelized PBX Trunk Port without DID															
	(E:4/1/2004) 2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEP1X	1.15	0.00	0.00	0.00	0.00						
	(E:4/1/2004) Unbundled Exchange Ports, 2-Wire Channelized – Outdial –			UEPPX	UEPDM	8.65	0.00	0.00	0.00	0.00						
	(AL, KY, LA, MS, & TN)(Conversion from Network Access															
	Service) (E:4/1/2004)			UEPPX	UEPCY	1.15	0.00	0.00	0.00	0.00						
	Unbundled Exchange Ports, 2-Wire Channelized – Combination															
	(AL, KY, LA, MS, & TN) (Conversion from Network Access															
	Service) (E:4/1/2004)			UEPPX	UEPCT	1.15	0.00	0.00	0.00	0.00						
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial – Kentucky Only – Calling Plan (E:4/1/2004)			UEPPX	UEPCV	1.15	0.00	0.00	0.00	0.00					<u>-</u>	
_	Unbundled Exchange Ports, 2-Wire Channelized – Two Way -			OLI I A	JL1 JV	1.13	0.00	0.00	0.00	0.00	<del>                                     </del>					<b>-</b>
	Kentucky Only – Calling Plan (E:4/1/2004)			UEPPX	UEPCW	1.15	0.00	0.00	0.00	0.00						
Featu	re Activations - Unbundled Loop Concentration				T		1.50	1.50		2.30						
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.62	25.40	13.41	4.17	4.15						
-	Feature (Service) Activation for each Trunk Port Terminated in		<b>-</b>	OLI I A	II OC V V IVI	0.02	25.40	13.41	4.17	4.15	1					<del>                                     </del>
	D4 Bank			UEPPX	1PQWU	0.62	78.15	19.68	59.05	11.54						
Telep	hone Number/ Group Establishment Charges for DID Service					3.32	1 2.10	12.50	22.30							
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00		0.00								
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00		0.00								
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00		0.00								1
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Local	Number Portability			UEPPX	LNPCP	0.45	0.00	0.00			ļ					-
EEAT	Local Number Portability - 1 per port  URES - Vertical and Optional			UEFFA	LINPUP	3.15	0.00	0.00	-		-		-	-	-	
	Switching Features Offered with Line Side Ports Only				<del>                                     </del>	1	+	<del>                                     </del>	+		1					<del>                                     </del>
LUCAI	All Features Available			UEPPX	UEPVF	0.00	0.00	0.00			<del>                                     </del>					<b>-</b>
BUNDI FD	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	3				0.00	0.00	0.00			1					<del>                                     </del>

UNBUNDLEI	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	
						I					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi				1					Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC	I		RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		rn				I		. ,			Po. 2010	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						L									Diac 1at	Diac Auu I
						Rec	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							First	Add'l	First	Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ures shall apply to the Unbundled Port/Loop Combination - C															<u> </u>
	Office and Tandem Switching Usage and Common Transport															
	first and additional Port nonrecurring charges apply to Not Cu	urrently	Comb	ned Combos. For	Currently Co	mbined Combo	s, the nonrecu	urring charges	shall be those	identified in t	he Nonrecu	rring - Curre	ently Combine	ed sections.	Additional NR	Cs may
	llso and are categorized accordingly.															
	ket Rates for Unbundled Centrex Port/Loop Combination will		otiated	on an Individual Ca	ase Basis, un	til further notic	э.									
	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	)														
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE Po	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP91		10.79										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -												<u> </u>	_		1
	Non-Design		2	UEP91		15.52									ļ	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -													1		1
	Non-Design		3	UEP91		31.74										
UNE Po	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -												<u> </u>	_		1
	Design		1	UEP91		13.82									ļ	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP91		18.60										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP91		34.37										
UNE Lo	pop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	9.64										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	14.37										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	30.59										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	12.67										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	17.45										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	33.22										
UNE Po																
All Stat	es (Except North Carolina and Sout Carolina)															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP91	UEPYA	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local				l											
	Area			UEP91	UEPYB	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic				l											
	Local Area			UEP91	UEPYH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)					l						1		I		1
$\vdash$	Note 2, 3 Basic Local Area			UEP91	UEPYM	1.15	21.29	15.49	2.85	2.67				-		<b>├</b>
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDO4	LIEDY C			.=				1		I		1
$\vdash$	Term - Basic Local Area		-	UEP91	UEPYZ	1.15	21.29	15.49	2.85	2.67	<del>                                     </del>	ļ	-	<del>                                     </del>	<del> </del>	<del>                                     </del>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEDO4	UEPY9		04.00	45.40	0.05	2.67		1		I		1
	- Basic Local Area			UEP91	UEPY9	1.15	21.29	15.49	2.85	2.67	-			<del>                                     </del>	-	<del></del>
	2-Wire Voice Grade Port Terminated on 800 Service Term -			LIEDO4	LIEDYO		04.00	45.40	0.00	0.00		1		I		1
A1 101	Basic Local Area		-	UEP91	UEPY2	1.15	21.29	15.49	2.85	2.67	<del>                                     </del>	ļ	-	<del>                                     </del>	<del> </del>	<del>                                     </del>
AL, KY,	, LA, MS, & TN Only			LIED04	LIEDO A	4.45	04.00	45.40	0.05	0.07				<del>                                     </del>		<del></del>
$\vdash$	2-Wire Voice Grade Port (Centrex ) 2-Wire Voice Grade Port (Centrex 800 termination)		-	UEP91 UEP91	UEPQA UEPQB	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67	<del>                                     </del>	ļ	-	<del>                                     </del>	<del> </del>	<del></del>
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91 UEP91	UEPQB	1.15	21.29	15.49	2.85	2.67	-			<del>                                     </del>		<del></del>
				UEP91	UEPQH	1.15	21.29	15.49	2.85	2.67	-			<del>                                     </del>		<del></del>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP91	UEPQM	1.15	21.29	15.49	2.85	2.67				1		1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800			OLF91	UEFUIVI	1.15	21.29	15.49	2.85	2.07	<del>                                     </del>			+		<del>                                     </del>
	Service Term			UEP91	UEPQZ	1.15	21.29	15.49	2.85	2.67		1		I		1
$\vdash$	OCIVICE TOTAL	-	-	OLF31	ULFUL	1.15	21.29	15.49	2.65	2.07	-	-	-	<del></del>	-	<del></del>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.15	21.29	15.49	2.85	2.67				1		1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ9	1.15	21.29	15.49	2.85	2.67	<del>                                     </del>		<b> </b>	+	1	<del>                                     </del>
I ocal S	Switching			OLF31	ULFUZ	1.15	21.29	15.49	2.05	2.07	<b>H</b>		<b>l</b>	t	<del>                                     </del>	<del>                                     </del>
Local S	Centrex Intercom Funtionality, per port	-	-	UEP91	URECS	0.8873			1		-	-	-	<del></del>	-	<del></del>
Local N	lumber Portability	-	<b>-</b>	OLF31	UNLUS	0.0073			1			<b> </b>	<b> </b>	+	<del> </del>	<del>                                     </del>
Local N	Local Number Portability (1 per port)			UEP91	LNPCC	0.35					<del>                                     </del>			+		<del>                                     </del>
Feature				OLF31	LINFOU	0.35			1		<del>                                     </del>		<b> </b>	<del>                                     </del>	1	<del></del>
realure	70		ь			1			I .		1	L	L	1	L	

UNBUNDLE	D NETWORK ELEMENTS - Kentucky											1		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	N. O			LIEBO I			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	All Standard Features Offered, per port			UEP91	UEPVF	0.00	105.00					ļ				
-+	All Select Features Offered, per port			UEP91 UEP91	UEPVS UEPVC	0.00	405.66				<b> </b>	-				-
NARS	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00					<b> </b>	-				<del>                                     </del>
INARO	Unbundled Network Access Register - Combination		-	UEP91	UARCX	0.00	0.00	0.00	0.00	0.00		<b> </b>				
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00		<b>+</b>				-
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00	1					
Miscel	Ianeous Terminations			02. 0.	0,410,1	0.00	0.00	0.00	0.00	0.00	İ	†				
	Trunk Side				1						İ	†				
	Trunk Side Terminations, each			UEP91	CENA6	10.51	92.18	15.82	52.16	5.30						
Interof	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	29.11										
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.01										
	e Activations (DS0) Centrex Loops on Channelized DS1 Servic	e														
D4 Cha	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.62										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP91	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP91	1PQWP	0.62										
	Fortuna Autoritaria de Distributa			LIEBOA	4001407	0.00										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		-	UEP91	1PQWV	0.62					1	1				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			LIEDO4	1PQWQ	0.00										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91 UEP91	1PQWQ	0.62 0.62					<b> </b>	<b> </b>				-
Non-P	ecurring Charges (NRC) Associated with UNE-P Centrex			OLF91	IFQWA	0.02					<u> </u>	1			1	
NOII-IX	Conversion - Currently Combined Switch-As-Is with allowed				+ +						<u> </u>	<u> </u>			1	
	changes, per port			UEP91	USAC2		0.102	0.102								
<del> </del>	Conversion of Existing Centrex Common Block			UEP91	USACN		18.95	8.32				1				<b>†</b>
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	669.80	78.32	111.05	13.27	1					1
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	669.80	78.32	111.05	13.27	İ	İ				
	Secondary Block, per Block			UEP91	M2CC1	0.00	78.32	78.32	13.27	13.27	İ	İ				
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.75				İ	İ				
Additio	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP91	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP91	URETN		11.21	1.10								
	CENTREX - 5ESS (Valid in All States)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1											l	l		
	Non-Design	ļ	1	UEP95	1	10.79								ļ	ļ	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1			1 1		l									1
	Non-Design	<u> </u>	2	UEP95		15.52					1	ļ				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		LIEBOE			l									1
	Non-Design	ļ	3	UEP95	+	31.74				-			<b> </b>	<b> </b>	ļ	
UNE P	ort/Loop Combination Rates (Design)	<b> </b>	-		+ +				-	-	<b> </b>	ļ	<b> </b>	<b> </b>	<del>                                     </del>	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	1	LIEDOE	1 1	40.00	l									
	Design  2 Wire VC Lean/2 Wire Voice Crade Bort (Centrary Bort Comba	-	7	UEP95	+	13.82					-					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design	1	2	UEP95	1 1	18.60	l									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<del>                                     </del>		OFL 22	+ +	10.01	+				}	}	<b> </b>	<b> </b>	<del> </del>	
	Design	1	3	UEP95	1 1	34.37	l									1
		<b>—</b>	J	OL1 30	+	34.37					†	<del> </del>				<del>                                     </del>
LINE	oon Rate															
UNE L	oop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	9.64	+					1				1

UNBUNDLE	D NETWORK ELEMENTS - Kentucky		,											ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increments Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	0.14/1-12/1-12/1-12/1-12/1-12/1-12/1-12/1-			LIEDOE	LIE004		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP95	UECS1	30.59										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	12.67										<b></b>
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP95	UECS2	17.45										<b>└</b>
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	33.22										Ь——
	ort Rate				-											<b>├</b>
All Stat							04.00	1= 10								<b></b>
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	1.15	21.29	15.49		2.67						<b></b>
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.15	21.29	15.49	2.85	2.67						ļ
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Basic Local Area			UEP95	UEPYM	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term - Basic Local Area			UEP95	UEPYZ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP95	UEPY9	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP95	UEPY2	1.15	21.29	15.49	2.85	2.67						
AL, KY	, LA, MS, SC, & TN Only										ĺ	ĺ				
	2-Wire Voice Grade Port (Centrex )			UEP95	UEPQA	1.15	21.29	15.49	2.85	2.67	1					
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.15	21.29	15.49	2.85	2.67	1					
	2-Wire Voice Grade Port (Centrex with Caller ID)1	l	i –	UEP95	UEPQH	1.15	21.29	15.49		2.67			1	l	1	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP95	UEPQM	1.15	21.29	15.49		2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP95	UEPQZ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.15	21.29	15.49	2.85	2.67						
1	2-Wire Voice Grade Port Terminated on 800 Service Term	i	1	UEP95	UEPQ2	1.15	21.29	15.49	2.85	2.67	i e	İ				
Local S	Switching				1											
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.8873										
	Number Portability				1000											
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Feature				02.00	2.1 00	0.00					1	1			1	
	All Standard Features Offered, per port			UEP95	UEPVF	0.00					1	1			1	
	All Select Features Offered, per port			UEP95	UEPVS	0.00	405.66				1	1			1	<b>—</b>
	All Centrex Control Features Offered, per port	l -	t -	UEP95	UEPVC	0.00	400.00				1	1	<u> </u>		<u> </u>	
NARS	SSSX Control i catalos Chelea, pel port	1	<del>                                     </del>	021 00	5L. VO	0.00			1		<b> </b>	<b> </b>	<b>I</b>		<b>I</b>	<del>                                     </del>
IVAILO	Unbundled Network Access Register - Combination		1	UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						<del>                                     </del>
-	Unbundled Network Access Register - Indial	1	<del>                                     </del>	UEP95	UAR1X	0.00	0.00	0.00		0.00	<b> </b>	<b> </b>	<b>I</b>		<b>I</b>	<del>                                     </del>
	Unbundled Network Access Register - Indial		t	UEP95	UAROX	0.00	0.00	0.00		0.00			<u> </u>		<u> </u>	<b>—</b>
	laneous Terminations			02. 00	0741071	0.00	0.00	0.00	0.00	0.00						
	Trunk Side				1											
	Trunk Side Terminations, each	1	1	UEP95	CEND6	10.51	92.18	15.82	52.16	5.30	l -		<b>†</b>	<b> </b>	t	<b> </b>
	Digital (1.544 Megabits)	1	1				020	.5.52	520	3.30	l -		<b>†</b>	<b> </b>	t	<b> </b>
	DS1 Circuit Terminations, each			UEP95	M1HD1	74.77	164.86	77.74	60.69	3.86	1	1			1	
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	15.09		00.00	0.00						
	fice Channel Mileage - 2-Wire	l	i –	00		5.50	.0.00					1	1		1	
	Interoffice Channel Facilities Termination	<del>                                     </del>	t	UEP95	M1GBC	29.11	+		<b>†</b>		<b> </b>	<b> </b>	<b>†</b>	<b> </b>	t	<del>                                     </del>
_	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.01					1	1				<del>                                     </del>
Feature	e Activations (DS0) Centrex Loops on Channelized DS1 Service	·e		OLI SO	IVITODIVI	0.01					1	1				<del>                                     </del>
	annel Bank Feature Activations	Ĭ	1		1 1						l -		<b>†</b>	<b> </b>	t	<b> </b>
D7 0/10	Feature Activation on D-4 Channel Bank Centrex Loop Slot	1	<del>                                     </del>	UEP95	1PQWS	0.62			1		<b> </b>	<b> </b>	<b>I</b>		<b>I</b>	<del>                                     </del>
	reaction of B 4 onamic Bank ochirex 200p oloc			021 00	11 QVVO	0.02										
'	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP95	1PQW6	0.62										<u> </u>
	Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP95	1PQW7	0.62										<del>                                     </del>
	Different Wire Center			UEP95	1PQWP	0.62										<u> </u>

UNBUN	IDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
												1		Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
047506		DATE EL EMENTO	Interi	<b>-</b>	500	11000			DATEO (6)			Elec	Manually		Manual Svc		Manual Svc
CATEGO	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates (\$)	1	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.62										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
$\vdash$		Slot			UEP95	1PQWQ	0.62										
<del></del>	lon De	Feature Activation on D-4 Channel Bank WATS Loop Slot ecurring Charges (NRC) Associated with UNE-P Centrex		-	UEP95	1PQWA	0.62			-		-			-		
	MOII-RE	NRC Conversion Currently Combined Switch-As-Is with allowed				+				<del> </del>					<del> </del>		
		changes, per port			UEP95	USAC2		0.102	0.102								
		Conversion of Existing Centrex Common Block, each			UEP95	USACN		18.95	8.32	1							
		New Centrex Standard Common Block			UEP95	M1ACS	0.00	669.80	78.32	111.05	13.27						
		New Centrex Customized Common Block			UEP95	M1ACC	0.00	669.80	78.32	111.05	13.27						
$\Box$		NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.75									
A	Additio	onal Non-Recurring Charges (NRC)				1				ļ				ļ	1	ļ	
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use			LIEDOS	LIDETI		0.00	0.00	1					I		
$\vdash$		Premise Unbundled Miscellaneous Rate Element, Tag Design Loop at			UEP95	URETL		8.33	0.83	-					<del>                                     </del>		
		End Use Premise			UEP95	URETN		11.21	1.10	1					I		
ı	INF-P	CENTREX - DMS100 (Valid in All States)			OLI 33	OKLIN		11.21	1.10								
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
		ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
$\sqcup \sqcup$		Non-Design		1	UEP9D		10.79										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
<b></b>		Non-Design		2	UEP9D		15.52										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP9D		31.74										
<del>   </del>	INF P	ort/Loop Combination Rates (Design)		3	DEP9D	+	31.74			<del> </del>					<del> </del>		
H-1	/IVE I V	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				_									-		
		Design		1	UEP9D		13.82										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP9D		18.60										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
<u> </u>		Design		3	UEP9D		34.37										
U	JNE LO	pop Rate		1	UEP9D	UECS1	9.64			1					1		
$\vdash$		2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	14.37										
$\vdash$		2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP9D	UECS1	30.59										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	12.67			1				İ	1	İ	
		2-Wire Voice Grade Loop (SL 2) - Zone 2	1	2	UEP9D	UECS2	17.45			1			İ		1		
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	33.22										
		ort Rate												ļ			
P	ALL ST	TATES			LIEDOD	LIED.		2.2-	1=	0.7-	2						
$\vdash$		2-Wire Voice Grade Port (Centrex ) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	<b>.</b>	-	UEP9D	UEPYA	1.15	21.29	15.49	2.85	2.67			<b>.</b>	<del>                                     </del>	<b>.</b>	
		Area			UEP9D	UEPYB	1.15	21.29	15.49	2.85	2.67				I		
+		2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local	1		OLFBD	ULFID	1.10	21.29	15.49	2.65	2.07	<del>                                     </del>		<del> </del>	<del> </del>	<del> </del>	
		Area			UEP9D	UEPYC	1.15	21.29	15.49	2.85	2.67				1		
		2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local	1		-		5	0			,		İ		1	ĺ	
		Area			UEP9D	UEPYD	1.15	21.29	15.49	2.85	2.67	<u> </u>			<u> </u>		
		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
$\sqcup \bot$		Area			UEP9D	UEPYE	1.15	21.29	15.49	2.85	2.67			ļ	1	ļ	
		2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			LIEDOD	LIEDVE		04.00	45 10		0.00				I		
$\vdash$		Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local	<b>.</b>	-	UEP9D	UEPYF	1.15	21.29	15.49	2.85	2.67			<b>.</b>	<del>                                     </del>	<b>.</b>	
		Area			UEP9D	UEPYG	1.15	21.29	15.49	2.85	2.67				I		
+		2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			OLFSD	ULFIG	1.10	21.29	15.49	2.65	2.07	<del>                                     </del>			<b>-</b>		
		Area			UEP9D	UEPYT	1.15	21.29	15.49	2.85	2.67				1		
		2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local	1											1		1	
		Area			UEP9D	UEPYU	1.15	21.29	15.49	2.85	2.67				I		

ONBONDE	D NETWORK ELEMENTS - Kentucky			1							l 0 0	l 0		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring					Rates (\$)		
	O.W. W. Co. L. Dort (O. M. (EDO MEOTO)) O. Dorin Lond						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	1.15	21.29	15.49	2.85	2.67						
-	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			OLF3D	OLFIV	1.13	21.29	13.49	2.00	2.07						+
	Area			UEP9D	UEPY3	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local															
	Area		ļ	UEP9D	UEPYH	1.15	21.29	15.49	2.85	2.67						<b>_</b>
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYW	1.15	21.29	15.49	2.85	2.67						
-	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4			OLF3D	OLFTV	1.13	21.29	13.49	2.00	2.07					<u> </u>	<del>                                     </del>
	Basic Local Area			UEP9D	UEPYJ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2,3-Basic Local Area			UEP9D	UEPYM	1.15	21.29	15.49	2.85	2.67						<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area			UEP9D	UEPYO	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPTO	1.15	21.29	15.49	2.00	2.07					<del> </del>	<del>                                     </del>
	Basic Local Area			UEP9D	UEPYP	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4															
	Basic Local Area			UEP9D	UEPYQ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			LIEDOD	LIEDVD	4.45	24.20	45.40	0.05	0.07						
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4		<u> </u>	UEP9D	UEPYR	1.15	21.29	15.49	2.85	2.67					-	
	Basic Local Area			UEP9D	UEPYS	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4															
	Basic Local Area			UEP9D	UEPY4	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4		ļ	UEP9D	UEPY5	1.15	21.29	15.49	2.85	2.67					-	<del></del>
	Basic Local Area			UEP9D	UEPY6	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4															1
	Basic Local Area			UEP9D	UEPY7	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOD	LIEDV7	4.45	04.00	45.40	0.05	0.07						
	Term 2,3 2-Wire Voice Grade Port terminated in on Megalink or equivalent		ļ	UEP9D	UEPYZ	1.15	21.29	15.49	2.85	2.67					-	<del></del>
	Basic Local Area			UEP9D	UEPY9	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic				1											1
	Local Area			UEP9D	UEPY2	1.15	21.29	15.49	2.85	2.67						
AL, K	Y, LA, MS, SC, & TN Only			LIEBAR			21.00									<u> </u>
	2-Wire Voice Grade Port (Centrex)     2-Wire Voice Grade Port (Centrex 800 termination)		<u> </u>	UEP9D UEP9D	UEPQA UEPQB	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67					1	+
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	1.15	21.29	15.49	2.85	2.67						+
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPQD	1.15	21.29	15.49	2.85	2.67						†
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPQE	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPQF	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPQG	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4 2-Wire Voice Grade Port (Centrex / EBS-M5208)4		<u> </u>	UEP9D UEP9D	UEPQT UEPQU	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67						
	2-Wire Voice Grade Fort (Centrex / EBS-M5260)4			UEP9D	UEPQV	1.15	21.29	15.49	2.85	2.67						<del>                                     </del>
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			LIEDOD	LIEDOM		04.00	45.40	0.0-	0.07						
<del>                                     </del>	Indication)4  2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4		<del>                                     </del>	UEP9D UEP9D	UEPQW UEPQJ	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67						+
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4  2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)		<del>                                     </del>	OLI 3D	OLI QU	1.15	21.29	15.49	2.05	2.07		<b>-</b>		<b> </b>	<del>                                     </del>	<del>                                     </del>
	2,3			UEP9D	UEPQM	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4		<u> </u>	UEP9D	UEPQO	1.15	21.29	15.49	2.85	2.67						<del></del>
	1		1	UEP9D	UEPQP	1.15	21.29	15.49	2.85	2.67	l	I		I	1	1

UNBUN	IDLF	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhil	bit: A
3.1.231		Elemento nomany										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
<u> </u>																	
$\vdash$							Rec	Nonrec		Nonrecurring					Rates (\$)		
$\vdash$								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2.3.4			UEP9D	UEPQQ	1.15	21.29	15.49	0.05	2.67						
+		2-Wire voice Grade Port (Centrex/diller SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.15	21.29	15.49	2.85	2.07	-					
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.15	21.29	15.49	2.85	2.67						
+		2-ville voice Grade i Git (Gentiex diller GWG/EBG-WG112)2,5,4			OLI 3D	OLI QIX	1.13	21.23	10.40	2.00	2.07						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.15	21.29	15.49	2.85	2.67						
						0											
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.15	21.29	15.49	2.85	2.67						
						1				_							
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service											1				
$\vdash$		Term 2,3			UEP9D	UEPQZ	1.15	21.29	15.49	2.85	2.67						
		O Mira Vaisa Canda Dark tarreinatad in an Manalink an anni inlant			UEP9D	UEPQ9	4.45	21.29	45.40	0.05	0.07						
$\vdash$		2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ9	1.15 1.15	21.29	15.49 15.49	2.85 2.85	2.67 2.67						
<del></del>	anal C	witching			UEP9D	UEPQZ	1.15	21.29	15.49	2.00	2.07	-					
<del></del>	.ocai c	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.8873			1		1					
	ocal N	lumber Portability			OLI 3D	OKEGO	0.0073					<b>-</b>					
<del> </del>	.coai i	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35					1					
F	eature				02. 03	2.1.00	0.00										
		All Standard Features Offered, per port			UEP9D	UEPVF	0.00										
		All Select Features Offered, per port			UEP9D	UEPVS	0.00	405.66									
		All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00										
N	IARS																
		Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
$\perp$		Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
		aneous Terminations															
2	-Wire	Trunk Side			LIEDOD	OENDO	40.54	00.40	45.00	50.40	5.00						
<u></u>	\A/:	Trunk Side Terminations, each			UEP9D	CEND6	10.51	92.18	15.82	52.16	5.30						
4	-wire	Digital (1.544 Megabits) DS1 Circuit Terminations, each			UEP9D	M1HD1	74.77	164.86	77.74	60.69	3.86	-					
$\vdash$		DS0 Channels Activiated per Channel			UEP9D	M1HD0	0.00	15.09	11.14	60.69	3.66	<b>H</b>			<b>l</b>		l
<del>                                      </del>		ice Channel Mileage - 2-Wire			021 00		0.00	13.03		<b>I</b>		<del>                                     </del>	<b> </b>				
<del>                                     </del>		Interoffice Channel Facilities Termination			UEP9D	M1GBC	29.11			<u> </u>							
		Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.01			1							
F	eature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
		nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.62										
$\sqcup$		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.62										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop				1	_			I			1				
$\vdash$		Slot			UEP9D	1PQW7	0.62			-							
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP9D	100000	0.00			1							
$\vdash$		Different Wire Center			UEP9D	1PQWP	0.62			<del>                                     </del>		-					
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.62			I			1				
$\vdash$		Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop			OLFBD	IF Q VV V	0.02			t		<b>H</b>			<b>l</b>		<b>l</b>
		Slot			UEP9D	1PQWQ	0.62			I			1				
$\vdash$		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.62			<b> </b>							
N	lon-Re	curring Charges (NRC) Associated with UNE-P Centrex					0.02			<u> </u>							
		NRC Conversion Currently Combined Switch-As-Is with allowed				1				1					l		l
		changes, per port			UEP9D	USAC2	l	0.102	0.102	<u> </u>			<u> </u>				<u> </u>
		Conversion of existing Centrex Common Block, each			UEP9D	USACN		18.95	8.32								
		New Centrex Standard Common Block			UEP9D	M1ACS	0.00	669.80	78.32	111.05	13.27						

ONRONDLE	D NETWORK ELEMENTS - Kentucky			1							1-	-		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge - Manual Svo Order vs.
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	669.80	78.32	111.05	13.27					1	+
A ddisi	NAR Establishment Charge, Per Occasion		<u> </u>	UEP9D	URECA	0.00	72.75								-	+
Additi	onal Non-Recurring Charges (NRC) Unbundled Miscellaneous Rate Element, Tag Loop at End Use		<u> </u>		-										-	+
	Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at			OLI 9D	OKLIL		0.55	0.00								+
	End Use Premise			UEP9D	URETN		11.21	1.10								
UNE-P	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)			02. 02	UNE III										t	<del>                                     </del>
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															1
UNE P	ort/Loop Combination Rates (Non-Design)															1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP9E		10.79										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP9E		15.52										<b>↓</b>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -														I	
	Non-Design		3	UEP9E		31.74										<b></b>
UNE P	Port/Loop Combination Rates (Design)															+
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1	LIEDOE		40.00										
	Design		1	UEP9E	_	13.82									1	+
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9E		18.60										
	Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP9E	_	18.60										+
	Design		3	UEP9E		34.37										
UNE	oop Rate		3	OLF 9L		34.37									1	+
OITE E	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	9.64	-									+
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	14.37										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	30.59										1
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	12.67										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	17.45										1
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	33.22										
	ort Rate															
AL, FL	, KY, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9E	UEPYA	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local				l											
	Area			UEP9E	UEPYB	1.15	21.29	15.49	2.85	2.67						
1	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			LIEDOE	HEDVII	4.45	04.00	45.40	0.05	0.07					I	1
	Area  2-Wire Voice Grade Port (Centrex from diff Serving Wire	<b>-</b>	+	UEP9E	UEPYH	1.15	21.29	15.49	2.85	2.67	-			-	<del>                                     </del>	+
	Center)2,3 Basic Local Area			UEP9E	UEPYM	1.15	21.29	15.49	2.85	2.67					I	1
+	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800	<b>-</b>	<del>                                     </del>	OL: 3L	JLI TIVI	1.13	21.29	15.45	2.00	2.07					<del>                                     </del>	+
	Service Term - Basic Local Area			UEP9E	UEPYZ	1.15	21.29	15.49	2.85	2.67					I	1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent				J 12	1.13	21.23	10.40	2.00	2.01					<u> </u>	
	- Basic Local Area			UEP9E	UEPY9	1.15	21.29	15.49	2.85	2.67					1	1
	2-Wire Voice Grade Port Terminated on 800 Service Term -										İ				1	1
	Basic Local Area			UEP9E	UEPY2	1.15	21.29	15.49	2.85	2.67					I	
AL, K	r, LA, MS, & TN Only															
	2-Wire Voice Grade Port (Centrex )			UEP9E	UEPQA	1.15	21.29	15.49	2.85	2.67			·			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.15	21.29	15.49	2.85	2.67					1	<del></del>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire														I	
	Center)2,3		-	UEP9E	UEPQM	1.15	21.29	15.49	2.85	2.67					<del>                                     </del>	+
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			LIEBOE	LIEBOZ		24.00	45.70	0.05	0.6=					I	
	Service Term		-	UEP9E	UEPQZ	1.15	21.29	15.49	2.85	2.67					<del>                                     </del>	+
1	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.15	24 20	15 40	2.85	2.67					I	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term	<b>-</b>	+	UEP9E UEP9E	UEPQ9 UEPQ2	1.15 1.15	21.29 21.29	15.49 15.49	2.85	2.67	-			-	<del>                                     </del>	+
	Switching	-	<del>                                     </del>	ULFSE	UEFQZ	1.15	21.29	15.49	∠.ŏ⊃	2.07	-				<del>                                     </del>	+
II oool			1	1	1 1				1 1		1	i		1	1	
Local	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.8873	ĺ									

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
3311522											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted			Charge -	Charge -	Charge -
		Interi	_		1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		+					Nonrec	urring	Nonrecurring	Disconnect		I	oss	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
Featur				LIEBAE		2.22										
	All Standard Features Offered, per port All Select Features Offered, per port	-	-	UEP9E UEP9E	UEPVF UEPVS	0.00	405.66				-					
	All Centrex Control Features Offered, per port	1		UEP9E	UEPVC	0.00	405.66									
NARS	All Centrex Control Features Offered, per port			OLI 9L	OLI VO	0.00										
1	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						
	laneous Terminations															
2-Wire	Trunk Side Trunk Side Terminations, each	-		UEP9E	CEND6	10.51	92.18	15.82	52.16	5.30						
4-Wire	Digital (1.544 Megabits)	+	<del>                                     </del>	OLFSE	CEINDO	10.51	92.18	10.82	52.16	5.30						
7 11110	DS1 Circuit Terminations, each	1		UEP9E	M1HD1	74.77	164.86	77.74	60.69	3.86						
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	15.09									
Interof	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination	ļ		UEP9E	M1GBC	29.11										
Factor	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.01										
	e Activations (DS0) Centrex Loops on Channelized DS1 Servicannel Bank Feature Activations	ce			+											
D4 CII	Feature Activation on D-4 Channel Bank Centrex Loop Slot	+	<u> </u>	UEP9E	1PQWS	0.62										
	Todadio Notivation on B 4 Chamie Bank Control 2005 Giot	1		OLI OL	11 0000	0.02										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot	ļ		UEP9E	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9E	1PQWP	0.62										
	Different wife Center	+	<u> </u>	UEF9E	IPQWP	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP9E	1PQWQ	0.62										
<u> </u>	Feature Activation on D-4 Channel Bank WATS Loop Slot	ļ		UEP9E	1PQWA	0.62										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex  NRC Conversion Currently Combined Switch-As-Is with allowed	-	-								-					
	changes, per port			UEP9E	USAC2		0.102	0.102								
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		18.95	8.32								
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	669.80	78.32	111.05	13.27						
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	669.80	78.32	111.05	13.27						
	NAR Establishment Charge, Per Occasion	ļ		UEP9E	URECA	0.00	72.75									
Additio	onal Non-Recurring Charges (NRC)	-	-		-						-					
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9E	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at	1		J_1 J_	JILL		0.00	0.03								
	End Use Premise			UEP9E	URETN		11.21	1.10								
	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1														
UNE P	ort/Loop Combination Rates (Non-Design)	+	-		+				1		1					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design	1	1	UEP93		10.79										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<del>-                                    </del>	02. 00		10.79										
	Non-Design		2	UEP93	1	15.52										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-					i									
	Non-Design	1	3	UEP93	1	31.74										
UNE P	ort/Loop Combination Rates (Design)	1	-						-							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design	1	1	UEP93	1	13.82										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	.+	-	OLFSS		13.82			+							
	Design		2	UEP93		18.60										
	· ·	-								1			1	1		

NRONDLE	D NETWORK ELEMENTS - Kentucky													ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	O. Wire V.C. Lear /O. Wire V. Fine Conde Book (Contract Book Conde						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP93		34.37										
	pop Rate		3	OLF 93		34.37					<b>+</b>					+
OIVE E	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	9.64					<b>†</b>					<del>                                     </del>
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	14.37					†					<b>†</b>
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	30.59										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	12.67										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	17.45										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	33.22										
	ort Rate															
AL, KY,	, LA, MS, & TN only	ļ	<b>_</b>	LIEDOO	LIEDY (A		21.25	.=	2.2-							<u> </u>
_	2-Wire Voice Grade Port (Centrex ) Basic Local Area	<b>!</b>	-	UEP93	UEPYA	1.15	21.29	15.49	2.85	2.67	ļ				<b>.</b>	₩
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1		LIEDOS	LIEDVA	445	21 20	15 40	2.05	2.07						1
_	Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	<del>                                     </del>	-	UEP93	UEPYB	1.15	21.29	15.49	2.85	2.67	<del> </del>				<del>                                     </del>	-
	2-wire voice Grade Port (Centrex with Caller ID) 1Basic Local Area			UEP93	UEPYH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	<del>                                     </del>	<del>                                     </del>	OLF 30	ULFIR	1.13	21.29	15.49	2.05	2.07	1				<del> </del>	<del>                                     </del>
	Center)2,3 Basic Local Area			UEP93	UEPYM	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800			02.00	02	0	21.20	10.10	2.00	2.01	1					
	Service Term - Basic Local Area			UEP93	UEPYZ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent										İ					
	- Basic Local Area			UEP93	UEPY9	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated on 800 Service Term -														ĺ	
	Basic Local Area			UEP93	UEPY2	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex )			UEP93	UEPQA	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.15	21.29	15.49	2.85	2.67						ļ
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP93	UEPQM	1.15	21.29	15.49	2.85	2.67	ļ					
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800			LIEDOS	LIEDOZ	4.45	24.20	45.40	0.05	0.07						
	Service Term			UEP93	UEPQZ	1.15	21.29	15.49	2.85	2.67	-					
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated in on Negamik of equivalent			UEP93	UEPQ2	1.15	21.29	15.49	2.85	2.67	1					<del></del>
	Switching			OLI SO	OLI QZ	1.10	21.20	10.40	2.00	2.01	<b>†</b>					<del>                                     </del>
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.8873					i e					
	lumber Portability										İ					†
	Local Number Portability (1 per port)			UEP93	LNPCC	0.35										
Feature																
	All Standard Features Offered, per port			UEP93	UEPVF	0.00										
	All Centrex Control Features Offered, per port			UEP93	UEPVC	0.00										
NARS																ļ
	Unbundled Network Access Register - Combination	<b>!</b>	<u> </u>	UEP93	UARCX	0.00	0.00	0.00	0.00	0.00	ļ					<b>↓</b>
$\longrightarrow$	Unbundled Network Access Register - Indial	ļ	-	UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00					-	—
	Unbundled Network Access Register - Outdial	-	-	UEP93	UAROX	0.00	0.00	0.00	0.00	0.00	ļ				<del>                                     </del>	₩
	aneous Terminations Trunk Side	<b>!</b>	+		+						<del>                                     </del>		-			
	Trunk Side Trunk Side Terminations, each	<del>                                     </del>	<del>                                     </del>	UEP93	CEND6	10.51	92.18	15.82	52.16	5.30	1				<del> </del>	<del></del>
	Digital (1.544 Megabits)		<del>                                     </del>	OL: 33	CLIVEO	10.51	32.10	15.02	J2.10	5.50	<b>†</b>				<b> </b>	$\vdash$
	DS1 Circuit Terminations, each	1		UEP93	M1HD1	74.77	164.86	77.74	60.69	3.86	1				1	
	DS0 Channels Activated, Per Channel	i e		UEP93	M1HDO	0.00	15.09		33.55	0.00					İ	
	ice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP93	M1GBC	29.11										
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	M1GBM	0.01										
	Activations (DS0) Centrex Loops on Channelized DS1 Service	e						· · · · ·								
D4 Cha	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	ļ	<b> </b>	UEP93	1PQWS	0.62					ļ				ļ	<b>↓</b>
		I	1	UEP93	1PQW6	0.62			1		1	1			I	1

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec					Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per Loix	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													ist	Addi	DISC 1St	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)	•	•
						IXEC	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP93	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP93	1PQWP	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop															
	Slot			UEP93	1PQWQ	0.62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.62										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP93	USAC2		0.102	0.102								
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		18.95	8.32								
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	669.80	78.32	111.05	13.27						
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	669.80	78.32	111.05	13.27						
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.75									
Addition	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP93	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP93	URETN		11.21	1.10								
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	2 - Requres Interoffice Channel Mileage															
	- Installation is combination of Installation charge for SL2 Lo	op and	Port													
	- Requires Specific Customer Premises Equipment															
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in	General Tern	ns and Condition	ns.									

HINDI	INDI E	D NETWORK ELEMENTS - Louisiana												Attack		Fulcil	-i4. A
UND	JNDLE	D NETWORK ELEMENTS - Louisiana		1		l	I					Sua Ordar	Cua Ordar	Incremental	ment: 2 Incremental	Exhil Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (,,			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonred			Disconnect				Rates (\$)		
	ļ							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "7	one" shown in the sections for stand-alone loops or loops as	nart of	a comb	nination refers to Ge	ographically	Desversaged II	NF Zones To	view Geogran	hically Deaver	aged LINE Zone	Designation	ne hy Cont	ral Office refe	r to internet	Naheita:	
		ww.interconnection.bellsouth.com/become_a_clec/html/inter				ograpilically	Deaverageu O	NE Zones. 10	view Geograp	ilically Deaver	aged ONE ZOIN	Designant	ons by Cent	rai Office, refe	er to internet	website.	
OPER		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	COMMICC	1													
	NOTE:	(1) CLEC should contact its contract negotiator if it prefers th	e "state	specif	ic" OSS charges as	ordered by t	he State Comm	issions. The	OSS charges c	urrently conta	ned in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ring charges.	CLEC may
	elect ei	ther the state specific Commission ordered rates for the servi	ce orde	ring ch	arges, or CLEC may	elect the re	gional service o	ordering charg	e, however, Cl	LEC can not ol	tain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished in
		the 9 states.															
		(2) Any element that can be ordered electronically will be bill															
		nnot be ordered electronically at present per the LOH, the list			e in this category ref	lects the cha	arge that would	be billed to a	CLEC once el	ectronic order	ng capabilities	come on-li	ne for that	element. Othe	erwise, the ma	anual ordering	g charge,
	SOMA	I, will be applied to a CLECs bill when it submits an LSR to B	ellSout	h.	1		1								1		
	1	OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
-	+	OSS - Manual Service Order Charge, Per Local Service Request	-	-		SUIVIEU		3.50	0.00	3.50	0.00			-	-		
		(LSR) - UNE Only				SOMAN		15.20	0.00	15.20	0.00						
UNE S	ERVICE	DATE ADVANCEMENT CHARGE				CONDU		10.20	0.00	10.20	0.00						
		The Expedite charge will be maintained commensurate with	BellSou	th's FC	C No.1 Tariff, Section	n 5 as appli	cable.										
					,												
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48, U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48, UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			UXTD3, UXTS1, U1TUC, U1TUD,												
		Day			U1TUB, U1TUA	SDASP		200.00									
UNBU	NDLED F	EXCHANGE ACCESS LOOP		<b>t</b>	OTTOD, OTTOM	SDAGE		200.00		<b>†</b>							
1		ANALOG VOICE GRADE LOOP								1					İ		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.90	36.54	16.87								
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	23.33	36.54	16.87								
L	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	48.43	36.54	16.87								
	<del>                                     </del>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	12.90	36.54	16.87					ļ			
<u> </u>	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL UEASL	23.33	36.54 36.54	16.87	<del>                                     </del>	-	-	-	-	<del> </del>		
<b>-</b>	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User		3	UEANL	UEASL	48.43	36.54	16.87	<b>-</b>		-	-	-			
		Premise			UEANL	URETL		8.33	0.83	1							
	1	Loop Testing - Basic 1st Half Hour		<b>†</b>	UEANL	URET1		33.17	33.17	<b> </b>		<u> </u>	<u> </u>				
	1	Loop Testing - Basic 1st Hair Hour			UEANL	URETA		19.28	19.28	<b>†</b>							
								.0.20	.0.20			L	L				

Version 3Q03: 11/12/2003 Page 156 of 348

UNBUNDLE	D NETWORK ELEMENTS - Louisiana													ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			II .	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Neb	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch															l
	(UVL-SL1)			UEANL	UREWO		15.75	8.93								
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															l
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM UEAMC		13.04	13.04								
	Manual Order Coordination for UVL-SL1s (per loop)		-	UEANL	UEANIC		7.92	7.92	-		<b>.</b>				-	-
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		17.56	17.56								l
2-WIRE	Unbundled COPPER LOOP			ULANL	OCOSL		17.50	17.50			<b>+</b>				-	<del>                                     </del>
2 *****	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	12.40	35.27	15.60			1					<del></del>
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	i		UEQ	UEQ2X	14.32	35.27	15.60			1					
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	i		UEQ	UEQ2X	16.87	35.27	15.60								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User									1			1	1		
	Premise	L		UEQ	URETL		8.33	0.83	<u> </u>	<u> </u>	<u> </u>				<u> </u>	1
	Manual Order Coordination 2 Wire Unbundled Copper Loop -															
	Non-Designed (per loop)			UEQ	USBMC		7.92	7.92								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for				1 7				_						_	1
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.04	13.04								
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		33.17	33.17								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.28	19.28			ļ					-
	CLEC to CLEC Conversion Charge Without Outside Dispatch			UEQ	LIDEWO		44.05	7.40								l
LINDUNDI ED E	(UCL-ND) EXCHANGE ACCESS LOOP		-	UEQ	UREWO		14.25	7.42	-		<b>.</b>				-	<del></del>
	E ANALOG VOICE GRADE LOOP		-		+				-		<b> </b>				-	<del></del>
Z-WINL	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				1				1		1				1	<del></del>
	Zone 1		1	UEPSR UEPSB	UEALS	12.90	36.54	16.87	0.00	0.00						ĺ
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			OLI OK OLI OD	OLALO	12.50	30.34	10.07	0.00	0.00	1					<del>                                     </del>
	Zone 1		1	UEPSR UEPSB	UEABS	12.90	36.54	16.87	0.00	0.00						ĺ
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-				1					0.00						
	Zone 2		2	UEPSR UEPSB	UEALS	23.33	36.54	16.87	0.00	0.00						ĺ
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
	Zone 2		2	UEPSR UEPSB	UEABS	23.33	36.54	16.87	0.00	0.00						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															ĺ
	Zone 3		3	UEPSR UEPSB	UEALS	48.43	36.54	16.87	0.00	0.00						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		_													ĺ
INDIAD ED	Zone 3		3	UEPSR UEPSB	UEABS	48.43	36.54	16.87	0.00	0.00	ļ					-
	EXCHANGE ACCESS LOOP  E ANALOG VOICE GRADE LOOP		-		+				-		-				<del>                                     </del>	<del></del>
Z-WIKE	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				1				<del>                                     </del>	1	1	1	<del> </del>	1	<del>                                     </del>	<del>                                     </del>
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.93	102.10	65.72	1						I	1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		Ė		1		.020	55Z	<u> </u>	1			1	1	<u> </u>	
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	25.35	102.10	65.72	1						1	1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				i					1			1	1		
	Ground Start Signaling - Zone 3	L	3	UEA	UEAL2	50.46	102.10	65.72	<u> </u>	<u> </u>	<u> </u>				<u> </u>	1
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		17.56									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse							<u> </u>								1
	Battery Signaling - Zone 1		1	UEA	UEAR2	14.93	102.10	65.72	ļ	ļ			ļ		1	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse						400 :-		I						I	1
	Battery Signaling - Zone 2		2	UEA	UEAR2	25.35	102.10	65.72	<del>                                     </del>	-	ļ		<b>.</b>	-	<del>                                     </del>	-
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	50.46	400.40	OF 70	1						I	1
<b></b>	Order Coordination for Specified Conversion Time (per LSR)	<b>-</b>	3	UEA	OCOSL	50.46	102.10 17.56	65.72	<del>                                     </del>		<del>                                     </del>	-			<del>                                     </del>	<del></del>
<del>                                     </del>	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.59	36.30	<del>                                     </del>		<u> </u>		<del> </del>	<del> </del>	<del>                                     </del>	<del>                                     </del>
<del>                                     </del>	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.20	1.10	<b>+</b>		<b> </b>				t	<u> </u>
4-WIRE	E ANALOG VOICE GRADE LOOP				3		11.20	1.10	<b>I</b>		1	<b>-</b>			<b>I</b>	<b> </b>
1	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	30.81	127.40	91.02	1	İ			İ	İ	1	
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	38.32	127.40	91.02								
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	60.39	127.40	91.02								
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		17.56									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.59	36.30								

UNBI	INDLF	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC ISI	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WIRE	ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	22.09	113.34	76.96								
		2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	35.28	113.34	76.96								
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	65.18	113.34	76.96								
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		17.56									
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.49	44.09								
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP													
		2 Wire Unbundled ADSL Loop including manual service inquiry		١.			40.00										
		& facility reservation - Zone 1		1	UAL	UAL2X	12.29	117.08	68.36								
		2 Wire Unbundled ADSL Loop including manual service inquiry	1	_		LIALOY	44.00	447.00	20.00				1		I		
$\vdash$	1	& facility reservation - Zone 2	1	2	UAL	UAL2X	14.09	117.08	68.36		-	1		-	<del>                                     </del>	<b> </b>	
1		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	1	3	UAL	UAL2X	15.75	117.08	68.36				1		I		
<b>—</b>	<del>                                     </del>	Order Coordination for Specified Conversion Time (per LSR)	+	3	UAL	OCOSL	15.75	117.08	08.36	1		-	-	-	<del>                                     </del>		-
-	1	2 Wire Unbundled ADSL Loop without manual service inquiry &	1	-	UAL	OCOSL		17.50		1		1			-		
		facility reservation - Zone 1		1	UAL	UAL2W	12.29	92.83	56.02						1		
		2 Wire Unbundled ADSL Loop without manual service inquiry &		-	OAL	UALZVV	12.23	92.03	30.02								
		facility reservaton - Zone 2		2	UAL	UAL2W	14.09	92.83	56.02								
		2 Wire Unbundled ADSL Loop without manual service inquiry &			0712	O/ ILLY	1 1.00	02.00	00.02			<b>†</b>	1				
		facility reservaton - Zone 3		3	UAL	UAL2W	15.75	92.83	56.02								
		Order Coordination for Specified Conversion Time (per LSR)		Ť	UAL	OCOSL		17.56									
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.07	40.34								
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 1		1	UHL	UHL2X	9.79	125.50	76.77								
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 2		2	UHL	UHL2X	11.52	125.50	76.77								
		2 Wire Unbundled HDSL Loop including manual service inquiry		_													
		& facility reservation - Zone 3		3	UHL	UHL2X	12.74	125.50	76.77								
-	-	Order Coordination for Specified Conversion Time (per LSR)	-	-	UHL	OCOSL		17.56									
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	9.79	101.24	64.43								
		2 Wire Unbundled HDSL Loop without manual service inquiry		'	UNL	UHLZVV	9.79	101.24	04.43			1			1		
		and facility reservation - Zone 2		2	UHL	UHL2W	11.52	101.24	64.43								
		2 Wire Unbundled HDSL Loop without manual service inquiry			OTIL	OTILEVV	11.02	101.24	04.40								
		and facility reservation - Zone 3		3	UHL	UHL2W	12.74	101.24	64.43								
		Order Coordination for Specified Conversion Time (per LSR)		Ť	UHL	OCOSL		17.56	•								
		CLEC to CLEC Conversion Charge without outside dispatch	l		UHL	UREWO		86.00	40.34							1	
	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		4 Wire Unbundled HDSL Loop including manual service inquiry															
	ļ	and facility reservation - Zone 1	ļ	1	UHL	UHL4X	16.24	153.26	104.54								
1		4-Wire Unbundled HDSL Loop including manual service inquiry	1												_		
	<b></b>	and facility reservation - Zone 2	<b></b>	2	UHL	UHL4X	16.65	153.26	104.54						ļ		
		4-Wire Unbundled HDSL Loop including manual service inquiry						450							1		
-	<b>!</b>	and facility reservation - Zone 3	<b>!</b>	3	UHL	UHL4X	17.34	153.26	104.54						<del>                                     </del>	-	
$\vdash$	1	Order Coordination for Specified Conversion Time (per LSR)	-		UHL	OCOSL		17.56				-			<del>                                     </del>	-	
1		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	1	UHL	UHL4W	16.24	129.00	92.20				1		I		
-	1	4-Wire Unbundled HDSL Loop without manual service inquiry	<del>                                     </del>	-	OI IL	UI IL4VV	10.24	129.00	92.20	1	-		<b> </b>	<b> </b>	+	1	
		and facility reservation - Zone 2		2	UHL	UHL4W	16.65	129.00	92.20						1		
<b>-</b>	<b>†</b>	4-Wire Unbundled HDSL Loop without manual service inquiry	<b>†</b>		O. IL	OT ILTVV	10.03	123.00	32.20	1		<del>                                     </del>	<b> </b>		<b>I</b>	<b> </b>	
1		and facility reservation - Zone 3	1	3	UHL	UHL4W	17.34	129.00	92.20				1		I		
		Order Coordination for Specified Conversion Time (per LSR)		Ť	UHL	OCOSL		17.56	02.20		İ			İ	1	İ	
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.00	40.34					İ	1		
	4-WIRE	DS1 DIGITAL LOOP									<u> </u>						
		4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	85.70	245.16	152.98								
		4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	194.96	245.16	152.98								
		4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	491.94	245.16	152.98								
		Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		17.56					l		I	j	

JNBUNDL	ED NETWORK ELEMENTS - Louisiana												ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
												1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring Disconnec				Rates (\$)		
							First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4 100	CLEC to CLEC Conversion Charge without outside dispatch	-	-	USL	UREWO		100.93	42.98		-	1				
4-WI	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		<b>.</b>		1101.40		101.00			_					
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	30.99	121.86	85.48	ļ						
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	36.78	121.86	85.48		_					
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	38.92	121.86	85.48		_					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	-		UDL	UDL56	30.99	121.86	85.48		-	1				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	-		UDL	UDL56	36.78	121.86	85.48		-	1				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	38.92	121.86	85.48		_					
	Order Coordination for Specified Conversion Time (per LSR)		<b>.</b>	UDL	OCOSL		17.56			_					
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	-	1	UDL	UDL64	30.99	121.86	85.48			-				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	<b>—</b>		UDL	UDL64	36.78	121.86	85.48		+	<b>}</b>	<del>                                     </del>	<del> </del>	-	<del> </del>
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	<b>—</b>	3	UDL	UDL64	38.92	121.86	85.48		+	<b>}</b>	<del>                                     </del>	<del> </del>	-	<del> </del>
	Order Coordination for Specified Conversion Time (per LSR)	-	-	UDL	OCOSL		17.56	40.07		+	<b> </b>	<del>                                     </del>	-		<del>                                     </del>
0.100	CLEC to CLEC Conversion Charge without outside dispatch	<b>—</b>	1	UDL	UREWO		101.97	49.67		+	<b>}</b>	<del>                                     </del>	<del> </del>	-	<del> </del>
2-WI	RE Unbundled COPPER LOOP	<b>—</b>	1		+ +					+	<b>}</b>	<del>                                     </del>	<del> </del>	-	<del> </del>
	2-Wire Unbundled Copper Loop-Designed including manual		1	UCL	LIOL DD	40.00	440.40	07.40							
	service inquiry & facility reservation - Zone 1	-	1	UCL	UCLPB	12.29	116.18	67.46			-				
	2-Wire Unbundled Copper Loop-Designed including manual				LIOL DD	44.00	440.40	07.40							
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	14.09	116.18	67.46		_					
	2 Wire Unbundled Copper Loop-Designed including manual		_		l										
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	15.75	116.18	67.46	ļ						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92	ļ						
	2-Wire Unbundled Copper Loop-Designed without manual		١.			40.00		==							
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.29	91.92	55.12	ļ						
	2-Wire Unbundled Copper Loop-Designed without manual							==							
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	14.09	91.92	55.12		_					<u> </u>
	2-Wire Unbundled Copper Loop-Designed without manual							==							
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	15.75	91.92	55.12		_					
	Order Coordination for Unbundled Copper Loops (per loop)		-	UCL	UCLMC		7.92	7.92		_					
	CLEC to CLEC Conversion Charge without outside dispatch														
4 180	(UCL-Des) RE COPPER LOOP	-	-	UCL	UREWO		91.92	42.47		-	1				
4-WI		-	-							-	1				
	4-Wire Copper Loop-Designed including manual service inquiry				1101.40	00.07	400.00	00.00							
	and facility reservation - Zone 1		1	UCL	UCL4S	22.27	139.69	90.96		_					
	4-Wire Copper Loop-Designed including manual service inquiry					40.0=	400.00								
	and facility reservation - Zone 2	-	2	UCL	UCL4S	18.95	139.69	90.96		-	1				
	4-Wire Copper Loop-Designed including manual service inquiry				1101.40	40.00	400.00	00.00							
	and facility reservation - Zone 3	-	3	UCL	UCL4S	10.99	139.69	90.96		+	<b> </b>	<del>                                     </del>	-		<del>                                     </del>
	Order Coordination for Unbundled Copper Loops (per loop)	-	-	UCL	UCLMC		7.92	7.92		-	1				
	4-Wire Copper Loop-Designed without manual service inquiry			LICI	LICLAW	20.07	445 40	70.00			1	I			
	and facility reservation - Zone 1	<b>—</b>	1	UCL	UCL4W	22.27	115.43	78.63		+	<b>}</b>	<del>                                     </del>	<del> </del>	-	<del> </del>
	4-Wire Copper Loop-Designed without manual service inquiry				1,101,414	40.05	445.40	70.00							
	and facility reservation - Zone 2		2	UCL	UCL4W	18.95	115.43	78.63		_					<u> </u>
	4-Wire Copper Loop-Designed without manual service inquiry					40.00		=							
	and facility reservation - Zone 3		3	UCL	UCL4W	10.99	115.43	78.63		_					ļ
	Order Coordination for Unbundled Copper Loops (per loop)	-	-	UCL	UCLMC		7.92	7.92		-	1				
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)		1	UCL	LIDEWO		91.92	42.47			1	I			
OOP MODI		-	-	UCL	UREWO		91.92	42.47			-				-
OUT WIDDI	FIGATION	-	-	UAL, UHL, UCL,	+ +					-	1	<del>                                     </del>			<del> </del>
				UEQ, ULS, UEA,								I			
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire		1	UEANL, UEPSR,							1	I			
	pair less than or equal to 18k ft, per Unbundled Loop		1	UEPSB	ULM2L	J	0.00	0.00			1	I			
	Unbundled Loop Modification Removal of Load Coils - 4 Wire	<b>-</b>	<del>                                     </del>	OLFOD	JLIVIZL		0.00	0.00		+	1	<del></del>	-	-	<del>                                     </del>
	less than or equal to 18K ft, per Unbundled Loop		1	UHL, UCL, UEA	ULM4L	J	0.00	0.00			1	I			
-+	ress than or equal to 18K it, per Unburidled Loop		-		ULIVI4L		0.00	0.00	<del>                                     </del>	+		<del></del>	-	-	<del>                                     </del>
			1	UAL, UHL, UCL, UEQ, ULS, UEA,							1	I			
			1	IULW. ULO. UEA.	1 1				1 1	1	1	1	1	1	1
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR.											

UNBUI	NDLE	D NETWORK ELEMENTS - Louisiana													ment: 2		ibit: A
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)		Si		Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
							Rec	Nonred	urring	Nonrecurring Discon					Rates (\$)		•
							Rec	First	Add'l	First Add	fi ;	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SUB-LO																	
	Sub-Lo	op Distribution															
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up	ı		UEANL	USBSA		144.09	144.09								
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		10.99	10.99								
		Sub-Loop - Per Building Equipment Room - CLEC Feeder															
		Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	I		UEANL	USBSC		86.16	86.16								
		Set-Up	I		UEANL	USBSD		27.13	27.13								
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	ı	1	UEANL	USBN2	7.57	63.89	30.06								
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	12.75	63.89	30.06								
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	1	3	UEANL	USBN2	21.45	63.89	30.06								
			·	Ŭ			21.40										
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			UEANL	USBMC		7.92	7.92								
		Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1	UEANL	USBN4	11.76	76.75	42.92								1
		Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		2	UEANL	USBN4	16.84	76.75	42.92								
		Zone 3		3	UEANL	USBN4	19.27	76.75	42.92								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.91	51.48	17.65								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	-		UEANL	USBR4	6.58	57.54	23.71								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
		Loop Testing - Basic 1st Half Hour				URET1		33.17	33.17								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.28	19.28								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	ı	1	UEF	UCS2X	6.26	63.89	30.06								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	ı		UEF	UCS2X	10.07	63.89	30.06								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	12.70	63.89	30.06								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	- 1			UCS4X	8.03	76.75	42.92								
]		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I			UCS4X	10.71	76.75	42.92								ļ
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	6.08	76.75	42.92								1
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92								
		Loop Testing - Basic 1st Half Hour			UEF	URET1		33.17	33.17								
		Loop Testing - Basic Additional Half Hour			UEF	URETA		19.28	19.28						ļ		1
		dled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair		<u> </u>	UENTW	UENPP	0.3454	14.72	14.72								
		k Interface Device (NID)			CLIVIVY	OLINI F	0.5454	14.72	14.72					<del> </del>	<del> </del>		
		Network Interface Device (NID) - 1-2 lines			UENTW	UND12		42.26	27.83								
		Network Interface Device (NID) - 1-6 lines				UND16		62.86	48.43	i i				İ	İ		Ì
		Network Interface Device Cross Connect - 2 W				UNDC2		5.73	5.73								
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.73	5.73								
UNE OT	THER, P	ROVISIONING ONLY - NO RATE															
]		NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
		UNTW Circuit Id Establishment, Provisioning Only - No Rate		-		UENCE	0.00	0.00									ļ
		Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,U ENTW	UNECN	0.00	0.00									
		ROVISIONING ONLY - NO RATE															

UNBU	NDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted			Charge -	Charge -	Charge -
CATEG	ODV	RATE ELEMENTS	Interi	7	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																	ı I
		Habitandlad Contact Name Descriptioning Only and rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	LINIEGNI	0.00	0.00									ı I
		Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no		<u> </u>	UDIN,UEA,UHL,ULC	UNECIN	0.00	0.00									
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									ı l
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			,,,		3.00										
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0.00	0.00									ı I
HIGH C	APACI	TY UNBUNDLED LOCAL LOOP			USL	CCOEF	0.00	0.00									
	71. 710.	High Capacity Unbundled Local Loop - DS3 - Per Mile per		1			†										
		month			UE3	1L5ND	10.04										ı I
		High Capacity Unbundled Local Loop - DS3 - Facility															
		Termination per month			UE3	UE3PX	362.34	438.46	256.30								
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	10.04										ı l
		High Capacity Unbundled Local Loop - STS-1 - Facility		1	ODLOX	ILJIND	10.04										
		Termination per month			UDLSX	UDLS1	374.56	438.46	256.30								ı I
LOOP I	MAKE-U																
		Loop Makeup - Preordering Without Reservation, per working or															ı I
		spare facility queried (Manual).			UMK	UMKLW	-	23.29	23.29								
		Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		24.70	24.70								ı l
		Loop MakeupWith or Without Reservation, per working or			Olviit	OWNE		24.70	24.70								
		spare facility queried (Mechanized)			UMK	UMKMQ		0.19	0.19								i l
LINE S		S AND LINE SPLITTING															
		1: The Line Sharing monthly recurring rates for all installation					idnight Octobe	r 01, 2004 shal	I be billed as f	ollows:							
		1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co 1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND	pper io	op nor	-aesignea ("UCLND	)") 	-										
		1: 10/02/2004 = 10/01/2003: 30 % of the rate for UCLND		-													
		1: Above will apply to USOCS: ULSDT and ULSCT		1			†										
		2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	d ULSC	C applies only to cit	rcuits install	ed and inservic	e on or before	October 1, 20	03							
		HARING															
	SPLIT	TERS-CENTRAL OFFICE BASED						100.00									
-		Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity		1	ULS ULS	ULSDA ULSDB	187.17 46.79	183.33 183.33	0.00								
-		Line Sharing Splitter, Per System 24 Line Capacity  Line Sharing Splitter, Per System, 8 Line Capacity		<del>                                     </del>	ULS	ULSD8	15.59	183.33	0.00	<del>                                     </del>							
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-		<b>†</b>	-		15.00		2.00								
		deactivation (per LSOD)			ULS	ULSDG		83.98	0.00								
	END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
		Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	17.97	10.29								ı l
<b>—</b>		Line Share Service, TRO per line activation, BST owned splitter -		<del>                                     </del>	ULO	OLODO	0.01	17.97	10.29	<del>                                     </del>							
		Central Office Located (25% of UCLND) - please see NOTE 1															ı l
		(E:10/2/2003)			ULS	ULSDT	3.10	17.97	10.29								1
		Line Share Service, TRO per line activation, BST owned splitter -								T	<del></del>						,
		Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)				LILCOT	0.00	47.07	40.00								ı I
<b>-</b>		Line Share Service, TRO per line activation, BST owned splitter -		<del>                                     </del>	ULS	ULSDT	6.20	17.97	10.29	<del>                                     </del>							
1		Central Office Located (75% of UCLND) - please see NOTE 1															ı l
		(E:10/2/2005)		<u> </u>	ULS	ULSDT	9.30	17.97	10.29								<u>.                                    </u>
		Line Sharing - per Subsequent Activity per Line															
		Rearrangement(BST Owned Splitter)		<u> </u>	ULS	ULSDS		15.91	7.95	ļ							
1		Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		15.91	7.95								, !
		Line Sharing - per Line Activation (DLEC owned Splitter) -		<del>                                     </del>	OLO	OLOGO		10.91	1.95								
		OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31								ı l
		•				•								•		•	

UNBU	NDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental	Incremental		
													Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGO	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												1	'	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
<u> </u>				ļ													
$\vdash$				ļ			Rec	Nonrec		Nonrecurring					Rates (\$)		
$\vdash$								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (25% of UCLND) - please see				шоот	0.40	47.44	40.04								
$\vdash$		NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, CLEC owned		-	ULS	ULSCT	3.10	47.44	19.31	-							1
		splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	6.20	47.44	19.31								
$\vdash$		Line Share Service, TRO per line activation, CLEC owned		1	ULS	ULSCI	0.20	47.44	19.51	<b>+</b> + + + + + + + + + + + + + + + + + +		1					+
		splitter - Central Office Located (75% of UCLND) - please see															
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	9.30	47.44	19.31								
<del>                                     </del>		PLITTING		1	OLO	02001	0.00	77.77	10.01			+					
		SER ORDERING-CENTRAL OFFICE BASED															
		Line Splitting - per line activation DLEC owned splitter		1	UEPSR UEPSB	UREOS	0.61	İ		† †		1		İ	İ	İ	1
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	17.97	10.29			1		İ	l	l	1
		Line Splitting - per line activation BST owned - virtual		1	UEPSR UEPSB	UREBV	0.61	17.97	10.29								
		ENANCE					İ	1		1				1			1
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
		No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
		DEDICATED TRANSPORT															
<u> </u>		OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.013										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination			U1TVX	U1TV2	22.60	39.36	26.62								
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
$\vdash$		Rev Bat Per Mile per month			U1TVX	1L5XX	0.013										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	22.60	39.36	26.62								
$\vdash$		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -		1	UTTVX	UTIRZ	22.60	39.36	20.02	-		-					+
		Per Mile per month			U1TVX	1L5XX	0.013										
$\vdash$		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade		1	UTIVA	ILSAA	0.013					1					
		- Facility Termination			U1TVX	U1TV4	19.81	39.36	26.62								
+		Interoffice Channel - Dedicated Transport - 56 kbps - per mile			01177	01114	10.01	00.00	20.02								+
		per month			U1TDX	1L5XX	0.013										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination			U1TDX	U1TD5	15.61	39.37	26.62								
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile						/				1		İ	l	l	1
		per month			U1TDX	1L5XX	0.013	l					1				1
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility					ĺ	İ		1							
		Termination			U1TDX	U1TD6	15.61	39.37	26.62	<u> </u>					<u> </u>	<u> </u>	<u> </u>
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per							-		-						
oxed		month			U1TD1	1L5XX	0.2652					1					1
1 T		Interoffice Channel - Dedicated Tranport - DS1 - Facility						⊣									1
$\sqcup$		Termination			U1TD1	U1TF1	70.47	86.69	79.44								1
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			l <u></u> -	1							1				1
$\vdash$		month		1	U1TD3	1L5XX	6.04			ļ		1					ļ
		Interoffice Channel - Dedicated Transport - DS3 - Facility			LIATES	LIATES	050.45	070.00	450.65				1				1
$\vdash$		Termination per month		1	U1TD3	U1TF3	850.45	270.69	158.05			1	ļ	<del> </del>	<b> </b>	<b> </b>	+
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			U1TS1	1L5XX	6.04						1				1
$\vdash$		month Interoffice Channel - Dedicated Transport - STS-1 - Facility	<b>-</b>	1	01131	ILOAA	0.04	+		+		+	<b> </b>	1	<b> </b>	<b> </b>	+
		Termination			U1TS1	U1TFS	830.19	270.69	158.05								1
DARK F		TOTTIIITAUOTI	<b>-</b>	<b>+</b>	01101	01113	030.19	210.09	150.05	<del>                                     </del>		+	<b> </b>				+
- I		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	<b>-</b>	<b>+</b>		+		+		<del>                                     </del>		+	<b> </b>				+
		Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	25.28	l					1				1
		NRC Dark Fiber - Interoffice Channel		1	UDF, UDFCX	UDF14	20.20	620.60	133.88					İ			1
$\vdash$		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			,			5=5:50							İ	İ	1
1 1				1	UDF, UDFCX	1L5DL	52.23					1	l	I	l	l	1
		Thereof per month - Local Loop					02.20			1							

UNBU	JNDLE	D NETWORK ELEMENTS - Louisiana											Attach	ment: 2	Exhi	ibit: A
											Svc Orde	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted		Charge -	Charge -	Charge -	Charge -
			Interi	l_							Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)		per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
-	ı					+		Nonrec	urring	Nonrecurring Disconne	ct	1	OSS	Rates (\$)	1	
							Rec	First	Add'l	First Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX AC	CESS	TEN DIGIT SCREENING														
		8XX Access Ten Digit Screening, Per Call			OHD		0.0006387									
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX														
		Number Reserved			OHD	N8R1X		2.51	0.43							
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O														
<u> </u>		POTS Translations			OHD			5.77	0.78							ļ
		8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		5.77	0.78							
<u> </u>	1	8XX Access Ten Digit Screening, Customized Area of Service			OHD	INSFIA		5.77	0.78	<b>+</b>	-			-		
'		Per 8XX Number			OHD	N8FCX		2.51	1.26							
<b>—</b>	<b>†</b>	8XX Access Ten Digit Screening, Multiple InterLATA CXR			מויס	INOI OA		۷.۷۱	1.20		+	+		<del> </del>	t	+
'		Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		2.93	1.68						1	
	i –	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		2.93	0.43					İ	1	
	i	8XX Access Ten Digit Screening, Call Handling and Destination							-							
L '	<u> </u>	Features		<u></u>	OHD	N8FDX		2.51							L	<u> </u>
<u> </u>	ļ	8XX Access Ten Digit Screening, w/ 8XX No. Delivery, per query			OHD		0.0006387								1	
		8XX Access Ten Digit Screening, w/ POTS No. Delivery, per														
	<u> </u>	query			OHD		0.0006387									
LINE IN	NFORM	ATION DATA BASE ACCESS (LIDB)			OQT	+	0.0000004									
<u> </u>	1	LIDB Common Transport Per Query LIDB Validation Per Query			OQU	+	0.0000221 0.0135077			<b>+</b>	-			-		
	<u> </u>	LIDB Validation Per Query  LIDB Originating Point Code Establishment or Change		1	OQU OQT, OQU	NRBPX	0.0135077	33.33			-	-			-	<del>                                     </del>
SIGNA	LING (C				001,000	ININDEX		33.33				1			1	<del>                                     </del>
OIOIVA	I I	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	147.60				-	1				†
	1	CCS7 Signaling Usage, Per TCAP Message			UDB	1.00%	0.000064								t	
		CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	15.77	34.50	34.50							
		CCS7 Signaling Connection, Per link (B link) (also known as D														
		link)			UDB	TPP++	15.77	34.50	34.50							
		CCS7 Signaling Usage, Per ISUP Message			UDB		0.000016									
		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	732.10									ļ
'		CCS7 Signaling Point Code, per Originating Point Code			LIDD	CCAPO		00.47	00.47							
<u> </u>	1	Establishment or Change, per STP affected  CCS7 Signaling Point Code, per Destination Point Code			UDB	CCAPO		28.17	28.17	<b>+</b>	-			-		
'		Establishment or Change, Per Stp Affected			UDB	CCAPD		28.17	28.17							
F911 S	ERVICE			1	ODD	COALD		20.17	20.17	<del> </del>		+				1
	1	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1				1	18.32	187.51	32.21						t	
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 2					18.32	187.51	32.21							
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 3					18.32	187.51	32.21							
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.013		_							
	1	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility														
L	ļ	Termination					22.60	39.36	26.62			1				<b></b>
<u> </u>	ļ	Local Channel - Dedicated - DS1 - Zone 1		<b></b>			39.18	172.34	149.27			1			-	
<u> </u>	<del>                                     </del>	Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3		₩		+	121.58 70.02	172.34	149.27			1		-	<del>                                     </del>	+
<u> </u>	<del>                                     </del>	Interoffice Transport - Dedicated - DS1 - Zone 3		-		+	0.2652	172.34	149.27			+			+	+
<u> </u>	<b>-</b>	interoffice transport - Dedicated - DOT FEI IVIIIE		<del>                                     </del>		+	0.2052			<del>                                     </del>		+		<b> </b>	<del>                                     </del>	<del>                                     </del>
'		Interoffice Transport - Dedicated - DS1 Per Facility Termination					70.47	86.69	79.44						1	
CALLIN	NG NAM	E (CNAM) SERVICE		<b>†</b>		1		22.00						İ	1	
		CNAM For DB Owners - Service Establishment			OQV			22.29								
		CNAM For Non DB Owners - Service Establishment			OQV			22.29								
		CNAM For DB Owners - Service Provisioning With Point Code														
L	<u> </u>	Establishment			OQV	1		962.22	711.64			1				ļ
1 '	1	CNAM For Non DB Owners - Service Provisioning With Point			001/	1									I	
<u> </u>	ļ	Code Establishment		<b></b>	OQV		0.001001=	332.43	238.05			1			-	
<u> </u>	<del>                                     </del>	CNAM for DB Owners, Per Query CNAM for Non DB Owners, Per Query		₩	OQV OQV	+	0.0010217 0.0010217					1		-	<del>                                     </del>	+
SELEC	TIVE D			+	UQV	+	0.0010217				-	+	-		<del>                                     </del>	+
SELEC	,ıv⊏ K(	JUTING								<u> </u>		1		L	1	

UNBUNDLE	D NETWORK ELEMENTS - Louisiana					1					T -			ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)					Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
			ļ			Rec	Nonrec		Nonrecurring					Rates (\$)		
	October Desire Bestleine Live Oleve October Desire		1			1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Selective Routing Per Unique Line Class Code Per Request Per Switch						82.25	82.25								
VIRTUAL COL			1		+		02.20	02.23							<u> </u>	<del>                                     </del>
VIKTOAL COL	Virtual Collocation-2 Wire Cross Connects (Loop) for Line		1		+						<b>+</b>				-	
	Splitting			UEPSR UEPSB	VE1LS	0.0296	11.94	11.46	0.00	0.00						
PHYSICAL CO	DLLOCATION															
	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	PE1LS	0.0318	11.94	11.46	0.00	0.00						
AIN SELECTIV	VE CARRIER ROUTING		1	LIEDID	00000		400 000 00									ļ
	Regional Service Establishment End Office Establishment		_	UEBIB UEBIB	SRCEC SRCEO		100,209.33 164.29	164.29			<b>+</b>				-	
+	Query NRC, per query		1	UEBIB	SKCEU	0.0030293	104.29	104.29	1						<del> </del>	+
AIN - BELLSO	DUTH AIN SMS ACCESS SERVICE		<del>                                     </del>	0_00	1	0.0000200					1				<b>†</b>	t
T	AIN SMS Access Service - Service Establishment, Per State,		1		1				1							
	Initial Setup	L		A1N	CAMSE	<u>                                      </u>	38.30	38.30							<u> </u>	
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.60	7.60								ļ
	AIN SMS Access Service - Port Connection - ISDN Access		ļ	A1N	CAM1P		7.60	7.60								ļ
	AIN SMS Access Service - User Identification Codes - Per User			0.401	0.000.00		00.00	00.00								
	ID Code AIN SMS Access Service - Security Card, Per User ID Code,		_	A1N	CAMAU		33.99	33.99			<b>+</b>				-	<u> </u>
	Initial or Replacement			A1N	CAMRC		41.39	41.39								
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)		1	AIIN	CAIVING	0.0022	41.35	41.55								<del>                                     </del>
	AIN SMS Access Service - Session, Per Minute					0.5795										<u> </u>
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					0.8104										
AIN - BELLSC	OUTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		38.30	38.30								<u> </u>
	AIN Toolkit Service - Training Session, Per Customer		1		BAPVX		4,175.10	4,175.10							1	<del> </del>
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT		7.60	7.60								
+	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1		DAFII		7.00	7.00			<b>+</b>				-	
	DN, Off-Hook Delay				BAPTD		7.60	7.60								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per														t	
	DN, Off-Hook Immediate				BAPTM		7.60	7.60								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP				BAPTO		33.47	33.47								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DADTO										1	
$\longrightarrow$	DN, CDP  AIN Toolkit Sonico Trigger Access Charge Per Trigger Per	<b>-</b>	1		BAPTC	<del>                                     </del>	33.47	33.47	1		1				-	<del> </del>
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. Feature Code				BAPTF		33.47	33.47								
	AlN Toolkit Service - Query Charge, Per Query		1		DAI II	0.0536446	33.41	33.47							-	<del>                                     </del>
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit					0.0000110										<u> </u>
	Subscription, Per Node, Per Query					0.006569										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
	Account, Per 100 Kilobytes					0.06										ļ
1	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service				D 4 D 4 4 0	40.00	7.00	7.00							I	
	Subscription  ANN Toolkit Sonios Special Study For ANN Toolkit Sonios	-	₩	CAM	BAPMS	10.90	7.60	7.60	1		ļ				1	<del>                                     </del>
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			CAM	BAPLS	2.80	8.41	8.41							I	
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service	<b>-</b>	<b>t</b>	OAIVI	DAFLO	2.00	0.41	0.41	+		<del>                                     </del>				<b>-</b>	+
	Subscription			CAM	BAPDS	8.20	7.60	7.60							1	
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit				1	50		30							1	
	Service Subscription			CAM	BAPES	0.09	8.41	8.41			<u> </u>				<u> </u>	<u> </u>
	XTENDED LINK (EELs)							-								
	The monthly recurring and non-recurring charges below will															oxdot
	: The monthly recurring and the Switch-As-Is Charge and not t					UNE combinati	ons provisione	ed as ' Current	lly Combined' N	letwork Eleme	nts.				<b>.</b>	ļ
EXTE	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	שו ובט	TINIE	KUFFICE TRANSPO	KI						l					<u> </u>

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)		1	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
					1		Nonrec	urring	Nonrecurring Disconnect			oss	Rates (\$)	1	1
						Rec	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						
	First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09							
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09							
	Interoffice Transport - Dedicated - DS1 combination - Per Mile														
	per month			UNC1X	1L5XX	0.2652									
	Interoffice Transport - Dedicated - DS1 combination - Facility														
	Termination per month			UNC1X	U1TF1	70.47	143.58	103.88							
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	105.09 0.6497	59.97	12.96							
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.6497	5.91	4.26					-	-	
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09							
	Lacit / Matitional 2-14116 vo Loop (GL 2) III Combination - 20116 1		<del>-</del>	014047	ULALL	14.53	⊅4.∠ I	45.09	<del>                                     </del>			<b> </b>	t	t	<del>                                     </del>
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09	1				1	1	
	Zadi / Jadii di ia Z 11110 10 Zadi (di Z) iii dai ia ia ia zadi Z			0.10171	02712	20.00	0	10.00							
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09							
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.6497	5.91	4.26							
	Nonrecurring Currently Combined Network Elements Switch -As-														
	Is Charge			UNC1X	UNCCC		5.43	5.43							
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS	INTE	ROFFICE TRANSPO	DRT										
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09							
	First 4 Wire Angles Vales Conda Lass is Combination 7 2		_	LINIOVO	115014	20.20	04.04	45.00							
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09					-	-	
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09							
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			ONOVA	OLAL	00.55	34.21	40.00	<del>                                     </del>						
	Per Month			UNC1X	1L5XX	0.2652									
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per				1.20				1						
	Month			UNC1X	U1TF1	70.47	143.58	103.88							
	1/0 Channel System in combination Per Month			UNC1X	MQ1	105.09	59.97	12.96							
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.6497	5.91	4.26							
	Additional 4-Wire Analog Voice Grade Loop in same DS1														
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09							
	Additional 4-Wire Analog Voice Grade Loop in same DS1														
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09	<del>                                     </del>						
	Additional 4-Wire Analog Voice Grade Loop in same DS1		3	UNCVX	UEAL4	60.39	94.21	45.09							
	Interoffice Transport Combination - Zone 3  Additional Voice Grade COCI in combination - per month		3	UNCVX	1D1VG	0.6497	5.91	45.09	+ + +	1			-	-	
-	Nonrecurring Currently Combined Network Elements Switch -As-		-	UNCVX	IDIVG	0.0497	3.91	4.20	+ +				-	-	
	Is Charge			UNC1X	UNCCC		5.43	5.43							
EXTE	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	ATED	DS1 IN			İ	0.40	0.40							
			<u> </u>		1	1			1				t	t	
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09							
			İ		1							1			1
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09							
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09		ļ		ļ			
1	Interoffice Transport - Dedicated - DS1 combination - Per Mile								1		1		I	I	1
	Per Month			UNC1X	1L5XX	0.2652			<del>                                     </del>				-	-	
	Interoffice Transport - Dedicated - DS1 - combination Facility			LINGAV		70.47	140.50	402.00	1		1		I	I	1
	Termination Per Month  1/0 Channel System in combination Per Month		-	UNC1X UNC1X	U1TF1 MQ1	70.47 105.09	143.58 59.97	103.88 12.96	<del>                                     </del>	1			<del>                                     </del>	<del>                                     </del>	
	OCU-DP COCI (data) per month (2.4-64kbs)		-	UNCIX	1D1DD	1.38	59.97	4.26	+ +	<b> </b>	-		<del>                                     </del>	<del>                                     </del>	-
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		<del>                                     </del>	OIAODV	טטוטו	1.36	5.81	4.20	<del>                                     </del>	1	1	<del> </del>	<del>                                     </del>	<del>                                     </del>	
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09	1		1		I	I	
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		<u> </u>	0.100/	55200	55.55	U-1.Z1	70.00	1				<u> </u>	<u> </u>	
. 1	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09					I	I	
1	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		İ						1			1			1
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09	1	1	l	I	1	1	I

UNBUNDLE	D NETWORK ELEMENTS - Louisiana											Attach	ment: 2	Exhi	bit: A
										Svc Ord	er Svc Order	Incremental			Incremental
										Submitt			Charge -	Charge -	Charge -
		Interi								Elec	Manually				Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)		per LS		Order vs.	Order vs.	Order vs.	Order vs.
										"		Electronic-	Electronic-	Electronic-	Electronic-
												1st	Add'l	Disc 1st	Disc Add'l
		ļ	ļ										- (4)		
$\vdash$		ļ	-			Rec	Nonrec		Nonrecurring Disconi				Rates (\$)	001441	001141
$\vdash$	Additional COLLED COCL (data) in combination and month (2.4	<u> </u>	1		+		First	Add'l	First Add	I SOME	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional OCU-DP COCI (data) - in combination per month (2.4-64kbs)	1		UNCDX	1D1DD	1.38	5.91	4.26							
<del>                                     </del>	Nonrecurring Currently Combined Network Elements Switch -As-		1	UNCDA	IDIDD	1.50	3.91	4.20		+	+				
	Is Charge			UNC1X	UNCCC		5.43	5.43							
EXTEN	IDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	TEROFFICE TRANS	SPORT										
						İ									
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09							
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	ļ	2	UNCDX	UDL64	36.78	94.21	45.09					ļ		
	First 4 Mine Odd on Birthel One led and in Oracle of Fig. 7	1		LINIODY	LIBLOA	00.55	04.01	45.00					I		
<del></del>	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	<del>                                     </del>	3	UNCDX	UDL64	38.92	94.21	45.09			+	1	<del>                                     </del>	-	
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month	1		UNC1X	1L5XX	0.2652							I		
	interoffice Transport - Dedicated - DS1 combination - Facility	<del>                                     </del>	<del>                                     </del>	011017	ILOAA	0.2002					+		<del> </del>		
	Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88					1		
	1/0 Channel System in combination Per Month	1		UNC1X	MQ1	105.09	59.97	12.96			1		1	1	
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26							
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1														
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09							
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1														
	Interoffice Transport Combination - Zone 2	ļ	2	UNCDX	UDL64	36.78	94.21	45.09					1		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09							
	Additional OCU-DP COCI (data) - in combination - per month	1	3	UNCDA	ODL04	30.92	34.21	45.09		-		1	1		
	(2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26							
	Nonrecurring Currently Combined Network Elements Switch -As-		1												
	Is Charge			UNC1X	UNCCC		5.43	5.43							
EXTEN	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER												
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89							
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89							
	4-Wire DS1 Digital Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile	1	3	UNC1X	USLXX	491.94	169.22	100.89			_		-		
	Per Month			UNC1X	1L5XX	0.2652									
	Interoffice Transport - Dedicated - DS1 combination - Facility	1	1	ONOTA	120701	0.2002				<del> </del>	+				
	Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88							
	Nonrecurring Currently Combined Network Elements Switch -As-	-													
	Is Charge			UNC1X	UNCCC		5.43	5.43							
EXTEN	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3													
	First DS1Loop in Combination - Zone 1	<u> </u>	_	UNC1X	USLXX	85.70	169.22	100.89				ļ			
	First DS1Loop in Combination - Zone 2	1	3	UNC1X UNC1X	USLXX	194.96 491.94	169.22	100.89			+	-	<b>-</b>		
<del>                                     </del>	First DS1Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS3 combination - Per Mile	1	3	OINCIA	USLXX	491.94	169.22	100.89		+	+	1	<del>                                     </del>	<del> </del>	
	Per Month			UNC3X	1L5XX	6.04							1		
	Interoffice Transport - Dedicated - DS3 - Facility Termination per	t			1.20.21	0.04					1	1	1		
	month	1		UNC3X	U1TF3	850.45	296.68	121.16					I		
	3/1Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25							
	DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26							
	Additional DS1Loop in DS3 Interoffice Transport Combination -	1	Ι,	LINIOAY	1101.307	05.70	400.00	400.00					I		
<del></del>	Zone 1	1	1	UNC1X	USLXX	85.70	169.22	100.89			-		1	-	
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2	1	2	UNC1X	USLXX	194.96	169.22	100.89					I		
	Additional DS1Loop in DS3 Interoffice Transport Combination -	<del>                                     </del>	-	DINOTA	USLAA	134.90	105.22	100.09			+		<del> </del>		
	Zone 3	1	3	UNC1X	USLXX	491.94	169.22	100.89					I		
	Additoinal DS1 COCI in combination per month	t	Ť	UNC1X	UC1D1	11.78	5.91	4.26			1	1	1		
	Nonrecurring Currently Combined Network Elements Switch -As-	-													
	Is Charge			UNC3X	UNCCC		5.43	5.43							
EXTEN	IDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD	E INTE												
$\vdash$	2-WireVG Loop in combination - Zone 1	<u> </u>	1	UNCVX	UEAL2	14.93	94.21	45.09				ļ			
	2-WireVG Loop in combination - Zone 2	L	2	UNCVX	UEAL2	25.35	94.21	45.09					L	l	

CATEGORY RATE ELEMENTS Interign Zone RATE STEP	ONBONDLE	D NETWORK ELEMENTS - Louisiana			Т	1						Ia - :			ment: 2		ibit: A
Proceedings   Procedure   Pr	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC						Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
All   All							Rec										
Bested Principle - 2-water VC - Declaration - Feeling   MCX		OMENIO Long to continue 7 and 0		_	1 15 10 10 /	LIEALO				First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
No.   No.	<b></b>			3	UNCVX	UEAL2	50.46	94.21	45.09							-	<b>.</b>
Terrelation per even		Month			UNCVX	1L5XX	0.013										
SCHOOLS   STATEMENT CONTINUES   STATEMENT		Termination per month			UNCVX	U1TV2	22.60	72.60	41.75								
4-Wine/OS Loop in combination - Zeros 1   1, URCVX   URAL4   30,81   94,21   45,09		Is Charge						5.43	5.43								
4-WeeVS Loop in combination - Zono 2   2 UNIXX   URBL4   38.22   38.27   45.09	EXTEN		GRAD														
A-Wein/K Loop in contribution 1. Zone 9   3 UNCVX   USA14   65.99   64.21   65.09																	
Insertifical Training of - A-wise Vid - Debtolated - Fortilling   UNCVX																	
Interoffice Transport - Aveiver VG - Declarated - Facility   UNCX				3	UNCVX	UEAL4	60.39	94.21	45.09								
Termination per month   NATIONAL PRINCIPLE   NATI					UNCVX	1L5XX	0.013										
Schange		Termination per month			UNCVX	U1TV4	19.81	72.60	41.75								
DS3 Local Loop in combination - per mile per month   UNC3X   1,5ND   10.04	EVTEN	Is Charge				UNCCC		5.43	5.43								
DS3 Local Loop in combination - Facility Termination per month   UNC3X	EXIEN		INTERC	PFFICE	TRANSPORT	4L END	10.04										
Interoffice Transport - Dedicated - DS3 - Per Mile per month   INSX   1LSX   6.04																	
Termination per month		Interoffice Transport - Dedicated - DS3 - Per Mile per month						188.45	125.51								
Strape   S					UNC3X	U1TF3	850.45	296.68	121.16								
STRENDED STRENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT   UNCSX   U.DLS1   10.04					UNC3X	UNCCC		5.43	5.43								
STS-1 Local Loop in combination - Facility Termination per month	EXTEN		S-1 INT	EROFF	ICE TRANSPORT												
month					UNCSX	1L5ND	10.04										
Der month   UNCSX   1.5XX   6.04		month			UNCSX	UDLS1	374.56	188.45	125.51								
Termination per month		per month			UNCSX	1L5XX	6.04										
Is Charge   UNCSX		Termination per month			UNCSX	U1TFS	830.19	296.68	121.16								
First 2-Wire ISDN Loop in Combination - Zone 1		Is Charge			UNCSX	UNCCC		5.43	5.43								
First 2-Wire ISDN Loop in Combination - Zone 2	EXTEN		TRAN														$oxed{oxed}$
First 2-Wire ISDN Loop in Combination - Zone 3   3 UNCNX   U1L2X   65.18   94.21   45.09	$oxed{oxed}$											ļ			ļ	L	<u> </u>
Interoffice Transport - Dedicated - DS1 combination - per mile   per month   UNC1X   1.5XX   0.2652	$\vdash$		<b>!</b>	_								ļ				ļ	<b></b>
Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month   UNC1X   U1TF1   70.47   143.58   103.88     103.88       103.88         103.88         103.88         103.88         103.88		Interoffice Transport - Dedicated - DS1 combination - per mile		3				94.21	45.09								<u> </u>
1/0 Channel System in combination - per month		Interoffice Transport - Dedicated - DS1 combination - Facility															
2-wire ISDN COCI (BRITE) - in combination - per month																	
Combination - Zone 1		2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	2.96	5.91									
Additional 2-wire ISDN Loop in same DS1Interoffice Transport   2   UNCNX   U1L2X   35.28   94.21   45.09				1	UNCNX	U1L2X	22.09	94.21	45.09								
Additional 2-wire ISDN Loop in same DS1Interoffice Transport   3   UNCNX   U1L2X   65.18   94.21   45.09		Additional 2-wire ISDN Loop in same DS1Interoffice Transport		2													
Additional 2-wire ISDN COCI (BRITE) - in combination- per month UNCNX UC1CA 2.96 5.91 4.26  Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNC1X UNCCC 5.43 5.43  EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT First DS1 Loop Combination - Zone 1 1 UNC1X USLXX 85.70 169.22 100.89		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
Nonrecurring Currently Combined Network Elements Switch -As-   UNC1X   UNCCC   5.43   5.43		Additional 2-wire ISDN COCI (BRITE) - in combination- per		3													
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT  First DS1 Loop Combination - Zone 1 1 UNC1X USLXX 85.70 169.22 100.89		Nonrecurring Currently Combined Network Elements Switch -As-					2.96										
	EXTEN	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS		ROFFICE TRANSP	PORT											
												ļ					<u> </u>

UNBUNDLE	ED NETWORK ELEMENTS - Louisiana			1	1						Τ.	r -		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	Tri - Bott - O - Li - II - O - O - O - O - O - O - O - O -				1101101		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First DS1 Loop Combination - Zone 3 Interoffice Transport - Dedicated - STS-1 combination - Per Mile		3	UNC1X	USLXX	491.94	169.22	100.89	-						-	<b></b>
	Per Month			UNCSX	1L5XX	6.04										
	Interoffice Transport - Dedicated - STS-1 combination - Facility			0.100%	120701	0.01			1		<u> </u>					<u> </u>
	Termination per month			UNCSX	U1TFS	830.19	296.68	121.16								
	3/1 Channel System in combination per month			UNCSX	MQ3	201.48	107.05	91.25								
	DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26								ļ
	Additional DS1Loop in the same STS-1 Interoffice Transport		1	LINICAV	USLXX	05.70	100.00	400.00								
	Combination - Zone 1 Additional DS1Loop in the same STS-1 Interoffice Transport		'	UNC1X	USLAA	85.70	169.22	100.89	-						-	<b>-</b>
	Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89								
	Additional DS1Loop in the same STS-1 Interoffice Transport		T-		1		.00.22	.00.00			†					1
	Combination - Zone 3	<u> </u>	3	UNC1X	USLXX	491.94	169.22	100.89	<u> </u>		<u> </u>					
	DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-						= 40	= 40								
EVTE	Is Charge NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	DC INT	EDOEE	UNCSX	UNCCC		5.43	5.43	-						-	<u> </u>
EXIE	4-wire 56 kbps Local Loop in combination - Zone 1	DES INT		UNCDX	UDL56	30.99	94.21	45.09	+		1				<del> </del>	
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	36.78	94.21	45.09							<u> </u>	<del>                                     </del>
	4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	38.92	94.21	45.09								
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Per Mile per month			UNCDX	1L5XX	0.013										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			LINODY	LIATOR	45.04	70.00	44.75								
	Facility Termination per month	-		UNCDX	U1TD5	15.61	72.60	41.75	-		1				1	<del>                                     </del>
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		5.43	5.43								
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	BPS INT	EROFF		011000		0.40	0.40	1						1	<u> </u>
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	30.99	94.21	45.09	1							
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09								
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09								
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.013										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			UNCDX	ILJAA	0.013					1					<del> </del>
	Facility Termination per month			UNCDX	U1TD6	15.61	72.60	41.75								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCDX	UNCCC		5.43	5.43								
EXTE	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP				1100	2121	15.00								<b>.</b>
	First 2-wire VG Loop (SL2) in Combination - Zone 1 First 2-wire VG Loop (SL2) in Combination - Zone 2		1 2	UNCVX UNCVX	UEAL2 UEAL2	14.93 25.35	94.21 94.21	45.09 45.09	-							4
	First 2-wire VG Loop (SL2) in Combination - Zone 2  First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09			1					1
	First Interoffice Transport - Dedicated - DS1 combination - Per			5.101/	01,12	30.40	37.21	43.09			1					<b>†</b>
I	Mile		L	UNC1X	1L5XX	0.2652			<u>                                     </u>		1			<u> </u>	<u> </u>	
İ	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination per month			UNC1X	U1TF1	70.47	143.58	103.88								ļ
$\vdash$	Per each DS1 Channelization System Per Month		-	UNC1X	MQ1	105.09	59.97	12.96	<del>                                     </del>							
<del>                                     </del>	Per each Voice Grade COCI - Per Month per month  3/1 Channel System in combination per month	-	+	UNCVX UNC3X	1D1VG MQ3	0.6497 201.48	5.91 107.05	4.26 91.25	<del>                                     </del>		<del>                                     </del>				<del>                                     </del>	<del>                                     </del>
<del>                                     </del>	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26	<del>                                     </del>		<del>                                     </del>				<b>-</b>	<del>                                     </del>
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1				55.51	1170	0.01	7.20			1					<b>†</b>
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09	<u> </u>		<u> </u>					
	Each Additional 2-Wire VG Loop(SL2) in the same DS1							<u> </u>								
<b>  </b>	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09	ļ		1					<b></b>
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		3	UNCVX	UEAL2	50.46	94.21	45.09								
	Interoffice Transport Combination - Zone 3  Each Additional Voice Grade COCI in combination - per month	<b>-</b>	3	UNCVX	1D1VG	0.6497	94.21 5.91	45.09	<del>                                     </del>		1				<del>                                     </del>	+
	Each Additional DS1 Interoffice Channel per mile in same 3/1		<b>†</b>	SINOVA	10170	0.0497	5.51	4.20			+			<b> </b>	<del>                                     </del>	<del>                                     </del>
<u></u>	Channel System per month		L	UNC1X	1L5XX	0.2652			<u>                                     </u>					<u> </u>	<u> </u>	
	Each Additional DS1 Interoffice Channel Facility Termination in									<u> </u>						
	same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88			1					

CATEGORY   RATE ELEMENTS   Interi	Exhibit: A	Exi	ment: 2	Attach												NBUNDLED NETWORK ELEMENTS - Louisiana
Rec	mental Incremer arge - Charge ual Svc Manual S er vs. Order v tronic- Electron	Incrementa Charge -	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Submitted Manually	Submitted Elec			RATES (\$)			USOC	BCS	Zone		
Sext Additional BSE COCII corrobination per month   UNCIX   UCID   11.76   5.91   4.26   5.91   4.26   5.91   4.26   5.91   5.91   4.26   5.			Rates (\$)	oss			Disconnect	Nonrecurring	urring	Nonrec	Dee			$\Box$		
Notinecuring Currently Combined Network Elements Switch -As- Is Charge   UNC1X	MAN SOMA	SOMAN	SOMAN	SOMAN	SOMAN	SOMEC	Add'l	First	Add'l	First	Rec					
St.Charges									4.26	5.91	11.78	UC1D1	UNC1X	I		
EXTENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DST INTEROPFICE TRANSPORT W 3/1 MUX			1											ı I		
First 4-Wire Analog Voice Grade Local Loop in Combination -   1 UNCVX		<b>├</b>	ļ'						5.43	5.43				CE TO	EDOEE	
Zone 1		<del></del>	<del> </del>					-				UX.	ANSPORT W/ 3/1 MI	CE TRA	EKUFFI	
First 4-Wire Analog Voice Grade Local Loop in Combination - 2			1						45.09	94.21	30.81	UEAL4	UNCVX	1 1 1		
Zone 2			1							¥	22.01					
Zone 3									45.09	94.21	38.32	UEAL4	UNCVX	2 l		
First Interoffice Transport - Dedicated - DS1 - Combination - Per   UNC1X														1		·
Mile Per Month		<b>└</b>	ļ'						45.09	94.21	60.39	UEAL4	UNCVX	3 (	$\vdash$	
First Interoffice Transport - Dedicated - DS1 - Facility   UNC1X		1									0.2652	11 5YY	LINC1Y	ı lı		
Termination Per Month	-+	<u> </u>	<del>                                     </del>			<b>-</b>		<del>                                     </del>			0.2002	ILUM	511017	<del></del>	$\vdash$	
Per each 1/0 Channel System in combination Per Month		1							103.88	143.58	70.47	U1TF1	UNC1X	ı b	1 1	
3/1 Channel System in combination per month									12.96	59.97	105.09	MQ1	UNC1X	l		Per each 1/0 Channel System in combination Per Month
Per each DS1 COCI in combination per month   UNC1X   UC1D1   11.78   5.91   4.26															$\Box$	
Additional 4-Wire Analog Voice Grade Loop in same DS1   INCVX		<b>└</b>	ļ'												$\vdash$	
Interoffice Transport Combination - Zone 1		<del></del>	<b> </b>						4.26	5.91	11.78	UCTD1	UNC1X		$\vdash \vdash \vdash$	
Additional 4-Wire Analog Voice Grade Loop in same DS1			1						45 09	94 21	30.81	UFAL4	UNCVX	1 1 1		
Interoffice Transport Combination - Zone 2			<del>                                     </del>					†	10.00	0 1121	00.01	UZZZZZ	0.1017.	<del>-  </del>		
Interoffice Transport Combination - Zone 3   3 UNCVX UEAL4   60.39   94.21   45.09									45.09	94.21	38.32	UEAL4	UNCVX	2 1		
Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month  Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month  UNC1X  U1TF1  70.47  143.58  103.88  103.88  103.88  Additional Voice Grade COCI - in combination - per month  Nonrecurring Currently Combined Network Elements Switch - Aslis Charge  UNC1X  UNCX  UNCCC  EXTENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX  First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 1  First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 2  First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 3  First Interoffice Transport - Dedicated - DS1 - combination - Per Mile Per Month  First Interoffice Transport - Dedicated - DS1 - combination - Per Mile Per Month  UNC1X  UNC1X  U1TF1  70.47  143.58  103.88  103.88  103.88  103.88  103.88  103.88  103.88																
Channel System per month			<u> </u>						45.09	94.21	60.39	UEAL4	UNCVX	3 (	igsquare	
Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month  Additional Voice Grade COCI - in combination - per month  UNCVX 1D1VG 0.6497 5.91 4.26  Nonrecurring Currently Combined Network Elements Switch -As- Is Charge  EXTENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX  First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 1  First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 2  First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 3  First Heroffice Transport - Dedicated - DS1 combination - Per Mile Per Month  First Interoffice Transport - Dedicated - DS1 - combination  UNC1X U1F1 70.47 143.58 103.88  UNC1X U1F1 70.47 143.58 103.88											0.0050	41.577	LINGAY	ı l		
Same 3/1 Channel System per month		<del></del>	<del>                                     </del>								0.2652	ILSAA	UNCIA	-+	$\vdash$	
Additional Voice Grade COCI - in combination - per month  Nonrecurring Currently Combined Network Elements Switch -As- Is Charge  EXTENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX  First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 1  First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 2  UNCDX  UDL56  30.99  94.21  45.09  First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 2  UNCDX  UDL56  36.78  94.21  45.09  First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 3  UNCDX  UDL56  38.92  94.21  45.09  First Interoffice Transport - Dedicated - DS1 combination - Mile Per Month  UNC1X  UNC1X  UNC1X  UDL56  1 UNCDX  UDL56  UNCDX  UDL56  UDL56  UDL56  UDL56  UDL56  UDL56  UDL56  UDL56									103.88	143.58	70.47	U1TF1	UNC1X	ı b		
Is Charge			1													
EXTENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX														i T		
First 4-Wire 56Kbps Digital Grade Local Loop in Combination -   1 UNCDX UDL56   30.99   94.21   45.09			<u> </u>						5.43	5.43						
Zone 1		<b>├</b>	-									1 MUX	TRANSPORT w/ 3/1	FFICE 1	INTERO	
First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 2 UNCDX UDL56 36.78 94.21 45.09  First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 3 UNCDX UDL56 38.92 94.21 45.09  First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month First Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month UNC1X UTF1 70.47 143.58 103.88			1						45.09	94 21	30.99	LIDL56	LINCDX	1 1 1		
Zone 2   2 UNCDX   UDL56   36.78   94.21   45.09			<del>                                     </del>						40.00	04.21	00.00	ODLOG	ONODA	<del>( '  </del>	$\vdash$	
Zone 3   3 UNCDX   UDL56   38.92   94.21   45.09			1						45.09	94.21	36.78	UDL56	UNCDX	2 I		
First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month  First Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month  UNC1X  U1TF1  70.47  143.58  103.88									<del>-</del>				1	$_{i}$ $\neg$		
Mile Per Month	$\longrightarrow$		<b></b> '						45.09	94.21	38.92	UDL56	UNCDX	3 (	igwdot	
First Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month UNC1X U1TF1 70.47 143.58 103.88		1									0.2652	11.577	LINC1V	ı li		
Facility Termination Per Month   UNC1X   U1TF1   70.47   143.58   103.88		$\vdash$	<del>                                     </del>					<del>                                     </del>			0.2052	ILOAA	UNCIA		$\vdash \vdash$	
									103.88	143.58	70.47	U1TF1	UNC1X	ı b		
									12.96	59.97	105.09	MQ1	UNC1X			Per each 1/0 Channel System in combination Per Month
Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)   UNCDX   1D1DD   1.38   5.91   4.26																
3/1 Channel System in combination per month UNC3X MQ3 201.48 107.05 91.25		<u> </u>	<b>.</b>												igwdown	
Per each DS1 COCI in combination per month UNC1X UC1D1 11.78 5.91 4.26  Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		<del></del>	<b> </b>						4.26	5.91	11.78	UC1D1	UNC1X		$\vdash \vdash \vdash$	
Interdiffice Transport Combination - Zone 1 1 UNCDX UDL56 30.99 94.21 45.09			1						45 09	94 21	30.99	UDI 56	UNCDX	1 1 1		
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			<b>†</b>						40.00	J-1.21	55.55	32230		<del>-  </del>	$\overline{}$	
Interoffice Transport Combination - Zone 2   2   UNCDX   UDL56   36.78   94.21   45.09		<u> </u>	<u> </u>						45.09	94.21	36.78	UDL56	UNCDX	2 l	'	Interoffice Transport Combination - Zone 2
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1									<del>-</del>				1	$_{i}$ $\neg \neg$		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1
Interoffice Transport Combination - Zone 3   3   UNCDX   UDL56   38.92   94.21   45.09		<b>├</b>	<b></b> '						45.09	94.21	38.92	UDL56	UNCDX	3 (	igwdot	
OCU-DP COCI (data) COCI in combination per month (2.4-   64kbs)		1							4.00	E 04	4 20	10100	LINCDY	ı li	1 1	
Each Additional DS1 Interoffice Channel per mile in same 3/1	$\overline{}$	<del></del>	<del>                                     </del>					<del>                                     </del>	4.20	5.81	1.38	טטוטו	UNUDA	<del></del>	$\vdash \vdash$	,
Channel System per month UNC1X 1L5XX 0.2652		1									0.2652	1L5XX	UNC1X	ı b	1 1	
Each Additional DS1 Interoffice Channel Facility Termination in													İ			Each Additional DS1 Interoffice Channel Facility Termination in
	1	1							103.88	143.58	70.47	U1TF1	UNC1X	الـــــــــــــــــــــــــــــــــــــ	لــــــا	same 3/1 Channel System per month

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	oit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)		St		Submitted	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring Disco					Rates (\$)		
	Each Additional DS1 COCI in the same 3/1 channel system						First	Add'l	First Ac	dd'l S	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.43	5.43								
EXIE	First 4-Wire 64 KBPS DIGITAL LOOP WITH DEDICATED DS1  First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	PFFICE	TRANSPORT W/ 3/1	MUX											
	Transport Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09								
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		_													
-	Transport Combination - Zone 2  First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		2	UNCDX	UDL64	36.78	94.21	45.09								
	Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09								
	First Interoffice Transport - Dedicated - DS1 combination - Per															
$\vdash$	Mile Per Month  First Interoffice Transport - Dedicated - DS1 combination -	-	<u> </u>	UNC1X	1L5XX	0.2652										
	Facility Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88								
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	105.09	59.97	12.96								
	Per each OCU-DP COCI (data) in combination - per month (2.4-64kbs)			LINODY	40400	4.00	5.04	4.00								
	3/1 Channel System in combination per month			UNCDX UNC3X	1D1DD MQ3	1.38 201.48	5.91 107.05	4.26 91.25								
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		1	UNCDX	UDL64	30.99	94.21	45.09		-						
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3  Additional OCU-DP COCI (data) - DS1 to DS0 Channel System		3	UNCDX	UDL64	38.92	94.21	45.09								
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month  Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	1L5XX	0.2652										
	same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88								
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.43	5.43								
EXTE	ENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09								
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		-	UNCINA	UILZA	22.09	94.21	45.09								
	Transport - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09								1
1 1	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		3	UNCNX	U1L2X	05.40	94.21	45.09								
-	Transport - Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per		3	UNCIX	UTLZX	65.18	94.21	45.09								
	Mile per month			UNC1X	1L5XX	0.2652										1
	First Interoffice Transport - Dedicated - DS1 combination -															
<del> </del>	Facility Termination per month  Per each Channel System 1/0 in combination - per month			UNC1X UNC1X	U1TF1 MQ1	70.47 105.09	143.58 59.97	103.88 12.96								
	2. 2.2.2.1 Griding Gyotom 1/3 in combination per month									<del>  </del> -						
$\vdash$	Per each 2-wire ISDN COCI (BRITE) in combination - per month		<u> </u>	UNCNX	UC1CA	2.96	5.91	4.26								
$\vdash$	3/1 Channel System in combination per month Per each DS1 COCI in combination per month		<del>                                     </del>	UNC3X UNC1X	MQ3 UC1D1	201.48 11.78	107.05 5.91	91.25 4.26		+						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport									<del>  </del> -						
	Combination - Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport					33.20		70.03		<del>  </del> -						
	Combination - Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09								

NRONDLE	D NETWORK ELEMENTS - Louisiana			T							- ·			ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring D					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel			LINIONIN	110404	0.00	5.04	4.00								ĺ
	system combination- per month  Each Additional DS1 Interoffice Channel per mile in same 3/1			UNCNX	UC1CA	2.96	5.91	4.26	-							<del></del>
	Channel System per month			UNC1X	1L5XX	0.2652										ĺ
	Each Additional DS1 Interoffice Channel Facility Termination in			0.10.77	120701	0.2002			1							
	same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88								İ
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-						- 40	=								ĺ
EVTE	Is Charge NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TDANG	PODT	UNC1X	UNCCC		5.43	5.43	<b>-</b>							<del></del>
EAIE	First 4-wire DS1 Digital Loop in Combination - Zone 1	INAN		UNC1X	USLXX	85.70	169.22	100.89	+							<del></del>
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89								
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3	1		UNC1X	USLXX	491.94	169.22	100.89								
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month		ļ	UNC1X	1L5XX	0.2652										
	First Interoffice Transport - Dedicated - DS1 combination -			LINIOAV		70.47	4.40.50	100.00								ĺ
	Facility Termination Per Month  3/1 Channel System in combination per month			UNC1X UNC3X	U1TF1 MQ3	70.47 201.48	143.58 107.05	103.88 91.25	<del>                                     </del>							<del>                                     </del>
_	Per each DS1 COCI combination per month		<u> </u>	UNC1X	UC1D1	11.78	5.91	4.26	+							<del></del>
	Each Additional DS1 Interoffice Channel per mile in same 3/1			ONOTA	OCIDI	11.70	5.51	4.20								
	Channel System per month			UNC1X	1L5XX	0.2652										ĺ
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88								
	Each Additional DS1 COCI in the same 3/1 channel system															İ
	combination per month		1	UNC1X	UC1D1	11.78	5.91	4.26	<b>-</b>							<del></del>
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		1	UNC1X	USLXX	85.70	169.22	100.89								ĺ
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		-	ONOTA	OOLXX	05.70	103.22	100.03	+							<del>                                     </del>
	2		2	UNC1X	USLXX	194.96	169.22	100.89								ĺ
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	3		3	UNC1X	USLXX	491.94	169.22	100.89								
	Nonrecurring Currently Combined Network Elements Switch -As-			LINIOAV	111000		5 40	5.40								ĺ
EVTE	Is Charge NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FEIGE	UNC1X	UNCCC		5.43	5.43	<del>                                     </del>							<del>                                     </del>
EXIE	First 4-wire 56 kbps Local Loop in combination - Zone 1	NIEKO	1 1	UNCDX	UDL56	30.99	94.21	45.09	<del>                                     </del>							<del>                                     </del>
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09	1							
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09								
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile															
	per month			UNCDX	1L5XX	0.013										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility			UNCDX	U1TD5	45.04	72.60	41.75								ĺ
	Termination per month  Nonrecurring Currently Combined Network Elements Switch -As-		<u> </u>	UNCDX	01105	15.61	72.60	41.75	+							<del></del>
	Is Charge			UNCDX	UNCCC		5.43	5.43								İ
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE						†							
	First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09								
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09								
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09	<b>.</b>							<del>                                     </del>
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.013										1
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility		<del>                                     </del>	UNODA	ILUAA	0.013			+							<del>                                     </del>
1	Termination per month			UNCDX	U1TD6	15.61	72.60	41.75								1
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCDX	UNCCC		5.43	5.43								
	NETWORK ELEMENTS	L	<u> </u>	L												<b>↓</b>
	used as a part of a currently combined facility, the non-recurrused as ordinarily combined network elements in All States, ti										-			-	<del> </del>	<del></del>
	used as ordinarily combined network elements in All States, to curring Currently Combined Network Elements "Switch As Is"					As is charge of	ioes not.		+ +					1	<del> </del>	<del>                                     </del>
INOTIFE	curring Garrentry Combined Network Elements Switch AS IS	onarge	(Office 2	ipplies to each co	invillation)						L	i		i	i	Щ

UNBUNDLE	D NETWORK ELEMENTS - Louisiana													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonre	curring		g Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-															ĺ
	Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.43	5.43								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 56/64 kbps			UNCDX	UNCCC		5.43	5.43								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS1			UNC1X	UNCCC		5.43	5.43								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS3			UNC3X	UNCCC		5.43	5.43								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - STS1			UNCSX	UNCCC		5.43	5.43								ĺ
Ontio	nal Features & Functions:		-	UNCSX	UNCCC		5.43	5.43	-		1					<del></del>
Орио	nai i catares & Fulletions.		<b>†</b>	U1TD1,	1		<del> </del>		<del>                                     </del>	<del> </del>	<u> </u>				<b> </b>	<del></del>
	Clear Channel Capability Extended Frame Option - per DS1	- 1		ULDD1,UNC1X U1TD1,	CCOEF		OI	OI	OI	OI						1
	Clear Channel Capability Super FrameOption - per DS1	1		ULDD1,UNC1X	CCOSF		OI	OI	OI	OI						1
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	ı		ULDD1, U1TD1, UNC1X, USL	NRCCC		184.65S	23.79S	1.97S	0.77S						
				U1TD3, ULDD3,				= 000	=							
NALII T	C-bit Parity Option - Subsequent Activity - per DS3	- 1		UE3, UNC3X	NRCC3		218.78S	7.66S	.7263S	0S						<del>                                     </del>
MULI	DS1 to DS0 Channel System per month		-	UNC1X	MQ1	105.09	59.97	12.96								<del></del>
<del> </del>	OCU-DP COCI (data) - DS1 to DS0 Channel System - per		1	ONOTA	IVIQI	100.00	39.91	12.30								<del>                                     </del>
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.38	6.39	4.58								ĺ
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per										1					
	month (2.4-64kbs) used for connection to a channelized DS1															ĺ
	Local Channel in the same SWC as collocation		<u> </u>	U1TUD	1D1DD	1.38	6.39	4.58								L
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per							. =0								İ
	month for a Local Loop  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			UDN	UC1CA	2.96	6.39	4.58								<b>——</b>
	month used for connection to a channelized DS1 Local Channel															ĺ
	in the same SWC as collocation			U1TUB	UC1CA	2.96	6.39	4.58								l
	Voice Grade COCI - DS1 to DS0 Channel System - per month			01100	0010/1	2.00	0.00	4.00								
	used for a Local Loop			UEA	1D1VG	0.6497	6.39	4.58								l
	Voice Grade COCI - DS1 to DS0 Channel System - per month															
	used for connection to a channelized DS1 Local Channel in the															l
	same SWC as collocation		<u> </u>	U1TUC	1D1VG	0.6497	6.39	4.58								
	DS3 to DS1 Channel System per month			UNC3X	MQ3	201.48	107.05	91.25								
	STS-1 to DS1 Channel System per month DS1 COCI used with Loop per month			UNCSX	MQ3 UC1D1	201.48 11.78	107.05 6.39	91.25 4.58								-
	DS1 COCI used with Loop per month  DS1 COCI (used for connection to a channelized DS1 Local			USL	UCIDI	11.78	6.39	4.58	-							-
	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	11.78	6.39	4.58								l
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	11.78	6.39	4.58								
	DS3 Interface Unit (DS1 COCI) used with Local Channel per		1				0.00									
	month			ULDD1	UC1D1	11.78	6.39	4.58								ĺ
	LOCAL EXCHANGE SWITCHING(PORTS)															
	inge Ports															
	: Although the Port Rate includes all available features in GA, I	KY, LA	& TN, t	he desired features	will need to b	e ordered usin	ng retail USOC	s								
2-WIR	E VOICE GRADE LINE PORT RATES (RES)			LIEDOD	LIEDDI	4.50	0.04	0.04								<b>——</b>
	Exchange Ports - 2-Wire Analog Line Port- Res.		<u> </u>	UEPSR	UEPRL	1.52	2.31	2.21	<b>-</b>		<del>                                     </del>				-	<del></del>
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.52	2.31	2.21								<u> </u>
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.52	2.31	2.21								<b></b>
1	Exchange Ports - 2-Wire VG unbundled LA extended local dialing parity Port with Caller ID - Res.			UEPSR	UEPAS	1.52	2.31	2.21	1							1
	dialing parity Port with Caller ID - Res.  Exchange Ports - 2-Wire VG unbundled Louisiana Area Plus with Caller ID - Res (RUL)			UEPSR	UEPAG	1.52	2.31	2.21								
	Exchange Ports - 2-Wire VG unbundled res, low usage line port		<del>                                     </del>	UEPOR		1.52	2.31	2.21			1					<b>—</b>
	with Caller ID (LUM)			UEPSR	UEPAP	1.52	2.31	2.21								1

ONRONDL	ED NETWORK ELEMENTS - Louisiana													ment: 2	1	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
							N		T 81	. D'					Disc 1st	DISC Add I
						Rec	Nonrec		Nonrecurring		COMEC	COMAN		Rates (\$)	COMAN	LOMAN
	Exchange Ports - 2-Wire VG Louisiana Residence Dialing Plan						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	without Caller ID			UEPSR	UEPWG	1.52	2.31	2.21								
	Exchange Ports - 2-Wire VG Louisiana Residence Area Plus without Caller ID			UEPSR	UEPRQ	1.52	2.31	2.21								
	2-Wire voice unbundled Low Usage Line Port without Caller ID															
	Capability			UEPSR	UEPRT	1.52	2.31	2.21								
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								<b>_</b>
FEA	TURES			LIEDOD		2.22										
0.14/1	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00			1					-
2-9911	RE VOICE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire Analog Line Port without Caller ID -										<b> </b>					+
	Bus  Exchange Ports - 2-Wire VG unbundled Line Port with			UEPSB	UEPBL	1.52	2.31	2.21								
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.52	2.31	2.21								
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.52	2.31	2.21								
	Exchange Ports - 2-Wire VG unbundled LA extended local dialing parity Port with Caller ID - Bus.			UEPSB	UEPAX	1.52	2.31	2.21								
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1.52	2.31	2.21								
	Exchange Ports - 2-Wire VG unbundled Louisiana Bus Area Calling Port with Caller ID - Bus (BUC)			UEPSB	UEPAA	1.52	2.31	2.21								
	Exchange Ports - 2-Wire Voice Louisiana Business Dialing Plan without Caller ID			UEPSB	UEPWH	1.52	2.31	2.21								
	Exchange Ports - 2-Wire Voice Louisiana Business Area Calling Port without Caller ID			UEPSB	UEPBA	1.52	2.31	2.21								
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPSB	UEPBE	1.52	2.31	2.21								
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								1
FEAT	TURES															
	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00								
EXC	HANGE PORT RATES (DID & PBX)				LIEBBB	4.50					ļ					
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.52	30.37	14.42			ļ					
-	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		ļ	UEPSP UEPSP	UEPPC UEPPO	1.52 1.52	30.37	14.42 14.42			1				1	+
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		-	UEPSP	UEPPO UEPP1	1.52	30.37 30.37	14.42			<b>-</b>				-	+
+	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.52	30.37	14.42			<u> </u>			1		+
<del></del>	2-Wire Voice Unbundled 2-Way PBX Louisiana Calling Port		1	UEPSP	UEPL2	1.52	30.37	14.42			1					+
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.52	30.37	14.42			i e					1
	2-Wire Vice Unbundled 2-Way PBX Usage Port		1	UEPSP	UEPXA	1.52	30.37	14.42			İ					1
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.52	30.37	14.42								
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		1	UEPSP	UEPXC	1.52	30.37	14.42								1
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.52	30.37	14.42								
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.52	30.37	14.42								
	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional Callling Port			UEPSP	UEPXK	1.52	30.37	14.42								
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.52	30.37	14.42								
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.52	30.37	14.42								
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1.52	30.37	14.42								
	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local Discount Calling Port			UEPSP	UEPXP	1.52	30.37	14.42								
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	l	1	UEPSP	UEPXS	1.52	30.37	14.42							<b>-</b>	<del>                                     </del>
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00								<del>                                     </del>
FEAT	TURES			İ										ĺ		1
	All Available Vertical Features		1	UEPSP UEPSE	UEPVF	0.00	0.00	0.00	1		i .			İ		1

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	oit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											-		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						ļ										
						Rec	Nonrec			g Disconnect				Rates (\$)		
=>/-	11110 1 10111 1 1 1 1 1 1 1 1 1 1 1 1 1						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
EXC	IANGE PORT RATES (COIN)					4.50	0.04	0.04			1					
NOTE	Exchange Ports - Coin Port Transmission/usage charges associated with POTS circuit sv	.:4 - 11		!!! alaa auul4a a:		1.52	2.31	2.21	issian bu D C	 		ina ICDN a				
	:: Transmission/usage charges associated with POTS circuit st :: Access to B Channel or D Channel Packet capabilities will be													Doguest Bro	2000	
	LOCAL EXCHANGE SWITCHING(PORTS)	avalla	Jie Offis	Illiough Brk/New	L L L L L L L L L L L L L L L L L L L	quest Frocess.	Rates for the	раскет сараы	lities will be d	letermined via	TIE BOTTA FIG	le Request	livew busines:	i Request Pro	cess.	
	IANGE PORT RATES				-						1	1				
	OS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	ON Port	in this	rate exhibit annly to	the embed	ded hase in nla	re as of 10/2/0	3 until 4/1/04	Δfter 4/1/04 th	ese rates shall	revert to ta	riff rates or	a senarate an	reement		
	ests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports											IIII TULCO OI	a separate ag	l comone.		
, toqu	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.29		18.20	1		1	1				
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID					0.20					İ					
	capability (E:4/1/2004)			UEPDD	UEPDD	68.47	196.18	92.92								
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	10.07	70.76	51.46								
	All Features Offered			UEPTX, UEPSX	UEPVF	0.00	0.00	0.00			İ			1		
	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00			İ			1		
	: Transmission/usage charges associated with POTS circuit sv															
	: Access to B Channel or D Channel Packet capabilities will be	availak	ole only	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be d	etermined via t	he Bona Fi	de Request/	New Busines:	s Request Pro	cess.	
EXC	IANGE PORT RATES (continued)															
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911															
	Locator Capability (E:4/1/2004)			UEPEX	UEPEX	94.82	197.92	98.62								
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	94.82	197.92	98.62								
	Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.04	21.39	15.47								
	Virtual collocation - Special Access & UNE, cross-connect per															
<b>—</b>	DS1			UEPEX UEPDX	CNC1X	1.04	21.39	15.47								
Detai	led E911 with Locator Capability (required with UEPEX port)															
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability - Initial Profile Establishment per CLEC per State			UEPEX	UEP1A	0.00	1,792.00									
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911			UEPEA	UEFIA	0.00	1,792.00				1	1				
	Locator Capability - Subsequent Profile Changes, Additions,															
	Deletions			UEPEX	UEP1B	0.00	174.03									
New	or Additional PRI Telephone Numbers			OLI LX	OLI ID	0.00	174.03					<b>†</b>				
1.0.1	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911										İ					
	Locator Capability 2-way Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1C	0.0692	0.48									
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability - Outdial Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1D	0.0692	11.18	11.18								
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															
	Telephone Numbers - Inward Data Only Option [New or															
$\vdash$	Additional]		ļ	UEPDX	UEP1E	0.00	0.48		ļ		ļ			ļ		
1 1	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]			LIEDEY	DD777											
1.00	Inward Tel Numbers [Customer Testing Purposes]		<b>-</b>	UEPEX	PR7ZT	0.00	22.35	22.35	<del> </del>	1	<b> </b>		<b> </b>	<del>                                     </del>		
LUCA	AL NUMBER PORTABILITY  Local Number Portability (1 per port)		$\vdash$	UEPEX UEPDX	LNPCN	1.75			-	1	<del> </del>	1	-	<b> </b>		
INTE	RFACE (Provsioning Only)		$\vdash$	OLPEA UEPDA	LINECIN	1./5				1	<del>                                     </del>	-			-	
INTE	Voice/Data		<del>                                     </del>	UEPEX	PR71V	0.00	0.00	0.00	1		}		<b> </b>	<del> </del>		
<del>                                     </del>	Digital Data			UEPEX	PR71D	0.00	0.00	0.00		1	<del>                                     </del>	<b>-</b>		<b> </b>		
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00								
New	or Additional Channel					0.00	0.00	0.00		1	1	<del>                                     </del>				
	New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	14.11		İ		<b>†</b>		İ	İ		
	New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0.00	14.11		İ		1		l	İ		
	New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	14.11				İ			1		
	New or Additional Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00	14.11									
	New or Additional Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00	14.11									
	New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	14.11									
CALL	TYPES															
	Inward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00								
	Outward			UEPEX	PR7CO	0.00	0.00	0.00		1	<u> </u>			ļ		
	Two-way			UEPEX	PR7CC	0.00	0.00	0.00				1				

													Attach	ment: 2	Exhi	bit: A
CATEGOR	RY RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Dee	Nonrec	curring	Nonrecurring	Disconnect		•	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UN	NBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY	ŕ														
UN	NBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE				Ī								Î			
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.52	2.31	2.21								
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.52	2.31	2.21								
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.52	2.31	2.21								
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.52	2.31	2.21								
No	on-Recurring															
	Unbundled Remote Call Forwarding Service - Conversion -															
	Switch-as-is			UEPVR	USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service - Conversion with															
	allowed change (PIC and LPIC)			UEPVR	USACC		0.10	0.10						<u> </u>	<u> </u>	<u> </u>
UN	NBUNDLED REMOTE CALL FORWARDING - Bus															
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.52	2.31	2.21						<u> </u>	<u> </u>	<u> </u>
	Unbundled Remote Call Forwarding Service, Local Calling - Bus	<u> </u>	<u> </u>	UEPVB	UERLC	1.52	2.31	2.21							<u> </u>	<u> </u>
	Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.52	2.31	2.21								
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.52	2.31	2.21								
	Unbundled Remote Call Forwarding Service Expanded and															
	Exception Local Calling			UEPVB	UERVJ	1.52	2.31	2.21								
No	on-Recurring															
	Unbundled Remote Call Forwarding Service - Conversion -				Ī								Î			
	Switch-as-is			UEPVB	USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service - Conversion with															
	allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								
UNBUNDL'	LED LOCAL SWITCHING, PORT USAGE															
	nd Office Switching (Port Usage)															
	End Office Switching Function, Per MOU					0.001868										
	End Office Trunk Port - Shared, Per MOU					0.00018										
Tar	andem Switching (Port Usage) (Local or Access Tandem)				Ī								Î			
	Tandem Switching Function Per MOU				Ī	0.0001067							Î			
	Tandem Trunk Port - Shared, Per MOU				Ī	0.000222							Î			
	Tandem Switching Function Per MOU (Melded)					0.000035296										
	Tandem Trunk Port - Shared, Per MOU (Melded)					0.000073438										
	Melded Factor: 33.08% of the Tandem Rate				1											İ
Co	ommon Transport															
	Common Transport - Per Mile, Per MOU					0.0000032										
	Common Transport - Facilities Termination Per MOU				1	0.0003748										
	LED PORT/LOOP COMBINATIONS - COST BASED RATES															
	ost Based Rates are applied where BellSouth is required by FCC ar	nd/or St	ate Cor	mmission rule to pr	ovide Unbun	dled Local Swi	tching or Swite	ch Ports.								İ
	eatures shall apply to the Unbundled Port/Loop Combination - Cos								ed Port section	of this Rate E	xhibit.					
	nd Office and Tandem Switching Usage and Common Transport Us											n Port/Loop	Combination	ns.		
	he first and additional Port nonrecurring charges apply to Not Curr															1
	WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															1
	NE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1		1	13.13			1				ĺ			1
	2-Wire VG Loop/Port Combo - Zone 2		2		1	23.75										İ
	2-Wire VG Loop/Port Combo - Zone 3		3		1	49.62							ĺ			1
UN	NE Loop Rates				1								ĺ			1
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	11.77							ĺ			1
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPRX	UEPLX	22.39						İ				l
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPRX	UEPLX	48.26							ĺ			1
2-V	Wire Voice Grade Line Port Rates (Res)	1			İ				1			1	İ	İ		İ
<del></del>	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.36	38.85	19.08			1	İ	İ	1		
1 1		<del>                                     </del>	1	UEPRX	UEPRC	1.36	38.85	19.08	1				i	1		i
$\vdash$	12-Wire voice unbundled port with Caller ID - res															
	2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res							19.08								
	2-Wire voice unbundled port with Caller ID - res     2-Wire voice unbundled port outgoing only - res     2-Wire voice Grade unbundled Louisiana extended local dialing			UEPRX	UEPRO	1.36	38.85	19.08								

ONBONDL	ED NETWORK ELEMENTS - Louisiana		1	1									Attach			ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring Di					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL)			UEPRX	UEPAG	1.36	38.85	19.08								
	2-Wire voice unbundles res, low usage line port with Caller ID		1	UEPRX	UEPAG	1.30	38.85	19.08							-	+
	(LUM)			UEPRX	UEPAP	1.36	38.85	19.08								
	2-Wire Voice Unbundled Louisiana Residence Dialing Plan														t	†
	without Caller ID			UEPRX	UEPWG	1.36	38.85	19.08								
	2-Wire voice unbundled Louisiana Area Plus Port without Caller															
	ID Capability			UEPRX	UEPRQ	1.36	38.85	19.08								
	2-Wire voice unbundled Low Usage Line Port without Caller ID															
FEAT	Capability URES			UEPRX	UEPRT	1.36	38.85	19.08							-	+
FEAT	All Features Offered		<del>                                     </del>	UEPRX	UEPVF	0.00	0.00	0.00	<del>                                     </del>						<del>                                     </del>	+
LOCA	L NUMBER PORTABILITY			021100	OLI VI	0.00	0.00	0.00							<b>†</b>	<del>                                     </del>
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35									t	<b>†</b>
NONR	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPRX	USAC2		0.10	0.10								<b>↓</b>
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
ADDI	Switch with change TIONAL NRCs			UEPRX	USACC		0.10	0.10							1	+
ADDI	2-Wire Voice Grade Loop/Line Port Combination - Subsequent														-	+
	Activity			UEPRX	USAS2	0.00	0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			CELLOC	00/102	0.00	0.00	0.00								<u> </u>
	Premise			UEPRX	URETL		8.33	0.83								
OFF/0	ON PREMISES EXTENSION CHANNELS															
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	12.90	36.54	16.87								
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	23.33	36.54	16.87								4
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	48.43 14.93	36.54	16.87								
	2 Wire Analog Voice Grade Extension Loop – Design  2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX UEPRX	UEAED UEAED	25.35	102.10 102.10	65.72 65.72							-	+
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	50.46	102.10	65.72							-	+
INTER	ROFFICE TRANSPORT		ľ	OLITOR	OLALD	00.40	102.10	00.72								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															1
	Termination			UEPRX	U1TV2	22.60	39.36	26.62								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPRX	U1TVM	0.013	0.00	0.00								<u> </u>
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)														1	+
UNE	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1		1			13.13									-	+
	2-Wire VG Loop/Port Combo - Zone 2		2		+	23.75										+
	2-Wire VG Loop/Port Combo - Zone 3		3			49.62									t	†
UNE L	Loop Rates															1
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11.77										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPBX	UEPLX	22.39										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	48.26										
2-Wire	e Voice Grade Line Port (Bus)  2-Wire voice unbundled port without Caller ID - bus		-	UEPBX	UEPBL	1.36	38.85	19.08							-	+
-	2-Wire voice unbundled port with Caller ID - bus  2-Wire voice unbundled port with Caller + E484 ID - bus		<del>                                     </del>	UEPBX	UEPBC	1.36	38.85	19.08							<del> </del>	<del>                                     </del>
	2-Wire voice unbundled port with Caller + L464 ib - bus  2-Wire voice unbundled port outgoing only - bus		<b>†</b>	UEPBX	UEPBO	1.36	38.85	19.08							<del>                                     </del>	+
	2-Wire voice Grade unbundled Louisiana extended local dialing			İ			22.20								1	<u> </u>
	parity port with Caller ID - bus		<u> </u>	UEPBX	UEPAX	1.36	38.85	19.08								
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.36	38.85	19.08								
	2-Wire voice unbundled Louisiana Bus Area Calling Port with			l	1											
	Caller ID (BUC)		<b>_</b>	UEPBX	UEPAA	1.36	38.85	19.08	<b> </b>							
	2-Wire Voice Unbundled Louisiana Business Dialing Plan without Caller ID			UEPBX	UEPWH	1.36	38.85	19.08								
	2-Wire voice unbundled Louisiana Business Area Calling Port		<del>                                     </del>	UEPBA	UEPWH	1.36	38.85	19.08	<del>                                     </del>						-	+
I																

UNBUN	IDLF	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: A
CITEGO		THE THORK ELLINEITIO LOGICIANA										Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						+		Nonrec	urring	Nonrecurring	Disconnect	<b>†</b>	1	oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice unbundled Incoming Only Port without Caller ID							71441		71441	0020	00				00
		Capability			UEPBX	UEPBE	1.36	38.85	19.08								1
	OCAL	NUMBER PORTABILITY			02. 5%	02. 02	1.00	00.00	10.00								
-		Local Number Portability (1 per port)		<del>                                     </del>	UEPBX	LNPCX	0.35					1					
F	EATU				02. 5/	Litti Oxt	0.00					<b>†</b>	<b>†</b>				
<del></del>	LAIO	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00			<b>†</b>	<b>†</b>				
	IONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLI DX	OLI VI	0.00	0.00	0.00			<b>†</b>	<b>†</b>				
<del></del>		2-Wire Voice Grade Loop / Line Port Combination - Conversion -				+						<b>†</b>	<b>†</b>				(
		Switch-as-is			UEPBX	USAC2		0.10	0.10								ł
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLI DX	CONOL		0.10	0.10			<b>†</b>					
		Switch with change		1	UEPBX	USACC		0.10	0.10					1	1		1
<u> </u>	ידוחמג	ONAL NRCs		1	OLI DA	55,150		0.10	0.10			<b>†</b>	<del>                                     </del>	<b> </b>			(
<del>  '</del>	וווטע.	2-Wire Voice Grade Loop/Line Port Combination - Subsequent		1		+						<b>†</b>	<del>                                     </del>	<b> </b>			(
		Activity			UEPBX	USAS2		0.00	0.00								l .
<del></del>		Unbundled Miscellaneous Rate Element, Tag Loop at End User			OLI DX	OOAOZ		0.00	0.00								
		Premise		1	UEPBX	URETL		8.33	0.83			1					1
<u> </u>	SEE/OI	N PREMISES EXTENSION CHANNELS	-	-	UEPDA	UKEIL		0.33	0.03			ł	<b>-</b>				
	JFF/OI		-	1	UEPBX	UEAEN	12.90	36.54	16.87			ł	<b>-</b>				
-		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	23.33	36.54	16.87			-	-				
-		Wire Analog Voice Grade Extension Loop – Non-Design     Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	48.43	36.54	16.87			-	-				
-				1		UEAEN	14.93					-	-				
-		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX UEPBX	UEAED		102.10 102.10	65.72			-	-				
-		2 Wire Analog Voice Grade Extension Loop – Design		-		UEAED	25.35 50.46		65.72 65.72			-	-				
$\vdash$	NTED	2 Wire Analog Voice Grade Extension Loop – Design	-	3	UEPBX	UEAED	50.46	102.10	65.72			-					
	NIER	OFFICE TRANSPORT	-	-								-					
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			UEPBX	11477.00	00.00	00.00	00.00								1
+		Termination		-	UEPBX	U1TV2	22.60	39.36	26.62			-					
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPBX	U1TVM	0.042	0.00	0.00								ł
	WIDE	or Fraction Mile VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	-	-	UEPBX	UTTVIVI	0.013	0.00	0.00			-					
			-	-								-					
	JNE PO	ort/Loop Combination Rates	-	1			10.10					-					
-		2-Wire VG Loop/Port Combo - Zone 1		<del></del>		+	13.13					-					
$\vdash$		2-Wire VG Loop/Port Combo - Zone 2		2		+	23.75 49.62					-					
<b>—</b>	INIE I a	2-Wire VG Loop/Port Combo - Zone 3	-	3			49.62					-					
-	JNE LO		-	1	LIEDDO	LIEDLY	44.77					-					
-		2-Wire Voice Grade Loop (SL 1) - Zone 1			UEPRG	UEPLX	11.77					<b> </b>					
$\vdash$		2-Wire Voice Grade Loop (SL 1) - Zone 2	-	2	UEPRG UEPRG	UEPLX	22.39 48.26			<del>                                     </del>		1	<u> </u>				<del></del>
<del>   </del>	\A/:	2-Wire Voice Grade Loop (SL 1) - Zone 3	-	3	UEPKG	UEPLX	48.26			<del>                                     </del>		1	<u> </u>				<del></del>
<b>⊢</b> −  ²	-vvire	Voice Grade Line Port Rates (RES - PBX)	-	├		+						<b>}</b>	-	-	<del> </del>		<del></del>
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -			LIEDBO	LIEDDO	4.00	00.04	24.00								l .
⊢	0041	Res	-	├	UEPRG	UEPRD	1.36	66.91	31.29			<b>}</b>	-	-	<del> </del>		<del></del>
┝──┞	UCAL	NUMBER PORTABILITY	-	├	LIEDDO	LNDCD	0.1-	2.22	0.00			<b>}</b>	-	-	<del> </del>		
<del></del>	- A	Local Number Portability (1 per port)		-	UEPRG	LNPCP	3.15	0.00	0.00			<b> </b>	-		-		<del></del>
P	EATU		<b>—</b>	<b>!</b>	LIEDDO	LIED\"	0.00	0.00	0.00			<u> </u>	-	<b> </b>	ļ		
<del></del>		All Features Offered		-	UEPRG	UEPVF	0.00	0.00	0.00			1	1				<b>—</b>
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	<b>—</b>	<b>!</b>		+						<u> </u>	-	<b> </b>	ļ		
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDO			7.00	4 ==								1
$\vdash$		Conversion - Switch-As-Is	-	├	UEPRG	USAC2		7.68	1.85			<b>}</b>	-	-	<del> </del>		<del></del>
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1	LIEDDO	LICACO		7.00	4.0=			1					1
<b>├</b> ─┤.		Conversion - Switch with Change	<b>—</b>	<b>!</b>	UEPRG	USACC		7.68	1.85			<u> </u>	-	<b> </b>	ļ		
	ודוטטג	ONAL NRCs	<b>—</b>	<b>!</b>		+						<u> </u>	-	<b> </b>	<b>.</b>		
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDO		0.00	0.00	0.00								1
$\vdash$		Subsequent Activity	<b>—</b>	<b>!</b>	UEPRG	USAS2	0.00	0.00	0.00			<u> </u>	-	<b> </b>	<b>.</b>		
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt						<b>_</b>	<b>-</b>								1
$\vdash$		Group	<b>—</b>	<b>!</b>		+		7.11	7.11			<u> </u>	-	<b> </b>	<b>.</b>		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															1
<b>├</b> ─┤.	NEE /	Premise	<b>—</b>	<b>!</b>	UEPRG	URETL		8.33	0.83			<u> </u>	-	<b> </b>	<b>.</b>		
	JFF/OI	PREMISES EXTENSION CHANNELS		<b>.</b>		D0 !! !! /	44	100:-				ļ	ļ				<b>-</b>
$\vdash$		Local Channel Voice grade, per termination		1	UEPRG	P2JHX	14.93	102.10	65.72			ļ	<b>.</b>		ļ		
		Local Channel Voice grade, per termination		2	UEPRG	P2JHX	25.35	102.10	65.72			l .	l				

UNBUND	LED NETWORK ELEMENTS - Louisiana												ment: 2		ibit: A
CATEGORY	Y RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		1	<u> </u>			_ 1	Nonrec	urring	Nonrecurring Disconnect			OSS	Rates (\$)	I	
						Rec	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	50.46	102.10	65.72							
INT	EROFFICE TRANSPORT														
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRG	U1TV2	22.60	39.36	26.62							
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRG	U1TVM	0.013	0.00	0.00							
2-W	/IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)														
UNI	E Port/Loop Combination Rates														
	2-Wire VG Loop/Port Combo - Zone 1		1			13.13									
	2-Wire VG Loop/Port Combo - Zone 2		2			23.75									
	2-Wire VG Loop/Port Combo - Zone 3		3			49.62									
UNI	E Loop Rates														
	2-Wire Voice Grade Loop (SL 1) - Zone 1	L	1	UEPPX	UEPLX	11.77						1	ļ		<b></b>
	2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEPPX	UEPLX	22.39			<del>                                     </del>	+		ļ			<del>                                     </del>
	2-Wire Voice Grade Loop (SL 1) - Zone 3	ļ	3	UEPPX	UEPLX	48.26									
2-W	/ire Voice Grade Line Port Rates (BUS - PBX)									-					
	Line Cide Unboundled Combinetion C. Way DDV Tayah Dark Door			UEPPX	UEPPC	4.00	00.04	24.20							
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus	ļ		UEPPX	UEPPC	1.36 1.36	66.91 66.91	31.29 31.29		-					
	Line Side Unbundled Outward PBX Trunk Port - Bus	1		UEPPX	UEPPO UEPP1	1.36	66.91	31.29		+	-	-			
	2-Wire Voice Unbundled 2-Way Combination PBX Louisiana	<del>                                     </del>	-	UEPPA	UEPPI	1.30	00.91	31.29	+ + + + + + + + + + + + + + + + + + + +	+	1	-			1
	Calling Port			UEPPX	UEPL2	1.36	66.91	31.29							
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.36	66.91	31.29		+					
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	1		UEPPX	UEPXA	1.36	66.91	31.29	<del>                                     </del>		<b>-</b>				1
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	1		UEPPX	UEPXB	1.36	66.91	31.29			1				1
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.36	66.91	31.29		1					
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1		UEPPX	UEPXD	1.36	66.91	31.29							
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.36	66.91	31.29							
	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional Calling Port			UEPPX	UEPXK	1.36	66.91	31.29							
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1.36	66.91	31.29							
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.36	66.91	31.29							
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1													
	Discount Room Calling Port			UEPPX	UEPXO	1.36	66.91	31.29							
	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local Discount Calling Port			UEPPX	UEPXP	1.36	66.91	31.29							
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.36	66.91	31.29							
LO	CAL NUMBER PORTABILITY														
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00							
FE/	ATURES														
	All Features Offered	ļ		UEPPX	UEPVF	0.00	0.00	0.00							
NO	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -														
	Conversion - Switch-As-Is  2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEPPX	USAC2		7.68	1.85							
ADI	Conversion - Switch with Change DITIONAL NRCs			UEPPX	USACC		7.68	1.85							
ADI		1	1						1	+		<del>                                     </del>			<del> </del>
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00							
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						7.11	7.11							
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPPX	URETL		8.33	0.83							
OF	F/ON PREMISES EXTENSION CHANNELS							•							
	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	14.93	102.10	65.72							
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	25.35	102.10	65.72							

NBONDLE	D NETWORK ELEMENTS - Louisiana													ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)	_	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	50.46	102.10	65.72								<b>└</b>
INTERC	OFFICE TRANSPORT															<b></b>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPPX	U1TV2	22.60	39.36	26.62								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPPX	U1TVM	0.013	0.00	0.00								
	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														1
	ort/Loop Combination Rates															1
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			13.13										1
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			23.75										<b>L</b>
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			49.62			ļ	ļ						
	pop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	11.77										l .
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	22.39										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	48.26										ĺ
2-Wire	Voice Grade Line Ports (COIN)															ĺ
	2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1.36	38.85	19.08								
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.36	38.85	19.08								
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS)			UEPCO	UEPRB	1.36	38.85	19.08								
	2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.36	38.85	19.08								
	2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS)			UEPCO	UEPRN	1.36	38.85	19.08								
	2-Wire Coin Outward with Operator Screening and 011 Blocking (LA)			UEPCO	UEPLA	1.36	38.85	19.08								
	2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.36	38.85	19.08								
	2-Wire Coin Outward Operator Screening & Blocking: 900/976, 1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.36	38.85	19.08								1
_		-	-	UEPCO	UEPNA		38.85	19.08		-	<b>-</b>	-				<del></del>
	2-Wire Coin 2-Way Smartline with 900/976 (Louisiana only) 2-Wire Coin Outward Smartline with 900/976 (Louisiana only)			UEPCO	UEPCB	1.36 1.36	38.85	19.08	-	-						<del></del>
		-	-	UEPCU	UEPCB	1.30	38.85	19.08								<del></del>
ADDITI	ONAL UNE COIN PORT/LOOP (RC)	-	-	LIEBOO	LIDEOLI	4.04	0.00	0.00	0.00	0.00						<del></del>
1.0041	UNE Coin Port/Loop Combo Usage (Flat Rate)		-	UEPCO	URECU	1.81	0.00	0.00	0.00	0.00						<del></del>
	NUMBER PORTABILITY	-	-	LIEBOO	LNDOV	0.05										<del></del>
	Local Number Portability (1 per port)  CURRING CHARGES - CURRENTLY COMBINED	ļ		UEPCO	LNPCX	0.35			<b>.</b>	-	1					<del></del>
			-													<del></del>
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change	1		UEPCO	USACC		0.10	0.10	1	1						1
	ONAL NRCs	<b>!</b>	<del>                                     </del>	OLFOO	USACC		0.10	0.10	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	-				<del></del>
AUUITI	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	<del>                                     </del>	-		+				<del>                                     </del>	<del>                                     </del>	<u> </u>					<del></del>
	Activity			UEPCO	USAS2		0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise  VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE		ODT "	UEPCO	URETL		8.33	0.83								<u> </u>
		LINE	OKI (I	KEO)	+ +				<b>.</b>	-	1					
	ort/Loop Combination Rates	<b> </b>	_		+ +	10.15			<del>                                     </del>	<del>                                     </del>	-	ļ		-	-	<del></del>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	ļ	1		+ +	16.45			-	-	-	ļ		<b> </b>	-	<del></del>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	ļ	2		+	26.87			-	-	-	ļ		<b> </b>	-	<del></del>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	<b>.</b>	3			51.98			ļ	<b></b>						<del></del>
UNE Lo	pop Rates	<b>.</b>		uenen	1,,505				ļ	<b></b>						<del></del>
	2-Wire Voice Grade Loop (SL2) - Zone 1	<b>.</b>		UEPFR	UECF2	14.93			ļ	<b></b>						<del></del>
	2-Wire Voice Grade Loop (SL2) - Zone 2	ļ		UEPFR	UECF2	25.35			<b></b>	<b>.</b>						<b>——</b>
	2-Wire Voice Grade Loop (SL2) - Zone 3	i	3	UEPFR	UECF2	50.46			1	1	1	l	l	l	l	1
	Voice Grade Line Port Rates (Res)		Ŭ				,		†	†	<del> </del>					

ONRONDLE	D NETWORK ELEMENTS - Louisiana			ı						-			Attachi			bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring Di					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.52	104.41	67.93								
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.52	104.41	67.93								
	2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res			UEPFR	UEPAS	1.52	104.41	67.93								
	2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL)			UEPFR	UEPAG	1.52	104.41	67.93								
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.52	104.41	67.93								
	2-Wire Voice Unbundled Louisiana Residence Dialing Plan															
	without Caller ID		<u> </u>	UEPFR	UEPWG	1.52	104.41	67.93								-
INTER	OFFICE TRANSPORT		<del>                                     </del>		_				<del>                                     </del>						-	<u> </u>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFR	U1TV2	22.60	39.36	26.62	]							
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		<b>├</b>	UEPFK	UTIVZ	22.60	39.36	26.62	<del>                                     </del>						<b> </b>	-
	or Fraction Mile			UEPFR	1L5XX	0.013										
FEATU				LIEDED	LIEDVE	0.00	0.00	0.00								
LOCAL	All Features Offered NUMBER PORTABILITY			UEPFR	UEPVF	0.00	0.00	0.00								
LUCAI	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
NOND	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		-	OLFIK	LINFOX	0.33										
NONK	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		8.24	1.81								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			02	00/102		0.2.									
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		8.24	1.81								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise			UEPFR	URETN		11.20	1.10								
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (	BUS)												
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			16.45										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			26.87										
UNE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 oop Rates		3			51.98										
ONLL	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14.93									1	
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	25.35										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	50.46										
2-Wire	Voice Grade Line Port (Bus)		Ť			220									ĺ	
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.52	104.41	67.93								
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.52	104.41	67.93								
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.52	104.41	67.93								
	2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - bus			UEPFB	UEPAW											
	2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - bus			UEPFB	UEPAX	1.52	104.41	67.93								
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.52	104.41	67.93								
	2-Wire voice unbundled Louisiana Bus Area Calling Port with Caller ID (BUC)			UEPFB	UEPAA	1.52	104.41	67.93								
	2-Wire Voice Unbundled Louisiana Business Dialing Plan without Caller ID			UEPFB	UEPWH	1.52	104.41	67.93								
LOCAI	NUMBER PORTABILITY							•								
	Local Number Portability (1 per port)		<u> </u>	UEPFB	LNPCX	0.35			<b></b>						ļ	ļ
INTER	OFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFB	U1TV2	22.60	39.36	26.62								
FEATU	or Fraction Mile			UEPFB	1L5XX	0.013										
,	All Features Offered		t —	UEPFB	UEPVF	0.00	0.00	0.00							İ	İ
	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		1	İ		2.20	2.20	2.30							İ	i

UNBUNDLED NETWORK ELEMENTS - Louisiana										Т-			ment: 2	Exhi	
CATEGORY RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
					Rec	Nonred		Nonrecurring					Rates (\$)		
					1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
Combination - Conversion - Switch-as-is		ļ	UEPFB	USAC2		8.24	1.81								
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
Combination - Conversion - Switch with change Unbundled Miscellaneous Rate Element, Tag Designed Loop a		1	UEPFB	USACC		8.24	1.81								
End User Premise			UEPFB	URETN		11.20	1.10								
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	PELINE	PORT (		UKETIN		11.20	1.10								
UNE Port/Loop Combination Rates	T LINE	1 01(1 (	1 57,	+											
2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	+	1		+	16.45										
2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	+	2			26.87					1					
2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	1	3		1	51.98			†				İ		İ	
UNE Loop Rates															
2-Wire Voice Grade Loop (SL2) - Zone 1	1	1	UEPFP	UECF2	14.93										
2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	25.35										
2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	50.46										
2-Wire Voice Grade Line Port Rates (BUS - PBX)															
	1	1		Ι				1							
Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	3		UEPFP	UEPPC	1.52	132.47	82.14								
Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.52	132.47	82.14								
Line Side Unbundled Incoming PBX Trunk Port - Bus		ļ	UEPFP	UEPP1	1.52	132.47	82.14								
2-Wire Voice Unbundled 2-Way Combination PBX Louisiana					. =0										
Calling Port	-	1	UEPFP UEPFP	UEPL2 UEPLD	1.52	132.47	82.14								
2-Wire Voice Unbundled PBX LD Terminal Ports	-	1		UEPLD	1.52	132.47	82.14								
2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	_	1	UEPFP UEPFP	UEPXA	1.52 1.52	132.47 132.47	82.14 82.14								
2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports  2-Wire Voice Unbundled PBX LD DDD Terminals Port	-	-	UEPFP	UEPXB	1.52	132.47	82.14			-					
2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		+	UEPFP	UEPXD	1.52	132.47	82.14			1			1		
2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	+	1	OLITI	OLI AD	1.02	102.47	02.14								
Capable Port			UEPFP	UEPXE	1.52	132.47	82.14								
2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional	+	1	02	02. AL		.02	02			1					
Calling Port			UEPFP	UEPXK	1.52	132.47	82.14								
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy				0 - 1 - 1 - 1											
Administrative Calling Port			UEPFP	UEPXL	1.52	132.47	82.14								
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
Room Calling Port			UEPFP	UEPXM	1.52	132.47	82.14								
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		i i													
Discount Room Calling Port			UEPFP	UEPXO	1.52	132.47	82.14								
2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local															
Discount Calling Port	1	<u> </u>	UEPFP	UEPXP	1.52	132.47	82.14	ļ		ļ			ļ		
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	1		UEPFP	UEPXS	1.52	132.47	82.14	ļ		ļ					
LOCAL NUMBER PORTABILITY	+	<u> </u>	LIEDED	LNDOD	0.15	0.00	0.00	1		1		<b> </b>	ļ	<b> </b>	<u> </u>
Local Number Portability (1 per port)		-	UEPFP	LNPCP	3.15	0.00	0.00								
INTEROFFICE TRANSPORT  Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	+	₩	+	+				+		<u> </u>			-		
Termination			UEPFP	U1TV2	22.60	39.36	26.62								
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1	+	ULFFF	UIIVZ	22.00	39.36	20.02	+ +		1		<del> </del>	<del> </del>	<del> </del>	
or Fraction Mile	1		UEPFP	1L5XX	0.013										
FEATURES	1	<del>                                     </del>	0=111	TEO///	0.013			† †		<b> </b>					
All Features Offered	1		UEPFP	UEPVF	0.00	0.00	0.00	†					1		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	1	1	1	2.20	2.20	2.50	†		1		İ	İ	İ	
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1													
Combination - Conversion - Switch-as-is			UEPFP	USAC2		8.24	1.81	<u> </u>		L		<u> </u>		<u> </u>	<u></u>
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
Combination - Conversion - Switch with change	1		UEPFP	USACC		8.24	1.81					<u> </u>		<u> </u>	
Unbundled Miscellaneous Rate Element, Tag Designed Loop a	t											l		l	
End User Premise	1		UEPFP	URETN		11.20	1.10			ļ			ļ		
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES	1.55	_		4				ļ		ļ					
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUN	K PORT	1	ļ					1		ļ			ļ		
UNE Port/Loop Combination Rates	1									L				l	

UNBUNDL	ED NETWORK ELEMENTS - Louisiana											Τ.	Γ-		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	USOC			RATES (\$)					Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	g Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				23.20										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2	ļ			33.62										
une	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				58.73										
UNE	Loop Rates		-	LIEDDY		LIEOD4	44.00					1					
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		2	UEPPX UEPPX		UECD1	14.93			-		<del>                                     </del>				-	
<b></b>	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1 UECD1	25.35 50.46			-		+				-	1
LINE	Port Rate		3	UEPFA		DECDI	50.46			1		+				1	
ONE	Exchange Ports - 2-Wire DID Port		-	UEPPX		UEPD1	8.27	217.95	83.92	-		+				-	
NON	RECURRING CHARGES - CURRENTLY COMBINED			OLITA		OLIDI	0.27	217.55	05.52	<del> </del>		+					1
NON	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -		t	<del>                                     </del>		+				<del>                                     </del>	<b> </b>	+				t	<del> </del>
	Switch-as-is			UEPPX		USAC1		7.10	1.81	1						1	
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion		t —							i	İ				İ	1	i e
	with BellSouth Allowable Changes			UEPPX		USA1C		7.10	1.81	I		1				I	
ADDI	TIONAL NRCs	1	i –	1				-		1	İ	1	1		ĺ	1	İ
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk		i –	UEPPX		USAS1		26.01	26.01								1
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
	End User Premise			UEPPX		URETN		11.20	1.10	<u> </u>		<u> </u>				<u> </u>	
Telep	hone Number/Trunk Group Establisment Charges																
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
LOCA	AL NUMBER PORTABILITY						0.45										
0.14/17	Local Number Portability (1 per port)	NE OID	 	UEPPX		LNPCP	3.15	0.00	0.00			1					
	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORI	l I						-		+	-				
UNE	Port/Loop Combination Rates  2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1							-		+	-				
	UNE Zone 1		1	UEPPB	UEPPR	,	27.48										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		'	UEPPB	UEPPR	1	21.40			-		+				-	
	UNE Zone 2		2	UEPPB	UEPPR		40.34										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			OLITO	OLITIK	1	40.54					<b>+</b>					
	UNE Zone 3		3	UEPPB	UEPPR		70.99										
UNF	Loop Rates		l –	OLITE	OLITIK		70.00					+					1
ONE	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USI 2X	19.09					1				1	
	. January Company		†	1			.0.00			i	İ				İ	1	i e
ı I	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	31.95			1						1	
1	2-Wire ISDN Digital Grade Loop - UNE Zone 3	1	3	UEPPB	UEPPR		62.60			1	İ	1	1		ĺ	1	İ
UNE	Port Rate																
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	8.39	184.10	128.42								
NON	RECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	37.40	26.23								
ADDI	TIONAL NRCs																
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at									_						_	
	End User Premise		<u> </u>	UEPPB	UEPPR	URETN		11.20	1.10	ļ	ļ				ļ	1	ļ
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIEBER	LIEBBE	LIDET:				1						1	
1.55	Premise		<u> </u>	UEPPB	UEPPR	URETL		8.33	0.83	<u> </u>		1			<b> </b>	-	<b> </b>
LOCA	AL NUMBER PORTABILITY		<u> </u>	LIEDOS	LIEDDO	LNDCY	0.05	0.00	2.00	<del>                                     </del>	<del> </del>	-			<b> </b>	<del>                                     </del>	<del> </del>
B C11	Local Number Portability (1 per port)  IANNEL USER PROFILE ACCESS:	<b>-</b>	<del>                                     </del>	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00	<del>                                     </del>		1		-	-	<del>                                     </del>	1
B-CH	CVS/CSD (DMS/5ESS)	-	<del>                                     </del>	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00	-		+	-			+	1
	CVS (EWSD)		-	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00	<del></del>		<del>                                     </del>			-	<del></del>	1
	CSD CSD	<b>-</b>	t	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00	<del>                                     </del>	<b> </b>	+				t	<del> </del>
B-CH	IANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C.MS. 8	(NT	CLIID	JLIIN	51000	0.00	0.00	0.00	<b>-</b>		<del>                                     </del>	-			<b>-</b>	1
5 5 11	CVS/CSD (DMS/5ESS)	_,0, 6	· ···,	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00	<u> </u>	1					<u> </u>	1
	CVS (EWSD)		t —	UEPPB	UEPPR	U1UCE	0.00	0.00	0.00	i	İ				İ	1	i e

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Order vs.	Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect				Rates (\$)		
LICED	TERMINAL PROFILE		<u> </u>		1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
USER	User Terminal Profile (EWSD only)			UEPPB UEPPR	U1UMA	0.00	0.00	0.00							+	<del>                                     </del>
VERTI	CAL FEATURES			02.77	0.000	0.00	0.00	0.00								1
	All Vertical Features - One per Channel B User Profile			UEPPB UEPPR	UEPVF	0.00	0.00	0.00								
INTER	OFFICE CHANNEL MILEAGE															<b></b>
	Interoffice Channel mileage each, including first mile and			UEPPB UEPPR	M1GNC	22.613	39.36	26.62								
	facilities termination Interoffice Channel mileage each, additional mile			UEPPB UEPPR	M1GNM	0.013	0.00	0.00		<b>+</b>					<del> </del>	<del>                                     </del>
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	( PORT		OLITE OLITE	IVITOIVIVI	0.013	0.00	0.00	1							<del> </del>
	NE-P DS1 combination rates below for in this rate exhibit appl			ded base in place a	s of 10/2/03	until 4/1/04. Aft	er 4/1/04 these	rates shall re	vert to tariff rat	es or a separa	te commerc	ial agreeme	nt.			
	ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital 1	runk Po	ort afte	r the effective date of	of this amend	dment shall be p	provided pursu	iant to a sepai	rate agreement	or tariff at Bel	lSouth's di	scretion.				
UNE P	Port/Loop Combination Rates		<u> </u>		1						ļ					ļ
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP		180.52										
<del>                                     </del>	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		<u>'</u>	OLFFF	+	100.52				<del>                                     </del>						
	Zone 2		2	UEPPP		289.78										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE				1							Ì			İ	
	Zone 3		3	UEPPP		586.76										
UNE L	oop Rates															ļ
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	85.70										
	4-Wire DS1 Digital Loop - UNE Zone 2	-	2	UEPPP	USL4P	194.96				-					1	<del>                                     </del>
LINE	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	491.94			1	-	-				-	<b>-</b>
UNEF	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP	UEPPP	94.82	443.08	251.60	<b> </b>	-	1				-	<del>                                     </del>
NONR	ECURRING CHARGES - CURRENTLY COMBINED			OLITI	OLITI	34.02	443.00	231.00							-	
INOINI	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port															
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP	USACP	0.00	115.63	76.29								
ADDIT	TONAL NRCs															
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-															
	Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF		0.48									<b>.</b>
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		11 10	11 10								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -		<u> </u>	UEPPP	PR/IU		11.18	11.18								1
	Subsequent Inward Tel Numbers			UEPPP	PR7ZT		22.35	22.35								
LOCA	L NUMBER PORTABILITY			02			22.00	22.00								
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75					1					
INTER	FACE (Provsioning Only)															
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data		<u> </u>	UEPPP	PR71D	0.00	0.00	0.00	-		<u> </u>					<b>_</b>
Nov: -	Inward Data r Additional "B" Channel	-	<del>                                     </del>	UEPPP	PR71E	0.00	0.00	0.00	<b>+</b>	<del>                                     </del>	<del>                                     </del>				-	<del> </del>
New o	New or Additional - Voice/Data B Channel	-	<del>                                     </del>	UEPPP	PR7BV	0.00	14.11		+	+					+	+
<del>                                     </del>	New or Additional - Digital Data B Channel		<b>†</b>	UEPPP	PR7BF	0.00	14.11		<b>†</b>	<b>—</b>					<b>—</b>	t
	New or Additional Inward Data B Channel		t	UEPPP	PR7BD	0.00	14.11			<u> </u>				1	1	
CALL	TYPES													<u> </u>		
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7CO	0.00	0.00	0.00		L						
<b>—</b>	Two-way		<u> </u>	UEPPP	PR7CC	0.00	0.00	0.00	ļ	ļ	ļ				ļ	<b>↓</b>
Intero	ffice Channel Mileage	-	<del> </del>	LIEDDD	41 N/4 A	70 7250	96.00	70.44	-	<del>                                     </del>	<b> </b>		-	-	1	<del> </del>
<b>—</b>	Fixed Each Including First Mile  Each Airline-Fractional Additional Mile	<del>                                     </del>	<del>                                     </del>	UEPPP UEPPP	1LN1A 1LN1B	70.7352 0.2652	86.69	79.44	+	+	<del>                                     </del>	-			-	+
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT		<del>                                     </del>	OLI FF	ILINID	0.2052				<b>†</b>					<del> </del>	<del>                                     </del>
The U	NE-P DS1 combination rates below for in this rate exhibit appl	y to the	embed	ded base in place a	s of 10/2/03	until 4/1/04. Aft	er 4/1/04 these	rates shall re	vert to tariff rat	es or a separa	te commerc	ial agreeme	nt.	1	1	
Reque	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	ective c	late of	this amendment sha	all be provide	ed pursuant to	a separate agre	ement or tarif	f at BellSouth's	s discretion.				İ	1	
	ort/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		154.17		· · · · ·								L
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC	1	263.43			ļ	ļ	ļ				ļ	<b></b>
LIN'S !	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	1	3	UEPDC	<del>                                     </del>	560.41			-		<u> </u>		ļ			<b></b>
UNE L	oop Rates	<u> </u>	1	l	1	1			1	L	L	L	L	L	1	

UNBUNDLE	ED NETWORK ELEMENTS - Louisiana													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	A Miss DOA District and LINE 7 and 4			LIEDDO	1101.00		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<b></b>	4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2		1 2	UEPDC UEPDC	USLDC	85.70 194.96									-	
	4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3			UEPDC	USLDC	491.94					1				-	
LINE F	Port Rate		3	OLFDC	USLDC	431.34					1				1	
	4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	68.47	441.34	245.90			1					
NONR	RECURRING CHARGES - CURRENTLY COMBINED										1					
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		125.75	65.08								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		125.75	65.08								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			LIEDDO	LICANAD		405.75	CF 00								
ADDIT	- Conversion with Change - Trunk (E:4/1/2004)  TIONAL NRCs		<del>                                     </del>	UEPDC	USAWB		125.75	65.08							-	
ADDIT	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -		<del>                                     </del>		+										<del> </del>	
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		14.06	14.06								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent							50			1				1	
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.06	14.06								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.06	14.06								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
$\vdash$	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.06	14.06								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.06	14.06								
RIPOL	LAR 8 ZERO SUBSTITUTION		<u> </u>	UEPDC	ODITE		14.00	14.00								
Bii 02	B8ZS -Superframe Format		1	UEPDC	CCOSF		0.00i	605.00s			1					
	B8ZS - Extended Superframe Format			UEPDC	CCOEF			605.00s			1				t	
Altern	nate Mark Inversion										1					
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Teleph	hone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
<del></del>	Telephone Number for 1-Way Outward Trunk Group		ļ	UEPDC UEPDC	UDTGY	0.00					1				1	
<b></b>	Telephone Number for 1-Way Inward Trunk Group Without DID DID Numbers for each Group of 20 DID Numbers			UEPDC	UDTGZ ND4	0.00									-	
	DID Numbers, Non- consecutive DID Numbers, Per Number			UEPDC	ND5	0.00									<del> </del>	
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00			1					
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
Dedic	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	1 Digital	Loop	with 4-Wire DDITS	Trunk Port											
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
	Termination)			UEPDC	1LNO1	70.47	86.69	79.44								
	Literatura Observat Milana Additional action and all actions and actions and actions and actions and actions and actions are actions as a second action and actions are actions as a second action and actions are actions as a second action action and actions are actions as a second action action actions are actions as a second action action actions are actions as a second action action actions are actions as a second action action actions are actions as a second action action actions are actions as a second action action actions are actions as a second action action actions are actions as a second action action actions are actions as a second action action actions are actions as a second action action actions action action action actions are actions as a second action action actions action a			LIEBBO	41.110.4	0.0050	0.00	0.00								
$\vdash$	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities		1	UEPDC	1LNOA	0.2652	0.00	0.00							-	
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
<del></del>	Interoffice Channel Mileage - Additional rate per mile - 9-25		<del>                                     </del>	OLI DO	ILINUZ	0.00	0.00	0.00							<del> </del>	
	miles			UEPDC	1LNOB	0.2652	0.00	0.00							1	
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities	1	i i					2.30							1	
	Termination)	<u></u>	<u> </u>	UEPDC	1LNO3	0.00	0.00	0.00	0.00		L				<u> </u>	
igwdows	Interoffice Channel Mileage - Additional rate per mile - 25+ miles		<u> </u>	UEPDC	1LNOC	0.2652	0.00	0.00							1	
$\vdash$	Local Number Portability, per DS0 Activated		<u> </u>	UEPDC	LNPCP	3.15	0.00	0.00	0.00		ļ				ļ	
4 1475	Central Office Termininating Point	-	├	UEPDC	CTG	0.00									1	
	RE DS1 LOOP WITH CHANNELIZATION WITH PORT m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	ivations			-						1				<del>                                     </del>	
	System can have up to 24 combinations of rates depending on			her of ports used	+						<u> </u>				<del> </del>	<del>                                     </del>
	INE-P DS1 combination rates below for 4-Wire DS1 Loop with C				te exhibit app	ly to the embe	dded base in n	lace as of 10/2	/03 until 4/1/04	. After 4/1/04	these rates	shall revert	to tariff rates	or a separate	agreement.	
	ests for 4-Wire DS1 Loop with Channelization with Port after the															
	DS1 Loop 4-Wire DS1 Loop - UNE Zone 1			UEPMG	USLDC	85.70	0.00	0.00								

UNBUNDLE	D NETWORK ELEMENTS - Louisiana													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec		curring	Nonrecurring					Rates (\$)		
	Living Body Living Body						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Loop - UNE Zone 2			UEPMG	USLDC	194.96	0.00	0.00								
UNE	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	491.94	0.00	0.00			-					-
UNE D	OSO Channelization Capacities (D4 Channel Bank Configuration 24 DSO Channel Capacity - 1 per DS1	ns)	1	UEPMG	VUM24	97.35	0.00	0.00			-					-
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	194.70	0.00	0.00								
-	96 DSO Channel Capacity - 1 per 2 DS1s	1	-	UEPMG	VUM96	389.40	0.00	0.00								
-+	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	584.10	0.00	0.00								
	192 DS0 Channel Capacity -1 per 8 DS1s	1		UEPMG	VUM19	778.80	0.00	0.00								
	240 DS0 Channel Capacity - 1 per 10 DS1s	1		UEPMG	VUM2O	973.50	0.00	0.00								
-+	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,168.20	0.00	0.00								
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,557.60	0.00	0.00								
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	1,947.00	0.00	0.00								
	576 DS0 Channel Capacity -1 per 24 DS1s	1	i –	UEPMG	VUM57	2,336.40	0.00	0.00	İ	İ	İ				İ	1
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,725.80	0.00	0.00								
Non-R	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop wit	h Chani	neliztio	n with Port - Conver	sion Charge	Based on a Sy	stem									
A Mini	imum System configuration is One (1) DS1, One (1) D4 Channe	el Bank,	and U	To 24 DSO Ports w	ith Feature	Activations.										
Multip	oles of this configuration functioning as one are considered A	dd'l afte	r the m	ninimum system con	figuration is	counted.										
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes			UEPMG	USAC4	0.00	146.13	8.12								
Syster	m Additions at End User Locations Where 4-Wire DS1 Loop wi	th Char	nelizat	ion with Port Combi	nation Curre	ently Exists and	i									
New (N	Not Currently Combined) in all states, except in Density Zone 1	1 of Top	8 MSA	\'s												
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port															
	and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	715.54	467.54								
Bipola	ar 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMG	CCOSF	0.00	0.00i	605.00s								
	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	605.00s								
Altern	ate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	nge Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Port													
Excha	nge Ports															
	Line Side Combination Channelized PBX Trunk Port - Business (E:4/1/2004)			UEPPX	UEPCX	1.52	0.00	0.00	0.00	0.00						
	Line Side Outward Channelized PBX Trunk Port - Business	1												-		
	(E:4/1/2004)	ļ	<u> </u>	UEPPX	UEPOX	1.52	0.00	0.00	0.00	0.00						
	Line Side Inward Only Channelized PBX Trunk Port without DID (E:4/1/2004)			UEPPX	UEP1X	1.52	0.00	0.00	0.00	0.00						
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004)			UEPPX	UEPDM	8.29	0.00	0.00	0.00	0.00						
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial – (AL, KY, LA, MS, & TN)(Conversion from Network Access Service) (E:4/1/2004)			UEPPX	UEPCY	1.52	0.00	0.00	0.00	0.00						
	Unbundled Exchange Ports, 2-Wire Channelized – Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access Service) (E:4/1/2004)			UEPPX	UEPCT	1.52	0.00	0.00	0.00	0.00						
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –															
	Louisiana Only – Calling Plan (E:4/1/2004)  Unbundled Exchange Ports, 2-Wire Channelized – Two Way -			UEPPX	UEPC2	1.52	0.00	0.00	0.00	0.00						
	Louisiana Only – Calling Plan (E:4/1/2004)	L	L	UEPPX	UEPC3	1.52	0.00	0.00	0.00	0.00						
Featur	re Activations - Unbundled Loop Concentration															
Featur	re Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.6497	25.36	13.40								
	Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX UEPPX	1PQWM 1PQWU	0.6497 0.6497	25.36 78.05	13.40								
	Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in															

UNBUND	LED	NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fxhi	bit: A
3.120.10	<u></u>	Contracting Education		1								Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	Y	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per LSK	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Auu	DISC 1St	DISC Add I
							Rec	Nonrec	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Loc		umber Portability															
		ocal Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00			ļ					
		ES - Vertical and Optional witching Features Offered with Line Side Ports Only				+					-	-	-				-
LOC		All Features Available			UEPPX	UEPVF	0.00	0.00	0.00			<b> </b>					
LINBUNDI E		ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:	•	1	UEPPA	UEPVF	0.00	0.00	0.00		-	<b>-</b>					
		Based Rates are applied where BellSouth is required by FCC		State (	`ommission rule to	nrovide Unbi	indled Local S	witching or Su	itch Ports		<del> </del>	<u> </u>					1
		res shall apply to the Unbundled Port/Loop Combination - C								dled Port secti	on of this Pate	Evhibit					1
		office and Tandem Switching Usage and Common Transport											oin Port/I o	op Combinat	ions.		<b> </b>
4. T	he fi	rst and additional Port nonrecurring charges apply to Not Co	urrently	Comhi	ned Combos. For	Currently Co	mbined Combo	s, the nonreci	urring charges	shall be those	identified in t	he Nonrecu	rring - Curre	ently Combine	ed sections	Additional NR	Cs mav
		so and are categorized accordingly.				50		.,						,			······
		et Rates for Unbundled Centrex Port/Loop Combination will	be neg	otiated	on an Individual Ca	se Basis, un	til further notice	ρ.									
		ENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only		1		1						i e					
		G Loop/2-Wire Voice Grade Port (Centrex) Combo	ĺ									İ					
		t/Loop Combination Rates (Non-Design)										İ					
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	1	Non-Design		1	UEP91		13.13										
	2	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP91		23.75										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP91		49.62										
UNE		t/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo															
		Design		1	UEP91	1	16.29					1					
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP91		20.74										
		Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP91	-	26.71					<b> </b>					
		2-vviile voi Loop/2-vviile voice Grade Port (Centrex)Port Combo -		3	UEP91		48.26										
LINE		pp Rate		3	OLF91	+	40.20				-	1					
ONL		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	11.77					<b>†</b>					
		2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP91	UECS1	22.39					1					
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	48.26					İ					
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	14.93					İ					
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	25.35					İ					
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	50.46										
UNE	E Por																
All S		s (Except North Carolina and Sout Carolina)															
		2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP91	UEPYA	1.36	38.85	19.08								
	2	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
		Area			UEP91	UEPYB	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic									1						
$\vdash$		Local Area			UEP91	UEPYH	1.36	38.85	19.08		ļ						ļ
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)				l					I						
$\vdash$		Note 2, 3 Basic Local Area		ļ	UEP91	UEPYM	1.36	104.41	67.93		-				ļ		ļ
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDO4	LIEDYZ	4.00	404.41	07.00		I						
$\vdash$		Ferm - Basic Local Area	-	-	UEP91	UEPYZ	1.36	104.41	67.93	-	<del>                                     </del>	<del> </del>			<b> </b>		<del>                                     </del>
1 1		2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP91	UEPY9	1.36	38.85	19.08		I						
$\vdash$		2-Wire Voice Grade Port Terminated on 800 Service Term -		-	OLF91	UEFIS	1.30	30.85	19.08	-	<del></del>				-		-
		2-vvire voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP91	UEPY2	1.36	38.85	19.08		I						
Λ1		Basic Local Area  LA, MS, & TN Only	-	-	OLFSI	UEP 12	1.36	38.85	19.08	1	<del>                                     </del>	}	-		<del> </del>		<del>                                     </del>
AL,		2-Wire Voice Grade Port (Centrex )		<del>                                     </del>	UEP91	UEPQA	1.36	38.85	19.08		<del>                                     </del>	<b>†</b>			<b> </b>		<del> </del>
$\vdash$		2-Wire Voice Grade Port (Centrex )		<del>                                     </del>	UEP91	UEPQB	1.36	38.85	19.08		<del>                                     </del>	<b>†</b>			<b> </b>		<del> </del>
<del>                                     </del>		2-Wire Voice Grade Port (Centrex with Caller ID)1		<b>†</b>	UEP91	UEPQH	1.36	38.85	19.08		<b>-</b>		-				
$\vdash$		2-Wire Voice Grade Fort (Centrex with Caller 1971 2-Wire Voice Grade Port (Centrex from diff Serving Wire				J=. XII	1.50	00.00	13.50	1	<u> </u>				1		1
1			1	1	UEP91	UEPQM	1.36	104.41	67.93	1	1	1	1			l	1

UNBUNDLE	D NETWORK ELEMENTS - Louisiana													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															l
	Service Term			UEP91	UEPQZ	1.36	104.41	67.93								
	OWEN Vision One to Book to act of the own Manager to the control of the control o			UEP91	UEPQ9	1.36	00.05	19.08								
	2-Wire Voice Grade Port terminated in on Megalink or equivalent     2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ9 UEPQ2	1.36	38.85 38.85	19.08			-					-
l ocal	Switching			UEF91	UEPQ2	1.36	30.00	19.06	1							<del>                                     </del>
Local	Centrex Intercom Funtionality, per port		1	UEP91	URECS	0.8577					1					<del></del>
Local	Number Portability			OLI OI	ONLOG	0.0077										
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Featur					1											
	All Standard Features Offered, per port			UEP91	UEPVF	0.00										
	All Select Features Offered, per port			UEP91	UEPVS	0.00	412.25									
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00										
NARS	1															
	Unbundled Network Access Register - Combination		<u> </u>	UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
	llaneous Terminations															
2-Wire	Trunk Side			LIEBOA	OFNIAO	0.00	445.05	40.00								
letene	Trunk Side Terminations, each			UEP91	CENA6	8.29	115.85	18.20	-							<b>—</b>
Intero	ffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination - Voice Grade		1	UEP91	M1GBC	22.60	39.36	26.62								<del></del>
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBC M1GBM	0.013	39.36	20.02			-					-
Featur	re Activations (DS0) Centrex Loops on Channelized DS1 Service	``	-	OLF91	IVITGDIVI	0.013					1					<del></del>
	annel Bank Feature Activations	1			+											<del>                                     </del>
D4 011	Feature Activation on D-4 Channel Bank Centrex Loop Slot		1	UEP91	1PQWS	0.6497					1					<del></del>
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.6497										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLI 01	11 0000	0.0407										
	Slot			UEP91	1PQW7	0.6497										l
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP91	1PQWP	0.6497										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.6497										l
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP91	1PQWQ	0.6497										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.6497										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
1	Conversion - Currently Combined Switch-As-Is with allowed															1
	changes, per port			UEP91	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block	-	<del> </del>	UEP91	USACN	0.00	36.66	16.10	<del>                                     </del>		1	-		<del> </del>	<del> </del>	<del></del>
	New Centrex Standard Common Block New Centrex Customized Common Block	1	<b>!</b>	UEP91 UEP91	M1ACS M1ACC	0.00	680.40 680.40		<u> </u>		1					<del>                                     </del>
	Secondary Block, per Block	<b>-</b>	<del>                                     </del>	UEP91	M2CC1	0.00	79.31				-	-	-			<del></del>
	NAR Establishment Charge, Per Occasion	-	<del>                                     </del>	UEP91	URECA	0.00	79.31		_			<b> </b>		<del> </del>	<del> </del>	<del>                                     </del>
Δdditi	onal Non-Recurring Charges (NRC)		<del>                                     </del>	OLI 31	UNLUA	0.00	13.93		<del>                                     </del>			<b> </b>		<b> </b>	<b> </b>	<del>                                     </del>
Additi	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	t	<del>                                     </del>		+						<u> </u>			1	1	
1	Premise			UEP91	URETL		8.33	0.83								1
<u> </u>	Unbundled Miscellaneous Rate Element, Tag Design Loop at	1	i –		1									İ	İ	
1	End Use Premise			UEP91	URETN		11.20	1.10								1
	CENTREX - 5ESS (Valid in All States)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1			1 7											1
	Non-Design		1	UEP95	1	13.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP95		23.75										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP95		49.62										1

RATE ELEMENTS  Dop Combination Rates (Design)  re VG Loop/2-Wire Voice Grade Port (Centrex) Port Combogn  re VG Loop/2-Wire Voice Grade Port (Centrex)Port Combogn  re VG Loop/2-Wire Voice Grade Port (Centrex)Port Combogn  re VG Loop/2-Wire Voice Grade Port (Centrex)Port Combogn  tate  re Voice Grade Loop (SL 1) - Zone 1  re Voice Grade Loop (SL 1) - Zone 2  re Voice Grade Loop (SL 1) - Zone 3  re Voice Grade Loop (SL 2) - Zone 1  re Voice Grade Loop (SL 2) - Zone 2  re Voice Grade Loop (SL 2) - Zone 3  ate  re Voice Grade Port (Centrex ) Basic Local Area  re Voice Grade Port (Centrex 800 termination)  re Voice Grade Port (Centrex with Caller ID)1Basic Local  re Voice Grade Port (Centrex from diff Serving Wire  rer Voice Grade Port (Centrex from diff Serving Wire  rer Voice Grade Port (Centrex from diff Serving Wire  rer Voice Grade Port (Centrex from diff Serving Wire  rer Voice Grade Port, Diff Serving Wire Center 2,3 - 800	Interi	2 3 1 2	UEP95	USOC  UECS1  UECS1  UECS1  UECS1  UECS2	16.29 26.71 51.82 11.77 22.39 48.26	Nonrec First	RATES (\$) urring Add'l	Nonrecurring Disc First A		Svc Order Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l Rates (\$) SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
re VG Loop/2-Wire Voice Grade Port (Centrex) Port Combogn re VG Loop/2-Wire Voice Grade Port (Centrex)Port e Loop (SL 1) - Zone 2 re Voice Grade Loop (SL 2) - Zone 3 re Voice Grade Loop (SL 2) - Zone 1 re Voice Grade Loop (SL 2) - Zone 2 re Voice Grade Loop (SL 2) - Zone 3 re Voice Grade Port (Centrex ) Basic Local Area re Voice Grade Port (Centrex 800 termination) re Voice Grade Port (Centrex with Caller ID)1Basic Local re Voice Grade Port (Centrex with Caller ID)1Basic Local		2 3 1 2 3 1 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2	16.29 26.71 51.82 11.77 22.39 48.26					SOMEC	SOMAN	OSS	Rates (\$)		
re VG Loop/2-Wire Voice Grade Port (Centrex) Port Combogn re VG Loop/2-Wire Voice Grade Port (Centrex)Port e Loop (SL 1) - Zone 2 re Voice Grade Loop (SL 2) - Zone 3 re Voice Grade Loop (SL 2) - Zone 1 re Voice Grade Loop (SL 2) - Zone 2 re Voice Grade Loop (SL 2) - Zone 3 re Voice Grade Port (Centrex ) Basic Local Area re Voice Grade Port (Centrex 800 termination) re Voice Grade Port (Centrex with Caller ID)1Basic Local re Voice Grade Port (Centrex with Caller ID)1Basic Local		2 3 1 2 3 1 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2	16.29 26.71 51.82 11.77 22.39 48.26					SOMEC	SOMAN			SOMAN	SOMAN
re VG Loop/2-Wire Voice Grade Port (Centrex) Port Combogn re VG Loop/2-Wire Voice Grade Port (Centrex)Port e Loop (SL 1) - Zone 2 re Voice Grade Loop (SL 2) - Zone 3 re Voice Grade Loop (SL 2) - Zone 1 re Voice Grade Loop (SL 2) - Zone 2 re Voice Grade Loop (SL 2) - Zone 3 re Voice Grade Port (Centrex ) Basic Local Area re Voice Grade Port (Centrex 800 termination) re Voice Grade Port (Centrex with Caller ID)1Basic Local re Voice Grade Port (Centrex with Caller ID)1Basic Local		2 3 1 2 3 1 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2	26.71 51.82 11.77 22.39 48.26	FIISL	Add 1	FIISL	Add I	SOMEC	SOWIAN	SUWAN	SOWAN	SOWAN	SOMAN
re VG Loop/2-Wire Voice Grade Port (Centrex) Port Combogn re VG Loop/2-Wire Voice Grade Port (Centrex)Port e Loop (SL 1) - Zone 2 re Voice Grade Loop (SL 2) - Zone 3 re Voice Grade Loop (SL 2) - Zone 1 re Voice Grade Loop (SL 2) - Zone 2 re Voice Grade Loop (SL 2) - Zone 3 re Voice Grade Port (Centrex ) Basic Local Area re Voice Grade Port (Centrex 800 termination) re Voice Grade Port (Centrex with Caller ID)1Basic Local re Voice Grade Port (Centrex with Caller ID)1Basic Local		2 3 1 2 3 1 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2	26.71 51.82 11.77 22.39 48.26										
gn re VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- gn re VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- gn fatte re Voice Grade Loop (SL 1) - Zone 1 re Voice Grade Loop (SL 1) - Zone 2 re Voice Grade Loop (SL 1) - Zone 3 re Voice Grade Loop (SL 2) - Zone 3 re Voice Grade Loop (SL 2) - Zone 1 re Voice Grade Loop (SL 2) - Zone 1 re Voice Grade Loop (SL 2) - Zone 2 re Voice Grade Loop (SL 2) - Zone 3 atte  re Voice Grade Port (Centrex ) Basic Local Area re Voice Grade Port (Centrex 800 termination) re Voice Grade Port (Centrex with Caller ID)1Basic Local re Voice Grade Port (Centrex with Caller ID)1Basic Local re Voice Grade Port (Centrex from diff Serving Wire ter)2,3 Basic Local Area		2 3 1 2 3 1 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2	26.71 51.82 11.77 22.39 48.26										
re VG Loop/2-Wire Voice Grade Port (Centrex)Port Combogn gn re VG Loop/2-Wire Voice Grade Port (Centrex)Port Combogn tate re Voice Grade Loop (SL 1) - Zone 1 re Voice Grade Loop (SL 1) - Zone 2 re Voice Grade Loop (SL 1) - Zone 3 re Voice Grade Loop (SL 2) - Zone 1 re Voice Grade Loop (SL 2) - Zone 1 re Voice Grade Loop (SL 2) - Zone 2 re Voice Grade Loop (SL 2) - Zone 2 re Voice Grade Loop (SL 2) - Zone 2 re Voice Grade Loop (SL 2) - Zone 3 ate re Voice Grade Port (Centrex ) Basic Local Area re Voice Grade Port (Centrex 800 termination) re Voice Grade Port (Centrex with Caller ID)1Basic Local re Voice Grade Port (Centrex from diff Serving Wire re Voice Grade Port (Centrex from diff Serving Wire re Voice Grade Port (Centrex from diff Serving Wire re Voice Grade Port (Centrex from diff Serving Wire		2 3 1 2 3 1 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2	26.71 51.82 11.77 22.39 48.26									-	
gn re VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- gn late re Voice Grade Loop (SL 1) - Zone 1 re Voice Grade Loop (SL 1) - Zone 2 re Voice Grade Loop (SL 1) - Zone 3 re Voice Grade Loop (SL 2) - Zone 1 re Voice Grade Loop (SL 2) - Zone 1 re Voice Grade Loop (SL 2) - Zone 2 re Voice Grade Loop (SL 2) - Zone 2 re Voice Grade Loop (SL 2) - Zone 3 re Voice Grade Port (Centrex ) Basic Local Area re Voice Grade Port (Centrex 800 termination) re Voice Grade Port (Centrex with Caller ID)1Basic Local re Voice Grade Port (Centrex with Caller ID)1Basic Local		3 1 2 3 1 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2	51.82 11.77 22.39 48.26										
re VG Loop/2-Wire Voice Grade Port (Centrex)Port Combogn State re Voice Grade Loop (SL 1) - Zone 1 re Voice Grade Loop (SL 1) - Zone 2 re Voice Grade Loop (SL 1) - Zone 3 re Voice Grade Loop (SL 2) - Zone 3 re Voice Grade Loop (SL 2) - Zone 1 re Voice Grade Loop (SL 2) - Zone 2 re Voice Grade Loop (SL 2) - Zone 3 ate re Voice Grade Port (Centrex ) Basic Local Area re Voice Grade Port (Centrex 800 termination) re Voice Grade Port (Centrex with Caller ID)1Basic Local re Voice Grade Port (Centrex With Caller ID)1Basic Local		3 1 2 3 1 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2	51.82 11.77 22.39 48.26										
gn late re Voice Grade Loop (SL 1) - Zone 1 re Voice Grade Loop (SL 1) - Zone 2 re Voice Grade Loop (SL 1) - Zone 2 re Voice Grade Loop (SL 1) - Zone 3 re Voice Grade Loop (SL 2) - Zone 1 re Voice Grade Loop (SL 2) - Zone 2 re Voice Grade Loop (SL 2) - Zone 2 re Voice Grade Loop (SL 2) - Zone 3 ste  re Voice Grade Port (Centrex ) Basic Local Area re Voice Grade Port (Centrex 800 termination) re Voice Grade Port (Centrex with Caller ID)1Basic Local re Voice Grade Port (Centrex from diff Serving Wire ler)2,3 Basic Local Area		1 2 3 1 2	UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2	11.77 22.39 48.26										
re Voice Grade Loop (SL 1) - Zone 1 re Voice Grade Loop (SL 1) - Zone 2 re Voice Grade Loop (SL 1) - Zone 3 re Voice Grade Loop (SL 1) - Zone 3 re Voice Grade Loop (SL 2) - Zone 1 re Voice Grade Loop (SL 2) - Zone 2 re Voice Grade Loop (SL 2) - Zone 2 re Voice Grade Loop (SL 2) - Zone 3 atte re Voice Grade Port (Centrex ) Basic Local Area re Voice Grade Port (Centrex 800 termination) re Voice Grade Port (Centrex with Caller ID)1Basic Local re Voice Grade Port (Centrex With Caller ID)1Basic Local re Voice Grade Port (Centrex from diff Serving Wire ter)2,3 Basic Local Area		2 3 1 2	UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2	22.39 48.26										
re Voice Grade Loop (SL 1) - Zone 2 re Voice Grade Loop (SL 1) - Zone 3 re Voice Grade Loop (SL 2) - Zone 3 re Voice Grade Loop (SL 2) - Zone 1 re Voice Grade Loop (SL 2) - Zone 2 re Voice Grade Loop (SL 2) - Zone 3 ate  re Voice Grade Port (Centrex ) Basic Local Area re Voice Grade Port (Centrex 800 termination) re Voice Grade Port (Centrex with Caller ID)1Basic Local re Voice Grade Port (Centrex from diff Serving Wire ler)2,3 Basic Local Area		2 3 1 2	UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2	22.39 48.26										
re Voice Grade Loop (SL 1) - Zone 3 re Voice Grade Loop (SL 2) - Zone 1 re Voice Grade Loop (SL 2) - Zone 2 re Voice Grade Loop (SL 2) - Zone 3 ate  re Voice Grade Port (Centrex ) Basic Local Area re Voice Grade Port (Centrex 800 termination) re Voice Grade Port (Centrex with Caller ID)1Basic Local re Voice Grade Port (Centrex from diff Serving Wire er)2,3 Basic Local Area		3 1 2	UEP95 UEP95 UEP95	UECS1 UECS2	48.26										
re Voice Grade Loop (SL 2) - Zone 1 re Voice Grade Loop (SL 2) - Zone 2 re Voice Grade Loop (SL 2) - Zone 2 re Voice Grade Loop (SL 2) - Zone 3 ate  re Voice Grade Port (Centrex ) Basic Local Area re Voice Grade Port (Centrex 800 termination) re Voice Grade Port (Centrex with Caller ID)1Basic Local re Voice Grade Port (Centrex from diff Serving Wire re Voice Grade Port (Centrex from diff Serving Wire re/)2,3 Basic Local Area		1 2	UEP95 UEP95	UECS2											
re Voice Grade Loop (SL 2) - Zone 2 re Voice Grade Loop (SL 2) - Zone 3 ate  re Voice Grade Port (Centrex ) Basic Local Area re Voice Grade Port (Centrex 800 termination) re Voice Grade Port (Centrex with Caller ID)1Basic Local re Voice Grade Port (Centrex from diff Serving Wire re/)2,3 Basic Local Area		2	UEP95												
re Voice Grade Loop (SL 2) - Zone 3  ate  re Voice Grade Port (Centrex ) Basic Local Area re Voice Grade Port (Centrex 800 termination) re Voice Grade Port (Centrex with Caller ID)1Basic Local re Voice Grade Port (Centrex from diff Serving Wire er)2,3 Basic Local Area					14.93										
re Voice Grade Port (Centrex ) Basic Local Area re Voice Grade Port (Centrex 800 termination) re Voice Grade Port (Centrex with Caller ID)1Basic Local re Voice Grade Port (Centrex from diff Serving Wire re/)2,3 Basic Local Area		3	IUEP95	UECS2	25.35										
re Voice Grade Port (Centrex ) Basic Local Area re Voice Grade Port (Centrex 800 termination) re Voice Grade Port (Centrex with Caller ID)1Basic Local re Voice Grade Port (Centrex from diff Serving Wire ter)2,3 Basic Local Area				UECS2	50.46										
re Voice Grade Port (Centrex 800 termination) re Voice Grade Port (Centrex with Caller ID)1Basic Local re Voice Grade Port (Centrex from diff Serving Wire ter)2,3 Basic Local Area															
re Voice Grade Port (Centrex 800 termination) re Voice Grade Port (Centrex with Caller ID)1Basic Local re Voice Grade Port (Centrex from diff Serving Wire ter)2,3 Basic Local Area			LIEDOE	LIEDVA	4.00	20.25	10.00								<b>├</b>
re Voice Grade Port (Centrex with Caller ID)1Basic Local re Voice Grade Port (Centrex from diff Serving Wire ter)2,3 Basic Local Area		Τ	UEP95	UEPYA	1.36	38.85	19.08 19.08								
re Voice Grade Port (Centrex from diff Serving Wire ter)2,3 Basic Local Area			UEP95	UEPYB	1.36	38.85	19.08								<b>├</b>
re Voice Grade Port (Centrex from diff Serving Wire ter)2,3 Basic Local Area			UEP95	UEPYH	1.36	38.85	19.08								
ter)2,3 Basic Local Area			OLF 93	OLFIII	1.30	30.03	19.00								-
			UEP95	UEPYM	1.36	104.41	67.93								
			OLI 33	OLI TIVI	1.50	104.41	01.33								<del>                                     </del>
ice Term - Basic Local Area			UEP95	UEPYZ	1.36	104.41	67.93								
re Voice Grade Port terminated in on Megalink or equivalent			02. 00	022	1.00		01.00								
sic Local Area			UEP95	UEPY9	1.36	38.85	19.08								
re Voice Grade Port Terminated on 800 Service Term -															
c Local Area			UEP95	UEPY2	1.36	38.85	19.08								
MS, SC, & TN Only															
re Voice Grade Port (Centrex )			UEP95	UEPQA	1.36	38.85	19.08								
re Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.36	38.85	19.08								
re Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.36	38.85	19.08								
re Voice Grade Port (Centrex from diff Serving Wire															
ter)2,3			UEP95	UEPQM	1.36	104.41	67.93								
re Voice Grade Port, Diff Serving Wire Center - 800 Service									T						
1 2,3		<u> </u>	UEP95	UEPQZ	1.36	104.41	67.93								
			l												
		<b>_</b>	UEP95	UEPQ2	1.36	38.85	19.08								
hing		-	LIEDOE	UDECC	0.057										<del></del>
		-	UEP95	URECS	0.8577										<del></del>
		-	LIEDOE	LNDCC	0.25										-
ii Number Portability (1 per port)		-	05790	LINPUL	0.35										
tandard Foatures Offered, per port		-	LIEDOS	HEDVE	0.00										-
		1				/12 25									<del>                                     </del>
		<del>                                     </del>				412.23									<del>                                     </del>
Simon Samior Foliation Smorou, per port		<b>†</b>	021 00	0L1 V0	0.00										<b>†</b>
undled Network Access Register - Combination		<b>†</b>	UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						<del>                                     </del>
			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
undled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
us Terminations															
k Side				ĺ	ĺ				i						
k Side Terminations, each			UEP95	CEND6	8.29	115.85	18.20								
al (1.544 Megabits)							•								
Circuit Terminations, each			UEP95	M1HD1		196.18	92.92								
	· <u></u>		UEP95	M1HDO	0.00	14.06			T						1
Channels Activated, each			1		I										+
re	Voice Grade Port (Centrex)  Voice Grade Port (Centrex 800 termination)  Voice Grade Port (Centrex with Caller ID)1  Voice Grade Port (Centrex with Caller ID)1  Voice Grade Port (Centrex from diff Serving Wire)  2,3  Voice Grade Port, Diff Serving Wire Center - 800 Service 2,3  Voice Grade Port terminated in on Megalink or equivalent  Voice Grade Port terminated on 800 Service Term  10  10  10  10  11  11  11  11  11  1	Voice Grade Port (Centrex )  Voice Grade Port (Centrex 800 termination)  Voice Grade Port (Centrex with Caller ID)1  Voice Grade Port (Centrex from diff Serving Wire  )2.3  Voice Grade Port, Diff Serving Wire Center - 800 Service  2.3  Voice Grade Port, Diff Serving Wire Center - 800 Service  2.3  Voice Grade Port terminated in on Megalink or equivalent  Voice Grade Port Terminated on 800 Service Term  ng  ex Intercom Funtionality, per port  r Portability  Number Portability (1 per port)  Indard Features Offered, per port  etre Features Offered, per port  andled Network Access Register - Combination  Indied Network Access Register - Indial  Indied Network Access Register - Outdials  Terminations  Side  Side Terminations, each  (1.544 Megabits)  ircuit Terminations, each  hannels Activated, each	Voice Grade Port (Centrex )  Voice Grade Port (Centrex 800 termination)  Voice Grade Port (Centrex with Caller ID)1  Voice Grade Port (Centrex with Caller ID)1  Voice Grade Port (Centrex from diff Serving Wire )2,3  Voice Grade Port, Diff Serving Wire Center - 800 Service 2,3  Voice Grade Port terminated in on Megalink or equivalent Voice Grade Port Terminated on 800 Service Term 10  India Certain Serving Wire Center - 800 Service Term 10  India	Voice Grade Port (Centrex )	Voice Grade Port (Centrex)  Voice Grade Port (Centrex 800 termination)  Voice Grade Port (Centrex with Caller ID)1  Voice Grade Port (Centrex with Caller ID)1  Voice Grade Port (Centrex with Caller ID)1  Voice Grade Port (Centrex from diff Serving Wire  Voice Grade Port (Centrex from diff Serving Wire  Voice Grade Port, Diff Serving Wire Center - 800 Service  2,3  Voice Grade Port terminated in on Megalink or equivalent  Voice Grade Port terminated on 800 Service Term  Voice Grade Port Terminated on 800 Service Term  Voice Grade Port Terminated on 800 Service Term  Voice Grade Port Terminated on 800 Service Term  Very Service Very Ser	Voice Grade Port (Centrex )	Voice Grade Port (Centrex )	Voice Grade Port (Centrex   UEP95   UEPQB   1.36   38.85   19.08     Voice Grade Port (Centrex with Caller ID)1   UEP95   UEPQB   1.36   38.85   19.08     Voice Grade Port (Centrex with Caller ID)1   UEP95   UEPQB   1.36   38.85   19.08     Voice Grade Port (Centrex with Caller ID)1   UEP95   UEPQH   1.36   38.85   19.08     Voice Grade Port (Centrex with Caller ID)1   UEP95   UEPQH   1.36   38.85   19.08     Voice Grade Port (Centrex from diff Serving Wire   UEP95   UEPQB   1.36   104.41   67.93     Voice Grade Port, Diff Serving Wire Center - 800 Service   UEP95   UEPQZ   1.36   104.41   67.93     Voice Grade Port terminated in on Megalink or equivalent   UEP95   UEPQ2   1.36   38.85   19.08     Voice Grade Port Terminated on 800 Service Term   UEP95   UEPQ2   1.36   38.85   19.08     Voice Grade Port Terminated on 800 Service Term   UEP95   UEPQ2   1.36   38.85   19.08     Voice Grade Port Terminated on 800 Service Term   UEP95   UEPQ2   1.36   38.85   19.08     Voice Grade Port Terminated on 800 Service Term   UEP95   UEPQ2   1.36   38.85   19.08     Voice Grade Port Terminated on 800 Service Term   UEP95   UEPQ2   1.36   38.85   19.08     Voice Grade Port Terminated on 800 Service Term   UEP95   UEPQ2   1.36   38.85   19.08     Voice Grade Port Terminated on 800 Service Term   UEP95   UEPQ2   1.36   38.85   19.08     Voice Grade Port Terminations   UEP95   UEPVF   0.00   0.00     Voice Grade Port Terminations   UEP95   UEPVF   0.00   0.00     Voice Grade Port Terminations   UEP95   UEPVC   0.00     Voice Grade Port Terminations   UEP95   UEPVC   0.00     Voice Grade Port Terminations   UEP95   UEPVC   0.00     Voice Grade Port Terminations   UEP95   UEPVC   0.00     Voice Grade Port Terminations   UEP95   UEPVC   0.00     Voice Grade Port Terminations   UEP95   UEPVC   0.00     Voice Grade Port Terminations   UEP95   UEPVC   0.00     Voice Grade Port Terminations   UEP95   UEPVC   0.00     Voice Grade Port Terminations   UEP95   UEPVC   0.00     Voice Grade Port Terminations   UEP95   UEPVC   0.00     Vo	Voice Grade Port (Centrex )	Voice Grade Port (Centrex )	Voice Grade Port (Centrex )	UEP95	Voice Grade Port (Centrex Note can be provided from the provided	Voice Grade Port (Centrex )	Voice Grade Port (Centrex 800 termination)

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											1	-	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
<del></del>		ļ			+		Nonrec		Manragurrin	g Disconnect			000	Rates (\$)		
<b></b>		<u> </u>	<u> </u>		+	Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel mileage, per mile or fraction of mile	1		UEP95	M1GBM	0.013	FIISL	Auu i	FIISL	Add I	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
Feat	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	ce		OLI 33	WITODW	0.013										
	Channel Bank Feature Activations	Ī			1									t		
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.6497										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.6497										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP95	1PQW7	0.6497										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
$\vdash$	Different Wire Center	ļ		UEP95	1PQWP	0.6497										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.6497								1		
$\vdash$	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	<del>                                     </del>	-	OLF90	150444	0.0497			-	1		<b> </b>		<del>                                     </del>	<del> </del>	<del>                                     </del>
1 1	Slot	1		UEP95	1PQWQ	0.6497						1		I		
$\vdash$	Feature Activation on D-4 Channel Bank WATS Loop Slot	<del>                                     </del>	<b>t</b>	UEP95	1PQWA	0.6497			†	†	<b>-</b>	<b> </b>		t		
Non	-Recurring Charges (NRC) Associated with UNE-P Centrex	†			~,,,,	3.0401			1	1				1	1	
	NRC Conversion Currently Combined Switch-As-Is with allowed	1			1					1				1	ĺ	
	changes, per port			UEP95	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		36.66	16.10								
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	680.40									
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	680.40									
<u> </u>	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	73.93									
Addi	itional Non-Recurring Charges (NRC)				$\perp$											
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP95	URETL		8.33	0.83								
$\vdash$	Unbundled Miscellaneous Rate Element, Tag Design Loop at	<b>-</b>	1	UEP95	UKETL		8.33	0.83			-			-		
	End Use Premise			UEP95	URETN		11.20	1.10								
UNE	-P CENTREX - DMS100 (Valid in All States)	1		OLI 00	ORLIN		11.20	1.10								
	ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
	Non-Design		1	UEP9D		13.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
	Non-Design		2	UEP9D		23.75										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	LIEDOD		40.00										
LINE	Non-Design   Port/Loop Combination Rates (Design)	1	3	UEP9D	+	49.62				1	-	-		<del>                                     </del>	-	
UNE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	<del>                                     </del>	<del>                                     </del>		+ -				1	1	<del>                                     </del>			<del> </del>	<del> </del>	
1 1	Design		1	UEP9D		16.29								1		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	t	Ė	-	1									1	İ	
	Design	<u> </u>	2	UEP9D	<u> </u>	26.71			<u> </u>	<u> </u>		<u> </u>		<u> </u>		<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design	ļ	3	UEP9D		51.82										
UNE	Loop Rate	ļ								1						
$\vdash$	2-Wire Voice Grade Loop (SL 1) - Zone 1	ļ	1	UEP9D	UECS1	11.77								-		
$\vdash$	2-Wire Voice Grade Loop (SL 1) - Zone 2	<del>                                     </del>	3	UEP9D	UECS1 UECS1	22.39 48.26			1	1	1			<del>                                     </del>	<b> </b>	<del>                                     </del>
$\vdash$	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	<del> </del>	1	UEP9D UEP9D	UECS1	48.26 14.93	-							+		
$\vdash$	2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 2	1	2	UEP9D	UECS2	25.35	-		+	+	<del>                                     </del>			<del>                                     </del>	<del> </del>	
$\vdash$	2-Wire Voice Grade Loop (SL 2) - Zone 3	l	3	UEP9D	UECS2	50.46			1	1				<b>-</b>		
UNE	Port Rate	t	Ť		1	556								1	İ	
	STATES									<u> </u>						
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9D	UEPYA	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
$\vdash$	Area	ļ		UEP9D	UEPYB	1.36	38.85	19.08		1		ļ		1	ļ	
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			LIEDOD	LIEDYO	4.00	20.05	40.00								
$\vdash$	Area  2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local	1	<del>                                     </del>	UEP9D	UEPYC	1.36	38.85	19.08			-	-		-		
	12-11116 VOICE GLAUE FOIL (CELLIEX / EDO-IVIDUOS)SDASIC LOCAL	1	1	UEP9D	UEPYD	1.36	38.85	19.08	1	1	1	l	l	1	1	1

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec		curring	Nonrecurring Dis					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYW	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYJ	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3-Basic Local Area			UEP9D	UEPYM	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area			UEP9D	UEPYO	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area			UEP9D	UEPYQ	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area			UEP9D	UEPYS	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area			UEP9D	UEPY6	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	1.36	104.41	67.93								
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9D	UEPYZ	1.36	104.41	67.93								
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.36	38.85	19.08								
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.36	38.85	19.08								
AL, K	/, LA, MS, SC, & TN Only		ļ	LIEDOD	LIEDC A	100	00.0=	10.00	<del>                                     </del>							<u> </u>
	2-Wire Voice Grade Port (Centrex)  2-Wire Voice Grade Port (Centrex 800 termination)		<b>-</b>	UEP9D UEP9D	UEPQA UEPQB	1.36 1.36	38.85 38.85	19.08 19.08	<del>                                     </del>							+
	2-Wire Voice Grade Port (Centrex 800 terminator)  2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	1.36	38.85	19.08								<del>                                     </del>
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPQD	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPQE	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPQF	1.36	38.85	19.08								ļ
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4		<b>_</b>	UEP9D	UEPQG	1.36	38.85	19.08								<del>                                     </del>
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4		-	UEP9D	UEPQT	1.36	38.85	19.08 19.08							-	-
+	2-Wire Voice Grade Port (Centrex / EBS-M5208)4 2-Wire Voice Grade Port (Centrex / EBS-M5216)4		<del>                                     </del>	UEP9D UEP9D	UEPQU UEPQV	1.36 1.36	38.85 38.85	19.08	+ +		1				<del>                                     </del>	<del>                                     </del>
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4	<b>-</b>	<del>                                     </del>	UEP9D	UEPQ3	1.36	38.85	19.08	+ + +			<b> </b>			<b> </b>	+
	2-Wire Voice Grade Port (Centrex vith Caller ID)		<b>t</b>	UEP9D	UEPQH	1.36	38.85	19.08	+ +		<b>+</b>	<b> </b>			<b> </b>	<del>                                     </del>

JNBUNDLE	D NETWORK ELEMENTS - Louisiana			1							Ι	1 -		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			LIEBOD	LIEDOW	4.00	00.05	10.00								
	Indication)4 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4		<u> </u>	UEP9D UEP9D	UEPQW UEPQJ	1.36 1.36	38.85 38.85	19.08 19.08			<b>.</b>				-	
	2-Wire Voice Grade Port (Centrex/msg Wtg Lamp Indication)4  2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			OLF3D	ULFQJ	1.30	30.03	19.00							<u> </u>	
	2,3			UEP9D	UEPQM	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.36	104.41	67.93								
	0 M/2 Vei - O - I - D - I (O - I - O )   1/4 - O MO (EDO MECOO) 0 0 4			LIEDOD	LIEDOD	4.00	404.44	07.00								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.36	104.41	67.93	-						-	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.36	104.41	67.93								
	2 Trice voice ended to ex (Bornier anier er ex 220 5250)2;0;1			02.02	02. 44	1.00		01.00							t	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.36	104.41	67.93								
	2-Wile Voice Grade Fort (CertifeXullier SWC /EB3-W3000)2,3,4			OLF3D	ULF Q4	1.30	104.41	07.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.36	104.41	67.93								
	·															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.36	104.41	67.93								
	0 M/2 - Vei - 0 - 1 - Dest (0 - 1 - 1 - 1   1/4 - 2   1/4   1/5			LIEDOD	LIEDO7	4.00	404.44	07.00								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPQ7	1.36	104.41	67.93							-	
	Term 2,3			UEP9D	UEPQZ	1.36	104.41	67.93								
	10111 2,0			02.02	02. Q2	1.00		01.00								
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.36	38.85	19.08								
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.36	38.85	19.08								
Local	Switching			LIEBAR												
1 1	Centrex Intercom Funtionality, per port  Number Portability			UEP9D	URECS	0.8577					1				1	
Local	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Featu				OLI OD	LIVI OO	0.00										
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00									t	<b>†</b>
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	412.25									
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00										
NARS			ļ													
	Unbundled Network Access Register - Combination			UEP9D	UARCX UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial		<u> </u>	UEP9D UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00	<b>.</b>				-	
Misce	Ilaneous Terminations			UEP9D	UARUX	0.00	0.00	0.00	0.00	0.00					<del> </del>	
	Trunk Side															
ĺ	Trunk Side Terminations, each			UEP9D	CEND6	8.29	115.85	18.20								
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	68.47	196.18	98.62								
1	DS0 Channels Activiated per Channel		-	UEP9D	M1HDO	0.00	14.06		<u> </u>	-						-
Intero	ffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination		-	UEP9D	M1GBC	22.60	39.36	26.62	<del>                                     </del>		1				<del>                                     </del>	
	Interoffice Channel mileage, per mile or fraction of mile		<del>                                     </del>	UEP9D	M1GBC	0.013	39.30	20.02			1				+	
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e			55101	0.010					1				<b>†</b>	
	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.6497										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		-	UEP9D	1PQW6	0.6497										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP9D	1PQW7	0.6497										
-+	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		<del>                                     </del>	OLFBD	IF Q/V/	0.0497					1				<del> </del>	<del>                                     </del>
			1	UEP9D	1PQWP	0.6497			1	1	i	1	1	1	1	i .

UNBU	NDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually		Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. zo.t	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	Disc Add I
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.6497										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP9D	1PQWQ	0.6497										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.6497										
	Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP9D	USAC2		0.10	0.10								
		Conversion of existing Centrex Common Block, each			UEP9D	USACN		36.66	16.10								
-		New Centrex Standard Common Block	<del></del>	-	UEP9D	M1ACS	0.00	680.40					-	-	<del>                                     </del>	-	
-		New Centrex Customized Common Block	-		UEP9D	M1ACC URECA	0.00	680.40							<del>                                     </del>		
$\vdash$	۷ طط:۲: -	NAR Establishment Charge, Per Occasion onal Non-Recurring Charges (NRC)	+	-	UEP9D	UKECA	0.00	73.93		1		-	-		<del>                                     </del>		-
$\vdash$	Auditio	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	+	-		+	<b></b>			1		-	-		<del>                                     </del>		-
		Premise	1		UEP9D	URETL		8.33	0.83			1			I		
		Unbundled Miscellaneous Rate Element, Tag Design Loop at	1		UEP9D	UKEIL		0.33	0.63				1		-		
		End Use Premise			UEP9D	URETN		11.20	1.10								
	IINF-P	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)		-	OLF 9D	UKLIN		11.20	1.10	<del>                                     </del>				1			
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo		-						<del>                                     </del>				1			
		ort/Loop Combination Rates (Non-Design)				+				1							
	0.112.1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -											1				
		Non-Design		1	UEP9E		13.13										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -								i i							
		Non-Design		2	UEP9E		23.75										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -											İ				
		Non-Design		3	UEP9E		49.62										
	UNE P	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
		Design		1	UEP9E		16.29										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP9E		26.71										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP9E		51.82										
	UNE L	pop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	11.77										
<u> </u>		2-Wire Voice Grade Loop (SL 1) - Zone 2	<b> </b>	2	UEP9E	UECS1	22.39					ļ		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	
$\vdash$		2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEP9E	UECS1 UECS2	48.26 14.93						1	<del>                                     </del>	<del>                                     </del>	<b> </b>	
$\vdash$		2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	1	2	UEP9E UEP9E	UECS2	14.93 25.35						1	<del>                                     </del>	<del>                                     </del>	<b> </b>	
<b>—</b>		2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3	1	3	UEP9E	UECS2	50.46			+ +			-	-	<del></del>		
$\vdash$	IINE P	p2-wire voice Grade Loop (SL 2) - Zone 3  ort Rate	<del>                                     </del>	3	OLPSE	UEUSZ	50.46			+		<b> </b>		<del> </del>	+	<del> </del>	
		, KY, LA, MS, & TN only	<del>                                     </del>	<del>                                     </del>		+				<del>                                     </del>				<del> </del>	<del>                                     </del>	<del> </del>	
	AL, I'L	2-Wire Voice Grade Port (Centrex ) Basic Local Area	<del>                                     </del>	<del>                                     </del>	UEP9E	UEPYA	1.36	38.85	19.08	<del>                                     </del>		<b> </b>			<b>+</b>		
$\vdash$		2-Wire Voice Grade Port (Centrex ) Basic Local Area  2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	<del>                                     </del>		J_1 J_	OLI IA	1.50	30.03	13.00	<del>                                     </del>		<b>-</b>	<b>-</b>	<b> </b>	<del>                                     </del>	<b> </b>	
		Area	1		UEP9E	UEPYB	1.36	38.85	19.08			1			I		
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	<b>1</b>			02. 15	1.00	55.55	10.00					1	<u> </u>	1	
		Area	1		UEP9E	UEPYH	1.36	38.85	19.08			1			I		
		2-Wire Voice Grade Port (Centrex from diff Serving Wire	1			1								İ	1	İ	
		Center)2,3 Basic Local Area	1		UEP9E	UEPYM	1.36	104.41	67.93			1			I		
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800	l											1		1	
		Service Term - Basic Local Area	<u></u>		UEP9E	UEPYZ	1.36	104.41	67.93			<u></u>	<u></u>	<u></u>	L	<u> </u>	
	•	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
		- Basic Local Area	<u></u>		UEP9E	UEPY9	1.36	38.85	19.08			<u></u>	<u></u>	<u></u>	L	<u> </u>	
		2-Wire Voice Grade Port Terminated on 800 Service Term -															
		Basic Local Area			UEP9E	UEPY2	1.36	38.85	19.08								
	AL, KY	, LA, MS, & TN Only							·								
$ldsymbol{ldsymbol{ldsymbol{eta}}}$		2-Wire Voice Grade Port (Centrex )			UEP9E	UEPQA	1.36	38.85	19.08								
$\perp$		2-Wire Voice Grade Port (Centrex 800 termination)	ļ		UEP9E	UEPQB	1.36	38.85	19.08							ļ	
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.36	38.85	19.08				l	l	l	l	

ONBONDE	ED NETWORK ELEMENTS - Louisiana													ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex from diff Serving Wire				I											
	Center)2,3			UEP9E	UEPQM	1.36	104.41	67.93								ļ
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			LIEDOE	LIEDO7	4.00	404.44	07.00								
	Service Term		-	UEP9E	UEPQZ	1.36	104.41	67.93								
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.36	38.85	19.08								
	2-Wire Voice Grade Port terminated in on Megalink of equivalent			UEP9E	UEPQ2	1.36	38.85	19.08	1						<del> </del>	-
Loca	al Switching			OLI 3L	OLI QZ	1.50	30.03	13.00								<del> </del>
2000	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.8577					1					<del>                                     </del>
Loca	Number Portability															
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35								İ	1	
Feat																
	All Standard Features Offered, per port			UEP9E	UEPVF	0.00										
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	412.25	·					_			
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00										
NAR					1										ļ	
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						<b>!</b>
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						
	ellaneous Terminations															ļ
2-Wi	re Trunk Side		-	LIEDOE	OENDO	0.00	445.05	10.00								
4 18/3	Trunk Side Terminations, each re Digital (1.544 Megabits)			UEP9E	CEND6	8.29	115.85	18.20								<del>                                     </del>
4-1/1	DS1 Circuit Terminations, each		<u> </u>	UEP9E	M1HD1	68.47	196.18	92.92			-				-	-
	DS0 Channel Activated Per Channel			UEP9E	M1HD0	0.00	14.06	32.32			1				-	1
Inter	office Channel Mileage - 2-Wire			OLF9L	IVITIDO	0.00	14.00									-
IIItei	Interoffice Channel Facilities Termination			UEP9E	M1GBC	22.60	39.36	26.62								<del> </del>
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.013	00.00	20.02			1					<u> </u>
Feat	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	hannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.6497										
	· ·															
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.6497										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9E	1PQW7	0.6497										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9E	1PQWP	0.6497										
	Early and Arthur and D. A. Ohanna I. David Driver and D. C. C.			LIEDOE	4500407	0.046=						1			I	
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		-	UEP9E	1PQWV	0.6497									<del>                                     </del>	<del></del>
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9E	1PQWQ	0.6497						1			I	
	Feature Activation on D-4 Channel Bank WATS Loop Slot	-	<del>                                     </del>	UEP9E UEP9E	1PQWQ 1PQWA	0.6497			_			<b> </b>		<b> </b>	<del>                                     </del>	<b></b>
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex			OLF9L	IFQWA	0.0497										
14011-	NRC Conversion Currently Combined Switch-As-Is with allowed				+ +											
	changes, per port			UEP9E	USAC2		0.10	0.10							1	
	Conversion of Existing Centrex Common Block, each		t	UEP9E	USACN		36.66	16.10							1	
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	680.40	.0.10							1	<b>†</b>
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	680.40									
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	73.93									
Addi	tional Non-Recurring Charges (NRC)							·					_			
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use													I		
	Premise			UEP9E	URETL		8.33	0.83						ļ	L	
	Unbundled Miscellaneous Rate Element, Tag Design Loop at			l	1							1			I	
	End Use Premise			UEP9E	URETN		11.20	1.10							1	ļ
	-P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)		<u> </u>		1										ļ	ļ
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo		ļ		+									<b> </b>	-	
UNE	Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-	-		+ +				<del>                                     </del>		-			-	<del>                                     </del>	<del>                                     </del>
	Non-Design		1	UEP93	1	13.13										

JUITEL	D NETWORK ELEMENTS - Louisiana													ment: 2	1	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						ı	Nonred	rurring	Nonrecurring	n Disconnect				Rates (\$)		
-+-			1		+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1			71001		71441	0020	00				00
	Non-Design		2	UEP93		23.75										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP93		49.62										
UNE P	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		١.			40.00										
	Design		1	UEP93	-	16.29					1			1	1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP93		26.71										
-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLF 93	+	20.71							<del> </del>	<del> </del>	<del> </del>	
	Design		3	UEP93		51.82						1	I	I	I	
UNE L	oop Rate		Ť		1					ĺ			1	1	1	Ì
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	11.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	22.36										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	48.26										
$\rightarrow$	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	14.93			ļ		ļ			ļ	ļ	
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	25.35										1
UNIT	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	50.46										1
	Port Rate Y, LA, MS, & TN only		<u> </u>		+				1				-	-	-	
AL, K	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP93	UEPYA	1.36	38.85	19.08					1	1	1	1
-+-	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			OLI 95	OLITA	1.50	30.03	19.00	1							
	Area			UEP93	UEPYB	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP93	UEPYH	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3 Basic Local Area			UEP93	UEPYM	1.36	104.41	67.93								
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															
	Service Term - Basic Local Area		-	UEP93	UEPYZ	1.36	104.41	67.93					1	1	1	
	Wire Voice Grade Port terminated in on Megalink or equivalent     Basic Local Area			UEP93	UEPY9	1.36	38.85	19.08								
-+-	2-Wire Voice Grade Port Terminated on 800 Service Term -			ULF 93	OLF19	1.30	30.03	19.00						-	-	
	Basic Local Area			UEP93	UEPY2	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex )			UEP93	UEPQA	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP93	UEPQM	1.36	104.41	67.93								
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800			LIEDOS	LIEDOZ	4 00	404.44	07.00				1	I	I	I	
-+-	Service Term		<del>                                     </del>	UEP93	UEPQZ	1.36	104.41	67.93	+	1	1		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.36	38.85	19.08					1	1	1	
	2-Wire Voice Grade Port Terminated in 60 Service Term		<b>†</b>	UEP93	UEPQ2	1.36	38.85	19.08		İ			1	1	1	
Local	Switching						22.30			İ	1		1	1	1	
	Centrex Intercom Funtionality, per port		L	UEP93	URECS	0.8577										
Local	Number Portability															
<del></del> _	Local Number Portability (1 per port)		<u> </u>	UEP93	LNPCC	0.35					ļ		ļ	ļ	ļ	
Featur			<b>_</b>	LIEDOS	UEPVF	0.00	70.00	07.11	-		<u> </u>					
-+-	All Standard Features Offered, per port		-	UEP93 UEP93	UEPVF	0.00	73.93 73.93	27.14 27.14	-		1		<b>-</b>	<del>                                     </del>	<del>                                     </del>	
NARS	All Centrex Control Features Offered, per port		<del>                                     </del>	OFLAS	UEFVC	0.00	73.93	21.14	+	1	1		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	1
MARS	Unbundled Network Access Register - Combination		<b>t</b>	UEP93	UARCX	0.00	0.00	0.00	0.00	0.00	<b> </b>	<b> </b>	t	t	t	
-	Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00		0.00			1	1	1	
	Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00		0.00			1	1	1	
	Ilaneous Terminations															
2-Wir€	Trunk Side															
	ITI ONE TII		1	UEP93	CEND6	8.27	115.85	18.20	1	1	1	l	1	1	1	1
	Trunk Side Terminations, each p Digital (1.544 Megabits)		1	OLI 93	OLINDO	0.27			+	1	+		<del> </del>	-		1

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -
											Elec				Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.06									
	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP93	M1GBC	22.60	39.36	26.62								
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	M1GBM	0.013										
	e Activations (DS0) Centrex Loops on Channelized DS1 Servic	е														
D4 Cha	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.6497										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.6497										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP93	1PQW7	0.6497										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP93	1PQWP	0.6497										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.6497										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop															
	Slot			UEP93	1PQWQ	0.6497										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.6497										
	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP93	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		36.66	16.10								
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	680.40									
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	680.40									
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	73.93									
Additio	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use				1	[ [	l									
	Premise			UEP93	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at				1								·			
	End Use Premise			UEP93	URETN		11.20	1.10								
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD							· ·					·			
	2 - Requres Interoffice Channel Mileage															
	- Installation is combination of Installation charge for SL2 Lo	op and l	Port													
	- Requires Specific Customer Premises Equipment															
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to r	ate tru	e-up as set forth in	General Tern	ns and Condition	ns.									

LINDI	NDI E	D NETWORK ELEMENTS Mississingi												A441		F	
ONBL	NULE	D NETWORK ELEMENTS - Mississippi		ı		I	I					Syc Order	Svc Order	Attach Incremental	ment: 2 Incremental	Exhi Incremental	bit: A Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									por zort	po. zo.	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1							Monro	curring	Monroourrin	Disconnect			220	Rates (\$)		
-							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
								FIISL	Auu i	FIISt	Addi	JOINILO	JOWAN	JOWAN	JOWAN	JOWAN	SOWAN
	The "Zo	one" shown in the sections for stand-alone loops or loops as	part of	a comb	pination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zon	e Designation	ns by Cent	ral Office, refe	er to internet	Website:	
		ww.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion.ht	m		_										
OPER/		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"		L.,				<u> </u>		L.,				L	<u></u>	l	0: -0
		(1) CLEC should contact its contract negotiator if it prefers th															
		ther the state specific Commission ordered rates for the servi	ice orae	ring cr	larges, or CLEC may	elect the re	gionai service (	ordering charg	e, nowever, Ci	LEC can not of	otain a mixture	of the two	regardiess i	f CLEC nas a	Interconnecti	on contract e	stabiisned in
-		(2) Any element that can be ordered electronically will be bill	ed acco	ordina f	o the SOMEC rate lis	sted in this o	ategory. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine	if a product	can be order	ed electronica	ally. For those	e elements
		nnot be ordered electronically at present per the LOH, the list															
		N, will be applied to a CLECs bill when it submits an LSR to B													,		, ,
		OSS - Electronic Service Order Charge, Per Local Service															
		Request (LSR) - UNE Only		ļ		SOMEC		3.50	0.00	3.50	0.00						
1		OSS - Manual Service Order Charge, Per Local Service Request				COMAN		45.77	0.00	1	0.00						
LINE C	EDVICE	(LSR) - UNE Only DATE ADVANCEMENT CHARGE				SOMAN		15.75	0.00	1.97	0.00				-		
OINE 3		The Expedite charge will be maintained commensurate with I	BellSou	th's FC	C No 1 Tariff Section	n 5 as annli	rahle			1					<del> </del>		
	NOTE.	The Expedite sharps will be maintained commensurate with	Democa		Tann, ocone	n o as appir	l .			1					1		
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC, USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL, UC1FC, UC1FL,												
					UC1GC, UC1GL.												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1, ULDD3, ULDDX,												
					ULDO3, ULDS1,												
1					ULDVX, UNC1X,					1							
1					UNC3X, UNCDX,					1							
1					UNCNX, UNCSX,					1							
					UNCVX, UNLD1, UNLD3, UXTD1,					1							
1					UXTD3, UXTD1,					1							
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,					1					1		
		Day			U1TUB, U1TUA	SDASP		200.00		<u> </u>					<u> </u>		
UNBUI		XCHANGE ACCESS LOOP															
<u> </u>	2-WIRE	ANALOG VOICE GRADE LOOP	-	4	LIEANII	LIEALO	40.00	27.00	47.55	00.40	F 05	ļ					
-	-	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	-	1 2	UEANL UEANL	UEAL2 UEAL2	12.03 16.87	37.92 37.92	17.55 17.55	23.48 23.48	5.25 5.25	1			-		
$\vdash$	<b>-</b>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	25.68	37.92	17.55	23.48	5.25	<del>                                     </del>			<b>-</b>		
		2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4		4	UEANL	UEAL2	43.85	37.92	17.55	23.48	5.25						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	12.03	37.92	17.55	23.48	5.25						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	16.87	37.92	17.55	23.48	5.25						
<u> </u>		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	25.68	37.92	17.55	23.48	5.25	1					
-	-	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4 Unbundled Miscellaneous Rate Element, Tag Loop at End User	-	4	UEANL	UEASL	43.85	37.92	17.55	23.48	5.25	1			-		
1		Premise			UEANL	URETL		8.33	0.83	1							
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.36	34.36	<u> </u>					1	1	
					(- ·		1	200	200	<u> </u>	1		1			ı	

UNBUNDLE	D NETWORK ELEMENTS - Mississippi													ment: 2	Exhi	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.97	19.97								
	CLEC to CLEC Conversion Charge Without Outside Dispatch			UEANL	UREWO		15.75	8.92								
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.51	13.51								
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.20	8.20								
	Order Coordination for Specified Conversion Time for UVL-SL1															
	(per LSR)			UEANL	OCOSL		18.19	18.19								
2-WIRE	Unbundled COPPER LOOP			1150	LIEGOV.		00.50	10.10	20.00							
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	I		UEQ	UEQ2X	11.01	36.53	16.16	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2			UEQ	UEQ2X	11.51	36.53	16.16	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	- !	3	UEQ	UEQ2X	11.57	36.53	16.16	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 4		4	UEQ	UEQ2X	13.10	36.53	16.16	22.66	4.42						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIEO	LIDET!	l	2.00	0.00								
	Premise		<del>                                     </del>	UEQ	URETL		8.33	0.83				<b> </b>		<b> </b>	<b> </b>	
	Manual Order Coordination 2 Wire Unbundled Copper Loop -			LIEO	LICDAGO	l	2.00	0.00								
	Non-Designed (per loop)	-	<del>                                     </del>	UEQ	USBMC	-	8.20	8.20			-	ļ		-	-	
	Unbundled Copper Loop, Non-Design Copper Loop, billing for				11501411		10.51	10.51								
	BST providing make-up (Engineering Information - E.I.)			UEQ UEQ	UEQMU		13.51	13.51								
	Loop Testing - Basic 1st Half Hour				URET1		34.36	34.36								
	Loop Testing - Basic Additional Half Hour	-		UEQ UEQ	URETA		19.97	19.97								
UNDUNDUED I	CLEC to CLEC Conversion Charge Without Outside Dispatch	-		UEQ	UREWO		14.24	7.42								
	EXCHANGE ACCESS LOOP		ļ		+											
Z-WIRE	E ANALOG VOICE GRADE LOOP		ļ		+											
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEALS	12.03	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEABS	12.03	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	16.87	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEABS	16.87	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEALS	25.68	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEABS	25.68	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 4		4	UEPSR UEPSB	UEALS	43.85	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 4		4	UEPSR UEPSB	UEABS	43.85	37.92	17.55	23.48	5.25						
	EXCHANGE ACCESS LOOP				1											
2-WIRE	ANALOG VOICE GRADE LOOP				1											
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	13.89	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	18.75	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	27.55	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 4		4	UEA	UEAL2	45.72	105.96	68.28	52.82	10.37						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.19									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	13.89	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	18.75	105.96	68.28	52.82	10.37						
ı		<del>                                     </del>	<del>                                     </del>		<del>                                     </del>										l	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	27 55	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 4		3	UEA UEA	UEAR2 UEAR2	27.55 45.72	105.96 105.96	68.28 68.28	52.82 52.82	10.37						

UNBUNDLE	NETWORK ELEMENTS - Mississippi													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.56	36.29								
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.19	1.10								
	ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1		_	UEA	UEAL4	27.47	132.27	94.59		14.64						
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	38.26	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64						<u> </u>
	4-Wire Analog Voice Grade Loop - Zone 4		4	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64						<u> </u>
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.19									<u> </u>
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.56	36.29								
2-WIRE	ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.01	117.61	79.92	52.82	10.37			ļ		ļ	<u> </u>
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	27.59	117.61	79.92	52.82	10.37						
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.34	117.61	79.92	52.82	10.37			ļ		ļ	<u> </u>
	2-Wire ISDN Digital Grade Loop - Zone 4		4	UDN	U1L2X	59.18	117.61	79.92	52.82	10.37						
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18.19									
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.46	44.07								<b>!</b>
	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP													<b></b>
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	11.11	121.27	70.81	50.38	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	11.47	121.27	70.81	50.38	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	11.74	121.27	70.81	50.38	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 4		4	UAL	UAL2X	12.69	121.27	70.81	50.38	7.93						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.19									
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1		1	UAL	UAL2W	11.11	96.15	58.03	50.38	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2		2	UAL	UAL2W	11.47	96.15	58.03	50.38	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3		3	UAL	UAL2W	11.74	96.15	58.03	50.38	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 4		4	UAL	UAL2W	12.69	96.15	58.03	50.38	7.93						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.19									
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.04	40.33								
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	8.75	129.98	79.52	50.38	7.93						
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	9.22	129.98	79.52	50.38	7.93						
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	9.87	129.98	79.52	50.38	7.93						
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 4		4	UHL	UHL2X	10.46	129.98	79.52	50.38	7.93						
	Order Coordination for Specified Conversion Time (per LSR)  2 Wire Unbundled HDSL Loop without manual service inquiry			UHL	OCOSL		18.19									
	and facility reservation - Zone 1  2 Wire Unbundled HDSL Loop without manual service inquiry		1	UHL	UHL2W	8.75	104.86	66.74	50.38	7.93						<u> </u>
	and facility reservation - Zone 2  2 Wire Unbundled HDSL Loop without manual service inquiry		2	UHL	UHL2W	9.22	104.86	66.74	50.38	7.93						
	and facility reservation - Zone 3  2 Wire Unbundled HDSL Loop without manual service inquiry		3	UHL	UHL2W	9.87	104.86	66.74	50.38	7.93						
	and facility reservation - Zone 4  Order Coordination for Specified Conversion Time (per LSR)		4	UHL UHL	UHL2W OCOSL	10.46	104.86 18.19	66.74	50.38	7.93						
	CLEC to CLEC Conversion Charge without outside dispatch	<b>-</b>		UHL	UREWO		85.98	40.33			<b>-</b>		<b> </b>		<b> </b>	<b>—</b>
	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	LOOP	OT IL	JILLANO		05.30	40.33								
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	13.78	158.74	108.28	56.72	10.68						

UNBUNDLE	D NETWORK ELEMENTS - Mississippi													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire Unbundled HDSL Loop including manual service inquiry		_													ĺ
	and facility reservation - Zone 2		2	UHL	UHL4X	13.43	158.74	108.28	56.72	10.68						
	4-Wire Unbundled HDSL Loop including manual service inquiry					45.50	450.74	100.00	50.70	40.00						l
	and facility reservation - Zone 3		3	UHL	UHL4X	15.59	158.74	108.28	56.72	10.68						<b>——</b>
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 4		4	UHL	UHL4X	14.46	158.74	108.28	56.72	10.68						ĺ
	Order Coordination for Specified Conversion Time (per LSR)		4	UHL	OCOSL	14.40	18.19	100.20	56.72	10.00						<del>                                     </del>
	4-Wire Unbundled HDSL Loop without manual service inquiry			OTIL	OCCOL		10.19		1		1					<del></del>
	and facility reservation - Zone 1		1	UHL	UHL4W	13.78	133.62	95.50	56.72	10.68						l
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	13.43	133.62	95.50	56.72	10.68						1
	4-Wire Unbundled HDSL Loop without manual service inquiry				i i										1	
	and facility reservation - Zone 3		3	UHL	UHL4W	15.59	133.62	95.50	56.72	10.68	<u> </u>	<u> </u>				<u> </u>
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 4		4	UHL	UHL4W	14.46	133.62	95.50	56.72	10.68						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		85.98	40.33								
4-WIRI	DS1 DIGITAL LOOP		L.	1101	1101101	<b>20.00</b>	0.000.00	150.15	10.10	10.00						
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	79.08	253.93	158.45		12.07						-
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	129.38	253.93	158.45	46.10	12.07						<del></del>
	4-Wire DS1 Digital Loop - Zone 3 4-Wire DS1 Digital Loop - Zone 4		3		USLXX	206.74 458.46	253.93 253.93	158.45 158.45		12.07 12.07	-					<del></del>
	Order Coordination for Specified Conversion Time (per LSR)		4	USL	OCOSL	458.46	18.19	158.45	46.10	12.07	-					<del></del>
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.90	42.96	1		1					<del></del>
4-WIRI	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			002	OKETTO		100.00	42.00								<del>                                     </del>
7 11111	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.44	126.53	88.85	60.68	14.64	1					
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	34.55	126.53	88.85		14.64						
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	40.76	126.53	88.85		14.64						
	4 Wire Unbundled Digital 19.2 Kbps		4	UDL	UDL19	32.25	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	27.44	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	34.55	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	40.76	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 4		4	UDL	UDL56	32.25	126.53	88.85	60.68	14.64						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.19									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	27.44	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	-		UDL UDL	UDL64	34.55 40.76	126.53	88.85		14.64	1	-		-	<del> </del>	<del></del>
$\vdash$	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 4 Wire Unbundled Digital Loop 64 Kbps - Zone 4	<b>-</b>		UDL	UDL64 UDL64	40.76 32.25	126.53 126.53	88.85 88.85		14.64 14.64	-	-	-	-		<del></del>
<del>                                     </del>	Order Coordination for Specified Conversion Time (per LSR)	-	4	UDL	OCOSL	32.25	126.53	00.83	80.08	14.04		-				<del>                                     </del>
<del>                                     </del>	CLEC to CLEC Conversion Charge without outside dispatch	1	<del>                                     </del>	UDL	UREWO		101.94	49.66	1		<del>                                     </del>				<del> </del>	<del></del>
2-WIRI	E Unbundled COPPER LOOP	<b>†</b>	<b>†</b>		JILLIVO		101.34	40.00	1		<del>                                     </del>	<b>-</b>				<b>—</b>
2 *****	2-Wire Unbundled Copper Loop-Designed including manual				1										1	
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.11	120.34	69.87	50.38	7.93						1
	2-Wire Unbundled Copper Loop-Designed including manual	1			1 1					7-		İ		l		
<u> </u>	service inquiry & facility reservation - Zone 2	<u></u>	2	UCL	UCLPB	11.47	120.34	69.87	50.38	7.93	<u></u>	<u> </u>		<u></u>	<u> </u>	<u></u>
İ	2 Wire Unbundled Copper Loop-Designed including manual				ĺ											
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	11.74	120.34	69.87	50.38	7.93						L
_	2 Wire Unbundled Copper Loop-Designed including manual				1											1
	service inquiry & facility reservation - Zone 4		4	UCL	UCLPB	12.69	120.34	69.87	50.38	7.93						<b>└</b>
	Order Coordination for Unbundled Copper Loops (per loop)		<u> </u>	UCL	UCLMC		8.20	8.20								<b>↓</b>
	2-Wire Unbundled Copper Loop-Designed without manual			LICI	LICE DV4		25.21	F7.00	50.00	7.00						1
	service inquiry and facility reservation - Zone 1  2-Wire Unbundled Copper Loop-Designed without manual		1	UCL	UCLPW	11.11	95.21	57.09	50.38	7.93			-			<del></del>
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.47	95.21	57.09	50.38	7.93						1
<del> </del>	2-Wire Unbundled Copper Loop-Designed without manual			OOL	OOLF VV	11.47	90.21	57.09	50.30	1.93				-	<del> </del>	<del>                                     </del>
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	11.74	95.21	57.09	50.38	7.93						1
	2-Wire Unbundled Copper Loop-Designed without manual	<b>†</b>	,		JOLI VV	11.74	33.21	57.09	30.38	1.33	<del>                                     </del>	<b>-</b>				<b>—</b>
	service inquiry and facility reservation - Zone 4		4	UCL	UCLPW	12.69	95.21	57.09	50.38	7.93						1
				UCL	UCLMC	00	8.20	8.20		50						

ONBON	IDLE	NETWORK ELEMENTS - Mississippi													ment: 2		ibit: A
CATEGO	RY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						+	1	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)	1	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge without outside dispatch															
		(UCL-Des)			UCL	UREWO		95.21	42.40								
4	-WIRE	COPPER LOOP															1
		4-Wire Copper Loop-Designed including manual service inquiry		١.						====							
		and facility reservation - Zone 1		1	UCL	UCL4S	17.30	144.68	94.22	56.72	10.68						
		4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	18.84	144.68	94.22	56.72	10.68						
		4-Wire Copper Loop-Designed including manual service inquiry			UCL	UCL43	10.04	144.00	94.22	56.72	10.00					1	
		and facility reservation - Zone 3		3	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						
		4-Wire Copper Loop-Designed including manual service inquiry		Ŭ	002	002.0	21.00		0	00.72	10.00						<u> </u>
		and facility reservation - Zone 4		4	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
		4-Wire Copper Loop-Designed without manual service inquiry															
		and facility reservation - Zone 1		1	UCL	UCL4W	17.30	119.56	81.44	56.72	10.68						<u> </u>
		4-Wire Copper Loop-Designed without manual service inquiry								====							
		and facility reservation - Zone 2		2	UCL	UCL4W	18.84	119.56	81.44	56.72	10.68					1	+
		4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						
-		4-Wire Copper Loop-Designed without manual service inquiry		3	UCL	UCL4VV	21.33	119.50	01.44	36.72	10.00						
		and facility reservation - Zone 4		4	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	21.00	8.20	8.20	00.12	10.00					t	<b>†</b>
		CLEC to CLEC Conversion Charge without outside dispatch															1
		(UCL-Des)			UCL	UREWO		95.21	42.40								
LOOP M	ODIFIC	CATION															
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L ULM4L		32.57 32.57	32.57 32.57								
_		less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA UAL, UHL, UCL,	ULIVI4L		32.57	32.57								+
SUB-LOG	one.	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		32.59	32.59								
		op Distribution		1		-										-	
	,ab-LO	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-				+						<b>-</b>			<b> </b>	<del>                                     </del>	<del>                                     </del>
		Up	- 1		UEANL	USBSA		259.69									
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		22.77									
		Sub-Loop - Per Building Equipment Room - CLEC Feeder	-		OL7 II VL	CODOD		22.77									<b>—</b>
		Facility Set-Up	- 1		UEANL	USBSC		178.47									
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
		Set-Up	- 1		UEANL	USBSD		56.39									
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 1	ı	1	UEANL	USBN2	7.15	66.18	31.14	45.36	6.71						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		_	LIFANII	LICENIO	0.54	00.40	24.44	45.00	0.71					1	
-		Zone 2 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	- 1	2	UEANL	USBN2	9.51	66.18	31.14	45.36	6.71					<del>                                     </del>	+
		Zone 3		3	UEANL	USBN2	12.45	66.18	31.14	45.36	6.71					1	
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		-	OLAINE	JUDINZ	12.40	00.10	31.14	40.00	0.71					t	<del>                                     </del>
		Zone 4		4	UEANL	USBN2	18.26	66.18	31.14	45.36	6.71					1	
				Ė		T		220		0		İ				1	1
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		L	UEANL	USBMC	<u> </u>	8.20	8.20			<u> </u>			<u> </u>	<u> </u>	<u> </u>
1		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	7.30	79.49	44.45	51.27	9.35						
$\vdash$		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1	ULAINL	USDIN4	7.30	79.49	44.45	51.2/	9.35	-			<b> </b>	<del>                                     </del>	+
		Zone 2		2	UEANL	USBN4	13.92	79.49	44.45	51.27	9.35	I			1	1	1

ONBONDER	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. zo.t	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 13t	DISO Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 4		4	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
					1100140		0.00	0.00								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		-	UEANL	USBMC	0.00	8.20	8.20	45.36	0.74	1					
$\vdash$	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		-	UEANL	USBR2	2.29	53.32	18.28	45.36	6.71	-					-
	Order Coordination for Habrardted Carb Lance and arch lane aris			UEANL	USBMC		8.20	8.20								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		-	UEANL	USBR4	4.40	59.60	24.55	51.27	9.35	-					
<b>—</b>	Sub-Loop 4-wire intrabuliding Network Cable (INC)			UEANL	USBR4	4.40	59.60	24.55	51.27	9.35	<b> </b>					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20						I		1
<del>                                     </del>	Loop Testing - Basic 1st Half Hour		<del>                                     </del>	UEANL	URET1		34.36	34.36			1			t	1	<del>                                     </del>
$\vdash$	Loop Testing - Basic 1st Hall Hour  Loop Testing - Basic Additional Half Hour		<del>                                     </del>	UEANL	URETA		19.97	19.97			}			<del>                                     </del>		<del> </del>
<del>                                     </del>	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	-	1	UEF	UCS2X	6.06	66.18	31.14	45.36	6.71	1			t	1	<del>                                     </del>
<del> </del>	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS2X	7.09	66.18	31.14	45.36	6.71	<u> </u>					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	- i		UEF	UCS2X	8.16	66.18	31.14	45.36	6.71	<b>†</b>					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4			UEF	UCS2X	9.90	66.18	31.14	45.36	6.71	1			1		
	2 Wile Copper Oribanated Gab Edop Biothbatton 2010 4			OL:	OOOZX	0.00	00.10	01.14	40.00	0.71	<b>†</b>					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	- 1	1	UEF	UCS4X	5.10	79.49	44.45	51.27	9.35	İ					
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i	2	UEF	UCS4X	9.11	79.49	44.45	51.27	9.35	İ					
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	- 1	3	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4			UEF	UCS4X	14.00	79.49	44.45	51.27	9.35	İ					
			i e													
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		34.36	34.36								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		19.97	19.97								
Unbu	ndled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3366	30.55									
Netwo	ork Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.84	28.90								
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		65.30	50.36								
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.94	5.94								
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.94	5.94								
UNE OTHER,	PROVISIONING ONLY - NO RATE															
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
$\vdash$	UNTW Circuit Id Establishment, Provisioning Only - No Rate		<u> </u>	UENTW	UENCE	0.00	0.00							-		ļ
	Habita diad Contract Name Destinication Only No Bott			UEANL,UEF,UEQ,U	LINEON	0.00	0.00							1		
LINE OTHER	Unbundled Contract Name, Provisioning Only - No Rate PROVISIONING ONLY - NO RATE		-	ENTW	UNECN	0.00	0.00				<del> </del>			<del>                                     </del>	1	<del> </del>
ONE OTHER,	PROVISIONING UNLT - NO KATE		+	<b>+</b>							<del>                                     </del>		-	<del>                                     </del>	1	$\vdash$
				UAL,UCL,UDC,UDL,										I		1
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	LINECN	0.00	0.00							1		
$\vdash$	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no		<del>                                     </del>	ODIN,ULA,UNL,ULU	OINLOIN	0.00	0.00				}			<del>                                     </del>		<del> </del>
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00							I		1
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no		$\vdash$	OLA,ODIN,OOL,ODO	טטטו ע	0.00	0.00							<del>                                     </del>		<del>                                     </del>
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00							1		
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00				1			<b>I</b>	1	
	Unbundled DS1 Loop - Expanded Superframe Format option -				- 500.	3.00	3.00							<u> </u>		<b>†</b>
	no rate			USL	CCOEF	0.00	0.00							I		
HIGH CAPAC	ITY UNBUNDLED LOCAL LOOP					2.00	2.00							t		İ
	High Capacity Unbundled Local Loop - DS3 - Per Mile per			İ		İ					1			i .	1	İ
	month			UE3	1L5ND	11.20								I		
	High Capacity Unbundled Local Loop - DS3 - Facility			İ										1		1
	Termination per month			UE3	UE3PX	326.15	454.13	265.47	123.23	86.19				I		
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
1 1	month		1	UDLSX	1L5ND	11.20					1	1		1	1	I

UNBUN	DLE	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
				1								Svc Order	Svc Order	Incremental			
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		····	m						== (+)			per LSK	per LSK				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	-							Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		High Capacity Unbundled Local Loop - STS-1 - Facility															
		Termination per month			UDLSX	UDLS1	338.55	454.13	265.47	123.23	86.19						
LOOP MA	KE-U											İ					
		Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).			UMK	UMKLW		24.12	24.12								
		Loop Makeup - Preordering With Reservation, per spare facility									Î					Î	
		queried (Manual).			UMK	UMKLP		25.58	25.58								
		Loop MakeupWith or Without Reservation, per working or															
		spare facility queried (Mechanized)			UMK	UMKMQ		0.6652	0.6652								
		AND LINE SPLITTING															
N	OTE 1	: The Line Sharing monthly recurring rates for all installation	ns com	oleted f	rom October 02, 200	3 through m	idnight Octobe	r 01, 2004 shal	I be billed as f	ollows:							
		: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled co	opper lo	op nor	-designed ("UCLNE	)")											
		: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND															
		: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
		: Above will apply to USOCS: ULSDT and ULSCT						·									
		2: The Line Sharing monthly recurring rates with USOCs UL	SDC and	d ULSC	C applies only to ci	rcuits install	ed and inservic	e on or before	October 1, 20	03							$ldsymbol{ldsymbol{\sqcup}}$
		HARING															
S	PLITT	ERS-CENTRAL OFFICE BASED															
		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	186.67	189.89	0.00	178.41	0.00						
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	46.67	189.89	0.00	178.41	0.00						
		Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	15.55	189.89	0.00	178.41	0.00						
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-															
		deactivation (per LSOD)			ULS	ULSDG		86.98	0.00	49.96	0.00						
E	ND US	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
		Line Sharing - per Line Activation (BST Owned splitter) -															
<b>-</b>		OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	18.62	10.66	10.04	4.93						
		Line Share Service, TRO per line activation, BST owned splitter -	1														
		Central Office Located (25% of UCLND) - please see NOTE 1				LUODT	0.75	40.00	40.00	40.04	4.00						
		(E:10/2/2003)			ULS	ULSDT	2.75	18.62	10.66	10.04	4.93						
		Line Share Service, TRO per line activation, BST owned splitter -	1														
		Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	5.51	18.62	10.66	10.04	4.93						
$\vdash$	-	Line Share Service, TRO per line activation, BST owned splitter -	-	-	ULS	ULSDI	5.51	18.62	10.00	10.04	4.93	-					
		Central Office Located (75% of UCLND) - please see NOTE 1	1														ĺ
		(E:10/2/2005)			ULS	ULSDT	8.26	18.62	10.66	10.04	4.93						ĺ
	-	Line Sharing - per Subsequent Activity per Line	1		ULS	ULSDI	0.20	10.02	10.00	10.04	4.93	1			-		<del></del>
		Rearrangement(BST Owned Splitter)			ULS	ULSDS		16.48	8.24								ĺ
	-	Line Sharing - per Subsequent Activity per Line			OLO	OLODO		10.40	0.24			<b>-</b>					
		Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		16.48	8.24						1		1
<b>—</b>		Line Sharing - per Line Activation (DLEC owned Splitter) -						.0.40	3.24						<u> </u>		
		OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74				1		1
		Line Share Service, TRO per line activation, CLEC owned	1	1	-	1					1				İ	İ	
		splitter - Central Office Located (25% of UCLND) - please see	1	1		1							1		I		1
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.75	47.44	19.31	20.67	12.74				1		1 !
		Line Share Service, TRO per line activation, CLEC owned	İ			1											
		splitter - Central Office Located (50% of UCLND) - please see				1									1		1 !
		NOTE 1 (E:10/2/2004)	<u> </u>	Ш.	ULS	ULSCT	5.51	47.44	19.31	20.67	12.74	<u> </u>			<u> </u>	<u> </u>	<u> </u>
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (75% of UCLND) - please see	1	1		1							1		I		1
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	8.26	47.44	19.31	20.67	12.74				<u> </u>		
		PLITTING															
E	ND US	SER ORDERING-CENTRAL OFFICE BASED															
		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	18.62	10.66	10.04	4.93						
$\Box$		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	18.62	10.66	10.04	4.93						
M	AINT	ENANCE						·									
		No Trouble Found - per 1/2 hour increments - Basic		L		1		80.00	55.00						L		<b></b>
		No Trouble Found - per 1/2 hour increments - Overtime		L		1		120.00	82.50						L		
		No Trouble Found - per 1/2 hour increments - Premium	<u> </u>	<u> </u>		1		160.00	110.00						1		1

CATEGORY   PATE ELEMENTS   North   Pate	UNBUNDLE	D NETWORK ELEMENTS - Mississippi											Attach	ment: 2	Exhi	ibit: A
New   First   Add*   SMIEC   SMAN   SOMAN	CATEGORY	RATE ELEMENTS	Zone	BCS	USOC						Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
UNDADES DE CENTER DE PRANSPORT   UNITADO   U					1	Rec					COMEC	COMAN			COMAN	COMAN
MINEROFFICE CHANNEL - DEFOCATO TRANSPORT   MINEROFFICE CHANNEL - D	UNBUNDI ED	DEDICATED TRANSPORT			1	1	FIRST	Addi	FIRST	Addi	SOMEC	SOWAN	SUMAN	SOWAN	SUMAN	SOWAN
Interestina Chancere   Description   Transport   2-Wee Vote Grades   Park   Very Vote Original   Very Vote Origi											i e					
Facility Termination   UTINX		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month		U1TVX	1L5XX	0.0098										
Rev But - Per Mile per mouth		Facility Termination		U1TVX	U1TV2	22.52	40.77	27.57	17.26	7.11						
Fasility Termination   UITTX		Rev Bat Per Mile per month		U1TVX	1L5XX	0.0098										
Per Mile per month   UTITX   1LSX   0.0088		Facility Termination		U1TVX	U1TR2	22.52	40.77	27.57	17.26	7.11						
Fecility Termination		Per Mile per month		U1TVX	1L5XX	0.0098										
Def morth		- Facility Termination		U1TVX	U1TV4	19.79	40.77	27.57	17.26	7.11						
Termination   Interesting Channel - Dedicated Transport - 64 kbps - per mile   U1TDX   U1TDS   15.68   40.78   27.57   17.26   7.11		per month		U1TDX	1L5XX	0.0098										
Description   Description				U1TDX	U1TD5	15.68	40.78	27.57	17.26	7.11						
Termination   Legicated Channel - Desicated Channel - Desicated Transport - DS1 - Per Mile per month   U1TD1   1L5XX   0.201				U1TDX	1L5XX	0.0098										
Interoffice Channel - Dedicated Transport - DS1 - Per Mile per month   U1TD1   1L5XX   0.201				U1TDX	U1TD6	15.68	40.78	27.57	17.26	7.11						
Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month   U1TD1		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per														
Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month   U1TD3   1L5XX   4.76				U1TD1			89.79	82.28	16.86	14.90						
Interoffice Channel - Dedicated Transport - DS3 - Facility   U1TD3		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per														
Intereffice Channel - Dedicated Transport - ST3-1 - Per Mile per month		Interoffice Channel - Dedicated Transport - DS3 - Facility				1	280 37	163.70	62.08	60.29						
Interoffice Channel - Dedicated Transport - STS-1 - Facility   U1TS1		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per				1	200.01	100.70	02.00	00.20						
DARK FIBER   Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction   Thereof per month - Interoffice Channel   UDF, UDFCX   1L5DF   28.27     138.67   326.97   203.85		Interoffice Channel - Dedicated Transport - STS-1 - Facility					280 37	163.70	62.08	60.29						
Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction   Thereof per month - Interoffice Channel   UDF, UDFCX   ULSDF   28.27   138.67   326.97   203.85	DARK FIBER	Termination		01101	01110	044.21	200.51	105.70	02.00	00.23						-
NRC Dark Fiber - Interoffice Channel   UDF, UDFCX   UDF14   642.79   138.67   326.97   203.85     UDF, UDFCX   UDF, UDF, UDFCX   UDF, UDF, UDF, UDF, UDF, UDF, UDF, UDF,		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction														
Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction   Thereof per month - Local Loop   UDF, UDFCX   1L5DL   59.95			ļ			28.27	642.70	120 67	226.07	202.05						
Thereof per month - Local Loop			<del>                                     </del>	ODF, ODFGA	ODF 14		64∠.79	138.67	320.97	203.85					<del>                                     </del>	
BXX ACCESS TEN DIGIT SCREENING  BXX Access Ten Digit Screening, Per Call  BXX Access Ten Digit Screening, Reservation Charge Per 8XX  Number Reserved  BXX Access Ten Digit Screening, Per 8XX No. Established W/O  POTS Translations  BXX Access Ten Digit Screening, Per 8XX No. Established With  POTS Translations  BXX Access Ten Digit Screening, Customized Area of Service  Per BXX Number  BXX Access Ten Digit Screening, Multiple InterLATA CXR  Routing Per CXR Requested Per 8XX No.  BXX Access Ten Digit Screening, Charge Per Request  OHD  N8FIX  OHD  N8FIX  DHD  DHD  N8FIX  DHD  DHD  N8FIX  DHD  DHD  N8FIX  DHD  DHD  N8FIX  DHD  DHD  DHD  DHD  DHD  DHD  DHD  D		Thereof per month - Local Loop				59.95										
BXX Access Ten Digit Screening, Per Call  8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved  OHD  N8R1X  2.60  0.44   BXX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations  SXX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations  OHD  N8FTX  DHD  N8FTX  DHD  N8FTX  DHD  N8FTX  DHD  N8FTX  DHD  N8FCX  DHD				UDF, UDFCX	UDFL4		642.79	138.67	326.97	203.85						
8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved OHD N8R1X 2.60 0.44  8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations OHD S.97 0.81 4.60 0.54  8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations OHD N8FTX 5.97 0.81 4.60 0.54  8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number OHD N8FCX 2.60 1.30  8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. OHD N8FMX 3.04 1.74  8XX Access Ten Digit Screening, Change Charge Per Request OHD N8FAX 3.04 0.44  8XX Access Ten Digit Screening, Call Handling and Destination Features OHD N8FDX 2.60	8XX ACCESS		-	OHD		0.0006246									-	$\vdash$
8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations  8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations  OHD  N8FTX  5.97  0.81  4.60  0.54  8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations  OHD  N8FTX  5.97  0.81  4.60  0.54   0.54  0.54  0.54  0.54  0.54  0.54  0.54  0.54  0.54  0.54  0.54  0.59  0.81  0.50		8XX Access Ten Digit Screening, Reservation Charge Per 8XX			NoDay	0.0000216	2.22	0.44								
8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations  8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number OHD N8FTX 5.97 0.81 4.60 0.54  8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. OHD N8FMX 3.04 1.74  8XX Access Ten Digit Screening, Change Charge Per Request OHD N8FMX 3.04 0.44  8XX Access Ten Digit Screening, Call Handling and Destination Features OHD N8FDX 2.60		8XX Access Ten Digit Screening, Per 8XX No. Established W/O			INBKTX					2.51						
8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number  8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.  OHD N8FMX 3.04 1.74  8XX Access Ten Digit Screening, Change Charge Per Request OHD N8FAX 3.04 0.44  8XX Access Ten Digit Screening, Call Handling and Destination Features OHD N8FDX 2.60  OHD N8FDX 2.60		8XX Access Ten Digit Screening, Per 8XX No. Established With			Nerry											
8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.  8XX Access Ten Digit Screening, Change Charge Per Request OHD N8FMX 3.04 1.74  8XX Access Ten Digit Screening, Call Handling and Destination Features OHD N8FDX 2.60		8XX Access Ten Digit Screening, Customized Area of Service		-					4.60	0.54						
8XX Access Ten Digit Screening, Change Charge Per Request OHD N8FAX 3.04 0.44  8XX Access Ten Digit Screening, Call Handling and Destination Features OHD N8FDX 2.60		8XX Access Ten Digit Screening, Multiple InterLATA CXR														
8XX Access Ten Digit Screening, Call Handling and Destination Features OHD N8FDX 2.60			-								-					1
		8XX Access Ten Digit Screening, Call Handling and Destination						0.44								
		8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query		OHD	INOI DA	0.0006216	2.00									

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc			Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+		Nonrec	urring	Nonrecurring	Disconnect	<u> </u>	1	220	Rates (\$)	1	1
-			-	-	+	Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per		-	-	+		FIISL	Auu i	FIISL	Auu i	SOWIEC	SOWAN	JOWAN	JOWAN	JOWAN	JOWAN
				OLID		0.0000040										
	query			OHD	1	0.0006216										
LINE INFOR	MATION DATA BASE ACCESS (LIDB)														1	
	LIDB Common Transport Per Query			OQT		0.0000197										
	LIDB Validation Per Query			OQU		0.0137053										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		34.52	34.52	42.33	42.33						
SIGNALING																
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	132.21										
	CCS7 Signaling Usage, Per TCAP Message			UDB	1	0.0000597					ĺ					
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	16.55	35.74	35.74	16.53	16.53	İ					
	CCS7 Signaling Connection, Per link (B link) (also known as D		1	1							i e				1	
	link)			UDB	TPP++	16.55	35.74	35.74	16.53	16.53	1	1			1	
<del>                                     </del>	CCS7 Signaling Usage, Per ISUP Message	<b>—</b>	t	UDB	10 1 CT	0.0000149	55.74	55.74	10.55	10.00	<del> </del>	t e		t	t	<del> </del>
$\vdash$	CCS7 Signaling Usage Surrogate, per link per LATA	-	<del>                                     </del>	UDB	STU56	683.55			+		1	<del>                                     </del>		<del>                                     </del>	+	}
$\vdash$		-	<b>!</b>	000	01000	003.55			-		1	-		<del>                                     </del>	+	1
	CCS7 Signaling Point Code, per Originating Point Code	1		LIDD	CCAFC		00.40	00.40	05.70	05.70	I	I		I	1	
E044 CEE: :::	Establishment or Change, per STP affected		<b>!</b>	UDB	CCAPO		29.18	29.18	35.78	35.78	1	<b>.</b>		-	+	1
E911 SERVIO				ļ											1	
	Local Channel - Dedicated - 2-wr Voice Grade					14.91	194.22	33.36	37.79	3.30						
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0098										
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility															
	Termination					22.52	40.77	27.57	17.26	7.11						
	Local Channel - Dedicated - DS1 - Zone 1					36.83	178.50	154.61	22.89	15.74						
	Local Channel - Dedicated - DS1 - Zone 2					35.99	178.50	154.61	22.89	15.74						
	Local Channel - Dedicated - DS1 - Zone 3					221.63	178.50	154.61	22.89	15.74						
	Local Channel - Dedicated - DS1 - Zone 4		1			221.63	178.50	154.61	22.89	15.74					1	
	Interoffice Transport - Dedicated - DS1 Per Mile					0.2010	110.00	10 1.01	22.00		1				1	
<del></del>	Interoffice Transport - Bedicated - BOTT et Mille				+	0.2010					<u> </u>				+	
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					57.33	89.79	82.28	16.86	14.90						
CALLING N	AME (CNAM) SERVICE				+	37.33	09.79	02.20	10.00	14.90	<u> </u>				+	
CALLING INA				001/	+		00.00	00.00	04.00	04.00	<u> </u>				+	
	CNAM For DB Owners - Service Establishment			OQV	1		23.09	23.09	21.23	21.23						
	CNAM For Non DB Owners - Service Establishment			OQV			23.09	23.09	21.23	21.23						
	CNAM For DB Owners - Service Provisioning With Point Code															
	Establishment			OQV			996.62	737.08	270.49	198.89						
	CNAM For Non DB Owners - Service Provisioning With Point															
	Code Establishment			OQV			344.32	246.56	276.85	198.89						
	CNAM for DB Owners, Per Query			OQV		0.0010231										
	CNAM for Non DB Owners, Per Query			OQV		0.0010231										
SELECTIVE	ROUTING															
	Selective Routing Per Unique Line Class Code Per Request Per		1		1						İ	ĺ			1	İ
	Switch	l		1	1		85.19	85.19	14.19	14.19	1	I			1	
VIRTUAL CO	DLLOCATION		1		1		55.10	33.10	10	0	1	<b>†</b>		1	†	1
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line	<b>—</b>	t	<b>†</b>	+				+		<del> </del>	t e		t	t	<del> </del>
	Splitting	1		UEPSR UEPSB	VE1LS	0.0268	12.37	11.87	6.04	5.45	I	I		I	1	
BHAGICA: O	COLLOCATION		1	OLF ON UEFOD	VLILO	0.0208	12.3/	11.0/	0.04	5.45	<b>!</b>	<b>!</b>		1	+	+
FRISICAL			<del>                                     </del>	<del>                                     </del>	+						<del> </del>	<del>                                     </del>		<del>                                     </del>	+	1
	Physical Collocation-2 Wire Cross Connects (Loop) for Line				5541.0											
	Splitting			UEPSR UEPSB	PE1LS	0.0288	12.37	11.87	6.04	5.45						
AIN SELECT	IVE CARRIER ROUTING		<u> </u>	L	l						<b></b>	ļ		<b></b>	<b></b>	
	Regional Service Establishment		L	SRC	SRCEC		101,685.12		8,640.51		ļ				1	
	End Office Establishment			SRC	SRCEO		167.49	167.49	1.71	1.71						
	Query NRC, per query			SRC		0.0030502										
AIN - BELLS	OUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State,															
1 1	Initial Setup	1		A1N	CAMSE		39.67	39.67	40.92	40.92	I	I		1	1	
	<u> </u>		1		1			-			İ	ĺ			1	İ
	AIN SMS Access Service - Port Connection - Dial/Shared Access	1		A1N	CAMDP		7.87	7.87	9.14	9.14	I	I		I	1	
	AIN SMS Access Service - Port Connection - ISDN Access		1	A1N	CAM1P		7.87	7.87	9.14	9.14	1	<del> </del>		t	<del>                                     </del>	1
	AIN SMS Access Service - User Identification Codes - Per User		<del>                                     </del>		C/ UVI I I		7.07	7.07	5.14	0.14	1	<b>-</b>		t	1	1
	, in the Access cervice - Oser Identification Codes - Fel Oser	1	1	A1N	CAMAU	1	35.21	35.21	27.21	27.21	1	I		1	1	1

UNBUNDLE	D NETWORK ELEMENTS - Mississippi													ment: 2	<del>.                                      </del>	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Dee	Nonrec	urring	Nonrecurring	Disconnect		l	oss	Rates (\$)		1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		42.13	42.13	11.78	11.78						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			AIIV	CAMICO	0.0021	42.10	42.15	11.70	11.70						
	AIN SMS Access Service - Session, Per Minute					0.5649										
	AIN SMS Access Service - Company Performed Session, Per					0.0202										
AIN - BELLSO	Minute UTH AIN TOOLKIT SERVICE					0.8393										
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		39.67	39.67	40.92	40.92						
	AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		<u> </u>		BAPVX		4,226.54	4,226.54								
	DN, Term. Attempt				BAPTT		7.87	7.87	9.14	9.14						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Delay		ļ		BAPTD		7.87	7.87	9.14	9.14						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. Off-Hook Immediate				BAPTM		7.87	7.87	9.14	9.14						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				D/ II TIVI		7.07	7.07	0.14	0.14						
	DN, 10-Digit PODP				BAPTO		34.67	34.67	14.44	14.44						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. CDP				BAPTC		34.67	34.67	14.44	14.44						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPIC		34.67	34.67	14.44	14.44						
	DN, Feature Code				BAPTF		34.67	34.67	14.44	14.44						
	AIN Toolkit Service - Query Charge, Per Query					0.0535577										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.0063509										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access		<u> </u>			0.0063509										
	Account, Per 100 Kilobytes					0.06										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
	Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service			CAM	BAPMS	11.11	7.87	7.87	5.54	5.54						
	Subscription			CAM	BAPLS	2.71	8.71	8.71								
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service															
	Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit		<u> </u>	CAM	BAPDS	8.48	7.87	7.87	5.54	5.54						
	Service Subscription			CAM	BAPES	0.09	8.71	8.71								
ENHANCED E	XTENDED LINK (EELs)			O/ UVI	D7 (1 E O	0.00	0.71	0.71								
	The monthly recurring and non-recurring charges below will a															
	The monthly recurring and the Switch-As-Is Charge and not the ITED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT					UNE combinati	ons provisione	ed as ' Current	ly Combined' N	letwork Eleme	nts.					
EXIL	First 2-Wire VG Loop (SL2) in Combination - Zone 1	1	1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37						
	First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37						
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37						
	First 2-Wire VG Loop (SL2) in Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile	-	4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37						<del>                                     </del>
	per month			UNC1X	1L5XX	0.1813			<u> </u>							
	Interoffice Transport - Dedicated - DS1 combination - Facility								40							
	Termination per month 1/0 Channelization System in combination Per Month	-	1	UNC1X UNC1X	U1TF1 MQ1	51.72 102.85	89.79 91.57	82.28 62.94	16.86 10.87	14.90 10.10					-	<b>-</b>
	Voice Grade COCI - Per Month		<u> </u>	UNCVX	1D1VG	0.5737	6.62	4.74	10.07	10.10						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37					1	-
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37						
	(92.2) 50.10.10.10.10.10.10.10.10.10.10.10.10.10		T -		1			00.20	02.02							
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37						
	TEACH AUGINORIA Z-WITE VG LOOD IGE ZI III COITDITAILOT - ZOTE 4 I	1	1 4	ONOVA	ULALZ	40.72	100.90	00.20	JZ.0Z	10.37	l	l		l	I	1

UNBUNDI E	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fyhi	bit: A
ONDONDEL	NETWORK ELEMENTO IMISSISSIPPI	1				1					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Addi	DISC 1St	DISC Add I
						Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						[
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS	1 INTER	ROFFICE TRANSPO	ORT											
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
		1					J				1	1				1
$\vdash$	First 4-Wire Analog Voice Grade Loop in Combination - Zone 4	ļ	4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	1									1	1				1
	Per Month			UNC1X	1L5XX	0.1813										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
	Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.5737	6.62	4.74								
	Additional 4-Wire Analog Voice Grade Loop in same DS1				l											
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
	Additional 4-Wire Analog Voice Grade Loop in same DS1		_		l											
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
	Additional 4-Wire Analog Voice Grade Loop in same DS1					=====										
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Additional 4-Wire Analog Voice Grade Loop in same DS1					=====										
-	Interoffice Transport Combination - Zone 4		4	UNCVX UNCVX	UEAL4 1D1VG	50.03	132.27 6.62	94.59 4.74	60.68	14.64						
	Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.5737	6.62	4.74								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EVTE	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DC4 IN				5.03	5.65	7.20	7.20						$\vdash$
LATE	NDED 4-WIKE 30 KBF3 EXTENDED DIGITAL LOOF WITH DEDIC	LAILD	DOTIN	TEROFFICE TRAINS	J CKI						-	-				
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
	This 4-Wire Sorbps Digital Grade Loop in Combination - Zone 1		'	UNCDX	ODLSO	21.44	120.55	00.00	00.00	14.04						<del></del>
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
	1 list 4-vviie sortops bigital Grade Loop in Combination - Zone 2			ONODX	ODLOG	34.55	120.55	00.03	00.00	14.04						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
	1 list 4-vviie sortops Digital Grade Loop III Combination - Zone s		J	ONODX	ODLOG	40.70	120.55	00.00	00.00	14.04						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		7	ONODA	ODLOO	02.20	120.00	00.00	00.00	14.04						
	Per Month	1		UNC1X	1L5XX	0.1813					1	1				1
	Interoffice Transport - Dedicated - DS1 - combination Facility	l -			. 20, 0 .	5510										
	Termination Per Month	l		UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						1
	1/0 Channel System in combination Per Month	1		UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	OCU-DP COCI (data) per month (2.4-64kbs)	l		UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00					l	
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1			1	† <u> </u>			1							
	Interoffice Transport Combination - Zone 1	1	1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64	1	1				1
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	Ì														
	Interoffice Transport Combination - Zone 2	<u> </u>	2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64	<u></u>				<u> </u>	<u> </u>
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3	L	3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64	L		<u> </u>		<u> </u>	1
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															1
	Interoffice Transport Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						
	Additional OCU-DP COCI (data) - in combination per month (2.4-									l					I	1
	64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	1														1
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN	TEROFFICE TRANS	SPORT											
1 1		1			I						1	1				1 !
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						1

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									p = = = = = = = = = = = = = = = = = = =	<b>F</b>	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .01	2.007.444.
						Rec	Nonred			Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First A Wiss Odd as Bistist Oss to Love to Osset to disc. 7 0			LINIODY	LIBLOA	34.55	100 50	00.05	00.00	4404						, ,
<b></b>	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64	-					
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						, '
<b>-</b>	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDA	UDL64	40.76	120.53	00.00	00.00	14.04						$\vdash$
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						l .
<del> </del>	Interoffice Transport - Dedicated - DS1 combination - Per Mile		-	UNCDX	UDL04	32.23	120.55	00.05	00.00	14.04						
	Per Month			UNC1X	1L5XX	0.1813										1 '
	interoffice Transport - Dedicated - DS1 combination - Facility			011017	TEO/O	0.1010										<b>—</b>
	Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						l .
	1/0 Channel System in combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74		0.00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1				T		2.02		2.00	2.00	İ				İ	
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						l .
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1													t	İ	
1	Interoffice Transport Combination - Zone 2	1	2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64		1		I		1
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	Ì														
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						l .
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						L
	Additional OCU-DP COCI (data) - in combination - per month															
	(2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-															1
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						<b></b>
EXT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1														<b></b>
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						<b></b>
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						<b></b>
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						<b></b>
	4-Wire DS1 Digital Loop in Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						<b></b>
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINIOAN	41.500/	0.4040										1
	Per Month Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.1813					-					<del></del>
	Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						l .
-	Nonrecurring Currently Combined Network Elements Switch -As-			UNCIA	UTIFT	31.72	09.79	02.20	10.00	14.90						<b>——</b>
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						l .
FYT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER				3.03	5.05	1.20	7.20						
	First DS1Loop in Combination - Zone 1			UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07	<b>-</b>	<b> </b>		<b>I</b>	<b> </b>	
	First DS1Loop in Combination - Zone 2	l	2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07	<b>-</b>	<b> </b>		<b>I</b>	<b> </b>	
	First DS1Loop in Combination - Zone 3	l		UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07	<b>-</b>	<b> </b>		<b>I</b>	<b> </b>	
	First DS1Loop in Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07				<u> </u>	1	
	Interoffice Transport - Dedicated - DS3 combination - Per Mile	i e	Ė			.000		.00.10	.5.70	.2.57			İ	1	İ	
1	Per Month	1		UNC3X	1L5XX	4.29						1		I		1
	Interoffice Transport - Dedicated - DS3 - Facility Termination per															
	month	<u> </u>		UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29	<u> </u>	<u></u>	<u></u>	L	<u> </u>	<u>                                       </u>
	3/1Channel System in combination per month	L		UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
	DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						<u> </u>
	Additional DS1Loop in DS3 Interoffice Transport Combination -															1
	Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
1 1	Additional DS1Loop in DS3 Interoffice Transport Combination -	1												1		1
$\vdash$	Zone 3	ļ	3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07				<b>.</b>		<del></del>
	Additional DS1Loop in DS3 Interoffice Transport Combination -	1	١.			450		450 :-	40					1		1
$\vdash$	Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07				-		<del></del>
$\vdash$	Additional DS1 COCI in combination per month	ļ	-	UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00				<del>                                     </del>	-	<del>                                     </del>
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		LINICOV	LINICCO		F 00	F 00	7.00	7.00				1		1
EVT	Is Charge ENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	CDAD	L E INITE:	UNC3X	UNCCC		5.63	5.63	7.20	7.20				<del>                                     </del>		$\vdash$
EXI	2-WireVG Loop in combination - Zone 1	GRAD		UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37	<del>                                     </del>			1	<del>                                     </del>	<b></b>
oxdot	2-vvirevo Loop in combination - Zone 1	l		OINCAV	UEAL2	13.89	105.96	ზა.28	52.82	10.37	L	L	L	L	L	

2.4DOIADFI	ED NETWORK ELEMENTS - Mississippi													ment: 2		bit: A
													Incremental		Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. zo.t	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Addi	DISC ISL	DISC Add I
						Doo	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37						
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37						
	2-WireVG Loop in combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37						
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per															
	Month			UNCVX	1L5XX	0.00088										
	Interoffice Transport - 2-wire VG - Dedicated - Facility															
	Termination per month			UNCVX	U1TV2	20.32	40.77	27.57	17.26	7.11						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCVX	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	E INTE	ROFFICE TRANSPO	ORT											
	4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	4-WireVG Loop in combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per						İ								1	
	Month			UNCVX	1L5XX	0.00088										
	Interoffice Transport - 4-wire VG - Dedicated - Facility															
	Termination per month			UNCVX	U1TV4	17.86	40.77	27.57	17.26	7.11						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCVX	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE													
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	11.20										
					1											
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	252.17	454.13	265.47	123.23	86.19						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.29										
	Interoffice Transport - Dedicated - DS3 combination - Facility				1											
	Termination per month			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC3X	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT												
	STS-1 Local Lolp in combination - per mile per month		1	UNCSX	1L5ND	11.20										
	STS-1 Local Loop in combination - Facility Termination per				1											
	month			UNCSX	UDLS1	264.35	454.13	265.47	123.23	86.19						
	Interoffice Transport - Dedicated - STS-1 combination - per mile															
	per month			UNCSX	1L5XX	4.29										
	Interoffice Transport - Dedicated - STS-1 combination - Facility				1											
	Termination per month			UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29						
	Nonrecurring Currently Combined Network Elements Switch -As-				-											
	Is Charge			UNCSX	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRANS	SPORT													
	First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37						
	First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						
	First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						
-+	First 2-Wire ISDN Loop in Combination - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37	<b> </b>	1			1	<b>†</b>
-+-	Interoffice Transport - Dedicated - DS1 combination - per mile		t ·		1	555		. 5.52	02.02					<b> </b>	1	t
	per month			UNC1X	1L5XX	0.1813					1	1		1		1
-	Interoffice Transport - Dedicated - DS1 combination - Facility			1	1	30.0	1							i	İ	1
	Termination per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90	1	1		1		1
-+-	1/0 Channel System in combination - per month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10				<b> </b>	1	t
-	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00				i	İ	1
-	Additional 2-wire ISDN Loop in same DS1Interoffice Transport				-0.0	2.02	0.02		5.50	3.00					1	1
	Combination - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37	1	1		1		
-+	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		<u> </u>	5.1511/	O ILLAN	21.01	117.01	70.02	02.0Z	10.07		l			1	<b>†</b>
	Combination - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						
-+-	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			5.1011/	01227	21.03	117.01	10.02	52.02	10.37				<del>                                     </del>	<del>                                     </del>	1
ı	Combination - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37	1	1		1		
				OINOINA	UILZA	31.34	117.01	15.92	32.02	10.37	L	L			1	
$\overline{}$	Additional 2-wire ISDN Loop in same DS1Interoffice Transport					i	Î		1							

UNBUNDL	ED NETWORK ELEMENTS - Mississippi													ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	Additional 2-wire ISDN COCI (BRITE) - in combination- per						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	month			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-			ONONA	OCTOA	2.02	0.02	7.77	0.00	0.00						
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INT	ROFFICE TRANSP	ORT											
	First DS1 Loop Combination - Zone 1			UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
	First DS1 Loop Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
	First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
	First DS1 Loop Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile			LINIOOV	41.5307	4.00										
	Per Month			UNCSX	1L5XX	4.29						-				
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29						
	3/1 Channel System in combination per month	1	<del>                                     </del>	UNCSX	MQ3	170.63	179.17	94.52	34.30	32.82	<del>                                     </del>	1			1	
-	DS1 COCI in combination per month	<b>-</b>		UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00	<b>-</b>				1	<del>                                     </del>
	Additional DS1Loop in the same STS-1 Interoffice Transport	t		0.101/	30101	2.02	0.02	7.74	0.00	0.00	<u> </u>	1			1	
	Combination - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-															
EVE	Is Charge	DO INT		UNCSX	UNCCC		5.63	5.63	7.20	7.20						1
EXIE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	SPS INT		UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64		-				-
	4-wire 56 kbps Local Loop in combination - Zone 1 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64	-					
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64	1					ł
	4-wire 56 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		T -	ONODA	ODLOG	02.20	120.00	00.00	00.00	14.04	1					
	Per Mile per month			UNCDX	1L5XX	0.0098										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination per month			UNCDX	U1TD5	22.52	40.78	27.57	17.26	7.11						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	BPS INT														
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						1
	4-wire 64 kbps Lcoal Loop in Combination - Zone 4 Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
	Per Mile per month			UNCDX	1L5XX	0.0098										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		<u> </u>	UNCDA	ILJAA	0.0096			1		1					1
	Facility Termination per month			UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11						
	Nonrecurring Currently Combined Network Elements Switch -As-				320	22.02	40.70	21.01	17.20	7.11						
	Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w	/ 3/1 MUX			_									İ
	First 2-wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37						
	First 2-wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37						
	First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37						
	First 2-wire VG Loop (SL2) in Combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37					ļ	
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile	<u> </u>	1	UNC1X	1L5XX	0.1813			1					ļ	1	
	First Interoffice Transport - Dedicated - DS1 combination -			LINCAY	LIATE4	F4 70	00.70	00.00	40.00	44.00						
	Facility Termination per month  Per each DS1 Channelization System Per Month	<b>-</b>	+	UNC1X UNC1X	U1TF1 MQ1	51.72 102.85	89.79 91.57	82.28 62.94	16.86 10.87	14.90 10.10	-		-	-	1	$\vdash$
		1	i	OINO IV	IVIQ I	102.00	91.57	4.74	10.07	10.10	1	1	1	1	1	I

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhil	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	3/1 Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
$\square$	Per each DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		_													
$\vdash$	Interoffice Transport Combination - Zone 2	1	2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		3	11000		07.55	405.00	00.00	50.00	40.07						
	Interoffice Transport Combination - Zone 3	1	3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		4	11000	UEAL2	45.72	405.00	00.00	50.00	40.07						
$\vdash$	Interoffice Transport Combination - Zone 4	+	4	UNCVX	1D1VG	0.5737	105.96 6.62	68.28 4.74	52.82	10.37						-
$\vdash$	Each Additional Voice Grade COCI in combination - per month  Each Additional DS1 Interoffice Channel per mile in same 3/1	1	<del>                                     </del>	UNCVA	וטועט	0.5737	0.62	4.74			-			-		-
	Channel System per month			UNC1X	1L5XX	0.1813										
$\vdash$	Each Additional DS1 Interoffice Channel Facility Termination in	1	<del>                                     </del>	ONOIA	ILUAA	0.1013					<del>                                     </del>	<b> </b>		<del> </del>		<del>                                     </del>
	same 3/1 Channel System per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		1				
	Each Additional DS1 COCI combination per month	+		UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00	1			1		1
<del></del>	Nonrecurring Currently Combined Network Elements Switch -As-	1	<b>†</b>	014017	00101	2.02	0.02	4.14	0.00	0.00	<b>-</b>	<b>-</b>		<b> </b>		<del> </del>
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
FXTF	ENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 IN	TEROFE	ICF TR				0.00	0.00	7.20	7.20	<b>†</b>	1				
	First 4-Wire Analog Voice Grade Local Loop in Combination -	1	T		1											
	Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
	First 4-Wire Analog Voice Grade Local Loop in Combination -	1	1													
	Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.1813										
	First Interoffice Transport - Dedicated - DS1 - Facility															
	Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
$\vdash$	Per each 1/0 Channel System in combination Per Month	1		UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
$\vdash$	Per each Voice Grade COCI in combination - per month	1		UNCVX	1D1VG	0.5737	6.62	4.74	24.20	24.20						
$\vdash$	3/1 Channel System in combination per month Per each DS1 COCI in combination per month	+	ļ	UNC3X	MQ3 UC1D1	170.63 2.62	179.17	94.52	34.30 0.00	34.30 0.00						-
		+		UNC1X	OCTOT	2.02	6.62	4.74	0.00	0.00	-					
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		4	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64		1				
$\vdash$	Additional 4-Wire Analog Voice Grade Loop in same DS1	+	<del>- '</del> -	UNCVA	UEAL4	21.41	132.27	94.59	80.08	14.04	<del>                                     </del>					-
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
<del></del>	Additional 4-Wire Analog Voice Grade Loop in same DS1	+	-	0.107/	JE/ IET	30.20	102.21	34.33	00.00	17.04	<b>-</b>	<b>-</b>		<b> </b>		<del> </del>
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		1				
	Additional 4-Wire Analog Voice Grade Loop in same DS1	1	Ť	1	1	55.55	.02.27	000	55.56	54				İ		İ
	Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		1				
	Each Additional DS1 Interoffice Channel per mile in same 3/1	1	i –		† †					, , , , , , , , , , , , , , , , , , ,				İ		İ
	Channel System per month			UNC1X	1L5XX	0.1813										
	Each Additional DS1 Interoffice Channel Facility Termination in					İ	İ									
	same 3/1 Channel System per month	<u> </u>	<u></u>	UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.5737	6.62	4.74								
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
oxdot	Is Charge	1		UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXTE	ENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1	MUX											
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		l .	l	1											
$\vdash$	Zone 1	<b> </b>	1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						ļ
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -						,					1				
$\vdash$	Zone 2	<del> </del>	2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						-
1 1	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1	Ι.	LINCDY	LIDL 50	40.76	126.53	88.85	60.68	14.64		1				
	7ono 2															1
	Zone 3 First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	-	3	UNCDX	UDL56	40.76	120.53	88.85	60.06	14.64	1					

ATE BLEMENTS   Part   Mary   Part   Part   Mary   Part   Mary   Part   Mary   Part   Mary   Part   Part   Mary    D NETWORK ELEMENTS - Mississippi													ment: 2		ibit: A		
### CATEGORY RATE ELEMENTS   Im.   Zone   BCS   UBCO   FATES (C)												1		Charge -	Charge -	Charge -	Incrementa Charge -
All Design			Interi	_								Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Sv
Second Column   Second Colum	CATEGORY	RAIE ELEMENIS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR				Order vs.
First Interesting Transport - Decicated - DST combination - Per														Electronic-	Electronic-	Electronic-	Electronic-
Fig.   Interesting Transport Decisional - DET combination - Per   NACT   1,500   1,5														1st	Add'l	Disc 1st	Disc Add'l
March   Marc						-	ļ .	Names		Name and a second in a	Dianamant			222	D-4 (\$)		
First NationShor Transport Controllation - Part   Mode						-	Rec					001150	001441			0011411	0011411
Main Pay Macrin   First Introduction Transport - Certification   Control of the		First Interesting Transport Dedicated DC4 combination Dec		1				FIrst	Addi	FIrst	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
First Invertices Transport - Devicades - CEP 1 - combination   Device   Cept 1 - combination   Device   Cept 1 - cept 1 - cept 1   Device   Cept 1 - cept 1   Device					LINICAV	41 EVV	0.4040										
Facility Termination Per Mourin   ONCIX   UTITY   51.72   89.79   62.29   16.86   14.90				1	UNCIX	ILSXX	0.1813					-					
Pre-each 10/Chamel System in continuous Pre-March   Decided CoUCHP COST (Label COST)   VINCEX   VIDID   122   662   474   0.00   0.00					LINICAV	LIATEA	54.70	00.70	00.00	40.00	44.00						
Per each COLLEP COCI (data) COCI per month (2 4-6484a)   UNCX   10100   122   6.82   4.74   0.00   0.00				1													
31 Charmed Systems in combination per month   DRCSX   MD3   170.051   772.07   94.52   34.30   22.05				1													
Per each DST COCK) in combination per month				1								-					
Additional 4-Wire SRidges Digital Grade Loop in same DS1   UNCDX UDL56   27.44   126.55   88.85   60.88   14.64				1								-					
Interection Transport Combination - Zone 1   1 (INCDX   UD.56   Z7.44   126.53   88.65   60.68   14.64					UNCIX	OCTOT	2.02	0.02	4.74	0.00	0.00						
Additional					LINODY	LIDI 50	07.44	400.50	00.05	00.00	4404						
Interedifice Transport Correlation - Zone 2   2 UNCDX UDL56   34.56   128.63   88.85   66.88   14.64				1	UNCDX	UDLS6	21.44	126.53	88.83	80.08	14.64	-					
Additional 4-Wire SRKOps Digital Grade Loop in same DS1   NCDX   UDL56   40.76   176.53   88.85   60.68   14.64   NCDX   DL56   Additional 4-Wire SRKOps Digital Grade Loop in same DS1   Additional 4-Wire SRKOps Digital Grade Loop in same DS1   Additional 4-Wire SRKOps Digital Grade Loop in same DS1   Additional 4-Wire SRKOps Digital Grade Loop in same DS1   Additional 4-Wire SRKOps Digital Grade Loop in a DS1 Intercedible Control of the State of the Stat				2	LINCDY	LIDLES	24 55	106 50	00 05	60.60	1164				1	1	
Intereffice Transport Combination - Zone 3   3 UNCDX   UDL56   40.76   186.53   88.86   60.08   14.64			_	12	UNCDX	UDLOB	34.55	126.53	88.85	60.68	14.64	-			<del>                                     </del>	<del>                                     </del>	<del> </del>
Additional 4-Wire SROps Digital Grade Loop in same DS1   the interesting Transport Combination - Zone 4   UNCDX   UDL56   32.25   126.53   88.85   60.88   14.64				2	LINCDY	LIDLES	40.70	106 50	00 05	60.60	1164				1	1	
Interedition Transport Combination - Zone 4				3	UNCDX	UDLS6	40.76	120.53	88.83	80.08	14.04						
OCU-PP COCI (data) COCI in commission per month (2-4 (e) 648bs)					LINODY	LIDI 50	00.05	400.50	00.05	00.00	4404						
S44bs    S42bs    S				4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						
Each Additional DSI Interoffice Channel per mile in same 31   UNC1X 1L5XX 0.1813   UNC1X 1L																	
Channel System per month					UNCDX	10100	1.22	6.62	4.74	0.00	0.00						
Each Additional DS1 Interoffice Channel Facility Termination in same 31 Channel System per morth   UNCIX   U1TF1   51.72   89.79   82.28   16.86   14.90																	
Same 31 Channel System per month					UNC1X	1L5XX	0.1813										
Each Additional DST COCI in the same 31 channel system   ONCIX   UCID1   2.62   6.62   4.74   0.00   0.00						l											
Combination per month   Comb					UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
Nonrecurring Currently Combined Network Elements Switch - As-																	
Incharge     UNCIC   UNCC   5.63   5.63   7.20   7.20					UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
EXTENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/f MUX   First 4-Wire 64 Kbps Digital Grade Loop in a DS1 Interoffice   1 UNCDX UDL64   27.44   126.53   88.85   60.68   14.64   14.64   14.64   14.64   16.65   1																	
First -Wire 64Kbps Digital Grade Loop in a DS1 Interoffice   1 UNCDX UDL64   27.44   126.53   88.85   60.88   14.64								5.63	5.63	7.20	7.20						
Transport Combination - Zone 1	EXIEN		INTERC	PFFICE	TRANSPORT W/ 3/	1 MUX											ļ
First 4-Wire 64Kbps Digital Grade Loop in a DSI Interoffice   2 UNCDX   UDL64   34.55   126.53   88.85   60.68   14.64							0= 44	400 =0									
Transport Combination - Zone 2   2 UNCDX   UDL64   34.55   126.53   88.85   60.68   14.64				1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice   Transport Combination - Zone 4   UNCDX   UDL64   40,76   126,53   88.85   60,68   14,64							0.4.55	400 =0									
Transport Combination - Zone 3				2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
First A-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice   Transport Combination - Zone 4   UNCDX   UDL64   32.25   126.53   88.85   60.68   14.64				_													
Transport Combination - Zone 4				3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
First Interoffice Transport - Dedicated - DS1 combination - Per   Mile Per Month   UNC1X																	
Mile Per Month				4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month    DINCTX																	
Facility Termination Per Month					UNC1X	1L5XX	0.1813										
Per each Channel System 1/0 in combination Per Month						=	= . = 0			40.00							
Per each OCU-DP COCI (data) in combination - per month (2.4-64bs)																	
S4kbs   UNCDX				<b>!</b>	UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10				-	-	<b>.</b>
3/1 Channel System in combination per month					l <b></b>	1		_		_	_				1	1	
Per each DS1 COCI in combination per month																	
Additional 4-Wire 64Kbps Digital Grade Loop in same DS1																	
Interoffice Transport Combination - Zone 1					UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
Additional 4-Wire 64Kbps Digital Grade Loop in same DS1   2 UNCDX UDL64   34.55   126.53   88.85   60.68   14.64			1		l	I									I	I	
Interoffice Transport Combination - Zone 2   2 UNCDX   UDL64   34.55   126.53   88.85   60.68   14.64				1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
Additional 4-Wire 64Kbps Digital Grade Loop in same DS1   Interoffice Transport Combination - Zone 3   3 UNCDX   UDL64   40.76   126.53   88.85   60.68   14.64																	
Interoffice Transport Combination - Zone 3   3 UNCDX   UDL64   40.76   126.53   88.85   60.68   14.64				2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64				ļ	<b></b>	<b></b>
Additional 4-Wire 64Kbps Digital Grade Loop in same DS1   Interoffice Transport Combination - Zone 4   UNCDX   UDL64   32.25   126.53   88.85   60.68   14.64			1		l	I									I	I	
Interoffice Transport Combination - Zone 4				3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64				L	L	<b></b>
Additional OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)  Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month  Each Additional DS1 Interoffice Channel Facility Termination in					l <b>.</b>	1									1	1	
Combination - per month (2.4-64kbs)		Interoffice Transport Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64				<b>.</b>	<b>.</b>	<u> </u>
Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month UNC1X 1L5XX 0.1813  Each Additional DS1 Interoffice Channel Facility Termination in			1		l <b></b>	1									I	I	
Channel System per month UNC1X 1L5XX 0.1813 UNC1X 1.5XX 0.1813					UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						ļ
Each Additional DS1 Interoffice Channel Facility Termination in			1												I	I	
					UNC1X	1L5XX	0.1813								L	ļ	ļ
same 3/1 Channel System per month UNC1X U1TF1 51.72 89.79 82.28 16.86 14.90			1												I	I	

UNBUNDLE	D NETWORK ELEMENTS - Mississippi													ment: 2	1	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
					-		Nonrec	urring	Nonrecurring	Disconnect			088	Rates (\$)	L	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI in the same 3/1 channel system		<del>                                     </del>				11131	Auu	11100	Auu	COMILO	OOMAN	COMPAR	COMPAR	COMPAR	COMPAR
	combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX													<u> </u>
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	LINIONIV	U1L2X	24.04	447.04	70.00	50.00	40.07						
<b></b>	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37					-	<b>-</b>
	Transport - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		-	ONOTOR	OTLEX	27.00	117.01	70.02	02.02	10.07					<u> </u>	<del>                                     </del>
	Transport - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		Ì											ĺ		
	Transport - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile per month		<u> </u>	UNC1X	1L5XX	0.1813									ļ	<b>↓</b>
	First Interoffice Transport - Dedicated - DS1 combination -			LINICAY	LIATEA	54.70	00.70	00.00	40.00	44.00						
<b></b>	Facility Termination per month  Per each Channel System 1/0 in combination - per month			UNC1X UNC1X	U1TF1 MQ1	51.72 102.85	89.79 91.57	82.28 62.94	16.86 10.87	14.90 10.10					-	<b>-</b>
	Per each Channel System 1/0 in combination - per month		-	UNCIA	IVIQT	102.00	91.57	02.94	10.07	10.10						1
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						
	3/1 Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82					t	
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37						<u> </u>
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		_													
	Combination - Zone 2	-	2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37	-				1	-
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		3	UNCINA	UTLZX	37.34	117.01	15.52	32.02	10.57	1				1	-
	Combination - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37						
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel			0.10.01	U I LLIX	00.10		70.02	02.02	10.07					t	
	system combination- per month			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.1813										ļ
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month	-		UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90	-				1	-
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-		1	UNCIX	OCIDI	2.02	0.02	4.74	0.00	0.00	1				1	-
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	SPORT		0.1000		0.00	0.00	1.20	7.20					t	
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07					ļ	<b>↓</b>
	First Interoffice Transport - Dedicated - DS1 combination - Per			LINGAY	1L5XX	0.4040									I	
$\vdash$	Mile Per Month First Interoffice Transport - Dedicated - DS1 combination -	<b>-</b>	<del>                                     </del>	UNC1X	ILOAX	0.1813			-		-				<del>                                     </del>	<del> </del>
	Facility Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90					1	
	3/1 Channel System in combination per month	t	t —	UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82	<u> </u>				<b>†</b>	t
	Per each DS1 COCI combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00				İ	1	
	Each Additional DS1 Interoffice Channel per mile in same 3/1		Ì											ĺ		
	Channel System per month			UNC1X	1L5XX	0.1813									<u> </u>	<u> </u>
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month		<u> </u>	UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						<b></b>
	Each Additional DS1 COCI in the same 3/1 channel system			LINCAY	LIC1D1	2.62	6.00	4 74	0.00	0.00					I	
$\vdash$	combination per month  Additional 4-Wire DS1 Digital Local Loop in Combination - Zone	<b>-</b>	<del>                                     </del>	UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00	-				<del>                                     </del>	+
	Industronal 4-Mile Do i Digital Local Loop III Combination - Zone	1	1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07	1	1		l	1	1

ONBONDL	ED NETWORK ELEMENTS - Mississippi													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec		curring	Nonrecurring					Rates (\$)		
			ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			LINICAY	LICLYY	400.00	252.02	450.45	40.40	40.07						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07					-	
	3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		Ť	0.10.17	002,01	200.7 1	200.00	100.10	10.10	.2.01	1					
	4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	Nonrecurring Currently Combined Network Elements Switch -As-		i i													
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXT	ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO														
	First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
	First 4-wires 56 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						-
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month	1		UNCDX	1L5XX	0.0098			1						I	
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility		+	UNCDA	ILJAA	0.0096										
	Termination per month			UNCDX	U1TD5	22.52	40.78	27.57	17.26	7.11						
	Nonrecurring Currently Combined Network Elements Switch -As-			0.1027	0.120	22.02	10.70	27.07	20	7						
	Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
EXT	ENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE	TRANSPORT												
	First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
	First 4-wire 64 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile			LINODY	1L5XX	0.0000										
	per month First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility		<del> </del>	UNCDX	1L5XX	0.0098			-		-				-	
	Termination per month			UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11						
	Nonrecurring Currently Combined Network Elements Switch -As-		+	ONODA	OTTEG	22.02	40.70	21.51	17.20	7.11						
	Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
ADDITIONAL	NETWORK ELEMENTS						0.00									
	n used as a part of a currently combined facility, the non-recurr	ng cha	rges de	not apply, but a S	witch As Is c	harge does ap	ply.									
	n used as ordinarily combined network elements in All States, tl					As Is Charge	does not.									
Nonr	recurring Currently Combined Network Elements "Switch As Is"		(One	applies to each com	bination)											
	Nonrecurring Currently Combined Network Elements Switch -As-	ł														
	Is Charge - 2 wire/4-Wire VG		-	UNCVX	UNCCC		5.63	5.63	7.20	7.20						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 56/64 kbps	1		UNCDX	UNCCC		5.63	5.63	7.20	7.20						
	Nonrecurring Currently Combined Network Elements Switch -As-		+	UNCDA	UNCCC		5.05	3.03	7.20	7.20	1				1	
	Is Charge - DS1			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
	Nonrecurring Currently Combined Network Elements Switch -As-		1	ONOTA	CITOCO		0.00	0.00	7.20	7.20						
	Is Charge - DS3			UNC3X	UNCCC		5.63	5.63	7.20	7.20						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - STS1			UNCSX	UNCCC		5.63	5.63	7.20	7.20						
Optio	onal Features & Functions:															
				U1TD1,												
	Clear Channel Capability Extended Frame Option - per DS1		-	ULDD1,UNC1X	CCOEF		OI	OI	01	OI						
	Clear Channel Canability Super FrameOption and DC4			U1TD1, ULDD1,UNC1X	CCOSF		OI	OI	loi.	OI.					I	
	Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent	<del></del>	1	ULDD1,UNC1X ULDD1, U1TD1,	CCOSF		OI .	UI	UI	OI .	-				<del>                                     </del>	
	Activity - per DS1	l ,		UNC1X, USL	NRCCC		184.6S	23.78S	1.96S	0.76S					I	
	Polity por bot	<del>-</del> -	<del>                                     </del>	U1TD3, ULDD3,	.11.000		.54.55	_3.700		0.700	<del>                                     </del>			<b>H</b>	<b>I</b>	
	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		218.72S	7.66S	.7201S	0S					I	
MUL	TIPLEXERS	i				İ			1						1	
	DS1 to DS0 Channel System per month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs) used for a Local Loop	1	1	UDL	1D1DD	1.22	6.62	4.74	1	ı	1	1	ı	1	1	1

UNBUN	DLE	NETWORK ELEMENTS - Mississippi													ment: 2		bit: A
CATEGO	RY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			II .	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						1	_ 1	Nonred	urring	Nonrecurring	Disconnect	İ		oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs) used for connection to a channelized DS1															l
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.22	6.62	4.74								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month for a Local Loop			UDN	UC1CA	2.62	6.62	4.74								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month used for connection to a channelized DS1 Local Channel			LUTUD	110404	0.00	0.00									
		in the same SWC as collocation			U1TUB	UC1CA	2.62	6.62	4.74			ļ					
		Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	0.5737	6.62	4.74								
-		Voice Grade COCI - DS1 to DS0 Channel System - per month		1	UEA	IDIVG	0.5737	0.02	4.74	-		1					
		used for connection to a channelized DS1 Local Channel in the								1							1
		same SWC as collocation			U1TUC	1D1VG	0.5737	6.62	4.74	1							1
		DS3 to DS1 Channel System per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82	1					
		STS-1 to DS1 Channel System per month			UNCSX	MQ3	170.63	179.17	94.52	34.30	32.82						
		DS1 COCI used with Loop per month			USL	UC1D1	12.96	6.62	4.74								
		DS1 COCI (used for connection to a channelized DS1 Local															
		Channel in the same SWC as collocation) per month			U1TUA	UC1D1	12.96	6.62	4.74								
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	12.96	6.62	4.74								
		DS3 Interface Unit (DS1 COCI) used with Local Channel per															l
		month			ULDD1	UC1D1	12.96	6.62	4.74			ļ					
		OCAL EXCHANGE SWITCHING(PORTS)										ļ					
		ge Ports Although the Port Rate includes all available features in GA, F	/V I A	O TAI 4	ha daairad faaturaa	will pood to b	o ordered usin	a rotoil HCOC		1							<del></del>
		VOICE GRADE LINE PORT RATES (RES)	NI, LA	Cx IIN, L	le desired realures	will fleed to b	e ordered usin	g retail 0300	•			<b> </b>					<del></del>
		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.41	2.39	2.29	1.42	1.33	1					<del></del>
-		Exchange Forts - 2-Wile Analog Line Fort- Nes.			OLI OK	OLI IXL	1.41	2.55	2.23	1.42	1.55	1					<del></del>
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.41	2.39	2.29	1.42	1.33						ĺ
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.41	2.39	2.29	1.42	1.33						ĺ
		Exchange Ports - 2-Wire VG unbundled MS extended local															
		dialing parity Port with Caller ID - Res.			UEPSR	UEPAT	1.41	2.39	2.29	1.42	1.33						
		Exchange Ports - 2-Wire VG unbundled res, low usage line port															ĺ
		with Caller ID (LUM)			UEPSR	UEPAP	1.41	2.39	2.29	1.42	1.33						
		Exchange Ports - 2-Wire Voice Mississippi Residence Dialing															l
		Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID		-	UEPSR	UEPWJ	1.41	2.39	2.29	1.42	1.33	ļ		-	<del> </del>	<del>                                     </del>	<del></del>
		Capability			UEPSR	UEPRT	1.41	2.39	2.29	1.42	1.33						l
		Subsequent Activity		<del>                                     </del>	UEPSR	USASC	0.00	0.00	0.00	1.42	1.33	1		<del> </del>	<del> </del>	<del>                                     </del>	<del>                                     </del>
FI	EATU				021 010	00,100	0.00	0.00	0.00	<b>+</b>		1					<u> </u>
		All Available Vertical Features			UEPSR	UEPVF	2.56	0.00	0.00	1					İ	İ	
2-		VOICE GRADE LINE PORT RATES (BUS)			_												
		Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
		Bus			UEPSB	UEPBL	1.41	2.39	2.29	1.42	1.33			<u> </u>			<u> </u>
		Exchange Ports - 2-Wire VG unbundled Line Port with															1
		unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.41	2.39	2.29	1.42	1.33				ļ	ļ	
							ļ , ļ										1
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.		-	UEPSB	UEPBO	1.41	2.39	2.29	1.42	1.33	ļ		<b> </b>	<b>!</b>	<b>.</b>	-
		Exchange Ports - 2-Wire VG unbundled MS extended local dialing parity Port with Caller ID - Bus.			UEPSB	UEPAY	1.41	2.39	2.29	1.42	1.33						1
<del></del>		Exhange Ports - 2-Wire VG unbundled incoming only port with		-	UEFOB	UEPAT	1.41	∠.39	2.29	1.42	1.33						<del></del>
		Caller ID - Bus			UEPSB	UEPB1	1.41	2.39	2.29	1.42	1.33						1
		Exchange Ports - 2-Wire Voice Mississippi Business Dialing Plan			02. 00	02101	1.41	2.00	2.23	1.42	1.55						
		without Caller ID			UEPSB	UEPWK	1.41	2.39	2.29	1.42	1.33						1
		2-Wire voice unbundled Incoming Only Port without Caller ID							-								
		Capability		<u></u>	UEPSB	UEPBE	1.41	2.39	2.29	1.42	1.33			<u> </u>		<u> </u>	<u></u>
		Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FI	EATU																
	1	All Available Vertical Features			UEPSB	UEPVF	2.56	0.00	0.00								

UNBU	<u>NDLE</u>	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	1	ibit: A
												1	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic
																Disc 1st	
														1st	Add'l	DISC 1St	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect	ĺ	•	oss	Rates (\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	EXCHA	NGE PORT RATES (DID & PBX)															
		2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.41	31.45	14.93	14.38	0.92						
		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.41	31.45	14.93	14.38	0.92						
		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.41	31.45	14.93	14.38	0.92						
		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.41	31.45	14.93	14.38	0.92						
		2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.41	31.45	14.93	14.38	0.92	ĺ		Î			
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.41	31.45	14.93	14.38	0.92	ĺ		Î			
		2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.41	31.45	14.93	14.38	0.92	ĺ		Î			
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.41	31.45	14.93	14.38	0.92						<b>—</b>
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.41	31.45	14.93	14.38	0.92						1
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.41	31.45	14.93	14.38	0.92	İ					1
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		1		T		20	30	30	5.32			İ	İ	İ	†
		Capable Port			UEPSP	UEPXE	1.41	31.45	14.93	14.38	0.92				1	1	1
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		t	- " -			00	50	50	0.02			<b>i</b>	t	t	<del>                                     </del>
		Administrative Calling Port			UEPSP	UEPXL	1.41	31.45	14.93	14.38	0.92				1	1	1
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		<del>                                     </del>	021 01	JLI AL	1.71	31.73	17.33	14.30	0.32	<b> </b>	<u> </u>		t	t	+
		Room Calling Port		1	UEPSP	UEPXM	1.41	31.45	14.93	14.38	0.92				I	I	1
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		<b>t</b>	OL1 01	OLI AIVI	1.41	31.43	17.33	17.30	0.52	<del> </del>	<b>-</b>	<b> </b>	<del>                                     </del>	<del>                                     </del>	+
		Discount Room Calling Port			UEPSP	UEPXO	1.41	31.45	14.93	14.38	0.92						
		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy		-	ULFSF	ULFAU	1.41	31.43	14.55	14.30	0.52	<b>-</b>	<b>-</b>		-	-	
		Calling Port			UEPSP	UEPXQ	1.41	31.45	14.93	14.38	0.92						
		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional		-	UEFSF	UEFAQ	1.41	31.43	14.93	14.30	0.92	<b>-</b>	<b>-</b>		-	-	
		Calling Port			UEPSP	UEPXR	4 44	24.45	44.00	44.00	0.00						
				-	UEPSP	UEPA5	1.41 1.41	31.45 31.45	14.93 14.93	14.38 14.38	0.92 0.92						+
		2-Wire Voice Unbundled PBX Port, Mississippi only		-	UEPSP	UEPXS											+
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port Subsequent Activity		-	UEPSP		1.41 0.00	31.45 0.00	14.93 0.00	14.38	0.92	1					
	FEATU			-	UEPSP	USASC	0.00	0.00	0.00								+
		All Available Vertical Features		-	UEPSP UEPSE	UEPVF	2.56	0.00	0.00								+
		NGE PORT RATES (COIN)		-	UEPSP UEPSE	UEPVF	2.56	0.00	0.00			1					
				-													
		Exchange Ports - Coin Port					1.41	2.39	2.29	1.42	1.33		IODNI				
	NOTE:	Transmission/usage charges associated with POTS circuit sy	vitched	usage	will also apply to ci	Pusiness De	ed voice and/or	Detector the	ed data transii	lission by B-Cr	tannels assoc	lated with 2	-wire ISDN	Nous Busines	Dominat Des		+
LIMBUM	NOTE:	Access to B Channel or D Channel Packet capabilities will be OCAL EXCHANGE SWITCHING(PORTS)	avaliat	ole only	through BFR/New	Business Re	quest Process.	Rates for the	раскет сараві	lities will be de	termined via t	ne Bona Fic	de Request/	New Busines	s Request Pro	cess.	+
UNBUN		NGE PORT RATES										-					+
			DN D			. 45			0	A (1 4/4/0.4 db -							+
		1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISI											riff rates or	a separate ag	reement.		+
	Reques	sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports a	arter the	errect	IVE date of this ame	UEPP2				ent or tariff at	3.88		-	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	+
		Exchange Ports - 2-Wire DID Port		-	UEPEA	UEPP2	8.25	120.00	18.85	61.//	3.88	<del>                                     </del>	<u> </u>	-	<del>                                     </del>	<del>                                     </del>	+
	1	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID	1	1	LIEDDD	LIEDDD	50.44	202.42	00.05	74.00	0.54	1		l	I	I	1
		capability (E:4/1/2004)		1	UEPDD	UEPDD	58.41	203.19	96.25	74.86	2.54		-	<b>.</b>	-	-	+
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)		1	UEPTX, UEPSX	U1PMA	13.69	73.19	53.30	47.90	10.76		-	<b>.</b>	-	-	+
		All Features Offered			UEPTX, UEPSX	UEPVF	2.56	0.00	0.00			<b></b>					
		Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00			<u> </u>	L				
		Transmission/usage charges associated with POTS circuit sv													<u> </u>	L	<del></del>
		Access to B Channel or D Channel Packet capabilities will be	availab	ole only	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	termined via t	he Bona Fig	de Request/	New Busines	s Request Pro	cess.	<del>                                     </del>
	EXCHA	NGE PORT RATES (continued)		L		ļ						ļ			ļ	ļ	↓
	1	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911	1	1								1		l	I	I	I
		Locator Capability (E:4/1/2004)		L	UEPEX	UEPEX	84.63	205.00	102.14	81.65	20.69	ļ			ļ	ļ	<b>↓</b>
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	84.63	205.00	102.14	81.65	20.69	ļ					1
		Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.14	22.16	16.02	6.60	5.97	ļ					1
	1	Virtual Collocation - Special Access & UNE, cross-connect per	1	1								1		l	I	I	1
		DS1		<u> </u>	UEPEX UEPDX	CNC1X	1.14	22.16	16.02	6.60	5.97		L	ļ	ļ	ļ	↓
	Detaile	d E911 with Locator Capability (required with UEPEX port)		<u> </u>		ļ							L	ļ	ļ	ļ	↓
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911													1	1	1
		Locator Capability - Initial Profile Establishment per CLEC per		1											I	I	1
		State			UEPEX	UEP1A	0.00	1,814.00		156.15							
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911							-								
		Locator Capability - Subsequent Profile Changes, Additions,		1											I	I	1
	l	Deletions	1	1	UEPEX	UEP1B	0.00	176.15				1		l	I	I	1
		Additional PRI Telephone Numbers										1	1	1			1

UNBUNDLE	D NETWORK ELEMENTS - Mississippi													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability 2-way Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1C	0.0701	0.49									
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability - Outdial Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1D	0.0701	11.58	11.58								
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															
	Telephone Numbers - Inward Data Only Option [New or															
	Additional]			UEPDX	UEP1E	0.00	0.49									
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]															
1.0041	Inward Tel Numbers [Customer Testing Purposes]  NUMBER PORTABILITY	-		UEPEX	PR7ZT	0.00	23.15	23.15	1		ļ	-	-	-	-	<del>                                     </del>
LOCAL		<del>                                     </del>	-	UEPEX UEPDX	LNDCN	4 75			<del>                                     </del>		<del>                                     </del>		<b> </b>	<del>                                     </del>	<b> </b>	<del></del>
INITED	Local Number Portability (1 per port)  FACE (Provsioning Only)	<b> </b>	-	UEPEA UEPUX	LNPCN	1.75			<u> </u>		<b> </b>	-	<del> </del>	<b> </b>	<del> </del>	<del></del>
INTER				HEDEV	DD741/	0.00	0.00	0.00				-				<del></del>
	Voice/Data Digital Data	-	-	UEPEX UEPEX	PR71V PR71D	0.00	0.00	0.00					-	-	-	<del></del>
	Inward Data	<b>-</b>	-	UEPEX	PR71D PR71E	0.00	0.00	0.00	<del>                                     </del>		<b> </b>		-	-	-	<del></del>
Now o	r Additional Channel		-	UEPDA	PR/IE	0.00	0.00	0.00								
New O	New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	14.61				-					<del></del>
	New or Additional - Digital Data "B" Channel	-	-	UEPEX	PR7BF	0.00	14.61				-	-				<del></del>
	New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	14.61									<del>                                     </del>
	New or Additional Useage Sensitive Voice Data "B" Channel		-	UEPEX	PR7BS	0.00	14.61				1		1	1	1	<del> </del>
	New or Additional Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BU	0.00	14.61									-
	New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	14.61									-
CALL	TYPES			OLI LX	TRILA	0.00	14.01									<del></del>
OALL	Inward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00								<del></del>
	Outward			UEPEX	PR7CO	0.00	0.00	0.00			1					
	Two-way			UEPEX	PR7CC	0.00	0.00	0.00								
UNBU	NDLED PORT with REMOTE CALL FORWARDING CAPABILITY	,														
	NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.41	2.39	2.29	1.42	1.33						
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.41	2.39	2.29	1.42	1.33						
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.41	2.39	2.29	1.42	1.33				ĺ		
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.41	2.39	2.29	1.42	1.33						
Non-Re	ecurring															
	Unbundled Remote Call Forwarding Service - Conversion -															1
	Switch-as-is			UEPVR	USAC2		0.0988	0.0988								
	Unbundled Remote Call Forwarding Service - Conversion with	1		l	l				[							1
	allowed change (PIC and LPIC)	ļ		UEPVR	USACC		0.0988	0.0988			ļ					
UNBU	NDLED REMOTE CALL FORWARDING - Bus	ļ			-				<u> </u>		1		ļ	ļ	ļ	<b>└</b>
	Haland Hali Danista Call Francisco Control Ann. Call	1		LIED/D	LIEDAG		0.00	0.00	, , ,	4.00						1
	Unbundled Remote Call Forwarding Service, Area Calling - Bus	ļ		UEPVB	UERAC	1.41	2.39	2.29	1.42	1.33						<b>├</b>
	Habitan diad Damata Call Familia III - October 100 III - O	1		LIED\/D	LIEDIO		0.00	0.00		4.00						1
	Unbundled Remote Call Forwarding Service, Local Calling - Bus	-		UEPVB	UERLC	1.41	2.39	2.29	1.42	1.33	ļ	-	-	-	-	<b>├</b>
	Unbundled Remote Call Forwarding Service, InterLATA - Bus	<del>                                     </del>	-	UEPVB	UERTE UERTR	1.41 1.41	2.39 2.39	2.29	1.42	1.33			<b> </b>	<del>                                     </del>	<b> </b>	<del></del>
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus Unbundled Remote Call Forwarding Service Expanded and	<b>!</b>	-	UEPVB	UEKIK	1.41	2.39	2.29	1.42	1.33	1	-				<del>                                     </del>
	Exception Local Calling	1		UEPVB	UERVJ	1.41	2.39	2.29	1.42	1.33						1
Non-P	ecurring	<del>                                     </del>		OLI VD	OLIVU	1.41	2.39	2.29	1.42	1.33	<del>                                     </del>		<del> </del>	<del> </del>	<del> </del>	
NOII-R	Unbundled Remote Call Forwarding Service - Conversion -	<b> </b>			t				<del>                                     </del>				<b> </b>	<b> </b>	<b> </b>	<b>—</b>
	Switch-as-is	1		UEPVB	USAC2		0.0988	0.0988								1
<u> </u>	Unbundled Remote Call Forwarding Service - Conversion with	l -		CL. VD	23/102		0.0000	0.0000								<b>—</b>
	allowed change (PIC and LPIC)	1		UEPVB	USACC		0.0988	0.0988								1
UNBUNDLED	LOCAL SWITCHING, PORT USAGE				2 550		3.0000	0.0000					1	1	1	<u> </u>
	ffice Switching (Port Usage)	i e			1						1		İ	İ	İ	
	End Office Switching Function, Per MOU	1			1	0.0010269						İ	İ	İ	İ	
l l					1						1	1	1	1	1	
	End Office Trunk Port - Shared, Per MOU					0.000161										l .

UNB	UNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec		curring		Disconnect				Rates (\$)		
		T 1 0 11 11 5 11 5 11 10 11					0.0004700	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	_	Tandem Switching Function Per MOU	-	-			0.0001723					1					
	_	Tandem Trunk Port - Shared, Per MOU	-	-			0.0001828					1					
	+	Tandem Switching Function Per MOU (Melded)  Tandem Trunk Port - Shared, Per MOU (Melded)					0.000063441 0.000067307					+	-				
-	+	Melded Factor: 36.82% of the Tandem Rate					0.000007307					-					
-	Comm	on Transport	1									+					
	Commi	Common Transport - Per Mile, Per MOU					0.0000026					+		1			
	+	Common Transport - Facilities Termination Per MOU					0.0004541					<b>+</b>					
UNBL	INDI FD	PORT/LOOP COMBINATIONS - COST BASED RATES					0.0004041					<b>+</b>					
OND		ased Rates are applied where BellSouth is required by FCC at	nd/or St	ate Co	nmission rule to nr	ovide Unbun	dled Local Swi	tching or Swit	ch Ports			<b>+</b>					
		es shall apply to the Unbundled Port/Loop Combination - Cos								ed Port section	of this Rate F	xhibit.		i	i		
		ffice and Tandem Switching Usage and Common Transport U											n Port/Loor	Combinatio	ns.		
		st and additional Port nonrecurring charges apply to Not Curr															
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)				T ,			l j			1	, , , , , , , , , , , , , , , , , , ,				
		ort/Loop Combination Rates	1			1					ĺ			ĺ	ĺ		
		2-Wire VG Loop/Port Combo - Zone 1	i –	1			12.22							1	1		
		2-Wire VG Loop/Port Combo - Zone 2		2			17.13										
		2-Wire VG Loop/Port Combo - Zone 3		3			26.26										
		2-Wire VG Loop/Port Combo - Zone 4		4			44.91							ĺ			
	UNE L	oop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	10.98										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	15.91										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	25.04										
		2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPRX	UEPLX	43.68										
	2-Wire	Voice Grade Line Port Rates (Res)															
		2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.23	40.31	19.84	24.90	6.58						
		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.23	40.31	19.84	24.90	6.58						
		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.23	40.31	19.84	24.90	6.58						
		2-Wire voice Grade unbundled Mississippi extended local															
-	_	dialing parity port with Caller ID - res	-	-	UEPRX	UEPAT	1.23	40.31	19.84	24.90	6.58	1					
		2-Wire voice unbundles res, low usage line port with Caller ID			UEPRX	UEPAP	4.00	40.04	40.04	04.00	0.50						
-	+	(LUM) 2-Wire Voice Unbundled Mississippi Residence Dialing Plan			UEPKX	UEPAP	1.23	40.31	19.84	24.90	6.58	-					
		without Caller ID			UEPRX	UEPWJ	1.23	40.31	19.84	24.90	6.58						
	+	2-Wire voice unbundled Low Usage Line Port without Caller ID			UEPKA	UEPWJ	1.23	40.31	19.04	24.90	0.36	-					
		Capability			UEPRX	UEPRT	1.23	40.31	19.84	24.90	6.58						
	FEATL				OLFIX	OLFKI	1.23	40.31	15.04	24.50	0.36	+		1			
	ILAIC	All Features Offered			UEPRX	UEPVF	2.56	0.00	0.00			<b>+</b>					
	LOCAL	NUMBER PORTABILITY			OLITON	OLI VI	2.00	0.00	0.00			<b>+</b>					
		Local Number Portability (1 per port)			UEPRX	LNPCX	0.35					1					
	NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			021101	2.11 07	0.00										
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	l –						İ		İ			İ	İ		
		Switch-as-is	1		UEPRX	USAC2	[	0.0988	0.0988			1					
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1								İ	1	İ	İ	İ		
		Switch with change			UEPRX	USACC		0.0988	0.0988								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Subsequent Database Update						0.00	0.00								
	ADDIT	IONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPRX	USAS2	0.00	0.00	0.00								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise	ļ		UEPRX	URETL		8.33	0.83								
	OFF/O	N PREMISES EXTENSION CHANNELS															
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	12.03	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	16.87	37.92	17.55	23.48	5.25						
<u></u>		2 Wire Analog Voice Grade Extension Loop – Non-Design	ļ	3	UEPRX	UEAEN	25.68	37.92	17.55	23.48	5.25			ļ	ļ		
		2 Wire Analog Voice Grade Extension Loop – Non-Design	<b></b>	4	UEPRX	UEAEN	43.85	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	13.89	105.96	68.28	52.82	10.37						
1		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	18.75	105.96	68.28	52.82	10.37						

ONBONDLE	D NETWORK ELEMENTS - Mississippi										_	1_		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Analog Voice Grade Extension Loop – Design			UEPRX	UEAED	27.55	105.96	68.28		10.37						
	2 Wire Analog Voice Grade Extension Loop – Design		4	UEPRX	UEAED	45.72	105.96	68.28	52.82	10.37						
INTERC	DEFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				l											
	Termination			UEPRX	U1TV2	20.32	40.77	27.57	17.26	7.11						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRX	U1TVM	0.0088	0.00	0.00								
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			UEPKX	UTTVIVI	0.0088	0.00	0.00	-		-					
	ort/Loop Combination Rates		-		+						-					
ONLF	2-Wire VG Loop/Port Combo - Zone 1		1		1	12.22					1					
	2-Wire VG Loop/Port Combo - Zone 2		2		1	17.13					1					
	2-Wire VG Loop/Port Combo - Zone 3		3		1	26.26			1						1	
	pop Rates	i e				20.20			İ	İ			İ	İ	İ	
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	10.98										
	2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPBX	UEPLX	15.91			İ	l		1	l	l	İ	
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	25.04			1						1	
	2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPBX	UEPLX	43.68										
2-Wire	Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.23	40.31	19.84	24.90	6.58						
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.23	40.31	19.84		6.58						
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.23	40.31	19.84	24.90	6.58						
	2-Wire voice Grade unbundled Mississippi extended local															
	dialing parity port with Caller ID - bus			UEPBX	UEPAY	1.23	40.31	19.84		6.58						
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Unbundled Mississippi Business Dialing Plan															
	without Caller ID			UEPBX	UEPWK	1.23	40.31	19.84	24.90	6.58						
	2-Wire voice unbundled Incoming Only Port without Caller ID			LIEDDY	UEPBE	4.00	40.04	40.04	04.00	0.50						
1.0041	Capability NUMBER PORTABILITY		-	UEPBX	DEPBE	1.23	40.31	19.84	24.90	6.58						
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35			-			-				
FEATU			-	UEPBA	LINPUA	0.33					1					
	All Features Offered			UEPBX	UEPVF	2.56	0.00	0.00	1							
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLI DX	OLI VI	2.50	0.00	0.00			1					
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				1						1					
	Switch-as-is			UEPBX	USAC2		0.0988	0.0988								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1			1		2.2200	2.2300	1			İ	İ	İ		
	Switch with change			UEPBX	USACC		0.0988	0.0988								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	Ì														
	Subsequent Database Update	L					0.00	0.00	<u> </u>		L		<u> </u>	<u> </u>		L
ADDITI	ONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	l											I	I		
	Activity			UEPBX	USAS2		0.00	0.00	ļ						ļ	
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1		l	1											1
	Premise	ļ		UEPBX	URETL		8.33	0.83	ļ						ļ	
OFF/ON	N PREMISES EXTENSION CHANNELS	<b>!</b>	L .	LIEBBY .	1	10.55	07.55	.=								
	2 Wire Analog Voice Grade Extension Loop – Non-Design	ļ		UEPBX	UEAEN	12.03	37.92	17.55		5.25			<b> </b>	<b> </b>	ļ	
	2 Wire Analog Voice Grade Extension Loop – Non-Design	<del>                                     </del>	2	UEPBX	UEAEN	16.87	37.92	17.55		5.25	1		-	-	<b> </b>	
	Wire Analog Voice Grade Extension Loop – Non-Design     Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX UEPBX	UEAEN	25.68 43.85	37.92 37.92	17.55 17.55		5.25 5.25						
	2 Wire Analog Voice Grade Extension Loop – Non-Design  2 Wire Analog Voice Grade Extension Loop – Design	-	1	UEPBX	UEAEN	13.89	105.96	68.28		10.37			-	-	-	
	2 Wire Analog Voice Grade Extension Loop – Design  2 Wire Analog Voice Grade Extension Loop – Design	-	2	UEPBX	UEAED	18.75	105.96	68.28		10.37	<del>                                     </del>	<b>-</b>				
	2 Wire Analog Voice Grade Extension Loop – Design  2 Wire Analog Voice Grade Extension Loop – Design	<u> </u>	3	UEPBX	UEAED	27.55	105.96	68.28		10.37					<del> </del>	
	2 Wire Analog Voice Grade Extension Loop – Design	<del>                                     </del>		UEPBX	UEAED	45.72	105.96	68.28		10.37		<u> </u>				
	DFFICE TRANSPORT	<del>                                     </del>	_	02. D/(	02,120	70.72	100.90	55.20	02.02	10.07		<u> </u>				
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	<b> </b>			1				1						1	
	Termination	1		UEPBX	U1TV2	20.32	40.77	27.57	17.26	7.11						1
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile														1	
	or Fraction Mile	1	1	UEPBX	U1TVM	0.0088	0.00	0.00				1				1
2-WIDE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	i	1		1				1	İ		ĺ	İ	İ	İ	

UNBUNDL	LED NETWORK ELEMENTS - Mississippi													ment: 2	1	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intent									Elec	Manually	Manual Svc	Manual Svc		Manual Sv
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (17			per LSK	per Lon			Electronic-	Electronic-
													Electronic-	Electronic-		
													1st	Add'l	Disc 1st	Disc Add'l
		<u> </u>	1		+		Nonrec	urring	Nonrecurring	Disconnect	<b>†</b>	l	oss	Rates (\$)	l	l
		<del>                                     </del>	<del>                                     </del>			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LINE	Port/Loop Combination Rates				+		11130	Addi	11130	Addi	JOINEC	JONAN	JONAN	JONIAN	JONIAN	JONAN
OIVE	2-Wire VG Loop/Port Combo - Zone 1		1		+	12.22										<b>+</b>
	2-Wire VG Loop/Port Combo - Zone 1	1	2			17.13					1				1	
	2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3	1			+	26.26					-					-
		<u> </u>	3	-												
	2-Wire VG Loop/Port Combo - Zone 4	<u> </u>	4	-		44.91										
UNE	Loop Rates	<b> </b>	_	LIEDDO	LIEDLY	40.00										
	2-Wire Voice Grade Loop (SL 1) - Zone 1	-	1	UEPRG	UEPLX	10.98					ļ					
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4	ļ	4	UEPRG	UEPLX	43.68					ļ					
2-W	ire Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	1	1	İ										I		
	Res	<u></u>	<u> </u>	UEPRG	UEPRD	1.23	69.37	32.48	37.86	6.17		<u> </u>				
LOC	CAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEA	TURES															
	All Features Offered			UEPRG	UEPVF	2.56	0.00	0.00	İ							
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED								İ							
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPRG	USAC2		7.96	1.91								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		t -	02.110	00/102		7.00				1					
	Conversion - Switch with Change			UEPRG	USACC		7.96	1.91								
-	2-Wire Voice Grade Loop / Line Port Combination - Conversion	_	<del>                                     </del>	OLI KO	OOACC		7.50	1.51								
	Subsequent Database Update						0.00	0.00								
ADD	DITIONAL NRCs	+	-		+		0.00	0.00			<b>-</b>			-	ļ	<b>-</b>
ADL		+	-		+						<b>-</b>			-	ļ	<b>-</b>
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
		1	-	UEPRG	USAS2	0.00	0.00	0.00			-					-
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt						7.00	7.00								
	Group						7.36	7.36								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPRG	URETL		8.33	0.83								
OFF	ON PREMISES EXTENSION CHANNELS	ļ									ļ					
	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	13.89	105.96	68.28	52.82	10.37						
	Local Channel Voice grade, per termination		2	UEPRG	P2JHX	18.75	105.96	68.28	52.82	10.37						
	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	27.55	105.96	68.28	52.82	10.37						
	Local Channel Voice grade, per termination		4	UEPRG	P2JHX	45.72	105.96	68.28	52.82	10.37						
INTE	EROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
I	Termination		1	UEPRG	U1TV2	20.32	40.77	27.57	17.26	7.11				1		
1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		Ì													
	or Fraction Mile		1	UEPRG	U1TVM	0.0088	0.00	0.00						I		
2-W	IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		1	i e	1				i i						1	1
	Port/Loop Combination Rates		1	İ	1				i l		1			1	Ì	İ
	2-Wire VG Loop/Port Combo - Zone 1	t	1	<del> </del>	1	12.22			1		1			<b>†</b>		1
<del> </del>	2-Wire VG Loop/Port Combo - Zone 2	t	2	<del> </del>	1	17.13					t			<del>                                     </del>		
<del> </del>	2-Wire VG Loop/Port Combo - Zone 3	t	3	<del> </del>	1	26.26					t			<del>                                     </del>		
	2-Wire VG Loop/Port Combo - Zone 4	t	4	<b>†</b>	1	44.91			<del>                                     </del>		1			t	<del> </del>	<del> </del>
LINE	E Loop Rates	<del>                                     </del>	<del></del>	<del> </del>	+	44.31					1			<del>                                     </del>	1	1
OIVE	2-Wire Voice Grade Loop (SL 1) - Zone 1	<del>                                     </del>	1	UEPPX	UEPLX	10.98					<del>                                     </del>			<del>                                     </del>	1	}
		1	2	UEPPX	UEPLX				<del>                                     </del>		<del>                                     </del>			<del>                                     </del>	1	1
	2-Wire Voice Grade Loop (SL 1) - Zone 2	1	_			15.91					<del> </del>			<del>                                     </del>	-	-
	2-Wire Voice Grade Loop (SL 1) - Zone 3	-	3	UEPPX	UEPLX	25.04			<del>                                     </del>		1			<del>                                     </del>	1	1
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEPPX	UEPLX	43.68					1			-	1	1
2-W	ire Voice Grade Line Port Rates (BUS - PBX)	<u> </u>	<b>!</b>	L	1						<b></b>			<b></b>		
I	L		1	l	1									1		
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		1	UEPPX	UEPPC	1.23	69.37	32.48	37.86	6.17	ļ			ļ		ļ
	Line Side Unbundled Outward PBX Trunk Port - Bus		ļ	UEPPX	UEPPO	1.23	69.37	32.48	37.86	6.17						ļ
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.23	69.37	32.48	37.86	6.17						L
	2-Wire Voice Unbundled PBX LD Terminal Ports	L	L	UEPPX	UEPLD	1.23	69.37	32.48	37.86	6.17		l			l	
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	ľ		UEPPX	UEPXA	1.23	69.37	32.48	37.86	6.17					T	Ι

IRONDFF	D NETWORK ELEMENTS - Mississippi													ment: 2		bit: A
					T T						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc		Manual Sv
TEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
ILOOKI	KATE ELEMENTO	m	20116	500	0000			IXATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.23	69.37	32.48	37.86	6.17						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.23	69.37	32.48	37.86	6.17						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.23	69.37	32.48	37.86	6.17						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			OLITA	OLI AD	1.20	00.01	02.40	01.00	0.17						
				HEDDY	LIEDVE	4.00	00.07	00.40	07.00	0.47						
	Capable Port		_	UEPPX	UEPXE	1.23	69.37	32.48	37.86	6.17						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPPX	UEPXL	1.23	69.37	32.48	37.86	6.17						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPPX	UEPXM	1.23	69.37	32.48	37.86	6.17						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPPX	UEPXO	1.23	69.37	32.48	37.86	6.17						
			<b>-</b>	OLFFA	ULFAU	1.23	09.37	32.48	31.00	0.17	<b>-</b>				<b>-</b>	<b>-</b>
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy		1	LIEDDY	LIEDYG						I				1	I
	Calling Port			UEPPX	UEPXQ	1.23	69.37	32.48	37.86	6.17						
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional															
	Calling Port		1	UEPPX	UEPXR	1.23	69.37	32.48	37.86	6.17	I				1	I
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.23	69.37	32.48	37.86	6.17						
	Mississippi PBX 2-Way Combo Local Opt 2 Calling Port			UEPPX	UEPA5	1.23	69.37	32.48	37.86	6.17	-					
1.004	L NUMBER PORTABILITY			OLITA	OLI AS	1.20	03.57	32.40	37.00	0.17						
LUCA			-	LIEDDY	LNDOD	0.45	0.00	0.00								
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEAT																
	All Features Offered			UEPPX	UEPVF	2.56	0.00	0.00								
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPPX	USAC2		7.96	1.91								
			-	ULFFA	USACZ		7.50	1.31								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			l												
	Conversion - Switch with Change			UEPPX	USACC		7.96	1.91								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Subsequent Database Update						0.00	0.00								
ADDI	TIONAL NRCs			1												
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
_	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			OLITA	00/102	0.00	0.00	0.00								
	Group						7.36	7.36								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise		<u> </u>	UEPPX	URETL		8.33	0.83	l		<u> </u>				<u> </u>	<u> </u>
OFF/0	ON PREMISES EXTENSION CHANNELS															
	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	13.89	105.96	68.28	52.82	10.37	i .				İ	i e
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	18.75	105.96	68.28	52.82	10.37	<b>†</b>				1	<b>.</b>
+	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	27.55	105.96	68.28	52.82	10.37	<del>                                     </del>				<del> </del>	<del>                                     </del>
_											<b>-</b>				-	
	Local Channel Voice grade, per termination		4	UEPPX	P2JHX	45.72	105.96	68.28	52.82	10.37						
INTER	OFFICE TRANSPORT															L
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1	1							1					
	Termination			UEPPX	U1TV2	20.32	40.77	27.57	17.26	7.11						
1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			1	1 1				1		İ				İ	İ
	or Fraction Mile		1	UEPPX	U1TVM	0.0088	0.00	0.00			1					
2-14/10	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	PT	<del>                                     </del>	JOET I A	O 1 1 VIVI	5.0000	0.00	0.00	<del>                                     </del>		<del>                                     </del>				<del>                                     </del>	<del>l</del>
		. 1	<b>-</b>	<del>                                     </del>	+				-		<b>-</b>				<b>-</b>	<b>-</b>
UNE	Port/Loop Combination Rates		-	<del>                                     </del>	+ +	40.00			<del>                                     </del>		-				-	-
	2-Wire VG Coin Port/Loop Combo – Zone 1		1	ļ		12.22										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			17.13										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			26.26										
	2-Wire VG Coin Port/Loop Combo - Zone 4		4			44.91										
UNF I	oop Rates		Ė	İ	1						i				İ	i
0.112	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	10.98					<b>-</b>					l
									<del>                                     </del>		<b>!</b>				<b>-</b>	
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	15.91			-		<b></b>				<b></b>	
$\bot$	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	25.04										L
$\pm$	2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPCO	UEPLX	43.68			<u>                                       </u>							
2-Wire			4	UEPCO	UEPLX	43.68										
2-Wire	2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPCO	UEPLX	43.68										

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhil	oit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonred		Nonrecurring					Rates (\$)		
$\vdash$							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin 2-Way without Operator Screening and without			LIEDOO	1150140	1.23	40.04	40.04	24.90	0.50						
$\vdash$	Blocking; with Dialing Parity (Note 3) (MS)			UEPCO	UEPMC	1.23	40.31	19.84	24.90	6.58		-				
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.23	40.31	19.84	24.90	6.58						
<b>—</b>	2-Wire Coin 2-W with Operator Screening and Blocking: 011,			UEPCO	UEPRA	1.23	40.31	19.04	24.90	0.36	-					
	900/976, 1+DDD; with Dialing Parity (MS)			UEPCO	UEPMA	1.23	40.31	19.84	24.90	6.58						
<del> </del>	2-Wire Coin 2-Way with Operator Screening and 011 Blocking			OLFCO	OLFIVIA	1.23	40.31	13.04	24.50	0.56	1		1	1		
	(AL, LA, MS)			UEPCO	UEPRB	1.23	40.31	19.84	24.90	6.58						
<del>                                     </del>	2-Wire Coin 2-Way with Operator Screening and 011 Blocking;			OLI CO	OLITE	1.25	40.51	13.04	24.30	0.50	1					
	with Dialing Parity (MS)			UEPCO	UEPMB	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin 2-Way with Operator Screening & Blocking:			00	52VID	1.20	40.01	10.04	24.30	0.00			1	1		
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)	1		UEPCO	UEPCD	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin 2-W Operator Screening: 900 Block: 900/976,				1	0			1	1.30		İ	İ	İ		
	1+DDD, 011+, Local; with Dialing Parity (MS)			UEPCO	UEPCJ	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Outward without Blocking and without Operator															
	Screening (KY, LA, MS)			UEPCO	UEPRN	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Outward without Blocking and without Operator								Ī							
	Screening; With Dailing Parity (MS)			UEPCO	UEPME	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Outward with Operator Screening and 011 Blocking								Ī							
	(GA, KY, MS)			UEPCO	UEPRJ	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Outward with Operator Screening and 011															
	Blocking; with Dialing Parity (MS)			UEPCO	UEPMD	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Outward with Operator Screening and Blocking:															
	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Outward Operator Screening & Blocking: 900/976,															
	1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD,															
	011+, and Local; with Dialing Parity (MS)			UEPCO	UEPCS	1.23	40.31	19.84	24.90	6.58						
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Outward Smartline with 900/976 (all states except															
	LA)			UEPCO	UEPCR	1.23	40.31	19.84	24.90	6.58						
ADDI	TIONAL UNE COIN PORT/LOOP (RC)	-	-	LIEDOO	LIDEOLL	4.00	0.00	0.00	0.00	0.00						
1.004	UNE Coin Port/Loop Combo Usage (Flat Rate)	-	-	UEPCO	URECU	4.62	0.00	0.00	0.00	0.00						
LUCA				UEPCO	LNPCX	0.35			+			-				
NONE	Local Number Portability (1 per port) RECURRING CHARGES - CURRENTLY COMBINED			UEPCU	LINPUX	0.35			-		-					
INUNI	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				+				<del>                                     </del>	1	<b>H</b>		<del>                                     </del>	<del>                                     </del>		
	Switch-as-is	1		UEPCO	USAC2		0.0988	0.0988								
<del>                                     </del>	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			021 00	55,152		5.0300	0.0300	+		<b>-</b>		<b> </b>	<b> </b>		
	Switch with change	1		UEPCO	USACC		0.0988	0.0988								
ADDI	TIONAL NRCs			00	33.30		5.0000	0.0000	1	1			1	1		
7.25	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	t			1				İ	İ			İ	İ		
	Activity	1		UEPCO	USAS2		0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User								İ	İ		İ	İ	İ		
	Premise			UEPCO	URETL		8.33	0.83								
2-WIF	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE I	PORT (I													
UNE	Port/Loop Combination Rates			-												
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.16										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			20.02										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	<u> </u>	3			28.82			ļ							
$\vdash$	2-Wire VG Loop/IO Tranport/Port Combo - Zone 4	L	4		$\perp$	46.99			<u> </u>							
UNE	Loop Rates	<b>.</b>	L .		LUESE:				ļ							
$\vdash$	2-Wire Voice Grade Loop (SL2) - Zone 1	ļ	1	UEPFR	UECF2	13.89			<u> </u>							
<b></b>	2-Wire Voice Grade Loop (SL2) - Zone 2	<b>.</b>	2	UEPFR	UECF2	18.75			ļ							
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	27.55			ļ							
	2-Wire Voice Grade Loop (SL2) - Zone 4		4	UEPFR	UECF2	45.72			ļ							
2-Wir	e Voice Grade Line Port Rates (Res)	<b>!</b>	<b>!</b>	LIEDED	LIEDDI	4.0=	100.00	70	54.01	44 = 2	-		ļ	ļ		
$\vdash$	2-Wire voice unbundled port - residence	<b>!</b>	<b>!</b>	UEPFR	UEPRL	1.27	108.35	70.57	54.24	11.70	-		ļ	ļ		
	2-Wire voice unbundled port with Caller ID - res	<u> </u>	<u> </u>	UEPFR	UEPRC	1.27	108.35	70.57	54.24	11.70	1					

<b>NRONDL</b>	ED NETWORK ELEMENTS - Mississippi													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs. Electronic
$\overline{}$		1			+	_	Nonrec	urring	Nonrecurring	Disconnect		<u> </u>	oss	Rates (\$)	1	l
<del></del>		1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.27	108.35	70.57	54.24	11.70						
	2-Wire voice Grade unbundled Mississippi extended local															
	dialing parity port with Caller ID - res			UEPFR	UEPAT	1.27	108.35	70.57	54.24	11.70						
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)	ļ		UEPFR	UEPAP	1.27	108.35	70.57	54.24	11.70						
	2-Wire Voice Unbundled Mississippi Residence Dialing Plan without Caller ID			UEPFR	UEPWJ	1.27	108.35	70.57	54.24	11.70						
INTE	ROFFICE TRANSPORT	1	<u> </u>	UEPFR	UEPVVJ	1.21	100.33	70.57	54.24	11.70						
INTE	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				+											1
	Termination			UEPFR	U1TV2	20.32	40.77	27.57	17.26	7.11						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPFR	1L5XX	0.0088										
FEA	TURES															
	All Features Offered			UEPFR	UEPVF	2.56	0.00	0.00								
LOC	AL NUMBER PORTABILITY			LIEDED	LLIBOY											
NON	Local Number Portability (1 per port)	ļ	1	UEPFR	LNPCX	0.35										-
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1	1		+											
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		16.94	3.72								
-+	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			OLITIK	OOAOZ		10.54	5.12								
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		16.94	3.72								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at				100.100											
	End User Premise			UEPFR	URETN		11.19	1.10								
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE I	ORT (	BUS)												
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.16										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			20.02										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 2-Wire VG Loop/IO Tranport/Port Combo - Zone 4	ļ	3		+	28.82 46.99										-
LINE	Loop Rates	<u> </u>	4		+	40.99										
UNL	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	13.89										
	2-Wire Voice Grade Loop (SL2) - Zone 2	1	2	UEPFB	UECF2	18.75										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	27.55										
	2-Wire Voice Grade Loop (SL2) - Zone 4		4	UEPFB	UECF2	45.72										
2-Wi	re Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.27	108.35	70.57	54.24	11.70						
	2-Wire voice unbundled port with Caller + E484 ID - bus	ļ		UEPFB	UEPBC	1.27	108.35	70.57	54.24	11.70						
	2-Wire voice unbundled port outgoing only - bus     2-Wire voice Grade unbundled Mississippi extended local	<del>                                     </del>	-	UEPFB	UEPBO	1.27	108.35	70.57	54.24	11.70						
	dialing parity port with Caller ID - bus			UEPFB	UEPAY	1.27	108.35	70.57	54.24	11.70						
-+	2-Wire voice unbundled incoming only port with Caller ID - Bus	<del>                                     </del>	<del>                                     </del>	UEPFB	UEPB1	1.27	108.35	70.57	54.24	11.70	<b> </b>					
	2-Wire Voice Unbundled Mississippi Business Dialing Plan	t			52. 51	1.21	100.00	10.01	54.24	11.70				1	1	
	without Caller ID			UEPFB	UEPWK	1.27	108.35	70.57	54.24	11.70						
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35		•								
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	1	LIEDED	11477.60	00.00	40	07	47.00	<b>-</b>	1					
	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	<b>!</b>	-	UEPFB	U1TV2	20.32	40.77	27.57	17.26	7.11					-	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile	1	1	UEPFB	1L5XX	0.0088					1					
EEV.	TURES	<del>                                     </del>	<del>                                     </del>	OLFID	ILUAA	0.0008								<del> </del>	<del> </del>	
I LA	All Features Offered	1		UEPFB	UEPVF	2.56	0.00	0.00	<del>                                     </del>						1	
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	i –		1	1	2.00	5.55	3.30						İ	İ	
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1			1											
- 1	Combination - Conversion - Switch-as-is	<u> </u>	<u></u>	UEPFB	USAC2		16.94	3.72	l							
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			1												
					1											
	Z-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change Unbundled Miscellaneous Rate Element, Tag Designed Loop at			UEPFB	USACC		16.94	3.72								

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			II .	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
-							Nonrec		Nonrecurring	Diagona				Rates (\$)	D130 131	DISC Add I
					+	Rec	First	arring Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WII	I RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	I INF F	ORT (	PRX)	+		riist	Auu i	Filst	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	SOWAN
	Port/Loop Combination Rates			1 27.,							†			t	t	
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.16										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			20.02										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			28.82										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 4		4			46.99										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	13.89										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	18.75										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	27.55										
	2-Wire Voice Grade Loop (SL2) - Zone 4		4	UEPFP	UECF2	45.72							-	-	-	ļ
2-Wii	re Voice Grade Line Port Rates (BUS - PBX)		<u> </u>		+				1		ļ	ļ	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	1
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.27	137.41	80.14	67.20	11.29			1	1	1	
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.27	137.41	80.14	67.20	11.29	<b> </b>					
	Line Side Unbundled Outward PBX Trunk Port - Bus  Line Side Unbundled Incoming PBX Trunk Port - Bus		<del>                                     </del>	UEPFP	UEPPO UEPP1	1.27	137.41	80.14	67.20	11.29	}	<b> </b>	+	<del>                                     </del>	<del>                                     </del>	
+	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.27	137.41	80.14	67.20	11.29	1					
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		<b>-</b>	UEPFP	UEPXA	1.27	137.41	80.14	67.20	11.29	1					
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		<b>-</b>	UEPFP	UEPXB	1.27	137.41	80.14		11.29	1					
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.27	137.41	80.14	67.20	11.29				1	1	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.27	137.41	80.14	67.20	11.29	İ					İ
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD								011.00		İ					
	Capable Port			UEPFP	UEPXE	1.27	137.41	80.14	67.20	11.29						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPFP	UEPXL	1.27	137.41	80.14	67.20	11.29						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPFP	UEPXM	1.27	137.41	80.14	67.20	11.29						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPFP	UEPXO	1.27	137.41	80.14	67.20	11.29						
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy															
	Calling Port			UEPFP	UEPXQ	1.27	137.41	80.14	67.20	11.29						
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional				l I											
	Calling Port			UEPFP	UEPXR	1.27	137.41	80.14	67.20	11.29						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS UEPA5	1.27	137.41	80.14	67.20	11.29 11.29						
1.00	Mississippi PBX 2-Way Combo Local Opt 2 Calling Port AL NUMBER PORTABILITY			UEPFP	UEPA5	1.27	137.41	80.14	67.20	11.29	-					
LUC	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00			<b> </b>					
INTE	ROFFICE TRANSPORT		-	UEPFF	LINPUP	3.15	0.00	0.00			1		1	1	1	1
11416	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				+						<b> </b>	<b> </b>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	+
	Termination		1	UEPFP	U1TV2	20.32	40.77	27.57	17.26	7.11		1	I	I	I	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				1	20.02		257	20				1	1	1	
	or Fraction Mile			UEPFP	1L5XX	0.0088										
FEAT	TURES															
	All Features Offered			UEPFP	UEPVF	2.56	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		16.94	3.72								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			l									1	1	1	
	Combination - Conversion - Switch with change			UEPFP	USACC		16.94	3.72				ļ	1	1	1	1
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at		1									1	I	I	I	
UNDURED TO	End User Premise		<u> </u>	UEPFP	URETN		11.19	1.10	1		ļ	ļ	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	1
	D PORT/LOOP COMBINATIONS - COST BASED RATES RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	DOPT			+				-		-		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	1
	Port/Loop Combination Rates	FURI			+				-		-		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	1
UNE	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1		+ -	21.32					}	<b> </b>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	1
-+	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2	1	+ -	26.16			1		1		t	t	t	<del>                                     </del>
-+	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3		+	34.98			1		1	<b> </b>	<b>I</b>	<b>I</b>	<b>I</b>	1
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 4		4		1	53.15			1		t	1	1	t	1	
	12-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 4															

NRONDL	ED NETWORK ELEMENTS - Mississippi														ment: 2	1	bit: A
												Svc Order Submitted	Svc Order Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Increment Charge
TEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	usoc			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	Manual S Order vs Electronic
														1st	Add'l	Disc 1st	Disc Add
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	13.89					ļ					
_	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	18.75					1					ļ
_	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3  2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 4		3	UEPPX		UECD1	27.55 45.72			-		<b>.</b>				-	
LINE	Port Rate		4	UEPFA		DECDI	45.72					<b>-</b>				-	1
ONL	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	7.43	225.96	87.13	114.59	14.25	<b>†</b>					
NONE	RECURRING CHARGES - CURRENTLY COMBINED			OLITA		OLI DI	7.43	223.30	07.13	114.55	14.25	<b>†</b>					
140141	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -					1						i e					
	Switch-as-is			UEPPX		USAC1		7.35	1.88								
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																
	with BellSouth Allowable Changes	1		UEPPX		USA1C		7.35	1.88							1	
ADDI	TIONAL NRCs																
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		26.94	26.94								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
	End User Premise			UEPPX		URETN		11.19	1.10								
Telep	hone Number/Trunk Group Establisment Charges			1		1											
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								ļ
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
1.004	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00			ļ					
LOCA	L NUMBER PORTABILITY  Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00			-			-		
2-11/15	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	DOD:			LINPUP	3.15	0.00	0.00	-		<b>.</b>				-	
	Port/Loop Combination Rates	INC SIDE	FOR	1		+						1				-	<b>}</b>
ONL	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -					+						<b>+</b>					
	UNE Zone 1		1	UEPPB	UEPPR		28.59										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			OL. I D	02		20.00					İ					
	UNE Zone 2		2	UEPPB	UEPPR		35.00										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -											İ					
	UNE Zone 3		3	UEPPB	UEPPR		45.18										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 4		4				67.61										
UNE	Loop Rates																
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	18.26										
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	24.67										
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	34.85										
	2-Wire ISDN Digital Grade Loop - UNE Zone 4		4	UEPPB	UEPPR	USL2X	57.28					ļ					
UNE	Port Rate			LIEDDD	LIEDDD	LIEDDD	40.00	100.00	100.00	400.70	04.40	ļ					
NONE	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	10.33	190.80	133.22	100.72	21.13	1					ļ
NONE	RECURRING CHARGES - CURRENTLY COMBINED  2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port			1		+						<b>-</b>				-	1
	Combination - Conversion			LIEDDR	UEPPR	USACB	0.00	38.73	27.17								
ADDI:	FIONAL NRCs			OLFFB	ULFFR	USACB	0.00	30.73	27.17			1				1	
ADDI	Unbundled Miscellaneous Rate Element, Tag Designed Loop at					+						<b>†</b>					
	End User Premise	1		UEPPB	UEPPR	URETN		11.19	1.10							1	
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			J 1 D	52.111	3.12714		11.19	1.10						1	<u> </u>	
	Premise	1		UEPPB	UEPPR	URETL		8.33	0.83							I	
LOCA	L NUMBER PORTABILITY	i e		†		1		2.20	2.30	1					İ	1	
1 2 4	Local Number Portability (1 per port)		1	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CH	ANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00		•						
B-CH	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, &	TN)														
$\bot$	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD	I	1	UEPPB	UEPPR	U1UCF	0.00	0.00	0.00			1				1	1

<u>UNBUND</u> L	ED NETWORK ELEMENTS - Mississippi														ment: 2	1	ibit: A
											<del></del>	Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		1										Elec	Manually	Manual Svc	Manual Svc		Manual Sv
CATEGORY	RATE ELEMENTS	Interi	Zone	l B	CS	USOC			RATES (\$)								
CATEGORI	KATE ELEMENTS	m	Zone	1 -	00	0000			IXATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic
														1st	Add'l	Disc 1st	Disc Add'l
			ļ												- (2)		
							Rec	Nonred		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
USEF	R TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERT	FICAL FEATURES																
i	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	2.56	0.00	0.00			ĺ				1	1
INTE	ROFFICE CHANNEL MILEAGE		1			1						i e					İ
	Interoffice Channel mileage each, including first mile and		1	1													
	facilities termination			UEPPB	LIEDDD	M1GNC	22,5298	40.77	27.57	17.26	7.11						
	Interoffice Channel mileage each, additional mile	<u> </u>	+		UEPPR	M1GNM	0.0098	0.00	0.00	17.20	7.11	<b>-</b>	<b>}</b>		<b>-</b>	ļ	<b>-</b>
4 14/17		( DODT	-	UEPPB	UEFFR	IVITGINIVI	0.0096	0.00	0.00				ļ		ļ		
	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI			<u> </u>								<u> </u>	<u> </u>	l .			
	JNE-P DS1 combination rates below for in this rate exhibit appl													nt.			
	ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital 1	Frunk Po	ort afte	r the effec	tive date of	of this amend	Iment shall be	provided pursu	ant to a separ	ate agreement	or tariff at Bel	South's di	scretion.		ļ	1	ļ
UNE	Port/Loop Combination Rates	<u> </u>		<u> </u>		1						]	1		1		
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		1									1					
	Zone 1		1	UEPPP			155.43					1				1	
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	Ì										1					
	Zone 2		2	UEPPP			205.74					1				1	
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	l	1	3=: 11		1	200.74					1	1		<b>†</b>	t	<b>†</b>
	Zone 3		3	UEPPP			283.10										
	ZUITE 3	<u> </u>	3	UEPPP		1	203.10						ļ		ļ		
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 4		4	UEPPP			534.81										
UNE	Loop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	79.08										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	129.38										
i	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	206.74					ĺ				1	ĺ
	4-Wire DS1 Digital Loop - UNE Zone 4		4	UEPPP		USL4P	458.46					İ					İ
UNE	Port Rate		<u> </u>	02		002	100.10					1	1			1	
OITE	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	<b>†</b>	+	UEPPP		UEPPP	76.35	458.93	260.59	127.75	32.76	1	1				1
NON	RECURRING CHARGES - CURRENTLY COMBINED		<del>                                     </del>	OLITI		OLITI	70.55	430.33	200.53	127.75	32.70	1	1		1		
NON	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port		1	<u> </u>			-					<u> </u>					<u> </u>
	Combination - Conversion -Switch-as-is (E:4/1/2004)		<u> </u>	UEPPP		USACP	0.00	119.76	79.01				ļ				
ADDI	TIONAL NRCs																
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																
	Inward/two way Tel Nos. (except NC)			UEPPP		PR7TF		0.49									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			Ĭ .													
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		11.58	11.58								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			i i								İ					İ
	Subsequent Inward Tel Numbers			UEPPP		PR7ZT		23.15	23.15								
LOC	AL NUMBER PORTABILITY	<b>†</b>	+	OLITI		110/21		20.10	20.10			1	1				1
200	Local Number Portability (1 per port)	<del>                                     </del>	+	UEPPP		LNPCN	1.75			<del> </del>		1	1		<del>                                     </del>	<del>                                     </del>	1
INITE		<del>                                     </del>	+	JLITE		LINI OIN	1.73			-		1	1		<del>                                     </del>	<del>                                     </del>	1
INTE	RFACE (Provsioning Only)	<del>                                     </del>	+	UEPPP		DD74)/	0.00	0.00	0.00	-		<del>                                     </del>	<del> </del>		1	1	<del> </del>
	Voice/Data	1	1			PR71V	0.00	0.00	0.00			<b> </b>	<b>.</b>				<b> </b>
	Digital Data	L		UEPPP		PR71D	0.00	0.00	0.00			ļ	ļ		<b></b>		ļ
	Inward Data			UEPPP		PR71E	0.00	0.00	0.00			<u> </u>					
New	or Additional "B" Channel																
	New or Additional - Voice/Data B Channel			UEPPP		PR7BV	0.00	14.61									
	New or Additional - Digital Data B Channel	1	1	UEPPP		PR7BF	0.00	14.61				i .					1
	New or Additional Inward Data B Channel	1	1	UEPPP		PR7BD	0.00	14.61				İ	Ì		1	1	İ
CALL	TYPES	1	1	1		1	0.50					1	1		1	1	1
OALL	Inward	1	+	UEPPP		PR7C1	0.00	0.00	0.00			+	<del> </del>		<del> </del>	<del> </del>	<del> </del>
		<del>                                     </del>	+	UEPPP		PR7CO	0.00	0.00	0.00	-		1	1		<del>                                     </del>	<del>                                     </del>	1
	Outward	<del>                                     </del>	+							-		<del>                                     </del>	<del> </del>		1	1	<del> </del>
	Two-way	1	1	UEPPP		PR7CC	0.00	0.00	0.00			<b> </b>	<b>.</b>		<b>.</b>		<b> </b>
Interd	office Channel Mileage	L		ļ		1	Ļ					ļ	ļ		<b></b>		ļ
	Fixed Each Including First Mile			UEPPP		1LN1A	57.53	89.79	82.28	16.66	14.90	<u> </u>					<u> </u>
	Each Airline-Fractional Additional Mile			UEPPP		1LN1B	0.20										
4-WIF	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT			ľ													
	JNE-P DS1 combination rates below for in this rate exhibit appl	y to the	embe	dded base	in place a	s of 10/2/03 i	until 4/1/04. Af	ter 4/1/04 these	rates shall rev	vert to tariff rate	es or a separa	te commerc	ial agreeme	nt.			1
	lests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff											1			1	1	1
	Port/Loop Combination Rates	1	1			se provide	- parouant to	a sopulate agre	oon or tarn	. a. bonoodin s		t	<b>i</b>				t
IIINE						1	1	1		1		1	1		1	1	

ONBONDLE	D NETWORK ELEMENTS - Mississippi													ment: 2	1	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Dee	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
i i					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		182.07										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		259.44										i e
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4		4	UEPDC	1	511.15										<b>†</b>
UNFI	pop Rates	<b>-</b>		02. 50	+	011110										<del>                                     </del>
	4-Wire DS1 Digital Loop - UNE Zone 1	<b>-</b>	1	UEPDC	USLDC	79.08										<del>                                     </del>
-	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	129.38										<del>                                     </del>
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	206.74										<del>                                     </del>
	4-Wire DS1 Digital Loop - UNE Zone 4		4	UEPDC	USLDC	458.46										
	ort Rate		4	UEPDC	USLDC	430.40					-					-
				LIEDDO	LIDDAT	52.70	457.40	054.70	400.00	44.04						<del> </del>
	4-Wire DDITS Digital Trunk Port (E:4/1/2004)	-		UEPDC	UDD1T	52.70	457.12	254.70	120.96	14.61						
NONRE	CURRING CHARGES - CURRENTLY COMBINED	-	-		+				-	<del>                                     </del>	1	<del>                                     </del>	<del>                                     </del>		<del>                                     </del>	<del></del>
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004)			UEPDC	USAC4		130.24	67.41								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		130.24	67.41								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		130.24	67.41								
ADDITI	ONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -												Î			
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		14.56	14.56								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent										İ					
	Channel Activation/Chan - 1-Way Outward Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsgnt Channel			UEPDC	UDTTB		14.56	14.56								
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.56	14.56								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			OLI DO	ODITO		14.50	14.50		<del> </del>	<b>†</b>	-			-	<del>                                     </del>
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.56	14.56								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.56	14.56								
BIPOL	AR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	600.00s								
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	600.00s								
	te Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Teleph	one Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00										
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00										
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
	ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digital	Loop		Trunk Port											
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	57.33	89.79	82.28	16.86	14.90						
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.20	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	Termination)	l		UEPDC	1LNO2	0.00	0.00	0.00		1					1	
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.20	0.00	0.00							ĺ	
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00						ĺ	
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.20	0.00	0.00								
	Local Number Portability, per DS0 Activated	<b> </b>		UEPDC	LNPCP	3.15	0.00	0.00	0.00	t	1	<b> </b>			<del>                                     </del>	<del>                                     </del>
<del>-  </del>	Central Office Termininating Point	<b> </b>		UEPDC	CTG	0.00	0.00	0.00	0.00	<del>                                     </del>	<del>                                     </del>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del></del>
4-WIDE	DS1 LOOP WITH CHANNELIZATION WITH PORT	<del>                                     </del>		021 00	010	0.00		<b> </b>	1	t	1	<del> </del>	<b> </b>	<b> </b>	<del>                                     </del>	
	is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	1								<u> </u>				ļ	ļ	

NBUNDLE	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge -	Incremer Charge
													1st	Add'l	Disc 1st	Disc Ad
						Rec		curring		g Disconnect				Rates (\$)		
		l	L			1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	System can have up to 24 combinations of rates depending on								100	4 40 - 44404	11					<b></b>
	NE-P DS1 combination rates below for 4-Wire DS1 Loop with (											shall revert	to tariff rates	or a separate	agreement.	-
	ests for 4-Wire DS1 Loop with Channelization with Port after th	e errect	ive dat	e of this amendmer	nt snall be pro	vided pursuar	it to a separate	agreement or	tariff at BellSo	outn's discreti	on.					<b></b>
UNE L	OS1 Loop	-	-	LIEDMO	1101.00	70.00	0.00	0.00			1					<b>├</b>
_	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	79.08	0.00	0.00			-	-				├
_	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	129.38 206.74	0.00	0.00			-	-				├
_	4-Wire DS1 Loop - UNE Zone 3	-	3	UEPMG UEPMG	USLDC	458.46	0.00	0.00								
LINE	4-Wire DS1 Loop - UNE Zone 4 DSO Channelization Capacities (D4 Channel Bank Configuration		4	UEPIVIG	USLDC	458.46	0.00	0.00			1					<b>├</b>
UNE L		ns)		LIEDMO	1/1/10/4	05.00	0.00	0.00			1					<b>├</b>
-	24 DSO Channel Capacity - 1 per DS1	-	<del>                                     </del>	UEPMG UEPMG	VUM24 VUM48	95.06 190.12	0.00	0.00		<b>+</b>	<del>                                     </del>				-	<b>├</b>
_	48 DSO Channel Capacity - 1 per 2 DS1s 96 DSO Channel Capacity -1per 4 DS1s	-	<del>                                     </del>	UEPMG	VUM48 VUM96	380.24	0.00	0.00		1	<b> </b>		-	-	-	├──
_		-	<del>                                     </del>	UEPMG	VUM96 VUM14		0.00	0.00		<b>+</b>	<del>                                     </del>				-	<del></del>
_	144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity -1 per 8 DS1s	-	<u> </u>	UEPMG	VUM14 VUM19	570.36 760.48	0.00	0.00		1	<del>                                     </del>	<del>                                     </del>			<del>                                     </del>	<b>├</b>
_		-	1							-	<u> </u>					<u> </u>
_	240 DS0 Channel Capacity - 1 per 10 DS1s	<b>!</b>	<del>                                     </del>	UEPMG	VUM2O	950.60	0.00	0.00	-	1	<b> </b>	-	-	-	<b> </b>	
_	288 DS0 Channel Capacity - 1 per 12 DS1s	-		UEPMG	VUM28	1,140.72										
_	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,520.96	0.00	0.00								
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	1,901.20	0.00	0.00								
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,281.44	0.00	0.00								
	672 DS0 Channel Capacity - 1 per 28 DS1s		L	UEPMG	VUM67	2,661.68	0.00	0.00								
	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop wit						/stem									
	imum System configuration is One (1) DS1, One (1) D4 Channe															
Multip	oles of this configuration functioning as one are considered A	dd'l afte	r the m	inimum system coi	nfiguration is	counted.										
	NRC - Conversion (Currently Combined) with or without															
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	151.35	8.41								ļ
	m Additions at End User Locations Where 4-Wire DS1 Loop wi				oination Curre	ntly Exists and	d									
New (I	Not Currently Combined) in all states, except in Density Zone 1	l of Lop	8 MSA	\'s												
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port			LIEDMO	\ // IN 4D 4	0.00	745.45	007.00	440.05	47.50						
	and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	715.15	327.39	148.05	17.56						
Bipola	ar 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent															
	Activity Only			UEPMG	CCOSF	0.00	0.00i	600.00s								
	Clear Channel Capability Format - Extended Superframe -															
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	600.00s								
Altern	ate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format	L		UEPMG	MCOPO	0.00	0.00	0.00								ļ
	nge Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Port													
Excha	nge Ports															
	Line Side Combination Channelized PBX Trunk Port - Business			l	1		1 -	1 .	_							1
	(E:4/1/2004)			UEPPX	UEPCX	1.23	0.00	0.00	0.00	0.00						
	Line Side Outward Channelized PBX Trunk Port - Business															
	(E:4/1/2004)			UEPPX	UEPOX	1.23	0.00	0.00	0.00	0.00						
	Line Side Inward Only Channelized PBX Trunk Port without DID															
	(E:4/1/2004)			UEPPX	UEP1X	1.23	0.00	0.00	0.00	0.00						
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port															
	(E:4/1/2004)			UEPPX	UEPDM	7.40	0.00	0.00	0.00	0.00						<u> </u>
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –	1					I	I				1				1
	(AL, KY, LA, MS, & TN)(Conversion from Network Access	1					I	I				1				1
	Service) (E:4/1/2004)	ļ	L	UEPPX	UEPCY	1.23	0.00	0.00	0.00	0.00	ļ				ļ	ļ
	Unbundled Exchange Ports, 2-Wire Channelized – Combination															
	(AL, KY, LA, MS, & TN) (Conversion from Network Access	1					I	I				1				1
	Service) (E:4/1/2004)	<u> </u>	L	UEPPX	UEPCT	1.23	0.00	0.00	0.00	0.00		<u> </u>				L
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial–															
	Mississippi Only – Calling Plan (E:4/1/2004)	<u></u>	<u>L_</u>	UEPPX	UEPC4	1.23	0.00	0.00	0.00	0.00	<u></u>	<u> </u>	<u>                                      </u>	<u>                                      </u>	<u> </u>	<u> </u>
	Unbundled Exchange Ports, 2-Wire Channelized - Two Way -															
	Oribarialed Exeriarige Forts, 2 vviic oriarineized Two vvay														1	1
	Mississippi Only – Calling Plan (E:4/1/2004)			UEPPX	UEPC7	1.23	0.00	0.00	0.00	0.00						

HINDH	NDI E	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Evhi	ibit: A
UNBU	NDLE	D NETWORK ELEMENTS - WISSISSIPPI		1		1						Cur Onden	Cur Ouden	Incremental	Incremental		
																	I I
												Submitted	Submitted		Charge -	Charge -	Charge -
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc		Manual Svc
OATE	0	KATE EEEMERTO	m	20110	500	0000			ππι Ευ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonre	urring	Nonrecurring	Disconnect			oss	Rates (\$)		•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature (Service) Activation for each Line Port Terminated in D4															
		Bank			UEPPX	1PQWM	0.61	25.36	13.39	4.29	4.26						
		Feature (Service) Activation for each Trunk Port Terminated in															
		D4 Bank			UEPPX	1PQWU	0.61	78.03	18.39	60.66	11.85						
	Teleph	one Number/ Group Establishment Charges for DID Service															
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
$\vdash$	Lasali	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00			-					
$\vdash$	Locai I	Number Portability	-	+	UEPPX	LNPCP	3.15	0.00	0.00			-	-	-		-	<del>                                     </del>
$\vdash$	FEATU	Local Number Portability - 1 per port  RES - Vertical and Optional	<del>                                     </del>	-	ULFFA	LINECE	3.15	0.00	0.00		-	-	<b> </b>		<del> </del>		<del>                                     </del>
		Switching Features Offered with Line Side Ports Only	-	1		+						<b>-</b>					
$\vdash$	_0001	All Features Available	<b>-</b>		UEPPX	UEPVF	2.56	0.00	0.00				<b>-</b>		<b> </b>		
UNRUN	DLFD	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:	s	<b>†</b>	OLI I A	JE: VI	2.50	0.00	0.00			<b>-</b>	<b> </b>		<b> </b>		
		Based Rates are applied where BellSouth is required by FCC		State 0	Commission rule to	provide Unb	undled Local S	witching or Sv	itch Ports.								
		ures shall apply to the Unbundled Port/Loop Combination - C								dled Port secti	on of this Rate	Exhibit.					
		Office and Tandem Switching Usage and Common Transport											oin Port/Lo	op Combinat	ions.		
		first and additional Port nonrecurring charges apply to Not C														Additional NR	≀Cs may
		also and are categorized accordingly.	•			•		•	0 0				Ü	•			-
		ket Rates for Unbundled Centrex Port/Loop Combination will	be nead	otiated	on an Individual Ca	ase Basis, un	til further notic	e.					l				
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only															
	2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE P	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
		Non-Design		1	UEP91		12.22										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP91		17.13										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
-		Non-Design		3	UEP91		26.26										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	4	LIEDO4		44.04										
$\vdash$	LINE D	Non-Design ort/Loop Combination Rates (Design)		4	UEP91	-	44.91					-					
-	UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-			1											1
		Design	1	1	UEP91		15.12										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<del>  '</del>	OLI 31	<u> </u>	10.12										-
		Design		2	UEP91		19.98										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>		1	10.00				1				1		
		Design		3	UEP91		28.78										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		Ť	-	1					İ				İ		
		Design		4	UEP91		46.95						1				
	UNE L	pop Rate				1									1		
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	10.98										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	15.91										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	25.04										
		2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP91	UECS1	43.68										
$\Box$		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	13.89										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	18.75										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	27.55										
$\vdash$		2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP91	UECS2	45.72										<b> </b>
	UNE P					1											<b>_</b>
$\vdash$	All Sta	tes (Except North Carolina and Sout Carolina)	-	-	LIEDO4	LIEDY/A	100	10.01	10.01	04.60	0.50		<b> </b>		<del>                                     </del>		<del>                                     </del>
$\vdash$		2-Wire Voice Grade Port (Centrex ) Basic Local Area		-	UEP91	UEPYA	1.23	40.31	19.84	24.90	6.58	-			-		<del>                                     </del>
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP91	UEPYB	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area			UEP91	UEPYH	1.23	40.31	19.84	24.90	6.58						

UNBUNDLE	D NETWORK ELEMENTS - Mississippi													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	Note 2, 3 Basic Local Area		ļ	UEP91	UEPYM	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP91	UEPYZ	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent     - Basic Local Area			UEP91	UEPY9	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP91	UEPY2	1.23	40.31	19.84	24.90	6.58						
AL, K	Y, LA, MS, & TN Only															
	2-Wire Voice Grade Port (Centrex )			UEP91	UEPQA	1.23	40.31	19.84		6.58						ļ
	2-Wire Voice Grade Port (Centrex 800 termination)	ļ		UEP91	UEPQB	1.23	40.31	19.84		6.58			ļ		ļ	<b></b>
	2-Wire Voice Grade Port (Centrex with Caller ID)1	<b>!</b>	1	UEP91	UEPQH	1.23	40.31	19.84	24.90	6.58						<b>↓</b>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP91	UEPQM	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800 Service Term			UEP91	UEPQZ	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.23	40.31	19.84	24.90	6.58						ļ
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.23	40.31	19.84	24.90	6.58						
Local	Switching		-	LIEBOA	LIDEOO	0.7047										
	Centrex Intercom Funtionality, per port		-	UEP91	URECS	0.7947										
Local	Number Portability  Local Number Portability (1 per port)		1	UEP91	LNPCC	0.35				-		-				<u> </u>
Featu			<del> </del>	UEP91	LINPCC	0.35				-	-					
reatu	All Standard Features Offered, per port		1	UEP91	UEPVF	2.56				1	1					
	All Select Features Offered, per port		<del>                                     </del>	UEP91	UEPVS	0.00	404.98			<del> </del>			1		1	+
	All Centrex Control Features Offered, per port			UEP91	UEPVC	2.56	404.00				1					1
NARS				02. 0.	02.70	2.00				t						<u> </u>
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
	Ilaneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP91	CENA6	8.25	120.00	18.85	61.77	3.88						
Intero	ffice Channel Mileage - 2-Wire			LIEBO.		00.50	40.00		47.00							
<del></del>	Interoffice Channel Facilities Termination - Voice Grade Interoffice Channel mileage, per mile or fraction of mile	<del>                                     </del>	1	UEP91 UEP91	M1GBC M1GBM	22.52 0.0098	40.77	27.57	17.26	7.11	-		<b> </b>	-	<b> </b>	<del>                                     </del>
Foatu	re Activations (DS0) Centrex Loops on Channelized DS1 Service		1	UEF91	IVITGBIVI	0.0096				-	1					1
	annel Bank Feature Activations	ř	<b>+</b>		+ +				1	<del>                                     </del>			<b> </b>		<b> </b>	<del>                                     </del>
2 . 3	Feature Activation on D-4 Channel Bank Centrex Loop Slot	<b>1</b>		UEP91	1PQWS	0.57				<u> </u>			1		1	<b>†</b>
				UEP91	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP91		0.57										
	Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -		1	UEP91	1PQW7	0.57			1	<b>-</b>	1	-				<del> </del>
	Different Wire Center			UEP91	1PQWP	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ	0.57										
	Feature Activation on D-4 Channel Bank WATS Loop Slot	<b>!</b>	1	UEP91	1PQWA	0.57										<b>↓</b>
Non-R	Recurring Charges (NRC) Associated with UNE-P Centrex		1		+ +				1	<del>                                     </del>			<b>!</b>	-	<b>!</b>	₩
	Conversion - Currently Combined Switch-As-Is with allowed changes, per port			UEP91	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block			UEP91	USACN		37.97	16.68								ļ
	New Centrex Standard Common Block	I	1	UEP91	M1ACS	0.00	666.32		1	1	1	1		I	I	<u> </u>
			+	LIEDO4	M44 A C C	2.22	222.22			1						
	New Centrex Customized Common Block Secondary Block, per Block			UEP91 UEP91	M1ACC M2CC1	0.00	666.32 77.91									

UNBUNI	DLED	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonred		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Ac		nal Non-Recurring Charges (NRC)	-	-													
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP91	URETL		8.33	0.83								
<b>—</b>		Unbundled Miscellaneous Rate Element, Tag Design Loop at			UEF91	UKETL		0.33	0.63			-					
		End Use Premise			UEP91	URETN		11.19	1.10								
LIN		CENTREX - 5ESS (Valid in All States)		-	OLF91	UKLTN		11.19	1.10					1			
		/G Loop/2-Wire Voice Grade Port (Centrex) Combo				+				1							
		rt/Loop Combination Rates (Non-Design)										1			1		
·		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -										1			1		
		Non-Design		1	UEP95		12.22										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design	1	2	UEP95		17.13								I	I	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design	<u> </u>	3	UEP95		26.26			<u> </u>	<u></u>			<u> </u>			<u> </u>
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														
		Non-Design	ļ	4	UEP95		44.91										
UN		rt/Loop Combination Rates (Design)								ļ							
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														
		Design		1	UEP95		15.12										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
		Design Color (Color Colo		2	UEP95		19.98										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDOE		00.70										
$\vdash$		Design	-	3	UEP95		28.78										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	1	4	UEP95		46.95										
110		op Rate	1	4	UEF95	+	46.93			1		1			-	-	
01		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	10.98								-		
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	15.91					1			1		
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	25.04					1			1		
		2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP95	UECS1	43.68										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	13.89										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	18.75										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	27.55										
		2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP95	UECS2	45.72										
		rt Rate															
	I State	es															
		2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	1.23	40.31	19.84	24.90	6.58						
$oxed{oxed}$		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.23	40.31	19.84	24.90	6.58			ļ	L	L	
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1		l	[									I	I	
$\vdash$		Area	ļ		UEP95	UEPYH	1.23	40.31	19.84	24.90	6.58				ļ	ļ	
		2-Wire Voice Grade Port (Centrex from diff Serving Wire	1		LIEDOS	LIED									I	I	
$\vdash$		Center)2,3 Basic Local Area	<b>!</b>	-	UEP95	UEPYM	1.23	108.35	70.57	54.24	11.70			<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<b> </b>
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800	1		UEP95	UEPYZ	1.23	108.35	70.57	54.24	11.70				I	I	
$\vdash$		Service Term - Basic Local Area	-	-	UEP90	UEPYZ	1.23	108.35	/0.5/	54.24	11.70	1		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	-
		2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area	1		UEP95	UEPY9	1.23	40.31	19.84	24.90	6.58				I	I	
$\vdash$		- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -	<del>                                     </del>	<b>-</b>	OLF90	UEF 19	1.23	40.31	19.84	24.90	86.0	<del>                                     </del>	-	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<b> </b>
		2-wire voice Grade Port Terminated on 800 Service Term - Basic Local Area	1		UEP95	UEPY2	1.23	40.31	19.84	24.90	6.58				I	I	
АІ		LA, MS, SC, & TN Only	1		OL1 30	OLI IZ	1.23	40.51	15.04	24.90	0.36	<b>H</b>		<del> </del>	t	t	<del> </del>
<b>⊢</b>		2-Wire Voice Grade Port (Centrex )	<b>†</b>		UEP95	UEPQA	1.23	40.31	19.84	24.90	6.58	<del>                                     </del>	<b>-</b>		<b>I</b>	<b>I</b>	1
		2-Wire Voice Grade Port (Centrex )			UEP95	UEPQB	1.23	40.31	19.84	24.90	6.58			İ	1	1	
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.23	40.31	19.84		6.58			İ	t	t	
		2-Wire Voice Grade Port (Centrex from diff Serving Wire	İ							1							
		Center)2,3			UEP95	UEPQM	1.23	108.35	70.57	54.24	11.70				1	1	
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term 2,3	<u></u>		UEP95	UEPQZ	1.23	108.35	70.57	54.24	11.70	<u></u>	<u> </u>	<u></u>	<u> </u>	L	<u> </u>
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.23	40.31	19.84	24.90	6.58				<u> </u>		<u> </u>
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.23	40.31	19.84	24.90	6.58						

UNBUN	DLED	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
	Ī					1 1						Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			Inter'			] ]						Elec	Manually		Manual Svc		Manual Svo
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
F	L & G/	A Only															
		witching															
		Centrex Intercom Funtionality, per port			UEP95	URECS	0.7947										
L		umber Portability															
		Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
F	eature				02.00	2.1.00	0.00										
<u> </u>		All Standard Features Offered, per port			UEP95	UEPVF	2.56										
		All Select Features Offered, per port			UEP95	UEPVS	0.00	404.98									
		All Centrex Control Features Offered, per port			UEP95	UEPVC	2.56	101.00									
N	ARS	The Control Co			02.00	02. 10	2.00										
T		Unbundled Network Access Register - Combination	t	<del>                                     </del>	UEP95	UARCX	0.00	0.00	0.00	0.00	0.00	<b>-</b>	<b>†</b>	<b> </b>	<del>                                     </del>	<b> </b>	<u> </u>
$\vdash$	-	Unbundled Network Access Register - Indial	<del>                                     </del>	<del>                                     </del>	UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00	<u> </u>			t		t
$\vdash$		Unbundled Network Access Register - Outdial	<del>                                     </del>	<del>                                     </del>	UEP95	UAROX	0.00	0.00	0.00	0.00	0.00	<u> </u>			t		t
M		aneous Terminations	<del>                                     </del>	<del>                                     </del>	021 00	5, 11 (5)	0.00	0.00	0.00	0.00	0.00	<b>H</b>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	t
		Frunk Side	<del>                                     </del>	<del>                                     </del>		1						<del>                                     </del>	<del>                                     </del>	<del> </del>	<del>                                     </del>	<b> </b>	<del> </del>
<del></del>		Trunk Side Trunk Side Terminations, each	<del>                                     </del>	1	UEP95	CEND6	8.25	120.00	18.85	61.77	3.88	<del>                                     </del>	<b>-</b>	1	+	1	+
- A		Digital (1.544 Megabits)	<del>                                     </del>	1	OFL 20	OLINDO	0.20	120.00	10.05	01.77	3.68	<del>                                     </del>	<b>-</b>	1	+	1	+
4-		DS1 Circuit Terminations, each	-	-	UEP95	M1HD1	58.41	203.19	96.25	74.86	2.54	<b>-</b>	-		-		<b>-</b>
$\vdash$			-			M1HDO	0.00	14.56	90.23	74.00	2.34	-					
<del></del>		DS0 Channels Activated, each	-	-	UEP95	MIHDO	0.00	14.56									
In		ice Channel Mileage - 2-Wire	-	-	LIEDOE	14000	00.50	40.77	07.57	47.00	7.11						
$\vdash$		Interoffice Channel Facilities Termination	-	-	UEP95	M1GBC	22.52	40.77	27.57	17.26	7.11						
<b>├</b>		Interoffice Channel mileage, per mile or fraction of mile	<u> </u>		UEP95	M1GBM	0.0098										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
D		nnel Bank Feature Activations															
$\vdash$		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.57										
$\vdash$		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.57										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
$\perp$		Slot			UEP95	1PQW7	0.57										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP95	1PQWP	0.57										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.57										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot	<u> </u>		UEP95	1PQWQ	0.57								<u> </u>		
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.57										
N		curring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed							_								
		changes, per port			UEP95	USAC2		0.10	0.10						1		1
		Conversion of Existing Centrex Common Block, each			UEP95	USACN		37.97	16.68								
		New Centrex Standard Common Block			UEP95	M1ACS	0.00	666.32					İ	İ			
		New Centrex Customized Common Block			UEP95	M1ACC	0.00	666.32					İ	İ			
		NAR Establishment Charge, Per Occasion	1	1	UEP95	URECA	0.00	72.63						ĺ		ĺ	
Α		nal Non-Recurring Charges (NRC)	1							1		1	İ	İ	1	İ	1
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use				1							İ	İ	1	İ	
		Premise	1	1	UEP95	URETL		8.33	0.83				1		I		1
$\vdash$		Unbundled Miscellaneous Rate Element, Tag Design Loop at				1		0.00	0.00			1	i e	i e	1	i e	1
		End Use Premise			UEP95	URETN		11.19	1.10						1		1
11		CENTREX - DMS100 (Valid in All States)	<del>                                     </del>	<del>                                     </del>	00	3	+	11.13	1.70			<u> </u>	<b>-</b>		t		t
		/G Loop/2-Wire Voice Grade Port (Centrex) Combo	<del>                                     </del>	<del>                                     </del>		+	+					<u> </u>	<b>-</b>		t		t
		rt/Loop Combination Rates (Non-Design)	<del>                                     </del>	<del>                                     </del>		+	+					<u> </u>	<b>-</b>		t		t
$\vdash \vdash \vdash$		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	l –		+ +				<del>                                     </del>		t	<del>                                     </del>	<b> </b>	t	<b> </b>	t
		Non-Design		1	UEP9D		12.22								1		
$\vdash \vdash$		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<del>                                     </del>	<u>'</u>	OLI 3D	+	14.44	-		<del>                                     </del>		<del>                                     </del>	<b>-</b>	1	+	1	<del>                                     </del>
		Non-Design		2	UEP9D		17.13								1		
1 1		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<del>                                     </del>		OFLan	+	17.13	-		<del>                                     </del>		<del>                                     </del>	<b>-</b>	1	+	1	<del>                                     </del>
$\vdash$		2-vviie vo Loop/2-vviie voice Grade Foit (Certiex)Foft Combo -	i .	1	i	1				1		1	1	1	1	1	1
		Non Docian		2	LIEDOD	1	26.26	I									
		Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		3	UEP9D		26.26					-					

UNBUNDL	LED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	Y RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											-	-	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Names		l Name and a committee a	. Dianamant			220	Rates (\$)		
$\vdash$					_	Rec	Nonrec First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LINE	E Port/Loop Combination Rates (Design)		-		1		FIISL	Auu i	FIISL	Addi	SOWIEC	SUMAN	SOWAN	SOWAN	SOWAN	SUMAN
ONL	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP9D		15.12										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		i i	02.03		10.12										
	Design		2	UEP9D		19.98										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP9D		28.78										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		4	UEP9D		46.95										
UNE	E Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	15.91										
$\vdash$	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D UEP9D	UECS1	25.04 43.68								-		
$\vdash$	2-Wire Voice Grade Loop (SL 1) - Zone 4		4											<b> </b>	<b> </b>	-
$\vdash$	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D UEP9D	UECS2 UECS2	13.89 18.75				-		-		-	-	<b> </b>
$\vdash$	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	27.55										
	2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP9D	UECS2	45.72										
UNE	E Port Rate			OLI OD	OLOGE	40.72										
	L STATES															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9D	UEPYA	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP9D	UEPYB	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
	Area			UEP9D	UEPYC	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															
	Area			UEP9D	UEPYD	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			LIEDOD	UEPYE	1.23	40.31	19.84	24.90	6.58						
$\vdash$	Area  2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			UEP9D	UEPTE	1.23	40.31	19.84	24.90	6.58						
	Area			UEP9D	UEPYF	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local		<b>-</b>	OLI 3D	OLI II	1.20	+0.51	13.04	24.30	0.50						
	Area			UEP9D	UEPYG	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
	Area			UEP9D	UEPYT	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
	Area			UEP9D	UEPYU	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local															
$\vdash$	Area			UEP9D	UEPYV	1.23	40.31	19.84	24.90	6.58		ļ		ļ	ļ	
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local		1	LIEBOD	LIEDV6											
$\vdash$	Area		<u> </u>	UEP9D	UEPY3	1.23	40.31	19.84	24.90	6.58	-	-		<del>                                     </del>	<del> </del>	
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area		1	UEP9D	UEPYH	1.23	40.31	19.84	24.90	6.58		1				
$\vdash$	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp		-	OLFSD	UEFIN	1.23	40.31	19.84	24.90	0.58	-					
	Indication))4 Basic Local Area		1	UEP9D	UEPYW	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4		l —	021 00	JEI IVV	1.23	70.01	13.04	24.30	0.36	<b>-</b>	<b> </b>				1
	Basic Local Area			UEP9D	UEPYJ	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			-		5			56	2.30	İ					
	2,3-Basic Local Area		1	UEP9D	UEPYM	1.23	108.35	70.57	54.24	11.70		1				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4															
	Basic Local Area			UEP9D	UEPYO	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4				1 - 7											
$\sqcup \sqcup \sqcup$	Basic Local Area		<u> </u>	UEP9D	UEPYP	1.23	108.35	70.57	54.24	11.70				ļ	ļ	ļ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			LIEBAR			400	=								
$\vdash$	Basic Local Area			UEP9D	UEPYQ	1.23	108.35	70.57	54.24	11.70		<b> </b>		<b>.</b>	<b>.</b>	ļ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4		1	UEP9D	UEPYR	1.23	108.35	70.57	54.24	11.70						
$\vdash$	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4		-	UEF9D	UEPTK	1.23	108.35	70.57	54.24	11.70	-					
	12 Tring Voice Grade i on (Gennewalliel GWG/LDG-Wi3312)2,3,4	1	I	UEP9D	UEPYS	1.23	108.35	70.57	54.24	11.70	1	l	l	l .	1	l

<u>UNBU</u> N	DLE	NETWORK ELEMENTS - Mississippi													ment: 2		ibit: A
CATEGO	RY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			l l	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						1	_	Nonrec	urring	Nonrecurring	Disconnect	1		oss	Rates (\$)	1	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4															
		Basic Local Area			UEP9D	UEPY4	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area			UEP9D	UEPY6	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9D	UEPYZ	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.23	40.31	19.84	24.90	6.58						
Α	L, KY,	LA, MS, SC, & TN Only															
		2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	1.23	40.31	19.84	24.90	6.58						ļ
		2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPQD	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPQE	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPQF	1.23	40.31	19.84	24.90	6.58	ļ					
		2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPQG	1.23	40.31	19.84	24.90	6.58	ļ					
		2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPQT	1.23	40.31	19.84	24.90	6.58	ļ					
		2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPQU	1.23	40.31	19.84	24.90	6.58						<u> </u>
		2-Wire Voice Grade Port (Centrex / EBS-M5216)4		<u> </u>	UEP9D	UEPQV UEPQ3	1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58	<b>.</b>					
		2-Wire Voice Grade Port (Centrex / EBS-M5316)4 2-Wire Voice Grade Port (Centrex with Caller ID)		1	UEP9D UEP9D	UEPQH	1.23 1.23	40.31	19.84	24.90	6.58 6.58	<b> </b>					<del>                                     </del>
		2-Wire Voice Grade Port (Centrex With Caller ID)  2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			OLF3D	ULFQII	1.23	40.31	15.04	24.50	0.56	1			1		
		Indication)4			UEP9D	UEPQW	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.23	40.31	19.84	24.90	6.58						1
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
		2,3			UEP9D	UEPQM	1.23	108.35	70.57	54.24	11.70						
-+		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.23	108.35	70.57	54.24	11.70						
_		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.23	108.35	70.57	54.24	11.70						
-		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.23	108.35	70.57	54.24	11.70						
$\rightarrow$		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.23	108.35	70.57	54.24	11.70						1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPQ7	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9D	UEPQZ	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port Terminated on 800 Service Term		-	UEP9D	UEPQ2	1.23	40.31	19.84	24.90	6.58	ļ		<b> </b>	<b>.</b>	-	<del>                                     </del>
<u> </u> L		witching Centrex Intercom Funtionality, per port		-	UEP9D	URECS	0.7947			<u> </u>		1		-			<del> </del>
-		umber Portability		1	OLFAD	UKEUS	0.7947			<del>                                     </del>		<u> </u>		-	<del> </del>	-	<del>                                     </del>
		Local Number Portability (1 per port)		<del>                                     </del>	UEP9D	LNPCC	0.35					1		<b> </b>	<del>                                     </del>	<b> </b>	<del>                                     </del>

JNBUNDL	ED NETWORK ELEMENTS - Mississippi													ment: 2	1	ibit: A
							· ·								Incremental	l .
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
ATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		- ""									p = = = = = = = = = = = = = = = = = = =	p	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISC 1St	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Feat																
	All Standard Features Offered, per port			UEP9D	UEPVF	2.56										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	404.98									
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.56										
NAR	S															
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
Misc	ellaneous Terminations													Î		
2-Wi	re Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	8.25	120.00	18.85	61.77	3.88						
4-Wi	re Digital (1.544 Megabits)				1											
1	DS1 Circuit Terminations, each		1	UEP9D	M1HD1	58.41	203.19	96.25	74.86	2.54	ĺ					
	DS0 Channels Activiated per Channel		t	UEP9D	M1HDO	0.00	14.56							i	1	Ì
Inter	office Channel Mileage - 2-Wire		t –	<u> </u>	1				1		i e			i e	1	İ
	Interoffice Channel Facilities Termination		i -	UEP9D	M1GBC	22.52	40.77	27.57	17.26	7.11	1			1	1	
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0098	10.11	27.07	20							
Feat	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	``	1	OLI OD	WITODW	0.0000										
	hannel Bank Feature Activations	1			+											
540	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.57										
	1 eature Activation on B-4 Charmer Bank Centrex Loop Slot			OLI 3D	II QWO	0.57										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop  Feature Activation on D-4 Channel Bank FX Trunk Side Loop	-	-	UEP9D	IFQW6	0.57			-		-				-	ļ
	Slot			UEP9D	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		-	UEF9D	IFQW/	0.57										
	Different Wire Center			LIEDOD	1PQWP	0.57										
	Different wire Center		-	UEP9D	IPQWP	0.57										
	Fortuna Antinetica de B. 4 Okasa el Brata Britana Liva Lava Okat			LIEDOD	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP9D	1PQWQ	0.57										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.57										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		0.10	0.10								
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		37.97	16.68								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	666.32									
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	666.32									
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.63									
Addi	tional Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise		<u></u>	UEP9D	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP9D	URETN		11.19	1.10			I			l	I	
UNE	P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
2-Wi	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Port/Loop Combination Rates (Non-Design)															
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP9E		12.22					1				I	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	1	1	_					i			İ	1	Ì
	Non-Design		2	UEP9E	1	17.13									1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		T -		1						i			İ	1	Ì
	Non-Design		3	UEP9E	1	26.26									1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		Ť	1	1	20.20								i	1	Ì
	Non-Design		4	UEP9E		44.91					I			l	I	
UNF	Port/Loop Combination Rates (Design)		† ·	<del> </del>	1									<b>i</b>	t	
OIAL	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	<del></del>	$\vdash$	t	+				† †						t	<b>†</b>
	Design		1	UEP9E	1	15.12									1	
	pooign	1		OLI OL		10.12			-						<del>                                     </del>	+
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															l l

UNBUNDLE	D NETWORK ELEMENTS - Mississippi				-									ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP9E		28.78										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	١.													
	Design		4	UEP9E		46.95										
	pop Rate		1	LIEDOE	UECS1	40.00										<del></del>
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E UEP9E	UECS1	10.98 15.91					-					<del></del>
	2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	25.04								-		
	2-Wire Voice Grade Loop (SL 1) - Zone 3		4	UEP9E	UECS1	43.68								-		<del></del>
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	13.89										-
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	18.75					1			1		
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	27.55							1	<u> </u>	1	<u> </u>
1	2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP9E	UECS2	45.72					1		İ	1	İ	
	ort Rate		† ·								1		İ	1	İ	
	KY, LA, MS, & TN only	1	i –										İ	1	İ	
1	2-Wire Voice Grade Port (Centrex ) Basic Local Area		i –	UEP9E	UEPYA	1.23	40.31	19.84	24.90	6.58			1		1	
l l	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP9E	UEPYB	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			LIEBOE	UEPYH	4.00	40.04	40.04	04.00	0.50						
	Area		1	UEP9E	UEPYH	1.23	40.31	19.84	24.90	6.58						<del></del>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP9E	UEPYM	1.23	400.05	70.57	54.04	11.70						
	Center)2,3 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			UEP9E	UEPYM	1.23	108.35	70.57	54.24	11.70				-		-
	Service Term - Basic Local Area			UEP9E	UEPYZ	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	OLF9L	OLF 12	1.23	100.33	70.57	34.24	11.70				1		
	- Basic Local Area			UEP9E	UEPY9	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port Terminated on 800 Service Term -			OLI SL	OLI 13	1.23	40.51	13.04	24.30	0.50						<del></del>
	Basic Local Area			UEP9E	UEPY2	1.23	40.31	19.84	24.90	6.58						
AL. KY	, LA, MS, & TN Only			02.02	022	1120	10.01		21.00	0.00	1			1		
,,	2-Wire Voice Grade Port (Centrex )			UEP9E	UEPQA	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire		1													
	Center)2,3			UEP9E	UEPQM	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
	Service Term		<u></u>	UEP9E	UEPQZ	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		<u></u>	UEP9E	UEPQ9	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.23	40.31	19.84	24.90	6.58						
Local S	Switching		<u> </u>		LUBEC :						ļ			ļ		——
	Centrex Intercom Funtionality, per port		<u> </u>	UEP9E	URECS	0.7947			ļ		1		ļ	-	ļ	
Local	lumber Portability		<u> </u>	LIEDOE	LNDCC	0.05			1		<b></b>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del></del>
	Local Number Portability (1 per port)		<u> </u>	UEP9E	LNPCC	0.35			1		<b></b>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del></del>
Feature		-	<b>├</b>	LIEDOE	UEPVF	2.56			1		<del>                                     </del>		<b> </b>	<del>                                     </del>	<b> </b>	<del></del>
	All Standard Features Offered, per port All Select Features Offered, per port	<b>-</b>	<del>                                     </del>	UEP9E UEP9E	UEPVF	0.00	404.98		1		1			<del>                                     </del>		<del></del>
	All Centrex Control Features Offered, per port	-	<del>                                     </del>	UEP9E UEP9E	UEPVS	2.56	404.98				<b> </b>		<del> </del>	<del>                                     </del>	<del> </del>	<del></del>
NARS	All Control Control realures Orieleu, per port	<b>H</b>	<del>                                     </del>	OLF 9L	OLF VC	2.30			1		<del>                                     </del>		<del> </del>	t	<del> </del>	<del></del>
IVANO	Unbundled Network Access Register - Combination	<b>H</b>	<del>                                     </del>	UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00	<del>                                     </del>		<del> </del>	t	<del> </del>	<del></del>
	Unbundled Network Access Register - Indial	<b>-</b>	<b>†</b>	UEP9E	UAR1X	0.00	0.00	0.00		0.00	1		<b> </b>	t	<b> </b>	<b>—</b>
	Unbundled Network Access Register - Outdial	<b>†</b>	<del>                                     </del>	UEP9E	UAROX	0.00	0.00	0.00		0.00				<b>I</b>		<del>                                     </del>
	aneous Terminations		t	0-	0, 1, 0, 1	0.00	0.00	0.00	0.50	0.00			1	<u> </u>	1	<u> </u>
	Trunk Side		t —								1		İ	1	İ	
	Trunk Side Terminations, each		t —	UEP9E	CEND6	8.25	120.00	18.85	61.77	3.88	1		İ	1	İ	
4-Wire	Digital (1.544 Megabits)	1	i –										İ	1	İ	
	DS1 Circuit Terminations, each		i –	UEP9E	M1HD1	58.41	203.19	96.25	74.86	2.54			1		1	
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	14.56									
	ice Channel Mileage - 2-Wire															
i 1	Interoffice Channel Facilities Termination			UEP9E	M1GBC	22.52	40.77	27.57	17.26	7.11						

UNBUNDL	ED NETWORK ELEMENTS - Mississippi													ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrec	urrina	Nonrocurring	g Disconnect				Rates (\$)	2.00 .01	2.007.444.
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.0098		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1 01	7144	0020	00				
Feat	ure Activations (DS0) Centrex Loops on Channelized DS1 Servic	е														
D4 C	hannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.57										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop  Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEF9E	IFQW6	0.57								<del> </del>	<del> </del>	
	Slot			UEP9E	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		i							İ	1					
	Different Wire Center			UEP9E	1PQWP	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.57				-	<u> </u>					
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9E	1PQWQ	0.57								1	1	
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.57								<del> </del>	<del> </del>	
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex				~.,,,	0.07			1	i		l				
	NRC Conversion Currently Combined Switch-As-Is with allowed									ĺ						
	changes, per port			UEP9E	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		37.97	16.68								
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	666.32									
	New Centrex Customized Common Block NAR Establishment Charge, Per Occasion			UEP9E UEP9E	M1ACC URECA	0.00	666.32 72.63		<b> </b>					-	-	
Addi	tional Non-Recurring Charges (NRC)			OLF9L	UNLUA	0.00	72.03		1							
7144	Unbundled Miscellaneous Rate Element, Tag Loop at End Use				1											
	Premise			UEP9E	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP9E	URETN		11.19	1.10								
	P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo				1							-		1	1	
LINE	Port/Loop Combination Rates (Non-Design)				+									<del> </del>	<del> </del>	
OILL	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -													1	1	
	Non-Design		1	UEP93		12.22										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP93		17.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		3	LIEDOS		20.20										
-	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		3	UEP93	+	26.26										
	Non-Design		4	UEP93		44.91										
UNE	Port/Loop Combination Rates (Design)		T .													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -						j									
	Design		1	UEP93		15.12					ļ					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP93		19.98										
-+	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OFLAS	+ +	19.98			1	1	<del>                                     </del>	-		-	-	-
	Design		3	UEP93		28.78										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		Ť		1											
	Design		4	UEP93		46.95										
UNE	Loop Rate		L .	LIEBOO	1	10.55				ļ						
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP93 UEP93	UECS1	10.98 15.91			-	-	<u> </u>					
-+	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP93 UEP93	UECS1 UECS1	15.91 25.04			1	1	<del>                                     </del>	-		-	-	-
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP93	UECS1	43.68										
	2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP93	UECS2	13.89										
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP93	UECS2	18.75										
	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP93	UECS2	27.55										
1000	2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP93	UECS2	45.72				-	<u> </u>					
	Port Rate (Y, LA, MS, & TN only		-		+				<b>+</b>		1	<del>                                     </del>		<del>                                     </del>	<del>                                     </del>	$\vdash$
AL, I	2-Wire Voice Grade Port (Centrex ) Basic Local Area		<b>-</b>	UEP93	UEPYA	1.23	40.31	19.84	24.90	6.58	<b> </b>	<del>                                     </del>	<b> </b>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>

IBUNDLE	D NETWORK ELEMENTS - Mississippi													ment: 2		bit: A
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increments Charge - Manual Sv Order vs. Electronic Disc Add'
$\overline{}$							Nonrec		Nonrecurring	Disconnect			220	Rates (\$)		
			<u> </u>			Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-+-	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		1		+		LIISI	Add I	FIISL	Add I	SOIVIEC	SUMAN	SUMAN	SOWAN	SOWAN	SUMAN
	Area			UEP93	UEPYB	1.23	40.31	19.84	24.90	6.58						
-+-	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		1	OLI 93	OLITB	1.25	40.51	13.04	24.30	0.50						
	Area			UEP93	UEPYH	1.23	40.31	19.84	24.90	6.58						
_	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3 Basic Local Area			UEP93	UEPYM	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															
	Service Term - Basic Local Area			UEP93	UEPYZ	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP93	UEPY9	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area		<b></b>	UEP93	UEPY2	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex )			UEP93	UEPQA	1.23	40.31	19.84	24.90	6.58						
+	2-Wire Voice Grade Port (Centrex 800 termination)		-	UEP93	UEPQB	1.23	40.31	19.84	24.90	6.58	ļ				<del>                                     </del>	ļ
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP93	UEPQM	1.23	108.35	70.57	54.24	11.70						
-	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800		-	UEP93	UEPQIVI	1.23	108.35	70.57	54.24	11.70	<b> </b>					-
	Service Term			UEP93	UEPQZ	1.23	108.35	70.57	54.24	11.70						
_	Service reilli		1	OLF 93	ULFQZ	1.23	100.33	70.57	34.24	11.70						1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port Terminated in 60 Wegaink of equivalent		1	UEP93	UEPQ2	1.23	40.31	19.84	24.90	6.58						
Local	Switching			021 00	OLI QZ	1.20	40.01	10.04	24.00	0.00						1
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.7947										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP93	LNPCC	0.35										
Featur	es															
	All Standard Features Offered, per port			UEP93	UEPVF	2.56										
	All Centrex Control Features Offered, per port			UEP93	UEPVC	2.56										
NARS																
	Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00						
881	Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00						
	laneous Terminations Trunk Side		-		_											
2-wire			<u> </u>	UEP93	CEND6	8.25	120.00	18.85	61.77	3.88						
/-/Mi=a	Trunk Side Terminations, each Digital (1.544 Megabits)		<del>                                     </del>	OEFSS	CEINDO	გ.∠5	120.00	18.85	01.//	3.88	<b> </b>				<del> </del>	<del>                                     </del>
4-11116	DS1 Circuit Terminations, each			UEP93	M1HD1	58.41	203.19	96.25	74.86	2.54						
+-	DS0 Channels Activated, Per Channel		<del>                                     </del>	UEP93	M1HDO	0.00	14.56	30.23	74.00	2.34	<b> </b>				<b> </b>	<b> </b>
Intero	fice Channel Mileage - 2-Wire					0.00	14.00		<del>                                     </del>						1	t
	Interoffice Channel Facilities Termination			UEP93	M1GBC	22.52	40.77	27.57	17.26	7.11						
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	M1GBM	0.0098										
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.57										
$\perp$	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			l		_					1					
$\bot$	Slot			UEP93	1PQW7	0.57					ļ				ļ	ļ
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP93	1PQWP	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop										1					
	Slot			UEP93	1PQWQ	0.57										
					LADOUALA										1	1
	Feature Activation on D-4 Channel Bank WATS Loop Slot		ļ	UEP93	1PQWA	0.57										
Non-R	Feature Activation on D-4 Channel Bank WATS Loop Slot   ecurring Charges (NRC) Associated with UNE-P Centrex   NRC Conversion Currently Combined Switch-As-Is with allowed			UEP93	1PQWA	0.57										

UNBUI	NDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
CATEGO	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			I .	Submitted Manually	Charge -	Charge - Manual Svc Order vs.	Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Conversion of Existing Centrex Common Block, each			UEP93	USACN		37.97	16.68								1
		New Centrex Standard Common Block			UEP93	M1ACS	0.00	666.32									
		New Centrex Customized Common Block			UEP93	M1ACC	0.00	666.32									
		NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.63									1
	Additio	onal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP93	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP93	URETN		11.19	1.10								
	Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															1
		- Requres Interoffice Channel Mileage						·	•								
	Note 3	<ul> <li>Installation is combination of Installation charge for SL2 Loc</li> </ul>	op and	Port													
		- Requires Specific Customer Premises Equipment															
	Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	ie-up as set forth in	General Tern	ns and Condition	ons.									

LINIDI	INDI E	D NETWORK ELEMENTS - North Carolina												Assach		F.u.l.	L:4. A
UNDC	MULE		1	1			ı					Svo Ordor	Cua Ordar	Incremental	ment: 2	Incremental	bit: A Incremental
													Submitted	Charge -			
												Elec			Charge -	Charge -	Charge -
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				Manually	Manual Svc	Manual Svc		Manual Svc
OAIL		INATE ELEMENTO	m	20110	500	0000			τικτι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	i																
	The "Z	one" shown in the sections for stand-alone loops or loops as	part of	a comi	ination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zon	e Designation	ons by Cent	ral Office, ref	er to internet	Website:	
		www.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion.ht	m												
OPER/		L SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
		(1) CLEC should contact its contract negotiator if it prefers the															
	elect e	ither the state specific Commission ordered rates for the servi	ice orde	ring ch	arges, or CLEC may	elect the re	gional service o	ordering charg	e, however, Cl	EC can not o	btain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished in
		f the 9 states.															
		(2) Any element that can be ordered electronically will be bill		•						•	` '		•			•	
		innot be ordered electronically at present per the LOH, the list			e in this category ref	lects the ch	arge that would	l be billed to a	CLEC once ele	ectronic order	ing capabilities	s come on-l	ne for that	element. Oth	erwise, the ma	anual orderin	g charge,
		N, will be applied to a CLECs bill when it submits an LSR to E															
	NOTE:	(3) OSS - Manual Service Order Charge, Per Element - UNE Or	nly **Ple	ease se	e applicable rate ele	ment for SC	MAN charge**										
	1	OSS - Electronic Service Order Charge, Per Local Service															
	<u> </u>	Request (LSR) - UNE Only	ļ	<u> </u>		SOMEC		3.50	0.00	3.50	0.00	ļ					
UNE S		DATE ADVANCEMENT CHARGE	<u> </u>			L	L					ļ		ļ		ļ	ļ
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's FC	C No.1 Tariff, Section	n 5 as appli	cable.										
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X.												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
<u></u>	<u> </u>	Day	<u>L</u> _	<u> </u>	U1TUB, U1TUA	SDASP		200.00	<u></u>							<u> </u>	<u> </u>
UNBU		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.11	57.99	42.37					26.94	12.76	0.00	0.00
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	21.24	57.99	42.37					26.94	12.76	0.00	0.00
	Ì	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	33.65	57.99	42.37			1		26.94	12.76	0.00	0.00
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	12.11	57.99	42.37		1			26.94	12.76	0.00	0.00
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	1	2	UEANL	UEASL	21.24	57.99	42.37		1			26.94	12.76	0.00	0.00
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	1	3	UEANL	UEASL	33.65	57.99	42.37		1			26.94	12.76	0.00	0.00
	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	T				21.30	:=:3,		1			1	1	1.50	2.00
	1	Premise	1	1	UEANL	URETL		8.33	0.83					26.94	12.76	0.00	0.00
	1	Loop Testing - Basic 1st Half Hour	<b>†</b>	t	UEANL	URET1		76.24	76.24		1	<b>1</b>		26.94	12.76	0.00	0.00
	l	Loop Testing - Basic Additional Half Hour	t	t	UEANL	URETA		39.51	39.51			1	<b>-</b>	26.94	12.76	0.00	0.00
	1	CLEC to CLEC Conversion Charge Without Outside Dispatch	<b>†</b>	t				00.01	55.51		1	<b>1</b>		20.04	12.70	0.00	0.00
1	I	(UVL-SL1)	1	1	UEANL	UREWO		15.76	8.93				1	26.94	12.76	0.00	0.00
	1	1(0.1 01.)	1	1	O _ / 11 1 L	- I I I I I	1	10.70	0.33		1	1	1	20.34	12.70	0.00	0.00

Version 3Q03: 11/12/2003 Page 239 of 348

UNBU	NDLE	D NETWORK ELEMENTS - North Carolina													ment: 2		ibit: A
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increment Charge - Manual Sv Order vs. Electronic Disc Add
							Rec	Nonre		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		28.74	28.74								1
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		61.38	61.38								1
		Order Coordination for Specified Conversion Time for UVL-SL1			LIFANI	00001		45.04	45.34								
		(per LSR) Unbundled COPPER LOOP			UEANL	OCOSL		45.34	45.34	-		-	1				-
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	10.16	35.27	15.60			1		26.94	12.76	0.00	0.0
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	17.55	35.27	15.60				1	26.94	12.76	0.00	0.0
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3			UEQ	UEQ2X	27.58	35.27	15.60				1	26.94	12.76		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		Ŭ	024	O L Q L X	27.00	00.27	10.00			1		20.01	12.10	0.00	0.0
		Premise			UEQ	URETL		8.33	0.83					26.94	12.76	0.00	0.0
		Manual Order Coordination 2 Wire Unbundled Copper Loop -		İ		1				1				1			1
L_ l		Non-Designed (per loop)		L	UEQ	USBMC	<u> </u>	61.38	61.38	<u> </u>		<u></u>		<u>                                     </u>			
		Unbundled Copper Loop, Non-Design Copper Loop, billing for															
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		28.74	28.74					26.94	12.76	0.00	0.0
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		76.24	76.24					26.94	12.76		
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		39.51	39.51					26.94	12.76	0.00	0.0
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.26	7.42					26.94	12.76	0.00	0.0
UNBUN		EXCHANGE ACCESS LOOP															1
	2-WIKE	ANALOG VOICE GRADE LOOP				+				+		-					+
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEALS	12.11	57.99	42.37	0.00	0.00			26.94	12.76		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		'	UEFSK UEFSB	UEALS	12.11	57.99	42.37	0.00	0.00	1		20.94	12.76		+
		Zone 1		1	UEPSR UEPSB	UEABS	12.11	57.99	42.37	0.00	0.00			26.94	12.76		
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			OLI OK OLI OD	OLABO	12.11	37.99	42.57	0.00	0.00	1		20.54	12.70		+
		Zone 2		2	UEPSR UEPSB	UEALS	21.24	57.99	42.37	0.00	0.00			26.94	12.76		
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEABS	21.24	57.99	42.37	0.00	0.00			26.94	12.76		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEALS	33.65	57.99	42.37	0.00	0.00			26.94	12.76		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEABS	33.65	57.99	42.37	0.00	0.00			26.94	12.76		
UNBUN		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1		115410	44.07	440.07	100 50					00.04	40.70	0.00	0.0
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.97	142.97	106.56			-		26.94	12.76	0.00	0.0
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	25.93	142.97	106.56					26.94	12.76	0.00	0.0
$\vdash$		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			OLA	JLALZ	25.53	142.37	100.36	1		<u> </u>	<del>                                     </del>	20.94	12.76	0.00	0.0
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	40.81	142.97	106.56					26.94	12.76	0.00	0.0
		Order Coordination for Specified Conversion Time (per LSR)		Ť	UEA	OCOSL	.0.01	45.34		İ				20.04	.2.70	5.00	0.0
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				1				ĺ	l			i .	1		1
		Battery Signaling - Zone 1		1	UEA	UEAR2	14.97	142.97	106.56					26.94	12.76	0.00	0.0
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				1				1				1			
		Battery Signaling - Zone 2		2	UEA	UEAR2	25.93	142.97	106.56	l	<u> </u>			26.94	12.76	0.00	0.0
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 3		3	UEA	UEAR2	40.81	142.97	106.56					26.94	12.76	0.00	0.0
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.34		ļ		ļ		ļ	ļ	ļ	
		CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	UEA	UREWO		87.64	36.33			ļ		26.94	12.76	0.00	
		Loop Tagging - Service Level 2 (SL2)		ļ	UEA	URETL		11.20	1.10	<b>_</b>	-	1	-	26.94	12.76	0.00	0.0
		ANALOG VOICE GRADE LOOP		1	UEA	UEAL4	21.32	288.47	237.45	+	-	<del>                                     </del>	<del>                                     </del>	26.94	12.76	0.00	0.0
		4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4 UEAL4	36.27	288.47	237.45					26.94	12.76		
		4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3	-		UEA	UEAL4	56.57	288.47	237.45			<b> </b>	<del>                                     </del>	26.94	12.76		
		Order Coordination for Specified Conversion Time (per LSR)		٥	UEA	OCOSL	36.37	45.34	231.45	<del>                                     </del>	<b> </b>	<del>                                     </del>	<del>                                     </del>	20.94	12.76	0.00	0.0
		CLEC to CLEC Conversion Charge without outside dispatch		l —	UEA	UREWO		87.64	36.33	1		<b> </b>	<del>                                     </del>	26.94	12.76	0.00	0.0
	2-WIRF	SISDN DIGITAL GRADE LOOP				3.1.2.770		07.04	55.55	1				20.04	12.70	0.50	0.0
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	19.42	325.91	251.31	<del> </del>		<b>†</b>	<del>                                     </del>	26.94	12.76	0.00	0.0

NRONDLE	D NETWORK ELEMENTS - North Carolina												ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)		1	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec	urring	Nonrecurring Disconnect				Rates (\$)	•	•
							First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	32.88	325.91	251.31				26.94	12.76	0.00	
	2-Wire ISDN Digital Grade Loop - Zone 3			UDN	U1L2X	51.14	325.91	251.31				26.94	12.76	0.00	0.0
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		45.34								
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.55	44.12				26.94	12.76	0.00	0.0
2-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	AIIBLE	LOOP	<u>'</u>	+ +					1					
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	11.00	264.71	145.60				26.94	12.76	0.00	0.0
	2 Wire Unbundled ADSL Loop including manual service inquiry		'	UAL	UALZA	11.00	204.71	145.60	<del>                                     </del>			26.94	12.76	0.00	0.0
	& facility reservation - Zone 2		2	UAL	UAL2X	18.39	264.71	145.60				26.94	12.76	0.00	0.0
-+-	2 Wire Unbundled ADSL Loop including manual service inquiry			O/ LL	OTILET	10.00	204.71	140.00				20.04	12.70	0.00	0.0
	& facility reservation - Zone 3		3	UAL	UAL2X	28.42	264.71	145.60				26.94	12.76	0.00	0.0
$\neg$	Order Coordination for Specified Conversion Time (per LSR)	1	Ť	UAL	OCOSL		45.34							2700	1
	2 Wire Unbundled ADSL Loop without manual service inquiry &	Ì					ĺ								
	facility reservaton - Zone 1	<u></u>	1	UAL	UAL2W	11.00	190.25	114.82		<u></u>	<u></u>	26.94	12.76	0.00	0.0
	2 Wire Unbundled ADSL Loop without manual service inquiry &					İ	ĺ								
L	facility reservaton - Zone 2		2	UAL	UAL2W	18.39	190.25	114.82				26.94	12.76	0.00	0.0
	2 Wire Unbundled ADSL Loop without manual service inquiry &	l											I	I	
	facility reservaton - Zone 3			UAL	UAL2W	28.42	190.25	114.82				26.94	12.76	0.00	0.0
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45.34								
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.12	40.36				26.94	12.76	0.00	0.0
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	OOP												
	2 Wire Unbundled HDSL Loop including manual service inquiry														
$-\!$	& facility reservation - Zone 1		1	UHL	UHL2X	9.01	284.74	163.54				26.94	12.76	0.00	0.0
	2 Wire Unbundled HDSL Loop including manual service inquiry		_			44.0-	00471	400 5 :					10.70	0.00	
$-\!\!\!\!+\!\!\!\!-$	& facility reservation - Zone 2		2	UHL	UHL2X	14.87	284.74	163.54	<del>                                     </del>	<u> </u>		26.94	12.76	0.00	0.0
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	1	3	UHL	UHL2X	22.82	284.74	163.54			1	26.94	12.76	0.00	0.0
-+-	Order Coordination for Specified Conversion Time (per LSR)	<del>                                     </del>		UHL	OCOSL	22.02	45.34	103.34	<del>                                     </del>	<del>                                     </del>		20.94	12.70	0.00	0.0
_	2 Wire Unbundled HDSL Loop without manual service inquiry	<del>                                     </del>	<del>                                     </del>	O. IL	OOOSL	+	40.04		<del>                                     </del>	<del>                                     </del>		<del>                                     </del>	<b>l</b>	l	1
	and facility reservation - Zone 1		1	UHL	UHL2W	9.01	207.48	132.05				26.94	12.76	0.00	0.0
$\neg$	2 Wire Unbundled HDSL Loop without manual service inquiry	<b> </b>	<u> </u>		J	0.01	207.40	102.00				20.04	12.70	0.00	5.0
	and facility reservation - Zone 2	1	2	UHL	UHL2W	14.87	207.48	132.05			1	26.94	12.76	0.00	0.0
	2 Wire Unbundled HDSL Loop without manual service inquiry	1			1				1					3.50	1
	and facility reservation - Zone 3	1	3	UHL	UHL2W	22.82	207.48	132.05			1	26.94	12.76	0.00	0.0
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34								
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.06	40.36				26.94	12.76	0.00	0.0
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	OOP												
	4 Wire Unbundled HDSL Loop including manual service inquiry	l		L	1 7	⊣						_			
	and facility reservation - Zone 1	ļ	1	UHL	UHL4X	10.62	341.65	220.45		ļ	ļ	26.94	12.76	0.00	0.0
	4-Wire Unbundled HDSL Loop including manual service inquiry	1	_		[ ]	.=					1				] .
$-\!\!\!\!+\!\!\!\!-$	and facility reservation - Zone 2	<b> </b>	2	UHL	UHL4X	17.67	341.65	220.45	<del>                                     </del>	ļ		26.94	12.76	0.00	0.0
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	1	3	UHL	UHL4X	27.24	341.65	220.45			1	26.94	12.76	0.00	0.0
-+	Order Coordination for Specified Conversion Time (per LSR)	<del>                                     </del>		UHL	OCOSL	21.24	341.65 45.34	220.45		<del>                                     </del>		26.94	12.76	0.00	0.0
$-\!\!+\!\!-$	4-Wire Unbundled HDSL Loop without manual service inquiry	<del>                                     </del>	-	OI IL	UUUSL	+	45.34			1	<b> </b>	<del>                                     </del>	-	-	1
	and facility reservation - Zone 1	1	1	UHL	UHL4W	10.62	264.39	188.96			1	26.94	12.76	0.00	0.0
-+-	4-Wire Unbundled HDSL Loop without manual service inquiry	<b> </b>	<del>-</del>	OI IL	OI IL-TVV	10.02	204.03	100.30	<del>                                     </del>		<b>-</b>	20.94	12.10	0.00	0.0
	and facility reservation - Zone 2	1	2	UHL	UHL4W	17.67	264.39	188.96			1	26.94	12.76	0.00	0.0
-+	4-Wire Unbundled HDSL Loop without manual service inquiry		Ħ				2000	.00.00				20.04	.2.70	3.00	0.0
	and facility reservation - Zone 3		3	UHL	UHL4W	27.24	264.39	188.96				26.94	12.76	0.00	0.0
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL	- 1	45.34		1						
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.06	40.36				26.94	12.76	0.00	0.0
4-WIR	E DS1 DIGITAL LOOP														
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	47.60	714.84	421.47				42.19	12.76	0.00	0.0
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	84.36	714.84	421.47				42.19	12.76	0.00	
1	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	134.29	714.84	421.47				42.19	12.76	0.00	0.0
	Order Coordination for Consisted Conversion Time (nor LCD)	ı	ı	USL	OCOSL		48.31		1	1	l	1	l	l	L
	Order Coordination for Specified Conversion Time (per LSR)  CLEC to CLEC Conversion Charge without outside dispatch		-	USL	UREWO		100.99	43.00	1 1			26.94	12.76	0.00	0.0

UNBUNDLE	NETWORK ELEMENTS - North Carolina									_			ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)		l l	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring Disconnec				Rates (\$)	•	l.
	4146 114 11 11 11 11 11 11 11 11 11 11 11 11			l In	1181.40		First	Add'l	First Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps			UDL UDL	UDL19 UDL19	25.32 43.11	489.04 489.04	337.51 337.51				26.94 26.94	12.76 12.76	0.00	0.00
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	67.26	489.04	337.51		-		26.94	12.76	0.00	0.00
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	25.32	489.04	337.51				26.94	12.76	0.00	0.00
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	43.11	489.04	337.51				26.94	12.76	0.00	0.00
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	67.26	489.04	337.51				26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45.34								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	25.32	489.04	337.51				26.94	12.76	0.00	0.00
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	43.11	489.04	337.51				26.94	12.76	0.00	0.00
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UDL UDL	UDL64 OCOSL	67.26	489.04 45.34	337.51				26.94	12.76	0.00	0.00
	CLEC to CLEC Conversion Charge without outside dispatch		-	UDL	UREWO		102.03	49.70				26.94	12.76	0.00	0.00
	Unbundled COPPER LOOP		<u> </u>		SILLIVO		102.03	43.70			l	20.34	12.70	0.00	0.00
	2-Wire Unbundled Copper Loop-Designed including manual		l		1							İ		İ	
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	13.26	262.86	143.75			<u> </u>	26.94	12.76	0.00	0.00
	2-Wire Unbundled Copper Loop-Designed including manual							<del>-</del>							
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	22.39	262.86	143.75			ļ	26.94	12.76	0.00	0.00
	2 Wire Unbundled Copper Loop-Designed including manual		3		LIOL DD	04.00	000.00	440.75				00.04	40.70	0.00	0.00
	service inquiry & facility reservation - Zone 3  Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLPB UCLMC	34.80	262.86	143.75			1	26.94	12.76	0.00	0.00
	2-Wire Unbundled Copper Loop-Designed without manual			UCL	UCLIVIC		61.38	61.38		-					
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	13.26	188.39	112.96				26.94	12.76	0.00	0.00
	2-Wire Unbundled Copper Loop-Designed without manual		<u> </u>	002	OOL! **	10.20	100.00	112.00				20.04	12.70	0.00	0.00
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	22.39	188.39	112.96				26.94	12.76	0.00	0.00
	2-Wire Unbundled Copper Loop-Designed without manual														
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	34.80	188.39	112.96				26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38							
	CLEC to CLEC Conversion Charge without outside dispatch				LIDEWO		07.44	40.44				00.04	40.70	0.00	
4 WIDE	(UCL-Des)  COPPER LOOP			UCL	UREWO		97.14	42.44				26.94	12.76	0.00	0.00
	4-Wire Copper Loop including manual service inquiry and facility				+ +										
	reservation - Zone 1		1	UCL	UCL4S	17.36	311.03	191.93				26.94	12.76	0.00	0.00
	4-Wire Copper Loop including manual service inquiry and facility														
	reservation - Zone 2		2	UCL	UCL4S	29.61	311.03	191.93				26.94	12.76	0.00	0.00
	4-Wire Copper Loop including manual service inquiry and facility														
	reservation - Zone 3		3	UCL	UCL4S	46.26	311.03	191.93				26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38							
	4-Wire Copper Loop without manual service inquiry and facility		1	UCL	LICLAW	17.36	220 57	404.44				26.94	12.76	0.00	0.00
	reservation - Zone 1 4-Wire Copper Loop without manual service inquiry and facility		1	UCL	UCL4W	17.36	236.57	161.14		-		26.94	12.76	0.00	0.00
	reservation - Zone 2		2	UCL	UCL4W	29.61	236.57	161.14				26.94	12.76	0.00	0.00
	4-Wire Copper Loop without manual service inquiry and facility			002	OOLTIV	20.01	200.07	101.14				20.04	12.70	0.00	0.00
	reservation - Zone 3		3	UCL	UCL4W	46.26	236.57	161.14				26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38							
	CLEC to CLEC Conversion Charge without outside dispatch														
	(UCL-Des)			UCL	UREWO		97.14	42.44			<u> </u>				
LOOP MODIFIC	ATION		-	UAL, UHL, UCL,	1									-	
				UEQ, ULS, UEA,											
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,											
	pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		21.24	21.24				26.94	12.76	0.00	0.00
	Unbundled Loop Modification Removal of Load Coils - 4 Wire														
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		21.24	21.24				26.94	12.76	0.00	0.00
				UAL, UHL, UCL,											
	Habitan Had Lana Madification Device of A Diction LT or B			UEQ, ULS, UEA,											
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UEANL, UEPSR, UEPSB	ULMBT		24.84	24.84				26.94	12.76	0.00	0.00
SUB-LOOPS	per unbunuleu 100p	<b>-</b>		OLI OD	OCIVID I		24.04	24.04		+		20.94	12.70	0.00	0.00
	op Distribution		<b>—</b>		1				<del>                                     </del>	+	+	<del>                                     </del>	<b> </b>	<del>                                     </del>	<b> </b>

JINDUNDLE	D NETWORK ELEMENTS - North Carolina													ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						_	Nonred	curring	Nonrecurrin	g Disconnect	1	1	OSS	Rates (\$)	l	ь
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMA
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
	Up	I		UEANL	USBSA		373.57						26.94	12.76	0.00	
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I	ļ	UEANL	USBSB		33.78				1		26.94	12.76	0.00	
	Sub-Loop - Per Building Equipment Room - CLEC Feeder			UEANL	USBSC		004.70						20.04	40.70	0.00	
	Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	-	-	UEANL	USBSC		234.76			-	+		26.94	12.76	0.00	<del></del>
	Set-Up			UEANL	USBSD		81.05						26.94	12.76	0.00	
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	<u> </u>		02/11/2	00000		01.00				1		20.01	.2	0.00	<b>—</b>
	Zone 1	- 1	1	UEANL	USBN2	7.31	126.03	54.54					26.94	12.76	0.00	
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 2	I	2	UEANL	USBN2	11.93	126.03	54.54					26.94	12.76	0.00	
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			l												
	Zone 3	- 1	3	UEANL	USBN2	18.20	126.03	54.54			1		26.94	12.76	0.00	<del></del>
	Order Coordination for Unbundled Sub-Leans, per sub-lean pair			UEANL	USBMC		61.38	61.38								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1	UEANL	USBIVIC		01.30	01.30		+	1					+
	Zone 1		1	UEANL	USBN4	8.44	156.52	79.66					26.94	12.76	0.00	
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -										1					<del>                                     </del>
	Zone 2		2	UEANL	USBN4	13.81	156.52	79.66					26.94	12.76	0.00	
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN4	21.10	156.52	79.66					26.94	12.76	0.00	
								0.4.00								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEANL	USBMC	0.70	61.38	61.38					20.04	40.70	0.00	
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	-	-	UEANL	USBR2	2.79	114.05	37.20		-	+		26.94	12.76	0.00	<del> </del>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	3.74	127.67	50.82			1		26.94	12.76	0.00	<del>                                     </del>
				-		-	_									<b>†</b>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		76.24	76.24								
	Loop Testing - Basic Additional Half Hour		<u> </u>	UEANL	URETA		39.51	39.51			<u> </u>					<u> </u>
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	-		UEF UEF	UCS2X UCS2X	6.10 9.70	137.10 137.10	60.24 60.24			1		26.94 26.94	12.76 12.76	0.00	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	H		UEF	UCS2X	14.59	137.10	60.24		-	+		26.94	12.76	0.00	
	2 Wife Copper Oriburidied Sub-Loop Distribution - Zorie 3	-	3	UEF	00327	14.59	137.10	60.24		+	1		20.94	12.70	0.00	+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		61.38	61.38								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	- 1	1	UEF	UCS4X	6.58	162.24	85.38					26.94	12.76	0.00	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I		UEF	UCS4X	10.51	162.24	85.38					26.94	12.76	0.00	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	15.84	162.24	85.38					26.94	12.76	0.00	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEF	USBMC		61.38	61.38			1					-
	Loop Testing - Basic 1st Half Hour	-	1	UEF UEF	URET1 URETA		76.24 39.51	76.24 39.51								<b>├</b>
Unbun	Loop Testing - Basic Additional Half Hour  dled Network Terminating Wire (UNTW)		+	UEF	UKETA		39.31	39.51		-	+					┼
Olibuli	Unbundled Network Terminating Wire (UNTW) per Pair		1	UENTW	UENPP	0.4351	64.98				+		26.94	12.76	0.00	+
Netwo	rk Interface Device (NID)			OLIVIV	OLIVI I	0.4001	04.50				1		20.04	12.70	0.00	<b>—</b>
12227	Network Interface Device (NID) - 1-2 lines	Ι		UENTW	UND12		86.37	56.69	1	1	1	İ	26.94	12.76	0.00	1
	Network Interface Device (NID) - 1-6 lines	- 1			UND16		127.93	98.21					26.94	12.76	0.00	
	Network Interface Device Cross Connect - 2 W	T			UNDC2		11.68	11.68					26.94	12.76	0.00	
	Network Interface Device Cross Connect - 4W		1	UENTW	UNDC4		11.68	11.68		1	1		26.94	12.76	0.00	—
NE OTHER, F	PROVISIONING ONLY - NO RATE		1	LIENTON	LINDDY	0.00	0.00		ļ	1	1					—
	NID - Dispatch and Service Order for NID installation UNTW Circuit Id Establishment, Provisioning Only - No Rate	-	<u> </u>	UENTW UENTW	UNDBX UENCE	0.00	0.00			1	1		-			+
	ON TWY ORCUIT IN ESTABLISHMENT, Provisioning Only - NO Rate	<b>-</b>	1	UEANL,UEF,UEQ,U	UEINUE	0.00	0.00		1	+	-		-	-	-	+
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									
NE OTHER I	PROVISIONING ONLY - NO RATE	<b>H</b>	t		STAFOLA	0.00	0.00		<del>                                     </del>	+	+	<del>                                     </del>		<b> </b>	<del>                                     </del>	-

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
												Svc Order Submitted Manually	Incremental Charge - Manual Svc		Incremental Charge - Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1		m									por zon	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
ł													1st	Add'l	Disc 1st	Disc Add'l
<del>                                     </del>			ļ				Nonrec	curring	Nonrecurrin	g Disconnect			088	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
								7144		7144	0020	00	00,	00	00/	007
1				UAL,UCL,UDC,UDL,												
$\longrightarrow$	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
1	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	LICDEO	0.00	0.00									
-+-	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			UEA,UDIN,UCL,UDC	USBFQ	0.00	0.00									
1	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
i	Unbundled DS1 Loop - Expanded Superframe Format option -															
	no rate CITY UNBUNDLED LOCAL LOOP			USL	CCOEF	0.00	0.00									
HIGH CAPAC	High Capacity Unbundled Local Loop - DS3 - Per Mile per		<u> </u>													
1	month			UE3	1L5ND	13.33										
	High Capacity Unbundled Local Loop - DS3 - Facility															
	Termination per month			UE3	UE3PX	450.69	1,071.00	646.12					53.48	53.48		
1	High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
	month High Capacity Unbundled Local Loop - STS-1 - Facility			UDLSX	1L5ND	13.33										
1	Termination per month			UDLSX	UDLS1	464.26	1,071.00	646.12					53.48	53.48		
LOOP MAKE				ODLOX	ODLOT	404.20	1,071.00	040.12					33.40	33.40		
1	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).			UMK	UMKLW		55.44	55.44					19.99	19.99	19.99	19.99
1	Loop Makeup - Preordering With Reservation, per spare facility															
$\vdash \vdash$	queried (Manual).			UMK	UMKLP		55.73	55.73					19.99	19.99	19.99	19.99
1	Loop MakeupWith or Without Reservation, per working or spare facility gueried (Mechanized)			UMK	UMKMQ		0.6960821	0.6960821								
LINE SHARIN	NG AND LINE SPLITTING		1	OWIX	OWNER		0.0300021	0.0300021								
	E 1: The Line Sharing monthly recurring rates for all installation	ns com	pleted f	rom October 02, 200	3 through m	idnight Octobe	r 01, 2004 shal	l be billed as f	ollows:							
	E 1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co	pper lo	op nor	n-designed ("UCLND	")											
	1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND															
	E 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND E 1: Above will apply to USOCS: ULSDT and ULSCT		-							-						
	TE 2: The Line Sharing monthly recurring rates with USOCs UL	SDC an	d UI SC	C applies only to cit	cuits install	ed and inservice	e on or before	October 1, 20	03							
	SHARING	1	1				00	0010201 1, 20	Ī							
SPLI	TTERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity				ULSDA	181.18	631.54	0.00					26.94	12.76		
	Line Sharing Splitter, per System 24 Line Capacity	-	<b> </b>	ULS ULS	ULSDB ULSD8	38.99 12.73	631.54 424.61	0.00	<del> </del>	1	<b> </b>		26.94 26.94	12.76 12.76		
$\vdash$	Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-	-	<del>                                     </del>	ULO	OLODA	12.73	424.61	0.00			1		26.94	12.76		
1 1	deactivation (per LSOD)			ULS	ULSDG		146.32	31.27					26.94	12.76		
END	USER ORDERING-CENTRAL OFFICE BASED LINE SHARING							2.72								
	Line Sharing - per Line Activation (BST Owned splitter) -															
<del></del>	OBSOLETE see **NOTE 2		<u> </u>	ULS	ULSDC	0.61	54.71	28.77			ļ		26.94	12.76		
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1															
1 1	(E:10/2/2003)			ULS	ULSDT	3.49	54.71	28.77								
	Line Share Service, TRO per line activation, BST owned splitter -		<u>†                                      </u>	0_0	22001	5.45	54.71	20.11								
	Central Office Located (50% of UCLND) - please see NOTE 1															
	(E:10/2/2004)			ULS	ULSDT	6.99	54.71	28.77			ļ					
	Line Share Service, TRO per line activation, BST owned splitter -															
,	Central Office Located (75% of UCLND) - please see NOTE 1			ULS	ULSDT	10.48	54.71	28.77								
		1		ULO	ULSD1	10.48	54./1	28.77								
	(E:10/2/2005)		l .								1					l
	(E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter			ULS	ULSDS		35.42	16.57					26.94	12.76		
	Line Sharing - per Subsequent Activity per Line			ULS	ULSDS		35.42	16.57					26.94	12.76		
	Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter			ULS ULS	ULSDS ULSCS		35.42 35.14	16.57 16.29					26.94 26.94	12.76 12.76		

UNBU	NDLE	D NETWORK ELEMENTS - North Carolina													ment: 2	1	ibit: A
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)		Sı		Svc Order Submitted Manually per LSR	Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Svo Order vs.
														Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
							B	Nonrec	urring	Nonrecurring Discon	nect			oss	Rates (\$)		
							Rec	First	Add'l	First Add	'l 5	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (25% of UCLND) - please see															
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	3.49	47.44	19.31								
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (50% of UCLND) - please see															
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	6.99	47.44	19.31								
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	10.48	47.44	19.31								
	I INE S	PLITTING			ULS	ULSCI	10.46	47.44	19.51						-	-	<del> </del>
		SER ORDERING-CENTRAL OFFICE BASED	<b>-</b>	<b>†</b>		+				+ + + + + + + + + + + + + + + + + + + +	-+				t	t	<del>                                     </del>
		Line Splitting - per line activation DLEC owned splitter		t	UEPSR UEPSB	UREOS	0.61			† †					1	1	
		Line Splitting - per line activation BST owned - physical		i –	UEPSR UEPSB	UREBP	0.61	56.92	28.59					26.94	12.76	1	
		Line Splitting - per line activation BST owned - virtual		i i	UEPSR UEPSB	UREBV	0.61	56.92	28.59					26.94	12.76	1	
	MAINT	ENANCE															
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
		No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
UNBUN		DEDICATED TRANSPORT															
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0125										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			011177	120/01	0.0120								1	1	<b>†</b>
		Facility Termination			U1TVX	U1TV2	18.00	137.48	52.58					38.07	38.07		
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0125										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat					40.00		=0.=0								
		Facility Termination			U1TVX	U1TR2	18.00	137.48	52.58					38.07	38.07		ļ
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			U1TVX	1L5XX	0.0405										
		Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			UTIVX	ILSAX	0.0125								-	-	<del> </del>
		- Facility Termination			U1TVX	U1TV4	22.16	106.11	65.95					22.32	22.32		
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile		1	OTTVX	01114	22.10	100.11	00.90					22.02	22.02		<del>                                     </del>
		per month			U1TDX	1L5XX	0.0282										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility													t	t	
		Termination		1	U1TDX	U1TD5	17.40	137.48	52.58					38.07	38.07	I	
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
		per month		L	U1TDX	1L5XX	0.0282										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility												l			
		Termination		<u> </u>	U1TDX	U1TD6	17.40	137.48	52.58					38.07	38.07	ļ	
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			LIATDA	41.577	0.5750								1	1	
		month		<u> </u>	U1TD1	1L5XX	0.5753			+ + + + + + + + + + + + + + + + + + + +				<b> </b>	<del>                                     </del>	<del>                                     </del>	<del> </del>
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination			U1TD1	U1TF1	71.29	217.17	163.75					38.07	38.07	1	
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		<del>                                     </del>	ועווטו	UTIFT	71.29	217.17	103.75	+ + + + + + + + + + + + + + + + + + + +	-+			38.07	38.07	<del>                                     </del>	<del>                                     </del>
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per Imonth		1	U1TD3	1L5XX	12.98								I	I	
		Interoffice Channel - Dedicated Transport - DS3 - Facility	<b>-</b>	<b>†</b>	0.100	ILUAA	12.30			+ + + + + + + + + + + + + + + + + + + +	-+				t	t	<del>                                     </del>
		Termination per month		1	U1TD3	U1TF3	720.38	794.94	579.55					91.26	91.26	I	
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per		t		1			2. 2.30					220	1	1	
		month			U1TS1	1L5XX	6.14								I	I	
		Interoffice Channel - Dedicated Transport - STS-1 - Facility															
		Termination		<u> </u>	U1TS1	U1TFS	790.37	642.23	408.89					53.48	53.48		
DARK F	IBER																
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction												l			
		Thereof per month - Interoffice Channel		<u> </u>	UDF, UDFCX	1L5DF	27.71								1	1	<u> </u>
		NRC Dark Fiber - Interoffice Channel		<u> </u>	UDF, UDFCX	UDF14		1,807.00	562.96						-	-	<b></b>
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			UDF. UDFCX	1L5DL	64.04								I	I	
		Thereof per month - Local Loop		<u> </u>			64.04	1 0 4 7 0 0	279.87		-+				1	1	<del>                                     </del>
		NRC Dark Fiber - Local Loop		1	UDF, UDFCX	UDFL4		1,347.00	2/9.8/	1				<u> </u>	1	1	

CATEGORY   RATE ELEMENTS   Infant   I	N	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	oit: A
STATE   LEMENTS   Interf   200   USB   U	. 4	TOTAL CALIFORNIA				1						Svc Order	Svc Order				Incremental
CATEGORY   RATE ELEMENTS   Indig   Const.   Co						1						1				Charge -	Charge -
ACCESS   TEN DIGIT SCREENING   Control   Con			Inter	1		1										Manual Svc	Manual Svc
No.   No.   Section   No.		RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			1	-			Order vs.	Order vs.
Mac   Non-recurring Disconnect   Solitary			m						(*)			per Lak	per Lak			Electronic-	Electronic-
Rec																	
NAC ACCESS TO FOUR SCIENCES, Personal Control of Cont																Disc 1st	Disc Add'l
December   December							Poc	Nonrec	urring		Disconnect						
SIX Access for the Secretaring, Neutralino Charge Per EXX   OHO   NSETX   7.55   0.95   2.254   14.35   14.3							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SXX Access Ten Digit Screening, Read State Digit Screening, Per BOX No. Established WID OHD   23,82, 2.73   41,35   41,35   50,000   50,																	
Number Reserved   CoxX-coss for Dig Screening, New DXX No. Established WID   COX Accoss for Dig Screening, New DXX No. Established WID   COX Accoss for Dig Screening, New DXX No. Established WID   COX Accoss for Dig Screening, Customack Pleas of Sentice   COX Accoss for Dig Screening, Customack Pleas of Sentice   COX Accoss for Dig Screening, Customack Pleas of Sentice   COX Accoss for Dig Screening, Uniting instruction Accoss for Dig Screening, Uniting instruction Accoss for Dig Screening, Uniting instruction Accoss for Dig Screening, Uniting instruction Accoss for Dig Screening, Uniting instruction Accoss for Dig Screening, Uniting instruction Accoss for Dig Screening, Uniting instruction Accoss for Dig Screening, Uniting instruction Accoss for Dig Screening, Configuration, Plant End Accoss for Dig Screening, Configuration, Plant End Accoss for Dig Screening, Configuration, Plant End Accoss for Dig Screening, Configuration, Plant End Accoss for Dig Screening, Configuration, Plant End Accoss for Dig Screening, Configuration, Plant End Accoss for Dig Screening, Configuration, Plant End Accoss for Dig Screening, Configuration, Plant End Accoss for					OHD		0.0005										
OXX Access Far Dig Screening, Per BXX No. Established With OHD																	
POTS Translations					OHD	N8R1X		7.05	0.96					26.94			
BOX Access Fan Digit Sovering, Per SAN No. Established With POTS Translations   OHD N8FTX   23.82   2.73   41.35																	
DOTS Translations					OHD			23.82	2.73					41.35			
SXX Access for Digit Screening, Unition Research (Access for Digit Screening), Minister National Access for Digit Screening, Minister National Access for Digit Screening, Minister National Access for Digit Screening, Minister National Access for Digit Screening, Charge Feet Request (Art Screening), Access for Digit Screening, Charge Feet Request (Art Screening), Call Fluriding and Destination Feet Reputation (Access for Digit Screening), Call Fluriding and Destination Feet Reputation (Art Screening), Call Fluriding and Destination Feet Reputation (Art Screening), Call Fluriding and Destination Feet Reputation (Art Screening), Call Fluriding and Destination Feet Reputation (Art Screening), Call Fluriding and Destination Feet Reputation (Art Screening), Call Fluriding and Destination (Ar					0.15												
Per 8XX Number					OHD	N8F1X		23.82	2.73					41.35			
SXX Access Ten Digit Screening, Multiple InterLATA CXR   OHD N8FMX   6.59 3.77					OLID	NOTOY		F 00	0.00	]							
Routing Per CDR Requested Per BXX No.			-	-	OHD	INSECX		5.63	2.82	<del>                                     </del>							
Six Access Far Digit Screening, Clin Heading and Desiration   OHD   NBFAX   8.01   0.96   25.94					OHD	NIOEMY		6 50	2 77								
SXX Access Far Digit Screening, Call Handling and Destination   OHD NBFDX			1	1						+		<del>                                     </del>	<b>-</b>	26.04			
Cost   Signaling Design Perf Cofe Nessage   UB   Cost   Signaling Design Perf Code per Cost   Cost	2XX	X Access Ten Digit Screening, Change Charge Fer Request	<del>                                     </del>	<del>                                     </del>	טווס	INOI AV		0.01	0.96	+		<del>                                     </del>	-	20.94	<del> </del>		
LINE NORMATION DATA BASE ACCESS (LIDB)					OHD	NSEDX		5.63									
LIDB Common Transport Per Query					OHD	INOI DX		3.03				<b>-</b>					
LIDB Validation Per Ouery   Cost   Change   Cost   Change   Cost   Cost   Change   Cost   Change   Cost   Cost   Change   Cost					OOT	+	0.00003					1					
SIGNALING (CSCF)   100																	
SIGNALING (CCS7)   Signaling Connection, Per link (A link)   UDB   TPP++   18.22   278.02   278.02   41.35						NRBPX		62.26						26.94	26.94		
CCS7 Signaling Connection, Per link (B link) (also known as D link)   UDB   TPP++   18.22   278.02   278.02   41.35   41.35   41.35   CCS7 Signaling Termination, Per STP Port   UDB   PTPSX   132.83   CCS7 Signaling Usage, Per ICAP Message   UDB   UDB   0.00009   CCS7 Signaling Usage, Per ICAP Message   UDB   UDB   0.00009   CCS7 Signaling Usage, Per ICAP Message   UDB   UDB   0.00009   CCS7 Signaling Usage, Per ICAP Message   UDB   0.00009   CCS7 Signaling Usage, Per ICAP Message   UDB   0.00009   CCS7 Signaling Usage, Per ICAP Message   UDB   0.00009   CCS7 Signaling Usage, Per ICAP Message   UDB   0.00009   CCS7 Signaling Usage, Per ICAP Message   UDB   0.00009   CCS7 Signaling Point Code, Per Signaling Point Code   CCS7 Signaling Point Code, Per Signaling Point Code   CCS7 Signaling Point Code, Per Signaling Point Code   UDB   CCAPO   0.00   0.00009   19.99   1					,												
Inix   UDB   TPP++	CCS	CS7 Signaling Connection, Per link (A link)			UDB	TPP++	18.22	278.02	278.02					41.35	41.35		
CCSF Signaling Termination   Per STP Port   UDB   PT8SX   132,83	CCS	CS7 Signaling Connection, Per link (B link) (also known as D															
CCST Signaling Usage, Per TGAP Message								278.02	278.02					41.35	41.35		
CCSF Signaling Usage Per TCAP Message						PT8SX											
CCS7 Signaling Usage Surrogate, per link per LATA																	
CCSF Signaling Point Code, per Originating Point Code   UDB   CCAPO   40.00   40.00   19.99						071150											
Establishment or Change, per STP affected			-	-	UDB	\$1056	338.98										
CCS7 Signaling Point Code, per Destination Point Code   UDB   CCAPD   8.00   8.00   19.99					LIDB	CCARO		40.00	40.00					10.00	10.00		
Establishment or Change, Per Stp Affected			-	-	UDB	CCAPO		40.00	40.00			-		19.99	19.99		
E911 SERVICE					LIDB	CCAPD		8.00	8.00					19 99	19 99		
Local Channel - Dedicated - 2-wr Voice Grade - Zone 1   1   11.24   553.90   89.69   42.17   12.76	_010	nabilistiment of change, i or orp / incored			ODD	00/11/2		0.00	0.00					10.00	10.00		
Local Channel - Dedicated - 2-wr Voice Grade - Zone 2   2   19.91   553.80   89.89   42.17   12.76	_oc	cal Channel - Dedicated - 2-wr Voice Grade - Zone 1		1			11.24	553.80	89.69					42.17	12.76		
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile   0.0282   18.00   137.48   52.58   38.07   38.07   38.07   18.00   137.48   52.58   38.07   38.07   38.07   19.00   1				2			19.91	553.80	89.69					42.17	12.76		
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination	_oc	cal Channel - Dedicated - 2-wr Voice Grade - Zone 3		3			31.70	553.80	89.69					42.17	12.76		
Termination							0.0282										
Local Channel - Dedicated - DS1 - Zone 1											-						
Local Channel - Dedicated - DS1 - Zone 2   2   47.94   534.48   462.69   86.15   1.77			ļ			1											
Local Channel - Dedicated - DS1 - Zone 3   3   76.32   534.48   482.69   86.15   1.77     Interoffice Transport - Dedicated - DS1 Per Mile   0.5753   1.77     Interoffice Transport - Dedicated - DS1 Per Facility Termination   71.29   217.17   163.75   38.07   38.07     Interoffice Transport - Dedicated - DS1 Per Facility Termination   71.29   217.17   163.75   38.07   38.07     CALLING NAME (CNAM) SERVICE						1											
Interoffice Transport - Dedicated - DS1 Per Mile			ļ														
Interoffice Transport - Dedicated - DS1 Per Facility Termination  CALLING NAME (CNAM) SERVICE  CNAM For DB Owners - Service Establishment  OQV  75.62  CNAM For Non DB Owners - Service Establishment  OQV  75.62  CNAM For DB Owners - Service Provisioning With Point Code Establishment (Initial)  CNAM For DB Owners - Service Provisioning With Point Code Establishment (Subsequent)  CNAM For Non DB Owners - Service Provisioning With Point Code Establishment (Initial)  OQV  1,739.00  CNAM For Non DB Owners - Service Provisioning With Point Code Establishment (Initial)  OQV  1,739.00  CNAM For Non DB Owners - Service Provisioning With Point Code Establishment (Subsequent)  OQV  768.44  OQV  768.44  OQV  ONOM9592  SELECTIVE ROUTING			<b> </b>	3		+		534.48	462.69					86.15	1.77		
CALLING NAME (CNAM) SERVICE  CNAM For DB Owners - Service Establishment CNAM For Non DB Owners - Service Establishment CNAM For DB Owners - Service Provisioning With Point Code Establishment (Initial) CNAM For DB Owners - Service Provisioning With Point Code Establishment (Subsequent) CNAM For DB Owners - Service Provisioning With Point Code Establishment (Subsequent) CNAM For Non DB Owners - Service Provisioning With Point Code Establishment (Initial) CNAM For Non DB Owners - Service Provisioning With Point Code Establishment (Subsequent) CNAM For Non DB Owners - Service Provisioning With Point Code Establishment (Subsequent) CNAM For Non DB Owners - Service Provisioning With Point Code Establishment (Subsequent) CNAM For Non DB Owners - Service Provisioning With Point CODE Establishment (Subsequent) CNAM For Non DB Owners - Service Provisioning With Point CODE Establishment (Subsequent) CNAM For Non DB Owners - Service Provisioning With Point CODE Establishment (Subsequent) CNAM For Non DB Owners - Service Provisioning With Point CODE Establishment (Subsequent) CNAM For Non DB Owners - Service Provisioning With Point CODE Establishment (Subsequent) OQV ONOWSED  SELECTIVE ROUTING	nte	eronice transport - Dedicated - DS1 Per Mile	1			+	0.5/53			<del>                                     </del>		1	-	-			
CALLING NAME (CNAM) SERVICE  CNAM For DB Owners - Service Establishment CNAM For Non DB Owners - Service Establishment CNAM For DB Owners - Service Provisioning With Point Code Establishment (Initial) CNAM For DB Owners - Service Provisioning With Point Code Establishment (Subsequent) CNAM For DB Owners - Service Provisioning With Point Code Establishment (Subsequent) CNAM For Non DB Owners - Service Provisioning With Point Code Establishment (Initial) CNAM For Non DB Owners - Service Provisioning With Point Code Establishment (Subsequent) CNAM For Non DB Owners - Service Provisioning With Point Code Establishment (Subsequent) CNAM For Non DB Owners - Service Provisioning With Point Code Establishment (Subsequent) CNAM For Non DB Owners - Service Provisioning With Point CODE Establishment (Subsequent) CNAM For Non DB Owners - Service Provisioning With Point CODE Establishment (Subsequent) CNAM For Non DB Owners - Service Provisioning With Point CODE Establishment (Subsequent) CNAM For Non DB Owners - Service Provisioning With Point CODE Establishment (Subsequent) CNAM For Non DB Owners - Service Provisioning With Point CODE Establishment (Subsequent) OQV ONOWSED  SELECTIVE ROUTING	nto	eroffice Transport - Dedicated - DS1 Per Facility Termination				1	71 20	217 17	163 75					38 07	38.07		
CNAM For DB Owners - Service Establishment OQV T5.62 CNAM For Non DB Owners - Service Establishment OQV T5.62 CNAM For DB Owners - Service Provisioning With Point Code Establishment (Initial) OQV 2,354.00 CNAM For DB Owners - Service Provisioning With Point Code Establishment (Subsequent) OQV 1,739.00 CNAM For Non DB Owners - Service Provisioning With Point Code Establishment (Initial) OQV 1,739.00 1,739.00 CNAM For Non DB Owners - Service Provisioning With Point Code Establishment (Initial) OQV 1,072.00 CNAM For Non DB Owners - Service Provisioning With Point Code Establishment (Subsequent) OQV 768.44 OQV 768.44 OQV O.0009592 SELECTIVE ROUTING			1			+	11.29	211.11	103.75			<b>H</b>		30.07	30.07		
CNAM For Non DB Owners - Service Establishment CNAM For DB Owners - Service Provisioning With Point Code Establishment (Initial) CNAM For DB Owners - Service Provisioning With Point Code Establishment (Subsequent) CNAM For Non DB Owners - Service Provisioning With Point Code Establishment (Initial) CNAM For Non DB Owners - Service Provisioning With Point Code Establishment (Initial) CNAM For Non DB Owners - Service Provisioning With Point Code Establishment (Subsequent) CNAM For Non DB Owners - Service Provisioning With Point Code Establishment (Subsequent) CNAM For Non DB Owners - Service Provisioning With Point Code Establishment (Subsequent) CNAM For DB & Non DB Owners, Per Query  SELECTIVE ROUTING			<del>                                     </del>	<del>                                     </del>	OOV	+		75.62									
CNAM For DB Owners - Service Provisioning With Point Code   Establishment (Initial)			<b>1</b>			1									1		
Establishment (Initial)			1			1				†			İ	l	İ		
CNAM For DB Owners - Service Provisioning With Point Code Establishment (Subsequent)  CNAM For Non DB Owners - Service Provisioning With Point Code Establishment (Initial)  CNAM For Non DB Owners - Service Provisioning With Point Code Establishment (Initial)  CNAM For Non DB Owners - Service Provisioning With Point Code Establishment (Subsequent)  CODY  TORNAM For Non DB Owners - Service Provisioning With Point Code Establishment (Subsequent)  OQV  TORNAM For Non DB Owners - Service Provisioning With Point Code Establishment (Subsequent)  OQV  TORNAM FOR DB & Non DB Owners, Per Query  SELECTIVE ROUTING	Esta	stablishment (Initial)			OQV	1		2,354.00	2,354.00	]							
CNAM For Non DB Owners - Service Provisioning With Point Code Establishment (Initial)  CNAM For Non DB Owners - Service Provisioning With Point Code Establishment (Subsequent)  CNAM For DB & Non DB Owners, Per Query  SELECTIVE ROUTING	CNA	NAM For DB Owners - Service Provisioning With Point Code															
Code Establishment (Initial)			<u> </u>	L	OQV			1,739.00	1,739.00								
CNAM For Non DB Owners - Service Provisioning With Point   Code Establishment (Subsequent)   OQV   768.44   768.44     OQV   O.0009592   SELECTIVE ROUTING   OQV   O.0009592											-						
Code Establishment (Subsequent)					OQV	1		1,072.00	1,072.00								
CNAM for DB & Non DB Owners, Per Query OQV 0.0009592 SELECTIVE ROUTING						1		. 7		Ι Τ							
SELECTIVE ROUTING			ļ				0.0000#	768.44	768.44								
			<b>!</b>	-	UQV	+	0.0009592										
		HING elective Routing Per Unique Line Class Code Per Request Per	1			+				<del>                                     </del>		-		1	-		
Selective Routing Fer Unique Line Class Code Fer Request Fer			1			1		188 50		]				26.04	12.76		

UNBUN	DLE	NETWORK ELEMENTS - North Carolina												Attachi	nent: 2	Exhi	bit: A
														Incremental		Incremental	Incremental
												Submitted Elec	Submitted Manually	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									por Lore	por Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
<b>—</b>						+		Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		<u> </u>
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
VIRTUAL	COL	OCATION															
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
DHACICA	1 00	Splitting LOCATION			UEPSR UEPSB	VE1LS	0.0287	33.96	32.08	0.00	0.00			19.99	19.99		
PHISICA	IL CO	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
		Splitting			UEPSR UEPSB	PE1LS	0.0309	33.53	31.65	0.00	0.00			19.99	19.99		i l
AIN SELE	ECTIV	E CARRIER ROUTING															
		Regional Service Establishment			SRC	SRCEC		215,597.00									$\vdash$
-		End Office Establishment Query NRC, per query		-	SRC SRC	SRCEO	0.0053758	347.27									
AIN - BEL	LLSOI	JTH AIN SMS ACCESS SERVICE			SRC		0.0053756										
		AIN SMS Access Service - Service Establishment, Per State,															
		Initial Setup			A1N	CAMSE		294.77									
		ANN 0110 A															i l
$\vdash$		AIN SMS Access Service - Port Connection - Dial/Shared Access AIN SMS Access Service - Port Connection - ISDN Access			A1N A1N	CAMDP CAM1P		86.94 86.94									<del>                                     </del>
		AIN SMS Access Service - Port Confriedtion - ISBN Access AIN SMS Access Service - User Identification Codes - Per User			AIN	CAIVITE		00.54									
		ID Code			A1N	CAMAU		200.83									1
		AIN SMS Access Service - Security Card, Per User ID Code,															
		Initial or Replacement			A1N	CAMRC		172.05									
<b>—</b>		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) AIN SMS Access Service - Session, Per Minute				1	0.0023 0.0791										<b> </b>
		AIN SMS Access Service - Session, Fer William Session, Per				+	0.0791										
		Minute					2.08										1
AIN - BEL	LLSO	JTH AIN TOOLKIT SERVICE															
		AIN Toolkit Service - Service Establishment Charge, Per State,															i l
$\vdash$		Initial Setup AIN Toolkit Service - Training Session, Per Customer			CAM	BAPSC BAPVX		290.05 8,363.00									$\vdash$
		AIN Toolkit Service - Training Session, Fer Customer  AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAF VA		0,303.00									
		DN, Term. Attempt				BAPTT		72.76									1
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
<b>—</b>		DN, Off-Hook Delay		-		BAPTD		72.76									
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		72.76									1
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAI TIVI		12.10									
		DN, 10-Digit PODP				BAPTO		149.95									i l
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															i
-		DN, CDP				BAPTC		149.95									
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		149.95									i l
		AIN Toolkit Service - Query Charge, Per Query				DAFII	0.02	149.93									
		AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
		Subscription, Per Node, Per Query					0.005										
		AIN Toolkit Service - SCP Storage Charge, Per SMS Access					4.45										1
$\vdash$		Account, Per 100 Kilobytes AIN Toolkit Service - Monthly report - Per AIN Toolkit Service				+	1.45										<del>                                     </del>
		Subscription			CAM	BAPMS	15.98	71.80									i l
		AIN Toolkit Service - Special Study - Per AIN Toolkit Service															
		Subscription			CAM	BAPLS	0.08	47.20									
		AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			CANA	DADDC	45.00	74.00									i l
$\vdash$		Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit		1	CAM	BAPDS	15.90	71.80									$\vdash$
		Service Subscription			CAM	BAPES	0.003	47.20									i I
ENHANC	ED E	TENDED LINK (EELs)															
N	OTE:	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charg	e will not app	ly for UNE con	nbinations pro	visioned as ' C	rdinarily Comb	ined' Network	Elements.					
N -	OTE:	The monthly recurring and the Switch-As-Is Charge and not t TED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	he non-	recurri	ng charges below v	vill apply for	UNE combinati	ons provisione	ed as ' Current	y Combined' N	letwork Eleme	nts.					$\vdash$
<del>                                     </del>	AIEN	First 2-Wire VG Loop (SL2) in Combination - Zone 1	בט עצ		UNCVX	UEAL2	14.97	142.97	106.56					38.07	38.07		$\vdash$
		First 2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	25.93	142.97	106.56					38.07	38.07		$\vdash$
								=									

CATEGORY   RATE ELEMENTS   Marie   Zone   BCB   USOC   RATE (6)   Section   Company	UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
CATEGORY   BATE ELEMENTS   Disable												Svc Order	Svc Order				Incremental
## BCS   USC   PATE (I)   White Part   White												I .				Charge -	Charge -
## APT ELEMENTS   Mr. Zone   BCG   USC   F.K.Y.E.G.)   part 1.50			Interi														Manual Svc
Recommendation	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			I .	-				Order vs.
Second   S			m									per Lore	per Lore				Electronic-
Page   Page																	Disc Add'l
Part   Print   April   Print   April   Print   April   Print   April   Print   April   South																Disc 1st	Disc Add I
Part   Abril   Part   Part   Abril   Part							Rec										
Interestive Transport - Designation - District - Section - Secti										First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
Description   Description				3	UNCVX	UEAL2	40.81	142.97	106.56			ļ		38.07	38.07		
Interestities Transports - Problemed - Dist Contribution - Facility   NCCKX   UTT   71,28   217,7   183,75					11041/	41.500/	0.5750										
Temperature part month	<b>—</b>		-	-	UNCTX	1L5XX	0.5753					1					
10 Charmelization System in combination (PM Month)					11041/		74.00	047.47	400.75					00.07	00.07		
Vesco Genes COCC - Pet More   1	<b>-</b>											<b> </b>		38.07	38.07		
Each Additional Z-Wiley KU Loop (St. Z) in Combination - Zone 1   1 UNCVX	<b>-</b>											<b> </b>					
Each Additional 2-Wire Vol. Loog (St. 2) in Combination - Zone 2   2 UNDYX	h + + -	Voice Grade COCI - Per Month	1	-	UNCVX	IDIVG	1.27	13.09	9.30	1		1			-		
Each Additional 2-Wire Vol. Loog (St. 2) in Combination - Zone 2   2 UNDYX		Fach Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	LINCVY	HEΔI 2	1/1 07	1/12 07	106 56					38.07	38.07		
Enth-Additional 2-Wire Vol. Long (St. 2) in Combination - Zone 3 3 UNCVX UEAL 2 40.81 142-97 100.60 30 36.07	<del> </del>	Lacit Additional 2-wife vo Loop (GL 2) in Combination - Zone 1		<u> </u>	ONOVA	OLALZ	14.57	142.51	100.50			<u> </u>		30.07	30.07		
Enth-Additional 2-Wire Vol. Long (St. 2) in Combination - Zone 3 3 UNCVX UEAL 2 40.81 142-97 100.60 30 36.07		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2	1	2	UNCVX	UEAL2	25 93	142 97	106 56					38.07	38.07		
Vision Grade COCK: Per Memin		2001 / Marional 2 11110 10 Loop (OL 2) III Combination - Zone 2			5.15VA	JL/ LL	20.93	1-2.31	100.00	1				55.07	55.07		
Vision Grade COCK: Per Memin		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3	1	3	UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		
Nonrecurring Currently Combined Network Elements Switch -As-   UNCIX				Ť		1D1VG						İ					
Incompage   UNICIX												İ					
First 4-Wire Analog Voice Grade Loop in Combination - Zone 1					UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
First 4-Wire Analog Voice Grade Loop in Combination - Zone 2	EXTEN	IDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS	1 INTER	ROFFICE TRANSPO	ORT											
First 4-Wire Analog Voice Grade Loop in Combination - Zone 2																	
First 4-Wire Analog Voice Grade Loop in Combination - Zone 3   3 UNCVX   UEAL4   56.57   288.47   237.45   38.07   3		First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
First 4-Wire Analog Voice Grade Loop in Combination - Zone 3																	
First 4-Wire Analog Voice Grade Loop in Combination - Zone 3   3 UNCVX   UEAL4   56.57   288.47   237.45   38.07   3		First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
Interdifice Transport - Dedicated - DS1 - Combination - Per Mile   Per Month   Interdifice Transport - Dedicated - DS1 - Facility Termination Per Month   UNC1X   U1TF1   71.29   217.17   163.75   38.07														ĺ			
Per Month   Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month   UNC1X				3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
Interoffice Transport - Dedicated - DS1 - Facility Tremination Per		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
Month		Per Month			UNC1X	1L5XX	0.5753										
10 Channel System in combination Per Month																	
Voice Grade COCI in combination - per month														38.07	38.07		
Additional 4-Wire Analog Voice Grade Loop in same DS1		1/0 Channel System in combination Per Month			UNC1X	MQ1	146.69	197.78	140.06								
Interoffice Transport Combination - Zone 1					UNCVX	1D1VG	1.27	13.09	9.38								
Additional 4-Wire Analog Voice Grade Loop in same DS1		Additional 4-Wire Analog Voice Grade Loop in same DS1															
Interoffice Transport Combination - Zone 2				1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
Additional 4-Wire Analog Voice Grade Loop in same DS1   Interoffice Transport Combination - Zone 3   3   UNCVX   UEAL4   56.57   288.47   237.45   38.07   38.07   38.07   38.07   Additional Voice Grade COCI in combination - per month   UNCVX   IDIVIG   1.27   13.09   9.38																	
Interoffice Transport Combination - Zone 3   3 UNCVX   UEAL4   56.57   288.47   237.45   38.07   38.				2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
Additional Voice Grade COCI in combination - per month   UNCVX   1D1VG   1.27   13.09   9.38																	
Nonrecurring Currently Combined Network Elements Switch -As-   UNC1X				3										38.07	38.07		
Is Charge					UNCVX	1D1VG	1.27	13.09	9.38								
EXTENDED 4-Wire 56KBps EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT			1														
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	EVTE		CATES	DC4 157				21.75	21.75	32.28	10.96			38.07	38.07	<b> </b>	
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL56 43.11 489.04 337.51 38.07 38.07 38.07  First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 67.26 489.04 337.51 38.07 38.07 38.07  Interoffice Transport - Dedicated - DS1 - combination - Per Mile Per Month UNC1X 1L5XX 0.5753 UNCDX UDL56 0.5753 UNCDX UDL56 UNC1X UTF1 71.29 217.17 163.75 38.07 38.07 38.07  1/0 Channel System in combination Per Month UNC1X MQ1 146.69 197.78 140.06 UNCDX 1D1DD 2.00 15.76 11.28 UNCDX 1D1DD 2.00 15.76 11.28 UNCDX 1D1DD 2.00 15.76 11.28 UNCDX UDL56 25.32 489.04 337.51 38.07 38.07  Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 43.11 489.04 337.51 38.07 38.07  Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 67.26 489.04 337.51 38.07 38.07  Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 3 UNCDX UDL56 67.26 489.04 337.51 38.07 38.07  Additional OCU-DP COCI (data) in combination per month (2.4-	EXIE	NDED 4-WIKE 30 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	UST IN	I EKUFFICE IRAN	SPUKI				ļ		ļ	-	-	1		
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL56 43.11 489.04 337.51 38.07 38.07 38.07  First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 67.26 489.04 337.51 38.07 38.07 38.07  Interoffice Transport - Dedicated - DS1 - combination - Per Mile Per Month UNC1X 1L5XX 0.5753 UNCDX UDL56 0.5753 UNCDX UDL56 UNC1X UTF1 71.29 217.17 163.75 38.07 38.07 38.07  1/0 Channel System in combination Per Month UNC1X MQ1 146.69 197.78 140.06 UNCDX 1D1DD 2.00 15.76 11.28 UNCDX 1D1DD 2.00 15.76 11.28 UNCDX 1D1DD 2.00 15.76 11.28 UNCDX UDL56 25.32 489.04 337.51 38.07 38.07  Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 43.11 489.04 337.51 38.07 38.07  Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 67.26 489.04 337.51 38.07 38.07  Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 3 UNCDX UDL56 67.26 489.04 337.51 38.07 38.07  Additional OCU-DP COCI (data) in combination per month (2.4-		First 4 Wire 56Khas Digital Grade Lean in Combination 7-1-4	1	4	LINCDY	LIDLES	25.20	400.04	227.54					20.07	20.07		
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3   3 UNCDX   UDL56   67.26   489.04   337.51   38.07	$\vdash$	riist 4-vviile bokops Digital Grade Loop in Combination - Zone 1	1	1	UNCDA	UDLOO	25.32	489.04	331.51	1				38.07	38.07	-	
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3   3 UNCDX   UDL56   67.26   489.04   337.51   38.07		First 4-Wire 56Khos Digital Grade Loop in Combination 7000.2		2	LINCDY	LIDL56	/3 11	480 04	337 51					38.07	38.07		
Interoffice Transport - Dedicated - DS1 combination - Per Mile   Per Month   UNC1X   1L5XX   0.5753   Interoffice Transport - Dedicated - DS1 - combination Facility   Termination Per Month   UNC1X   U1TF1   71.29   217.17   163.75   38.07   38.	$\vdash$	1 1131 4- VVIII O SONDES DIGITAL GIAGE LOOP III COMBINATION - ZONE Z	1		OINODA	ODESO	40.11	403.04	331.31	+		<b> </b>	<b>-</b>	30.07	30.07		
Interoffice Transport - Dedicated - DS1 combination - Per Mile   Per Month   UNC1X   1L5XX   0.5753   Uncolor   UNC1X   U1TF1   T1.29   217.17   163.75   38.07   38		First 4-Wire 56Khns Digital Grade Loop in Combination Zone 2	1	2	LINCDX	LIDL56	67.26	480 U4	227 51					38.07	38.07		
Per Month   UNC1X   1L5XX   0.5753	<del>                                     </del>		1	٥	סואטטא	UDEJO	01.20	409.04	331.31	1	<b> </b>	1		30.07	30.07	<b>l</b>	
Interoffice Transport - Dedicated - DS1 - combination Facility   Termination Per Month   UNC1X   U1TF1   71.29   217.17   163.75   38.07   3					UNC1X	11.5XX	0.5753								1		
Termination Per Month				t	5517	. 20/01	0.07.00			1					<u> </u>		
1/0 Channel System in combination Per Month					UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
OCU-DP COCÍ (data) per month (2.4-64kbs)			<b>†</b>	t		_				1		1		33.51	55.57	<b> </b>	
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1   Interoffice Transport Combination - Zone 1   UNCDX   UDL56   25.32   489.04   337.51   38.07   38.07   38.07										İ	İ			i	1	i	
Interoffice Transport Combination - Zone 1			l –			12.22	2.00		20	1	İ			İ	1	İ	
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1   Interoffice Transport Combination - Zone 2   2 UNCDX   UDL56   43.11   489.04   337.51   38.07   38.07   38.07     Additional 4-Wire 56Kbps Digital Grade Loop in same DS1   Interoffice Transport Combination - Zone 3   3 UNCDX   UDL56   67.26   489.04   337.51   38.07   38.07     Additional OCU-DP COCI (data) - in combination per month (2.4-				1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		
Interoffice Transport Combination - Zone 2			t						22.101	1				22.01	22.01		
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3  UNCDX UDL56 67.26 489.04 337.51 38.07 38.07			1	2	UNCDX	UDL56	43.11	489.04	337.51				1	38.07	38.07		
Interoffice Transport Combination - Zone 3			1		_	1				1	l	1	İ	1	1	l	
Additional OCU-DP COCI (data) - in combination per month (2.4-				3	UNCDX	UDL56	67.26	489.04	337.51					38.07	38.07		
		64kbs)	1	1	UNCDX	1D1DD	2.00	15.76	11.28				1		I		

UNBUNDL	ED NETWORK ELEMENTS - North Carolina													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			I .	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
			ļ			Rec	Nonrec		Nonrecurring			·		Rates (\$)		
	Name and the Comment of Comments of National Flaments Contain As	-	1				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ı İ	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
FXTE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIG	CATED	DS1 IN				21.75	21.75	32.20	10.96			36.07	36.07		
		1	1	T	1						i e					
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51					38.07	38.07		
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07		
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCDX	ODL04	07.20	409.04	337.31					36.07	36.07		
	Per Month			UNC1X	1L5XX	0.5753										
	interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	1/0 Channel System in combination Per Month			UNC1X	MQ1	146.69	197.78	140.06								
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)		ļ	UNCDX	1D1DD	2.00	15.76	11.28								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51					38.07	38.07		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		-	UNCDA	UDL64	25.32	409.04	337.31					36.07	36.07		
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07		
	Additional OCU-DP COCI (data) - in combination - per month															
	(2.4-64kbs)		ļ	UNCDX	1D1DD	2.00	15.76	11.28								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.06			38.07	38.07		
EYTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER				21.75	21.75	32.28	10.96			38.07	38.07		
LATE	4-Wire DS1 Digital Loop in Combination - Zone 1	LD DO.		UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month		1	UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-		1	UNCIA	UTIFT	71.29	217.17	163.75					30.07	36.07		
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER													
	First DS1Loop in Combination - Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	First DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	12.98										
-+	Interoffice Transport - Dedicated - DS3 - Facility Termination per		<b>t</b>	UNUSA	ILUAA	12.38			+ -		<del>                                     </del>					-
	month			UNC3X	U1TF3	720.38	794.94	579.55					38.07	38.07		
	3/1Channel System in combination per month		L	UNC3X	MQ3	233.10	403.97	234.40								
	DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
	Additional DS1Loop in DS3 Interoffice Transport Combination -		l			l T			1							
	Zone 1	-	1	UNC1X	USLXX	47.60	714.84	421.47	1		ļ		38.07	38.07		ļ
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
	Additional DS1Loop in DS3 Interoffice Transport Combination -			0.101/	COLON	04.50	717.04	721.77	† †		1		30.07	30.07		-
		1	3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
	Zone 3						13.09	9.38			1					
	Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	0.00								
	Additional DS1 COCI in combination per month  Nonrecurring Currently Combined Network Elements Switch -As-					16.07										
	Additoinal DS1 COCI in combination per month  Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC3X	UNCCC	16.07	21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	Additional DS1 COCI in combination per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE		E INTE	UNC3X ROFFICE TRANSPO	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	Additoinal DS1 COCI in combination per month  Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC3X	UNCCC	14.97 25.93			32.28	10.96			38.07	38.07		

UNBU	NDLE	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		····	m						(+)			per Lak	per LSK				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						1	_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		
				1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per		1													
		Month			UNCVX	1L5XX	0.0282										
		Interoffice Transport - 2-wire VG - Dedicated - Facility			0.10171	120/01	0.0202					1					
		Termination per month			UNCVX	U1TV2	18.00	137.48	52.58					38.07	38.07		
		Nonrecurring Currently Combined Network Elements Switch -As-		1	0.1017	02	10.00	107.10	02.00			<b>†</b>		00.07	00.01		
		Is Charge			UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	FXTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	FINTE				21.70	21.70	02.20	10.00	<b>†</b>		00.07	00.07		
	LX I LIV	4-WireVG Loop in combination - Zone 1	I	1 1	UNCVX	UEAL4	21.32	288.47	237.45			<b>†</b>					
		4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45			1					
		4-WireVG Loop in combination - Zone 3			UNCVX	UEAL4	56.57	288.47	237.45			1					
		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per		3	UNCVA	ULAL4	30.37	200.47	237.43			1					+
		Month	1	1	UNCVX	1L5XX	0.0282						1				
$\vdash$		Interoffice Transport - 4-wire VG - Dedicated - Facility	<del>                                     </del>	<del>                                     </del>	0140 4 /	ILUAA	0.0202			<del>                                     </del>	<b> </b>	<b>H</b>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	+
		Termination per month			UNCVX	U1TV4	22.16	106.11	65.95					38.07	38.07		
$\vdash$				<del>                                     </del>	UNCVA	01174	22.10	106.11	05.95			-		30.07	36.07		
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
$\vdash$	CVTCN	IS Charge DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INITED	) FFICE		UNCCC		21.75	21.75	32.28	10.96	-		38.07	38.07		
$\vdash$	EXIEN	DS3 Local Loop in combination - per mile per month	INTERC	JFFICE	UNC3X	1L5ND	13.33					-					
		DS3 Local Loop in combination - per mile per month		<del>                                     </del>	UNC3X	ILOND	13.33										
		DOOL II I II			LINIOOV	LIEODY	450.00	4 074 00	040.40								
		DS3 Local Loop in combination - Facility Termination per month		<del>                                     </del>	UNC3X	UE3PX	450.69	1,071.00	646.12								
L		Interoffice Transport - Dedicated - DS3 - Per Mile per month		_	UNC3X	1L5XX	12.98										
		Interoffice Transport - Dedicated - DS3 combination - Facility					=	=0.4.0.4									
		Termination per month		ļ	UNC3X	U1TF3	720.38	794.94	579.55					38.07	38.07		
		Nonrecurring Currently Combined Network Elements Switch -As-	1														
		Is Charge			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
L	EXIEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 IN I	EROFF		41 = 110	10.00										
		STS-1 Local Lolp in combination - per mile per month		_	UNCSX	1L5ND	13.33										
		STS-1 Local Loop in combination - Facility Termination per															
		month			UNCSX	UDLS1	464.26	1,071.00	646.12								
		Interoffice Transport - Dedicated - STS-1 combination - per mile															
		per month			UNCSX	1L5XX	6.14										
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month			UNCSX	U1TFS	790.37	642.23	408.89					38.07	38.07		
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
		Is Charge			UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
igsquare	EXTEN	DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	ETRAN											ļ	ļ		<b></b>
		First 2-Wire ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	19.42	325.91	251.31					38.07	38.07		
		First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	32.88	325.91	251.31					38.07	38.07		
		First 2-Wire ISDN Loop in Combination - Zone 3	ļ	3	UNCNX	U1L2X	51.14	325.91	251.31					38.07	38.07		
		Interoffice Transport - Dedicated - DS1 combination - per mile	1														1
		per month			UNC1X	1L5XX	0.5753										
		Interoffice Transport - Dedicated - DS1 combination - Facility															
		Termination per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
$oxed{\Box}$		1/0 Channel System in combination - per month		oxdot	UNC1X	MQ1	146.69	197.78	140.06								
		2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	3.59	15.76	11.28								
T		Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1													l	1
		Combination - Zone 1		1	UNCNX	U1L2X	19.42	325.91	251.31					38.07	38.07		<u> </u>
T		Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1													l	1
		Combination - Zone 2	<u> </u>	2	UNCNX	U1L2X	32.88	325.91	251.31		<u></u>			38.07	38.07	<u></u>	<u> </u>
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
I		Combination - Zone 3	<u></u>	3	UNCNX	U1L2X	51.14	325.91	251.31	<u>                                      </u>	<u> </u>	<u></u>	<u> </u>	38.07	38.07	<u> </u>	<u> </u>
		Additional 2-wire ISDN COCI (BRITE) - in combination- per															
		month	1	1	UNCNX	UC1CA	3.59	15.76	11.28				1				
		Nonrecurring Currently Combined Network Elements Switch -As-	1	1		1								ĺ	ĺ		1
		Is Charge	1	1	UNC1X	UNCCC		21.75	21.75	32.28	10.96		1	38.07	38.07		
	EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INTE									İ				1
	Ĩ	First DS1 Loop Combination - Zone 1			UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		1
-		First DS1 Loop Combination - Zone 2	1	2	UNC1X	USLXX	84.36	714.84	421.47				İ	38.07	38.07		1
					UNC1X	USLXX	134.29	714.84	421.47		<b>-</b>		-	38.07	38.07		+

	D NETWORK ELEMENTS - North Carolina													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
i l	Interoffice Transport - Dedicated - STS-1 combination - Per Mile								1							
	Per Month			UNCSX	1L5XX	6.14										ļ
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	790.37	642.23	408.89					38.07	38.07		
	3/1 Channel System in combination per month			UNCSX	MQ3	233.10	403.97	234.40								
	DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
i	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 1 Additional DS1Loop in the same STS-1 Interoffice Transport		1	UNC1X	USLXX	47.60	714.84	421.47				<u> </u>	38.07	38.07		<del>                                     </del>
	Combination - Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47				<u> </u>	38.07	38.07		
ı l	Additional DS1Loop in the same STS-1 Interoffice Transport	l		LINGAY	LICLYY	404.00	74404	404 47				1	20.07	20.07		
	Combination - Zone 3	-	3	UNC1X	USLXX UC1D1	134.29 16.07	714.84 13.09	421.47 9.38	<del>                                     </del>		-	<del>                                     </del>	38.07	38.07	-	
+-	DS1 COCI in combination per month  Nonrecurring Currently Combined Network Elements Switch -As-	<del>                                     </del>	-	UNC1X	ולנוטט	76.07	13.09	9.38	<del>                                     </del>		1	<del>                                     </del>	<b> </b>	-	<b> </b>	<del>                                     </del>
i l	Is Charge	1		LINICOV	UNCCC		24.75	24.75	22.20	10.96			20.07	38.07		
EVTEN	IIS Charge IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	DC INIT	EBOE	UNCSX	UNCCC		21.75	21.75	32.28	10.96		<del>                                     </del>	38.07	38.07	<del> </del>	<del>                                     </del>
EVIEN	4-wire 56 kbps Local Loop in combination - Zone 1	,,-3 INT		UNCDX	UDL56	25.32	489.04	337.51	<del>                                     </del>		<b>H</b>	<del></del>	<del>                                     </del>	l	<del>                                     </del>	<del></del>
-+-	4-wire 56 kbps Local Loop in combination - Zone 2	<b>-</b>		UNCDX	UDL56	43.11	489.04	337.51	<del>                                     </del>		<b>-</b>	<del>                                     </del>	<b> </b>		<b> </b>	<del>                                     </del>
$\leftarrow$	4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	67.26	489.04	337.51				$\vdash$				<del>                                     </del>
$\overline{}$	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		<del>ٽ</del>	ONODA	ODLOO	07.20	400.04	007.01	<del>                                     </del>		1	<del>                                     </del>				<b>——</b>
	Per Mile per month			UNCDX	1L5XX	0.0282						ļ				
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNCDX	U1TD5	17.40	137.48	52.58					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTEN	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	SPS INT	EROFF		10.1000				-			†				
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	25.32	489.04	337.51								
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	43.11	489.04	337.51								
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51								
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0282										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -				1.20.00							†				
	Facility Termination per month			UNCDX	U1TD6	17.40	137.48	52.58					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTEN	IDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w		011000		21.70	21.70	02.20	10.00	1		00.07	00.07		
	First 2-wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	14.97	142.97	106.56					38.07	38.07		<b>†</b>
	First 2-wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	25.93	142.97	106.56				†	38.07	38.07		
i i	First 2-wire VG Loop (SL2) in Combination - Zone 3	İ		UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		
	First Interoffice Transport - Dedicated - DS1 combination - Per			UNC1X	1L5XX	0.5753										
-+-	First Interoffice Transport - Dedicated - DS1 combination -	<b>-</b>		014017	ILUAA	0.5135			+ +		<b>-</b>	<del>                                     </del>	<b> </b>		<b> </b>	$\vdash$
i l	Facility Termination per month			UNC1X	U1TF1	71.29	217.17	163.75	1				38.07	38.07		
-	Per each DS1 Channelization System Per Month	1	<b>†</b>	UNC1X	MQ1	146.69	197.78	140.06	<del>                                     </del>		<del>                                     </del>	<b>—</b>	55.57	55.57		<del>                                     </del>
	Per each Voice Grade COCI - Per Month per month	i e		UNCVX	1D1VG	1.27	13.09	9.38					İ	İ	İ	
<del>-                                    </del>	3/1 Channel System in combination per month	l		UNC3X	MQ3	233.10	403.97	234.40					İ	l	İ	
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
1	Each Additional 2-Wire VG Loop(SL 2) in the same DS1															
	Interoffice Transport Combination - Zone 1	<u> </u>	1	UNCVX	UEAL2	14.97	142.97	106.56	l			<u> </u>	38.07	38.07		<u> </u>
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56					38.07	38.07		
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		<u> </u>													
	Interoffice Transport Combination - Zone 3  Each Additional Voice Grade COCI in combination - per month	-	3	UNCVX UNCVX	UEAL2 1D1VG	40.81 1.27	142.97 13.09	106.56 9.38			-	<u> </u>	38.07	38.07		-
	Each Additional DS1 Interoffice Channel per mile in same 3/1	-	<del>                                     </del>	UNUVA	טווטו	1.27	13.09	5.30	+		<del>                                     </del>	<del>                                     </del>				<del>                                     </del>
	TEACH AUGIDINAL DO FINITERONICE CHANNEL PER MINE IN SAME 3/1	ı	1	l	1				1			1		l		
	Channel System per month			UNC1X	1L5XX	0.5753										
	Channel System per month  Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X UNC1X	U1TF1	71.29	217.17	163.75				<del>                                     </del>	38.07	38.07		

ATEORY  8.ATE ELEMENTS  No. 200  8.00  8.ATE ELEMENTS  No. 200  8.ATE E	UNBL	JNDLEI	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
APP   APP													1			Incremental		Incremental
ATTEMPS   SATE ELEMENTS   M   See   SC   SOC   SOC   ST   ST   ST   SOC													1		_	_	•	
Part   Part	CATE	OPV	PATE ELEMENTS	Interi	Zone	BCS	usoc			DATES (\$)			1					
Note	CAILC	JOKI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES (\$)			per LSR	per LSR				
Note																		
Note   Perc   Add   South															1St	Addi	DISC 1St	DISC Add I
Nonequiring Contrains Mesons Response Sentin - Apr								Poc	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
Schores   Scho								Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
EXECUTION OF AWARD VINES (VINES CORREST COST MANY PROPERTY OF TAXABOPERT AND MANY NEW PARK AND MANY																		i l
First 4-Wire Analog Voce Credit Local Logs in Combination   2 (MCOV   UFAL4   21.52   286.47   237.46   38.07   38.07   38.07		EVTEN		EDOEE	ICE TD				21.75	21.75	32.28	10.96			38.07	38.07		
See 1	-	LATEN		LKOFF	ICE IK	ANGFORT W/ 3/1 W	T				1							
First New Perland Vision Grade Local Loop in Combination -   2   NOCX   USA4   36.27   298.47   237.46   38.07   38.					1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		ı
First National Power Grant Scarce Loop Combination			First 4-Wire Analog Voice Grade Local Loop in Combination -															
Zone 3					2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
First Intendific Transport - Decidence - OSE combination - Per   Which I	1				_	LINOVA	LIEAL 4	50.57	200 47	227.45					20.07	20.07		ı l
Mile Par Maurin	_				3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
First Interdiffice Transport C-Decisional - 2011 - Facility Thermitian Fee Month Terminism Fee Month Termi						UNC1X	1L5XX	0.5753										
Termination Fet Month								5.5755										
Per each Vence Grade COCI in combination - per month   UNCXX   MO3   225.10   409.67   234.40			Termination Per Month	<u> </u>	<u> </u>						<u> </u>				38.07	38.07		<u>.                                    </u>
Strict Channel System or combination per month   DNCIX   UGCD1   16.07   15.09   0.38																		
Per self: DST OCC  in combination per month   UNCIX   UCD11   15.07   13.09   9.38																		
Additional A-Wire Analogy Vales Granted Loop in same DS1   1 UNCVX	_																	
Interdifice Transport Combination - Zone 1	-					UNCIA	OCIDI	16.07	13.09	9.30								
Additional 4-Wire Analog Voice Grade Loop in same DST   2 UNCVX					1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		ı l
Additional 4-Wire Analog Voice Grafe Loop in same DS1   Intereffice Transport Combination - Zone 3   3 UNCVX   UEAL   56.57   288.47   237.45   38.07   38.0																		
Interection Transport Combination - Zone 3   Son					2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		ı
Each Additional DS1 Interoffice Channel per mile in same 3'1   UNC1X					_		l											ı l
Channel System per month   Lincolline Channel Facility Termination in   Same 31 Channel System per month   Lincolline Channel Facility Termination in   Lincolline Channel Facility Termination in   Lincolline Channel System per month   Lincolline Channel Syst	-				3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
Each Additional DSI Interoffice Channel Facility Termination in same 3/1 Channel System per month   UNC1X U1TF1   71.29   217.17   163.75   38.07						LINC1Y	11 5YY	0.5753										ı
Same 3/1 Channel System per month	-					ONOTA	TESTA	0.5755										
Nonrecurring Currently Combined Network Eliments Switch -8-b   Scharge   UNCIX   UNCCC   21.75   32.28   10.96   38.07   38.07   38.07			same 3/1 Channel System per month			UNC1X									38.07	38.07		ł
INCID   UNCI						UNCVX	1D1VG	1.27	13.09	9.38								
EXTENDED 4-WIRE 56 KBPS Digital Grade Local Loop in Combination - 2										0.4 ==								ı l
First A-Wire 68thsps Digital Grade Local Loop in Combination - 2	-	EVTEN		INTED	EEICE				21.75	21.75	32.28	10.96			38.07	38.07		
Zone 1	-	EXIEN		INTERC	FFICE	TRANSPORT W/ 3/1	I MOX											
Zone 2					1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		i
First A-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 3			First 4-Wire 56Kbps Digital Grade Local Loop in Combination -					İ										
Zone 3			Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51					38.07	38.07		
First Interoffice Transport - Dedicated - DS1 combination - Per Mille Per Month  First Interoffice Transport - Dedicated - DS1 - combination  Facility Termination Per Month  DNC1X  UTF1  Per each 10/C Channel System in combination Per Month  DNC1X  UTF1  T1.29  217.17  163.75  38.07					_	LINCDY	LIDI EC	67.00	400.04	227.54					20.07	20.07		i
Mile Per Month	-				3	UNCDX	UDL56	67.26	489.04	337.51					38.07	38.07		
First Interoffice Transport - Dedicated - DS1 - combination   UNC1X						UNC1X	1L5XX	0.5753										
Per each 1/0 Channel System in combination Per Month   UNC1X   MO1   146.69   197.78   140.06																		
Per each OCU-DP COCÍ (data) COCI per month (2.4-64kbs)															38.07	38.07		
3/1 Channel System in combination per month		<u> </u>			<b>_</b>													
Per each DS1 COCI in combination per month	_																	
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 Interoffice Transport Combination - Zone 2 Interoffice Transport Combination - Zone 2 Interoffice Transport Combination - Zone 2 Interoffice Transport Combination - Zone 2 Interoffice Transport Combination - Zone 2 Interoffice Transport Combination - Zone 2 Interoffice Transport Combination - Zone 2 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 2 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 2 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice	$\vdash$										<del>                                     </del>		<del>                                     </del>					$\overline{}$
Interoffice Transport Combination - Zone 1							, , , , , , ,	10.07	10.09	5.50								
Interoffice Transport Combination - Zone 2   2 UNCDX   UDL56   43.11   489.04   337.51   38.07   38.07   38.07     Additional 4-Wire 56Kbps Digital Grade Loop in same DS1   Interoffice Transport Combination - Zone 3   3 UNCDX   UDL56   67.26   489.04   337.51   38.07   38.07     OCU-DP COCI (data) COCI in combination per month (2.4-64kbs)   UNCDX   1D1DD   2.00   15.76   11.28			Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3  OCU-DP COCI (data) COCI in combination per month (2.4- 64kbs)  Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month  Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month  Each Additional DS1 COCI in the same 3/1 channel system					_													, 7
Interoffice Transport Combination - Zone 3   3 UNCDX   UDL56   67.26   489.04   337.51     38.07   38.07   38.07	<u> </u>	1			2	UNCDX	UDL56	43.11	489.04	337.51			-		38.07	38.07		
OCU-DP COCI (data) COCI in combination per month (2.4-64kbs)					2	LINCDX	LIDI 56	67.26	480 U4	227 51					39.07	39.07		ı
64kbs	<b>—</b>				-	CITODA	JDLJU	01.20	+05.04	337.31			<b> </b>		30.07	30.07		
Channel System per month						UNCDX	1D1DD	2.00	15.76	11.28								
Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month UNC1X U1TF1 71.29 217.17 163.75 38.07 38.07 Each Additional DS1 COCI in the same 3/1 channel system																		
same 3/1 Channel System per month         UNC1X         U1TF1         71.29         217.17         163.75         38.07         38.07           Each Additional DS1 COCI in the same 3/1 channel system         Image: Company of the same 3/1 channel system         Image: Company o		<u> </u>				UNC1X	1L5XX	0.5753										
Each Additional DS1 COCI in the same 3/1 channel system						LINCAV	LIATEA	74.00	247 47	162.75					20.07	20.07		
	-				<del>                                     </del>	OING I A	UTIFI	11.29	211.11	103.75	<del>                                     </del>				30.07	30.07		$\overline{}$
	1					UNC1X	UC1D1	16.07	13.09	9.38								, 1

UNBUNDLED NETWORK ELEMENTS - North Carolina				hment: 2	EXNI	bit: A
CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES (\$)		Submitted Su Elec Ma	vc Order Incrementa ubmitted Charge - Ianually Manual Sv oer LSR Order vs. Electronic	Incremental Charge - Manual Svo Order vs.	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					DISC 1St	DISC Add I
	Nonrecurring Disconnect			S Rates (\$)		
Newspaper Currently Combined Naturals Flamoute Switch Ac	First Add'l	SOMEC S	SOMAN SOMAN	SOMAN	SOMAN	SOMAN
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNC1X UNCCC 21.75 21.75	32.28 10.96		38.0	38.07		
EXTENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX	02.20 10.50		00.0	00.07		
First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice						
Transport Combination - Zone 1         1         UNCDX         UDL64         25.32         489.04         337.51			38.0	7 38.07		
First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice						
Transport Combination - Zone 2 2 UNCDX UDL64 43.11 489.04 337.51 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		-	38.0	7 38.07		
Transport Combination - Zone 3 3 UNCDX UDL64 67.26 489.04 337.51			38.0	7 38.07		
First Interoffice Transport - Dedicated - DS1 combination - Per			-			
Mile Per Month   UNC1X   1L5XX   0.5753						
First Interoffice Transport - Dedicated - DS1 combination -				_		
Facility Termination Per Month   UNC1X   U1TF1   71.29   217.17   163.75     Per each Channel System 1/0 in combination Per Month   UNC1X   MQ1   146.69   197.78   140.06			38.0	7 38.07		
Per each Channel System 1/0 in combination Per Month UNC1X MQ1 146.69 197.78 140.06  Per each OCU-DP COCI (data) in combination - per month (2.4-				+		
64kbs) UNCDX 1D1DD 2.00 15.76 11.28						
3/1 Channel System in combination per month UNC3X MQ3 233.10 403.97 234.40						
Per each DS1 COCI in combination per month   UNC1X   UC1D1   16.07   13.09   9.38						
Additional 4-Wire 64Kbps Digital Grade Loop in same DS1						
Interoffice Transport Combination - Zone 1			38.0	7 38.07		
Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2  2 UNCDX UDL64  43.11  489.04  337.51			38.0	38.07		
Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			36.0	30.07		
Interoffice Transport Combination - Zone 3 3 UNCDX UDL64 67.26 489.04 337.51			38.0	7 38.07		
Additional OCU-DP COCI (data) - DS1 to DS0 Channel System						
combination - per month (2.4-64kbs)   UNCDX   1D1DD   2.00   15.76   11.28						
Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month UNC1X 1L5XX 0.5753						
Challifer System per month.  Each Additional DS1 Interoffice Channel Facility Termination in						
same 3/1 Channel System per month UNC1X U1TF1 71.29 217.17 163.75			38.0	7 38.07		
Each Additional DS1 COCI in the same 3/1 channel system						
combination per month         UNC1X         UC1D1         16.07         13.09         9.38						
Nonrecurring Currently Combined Network Elements Switch -As-	00.00		00.0			
Is Charge	32.28 10.96	-	38.0	7 38.07		
First 2-Wire ISDN Loop in a DS1 Interoffice Combination				+		
Transport - Zone 1 1 UNCNX U1L2X 19.42 325.91 251.31			38.0	7 38.07		
First 2-Wire ISDN Loop in a DS1 Interoffice Combination						
Transport - Zone 2 2 UNCNX U1L2X 32.88 325.91 251.31			38.0	7 38.07		
First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3 3 UNCNX U1L2X 51.14 325.91 251.31			38.0	7 38.07		
First Interoffice Transport - Dedicated - DS1 combination - Per			38.0	36.07	+	
Mile per month UNC1X 1L5XX 0.5753						
First Interoffice Transport - Dedicated - DS1 combination -						
Facility Termination per month   UNC1X			38.0	7 38.07		
Per each Channel System 1/0 in combination - per month         UNC1X         MQ1         146.69         197.78         140.06				-		
Per each 2-wire ISDN COCI (BRITE) in combination - per month UNCNX UC1CA 3.59 15.76 11.28						
Per lead 2-wire ISDN COC (BRTE) In Combination - per month				+	+	
Per each DS1 COCI in combination per month				1		
Additional 2-wire ISDN Loop in same DS1Interoffice Transport						
Combination - Zone 1   1   UNCNX   U1L2X   19.42   325.91   251.31			38.0	7 38.07	1	
Additional 2-wire ISDN Loop in same DS1Interoffice Transport  Combination - Zone 2  2 UNCNX U1L2X 32.88 325.91 251.31			38.0	7 38.07		
Combination - Zone 2   2 UNCNX   U1L2X   32.88   325.91   251.31     Additional 2-wire ISDN Loop in same DS1Interoffice Transport			38.0	38.07		
Combination - Zone 3			38.0	7 38.07		
Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel						

ONBONDER	D NETWORK ELEMENTS - North Carolina			ı							10	06		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			I .	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	F1-A-1-331-DO4-1-1(5						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.5753										
	Each Additional DS1 Interoffice Channel Facility Termination in		<u> </u>	UNCIA	ILSAA	0.5755					1				1	-
	same 3/1 Channel System per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Each Additional DS1 COCI in the same 3/1 channel system					1.1.24									t	
	combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS														
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2	ļ	2	UNC1X	USLXX	84.36	714.84	421.47			-		38.07	38.07	-	<del>                                     </del>
	First 4-wire DS1 Digital Local Loop in Combination - Zone 3	<b> </b>	3	UNC1X	USLXX	134.29	714.84	421.47			ļ		38.07	38.07	<del>                                     </del>	<del> </del>
1	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month	1		UNC1X	1L5XX	0.5753									1	
	First Interoffice Transport - Dedicated - DS1 combination -	-	<del>                                     </del>	ONCIA	ILOAA	0.5753					1				<del>                                     </del>	+
	Facility Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	3/1 Channel System in combination per month		1	UNC3X	MQ3	233.10	403.97	234.40			<b>†</b>		30.07	30.07		<del> </del>
	Per each DS1 COCI combination per month			UNC1X	UC1D1	16.07	13.09	9.38			1				1	<b>†</b>
	Each Additional DS1 Interoffice Channel per mile in same 3/1			0.10.77	00.5.	10.07	10.00	0.00			i e					
	Channel System per month			UNC1X	1L5XX	0.5753										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		l _													
	3		3	UNC1X	USLXX	134.29	714.84	421.47			ļ		38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-	1		UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EVTE	Is Charge NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTEDO	EEICE		UNCCC		21.75	21.75	32.28	10.96	<b>-</b>		38.07	38.07	-	<del> </del>
LATE	First 4-wire 56 kbps Local Loop in combination - Zone 1	IVIERO	1	UNCDX	UDL56	25.32	489.04	337.51			1				1	1
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51			1					<del>                                     </del>
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51			İ					
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile															
	per month			UNCDX	1L5XX	0.0282										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility								ĺ							
	Termination per month			UNCDX	U1TD5	17.40	137.48	52.58					38.07	38.07		<u> </u>
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge		<u> </u>	UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO			1151.04	0.7.00	100.01									
	First 4-wire 64 kbps Local Loop in combination - Zone 1	-		UNCDX	UDL64	25.32	489.04	337.51			ļ			-	<del>                                     </del>	<b>├</b>
	First 4-wire 64 kbps Local Loop in combination - Zone 2	<del>                                     </del>	3	UNCDX UNCDX	UDL64 UDL64	43.11 67.26	489.04 489.04	337.51 337.51			1				<del>                                     </del>	<del>                                     </del>
-+	First 4-wire 64 kbps Local Loop in combination - Zone 3 First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile	-	3	UNCDX	UDL64	67.26	489.04	337.51							+	<del>                                     </del>
	per month	1		UNCDX	1L5XX	0.0282									1	
-	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility			5.10DA	TEO/A/	0.0202					<del>                                     </del>			<del> </del>	t	<del>                                     </del>
1	Termination per month	1		UNCDX	U1TD6	17.40	137.48	52.58					38.07	38.07	1	
	Nonrecurring Currently Combined Network Elements Switch -As-					0		32.30					55.57	55.57	1	
	Is Charge	1		UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07	I	
	NETWORK ELEMENTS	ĺ														
	used as a part of a currently combined facility, the non-recurr															
	used as ordinarily combined network elements in All States, the					As Is Charge of	loes not.	•		•						
Nonre	curring Currently Combined Network Elements "Switch As Is"		(One a	pplies to each con	nbination)											
	Nonrecurring Currently Combined Network Elements Switch -As-	l													1	
1	Is Charge - 2 wire/4-Wire VG	I	1	UNCVX	UNCCC		21.75	21.75	32.28	10.96	<u> </u>		26.94	12.76	1	1

UNBU	NDLE	D NETWORK ELEMENTS - North Carolina													ment: 2		bit: A
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
							Rec		curring	Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 56/64 kbps			UNCDX	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		ĺ
		Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		-
		Is Charge - DS1			UNC1X	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - DS3			UNC3X	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		
		Nonrecurring Currently Combined Network Elements Switch -As-			LINIOOV			04.75	04.75	00.00	40.00			00.04	40.70		İ
	0-4	Is Charge - STS1 al Features & Functions:			UNCSX	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		<b>——</b>
	Option	ai Features & Functions:		1	U1TD1,	+						-					<del></del>
		Clear Channel Capability Extended Frame Option - per DS1			ULDD1,UNC1X	CCOEF		οι	OI	οι	OI						İ
		Clear Charmer Capability Extended Frame Option   per Bot			U1TD1,	CCCLI		01	01	01	OI .	1					
		Clear Channel Capability Super FrameOption - per DS1	ı		ULDD1,UNC1X	CCOSF		OI	OI	OI	OI						1
		Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
		Activity - per DS1	- 1		UNC1X, USL	NRCCC		184.76S	23.8S	1.99S	0.78S			26.94	12.76		
T			l . ¯		U1TD3, ULDD3,									l			1
		C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		218.92S	7.66S	.7576S	0S			26.94	12.76		
	MULII	PLEXERS			LINGAV	MQ1	146.69	197.78	140.06					26.94	12.76		<b>——</b>
		DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UNC1X	MQ1	146.69	197.78	140.06					26.94	12.76		<del></del>
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.00	13.09	9.38								l
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per			ODL	10100	2.00	10.00	0.00			1					
		month (2.4-64kbs) used for connection to a channelized DS1															l
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.00	13.09	9.38								ĺ
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month for a Local Loop			UDN	UC1CA	3.59	13.09	9.38								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															l
		month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	3.59	42.00	9.38								l
		Voice Grade COCI - DS1 to DS0 Channel System - per month			UTTUB	UCTCA	3.59	13.09	9.38								<del></del>
		used for a Local Loop			UEA	1D1VG	1.27	13.09	9.38								l
		Voice Grade COCI - DS1 to DS0 Channel System - per month			OLA	15170	1.27	10.00	0.00			1					
		used for connection to a channelized DS1 Local Channel in the															l
		same SWC as collocation			U1TUC	1D1VG	1.27	13.09	9.38								l
		DS3 to DS1 Channel System per month			UNC3X	MQ3	233.10	403.97	234.40					26.94	12.76		
		STS-1 to DS1 Channel System per month			UNCSX	MQ3	233.10	403.97	234.40					26.94	12.76		
		DS1 COCI used with Loop per month			USL	UC1D1	16.07	13.09	9.38								
		DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1	16.07	13.09	9.38								1
		DS1 COCI used with Interoffice Channel per month		<del>                                     </del>	U1TD1	UC1D1	16.07	13.09	9.38			-		1	-	1	-
		DS3 Interface Unit (DS1 COCI) used with Local Channel per		<del>                                     </del>	וטווטו	וטוטט	10.07	13.09	9.38			<del>                                     </del>		1		<b> </b>	<del></del>
		month			ULDD1	UC1D1	16.07	13.09	9.38								1
1					İ			12.30	2.30				İ	26.94	12.76	1	
														26.94	12.76		
		OCAL EXCHANGE SWITCHING(PORTS)															
		nge Ports						1									
		Although the Port Rate includes all available features in GA, I	KY, LA	& TN, t	he desired features	will need to b	e ordered usi	ng retail USOC	s								
	∠-WIKE	EVOICE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port- Res.		-	UEPSR	UEPRL	2.19	21.60	21.60			1		26.94	12.76	-	<del></del>
		Line Forts - 2-Wile Ariding Line Fort- Res.		<del>                                     </del>	ULFOR	UEFKL	2.19	∠1.00	∠1.00			1		20.94	12.76		$\vdash$
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	2.19	21.60	21.60					26.94	12.76		1
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	2.19	21.60	21.60					26.94	12.76	ļ	
		Exchange Ports - 2-Wire VG unbundled res, low usage line port			LIEDOD	LIED ( S											1
		with Caller ID (LUM)		-	UEPSR	UEPAP	2.19	21.60	21.60			-		26.94	12.76		<del></del>
		2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPSR	UEPRT	2.19	21.60	21.60					26.94	12.76		1
		2-Wire Voice Grade Unbundled Port without Caller ID capability,			021 010	JEI IXI	2.15	21.00	21.00			<u> </u>	<b>†</b>	20.34	12.70	1	
1 1		North Carolina			UEPSR	UEPRZ	2.19	21.60	21.60								1

JNBUNDLE	D NETWORK ELEMENTS - North Carolina													ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Increment Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add
						_	Nonre	curring	Nonrecurring	g Disconnect		l.	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Unbundled Port with Caller ID capability,		1													
	North Carolina			UEPSR	UEPRY	2.19	21.60	21.60								
	Subsequent Activity		1	UEPSR	USASC	0.00	0.00	0.00					26.94	12.76		
FEATU	RES								Î							
	All Available Vertical Features			UEPSR	UEPVF	3.40	0.00	0.00					26.94	12.76		
2-WIRI	VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus			UEPSB	UEPBL	2.19	21.60	21.60					26.94	12.76		
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	2.19	21.60	21.60					26.94	12.76		
		l					l								l	
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.		<u> </u>	UEPSB	UEPBO	2.19	21.60	21.60					26.94	12.76		ļ
	Exhange Ports - 2-Wire VG unbundled incoming only port with															
	Caller ID - Bus			UEPSB	UEPB1	2.19	21.60	21.60					26.94	12.76		
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPSB	UEPBE	2.19	21.60	21.60					26.94	12.76		
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEATU																
	All Available Vertical Features			UEPSB	UEPVF	3.40	0.00	0.00					26.94	12.76		
EXCH/	NGE PORT RATES (DID & PBX)															
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	2.18	21.60	21.60					26.94	12.76		
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	2.18	21.60	21.60					26.94	12.76		
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	2.18	21.60	21.60					26.94	12.76		
ĺ	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	2.18	21.60	21.60	Î				26.94	12.76		
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	2.18	21.60	21.60	Î				26.94	12.76		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2.18	21.60	21.60	Î				26.94	12.76		
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2.18	21.60	21.60					26.94	12.76		
ĺ	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2.18	21.60	21.60	Î				26.94	12.76		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	2.18	21.60	21.60	Î				26.94	12.76		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD								Î							
	Capable Port			UEPSP	UEPXE	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPSP	UEPXL	2.18	21.60	21.60					26.94	12.76		
ĺ	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy								Î							
	Room Calling Port			UEPSP	UEPXM	2.18	21.60	21.60					26.94	12.76		
ĺ	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital								Î							
	Discount Room Calling Port			UEPSP	UEPXO	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	2.18	21.60	21.60	Î				26.94	12.76		
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00	Î				26.94	12.76		
FEATU	RES								Î							
	All Available Vertical Features			UEPSP UEPSE	UEPVF	3.40	0.00	0.00	Î				26.94	12.76		
EXCH/	NGE PORT RATES (COIN)															
	Exchange Ports - Coin Port					2.59	21.60	21.60					26.94	12.76		
NOTE:	Transmission/usage charges associated with POTS circuit sv	witched	usage	will also apply to c	ircuit switche	ed voice and/or	circuit switch	ed data transm	ission by B-Cl	hannels assoc	iated with 2-	wire ISDN p	orts.			
NOTE:	Access to B Channel or D Channel Packet capabilities will be	availal	ble onl	y through BFR/New	<b>Business Re</b>	quest Process.	Rates for the	packet capabi	lities will be de	etermined via t	he Bona Fid	le Request/	New Business	s Request Pro	cess.	
NBUNDLED	OCAL EXCHANGE SWITCHING(PORTS)															
	INGE PORT RATES															
The DS	61 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Port	t in this	rate exhibit apply t	o the embed	ded base in pla	ce as of 10/2/0	3 until 4/1/04.	After 4/1/04 th	ese rates shall	revert to tai	riff rates or	a separate ag	reement.		
Reque	sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports a	after the	effect	ive date of this ame	ndment shall	be provided p	ursuant to a se	parate agreem	ent or tariff at	BellSouth's d	iscretion.					
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	12.36		81.84					26.94	12.76		
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID															
	capability (E:4/1/2004)	1		UEPDD	UEPDD	123.65	116.59	69.92		I			26.94	12.76		
Ì	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	24.50	62.29	62.29					55.30	55.30		
	All Features Offered	Ì		UEPTX, UEPSX	UEPVF	3.40	0.00	0.00								
Ì	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
NOTE:	Transmission/usage charges associated with POTS circuit sv	witched	usage	will also apply to c	ircuit switche	ed voice and/or	circuit switch	ed data transm	ission by B-Cl	hannels assoc	iated with 2-	wire ISDN r	orts.			
	Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	
	NGE PORT RATES (continued)			i i										T .	I	
	- \															

JNBUNDLE	NETWORK ELEMENTS - North Carolina			•										ment: 2	Exhil	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
						Rec	Nonred		Nonrecurring Disc					Rates (\$)		
						Nec	First	Add'l	First A	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911															
	Locator Capability (E:4/1/2004)			UEPEX	UEPEX	179.75	241.63	241.63					53.89	53.89		
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	179.75	241.63	241.63					53.89	53.89		
	Physical Collocation - DS1 Cross-Connects	- 1		UEPEX UEPDX	PE1P1	2.34	71.02	51.08					26.94	12.76		
	Virtual collocation - Special Access & UNE, cross-connect per															
	DS1			UEPEX UEPDX	CNC1X	0.97	71.02	51.08					26.94	12.76		
Detaile	d E911 with Locator Capability (required with UEPEX port)															
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Initial Profile Establishment per CLEC per State			UEPEX	UEP1A	0.00	1,802.00						26.94	12.76		
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions,						·									
	Deletions			UEPEX	UEP1B	0.00	174.99						26.94	12.76		
	Additional PRI Telephone Numbers	ļ			ļļ											
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability 2-way Telephone Numbers, per number in E911 profile [New or Additional]			UEPEX	UEP1C		1.17	1.17					26.94	12.76		
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Outdial Telephone Numbers, per number in E911 profile [New or Additional]			UEPEX	UEP1D		28.17	28.17					26.94	12.76		
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward Telephone Numbers - Inward Data Only Option [New or Additional]			UEPDX	UEP1E	0.00	1.17	1.17					26.94	12.76		
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] Inward Tel Numbers [Customer Testing Purposes]  NUMBER PORTABILITY			UEPEX	PR7ZT	0.00	56.33	56.33					26.94	12.76		
	Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
	ACE (Provsioning Only)			OLI LX OLI DX	LIVI OIV	1.70										
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00					26.94	12.76		
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00					26.94	12.76		
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00					26.94	12.76		
	Additional Channel															
	New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	36.92						26.94	12.76		
	New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0.00	36.92						26.94	12.76		
	New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	36.92						26.94	12.76		
	New or Additional Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00							26.94	12.76		
	New or Additional Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00							26.94	12.76		
	New or Additional PRI "D" Channel	Ì		UEPEX	PR7EX	0.00	36.92						26.94	12.76		
CALL T	YPES	Ì														
	Inward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00					26.94	12.76		
	Outward			UEPEX	PR7CO	0.00	0.00	0.00					26.94	12.76		
	Two-way			UEPEX	PR7CC	0.00	0.00	0.00					26.94	12.76		
	DLED PORT with REMOTE CALL FORWARDING CAPABILITY															
	DLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR UEPVR	UERLC UERTE	2.19 2.19	21.60 21.60	21.60 21.60					26.94 26.94	12.76 12.76		
_	Unbundled Remote Call Forwarding Service, InterLATA - Res	1		UEPVR	UERTR	2.19	21.60	21.60					26.94	12.76		
Non-Re	curring			OLI VIC	OLIVIIV	2.10	21.00	21.00					20.04	12.70		
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVR	USAC2		2.77	0.40					26.94	12.76		
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)  DLED REMOTE CALL FORWARDING - Bus			UEPVR	USACC		2.77	0.40								
UNBUN	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	2.19	21.60	21.60					26.94	12.76		

OND	INDLE	D NETWORK ELEMENTS - North Carolina													ment: 2	Exhi	
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
														1st	Add'l	Disc 1st	Disc Add'l
				1			Rec	Nonrec		Nonrecurring Disc					Rates (\$)		
	1	Unbundled Remote Call Forwarding Service, InterLATA - Bus		1	UEPVB	UERTE	2.19	First 21.60	Add'I 21.60		Add'l	SOMEC	SOMAN	<b>SOMAN</b> 26.94	<b>SOMAN</b> 12.76	SOMAN	SOMAN
	1	Unbundled Remote Call Forwarding Service, InterLATA - Bus		1	UEPVB	UERTR	2.19	21.60	21.60					26.94	12.76		
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus		1	OLFVB	OLKIK	2.19	21.00	21.00					20.54	12.70		
		Exception Local Calling			UEPVB	UERVJ	2.19	21.60	21.60					26.94	12.76		
	Non-R	ecurring			-		1										
		Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVB	USAC2		2.77	0.40					26.94	12.76		
		Unbundled Remote Call Forwarding Service - Conversion with															
		allowed change (PIC and LPIC)			UEPVB	USACC		2.77	0.40								
UNBU		LOCAL SWITCHING, PORT USAGE															
	End O	ffice Switching (Port Usage)	ļ	1		1				<b></b>							
	1	End Office Switching Function, Per MOU		1		1	0.0015										
	Tand	End Office Trunk Port - Shared, Per MOU	ļ	1		1	0.00023			<b> </b>							
	range	m Switching (Port Usage) (Local or Access Tandem)	<del>                                     </del>	1		+	0.0000			+ + + + + + + + + + + + + + + + + + + +							
	1	Tandem Switching Function Per MOU  Tandem Trunk Port - Shared, Per MOU	-	1		+	0.0006 0.0003										
	+	Tandem Trunk Port - Shared, Per MOU (Melded)	<del>                                     </del>	1		1	0.0003			1							
	1	Tandem Trunk Port - Shared, Per MOU (Melded)		1		1	0.00012309										
	1	Melded Factor: 41.03% of the Tandem Rate				1	0.00012000										
	Comm	on Transport								†							
		Common Transport - Per Mile, Per MOU					0.00001										
		Common Transport - Facilities Termination Per MOU					0.00034										
UNBU	NDLED	PORT/LOOP COMBINATIONS - COST BASED RATES															
		Based Rates are applied where BellSouth is required by FCC ar															
	Featur	es shall apply to the Unbundled Port/Loop Combination - Cos	t Based	Rate s	section in the same	manner as th	ney are applied t	o the Stand-Al	one Unbundle								
	Featur End O	es shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Us	t Based sage rat	d Rate s tes in th	section in the same ne Port section of th	manner as th	ney are applied t	o the Stand-Al	one Unbundle	ort network elements	except fo	or UNE Coi					
	Featur End O	es shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Us est and additional Port nonrecurring charges apply to Not Curr	t Based sage rat	d Rate s tes in th	section in the same ne Port section of th	manner as th	ney are applied t	o the Stand-Al	one Unbundle	ort network elements	except fo	or UNE Coi					
	Featur End O The fir 2-WIRI	es shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	t Based sage rat	d Rate s tes in th	section in the same ne Port section of th	manner as th	ney are applied t	o the Stand-Al	one Unbundle	ort network elements	except fo	or UNE Coi					
	Featur End O The fir 2-WIRI	es shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Us est and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates	t Based sage rat	d Rate stes in the	section in the same ne Port section of th	manner as th	ney are applied t it shall apply to ined Combos th	o the Stand-Al	one Unbundle	ort network elements	except fo	or UNE Coi					
	Featur End O The fir 2-WIRI	es shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	t Based sage rat	d Rate stes in the ombine	section in the same ne Port section of th	manner as th	ney are applied to it shall apply to ined Combos th	o the Stand-Al	one Unbundle	ort network elements	except fo	or UNE Coi					
	Featur End O The fir 2-WIRI	es shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	t Based sage rat	d Rate stes in the combined of	section in the same ne Port section of th	manner as th	ney are applied to it shall apply to ined Combos th 13.03 21.33	o the Stand-Al	one Unbundle	ort network elements	except fo	or UNE Coi					
	Featur End O The fir 2-WIRI UNE P	es shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	t Based sage rat	d Rate stes in the ombine	section in the same ne Port section of th	manner as th	ney are applied to it shall apply to ined Combos th	o the Stand-Al	one Unbundle	ort network elements	except fo	or UNE Coi					
	Featur End O The fir 2-WIRI UNE P	es shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	t Based sage rat	d Rate stes in the combined of	section in the same ne Port section of th	manner as th	ney are applied to it shall apply to ined Combos th 13.03 21.33	o the Stand-Al	one Unbundle	ort network elements	except fo	or UNE Coi					
	Featur End O The fir 2-WIRI UNE P	res shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Uses and additional Port nonrecurring charges apply to Not Curre E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	section in the same the Port section of the de Combos. For Cur UEPRX UEPRX	manner as the sist rate exhibits rate exhibits rate exhibits rently Combination and the sistence of the sisten	ney are applied to it shall apply to ined Combos th 13.03 21.33 32.61 10.75 19.05	o the Stand-Al	one Unbundle	ort network elements	except fo	or UNE Coi					
	Featur End O The fir 2-WIRI UNE P	res shall apply to the Unbundled Port/Loop Combination - Cosffice and Tandem Switching Usage and Common Transport Uses and additional Port nonrecurring charges apply to Not Curre E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	section in the same ne Port section of the ad Combos. For Cur	manner as this rate exhibits rate exhibits rently Comb	ney are applied to it shall apply to ined Combos the all apply to its shall a	o the Stand-Al	one Unbundle	ort network elements	except fo	or UNE Coi					
	Featur End O The fir 2-WIRI UNE P	res shall apply to the Unbundled Port/Loop Combination - Cosffice and Tandem Switching Usage and Common Transport Uses and additional Port nonrecurring charges apply to Not Curre VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	DEPRX UEPRX UEPRX UEPRX UEPRX	manner as this rate exhibits rate exhibits rate exhibits rently Combination of the combin	ney are applied to it shall apply to ined Combos to ined Combos to 13.03 21.33 32.61 10.75 19.05 30.33	o the Stand-Al all combination e nonrecurring	one Unbundl ons of loop/pc g charges sha	ort network elements	except fo	or UNE Coi		Combined se	ections.		
	Featur End O The fir 2-WIRI UNE P	res shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Uses and additional Port nonrecurring charges apply to Not Curre E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	ueprx Ueprx UEPRX UEPRX UEPRX UEPRX	manner as this rate exhibits rate exhibits rently Comb  UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	ney are applied to it shall apply to ined Combos the ply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply the shall apply to ined the shall apply to ined the shall apply the shall apply to ined the shall apply the shall	o the Stand-Al all combination e nonrecurring	one Unbundlens of loop/pc g charges sha	ort network elements	except fo	or UNE Coi		Combined se	9.45		
	Featur End O The fir 2-WIRI UNE P	res shall apply to the Unbundled Port/Loop Combination - Cosffice and Tandem Switching Usage and Common Transport Uses and additional Port nonrecurring charges apply to Not Curre VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX	ney are applied to it shall apply to ined Combos the ply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply the shall apply to ined the shall apply to ined the shall apply the shall apply to ined the shall apply to ined the shall apply t	o the Stand-Al all combinatic e nonrecurring	one Unbundlens of loop/pc g charges sha	ort network elements	except fo	or UNE Coi		40.18 40.18	9.45 9.45			
	Featur End O The fir 2-WIRI UNE P	res shall apply to the Unbundled Port/Loop Combination - Cosffice and Tandem Switching Usage and Common Transport Uses and additional Port nonrecurring charges apply to Not Curre E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  2-Wire VG Loop/Port Combo - Zone 3  2-Wire VG Loop/Port Combo - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	ueprx Ueprx UEPRX UEPRX UEPRX UEPRX	manner as this rate exhibits rate exhibits rently Comb  UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	ney are applied to it shall apply to ined Combos the ply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply the shall apply to ined the shall apply to ined the shall apply the shall apply to ined the shall apply the shall	o the Stand-Al all combination e nonrecurring	one Unbundlens of loop/pc g charges sha	ort network elements	except fo	or UNE Coi		Combined se	9.45		
	Featur End O The fir 2-WIRI UNE P	res shall apply to the Unbundled Port/Loop Combination - Cos fifice and Tandem Switching Usage and Common Transport Uses and additional Port nonrecurring charges apply to Not Curre E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  roop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled ses, low usage line port with Caller ID (LUM)	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX	ney are applied to it shall apply to ined Combos the ply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply the shall apply to ined the shall apply to ined the shall apply the shall apply to ined the shall apply to ined the shall apply t	o the Stand-Al all combinatic e nonrecurring	one Unbundlens of loop/pc g charges sha	ort network elements	except fo	or UNE Coi		40.18 40.18	9.45 9.45			
	Featur End O The fir 2-WIRI UNE P	res shall apply to the Unbundled Port/Loop Combination - Cos fifice and Tandem Switching Usage and Common Transport Usat and additional Port nonrecurring charges apply to Not Curre Volce GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundles res, low usage line port with Caller ID (LUM)  2-Wire voice unbundled Low Usage Line Port without Caller ID Capability	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX STATE OF THE STATE	ney are applied to it shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to shall apply	o the Stand-Al all combination e nonrecurring 79.59 79.59 79.59	one Unbundlens of loop/pc g charges sha 63.97 63.97	ort network elements	except fo	or UNE Coi		40.18 40.18 40.18	9.45 9.45			
	Featur End O The fir 2-WIRI UNE P	res shall apply to the Unbundled Port/Loop Combination - Cosffice and Tandem Switching Usage and Common Transport Uses and additional Port nonrecurring charges apply to Not Curre VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  roop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port seidence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port with Caller ID res  2-Wire voice unbundled port with Caller ID res  2-Wire voice unbundled port with Caller ID res  2-Wire voice unbundled port with Caller ID res  2-Wire voice unbundled Port without Caller ID Capability  2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX combination of the combin	ney are applied to it shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined to ined the shall apply the shall apply to ined the shall apply to ined the shall apply the shall apply to ined the shall apply the shall	o the Stand-Al all combination on nonrecurring of the standard	one Unbundlens of loop/pc g charges sha 63.97 63.97 63.97	ort network elements	except fo	or UNE Coi		40.18 40.18	9.45 9.45			
	Featur End O The fir 2-WIRI UNE P	res shall apply to the Unbundled Port/Loop Combination - Cos fifice and Tandem Switching Usage and Common Transport Uses and additional Port nonrecurring charges apply to Not Curre VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  voice Grade Loop (SL1) - Zone 3	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX	ney are applied to it shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply the shall apply to ined Combos the shall apply t	79.59 79.59 79.59	63.97 63.97 63.97	ort network elements	except fo	or UNE Coi		40.18 40.18	9.45 9.45			
	Featur End O The fir 2-WIRI UNE P	res shall apply to the Unbundled Port/Loop Combination - Cosffice and Tandem Switching Usage and Common Transport Uses and additional Port nonrecurring charges apply to Not Curre VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  roop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX	ney are applied to it shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply the shall apply to ined Combos the shall apply t	79.59 79.59 79.59 79.59 79.59	63.97 63.97 63.97 63.97 63.97	ort network elements III be those identified	except fo	or UNE Coi		40.18 40.18 40.18 40.18	9.45 9.45 9.45			
	Feature Featur	res shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  [2-Wire VG Loop/Port Combo - Zone 1  [2-Wire VG Loop/Port Combo - Zone 2  [2-Wire VG Loop/Port Combo - Zone 3  oop Rates  [2-Wire Voice Grade Loop (SL1) - Zone 1  [2-Wire Voice Grade Loop (SL1) - Zone 2  [2-Wire Voice Grade Loop (SL1) - Zone 2  [2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port Rates (Res)  [2-Wire voice unbundled port - residence  [2-Wire voice unbundled port with Caller ID - res  [2-Wire voice unbundled port usigning only - res  [2-Wire voice unbundled Port without Caller ID Capability  [2-Wire voice unbundled Port without Caller ID Capability  [2-Wire Voice Grade Unbundled Port without Caller ID capability,  North Carolina  [2-Wire Voice Grade Unbundled Port without Caller ID capability,  North Carolina  [3-Wire Voice Grade Unbundled Port without Caller ID capability,  North Carolina  [3-Wire Voice Grade Unbundled Port without Caller ID capability,  North Carolina  [3-Wire Voice Grade Unbundled Port without Caller ID capability,  North Carolina  [3-Wire Voice Grade Unbundled Port without Caller ID capability,  North Carolina  [3-Wire Voice Grade Unbundled Port without Caller ID capability,  North Carolina  [4-Wire Voice Grade Unbundled Port without Caller ID capability,  North Carolina  [5-Wire Voice Grade Unbundled Port without Caller ID capability,  North Carolina	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX he company of the company	ney are applied to it shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined to ined to ined to ine	79.59 79.59 79.59	63.97 63.97 63.97	ort network elements III be those identified	except fo	or UNE Coi		40.18 40.18	9.45 9.45			
	Feature Featur	res shall apply to the Unbundled Port/Loop Combination - Cos fifice and Tandem Switching Usage and Common Transport Usat and additional Port nonrecurring charges apply to Not Curre VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port (Res)  2-Wire voice unbundled port vith Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Low Usage Line Port without Caller ID (LUM)  2-Wire voice unbundled Low Usage Line Port without Caller ID Capability  2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina  IRES  All Features Offered  NUMBER PORTABILITY	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX	ney are applied to it shall apply to ined Combos the to ined Combos the shall apply the shall apply the sh	79.59 79.59 79.59 79.59 79.59	63.97 63.97 63.97 63.97 63.97	ort network elements III be those identified	except fo	or UNE Coi		40.18 40.18 40.18 40.18	9.45 9.45 9.45			
	Feature Featur	res shall apply to the Unbundled Port/Loop Combination - Cos fifice and Tandem Switching Usage and Common Transport Uses and additional Port nonrecurring charges apply to Not Curre VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Low Usage Line Port without Caller ID (LUM)  2-Wire Voice Grade Unbundled Port without Caller ID capability  2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina  2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina  3-RES  All Features Offered  L NUMBER PORTABILITY  Local Number Portability (1 per port)	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX	ney are applied to it shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply the shall apply to ined Combos the shall apply t	79.59 79.59 79.59 79.59 79.59	63.97 63.97 63.97 63.97 63.97	ort network elements III be those identified	except fo	or UNE Coi		40.18 40.18 40.18 40.18	9.45 9.45 9.45			
	Feature Featur	res shall apply to the Unbundled Port/Loop Combination - Cos fifice and Tandem Switching Usage and Common Transport Usat and additional Port nonrecurring charges apply to Not Curre VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port (Res)  2-Wire voice unbundled port vith Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Low Usage Line Port without Caller ID (LUM)  2-Wire voice unbundled Low Usage Line Port without Caller ID Capability  2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina  IRES  All Features Offered  NUMBER PORTABILITY	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX	ney are applied to it shall apply to ined Combos the to ined Combos the shall apply the shall apply the sha	79.59 79.59 79.59 79.59 79.59	63.97 63.97 63.97 63.97 63.97	ort network elements III be those identified	except fo	or UNE Coi		40.18 40.18 40.18 40.18	9.45 9.45 9.45			
	Feature Featur	res shall apply to the Unbundled Port/Loop Combination - Cosffice and Tandem Switching Usage and Common Transport Uses and additional Port nonrecurring charges apply to Not Curre VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  voice Grade Loop (SL1) - Zone 3	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX	ney are applied to it shall apply to ined Combos the to ined Combos the shall apply the shall apply the sha	79.59 79.59 79.59 79.59 79.59	63.97 63.97 63.97 63.97 63.97	ort network elements III be those identified	except fo	or UNE Coi		40.18 40.18 40.18 40.18	9.45 9.45 9.45			
	Feature Featur	res shall apply to the Unbundled Port/Loop Combination - Cos fifice and Tandem Switching Usage and Common Transport Usat and additional Port nonrecurring charges apply to Not Curre Volce GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Toop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire voice Grade Loop (SL1) - Zone 3  Yolice Grade Line Port Rates (Res)  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Low Usage Line Port with Caller ID (LUM)  2-Wire voice unbundled Low Usage Line Port without Caller ID Capability  2-Wire Voice Grade Unbundled Port without Caller ID capability  North Carolina  IRES    All Features Offered   Laure	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX	ney are applied to it shall apply to ined Combos the to ined Combos the shall apply the shall apply the sha	79.59 79.59 79.59 79.59 79.59 79.59 79.59	63.97 63.97 63.97 63.97 63.97 63.97	ort network elements III be those identified	except fo	or UNE Coi		40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45			

ONRONDL	ED NETWORK ELEMENTS - North Carolina			ı							T -			ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonred	curring	Nonrecurring D	Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADDI:	TIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0.00	0.00	0.00					40.18	9.45		
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPRX	URETL		8.33	0.83					26.94	12.76	0.00	0.00
OFF/0	ON PREMISES EXTENSION CHANNELS															
	2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPRX	UEAEN	12.11	57.99	42.37					26.94	12.76	0.00	0.00
	2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPRX	UEAEN	21.24	57.99	42.37					26.94	12.76	0.00	0.00
	2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPRX	UEAEN	33.65	57.99	42.37					26.94	12.76	0.00	0.00
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	14.97	142.97	106.56					26.94	12.76	0.00	0.00
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	25.93	142.97	106.56					26.94	12.76	0.00	0.00
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	40.81	142.97	106.56					26.94	12.76	0.00	0.00
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRX	U1TV2	18.00	137.48	52.58					38.07	38.07		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRX	U1TVM	0.0125	0.00	0.00								
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			13.03										
	2-Wire VG Loop/Port Combo - Zone 2		2			21.33										
	2-Wire VG Loop/Port Combo - Zone 3		3			32.61										
UNE	oop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	10.75										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	19.05										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	30.33										
2-Wir	e Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	2.28	79.59	63.97					40.18	9.45		
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	2.28	79.59	63.97					40.18	9.45		
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	2.28	79.59	63.97					40.18	9.45		
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	2.28	79.59	63.97					40.18	9.45		
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPBX	UEPBE	2.28	79.59	63.97					40.18	9.45		
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEAT	URES															
	All Features Offered			UEPBX	UEPVF	3.40	0.00	0.00					40.18	9.45		
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPBX	USAC2		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						1.42						10.27			
ADDI	TIONAL NRCs		1		1										ĺ	
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2		0.00	0.00					40.18	9.45		
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83					26.94	12.76	0.00	0.00
OFF/0	ON PREMISES EXTENSION CHANNELS				1 1		_				ĺ		1			
1	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	12.11	57.99	42.37					26.94	12.76	0.00	0.00
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	21.24	57.99	42.37					26.94	12.76	0.00	0.00
T T	2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPBX	UEAEN	33.65	57.99	42.37					26.94	12.76	0.00	0.0
<u> </u>	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	14.97	142.97	106.56					26.94	12.76	0.00	0.0
<u> </u>	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	25.93	142.97	106.56					26.94	12.76	0.00	0.0
	2 Wire Analog Voice Grade Extension Loop – Design			UEPBX	UEAED	40.81	142.97	106.56	<del>                                     </del>		1		26.94	12.76	0.00	0.0
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPBX	U1TV2	18.00	137.48	52.58					38.07	38.07		1

NRONDLE	ED NETWORK ELEMENTS - North Carolina												ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order I Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
					+ +		Nonrec	urring	Nonrecurring Disconne	ct	1	OSS	Rates (\$)	l	
					+	Rec	First	Add'l	First Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				1 1			71441	7.00	0020	00		00	00	
	or Fraction Mile			UEPBX	U1TVM	0.0125	0.00	0.00							
2-WIR	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)														ĺ
UNE F	Port/Loop Combination Rates														
	2-Wire VG Loop/Port Combo - Zone 1		1			13.03									
	2-Wire VG Loop/Port Combo - Zone 2		2		$\bot$	21.33									
	2-Wire VG Loop/Port Combo - Zone 3		3			32.61									
UNE	Loop Rates		4	LIEDDO	LIEDLY	10.75					-				
_	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		1 2	UEPRG UEPRG	UEPLX	10.75 19.05			<b>.</b>		+				
_	2-Wire Voice Grade Loop (SL 1) - Zone 2		3	UEPRG	UEPLX	30.33			<del>                                     </del>		+	-			
2-Wir	e Voice Grade Line Port Rates (RES - PBX)	<b> </b>	-	OLI INO	OLI LA	30.33				+	+	<del>                                     </del>		<b> </b>	<b>-</b>
2 77111	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -				+ +						<u> </u>	<b>†</b>			<del>                                     </del>
1	Res	1		UEPRG	UEPRD	2.28	164.57	128.16			1	40.18	9.45		
LOCA	AL NUMBER PORTABILITY	1		-	1						†				
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00							
FEAT	URES														
	All Features Offered			UEPRG	UEPVF	3.40	0.00	0.00				40.18	9.45		
NONR	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED														
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				1										
	Conversion - Switch-As-Is			UEPRG	USAC2		2.77	0.40				40.18	9.45		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -											40.40			
	Conversion - Switch with Change			UEPRG	USACC		2.77	0.40				40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						4.40					40.07			
ADDI	TIONAL NRCs		1		+		1.42				+	10.27			
ADDI	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				+						+				
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00				40.18	9.45		
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			021.110	00/102	0.00	0.00	0.00			1		0.10		
	Premise			UEPRG	URETL		8.33	0.83				26.94	12.76	0.00	0.00
OFF/0	ON PREMISES EXTENSION CHANNELS														
	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	14.97	142.97	106.56				26.94	12.76	0.00	
	Local Channel Voice grade, per termination		2	UEPRG	P2JHX	25.93	142.97	106.56				26.94	12.76	0.00	
	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	40.81	142.97	106.56				26.94	12.76	0.00	0.0
	Non-Wire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	14.62	252.06	109.08				26.94	12.76	0.00	0.0
	Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	23.86	126.03	54.54				26.94	12.76	0.00	0.0
INTER	Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	36.40	126.03	54.54			1	26.94	12.76	0.00	0.0
INTER	ROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	<del>                                     </del>	-		+					-	+	<del>                                     </del>	-	-	<del>                                     </del>
	Termination			UEPRG	U1TV2	18.00	137.48	52.58				38.07	38.07		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		<del>                                     </del>	OLI NG	UTIVE	10.00	101.40	32.30	<del>                                     </del>	+	<del>                                     </del>	30.07	30.07	<b> </b>	<del>                                     </del>
	or Fraction Mile	1		UEPRG	U1TVM	0.0125	0.00	0.00			1	I			
2-WIR	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			021.110	0	0.0120	0.00	0.00			1				
	Port/Loop Combination Rates				1 1						1				1
	2-Wire VG Loop/Port Combo - Zone 1		1			13.03									
	2-Wire VG Loop/Port Combo - Zone 2		2			21.33									
	2-Wire VG Loop/Port Combo - Zone 3		3			32.61									
UNE I	Loop Rates	ļ	<u> </u>	LIEBBY /	lues:							1		ļ	<b></b>
	2-Wire Voice Grade Loop (SL 1) - Zone 1	ļ	1	UEPPX	UEPLX	10.75						1		ļ	ļ
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	19.05						-			<b>_</b>
0.147	2-Wire Voice Grade Loop (SL 1) - Zone 3	-	3	UEPPX	UEPLX	30.33				-	+	1	-	<del>                                     </del>	<del>                                     </del>
2-Wire	e Voice Grade Line Port Rates (BUS - PBX)	<del>                                     </del>	-		+					-	+	<del>                                     </del>	-	-	<del>                                     </del>
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	1		UEPPX	UEPPC	2.28	164.57	128.16			1	40.18	9.45		
-	Line Side Unbundled Outward PBX Trunk Port - Bus	<del>                                     </del>	1	UEPPX	UEPPO	2.28	164.57	128.16		+	+	40.18	9.45	<del> </del>	<del>                                     </del>
	Line Side Unbundled Incoming PBX Trunk Port - Bus		<del>                                     </del>	UEPPX	UEPP1	2.28	164.57	128.16	<del>                                     </del>	+	<del>                                     </del>	40.18	9.45	<b> </b>	<del>                                     </del>
$\overline{}$	2-Wire Voice Unbundled PBX LD Terminal Ports	1		UEPPX	UEPLD	2.28	164.57	128.16		+	†	40.18	9.45	1	
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	<b> </b>	t	UEPPX	UEPXA	2.28	164.57	128.16				40.18	9.45	İ	

ADDIADCE	D NETWORK ELEMENTS - North Carolina		1		1						Core Condition	Core Onder	Attachi			bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring D	Disconnect			oss	Rates (\$)	•	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPPX	UEPXO	2.28	164.57	128.16					40.18	9.45		
1.0041	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		-	UEPPX	UEPXS	2.28	164.57	128.16					40.18	9.45		
LOCAL	NUMBER PORTABILITY			UEPPX	LNPCP	3.15	0.00	0.00	<b> </b>				40.18	9.45		
FEATU	Local Number Portability (1 per port)			UEPPA	LINPUP	3.15	0.00	0.00	<b> </b>				40.18	9.45		-
FEATU	All Features Offered		-	UEPPX	UEPVF	3.40	0.00	0.00					40.18	9.45		<b> </b>
NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLFFA	OLF VI	3.40	0.00	0.00					40.10	9.43		
HOMINE	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				1											
	Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEPPX	USAC2		2.77	0.40					40.18	9.45		
	Conversion - Switch with Change  2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPPX	USACC		2.77	0.40					40.18	9.45		
	Subsequent Database Update						1.42						10.27			
ADDITI	ONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00					40.18	9.45		
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPPX	URETL		8.33	0.83					26.94	12.76	0.00	0.0
OFF/OI	N PREMISES EXTENSION CHANNELS				i i											
	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	14.97	142.97	106.56					26.94	12.76	0.00	0.0
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	25.93	142.97	106.56					26.94	12.76	0.00	0.0
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	40.81	142.97	106.56					26.94	12.76	0.00	0.0
	Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	14.62	252.06	109.08					26.94	12.76	0.00	0.0
	Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	23.86	126.03	54.54					26.94	12.76	0.00	0.0
	Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	36.40	126.03	54.54					26.94	12.76	0.00	0.0
INTER	OFFICE TRANSPORT		-													
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPPX	U1TV2	18.00	137.48	52.58					38.07	38.07		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			CELLX	01112	10.00	107.40	02.00					00.07	00.01		
	or Fraction Mile			UEPPX	U1TVM	0.0125	0.00	0.00								
	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
UNE Po	ort/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			13.03										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			21.33										
1000-	2-Wire VG Coin Port/Loop Combo – Zone 3		3		+	32.61									<b>.</b>	ļ
UNE Lo	pop Rates		4	HEDCO	LIEDLY	40.75									-	
-	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	<b>-</b>	2	UEPCO UEPCO	UEPLX	10.75 19.05			<del>                                     </del>							-
-	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	30.33	+								<del> </del>	
2-Wire	Voice Grade Line Ports (COIN)	<b>-</b>	-	02.1 00	OLI LA	50.55	+								<b> </b>	<b>-</b>
	2-Wire Coin 2-Way without Operator Screening and without				1		+								1	
	Blocking (NC)			UEPCO	UEPND	2.28	79.59	63.97					40.18	9.45		1
	2-Wire Coin 2-Way with Operator Screening (NC)			UEPCO	UEPNC	2.28	79.59	63.97					40.18	9.45	1	
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	2.28	79.59	63.97					40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (NC)			UEPCO	UEPNB	2.28	79.59	63.97					40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening: 900 Blocking: 900/976, 1+DDD, 011+, and Local (NC, TN)			UEPCO	UEPCA	2.28	79.59	63.97					40.18	9.45		

NBUNDLED	NETWORK ELEMENTS - North Carolina										T -	-		ment: 2	Exhi	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin Outward with Operator Screening and 011 Blocking															
	(NC)			UEPCO	UEPNE	2.28	79.59	63.97					40.18	9.45		
	2-Wire Coin Outward with Operator Screening and Blocking:															
	900/976, 1+DDD, 011+, and Local (NC)			UEPCO	UEPCL	2.28	79.59	63.97					40.18	9.45		
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2.28	79.59	63.97					40.18	9.45		ļ
	2-Wire Coin Outward Smartline with 900/976 (all states except			LIEBOO	LIEDOD	0.00	70.50	00.07					10.10	0.45		
	DNAL UNE COIN PORT/LOOP (RC)			UEPCO	UEPCR	2.28	79.59	63.97	-	-			40.18	9.45		
	UNE Coin Port/Loop Combo Usage (Flat Rate)		-	UEPCO	URECU	3.70	0.00	0.00	0.00	0.00			40.18	9.45		
	NUMBER PORTABILITY			UEPCO	URECU	3.70	0.00	0.00	0.00	0.00	-		40.16	9.45		
				UEPCO	LNPCX	0.35					-					
	Local Number Portability (1 per port)  CURRING CHARGES - CURRENTLY COMBINED	<del>                                     </del>	<b>-</b>	OLFOO	LINFUA	0.35			<del>                                     </del>	<del>                                     </del>	<del>                                     </del>		<del> </del>	l	<del> </del>	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	<del>                                     </del>		+ +				+	+	1		1	<b> </b>	1	<b> </b>
	Switch-as-is			UEPCO	USAC2		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	<del>                                     </del>	021 00	JUNUZ		2.11	0.40	+	+	1		40.10	9.40	1	<b> </b>
	Switch with change			UEPCO	USACC		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLI GO	OOACC		2.11	0.40					40.10	3.43		
	Subsequent Database Update						1.42									
	ONAL NRCs				+		1.72		<del> </del>	<del> </del>	1					
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent				+				<del> </del>	<del> </del>	1					
	Activity			UEPCO	USAS2		0.00	0.00					40.18	9.45		
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		-	OLI CO	UUAUZ		0.00	0.00					40.10	3.43		
	Premise			UEPCO	URETL		8.33	0.83					26.94	12.76	0.00	0.
	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	I I INF F	ORT (		OKETE		0.00	0.00					20.04	12.70	0.00	0.
	rt/Loop Combination Rates	<u> </u>	<u> </u>	l l	+ +											
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		+	17.16					1					
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		1 1	28.12										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		1	43.00										
	op Rates		Ť		1											
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	14.97										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	25.93										
	2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFR	UECF2	40.81										
	/oice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	2.19	225.00	225.00					40.18	9.45		
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	2.19	225.00	225.00					40.18	9.45		
	2-Wire voice unbundled port outgoing only - res	Ì		UEPFR	UEPRO	2.19	225.00	225.00					40.18	9.45		
	2-Wire voice unbundles res, low usage line port with Caller ID			1											ĺ	
	(LUM)	1	1	UEPFR	UEPAP	2.19	225.00	225.00	I	I			40.18	9.45		1
INTERO	FFICE TRANSPORT	Ì														
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
-	Termination	<u></u>	L	UEPFR	U1TV2	18.00	140.00	71.00	<u> </u>	<u> </u>	L			<u>                                      </u>	<u> </u>	<u></u>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile	L		UEPFR	1L5XX	0.0125			<u> </u>	<u> </u>	L			<u> </u>		
FEATUR																
	All Features Offered			UEPFR	UEPVF	3.40	0.00	0.00					40.18	9.45		
	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED										ļ					
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1	1						I	I						1
	Combination - Conversion - Switch-as-is	ļ		UEPFR	USAC2		9.03	1.87	<b>.</b>	<b></b>	ļ		40.18	9.45	ļ	ļ
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1	1						I	I						1
	Combination - Conversion - Switch-With-Change	<u> </u>	<u> </u>	UEPFR	USACC		9.03	1.87			<u> </u>		40.18	9.45		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	1	1						I	I						_
	End User Premise	<u> </u>		UEPFR	URETN		11.20	1.10			ļ		26.94	12.76	0.00	C
	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (	BUS)	1 1				<b>.</b>	<b></b>	ļ		ļ		ļ	<u> </u>
	rt/Loop Combination Rates	<b>.</b>	<u> </u>		1 1				<b></b>	-	<u> </u>					<u> </u>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	ļ	1		1	17.16			<u> </u>	-	1		ļ	<b> </b>	ļ	<b> </b>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			28.12					ļ					
1 1	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	l	3	I	1 1	43.00			1	1	1	l	l .	l	l .	ı

NRONDL	LED NETWORK ELEMENTS - North Carolina			1									Attachi			bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring Disc					Rates (\$)		
						1100	First	Add'l	First A	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14.97										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	25.93										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	40.81										
2-Wi	ire Voice Grade Line Port (Bus)			LIEDED	LIEDDI	0.40	205.00	005.00					10.10	0.45		
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	2.19	225.00	225.00					40.18	9.45		
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB UEPFB	UEPBC UEPBO	2.19 2.19	225.00 225.00	225.00 225.00					40.18 40.18	9.45 9.45		
	2-Wire voice unbundled port outgoing only - bus  2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPBO UEPB1	2.19	225.00	225.00					40.18	9.45		
1.00	AL NUMBER PORTABILITY		-	UEPFB	UEPBI	2.19	225.00	223.00					40.16	9.45		
LUC	Local Number Portability (1 per port)		-	UEPFB	LNPCX	0.35										
INTE	EROFFICE TRANSPORT			OLFID	LINFUA	0.35			<del>                                     </del>							<del> </del>
IIVIE	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	<b>-</b>		<del> </del>	+				<del>                                     </del>							
	Termination			UEPFB	U1TV2	18.00	140.00	71.00								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFB	1L5XX	0.0125										
FEA	TURES															
	All Features Offered			UEPFB	UEPVF	3.40	0.00	0.00					40.18	9.45		
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFB	USAC2		9.03	1.87					40.18	9.45		
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFB	USACC		9.03	1.87					40.18	9.45		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFB	URETN		11.20	1.10					26.94	12.76	0.00	0.00
2-WI	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (	PBX)												
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			17.16										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			28.12										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			43.00										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	14.97										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	25.93										
0.147	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	40.81										
2-WI	ire Voice Grade Line Port Rates (BUS - PBX)				+											
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	2.18	225.00	225.00					40.18	9.45		
-	Line Side Unbundled Combination 2-Way PBA Trunk Port - Bus		-	UEPFP	UEPPO	2.18	225.00	225.00					40.18	9.45		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	2.18	225.00	225.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	2.18	225.00	225.00					40.18	9.45		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	2.18	225.00	225.00					40.18	9.45		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	2.18	225.00	225.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	2.18	225.00	225.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	2.18	225.00	225.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	2.18	225.00	225.00					40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
-	Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPFP	UEPXL	2.18	225.00	225.00					40.18	9.45		
	Room Calling Port  2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPFP	UEPXM	2.18	225.00	225.00					40.18	9.45		
	Discount Room Calling Port			UEPFP	UEPXO	2.18	225.00	225.00					40.18	9.45		
1.00	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	2.18	225.00	225.00					40.18	9.45		
LOC	AL NUMBER PORTABILITY  Il cool Number Portability (4 per port)		<u> </u>	UEPFP	LNPCP	2.45	0.00	0.00					40.18	9.45		
INTE	Local Number Portability (1 per port)  EROFFICE TRANSPORT		<del>                                     </del>	OLFFF	LINEUP	3.15	0.00	0.00					40.18	9.45		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFP	U1TV2	18.00	140.00	71.00								

or Fracti FEATURES  All FeatureS  All FeatureS  All FeatureS  2-Wire L  Combini 2-Wire L  Combini Unbund End Uss  JNBUNDLED PORT/LO  2-Wire VOICE  UNE Port/Loop  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  4-Wire A  2-Wire A  2-Wire A  4-Wire A  4-Wire A  4-Wire A  4-Wire A  4-Wire A  5-Wire V  With Bel  ADDITIONAL NI  2-Wire L  1-Wire L  2-Wire L  1-Wire L	e Analog Voice Grade Loop - (SL2) - UNE Zone 1 e Analog Voice Grade Loop - (SL2) - UNE Zone 2 e Analog Voice Grade Loop - (SL2) - UNE Zone 3		Zone 1 1 2 3 3	BCS  UEPFP  UEPFP  UEPFP  UEPFP	USOC  1L5XX  UEPVF  USAC2  USACC  URETN	Rec - 0.0125 3.40	Nonrec First 0.00 9.03	RATES (\$) urring Add'l 0.00	Nonrecurring Disconne First Add'I		Submitted Manually	Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l Rates (\$) SOMAN	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
or Fracti FEATURES  All FeatureS  All FeatureS  All FeatureS  2-Wire L  Combini 2-Wire L  Combini Unbund End Uss  JNBUNDLED PORT/LO  2-Wire VOICE  UNE Port/Loop  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  4-Wire A  2-Wire A  2-Wire A  4-Wire A  4-Wire A  4-Wire A  4-Wire A  4-Wire A  5-Wire V  With Bel  ADDITIONAL NI  2-Wire L  1-Wire L  2-Wire L  1-Wire L	atures Offered  ING CHARGES (NRCs) - CURRENTLY COMBINED  Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch-as-is  Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch with change indled Miscellaneous Rate Element, Tag Designed Loop at iser Premise  JOOP COMBINATIONS - COST BASED RATES  E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK P Combination Rates  B VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1  VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2  B VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3  tes  Analog Voice Grade Loop - (SL2) - UNE Zone 2  Analog Voice Grade Loop - (SL2) - UNE Zone 2  Analog Voice Grade Loop - (SL2) - UNE Zone 2		1 2	UEPFP UEPFP	UEPVF USAC2 USACC	0.0125	0.00 9.03 9.03	Add'I 0.00			SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
or Fracti FEATURES  All FeatureS  All FeatureS  All FeatureS  2-Wire L  Combini 2-Wire L  Combini Unbund End Uss  JNBUNDLED PORT/LO  2-Wire VOICE  UNE Port/Loop  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  4-Wire A  2-Wire A  2-Wire A  4-Wire A  4-Wire A  4-Wire A  4-Wire A  4-Wire A  5-Wire V  With Bel  ADDITIONAL NI  2-Wire L  1-Wire L  2-Wire L  1-Wire L	atures Offered  ING CHARGES (NRCs) - CURRENTLY COMBINED  Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch-as-is  Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch with change indled Miscellaneous Rate Element, Tag Designed Loop at iser Premise  JOOP COMBINATIONS - COST BASED RATES  E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK P Combination Rates  B VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1  VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2  B VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3  tes  Analog Voice Grade Loop - (SL2) - UNE Zone 2  Analog Voice Grade Loop - (SL2) - UNE Zone 2  Analog Voice Grade Loop - (SL2) - UNE Zone 2		1 2	UEPFP UEPFP	UEPVF USAC2 USACC	0.0125	9.03 9.03	0.00	First Add'l	SOMEC	SOMAN			SOMAN	SOMAN
or Fracti FEATURES  All FeatureS  All FeatureS  All FeatureS  2-Wire L  Combini 2-Wire L  Combini Unbund End Uss  JNBUNDLED PORT/LO  2-Wire VOICE  UNE Port/Loop  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  4-Wire A  2-Wire A  2-Wire A  4-Wire A  4-Wire A  4-Wire A  4-Wire A  4-Wire A  5-Wire V  With Bel  ADDITIONAL NI  2-Wire L  1-Wire L  2-Wire L  1-Wire L	atures Offered  ING CHARGES (NRCs) - CURRENTLY COMBINED  Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch-as-is  Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch with change indled Miscellaneous Rate Element, Tag Designed Loop at iser Premise  JOOP COMBINATIONS - COST BASED RATES  E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK P Combination Rates  B VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1  VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2  B VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3  tes  Analog Voice Grade Loop - (SL2) - UNE Zone 2  Analog Voice Grade Loop - (SL2) - UNE Zone 2  Analog Voice Grade Loop - (SL2) - UNE Zone 2		1 2	UEPFP UEPFP	UEPVF USAC2 USACC		9.03 9.03					40.18	9.45		
FEATURES All Features All Features NONRECURINI 2-Wire L Combini 2-Wire L Combini Unbund End Use JNBUNDLED PORT/LOO 2-WIRE VOICE UNE PORT/LOO 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire A 2-Wire A 2-Wire A 2-Wire A 2-Wire A 2-Wire A 2-Wire A 2-Wire A 2-Wire A 4-Wire	atures Offered  ING CHARGES (NRCs) - CURRENTLY COMBINED  Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch-as-is  Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch with change inded Miscellaneous Rate Element, Tag Designed Loop at iser Premise  OOP COMBINATIONS - COST BASED RATES  E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK  P Combination Rates  BYG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1  BYG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2  BYG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3  tes  Analog Voice Grade Loop - (SL2) - UNE Zone 1  Analog Voice Grade Loop - (SL2) - UNE Zone 2		1 2	UEPFP UEPFP	UEPVF USAC2 USACC		9.03 9.03					40.18	9.45		-
All Feat  NONRECURRIN  2-Wire L Combin  2-Wire L Combin  Unbund End Use  JNBUNDLED PORT/LO  2-Wire V 5-Wire V 4-Wire V 4-Wire V 4-Wire V 5-Wire V 6-C-Wire V 6-C-Wire V 6-C-Wire V 6-C-Wire V 7-Wire V 8-Wire V 8-Wire V 8-Wire V 8-Wire V 9-Wire V 8-Wire V 8-Wire V 9-Wire V	ING CHARGES (NRCs) - CURRENTLY COMBINED  Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch-as-is a Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch with change didled Miscellaneous Rate Element, Tag Designed Loop at iser Premise JOOP COMBINATIONS - COST BASED RATES E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNH P Combination Rates De VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 De VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 De VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 Designed Sylver Combo - UNE Zone 3 Designed Sylver Combo - UNE Zone 1 Designed Sylver Combo - UNE Zone 2 Designed Sylver Combo - UNE Zone 3 Designed Sylver Combo - UNE Zone 1 Designed Sylver Combo - UNE Zone 2 Designed Sylver Combo - UNE Zone 2 Designed Sylver Combo - UNE Zone 2 Designed Sylver Combo - UNE Zone 2 Designed Sylver Combo - UNE Zone 2 Designed Sylver Combo - UNE Zone 2 Designed Sylver Combo - UNE Zone 2 Designed Sylver Combo - UNE Zone 2 Designed Sylver Combo - UNE Zone 2 Designed Sylver Combo - UNE Zone 3 Designed Sylver Combo - UNE Zone 3 Designed Sylver Combo - UNE Zone 3 Designed Sylver Combo - UNE Zone 3 Designed Sylver Combo - UNE Zone 3 Designed Sylver Combo - UNE Zone 3 Designed Sylver Combo - UNE Zone 3		1 2	UEPFP UEPFP	USAC2 USACC	3.40	9.03 9.03					40.18	9.45		
NONRECURRIN 2-Wire L Combini 2-Wire L Combini Unbund End Us& JNBUNDLED PORT/LO 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 4-Wire V 2-Wire V 4-Wire V 4-Wire V 4-Wire V 4-Wire V 4-Wire V 4-Wire V 4-Wire V 4-Wire V 4-Wire V 4-Wire V 4-Wire V 5-Wire V 4-Wir	ING CHARGES (NRCs) - CURRENTLY COMBINED  Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch-as-is a Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch with change didled Miscellaneous Rate Element, Tag Designed Loop at iser Premise JOOP COMBINATIONS - COST BASED RATES E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNH P Combination Rates De VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 De VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 De VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 Designed Sylver Combo - UNE Zone 3 Designed Sylver Combo - UNE Zone 1 Designed Sylver Combo - UNE Zone 2 Designed Sylver Combo - UNE Zone 3 Designed Sylver Combo - UNE Zone 1 Designed Sylver Combo - UNE Zone 2 Designed Sylver Combo - UNE Zone 2 Designed Sylver Combo - UNE Zone 2 Designed Sylver Combo - UNE Zone 2 Designed Sylver Combo - UNE Zone 2 Designed Sylver Combo - UNE Zone 2 Designed Sylver Combo - UNE Zone 2 Designed Sylver Combo - UNE Zone 2 Designed Sylver Combo - UNE Zone 2 Designed Sylver Combo - UNE Zone 3 Designed Sylver Combo - UNE Zone 3 Designed Sylver Combo - UNE Zone 3 Designed Sylver Combo - UNE Zone 3 Designed Sylver Combo - UNE Zone 3 Designed Sylver Combo - UNE Zone 3 Designed Sylver Combo - UNE Zone 3		1 2	UEPFP UEPFP	USAC2 USACC	0.10	9.03 9.03								<del>                                     </del>
2-Wire L Combini 2-Wire L Combini Unbund End Use JNBUNDLED PORT/LO 2-WIRE VOICE UNE POrt/Loop 2-Wire V 2-Wire V 2-Wire V 2-Wire V 4-2-Wire A 2-Wire A 2-Wire A 2-Wire A 2-Wire A 2-Wire A 4-2-Wire A 4	e Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch-as-is b Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch with change indied Miscellaneous Rate Element, Tag Designed Loop at Ser Premise.  COOP COMBINATIONS - COST BASED RATES  E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNIVED COMBINATIONS - COST BASED RATES  E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNIVED COMBINATIONS - COST BASED RATES  E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNIVED COMBINATIONS - COST BASED RATES  E VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 B VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3  Tes  Analog Voice Grade Loop - (SL2) - UNE Zone 1 B Analog Voice Grade Loop - (SL2) - UNE Zone 2  Analog Voice Grade Loop - (SL2) - UNE Zone 3		1 2	UEPFP	USACC		9.03	1.87							
2-Wire L Combini Unbund End Use JNBUNDLED PORT/LO 2-WIRE VOICE UNE Port/Loop 2-Wire \ 2-Wire \ 2-Wire \ 1-Wire \ 2-Wire \ 2-Wire \ 1-Wire	De Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch with change holded Miscellaneous Rate Element, Tag Designed Loop at Iser Premise  JOOP COMBINATIONS - COST BASED RATES  E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNH  COMBINATIONS - COST BASED RATES  BYG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1  VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2  VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3  tes  Analog Voice Grade Loop - (SL2) - UNE Zone 1  Analog Voice Grade Loop - (SL2) - UNE Zone 2  Analog Voice Grade Loop - (SL2) - UNE Zone 2		1 2	UEPFP	USACC		9.03	1.87							
Combini Unbund End Use JNBUNDLED PORT/LO 2-WIRE VOICE UNE POrt/Loop 2-Wire \( \) 2-Wire \( \) 2-Wire \( \) 2-Wire \( \) UNE Loop Rate 2-Wire \( \) 2-Wire \( \) UNE Port Rate Exchang NONRECURRIN 2-Wire \( \) Switch=6 2-Wire \( \) with Bel ADDITIONAL NI 2-Wire \( \) Unbund End Use Telephone Nun DID Trui	ination - Conversion - Switch with change indled Miscellaneous Rate Element, Tag Designed Loop at Iser Premise  OOP COMBINATIONS - COST BASED RATES  E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNH ID Combination Rates  9 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1  9 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2  9 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3  10 Analog Voice Grade Loop - (SL2) - UNE Zone 1  10 Analog Voice Grade Loop - (SL2) - UNE Zone 2  11 Analog Voice Grade Loop - (SL2) - UNE Zone 2		1 2					1.07				40.18	9.45		<u> </u>
Unbund End Use JNBUNDLED PORT/LO 2-WIRE VOICE UNE Port/Loop 2-Wire \\ 2-Wire \\ 2-Wire \\ UNE Loop Rate 2-Wire \\ 2-Wire \\ UNE Port Rate Exchang NONRECURRIN 2-Wire \\ Switch-a 2-Wire \\ UNE Port Rate Unbund Exchang NONRECURRIN 2-Wire \\ Switch-a 2-Wire \\ Unbund Use \\ Substitute Significant	adled Miscellaneous Rate Element, Tag Designed Loop at Iser Premise  GOP COMBINATIONS - COST BASED RATES  E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK  P Combination Rates  VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1  9 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2  9 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3  tes  Analog Voice Grade Loop - (SL2) - UNE Zone 1  9 Analog Voice Grade Loop - (SL2) - UNE Zone 2		1 2												
End Use JNBUNDLED PORT/LO 2-WIRE VOICE UNE Port/Loop 2-Wire V 2-Wire V 2-Wire V UNE Loop Rate 2-Wire A 2-Wire A UNE Port Rate Exchang NONRECURRIN 2-Wire V Switch-a 2-Wire V with Bel ADDITIONAL N 2-Wire L Unbund End Use	Iser Premise  .OOP COMBINATIONS - COST BASED RATES E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK  p Combination Rates  9 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1  9 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2  9 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3  tes  Analog Voice Grade Loop - (SL2) - UNE Zone 1  9 Analog Voice Grade Loop - (SL2) - UNE Zone 2  9 Analog Voice Grade Loop - (SL2) - UNE Zone 2		1 2	UEPFP	URETN			1.87				40.18	9.45		
JNBUNDLED PORT/LO  2-WIRE VOICE  UNE PORT/LOOP  2-Wire \( \)  2-Wire \( \)  2-Wire \( \)  UNE Loop Rate  2-Wire \( \)  2-Wire \( \)  UNE PORT Rate  Exchang  NONRECURRIN  2-Wire \( \)  Switch=6  2-Wire \( \)  With Bel  ADDITIONAL NI  LOBURD AND  L	OOP COMBINATIONS - COST BASED RATES E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK P Combination Rates 9 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 9 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 9 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 10 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 10 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 10 Analog Voice Grade Loop - (SL2) - UNE Zone 1 11 Analog Voice Grade Loop - (SL2) - UNE Zone 2 12 Analog Voice Grade Loop - (SL2) - UNE Zone 3	K PORT	1 2	UEPFP	UREIN										
2-WIRE VOICE UNE Port/Loop 2-Wire \\ 2-Wire \\ UNE Loop Rate 2-Wire \\ 2-Wire \\ UNE Loop Rate 2-Wire A\\ 2-Wire A\\ UNE Port Rate Exchang NONRECURRIN 2-Wire \\ Switch=\\ 2-Wire \\ Unit be a \\ Unit b	E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK  IP Combination Rates  3 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1  3 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2  3 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2  3 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3  4 Analog Voice Grade Loop - (SL2) - UNE Zone 1  5 Analog Voice Grade Loop - (SL2) - UNE Zone 2  5 Analog Voice Grade Loop - (SL2) - UNE Zone 3	K PORT	1 2				11.20	1.10				26.94	12.76	0.00	0.00
UNE Port/Loop  2-Wire \( \)  2-Wire \( \)  UNE Loop Rate  2-Wire \( \)  2-Wire \( \)  2-Wire \( \)  2-Wire \( \)  UNE Port Rate  Exchang  NONRECURRIN  2-Wire \( \)  Switch-a  2-Wire \( \)  with Bel  ADDITIONAL NI  2-Wire \( \)  Unbund  End Use  Telephone Num	p Combination Rates  VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1  b VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2  b VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3  tes  Analog Voice Grade Loop - (SL2) - UNE Zone 1  b Analog Voice Grade Loop - (SL2) - UNE Zone 2  Analog Voice Grade Loop - (SL2) - UNE Zone 3	KPOKI	1 2												<del></del>
2-Wire \\ 2-Wire \\ 2-Wire \\ 2-Wire \\ UNE Loop Rate 2-Wire A\\ 2-Wire A\\ 2-Wire A\\ 2-Wire A\\ DESCRIPTION Tate Exchang NONRECURRIN 2-Wire \\ Switch-e 2-Wire \\ with Bel ADDITIONAL NI 2-Wire L\\ Unbund End Use Telephone Nun	VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 tes Analog Voice Grade Loop - (SL2) - UNE Zone 1 Analog Voice Grade Loop - (SL2) - UNE Zone 2 Analog Voice Grade Loop - (SL2) - UNE Zone 3		2		1					+	1				<del>                                     </del>
2-Wire \\ 2-Wire \\ UNE Loop Rate 2-Wire A\\ 2-Wire A\\ 2-Wire A\\ 2-Wire A\\ UNE Port Rate Exchang NONRECURRIN 2-Wire \\ Switch-\\ 2-Wire \\ With Bel\\ ADDITIONAL N\\ 2-Wire L\\ Unbund End Use Telephone Num	e VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2  9 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3  tes  4 Analog Voice Grade Loop - (SL2) - UNE Zone 1  9 Analog Voice Grade Loop - (SL2) - UNE Zone 2  9 Analog Voice Grade Loop - (SL2) - UNE Zone 3		2		1	20.97				+					<b>—</b>
2-Wire \\ UNE Loop Rate 2-Wire A\\ 2-Wire A\\ 2-Wire A\\ 2-Wire A\\ Exchange NONRECURRIN 2-Wire \\ Switch-a\\ 2-Wire \\ With Bel\\ ADDITIONAL N\\ 2-Wire \\ Unbund End Use Telephone Num	e VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 tes e Analog Voice Grade Loop - (SL2) - UNE Zone 1 e Analog Voice Grade Loop - (SL2) - UNE Zone 2 e Analog Voice Grade Loop - (SL2) - UNE Zone 3				İ	27.80									
2-Wire A 2-Wire A 2-Wire A UNE Port Rate Exchang NONRECURRIN 2-Wire \ Switch- 2-Wire \ With Bel ADDITIONAL N 2-Wire L Unbund End Use Telephone Nun DID Trui	e Analog Voice Grade Loop - (SL2) - UNE Zone 1 e Analog Voice Grade Loop - (SL2) - UNE Zone 2 e Analog Voice Grade Loop - (SL2) - UNE Zone 3					37.08									
2-Wire A 2-Wire A 2-Wire A UNE Port Rate Exchang NONRECURIN 2-Wire \ Switch-s 2-Wire \ With Bel ADDITIONAL NI 2-Wire Unbund End Use Telephone Num	e Analog Voice Grade Loop - (SL2) - UNE Zone 2 e Analog Voice Grade Loop - (SL2) - UNE Zone 3														
2-Wire A UNE Port Rate Exchang NONRECURRIN 2-Wire V Switch-a 2-Wire V with Bel ADDITIONAL N 2-Wire U Unbund End Use Telephone Nun	Analog Voice Grade Loop - (SL2) - UNE Zone 3		1	UEPPX	UECD1	8.85									
UNE Port Rate Exchang NONRECURRIN 2-Wire V Switch-e 2-Wire V with Bel ADDITIONAL N 2-Wire D Unbund End Use Telephone Nun DID Trui			2	UEPPX	UECD1	15.68									
Exchang NONRECURIN 2-Wire \ Switch- 2-Wire \ with Bel ADDITIONAL NI 2-Wire L Unbund End Use Telephone Nun DID Tru			3	UEPPX	UECD1	24.96									<b></b>
NONRÉCURIN  2-Wire \ Switch-e 2-Wire \ With Bel  ADDITIONAL N  2-Wire L Unbund End Use  Telephone Nun		-	-	LIEDDY	LIEDD4	10.10	004.04	100.10				10.10	0.45		<b>——</b>
2-Wire \ Switch-e 2-Wire \ with Bel ADDITIONAL Ni 2-Wire I Unbund End Use Telephone Nun DID Trui	nge Ports - 2-Wire DID Port ING CHARGES - CURRENTLY COMBINED	+	+	UEPPX	UEPD1	12.12	224.81	188.40				40.18	9.45		<b>├</b>
Switch-a 2-Wire V with Bel ADDITIONAL N 2-Wire E Unbund End Use Telephone Nun DID Trui	e Voice Grade Loop / 2-Wire DID Trunk Port Combination	+	+												<del></del>
2-Wire Nwith Bel ADDITIONAL N 2-Wire I Unbund End Uss Telephone Nun		1		UEPPX	USAC1		13.26	8.39				53.89	11.34		İ
with Bel ADDITIONAL N 2-Wire E Unbund End Use Telephone Nun DID Trui	Voice Grade Loop / 2-Wire DID Trunk Port Conversion			OLITA	00/101		10.20	0.00				00.00	11.04		
2-Wire E Unbund End Use Telephone Nun DID Trui	ellSouth Allowable Changes			UEPPX	USA1C		13.26	8.39				53.89	11.34		İ
Unbund End Use Telephone Nun DID Trui			1										-		
End Use Telephone Num DID Trui	e DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		53.49					40.18	9.45		
Telephone Nun DID Trui	ndled Miscellaneous Rate Element, Tag Designed Loop at														
DID Trui	ser Premise			UEPPX	URETN		11.20	1.10				26.94	12.76	0.00	0.00
	umber/Trunk Group Establisment Charges			LIEDDY.	LIDT	2.22	2.22								L
DID Nui	runk Termination (One Per Port)	-	-	UEPPX	NDT	0.00	0.00	0.00							<b>——</b>
	umbers, Establish Trunk Group and Provide First Group DID Numbers			UEPPX	NDZ	0.00	0.00	0.00							1
	onal DID Numbers for each Group of 20 DID Numbers	+	$\vdash$	UEPPX	ND4	0.00	0.00	0.00		+					<del>                                     </del>
	umbers, Non- consecutive DID Numbers, Per Number	1	t	UEPPX	ND5	0.00	0.00	0.00							
	ve Non-Consecutive DID numbers	1	1	UEPPX	ND6	0.00	0.00	0.00							
	ve DID Numbers			UEPPX	NDV	0.00	0.00	0.00							
	BER PORTABILITY							· · · · ·							
	Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00							
	DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	INE SID	E POR		1					_					<b>├</b>
	pp Combination Rates	+	+	-	1					-	1				<del></del>
UNE Zo	DN Digital Grade Loop/2W ISDN Digital Line Side Port -		1	UEPPB UEPPR	,	38.84									1
	DN Digital Grade Loop/2W ISDN Digital Line Side Port -	+	+ 1	UEPPR UEPPR	+	38.84				+	1				<del>                                     </del>
UNE Zo			2	UEPPB UEPPR		50.01									1
	DN Digital Grade Loop/2W ISDN Digital Line Side Port -	1	ΤĒ	5_: 5	1	55.51									
UNE Zo			3	UEPPB UEPPR		65.18									1
UNE Loop Rate	tes	1													
2-Wire I	ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	14.47									
	5.000 E00P OTTE E010 1	1													1
		1	2	UEPPB UEPPR		25.64									
	BISDN Digital Grade Loop - UNE Zone 2	1	3	UEPPB UEPPR	USL2X	40.81									<b>├</b>
UNE Port Rate	s ISDN Digital Grade Loop - UNE Zone 2 s ISDN Digital Grade Loop - UNE Zone 3	+	1	UEPPB UEPPR	UEPPB	24.37	388.20	302.77		1	1	i l			<u>1</u>
NONRECURRIN	s ISDN Digital Grade Loop - UNE Zone 2 s ISDN Digital Grade Loop - UNE Zone 3			ULTED UEPPR	UEPPB	24.3/			l l			19.99	19.99		

	D NETWORK ELEMENTS - North Carolina					1	ı								ment: 2	Exhil	
ATEGORY	RATE ELEMENTS	Interi m	Zone	E	3CS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electronic Disc Add
							Rec	Nonrec		Nonrecurring D					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	Combination - Conversion		ļ	UEPPB	UEPPR	USACB	0.00	174.35	174.35								
ADDITI	ONAL NRCs		ļ														
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			LIEDDD	LIEDDD	LIDETNI		44.00	4.40								
	End User Premise Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	_	UEPPB	UEPPR	URETN		11.20	1.10	-							
	Premise			UEPPB	UEPPR	URETL		8.33	0.83					26.94	12.76	0.00	0.0
LOCAL	NUMBER PORTABILITY	1	1	OLITE	OLITIK	OKLIL		0.55	0.03					20.34	12.70	0.00	0.
	Local Number Portability (1 per port)	1	1	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
	NNEL USER PROFILE ACCESS:	1					0.00										
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00					1			
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	k TN)														
USER 1	TERMINAL PROFILE																
	User Terminal Profile (EWSD only)	ļ		UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
	CAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3.40	0.00	0.00								
INTER	OFFICE CHANNEL MILEAGE		ļ														
	Interoffice Channel mileage each, including first mile and						40.000		=====					40.00			
	facilities termination		-		UEPPR UEPPR	M1GNC M1GNM	18.0282 0.0282	137.48 0.00	52.58 0.00	<u> </u>				19.99	19.99		
4 14/105	Interoffice Channel mileage each, additional mile  DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	/ DODT	1	UEPPB	UEPPR	MIGNM	0.0282	0.00	0.00	<del>                                     </del>		-					
	IE-P DS1 combination rates below for in this rate exhibit appl			idad base	in place a	c of 10/2/02 i	Intil 4/1/04 Aft	or 4/1/04 those	rates shall re	vort to tariff rates	or a congrat	o commorci	al agroomo	nt			
	sts for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital T													1			
										ate agreement or	r tariff at Rell	South's die					
		I	ort arte	T the che	clive date t	i tilis alliellu	ment shall be	oroviaea pursi	lant to a sepa	ate agreement or	r tariff at Bell	South's dis	scretion.				
	ort/Loop Combination Rates	Tulik P	ort arte	T the che	ctive date (	i tilis alliellu	ment shall be	orovided pursi	iant to a sepai	rate agreement or	tariff at Bell	South's dis	scretion.				
	ort/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1	Tunk	1	UEPPP	ctive date (	i tiis amenu	226.55	provided pursi	lant to a sepa	ate agreement or	r tariff at Bell	South's dis	scretion.				
	ort/Loop Combination Rates 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	Tulik P			ctive date t	tins amend		provided pursu	lant to a sepa	ate agreement or	tariff at Bell	South's dis	scretion.				
	ort/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2	Trunk P			cuve date c	tins amenu		provided pursi	lant to a sepa	ate agreement or	r tariff at Bell	South's dis	scretion.				
	ort/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE  Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	Tunk P	1 2	UEPPP	ctive date t	tins amenu	226.55 263.28	provided pursu	iant to a sepa	ate agreement or	r tariff at Bell	South's dis	scretion.				
UNE PO	ort/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  Zone 3	Tunk P	1	UEPPP	ctive date (	this amenu	226.55	provided pursu	lant to a sepa	ate agreement or	r tariff at Bell	South's dis	scretion.				
UNE PO	prt/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  Top 3  Top Rates	Tunk P	1 2 3	UEPPP UEPPP	clive date (		226.55 263.28 313.15	provided pursu	lant to a sepa	ate agreement or	r tariff at Bell	South's dis	cretion.				
UNE PO	ort/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  200p Rates  4-Wire DS1 Digital Loop - UNE Zone 1	Tunk P	1 2 3	UEPPP UEPPP UEPPP	cuve date (	USL4P	226.55 263.28 313.15 47.54	provided pursu	lant to a sepa	ate agreement or	r tariff at Bell	South's dis	cretion.				
UNE PO	ort/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  2OP Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2		1 2 3 1 2	UEPPP UEPPP UEPPP UEPPP	cure date c	USL4P USL4P	226.55 263.28 313.15 47.54 84.27	provided pursu	lant to a sepa	ate agreement or	tariff at Bell	South's dis	cretion.				
UNE PO	ort/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  OP Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3		1 2 3 1 2	UEPPP UEPPP UEPPP	cure date c	USL4P	226.55 263.28 313.15 47.54	provided pursu	апт то а ѕера	ate agreement or	tariff at Bell	South's dis	cretion.				
UNE PO	ort/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  Top Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  Top Rates		1 2 3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP	cure date c	USL4P USL4P USL4P	226.55 263.28 313.15 47.54 84.27 134.14			ate agreement or	tariff at Bell	South's dis	cretion.	40.00	40.00		
UNE LC	ort/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  oop Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  ort Rate  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)		1 2 3 1 2	UEPPP UEPPP UEPPP UEPPP	cure date c	USL4P USL4P	226.55 263.28 313.15 47.54 84.27	956.47	663.10	ate agreement or	tariff at Bell	South's dis	cretion.	19.99	19.99		
UNE LC	ort/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  OOP Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  OOF Rate  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  CURRING CHARGES - CURRENTLY COMBINED		1 2 3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP	cure date c	USL4P USL4P USL4P	226.55 263.28 313.15 47.54 84.27 134.14			ate agreement or	tariff at Bell	South's dis	cretion.	19.99	19.99		
UNE LC	ort/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  700 Pates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  701 PORT RATE  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  501 CURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port		1 2 3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP	cure date c	USL4P USL4P USL4P UEPPP	226.55 263.28 313.15 47.54 84.27 134.14	956.47	663.10	ate agreement or	tariff at Bell	South's dis	cretion.	19.99	19.99		
UNE LO	ort/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  Top Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  Tort Rate  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  COURNING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004)		1 2 3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP	LIIVE MALE C	USL4P USL4P USL4P	226.55 263.28 313.15 47.54 84.27 134.14			ate agreement or	tariff at Bell	South's dis	ccretion.	19.99	19.99		
UNE LO	ort/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  OOP Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  OOF Rate  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  CURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004)  ONAL NRCS		1 2 3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP	Live date (	USL4P USL4P USL4P UEPPP	226.55 263.28 313.15 47.54 84.27 134.14	956.47	663.10	ate agreement or	tariff at Bell	South's dis	scretion.	19.99	19.99		
UNE LO  UNE LO  UNE PO  NONRE	ort/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  Top Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  Tort Rate  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  5-UNRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004)  ONAL NRCS		1 2 3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP	Live date (	USL4P USL4P USL4P UEPPP	226.55 263.28 313.15 47.54 84.27 134.14	956.47	663.10	ate agreement or	tariff at Bell	South's dis	cretion.	19.99	19.99		
UNE LO  UNE LO  UNE PO  NONRE	ort/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  7 OP Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  7 OPT RATE  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  CURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004)  ONAL NRCS  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)		1 2 3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP	Live date C	USL4P USL4P USL4P UEPPP	226.55 263.28 313.15 47.54 84.27 134.14	956.47	663.10	ate agreement or	tariff at Bell	South's dis	scretion.	19.99	19.99		
UNE LO  UNE LO  UNE PO  NONRE	prt/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  pop Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  por Rate  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  CURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004)  ONAL NRCS  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)  4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent		1 2 3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP	Live date C	USL4P USL4P USL4P UEPPP	226.55 263.28 313.15 47.54 84.27 134.14	956.47 481.51	663.10 481.51	ate agreement or	tariff at Bell	South's dis	scretion.	19.99	19.99		
UNE LO  UNE LO  UNE PO  NONRE	port/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  200 Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  201 Rate  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  202 CURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004)  ONAL NRCs  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)  4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent Activity Outward tel nos. (NC only)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -		1 2 3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP	LIVE VALUE (	USL4P USL4P USL4P UEPPP USACP	226.55 263.28 313.15 47.54 84.27 134.14	956.47	663.10	ate agreement or	tariff at Bell	South's dis	scretion.	19.99	19.99		
UNE LO  UNE LO  UNE PO  NONRE	crt/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  2 DOP Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  2 DOP Rates  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  CURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004)  ONAL NRCS  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)  4-Wire DS1 Loop / 4-Wire ISDN Digital Trunk Port - Subsequent Activity Outward tel nos. (NC Only)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers		1 2 3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP	LIVE VALE (	USL4P USL4P USL4P UEPPP USACP	226.55 263.28 313.15 47.54 84.27 134.14	956.47 481.51	663.10 481.51	ate agreement or	tariff at Bell	South's dis	cretion.	19.99	19.99		
UNE LOCAL	prt/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  200 Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  201 Rate  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  CURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004)  ONAL NRCs  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)  4-Wire DS1 Loop/4-Wire ISDN DS1 Digital Trunk Port - Subsequent Activity Outward tel nos. (NC only)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers  NUMBER PORTABILITY		1 2 3 1 2	UEPPP													
UNE LO  UNE PO  NONRE  ADDITI	prt/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  DOP Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  DOP Rate  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  CURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is (E:4/1/2004)  ONAL NRCS  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward Tel Numbers  NUMBER PORTABILITY  Local Number Portability (1 per port)		1 2 3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP	LIVE VALE (	USL4P USL4P USL4P UEPPP USACP PR7TG	226.55 263.28 313.15 47.54 84.27 134.14	956.47 481.51 1.17 28.17	663.10 481.51 1.17 28.17	ate agreement or	tariff at Bell	South's dis	scretion.	19.99	19.99		
UNE LO  UNE PO  NONRE  ADDITI	prt/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  2D Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  2D Rates  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  CURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is (E:4/1/2004)  ONAL NRCS  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)  4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent Activity Outward tel nos. (NC Only)  4-Wire DS1 Loop /4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers  NUMBER PORTABILITY  Local Number Portability (1 per port)  7ACE (Provsioning Only)	TOTAL PARTY OF THE	1 2 3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP	Live date (	USL4P USL4P USL4P USL4P USL4P USACP PR7TG PR7TP PR7ZT LNPCN	226.55 263.28 313.15 47.54 84.27 134.14 179.01	956.47 481.51 1.17 28.17 56.33	663.10 481.51 1.17 28.17 56.33	ate agreement or	tariff at Bell	South's dis	scretion.	19.99	19.99		
UNE LO  UNE PO  NONRE  ADDITI	prt/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  DOP Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  DOP Rate  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  CURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-asi (E:4/1/2004)  ONAL NRCS  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward tel nos. (NC only)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward tel Numbers  NUMBER PORTABILITY  Local Number Portability (1 per port)  ACE (Provsioning Only)  Voice/Data		1 2 3 1 2	UEPPP													
UNE LO  UNE PO  NONRE  ADDITI	prt/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  DOP Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  DOP Rate  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  CURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is (E:4/1/2004)  ONAL NRCS  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Truk Port - Subsequent Inward tel nos. (NC only)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Truk Port - Subsequent Inward Tel Numbers  NUMBER PORTABILITY  Local Number Portability (1 per port)  FACE (Provsioning Only)  Vioice/Data  Digital Data	TUIK F.	1 2 3 1 2	UEPPP													
UNE PO  UNE PO  UNE PO  NONRE  ADDITI	prt/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  2D Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  2D Rates  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  CURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is (E:4/1/2004)  ONAL NRCS  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)  4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent Activity Outward tel nos. (NC Only)  4-Wire DS1 Loop /4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers  NUMBER PORTABILITY  Local Number Portability (1 per port)  7ACE (Provsioning Only)  Voice/Data Digital Data		1 2 3 1 2	UEPPP													
UNE LOCAL INTERF	prt/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  DOP Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  DOP Rates  4-Wire DS1 Digital Loop - UNE Zone 3  DOP RATE  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  CURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004)  ONAL NRCS  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward Tel Numbers  NUMBER PORTABILITY  Local Number Portability (1 per port)  FACE (Provisioning Only)  Voice/Data Digital Data  Inward Data  Additional "B" Channel		1 2 3 1 2	UEPPP													
UNE LOCAL INTERF	prt/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  DOP Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  DOP Rate  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  CURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004)  ONAL NRCS  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers  NUMBER PORTABILITY  Local Number Portability (1 per port)  Additional "B" Channel New or Additional - Voice/Data B Channel		1 2 3 1 2	UEPPP													
UNE LOCAL INTERF	prt/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3  2D Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  2D Rates  4-Wire DS1 Digital Loop - UNE Zone 3  2D RATE  4-Wire DS1 Digital Loop - UNE Zone 3  2D RATE  4-Wire DS1 Digital Loop - UNE Zone 3  2D RATE  4-Wire DS1 Digital Loop - UNE Zone 3  2D RATE  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004)  ONAL NRCS  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward Tel Numbers  NUMBER PORTABILITY  Local Number Portability (1 per port)  7-ACE (Provisioning Only)  Voice/Data Digital Data  Inward Data  Additional "B" Channel	TUIK P.	1 2 3 1 2	UEPPP													

NBUNDL	ED NETWORK ELEMENTS - North Carolina													ment: 2		bit: A
													Incremental		Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
		m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'l
ı							Nonre	curring	Nonrecurring	Disconnect	1		oss	Rates (\$)		
					1	Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Inward		-	UEPPP	PR7C1	0.00	0.00	0.00	FIISL	Addi	SOWIEC	SUMAN	SOWAN	SUMAN	SUMAN	SUMAN
											1					
	Outward			UEPPP	PR7CO	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								ļ
Inter	office Channel Mileage															
	Fixed Each Including First Mile			UEPPP	1LN1A	71.8653	217.17	163.75	0.00				19.99	19.99		
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.5753										
	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
The l	UNE-P DS1 combination rates below for in this rate exhibit appl	v to the	embed	ded base in place a	s of 10/2/03 ι	intil 4/1/04. Aft	ter 4/1/04 these	rates shall rev	vert to tariff rate	es or a separa	te commerc	al agreeme	nt.			
	uests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff															
	Port/Loop Combination Rates			I	1						<u>†                                      </u>				†	1
ONE	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	-	1	UEPDC	+	171.06					<del>                                     </del>			<del>                                     </del>	<del> </del>	<del> </del>
		-	2	UEPDC	1	207.79	<b> </b>				+			<b>-</b>	<del>                                     </del>	1
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	-			+						1	-			<del>                                     </del>	<del>                                     </del>
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC	1	257.66					<b></b>				<b></b>	<u> </u>
UNE	Loop Rates				1						ļ					ļ
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	47.54										1
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	84.27										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	134.14										
UNE	Port Rate															
	4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	123.52	831.43	491.39					19.99	19.99		
NON	RECURRING CHARGES - CURRENTLY COMBINED			02. 50	000	120.02	001110	101.00			1		10.00	10.00		<del>                                     </del>
NON	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				1						+				-	<b>†</b>
				LIEDDO	110404		490.38	490.38								
	- Switch-as-is (E:4/1/2004)		_	UEPDC	USAC4		490.38	490.38								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		490.38	490.38								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		490.38	490.38								
ADD	ITIONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Service Activity Per Service Order			UEPDC	USAS4		127.63	127.63								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -		-	OLI DO	00/104		127.00	127.00			1					
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28.81	28.81								
				UEPDC	UDITA		28.81	28.81			1					
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent				l											
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28.81	28.81								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28.81	28.81					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID		1	UEPDC	UDTTD		28.81	28.81					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans		1	UEPDC	UDTTE		28.81	28.81								
RIPO	DLAR 8 ZERO SUBSTITUTION		t		†		20.01	20.01			<u> </u>			l	<b>†</b>	<del>                                     </del>
1511-0	B8ZS -Superframe Format	<b>—</b>	H	UEPDC	CCOSF		0.00i	615.00s			<b>†</b>			<b> </b>	t	<del>                                     </del>
-+	B8ZS - Extended Superframe Format		<del>                                     </del>	UEPDC	CCOEF		0.00i	615.00s			<del> </del>			<del>                                     </del>	<del>                                     </del>	+
			-	UEFDC	CCUEF		0.001	800.cro			<del> </del>			<b>-</b>	1	1
Alter	rnate Mark Inversion			LIEBBO							<b>_</b>					
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00			ļ					1
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telep	phone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00							19.99	19.99		
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00							19.99	19.99		
	Telephone Number for 1-Way Inward Trunk Group Without DID		1	UEPDC	UDTGZ	0.00			i		İ		19.99	19.99	1	
_	DID Numbers. Establish Trunk Group and Provide First Group		1		1	2.00					1			12.00	1	1
	of 20 DID Numbers		1	UEPDC	NDZ	0.00	0.00	0.00								
-+	DID Numbers for each Group of 20 DID Numbers	-	<b>-</b>	UEPDC	ND4	0.00	0.00	0.00			+			<b>-</b>	<del>                                     </del>	1
			-				-				<del>                                     </del>			<b>!</b>	1	<b>!</b>
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00					<u> </u>					
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00			ļ					L
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
Dedi	cated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	Digital	Loop	with 4-Wire DDITS 1	Trunk Port											
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
			1	UEPDC	1LNO1	71.29	217.17	163.75	0.00	0.00	1		19.99	19.99	1	1

JNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Increme
											Submitted	Submitted	Charge -	Charge -	Charge -	Charg
											Elec	Manually	Manual Svc			
GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			1					
JONI	RATE ELEMENTS	m	20116	ВСЗ	0300			KATES (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order
													Electronic-	Electronic-	Electronic-	Electro
													1st	Add'l	Disc 1st	Disc A
1																
						Rec	Nonre		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.5753	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25															
	miles			UEPDC	1LNOB	0.5753	0.00	0.00								
+	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities		<del>                                     </del>	OLI DO	TENOD	0.0700	0.00	0.00			1					+
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
-	Termination)			UEPDC	ILINO3	0.00	0.00	0.00	0.00							1
1	Interoffice Channel Mileage - Additional rate per mile - 25+ miles		<u> </u>	UEPDC	1LNOC	0.5753	0.00	0.00			ļ	ļ		ļ	ļ	1
1	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00					ļ		
	Central Office Termininating Point			UEPDC	CTG	0.00										
4-WIR	E DS1 LOOP WITH CHANNELIZATION WITH PORT															
Syster	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	ivations			1									1		
	System can have up to 24 combinations of rates depending on			nber of ports used	1		i e					i	İ	i e	İ	1
	NE-P DS1 combination rates below for 4-Wire DS1 Loop with C				te exhibit and	ly to the embe	edded base in r	place as of 10/2	/03 until 4/1/04	After 4/1/04	these rates	shall revert	to tariff rates	or a separate	agreement	1
	ests for 4-Wire DS1 Loop with Channelization with Port after th											I I I I I I I I I I I I I I I I I I I	to tailli rates	l a separate	agreement.	
	S1 Loop	e eneci	Ive uat	T tills amendmen	III Silali be più	Tiueu pursuai	T to a separate	agreement or	lailli at beliout	utiis discretit	1			1	1	+
ONE D		-		LIEDMO	1101.00	47.54	0.00	0.00			ļ					-
<u> </u>	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	47.54	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	84.27	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	134.14	0.00	0.00								
UNE D	SO Channelization Capacities (D4 Channel Bank Configuration	ns)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	123.06	0.00	0.00					19.99	19.99		
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	246.12	0.00	0.00					19.99	19.99		
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	492.24		0.00					19.99	19.99		
+	144 DS0 Channel Capacity - 1 per 6 DS1s		<del>                                     </del>	UEPMG	VUM14	738.36		0.00			1		19.99	19.99		+
+	192 DS0 Channel Capacity -1 per 8 DS1s		<u> </u>	UEPMG	VUM19	984.48	0.00	0.00			1		19.99	19.99		1
+		-	-	UEPMG	VUM2O						<b>}</b>		19.99	19.99	<b>-</b>	1
<u> </u>	240 DS0 Channel Capacity - 1 per 10 DS1s		<u> </u>			1,230.60	0.00	0.00								
	288 DS0 Channel Capacity - 1 per 12 DS1s		ļ	UEPMG	VUM28	1,476.72	0.00	0.00					19.99	19.99		
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,968.96	0.00	0.00					19.99	19.99		
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	2,461.20	0.00	0.00					19.99	19.99		
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,953.44	0.00	0.00					19.99	19.99		
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,445.68	0.00	0.00					19.99	19.99		
Non-R	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chani	neliztio	n with Port - Conve	ersion Charge	Based on a S	vstem									
	imum System configuration is One (1) DS1, One (1) D4 Channe						1				1					1
	les of this configuration functioning as one are considered Ac						<del>                                     </del>	<del>                                     </del>			1	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del> </del>	+
wuuup		au i aite	i iiie ii	IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	I I	Counted.	1	-			<del>                                     </del>	<del> </del>	<b> </b>	<del> </del>	<b> </b>	+
1	NRC - Conversion (Currently Combined) with or without		1	LIEDMO	USAC4	0.00	330.61	40.04	]			1	19.99	19.99		1
0	BellSouth Allowed Changes	11. 01.	1	UEPMG		0.00		16.64			<b></b>	<b> </b>	19.99	19.99	<b> </b>	+
	n Additions at End User Locations Where 4-Wire DS1 Loop with				bination Curre	entiy Exists an	a				<b>!</b>			ļ	ļ	<b>↓</b>
New (I	Not Currently Combined) in all states, except in Density Zone 1	of Top	8 MSA	A's			ļ				ļ			ļ	ļ	<b>↓</b>
1	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port		1		I	I		1				1	1			1
<u></u>	and Assoc Fea Activation (E:4/1/2004)	<u></u>	<u>L</u>	UEPMG	VUMD4	0.00	743.74	326.22	149.02	17.68	<u> </u>	<u> </u>	19.99	19.99	<u> </u>	
Bipola	ar 8 Zero Substitution															
1	Clear Channel Capability Format, superframe - Subsequent		1		1		i e		i i			İ	i e	i e	1	1
1	Activity Only		1	UEPMG	CCOSF	0.00	0.00i	615.00s				1	1			1
t	Clear Channel Capability Format - Extended Superframe -		t	1	1	5.50	1				1	l	l	1	1	1
1	Subsequent Activity Only		1	UEPMG	CCOEF	0.00	0.00i	615.00s				1	1			1
Altorn	ate Mark Inversion (AMI)	<del>                                     </del>	<del>                                     </del>	OLI IVIO	OCCLI	0.00	0.001	010.000			1	<del>                                     </del>	<b> </b>	<del>                                     </del>	1	+
Aitem			-	UEPMG	MCOSF	0.00	0.00	0.00			1			<u> </u>	<del> </del>	+
<u> </u>	Superframe Format	-	-					0.00			<del>                                     </del>			<b>!</b>	ł	+
<u> </u>	Extended Superframe Format	L	<u> </u>	UEPMG	MCOPO	0.00	0.00	0.00			<b></b>			ļ		<b>!</b>
	nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port				ļ				1			ļ		1
Excha	nge Ports															
	Line Side Combination Channelized PBX Trunk Port - Business															
1	(E:4/1/2004)		1	UEPPX	UEPCX	2.28	0.00	0.00	0.00	0.00		1	40.18	9.45		1
	Line Side Outward Channelized PBX Trunk Port - Business					1	1.00								1	1
+				i .	1	1	1			ı	1	ı	1	1	1	1
				LIEDDY	LIEDOV	2 20	0.00	0.00	0.00	0.00			AO 40	0 45		
	(E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port without DID		ļ	UEPPX	UEPOX	2.28	0.00	0.00	0.00	0.00			40.18	9.45		-

	NDLEI	D NETWORK ELEMENTS - North Carolina												Attachi	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
													Submitted		Charge -	Charge -	Charge -
04750	001	DATE EL EMENTO	Interi	<b>-</b>	500				DATEO (6)			Elec	Manually		Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port															
		(E:4/1/2004)		ļ	UEPPX	UEPDM	13.26	0.00	0.00	0.00	0.00			40.18	9.45		
	Feature	Activations - Unbundled Loop Concentration				-											
		Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.65	25.27	13.34	4.15	4.12			40.18	9.45		
		Feature (Service) Activation for each Trunk Port Terminated in			OLITA	II QVVIVI	0.03	20.21	10.04	4.10	7.12			40.10	9.40		
		D4 Bank			UEPPX	1PQWU	0.65	77.75	18.33	58.74	11.48			40.18	9.45		
	Teleph	one Number/ Group Establishment Charges for DID Service															
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
		Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
		DID Numbers - groups of 20 - Valid all States		<b>_</b>	UEPPX	ND4	0.00	0.00	0.00								
<u> </u>		Non-Consecutive DID Numbers - per number Reserve Non-Consecutive DID Numbers		-	UEPPX UEPPX	ND5 ND6	0.00	0.00	0.00								
$\vdash$		Reserve Non-Consecutive DID Numbers Reserve DID Numbers		-	UEPPX	NDV	0.00	0.00	0.00								
		lumber Portability		<del>                                     </del>	OLI I A	1100	0.00	0.00	0.00								
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	FEATU	RES - Vertical and Optional															
		Switching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	3.40	0.00	0.00					40.18	9.45		
UNBUN		ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES		<u> </u>			<u> </u>										
		Based Rates are applied where BellSouth is required by FCC								U. I Best cost		F-100					
		ures shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport												an Cambinati			
									tions of loon/	nort notwork of	amonte avcan						
	4. The 1	first and additional Port nonrecurring charges apply to Not Cu	urrently	Comb	ined Combos. For	Currently Co	mbined Combo	to all combina	tions of loop/ rring charges	port network el	lements excep identified in t	t for UNE C he Nonrecu	rring - Curre	ently Combinati	ons. ed sections. /	Additional NR	Cs mav
	4. The f	first and additional Port nonrecurring charges apply to Not Cu llso and are categorized accordingly.	urrently	Comb	ined Combos. For	Currently Co	mbined Combo	s, the nonrecu	tions of loop/ irring charges	port network el shall be those	lements excep identified in t	t for UNE C	rring - Curre	ently Combine	ons. ed sections.	Additional NR	Cs may
	4. The fapply a	first and additional Port nonrecurring charges apply to Not Cu	ırrently	Comb	ined Combos. For	Currently Co	mbined Combo	s, the nonrecu	tions of loop/ irring charges	port network e	lements excep identified in t	t for UNE C	rring - Curre	ently Combine	ed sections. /	Additional NR	Cs may
	4. The fapply a 5. Marl UNE-P	first and additional Port nonrecurring charges apply to Not Cu Iso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)	ırrently	Comb	ined Combos. For	Currently Co	mbined Combo	s, the nonrecu	itions of loop/ irring charges	port network e	lements excep identified in t	t for UNE C	rring - Curre	ently Combine	ed sections.	Additional NR	Cs may
	4. The fapply a 5. Marl UNE-P 2-Wire	first and additional Port nonrecurring charges apply to Not Cu Iso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo	ırrently	Comb	ined Combos. For	Currently Co	mbined Combo	s, the nonrecu	tions of loop/ rring charges	port network e shall be those	lements excep identified in t	t for UNE C	ring - Curre	ently Combine	ons. ed sections.	Additional NR	Cs may
	4. The fapply a 5. Marl UNE-P 2-Wire	first and additional Port nonrecurring charges apply to Not Cu Iso and are categorized accordingly.  ket Rates for Unbundled Centrex Port/Loop Combination will  CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Combo  ort/Loop Combination Rates (Non-Design)	ırrently	Comb	ined Combos. For	Currently Co	mbined Combo	s, the nonrecu	tions of loop/ rring charges	port network el shall be those	lements excep identified in t	he Nonrecu	rring - Curre	ently Combine	ons. ed sections. /	Additional NR	Cs may
	4. The fapply a 5. Marl UNE-P 2-Wire UNE Pc	first and additional Port nonrecurring charges apply to Not Cu lso and are categorized accordingly.  ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)  [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	ırrently	Comb	on an Individual C	Currently Co	mbined Combo	s, the nonrecu	tions of loop/ irring charges	port network el shall be those	lements excep identified in t	he Nonrecui	rring - Curre	ently Combine	ons.	Additional NR	Cs may
	4. The fapply a 5. Marl UNE-P 2-Wire UNE Po	first and additional Port nonrecurring charges apply to Not Culso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo- nt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design	ırrently	Comb	ined Combos. For	Currently Co	mbined Combo	s, the nonrecu	tions of loop/ irring charges	port network e shall be those	lements excep identified in t	t for UNE C	oin Port/Lo	ently Combine	ons.	Additional NR	Cs may
	4. The fapply a 5. Marl UNE-P 2-Wire UNE Po	first and additional Port nonrecurring charges apply to Not Culso and are categorized accordingly.  ket Rates for Unbundled Centrex Port/Loop Combination will  CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Combo-  ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-	ırrently	otiated 1	on an Individual C	Currently Co	mbined Combo	s, the nonrecu	ntions of loop/ arring charges	port network e shall be those	lements excep identified in t	t for UNE C	oin Port/Lo	ently Combine	ons.	Additional NR	Cs may
	4. The fapply a 5. Marl UNE-P 2-Wire UNE Po	first and additional Port nonrecurring charges apply to Not Culso and are categorized accordingly.  ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design	ırrently	Comb	on an Individual C	Currently Co	mbined Combo	s, the nonrecu	ttions of loop/ irring charges	port network el	lements excep identified in t	he Nonrecui	oin Port/Lo	ently Combine	ons.  d sections.	Additional NR	Cs may
	4. The fapply a 5. Mari UNE-P 2-Wire UNE Pc	first and additional Port nonrecurring charges apply to Not Culso and are categorized accordingly.  ket Rates for Unbundled Centrex Port/Loop Combination will  CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Combo-  ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-	ırrently	otiated 1 2	on an Individual C	Currently Co	mbined Combo	s, the nonrecu	itions of loop/ irring charges	port network el	ements excep identified in t	he Nonrecui	oin Port/Lo	ently Combine	ons. d sections.	Additional NR	Cs may
	4. The fapply a 5. Mari UNE-P 2-Wire UNE Pc	first and additional Port nonrecurring charges apply to Not Culso and are categorized accordingly.  ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-	ırrently	otiated 1 2	on an Individual C  UEP95	Currently Co	mbined Combo	s, the nonrecu	itions of loop/ irring charges	port network el	lements excep	t for UNE C	oin Port/Lo	ently Combine	ons.	Additional NR	Cs may
	4. The fapply a 5. Marl UNE-P 2-Wire UNE Po	first and additional Port nonrecurring charges apply to Not Culso and are categorized accordingly.  Set Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design	ırrently	otiated  1 2 3	on an Individual C  UEP95  UEP95  UEP95	Currently Co	til further notice 13.03 21.33 32.61	s, the nonrecu	itions of loop/ irring charges	port network el	ements excep	he Nonrecui	oin Port/Lc	ently Combine	ons.	Additional NR	Cs may
	4. The fapply a 5. Marl UNE-P 2-Wire UNE Po	first and additional Port nonrecurring charges apply to Not Culso and are categorized accordingly.  ket Rates for Unbundled Centrex Port/Loop Combination will  CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Comboord-	ırrently	otiated 1 2	on an Individual C  UEP95	Currently Co	mbined Combo	s, the nonrecu	itions of loop/ irring charges	port network el	lements excep	t for UNE C	oin Port/Lo	ently Combine	ons.	Additional NR	Cs may
	4. The fapply a 5. Marl UNE-P 2-Wire UNE Po	first and additional Port nonrecurring charges apply to Not Culso and are categorized accordingly.  ket Rates for Unbundled Centrex Port/Loop Combination will  CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Combo-  nt/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-	ırrently	tiated  1 2 3	on an Individual C UEP95 UEP95 UEP95 UEP95	Currently Co	13.03 21.33 32.61	s, the nonrecu	itions of loop/ irring charges	port network el shall be those	lements excep	t for UNE C	on Port/LC	ently Combine	ons.  d sections.	Additional NR	Cs may
	4. The fapply a 5. Marl UNE-P 2-Wire UNE Po	first and additional Port nonrecurring charges apply to Not Culso and are categorized accordingly.  Set Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Combo prt/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design	ırrently	otiated  1 2 3	on an Individual C  UEP95  UEP95  UEP95	Currently Co	til further notice 13.03 21.33 32.61	s, the nonrecu	itions of loop/ irring charges	port network el shall be those	lements excep	t for UNE C	on Port/LC	ently Combine	ons.	Additional NR	Cs may
	4. The fapply a 5. Marl UNE-P 2-Wire UNE Po	first and additional Port nonrecurring charges apply to Not Culso and are categorized accordingly.  ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design	ırrently	1 2 3 1 2	uep95 UEP95 UEP95 UEP95	Currently Co	13.03 21.33 32.61 17.25	s, the nonrecu	itions of loop/ irring charges	port network el	lements excep	t for UNE C	on Port/LC	ently Combine	ons.	Additional NR	Cs may
	4. The fapply a specific property apply a specific property apply a specific property appl	first and additional Port nonrecurring charges apply to Not Culso and are categorized accordingly.  Set Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Combo prt/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design	ırrently	tiated  1 2 3	on an Individual C UEP95 UEP95 UEP95 UEP95	Currently Co	13.03 21.33 32.61	s, the nonrecu	itions of loop/ irring charges	port network el	ements excep	t for UNE C	on Port/LC	ently Combine	ons.	Additional NR	Cs may
	4. The fapply a 5. Marl UNE-P 2-Wire UNE Pc	first and additional Port nonrecurring charges apply to Not Culso and are categorized accordingly.  ket Rates for Unbundled Centrex Port/Loop Combination will  CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Comboord-  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design	ırrently	1 2 3 1 2	uep95 UEP95 UEP95 UEP95	Currently Co	13.03 21.33 32.61 17.25	s, the nonrecu	itions of loop/ irring charges	port network el shall be those	lements excep	t for UNE C	oin Port/LC	ently Combine	ons. Ad sections. A	Additional NR	Cs may
	4. The fapply a 5. Marl UNE-P 2-Wire UNE Pc	first and additional Port nonrecurring charges apply to Not Culso and are categorized accordingly.  ket Rates for Unbundled Centrex Port/Loop Combination will  CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Combo  rt/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design  1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design	ırrently	1 2 3 1 2 3 1 2 2 3 1 2 2 2 1 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1	13.03 13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05	s, the nonrecu	itions of loop/	port network el shall be those	ements excep	he Nonrecui	on Port/LC	ently Combine	ons. Ad sections. A	Additional NR	Cs may
	4. The fapply a 5. Marl UNE-P 2-Wire UNE Pc	first and additional Port nonrecurring charges apply to Not Culso and are categorized accordingly.  Iso and are categorized accordingly.  Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 1) - Zone 3	ırrently	1 2 3 1 1 2 3 3 3 3	UEP95	he Nonrecui	on Port/LC	ently Combine	ons. Add sections. A	Additional NR	Cs may						
	4. The fapping apply a 5. Mari UNE-PC UNE PC UNE PC UNE PC	first and additional Port nonrecurring charges apply to Not Culso and are categorized accordingly.  Set Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Combo pr/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design  2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3	ırrently	1 2 3 1 1 2 3 1 1	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2	13.03 13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97	s, the nonrecu	itions of loop/ irring charges	port network el	ements excep	he Nonrecui	on Port/LC	ently Combine	ons. Add sections. A	Additional NR	Cs may
	4. The fapping a special speci	first and additional Port nonrecurring charges apply to Not Culso and are categorized accordingly.  ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 1) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 2	ırrently	1 2 3 1 2 3 1 2 2	UEP95	he Nonrecui	oin Port/LC	ently Combined	ons. Ad sections. A	Additional NR	Cs may						
	4. The tapply a rappl	first and additional Port nonrecurring charges apply to Not Culso and are categorized accordingly.  Iso and are categorized accordingly.  Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2	ırrently	1 2 3 1 2 3 1 2 2	UEP95	he Nonrecui	on Port/LC	ently Combined	ons. Ad sections. A	Additional NR	Cs may						
	4. The 14 apply a 4 apply a 5. Maranton Mineral Minera	first and additional Port nonrecurring charges apply to Not Culso and are categorized accordingly.  Iso and are categorized accordingly.  Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Combo pr/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3  port Rate	ırrently	1 2 3 1 2 3 1 2 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2 UECS2	13.03 13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93	s, the nonrecu	itions of loop/ irring charges	port network el shall be those	ements exception to the state of the state o	he Nonrecui	on Port/LC	ently Combine	ons. /	Additional NR	Cs may
	4. The 1 apply a a poly	first and additional Port nonrecurring charges apply to Not Culso and are categorized accordingly.  Iso and are categorized accordingly.  Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3	ırrently	1 2 3 1 2 3 1 2 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2	13.03 13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93 40.81	e.	rring charges	port network el shall be those	ements excepidentified in t	t for UNE Che Nonrecui	on Port/LC	ently Combine	ons. Add sections. A	Additional NR	Cs may
	4. The 1 apply a a poly	first and additional Port nonrecurring charges apply to Not Culso and are categorized accordingly.  Iso and are categorized accordingly.  Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Combo pr/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3  port Rate	ırrently	1 2 3 1 2 3 1 2 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2 UECS2	13.03 13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93	s, the nonrecu	63.97	port network elsall be those	ements excepidentified in t	t for UNE Che Nonrecui	oin Port/LC	40.18	d sections.	Additional NR	Cs may
	4. The 1 apply a a poly	first and additional Port nonrecurring charges apply to Not Culso and are categorized accordingly.  Iso and are categorized accordingly.  Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3	ırrently	1 2 3 1 2 3 1 2 2	UEP95 UEP95	UECS1 UECS1 UECS2 UECS2 UECS2 UEPYA UEPYB	13.03 13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93 40.81	79.59 79.59	63.97 63.97	port network el shall be those	ements excepidentified in t	he Nonrecui	oin Port/LC	40.18 40.18	9.45 9.45	Additional NR	Cs may
	4. The hand the hand	first and additional Port nonrecurring charges apply to Not Culso and are categorized accordingly.  Iso and are categorized accordingly.  Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3  1-X-Vire Voice Grade Loop (SL 2) - Zone 3  1-X-Vire Voice Grade Loop (SL 2) - Zone 3  1-X-Vire Voice Grade Loop (SL 2) - Zone 3  1-X-Vire Voice Grade Loop (SL 2) - Zone 3  1-X-Vire Voice Grade Port (Centrex) Basic Local Area  2-Wire Voice Grade Port (Centrex) Basic Local Area  2-Wire Voice Grade Port (Centrex) Basic Local Area	ırrently	1 2 3 1 2 3 1 2 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2	13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93 40.81	s, the nonrecu	63.97	port network el shall be those	ements exception to the state of the state o	he Nonrecui	on Port/LC	ently Combine	d sections.	Additional NR	Cs may
	4. The 14 apply a 4 apply a 4 apply a 5. Maratune 2- Wire UNE Pc	first and additional Port nonrecurring charges apply to Not Culso and are categorized accordingly.  Iso and are categorized accordingly.  Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Combo pr/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 1) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  1-Wire Voice Grade Port (Centrex) Basic Local Area  2-Wire Voice Grade Port (Centrex) Basic Local Area  2-Wire Voice Grade Port (Centrex) Basic Local Area	ırrently	1 2 3 1 2 3 1 2 2	UEP95 UEP95	UECS1 UECS1 UECS2 UECS2 UECS2 UEPYA UEPYB	13.03 13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93 40.81	79.59 79.59	63.97 63.97	port network el shall be those	lements exception identified in t	he Nonrecui	oin Port/LC	40.18 40.18	9.45 9.45	Additional NR	Cs may

ATE ELEMENTS   Initial   I	INDUNDLE	D NETWORK ELEMENTS - North Carolina		1	1							To			ment: 2		bit: A
Note   Control	ATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
Note Name Cracke Part terminated in or Mogalini or equations   1995   1997   279   73.0   63.7							Pac										
Baset Lood Area   LiPPid   L							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SWYNE VACO Grade PPOL Terminated on 300 Service Term   JAPPOL 16PPOL 1								=====						40.40			
South Court Aven   UPPG   UPPG   UPPG   2.28   73.59   0.307   0.15   0.45   0.45					UEP95	UEPY9	2.28	79.59	63.97					40.18	9.45		
No. Only					I IEDOS	HEDV2	2 28	70 50	63 97					40.18	9.45		
E-Yille Vice Goale Prof. Centers 20)	NC On				OLI 33	OLI 12	2.20	13.33	00.01			+		40.10	3.43		
E-Yife Vice Grade Pert Centre 300 Internation   UEPIS UEPIS   2-20   78.59   63.07   40.16   9.46	110 011				UEP95	UEPUA	2.28	79.59	63.97			1		40.18	9.45		
2-Vitre Votes Grade Prof (Centres with Carlet Port)																	
Center(2,3)					UEP95	UEPUH	2.28	79.59	63.97					40.18	9.45		
2-Wire Voto Grafe Part, Diff Serving Wire Center: 803 Service   USP96   USP92   2.28   164.57   128.16   40.18   9.45					LIEBOE	LIEDUM	0.00	101.57	100.10					10.10	0.45		
Farm 23				<u> </u>	UEP95	UEPUM	2.28	164.57	128.16			<del>                                     </del>	-	40.18	9.45		
2-Wine Voxo Grade Prot Termination on 900 Service Term   UEPPS   UEPVS   2.28   79.59   63.97   40.18   9.45   9					UEP95	UEPUZ	2.28	164.57	128.16					40.18	9.45		
E-Wire Votes Grade Prot Fernmanted on 800 Service Form   UEPPS   UEPUS   2.28   70.59   63.97   40.18   9.45   9.45																	
Local Switching												<u> </u>					
Centrex Interconf Fundinality, per port   UEP96   URECS   0.903					UEP95	UEPU2	2.28	79.59	63.97					40.18	9.45		
Local Number Portability   Depth   Local Number P	Local																
Local Number Printability (1 per port)	1 1				UEP95	URECS	0.903					1					
Peatures	Local				LIEDOE	LNDCC	0.35					1					
All Standard Features Offered, per port   UEP96   UEPVS   0.00   457.83	Foatur			1	UEF95	LINPCC	0.35					+	-				
All Select Features Offered, per port  All Centres Control Redurss Offered, per port  UEP96 UEPVC 3.40  ANARS  Unbundled Network Access Register - Combination  UEP95 UARCX 0.00 0.00 0.00 0.00 0.00 0.00 0.00 40.18 9.45  Urbundled Network Access Register - Combination  UEP95 UARCX 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.	reatur				HED05	HED\/E	3.40					+					
All Centrox Control Features Offered, per port								457 83				+	1				
NARS   Unbundled Network Access Register - Combination   UEP95   UARCX   0.00   0.00   0.00   0.00   0.00   0.00   0.01   0.01   0.01   0.01   0.01   0.01   0.01   0.01   0.01   0.01   0.00								407.00									
Unbundled Network Access Register - Indial   UEP95   UARIX   0.00   0.00   0.00   0.00   0.00   0.00   40.18   9.45   9	NARS											1					
Unbundled Network Access Register - Outdial   UEP96   UAROX   0.00   0.00   0.00   0.00   0.00   0.00   0.00   40.18   9.45		Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
Miscellaneous Terminations																	
2-Wire Trunk Side					UEP95	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
Trunk Side Terminations, each   UEP95   CEND6   12.36																	
A-Wire Digital (1.544 Megabits)	2-Wire																
DS1 Circuit Terminations, each	4 180				UEP95	CEND6	12.36										
DSC Channels Activated, each   UEP95   MHDO   0.00   28.81     40.18   9.45	4-wire			<u> </u>	LIEDOE	M4HD4	100.65					<del>                                     </del>	-	40.10	0.45		
Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination Interoffice Channel Facilities Termination Interoffice Channel Facilities Termination Interoffice Channel Facilities Termination Interoffice Channel Facilities Termination Interoffice Channel Facilities Termination Interoffice Channel Facilities Termination Interoffice Channel Facilities Termination Interoffice Channel Facilities Termination Interoffice Channel Facilities Termination Interoffice Channel Facilities Termination Interoffice Channel Facilities Termination Interoffice Channel Facilities Termination Interoffice Channel Facilities Termination Interoffice Channel Facilities Termination Interoffice Channel Bank Facilities Termination Interoffice Channel Bank Facilities Termination Interoffice Channel Bank Facilities Termination Interoffice Channel Bank Facilities Termination Interoffice Channel Bank Facilities Termination Interoffice Channel Bank Facilities Termination Interoffice Channel Bank Facilities Termination Interoffice Channel Bank Centrex Loop Slot Interoffice Channel Bank Facilities Termination Interoffice Channel Bank								28.81				1	1				
Interoffice Channel Facilities Termination   UEP95   MIGBIC   18.00	Interof				OLF 95	WITIDO	0.00	20.01				1	1	40.16	9.40		
Interoffice Channel mileage, per mile or fraction of mile   UEP95   MIGBM   0.0282					UEP95	M1GBC	18.00					1					
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service																	
Feature Activation on D-4 Channel Bank Centrex Loop Slot	Featur		е														
Feature Activation on D-4 Channel Bank FX line Side Loop Slot   UEP95   1PQW6   0.65	D4 Cha																
Feature Activation on D-4 Channel Bank FX Trunk Side Loop   UEP95   1PQW7   0.65		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.65										
Feature Activation on D-4 Channel Bank FX Trunk Side Loop   Slot   Slo		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			LIEP95	1POW6	0.65										
Slot						~,,,	0.00										
Different Wire Center		Slot			UEP95	1PQW7	0.65					1					
Feature Activation on D-4 Channel Bank Private Line Loop Slot   UEP95   1PQWV   0.65					LIEDOE	100/4/0	0.05										
Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop   UEP95   1PQWQ   0.65		Dilielent Wire Center		<del>                                     </del>	DEP93	IPQWP	0.65					1	<del>                                     </del>				
Slot					UEP95	1PQWV	0.65					ļ					
Feature Activation on D-4 Channel Bank WATS Loop Slot   UEP95   1PQWA   0.65					LIEDOS	10000	0.65										
Non-Recurring Charges (NRC) Associated with UNE-P Centrex   NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port   UEP95   USAC2   2.77   0.40   40.18   9.45	_			-								+			<b> </b>	<b> </b>	<b> </b>
NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port	Non-Re			<b>t</b>	OLI 33	11 64474	0.05					+	<b>—</b>				<b> </b>
Changes, per port   UEP95   USAC2   2.77   0.40   40.18   9.45     New Centrex Standard Common Block   UEP95   M1ACS   0.00   695.11   40.18   9.45     New Centrex Customized Common Block   UEP95   M1ACC   0.00   695.11   40.18   9.45     NAR Establishment Charge, Per Occasion   UEP95   URECA   0.00   72.73   40.18   9.45     Additional Non-Recurring Charges (NRC)   Unbundled Miscellaneous Rate Element, Tag Loop at End Use   Unbundled Miscellaneous Rate Element, Tag Loop at End Use   USAC2   2.77   0.40   40.18   9.45     Unbundled Miscellaneous Rate Element, Tag Loop at End Use   USAC2   2.77   0.40   40.18   9.45     Unbundled Miscellaneous Rate Element, Tag Loop at End Use   USAC2   2.77   0.40   40.18   9.45     Unbundled Miscellaneous Rate Element, Tag Loop at End Use   USAC2   2.77   0.40   40.18   9.45     USAC2   2.77   2.77																	
New Centrex Standard Common Block					UEP95	USAC2		2.77	0.40			1		40.18	9.45		1
New Centrex Customized Common Block							0.00		-						9.45		
Additional Non-Recurring Charges (NRC) Unbundled Miscellaneous Rate Element, Tag Loop at End Use																	
Unbundled Miscellaneous Rate Element, Tag Loop at End Use					UEP95	URECA	0.00	72.73	· · · · ·		•			40.18	9.45		
	Additio					$\bot$											
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP95	URETL		8.33	0.83								

ATECOPY  RATE ELEMENTS  MP  2nn  PACE  PAC	UNBUNDLE	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	oit: A
Company   Comp				Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
Discription Monthly Market Market Market Name   Top Dough Loop at   1.50   1.							Rec										
Control Principle   Cont							Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
With Part Res   With Stage   With Stage   Colored Part Control Control Colored Part Control Colored Part Control Colored Part Control Colored Part Control Colored Part Control Colored Part Control Colored Part Control Colored Part Control Colored Part Control Colored Part Control Colored Part Control Colored Part Colored Part Control Colored Part Control Colored Part Colored Pa					LIEDOE	LIDETN		44.00	4.40								
A Pure Vis Loogy-Xive Vision Grade Part (Central Combo)   Central Combo   Ce	LINE			<u> </u>	UEP95	UREIN		11.20	1.10								
With Perfusion Continuation Rates (Perfusion)						+											
Second Content of the Content of t						1											
SWEW VC Loads (We vision Grade Part (Centrel) Part Control   1 UPPO   3 AB   1																	
Non-Design   2 UPP0				1	UEP9D		13.03										
2-Wire VS Loop/Were Votes Grade Pert Control Pert Control   1					LIEDAD		04.00										1
Man-Design	<b>H</b>			2	UEP9D		21.33										
Week Profit Long Combination Rates (Design)				3	UEP9D		32.61										1
2-Wine Vis Coop-Vive Visco Grade Port (Centros) Port Control   2-Wine Vis Coop-Vive Visco Grade Port (Centros) Port Control   3-Wine Vis Coop-Vive Visco Grade Port (Centros) Port Control   3-Wine Vis Coop-Vive Visco Grade Port (Centros) Port Control   3-Wine Vis Coop-Vive Visco Grade Port (Centros) Port Control   3-Wine Vis Coop-Vive Visco Grade Port (Centros) Port Control   3-Wine Visco Grade Port (Centros) Port Control	UNE F						0=.01										
2-Wine Vot Coppositive Votes Grade Port (Centres/Port Cortico)   2   UEPBO   28.21		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo															
Design   D				1	UEP9D	1	17.25										
Description   Description				_	LIEDOD		00.04										
Design   Same					DEP9D	+	28.21										
Dec   Dec				3	UEP9D		43.09										1
2 -   2 -	UNE L					1											
2-Vivin Votor Grade Locy (St. 1) - Zone 3		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	10.75										
2   2   2   2   2   2   2   2   2   2		2-Wire Voice Grade Loop (SL 1) - Zone 2															
2				_													
2-Wire Voice Grade Loog (St. 2) - Zone 3																	
Number   N			-														
ALL STATES   UEPO   UEPY   2.28   79.59   63.97   40.18   9.45	LINE			3	UEP9D	UECS2	40.81										
2-Wire Voice Grade Port (Centrex) Basic Local Area   UEPD   UEPYB   2.28   79.59   63.97   40.18   9.45						+											
Area   Area   Comment   Area   Comment   Area   Comment   Commen	7.22 0				UEP9D	UEPYA	2.28	79.59	63.97					40.18	9.45		
2-Wire Voice Grade Port (Centrex / EBS-M5209)3 Basic Local Area   UEPD   UEPYC   2.28   79.59   63.97   40.18   9.45							_										
Area					UEP9D	UEPYB	2.28	79.59	63.97					40.18	9.45		
2-Wire Voice Grade Port (Centrex / EBS-M509)3Basic Local Area								======									1
Area				1	UEP9D	UEPYC	2.28	79.59	63.97					40.18	9.45		
2-Wire Voice Grade Port (Centrex / EBS-M5209)3 Basic Local Area   UEP9D   UEPYE   2.28   79.59   63.97   40.18   9.45   40.1					LIEDOD	LIEDAD	2 28	79 59	63 07					40.18	9.45		1
Area					OLI 3D	OLI ID	2.20	13.55	05.57					40.10	3.43		
2-Wire Voice Grade Port (Centrex / EBS-M5312))3 Basic Local Area					UEP9D	UEPYE	2.28	79.59	63.97					40.18	9.45		1
2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local		2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local															ī
Area					UEP9D	UEPYF	2.28	79.59	63.97					40.18	9.45		
2-Wire Voice Grade Port (Centrex / EBS-M5008))3   Basic Local Area   UEP9D   UEPYT   2.28   79.59   63.97   40.18   9.45					LIEDAD	LIEDVO	0.00	70.50	00.07					40.40	0.45		1
Area   UEP9D   UEPYT   2.28   79.59   63.97   40.18   9.45	<b>H</b>			ļ	UEP9D	UEPYG	2.28	79.59	63.97					40.18	9.45		
2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area  2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area  2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area  2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area  2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area  2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area  2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area  2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area  2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area  2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area  2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area  2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area  2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area  2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area  2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 UEPPD UEPYJ 2.28 79.59 63.97  2-Wire Voice Grade Port (Centrex/from diff Serving Wire Center)  2-ABasic Local Area  2-Wire Voice Grade Port (Centrex/form diff Serving Wire Center)  2-ABasic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC / EBS-PSET)2,3,4					UEP9D	LIFPYT	2 28	79 59	63.97					40 18	9 45		1
Area					02. 02	02	2.20	70.00	00.07					10.10	0.10		
Area					UEP9D	UEPYU	2.28	79.59	63.97					40.18	9.45		ı
2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area  UEP9D UEPY3 2.28 79.59 63.97  UEP9D UEPY4 2.28 79.59 63.97  40.18 9.45  UEP9D UEPY4 2.28 79.59 63.97  40.18 9.45  UEP9D UEPYW 2.28 79.59 63.97  UEP9D UEPYW 2.28 79.59 63.97  40.18 9.45  UEP9D UEPYW 2.28 79.59 63.97  40.18 9.45  UEP9D UEPYW 2.28 79.59 63.97  40.18 9.45  UEP9D UEPYW 2.28 79.59 63.97  40.18 9.45  UEP9D UEPYW 2.28 79.59 63.97  40.18 9.45  UEP9D UEPYW 2.28 79.59 63.97  UEP9D UEPYW 2.28 79.59 63.97  40.18 9.45  UEP9D UEPYW 2.28 79.59 63.97  40.18 9.45  UEP9D UEPYW 2.28 79.59 63.97  40.18 9.45  UEP9D UEPYW 2.28 79.59 63.97  40.18 9.45  UEP9D UEPYW 2.28 79.59 63.97  40.18 9.45  UEP9D UEPYW 2.28 79.59 63.97																	
Area	$\vdash$			<u> </u>	UEP9D	UEPYV	2.28	79.59	63.97	<b> </b>				40.18	9.45		
2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area  LEP9D UEPYH 2.28 79.59 63.97 40.18 9.45  2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area  LEP9D UEPYW 2.28 79.59 63.97 40.18 9.45  2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area  LEP9D UEPYJ 2.28 79.59 63.97 40.18 9.45  2-Wire Voice Grade Port (Centrex/from diff Serving Wire Center) 2.3-Basic Local Area  LEP9D UEPYJ 2.28 79.59 63.97 40.18 9.45  2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2.3-Basic Local Area  LEP9D UEPYJ 2.28 79.59 63.97 40.18 9.45  2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2.3-Basic Local Area  LEP9D UEPYM 2.28 164.57 128.16 40.18 9.45					LIEDOD	HEDV3	2 20	70 50	63.07					AO 10	0.45		ı
Area				<del>                                     </del>	טבו שט	JLF 13	2.20	19.59	05.97	+				40.10	5.43		
2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4   UEP9D   UEPYW   2.28   79.59   63.97					UEP9D	UEPYH	2.28	79.59	63.97					40.18	9.45		
Indication))4 Basic Local Area												Ì					
Basic Local Area		Indication))4 Basic Local Area		ļ	UEP9D	UEPYW	2.28	79.59	63.97					40.18	9.45		
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3-Basic Local Area UEP9D UEPYM 2.28 164.57 128.16 40.18 9.45 9.45					LIEDOD	LIEDY	0.00	70.50	00.0=					40.40	0.4-		i
2,3-Basic Local Area       UEP9D       UEPYM       2.28       164.57       128.16       40.18       9.45         2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4       0 <td><math>\vdash</math></td> <td></td> <td></td> <td><u> </u></td> <td>UEP9D</td> <td>UEPYJ</td> <td>2.28</td> <td>79.59</td> <td>63.97</td> <td> </td> <td></td> <td></td> <td></td> <td>40.18</td> <td>9.45</td> <td></td> <td></td>	$\vdash$			<u> </u>	UEP9D	UEPYJ	2.28	79.59	63.97					40.18	9.45		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4					UEP9D	UEPYM	2 28	164 57	128 16					<b>∆</b> ∩ 12	9.45		i
				t —	02	J 11V1	2.20	104.01	120.10					70.10	0.40		
					UEP9D	UEPYO	2.28	164.57	128.16					40.18	9.45		,

UNBUNDLE	D NETWORK ELEMENTS - North Carolina			ı							1-		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)		Svc Order Submitted Elec per LSR	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring Disconn				Rates (\$)		
	O.W Main Control Dest (October 1877 - ONIO (EDO MECCO)) O. 4		ļ			1100	First	Add'l	First Add'	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	2.28	164.57	128.16				40.18	9.45		
<b></b>	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			OLF9D	OLFIF	2.20	104.57	120.10				40.16	9.43		<del> </del>
	Basic Local Area			UEP9D	UEPYQ	2.28	164.57	128.16				40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4														
	Basic Local Area			UEP9D	UEPYR	2.28	164.57	128.16		_		40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			LIEDOD	UEPYS	2.28	164.57	100 16				40.18	9.45		
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPTS	2.20	104.57	128.16		+		40.16	9.45		1
	Basic Local Area			UEP9D	UEPY4	2.28	164.57	128.16				40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3		Ì												
$\vdash$	Basic Local Area		<u> </u>	UEP9D	UEPY5	2.28	164.57	128.16			ļ	40.18	9.45		<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPY6	2.28	164.57	100 10				40.18	9.45		
<del>                                     </del>	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4		<del>                                     </del>	OFLAD	UEFTO	2.28	104.57	128.16	<del>                                     </del>	+	1	40.18	9.45		-
	Basic Local Area			UEP9D	UEPY7	2.28	164.57	128.16				40.18	9.45		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		İ												
	Term 2,3			UEP9D	UEPYZ	2.28	164.57	128.16				40.18	9.45		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent						=====					40.40			
	Basic Local Area  2-Wire Voice Grade Port Terminated on 800 Service Term Basic		1	UEP9D	UEPY9	2.28	79.59	63.97				40.18	9.45		
	Local Area			UEP9D	UEPY2	2.28	79.59	63.97				40.18	9.45		
NC On			1	OLI OD	OLI 12	2.20	70.00	00.01				40.10	0.40		
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPUA	2.28	79.59	63.97				40.18	9.45		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPUB	2.28	79.59	63.97				40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPUC	2.28	79.59	63.97				40.18	9.45		
-	2-Wire Voice Grade Port (Centrex / EBS-M5009)4 2-Wire Voice Grade Port (Centrex / EBS-M5209)4		ļ	UEP9D UEP9D	UEPUD UEPUE	2.28 2.28	79.59 79.59	63.97 63.97		_		40.18 40.18	9.45 9.45		<del> </del>
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPUF	2.28	79.59	63.97		+		40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPUG	2.28	79.59	63.97				40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPUT	2.28	79.59	63.97				40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPUU	2.28	79.59	63.97				40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPUV	2.28	79.59	63.97			ļ	40.18	9.45		ļ
<b>-</b>	2-Wire Voice Grade Port (Centrex / EBS-M5316)4 2-Wire Voice Grade Port (Centrex with Caller ID)		<u> </u>	UEP9D UEP9D	UEPU3 UEPUH	2.28 2.28	79.59 79.59	63.97 63.97		_		40.18 40.18	9.45 9.45		<b>-</b>
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			OLI 3D	OLI OII	2.20	19.55	03.91				40.10	3.43		
	Indication)4			UEP9D	UEPUW	2.28	79.59	63.97				40.18	9.45		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPUJ	2.28	79.59	63.97				40.18	9.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			LIEDOD	LIED/ IA	0.00	404.5-	100.10				40.40	0.4-		
$\vdash$	2,3	-	<del>                                     </del>	UEP9D	UEPUM	2.28	164.57	128.16			1	40.18	9.45		<del>                                     </del>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPUO	2.28	164.57	128.16				40.18	9.45		
	= 1.1.2 1.1.				32. 00	2.20		.20.10		1		.5.10	3.40		<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPUP	2.28	164.57	128.16				40.18	9.45		
$\vdash$	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4		<u> </u>	UEP9D	UEPUQ	2.28	164.57	128.16	<del>                                     </del>	$\overline{}$	1	40.18	9.45		<del></del>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPUR	2.28	164.57	128.16				40.18	9.45		
	2 17/10 10/00 Clade I of (Centrewallier 01/10 / Eb0-1/10 I I I   2,0,4		<u> </u>	OL1 9D	JEI OK	2.20	104.57	120.10			<b> </b>	40.10	3.43		<del>                                     </del>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4		L	UEP9D	UEPUS	2.28	164.57	128.16			<u> </u>	40.18	9.45		
$\vdash$	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4		<u> </u>	UEP9D	UEPU4	2.28	164.57	128.16			<u> </u>	40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPU5	2.28	164.57	128.16				40.18	9.45		
<del>                                     </del>	2-vviile voice Glade Full (Celtilexullier SvvC /EBS-IVIS208)2,3,4		<del>                                     </del>	OFLAD	UEFUS	2.28	104.57	120.10		+		40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPU6	2.28	164.57	128.16				40.18	9.45		
	, , , , , ,														
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPU7	2.28	164.57	128.16				40.18	9.45		

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			II .	Submitted	Incremental		Incremental Charge -	Incremental Charge -
1							Nonrec	urring	Nonrecurring	Disconnect		l	OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9D	UEPUZ	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPU9	2.28	79.59	63.97					40.18	9.45		<b></b>
1!	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPU2	2.28	79.59	63.97					40.18	9.45	<u> </u>	<del>                                     </del>
Local	Gwitching Centrex Intercom Funtionality, per port			UEP9D	URECS	0.903					<b>.</b>				-	<del></del>
Local	Number Portability			UEF9D	URECS	0.903										<del>                                     </del>
Looui	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35					1				<del>                                     </del>	<del></del>
Featur											†					
	All Standard Features Offered, per port			UEP9D	UEPVF	3.40										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	457.83						40.18	9.45		
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	3.40		·		_						
NARS																
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
	Unbundled Network Access Register - Inward			UEP9D UEP9D	UAR1X UAROX	0.00	0.00	0.00	0.00	0.00	ļ	0.00	40.18	9.45 9.45	ļ	
Missel	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45	<u> </u>	<del></del>
	laneous Terminations Trunk Side				1										<u> </u>	<del></del>
2-99116	Trunk Side Trunk Side Terminations, each	-		UEP9D	CEND6	12.36					<b> </b>				ļ	<del></del>
4-Wire	Digital (1.544 Megabits)			UEF9D	CENDO	12.30					1					<del></del>
4-11116	DS1 Circuit Terminations, each			UEP9D	M1HD1	123.65					1		40.18	9.45	<del>                                     </del>	<del></del>
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.81				†		40.18	9.45		
Interof	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	18.00									,	
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0282										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Cha	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.65										
	Foot and Authorities and D. A. Ohanna I. Brank EV. Francisco Citations Of the			LIEDOD	4000440	0.05									1	ĺ
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP9D	1PQW6	0.65									<u> </u>	<del></del>
	Slot			UEP9D	1PQW7	0.65										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -														1	ĺ
	Different Wire Center			UEP9D	1PQWP	0.65										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.65										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.65									<u> </u>	<u></u>
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.65		·		_						
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2		2.77	0.40					40.18	9.45	<u> </u>	
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	695.11	·		_			40.18	9.45		
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	695.11						40.18	9.45		
	NAR Establishment Charge, Per Occasion	$\vdash$		UEP9D	URECA	0.00	72.73						40.18	9.45	<b> </b>	<b></b>
Additio	onal Non-Recurring Charges (NRC)	$\vdash$			1										<b></b> '	<del></del>
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN		11.20	1.10							<u> </u>	<u> </u>
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	- Requres Interoffice Channel Mileage															
	- Installation is combination of Installation charge for SL2 Lo	op and P	ort		$\perp$										ļ	
	- Requires Specific Customer Premises Equipment				<u> </u>						ļ				<b> </b>	<del></del>
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to ra	ate tru	e-up as set forth in	General Term	ns and Condition	ons.		L		L	L	l	l		

IINRI	INDI F	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	hit: Δ
OND	JINDLL		1	1	ı		I					Svc Order	Svc Order	Incremental			
												l l	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
0,			m						101120 (4)			per LSR	per LSR				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonre	curring	Nonrecurring	Disconnect	İ		oss	Rates (\$)		
	1						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	The "Z	one" shown in the sections for stand-alone loops or loops as	part of	a comi	bination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deavera	aged UNE Zon	e Designation	ns by Cent	ral Office, refe	er to internet	Nebsite:	
	http://v	www.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion.ht	m					-	-	-	-				
OPER/	ATIONAI	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
	NOTE:	(1) CLEC should contact its contract negotiator if it prefers th	ne "state	specif	fic" OSS charges as	ordered by t	he State Comm	issions. The	OSS charges c	urrently contai	ned in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ring charges.	CLEC may
	elect e	ither the state specific Commission ordered rates for the servi	ice orde	ring ch	narges, or CLEC may	elect the re	gional service	ordering charg	e, however, Cl	EC can not of	otain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished in
	each o	f the 9 states.															
	NOTE:	(2) Any element that can be ordered electronically will be bill	led acco	rding 1	to the SOMEC rate lis	sted in this o	ategory. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine i	if a product	can be order	ed electronica	Illy. For those	e elements
	that ca	nnot be ordered electronically at present per the LOH, the list	ed SOM	EC rate	e in this category ref	lects the cha	arge that would	l be billed to a	CLEC once el	ectronic orderi	ng capabilities	come on-li	ne for that	element. Oth	erwise, the ma	anual ordering	g charge,
		N, will be applied to a CLECs bill when it submits an LSR to B					•								,	•	
		OSS - Electronic Service Order Charge, Per Local Service															
		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
	1	OSS - Manual Service Order Charge, Per Local Service Request		ĺ													
		(LSR) - UNE Only				SOMAN		15.69	0.00	1.97	0.00						
UNE S	ERVICE	DATÉ ADVANCEMENT CHARGE															
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's FC	C No.1 Tariff, Section	n 5 as appli	cable.										
	1	<u> </u>			,												
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
		Dav			U1TUB, U1TUA	SDASP		200.00									
HNRU	NDI ED E	EXCHANGE ACCESS LOOP	1	<del>                                     </del>	OTTOB, OTTOA	ODAGE	<b> </b>	200.00	<b> </b>	<b> </b>	1	}	<b>-</b>	+	1		
01400		E ANALOG VOICE GRADE LOOP	<del>                                     </del>	<del>                                     </del>		<del>                                     </del>	<b> </b>		<del>                                     </del>	<del>                                     </del>	<del> </del>	<del>                                     </del>		<del>                                     </del>	1		
<b>-</b>	Z-VVIKE	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	<del>                                     </del>	1	UEANL	UEAL2	14.94	37.92	17.62	23.56	5.32	<del>                                     </del>		<del>                                     </del>	1		
-	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1		UEANL	UEAL2	21.39	37.92	17.62	23.56	5.32	}	<b>-</b>	+	1		
-	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	+		UEANL	UEAL2	26.72	37.92	17.62	23.56	5.32	<del> </del>		<del>                                     </del>	t		
-	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	+		UEANL	UEASL	14.94	37.92	17.62	23.56	5.32	<del> </del>		<del>                                     </del>	t		
-	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	+	2	UEANL	UEASL	21.39	37.92	17.62	23.56	5.32	<del> </del>		<del>                                     </del>	t		
-	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	+		UEANL	UEASL	26.72	37.92	17.62	23.56	5.32	<del> </del>		<del>                                     </del>	t		
-	+	Unbundled Miscellaneous Rate Element, Tag Loop at End User	-	٦	OLAINL	ULAGE	20.12	31.92	17.02	23.36	5.32	-	-	<del>                                     </del>	1		<b></b>
1	1	Premise	1	1	UEANL	URETL		8.33	0.83				1	I			
-	+	Loop Testing - Basic 1st Half Hour	1	<del>                                     </del>	UEANL	URET1		34.23	34.23	-	-	1	-	<del></del>	<b> </b>		
-	+		1	<del>                                     </del>	UEANL	URETA		19.90	19.90	-	-	1	-	<del></del>	<b> </b>		
	1	Loop Testing - Basic Additional Half Hour	1	l	OLANL	UKETA	l	19.90	19.90	l	1	1	1	1	l		

Version 3Q03: 11/12/2003 Page 273 of 348

UNBUNDLE	D NETWORK ELEMENTS - South Carolina													ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonred	urring	Nonrecurring	Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch															
	(UVL-SL1)			UEANL	UREWO		15.81	8.96								
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.47	13.47								
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.17	8.17								
	Order Coordination for Specified Conversion Time for UVL-SL1															l
	(per LSR)			UEANL	OCOSL		18.13	18.13								
2-WIRI	E Unbundled COPPER LOOP				LUEDOV	10.01	00.10	10.10								
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1			UEQ	UEQ2X	12.94	36.40	16.10	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2			UEQ	UEQ2X	14.51	36.40	16.10	22.66	4.42						<b></b>
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	- 1	3	UEQ	UEQ2X	15.02	36.40	16.10	22.66	4.42	1		-	<del>                                     </del>	<del>                                     </del>	<del></del>
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83							1	1
	Manual Order Coordination 2 Wire Unbundled Copper Loop -		<b>-</b>	OLQ	UNLIL		0.33	0.63	<del>                                     </del>			-	<b> </b>	<del> </del>	+	<del>                                     </del>
	Non-Designed (per loop)			UEQ	USBMC		8.17	8.17							I	1
+	Unbundled Copper Loop, Non-Design Copper Loop, billing for			o_u	JODIVIC		0.17	0.17	<del>                                     </del>		<b>-</b>			<del> </del>	<del>                                     </del>	<del>                                     </del>
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.47	13.47								
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.23	34.23			<b>†</b>					<del>                                     </del>
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.90	19.90								<del>                                     </del>
	CLEC to CLEC Conversion Charge Without Outside Dispatch			OLG	OKETA		10.00	10.00			1					<del></del>
	(UCL-ND)			UEQ	UREWO		14.30	7.45								ĺ
UNBUNDLED	EXCHANGE ACCESS LOOP															
2-WIRI	E ANALOG VOICE GRADE LOOP															
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 1		1	UEPSR UEPSB	UEALS	14.94	37.92	17.62	23.56	5.32						<u> </u>
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 1		1	UEPSR UEPSB	UEABS	14.94	37.92	17.62	23.56	5.32						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
	Zone 2		2	UEPSR UEPSB	UEALS	21.39	37.92	17.62	23.56	5.32						<b></b>
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		_													
	Zone 2		2	UEPSR UEPSB	UEABS	21.39	37.92	17.62	23.56	5.32						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	UEPSR UEPSB	UEALS	26.72	27.00	17.62	23.56	5.32						
	Zone 3  2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	UEPSK UEPSB	UEALS	20.72	37.92	17.02	23.50	5.32	-				-	<del></del>
	Zone 3		3	UEPSR UEPSB	UEABS	26.72	37.92	17.62	23.56	5.32						ĺ
LINBUNDI ED	EXCHANGE ACCESS LOOP		3	OLFSK OLFSB	ULABS	20.72	31.92	17.02	23.30	5.52				1		<del> </del>
	E ANALOG VOICE GRADE LOOP				+											-
2 11111	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				1						1					
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61					I	1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				1 1				1			İ	l	İ	1	
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	23.13	105.98	68.43	53.05	10.61	<u> </u>	<u> </u>	<u> </u>		<u> </u>	<u> </u>
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.46	105.98	68.43	53.05	10.61						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 1		1	UEA	UEAR2	16.68	105.98	68.43	53.05	10.61						<b></b>
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		_		LIEARS										1	1
	Battery Signaling - Zone 2		2	UEA	UEAR2	23.13	105.98	68.43	53.05	10.61			<b> </b>	ļ	-	<b>├</b>
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		_	LIEA	LIEADO	00.40	405.00	00.40	50.0-	10.01					I	1
	Battery Signaling - Zone 3		3	UEA	UEAR2 OCOSL	28.46	105.98	68.43	53.05	10.61	-		-	<del>                                     </del>	<del>                                     </del>	<del></del>
	Order Coordination for Specified Conversion Time (per LSR)  CLEC to CLEC Conversion Charge without outside dispatch		-	UEA UEA	UREWO		18.13 87.90	36.44	<del>                                     </del>		-	-			<del>                                     </del>	<del></del>
	Loop Tagging - Service Level 2 (SL2)		-	UEA	URETL		11.24	1.10	<del>                                     </del>				-	-	<del></del>	<del></del>
4-14/151	E ANALOG VOICE GRADE LOOP		-	ULA	OKEIL		11.24	1.10	<del>                                     </del>				-	-	<del></del>	<del></del>
4-WIK	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	32.59	132.38	94.83	59.35	14.61	-		-	-	<del></del>	<del></del>
	4-Wire Analog Voice Grade Loop - Zone 1  4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4 UEAL4	43.89	132.38	94.83	59.35	14.61		-	<b> </b>	<del>                                     </del>	+	<del></del>
<del> </del>	4-Wire Analog Voice Grade Loop - Zone 2  4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	43.38	132.38	94.83	59.35	14.61				<del> </del>	<del>                                     </del>	<del>                                     </del>
						70.00		37.03	55.55	17.01	+	<del></del>	<b>-</b>	<b></b>	<del>                                     </del>	
	Order Coordination for Specified Conversion Time (per LSR)		l	UEA	OCOSL	ı	18.13		1		1					

CATEGORY   RATE ELEMENTS   Intering   Zone   BCS   USOC   RATES (\$)		Order vs. Order vs.
CATEGORY   RATE ELEMENTS   Intering   Nonecurring   None	Charge - Manual Svc Order vs. Electronic- 1st Charge - Manual Sv Order vs. Electronic- Add'l	Charge - c Manual Svc Order vs Electronic- Disc 1st  Charge - Manual Svc Order vs. Electronic- Disc Add'l
CATEGORY   RATE ELEMENTS   Intering   Zone   BCS   USOC   RATES (\$)	Manual Svc Order vs. Electronic- 1st  OSS Rates (\$)	c Manual Svc Order vs. - Electronic- Disc 1st Manual Svc Order vs. Electronic- Disc Add'l
CATEGORY   RATE ELEMENTS   None   BCS   USOC   RATES (\$)   Per LSR   Per LSR   Per LSR   Per LSR	Order vs. Electronic- 1st OSS Rates (\$)	Order vs. Electronic- Disc 1st Order vs. Electronic- Disc Add'l
Rec   Nonrecurring	Electronic- 1st Electronic Add'l	- Electronic- Electronic- Disc 1st Disc Add'I
Nonrecurring   Nonrecurring   Nonrecurring   Nonrecurring   Some	1st Add'l OSS Rates (\$)	Disc 1st Disc Add'I
New   Som	OSS Rates (\$)	
New   Som		SOMAN SOMAN
New   Som	SOMAN SOMAN	SOMAN SOMAN
2-Wire ISDN Digital Grade Loop - Zone 1		
2-Wire ISDN Digital Grade Loop - Zone 2		
2-Wire ISDN Digital Grade Loop - Zone 3   3   UDN   U112X   37.70   117.58   80.03   53.05   10.61		
Order Coordination For Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch  UDN UREWO 91.82 44.25  2-WIRE ASYMMETRICAL DIBITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP  2 Wire Unbundled ADSL Loop including manual service inquiry 8 facility reservation - Zone 1 1 UAL UAL2X 12.19 120.84 70.56 50.37 7.93  2 Wire Unbundled ADSL Loop including manual service inquiry 8 facility reservation - Zone 2 UAL UAL2X 13.71 120.84 70.56 50.37 7.93  2 Wire Unbundled ADSL Loop including manual service inquiry 8 facility reservation - Zone 3 UAL UAL2X 14.14 120.84 70.56 50.37 7.93  Order Coordination for Specified Conversion Time (per LSR)  2 Wire Unbundled ADSL Loop without manual service inquiry 8 facility reservation - Zone 1 UAL UAL2W 12.19 95.81 57.82 50.37 7.93  2 Wire Unbundled ADSL Loop without manual service inquiry 8 facility reservaton - Zone 2 UAL UAL2W 13.71 95.81 57.82 50.37 7.93  2 Wire Unbundled ADSL Loop without manual service inquiry 8 facility reservaton - Zone 2 UAL UAL2W 13.71 95.81 57.82 50.37 7.93  2 Wire Unbundled ADSL Loop without manual service inquiry 8 facility reservaton - Zone 2 UAL UAL2W 13.71 95.81 57.82 50.37 7.93  Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93  Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93  Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93  Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93  Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93  Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93  Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93  Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93  Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W		
CLEC to CLEC Conversion Charge without outside dispatch  2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP  2 Wire Unbundled ADSL Loop including manual service inquiry 8 facility reservation - Zone 1 2 Wire Unbundled ADSL Loop including manual service inquiry 8 facility reservation - Zone 2 2 Wire Unbundled ADSL Loop including manual service inquiry 8 facility reservation - Zone 2 2 Wire Unbundled ADSL Loop including manual service inquiry 8 facility reservation - Zone 2 2 Wire Unbundled ADSL Loop including manual service inquiry 8 facility reservation - Zone 3 3 UAL UAL2X 13.71 120.84 70.56 50.37 7.93  Order Coordination for Specified Conversion Time (per LSR) 2 Wire Unbundled ADSL Loop without manual service inquiry 8 facility reservation - Zone 1 1 UAL UAL2W 12.19 95.81 57.82 50.37 7.93  2 Wire Unbundled ADSL Loop without manual service inquiry 8 facility reservator - Zone 2 2 UAL UAL2W 13.71 95.81 57.82 50.37 7.93  2 Wire Unbundled ADSL Loop without manual service inquiry 8 facility reservator - Zone 2 2 UAL UAL2W 13.71 95.81 57.82 50.37 7.93  2 Wire Unbundled ADSL Loop without manual service inquiry 8 facility reservator - Zone 2 3 UAL UAL2W 13.71 95.81 57.82 50.37 7.93  Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93  Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93  Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 9		
2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP		
2 Wire Unbundled ADSL Loop including manual service inquiry		
Reacility reservation - Zone 1		
2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2 2 UAL UAL2X 13.71 120.84 70.56 50.37 7.93  2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3 3 UAL UAL2X 14.14 120.84 70.56 50.37 7.93  UAL UAL2X 14.14 120.84 70.56 50.37 7.93  UAL OCOSL 18.13  2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3 3 UAL UAL2W 13.71 95.81 57.82 50.37 7.93  UAL UAL2W 13.71 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93		
& facility reservation - Zone 2         2 UAL         UAL2X         13.71         120.84         70.56         50.37         7.93           2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3         3 UAL         UAL2X         14.14         120.84         70.56         50.37         7.93           Order Coordination for Specified Conversion Time (per LSR)         UAL         OCOSL         18.13		
2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3  3 UAL  UALZX  14.14  120.84  70.56  50.37  7.93  Order Coordination for Specified Conversion Time (per LSR)  2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1  1 UAL  UALZW  12.19  95.81  57.82  50.37  7.93  2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2  2 UAL  UALZW  13.71  95.81  57.82  50.37  7.93  2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2  2 UAL  UALZW  13.71  95.81  57.82  50.37  7.93  2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3  3 UAL  UALZW  14.14  95.81  57.82  50.37  7.93  UAL  OCOSL  18.13  CLEC to CLEC Conversion Time (per LSR)  UAL  OCOSL  18.13  CLEC to CLEC Conversion Charge without outside dispatch  UAL  UREWO  86.38  40.48  2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP  2 Wire Unbundled HDSL Loop including manual service inquiry  & facility reservation - Zone 1  UHL  UHL2X  9.58  129.52  79.24  50.37  7.93		
Refacility reservation - Zone 3		
Order Coordination for Specified Conversion Time (per LSR)  2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1  1 UAL  UAL2W  12.19  95.81  57.82  50.37  7.93  2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2  2 UAL  UAL2W  13.71  95.81  57.82  50.37  7.93  2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2  2 UAL  UAL2W  13.71  95.81  57.82  50.37  7.93  2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3  3 UAL  UAL2W  14.14  95.81  57.82  50.37  7.93  Order Coordination for Specified Conversion Time (per LSR)  UAL  OCOSL  18.13  CLEC to CLEC Conversion Charge without outside dispatch  UAL  UREWO  86.38  40.48  2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP  2 Wire Unbundled HDSL Loop including manual service inquiry  & facility reservation - Zone 1  1 UHL  UHL2X  9.58  129.52  79.24  50.37  7.93		T T
2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1 1 UAL UAL2W 12.19 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 2 UAL UAL2W 13.71 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3 3 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81		
Facility reservaton - Zone 1		
2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 UAL UAL2W 13.71 95.81 57.82 50.37 7.93  2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3 UAL UAL2W 14.14 95.81 57.82 50.37 7.93  Order Coordination for Specified Conversion Time (per LSR) UAL OCOSL 18.13  CLEC to CLEC Conversion Charge without outside dispatch UAL UREWO 86.38 40.48  2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP  2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 UHL UHL2X 9.58 129.52 79.24 50.37 7.93  1 UHL UHL2X 9.58 129.52 79.24 50.37 7.93		
Facility reservation - Zone 2		
2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3 3 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL OCOSL 18.13 CLEC to CLEC Conversion Charge without outside dispatch UAL UREWO 86.38 40.48 2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP  2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 UHL UHL2X 9.58 129.52 79.24 50.37 7.93 2 Wire Unbundled HDSL Loop including manual service inquiry 1 UHL UHL2X 9.58 129.52 79.24 50.37 7.93		
Tacility reservation - Zone 3		
Order Coordination for Specified Conversion Time (per LSR) UAL OCOSL 18.13  CLEC to CLEC Conversion Charge without outside dispatch UAL UREWO 86.38 40.48  2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP  2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 1 UHL UHL2X 9.58 129.52 79.24 50.37 7.93		
CLEC to CLEC Conversion Charge without outside dispatch  2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP  2 Wire Unbundled HDSL Loop including manual service inquiry  & facility reservation - Zone 1  1 UHL UHL2X 9.58 129.52 79.24 50.37 7.93  2 Wire Unbundled HDSL Loop including manual service inquiry		
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP  2 Wire Unbundled HDSL Loop including manual service inquiry  & facility reservation - Zone 1  1 UHL UHL2X 9.58 129.52 79.24 50.37 7.93  2 Wire Unbundled HDSL Loop including manual service inquiry		
2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 1 UHL UHL2X 9.58 129.52 79.24 50.37 7.93 2 Wire Unbundled HDSL Loop including manual service inquiry		
& facility reservation - Zone 1 1 UHL UHL2X 9.58 129.52 79.24 50.37 7.93 2 Wire Unbundled HDSL Loop including manual service inquiry		
2 Wire Unbundled HDSL Loop including manual service inquiry		
& facility reservation - Zone 2         2         UHL         UHL2X         10.92         129.52         79.24         50.37         7.93		
2 Wire Unbundled HDSL Loop including manual service inquiry		
& facility reservation - Zone 3         3         UHL         UHL2X         11.40         129.52         79.24         50.37         7.93		
Order Coordination for Specified Conversion Time (per LSR) UHL OCOSL 18.13		
2 Wire Unbundled HDSL Loop without manual service inquiry		
and facility reservation - Zone 1 1 UHL UHL2W 9.58 104.49 66.50 50.37 7.93		
2 Wire Unbundled HDSL Loop without manual service inquiry		
and facility reservation - Zone 2 2 UHL UHL2W 10.92 104.49 66.50 50.37 7.93		
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - 7 one 3		
Order Coordination for Specified Conversion Time (per LSR)  UHL  OCOSL  18.13		+
CLEC to CLEC Conversion Charge without outside dispatch UHL UREWO 86.32 40.48		+
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP  4 Wire Unbundled HDSL Loop including manual service inquiry		+
4 Wire Unbundled HUSL Loop including manual service inquiry and facility reservation - Zone 1 1 UHL UHL4X 16.02 158.18 107.89 55.12 10.38		1
aind lacinity reservation - 2016 1 Uril. Unit.4 16.02 156.16 107.69 55.12 10.36 14-Wire Unbundled HDSL Loop including manual service inquiry		+ + +
4-vivile Unburinder HIDS. Loop including manual service inquiry and facility reservation - Zone 2 UHL UHL4X 14.33 158.18 107.89 55.12 10.38		1
and lacinity reservation - Zone 2 Unit Unit.4A 14.33 136.16 107.89 35.12 10.36 4-Wire Unbundled HDSL Loop including manual service inquiry		+
and facility reservation - Zone 3 UHL UHL4X 16.84 158.18 107.89 55.12 10.38		
dailu latuliny reservation   - 2016 3   - 3   - 5		+
4-Wire Unbundled HDSL Loop without manual service inquiry		+ +
and facility reservation - Zone 1 1 UHL UHL4W 16.02 133.14 95.16 55.12 10.38		1
4-Wire Unbundled HDSL Loop without manual service inquiry		+ + +
and facility reservation - Zone 2 UHL UHL4W 14.33 133.14 95.16 55.12 10.38		
4-Wire Unbundled HDSL Loop without manual service inquiry		+ + +
and facility reservation - Zone 3 UHL UHL4W 16.84 133.14 95.16 55.12 10.38		
Order Coordination for Specified Conversion Time (per LSR) UHL IOCOSL 18.13		1
CLEC to CLEC Conversion Charge without outside dispatch UHL UREWO 86.32 40.48		1
4-WIRE DS1 DIGITAL LOOP		1
4-Wire DS1 Digital Loop - Zone 1		<del>                                     </del>
4-Wire DS1 Digital Loop - Zone 2 2 USL USLXX 136.00 253.03 157.89 44.80 11.73		1
4-Wire DS1 Digital Loop - Zone 3 3 USL USLXX 229.15 253.03 157.89 44.80 11.73		
Order Coordination for Specified Conversion Time (per LSR) USL OCOSL 18.13		

ONBONDL	ED NETWORK ELEMENTS - South Carolina			1	_	1					1-	_		ment: 2	<del>.                                      </del>	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect		1		Rates (\$)	1	
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4 1871	CLEC to CLEC Conversion Charge without outside dispatch	-		USL	UREWO		101.30	43.13								<del>                                     </del>
4-1/1	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP  4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	29.93	126.66	89.12	59.35	14.61	-	-				<b>-</b>
<b></b>	4 Wire Unbundled Digital 19.2 Kbps	-	2	UDL	UDL19	33.99	126.66	89.12	59.35	14.61	1	-				<del> </del>
<del>                                     </del>	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	34.74	126.66	89.12	59.35	14.61	<del> </del>					1
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	29.93	126.66	89.12	59.35	14.61	1	1				<b>†</b>
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	33.99	126.66	89.12	59.35	14.61	1					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	34.74	126.66	89.12	59.35	14.61						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.13				1					
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	29.93	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	33.99	126.66	89.12	59.35	14.61						ļ
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	34.74	126.66	89.12	59.35	14.61						
$\vdash$	Order Coordination for Specified Conversion Time (per LSR)	ļ		UDL	OCOSL		18.13		ļl							ļ
	CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	UDL	UREWO		102.34	49.85	ļ		ļ					<b></b>
2-WII	RE Unbundled COPPER LOOP															ļ
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.19	119.91	69.62	50.37	7.93						
<b>—</b>				UCL	UCLPB	12.19	119.91	69.62	50.37	7.93	-	-				<b>-</b>
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.71	119.91	69.62	50.37	7.93						
$\vdash$	2 Wire Unbundled Copper Loop-Designed including manual	1		UCL	OCLFB	13.71	119.91	09.02	30.37	7.55	1	1				
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.14	119.91	69.62	50.37	7.93						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	14.14	8.17	8.17	30.37	7.55	1	1				<b>†</b>
	2-Wire Unbundled Copper Loop-Designed without manual			002	0020		0.11	0.11							İ	
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.19	94.87	56.89	50.37	7.93						
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	13.71	94.87	56.89	50.37	7.93						
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	14.14	94.87	56.89	50.37	7.93						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	CLEC to CLEC Conversion Charge without outside dispatch															
<u> </u>	(UCL-Des)			UCL	UREWO		94.87	42.57	L							
4-WII	RE COPPER LOOP															<b></b>
	4-Wire Copper Loop-Designed including manual service inquiry		1	1101	1101.40	40.04	444.47	00.00	55.40	40.20						
-	and facility reservation - Zone 1	-	1	UCL	UCL4S	19.64	144.17	93.88	55.12	10.38						
	4-Wire Copper Loop-Designed including manual service inquiry		2	UCL	UCL4S	20.90	144.17	93.88	55.12	10.38						
	and facility reservation - Zone 2  4-Wire Copper Loop-Designed including manual service inquiry			UCL	UCL43	20.90	144.17	93.00	55.12	10.36	1	1				1
	and facility reservation - Zone 3		3	UCL	UCL4S	19.34	144.17	93.88	55.12	10.38						
	Order Coordination for Unbundled Copper Loops (per loop)		-	UCL	UCLMC	13.54	8.17	8.17	33.12	10.50	1					
	4-Wire Copper Loop-Designed without manual service inquiry						-								İ	
1 1	and facility reservation - Zone 1	1	1	UCL	UCL4W	19.64	119.13	81.15	55.12	10.38						
	4-Wire Copper Loop-Designed without manual service inquiry	l														
	and facility reservation - Zone 2	<u> </u>	2	UCL	UCL4W	20.90	119.13	81.15	55.12	10.38	L	L	<u> </u>	<u> </u>		
	4-Wire Copper Loop-Designed without manual service inquiry															
$oxed{oxed}$	and facility reservation - Zone 3		3	UCL	UCL4W	19.34	119.13	81.15	55.12	10.38				ļ	ļ	<u> </u>
$\vdash$	Order Coordination for Unbundled Copper Loops (per loop)	ļ	<u> </u>	UCL	UCLMC		8.17	8.17	ļ		ļ					<u> </u>
1 1	CLEC to CLEC Conversion Charge without outside dispatch	1	1		LIBEWO		04.0-	40 ==								
LOOP MODII	(UCL-Des)	-	-	UCL	UREWO		94.87	42.57			<u> </u>	1	-			<del> </del>
LOOP MODII	TICATION	╂	-	UAL, UHL, UCL,	+				<del>                                     </del>						1	+
1 1		1	1	UEQ, ULS, UEA,												
] [	Unbundled Loop Modification, Removal of Load Coils - 2 Wire	1	1	UEANL, UEPSR,												
] [	pair less than or equal to 18k ft, per Unbundled Loop	1	1	UEPSB	ULM2L		32.46	32.46								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire	<del>                                     </del>	<b>†</b>	52. 65	CLIVIEL		52.40	02.40			<b> </b>				1	<b>†</b>
	less than or equal to 18K ft, per Unbundled Loop	1	1	UHL, UCL, UEA	ULM4L		32.46	32.46								
				UAL, UHL, UCL,			510	5=7.10					İ	İ		
		1	1	UEQ, ULS, UEA,												
] [	Unbundled Loop Modification Removal of Bridged Tap Removal,	1	1	UEANL, UEPSR,												
1 1	per unbundled loop	<u> </u>	L	UEPSB	ULMBT	<u> </u>	32.48	32.48	<u> </u>		<u></u>	<u></u>	<u> </u>	<u> </u>		<u> </u>

UNBU	JNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted Manually	Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Order vs.	Charge - Manual Svo Order vs.
														Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
-	I							Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SUB-L																	
	Sub-Lo	op Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-				-											
		Up	ı		UEANL	USBSA		241.42	241.42								
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder	ı		UEANL	USBSB		22.69	22.69								
		Facility Set-Up	1		UEANL	USBSC		177.84	177.84								
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSD		55.58	55.58								
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	-	1	UEANL	USBN2	8.87	65.94	31.03	45.35	6.71						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	1	2	UEANL	USBN2	12.58	65.94	31.03	45.35	6.71						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	-	3	UEANL	USBN2	14.79	65.94	31.03	45.35	6.71						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	14.11	79.21	44.29	49.82	9.09						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	19.40	79.21	44.29	49.82	9.09						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	18.90	79.21	44.29	49.82	9.09						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	2.41	53.13	18.21	45.35	6.71						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	ı		UEANL	USBR4	5.36	59.38	24.47	49.82	9.09						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.23	34.23								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.90	19.90								
<u> </u>	1	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS2X	7.11 9.83	65.94 65.94	31.03	45.35 45.35	6.71 6.71	<b> </b>	ļ				
	1	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	-		UEF UEF	UCS2X UCS2X	9.83	65.94 65.94	31.03 31.03	45.35 45.35	6.71	1	1				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC	10.40	8.17	8.17	+5.55	0.71						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	- 1	1	UEF	UCS4X	7.85	79.21	44.29	49.82	9.09	1	1				
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i		UEF	UCS4X	14.17	79.21	44.29	49.82	9.09						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı		UEF	UCS4X	12.64	79.21	44.29	49.82	9.09						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.17	8.17								
	1	Loop Testing - Basic 1st Half Hour		<u> </u>	UEF	URET1		34.23	34.23	ļ		<u> </u>	1				
	Unbur	Loop Testing - Basic Additional Half Hour  dled Network Terminating Wire (UNTW)		<b> </b>	UEF	URETA		19.90	19.90	<del>                                     </del>		-	1				
-		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3303	30.20	30.20								
		k Interface Device (NID)					5.5555	33.20	00.20								
		Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.68	28.79								
		Network Interface Device (NID) - 1-6 lines			UENTW	UND16		64.42	49.53								
<u> </u>		Network Interface Device Cross Connect - 2 W		<u> </u>	UENTW	UNDC2 UNDC4		5.92 5.92	5.92 5.92	<u> </u>		<b> </b>	ļ				
LINE O		Network Interface Device Cross Connect - 4W ROVISIONING ONLY - NO RATE			UENTW	UNDC4		5.92	5.92				-				
OIVE U		NID - Dispatch and Service Order for NID installation		<del>                                     </del>	UENTW	UNDBX	0.00	0.00				1	<b>†</b>				
		UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
		Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,U ENTW	UNECN	0.00	0.00									
UNE O	THER, P	ROVISIONING ONLY - NO RATE															

UNBUNDLE	ED NETWORK ELEMENTS - South Carolina												Attach			bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
<b></b>						Rec	Nonrec		Nonrecurring		001150	001111		Rates (\$)	001441	001441
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									ĺ
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -			001	0000.	0.00	0.00									
	no rate			USL	CCOEF	0.00	0.00									
HIGH CAPAC	ITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per			UE3	1L5ND	12.26										1
	High Capacity Unbundled Local Loop - DS3 - Facility		<del>                                     </del>	OL3	ILJIND	12.20										
	Termination per month		L	UE3	UE3PX	306.36	452.52	264.53	119.75	83.77						
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
	month High Capacity Unbundled Local Loop - STS-1 - Facility			UDLSX	1L5ND	12.26										$\vdash$
	Termination per month			UDLSX	UDLS1	313.49	452.52	264.53	119.75	83.77						1
LOOP MAKE-				OBLOX	ODLOT	010.40	402.02	204.00	110.70	00.11						
	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).			UMK	UMKLW		24.04	24.04								igsquare
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		25.49	25.49								1
	Loop MakeupWith or Without Reservation, per working or			UIVIK	UIVIKLP		25.49	25.49								
	spare facility queried (Mechanized)			UMK	UMKMQ		0.34	0.34								1
	G AND LINE SPLITTING															
	1: The Line Sharing monthly recurring rates for all installation					idnight Octobe	r 01, 2004 shal	I be billed as f	follows:							
	1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co 1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND	pper lo	op nor	i-designed ("UCLND	)")											$\vdash$
	1: 10/02/2004 – 10/01/2005: 50% of the rate for OCLND 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND					1										
	1: Above will apply to USOCS: ULSDT and ULSCT															
	E 2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	d ULSC	C applies only to cit	rcuits install	ed and inservic	e on or before	October 1, 20	03							
	SHARING															
SPLIT	TERS-CENTRAL OFFICE BASED  Line Sharing Splitter, per System 96 Line Capacity		-	ULS	ULSDA	216.22	189.21	0.00	178.38	0.00						<del></del>
	Line Sharing Splitter, per System 96 Line Capacity  Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	54.05	189.21	0.00	178.38	0.00						<del>                                     </del>
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	18.02	189.21	0.00	178.38	0.00						
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-															
	deactivation (per LSOD)			ULS	ULSDG		86.67	0.00	49.95	0.00						
END	JSER ORDERING-CENTRAL OFFICE BASED LINE SHARING  Line Sharing - per Line Activation (BST Owned splitter) -		-													
	OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	18.55	10.62	10.04	4.93						
	Line Share Service, TRO per line activation, BST owned splitter -					1	. 2.00		12701							
	Central Office Located (25% of UCLND) - please see NOTE 1															1
	(E:10/2/2003)		<u> </u>	ULS	ULSDT	3.24	18.55	10.62	10.04	4.93						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1															
	(E:10/2/2004)			ULS	ULSDT	6.47	18.55	10.62	10.04	4.93						
	Line Share Service, TRO per line activation, BST owned splitter -															
	Central Office Located (75% of UCLND) - please see NOTE 1					[]			40							1
	(E:10/2/2005) Line Sharing - per Subsequent Activity per Line		-	ULS	ULSDT	9.71	18.55	10.62	10.04	4.93						<del>                                     </del>
	Rearrangement (BST Owned Splitter)			ULS	ULSDS		16.42	8.21								1
	Line Sharing - per Subsequent Activity per Line					†	10.12	U.E.1								
	Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		16.42	8.21								
	Line Sharing - per Line Activation (DLEC owned Splitter) -			ULS	ULSCC	0.04	47.44	40.04	20.67	12.74						1 1
	OBSOLETE see **NOTE 2			ULO	ULSCC	0.61	47.44	19.31	20.67	12.74	l			1	<u> </u>	

UNBUNDLE	D NETWORK ELEMENTS - South Carolina		_											ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			II .	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Share Service, TRO per line activation, CLEC owned															ĺ
	splitter - Central Office Located (25% of UCLND) - please see															ĺ
	NOTE 1 (E:10/2/2003)			ULS	ULSCT	3.24	47.44	19.31	20.67	12.74	ļ					
	Line Share Service, TRO per line activation, CLEC owned															ĺ
	splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	6.47	47.44	19.31	20.67	12.74						ĺ
	Line Share Service, TRO per line activation, CLEC owned		1	ULS	ULSCI	0.47	47.44	19.31	20.67	12.74	1				1	<del></del>
	splitter - Central Office Located (75% of UCLND) - please see															ĺ
	NOTE 1 (E:10/2/2005)			ULS	ULSCT	9.71	47.44	19.31	20.67	12.74						ĺ
LINE S	PLITTING			020	02001	0		.0.01	20.01		1					
	SER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61			1							
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.09	21.24		9.85						
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	37.09	21.24	20.07	9.85						
MAINT	ENANCE															
$oxed{\Box}$	No Trouble Found - per 1/2 hour increments - Basic				1 7		80.00	55.00								
	No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
	No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
	DEDICATED TRANSPORT															
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT				1											<b></b>
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -			1470	41.5007	0.0407										
$\vdash$	Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -		ļ	U1TVX	1L5XX	0.0167			-		-	-				<del></del>
	Facility Termination			U1TVX	U1TV2	24.30	40.63	27.47	16.77	6.91						
<b>-</b>	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			UTIVA	UTIVZ	24.30	40.03	21.41	10.77	0.91	<b> </b>					<del></del>
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0167										
<del>                                     </del>	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.			UTTVA	ILJAA	0.0107			1		<u> </u>		1			<u> </u>
	Facility Termination			U1TVX	U1TR2	24.30	40.63	27.47	16.77	6.91						ĺ
<b>-</b>	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -		1	OTTVX	OTTIVE	24.00	40.00	21.41	10.77	0.01	1					<del>                                     </del>
	Per Mile per month			U1TVX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade				1-91-11						İ					
	- Facility Termination			U1TVX	U1TV4	21.29	40.63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile		i –													
	per month			U1TDX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination		<u> </u>	U1TDX	U1TD5	16.76	40.63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															1
	per month		<u> </u>	U1TDX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility				1				1	_					I	1
$\vdash$	Termination		<u> </u>	U1TDX	U1TD6	16.76	40.63	27.47	16.77	6.91					-	<del></del>
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			LIATDA	41.577	0.044-									1	1
<del>                                     </del>	month Interoffice Channel - Dedicated Tranport - DS1 - Facility	1	<b>!</b>	U1TD1	1L5XX	0.3415			1		1	-			<del>                                     </del>	<del></del>
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination			U1TD1	U1TF1	77.14	89.47	81.99	16.39	14.48					I	1
<del>                                     </del>	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	-	<del>                                     </del>	וטווט	UIIFI	11.14	09.47	01.99	10.39	14.48		-			+	<del></del>
	month			U1TD3	1L5XX	8.02									1	1
<del>                                     </del>	Interoffice Channel - Dedicated Transport - DS3 - Facility	1	<del>                                     </del>	01103	1LUAA	0.02			1		1		<del> </del>		<del> </del>	<del>                                     </del>
	Termination per month			U1TD3	U1TF3	880.65	279.37	163.12	60.33	58.59					I	1
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	<b>†</b>	<del>                                     </del>		70	300.00	210.01	100.12	00.00	00.00	1	<b>-</b>			<b>I</b>	<b>—</b>
	month			U1TS1	1L5XX	8.02									I	1
	Interoffice Channel - Dedicated Transport - STS-1 - Facility		i –	-												
	Termination	<u></u>	<u> </u>	U1TS1	U1TFS	880.55	279.37	163.12	60.33	58.59	<u> </u>			<u> </u>	<u> </u>	1
DARK FIBER																
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															1
	Thereof per month - Interoffice Channel		<u> </u>	UDF, UDFCX	1L5DF	36.41										
<del>                                     </del>	NRC Dark Fiber - Interoffice Channel		<u> </u>	UDF, UDFCX	UDF14		640.51	138.17	317.76	198.11					1	<b>└</b>
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction														1	1
	Thereof per month - Local Loop		<u> </u>	UDF, UDFCX	1L5DL	97.65	0.40 = :	100 :-	0.18	100	ļ		ļ		<b></b>	1
1	NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4		640.51	138.17	317.76	198.11	1	<u>l</u>	l		l .	

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order			Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
<u> </u>		-					Nonrec		Nonrecurring	Disconnect			220	Rates (\$)	1	
-					-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX ACCES	S TEN DIGIT SCREENING				-		FIISL	Add I	FIISL	Auu i	JOINEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
JOHN AGGEG	8XX Access Ten Digit Screening, Per Call			OHD		0.0006673					1					1
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX			0.15		0.0000070					İ	İ				
	Number Reserved			OHD	N8R1X		2.59	0.44								
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
	POTS Translations			OHD			5.95	0.81	4.58	0.54						
	8XX Access Ten Digit Screening, Per 8XX No. Established With															
	POTS Translations			OHD	N8FTX		5.95	0.81	4.58	0.54						
	8XX Access Ten Digit Screening, Customized Area of Service															
	Per 8XX Number			OHD	N8FCX		2.59	1.30								
	8XX Access Ten Digit Screening, Multiple InterLATA CXR															
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		3.03	1.74								
	8XX Access Ten Digit Screening, Change Charge Per Request		<u> </u>	OHD	N8FAX		3.03	0.44			ļ				ļ	ļ
	8XX Access Ten Digit Screening, Call Handling and Destination			0.15												
$\vdash$	Features		<u> </u>	OHD	N8FDX	0.0000070	2.59	2.59			ļ	ļ		<b> </b>	<del>                                     </del>	<del> </del>
	8XX Access Ten Digit Screening, w/ 8XX No. Delivery			OHD OHD		0.0006673					1					
LINE INFOR	8XX Access Ten Digit Screening, w/ POTS No. Delivery MATION DATA BASE ACCESS (LIDB)			OHD	-	0.0006673					<b>.</b>	-			-	1
LINE INFOR	LIDB Common Transport Per Query			OQT	-	0.0000246			1		<b> </b>	<b> </b>				
<b>—</b>	LIDB Validation Per Query		-	OQU		0.0138158					1	1			-	1
<del> </del>	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX	0.0136136	34.40		42.18		<u> </u>					
SIGNALING				001,000	INICOLX		34.40		42.10		<b>†</b>					
CICITALIITO	CCS7 Signaling Connection, Per 56 Kbps Facility			UDB	TPP++	16.93	35.61	35.61	16.48	16.48	1					1
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	163,49					İ	İ				
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000692					İ					
	CCS7 Signaling Connection, Per link (A link)		1	UDB	TPP++	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Connection, Per link (B link) (also known as D															
	link)			UDB	TPP++	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000173										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	791.37										
	CCS7 Signaling Point Code, per Originating Point Code															
	Establishment or Change, per STP affected			UDB	CCAPO		29.08	29.08	35.65	35.65						
	CCS7 Signaling Point Code, per Destination Point Code															
	Establishment or Change, Per Stp Affected			UDB	CCAPD		29.08	29.08	35.65	35.65						
E911 SERVI	Local Channel - Dedicated - 2-wr Voice Grade		1		_	15.33	193.53	33.24	36.72	3.21	-	-				
-	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile				-	0.0167	193.53	33.24	30.72	3.21	<b> </b>	<b> </b>			-	<b> </b>
<del>                                     </del>	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile  Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility		1		+	0.0167					<u> </u>			-	<del>                                     </del>	<del> </del>
	Termination					24.30	40.63	27.47	16.77	6.91					I	
	Local Channel - Dedicated - DS1 - Zone 1	t	<del>                                     </del>		+	42.62	177.87	154.06	22.24	15.30	1	1		1	<b>I</b>	1
	Local Channel - Dedicated - DS1 - Zone 2		l			70.32	177.87	154.06	22.24	15.30					1	
	Local Channel - Dedicated - DS1 - Zone 3					190.68	177.87	154.06	22.24	15.30	İ					
	Interoffice Transport - Dedicated - DS1 Per Mile		i –			0.3415					İ	İ				1
	Interoffice Transport - Dedicated - DS1 Per Facility Termination		<u></u>			77.14	89.47	81.99	16.39	14.48		<u> </u>		<u> </u>		<u> </u>
CALLING N	AME (CNAM) SERVICE															
	CNAM For DB Owners - Service Establishment			OQV			23.00	23.00	21.15	21.15						
$oxed{oxed}$	CNAM For Non DB Owners - Service Establishment		<u> </u>	OQV			23.00	23.00	21.15	21.15					1	ļ
	CNAM For DB Owners - Service Provisioning With Point Code														I	
$\vdash$	Establishment		1	OQV	+		993.09	734.47	269.53	198.18	-				-	1
	CNAM For Non DB Owners - Service Provisioning With Point			001/			040.00	045.63	075 0-	400.40					I	
$\vdash$	Code Establishment	-	<b>├</b>	OQV OQV	+	0.0040400	343.09	245.69	275.87	198.18	<del> </del>	ļ		-	<del>                                     </del>	<del>                                     </del>
$\vdash$	CNAM for DB Owners, Per Query CNAM for Non DB Owners, Per Query	-	<b>├</b>	OQV OQV	+	0.0010433 0.0010433					<del> </del>	ļ		-	<del>                                     </del>	<del>                                     </del>
SELECTIVE		-	<del>                                     </del>	UQV	+	0.0010433									+	1
IOLLLOIIVE		-	1	<b> </b>	+				1		1	1		<del> </del>	<del>                                     </del>	<del>                                     </del>
	ISelective Routing Per Unique Line Class Code Per Peguest Per															
	Selective Routing Per Unique Line Class Code Per Request Per Switch						84.89	84.89	14.14	14.14						

UNBUNDLE	D NETWORK ELEMENTS - South Carolina													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	Note at Oalle and a College Organization of the College Or						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line			HEDOD HEDOD	VE41.0	0.0047	40.00	44.00	0.04	5.45						
PHYSICAL CO	Splitting			UEPSR UEPSB	VE1LS	0.0317	12.32	11.83	6.04	5.45					-	
PHISICAL CO	Physical Collocation-2 Wire Cross Connects (Loop) for Line				+											
	Splitting			UEPSR UEPSB	PE1LS	0.0341	12.32	11.83	6.04	5.45						
AIN SELECTI	/E CARRIER ROUTING		1	OLI OK OLI OD	I L ILO	0.0341	12.02	11.00	0.04	3.43						
AII OLLLOII	Regional Service Establishment			SRC	SRCEC		101,324.34	101,324.34	8,609.85	8,609.85						
	End Office Establishment			SRC	SRCEO		175.66	175.66	1.70	1.70						
	Query NRC, per query			SRC		0.0035036										
AIN - BELLSC	OUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State,															
	Initial Setup		<u> </u>	A1N	CAMSE		39.53	39.53	40.78	40.78						
				i											_	
	AIN SMS Access Service - Port Connection - Dial/Shared Access		<u> </u>	A1N	CAMDP		7.85	7.85	9.11	9.11					L	ļ
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7.85	7.85	9.11	9.11						
	AIN SMS Access Service - User Identification Codes - Per User															
	ID Code			A1N	CAMAU		35.08	35.08	27.12	27.12						
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		41.98	41.98	11.74	11.74						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			AIN	CAIVIRC	0.0027	41.98	41.98	11.74	11.74					-	
<b></b>	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)  AIN SMS Access Service - Session, Per Minute				-	0.0027									-	
	AIN SMS Access Service - Session, Per Minute  AIN SMS Access Service - Company Performed Session, Per		1			0.7121									1	
	Minute					0.8364										
AIN - BELLSC	OUTH AIN TOOLKIT SERVICE					0.0304									-	
1	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		39.53	39.53	40.78	40.78						
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		4,211.54	4,211.54	0.00	0.00						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per							·								
	DN, Term. Attempt				BAPTT		7.85	7.85	9.11	9.11						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Delay				BAPTD		7.85	7.85	9.11	9.11						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Immediate				BAPTM		7.85	7.85	9.11	9.11						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP				BAPTO		34.54	34.54	14.39	14.39						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DARTO		04.54	04.54	44.00	44.00						
	DN, CDP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTC		34.54	34.54	14.39	14.39					-	
	DN, Feature Code				BAPTF		34.54	34.54	14.39	14.39						
	AIN Toolkit Service - Query Charge, Per Query				DALII	0.0558238	34.34	54.54	14.55	14.55					-	
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit				+	0.0000200									1	
	Subscription. Per Node. Per Query					0.0069214										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
	Account, Per 100 Kilobytes					0.07										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service		i –													
	Subscription			CAM	BAPMS	11.87	7.85	7.85	5.52	5.52						
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service								ĺ							
	Subscription		<u> </u>	CAM	BAPLS	3.51	8.68	8.68								
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			l											_	
	Subscription		<u> </u>	CAM	BAPDS	8.48	7.85	7.85	5.52	5.52					ļ	
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit														1	
	Service Subscription		<u> </u>	CAM	BAPES	0.12	8.68	8.68							-	ļ
	XTENDED LINK (EELs)		n al 4la -	Cuitale As Is Classes		las for LINE	ab in atiana a a	dalamad as 15	malia anila Comi	in a all blature of	Flament:				-	ļ
	The monthly recurring and non-recurring charges below will														<del>                                     </del>	1
	The monthly recurring and the Switch-As-Is Charge and not to TED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED.					UNE COMBINATION	ons provisione	as Current	iy Compinea' N	etwork Eleme	nts.		-	-	<del>                                     </del>	1
											i		1		1	1
		LDDS				16.68	105 98	68 43	53.05	10.61						
	First 2-Wire VG Loop (SL2) in Combination - Zone 1 First 2-Wire VG Loop (SL2) in Combination - Zone 2	LD 03	1	UNCVX	UEAL2 UEAL2	16.68 23.13	105.98 105.98	68.43 68.43	53.05 53.05	10.61 10.61						

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
CATEGORY		Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
ļ							N		T. N	B'						
-		ļ	-			Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
-	Interoffice Transport - Dedicated - DS1 combination - Per Mile	1			1		FIRST	Addi	FIRST	Addi	SOMEC	SUMAN	SOWAN	SOWAN	SOWAN	SOWAN
	per month			UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	1/0 Channelization System in combination Per Month	1		UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61						,
	Voice Grade COCI - Per Month		3	UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	-		0.10171	1.5	0.00	0.00	0	0.00	0.00						
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						1
EXTE	ENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	TED DS	1 INTER	ROFFICE TRANSPO	DRT											
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						<u> </u>
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
						40.00										
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile	<u> </u>	3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
	Per Month			UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	40.00	14.48						
	1/0 Channel System in combination Per Month		<u> </u>	UNC1X	MQ1	107.57	91.24	62.71	16.39 10.56	9.81						
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
	Additional 4-Wire Analog Voice Grade Loop in same DS1			-												
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
<b>—</b>	Interoffice Transport Combination - Zone 3  Additional Voice Grade COCI in combination - per month	ļ	3	UNCVX	UEAL4 1D1VG	43.38 0.56	132.38 6.59	94.83 4.73	59.35 0.00	14.61 0.00	-					
<del>                                     </del>	Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	IDIVG	0.56	6.59	4.73	0.00	0.00						
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXTE	ENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	TEROFFICE TRANS	SPORT											
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
<del>                                     </del>	1/0 Channel System in combination Per Month	<del>                                     </del>		UNC1X UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81	<del>                                     </del>					
	OCU-DP COCI (data) per month (2.4-64kbs)	<b>1</b>		UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00	l					
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61	-					<del></del>
	Interoffice Transport Combination - Zone 3  Additional OCU-DP COCI (data) - in combination per month (2.4-	_	3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61	-					
	64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
						Ι					Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted			Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									p = = = = = = = = = = = = = = = = = = =	p	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						ļ.,										
						Rec	Nonrec		Nonrecurring			·		Rates (\$)		
	<u> </u>						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	LINICOC		F C4	F C4	7.00	7.00						
EVT	Is Charge  ENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIGITAL LOOP	CATED	DC4 IN		UNCCC		5.61	5.61	7.00	7.00						
EAT	ENDED 4-WIRE 64 RBF3 EXTENDED DIGITAL LOOP WITH DEDI	CATED	DSTIN	TEROFFICE TRAINS	I											
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
	Thist 4 Wile Galage Bigital Glade Loop in Combination 25the 1		<u> </u>	ONODA	ODLOT	25.50	120.00	00.12	00.00	14.01						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	· · ·															
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						1
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.27										1
	interoffice Transport - Dedicated - DS1 combination - Facility							·						l		. 7
	Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48	<u> </u>					,
	1/0 Channel System in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71		9.81	ļ					
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						,
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			LINIODY	LIBLOA	00.00	400.00	00.40	50.05	44.04						1
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61	<b> </b>					
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			UNCDX	UDL64	33.99	120.00	09.12	39.33	14.01						
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
	Additional OCU-DP COCI (data) - in combination - per month			ONODA	ODLOT	34.74	120.00	03.12	33.33	14.01						
	(2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-										İ					
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	OFFICE TRANSPOR	RT											
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINIOAN	41.500/	0.07										
	Per Month			UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
<b>—</b>	Nonrecurring Currently Combined Network Elements Switch -As-			UNCIA	UTIFT	01.71	09.47	01.99	10.39	14.40						
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
FXT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	FD DS3	INTER				5.01	5.01	7.00	7.00	<b>†</b>					
	First DS1Loop in Combination - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73	İ					
	First DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
	Interoffice Transport - Dedicated - DS3 combination - Per Mile															
$\perp$	Per Month			UNC3X	1L5XX	6.42										,
	Interoffice Transport - Dedicated - DS3 - Facility Termination per				I											.
$\vdash$	month			UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59	ļ					
$\vdash$	3/1Channel System in combination per month	<b>.</b>		UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90	ļ			<b> </b>		
$\vdash$	DS1 COCI in combination per month  Additional DS1Loop in DS3 Interoffice Transport Combination -	1		UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00	1			-		
	Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						,
	Additional DS1Loop in DS3 Interoffice Transport Combination -		'	OI4OIA	COLAA	30.07	255.05	137.03	44.00	11.73						
	Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						, ,
	Additional DS1Loop in DS3 Interoffice Transport Combination -				1	1										
	Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73	<u> </u>					<u>.                                    </u>
	Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC3X	UNCCC		5.61	5.61	7.00	7.00	<u> </u>			ļ		
EXT	ENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	E INTE								ļ					
$\vdash$	2-WireVG Loop in combination - Zone 1	<b>.</b>	1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61	ļ			<b> </b>		
+	2-WireVG Loop in combination - Zone 2	1		UNCVX UNCVX	UEAL2 UEAL2	23.13 28.46	105.98 105.98	68.43 68.43	53.05 53.05	10.61 10.61	1			-		
	2-WireVG Loop in combination - Zone 3	1	3	OINCVA	UEALZ	∠8.46	105.98	08.43	53.05	10.01	<u> </u>	l .		l		

UNBU	NDLE	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhil	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per															í
		Month			UNCVX	1L5XX	0.0134										<b></b>
		Interoffice Transport - 2-wire VG - Dedicated - Facility															í
		Termination per month			UNCVX	U1TV2	19.44	40.63	27.47	16.77	6.91						<b>——</b>
		Nonrecurring Currently Combined Network Elements Switch -As-			11110101	1111000		5.04	5.04	7.00	7.00						í
$\vdash$	CVTCN	Is Charge DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	CDAD	- INITE	UNCVX	UNCCC		5.61	5.61	7.00	7.00	-	-				
	EXIEN	4-Wire VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE 4-WireVG Loop in combination - Zone 1	GRAD	1 1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
$\vdash$		4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
		4-WireVG Loop in combination - Zone 3			UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per		-	DINCVA	ULAL4	45.50	132.30	34.03	39.33	14.01				1		
		Month			UNCVX	1L5XX	0.0134										l .
$\vdash$		Interoffice Transport - 4-wire VG - Dedicated - Facility				. 20, 01	3.0104				1				1		í
		Termination per month			UNCVX	U1TV4	17.03	40.63	27.47	16.77	6.91						í
		Nonrecurring Currently Combined Network Elements Switch -As-										1	1	l	İ		í
		Is Charge			UNCVX	UNCCC		5.61	5.61	7.00	7.00						1
	EXTEN	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE													i .
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	12.26										i
																	i
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	306.36	452.52	264.53	119.75	83.77						i .
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	6.42										<u> </u>
		Interoffice Transport - Dedicated - DS3 combination - Facility															i
		Termination per month			UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59						
		Nonrecurring Currently Combined Network Elements Switch -As-															í
	=>/===	Is Charge			UNC3X	UNCCC		5.61	5.61	7.00	7.00						<b></b>
	EXIEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 IN I	EROFF		41 END	40.00										
-		STS-1 Local Lolp in combination - per mile per month STS-1 Local Loop in combination - Facility Termination per		-	UNCSX	1L5ND	12.26										<del></del>
		month			UNCSX	UDLS1	313.49	452.52	264.53	119.75	83.77						í
$\vdash$		Interoffice Transport - Dedicated - STS-1 combination - per mile			ONCOX	ODLOT	313.43	402.02	204.55	113.73	03.11						
		per month			UNCSX	1L5XX	6.42										i
		Interoffice Transport - Dedicated - STS-1 combination - Facility			ONOOX	120701	0.42										
		Termination per month			UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59						i
		Nonrecurring Currently Combined Network Elements Switch -As-				-											
		Is Charge			UNCSX	UNCCC		5.61	5.61	7.00	7.00						í
	EXTEN	DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN														i .
		First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61						
		First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						
		First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61						
		Interoffice Transport - Dedicated - DS1 combination - per mile															1
$\vdash$		per month			UNC1X	1L5XX	0.27										<b></b>
		Interoffice Transport - Dedicated - DS1 combination - Facility			LINIOAY	LIATE4	04 =:	00 :-	04.00	40.00	44.50						l .
$\vdash$		Termination per month	<b>.</b>	-	UNC1X UNC1X	U1TF1 MQ1	61.71 107.57	89.47 91.24	81.99 62.71	16.39 10.56	14.48 9.81			<b> </b>	<b>!</b>		
$\vdash$		1/0 Channel System in combination - per month	-	-			107.57 2.56				9.81			-	<b> </b>		
$\vdash$		2-wire ISDN COCI (BRITE) - in combination - per month Additional 2-wire ISDN Loop in same DS1Interoffice Transport	<b>-</b>	-	UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00	-	-	-		-	
		Combination - Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61						ı
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport			0140147	O ILZA	20.21	117.30	00.03	55.05	10.01	<u> </u>	<del>                                     </del>				
		Combination - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						1
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport					52.70	00	22.00	22.00	13.01				İ		1
		Combination - Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61						1
		Additional 2-wire ISDN COCI (BRITE) - in combination- per															ſ
		month			UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00	<u> </u>	<u> </u>	<u> </u>			<u> </u>
		Nonrecurring Currently Combined Network Elements Switch -As-															(
		Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
	EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS														<b></b>
$\vdash$		First DS1 Loop Combination - Zone 1			UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						<b></b>
$\vdash$		First DS1 Loop Combination - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						<b></b>
		First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73	l	l		ļ		

UNBUNDL	ED NETWORK ELEMENTS - South Carolina													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			l .	Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		ļ			1		Nonred	urring	Nonrecurring	Disconnect				Rates (\$)		
_		<b>.</b>			+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile	1			+		11130	Auu i	11130	Auu i	JOINEO	JONIAN	JOHAN	JONAN	JOHAN	JONAN
	Per Month			UNCSX	1L5XX	6.42										
	Interoffice Transport - Dedicated - STS-1 combination - Facility				1						İ					
	Termination per month			UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59						
	3/1 Channel System in combination per month			UNCSX	MQ3	144.02	178.54	94.18	33.33	31.90						
	DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
	Additional DS1Loop in the same STS-1 Interoffice Transport	1	_	LINICAY	LICLYY	004.00	050.00	457.00	44.00	44 ===						
	Combination - Zone 3	<del>                                     </del>	3	UNC1X UNC1X	USLXX UC1D1	261.89 8.64	253.03 6.59	157.89 4.73	44.80 0.00	11.73 0.00	1	1	-	-	-	1
$\vdash$	DS1 COCI in combination per month  Nonrecurring Currently Combined Network Elements Switch -As-	<u> </u>	-	UNCIA	OCIDI	8.64	0.59	4.73	0.00	0.00	-					
	Is Charge	1		UNCSX	UNCCC		5.61	5.61	7.00	7.00						
FYT	ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	SPS INT	FROFF		UNCCC		5.01	3.01	7.00	7.00	<b>†</b>		<b> </b>	<b> </b>	<b> </b>	
LAI	4-wire 56 kbps Local Loop in combination - Zone 1	T		UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61	1	<del>                                     </del>				<del>                                     </del>
	4-wire 56 kbps Local Loop in combination - Zone 2	1		UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61	†					
	4-wire 56 kbps Local Loop in combination - Zone 3	1		UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61	†					
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -					-					İ					
	Per Mile per month			UNCDX	1L5XX	0.0134										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination per month			UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91						
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge		<u> </u>	UNCDX	UNCCC		5.61	5.61	7.00	7.00						
EXT	ENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	3PS INT			LIDI 04	00.00	100.00	00.40	59.35	1101	ļ					
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	<u> </u>		UNCDX	UDL64	29.93 33.99	126.66	89.12		14.61	-					
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2 4-wire 64 kbps Lcoal Loop in Combination - Zone 3	ļ	3	UNCDX UNCDX	UDL64 UDL64	33.99	126.66 126.66	89.12 89.12	59.35 59.35	14.61 14.61	1					
<b></b>	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	<b>-</b>	3	UNCDA	UDL64	34.74	120.00	09.12	59.55	14.01	<b>-</b>	-				-
	Per Mile per month			UNCDX	1L5XX	0.0134										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			ONODA	120701	0.0104					1	1				1
	Facility Termination per month			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91						
	Nonrecurring Currently Combined Network Elements Switch -As-	-									†					
	Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00						
EXT	ENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w	/ 3/1 MUX									ĺ	ĺ	ĺ	
	First 2-wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						
	First 2-wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61						
	First 2-wire VG Loop (SL2) in Combination - Zone 3	ļ	3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61			ļ	ļ	ļ	
	First Interoffice Transport - Dedicated - DS1 combination - Per	1							1							
	Mile	<b>!</b>	-	UNC1X	1L5XX	0.27			1				-	-	-	
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month	1		UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Per each DS1 Channelization System Per Month	<del>                                     </del>		UNC1X UNC1X	MQ1	61.71 107.57	89.47 91.24	62.71	16.39	9.81	1	1				1
	Per each Voice Grade COCI - Per Month per month	<del>                                     </del>	<del>                                     </del>	UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00	}	<del>                                     </del>	<del> </del>	<del> </del>	<del> </del>	
$\vdash$	3/1 Channel System in combination per month	<b>†</b>		UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90	<b>†</b>		<b> </b>	<b> </b>	<b> </b>	
	Per each DS1 COCI in combination per month	1		UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00	1	t	1	1	1	t
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1	t			1	3.54	0.00	0	5.55	0.00			İ	İ	İ	
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1	i –			1		_			-	İ		1	1	1	
	Interoffice Transport Combination - Zone 2	<u> </u>	2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1							-								
	Interoffice Transport Combination - Zone 3	ļ	3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61						
	Each Additional Voice Grade COCI in combination - per month	ļ		UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00			ļ	ļ	ļ	
	Each Additional DS1 Interoffice Channel per mile in same 3/1		1						1							
	lau i a i i i i i i i i i i i i i i i i i										•					1
	Channel System per month	ļ		UNC1X	1L5XX	0.27			ļ		-					
	Channel System per month  Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						

UNBUNDL	.ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
			1								Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											p	<b>F</b>	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .01	2.007.444.
						Rec	Nonrec			Disconnect				Rates (\$)		
$\vdash$							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
EVE	Is Charge	INITED	L C	UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXII	ENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1  First 4-Wire Analog Voice Grade Local Loop in Combination -	INTERC	JFFICE	TRANSPORT W/ 3/T	MUX											
	Zone 1		4	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
<del></del>	First 4-Wire Analog Voice Grade Local Loop in Combination -		<u> </u>	UNCVA	ULAL4	32.39	132.30	34.03	39.33	14.01						<del> </del>
	Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						ĺ
$\vdash$	First 4-Wire Analog Voice Grade Local Loop in Combination -		-	ONOVA	OL/ LL-T	40.00	102.00	04.00	00.00	14.01	1			1		
	Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.27										
	First Interoffice Transport - Dedicated - DS1 - Facility						İ									
	Termination Per Month	<u> </u>	<u>L</u>	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						<u></u>
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71		9.81						
$\Box$	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.56	6.59	4.73		0.00						
$\Box$	3/1 Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Additional 4-Wire Analog Voice Grade Loop in same DS1						400.00		====							ĺ
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						<b></b>
	Additional 4-Wire Analog Voice Grade Loop in same DS1		2	11000		40.00	400.00	04.00	50.05	44.04						
$\vdash$	Interoffice Transport Combination - Zone 2  Additional 4-Wire Analog Voice Grade Loop in same DS1	1	2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						<del></del>
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
$\vdash$	Each Additional DS1 Interoffice Channel per mile in same 3/1	1	3	UNCVA	ULAL4	43.30	132.30	34.03	39.33	14.01	1			-		
	Channel System per month			UNC1X	1L5XX	0.27										
	Each Additional DS1 Interoffice Channel Facility Termination in			ONOTA	TEO/O	0.27					1			1		
	same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	•	i –													
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXT	ENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1	MUX											
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															ĺ
	Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															ĺ
	Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1	3	LINCDY	LIDLEC	04.74	400.00	00.40	50.05	44.04		1		I		1
$\vdash$	Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per	<del>                                     </del>	3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61	1			<del>                                     </del>	-	<del></del>
	Mile Per Month	1		UNC1X	1L5XX	0.27						1		I		1
-	First Interoffice Transport - Dedicated - DS1 - combination	<del>                                     </del>	<del>                                     </del>	UNUIA	ILUAA	0.27			1					<del>                                     </del>		<del>                                     </del>
	Facility Termination Per Month	1		UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		1		I		1
	Per each 1/0 Channel System in combination Per Month	<b>†</b>	t	UNC1X	MQ1	107.57	91.24	62.71		9.81				<u> </u>		
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)	t	t —	UNCDX	1D1DD	1.19	6.59	4.73		0.00				1	İ	
	3/1 Channel System in combination per month	t	t —	UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90				1	İ	
	Per each DS1 COCI in combination per month	i –	i –	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1	<u> </u>	1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						1
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1			I									_		1
$oxed{oxed}$	Interoffice Transport Combination - Zone 2	<u> </u>	2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61				L		<b>↓</b>
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		1 .				,							1		1
$\vdash$	Interoffice Transport Combination - Zone 3	<u> </u>	3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61	-			-	<b> </b>	<del></del>
	OCU-DP COCI (data) COCI in combination per month (2.4-	1		LINCDY	4D4DD	4.40	0.50	4.70	0.00	0.00		1		I		1
$\vdash$	64kbs)  Each Additional DS1 Interoffice Channel per mile in same 3/1	<b>!</b>	<del>                                     </del>	UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00		<b> </b>		<del>                                     </del>	<b> </b>	<del></del>
	Channel System per month	1		UNC1X	1L5XX	0.27						1		I		1
-	Each Additional DS1 Interoffice Channel Facility Termination in	<del>                                     </del>	<del>                                     </del>	UNCIA	ILOAA	0.27			1					<del>                                     </del>	-	<del>                                     </del>
	same 3/1 Channel System per month	1		UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		1		I		1
	Each Additional DS1 COCI in the same 3/1 channel system	<b>1</b>	t		1	01.71	55.47	01.00	10.00	1-740				<u> </u>		
1 1	combination per month	1		UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00				1		1

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
											Submitted	Submitted	Incremental Charge -	Incremental Charge -	Charge -	Incremental Charge -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l
															Disc 1st	Disc Add I
$\vdash$		ļ	ļ		1	Rec	Nonrec			Disconnect	COMEC	COMAN		Rates (\$)	COMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	-			+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Is Charge	1		UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXTE	ENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1												
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			UNCDX	UDL64	33.99	120.00	89.12	59.35	14.61						
	Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.27										
	First Interoffice Transport - Dedicated - DS1 combination -			LINIOAN		04.74	00.47	04.00	40.00	44.40						
	Facility Termination Per Month Per each Channel System 1/0 in combination Per Month	-	<u> </u>	UNC1X UNC1X	U1TF1 MQ1	61.71 107.57	89.47 91.24	81.99 62.71	16.39 10.56	14.48 9.81						
	Per each OCU-DP COCI (data) in combination - per month (2.4-	-		ONCIA	IVIQI	107.37	31.24	02.71	10.30	9.01						
	64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
	3/1 Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
$\vdash$	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			UNCDA	UDL64	33.99	120.00	09.12	59.55	14.01						
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month  Each Additional DS1 Interoffice Channel Facility Termination in	-		UNC1X	1L5XX	0.27										
	same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Each Additional DS1 COCI in the same 3/1 channel system			ONOTA	01111	01.71	00.41	01.00	10.00	14.40						
	combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge		<u> </u>	UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXTE	ENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX		-				<u> </u>							
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		<u> </u>	CHOIN	OTLEX	20.21	117.00	00.00	00.00	10.01						
	Transport - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination			l												
<b>—</b>	Transport - Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61						
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.27										
	First Interoffice Transport - Dedicated - DS1 combination -			UNCIX	ILJAA	0.27										
	Facility Termination per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
								<u> </u>								
$\vdash$	Per each 2-wire ISDN COCI (BRITE) in combination - per month	ļ	<u> </u>	UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00						
$\vdash$	3/1 Channel System in combination per month	<b> </b>	<b>!</b>	UNC3X UNC1X	MQ3 UC1D1	144.02 8.64	178.54 6.59	94.18	33.33	31.90 0.00						
<del>                                     </del>	Per each DS1 COCI in combination per month  Additional 2-wire ISDN Loop in same DS1Interoffice Transport		<del>                                     </del>	DINCIA	OCIDI	8.04	90.09	4.73	0.00	0.00						
	Combination - Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61						.
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport											Ì				
	Combination - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		_	LINONIN	1141.037				=0.5=							, 7
$\vdash$	Combination - Zone 3 Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel	-	3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61						
	system combination- per month			UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00						,
	12) 2.2 Somemanon por month		1		130.0/1	2.00	0.00	7.73	0.00	0.00				·		

ONRONDLE	D NETWORK ELEMENTS - South Carolina			1										ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	F						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.27										
	Each Additional DS1 Interoffice Channel Facility Termination in			UNCIA	ILSAA	0.27			1						<del> </del>	
	same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Each Additional DS1 COCI in the same 3/1 channel system					-										
	combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXTEN	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	_		1101101		0.00		44.00							
	First 4-wire DS1 Digital Local Loop in Combination - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73					1	
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2 First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X UNC1X	USLXX	155.43 261.89	253.03 253.03	157.89 157.89	44.80 44.80	11.73 11.73	-			<b> </b>	<del>                                     </del>	1
+	First Interoffice Transport - Dedicated - DS1 combination - Per		3	ONCIA	USLAA	201.09	203.03	137.69	44.00	11./3	<del>                                     </del>				<del> </del>	1
	Mile Per Month		1	UNC1X	1L5XX	0.27									I	
	First Interoffice Transport - Dedicated - DS1 combination -														1	
	Facility Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	3/1 Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
	Per each DS1 COCI combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month		ļ	UNC1X	1L5XX	0.27										
	Each Additional DS1 Interoffice Channel Facility Termination in			LINICAY	LIATEA	C4 74	00.47	04.00	40.00	44.40						
	same 3/1 Channel System per month  Each Additional DS1 COCI in the same 3/1 channel system			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48					-	
	combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		1	ONOTA	00151	0.04	0.00	4.70	0.00	0.00	<b>†</b>					
	1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
	Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	1111000		5.04	5.04	7.00	7.00						
EVTER	Is Charge NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTEDO	EEICE		UNCCC		5.61	5.61	7.00	7.00					-	
EXIE	First 4-wire 56 kbps Local Loop in combination - Zone 1	NIEKO	1 1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
	First 4-wire 56 kbps Local Loop in combination - Zone 1		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61					t	
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile															
	per month			UNCDX	1L5XX	0.0134										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month		ļ	UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91						
	Nonrecurring Currently Combined Network Elements Switch -As-			LINCDV	LINICOC		5.04	F C4	7.00	7.00						
EVTER	Is Charge IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTEDO	EEICE	UNCDX	UNCCC		5.61	5.61	7.00	7.00					-	
EXIE	First 4-wire 64 kbps Local Loop in combination - Zone 1	NIEKO		UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61	-				-	
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61					-	
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61					t	
İ	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile															
	per month			UNCDX	1L5XX	0.0134									<u> </u>	
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility							<del></del>		<del></del>						
	Termination per month		<u> </u>	UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91					1	
	Nonrecurring Currently Combined Network Elements Switch -As-		1	LINCDY	LINICOO			<b>.</b>	7.00	7.00					I	
ADDITIONAL I	Is Charge NETWORK ELEMENTS		<u> </u>	UNCDX	UNCCC		5.61	5.61	7.00	7.00	1				<del>                                     </del>	1
	used as a part of a currently combined facility, the non-recurr	na cha	raes de	notanniv but a	Switch As Is a	arge does ann	alv.		<del>                                     </del>		<del>                                     </del>				+	1
	used as ordinarily combined network elements in All States, the														<del> </del>	
	curring Currently Combined Network Elements "Switch As Is"															
1	Nonrecurring Currently Combined Network Elements Switch -As-			[	1 '							i i		1		
l	Nomecuming Currently Combined Network Liements Switch -As-															

UNBUNDLI	ED NETWORK ELEMENTS - South Carolina													ment: 2	1	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
			<u> </u>			Rec		curring	Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-			LINODY	UNCCC		5.04	5.61	7.00	7.00						
	Is Charge - 56/64 kbps  Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	UNCCC		5.61	5.61	7.00	7.00	<b>.</b>				-	
	Is Charge - DS1			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS3			UNC3X	UNCCC		5.61	5.61	7.00	7.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	i					= 0.4									
0	Is Charge - STS1			UNCSX	UNCCC		5.61	5.61	7.00	7.00	ļ					
Optio	nal Features & Functions:		1	U1TD1,	+				-		-			-		
	Clear Channel Capability Extended Frame Option - per DS1	I		ULDD1,UNC1X	CCOEF		01	01	OI	OI						
	Clear Channel Capability Super FrameOption - per DS1	I		U1TD1, ULDD1,UNC1X	CCOSF		OI	OI	OI	OI						
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
	Activity - per DS1	I	<u> </u>	UNC1X, USL	NRCCC		185.26S	23.86S	1.99S	0.78S						ļ
	C-bit Parity Option - Subsequent Activity - per DS3	i		U1TD3, ULDD3, UE3, UNC3X	NRCC3		219.58S	7.69S	.7370S	0S						
MULT	TPLEXERS															
	DS1 to DS0 Channel System per month		<u> </u>	UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						ļ
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.19	6.59	4.73								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs) used for connection to a channelized DS1				1											
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.19	6.59	4.73			ļ					ļ
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop			UDN	UC1CA	2.56	6.59	4.73								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	2.56	6.59	4.73								
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	0.56	6.59	4.73								
	Voice Grade COCI - DS1 to DS0 Channel System - per month			027	15110	0.00	0.00		t						t	
	used for connection to a channelized DS1 Local Channel in the															
	same SWC as collocation			U1TUC	1D1VG	0.56	6.59	4.73								
	DS3 to DS1 Channel System per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	144.02	178.54	94.18	33.33	31.90						
	DS1 COCI used with Loop per month			USL	UC1D1	8.64	6.59	4.73			ļ					
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1	8.64	6.59	4.73							1	
<del></del>	DS1 COCI used with Interoffice Channel per month	<b>-</b>	<del>                                     </del>	U1TD1	UC1D1	8.64	6.59	4.73	<b>+</b>						<del> </del>	<del>                                     </del>
	DS3 Interface Unit (DS1 COCI) used with Local Channel per		t		55151	5.04	0.00	7.70	<u> </u>					1	1	
	month		1	ULDD1	UC1D1	8.64	6.59	4.73	1						I	
	LOCAL EXCHANGE SWITCHING(PORTS)															
	ange Ports															
	: Although the Port Rate includes all available features in GA, I	KY, LA	& TN, t	he desired features	will need to b	e ordered usir	ng retail USOC	s								ļ
2-WIR	RE VOICE GRADE LINE PORT RATES (RES)			LIEBOD		4.0=					ļ					
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.65	2.38	2.28	1.42	1.33	1				1	
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Res.			UEPSR	UEPAU	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports - 2-Wire VG unbundled South Carolina Area			l	l				_						_	
	Calling port with Caller ID - Res (LW8)  Exchange Ports - 2-Wire VG unbundled res, low usage line port			UEPSR	UEPAJ	1.65	2.38	2.28	1.42	1.33						
	with Caller ID (LUM)  Exchange Ports - 2-Wire VG South Carolina Residence Dialing			UEPSR	UEPAP	1.65	2.38	2.28	1.42	1.33						-
	Plan without Caller ID			UEPSR	UEPWL	1.65	2.38	2.28	1.42	1.33						

JNBUNDLED NETWORK ELEMENTS - South Carolina	_		ı							_	1_		ment: 2	Exhi	
CATEGORY RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
					Rec	Nonred	curring	Nonrecurring	g Disconnect				Rates (\$)		
					Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Exchange Ports - 2-Wire VG South Carolina Residence Area															
Calling Plan without Caller ID capability			UEPSR	UEPRS	1.65	2.38	2.28	1.42	1.33						
2-Wire voice unbundled Low Usage Line Port without Caller ID															
Capability			UEPSR	UEPRT	1.65	2.38	2.28	1.42	1.33						
Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
FEATURES			LIEBOR												
All Available Vertical Features			UEPSR	UEPVF	3.04	0.00	0.00								
2-WIRE VOICE GRADE LINE PORT RATES (BUS)															
Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
Bus			UEPSB	UEPBL	1.65	2.38	2.28	1.42	1.33						
Exchange Ports - 2-Wire VG unbundled Line Port with			LIEBOD	LIEDES							1				
unbundled port with Caller+E484 ID - Bus.		<del>                                     </del>	UEPSB	UEPBC	1.65	2.38	2.28	1.42	1.33			<del>                                     </del>	<del>                                     </del>	<b> </b>	
Funkanan Daria - O Milas A calculation Daria state in 12			LIEDOD	UEPBO	4.0-	2.00	0.00	1.00	1.00						
Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.	-		UEPSB	DEPBO	1.65	2.38	2.28	1.42	1.33						
Exchange Ports - 2-Wire VG unbundled SC extended local			LIEDED	UEPAZ	4.05	0.00	0.00	4.40	4.00						
dialing parity Port with Caller ID - Bus.	+	1	UEPSB	UEPAZ	1.65	2.38	2.28	1.42	1.33						
Exhange Ports - 2-Wire VG unbundled incoming only port with			LIEDOD	LIEDD4	4.05	2.20	2.20	4.40	4.00						
Caller ID - Bus	-		UEPSB	UEPB1	1.65	2.38	2.28	1.42	1.33						
Exchange Ports - 2-Wire VG unbundled South Carolina Bus			LIEDOD	LIEDAD	4.05	0.00	0.00	4.40	4.00						
Area Calling Port with Caller ID - Bus (LMB)			UEPSB	UEPAB	1.65	2.38	2.28	1.42	1.33						
Exchange Ports - 2-Wire Voice South Carolina Business Dialing	9		LIEDOD	LIEDWAA	4.05	0.00	0.00	4.40	4.00						
Plan without Caller ID	-		UEPSB	UEPWM	1.65	2.38	2.28	1.42	1.33						
Exchange Ports - 2-Wire Voice South Carolina Business Area			LIEDOD	LIEDDD	4.05	2.20	2.20	4.40	4.00						
Calling Port without Caller ID	-		UEPSB	UEPBB	1.65	2.38	2.28	1.42	1.33						
2-Wire voice unbundled Incoming Only Port without Caller ID			LIEDOD	LIEDDE	4.05	0.00	0.00	4.40	4.00						
Capability	-		UEPSB	UEPBE	1.65 0.00	2.38 0.00	2.28 0.00	1.42	1.33						
Subsequent Activity FEATURES			UEPSB	USASC	0.00	0.00	0.00			-					
All Available Vertical Features	_	ļ	UEPSB	UEPVF	3.04	0.00	0.00				-				
All Available Vertical Features All Available Vertical Features	_	ļ	UEPSB	UEPVF	3.04	0.00	0.00				-				
EXCHANGE PORT RATES (DID & PBX)	-			UEPVF	3.04	0.00	0.00			-					
2-Wire VG Unbundled 2-Way PBX Trunk - Res	+	<u> </u>	UEPSE	UEPRD	1.65	31.34	14.88	13.97	0.90	1					
2-Wire VG Oribundled 2-Way FBX Trunk - Res 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus	+		UEPSP	UEPPC	1.65	31.34	14.88		0.90						
2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus	+	<u> </u>	UEPSP	UEPPO	1.65	31.34	14.88	13.97	0.90	1					
2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus	+		UEPSP	UEPP1	1.65	31.34	14.88	13.97	0.90						
2-Wire Analog Long Distance Terminal PBX Trunk - Bus	+	1	UEPSP	UEPLD	1.65	31.34	14.88		0.90			<del> </del>	<del> </del>		
2-Wire Voice Unbundled PBX LD Terminal Ports	+	1	UEPSP	UEPLD	1.65	31.34	14.88		0.90	<del>                                     </del>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	
2-Wire Voice Unbundled 2-Way PBX Usage Port	+	1	UEPSP	UEPXA	1.65	31.34	14.88		0.90	<del>                                     </del>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	
2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	+	1	UEPSP	UEPXB	1.65	31.34	14.88	13.97	0.90	<del>                                     </del>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	
2-Wire Voice Unbundled PBX LD DDD Terminal Plots  2-Wire Voice Unbundled PBX LD DDD Terminals Port	+	<b>†</b>	UEPSP	UEPXC	1.65	31.34	14.88	13.97	0.90	<b>-</b>		<b> </b>	<b> </b>		
2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	+	<del>                                     </del>	UEPSP	UEPXD	1.65	31.34	14.88		0.90						
2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	+	t	021 01	JLI AD	1.00	31.34	17.00	13.31	0.30	<del>                                     </del>					
Capable Port			UEPSP	UEPXE	1.65	31.34	14.88	13.97	0.90						
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	+	t	0.	J=: /\L	1.00	01.04	14.00	10.37	0.30	<del>                                     </del>					
Administrative Calling Port			UEPSP	UEPXL	1.65	31.34	14.88	13.97	0.90		1				
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	+	t -	02. 01	SEI AL	1.00	01.04	14.00	10.51	0.50						
Room Calling Port			UEPSP	UEPXM	1.65	31.34	14.88	13.97	0.90		1				
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	+	1	0.	J=. 70VI	1.00	01.04	14.00	10.57	5.50			<b>i</b>	<b>i</b>	<b> </b>	
Discount Room Calling Port			UEPSP	UEPXO	1.65	31.34	14.88	13.97	0.90						
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	1	i –	UEPSP	UEPXS	1.65	31.34	14.88	13.97	0.90			i	i		
2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus	1	1		1		31.54	50	.5.57	3.50			i	i	i	
Calling Port			UEPSP	UEPXT	1.65	31.34	14.88	13.97	0.90		1				
Subsequent Activity		i -	UEPSP	USASC	0.00	0.00	0.00		2.00			İ	İ		
FEATURES	1	1	-	1	2.20	2.20	2.30		i			i	i	i	
All Available Vertical Features		t —	UEPSP UEPSE	UEPVF	3.04	0.00	0.00		İ			İ	İ	İ	
EXCHANGE PORT RATES (COIN)		i -		1	2.01	2.00	2.00					İ	İ		
Exchange Ports - Coin Port		1		1	1.65	2.38	2.28	1.42	1.33						
Local Switching Features offered with Port		1	Ì	1 1					1		ĺ	ĺ	ĺ	1	
NOTE: Transmission/usage charges associated with POTS circuit	ovvitabad	HESONO	will also annly to c	ircuit switche	d voice and/or	circuit ewitch	ad data tranen	niccion by R-Cl	annale accor	atod with 2	wire ISDN r	orte	i e	l	

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhil	bit: A
		1	1								Svc Order	Svc Order	Incremental		Incremental	
i											Submitted	Submitted		Charge -	Charge -	Charge -
•		Inter'									Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
1													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonre			g Disconnect				Rates (\$)		
							First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
	E: Access to B Channel or D Channel Packet capabilities will be	e availal	ble only	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	etermined via t	he Bona Fid	de Request/	New Busines	s Request Pro	cess.	
	D LOCAL EXCHANGE SWITCHING(PORTS)															
	HANGE PORT RATES				<u> </u>	<u> </u>				L	L		<u> </u>	L		
	DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS											riff rates or	a separate ag	reement.		
Requ	uests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports  Exchange Ports - 2-Wire DID Port	after the	errecti	UEPEX	UEPP2	8.86		parate agreen 18.78			iscretion.	-				
	Exchange Ports - 2-Wire DID Port  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID	+	-	UEPEX	UEPP2	8.86	119.57	18.78	60.03	3.77						
.	capability (E:4/1/2004)			UEPDD	UEPDD	73.62	202.47	95.90	72.75	2.47						
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)	+	<u> </u>	UEPTX, UEPSX	U1PMA	13.38	72.93	53.11	47.90	10.76				-		-
	All Features Offered	+		UEPTX, UEPSX	UEPVF	3.04	0.00	0.00	47.30	10.70						
-+-	Exchange Ports - 2-Wire ISDN Port Channel Profiles	1	<del>                                     </del>	UEPTX, UEPSX	U1UMA	0.00	0.00	0.00						<b>+</b>		<del> </del>
NOT	E: Transmission/usage charges associated with POTS circuit s	witched	usage						ission by B-CI	hannels associ	ated with 2	wire ISDN r	orts.	<u> </u>		<u> </u>
	E: Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	
	HANGE PORT RATES (continued)	1	1		1							1		1		
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911	1	1		İ				İ	İ	İ	İ	l	1		
	Locator Capability (E:4/1/2004)			UEPEX	UEPEX	107.44	204.27	101.78	79.35	20.10	1	1		I		
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	1	1	UEPDX	UEPDX	107.44	204.27	101.78	79.35	20.10						
	Physical Collocation - DS1 Cross-Connects	1	i	UEPEX UEPDX	PE1P1	1.12	22.08	15.96	6.42	5.80						
	Virtual collocation - Special Access & UNE,cross-connect per	1	i													
.	DS1			UEPEX UEPDX	CNC1X	1.12	22.08	15.96	6.42	5.80						
Detai	iled E911 with Locator Capability (required with UEPEX port)															
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
.	Locator Capability - Initial Profile Establishment per CLEC per															
	State			UEPEX	UEP1A	0.00	1,808.00		156.43							
.	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
.	Locator Capability - Subsequent Profile Changes, Additions,				l											
	Deletions	1		UEPEX	UEP1B	0.00	175.53									
New	or Additional PRI Telephone Numbers	1														
.	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability 2-way Telephone Numbers, per number in															
.	E911 profile [New or Additional]			UEPEX	UEP1C	0.0698	0.49	0.49								
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	+	<u> </u>	UEPEX	UEPIC	0.0096	0.49	0.49						-		-
.	Locator Capability - Outdial Telephone Numbers, per number in															
.	E911 profile [New or Additional]			UEPEX	UEP1D	0.0698	11.54	11.54								
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward	1		02. 2/	025	0.0000								1		1
.	Telephone Numbers - Inward Data Only Option [New or															
.	Additional			UEPDX	UEP1E	0.00	0.49	0.49								
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]															
.	Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	23.07	23.07			1			I		1
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
INTE	RFACE (Provsioning Only)															
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00								
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00								
	Inward Data	<b> </b>	ļ	UEPDX	PR71E	0.00	0.00	0.00						<b></b>		1
New	or Additional Channel	1	1	HEDEV	DD7D1	0.00								-		
	New or Additional - Voice/Data "B" Channel	<del> </del>	<b>!</b>	UEPEX	PR7BV	0.00	14.56		<b>!</b>	<b>!</b>			<b> </b>	<del>                                     </del>		-
	New or Additional - Digital Data "B" Channel  New or Additional Inward Data "B" Channel	<del> </del>	<b>!</b>	UEPEX UEPDX	PR7BF PR7BD	0.00	14.56		<b>!</b>	<b>!</b>			<b> </b>	<del>                                     </del>		-
		+	<del>                                     </del>	UEPDX	PR7BS	0.00	14.56		-	-			-	<del>                                     </del>		<del>                                     </del>
	New or Additional Useage Sensitive Voice Data "B" Channel	+	1	UEPEX UEPEX	PR7BU						-	-	-	<del>                                     </del>		<del>                                     </del>
+-	New or Additional Useage Sensitive Digital Data "B" Channel New or Additional PRI "D" Channel	1	<del>                                     </del>	UEPEX	PR7EX	0.00	14.56			-			-	<del></del>		-
CAL	L TYPES	+	<del>                                     </del>	ULFEA	FIX/EX	0.00	14.56				<b>-</b>	<b>-</b>		+		<del>                                     </del>
CALI	Inward	+	<u> </u>	UEPEX UEPDX	PR7C1	0.00	0.00	0.00					-	<del>                                     </del>		
	Outward	+	1	UEPEX	PR7CO	0.00	0.00	0.00						<del>                                     </del>		
	Two-way	1	<u> </u>	UEPEX	PR7CC	0.00	0.00	0.00			<del>                                     </del>	<del>                                     </del>		<b>-</b>		
LINE	SUNDLED PORT with REMOTE CALL FORWARDING CAPABILIT	Y	1			5.50	5.50	5.50	1	1				<u> </u>		<del>                                     </del>
IUNB					1								<b>.</b>			
	UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge -
							Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)	I.	<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.65	2.38	2.28	1.42	1.33						
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.65	2.38	2.28	1.42	1.33						
Non	Unbundled Remote Call Forwarding Service, IntraLATA - Res Recurring			UEPVR	UERTR	1.65	2.38	2.28	1.42	1.33						
NOTI-	Unbundled Remote Call Forwarding Service - Conversion -															
	Switch-as-is			UEPVR	USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service - Conversion with															
	allowed change (PIC and LPIC)			UEPVR	USACC		0.10	0.10								
UNB	UNDLED REMOTE CALL FORWARDING - Bus															ļ
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.65	2.38	2.28	1.42	1.33						
	Unburidied Remote Call Forwarding Service, Area Calling - Bus			UEFVB	UERAC	1.65	∠.38	2.28	1.42	1.33						<del>                                     </del>
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.65	2.38	2.28	1.42	1.33						
	Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.65	2.38	2.28	1.42	1.33						
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.65	2.38	2.28	1.42	1.33						
	Unbundled Remote Call Forwarding Service Expanded and															
	Exception Local Calling			UEPVB	UERVJ	1.65	2.38	2.28	1.42	1.33						
Non-	Recurring															
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVB	USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service - Conversion with															
IINDIINDI EE	allowed change (PIC and LPIC)  LOCAL SWITCHING, PORT USAGE		-	UEPVB	USACC		0.10	0.10			-					1
	Office Switching (Port Usage)		-													1
Liid	End Office Switching Function, Per MOU					0.0010519										1
	End Office Trunk Port - Shared, Per MOU					0.0002136										
Tand	em Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU					0.0001634										
	Tandem Trunk Port - Shared, Per MOU					0.0002863										
	Tandem Switching Function Per MOU (Melded)					0.00004951										
	Tandem Trunk Port - Shared, Per MOU (Melded)		-			0.000086749					-					-
Com	Melded Factor: 30.30% of the Tandem Rate															
Com	Common Transport - Per Mile, Per MOU				ł	0.0000045					1					1
-	Common Transport - Facilities Termination Per MOU					0.0004095					<u> </u>					<del>                                     </del>
UNBUNDLE	PORT/LOOP COMBINATIONS - COST BASED RATES				Ì					l					l	
	Based Rates are applied where BellSouth is required by FCC an															
	res shall apply to the Unbundled Port/Loop Combination - Cos															
	Office and Tandem Switching Usage and Common Transport Us															<del>                                     </del>
	irst and additional Port nonrecurring charges apply to Not Curr RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	ently Co	ombine	ea Combos. For Cur	rently Comb	ined Combos th	ne nonrecurrin	g charges sha	ıı pe those idei I	ntified in the N	onrecurring	- Currently	Combined se	ections.		<del>                                     </del>
	Port/Loop Combination Rates		<u> </u>		}						-	-				+
UNE	2-Wire VG Loop/Port Combo - Zone 1		1		1	14.89				<b> </b>	<b>—</b>					<del>                                     </del>
	2-Wire VG Loop/Port Combo - Zone 2		2		1	21.52					<del>                                     </del>	<b> </b>				<del>                                     </del>
	2-Wire VG Loop/Port Combo - Zone 3		3			27.17										1
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	13.76	-	· · · · ·								
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	20.38										<b>.</b>
0.10"	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	26.04				-						<del>                                     </del>
2-Wii	re Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.13	40.30	19.90	24.98	6.65	1					<del>                                     </del>
	2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.13	40.30	19.90	24.98	6.65	<del>                                     </del>					<del>                                     </del>
	2-Wire voice unbundled port with Caller 15 - res  2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.13	40.30	19.90	24.98	6.65		<b> </b>				<del>                                     </del>
	2-Wire voice Grade unbundled South Carolina extended local				320	1.13	40.00	13.30	24.50	0.00						
	dialing parity port with Caller ID - res  2-Wire voice unbundled South Carolina Area Calling port with			UEPRX	UEPAU	1.13	40.30	19.90	24.98	6.65						<u> </u>
	Caller ID - res (LW8)			UEPRX	UEPAJ	1.13	40.30	19.90	24.98	6.65						

UNBUNDLE	D NETWORK ELEMENTS - South Carolina													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	O.Wine union under under une de conservation a next with Calley ID		-		+ +		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.13	37.93	16.72								l .
	2-Wire Voice Unbundled South Carolina Residence Dialing Plan			OLFIX	OLFAF	1.13	37.93	10.72								<del>                                     </del>
	without Caller ID			UEPRX	UEPWL	1.13	40.30	19.90	24.98	6.65						
	2-Wire voice unbundled South Carolina Area Calling Port without Caller ID Capability			UEPRX	UEPRS	1.13	40.30	19.90	24.98	6.65						
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX	UEPRT	1.13	40.30	19.90	24.98	6.65						
FEATU				LIEBBY	1150/5											<b>!</b>
	All Features Offered		-	UEPRX	UEPVF	3.04	0.00	0.00								<del></del>
LOCAL	NUMBER PORTABILITY Local Number Portability (1 per port)	-	-	UEPRX	LNPCX	0.35					-					<del></del>
NONPE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	1		OLFIVA	LINEOA	0.35						<del>                                     </del>	<del> </del>			
INOINKE	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				+ +							<b>-</b>				<del></del>
	Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPRX	USAC2		0.10	0.10								
	Switch with change			UEPRX	USACC		0.10	0.10								l .
ADDITI	ONAL NRCs				1											
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPRX	USAS2	0.00	0.00	0.00								1
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPRX	URETL		8.33	0.83								
OFF/O	N PREMISES EXTENSION CHANNELS															
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	14.94	37.92	17.62	23.56	5.32						<b></b>
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	21.39	37.92	17.62	23.56	5.32						<b></b>
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	26.72	37.92	17.62	23.56	5.32						<del></del>
	Wire Analog Voice Grade Extension Loop – Design     Wire Analog Voice Grade Extension Loop – Design		2	UEPRX UEPRX	UEAED UEAED	16.68 23.13	105.98 105.98	68.43 68.43	53.05 53.05	10.61 10.61		-				<b>——</b>
	2 Wire Analog Voice Grade Extension Loop – Design	-	3	UEPRX	UEAED	28.46	105.98	68.43	53.05	10.61		1				<b>—</b>
INTER	DFFICE TRANSPORT		Ŭ	OLITOR	OLALD	20.40	100.00	00.40	00.00	10.01		<b>†</b>				<b>—</b>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRX	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRX	U1TVM	0.0167	0.00	0.00		0.01						
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			OLITOX	OTTVIVI	0.0107	0.00	0.00								<del>                                     </del>
	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			14.89										
	2-Wire VG Loop/Port Combo - Zone 2		2			21.52										
	2-Wire VG Loop/Port Combo - Zone 3		3			27.17	·	·								
	pop Rates				<u> </u>											<b></b>
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPBX	UEPLX	13.76						1				<del></del>
	2-Wire Voice Grade Loop (SL1) - Zone 2		3	UEPBX	UEPLX	20.38						-	-			<del></del>
	2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Bus)	<b>-</b>	3	UEPBX	UEPLX	26.04					-	-		-	-	<del>                                     </del>
2-44116	2-Wire voice unbundled port without Caller ID - bus	1		UEPBX	UEPBL	1.13	40.30	19.90	24.98	6.65		<del>                                     </del>	<del> </del>			
	2-Wire voice unbundled port with Caller + E484 ID - bus	t		UEPBX	UEPBC	1.13	40.30	19.90	24.98	6.65	<b>†</b>	<u> </u>	1			
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.13	40.30	19.90	24.98	6.65	İ					
	2-Wire voice Grade unbundled South Carolina extended local															
	dialing parity port with Caller ID - bus			UEPBX	UEPAZ	1.13	40.30	19.90	24.98	6.65						
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.13	40.30	19.90	24.98	6.65						
	2-Wire voice unbundled South Carolina Bus Area Calling Port with Caller ID (LMB)			UEPBX	UEPAB	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Unbundled South Carolina Business Dialing Plan without Caller ID			UEPBX	UEPWM	1.13	40.30	19.90	24.98	6.65						
	2-Wire voice unbundled South Carolina Business Area Calling Port without Caller ID Capability			UEPBX	UEPBB	1.13	40.30	19.90	24.98	6.65						
	2-Wire voice unbundled incoming Only Port without Caller ID Capability			UEPBX	UEPBE	1.13	40.30	19.90	24.98	6.65						
1.0041	NUMBER PORTABILITY				1 1								ĺ			

UNBUN	DLF	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
22014												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			In test									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
															Add'l	Disc 1st	Disc Add'l
														1st		DISCISE	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
F	EATU																
		All Features Offered			UEPBX	UEPVF	3.04	0.00	0.00								
N	ONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPBX	USAC2		0.10	0.10								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1														
	DDIT	Switch with change			UEPBX	USACC		0.10	0.10								
A	וווטט	ONAL NRCs		-													
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPBX	USAS2		0.00	0.00								
$\vdash$	-	Activity Unbundled Miscellaneous Rate Element, Tag Loop at End User	<del> </del>	-	UEFBA	USASZ	-	0.00	0.00			-		-	<del></del>	-	-
		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise	1		UEPBX	URETL		8.33	0.83						I		
	FF/ON	PREMISES EXTENSION CHANNELS	<del>                                     </del>	<u> </u>	OLFDA	ONLIL		0.33	0.63				-	<del>                                     </del>	<del>                                     </del>	<del> </del>	<b> </b>
<b>⊢</b>	/ Ο Ι	2 Wire Analog Voice Grade Extension Loop – Non-Design	<del>                                     </del>	1	UEPBX	UEAEN	14.94	37.92	17.62	23.56	5.32	<b>H</b>		<del> </del>	t	<del>                                     </del>	<b>l</b>
+	-	2 Wire Analog Voice Grade Extension Loop – Non-Design	<b>†</b>	2	UEPBX	UEAEN	21.39	37.92	17.62	23.56	5.32	<b>-</b>		<b> </b>	t	<b> </b>	
		2 Wire Analog Voice Grade Extension Loop – Non-Design	l	3	UEPBX	UEAEN	26.72	37.92	17.62	23.56	5.32				<u> </u>		
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	16.68	105.98	68.43	53.05	10.61						
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	23.13	105.98	68.43	53.05	10.61						
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	28.46	105.98	68.43	53.05	10.61						
IN	ITERC	FFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPBX	U1TV2	24.30	40.63	27.47	16.77	6.91						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPBX	U1TVM	0.0167	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
U	NE Po	rt/Loop Combination Rates		<b>.</b>			1100										
		2-Wire VG Loop/Port Combo - Zone 1	ļ	1		_	14.89										
-		2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	<u> </u>	3		+	21.52 27.17						-				
	NE Lo	op Rates	1	3		+	27.17					1			-		
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	13.76								-		
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	20.38					1			1		
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	26.04					1			1		
2-		/oice Grade Line Port Rates (RES - PBX)															
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	i e														
		Res			UEPRG	UEPRD	1.13	69.26	32.50	37.53	6.22						
L		NUMBER PORTABILITY															
$\Box$		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
F	EATU		ļ			1								ļ	1		
<u> </u>		All Features Offered	<b>!</b>		UEPRG	UEPVF	3.04	0.00	0.00						ļ		
N	UNRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	<b>!</b>	-		+								<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<b> </b>
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is	1		UEPRG	USAC2		7.93	4.04						I		
$\vdash$		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	<del> </del>	-	ULFRU	USAU2		7.93	1.91			-	-		<del>                                     </del>		
		2-wire voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USACC		7.93	1.91						1		
Δ	DDIT	DNAL NRCs	<b>†</b>		OLI NO	JUAGO		1.33	1.31			<b>-</b>		<b> </b>	t	<b> </b>	
<del>      ^</del>		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	<b>†</b>			1								1	<u> </u>	1	
		Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00						1		
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1										İ		1		İ
		Group	1					7.34	7.34						I		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise	<u> </u>		UEPRG	URETL		8.33	0.83								
0	FF/ON	PREMISES EXTENSION CHANNELS															
		Local Channel Voice grade, per termination		1	UEPRG	P2JHX	16.68	105.98	68.43	53.05	10.61						
$\vdash \vdash$		Local Channel Voice grade, per termination	ļ		UEPRG	P2JHX	23.13	105.98	68.43	53.05	10.61			ļ	1	ļ	
$\vdash$		Local Channel Voice grade, per termination	<u> </u>	3	UEPRG	P2JHX	28.46	105.98	68.43	53.05	10.61	-		ļ	-	ļ	<b> </b>
$\vdash$		Non-Wire Direct Serve Channel Voice Grade	<b>!</b>	1	UEPRG	SDD2X	17.74	131.88	62.06	90.70	13.42			-	<del>                                     </del>		
		Non-Wire Direct Serve Channel Voice Grade	1	2	UEPRG	SDD2X	25.16	65.94	31.03	45.35	6.71	1	ı	L	L	L	L

UNBUND	LED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
0.1.20.1.2		T									Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted		Charge -	Charge -	Charge -
		1									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				-				
0711200111	10112 =======	m						== (+)			per LSR	per LSR	Order vs.	Order vs. Electronic-	Order vs.	Order vs.
													Electronic-		Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		+			+		Nonrec	urring	Nonrecurring	Disconnect	<b>†</b>		OSS	Rates (\$)	l	
		+			+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Non-Wire Direct Serve Channel Voice Grade	+	3	UEPRG	SDD2X	29.58	65.94	31.03	45.35	6.71	COMILO	COMPAR	COMPAR	COMPAN	COMPAN	COMPAR
INT	EROFFICE TRANSPORT		Ť	020	ODDEX	20.00	00.01	01.00	10.00	0						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPRG	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPRG	U1TVM	0.0167	0.00	0.00								
2-W	IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	1														
	Port/Loop Combination Rates	1														
	2-Wire VG Loop/Port Combo - Zone 1		1			14.89										
	2-Wire VG Loop/Port Combo - Zone 2	†	2			21.52										
	2-Wire VG Loop/Port Combo - Zone 3	†	3			27.17										
UNI	Loop Rates	1	T		1				1			1	İ			
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEPPX	UEPLX	13.76										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEPPX	UEPLX	20.38			1			1	İ			
	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEPPX	UEPLX	26.04										
2-W	ire Voice Grade Line Port Rates (BUS - PBX)	1														
													ĺ			
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.13	69.26	32.50	37.53	6.22						
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.13	69.26	32.50	37.53	6.22						
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled PBX LD Terminal Ports	1		UEPPX	UEPLD	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	i		UEPPX	UEPXA	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.13	69.26	32.50	37.53	6.22			ĺ			
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.13	69.26	32.50	37.53	6.22			ĺ			
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPPX	UEPXE	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPPX	UEPXL	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
$oxed{oxed}$	Room Calling Port			UEPPX	UEPXM	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
oxdot	Discount Room Calling Port			UEPPX	UEPXO	1.13	69.26	32.50	37.53	6.22						
ullet	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus															
$\vdash$	Calling Port			UEPPX	UEPXT	1.13	69.26	32.50	37.53	6.22						ļ
Loc	CAL NUMBER PORTABILITY															
L	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								ļ
FEA	TURES															ļ
L	All Features Offered			UEPPX	UEPVF	3.04	0.00	0.00								<b></b>
NOI	NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	<b>!</b>		+						-		<b>.</b>	<b> </b>	-	<b>├</b>
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	1	LIEDDY	LICACO		7.00	4.04				1				
$\vdash$	Conversion - Switch-As-Is  2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	+	-	UEPPX	USAC2		7.93	1.91			-	-	-			<del> </del>
1 1				LIEDDY	LISACO		7.00	4.04								
45	Conversion - Switch with Change DITIONAL NRCs	+	+	UEPPX	USACC		7.93	1.91	<del>                                     </del>		-		-			<del></del>
ADI	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	+	<del>                                     </del>		+						-		-	-	-	<del>                                     </del>
1	Subsequent Activity	1	1	UEPPX	USAS2	0.00	0.00	0.00				1				
$\vdash$	PBX Subsequent Activity - Change/Rearrange Multiline Hunt	+	<del>                                     </del>	OLFFA	USASZ	0.00	0.00	0.00			-		-	-	-	<del> </del>
1 1	Group						7.34	7.34								
$\vdash$	Unbundled Miscellaneous Rate Element, Tag Loop at End User	+	<del>                                     </del>		+ +	-	1.34	1.34	<del>                                     </del>				<del> </del>			<del>                                     </del>
	Premise	1	1	UEPPX	URETL		8.33	0.83				1				
OF	F/ON PREMISES EXTENSION CHANNELS	+		OLITA	OINLIL		0.33	0.03	<del>                                     </del>		<b>-</b>		<b> </b>			<del></del>
1511	Local Channel Voice grade, per termination	+	1	UEPPX	P2JHX	16.68	105.98	68.43	53.05	10.61			<del> </del>			<del>                                     </del>
$\vdash$	Local Channel Voice grade, per termination  Local Channel Voice grade, per termination	+		UEPPX	P2JHX	23.13	105.98	68.43	53.05	10.61	<b>H</b>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
	Local Channel Voice grade, per termination	+	3	UEPPX	P2JHX	28.46	105.98	68.43	53.05	10.61	<b>-</b>		<b> </b>			<del>                                     </del>
$\vdash$					1 2011/	20.40	100.30	00.43	55.05	10.01	1		1		1	1
			1	LIFPPX	SDD2X	17 7 <i>/</i> l	131 88	62.06	90.70	13.42						
	Non-Wire Direct Serve Channel Voice Grade  Non-Wire Direct Serve Channel Voice Grade		_	UEPPX UEPPX	SDD2X SDD2X	17.74 25.16	131.88 65.94	62.06 31.03	90.70 45.35	13.42 6.71						

UNBU	NDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
														Incremental	Incremental		
	I											II .	Submitted	_	Charge -	Charge -	Charge -
CATEG	OPY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually		Manual Svc		Manual Svo
CATEG	OKI	RATE ELEMENTS	m	20116	B03	0300			KATES (\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
	I													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
																DISC ISI	DISC Add I
							Rec	Nonred		Nonrecurring					Rates (\$)		
-	INTER	PERIOR TRANSPORT						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	INTERC	DFFICE TRANSPORT				+											
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPPX	U1TV2	24.30	40.63	27.47	16.77	6.91						
	$\vdash$	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			OLITA	01112	24.00	40.00	21.41	10.77	0.01						1
		or Fraction Mile			UEPPX	U1TVM	0.0167	0.00	0.00								
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
		ort/Loop Combination Rates															
		2-Wire VG Coin Port/Loop Combo – Zone 1		1			14.89										
-		2-Wire VG Coin Port/Loop Combo – Zone 2		3		-	21.52 27.17										<del> </del>
		2-Wire VG Coin Port/Loop Combo – Zone 3		3		+	21.11										-
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	13.76										<del>                                     </del>
		2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPCO	UEPLX	20.38										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	26.04										
	2-Wire	Voice Grade Line Ports (COIN)															
		2-Wire Coin 2-Way without Operator Screening and without						40.00	10.00	0.4.00							
		Blocking (SC)			UEPCO	UEPSD	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (SC)			UEPCO	UEPSA	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking			OLFCO	OLFSA	1.13	40.30	19.90	24.90	0.03						-
		(SC)			UEPCO	UEPSH	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking;															
		with Dialing Parity (SC)			UEPCO	UEPSC	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin 2-Way with Operator Screening and: 900 Blocking:															
-		900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCC	1.13	40.30	19.90	24.98	6.65						ļ
		2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD, 011+, Local; Enhanced Call OPT 3YV (SC)			UEPCO	UEPCE	1.13	40.30	19.90	24.98	6.65						
	<del>                                     </del>	2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD,			UEPCO	UEPCE	1.13	40.30	19.90	24.90	6.03						-
		011+, Local; Enhanced Call OPT AP7 (SC)			UEPCO	UEPCF	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin Outward without Blocking and without Operator															
	<u> </u>	Screening (SC)			UEPCO	UEPSG	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin Outward with Operator Screening and 011 Blocking															
	<u> </u>	(SC)			UEPCO	UEPSF	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin Outward with Operator Screening and Blocking:			LIEBCO	UEPSJ	1.13	40.20	40.00	24.00	6.65						
	<del>                                     </del>	011, 900/976, 1+DDD (SC) 2-Wire Coin Outward with Operator Screening and Blocking:			UEPCO	UEPSJ	1.13	40.30	19.90	24.98	6.00						1
		900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCM	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD,															
		011+, Local; Enhanced Calling OPT 3YW (SC)			UEPCO	UEPCP	1.13	40.30	19.90	24.98	6.65						
		2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.13	40.30	19.90	24.98	6.65						
	1	2-Wire Coin Outward Smartline with 900/976 (all states except I A)			LIEDOO	LIEDOS		40.00	10.00	04.00	0.0=						
	ADDIT	ONAL UNE COIN PORT/LOOP (RC)			UEPCO	UEPCR	1.13	40.30	19.90	24.98	6.65						<b>.</b>
		UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	4.05	0.00	0.00	0.00	0.00						-
		NUMBER PORTABILITY				5.1.250	4.00	0.00	0.00	3.30	0.00	1					
		Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
	NONRE	CURRING CHARGES - CURRENTLY COMBINED							<u> </u>								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEDOO	110466											
		Switch-as-is	-	-	UEPCO	USAC2		0.10	0.10			ļ					<u> </u>
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change	1		UEPCO	USACC		0.10	0.10								
		ONAL NRCs	1		02.100	COACC		0.10	0.10								
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1														
	<u> </u>	Activity	<u> </u>	<u></u>	UEPCO	USAS2		0.00	0.00								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
<u> </u>	0 1/:	Premise	<u> </u>	1055	UEPCO	URETL		8.33	0.83			1					
<b>—</b>		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (	KES)	+						1					-
<b> </b>		ort/Loop Combination Rates  2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	-	1		+	18.00					1		-		-	<del>                                     </del>
		2 TVIIO TO LOOPHO TRANSPORT OIL CONTIDO - ZONE I	L	<u>'</u>	ı	ı	10.00			l		L		L		l	

ONBONDLE	D NETWORK ELEMENTS - South Carolina			ı	<u>.</u>						T -	T -		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	ļ	2			24.45										<b></b>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			29.78										<del> </del>
UNE Lo	oop Rates		_	LIEDED	LIEGEO	40.00										<del>                                     </del>
	2-Wire Voice Grade Loop (SL2) - Zone 1			UEPFR	UECF2	16.68										+
	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3	-	2	UEPFR UEPFR	UECF2 UECF2	23.13 28.46					-					<b></b>
2-Wiro	Voice Grade Line Port Rates (Res)	-	3	UEPFR	UECF2	28.46					1					<b>——</b>
2-44116	2-Wire voice unbundled port - residence		-	UEPFR	UEPRL	1.32	108.36	70.71	1.42	1.33	<del> </del>				1	
	2-Wire voice unbundled port with Caller ID - res		-	UEPFR	UEPRC	1.32	108.36	70.71	1.42	1.33					1	
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.32	108.36	70.71	1.42	1.33						<b>—</b>
	2-Wire voice Grade unbundled South Carolina extended local			OLITIK	OLI ILO	1.02	100.00	70.71	1.42	1.00	1					
	dialing parity port with Caller ID - res			UEPFR	UEPAU	1.32	108.36	70.71	1.42	1.33						l .
	2-Wire voice unbundled South Carolina Area Calling port with															
	Caller ID - res (LW8)			UEPFR	UEPAJ	1.32	108.36	70.71	1.42	1.33						1
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)	<u></u>		UEPFR	UEPAP	1.32	108.36	70.71	1.42	1.33	L		<u> </u>	<u> </u>		L
	2-Wire Voice Unbundled South Carolina Residence Dialing Plan															
	without Caller ID			UEPFR	UEPWL	1.32	108.36	70.71	1.42	1.33						1
INTER	OFFICE TRANSPORT															(
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															1
	Termination			UEPFR	U1TV2	19.44	40.63	27.47	16.77	6.91						1
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															i .
	or Fraction Mile			UEPFR	1L5XX	0.0134										
FEATU		ļ			<u> </u>											<b></b>
	All Features Offered			UEPFR	UEPVF	3.04	0.00	0.00								<del> </del>
	NUMBER PORTABILITY	-	-	LIEDED	LNDOV	0.05										+
	Local Number Portability (1 per port)  ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPFR	LNPCX	0.35					-	-				<del></del>
NONKE	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				+						-	-				<del></del>
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		8.50	1.87								i .
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1	-	UEFFR	USACZ		0.50	1.07			1					<b>—</b>
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		8.50	1.87								l .
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			OLITIK	UUAUU		0.50	1.07								<b>—</b>
	End User Premise			UEPFR	URETN		11.24	1.10								1
2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	FINE	ORT (		ORLIN						1					
	ort/Loop Combination Rates	T			1											
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			18.00										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.45										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			29.78										
UNE Lo	oop Rates															[
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	16.68										1
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	23.13										<b></b>
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	28.46										<b></b>
2-Wire	Voice Grade Line Port (Bus)															<b></b>
	2-Wire voice unbundled port without Caller ID - bus	ļ		UEPFB	UEPBL	1.32	108.36	70.71		1.33						<b></b>
-+	2-Wire voice unbundled port with Caller + E484 ID - bus	-		UEPFB	UEPBC	1.32	108.36	70.71	1.42	1.33			<b> </b>	<b> </b>	ļ	<del></del>
	2-Wire voice unbundled port outgoing only - bus	<b> </b>	-	UEPFB	UEPBO	1.32	108.36	70.71	1.42	1.33	<b></b>		<b> </b>	<b> </b>	<del>                                     </del>	<del></del>
1	2-Wire voice Grade unbundled South Carolina extended local	1		LIEDED	LIEDAZ	4 00	400.00	70.74	4 40	4.00						1
	dialing parity port with Caller ID - bus	├		UEPFB	UEPAZ	1.32	108.36	70.71	1.42	1.33	ļ	-			-	<del>                                     </del>
-+	2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice unbundled South Carolina Bus Area Calling Port	+	-	UEPFB	UEPB1	1.32	108.36	70.71	1.42	1.33	1	-		-		<del></del>
1	with Caller ID (LMB)	1		UEPFB	UEPAB	1.32	108.36	70.71	1.42	1.33						1
	2-Wire Voice Unbundled South Carolina Business Dialing Plan	<del>                                     </del>		OLITO	OLFAD	1.32	100.30	70.71	1.42	1.33					<b> </b>	<b>——</b>
	without Caller ID			UEPFB	UEPWM	1.32	108.36	70.71	1.42	1.33						1
I OCAI	NUMBER PORTABILITY	<b>†</b>			J 771171	1.02	100.00	70.71	1.72	1.55	<b> </b>	<b>-</b>				
LOUAL	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35									1	
INTER	OFFICE TRANSPORT				1	2.00						İ	İ	İ		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	İ			1											
	Termination		1	UEPFB	U1TV2	19.44	40.63	27.47	16.77	6.91						1

UNBI	INDLF	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
01121												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc		Manual Svo
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (17			per Lor	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1							Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				+		11100	Addi	11130	Auu	COME	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
		or Fraction Mile			UEPFB	1L5XX	0.0134										
	FEATU				OLFIB	ILJAA	0.0134										
	FEATU	All Features Offered			UEPFB	UEPVF	3.04	0.00	0.00								
-	NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPFB	UEFVF	3.04	0.00	0.00								
	NONRE		-	-		+											
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is			UEPFB	USAC2		8.50	1.87								
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch with change			UEPFB	USACC		8.50	1.87								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
		End User Premise			UEPFB	URETN		11.24	1.10								
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE I	PORT (	PBX)												
		ort/Loop Combination Rates		Ι ,													
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			18.00										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.45						ĺ	ĺ	1		
	1	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		1	29.78					i	İ	İ	1	1	
	UNE I	pop Rates		Ť									İ	İ	1		
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	16.68						i e	i e	1	1	
-		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	23.13										
	1	2-Wire Voice Grade Loop (SL2) - Zone 2		3	UEPFP	UECF2	28.46						-		-	<del>                                     </del>	
-	0.14/:			3	UEFFF	UEGFZ	20.40										
	z-wire	Voice Grade Line Port Rates (BUS - PBX)															
		Live O' I all I all a live I al			UEPFP	LIEDDO	4.00	407.00	00.04	07.00	44.54						
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus				UEPPC	1.32	137.32	83.31	67.02	11.51						
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.32	137.32	83.31	67.02	11.51						
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.32	137.32	83.31	67.02	11.51						
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.32	137.32	83.31	67.02	11.51						
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.32	137.32	83.31	67.02	11.51						
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.32	137.32	83.31	67.02	11.51						
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.32	137.32	83.31	67.02	11.51						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.32	137.32	83.31	67.02	11.51						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port			UEPFP	UEPXE	1.32	137.32	83.31	67.02	11.51						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPFP	UEPXL	1.32	137.32	83.31	67.02	11.51						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy							-								
1	1	Room Calling Port		1	UEPFP	UEPXM	1.32	137.32	83.31	67.02	11.51	1	I		I	1	
<b>—</b>	t e	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		t	02111	JEI AIVI	1.02	107.02	00.01	01.02	11.31	<b>-</b>	<del>                                     </del>	<b> </b>	t	t	
1	1	Discount Room Calling Port		1	UEPFP	UEPXO	1.32	137.32	83.31	67.02	11.51	1	I		I	1	
-	<del>                                     </del>	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	-	<del>                                     </del>	UEPFP	UEPXS	1.32	137.32	83.31	67.02	11.51		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	
<b>-</b>	<del>                                     </del>	2-Wire Voice Unbundled 1-Way Odigoling FBX Measured Fort	<b>-</b>	<del>                                     </del>	OLITI	JLI AU	1.32	131.32	03.31	01.02	11.31	-	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	
I	1	Calling Port		1	UEPFP	UEPXT	1.32	137.32	83.31	67.02	11.51	1	I	l	I	1	
<b>—</b>	LOCAL		-	-	ULFFF	UEPAI	1.32	131.32	03.31	07.02	11.51	<b> </b>	-	-	-	-	
<u> </u>	LUCAL	NUMBER PORTABILITY		-	HEDED	LNDCD	2.45	0.00	0.00			-	1	<b>-</b>	1	<del>                                     </del>	
<u> </u>	INTES	Local Number Portability (1 per port)		1	UEPFP	LNPCP	3.15	0.00	0.00			ļ			-		
<u> </u>	INTER	OFFICE TRANSPORT													<b></b>		
I	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1		I						1	I	l	I	1	
	ļ	Termination		<b></b>	UEPFP	U1TV2	19.44	40.63	27.47	16.77	6.91		ļ		<b></b>	<b></b>	
I	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		1		1						1	I	l	I	1	
		or Fraction Mile			UEPFP	1L5XX	0.0134										
	FEATU																
		All Features Offered			UEPFP	UEPVF	3.04	0.00	0.00								
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
l		Combination - Conversion - Switch-as-is			UEPFP	USAC2		8.50	1.87			l					
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		t									1	1			
		Combination - Conversion - Switch with change			UEPFP	USACC		8.50	1.87						1		
	<b>†</b>	Unbundled Miscellaneous Rate Element, Tag Designed Loop at		<del>                                     </del>	JE. 11	20/100		0.00	1.07				<b>-</b>		<b> </b>	<b> </b>	
		End User Premise			UEPFP	URETN		11.24	1.10						1		
HINDI	IDI ED 1	PORT/LOOP COMBINATIONS - COST BASED RATES	<b>-</b>	<del>                                     </del>	OLFIF	OINE IIN		11.24	1.10	+		-	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del></del>
UNBUI			DOST	-		+						-	<b>.</b>	ļ	<del>                                     </del>	<del>                                     </del>	
	Z-WIKE	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT	<u> </u>		1				1		l	1	l	1	1	

NBUNDL	ED NETWORK ELEMENTS - South Carolina														ment: 2	1	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	usoc			RATES (\$)			l l	Svc Order Submitted Manually per LSR	Manual Svc	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
																DISC ISL	DISC Add
							Rec	Nonrec		Nonrecurring					Rates (\$)		
	Booth and Combination Between		-					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Port/Loop Combination Rates		4				23.75			-		-					
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		1				30.20					<b> </b>					-
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				35.52					<b> </b>					-
LINE	Loop Rates		3			1	33.32			1		1		1	1	1	1
ONL	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	16.68								-		
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	23.13								1		1
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	28.46			t		†			t	t	
UNE	Port Rate											İ					
	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	7.06	225.55	87.21	113.08	14.38						
NON	RECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																
	Switch-as-is	1		UEPPX		USAC1		7.32	1.87	1				1	1	1	
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion						l i										
	with BellSouth Allowable Changes			UEPPX		USA1C		7.32	1.87								
ADDI	TIONAL NRCs																
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		26.84									
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
	End User Premise			UEPPX		URETN		11.24	1.10								
Telep	phone Number/Trunk Group Establisment Charges																
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
	DID Numbers, Establish Trunk Group and Provide First Group																
	of 20 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00			ļ					
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00	-		-					
1.00	Reserve DID Numbers AL NUMBER PORTABILITY			UEPPX		NDV	0.00	0.00	0.00	-		<b>.</b>		-	-	-	
LUC				UEPPX		LNPCP	3.15	0.00	0.00			<b> </b>					
2-1//1	Local Number Portability (1 per port)  RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	DODT.			LINE CE	3.13	0.00	0.00	-		1		-	-	-	1
	Port/Loop Combination Rates	NE SIDE	I	I			1			<del> </del>		1					
UNL	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -														-		
	UNE Zone 1		1	UEPPB	UEPPR		30.86										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		i i	02	02		00.00								1		1
	UNE Zone 2		2	UEPPB	UEPPR		38.60										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -											İ					
	UNE Zone 3		3	UEPPB	UEPPR		44.23										
UNE	Loop Rates																
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	21.90										
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	29.64										
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	35.27										
UNE	Port Rate																
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	8.96	190.51	133.14	100.95	21.37						
NON	RECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	1								I			1	I	I	I	
400	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	38.59	27.08	-				-	-	-	-
ADDI	TIONAL NRCs	<b> </b>		<b> </b>		-	<del>                                     </del>			<del>                                     </del>	-	ļ	<b> </b>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	-
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	1		LIEDDE	LIEDDE	LIDETN		44.04	4.40	1				1	1	1	
	End User Premise	<b>!</b>	<u> </u>	UEPPB	UEPPR	URETN		11.24	1.10	<del>                                     </del>		<del>                                     </del>	-	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise	1		UEPPB	UEPPR	URETL		8.33	0.83	1				1	1	1	
1.00	AL NUMBER PORTABILITY	<del>                                     </del>	<del>                                     </del>	UEFFB	UEPPK	UKEIL	<del>                                     </del>	8.33	0.83	<del>                                     </del>		}	<b> </b>	+	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
LUCA	Local Number Portability (1 per port)	<b>!</b>	<u> </u>	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00	<del>                                     </del>		<del>                                     </del>	-	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	-
B-C⊔	IANNEL USER PROFILE ACCESS:	<del>                                     </del>	<del>                                     </del>	JLI FD	OFI. LIV	LIVI OA	0.35	0.00	0.00	t	<b> </b>	1		t	t	t	<del>                                     </del>
D-UN	CVS/CSD (DMS/5ESS)	<del>                                     </del>	<del>                                     </del>	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00	t	<b> </b>	1		t	t	t	1
-	CVS (EWSD)	<b> </b>	<b>-</b>	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00	t		<del>                                     </del>	<b>-</b>	<del>                                     </del>	t	t	<del>                                     </del>
-	CSD CSD	<del>                                     </del>	<del>                                     </del>			U1UCC	0.00	0.00	0.00	t		<b>†</b>	<b> </b>	<b>†</b>	t	t	<del>                                     </del>
		1	TN)	25110	JEI III	0.000	0.00	0.00	0.00	l				1	1	1	

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												T -		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
							Rec	Nonre		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USER	TERMINAL PROFILE			LIEDDD	LIEDDD	11411540	0.00	0.00	0.00								1
VEDTI	User Terminal Profile (EWSD only)  CAL FEATURES			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00			-					
VERII	All Vertical Features - One per Channel B User Profile		-	UEPPB	UEPPR	UEPVF	3.04	0.00	0.00			-					
INTED	OFFICE CHANNEL MILEAGE		-	UEPPB	UEPPR	UEFVF	3.04	0.00	0.00			1					1
INTER	Interoffice Channel mileage each, including first mile and		-	1		1						1					1
	facilities termination			LIEDDR	UEPPR	M1GNC	24.30	40.63	27.47	16.77	6.91						
	Interoffice Channel mileage each, additional mile		1			M1GNM	0.0167	0.00	0.00	10.77	0.31						
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT		OLITE	OLITIK	IVITOIVIVI	0.0107	0.00	0.00			1					
	NE-P DS1 combination rates below for in this rate exhibit appl			ded base	in place a	s of 10/2/03 u	until 4/1/04. Af	ter 4/1/04 these	rates shall rev	ert to tariff rate	es or a separa	te commerci	ial agreeme	nt.		1	
	ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital 1															1	
	Port/Loop Combination Rates		1														
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1	i –	1		İ	İ	İ					1			İ	
	Zone 1		1	UEPPP			176.82										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 2		2	UEPPP			241.38										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 3		3	UEPPP			347.84										
UNE L	oop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	90.87									Î	
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	155.43										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	261.89										
UNE P	ort Rate																
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP		UEPPP	85.95	457.30	259.67	124.15	31.83						
NONR	ECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	119.34	78.73								
ADDIT	IONAL NRCs																
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																
	Inward/two way Tel Nos. (except NC)			UEPPP		PR7TF		0.49	0.49								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -																
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		11.54	11.54								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -																
1.004	Subsequent Inward Tel Numbers			UEPPP		PR7ZT		23.07	23.07								
LOCA	L NUMBER PORTABILITY			UEPPP		LNPCN	4.75										
-	Local Number Portability (1 per port)		1	UEPPP		PR71V	1.75	0.00	0.00				-				
-+	Voice/Data Digital Data		-	UEPPP		PR71D	0.00	0.00	0.00							-	<del>                                     </del>
	Inward Data	<b>-</b>	<del>                                     </del>	UEPPP		PR71E	0.00	0.00	0.00			-				-	<del>                                     </del>
Now o	r Additional "B" Channel	-	<del>                                     </del>	UEPPP		FIX/ IE	0.00	0.00	0.00			<del>                                     </del>	<b>-</b>				+
New 0	New or Additional - Voice/Data B Channel	-	<del>                                     </del>	UEPPP		PR7BV	0.00	14.56					-			<del> </del>	<b> </b>
_	New or Additional - Digital Data B Channel	-	<del>                                     </del>	UEPPP		PR7BF	0.00	14.56					-			<del> </del>	<b> </b>
+	New or Additional Inward Data B Channel		<del>                                     </del>	UEPPP		PR7BD	0.00	14.56				<b>H</b>				<del>                                     </del>	†
CALL	TYPES	<b>-</b>	t	JLI FF		111100	0.00	14.30				<b>-</b>				<b> </b>	<del>                                     </del>
OALL	Inward		$\vdash$	UEPPP		PR7C1	0.00	0.00	0.00			<u> </u>					<b>†</b>
	Outward		$\vdash$	UEPPP		PR7CO	0.00	0.00	0.00			<u> </u>					<b>†</b>
-+	Two-way	<b>†</b>	<del>                                     </del>	UEPPP		PR7CC	0.00	0.00	0.00	1		<del>                                     </del>	<b>-</b>				1
Intero	ffice Channel Mileage		t	J=: 1 1			0.00	0.00	0.00							<b>i</b>	1
1110101	Fixed Each Including First Mile		t	UEPPP		1LN1A	77.4815	89.47	81.99	16.39	14.48					1	
	Each Airline-Fractional Additional Mile		t	UEPPP		1LN1B	0.3415	55.47	000	.0.00	10					i	İ
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT		t	1		† <del></del>	0.01.0	1								<b>i</b>	<b>†</b>
	NE-P DS1 combination rates below for in this rate exhibit appl	v to the	embed	ded base	in place a	s of 10/2/03 u	until 4/1/04. Af	ter 4/1/04 these	rates shall rev	ert to tariff rate	es or a separa	te commerci	ial agreeme	nt.		i	1
		,	lata af	41-1	dmont obs	II be previde	d m		oment or torifi	of PoliCouthio	discretion	1	1			t	İ
Reque	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	ective of	iate or	tnis amen	unient Sna	ili be provide	a pursuant to	a separate aure	ement or tarm	at belloouth s	discretion.	1					
Reque	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff Port/Loop Combination Rates	ective c	late of	tnis amen	unient sna	lii be provide	d pursuant to	a separate agre	ement or tarm	at Bensouth s	discretion.						
Reque		ective c	1	UEPDC	ument sna	iii be provide	149.77	a separate agre	ement or tarm	at Bellsouth's	discretion.						

$\overline{}$	NETWORK ELEMENTS - South Carolina		,	ı							_			ment: 2	Exhil	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
						Rec	Nonre	curring	Nonrecurring	g Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		320.78										
	op Rates														,	
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	90.87									,	
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	155.43							Î			
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	261.89							Î			
UNE Po	rt Rate												Î			
	4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	58.90	455.50	253.79	117.55	14.20			Î			
NONRE	CURRING CHARGES - CURRENTLY COMBINED											T				ĺ
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination										İ					
	- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		129.78	67.17							<u> </u>	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		129.78	67.17								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			02. 50	00/11//		120.10	0								
	- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		129.78	67.17				1		1	'	
ADDITIO	DNAL NRCs			02. 50	00/11/2		120.10	0			<b>†</b>	<del>                                     </del>		<del></del>		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -				+ +						<b>†</b>	<del>                                     </del>		<del></del>		
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		14.51	14.51				1		1	'	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			OLI DO	ODITA		14.51	14.51				$\vdash$				
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.51	14.51								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel														'	
	Activation/Chan Inward Trunk w/out DID		L	UEPDC	UDTTC		14.51	14.51				<b></b> '		L	<u> </u>	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan				1					_					1 7	1
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.51	14.51							<u> </u>	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan														1	
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.51	14.51							<u> </u>	
	R 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	605.00s								
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	605.00s							,	
Alternat	e Mark Inversion												Î			
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00					Î			
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00					Î			
Telepho	one Number/Trunk Group Establisment Charges												Î			
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00							Î			
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00					İ					
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00					İ					
	DID Numbers, Establish Trunk Group and Provide First Group										İ					
	of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00		I		'		1	1 '	1
	DID Numbers for each Group of 20 DID Numbers		i -	UEPDC	ND4	0.00	2.00	2.00		t			İ		<del></del>	
	DID Numbers, Non- consecutive DID Numbers, Per Number		1	UEPDC	ND5	0.00	0.00	0.00		t		<b>—</b>	<b>i</b>		$\vdash$	
	Reserve Non-Consecutive DID Nos.		1	UEPDC	ND6	0.00	0.00	0.00		t		<b>—</b>	<b>i</b>		$\vdash$	
	Reserve DID Numbers		t -	UEPDC	NDV	0.00	0.00	0.00		<u> </u>					$\vdash \vdash \vdash$	
	ed DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	1 Digital	Hoon			0.00	0.00	0.00	<b>†</b>	t	<del>                                     </del>	$\vdash$		$\vdash$	$\vdash$	<b> </b>
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	. Digital	. <u></u>		ank i oit				<b>†</b>	t	<del>                                     </del>	<del>                                     </del>		<del>                                     </del>	<del>                                     </del>	<b> </b>
	Termination)			UEPDC	1LNO1	77.14	89.47	81.99	16.39	14.48				1	1 '	1
$\longrightarrow$	remination)	<b>-</b>	<del>                                     </del>	OLFDO	ILINOI	11.14	09.47	01.99	10.39	14.48	-	<del>                                     </del>	-	<del>                                     </del>	$\vdash$	<b> </b>
	Intereffice Channel Milegge Additional acts and will a Committee			UEPDC	1LNOA	0.3415	0.00	0.00		I		'		1	1 '	1
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	-	<del>                                     </del>	UEPUC	ILNUA	0.3415	0.00	0.00	1	<del>                                     </del>	<u> </u>	<del>                                     </del>		<del>                                     </del>	—	-
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			LIEBBO	41 NO2	0.00	0.00	0.00		I				1	1 '	1
	Termination)	<u> </u>		UEPDC	1LNO2	0.00	0.00	0.00	1	-	1	<b>├</b>	-	<b>├</b>	<b>├</b>	ļ
	Interoffice Channel Mileage - Additional rate per mile - 9-25			LIEBBO	41 NOD	0.04:-	0.00	0.00		1		1		'	1 '	
	miles	<b>—</b>	1	UEPDC	1LNOB	0.3415	0.00	0.00	ļ	-	-	<b>├</b> ──	ļ	<b>├</b> ──	<b>├</b> ───'	ļ
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			LIEBBO	41.000					I		'		1	1 '	1
	Termination)		<u> </u>	UEPDC	1LNO3	0.00	0.00	0.00				<b> </b>		<b> </b>	<b>├</b> ──-'	
										I		'		1	1 '	1
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles		L	UEPDC	1LNOC	0.3415	0.00	0.00		ļ		<b></b> '	ļ	ļ'	Ļ——'	ļ
							0.00	0.00	1	1	1	1	1	1	. '	ı
l l	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00				-		<u> </u>	<u> </u>	
	Central Office Termininating Point			UEPDC UEPDC	CTG	0.00	0.00	0.00								
4-WIRE							0.00	0.00								

UNBUN	IDLE	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
		, —————————————————————————————————	l									Svc Order	Svc Order	Incremental		Incremental	Incremental
						1						Submitted	Submitted		Charge -	Charge -	Charge -
			Intor:			1						Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGO	DRY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			_ m			1								Electronic-	Electronic-	Electronic-	Electronic-
						1								1st	Add'l	Disc 1st	Disc Add'l
<u> </u>						1											
$\vdash$							Rec		curring	Nonrecurring					Rates (\$)		
<del></del>			<u>.                                    </u>					First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
		E-P DS1 combination rates below for 4-Wire DS1 Loop with (											shall revert	to tariff rates	or a separate	agreement.	
		ts for 4-Wire DS1 Loop with Channelization with Port after th	e effect	ive dat	e of this amendmen	it shall be pro	vided pursuan	it to a separate	agreement or	tariff at BellSo	uth's discretion	on.					
U	INE DE	61 Loop 4-Wire DS1 Loop - UNE Zone 1	ļ	1	UEPMG	USLDC	90.87	0.00	0.00								
+		4-Wire DS1 Loop - UNE Zone 1	-	2	UEPMG	USLDC	155.43	0.00	0.00			-					
$\vdash$		4-Wire DS1 Loop - UNE Zone 2	<u> </u>	3	UEPMG	USLDC	261.89		0.00			1					
H 10	INE DS	60 Channelization Capacities (D4 Channel Bank Configuratio	ne)	3	OLFIVIG	USLDC	201.09	0.00	0.00						1		
		24 DSO Channel Capacity - 1 per DS1	1		UEPMG	VUM24	82.78	0.00	0.00			1					
$\vdash$		48 DSO Channel Capacity - 1 per 2 DS1s	1		UEPMG	VUM48	165.56	0.00	0.00			1					
		96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	331.12		0.00								
		144 DS0 Channel Capacity - 1 per 6 DS1s	1		UEPMG	VUM14	496.68	0.00	0.00								
		192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	662.24	0.00	0.00						1		
		240 DS0 Channel Capacity - 1 per 10 DS1s	Ì		UEPMG	VUM2O	827.80	0.00	0.00								
		288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	993.36	0.00	0.00						1		
		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,324.48	0.00	0.00								
		480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	1,655.60	0.00	0.00								
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	1,986.72	0.00	0.00								
		672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,317.84		0.00								
		curring Charges (NRC) Associated with 4-Wire DS1 Loop wit						/stem									
		num System configuration is One (1) DS1, One (1) D4 Channe															
M	/lultiple	es of this configuration functioning as one are considered A	dd'l afte	r the m	inimum system cor	nfiguration is	counted.										
		NRC - Conversion (Currently Combined) with or without															
		BellSouth Allowed Changes		L	UEPMG	USAC4	0.00	150.81	8.38								
		Additions at End User Locations Where 4-Wire DS1 Loop wi				ination Curre	ntly Exists and	d									
N	vew (No	ot Currently Combined) in all states, except in Density Zone 1	l of lop	8 IVISA	i'S	+		-									
		1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	717.71	425.81	149.08	17.69						
B	Rinolar	8 Zero Substitution	<u> </u>		UEFIVIG	VUIVID4	0.00	/1/./1	423.01	149.06	17.09	1					
	протаг	Clear Channel Capability Format, superframe - Subsequent	<u> </u>			+		1				1					
		Activity Only			UEPMG	CCOSF	0.00	0.00i	605.00s								
		Clear Channel Capability Format - Extended Superframe -	1		OLI WO	00001	0.00	0.001	000.003			<b>†</b>					
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	605.00s								
А	Alterna	te Mark Inversion (AMI)	1		021 1110	0002.	0.00	0.00.	000.000								
		Superframe Format	1		UEPMG	MCOSF	0.00	0.00	0.00								
		Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
E	xchan	ge Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Port											1		
		ge Ports															
		Line Side Combination Channelized PBX Trunk Port - Business															
		(E:4/1/2004)	<u> </u>		UEPPX	UEPCX	1.13	0.00	0.00	0.00	0.00					<u></u>	
		Line Side Outward Channelized PBX Trunk Port - Business															
$\perp \perp$		(E:4/1/2004)	ļ		UEPPX	UEPOX	1.13	0.00	0.00	0.00	0.00						
	Ţ	Line Side Inward Only Channelized PBX Trunk Port without DID	1					_									
$\sqcup \bot$		(E:4/1/2004)	<u> </u>		UEPPX	UEP1X	1.13	0.00	0.00	0.00	0.00				ļ		
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port						1									
$\vdash$		(E:4/1/2004)	<b>!</b>		UEPPX	UEPDM	7.09	0.00	0.00	0.00	0.00						
F	eature	Activations - Unbundled Loop Concentration	<del>                                     </del>			+		-				-			ļ	<b> </b>	
		Feature (Service) Activation for each Line Port Terminated in D4 Bank	1		LIEDDY	100/4/4	0.50	05.45	40.44	4.00	4.47		1				
$\vdash$		Feature (Service) Activation for each Trunk Port Terminated in	<del>                                     </del>		UEPPX	1PQWM	0.56	25.45	13.44	4.20	4.17						
		D4 Bank	1		UEPPX	1PQWU	0.56	78.31	18.46	59.37	11.60		1				
<del>   </del>	- Alenha	one Number/ Group Establishment Charges for DID Service	1		ULFFA	irawu	0.56	10.31	10.46	59.37	11.60	<del>                                     </del>					
<del>      '</del>		DID Trunk Termination (1 per Port)	<b>-</b>		UEPPX	NDT	0.00	0.00	0.00				<b> </b>		<b> </b>		
$\vdash \vdash$		Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)	<b>†</b>		UEPPX	NDZ	0.00	0.00	0.00			<b>-</b>	<b>-</b>		<b> </b>		<b> </b>
+		DID Numbers - groups of 20 - Valid all States	<b>†</b>		UEPPX	ND4	0.00	0.00	0.00			<b>-</b>	<b>-</b>		<b> </b>		<b> </b>
$\vdash$		Non-Consecutive DID Numbers - per number	<u> </u>		UEPPX	ND5	0.00	0.00	0.00								
$\vdash$		Reserve Non-Consecutive DID Numbers	<b>†</b>		UEPPX	ND6	0.00	0.00	0.00						1		
		Reserve DID Numbers	1		UEPPX	NDV	0.00		0.00							İ	
<del></del>	ocal N	lumber Portability	1			1	2.30	1.30	2.30						İ	l	
		Local Number Portability - 1 per port		-	UEPPX	LNPCP	3.15	0.00	0.00		<b></b>	<del>1                                    </del>	<del></del>		-	<b>-</b>	<del></del>

UNBUND	LED N	ETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
320112	<u> ''</u>											Svc Order	Svc Order	Incremental		Incremental	Incrementa
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svo
CATEGOR	Y	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .01	2.007.444.
							Rec	Nonre			g Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		6 - Vertical and Optional		-							1						
LO		ching Features Offered with Line Side Ports Only Features Available			UEPPX	UEPVF	3.04	0.00	0.00			-					
LINBLINDL		TREX PORT/LOOP COMBINATIONS - COST BASED RATES	<u> </u>	-	UEPPA	UEFVF	3.04	0.00	0.00		-	-					
		sed Rates are applied where BellSouth is required by FCC		State (	Commission rule to	nrovide Unhi	undled Local S	witching or Sv	vitch Ports								
		s shall apply to the Unbundled Port/Loop Combination - C								dled Port secti	on of this Rate	Exhibit.					
		ce and Tandem Switching Usage and Common Transport											oin Port/Lo	op Combinat	ons.		
4. 1	he first	and additional Port nonrecurring charges apply to Not Cu	urrently	Combi	ned Combos. For	Currently Co	mbined Combo	s, the nonrect	urring charges	shall be those	identified in t	he Nonrecu	rring - Curre	ently Combine	ed sections.	Additional NR	Cs may
		and are categorized accordingly.				-							-	-			-
5.	Market	Rates for Unbundled Centrex Port/Loop Combination will	be nego	otiated	on an Individual Ca	se Basis, un	til further notic	э.									
		NTREX - 5ESS (Valid in All States)															
		Loop/2-Wire Voice Grade Port (Centrex) Combo															
UN		.oop Combination Rates (Non-Design)															
		Vire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	ł														
		n-Design	ļ	1	UEP95	1	14.89				ļ						
		Vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
		n-Design		2	UEP95		21.52										
		Vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDOF		07.47										
		n-Design		3	UEP95		27.17										
UN		Loop Combination Rates (Design)  Vire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		-		+					-	-					
		sign	1	4	UEP95		17.81										
		Vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	UEF95	1	17.01				-	1					
1		sign		2	UEP95		24.26										
		Vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI 50	1	24.20					<b>-</b>					
		sign		3	UEP95		29.59										
UN	E Loop																
		Vire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	13.76										
	2-V	Vire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	20.38										
	2-V	Vire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	26.04										
	2-V	Vire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	16.68										
		Vire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	23.13										
		Vire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	28.46										
	E Port F	Rate															
All	States	W. M. D. J.			LIEDAS	11551/4		10.00	10.00	0.1.00							
$\vdash$		Vire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	1.13	40.30	19.90	24.98	6.65						
		Vire Voice Grade Port (Centrex 800 termination)		-	UEP95	UEPYB	1.13	40.30	19.90	24.98	6.65						
	2-V Are	Vire Voice Grade Port (Centrex with Caller ID)1Basic Local	1		LIEDOS	LIEDVU	4 40	40.20	10.00	24.00	6.65		1				1
$\vdash$	, 0	Vire Voice Grade Port (Centrex from diff Serving Wire	<b>!</b>	-	UEP95	UEPYH	1.13	40.30	19.90	24.98	6.05	-	-	-	-		-
		nter)2,3 Basic Local Area	1		UEP95	UEPYM	1.13	108.36	70.71	54.47	11.94		1				1
		Vire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			OLF 93	OLFTW	1.13	100.30	70.71	34.47	11.54	1					
1		vice Term - Basic Local Area			UEP95	UEPYZ	1.13	108.36	70.71	54.47	11.94						
		Vire Voice Grade Port terminated in on Megalink or equivalent			021 00	OLI IZ	1.10	100.00	70.71	04.47	11.04						
		asic Local Area			UEP95	UEPY9	1.13	40.30	19.90	24.98	6.65						
		Vire Voice Grade Port Terminated on 800 Service Term -	1													İ	
		sic Local Area	1		UEP95	UEPY2	1.13	40.30	19.90	24.98	6.65		1				1
AL		, MS, SC, & TN Only															
		Vire Voice Grade Port (Centrex )			UEP95	UEPQA	1.13	40.30	19.90	24.98	6.65						
		Vire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.13	40.30	19.90	24.98	6.65						
		Vire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.13	40.30	19.90	24.98	6.65						
		Vire Voice Grade Port (Centrex from diff Serving Wire			l	1					1						
$\vdash \vdash$		nter)2,3	<b>!</b>		UEP95	UEPQM	1.13	108.36	70.71	54.47	11.94						
l I		Vire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOS	LIEDOZ	4.40	400.00	70 7.								
	Ter	m 2,3	ļ	-	UEP95	UEPQZ	1.13	108.36	70.71	54.47	11.94						
																	i
	2.1	Vira Vaiga Crada Bart terminated in an Magalini			LIEDOE	LIEDOO	1 40	40.00	10.00	24.00	6.05						
		Vire Voice Grade Port terminated in on Megalink or equivalent Vire Voice Grade Port Terminated on 800 Service Term			UEP95 UEP95	UEPQ9 UEPQ2	1.13 1.13	40.30 40.30	19.90 19.90	24.98 24.98	6.65 6.65						

UNBUNDLE	D NETWORK ELEMENTS - South Carolina			ı	1	1							Attach			bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)	l	l
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1 1	Centrex Intercom Funtionality, per port	-		UEP95	URECS	0.7996										
Local	Number Portability  Local Number Portability (1 per port)		1	UEP95	LNPCC	0.35										
Featu				OLF 95	LINECC	0.33										
i cutu	All Standard Features Offered, per port			UEP95	UEPVF	3.04										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	406.42									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	3.04										
NARS																
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
Missa	Unbundled Network Access Register - Outdial	-		UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
	Ilaneous Terminations Trunk Side	-	<del>                                     </del>		+						-				-	
2-44116	Trunk Side Terminations, each	1	<del>                                     </del>	UEP95	CEND6	8.86	119.57	18.78	60.03	3.77					<del> </del>	
4-Wire	Digital (1.544 Megabits)	t			0200	0.00	110.01	10.70	00.00	0.77	<b>†</b>				1	
1	DS1 Circuit Terminations, each			UEP95	M1HD1	73.62	202.47	95.90	72.75	2.47					İ	
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.51									
Intero	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	M1GBC	24.30	40.63	27.47	16.77	6.91						
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0167										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Ch	annel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot		<u> </u>	UEP95	1PQWS	0.56										
+	reactive Activation on 5-4 Channel Bank Centrex Loop Slot			OLF 95	IFQWS	0.30										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP95	IPQW/	0.56										
	Different Wire Center			UEP95	1PQWP	0.56										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Title Line/Trunk Loop			021 00	11 Q111	0.00										
	Slot			UEP95	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.56										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
1	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port		-	UEP95	USAC2	0.00	37.93	16.72								
	New Centrex Standard Common Block New Centrex Customized Common Block	-	-	UEP95 UEP95	M1ACS M1ACC	0.00	668.70 668.70				-				<del> </del>	
+	NAR Establishment Charge, Per Occasion	<del>                                     </del>	<del>                                     </del>	UEP95 UEP95	URECA	0.00	72.89				1				<del> </del>	
Additi	onal Non-Recurring Charges (NRC)			OLI 33	UNLOA	0.00	12.09									
Additi	Unbundled Miscellaneous Rate Element, Tag Loop at End Use				1											
	Premise			UEP95	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise		<b>_</b>	UEP95	URETN		11.24	1.10								
	CENTREX - DMS100 (Valid in All States)															
	vG Loop/2-Wire Voice Grade Port (Centrex) Combo	<b>-</b>	<del>                                     </del>		+										-	
UNE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	<del>                                     </del>	<del>                                     </del>		+						1				<del> </del>	
	Non-Design		1	UEP9D	1	14.89										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		Ė	- "	1										İ	
	Non-Design	<u> </u>	2	UEP9D		21.52										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP9D	+	27.17										
UNE F	ort/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		-		+											
	Design	]	1	UEP9D		17.81										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP9D	1	24.26										L

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	oit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
UNE	Design	ļ	3	UEP9D		29.59										
UNE L	pop Rate  2-Wire Voice Grade Loop (SL 1) - Zone 1	<u> </u>	1	UEP9D	UECS1	13.76										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	20.38										
	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEP9D	UECS1	26.04										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	16.68										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	23.13										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	28.46										
	ort Rate	ļ			<b>_</b>											
ALL S		<b>.</b>	1	LIEDOD	LIEDVA	4.40	40.00	40.00	04.00	0.05				-		
$\vdash$	2-Wire Voice Grade Port (Centrex ) Basic Local Area     2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1	1	UEP9D	UEPYA	1.13	40.30	19.90	24.98	6.65				1		
	Area			UEP9D	UEPYB	1.13	40.30	19.90	24.98	6.65						,
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local	<del>                                     </del>	<del>                                     </del>	021 00	35, 15	1.13	+0.50	13.30	24.30	0.00						
	Area			UEP9D	UEPYC	1.13	40.30	19.90	24.98	6.65						,
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local	ĺ														
	Area			UEP9D	UEPYD	1.13	40.30	19.90	24.98	6.65						1
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
	Area			UEP9D	UEPYE	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local						40.00	40.00								
	Area	ļ	1	UEP9D	UEPYF	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local		1	OLF3D	OLFIG	1.13	40.30	19.90	24.90	0.05						
	Area			UEP9D	UEPYT	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local	1		02. 02	02	0	10.00	10.00	200	0.00						
	Area			UEP9D	UEPYU	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local															
	Area			UEP9D	UEPYV	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
	Area	ļ		UEP9D	UEPY3	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			LIEDOD	LIEDVII	4.42	40.20	40.00	24.00	0.05						
	Area	1	-	UEP9D	UEPYH	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYW	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4	1	1	OLF3D	OLFIW	1.13	40.30	19.90	24.90	0.05						
	Basic Local Area			UEP9D	UEPYJ	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2,3-Basic Local Area			UEP9D	UEPYM	1.13	108.36	70.71	54.47	11.94						1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4															
	Basic Local Area		ļ	UEP9D	UEPYO	1.13	108.36	70.71	54.47	11.94						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			LIEBOD	LIEDVE	4.40	400.00	70.74	54.47	44.04						1
	Basic Local Area	1	-	UEP9D	UEPYP	1.13	108.36	70.71	54.47	11.94						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area			UEP9D	UEPYQ	1.13	108.36	70.71	54.47	11.94						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4	1	1	OLF3D	OLFIQ	1.13	100.30	70.71	34.47	11.54						
	Basic Local Area			UEP9D	UEPYR	1.13	108.36	70.71	54.47	11.94						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4	1		-										İ		
	Basic Local Area			UEP9D	UEPYS	1.13	108.36	70.71	54.47	11.94			<u></u>			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4	1												l		
	Basic Local Area	ļ		UEP9D	UEPY4	1.13	108.36	70.71	54.47	11.94						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			LIEDOD	UEPY5	1 40	100.00	70.74	E4 47	11.04						.
$\vdash$	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4	1	1	UEP9D	UEF 15	1.13	108.36	70.71	54.47	11.94				1		
	Basic Local Area	1		UEP9D	UEPY6	1.13	108.36	70.71	54.47	11.94						, [
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4	i –			1	5	700.00		J7							
	Basic Local Area	<u> </u>		UEP9D	UEPY7	1.13	108.36	70.71	54.47	11.94	<u> </u>	<u></u>		<u></u>		<u>.                                    </u>
	•		•		•											

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	
ł											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
1		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
ł											-		Electronic-	Electronic-	Electronic-	Electronic-
ł													1st	Add'l	Disc 1st	Disc Add'l
<del></del>							N			B'				D-1 (A)		
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	0.1M// 1/-/ O I Po  P/// O/ 1/ O  000 O/		-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ı l	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPYZ	1.13	100.26	70.71	54.47	11.04						
	Term 2,3  2-Wire Voice Grade Port terminated in on Megalink or equivalent		-	UEP9D	UEPYZ	1.13	108.36	70.71	54.47	11.94	-	-				1
ı l	Basic Local Area			UEP9D	UEPY9	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic		1	OLF 9D	OLF19	1.13	40.30	19.90	24.30	0.03	1	1				+
ı l	Local Area			UEP9D	UEPY2	1.13	40.30	19.90	24.98	6.65						
AL. F	(Y, LA, MS, SC, & TN Only			OLI OD	OLI 12	1.10	40.00	10.00	24.00	0.00	1	1				1
, , <u>, , , , , , , , , , , , , , , , , </u>	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4		1	UEP9D	UEPQC	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPQD	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPQE	1.13	40.30	19.90	24.98	6.65						
( T	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPQF	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPQG	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPQT	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPQU	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPQV	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.13	40.30	19.90	24.98	6.65						
ı l	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)4			UEP9D	UEPQW	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4		ļ	UEP9D	UEPQJ	1.13	40.30	19.90	24.98	6.65						
ı l	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)						400.00									
	2,3			UEP9D	UEPQM	1.13	108.36	70.71	54.47	11.94						
ı l	0.1M/20.1/2/20.000 to Post /0.2000 /1/4/20.00M/0 /ERO ROET/0.0.4			LIEDOD	LIEBOO	4.40	400.00	70.74	54.47	44.04						
+-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4		<del>                                     </del>	UEP9D	UEPQO	1.13	108.36	70.71	54.47	11.94	-	-				-
ı l	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.13	108.36	70.71	54.47	11.94						
	2-ville voice Grade Port (Certifexullier SVVC /EBS-IVISO09)2,3,4		-	UEF9D	UEFQF	1.13	100.30	70.71	54.47	11.94	-	-				1
ı l	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.13	108.36	70.71	54.47	11.94						
	2-ville voice Grade Fort (Certifex differ SWC / LB3-3209)2,3,4		<del>                                     </del>	OLF 9D	ULFQQ	1.13	100.30	70.71	34.47	11.54	<del> </del>	1				+
ı l	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.13	108.36	70.71	54.47	11.94						
-	2 VIII VOICE GIAGET OIL (CETHION GIII CI VIVO / EBE WOTTZ/Z,O, 4			OLI OD	OLI QIX	1.10	100.00	70.71	04.41	11.04	1	1				1
ı l	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.13	108.36	70.71	54.47	11.94						
-	2 1110 10100 01440 1 011 (0011110) 41110 0110 (120 11100 12)2,0,1			02. 05	02. 00	0	100.00		0	11.01	1	1				1
ı I	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.13	108.36	70.71	54.47	11.94						1
$\overline{}$	( 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	1		7.								l			İ
ı I	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4		1	UEP9D	UEPQ5	1.13	108.36	70.71	54.47	11.94						1
i t			1		1	_										1
1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4	<u></u>	<u></u>	UEP9D	UEPQ6	1.13	108.36	70.71	54.47	11.94	<u></u>	<u></u>	<u></u>			<u> </u>
							İ									
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.13	108.36	70.71	54.47	11.94				<u></u>		<u> </u>
ı — — —	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP9D	UEPQZ	1.13	108.36	70.71	54.47	11.94						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	UEP9D	UEPQ9	1.13	40.30	19.90	24.98	6.65						1
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.13	40.30	19.90	24.98	6.65	ļ					1
Loca	I Switching		1	LIEDOD	LIDECC	0 700-					ļ					ļ
<del></del>	Centrex Intercom Funtionality, per port		1	UEP9D	URECS	0.7996					1	-	ļ			+
Loca	Number Portability		1	LIEDOD	LNDCC	0.0=					<b></b>		ļ			+
	Local Number Portability (1 per port)	-	1	UEP9D	LNPCC	0.35					<del>                                     </del>	1	-			+
Featu			1	UEP9D	UEPVF	3.04					-					<del>                                     </del>
	All Standard Features Offered, per port All Select Features Offered, per port	-	1	UEP9D UEP9D	UEPVF	0.00	406.42				<del>                                     </del>	1	-			1
	All Centrex Control Features Offered, per port	<del>                                     </del>	+	UEP9D	UEPVS	3.04	400.42				<b> </b>		<b> </b>			<del>                                     </del>
NARS			+	OFLAD	DEFVC	3.04					<u> </u>					+
INAKS	Unbundled Network Access Register - Combination		<del>                                     </del>	UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						+
		-	+	UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00		<del>                                     </del>	-			+
	Unbundled Network Access Register - Inward					()(10)										

UNBUNDLE	NETWORK ELEMENTS - South Carolina													ment: 2		bit: A
											Submitted	Submitted	Charge -	Incremental Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec per LSR		Manual Svc Order vs.	Order vs.	Manual Svc Order vs.	Manual Svc Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			220	Rates (\$)		
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Miscell	aneous Terminations					i i		,,,,,,		71441	0020	00				00
	Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	8.86	119.57	18.78	60.03	3.77						
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	73.62	202.47	95.90	72.75	2.47						
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.51									
Interoff	ice Channel Mileage - 2-Wire					ĺ										
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	24.30	40.63	27.47	16.77	6.91						
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0167										Î
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e				ĺ										Î
	nnel Bank Feature Activations					ĺ										Ī
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.56										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.56										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.56										_
	curring Charges (NRC) Associated with UNE-P Centrex			OLF 9D	IFQWA	0.50					1					
	NRC Conversion Currently Combined Switch-As-Is with allowed				1											
	changes, per port			UEP9D	USAC2		37.93	16.72								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	668.70	10.72								
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	668.70				<b>†</b>					
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.89									
	nal Non-Recurring Charges (NRC)			02. 05	OTTLO71	0.00	. 2.00				1					
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use					1										
	Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN		11.24	1.10								
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	- Requres Interoffice Channel Mileage															
	- Installation is combination of Installation charge for SL2 Lo	op and F	Port													
	- Requires Specific Customer Premises Equipment							_					_			
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to ra	ate tru	e-up as set forth in	General Terr	ns and Condition	ns.									

CATEG	NDLEL	NETWORK ELEMENTS - Tennessee												Attack		E of the	. · · · · ·
CATEG					I		1					Cus Ouden	Cua Oudan		ment: 2		bit: A
CATEG												1		Incremental	Incremental	Incremental	
CATEG												Submitted			Charge -	Charge -	Charge -
CATEG	OBV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
1	OKI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			-	<u> </u>				Nonrecurring		Nonrecurrin	g Disconnect	1		220	Rates (\$)		l
			-	<u> </u>			Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
								FIISL	Auu i	FIISt	Auu i	SOMEC	SOWAN	JOWAN	JOWAN	SOWAN	JOWAN
-	The "Zo	one" shown in the sections for stand-alone loops or loops as	nart of	a comi	ination refers to Ge	ographically	Deaveraged II	NF Zones To	view Geogran	hically Deaver	aged LINE Zone	- Designation	ns by Cent	ral Office refe	er to internet	Nehsite:	l .
		ww.interconnection.bellsouth.com/become a clec/html/inter				ograpinoan	Deaveragea o	TTE EDITION. TO	view ocograp	mounty Deaver	agea one zone	Designation	nio by ocin	iai Oilioo, icic	or to internet	repolie.	
OPER#		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"		1													
		(1) CLEC should contact its contract negotiator if it prefers the	e "state	specif	ic" OSS charges as	ordered by t	he State Comm	issions. The (	OSS charges c	urrently conta	ined in this rate	e exhibit are	the BellSo	uth "regional"	" service orde	ring charges	CLFC may
		ther the state specific Commission ordered rates for the servi															
		the 9 states.		g c.	.a. goo, o. ooa,	0.0010 .0	9.0 00. 1.00 1	oracining citaing	0,		Diam a imataro			. 0220		0 00	0.000.101.00
		(2) Any element that can be ordered electronically will be bill	ed acco	ordina	to the SOMEC rate lis	sted in this	category. Pleas	se refer to Bell	South's Local	Ordering Hand	lbook (LOH) to	determine	f a product	can be ordere	ed electronica	IIv. For those	e elements
		nnot be ordered electronically at present per the LOH, the list		•						•	` '		•			•	
		I, will be applied to a CLECs bill when it submits an LSR to B			e iii tiiis category rei	iects the ch	arge triat would	be billed to a	OLLO Olice el	ectionic order	ing capabilities	come on-n	ne ioi tilat t	dement. Othe	siwise, the me	inuai oruenni	g charge,
		(3) OSS - Manual Service Order Charge, Per Element - UNE Or			a annlicable rate ele	ment for CO	MAN chargo**			1	1				1		1
$\vdash$	NOTE: (	OSS - Electronic Service Order Charge, Per Local Service	y -	Case St	e applicable rate ele	ment for 30	man charge			<del> </del>	<del>                                     </del>				<del> </del>		
		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00		1				
LINE S	PVICE	DATE ADVANCEMENT CHARGE				OOMEC		5.50	0.00	5.50	0.00						
		The Expedite charge will be maintained commensurate with	ReliSou	ith's FC	C No 1 Tariff Section	n 5 as annli	cable				1						
-	11012.	The Expedite onarge will be maintained commensurate with	L	1	Turni, ocom	п о ао аррп	L CONTRACTOR										
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA. UHL. ULC.												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL.												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3. ULD12.												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X.												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1.												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
		Dav			U1TUB, U1TUA	SDASP		200.00									
UNBUN	DLED E	XCHANGE ACCESS LOOP			, , , , , , , , , , , , , , , , , , , ,												
		ANALOG VOICE GRADE LOOP		1			İ			İ	İ				İ		
	Ī	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	17.23	31.99	20.02	10.65				20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	22.53	31.99	20.02	10.65				20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	13.19	31.99	20.02	10.65				20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	17.23	31.99	20.02	10.65				20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
			1	1	l	URETL		8.33	0.83	I	1	1	l	20.35	10-1		1
		Premise			UEANL	UKEIL		0.55						20.35	10.54	13.32	13.32
		Premise Loop Testing - Basic 1st Half Hour			UEANL	URET1		78.92	78.92					20.35	10.54	13.32 13.32	13.32 13.32
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		78.92	78.92					20.35	10.54	13.32	13.32

Version 3Q03: 11/12/2003 Page 308 of 348

UNBU	NDLE	D NETWORK ELEMENTS - Tennessee													ment: 2		ibit: A
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		28.80	28.80								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		36.52	36.52								
		Order Coordination for Specified Conversion Time for UVL-SL1				00001		04.00	04.00								
	2 WIDE	(per LSR) Unbundled COPPER LOOP			UEANL	OCOSL		34.29	34.29			-	<b> </b>				<b> </b>
ľ		2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	13.19	31.99	20.02	10.65	1.41	1	ł	20.35	10.54	13.32	13.3
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	i i	2	UEQ	UEQ2X	17.23	31.99	20.02		1.41		<b>†</b>	20.35	10.54	13.32	13.3
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	i i		UEQ	UEQ2X	22.53	31.99	20.02		1.41		<b>†</b>	20.35		13.32	13.3
		Unbundled Miscellaneous Rate Element, Tag Loop at End User	i i	Ŭ	024	O L Q L X	22.00	01.00	20.02	10.00		1		20.00	10.01	.0.02	10.0.
		Premise			UEQ	URETL		8.33	0.83					20.35	10.54	13.32	13.3
		Manual Order Coordination 2 Wire Unbundled Copper Loop -		İ		1							İ				
		Non-Designed (per loop)		L	UEQ	USBMC	<u> </u>	36.52	36.52			<u></u>	<u> </u>		<u> </u>	<u> </u>	
		Unbundled Copper Loop, Non-Design Copper Loop, billing for															
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		28.80	28.80					20.35	10.54	13.32	13.3
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		78.92	78.92					20.35	10.54	13.32	13.3
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.33	23.33					20.35	10.54	13.32	13.3
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.29	7.44					20.35	10.54	13.32	13.3
		EXCHANGE ACCESS LOOP  ANALOG VOICE GRADE LOOP		-		+						1			-	-	
H	Z-VVIRE	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		-		+						1			-	-	<b> </b>
		Zone 1		1	UEPSR UEPSB	UEALS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
$\vdash$		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		<u> </u>	OLI OK OLI OD	OLALO	13.13	31.99	20.02	10.03	1.41	<del> </del>	<del> </del>	20.55	10.54	10.02	13.3
		Zone 1		1	UEPSR UEPSB	UEABS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		i i	OLI OK OLI OD	OLABO	10.10	01.00	20.02	10.00	1.41	1		20.00	10.04	10.02	10.0
		Zone 2		2	UEPSR UEPSB	UEALS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-										1					
		Zone 2		2	UEPSR UEPSB	UEABS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEALS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEABS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP		-		+						1			-	-	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1	UEA	UEAL2	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
		Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		'	UEA	UEALZ	10.30	75.06	40.20	20.70	17.04	1	1	20.33	10.54	13.32	13.3.
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			OLIT	OLALL	21.00	70.00	40.20	20.70	17.04	1		20.00	10.04	10.02	10.0
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		34.29				1					
İ		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 1		1	UEA	UEAR2	16.56	75.06	48.20	28.70	17.64	<u></u>	<u> </u>	20.35	10.54	13.32	13.3
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 2		2	UEA	UEAR2	21.63	75.06	48.20	28.70	17.64	ļ	]	20.35	10.54	13.32	13.3
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			l	1									1	1	
		Battery Signaling - Zone 3		3	UEA	UEAR2	28.28	75.06	48.20	28.70	17.64	ļ	ļ	20.35	10.54	13.32	13.3
		Order Coordination for Specified Conversion Time (per LSR)		ļ	UEA	OCOSL	-	34.29	00 11	1		1		20.00	10 = :	40.00	400
		CLEC to CLEC Conversion Charge without outside dispatch		-	UEA	UREWO		75.06	36.41			<u> </u>	-	20.35	10.54	13.32	13.3
		Loop Tagging - Service Level 2 (SL2)  ANALOG VOICE GRADE LOOP		-	UEA	URETL		11.23	1.10				-	20.35	10.54	13.32	13.3
<del>                                     </del>		4-Wire Analog Voice Grade Loop - Zone 1	-	1	UEA	UEAL4	24.70	122.76	85.57	76.35	39.16	<b> </b>	}	20.35	10.54	13.32	13.3
		4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2	-		UEA	UEAL4	32.25	122.76	85.57		39.16	<b> </b>	}	20.35	10.54	13.32	13.3
		4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	42.17	122.76	85.57		39.16	<del>                                     </del>	1	20.35	10.54	13.32	13.3
		Order Coordination for Specified Conversion Time (per LSR)	<b>-</b>		UEA	OCOSL	42.17	34.29	00.37	10.35	33.10		<del>                                     </del>	20.33	10.34	13.32	13.3
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		75.06	36.41					20.35	10.54	13.32	13.3
	2-WIRE	ISDN DIGITAL GRADE LOOP				1	İ	. 5.50	00.71	1				20.00		.0.52	.5.0
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	22.22	142.76	88.88	76.35	39.16	1	İ	20.35	10.54	13.32	13.3

NRONDFI	ED NETWORK ELEMENTS - Tennessee										1 -			ment: 2	1	ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
							Nonrecurring		Nonrecurring	Disconnect		1	oss	Rates (\$)	1	1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	29.02	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.3
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.95	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.3
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		34.29									
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.77	44.22					20.35	10.54	13.32	13.3
2-WIF	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP	1												
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	13.82	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.3
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UAL	UAL2X	18.05	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.3
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UAL	UAL2X	23.60	270.01	234.63	74.54	39.14	ļ		20.35	10.54	13.32	13.3
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		34.29							L	L	
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1		1	UAL	UAL2W	13.82	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2	I	2	UAL	UAL2W	18.05	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 3	- 1	3	UAL	UAL2W	23.60	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		34.29									
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		31.99	20.02					20.35	10.54	13.32	13.3
2-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	10.83	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.3
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	14.15	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.3
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UHL	UHL2X	18.50	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.3
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1	- 1	1	UHL	UHL2W	10.83	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2	- 1	2	UHL	UHL2W	14.15	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3	- 1	3	UHL	UHL2W	18.50	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									1
	CLEC to CLEC Conversion Charge without outside dispatch	ı		UHL	UREWO		31.99	20.02			ĺ		20.35	10.54	13.32	13.
4-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP								ĺ					
	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 1	<u></u>	1	UHL	UHL4X	13.93	279.60	244.22	74.54	39.14	<u></u>	<u></u>	20.35	10.54	13.32	13.3
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	18.20	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.:
	4-Wire Unbundled HDSL Loop including manual service inquiry	-		UNL	UHL4A	10.20	279.00	244.22	74.54	39.14	<b>-</b>	<b>-</b>	20.33	10.54	13.32	13.
	and facility reservation - Zone 3		3	UHL	UHL4X	23.80	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.
	Order Coordination for Specified Conversion Time (per LSR)	-	3	UHL	OCOSL	23.00	34.29	244.22	74.34	35.14	<b>-</b>	<b>-</b>	20.33	10.54	13.32	13.
	4-Wire Unbundled HDSL Loop without manual service inquiry			UNL	OCOSL		34.29				-	-				+
	and facility reservation - Zone 1	١.,	1	UHL	UHL4W	13.93	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
_	4-Wire Unbundled HDSL Loop without manual service inquiry	<del>- '-</del>		ULL	UTL4VV	13.93	31.99	20.02	10.05	1.41	1	<del>                                     </del>	20.35	10.54	13.32	13.
	and facility reservation - Zone 2	,	2	UHL	UHL4W	18.20	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	4-Wire Unbundled HDSL Loop without manual service inquiry	<del>- '-</del>		OI IL	OI IL+VV	10.20	31.88	20.02	10.05	1.41	<b> </b>	-	20.35	10.34	13.32	13.
	and facility reservation - Zone 3	,	3	UHL	UHL4W	23.80	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
_	Order Coordination for Specified Conversion Time (per LSR)	<b>-</b> '-	3	UHL	OCOSL	23.00	34.29	20.02	10.05	1.41			20.33	10.54	13.32	13.
-	CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>		UHL	UREWO		31.99	20.02	<del>                                     </del>		1	<b>H</b>	20.35	10.54	13.32	13.
/_\N/IE	RE DS1 DIGITAL LOOP	<b>-</b> '	<del>                                     </del>	OFF	UNLWU		31.33	20.02	<del>                                     </del>				20.33	10.54	13.32	13.
-+- VVII	4-Wire DS1 Digital Loop - Zone 1	1	1	USL	USLXX	57.73	313.08	219.72	96.86	40.45	<b> </b>	<del>                                     </del>	18.98	8.43	11.95	11.
-	4-Wire DS1 Digital Loop - Zone 1	1		USL	USLXX	75.40	313.08	219.72	96.86	40.45	<b> </b>	<del>                                     </del>	18.98	8.43	11.95	
-	4-Wire DS1 Digital Loop - Zone 2	1		USL	USLXX	98.59	313.08	219.72	96.86	40.45	<b> </b>	<del>                                     </del>	18.98	8.43	11.95	
-	Order Coordination for Specified Conversion Time (per LSR)	1	3	USL	OCOSL	90.09	34.59	219.72	90.00	40.45	<b> </b>	<del>                                     </del>	10.98	0.43	11.95	11.
		<del>                                     </del>	<del>                                     </del>	USL	UREWO		130.47	40.11	<del>                                     </del>		1	<b>H</b>	20.35	10.54	13.32	13.3
	CLEC to CLEC Conversion Charge without outside dispatch															

UNBUNDL	LED NETWORK ELEMENTS - Tennessee													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
					+ -		Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		I
+					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	31.10	207.01	141.38	90.70	44.18	JOINEC	JOHAN	20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	53.11	207.01	141.38	90.70	44.18	İ		20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	40.61	207.01	141.38	90.70	44.18	İ		20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	53.11	207.01	141.38	90.70	44.18	i e		20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		34.29				İ					
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	31.10	207.01	141.38	90.70	44.18	İ		20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	40.61	207.01	141.38	90.70	44.18	i e		20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	53.11	207.01	141.38		44.18	i e		20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		34.29				i e					
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.28	49.82			İ		20.35	10.54	13.32	13.32
2-W	IRE Unbundled COPPER LOOP										İ					1010
	2-Wire Unbundled Copper Loop-Designed including manual										i e					
	service inquiry & facility reservation - Zone 1	l i	1	UCL	UCLPB	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop-Designed including manual				1		2.000		10.00		İ					
	service inquiry & facility reservation - Zone 2	l ı	2	UCL	UCLPB	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 3	l ı	3	UCL	UCLPB	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52			i e					
	2-Wire Unbundled Copper Loop-Designed without manual										İ					
	service inquiry and facility reservation - Zone 1	l ı	1	UCL	UCLPW	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop-Designed without manual										i e					
	service inquiry and facility reservation - Zone 2	l ı	2	UCL	UCLPW	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop-Designed without manual										İ					
	service inquiry and facility reservation - Zone 3	l ı	3	UCL	UCLPW	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)	Ė	Ť	UCL	UCLMC	22.00	36.52	36.52	10.00		İ		20.00	10.01	10.02	10.02
	CLEC to CLEC Conversion Charge without outside dispatch										i e					
	(UCL-Des)	l ı		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-W	IRE COPPER LOOP										İ					
	4-Wire Copper Loop-Designed including manual service inquiry										İ					
	and facility reservation - Zone 1	l ı	1	UCL	UCL4S	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 2	l ı	2	UCL	UCL4S	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop-Designed including manual service inquiry										İ					
	and facility reservation - Zone 3	l ı	3	UCL	UCL4S	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 1	1	1	UCL	UCL4W	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 2	1	2	UCL	UCL4W	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop-Designed without manual service inquiry		ĺ				i									
	and facility reservation - Zone 3	- 1	3	UCL	UCL4W	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	CLEC to CLEC Conversion Charge without outside dispatch						İ									
	(UCL-Des)	- 1		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
LOOP MODI	IFICATION		ĺ				i									
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		65.40	65.40					20.35	10.54	13.32	13.32
	less than or equal to 18K ft, per Unbundled Loop	1	1	UHL. UCL. UEA	ULM4L		65.40	65.40				1	20.35	10.54	13.32	13.32
	ress than or equal to 18K it, per Unbundled Loop	<del>                                     </del>	<u> </u>		ULIVI4L		65.40	65.40			ļ		20.35	10.54	13.32	13.32
		1	1	UAL, UHL, UCL, UEQ, ULS, UEA,								1				
	Unbundled Loop Modification Removal of Bridged Tap Removal,	1	1	UEANL, UEPSR,	] ]							1				
	per unbundled loop		1	UEPSB	ULMBT		65.44	65.44				1	20.35	10.54	13.32	13.32
		<del>- '-</del>	<b>-</b>	JE: 0D	CLIVIDI		00.44	00.44			<del> </del>	<b> </b>	20.00	10.54	10.02	13.32
SUB-LOOPS																

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			II .	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		-					Nonrecurring		Nonrecurring	Disconnect			088	Rates (\$)	<u> </u>	<u></u>
			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-		1				11130	Addi	11130	Auu	JOINEC	JOHAN	JONAN	JONIAN	JOHAN	JOMAN
	Up	- 1		UEANL	USBSA		517.25	517.25					20.35	10.54	13.32	13.32
			1													
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	- 1		UEANL	USBSB		42.68	42.68					20.35	10.54	13.32	13.32
	Sub-Loop - Per Building Equipment Room - CLEC Feeder	١.														40.00
	Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	- 1	1	UEANL	USBSC		313.01	313.01					20.35	10.54	13.32	13.32
	Set-Up			UEANL	USBSD		108.06	108.06					20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	<u> </u>	1	OL7 II VL	CODOD		100.00	100.00					20.00	10.04	10.02	10.02
	Statewide		sw	UEANL	USBN2	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
			1													
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		ļ	UEANL	USBMC		34.29	34.29								<u> </u>
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		.													
	Zone 1		1	UEANL	USBN4	7.30	147.93	75.11	99.96	16.98	ļ		20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	9.54	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			UEANL	USBIN4	9.54	147.93	75.11	99.90	10.90			20.35	10.54	13.32	13.32
	Zone 3		3	UEANL	USBN4	12.47	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
				-												
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	1.35	94.56	29.35					20.35	10.54	13.32	13.32
				l												
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	<b>.</b>		UEANL UEANL	USBMC USBR4	2.26	34.29 116.14	34.29					20.35	10.54	13.32	13.32
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	2.20	116.14	37.10					20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	Loop Testing - Basic 1st Half Hour				URET1		78.92	78.92								
	Loop Testing - Basic Additional Half Hour				URETA		23.33	23.33								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1		UCS2X	5.16	110.71	37.89	94.41	13.09			20.35	10.54	13.32	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS2X	6.74	110.71	37.89	94.41	13.09			20.35	10.54	13.32	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı	3	UEF	UCS2X	8.81	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.29	34.29								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.52	117.12	44.30	99.96	16.98	<b> </b>		20.35	10.54	13.32	13.32
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i i	2		UCS4X	8.52	117.12	44.30	99.96	16.98			20.35	10.54	13.32	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i			UCS4X	11.14	117.12	44.30	99.96	16.98			20.35	10.54	13.32	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		ļ	UEF	USBMC		34.29	34.29								<u> </u>
	Loop Testing - Basic 1st Half Hour	<u> </u>	<u> </u>		URET1		78.92	78.92								<del>                                     </del>
Unhern	Loop Testing - Basic Additional Half Hour  dled Network Terminating Wire (UNTW)	<del>                                     </del>	<del>                                     </del>	UEF	URETA		23.33	23.33			-					<del> </del>
	Unbundled Network Terminating Wire (UNTW) per Pair		<del>                                     </del>	UENTW	UENPP	0.4555	2.48	2.48					20.35	10.54	13.32	13.32
	k Interface Device (NID)	<del>_</del>	t	J	021411	0.4000	2.40	2.40					20.00	10.04	10.02	10.02
	Network Interface Device (NID) - 1-2 lines		<b>†</b>	UENTW	UND12		89.69	54.56	0.6391	0.6391			20.35	10.54	13.32	13.32
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		129.65	94.51	0.6522	0.6522			20.35	10.54	13.32	
	Network Interface Device Cross Connect - 2 W				UNDC2		11.11	11.11					20.35	10.54	13.32	
	Network Interface Device Cross Connect - 4W	ļ	<u> </u>	UENTW	UNDC4		11.11	11.11			1		20.35	10.54	13.32	13.32
UNE OTHER, P	ROVISIONING ONLY - NO RATE  NID - Dispatch and Service Order for NID installation	-		UENTW	UNDBX	0.00	0.00									<del> </del>
+	UNTW Circuit Id Establishment, Provisioning Only - No Rate	1	<del>                                     </del>		UENCE	0.00	0.00					-				+
	OTTIVE SHOUL IN ESTABLISHMENT, FIOVISIONING OTHY - IND RATE	<b>†</b>	<b>!</b>	UEANL,UEF,UEQ,U	OLINOL	0.00	0.00				1				<b> </b>	<del>                                     </del>
	Unbundled Contract Name, Provisioning Only - No Rate	1		ENTW	UNECN	0.00	0.00									
UNE OTHER, P	ROVISIONING ONLY - NO RATE	i –											1			
	L			UAL,UCL,UDC,UDL,												
	Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no	<u> </u>	<u> </u>	UDN,UEA,UHL,ULC	UNECN	0.00	0.00							ļ		<del> </del>
	LUDDUDGIEG SUD-LOOD FEEGER-2 WIRE LIGSS BOY JUMPER - DO	1	1	1	1						1			1	1	1

UNBUI	NDLE	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			II .	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no				LIODED	0.00	0.00									
		Inhundled DC1 Loop Superfrome Formet Option no rate			UEA,USL,UCL,UDL USL	USBFR CCOSF	0.00	0.00		-				-			
		Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option -		-	USL	CCOSF	0.00	0.00		-		<b> </b>		-			-
		no rate			USL	CCOEF	0.00	0.00									
HIGH C	APACIT	Y UNBUNDLED LOCAL LOOP			002	0002.	0.00	0.00		t				t			
		High Capacity Unbundled Local Loop - DS3 - Per Mile per															
		month			UE3	1L5ND	9.19										
		High Capacity Unbundled Local Loop - DS3 - Facility															
		Termination per month			UE3	UE3PX	374.24	595.37	304.50	234.83	170.16			36.84	36.84		
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			LIDL 6V	11 END	0.40							1			
		month High Capacity Unbundled Local Loop - STS-1 - Facility			UDLSX	1L5ND	9.19	-		-				-	-		-
		Termination per month			UDLSX	UDLS1	389.35	595.37	304.50	215.82	151.15			36.84	36.84		
		): Rates provided in TN for both electronic and manual Loop	Makeu	o are in								nents from t	he Tenness				
LOOP N			manou					The position of	, a pormanom	l attended					/ / tutilolling		
		Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).	R		UMK	UMKLW		0.76	0.76					19.99	19.99	19.99	19.99
		Loop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual).	R		UMK	UMKLP		0.76	0.76					19.99	19.99	19.99	19.99
		Loop MakeupWith or Without Reservation, per working or	_		1.15.41.2			0.70	0.70								
I INE CL	LABINO	spare facility queried (Mechanized) AND LINE SPLITTING	R	-	UMK	UMKMQ	-	0.76	0.76	-		<b>.</b>		-			-
		: The Line Sharing monthly recurring rates for all installation	e comi	leted f	rom October 02, 200	3 through m	idnight Octob	ar 01 2004 shal	l ha hillad se f	ollows.		<b> </b>		-			-
		: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co					I	01, 2004 31181	i be billed as i	l liows.		<b>+</b>					
		: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND	урсі іс	l no.	designed ( GOLIND	ľ						1					
		: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
ĺ	NOTE 1	: Above will apply to USOCS: ULSDT and ULSCT															
		2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	d ULSC	C applies only to ci	rcuits install	ed and inservi	ce on or before	October 1, 20	03							
		HARING															
		ERS-CENTRAL OFFICE BASED					100.00	4=0.00								10.00	40.00
		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	100.00		0.00	0.00	0.00	ļ		20.35	10.54	13.32	13.32
		Line Sharing Splitter, per System 24 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-		-	ULS	ULSDB	25.00	150.00	0.00	0.00	0.00			20.35	10.54	13.32	13.32
		deactivation (per LSOD)			ULS	ULSDG		163.06	0.00	92.71	0.00			20.35	10.54	13.32	13.32
		SER ORDERING-CENTRAL OFFICE BASED LINE SHARING			ULG	OLODG		103.00	0.00	92.71	0.00			20.33	10.54	13.32	13.32
		Line Sharing - per Line Activation (BST Owned splitter) -					1	1		1				1			t e
		OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	40.00	31.39	0.00	0.00			20.35	10.54	13.32	13.32
j		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (25% of UCLND) - please see NOTE 1					1			1			1	I			
		(E:10/2/2003)			ULS	ULSDT	2.94	40.00	31.39	0.00	0.00	ļ		ļ			
		Line Share Service, TRO per line activation, BST owned splitter -					1			1			1	I			
		Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	5.87	40.00	31.39	0.00	0.00		1	I			
		Line Share Service, TRO per line activation, BST owned splitter -			ULG	OLODI	5.87	40.00	31.39	0.00	0.00			+			<del>                                     </del>
		Central Office Located (75% of UCLND) - please see NOTE 1					1			1			1	I			
		(E:10/2/2005)			ULS	ULSDT	8.81	40.00	31.39	0.00	0.00		1	I			
İ		Line Sharing - per Subsequent Activity per Line															
		Rearrangement(BST Owned Splitter)	<u> </u>		ULS	ULSDS	<u></u>	30.00	15.00	<u></u>				20.35	10.54	13.32	13.32
		Line Sharing - per Subsequent Activity per Line															
		Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		30.00	15.00			ļ		20.35	10.54	13.32	13.32
		Line Sharing - per Line Activation (DLEC owned Splitter) -				111.000			10.01	0.00	0.00		1	00.6=	10.51	10.00	10.00
		OBSOLETE see **NOTE 2		-	ULS	ULSCC	0.61	47.44	19.31	0.00	0.00	ļ	-	20.35	10.54	13.32	13.32
		Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (25% of UCLND) - please see					1			1			1	I			
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.94	47.44	19.31	0.00	0.00			1			
		Line Share Service, TRO per line activation, CLEC owned			0_0	32001	2.34	77.74	19.31	0.00	0.00	1		<b>†</b>	1		t
	1	splitter - Central Office Located (50% of UCLND) - please see	l	1		I	1			1		1	1	1	l		1
		splitter - Certifal Office Located (50 % of OCLIND) - please see				ULSCT											

UNBUNDI	LED NETWORK ELEMENTS - Tennessee				_									ment: 2	1	ibit: A
CATEGORY	Y RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring	Disconnect				Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Share Service, TRO per line activation, CLEC owned															
	splitter - Central Office Located (75% of UCLND) - please see															
	NOTE 1 (E:10/2/2005)			ULS	ULSCT	8.81	47.44	19.31	0.00	0.00						ļ
	E SPLITTING															
END	D USER ORDERING-CENTRAL OFFICE BASED		<u> </u>	LIEDOD LIEDOD	LIDEOO	0.04					ļ					ļ
	Line Splitting - per line activation DLEC owned splitter  Line Splitting - per line activation BST owned - physical		1	UEPSR UEPSB UEPSR UEPSB	UREOS UREBP	0.61 0.61	48.96	21.39	35.06	10.79	<b>.</b>	-	20.35	10.54	13.32	13.32
	Line Splitting - per line activation BST owned - physical  Line Splitting - per line activation BST owned - virtual	1	+	UEPSR UEPSB	UREBV	0.61	48.96	21.39	35.06	10.79	<b>-</b>	-	20.35	10.54	13.32	13.32
МΔΙ	INTENANCE	+	1	OLF SK OLF SB	OKLBV	0.01	40.90	21.35	33.00	10.79	1	1	20.33	10.54	13.32	13.32
IIIZI	No Trouble Found - per 1/2 hour increments - Basic	+	+				80.00	55.00			<b>†</b>					1
	No Trouble Found - per 1/2 hour increments - Overtime	1	1			t	120.00	82.50			†			1		
	No Trouble Found - per 1/2 hour increments - Premium		1				160.00	110.00								
	D DEDICATED TRANSPORT	1														
INTI	EROFFICE CHANNEL - DEDICATED TRANSPORT	İ	i													
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade	-														
	Per Mile per month			U1TVX	1L5XX	0.0054										ļ
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade	-														
	Facility Termination			U1TVX	U1TV2	18.58	55.39	17.37	27.96	3.51			20.35	21.09		
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
	Rev Bat Per Mile per month	-	-	U1TVX	1L5XX	0.0054					1					
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination	1		U1TVX	U1TR2	18.58	55.39	17.37	27.96	3.51			20.35	21.09		
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade	+	+	UTIVA	UTIKZ	10.00	55.59	17.37	27.90	3.31	1	1	20.33	21.09		1
	Per Mile per month			U1TVX	1L5XX	0.0054										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grad	2	+	OTTVX	TEO/O	0.0004					<b>†</b>					1
	- Facility Termination	1		U1TVX	U1TV4	24.09	37.87	26.02	30.78	13.07			15.08	15.08		
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile		1								İ					
	per month			U1TDX	1L5XX	0.0174										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility	İ	i													
	Termination			U1TDX	U1TD5	17.98	55.39	17.37	27.96	3.51			20.35	21.09		
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month			U1TDX	1L5XX	0.0174										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility					.=				0.54						
	Termination		<u> </u>	U1TDX	U1TD6	17.98	55.39	17.37	27.96	3.51	ļ		20.35	21.09		
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			U1TD1	1L5XX	0.3562										
	month Interoffice Channel - Dedicated Tranport - DS1 - Facility	1	+	וטווטו	ILSXX	0.3562					<b> </b>	-		-		<del>                                     </del>
	Termination			U1TD1	U1TF1	77.86	112.40	76.27	19.55	14.99			20.35	21.09		
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	+	<del> </del>	OTTE	011111	77.00	112.40	70.27	10.00	14.00	1	<b>†</b>	20.00	21.00		1
	month			U1TD3	1L5XX	2.34										
	Interoffice Channel - Dedicated Transport - DS3 - Facility		1								İ					
	Termination per month			U1TD3	U1TF3	848.99	395.29	176.56	109.04	105.91			36.84	36.84		
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile pe															
	month			U1TS1	1L5XX	2.34										
, $\top$	Interoffice Channel - Dedicated Transport - STS-1 - Facility															
	Termination	ļ		U1TS1	U1TFS	849.30	395.29	176.56	109.04	105.91			36.84	36.84		<b></b>
DARK FIBE		<del> </del>	-	-		-	ļ							-	ļ	<del>                                     </del>
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel	1		UDF, UDFCX	1L5DF	28.74								I		
	NRC Dark Fiber - Interoffice Channel	+	+	UDF, UDFCX	UDF14	28.74	1,121.00	153.19	580.26	357.17	-		20.35	10.54	13.32	13.32
	Dark Fiber - Interoffice Channel  Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1	+	ODF, ODFGA	UDF 14	<del>                                     </del>	1,121.00	153.19	58∪.∠6	357.17	1	<del>                                     </del>	20.35	10.54	13.32	13.32
	Thereof per month - Local Loop	1		UDF, UDFCX	1L5DL	58.83								I		
	NRC Dark Fiber - Local Loop	<del>                                     </del>	t	UDF, UDFCX	UDFL4	55.65	1,121,00	153.19	580.26	357.17			20.35	10.54	13.32	13.32
8XX ACCES	SS TEN DIGIT SCREENING	<del>                                     </del>	t	,	1	1	.,.250	.00.10	555.20	551.117		1	20.00			.5.52
	8XX Access Ten Digit Screening, Per Call	T T	1	OHD		0.0005192										1
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX															
	Number Reserved	ļ		OHD	N8R1X		5.21	0.76					20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O	1				_	ı 7							_		
	POTS Translations			OHD		L	11.47	1.46	7.34	0.7602	<u> </u>		20.35	20.35	13.28	13.28

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			II .	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	8XX Access Ten Digit Screening, Per 8XX No. Established With			OLID	NOFTY		44.47	4.40	7.04	0.7000			00.05	00.05	40.00	40.00
	POTS Translations 8XX Access Ten Digit Screening, Customized Area of Service		1	OHD	N8FTX		11.47	1.46	7.34	0.7602			20.35	20.35	13.28	13.28
	Per 8XX Number			OHD	N8FCX		4.47	2.24					20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Multiple InterLATA CXR															
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		5.23	3.00					20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		5.97	0.76					20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Call Handling and Destination															
	Features		ļ	OHD	N8FDX		4.47						20.35	20.35	13.28	13.28
LINE INFORMA	ATION DATA BASE ACCESS (LIDB)		-	007		0.0000054					ļ					
	LIDB Common Transport Per Query LIDB Validation Per Query		1	OQT OQU	-	0.0000354 0.0117403					-			-		-
	LIDB Validation Per Query  LIDB Originating Point Code Establishment or Change		-	OQT, OQU	NRBPX	0.0117403	49.03				<b> </b>		20.35	20.35	13.28	13.28
SIGNALING (C		<del>                                     </del>	1	0Q1, 0Q0	MINDLY		49.03		1	1	}	<b> </b>	20.35	20.35	13.28	13.28
SIGNALING (C	CCS7 Signaling Termination, Per STP Port		1	UDB	PT8SX	138.41					1				1	
<del>                                     </del>	CCS7 Signaling Termination, Per STP Port  CCS7 Signaling Usage, Per TCAP Message	<b>-</b>	<del>                                     </del>	UDB	1 100/	0.0000916			<del> </del>	<b> </b>	<del>                                     </del>	<b>-</b>	<b> </b>	<del> </del>	t	<del> </del>
	CCS7 Signaling Osage, Fer TOAF Message  CCS7 Signaling Connection, Per link (A link)	<u> </u>	1	UDB	TPP++	17.84	130.84	130.84	1		1	<b> </b>	20.35	20.35	13.32	13.32
	CCS7 Signaling Connection, Per link (B link) (also known as D			000	1	17.01	100.01	100.01			İ		20.00	20.00	10.02	10.02
	link)			UDB	TPP++	17.84	130.84	130.84					20.35	20.35	13.32	13.32
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000373										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	352.30										
	Signaling Point Code, per Originating Point Code Establishment															
	or Change, per STP			UDB	CCAPO		121.77	121.77					20.35	20.35	13.32	13.32
CALLING NAM	E (CNAM) SERVICE															
	CNAM For DB Owners - Service Establishment			OQV			43.27									
	CNAM For Non DB Owners - Service Establishment			OQV			43.27									
	CNAM For DB Owners - Service Provisioning With Point Code															
	Establishment			OQV			1,868.00	1,382.00								
	CNAM For Non DB Owners - Service Provisioning With Point															
<b></b>	Code Establishment			OQV	ļ	0.0010=11	645.50	432.23								
	CNAM for DB Owners, Per Query CNAM for Non DB Owners, Per Query		1	OQV	-	0.0010541 0.0010541									1	
<b></b>	CNAM (Non-Databs Owner), NRC, applies when using the		-	OQV	+	0.0010541					<b> </b>					
	Character Based User Interface (CHUI)			oqv	CDDCH								20.35	20.35	13.28	13.28
SELECTIVE RO		-	1	OQV	CDDCIT				1		1		20.33	20.33	13.20	13.20
OLLLO IIVE KO	Selective Routing Per Unique Line Class Code Per Request Per		1		+						1					
	Switch						179.60	179.60					20.35	20.35		
VIRTUAL COLI																
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line	1			1	l			1	ĺ	Ì		ĺ	ĺ	1	ĺ
	Splitting	<u> </u>		UEPSR UEPSB	VE1LS	0.57	11.62	9.90	10.38	8.66	<u> </u>	<u></u>	19.99	19.99	19.99	19.99
PHYSICAL COI								·								
	Physical Collocation-2 Wire Cross Connects (Loop) for Line							<u> </u>								
	Splitting			UEPSR UEPSB	PE1LS	0.7905	11.62	9.90	10.38	8.66			19.99	19.99	19.99	19.99
AIN SELECTIV	E CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		190,638.00		ļ				20.35	ļ	1	ļ
	End Office Establishment		_	SRC	SRCEO	0.05	317.55	317.55	3.19	3.19			20.35	20.35	13.28	13.28
AIN DELLOS	Query NRC, per query	<b>.</b>	1	SRC	+	0.0206047			1	-	ļ	<b> </b>	<b>.</b>	-	<del>                                     </del>	-
AIN - BELLSOL	JTH AIN SMS ACCESS SERVICE AIN SMS Access Service - Service Establishment, Per State,	-	1		1	-	1		<del> </del>	<del> </del>	ļ	ļ	<del>                                     </del>	<b>.</b>	<del>                                     </del>	<b>.</b>
				A4N	CAMSE		125 50	125.50				1	20.25	20.25	12.00	12.00
<del>                                     </del>	Initial Setup	<b>-</b>	1	A1N	CAMSE		135.56	135.56	1		<del>                                     </del>	-	20.35	20.35	13.28	13.28
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		41.75	41.75				1	20.35	20.35	13.28	13.28
	AIN SMS Access Service - Port Connection - Dial/Shared Access AIN SMS Access Service - Port Connection - ISDN Access	<b>-</b>	<del>                                     </del>	A1N	CAM1P		41.75	41.75	<del> </del>	<b> </b>	<del>                                     </del>	<b>-</b>	20.35	20.35	13.28	13.28
	AIN SMS Access Service - User Identification Codes - Per User		1	,	C/ W/111		71.75	71.75	1				20.00	20.00	10.20	10.20
1	ID Code			A1N	CAMAU		96.63	96.63				1	20.35	20.35	13.28	13.28
	AIN SMS Access Service - Security Card, Per User ID Code,	1			1	l	33.30	22.30	1	İ					10.20	12.20
	Initial or Replacement			A1N	CAMRC		113.67	113.67				1	20.35	20.35	13.28	13.28
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0024										
	AIN SMS Access Service - Session, Per Minute					0.0820123										

CHOCHDE	ED NETWORK ELEMENTS - Tennessee										T -		Attach			bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
		ļ	ļ			Rec	Nonrecurring		Nonrecurring					Rates (\$)		
	AIN ONO A O	ļ	-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN SMS Access Service - Company Performed Session, Per Minute					2.27										
AIN - BELLS	DUTH AIN TOOLKIT SERVICE	1	1			2.21										
	AIN Toolkit Service - Service Establishment Charge, Per State,						1		1							
	Initial Setup			CAM	BAPSC		132.04	132.04					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		7,915.00	7,915.00					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Term. Attempt	ļ	ļ		BAPTT		31.21	31.21					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DARTE		04.04	04.04					00.05	00.05	40.00	40.00
	DN, Off-Hook Delay AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	<u> </u>	1		BAPTD		31.21	31.21					20.35	20.35	13.28	13.28
	DN, Off-Hook Immediate				BAPTM		31.21	31.21					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	<u> </u>			D,		01.21	02.	i i				20.00	20.00	10.20	10.20
	DN, 10-Digit PODP				BAPTO		85.24	85.24					20.35	20.35	13.28	13.28
İ	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per								İ							
	DN, CDP				BAPTC		85.24	85.24					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Feature Code	ļ			BAPTF	0.0044000	85.24	85.24					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Query Charge, Per Query	ļ	<del> </del>			0.0211882	-									
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.0054774										
-+-	AIN Toolkit Service - SCP Storage Charge, Per SMS Access	1	1			0.0034774										
	Account, Per 100 Kilobytes					1.50										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
	Subscription			CAM	BAPMS	17.43	33.52	33.52					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service															
	Subscription	ļ	ļ	CAM	BAPLS	0.1321116	36.23	36.23					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			0444	DARRO	47.05	00.50	00.50					00.05	00.05	40.00	40.00
	Subscription  AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit	1	1	CAM	BAPDS	17.35	33.52	33.52					20.35	20.35	13.28	13.28
	Service Subscription			CAM	BAPES	0.0511435	36.23	36.23					20.35	20.35	13.28	13.28
ENHANCED F	EXTENDED LINK (EELs)			O/ UVI	D/ 11 LO	0.0011400	00.20	00.20					20.00	20.00	10.20	10.20
	: The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charge	will not app	oly for UNE cor	nbinations pro	visioned as ' C	Ordinarily Comb	ined' Network	Elements.					
	: The monthly recurring and the Switch-As-Is Charge and not t					UNE combinat	ions provisione	ed as ' Current	ly Combined' N	etwork Eleme	nts.					
EXTE	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS														
	First 2-Wire VG Loop (SL2) in Combination - Zone 1	ļ	1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09		
+-	First 2-Wire VG Loop (SL2) in Combination - Zone 2 First 2-Wire VG Loop (SL2) in Combination - Zone 3	<u> </u>	3	UNCVX	UEAL2 UEAL2	21.63 28.28	108.76 108.76	35.47 35.47	72.94 72.94	10.86 10.86			20.35 20.35	21.09		
	IFIISL 2-WIFE VG LOOD (SLZ) IN COMPINATION - ZONE 3			UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86	-		20.35	21.09		
<del>-   -</del>			1		I											
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNC1X	1L5XX	0.3562										
				UNC1X	1L5XX	0.3562										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/0 Channelization System in combination Per Month			UNC1X UNC1X	U1TF1 MQ1	77.86 80.77	105.76	14.48	70.07 3.04	30.90 2.74			20.35	21.09		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	77.86							20.35	21.09		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month			UNC1X UNC1X UNCVX	U1TF1 MQ1 1D1VG	77.86 80.77 0.91	105.76 5.70	14.48 4.42	3.04	2.74						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/0 Channelization System in combination Per Month		1	UNC1X UNC1X	U1TF1 MQ1	77.86 80.77	105.76	14.48					20.35	21.09		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNC1X UNC1X UNCVX UNCVX	U1TF1 MQ1 1D1VG UEAL2	77.86 80.77 0.91 16.56	105.76 5.70 108.76	14.48 4.42 35.47	72.94	10.86			20.35	21.09		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month			UNC1X UNC1X UNCVX	U1TF1 MQ1 1D1VG	77.86 80.77 0.91	105.76 5.70	14.48 4.42	3.04	2.74						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		1	UNC1X UNC1X UNCVX UNCVX	U1TF1 MQ1 1D1VG UEAL2	77.86 80.77 0.91 16.56	105.76 5.70 108.76	14.48 4.42 35.47	72.94	10.86			20.35	21.09		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3  Voice Grade COCI - Per Month		1 2	UNC1X UNC1X UNCVX UNCVX UNCVX	U1TF1 MQ1 1D1VG UEAL2	77.86 80.77 0.91 16.56 21.63	105.76 5.70 108.76 108.76	14.48 4.42 35.47 35.47	72.94 72.94	10.86			20.35	21.09		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3  Voice Grade COCI - Per Month  Nonrecurring Currently Combined Network Elements Switch - As-		1 2	UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2	77.86 80.77 0.91 16.56 21.63	105.76 5.70 108.76 108.76 108.76 5.70	14.48 4.42 35.47 35.47 35.47 4.42	72.94 72.94 72.94	2.74 10.86 10.86 10.86			20.35 20.35 20.35	21.09 21.09 21.09		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 Voice Grade COCI - Per Month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		1 2 3	UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UDEAL2 UEAL2 UEAL2 UEAL2 UDEAL2 UDEAL2	77.86 80.77 0.91 16.56 21.63	105.76 5.70 108.76 108.76 108.76	14.48 4.42 35.47 35.47 35.47	72.94 72.94	10.86			20.35	21.09		
EXTE	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3  Voice Grade COCI - Per Month  Nonrecurring Currently Combined Network Elements Switch - As-		1 2 3	UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UDEAL2 UEAL2 UEAL2 UEAL2 UDEAL2 UDEAL2	77.86 80.77 0.91 16.56 21.63	105.76 5.70 108.76 108.76 108.76 5.70	14.48 4.42 35.47 35.47 35.47 4.42	72.94 72.94 72.94	2.74 10.86 10.86 10.86			20.35 20.35 20.35	21.09 21.09 21.09		
EXTE	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3  Voice Grade COCI - Per Month  Nonrecurring Currently Combined Network Elements Switch -As-Is Charge  INDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATION.		1 2 3 1 INTE	UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX ROFFICE TRANSPOR	U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UEAC	77.86 80.77 0.91 16.56 21.63 28.28 0.91	105.76 5.70 108.76 108.76 108.76 5.70 52.73	14.48 4.42 35.47 35.47 35.47 4.42 24.62	72.94 72.94 72.94 9.12	2.74 10.86 10.86 10.86			20.35 20.35 20.35 20.35	21.09 21.09 21.09 21.09		
EXTE	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 Voice Grade COCI - Per Month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		1 2 3	UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UDEAL2 UEAL2 UEAL2 UEAL2 UDEAL2 UDEAL2	77.86 80.77 0.91 16.56 21.63	105.76 5.70 108.76 108.76 108.76 5.70	14.48 4.42 35.47 35.47 35.47 4.42	72.94 72.94 72.94	2.74 10.86 10.86 10.86			20.35 20.35 20.35	21.09 21.09 21.09		

UNBUN	IDLE	NETWORK ELEMENTS - Tennessee													ment: 2		ibit: A
CATEGO	DRY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			II .	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		First 4 Wine Analysis Conditions in Conditioning 7			1110101		10.10	100.70	05.47	70.04	40.00			00.05	04.00		
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09	-	
		Per Month			UNC1X	1L5XX	0.3562										
		Interoffice Transport - Dedicated - DS1 - Facility Termination Per			ONOTA	120/01	0.0002										
		Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
		1/0 Channel System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
		Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.91	5.70	4.42								
		Additional 4-Wire Analog Voice Grade Loop in same DS1				l											
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09		ļ
		Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.04	10.96			20.35	21.09		
<del>-  </del>		Additional 4-Wire Analog Voice Grade Loop in same DS1			OINCVA	UEAL4	32.20	100.76	33.47	72.94	10.86			20.35	21.09	<del> </del>	+
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86		1	20.35	21.09	I	
		Additional Voice Grade COCI in combination - per month		Ť	UNCVX	1D1VG	0.91	5.70	4.42	.2.54	.0.50			20.00	255	1	<u> </u>
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
E	EXTEN	DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN	TEROFFICE TRANS	SPORT											
				١.							40.00						
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09	1	-
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
-	-	Thist 4-Wire Sortops Digital Grade Loop III Combination - Zone 2			UNCDA	ODLSO	40.01	100.70	33.47	12.54	10.80			20.33	21.09		+
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		Per Month			UNC1X	1L5XX	0.3562										<u> </u>
		Interoffice Transport - Dedicated - DS1 - combination Facility															
		Termination Per Month		ļ	UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		<u> </u>
		1/0 Channel System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						ļ
		OCU-DP COCI (data) per month (2.4-64kbs) Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		<u> </u>	UNCDX	1D1DD	0.91	5.70	4.42			<b>.</b>		-		-	
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		<u>'</u>	ONODA	ODLOG	31.10	100.70	33.47	72.54	10.00			20.55	21.03	-	1
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional OCU-DP COCI (data) - in combination per month (2.4-															
		64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
F	XTENI	DED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	ATED	DS1 IN				52.73	24.02	9.12	9.12			20.35	21.09	<del> </del>	
		SED 4 WINE OF REI O EXTERDED DIGITAL EGGI WITH DEDIC	JAILD	1	TEROTTIOE TRAIN	J OKT		1									
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09		<u> </u>
Г	Ţ					1		I T		Ι Π				_	1	_	
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86	1		20.35	21.09		<b></b>
		Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.3562						1	I		I	
+		interoffice Transport - Dedicated - DS1 combination - Facility		<del>                                     </del>	ONCIA	ILOAA	0.3362							+	-	+	+
		Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	1	
		1/0 Channel System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48		2.74						i e
		OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09		<del>                                     </del>
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09	1	
-		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			OINCDA	UDL04	40.01	100.76	33.47	12.94	10.86			20.35	21.09	<del> </del>	<del>                                     </del>
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86	1	I	20.35	21.09	1	1

ATECONY  RATE FLEMENTS  MIN 2014  BACS USOC PRINTS (1)  PATES (1)  PATES (2)  PATES (2)  PATES (3)  PATES (2)  PATES (3)  PATES (2)  PATES (3)	UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
March   Marc				Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
Additional County   County							Boo	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
12-4-66bbg    12-4-66bbg							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Note		Additional OCU-DP COCI (data) - in combination - per month															
In Charge   STYDEOLE - APRIL STREET CLOOP WITH DEDICATED SIN INFECTION TO A 19					UNCDX	1D1DD	0.91	5.70	4.42								
EXTENSION LOGICAL EXTENSION LOGICAL CONTINUES INTERCOPPECT TRANSPORT			1		LINCAV	LINICCC		E0 70	24.62	0.12	0.12			20.25	24.00		ĺ
A - Wine Dist Digital Loop in Combination - Zime 1	EYTE		ED DS1	INTER				52.73	24.02	9.12	9.12			20.35	21.09		<del></del>
4 Wint St Digital Loop in Commission - Front Will   3 MONIX   USAX   75.00   298.40   507.74   79.87   24.86	LXII		LD DO.	1 1			57.73	228.40	161.74	79.87	24.88						<u> </u>
Intendifice Transport - Cedicated - DST combination - PM Me   Per Notice   Per No				2													
Per Novel		4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88						
Interdiffice Transport - Decidented - Policy   Uniform																	
Temmutation Far Manin   DINCICK   UTFT   77.86   171.24   113.12   70.07   30.00   20.35   21.00	$\vdash$			_	UNC1X	1L5XX	0.3562										<del></del>
Namescuring Curriedly Combined Network Elements Switch - App.   UNCX   UNCX   UNCX   S.73   24.62   9.12   9.12   20.35   21.09					LINC1V	III4TE4	77.00	174 04	449.40	70.07	20.00			20.25	24.00		1
Inchange       Inchange   Inc	<del>                                     </del>			1	OINC IA	UTIFT	77.86	1/1.24	113.12	/0.0/	30.90	1	<del>                                     </del>	20.35	∠1.09		<del>                                     </del>
ETRINGE - 4/WRE SPS IGNITAL EXTENDED LOOP WITH DEDICATED DSS INTEROPTICE TRANSPORT   1 NINCTX   USUXX   57.73   228.40   161.74   78.87   24.88   20.35   21.00					UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		1
First DS1Loop in Combination - Zono 2	EXTE		ED DS3	INTER				52.76	202	J. 12	0.12			20.00	200		
First DS1Lops in Combination - Zone 3   SURCIX   USLXX   98.69   228.40   161.74   79.87   24.88   20.35   21.09							57.73	228.40	161.74	79.87	24.88			20.35	21.09		
Interdiffice Triasport - Dedicated - DSS - Facility Termination per   UNCSX   1LSX   2.34				2													
Per Month				3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09		
Interfrice Transport - Dedicated - DS3 - Faciley Termination per month						1											ĺ
month	<del> </del>		-	<del> </del>	UNC3X	1L5XX	2.34						-				<del>                                     </del>
Si Channel System in combination per month					LINICSV	LIATES	954.07	492.01	152 01	64.43	25.42			26 94	26 94		ĺ
DST LOCK In combination per month			1	1										30.04	30.04		<del>                                     </del>
Zone 1										2	0						
Zone 1		Additional DS1Loop in DS3 Interoffice Transport Combination -															
Zone 2		Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09		
Additional DS1Loop in DS3 Interoffice Transport Combination - 3 UNC1X USLXX 98.59 228.40 161.74 79.87 24.88 20.35 21.09 25.00																	ĺ
Zone 3	L			2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09		
Additional DST COCI in combination per month   UNC1X   UC1D1   17.58   5.70   4.42					LINICAY	LICLYY	00.50	220 40	404.74	70.07	24.00			20.25	24.00		ĺ
Nonrecurring Currently Combined Network Elements Switch -As-   UNC3X				3						79.87	24.88			20.35	21.09		<del></del>
S Charge				1	ONOTA	OCIDI	17.50	3.70	7.72								<u> </u>
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT   1 UNCVX					UNC3X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		l
2-Wire/VG Loop in combination - Zone 2   2 UNCVX UEAL2   21.63   108.76   35.47   72.94   10.86	EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD	Ė INTE	ROFFICE TRANSPO	DRT											
2-WireVG Loop in combination - Zone 3   3 UNCVX   UEAL2   28.28   108.76   35.47   72.94   10.86				1													
Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per   UNCVX																	
Month	-		-	3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86		-				<del>                                     </del>
Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month					UNCVX	11.5XX	0.0174										1
Termination per month			<b>†</b>	<b>†</b>	J. 10 V/	ILONA	0.0174			<del>                                     </del>		<b> </b>	<del>                                     </del>				
Scharge   UNCVX   UNCCC   52.73   24.62   9.12   9.12   20.35   21.09					UNCVX	U1TV2	21.79	79.83	44.08	69.32	31.00			20.35	21.09		1
EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT			-														
4-WireVG Loop in combination - Zone 1				<u> </u>				52.73	24.62	9.12	9.12			20.35	21.09		<b></b>
4-WireVG Loop in combination - Zone 2 2 UNCVX UEAL4 32.26 108.76 35.47 72.94 10.86	EXTE		GRAD	_			04 ===	100.70	05.77	70.01	10.00	-					<del>                                     </del>
4-WireVG Loop in combination - Zone 3   3 UNCVX   UEAL4   42.18   108.76   35.47   72.94   10.86	$\vdash$		-	<del></del>								-					<del>                                     </del>
Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per   UNCVX   1L5XX   0.0174   UNCVX   1L5XX   0.0174   UNCVX   1L5XX   0.0174   UNCVX   1L5XX   0.0174   UNCVX   1L5XX   0.0174   UNCVX	<del>                                     </del>											-	<b>—</b>				<del>                                     </del>
Month   UNCVX   1L5XX   0.0174			<b>†</b>	Ť	001/	J L / L T	72.10	100.70	55.47	72.34	10.00				1		
Termination per month			1		UNCVX	1L5XX	0.0174										1
Termination per month		Interoffice Transport - 4-wire VG - Dedicated - Facility															
Is Charge	$\sqcup$		<u> </u>		UNCVX	U1TV4	27.30	79.83	44.08	69.32	31.00	<u> </u>		20.35	21.09		1
EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT     DS3 Local Loop in combination - per mile per month   UNC3X   1L5ND   9.19			1		LINIONA	LINIOGO											1
DS3 Local Loop in combination - per mile per month	EVT	io chargo	INTER	LECTOR		UNCCC		52.73	24.62	9.12	9.12	ļ	-	20.35	21.09		<u> </u>
DS3 Local Loop in combination - Facility Termination per month UNC3X UE3PX 373.47 240.23 180.87 106.78 45.24	EXIL		INTERC	JI FILE		1L5ND	9 10			<del>                                     </del>		<b> </b>	<del>                                     </del>				<del>                                     </del>
		200 Local Loop in combination - per fille per filoriti	<b>†</b>	<b>†</b>	0.4007	ILUIAD	5.19			<del>                                     </del>		<b> </b>	<del>                                     </del>				
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	373.47	240.23	180.87	106.78	45.24						1
				L													

UNBUNDLI	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATECODY	DATE ELEMENTS	Interi	7	BCS	USOC			DATES (A)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 combination - Facility				===			.=		0= 10						i
	Termination per month	-	<del> </del>	UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			36.84	36.84		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC3X	UNCCC		52.73	24.62	9.12	9.12			36.84	36.84		ı
EXTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF		0.1000		02.70	202	0.12	0.12			00.01	00.01		
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	9.19										
	STS-1 Local Loop in combination - Facility Termination per															1
	month			UNCSX	UDLS1	394.56	240.23	180.87	106.78	45.24						
	Interoffice Transport - Dedicated - STS-1 combination - per mile			LINICEY	11 5 7 7	0.04										, J
<del>                                      </del>	per month Interoffice Transport - Dedicated - STS-1 combination - Facility	<b>-</b>	<del>                                     </del>	UNCSX	1L5XX	2.34					-	-				
	Termination per month	1		UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43	1	1	36.84	36.84		1
	Nonrecurring Currently Combined Network Elements Switch -As-					1			1	22.10						
	Is Charge			UNCSX	UNCCC		52.73	24.62	9.12	9.12			36.84	36.84		ı
EXTE	NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN	SPORT													
	First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		
<b></b>	First 2-Wire ISDN Loop in Combination - Zone 2 First 2-Wire ISDN Loop in Combination - Zone 3	-	3	UNCNX UNCNX	U1L2X U1L2X	29.02 37.95	108.76 108.76	35.47 35.47	72.94 72.94	10.86 10.86			20.35 20.35	21.09 21.09		
<del>                                     </del>	Interoffice Transport - Dedicated - DS1 combination - per mile		3	UNCINX	UTLZX	37.93	100.70	33.47	12.54	10.00			20.33	21.09		
	per month			UNC1X	1L5XX	0.3562										ı
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	1/0 Channel System in combination - per month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	2-wire ISDN COCI (BRITE) - in combination - per month		1	UNCNX	UC1CA	3.24	5.70	4.42								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		i l
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		<del>  '</del>	ONONA	OTLZX	22.22	100.70	33.47	72.54	10.00			20.33	21.03		
	Combination - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09		ı l
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1													
	Combination - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09		
	Additional 2-wire ISDN COCI (BRITE) - in combination- per			LINIONIX	110404	0.04	5.70	4.40								ı l
	month  Nonrecurring Currently Combined Network Elements Switch -As-		<del> </del>	UNCNX	UC1CA	3.24	5.70	4.42								
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		i l
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INTE	ROFFICE TRANSPO						-						i
	First DS1 Loop Combination - Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09		
	First DS1 Loop Combination - Zone 2			UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09		
	First DS1 Loop Combination - Zone 3	ļ	3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09		<del></del>
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month			UNCSX	1L5XX	2.34										i
	Interoffice Transport - Dedicated - STS-1 combination - Facility		t -	5.100A	1207//	2.34										
	Termination per month	<u> </u>		UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43			36.84	36.84		
	3/1 Channel System in combination per month			UNCSX	MQ3	222.98	156.02	49.41	17.12	6.77						
	DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
	Additional DS1Loop in the same STS-1 Interoffice Transport Combination - Zone 1		4	LINC1V	USLXX	57.73	220 40	161 74	70.07	24.88			20.35	21.09		
	Additional DS1Loop in the same STS-1 Interoffice Transport		1	UNC1X	USLAX	51.73	228.40	161.74	79.87	24.88			20.35	21.09		
	Combination - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09		
	Additional DS1Loop in the same STS-1 Interoffice Transport						- 10									
	Combination - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09		
	DS1 COCI in combination per month	ļ	<u> </u>	UNC1X	UC1D1	17.58	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNCSX	UNCCC		52.73	24.62	9.12	9.12			36.84	36.84		
FXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	SPS INT	EROFF		UNCCC	<del> </del>	52.13	24.02	9.12	9.12			30.04	30.04		
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86						
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86						
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			LINCDY	11 5 7 7	0.0474										, ,
	Per Mile per month	<u> </u>	1	UNCDX	1L5XX	0.0174						l		l		

ONBONDL	ED NETWORK ELEMENTS - Tennessee													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination per month			UNCDX	U1TD5	21.19	79.83	44.08	69.32	31.00			20.35	21.09		
	Nonrecurring Currently Combined Network Elements Switch -As-						====									
EVE	Is Charge  NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	DO INT		UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXIE	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	SPS INT	1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86					-	<b>-</b>
-	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86	1				1	
-	4-wire 64 kbps Leoal Loop in Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86						1
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		L Č	ONODA	ODLOT	00.11	100.70	00.47	72.04	10.00						1
	Per Mile per month			UNCDX	1L5XX	0.0174										
1	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -				. 20701	0.0174			† †				İ	İ	1	
	Facility Termination per month		1	UNCDX	U1TD6	21.19	79.83	44.08	69.32	31.00			20.35	21.09	I	
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	<u> </u>	<u> </u>
EXTE	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP						•		•						
	First 2-wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09		
	First 2-wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09		<u> </u>
	First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09		
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile		-	UNC1X	1L5XX	0.3562										
	First Interoffice Transport - Dedicated - DS1 combination -			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.25	21.09		
	Facility Termination per month  Per each DS1 Channelization System Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74	-		20.35	21.09		<b></b>
	Per each Voice Grade COCI - Per Month per month		1	UNCVX	1D1VG	0.91	5.70	4.42	3.04	2.74	1				-	
+	3/1 Channel System in combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			36.84	36.84	-	
	Per each DS1 COCI in combination per month		1	UNC1X	UC1D1	17.58	5.70	4.42	17.12	0.77	1		30.04	30.04		<b>†</b>
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1			0.10.71	00.5.	17.00	0.70								t	
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09		
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09		
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09		
	Each Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.91	5.70	4.42								
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month		<u> </u>	UNC1X	1L5XX	0.3562										
	Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	U1TF1	77.00	171.24	113.12	70.07	30.90			20.35	21.09		
	same 3/1 Channel System per month  Each Additional DS1 COCI combination per month		1	UNC1X UNC1X	UC1D1	77.86 17.58	5.70	4.42	70.07	30.90	-		20.35	21.09	-	<del>                                     </del>
	Nonrecurring Currently Combined Network Elements Switch -As-		1	UNCIX	OCIDI	17.50	3.70	4.42	1		1				-	1
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTE	NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR				02.70	27.02	5.12	5.12	1		20.00	21.00	1	
	First 4-Wire Analog Voice Grade Local Loop in Combination -				T		† †						İ	İ	1	
	Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09	I	
	First 4-Wire Analog Voice Grade Local Loop in Combination -								İ							
	Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09		<u> </u>
	First 4-Wire Analog Voice Grade Local Loop in Combination -							<del></del>		<del></del>						
	Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09	L	Ļ
	First Interoffice Transport - Dedicated - DS1 combination - Per		1												I	
	Mile Per Month		<u> </u>	UNC1X	1L5XX	0.3562			1						-	<del> </del>
	First Interoffice Transport - Dedicated - DS1 - Facility		1	LINICAV	Lutea	77.00	474.04	440.40	70.07	20.00			20.05	04.00	I	
	Termination Per Month	<b>-</b>	+	UNC1X UNC1X	U1TF1 MQ1	77.86 80.77	171.24 105.76	113.12 14.48	70.07 3.04	30.90 2.74	-		20.35	21.09	<del>                                     </del>	+
-	Per each 1/0 Channel System in combination Per Month Per each Voice Grade COCI in combination - per month	-	<del>                                     </del>	UNCVX	1D1VG	0.91	5.70	4.42	3.04	2.74		-	<del> </del>	<del>                                     </del>	<del>                                     </del>	+
	3/1 Channel System in combination per month	-	<del>                                     </del>	UNC3X	MQ3	222.98	156.02	4.42	17.12	6.77		-	36.84	36.84	<del>                                     </del>	+
	Per each DS1 COCI in combination per month	1	<del>                                     </del>	UNC1X	UC1D1	17.58	5.70	49.41	17.12	0.77	<del>                                     </del>		30.04	30.04	<del> </del>	+
-	Additional 4-Wire Analog Voice Grade Loop in same DS1	<b>†</b>	<del>                                     </del>	0.101/	30151	17.50	5.70	7.42	1		<del>                                     </del>	<b>-</b>			<b>I</b>	<del>                                     </del>
1	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09	I	
	Additional 4-Wire Analog Voice Grade Loop in same DS1				1											1
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09	1	

ONBONDE	ED NETWORK ELEMENTS - Tennessee			ı							1 -			ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
1			1				Nonrecurring		Nonrecurring	Disconnect	1		OSS	Rates (\$)	L	I.
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 4-Wire Analog Voice Grade Loop in same DS1								1							
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09		
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.3562										
	Each Additional DS1 Interoffice Channel Facility Termination in															
ļ	same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90	ļ		20.35	21.09		
<b></b>	Additional Voice Grade COCI - in combination - per month  Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	1D1VG	0.91	5.70	4.42			1				1	
	Is Charge	1		UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EYTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTER	FEICE				32.73	24.02	9.12	5.12	1		20.33	21.09	1	ł
LXIL	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		1	I TRANSPORT OF THE STATE OF THE	III OX						1					
ı l	Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -										İ					
	Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.3562					ļ					
	First Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	Per each 1/0 Channel System in combination Per Month		1	UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74	1		20.35	21.09	1	1
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)		<del>                                     </del>	UNCDX	1D1DD	0.91	5.70	4.42	3.04	2.14						
	3/1 Channel System in combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77	†		36.84	36.84	t	†
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42			İ					
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1					=0.44	=-		====							
	Interoffice Transport Combination - Zone 3  OCU-DP COCI (data) COCI in combination per month (2.4-		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86	1		20.35	21.09	1	
	64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
	Each Additional DS1 Interoffice Channel per mile in same 3/1			UNCDA	10100	0.91	3.70	4.42			<b>†</b>				-	
	Channel System per month			UNC1X	1L5XX	0.3562										
	Each Additional DS1 Interoffice Channel Facility Termination in										†				t	†
	same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As-	i														
EVE	Is Charge	INITED	-	UNC1X	UNCCC		52.73	24.62	9.12	9.12	ļ		20.35	21.09		1
EXIE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	PFFICE	I KANSPORT W/ 3/1	MUX						<b>.</b>				-	-
	Transport Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		-	ONODA	ODLOT	31.10	100.70	33.47	72.34	10.00	<b>†</b>		20.55	21.03	-	
	Transport Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		<u> </u>								İ					
	Transport Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month		<u> </u>	UNC1X	1L5XX	0.3562										
	First Interoffice Transport - Dedicated - DS1 combination -			l	I										_	
$\vdash$	Facility Termination Per Month		<u> </u>	UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90	ļ		20.35	21.09	<del>                                     </del>	ļ
<del>                                     </del>	Per each Channel System 1/0 in combination Per Month Per each OCU-DP COCI (data) in combination - per month (2.4-	-	<b>├</b>	UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74	ļ			-	1	ļ
	Per each OCU-DP COCI (data) in combination - per month (2.4-64kbs)		1	UNCDX	1D1DD	0.91	5.70	4.42							I	
<del>                                     </del>	3/1 Channel System in combination per month	<b>-</b>	<b>†</b>	UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77	1		36.84	36.84	<del> </del>	1
	Per each DS1 COCI in combination per month		t	UNC1X	UC1D1	17.58	5.70	4.42	17.12	0.77	1		30.04	30.04	<b>†</b>	1
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		t			00	5.70	72						İ	1	
1 1	Interoffice Transport Combination - Zone 1	l	1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09	I	

CNDUNDLE	D NETWORK ELEMENTS - Tennessee	1	1		<del>                                     </del>						Cup Onder	Cup Cade		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		2	LINODY	LIDIOA	10.01	400.70	05.47	70.04	40.00			00.05	04.00		İ
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86	<b>.</b>		20.35	21.09		<del></del>
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09		l
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System		Ŭ	ONODA	OBLOT	00.11	100.70	00.47	72.04	10.00			20.00	21.00		
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								l
	Each Additional DS1 Interoffice Channel per mile in same 3/1						ĺ									
	Channel System per month			UNC1X	1L5XX	0.3562										
	Each Additional DS1 Interoffice Channel Facility Termination in				l											ĺ
	same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		<del>                                     </del>
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	17.58	5.70	4.42								1
<del>-  </del>	Nonrecurring Currently Combined Network Elements Switch -As-			011017	30101	17.50	5.70	7.42								
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		ĺ
EXTE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															1
	Transport - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		_	LINIONIV	U1L2X	29.02	400.70	35.47	72.94	40.00			20.35	21.09		ĺ
	Transport - Zone 2 First 2-Wire ISDN Loop in a DS1 Interoffice Combination		2	UNCNX	UILZX	29.02	108.76	35.47	72.94	10.86	<b>.</b>		20.35	21.09		-
	Transport - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09		l
	First Interoffice Transport - Dedicated - DS1 combination - Per			ONOR	OTLEX	07.00	100.70	00.47	72.04	10.00			20.00	21.00		
	Mile per month			UNC1X	1L5XX	0.3562										ĺ
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						<b>——</b>
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	3.24	5.70	4.42								ĺ
	3/1 Channel System in combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			36.84	36.84		<del>                                     </del>
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42	2	0			00.01	00.01		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		_													l
	Combination - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09		l
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel		3	UNCINA	UILZA	37.95	106.76	35.47	72.94	10.00			20.33	21.09		<del>                                     </del>
	system combination- per month			UNCNX	UC1CA	3.24	5.70	4.42								1
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.3562										
	Each Additional DS1 Interoffice Channel Facility Termination in						.=									1
	same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		<b>—</b>
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	17.58	5.70	4.42								1
	Nonrecurring Currently Combined Network Elements Switch -As-			011017	30101	17.50	5.70	7.42	1							<del>                                     </del>
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		1
EXTE	IDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS		w/ 3/1 MUX												
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1			UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2	ļ		UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88						
	First 4-wire DS1 Digital Local Loop in Combination - Zone 3	-	3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88	1					<del></del>
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.3562										1
	First Interoffice Transport - Dedicated - DS1 combination -	-		ONOIA	ILUAA	0.5562			1							<del>                                     </del>
	Facility Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		1
	3/1 Channel System in combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77		İ	36.84	36.84		
	Per each DS1 COCI combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
	Each Additional DS1 Interoffice Channel per mile in same 3/1															1
	Channel System per month	l		UNC1X	1L5XX	0.3562										1

ONBONDLE	D NETWORK ELEMENTS - Tennessee			1										ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrecurring			g Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			LINIOAY	1101.307	75.40	000.40	404.74	70.07	04.00						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88						
	3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 IF	NTERO	FFICE	TRANSPORT												
	First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86						
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86						
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0174										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD5	21.19	79.83	44.08	69.32	31.00			20.35	21.09		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
FXTFI	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DSO IF	NTFROI	FFICE		011000		32.73	24.02	3.12	9.12	<b>†</b>		20.55	21.03		
	First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86	1					
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86						
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86						
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0174										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	21.19	79.83	44.08	69.32	31.00			20.35	21.09		
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNCDX	UNCCC	21.10	52.73	24.62	9.12	9.12			20.35	10.54		
ADDITIONAL	NETWORK ELEMENTS			UNCDA	UNCCC		52.73	24.02	9.12	9.12	1		20.33	10.54		
	used as a part of a currently combined facility, the non-recurr	ng char	raes do	not apply, but a S	witch As Is cl	arge does an	nly.									
	used as ordinarily combined network elements in All States, th										1					
	curring Currently Combined Network Elements "Switch As Is"					<u> </u>										
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 56/64 kbps			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	10.54		
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - DS1			UNC1X	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62		
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - DS3			UNC3X	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62		
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - STS1			UNCSX	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62		
Ontio	nal Features & Functions:		1	UNUSA	UNCCC		52.73	24.02	9.12	9.12	<b>—</b>		53.73	24.02		
Орио	Successor of the control of t			U1TD1,	1				<b>I</b>		<del>                                     </del>					
	Clear Channel Capability Extended Frame Option - per DS1	I		ULDD1,UNC1X U1TD1,	CCOEF		OI	OI	OI	OI						
	Clear Channel Capability Super FrameOption - per DS1	i		ULDD1,UNC1X ULDD1, U1TD1,	CCOSF		OI	OI	OI	OI						
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	I		UNC1X, USL	NRCCC		185.16S	23.85S	2.03S	0.79S			45.68	1.76		
	C-bit Parity Option - Subsequent Activity - per DS3	i		U1TD3, ULDD3, UE3, UNC3X	NRCC3		219.46S	7.68S	.7637S	os			45.68	1.76		
MULT	IPLEXERS			,					1				12.00			
	DS1 to DS0 Channel System per month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.35	9.80		
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UDL	1D1DD	1.82	6.07	4.66						9.80		

ONDONDE	ED NETWORK ELEMENTS - Tennessee		1								Sup Order	Cva Ord	Attach			ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs) used for connection to a channelized DS1															
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.82	6.07	4.66								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			LIDAL	110404	0.40	0.07	4.00								
	month for a Local Loop  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			UDN	UC1CA	3.10	6.07	4.66								<b> </b>
	month used for connection to a channelized DS1 Local Channel															
	in the same SWC as collocation			U1TUB	UC1CA	3.10	6.07	4.66								
	Voice Grade COCI - DS1 to DS0 Channel System - per month			01100	0010/1	0.10	0.07	4.00								<b>†</b>
	used for a Local Loop			UEA	1D1VG	0.91	6.07	4.66								
	Voice Grade COCI - DS1 to DS0 Channel System - per month															
	used for connection to a channelized DS1 Local Channel in the															
	same SWC as collocation			U1TUC	1D1VG	0.91	6.07	4.66								
	DS3 to DS1 Channel System per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			20.35	9.80		
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	222.98	156.02	49.41	17.12	6.77			20.35	9.80		
	DS1 COCI used with Loop per month			USL	UC1D1	17.58	6.07	4.66								
	DS1 COCI (used for connection to a channelized DS1 Local															
	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	17.58	6.07	4.66								
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	17.58	6.07	4.66								
	DS3 Interface Unit (DS1 COCI) used with Local Channel per															
	month			ULDD1	UC1D1	17.58	6.07	4.66								
	LOCAL EXCHANGE SWITCHING(PORTS)				_										1	1
	ange Ports : Although the Port Rate includes all available features in GA, I	(V I A	9 TNI +	ha desired feature	s will pood to b	o ordorod usi	ag rotail HSOCs								-	<b>.</b>
	E VOICE GRADE LINE PORT RATES (RES)	(I, LA	DX 114, L	le desired realure	S WIII HEEG TO D	e ordered usii	I I I I I I I I I I I I I I I I I I I	•							-	1
2-44114	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exertaings Forto 2 Willowinding Enter on Trees			02. 0.0	OZ. IIZ	1.00	0.00	0.10	0.00	2.02			20.00	10.01	10.02	· · · · · ·
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled TN extended local															
	dialing parity Port with Caller ID - Res.			UEPSR	UEPAQ	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Plus															
	with Caller ID - Res (AC7)			UEPSR	UEPAH	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling															
	port with Caller ID - Res (F2R)		-	UEPSR	UEPAK	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (TACER)			LIEDOD	UEPAL	1.89	9.93	0.10	2.66	2.02			20.35	10.54	12.22	1.4
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling		<u> </u>	UEPSR	UEPAL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	port with Caller ID - Res (TACSR)			UEPSR	UEPAM	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling		1	OLI OIX	OLI AW	1.03	9.93	3.13	5.00	2.32			20.55	10.54	10.02	1.7
	port with Caller ID - Res (1MF2X)			UEPSR	UEPAN	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling			021 011	02.7.1		0.00	0.10	0.00	2.02			20.00	10.01	10.02	
	port with Caller ID - Res (2MR)			UEPSR	UEPAO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled res, low usage line port															
	with Caller ID (LUM)			UEPSR	UEPAP	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Port - 2-Wire VG Tennessee Residence Dialing Plan															
	without Caller ID			UEPSR	UEPWN	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Port - 2-Wire VG Tennessee Residence Area Plus														_	
	without Caller ID			UEPSR	UEPRR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire voice unbundled Low Usage Line Port without Caller ID										1					
	Capability		-	UEPSR	UEPRT	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
FEAT	Subsequent Activity		-	UEPSR	USASC	0.00	0.00	0.00					20.35	10.54	13.32	1.4
FEAT	URES All Available Vertical Features		-	UEPSR	UEPVF	0.00	0.00	0.00			-		20.35	10.54	13.32	1.4
	TAIL AVAILABLE VEHICAL FEATURES	1	1	UEFOR	UEPVF	0.00	U.00	0.00					20.35	10.54	13.32	1.4
2-///10									l I							II .
2-WIR	E VOICE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire Analog Line Port without Caller ID -															

O. ADOIADEE	ED NETWORK ELEMENTS - Tennessee										Svc Order	Svc Order	Incremental	ment: 2 Incremental		ibit: A Incrementa
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
					$\bot$	1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire VG unbundled Line Port with			LIEDOD	LIEDDO	4.00	0.00	0.40	0.00	0.00			00.05	40.54	40.00	
-	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled TN extended local dialing parity Port with Caller ID - Bus.			UEPSB	UEPAV	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exhange Ports - 2-Wire VG unbundled incoming only port with								0.00							1
	Caller ID - Bus			UEPSB	UEPB1	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area Calling Port Economy Option - Bus (TACC1)			UEPSB	UEPAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area															
	Calling Port Standard Option - Bus (TACC2)			UEPSB	UEPAD	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville & Memphis Local Calling Port - Bus (B2F)			UEPSB	UEPAE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville									-						
	& Memphis Local Calling Port			UEPSB	UEPB2	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-W VG unbundled TN, Business Line Inward,														40.00	
_	Collierville & Memphis Local Calling Plan  Exchange Ports - 2-Wire Voice Tennessee Business Dialing			UEPSB	UEPB3	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Plan without Caller ID			UEPSB	UEPWO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPSB	UEPBE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00					20.35	10.54	13.32	1.4
FEAT																
=1/4/	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.4
EXCH	ANGE PORT RATES (DID & PBX)  2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire VG Unburidied 2-Way PBX Trunk - Res  2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire Analog TN 2-Way Calling Plan PBX Trunk - Bus			UEPSP	UEPT2	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire TN Outward Calling Plan PBX Trunk - Bus			UEPSP	UEPTO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire Voice Unbundled 2-Way PBX Tennessee Calling Port			UEPSP	UEPT2	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee					. =-									40.00	l
	Calling Port			UEPSP UEPSP	UEPTO UEPXA	1.79 1.79	9.93 9.93	9.19 9.19	3.66 3.66	2.92 2.92			20.35	10.54 10.54	13.32 13.32	1.4
	2-Wire Vice Unbundled 2-Way PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXA	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			OLI OI	OLI AD	1.75	9.95	3.13	3.00	2.32			20.55	10.54	13.32	1.4
	Capable Port			UEPSP	UEPXE	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLI OI	OLI AL	1.73	9.95	9.19	3.00	2.02			20.55	10.54	13.32	1.7
	Room Calling Port			UEPSP	UEPXM	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-W Voice Unbundled 1-Way Out PBX Hotel/Hospital Economy Administrative Calling Port TN Calling Port			UEPSP	UEPXN	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital									-						
	Discount Room Calling Port Unbundled Exchange Ports, PBX Trunk Combination,			UEPSP	UEPXO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Collierville and Memphis Local Calling Plan			UEPSP	UEPA6	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Unbundled Exchange Ports, PBX Trunk Combination, first trunk,			LIEDOD	LIEDAZ	4 ===		0.10	0.00	0.00			00.0=	10 = 1	40.00	
	Collierville and Memphis Local Calling Plan  2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP UEPSP	UEPA7 UEPXS	1.79 1.79	9.93 9.93	9.19 9.19	3.66 3.66	2.92 2.92			20.35 20.35	10.54 10.54	13.32 13.32	1.40
_	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port 2-Wire Voice Unbundled PBX Collierville and Memphis Calling			UEPSP	DEPAS	1.79	9.93	9.19	3.66	2.92	-		20.35	10.54	13.32	1.40
1	Port			UEPSP	UEPXU	1.79	9.93	9.19	3.66	2.92	I	1	20.35	10.54	13.32	1.40

UNBUI	NDLED	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
	1											Svc Order	Svc Order	Incremental	Incremental		Incrementa
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Sv
CATEGO	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic
														1st	Add'l	Disc 1st	Disc Add'
																Disc 1st	Disc Add
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ															
		Calling Port			UEPSP	UEPXV	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00					20.35	10.54	13.32	1.4
	FEATUR															10.00	
<u> </u>		All Available Vertical Features NGE PORT RATES (COIN)	-	-	UEPSP UEPSE	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
H		Exchange Ports - Coin Port				1	2.11	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
		Transmission/usage charges associated with POTS circuit so	witched	HESONO	will also apply to si	irouit ewitch						atod with 2	wire ISDN n		10.54	13.32	1.4
		Access to B Channel or D Channel Packet capabilities will be													Peguest Pro	COSS	
		OCAL EXCHANGE SWITCHING(PORTS)	avana	l oni	/ tillough bi kniew	T Tuesday	quest i rocess.	reaces for the	раскет сараы	ities will be de	termined via t	ie Bolla i lo	e Requesti	New Dusiness	Request i io		
		NGE PORT RATES		-		+											
		1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Port	in this	rate exhibit apply to	o the embed	ded base in nla	ce as of 10/2/01	3 until 4/1/04	After 4/1/04 the	se rates shall	revert to tar	iff rates or a	a separate an	reement.		
		ts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports												Jopa. ato ag		1	
	1	Exchange Ports - 2-Wire DID Port	1		UEPEX	UEPP2	8.97	47.75	47.01	9.21	8.47			20.35	10.54	13.32	1.4
		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID	l –			†		5								10.02	
		capability (E:4/1/2004)			UEPDD	UEPDD	35.74	75.93	38.15	8.77	8.04			20.35	10.54	13.32	1.4
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	16.26	30.23	29.49	4.10	4.10			20.35	10.54	13.32	1.4
	1.	All Features Offered			UEPTX, UEPSX	UEPVF	0.00	0.00	0.00								
		Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
	NOTE:	Transmission/usage charges associated with POTS circuit so	witched	usage	will also apply to ci	ircuit switche	ed voice and/or	circuit switche	ed data transm	ission by B-Ch	annels associ	ated with 2-	wire ISDN p	orts.			
	NOTE:	Access to B Channel or D Channel Packet capabilities will be	e availal	ole only	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	ities will be de	termined via t	ne Bona Fid	e Request/I	New Business	Request Pro	cess.	
	EXCHAI	NGE PORT RATES (continued)															
		Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911															
		Locator Capability (E:4/1/2004)			UEPEX	UEPEX	75.04	148.66	147.18	38.46	36.98			20.35	10.54	13.32	1.4
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	75.04	148.66	147.18	38.46	36.98			20.35	10.54		
		Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.51	53.27	40.16								
		Virtual collocation - Special Access & UNE, cross-connect per															
		DS1			UEPEX UEPDX	CNC1X	1.32	32.22	17.76	10.46	8.75						
	Detailed	d E911 with Locator Capability (required with UEPEX port)															
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Initial Profile Establishment per CLEC per			UEPEX	UEP1A	0.00			4.47.00							
-														00.05	40.54		
		State	-		UEPEX	OLFIA	0.00	1,699.00		147.00				20.35	10.54		
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911			UEPEX	OLFIA	0.00	1,699.00		147.00				20.35	10.54		
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions,						·		147.00							
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions, Deletions			UEPEX	UEP1B	0.00	1,699.00		147.00				20.35	10.54		
	New or	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions, Deletions Additional PRI Telephone Numbers						·		147.00							
	New or	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions, Deletions Additional PRI Telephone Numbers Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911						·		147.00							
ļ	New or	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions, Deletions Additional PRI Telephone Numbers Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability 2-way Telephone Numbers, per number in			UEPEX	UEP1B	0.00	164.94		147.00				20.35	10.54		
I	New or	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions, Deletions Additional PRI Telephone Numbers Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability 2-way Telephone Numbers, per number in E911 profile [New or Additional]						·		147.00							
	New or	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions, Deletions  Additional PRI Telephone Numbers Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability 2-way Telephone Numbers, per number in E911 profile [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911			UEPEX	UEP1B	0.00	164.94		147.00				20.35	10.54		
	New or	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions, Deletions Additional PRI Telephone Numbers Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability 2-way Telephone Numbers, per number in E911 profile [New or Additional]			UEPEX	UEP1B	0.00	164.94	22.36	147.00				20.35	10.54		
	New or	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions, Deletions Additional PRI Telephone Numbers Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability 2-way Telephone Numbers, per number in E911 profile [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Outdial Telephone Numbers, per number in E911 profile [New or Additional]			UEPEX	UEP1B UEP1C	0.00	164.94 0.94	22.36	147.00				20.35	10.54		
	New or	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions, Deletions Additional PRI Telephone Numbers Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability 2-way Telephone Numbers, per number in E911 profile [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Outdial Telephone Numbers, per number in			UEPEX	UEP1B UEP1C	0.00	164.94 0.94	22.36	147.00				20.35	10.54		
	New or	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions, Deletions Additional PRI Telephone Numbers Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability 2-way Telephone Numbers, per number in E911 profile [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Outdial Telephone Numbers, per number in E911 profile [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward			UEPEX	UEP1B UEP1C	0.00	164.94 0.94	22.36	147.00				20.35	10.54		
	New or	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions, Deletions  Additional PRI Telephone Numbers  Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability 2-way Telephone Numbers, per number in E911 profile [New or Additional]  Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Outdial Telephone Numbers, per number in E911 profile [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward Telephone Numbers - Inward Data Only Option [New or			UEPEX UEPEX	UEP1B  UEP1C  UEP1D	0.00 0.0755 0.0755	0.94	22.36	147.00				20.35	10.54 10.54		
	New or	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions, Deletions  Additional PRI Telephone Numbers Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability 2-way Telephone Numbers, per number in E911 profile [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Outdial Telephone Numbers, per number in E911 profile [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward Telephone Numbers - Inward Data Only Option [New or Additional] Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] Inward Tel Numbers [Customer Testing Purposes]			UEPEX UEPEX	UEP1B  UEP1C  UEP1D	0.00 0.0755 0.0755	0.94	22.36	147.00				20.35	10.54 10.54		
	New or	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions, Deletions Additional PRI Telephone Numbers Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability 2-way Telephone Numbers, per number in E911 profile [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Outdial Telephone Numbers, per number in E911 profile [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward Telephone Numbers - Inward Data Only Option [New or Additional] Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] Inward Tel Numbers [Customer Testing Purposes] NUMBER PORTABILITY			UEPEX UEPEX UEPEX UEPDX UEPEX	UEP1C UEP1D UEP1E PR7ZT	0.00 0.0755 0.0755	0.94 22.36		147.00				20.35 20.35 20.35 20.35	10.54 10.54 10.54 10.54		
	New or	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions, Deletions  Additional PRI Telephone Numbers Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability 2-way Telephone Numbers, per number in E911 profile [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Outdial Telephone Numbers, per number in E911 profile [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward Telephone Numbers - Inward Data Only Option [New or Additional] Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] Inward Tel Numbers [Customer Testing Purposes] NUMBER PORTABILITY Local Number Portability (1 per port)			UEPEX UEPEX UEPEX UEPDX	UEP1C UEP1D UEP1E	0.00 0.0755 0.0755	0.94 22.36		147.00				20.35 20.35 20.35	10.54 10.54 10.54		
	New or	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions, Deletions Additional PRI Telephone Numbers Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability 2-way Telephone Numbers, per number in E911 profile [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Outdial Telephone Numbers, per number in E911 profile [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward Telephone Numbers - Inward Data Only Option [New or Additional] Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] Inward Tel Numbers [Customer Testing Purposes] NUMBER PORTABILITY			UEPEX UEPEX UEPEX UEPDX UEPEX	UEP1D UEP1D UEP1E PR7ZT LNPCN	0.00 0.0755 0.0755 0.00	0.94 22.36		147.00				20.35 20.35 20.35 20.35 20.35	10.54 10.54 10.54 10.54 10.54		
	New or	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions, Deletions  Additional PRI Telephone Numbers Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability 2-way Telephone Numbers, per number in E911 profile [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Outdial Telephone Numbers, per number in E911 profile [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward Telephone Numbers - Inward Data Only Option [New or Additional] Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] Inward Tel Numbers [Customer Testing Purposes]  NUMBER PORTABILITY Local Number Portability (1 per port) AGE (Provsioning Only) Voice/Data			UEPEX UEPEX UEPDX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX	UEP1C UEP1D UEP1E PR7ZT LNPCN PR71V	0.00 0.0755 0.0755 0.00 0.00 1.75	164.94 0.94 22.36 0.94 44.71	44.70	147.00				20.35 20.35 20.35 20.35 20.35 20.35	10.54 10.54 10.54 10.54 10.54 10.54		
	New or	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions, Deletions Additional PRI Telephone Numbers Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability 2-way Telephone Numbers, per number in E911 profile [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Outdial Telephone Numbers, per number in E911 profile [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward Telephone Numbers - Inward Data Only Option [New or Additional] Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] Inward Tel Numbers [Customer Testing Purposes] NUMBER PORTABILITY Local Number Portability (1 per port) ACE (Provsioning Only) Voice/Data Digital Data			UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX	UEP1B  UEP1C  UEP1D  UEP1E  PR7ZT  LNPCN  PR71V  PR71D	0.00 0.0755 0.0755 0.00 0.00 1.75	0.94 22.36 0.94 44.71	0.00 0.00	147.00				20.35 20.35 20.35 20.35 20.35 20.35 20.35 20.35	10.54 10.54 10.54 10.54 10.54 10.54		
	New or	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions, Deletions  Additional PRI Telephone Numbers Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability 2-way Telephone Numbers, per number in E911 profile [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Outdial Telephone Numbers, per number in E911 profile [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward Telephone Numbers - Inward Data Only Option [New or Additional] Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] Inward Tel Numbers [Customer Testing Purposes] NUMBER PORTABILITY Local Number Portability (1 per port) ACE (Provsioning Only) Voice/Data Inward Data Inward Data			UEPEX UEPEX UEPDX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX	UEP1C UEP1D UEP1E PR7ZT LNPCN PR71V	0.00 0.0755 0.0755 0.00 0.00 1.75	164.94 0.94 22.36 0.94 44.71	44.70	147.00				20.35 20.35 20.35 20.35 20.35 20.35	10.54 10.54 10.54 10.54 10.54 10.54		
	LOCAL INTERF	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions, Deletions Additional PRI Telephone Numbers Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability 2-way Telephone Numbers, per number in E911 profile [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Outdial Telephone Numbers, per number in E911 profile [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward Telephone Numbers - Inward Data Only Option [New or Additional] Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] Inward Tel Numbers [Customer Testing Purposes] NUMBER PORTABILITY Local Number Portability (1 per port) ACE (Provsioning Only) Voice/Data Digital Data Inward Data Additional Channel			UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX	UEP1D  UEP1D  UEP1E  PR7ZT  LNPCN  PR71V  PR71D  PR71E	0.00 0.0755 0.0755 0.00 0.00 1.75 0.00 0.00 0.00	0.94 22.36 0.94 44.71 0.00 0.00 0.00	0.00 0.00	147.00				20.35 20.35 20.35 20.35 20.35 20.35 20.35 20.35 20.35	10.54 10.54 10.54 10.54 10.54 10.54 10.54 10.54		
	LOCAL INTERF	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions, Deletions  Additional PRI Telephone Numbers Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability 2-way Telephone Numbers, per number in E911 profile [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Outdial Telephone Numbers, per number in E911 profile [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward Telephone Numbers - Inward Data Only Option [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward Telephone Numbers - Inward Data Only Option [New or Additional] Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] Inward Tel Numbers [Customer Testing Purposes] NUMBER PORTABILITY Local Number Portability (1 per port) ACE (Provsioning Only) Voice/Data Digital Data Inward Data Additional Channel New or Additional - Voice/Data "B" Channel			UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX	UEP1B  UEP1C  UEP1D  UEP1E  PR7ZT  LNPCN  PR71V  PR71D  PR71E  PR7BV	0.00 0.0755 0.0755 0.00 0.00 1.75 0.00 0.00 0.00	0.94 22.36 0.94 44.71 0.00 0.00 0.00 28.39	0.00 0.00	147.00				20.35 20.35 20.35 20.35 20.35 20.35 20.35 20.35 20.35 20.35	10.54 10.54 10.54 10.54 10.54 10.54 10.54 10.54		
	LOCAL INTERF	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions, Deletions Additional PRI Telephone Numbers Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability 2-way Telephone Numbers, per number in E911 profile [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Outdial Telephone Numbers, per number in E911 profile [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward Telephone Numbers - Inward Data Only Option [New or Additional] Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] Inward Tel Numbers [Customer Testing Purposes] NUMBER PORTABILITY Local Number Portability (1 per port) ACE (Provsioning Only) Voice/Data Digital Data Inward Data Additional Channel New or Additional - Voice/Data "B" Channel New or Additional - Oigital Data "B" Channel			UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX	UEP1B  UEP1C  UEP1D  UEP1E  PR7ZT  LNPCN  PR71V  PR71D  PR71E  PR7BV  PR7BF	0.00 0.0755 0.0755 0.00 0.00 0.00 0.00 0.00 0.00	0.94 22.36 0.94 44.71 0.00 0.00 0.00 28.39 29.11	0.00 0.00	147.00				20.35 20.35 20.35 20.35 20.35 20.35 20.35 20.35 20.35 20.35	10.54 10.54 10.54 10.54 10.54 10.54 10.54 10.54 10.54		
	LOCAL INTERF	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions, Deletions Additional PRI Telephone Numbers Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability 2-way Telephone Numbers, per number in E911 profile [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Outdial Telephone Numbers, per number in E911 profile [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward Telephone Numbers - Inward Data Only Option [New or Additional] Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] Inward Tel Numbers [Customer Testing Purposes] NUMBER PORTABILITY Local Number Portability (1 per port) ACE (Provsioning Only) Voice/Data Digital Data Inward Data Additional Channel New or Additional - Voice/Data "B" Channel New or Additional - Digital Data "B" Channel New or Additional - Digital Data "B" Channel New or Additional - Digital Data "B" Channel			UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX	UEP1B  UEP1C  UEP1D  UEP1E  PR7ZT  LNPCN  PR71D  PR71D  PR71E  PR7BV  PR7BD	0.00 0.0755 0.0755 0.00 0.00 0.00 0.00 0.00 0.00 0.00	0.94 22.36 0.94 44.71 0.00 0.00 0.00 28.39 29.11 29.39	0.00 0.00	147.00				20.35 20.35 20.35 20.35 20.35 20.35 20.35 20.35 20.35 20.35 20.35	10.54 10.54 10.54 10.54 10.54 10.54 10.54 10.54 10.54 10.54		
	LOCAL INTERF	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions, Deletions Additional PRI Telephone Numbers Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability 2-way Telephone Numbers, per number in E911 profile [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Outdial Telephone Numbers, per number in E911 profile [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward Telephone Numbers - Inward Data Only Option [New or Additional] Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] Inward Tel Numbers [Customer Testing Purposes] NUMBER PORTABILITY Local Number Portability (1 per port) ACE (Provsioning Only) Voice/Data Digital Data Inward Data Additional Channel New or Additional - Voice/Data "B" Channel New or Additional - Oigital Data "B" Channel			UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX	UEP1B  UEP1C  UEP1D  UEP1E  PR7ZT  LNPCN  PR71V  PR71D  PR71E  PR7BV  PR7BF	0.00 0.0755 0.0755 0.00 0.00 0.00 0.00 0.00 0.00	0.94 22.36 0.94 44.71 0.00 0.00 0.00 28.39 29.11	0.00 0.00	147.00				20.35 20.35 20.35 20.35 20.35 20.35 20.35 20.35 20.35 20.35	10.54 10.54 10.54 10.54 10.54 10.54 10.54 10.54 10.54		

UNBUND	LED	NETWORK ELEMENTS - Tennessee													ment: 2	Exhi	bit: A
CATEGORY	Y	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						+		Nonrecurring		Nonrecurring	Disconnect	<b>†</b>	l	OSS	Rates (\$)	L	L
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	١	New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	29.39						20.35	10.54		
CAL	LL TY	/PES															
		nward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00								
	_	Outward			UEPEX	PR7CO	0.00	0.00	0.00								
		Гwо-way			UEPEX	PR7CC	0.00	0.00	0.00								
		DLED PORT with REMOTE CALL FORWARDING CAPABILITY															
UNE		DLED REMOTE CALL FORWARDING SERVICE - RESIDENCE		-	LIED) (D	LIEDAO	1.00	0.00	0.40	0.00	0.00			00.05	40.54	40.00	4.40
	١	Unbundled Remote Call Forwarding Service, Area Calling, Res		-	UEPVR	UERAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	I.	Jahrendad Barreta Call Francadina Canina Laral Callina Bar			UEPVR	UERLC	1.89	9.93	9.19	2.00	0.00			20.35	10.54	13.32	4.40
		Jnbundled Remote Call Forwarding Service, Local Calling - Res Jnbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.89	9.93	9.19	3.66 3.66	2.92 2.92	-		20.35	10.54	13.32	1.40 1.40
		Jnbundled Remote Call Forwarding Service, InterLATA - Res  Jnbundled Remote Call Forwarding Service, IntraLATA - Res		$\vdash$	UEPVR	UERTR	1.89	9.93	9.19	3.66	2.92	<del>                                     </del>		20.35	10.54	13.32	1.40
Non		curring			OLI VIX	CLIVIIX	1.09	3.93	3.13	3.00	2.32			20.33	10.54	13.32	1.40
		Jnbundled Remote Call Forwarding Service - Conversion -				1	<b>†</b>									<u> </u>	t
		Switch-as-is			UEPVR	USAC2	I	1.03	0.29				1	20.35	10.54	13.32	1.40
		Inbundled Remote Call Forwarding Service - Conversion with				1	1		2.20						1	1	1
	а	allowed change (PIC and LPIC)		L	UEPVR	USACC	<u> </u>	1.03	0.29	<u>                                      </u>		<u></u>	<u> </u>			<u> </u>	<u> </u>
UNE	BUND	DLED REMOTE CALL FORWARDING - Bus															
	ι	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	lı	Jnbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Jnbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.89	9.93	9.19	3.66	2.92	1		20.35	10.54	13.32	1.40
		Jnbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	U	Inbundled Remote Call Forwarding Service Expanded and						i									
	E	Exception Local Calling			UEPVB	UERVJ	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
Non		curring															
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVB	USAC2		1.03	0.29					20.35	10.54	13.32	1.40
		Jnbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVB	USACC		1.03	0.29								
LINBLINDI E		DCAL SWITCHING, PORT USAGE			UEFVB	USACC	1	1.03	0.29			1				1	1
		ce Switching (Port Usage)														-	
		End Office Switching Function, Per MOU				+	0.0008041					<b>†</b>					
Tan		Switching (Port Usage) (Local or Access Tandem)														t	t
	Т	Fandem Switching Function Per MOU					0.0009778	i									
	T	Tandem Switching Function Per MOU (Melded)					0.000380364										
		Melded Factor: 38.90% of the Tandem Rate															
Con		n Transport			ļ												
		Common Transport - Per Mile, Per MOU		<u> </u>	<b></b>	1	0.0000064									ļ	ļ
LINIDUANDI T		Common Transport - Facilities Termination Per MOU		-	1	1	0.0003871								-	<del>                                     </del>	<del></del>
		ORT/LOOP COMBINATIONS - COST BASED RATES sed Rates are applied where BellSouth is required by FCC ar	1d/c= C4	ato C-	mmission ====	ovido Unbre-	dlad Least C	tohing or Cuit-	h Dorte	<del>                                     </del>		1				<del>                                     </del>	<del></del>
		sed Rates are applied where BellSouth is required by FCC and shall apply to the Unbundled Port/Loop Combination - Cos								ad Port section	of this Rato E	Vhihit	-	-		<del>                                     </del>	<del></del>
		ce and Tandem Switching Usage and Common Transport Us											n Port/Loor	Combination	ns.	<del>                                     </del>	<del>                                     </del>
		and additional Port nonrecurring charges apply to Not Curr														t	t
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	, 0						,a. goo ona	1					1	1	1
		rt/Loop Combination Rates						1							1		
	2	2-Wire VG Loop/Port Combo - Zone 1		1			14.18										
		2-Wire VG Loop/Port Combo - Zone 2		2			18.01										
		2-Wire VG Loop/Port Combo - Zone 3		3			23.02										
UNE		pp Rates				1	ļ								ļ	1	1
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	12.48										ļ
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	16.31					-		<b> </b>	ļ	-	-
0.14		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	21.32					-			-	<del>                                     </del>	<del></del>
2-W		/oice Grade Line Port Rates (Res)		<del>                                     </del>	UEPRX	UEPRL	1.70	22.14	15.25	8.45	3.91	-	15.69	-		<del>                                     </del>	<del>                                     </del>
	14													L		-	<del>                                     </del>
	2	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.70	22.14	15.25	8.45	3.91		15.69				

MRUMDL	ED NETWORK ELEMENTS - Tennessee			ı										ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice Grade unbundled Tennessee extended local															
	dialing parity port with Caller ID - res			UEPRX	UEPAQ	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Area Plus with Caller ID - res (AC7)			UEPRX	UEPAH	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (F2R)			UEPRX	UEPAK	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER)			UEPRX	UEPAL	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller															
	ID - res (TACSR)  2-Wire voice unbundled Tennessee Area Calling port with Caller			UEPRX	UEPAM	1.70	22.14	15.25	8.45	3.91		15.69				
	ID - res (1MF2X)			UEPRX	UEPAN	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (2MR)			UEPRX	UEPAO	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled Tennessee Residence Dialing Plan without Caller ID			UEPRX	UEPWN	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Area Plus Port without															
-	Caller ID Capability  2-Wire voice unbundled Low Usage Line Port without Caller ID			UEPRX	UEPRR	1.70		15.25	8.45	3.91		15.69				
	Capability			UEPRX	UEPRT	1.70	22.14	15.25	8.45	3.91		15.69				
FEAT	TURES			LIEDBY	UEPVF	0.00	0.00	0.00				15.69	1			
LOC	AL NUMBER PORTABILITY			UEPRX	UEPVF	0.00	0.00	0.00				15.69	-			
LUCA	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35			1				<del> </del>			
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLITOR	LIVI OX	0.00										
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		1.03	0.29				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPRX			1.03	0.29				15.69				
	Switch with change  2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPRX	USACC			0.29								
ADDI	Subsequent Database Update						0.76					15.69				
ADDI	TIONAL NRCs  2-Wire Voice Grade Loop/Line Port Combination - Subsequent				+								-			
	Activity			UEPRX	USAS2	0.00	0.00	0.00				15.69				
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPRX	URETL		8.33	0.83					20.35	10.54	13.32	13.3
OFF/	ON PREMISES EXTENSION CHANNELS			OLITOX	OILLIE		0.55	0.03					20.55	10.54	10.02	10.0
0	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	17.23		20.02	10.65	1.41	1		20.35	10.54	13.32	13.3
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	22.53		20.02	10.65	1.41			20.35	10.54	13.32	13.3
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	16.56		48.20	28.70	17.64			20.35	10.54	13.32	13.3
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	28.28	75.06	48.20	28.70	17.64	ļ		20.35	10.54	13.32	13.3
INTE	ROFFICE TRANSPORT										<u> </u>	<u> </u>		ļ		1
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRX	U1TV2	18.58	55.39	17.37	27.96	3.51						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRX	U1TVM	0.0174	0.00	0.00								
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			14.18										<u> </u>
	2-Wire VG Loop/Port Combo - Zone 2		2			18.01					ļ		ļ			ļ
	2-Wire VG Loop/Port Combo - Zone 3		3			23.02	ļ				ļ	ļ	ļ			<del>                                     </del>
UNE	Loop Rates		1	LIEDDY	LIEDLY	40.40					ļ	-	<del>                                     </del>			<b> </b>
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	12.48					1		Į			<b></b>
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	16.31	1					l .				

UNBU	JNDLEI	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhil	bit: A
CATE		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
-	1					-		Nonrecurring		Nonrecurring	Disconnect			220	Rates (\$)		
	+						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire	Voice Grade Line Port (Bus)															
		2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire voice Grade unbundled Tennessee extended local			UEPBX	UEPAV	1.70	22.14	15.25	8.45	3.91		15.69				ı l
_		dialing parity port with Caller ID - bus  2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPAV UEPB1	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire voice unbundled Tennessee Bus 2-Way Area Calling			OLI DX	OLI DI	1.70	22.17	10.20	0.40	0.01		10.00				
		Port Economy Option (TACC1)			UEPBX	UEPAC	1.70	22.14	15.25	8.45	3.91		15.69				ı l
		2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Standard Option (TACC2)			UEPBX	UEPAD	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire voice unbundled Tennessee Bus 2-Way Collierville and			OLI DX	OLI AD	1.70	22.14	13.23	0.43	5.91		10.00				
		Memphis Local Calling Port (B2F)			UEPBX	UEPAE	1.70	22.14	15.25	8.45	3.91		15.69				ı l
		2-Wire Voice Unbundled Tennessee Business Dialing Plan															
		without Caller ID			UEPBX	UEPWO	1.70	22.14	15.25	8.45	3.91		15.69				
		Tennessee Inward Collierville and Memphis Local Calling Plan (BUS)			UEPBX	UEPB2	1.70	22.14	15.25	8.45	3.91		15.69				
		Tennessee 2-Way Collierville and Memphis Local Calling Plan															
		(BUS)			UEPBX	UEPB3	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPBX	UEPBE	1.70	22.14	15.25	8.45	3.91		15.69				
	LOCAL	NUMBER PORTABILITY			02. 5%	02. 32			10.20	0.10	0.01		10.00				
		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
	FEATU	-															
		All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00				15.69				
-	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED				1											
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPBX	USAC2		1.03	0.29				15.69				i l
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			02. 5%	00/102		1.00	0.20				10.00				
		Switch with change			UEPBX	USACC		1.03	0.29				15.69				i
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															1
		Subsequent Database Update						0.76					15.69				
-	ADDITI	ONAL NRCs				1											
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2	0.00	0.00	0.00				15.69				ı l
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			OLI DX	OOAOZ	0.00	0.00	0.00				10.00				
		Premise			UEPBX	URETL		8.33	0.83					20.35	10.54	13.32	13.32
	OFF/ON	PREMISES EXTENSION CHANNELS															1
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
-		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32 13.32
		Wire Analog Voice Grade Extension Loop – Non-Design     Wire Analog Voice Grade Extension Loop – Design		3	UEPBX UEPBX	UEAEN UEAED	22.53 16.56	31.99 75.06	20.02 48.20	10.65 28.70	1.41 17.64			20.35 20.35	10.54 10.54	13.32 13.32	13.32
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	INTERC	DFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															, 7
-		Termination			UEPBX	U1TV2	18.58	55.39	17.37	27.96	3.51						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPBX	U1TVM	0.0174	0.00	0.00								, l
	2-WIRF	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			OLI DA	3 1 1 V IVI	3.0174	0.00	0.00	+		<b> </b>	<del>                                     </del>				$\vdash$
		ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			14.18										
		2-Wire VG Loop/Port Combo - Zone 2		2			18.01										
<u> </u>	1	2-Wire VG Loop/Port Combo - Zone 3		3	LIEDDO	LIEDLY	23.02			ļ			1				
$\vdash$	+	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG UEPRG	UEPLX	12.48 16.31			1		-					
<b>—</b>	+ -	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	21.32			+		<del>                                     </del>	<b>-</b>				$\overline{}$
	2-Wire	Voice Grade Line Port Rates (RES - PBX)		Ť			202										$\overline{}$
		, - <i>I</i>				•						•					

UNBUNDLE	D NETWORK ELEMENTS - Tennessee													ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res			UEPRG	UEPRD	1.70	22.14	15.25	8.45	3.91		15.69				
LOCAL	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				15.69				
FEATU																
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				15.69				
NONRI	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDO	110400		4.00	0.00				45.00				
	Conversion - Switch-As-Is			UEPRG	USAC2		1.03	0.29	-			15.69		-		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USACC		1.03	0.29				15.69				
-	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPRG	USACC		1.03	0.29			1	15.69			-	1
	Subsequent Database Update						0.76					15.69			I	
ADDIT	IONAL NRCs				+		0.76				1	13.09			-	1
ADDIT	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		-											1		1
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00				15.69				
_	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			OLI IKO	00/102	0.00	0.00	0.00			1	10.00			1	1
	Group						14.64	14.64				15.69				
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															1
	Premise			UEPRG	URETL		8.33	0.83					20.35	10.54	13.32	13.3
OFF/O	N PREMISES EXTENSION CHANNELS															
	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
	Local Channel Voice grade, per termination		2	UEPRG	P2JHX	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
	Non-Wire Direct Serve Channel Voice Grade		SW	UEPRG	SDD2X	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.3
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPRG	U1TV2	18.58	55.39	17.37	27.96	3.51						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPRG	U1TVM	0.0174	0.00	0.00								
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		-				-		-						1	
UNE P	ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1		1		+	14.18					-					
	2-Wire VG Loop/Port Combo - Zone 1		2		+	18.01					-					
-	2-Wire VG Loop/Port Combo - Zone 2		3		+	23.02					1				-	1
LINE L	oop Rates		3			23.02								1		
ONE E	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	12.48										
_	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	16.31					1				1	
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	21.32	1		1					i	1	
2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
	, , , ,													1		Ì
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.70	22.14	15.25	8.45	3.91		15.69				
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.70	22.14	15.25	8.45	3.91		15.69				
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled 2-Way Combination PBX Tennessee					-							l			
	Calling Port			UEPPX	UEPT2	1.70	22.14	15.25	8.45	3.91		15.69		ļ	L	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee			l	1										I	
	Calling Port			UEPPX	UEPTO	1.70	22.14	15.25	8.45	3.91		15.69		ļ	1	ļ
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.70	22.14	15.25	8.45	3.91		15.69			ļ	ļ
_	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.70	22.14	15.25	8.45	3.91	-	15.69	<b> </b>	ļ	-	<u> </u>
_	2-Wire Voice Unbundled PBX LD DDD Terminals Port		-	UEPPX	UEPXC	1.70		15.25	8.45	3.91		15.69	<b> </b>	<b>.</b>	<del>                                     </del>	-
$-\!\!\!\!+\!\!\!\!-$	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port     2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		-	UEPPX	UEPXD	1.70	22.14	15.25	8.45	3.91		15.69	<b> </b>	<b>.</b>	<del>                                     </del>	<del>                                     </del>
				UEPPX	UEPXE	1.70	22.14	15.25	8.45	3.91		15.69			I	
+-	Capable Port  2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	-	<b>-</b>	ULPFA	UEFAE	1.70	ZZ.14	15.25	8.45	3.91		15.09	<b> </b>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
	Administrative Calling Port			UEPPX	UEPXL	1.70	22.14	15.25	8.45	3.91		15.69			1	
_	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			02117	OLI AL	1.70	22.14	10.20	0.40	5.51	<u> </u>	10.09			t	<del>                                     </del>
1	Room Calling Port	l	1	UEPPX	UEPXM	1.70	22.14	15.25	8.45	3.91		15.69	1	1	I	

ONDONDL	ED NETWORK ELEMENTS - Tennessee			ı							I 0 0 .	06		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			I .	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy															
	Administrative Calling Port TN Calling Port			UEPPX	UEPXN	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPPX	UEPXO	1.70	22.14	45.05	0.45	3.91		45.00				
	Discount Room Calling Port  2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		<del> </del>	UEPPX	UEPXS	1.70	22.14	15.25 15.25	8.45 8.45	3.91	<b>.</b>	15.69 15.69				
	2-Wire Voice Unbundled PBX Collierville and Memphis Calling		1	UEPPA	UEFAS	1.70	22.14	15.25	0.40	3.91	1	15.69				
	Port			UEPPX	UEPXU	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ			02.17	02.70			10.20	0.10	0.01	†	10.00				
	Callling Port			UEPPX	UEPXV	1.70	22.14	15.25	8.45	3.91		15.69				
	Tennessee PBX 2-Way Combo Each Additional Trunk						i									
	Collierville and Memphis Local Calling Plan			UEPPX	UEPA6	1.70	22.14	15.25	8.45	3.91		15.69				
	Tennessee PBX 2-Way Combo First Trunk Collierville and															
1.55	Memphis Local Calling Plan			UEPPX	UEPA7	1.70	22.14	15.25	8.45	3.91		15.69				
LOCA	L NUMBER PORTABILITY		1	LIEDDY	LNDOD	0.1-	0.00	0.00				45.00			ļ	ļ
FEAT	Local Number Portability (1 per port)		-	UEPPX	LNPCP	3.15	0.00	0.00	-			15.69				
FEAT	All Features Offered		1	UEPPX	UEPVF	0.00	0.00	0.00				15.69				
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		1	ULFFA	OLF VI	0.00	0.00	0.00			<b>†</b>	13.09				
i i i i i i i i i i i i i i i i i i i	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1								1					
	Conversion - Switch-As-Is			UEPPX	USAC2		1.03	0.29				15.69				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -										İ					
	Conversion - Switch with Change			UEPPX	USACC		1.03	0.29				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Subsequent Database Update						0.76					15.69				
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity		1	UEPPX	USAS2	0.00	0.00	0.00	-		1	15.69				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14.64	14.64				15.69				
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		1		+		14.04	14.04	1		1	13.09				
	Premise			UEPPX	URETL		8.33	0.83					20.35	10.54	13.32	13.32
OFF/	ON PREMISES EXTENSION CHANNELS			02.17	011212		0.00	0.00			†		20.00	10.01	10.02	10.02
	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Non-Wire Direct Serve Channel Voice Grade		SW	UEPPX	SDD2X	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEDDY	11471/0	40.50	55.00	47.07	27.00	2.54						
	Termination  Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		-	UEPPX	U1TV2	18.58	55.39	17.37	27.96	3.51						
	or Fraction Mile			UEPPX	U1TVM	0.0174	0.00	0.00								
UNF	Port/Loop Combination Rates		1	OLITA	OTTVIVI	0.0174	0.00	0.00			1					
0.12	2-Wire VG Coin Port/Loop Combo – Zone 1		1			14.18					†					
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			18.01					†					
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			23.02										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	12.48										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	16.31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	21.32			ļ							
2-Wir	e Voice Grade Line Ports (COIN)		1		+				<del>                                     </del>						1	1
	2-Wire Coin 2-Way without Operator Screening and without Blocking (TN)			UEPCO	UEPTB	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,		<del>                                     </del>	UEPCO	UEPIB	1.70	22.14	15.25	8.45	3.91		15.09				
	900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking		<del>                                     </del>		02.70	1.70	22.14	10.20	5.45	0.01	1	10.00			1	
	(TN)			UEPCO	UEPTA	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Coin 2-Way with Operator Screening: 900 Blocking:															Ì
			1	UEPCO	UEPCA	1.70	22.14	15.25	8.45	3.91	1	15.69	1	1	1	1

JNBUNDL	ED NETWORK ELEMENTS - Tennessee													ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin Outward with Operator Screening and 011 Blocking	ı														
	(TN)			UEPCO	UEPTC	1.70	22.14	15.25	8.45	3.91		15.69				ļ
	2-Wire Coin Outward with Operator Screening and Blocking:					. =-						4= 00				
	900/976, 1+DDD, 011+, and Local (TN) 2-Wire 2-Way Smartline with 900/976 (all states except LA)	-		UEPCO UEPCO	UEPOT UEPCK	1.70 1.88		15.25	8.45	3.91	1	15.69 15.69			-	<del>                                     </del>
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)	1	1	UEPCO	UEPCK	1.88					1	15.69			-	<del>                                     </del>
	LA)			UEPCO	UEPCR	1.88						15.69				
ADD	ITIONAL UNE COIN PORT/LOOP (RC)	+		OLI OO	OLI OK	1.00					1	10.00				<del>                                     </del>
7,00	UNE Coin Port/Loop Combo Usage (Flat Rate)	+		UEPCO	URECU	3.45	0.00	0.00	0.00	0.00	1	15.69				<del>                                     </del>
	Local Number Portability (1 per port)	1		UEPCO	LNPCX	0.35					i e				t	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion	-			1	2.30	1						İ	İ	1	
	Switch-as-is	<u> </u>		UEPCO	USAC2		1.03	0.29	<u> </u>		L	15.69			<u> </u>	<u> </u>
	2-Wire Voice Grade Loop / Line Port Combination - Conversion	-														
	Switch with change			UEPCO	USACC		1.03	0.29				15.69				
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity	ļ		UEPCO	USAS2	0.00	0.00	0.00			ļ	15.69	ļ	ļ	1	ļ
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise	<u> </u>		UEPCO	URETL		8.33	0.83					20.35	10.54	13.32	13.3
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	E LINE I	ORI (	RES)												<b>.</b>
UNE	Port/Loop Combination Rates	-	4	-		40.45			-		1				-	
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		1 2			18.45 23.52	-				-				-	-
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2  2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	-	3		_	30.17	<b> </b>				-	1				<del>                                     </del>
LINE	Loop Rates	+	3		+	30.17					1	1			-	-
ONL	2-Wire Voice Grade Loop (SL2) - Zone 1	1	1	UEPFR	UECF2	16.56										<del>                                     </del>
	2-Wire Voice Grade Loop (SL2) - Zone 2	+	2	UEPFR	UECF2	21.63					1					
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	28.28										
2-Wi	re Voice Grade Line Port Rates (Res)															1
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.89	84.99	57.39	32.36	20.56	1	15.69				
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice Grade unbundled Tennessee extended local															
	dialing parity port with Caller ID - res			UEPFR	UEPAQ	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled Tennessee Area Plus with Caller ID -															
	res (AC7)			UEPFR	UEPAH	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller	r					0.4.00					4= 00				
_	ID - res (F2R)			UEPFR	UEPAK	1.89	84.99	57.39	32.36	20.56		15.69				ļ
	2-Wire voice unbundled Tennessee Area Calling port with Caller	1		LIEDED	UEPAL	1.00	94.00	E7 00	22.20	20.56		15.00			I	
-	ID - res (TACER)  2-Wire voice unbundled Tennessee Area Calling port with Caller		-	UEPFR	UEPAL	1.89	84.99	57.39	32.36	∠0.56		15.69			<del>                                     </del>	<del>                                     </del>
	ID - res (TACSR)	Ί.		UEPFR	UEPAM	1.89	84.99	57.39	32.36	20.56		15.69			I	
-	2-Wire voice unbundled Tennessee Area Calling port with Caller	-	<del>                                     </del>	OLFIN	ULF AIVI	1.69	04.99	57.39	32.30	20.06	<u> </u>	15.09	<del> </del>	<del> </del>	<del> </del>	<del>                                     </del>
	ID - res (1MF2X)	Ί		UEPFR	UEPAN	1.89	84.99	57.39	32.36	20.56		15.69			I	
-	2-Wire voice unbundled Tennessee Area Calling port with Caller	rl	<b>†</b>		02.744	1.00	04.00	07.00	32.30	20.00	<b> </b>	10.00			<b>I</b>	<del>                                     </del>
	ID - res (2MR)			UEPFR	UEPAO	1.89	84.99	57.39	32.36	20.56		15.69			1	
	2-Wire voice unbundles res, low usage line port with Caller ID	1		İ		30	1 1	230	32.30				ĺ		1	
	(LUM)	<u> </u>		UEPFR	UEPAP	1.89	84.99	57.39	32.36	20.56	L	15.69			<u> </u>	<u></u>
	2-Wire Voice Unbundled Tennessee Residence Dialing Plan															
	without Caller ID			UEPFR	UEPWN	1.89	84.99	57.39	32.36	20.56		15.69				
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			l	[										1	
	Termination	<del>                                     </del>		UEPFR	U1TV2	18.58	55.39	17.37	27.96	3.51	ļ				ļ	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1		LIEDED	41.500										1	
	or Fraction Mile	<del>                                     </del>	<b></b>	UEPFR	1L5XX	0.0174									-	<b>_</b>
FEA	TURES	-	-	LIEDED	LIED. /E	0.00	0.00	0.00			ļ	45.00		-	<del>                                     </del>	<b>├</b>
	All Features Offered	+	-	UEPFR	UEPVF	0.00	0.00	0.00	<del>                                     </del>		<u> </u>	15.69	-	-	<del>                                     </del>	-
LOC	AL NUMBER PORTABILITY  Local Number Portability (1 per port)	1	-	UEPFR	LNPCX	0.35	1		1		<del>                                     </del>		<del>                                     </del>	ļ	<del>                                     </del>	<del>                                     </del>

NDUNULI	ED NETWORK ELEMENTS - Tennessee			1								_		ment: 2		ibit: A
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge Manual So
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		16.94	3.72				15.69				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-With-Change			UEPFR	USACC		16.94	3.72				15.69				
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFR	URETN		11.23	1.10					20.35	10.54	13.32	13.3
2-WIF	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE F	PORT (		U.V.Z.IIV		11.20						20.00	10.01	10.02	10.0
	Port/Loop Combination Rates			]												†
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			18.45										1
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			23.52					1	<b>†</b>				+
_	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			30.17					1	<b>†</b>				+
UNF	Loop Rates			<b>†</b>	+ +	00.17					1	<b>-</b>	<b> </b>	<b> </b>		†
3142	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	16.56					<b> </b>	<u> </u>			<b>†</b>	+
+	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	21.63	<del>                                     </del>				<del> </del>	<del>                                     </del>	<del> </del>	<del> </del>	1	+
	2-Wire Voice Grade Loop (SL2) - Zone 2		3	UEPFB	UECF2	28.28	+ +		1		<b> </b>	<del>                                     </del>	1	1	ł	+
2 14/:-	re Voice Grade Line Port (Bus)		3	UEPFB	UEGFZ	20.20			-		<b>-</b>	<b>-</b>		-	<b>-</b>	+
2-4411	2-Wire voice unbundled port without Caller ID - bus		-	UEPFB	UEPBL	1.89	84.99	57.39	32.36	20.56	<b>-</b>	15.69			<b>-</b>	+
_	2-Wire voice unbundled port with Caller ID - bus  2-Wire voice unbundled port with Caller + E484 ID - bus		-	UEPFB	UEPBC	1.89	84.99	57.39		20.56		15.69			-	+
			-		UEPBO	1.89	84.99	57.39	32.36		1	15.69				
	2-Wire voice unbundled port outgoing only - bus     2-Wire voice Grade unbundled Tennessee extended local			UEPFB						20.56						+
	dialing parity port with Caller ID - bus			UEPFB	UEPAV	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Economy Option (TACC1)			UEPFB	UEPAC	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Standard Option (TACC2)			UEPFB	UEPAD	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled Tennessee Bus 2-Way Collierville and Memphis Local Calling Port (B2F)			UEPFB	UEPAE	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire Voice Unbundled Tennessee Business Dialing Plan without Caller ID			UEPFB	UEPWO	1.89	84.99	57.39	32.36			15.69				<b>†</b>
	Tennessee Inward Collierville and Memphis Local Calling Plan									20.56						<u> </u>
	(BUS) Tennessee 2-Way Collierville and Memphis Local Calling Plan			UEPFB	UEPB2	1.89	84.99	57.39	32.36	20.56		15.69				+
1.004	(BUS)			UEPFB	UEPB3	1.89	84.99	57.39	32.36	20.56		15.69				+
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35									<b>+</b>	+
INTE	ROFFICE TRANSPORT			OLI I D	LIVIOA	0.35	<del>                                     </del>				1	<b>H</b>	<del>                                     </del>	<del>                                     </del>	1	+
1.4121	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFB	U1TV2	18.58	55.39	17.37	27.96	3.51					1	†
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile						55.39	11.31	21.90	3.51						+
	or Fraction Mile		-	UEPFB	1L5XX	0.0174			1		<b> </b>	<del>                                     </del>	<b> </b>	<b> </b>	1	+
FEAT	TURES		-	LIEDED	LIED) (E	0.00	0.00	2.00			<b> </b>	45.00	-	-	1	+
Norre	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00			<u> </u>	15.69				
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED										<u> </u>					
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is		-	UEPFB	USAC2		16.94	3.72	1		<b></b>	15.69	<b>.</b>	<b>.</b>	1	+
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFB	USACC		16.94	3.72				15.69				
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFB	URETN		11.23	1.10					20.35	10.54	13.32	13.
2-WIF	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE F	ORT (	PBX)												
	Port/Loop Combination Rates		Ĺ ,													
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			18.45										T
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2	İ		23.52							ĺ	ĺ		1
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3	İ		30.17							ĺ	ĺ		1
UNE	Loop Rates										İ					1
1	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	16.56	† †						İ	İ	1	1
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	21.63	1				İ .		İ	İ	İ	1
				UEPFP	UECF2	28.28									1	

UNBU	NDLE	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
0.120				1								Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		· · · · · · · · · · · · · · · · · · ·	m									per LSK	per LSK			Electronic-	Electronic-
														Electronic-	Electronic-		
														1st	Add'l	Disc 1st	Disc Add'l
						+		Nonrecurring		Nonrecurring	Disconnect		l	OSS	Rates (\$)	<u> </u>	
						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire	/oice Grade Line Port Rates (BUS - PBX)							71441	1 01	71441	0020			00		
		1000 01000 11101 01110100 (200 1 27)															
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.79	106.40	63.08	42.67	18.54		15.69				1 '
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.79	106.40	63.08	42.67	18.54		15.69				
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.79	106.40	63.08	42.67	18.54		15.69				
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.79	106.40	63.08	42.67	18.54		15.69				
		2-Wire Voice Unbundled 2-Way Combination PBX Tennessee															
		Calling Port			UEPFP	UEPT2	1.79	106.40	63.08	42.67	18.54		15.69				1
		2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee															
		Calling Port			UEPFP	UEPTO	1.79	106.40	63.08	42.67	18.54	1	15.69				1
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		1	UEPFP	UEPXA	1.79	106.40	63.08	42.67	18.54		15.69				ſ
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		1	UEPFP	UEPXB	1.79	106.40	63.08	42.67	18.54		15.69				
		2-Wire Voice Unbundled PBX LD DDD Terminals Port		1	UEPFP	UEPXC	1.79	106.40	63.08	42.67	18.54		15.69				ſ
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		1	UEPFP	UEPXD	1.79	106.40	63.08	42.67	18.54		15.69				ſ
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port			UEPFP	UEPXE	1.79	106.40	63.08	42.67	18.54		15.69				1
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPFP	UEPXL	1.79	106.40	63.08	42.67	18.54		15.69				l .
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Room Calling Port			UEPFP	UEPXM	1.79	106.40	63.08	42.67	18.54		15.69				1
		2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy															
		Administrative Calling Port TN Calling Port			UEPFP	UEPXN	1.79	106.40	63.08	42.67	18.54		15.69				l .
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
		Discount Room Calling Port			UEPFP	UEPXO	1.79	106.40	63.08	42.67	18.54		15.69				l .
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		1	UEPFP	UEPXS	1.79	106.40	63.08	42.67	18.54		15.69				
		2-Wire Voice Unbundled PBX Collierville and Memphis Calling															
		Port			UEPFP	UEPXU	1.79	106.40	63.08	42.67	18.54		15.69				1
		2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ															
		Callling Port			UEPFP	UEPXV	1.79	106.40	63.08	42.67	18.54		15.69				l .
	LOCAL	NUMBER PORTABILITY															1
		Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				15.69				1
	INTERC	FFICE TRANSPORT															1
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															1
		Termination			UEPFP	U1TV2	18.58	55.39	17.37	27.96	3.51						1
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															1
		or Fraction Mile			UEPFP	1L5XX	0.0174										l .
	FEATU																1
		All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00				15.69				l .
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															1
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															l .
		Combination - Conversion - Switch-as-is			UEPFP	USAC2		16.94	3.72				15.69				<b></b>
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															l .
		Combination - Conversion - Switch with change			UEPFP	USACC		16.94	3.72				15.69				
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															1
		End User Premise			UEPFP	URETN		11.23	1.10					20.35	10.54	13.32	13.32
		ORT/LOOP COMBINATIONS - COST BASED RATES		<b>!</b>													<b></b>
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														<del></del>
$\vdash$	UNE PO	rt/Loop Combination Rates		<b>-</b>		+	10.00										<del></del>
$\vdash$		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	<b>—</b>	1		+	18.38					ļ	ļ				<b>—</b>
$\vdash$	$\vdash$	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	-	2		+	19.87					ļ	ļ				<del>                                     </del>
$\vdash$	LINIE	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	-	3		+	24.78					ļ	ļ				<del>                                     </del>
$\vdash$	UNE LO	op Rates	-	1	LIEDDY	UECD1	9.60										<del>                                     </del>
$\vdash$		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	-		UEPPX	UECD1	9.60					ļ	ļ				<del>                                     </del>
$\vdash$		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX UEPPX												<del> </del>
$\vdash$	UNE Po	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	<b>-</b>	3	UEPPA	UECD1	16.00			<b></b>		-	-	-			<del>                                     </del>
$\vdash$	UNE PO	Exchange Ports - 2-Wire DID Port	<b>-</b>	<del>                                     </del>	UEPPX	UEPD1	8.78	45.44	29.94	8.45	3.91	<b> </b>	<b> </b>	30.89	7.03		<del></del>
$\vdash$	NOND	CURRING CHARGES - CURRENTLY COMBINED	-	1	ULFFA	UEPUI	0.78	45.44	29.94	0.45	3.91		-	30.89	1.03		
$\Box$	NONKE	CONTING CHARGES - CORRENTLY COMBINED	<u> </u>	I	l	1						L	l		l .		

NRONDLE	D NETWORK ELEMENTS - Tennessee											Т-			ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	USOC			RATES (\$)			II .	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrecurring		Nonrecurring	Disconnect				Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																
	Switch-as-is			UEPPX		USAC1		8.76	5.75					30.89	7.03		ļ
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX		USA1C		8.76	5.75					30.89	7.03		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPPX		URETN		11.23	1.10								
	one Number/Trunk Group Establisment Charges																ļ
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
	NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT														
UNE Po	ort/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB	UEPPR		32.27										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR		34.78										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB	UEPPR		44.32										
UNE Lo	pop Rates																
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	16.20										
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	18.71										
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	28.25										
	ort Rate																
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	16.07	141.75	118.37	49.20	43.26			19.99	19.99		
NONRE	CURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			UEPPB	UEPPR	USACB	0.00	117.23	117.23					19.99	19.99		
ADDITI	ONAL NRCs															Î	
	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy- Non Feature/Add Trunk			UEPPB	UEPPR	USASB		212.88						19.99	19.99		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPPB	UEPPR	URETN		11.23	1.10								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPPB	UEPPR	URETL		8.33	0.83								
LOCAL	NUMBER PORTABILITY		1			İ				İ		1				İ	
	Local Number Portability (1 per port)		1	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00							ĺ	
B-CHAI	NNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)		1	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00							ĺ	
1	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00	i i		1		1	1	ĺ	
	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO	C,MS. 8	TN)					1				İ					
	CVS/CSD (DMS/5ESS)		_ <i></i>	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00	i i		1		1	1	ĺ	
	CVS (EWSD)		1	UEPPB	UEPPR	U1UCE	0.00	0.00	0.00							ĺ	
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00	i		İ		İ	İ	İ	
USER 1	TERMINAL PROFILE		1			İ	1			İ		1				İ	
	User Terminal Profile (EWSD only)		1	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00			İ					
	CAL FEATURES		1				2.30		2.30	İ		1				İ	
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00					i	i	i	<b>T</b>
	OFFICE CHANNEL MILEAGE					1	2.00	2.00	2.00			1				1	
	Interoffice Channel mileage each, including first mile and facilities termination			UEPPB	LIEDDD	M1GNC	17.91	53.99	17.37					19.99	19.99		
-+	Interoffice Channel mileage each, additional mile		-			M1GNC M1GNM	0.173	0.00	0.00			-		19.99	19.99	-	+
				UEFFB	UEPPK	IVITOINIVI	0.173	0.00	0.00			<b>!</b>					<b>└</b>
4 MIDE	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	DODT				l .						II .					

ONRONDLE	D NETWORK ELEMENTS - Tennessee													ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Tax								D130 131	DISC Add I
	<u> </u>				1	Rec	Nonrecurring	Add'l	Nonrecurring First		COMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
Pogue	Lests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital T	runk De	art afte	r the offective date of	of this amond	mont chall bo	First			Add'l			SOWAN	SUMAN	SUMAN	SUMAN
	Port/Loop Combination Rates	TUIIK F	T and	Title effective date of	I tills alliellu	Illelit Silali be	provided pursu	iant to a sepai	ate agreement	or tariir at bei	l douting un	Scretion.		1		
ONL	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		<u> </u>								<u> </u>			1		
	Zone 1		1	UEPPP		132.58										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		<u> </u>	02		.02.00					i e					
	Zone 2		2	UEPPP		150.25										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 3		3	UEPPP		173.44										
UNE L	oop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	57.73										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	75.40										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	98.59									ļ	
UNE F	Port Rate		<u> </u>	LIEDDD	LIEDES	=		200.5					40.0-	10.5-	ļ	
No	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)		1	UEPPP	UEPPP	74.85	415.53	366.90	89.28	77.43	ļ		19.99	19.99	<del>                                     </del>	
NONR	ECURRING CHARGES - CURRENTLY COMBINED		-	<del>                                     </del>	<del> </del>	-	<del>                                     </del>		-	-	<del> </del>	1	-	<del>                                     </del>	<del>                                     </del>	1
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP	USACP	0.00	328.53	328.53					19.99	19.99	I	
ADDIS	FIONAL NRCs		<del>                                     </del>	UEFFF	USACP	0.00	3∠8.53	3∠8.53	+				19.99	19.99	+	
ADDII	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-										<b> </b>	-				-
	Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF		0.94						19.99	19.99		
+	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -		<u> </u>	ULFFF	FIXIT		0.94				<u> </u>		15.55	19.99		
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		22.36	22.36					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -		1	OLITI	11010		22.00	22.00			1	1	10.00	10.00	1	1
	Subsequent Inward Tel Numbers			UEPPP	PR7ZT		44.71	44.70					19.99	19.99		
LOCA	L NUMBER PORTABILITY										İ					
	Local Number Portability (1 per port)		i e	UEPPP	LNPCN	1.75										
INTER	RFACE (Provsioning Only)															
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New c	or Additional "B" Channel															
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	28.39						19.99	19.99		
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	29.11						19.99	19.99		
	New or Additional Inward Data B Channel		<u> </u>	UEPPP	PR7BD	0.00	29.39						19.99	19.99		
CALL	TYPES		-	LIEDDD	DD7C4	0.00	0.00	0.00			1				1	
	Inward Outward		-	UEPPP UEPPP	PR7C1 PR7CO	0.00	0.00	0.00	-		-				<del>                                     </del>	
	Two-way		<del>                                     </del>	UEPPP	PR7CC	0.00	0.00	0.00	+						+	
Intere	ffice Channel Mileage		<del>                                     </del>	ULFFF	FRICO	0.00	0.00	0.00	+						+	-
intero	Fixed Each Including First Mile		$\vdash$	UEPPP	1LN1A	76.1825	145.98	109.85	19.55	<u> </u>	1	<del>                                     </del>	19.99	19.99	<del> </del>	<del>                                     </del>
	Each Airline-Fractional Additional Mile		<del>                                     </del>	UEPPP	1LN1B	0.3525	145.30	109.05	19.33		<b>†</b>	<del>                                     </del>	19.99	19.39	t	<b>-</b>
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT		1	OLITI	ILIVID	0.0020					1	1			1	1
The U	NE-P DS1 combination rates below for in this rate exhibit apply	to the	embe	ded base in place a	s of 10/2/03 u	ıntil 4/1/04. Af	ter 4/1/04 these	rates shall re	vert to tariff rate	es or a separa	te commerc	ial agreeme	nt.			
	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effe												T	1	1	1
	Port/Loop Combination Rates				1								l	İ	1	
1	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC	1	93.28					İ		19.99	19.99		
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		110.95							19.99	19.99		
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		134.14							19.99	19.99		
UNE L	oop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	57.53										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	75.40									L	
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	98.59									ļ	
UNE F	Port Rate		<u> </u>	LIEDDO	LIDD4T		0.10.0-	000 5					40.0-	10.5-	ļ	
	4-Wire DDITS Digital Trunk Port (E:4/1/2004)		<u> </u>	UEPDC	UDD1T	35.55	342.80	257.87	61.41	48.49			19.99	19.99	-	
NONR	ECURRING CHARGES - CURRENTLY COMBINED		-	ļ	1		_							-	<del>                                     </del>	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004)			UEPDC	USAC4		312.91	312.91					19.99	19.99		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		312.91	312.91					19.99	19.99		

ONBONDL	ED NETWORK ELEMENTS - Tennessee													ment: 2	1	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add'
															DISC ISL	DISC Add
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			LIEDDO	110 414/5		040.04	040.04					40.00	40.00		
ADDI	- Conversion with Change - Trunk (E:4/1/2004)		1	UEPDC	USAWB		312.91	312.91					19.99	19.99		
ADDI	TIONAL NRCs				_											
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Service Activity Per Service Order		1	UEPDC	USAS4		94.88	94.88						-		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		108.67	108.67					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			UEPDC	UDITA		108.67	108.67			-		19.99	19.99		-
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		108.67	108.67					19.99	19.99		
_	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsgnt Channel		1	UEPDC	UDITB		108.67	108.67					19.99	19.99		
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		108.67	108.67					19.99	19.99		
			-	UEPDC	UDITC		108.67	108.67			-		19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID	1		UEPDC	UDTTD		108.67	108.67					19.99	19.99	I	
_	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsgnt Chan	_	<del>                                     </del>	OLPDO	טווטט		108.67	108.67			-		19.99	19.99	<del>                                     </del>	1
				LIEDDO	LIDTTE		100.07	400.07					19.99	10.00		
DIDO	Activation / Chan - 2-Way DID w User Trans		-	UEPDC	UDTTE		108.67	108.67					19.99	19.99	<del></del>	-
BIPO	B8ZS -Superframe Format		<del>                                     </del>	UEPDC	CCOSF		0.00i	590.00s			-		19.99	19.99	<del>                                     </del>	1
	B8ZS - Extended Superframe Format		-	UEPDC	CCOEF		0.00i	590.00s			-		19.99	19.99		
Alton	nate Mark Inversion		1	UEPDC	CCOEF		0.001	590.008					19.99	19.99		
Aiter				UEPDC	MCOSF		0.00	0.00								ļ
_	AMI -Superframe Format						0.00	0.00								ļ
T - 1	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								ļ
i eiep	ohone Number/Trunk Group Establisment Charges		1	UEPDC	UDTGX	0.00							19.99	19.99		
_	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGY	0.00								19.99		ļ
_	Telephone Number for 1-Way Outward Trunk Group		1	UEPDC		0.00							19.99 19.99	19.99		
	Telephone Number for 1-Way Inward Trunk Group Without DID		1	UEPDC	UDTGZ ND4	0.00							19.99	19.99		
	DID Numbers for each Group of 20 DID Numbers		-			0.00					-		19.99	19.99		
_	DID Numbers, Non- consecutive DID Numbers , Per Number Reserve Non-Consecutive DID Nos.		-	UEPDC UEPDC	ND5 ND6	0.00		0.00			-		19.99	19.99		
_	Reserve DID Numbers			UEPDC	NDV	0.00		0.00								ļ
Dadi		Dinita	11			0.00	0.00	0.00			-					
Deal	cated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	Digita	Loop	With 4-Wire DDITS	Trunk Port		1				<b>-</b>				-	<b>}</b>
	Termination)			UEPDC	1LNO1	75.83	145.98	109.85	19.66	14.99						
_	Termination)		-	UEPDC	ILNOT	75.03	145.96	109.00	19.00	14.99	1				-	1
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.3525	0.00	0.00								
_	Interoffice Channel Mileage - Additional rate per fille - 0-6 filles		-	ULFDC	ILINOA	0.3323	0.00	0.00			<b>-</b>				-	<b>}</b>
	Termination)	1		UEPDC	1LNO2	0.00	0.00	0.00							I	
_	Interoffice Channel Mileage - Additional rate per mile - 9-25		<del>                                     </del>	OLFDC	ILINUZ	0.00	0.00	0.00			<del>                                     </del>				+	<del>                                     </del>
	miles	1		UEPDC	1LNOB	0.3525	0.00	0.00							I	
-	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities		<del>                                     </del>	021 00	ILINOD	0.3325	0.00	0.00	<del>                                     </del>		<del>                                     </del>			1	+	<del>                                     </del>
	Termination)	1		UEPDC	1LNO3	0.00	0.00	0.00							I	
+-	Termination)			OLI DO	TEINOS	0.00	0.00	0.00								<del>                                     </del>
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles	1		UEPDC	1LNOC	0.3525	0.00	0.00							I	
+	Local Number Portability, per DS0 Activated	<b>-</b>	<del>                                     </del>	UEPDC	LNPCP	3.15		0.00	<del>                                     </del>		<b>H</b>			<del>                                     </del>	<del>                                     </del>	-
-	Central Office Termininating Point		<del>                                     </del>	UEPDC	CTG	0.00		0.00	<del>                                     </del>					<del> </del>	<del>                                     </del>	
1-10/11	RE DS1 LOOP WITH CHANNELIZATION WITH PORT	<b>-</b>	<del>                                     </del>	02.100	0.0	0.00	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>		<b>H</b>			<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
	em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	vations			+		1		<del>                                     </del>		<u> </u>				t	<del>                                     </del>
	System can have up to 24 combinations of rates depending on			ber of ports used	1		1	<b> </b>						<b>i</b>	t	1
	JNE-P DS1 combination rates below for 4-Wire DS1 Loop with C					ly to the embe	edded base in r	place as of 10/2	2/03 until 4/1/04	. After 4/1/04	these rates	shall revert	to tariff rates	or a separate	agreement	
	lests for 4-Wire DS1 Loop with Channelization with Port after th															1
	DS1 Loop					pareau		go 01						<b>i</b>	t	1
3.12	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	57.73	0.00	0.00						<b>i</b>	t	1
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	75.40		0.00	1					i	1	
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	98.59		0.00						İ	t	
UNE	DSO Channelization Capacities (D4 Channel Bank Configuration	ns)	Ť			55.55	3.50	3.50						<b>i</b>	t	1
	24 DSO Channel Capacity - 1 per DS1		t	UEPMG	VUM24	131.87	0.00	0.00					19.99	19.99	1	1
$\neg$	48 DSO Channel Capacity - 1 per 2 DS1s		t	UEPMG	VUM48	263.74		0.00	1				19.99	19.99	1	
$\neg$	96 DSO Channel Capacity -1per 4 DS1s		t —	UEPMG	VUM96	527.48		0.00					19.99	19.99	1	
	144 DS0 Channel Capacity - 1 per 6 DS1s		<del>                                     </del>	UEPMG	VUM14	791.42		0.00	1		1	1	19.99	19.99	1	
	1144 DS0 Channel Capacity - 1 per 6 DS1s															

UNBUNI	DLED	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhil	ibit: A
		J										Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			to the second									Elec		Manual Svc	Manual Svc		Manual Svo
CATEGOR	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per Lor	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
																Disc 1st	
														1st	Add'l	DISC 1St	Disc Add'l
							B	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	- 1	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	1,318.70	0.00	0.00					19.99	19.99		1
	- 1	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,582.44	0.00	0.00					19.99	19.99		1
		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	2,109.92	0.00	0.00					19.99	19.99		1
		480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	2,637.40	0.00	0.00					19.99	19.99		1
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	3,164.88	0.00	0.00					19.99	19.99		
	(	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,692.36	0.00	0.00					19.99	19.99		1
No	n-Red	curring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chanr	neliztio	n with Port - Conve	rsion Charge	Based on a Sy	stem									1
		num System configuration is One (1) DS1, One (1) D4 Channe															1
		es of this configuration functioning as one are considered Ad										İ					1
		NRC - Conversion (Currently Combined) with or without			, , , , , , , , , , , , , , , , , , ,	Ĭ						İ					1
		BellSouth Allowed Changes			UEPMG	USAC4	0.00	303.61	15.74					19.99	19.99		
Sv	stem	Additions at End User Locations Where 4-Wire DS1 Loop wi	th Chan	nelizat	ion with Port Comb	ination Curre	ntly Exists and					İ					1
		ot Currently Combined) in all states, except in Density Zone 1										İ					1
		1 DS1/D4 Channel Bank - Additionally Add NRC for each Port															
		and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	704.68	441.48	138.36	16.41			19.99			
Bi		8 Zero Substitution										İ					1
		Clear Channel Capability Format, superframe - Subsequent										İ					1
		Activity Only			UEPMG	CCOSF	0.00	0.00i	590.00s								
		Clear Channel Capability Format - Extended Superframe -															
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	590.00s								
Al		e Mark Inversion (AMI)						0.00									
F		Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
		Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00			İ					1
Ex	chang	ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port								İ					1
		ge Ports										İ					1
		Line Side Combination Channelized PBX Trunk Port - Business															
		(E:4/1/2004)			UEPPX	UEPCX	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
	T i	Line Side Outward Channelized PBX Trunk Port - Business															1
		(E:4/1/2004)			UEPPX	UEPOX	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
		Line Side Inward Only Channelized PBX Trunk Port without DID															1
		(E:4/1/2004)			UEPPX	UEP1X	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port															
		(E:4/1/2004)			UEPPX	UEPDM	8.97	0.00	0.00	0.00	0.00			30.89	7.03		
	- 1	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –															1
		(AL, KY, LA, MS, & TN)(Conversion from Network Access															
		Service) (E:4/1/2004)			UEPPX	UEPCY	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
	ı	Unbundled Exchange Ports, 2-Wire Channelized – Combination															
		(AL, KY, LA, MS, & TN) (Conversion from Network Access															
		Service) (E:4/1/2004)			UEPPX	UEPCT	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
	ı	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –															
		Tennessee Only - Calling Plan - Regionserv (E:4/1/2004)	<u></u>		UEPPX	UEPCZ	1.70	0.00	0.00	0.00	0.00	<u> </u>	<u></u>	30.89	7.03	<u>                                       </u>	
	- 1	Unbundled Exchange Ports, 2-Wire Channelized – Two Way -															
	-	Tennessee Only - Calling Plan - Regionserv (E:4/1/2004)			UEPPX	UEPC6	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
Fe	ature	Activations - Unbundled Loop Concentration															
		Feature (Service) Activation for each Line Port Terminated in D4															
	- 1	Bank (includes Q.1.4, P50.1, P.50.498)			UEPPX	1PQWM	2.02	23.94	12.64	3.82	3.80			30.89	7.03		
		Feature (Service) Activation for each Trunk Port Terminated in															
		D4 Bank (includes Q.1.4, P50.1, P.50.498)	<u></u>		UEPPX	1PQWU	2.02	73.67	17.37	54.09	10.57	<u> </u>	<u></u>	30.89	7.03	<u>                                       </u>	
Te	lepho	ne Number/ Group Establishment Charges for DID Service															
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Lc		umber Portability															
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
		RES - Vertical and Optional															
Lc		witching Features Offered with Line Side Ports Only															
		All Features Available	T T	I -	UEPPX	UEPVF	0.00	0.00	0.00				I '				Г

UNBUN	IDLE	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
	Ī											Svc Order	Svc Order	Incremental			
												Submitted			Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGO	DRY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""										-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
<u> </u>								Namaaaaa		Nonrecurring	. Diacommont			220	Rates (\$)		
							Rec	Nonrecurring First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LINIDIINI	N ED C	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES						FIRST	Addi	FIRST	Addi	SOMEC	SOWAN	SOWAN	SUMAN	SUMAN	SUMAN
		Based Rates are applied where BellSouth is required by FCC		State (	Commission rule to 1	rovide Unb	undled Local S	witching or Sv	vitch Ports						-		<del></del>
		ires shall apply to the Unbundled Port/Loop Combination - C								dled Port secti	on of this Rate	Exhibit.					
		Office and Tandem Switching Usage and Common Transport											oin Port/Lo	op Combinat	ions.		
-	. The f	irst and additional Port nonrecurring charges apply to Not Cเ	urrently	Comb	ned Combos. For (	Currently Co	mbined Combo	s, the nonrecu	urring charges	shall be those	identified in t	he Nonrecu	rring - Curre	ently Combine	ed sections.	Additional NR	Cs may
		lso and are categorized accordingly.															
		ket Rates for Unbundled Centrex Port/Loop Combination will		tiated	on an Individual Ca	se Basis, un	til further notic	e.									
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	)														
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	JNE Po	ort/Loop Combination Rates (Non-Design)													-		<del></del>
1		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design	1	1	UEP91		1440						1		I		1
$\vdash$		Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<del>                                     </del>	<u> </u>	OLFSI	-	14.18					<del>                                     </del>	<b> </b>		<del>                                     </del>	<del> </del>	<del>                                     </del>
		Non-Design	1	2	UEP91		18.01						1		I		1
$\vdash$		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OL: 01		10.01						<b> </b>		<del>                                     </del>	<b> </b>	<del>                                     </del>
		Non-Design	1	3	UEP91		23.02						1		I		1
l	JNE Po	ort/Loop Combination Rates (Design)	i e	Ť	-										1	İ	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP91		18.26										l
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP91		23.33										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															l
		Design		3	UEP91		29.98										
	JNE Lo	op Rate		_	LIEDO4	LIE OO4	10.10										
		2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		1 2	UEP91 UEP91	UECS1 UECS1	12.48 16.31								1		<del></del>
-	_	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	21.32					-			-		<del></del>
		2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	16.56								-		<del></del>
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	21.63										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	28.28										
ı	JNE Po																
-	All Stat	es (Except North Carolina and Sout Carolina)															
		2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP91	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															l
		Area			UEP91	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic			LIEDO4	LIEDVII.	4.70	00.44	45.05	0.45	0.04		00.00	7.00			l
-		Local Area  2 Wire Voice Crade Bort (Central from diff Serving Wire Center)			UEP91	UEPYH	1.70	22.14	15.25	8.45	3.91	-	30.89	7.03	-		-
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2. 3 Basic Local Area	1	1	UEP91	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03	I		1
$\vdash$		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	<del>                                     </del>	<del>                                     </del>	021 01	OLI IIVI	1.70	22.14	15.25	0.45	3.91	<del>                                     </del>	30.09	7.03	<del> </del>	<del> </del>	<del></del>
		Term - Basic Local Area	1	1	UEP91	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03	I		1
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
		- Basic Local Area	<u></u>	L	UEP91	UEPY9	1.70	22.14	15.25	8.45	3.91	<u> </u>	30.89	7.03	<u> </u>	<u> </u>	<u> </u>
		2-Wire Voice Grade Port Terminated on 800 Service Term -															
		Basic Local Area			UEP91	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
/	۱L, KY,	LA, MS, & TN Only															
$\vdash$		2-Wire Voice Grade Port (Centrex )	ļ	<u> </u>	UEP91	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03	ļ		
$\vdash$		2-Wire Voice Grade Port (Centrex 800 termination)	<b> </b>	<u> </u>	UEP91	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03	<del>                                     </del>	<b>!</b>	-
$\vdash$		2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire		-	UEP91	UEPQH	1.70	22.14	15.25	8.45	3.91	-	30.89	7.03	<del>                                     </del>	-	<del></del>
		2-wire voice Grade Port (Centrex from diff Serving wire Center)2,3	1	1	UEP91	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03	I		1
$\vdash$		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800	<del>                                     </del>	<del>                                     </del>	021 01	OLI VIVI	1.70	22.14	15.25	0.45	3.91	<del>                                     </del>	30.09	1.03	<del> </del>	<del> </del>	<del></del>
		Service Term		l	UEP91	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1		1
			<u> </u>				10	22.17	10.20	5.40	5.91	1	50.00	7.00	1	1	
		2-Wire Voice Grade Port terminated in on Megalink or equivalent		l	UEP91	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1		1
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
l	ocal S	witching															
		Centrex Intercom Funtionality, per port			UEP91	URECS	0.6381										
1  1	ocal N	lumber Portability								]		1					1

NBUNDL	ED NETWORK ELEMENTS - Tennessee													ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			II .	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)	l .	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Feat	tures			LIEBO							ļ					
	All Standard Features Offered, per port			UEP91	UEPVF	0.00					ļ	30.89	7.03			
	All Select Features Offered, per port		-	UEP91	UEPVS	0.00						30.89	7.03			
NAR	All Centrex Control Features Offered, per port		-	UEP91	UEPVC	0.00					<b> </b>	30.89	7.03			
INAN	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00	1	0.00	7.03			
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00	1	0.00	7.03			
Misc	cellaneous Terminations								0.00		†					
	ire Trunk Side				1						İ		1			
	Trunk Side Terminations, each			UEP91	CENA6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
Inte	roffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0174										
	ture Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
D4 C	Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center				1PQWP	0.66										
				UEP91												
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66										
Non	-Recurring Charges (NRC) Associated with UNE-P Centrex															
	Conversion - Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP91	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block			UEP91	M1ACS	0.00						30.89	7.03			
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	658.60					30.89	7.03			
	Secondary Block, per Block			UEP91	M2CC1	0.00	73.55					30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP91	URECA		68.57				ļ	30.89	7.03			
Add	itional Non-Recurring Charges (NRC)				+						ļ					
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP91	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP91	URETN		11.23	1.10								
UNE	-P CENTREX - 5ESS (Valid in All States)															
2-W	ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP95		14.18										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP95		18.01										
UNE	Non-Design   Port/Loop Combination Rates (Design)		3	UEP95		23.02										
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design		1	UEP95		18.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
+	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP95		23.33										
UNF	Design Loop Rate		3	UEP95		29.98										-
- 10.42	2-Wire Voice Grade Loop (SL 1) - Zone 1	<b>—</b>	1	UEP95	UECS1	12.48	+ + + + + + + + + + + + + + + + + + + +				<del> </del>		<b>†</b>	<del>                                     </del>		$\vdash$

NRONDLE	D NETWORK ELEMENTS - Tennessee													ment: 2	1	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP95	UECS1	16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	21.32										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	28.28										
	ort Rate															
All Stat				LIEDOE	LIEDVA	4.70	20.44	45.05	0.45	2.04		20.00	7.00			
	2-Wire Voice Grade Port (Centrex ) Basic Local Area		-	UEP95 UEP95	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
-	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			UEP95	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Area			UEP95	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Basic Local Area			UEP95	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term - Basic Local Area			UEP95	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP95	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP95	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
AL, KY,	, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex )			UEP95	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP95	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP95	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
FL & G					1											
	Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.6381										
	Number Portability		-	UEP95	LNPCC	0.35									1	
Feature	Local Number Portability (1 per port)			UEP95	LNPCC	0.35					-					
reature	All Standard Features Offered, per port		<b>-</b>	UEP95	UEPVF	0.00	<del>                                     </del>				<b>H</b>	30.89	7.03	l	t	<del>                                     </del>
	All Select Features Offered, per port		<del>                                     </del>	UEP95	UEPVS	0.00	433.78					30.89	7.03		<b>+</b>	<b> </b>
	All Centrex Control Features Offered, per port		l —	UEP95	UEPVC	0.00	400.70				<del>                                     </del>	30.89	7.03		<b>I</b>	<b> </b>
NARS	and the second s				1	2.00						22.50	1.00		1	
	Unbundled Network Access Register - Combination		Ì	UEP95	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03	l	1	
	Unbundled Network Access Register - Indial		İ	UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
	laneous Terminations															
	Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	8.78	47.75	47.01	9.21	8.47		30.89	7.03			
	Digital (1.544 Megabits)				<del>                                     </del>										1	ļ
	DS1 Circuit Terminations, each			UEP95	M1HD1	35.55	75.93	38.15				30.89	7.03		<b>.</b>	
	DS0 Channels Activated, each		<u> </u>	UEP95	M1HDO	0.00	108.67					30.89	7.03			
	fice Channel Mileage - 2-Wire		<u> </u>	LIEDOE	MACRO	10.50	20.44	45.05	0.45	2.01		20.00	7.00	<b> </b>	<del>                                     </del>	<b> </b>
	Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile		<u> </u>	UEP95 UEP95	M1GBC M1GBM	18.58 0.0174	22.14	15.25	8.45	3.91	1	30.89	7.03	-	<del>                                     </del>	<del>                                     </del>
	Interoffice Channel mileage, per mile or fraction of mile  e Activations (DS0) Centrex Loops on Channelized DS1 Servic	•	<del>                                     </del>	ULF90	IVIIGBIVI	0.0174	<del>                                     </del>					<b> </b>	<b> </b>	<b> </b>	<del>                                     </del>	<b> </b>
	annel Bank Feature Activations	e	-		+ +		<del>                                     </del>								+	-
D4 Clia	Feature Activation on D-4 Channel Bank Centrex Loop Slot		<u> </u>	UEP95	1PQWS	0.66	<del>                                     </del>							-	<del>                                     </del>	<del>                                     </del>
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95 UEP95	1PQW6	0.66										

ONDONDLE	D NETWORK ELEMENTS - Tennessee		1	ı							Cur Out	Core Cond		ment: 2	+	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP95	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop		-	UEF95	IFQVV	0.00					+					-
	Slot			UEP95	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot		<u> </u>	UEP95	1PQWA	0.66					<u> </u>					
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP95	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	658.60					30.89	7.03			
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion	ļ	<u> </u>	UEP95	URECA	0.00	68.57				1	30.89	7.03			
Additi	onal Non-Recurring Charges (NRC)	ļ	<u> </u>												1	
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise	1		UEP95	URETL		8.33	0.83								
-	Unbundled Miscellaneous Rate Element, Tag Design Loop at		1	UEF95	UKETL		0.33	0.63			+					1
	End Use Premise			UEP95	URETN		11.23	1.10								
UNE-P	CENTREX - DMS100 (Valid in All States)		1	OLI SO	OKETIV		11.20	1.10			+					<b>†</b>
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo										1					
	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP9D		14.18										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP9D		18.01										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDOD		00.00										
LINE D	Non-Design Port/Loop Combination Rates (Design)		3	UEP9D	-	23.02										
UNEF	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		-								1					
	Design		1	UEP9D		18.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	OLI OD		10.20					<u> </u>					
	Design		2	UEP9D		23.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1				i									
	Design		3	UEP9D		29.98										
UNE L	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	16.31					1					
	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	-	3	UEP9D UEP9D	UECS1	21.32 16.56					+					1
	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	-	2	UEP9D UEP9D	UECS2 UECS2	21.63					1			<b> </b>	<b> </b>	-
	2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	28.28			1		<del>                                     </del>				+	
UNE P	Port Rate		Ť	02.00	32002	20.20										
	TATES	i e														
	2-Wire Voice Grade Port (Centrex ) Basic Local Area		i –	UEP9D	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area		<u> </u>	UEP9D	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local	1														
	Area	ļ	<u> </u>	UEP9D	UEPYC	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03		ļ	1
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local	1		LIEBOD	UEPYD	1.70	22.44	15.25	8.45	3.91		30.89	7.03			
	Area  2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local	1	<del>                                     </del>	UEP9D	UEFTU	1.70	22.14	15.25	8.45	3.91	+	30.89	7.03		1	<del>                                     </del>
	Area	1		UEP9D	UEPYE	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local		<b>†</b>	02.00	52.12	1.70	22.17	10.20	5.45	0.91		55.55	7.00			
	Area	1		UEP9D	UEPYF	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local	İ									İ					
	Area		<u> </u>	UEP9D	UEPYG	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local	l												l		
1	Area	l	1	UEP9D	UEPYT	1.70	22.14	15.25	8.45	3.91		30.89	7.03	l	1	1

IDUNDLE	D NETWORK ELEMENTS - Tennessee			1										ment: 2		ibit: A
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
							Name and a second		l Names and a	Diagonuscat			220	Datas (ft)	1	
_						Rec	Nonrecurring	A	Nonrecurring		001150	001441		Rates (\$)	001441	
_	2 Wire Voice Crade Port (Centray / EBC ME209\)2 Pagis Legal		<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
_	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			OLI 3D	OLI 10	1.70	22.14	10.20	0.43	3.31	1	30.03	7.00			<del>                                     </del>
	Area			UEP9D	UEPYV	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
	Area			UEP9D	UEPY3	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local															
	Area			UEP9D	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
_	Indication))4 Basic Local Area  2-Wire Voice Grade Port (Centrex/Msq Wtq Lamp Indication))4			UEP9D	UEPYW	1.70	22.14	15.25	8.45	3.91		30.89	7.03		1	
	Basic Local Area			UEP9D	UEPYJ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
-	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			OLF 9D	OLF 13	1.70	22.14	13.23	0.43	3.91		30.03	7.03			<del></del>
	2,3-Basic Local Area			UEP9D	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4								00						t	<b>†</b>
	Basic Local Area			UEP9D	UEPYO	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4															
	Basic Local Area			UEP9D	UEPYP	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4															
	Basic Local Area			UEP9D	UEPYQ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			LIEDOD	LIEDVA	4.70	00.44	45.05	0.45	0.04		00.00	7.00			
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4		<u> </u>	UEP9D	UEPYR	1.70	22.14	15.25	8.45	3.91	-	30.89	7.03		-	
	Basic Local Area			UEP9D	UEPYS	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			OLI OD	OLI 10	1.70	22.14	10.20	0.40	0.01	<b>†</b>	00.00	7.00			<del>                                     </del>
	Basic Local Area			UEP9D	UEPY4	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
	Basic Local Area			UEP9D	UEPY5	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4															
	Basic Local Area			UEP9D	UEPY6	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			LIEDOD	LIEDV47	4.70	00.44	45.05	0.45	0.04		00.00	7.00			
_	Basic Local Area  2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		<u> </u>	UEP9D	UEPY7	1.70	22.14	15.25	8.45	3.91	-	30.89	7.03		-	
	Term 2.3			UEP9D	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLI OD	OLI 12	1.70	22.14	10.20	0.40	0.01	<b>†</b>	00.00	7.00			<del>                                     </del>
	Basic Local Area			UEP9D	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
	Local Area			UEP9D	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
AL, KY	, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ļ
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D UEP9D	UEPQC UEPQD	1.70	22.14	15.25	8.45	3.91 3.91		30.89 30.89	7.03		-	
_	2-Wire Voice Grade Port (Centrex / EBS-M5009)4 2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPQE	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91		30.89	7.03 7.03		-	<del></del>
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4  2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPQF	1.70	22.14	15.25	8.45	3.91		30.89	7.03		<del> </del>	<del>                                     </del>
	2-Wire Voice Grade Fort (Centrex / EBS-M5312)4			UEP9D	UEPQG	1.70	22.14	15.25	8.45	3.91		30.89	7.03		-	$\vdash$
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPQT	1.70	22.14	15.25	8.45	3.91		30.89	7.03	İ	1	<b>†</b>
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPQU	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPQV	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03	ļ		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			LIEDOD	LIEBOW	4 = 0		45.00	0	0.01		00.00	7.00		I	
+	Indication)4  2-Wire Voice Grade Port (Centrex/Msq Wtq Lamp Indication)4		-	UEP9D UEP9D	UEPQW UEPQJ	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91	1	30.89 30.89	7.03 7.03	-	1	+
+-	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)		<del>                                     </del>	OFLAD	UEFQJ	1.70	22.14	15.25	8.45	3.91	-	30.89	7.03		<del>                                     </del>	+
	2.3			UEP9D	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03		1	
	I-)-				JE. 3(11)	1.70	22.17	10.20	5.45	5.51		30.00	7.00	<b>i</b>	t	$\vdash$
- 1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4		I	UEP9D	UEPQO	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1

NBUND	LED NE	TWORK ELEMENTS - Tennessee													ment: 2		bit: A
ATEGOR	Y	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wir	e Voice Grade Port (Centrex/differ SWC /EBS-M5009)2.3.4			UEP9D	UEPQP	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
_	2-1116	e voice Grade Port (Centrexdiller SWC /EBS-W5009)2,3,4			DEP9D	UEFQF	1.70	22.14	15.25	0.40	3.91		30.09	7.03			
	2-Wire	e Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire	e Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ļ
	2-Wire	e Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-77110	e voice crade i ort (centrevalirei ovvo /Ebo-ivioo12/2,5,4			OLI 3D	OLI QO	1.70	22.14	13.23	0.43	5.51		30.03	7.00			
	2-Wire	e Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire	e Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire	e Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		0 10:00 0:000 : 01 (00:100 00:10) 2:0; 1			02.05	02. Q0			10.20	0.10	0.01		00.00	7.00			
		e Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		e Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOD	LIEDOZ	4 70	00.4	45.00		0.01		00.00	7.00			
	Term	2,3			UEP9D	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire	e Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		e Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
Loc	al Switch																
		ex Intercom Funtionality, per port			UEP9D	URECS	0.6381										
Loc		er Portability  Number Portability (1 per port)			UEP9D	LNPCC	0.35			-							
Fea	tures	Number Portability (1 per port)			DEP9D	LINECC	0.33										
		andard Features Offered, per port			UEP9D	UEPVF	0.00						30.89	7.03			
		elect Features Offered, per port			UEP9D	UEPVS	0.00	433.78					30.89	7.03			
		entrex Control Features Offered, per port			UEP9D	UEPVC	0.00						30.89	7.03			
NA		ndled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
		ndled Network Access Register - Combination ndled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
_		ndled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
Mis		us Terminations															
2-W	/ire Trunk																
4 7-		Side Terminations, each			UEP9D	CEND6	8.78	22.14	15.25	8.45	3.91	<u> </u>	30.89	7.03			-
4-W		II (1.544 Megabits) Circuit Terminations, each			UEP9D	M1HD1	35.55	75.93	38.15	-			30.89	7.03			
_		Channels Activiated per Channel			UEP9D	M1HD0	0.00	108.67	38.15	-			30.89	7.03			
Inte		hannel Mileage - 2-Wire			OLI OD	WITIEG	0.00	100.07					00.00	7.00			
		office Channel Facilities Termination			UEP9D	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
		office Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0174										
		vations (DS0) Centrex Loops on Channelized DS1 Service	е														
D4		Bank Feature Activations			LIEDOD	400000	0.66			<b> </b>							<del>                                     </del>
-	reatu	re Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	U.66					<del>                                     </del>					
	Featu	re Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66										
		re Activation on D-4 Channel Bank FX Trunk Side Loop															
_	Slot	Additional DAOLescol Date of the Control of the Con			UEP9D	1PQW7	0.66					1					
		re Activation on D-4 Channel Bank Centrex Loop Slot - ent Wire Center			UEP9D	1PQWP	0.66										
		re Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66										
		re Activation on D-4 Channel Bank Tjie Line/Trunk Loop			LIEDOD	400000	0.00										
-	Slot	re Activation on D-4 Channel Bank WATS Loop Slot			UEP9D UEP9D	1PQWQ 1PQWA	0.66			<del>                                     </del>							
No		ng Charges (NRC) Associated with UNE-P Centrex			DELAD	IPQWA	0.66			<del>                                     </del>							
1.01		Conversion Currently Combined Switch-As-Is with allowed				1											
- 1		ges, per port			UEP9D	USAC2		1.03	0.29				30.89	7.03			

NRONDL	ED NETWORK ELEMENTS - Tennessee													ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec Nonrecurring Nonrecurring Disconnec							oss	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	658.60					30.89	7.03			
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP9D	URECA		68.57					30.89	7.03			
Addi	tional Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP9D	URETN		11.23	1.10								
	P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo	ļ														
UNE	Port/Loop Combination Rates (Non-Design)	+	1		+						-	<b>_</b>	<b>.</b>	<b> </b>	<b> </b>	-
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1		LIEDOE	1 1	44.40										
	Non-Design	+-	1	UEP9E	+ +	14.18					-	-	-			-
- 1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	_	LIEDOE	1	40.04						1				
	Non-Design	+	2	UEP9E	+	18.01			<del>                                     </del>		-					1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design	1	3	UEP9E	1	23.02										
LINE	Port/Loop Combination Rates (Design)	+	3	UEP9E	+	23.02			<b>+</b> + + + + + + + + + + + + + + + + + +		1					1
ONL	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	+	-		+		-				<b>-</b>	-				<b>-</b>
	Design	1	1	UEP9E		18.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	+	'	UEP9E	+	10.20			<b>+</b> + + + + + + + + + + + + + + + + + +		1					1
	Design	1	2	UEP9E		23.33										
_	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	+		OLF 9L	+	23.33	<del> </del>		<del>                                     </del>							1
	Design		3	UEP9E		29.98										
LINE	Loop Rate	+		OLI SL	+	29.90	<del> </del>		<del>                                     </del>							
ONL	2-Wire Voice Grade Loop (SL 1) - Zone 1	+	1	UEP9E	UECS1	12.48	<del> </del>		<del>                                     </del>							
-	2-Wire Voice Grade Loop (SL 1) - Zone 2	+	2	UEP9E	UECS1	16.31										<b>-</b>
_	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEP9E	UECS1	21.32					<b>†</b>					1
	2-Wire Voice Grade Loop (SL 2) - Zone 1	1	1	UEP9E	UECS2	16.56					<b>†</b>					<b>†</b>
	2-Wire Voice Grade Loop (SL 2) - Zone 2	1	2	UEP9E	UECS2	21.63					1					1
	2-Wire Voice Grade Loop (SL 2) - Zone 3	1		UEP9E	UECS2	28.28					1					1
UNE	Port Rate	1														
	L, KY, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area	1		UEP9E	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP9E	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP9E	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire						l i									
	Center)2,3 Basic Local Area			UEP9E	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800					. <u></u>										
	Service Term - Basic Local Area		<u> </u>	UEP9E	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	t												I	I	
	- Basic Local Area			UEP9E	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term -													I	I	
_	Basic Local Area			UEP9E	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
AL, I	(Y, LA, MS, & TN Only	1	<u> </u>		1		ļļ						ļ			
_	2-Wire Voice Grade Port (Centrex )	1	<u> </u>	UEP9E	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)	1	<u> </u>	UEP9E	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1	+	1	UEP9E	UEPQH	1.70	22.14	15.25	8.45	3.91	-	30.89	7.03	<b> </b>	<b> </b>	-
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEBOE	LIEDOM	4 70	00.44	45.05	0.4-	0.01		00.00	7.00			
-	Center)2,3	+	<b>├</b>	UEP9E	UEPQM	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03	-	-	<del>                                     </del>
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			LIEDOE	UEPQZ	4 70	00.44	45.05	0.45	2.01		20.00	7.00			
	Service Term	+	<b>├</b>	UEP9E	UEPQZ	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03	-	-	<del>                                     </del>
_		1	1	I	1 1		1				1	I	I	I	I	
	2 Wire Voice Grade Port terminated in an Magalink of a serial serial			LIEDOE	LIEDOO	4 70	22.44	15.05	0 45	2 04		20 00	7.00			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	t		UEP9E	UEPQ9	1.70	22.14	15.25	8.45	3.91	-	30.89	7.03			
Local	2-Wire Voice Grade Port terminated in on Megalink or equivalent     2-Wire Voice Grade Port Terminated on 800 Service Term     1 Switching	t		UEP9E UEP9E	UEPQ9 UEPQ2	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91		30.89 30.89	7.03			

NRONI	ULEL	NETWORK ELEMENTS - Tennessee	_		ı	1						0	06		ment: 2	+	ibit: A
CATEGOR	RΥ	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Lo		umber Portability															ļ
		Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
Fe	ature				LIEDAE	LUEDVE											
		All Standard Features Offered, per port			UEP9E	UEPVF	0.00						30.89	7.03			
		All Select Features Offered, per port			UEP9E	UEPVS	0.00	433.78					30.89	7.03			ļ
NI.	ARS	All Centrex Control Features Offered, per port	ļ		UEP9E	UEPVC	0.00						30.89	7.03			<del>                                     </del>
N/	ARS	Habita diad Naturali Assass Basistas Cambinatina	1	1	UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
		Unbundled Network Access Register - Combination						0.00			0.00						-
		Unbundled Network Access Register - Indial			UEP9E UEP9E	UAR1X UAROX	0.00		0.00	0.00			0.00	7.03			-
DA:		Unbundled Network Access Register - Outdial aneous Terminations			UEP9E	UARUX	0.00	0.00	0.00	0.00	0.00	-	0.00	7.03			<del> </del>
		Trunk Side	<del>                                     </del>	<del>                                     </del>		+				+ +		<del>                                     </del>				1	<del>                                     </del>
2-1		Trunk Side Trunk Side Terminations, each	<del> </del>	1	UEP9E	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03		1	$\vdash$
4-1		Digital (1.544 Megabits)	<del>                                     </del>	<del>                                     </del>	OLI OL	SEINDO	0.70	22.14	15.25	0.40	3.91	<b>H</b>	30.08	7.03	<del> </del>	1	$\vdash$
		DS1 Circuit Terminations, each	<del>                                     </del>	1	UEP9E	M1HD1	35.55	75.93	38.15	<del>                                     </del>		<b>H</b>	30.89	7.03	<del>                                     </del>	1	<del>                                     </del>
		DS0 Channel Activated Per Channel	<del>                                     </del>	<del>                                     </del>	UEP9E	M1HDO	0.00	108.67	50.15	+ + +			30.89	7.03		<b>†</b>	<del>                                     </del>
Int		ice Channel Mileage - 2-Wire	1	<del>                                     </del>	0L1 0L		0.00	100.07		† †		<del>                                     </del>	30.03	7.03	1	1	
		Interoffice Channel Facilities Termination			UEP9E	M1GBC	18.58	22.14	15.25	8.45	3.91	1	30.89	7.03			t
		Interoffice Channel mileage, per mile or fraction of mile	1		UEP9E	M1GBM	0.0174	22.17	10.20	0.40	0.01		00.00	7.00			+
Fe		Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
		nnel Bank Feature Activations	Ī													İ	1
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66										1
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.66										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -										İ					1
	_	Different Wire Center			UEP9E	1PQWP	0.66										-
		Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop			UEP9E	1PQWV	0.66										
		Slot			UEP9E	1PQWQ	0.66										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66			1							+
No		curring Charges (NRC) Associated with UNE-P Centrex			OLI 3L	II QWA	0.00			1							+
		NRC Conversion Currently Combined Switch-As-Is with allowed	1			+											+
		changes, per port	1	1	UEP9E	USAC2		1.03	0.29	1			30.89	7.03			
		New Centrex Standard Common Block	t	t	UEP9E	M1ACS	0.00	658.60	0.20	† †			30.89	7.03	İ		
-		New Centrex Customized Common Block	1	i –	UEP9E	M1ACC	0.00	658.60		1			30.89	7.03	ĺ		1
		NAR Establishment Charge, Per Occasion		1	UEP9E	URECA	0.00	68.57		1			30.89	7.03			
Ac		nal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9E	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9E	URETN		11.23	1.10								
UI		CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)		1						1							
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo		i –													
		rt/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design		1	UEP93		14.18										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP93		18.01										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP93		23.02										
UN	NE Po	rt/Loop Combination Rates (Design)	Ì														1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design	-	1	UEP93		18.26										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP93		23.33										

ATEGORY RATE ELEMENTS SATE OF STATES (\$) Per LSR Per LSR Order vs.   Order vs.   Order vs.   Clectronic-   Electronic-   Electronic-   Electronic-   Electronic-   Electronic-   Electronic-	RUNDLE	NETWORK ELEMENTS - Tennessee													ment: 2	Exhibit: A	
New York Control From Control (Control Contr	TEGORY	RATE ELEMENTS		Zone	BCS	USOC	RATES (\$)						Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge
New York Congress of Control (Control)   Con							Per						•				
Design   D							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNIVER DEPTA   1.0   UECS    1.2.4																	
2-Wive Vece Grant Loop (S. 1) - Zone 1				3	UEP93		29.98										
2-Vivin Votor Climate Lorge (St. 1) - Zivary   3   16-20   1																	
2-Wile Votor Ginde Loop (St. ) - Zone 1																	
2-West Varies Granted Lope (S. 2) - Zene 1																	<del> </del>
2-Wire Vote Grade Lorg (St.) - Zone 2																	<b>_</b>
Wile For Res													-				
UNE FOR Rate													-				
AL, Yr, L. M. S., & TN only				3	UEP93	UEC52	28.28						-				
2-Wire Votes Grade Port (Centrees) Blass Local Area   2-Wire Votes Grade Port (Centree 80) termination State Local   2-Wire Votes Grade Port (Centree 80) termination State Local   2-Wire Votes Grade Port (Centree 80) termination State Local   3-Wire Votes Grade Port (Centree With Caller (D) Flassic Local   4-Res   2-Wire Votes Grade Port (Centree With Caller (D) Flassic Local   4-Res   2-Wire Votes Grade Port (Centree With Caller (D) Flassic Local   4-Res   2-Wire Votes Grade Port (Centree With Caller (D) Flassic Local   4-Res   2-Wire Votes Grade Port (Centree With Caller (D) Flassic Local   4-Res   2-Wire Votes Grade Port (Centree With Caller (D) Flassic Local   4-Res   2-Wire Votes Grade Port (Centree With Caller (D) Flassic Local   4-Res   2-Wire Votes Grade Port (Centree With Caller (D) Flassic Local   4-Res   2-Wire Votes Grade Port (Centree) Local Area   4-Res   2-Wire Votes Grade Port (Centree) Local Area   4-Res   4-R						+		1				-					<b>├</b>
2-Wire Vices Grade Port (Centres 80) terminators)Base Local   LEPS0   LEPY0   1,70   22,14   15,26   8,45   3,91   30,89   7,03   2,00   2,0			<del>                                     </del>	<b>!</b>	HEP93	ΠΕΡΥΔ	1 70	22 14	15.25	Ω //5	2.01	<b>H</b>	30 80	7.02	l	<del> </del>	
Area			<u> </u>	<del>                                     </del>	OL1 33	OLFIA	1.70	22.14	15.25	0.45	3.91		30.09	1.03		<del> </del>	<del></del>
With Visco Grade Port Centrex with Caller (P) Basic Local Area   UEP93   UEP74   1.70   22.14   15.25   8.45   3.91   30.89   7.03			1		HEP93	HEDVR	1 70	22 14	15.25	Ω 15	2.01		30 80	7 02			
Area			<u> </u>	<del>                                     </del>	OLI 33	OLI ID	1.70	22.14	10.20	0.40	3.91		50.09	7.03		<del> </del>	$\vdash$
2-Vivre Voce Grade Port Centrex Form off Serving Wee   UEP93   UEP74   1.70   22.14   15.25   8.45   3.91   30.89   7.03			1		UEP93	UEPYH	1 70	22 1/1	15 25	9.45	3 01		30.80	7 03			1
Center(2) & Basic Local Area   UEP98   UEPYM   1.70   22.14   15.25   8.45   3.91   30.89   7.03			<del>                                     </del>	<del>                                     </del>	021 00	JE: 111	1.70	22.14	10.20	0.40	5.91	<del>                                     </del>	30.09	7.03	<b> </b>		<del></del>
S-Wire Voice Grade Port, Drff Serving Wire Center - 23 - 800   UEP93   UEP92   1.70   22.14   15.25   8.45   3.91   30.89   7.03			1		UEP93	UEPYM	1 70	22 14	15 25	8 45	3.91		30.89	7 03			
Service Tam. Basic Local Area   UEP93   UEP94   1.70   22.14   15.25   8.45   3.91   30.89   7.03					OL1 00	OLI TIVI	1.70	22.14	10.20	0.40	0.01		00.00	7.00			<del>                                     </del>
2-Wire Voice Grade Port terminated on on Megalink or equivalent   UEP93   UEP93   UEP94   1.70   22.14   15.25   8.45   3.91   30.88   7.03					LIEP93	HEPY7	1 70	22 14	15.25	8 45	3 91		30.89	7.03			
- Basic Local Area					021 00	OLI IZ	1.70	22.17	10.20	0.40	0.01	1	00.00	7.00			
2-Wire Voice Grade Port Terminated on 900 Service Term   UEP93   UEPV2   1.70   22.14   15.25   8.46   3.91   30.89   7.03					UFP93	LIFPY9	1 70	22 14	15.25	8 45	3 91		30.89	7 03			
Basic Local Area					02. 00	020	0		10.20	0.10	0.01		00.00	7.00			<b>—</b>
2-Wire Voice Grade Port (Centrex N)					UEP93	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
2-Wire Voice Grade Port (Centrex WD termination)																	<b>—</b>
2-Wire Voice Grade Port (Centrex with Caller ID)1																	<b>†</b>
2-Wire Voice Grade Port (Centers from diff Serving Wire   UEP93   UEP93   UEP92   1.70   22.14   15.25   8.45   3.91   30.89   7.03																	<b>†</b>
Center 2.3																	†
Service Term					UEP93	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
Service Term		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800															
2-Wire Voice Grade Port Terminated on 800 Service Term					UEP93	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
2-Wire Voice Grade Port Terminated on 800 Service Term																	
Local Switching		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
Centrex Intercom Funtionality, per port   UEP93 URECS   0.6381		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
Local Number Portability (1 per port)																	
Local Number Portability (1 per port)					UEP93	URECS	0.6381										
Features																	
All Standard Features Offered, per port   UEP93   UEPVF   0.00   UEPVC   0.00   UEPVC   0.00   UEPVC   0.00   UEPVC   0.00   UEPVC   0.00   UEPVC   0.00   UEPVC   0.00   UEPVC   0.00   UEPVC   0.00   UEPVC   0.00   UEPVC   0.00   UEPVC   0.00   UEVCC   0.00   UEVCC   0.00   UEVCC   0.00   UEVCC   0.00   UEVCC   0.00   UEVCC   0.00   UEVCC   0.00   UEVCC   0.00   UEVCC   0.00   UEVCC   0.00   UEVCC   0.00   UEVCC   0.00   UEVCC   0.00   UEVCC   0.00   UEVCC   UEVCCC					UEP93	LNPCC	0.35										
All Centrex Control Features Offered, per port   UEP93   UEPVC   0.00   UEP93   UEVC   0.00   UEP93   UARCX   0.00   0.																	ļ
NARS   Unbundled Network Access Register - Combination   UEP93   UARCX   0.00																	
Unbundled Network Access Register - Combination		All Centrex Control Features Offered, per port			UEP93	UEPVC	0.00										<u> </u>
Unbundled Network Access Register - Indial					115500									=			<u> </u>
Unbundled Network Access Register - Outdial			ļ	<u> </u>													<b>├</b>
Miscellaneous Terminations			-	<del>                                     </del>								-				-	—
2-Wire Trunk Side			-	-	UEP93	UARUX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			├──
Trunk Side Terminations, each			<del>                                     </del>	<del>                                     </del>		+		1		1			-	<del> </del>	<b> </b>	<del> </del>	<del></del>
4-Wire Digital (1.544 Megabits)			-	1	I IED03	CEND6	0 70	22 14	15.25	Q 1E	3 01	<del>                                     </del>	30.90	7 02			$\vdash$
DS1 Circuit Terminations, each   UEP93   M1HD1   35.55   75.93   38.15   30.89   7.03			<del>                                     </del>	<b>!</b>	OL1 30	OLINDO	0.70	22.14	15.25	0.40	3.91	<b>H</b>	30.09	7.03	l	<del> </del>	
DS0 Channels Activated, Per Channel   UEP93   M1HDO   0.00   108.67   30.89   7.03			<b> </b>		UEP93	M1HD1	35 55	75 93	38 15			<b>-</b>	30.80	7 03		<b> </b>	<b></b>
Interoffice Channel Mileage - 2-Wire			l -						55.15								
Interoffice Channel Facilities Termination UEP93 M1GBC 18.58 22.14 15.25 8.45 3.91 30.89 7.03 Interoffice Channel mileage, per mile or fraction of mile UEP93 M1GBM 0.0174 Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP93 1PQWS 0.66			1	t			0.00	100.07		1			30.00	7.55	<b> </b>	<b>i</b>	
Interoffice Channel mileage, per mile or fraction of mile UEP93 M1GBM 0.0174  Feature Activations (DS0) Centrex Loops on Channelized DS1 Service  D4 Channel Bank Feature Activations  Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP93 1PQWS 0.66					UEP93	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03		1	
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service  D4 Channel Bank Feature Activations  Feature Activation on D-4 Channel Bank Centrex Loop Slot  UEP93  1PQWS  0.66									.0.20	50	0.01		55.55			1	
D4 Channel Bank Feature Activations  Feature Activation on D-4 Channel Bank Centrex Loop Slot  UEP93  1PQWS  0.66			e				0.0.74							1		1	$\vdash$
Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP93 1PQWS 0.66								1					İ	İ	l	İ	
					UEP93	1PQWS	0.66										
		<u> </u>															

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -	
		Instant															
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec per LSR	per LSR	Order vs.	Order vs.		1	
		m									per Lore	per Lore	Electronic-	Electronic-			
													1st	Add'l			
													131	Auu	Diac iat	Disc Add I	
						Rec	Nonrecurring		Nonrecurring	g Disconnect				Rates (\$)	Exhibit: A Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st  SOMAN SOMAN SOMAN		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop																
	Slot			UEP93	1PQW7	0.66											
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -																
	Different Wire Center			UEP93	1PQWP	0.66											
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.66											
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop																
	Slot			UEP93	1PQWQ	0.66											
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.66											
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex																
	NRC Conversion Currently Combined Switch-As-Is with allowed																
	changes, per port			UEP93	USAC2		1.03	0.29				30.89	7.03				
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	658.60					30.89	7.03				
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	658.60					30.89	7.03				
	NAR Establishment Charge, Per Occasion			UEP93	URECA		68.57					30.89	7.03				
Additi	onal Non-Recurring Charges (NRC)																
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use																
	Premise			UEP93	URETL		8.33	0.83									
	Unbundled Miscellaneous Rate Element, Tag Design Loop at																
	End Use Premise			UEP93	URETN		11.23	1.10									
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD																
	2 - Requres Interoffice Channel Mileage				1						ļ					ļ	
	- Installation is combination of Installation charge for SL2 Lo	op and	Port														
	- Requires Specific Customer Premises Equipment																
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	ie-up as set forth in	General Terr	ns and Conditi	ons.									<u> </u>	

# **Attachment 3**

**Network Interconnection** 

# TABLE OF CONTENTS

1.	GENERAL	
2.	DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT)	
3.	NETWORK INTERCONNECTION	4
4.	INTERCONNECTION TRUNK GROUP ARCHITECTURES	6
5.	NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECT	ΓΙΟΝ 13
6.	LOCAL DIALING PARITY	17
7.	INTERCONNECTION COMPENSATION	17
8.	FRAME RELAY SERVICE INTERCONNECTION	23
9.	ORDERING CHARGES	26
Ra	tes	Exhibit A
Ba	sic Architecture	Exhibit B
On	ne Way Architecture	Exhibit C
Tw	o Way Architecture	Exhibit D
Sin	nergroun Architecture	Exhibit E

#### NETWORK INTERCONNECTION

#### 1. GENERAL

- 1.1 The Parties shall provide interconnection with each other's networks for the transmission and routing of telephone exchange service (Local Traffic), ISP-bound Traffic, and exchange access (Switched Access Traffic) on the following terms:
- 2. DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT)
- 2.1 For purposes of this attachment only, the following terms shall have the definitions set forth below:
- 2.1.1 **Call Termination** has the meaning set forth for "termination" in 47CFR § 51.701(d).
- 2.1.2 **Call Transport** has the meaning set forth for "transport" in 47 CFR § 51.701(c).
- 2.1.3 **Call Transport and Termination** is used collectively to mean the switching and transport functions from the Interconnection Point to the last point of switching.
- 2.1.4 **Common (Shared) Transport** is defined as the transport of the originating Party's traffic by the terminating Party over the terminating Party's common (shared) facilities between (1) the terminating Party's tandem switch and end office switch, (2) between the terminating Party's tandem switches, and/or (3) between the terminating Party's host and remote end office switches. All switches referred herein must be entered into the Local Exchange Routing Guide (LERG).
- 2.1.5 **Dedicated Interoffice Facility** is defined as a switch transport facility between a Party's Serving Wire Center and the first point of switching within the LATA on the other Party's network.
- 2.1.6 **End Office Switching** is defined as the function that establishes a communications path between the trunk side and line side of the End Office switch.
- 2.1.7 **Fiber Meet** is an interconnection arrangement whereby the Parties physically interconnect their networks via an optical fiber interface at which one Party's facilities, provisioning, and maintenance responsibility begins and the other Party's responsibility ends.
- 2.1.8 **Final Trunk Group** is defined as the trunk group that does not carry overflow traffic.
- 2.1.9 **Interconnection Point (IP)** is the physical telecommunications equipment interface that interconnects the networks of BellSouth and Global Connection.

Version 1Q03: 02/28/03

- 2.1.10 **IntraLATA Toll Traffic** is as defined in Section 7 of this Attachment.
- 2.1.11 **ISP-bound Traffic** is as defined in Section 7 of this Attachment.
- 2.1.12 **Local Channel** is defined as a switched transport facility between a Party's Interconnection Point and the IP's Serving Wire Center.
- 2.1.13 **Local Traffic** is as defined in Section 7 of this Attachment.
- 2.1.14 **Reciprocal Trunk Group** is defined as a one-way trunk group carrying BellSouth originated traffic to be terminated by Global Connection
- 2.1.15 **Serving Wire Center** is defined as the wire center owned by one Party from which the other Party would normally obtain dial tone for its IP.
- 2.1.16 **Tandem Switching** is defined as the function that establishes a communications path between two switching offices through a third switching office through the provision of trunk side to trunk side switching.
- 2.1.17 **Transit Traffic** is traffic originating on Global Connection's network that is switched and/or transported by BellSouth and delivered to a third party's network, or traffic originating on a third party's network that is switched and/or transported by BellSouth and delivered to Global Connection's network.

#### 3. NETWORK INTERCONNECTION

- 3.1 This Attachment pertains only to the provision of network interconnection where Global Connection owns, leases from a third party or otherwise provides its own switch(es).
- 3.2 Network interconnection may be provided by the Parties at any technically feasible point within BellSouth's network. Requests to BellSouth for interconnection at points other than as set forth in this Attachment may be made through the Bona Fide Request/New Business Request (BFR/NBR) process set out in this Agreement.
- 3.2.1 Each Party is responsible for providing, engineering and maintaining the network on its side of the IP. The IP must be located within BellSouth's serving territory in the LATA in which traffic is originating. The IP determines the point at which the originating Party shall pay the terminating Party for the Call Transport and Termination of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic.
- Pursuant to the provisions of this Attachment, the location of the initial IP in a given LATA shall be established by mutual agreement of the Parties. Subject to the requirements for installing additional IPs, as set forth below, any IPs existing prior to the Effective Date of the Agreement will be accepted as initial IPs and will

Version 1Q03: 02/28/03

not require re-grooming. When the Parties mutually agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic between each other, the Parties shall mutually agree to the location of IP(s). If the Parties are unable to agree to a mutual initial IP, each Party, as originating Party, shall establish a single IP in the LATA for the delivery of its originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to the other Party for Call Transport and Termination by the terminating Party.

3.2.3 When first establishing the interconnection arrangement in each LATA, the location of the IP shall be established by mutual agreement of the Parties. In selecting the IP, both Parties will act in good faith and select the point that is most efficient for both Parties. If the Parties are unable to agree on the location of the IP, each Party will designate IPs for its originated traffic. Additional IP(s) in a LATA may be established by mutual agreement of the Parties. Notwithstanding the foregoing, additional IP(s) in a particular LATA shall be established, at the request of either Party, when the Local Traffic and ISP-bound Traffic exceeds 8.9 million minutes per month for three consecutive months at the proposed location of the additional IP. BellSouth will not request the establishment of an IP where physical or virtual collocation space is not available or where BellSouth fiber connectivity is not available. When the Parties agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic the Parties must agree to the location of the IP(s).

#### 3.3 Interconnection via Dedicated Facilities

- 3.3.1 Local Channel Facilities. As part of Call Transport and Termination, the originating Party may obtain Local Channel facilities from the terminating Party. The percentage of Local Channel facilities utilized for Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor on a statewide basis. The charges applied to the percentage of Local Channel facilities used for Local Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment. The remaining percentage of Local Channel facilities shall be billed at BellSouth's applicable access tariff rates.
- 3.3.2 **Dedicated Interoffice Facilities.** As a part of Call Transport and Termination, the originating Party may obtain Dedicated Interoffice Facilities from the terminating Party. The percentage of Dedicated Interoffice Facilities utilized for Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor on a statewide basis. The charges applied to the percentage of the Dedicated Interoffice Facilities used for Local Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment. The remaining percentage of the Dedicated Interoffice Facilities shall be billed at BellSouth's applicable access tariff rates.
- 3.3.3 The facilities purchased pursuant to this Section 3 shall be ordered via the Access Service Request (ASR) process.

# 3.4 Fiber Meet

- 3.4.1 Notwithstanding Section 3.2.1, 3.2.2, and 3.2.3 above, if Global Connection elects to establish interconnection with BellSouth pursuant to a Fiber Meet Local Channel, Global Connection and BellSouth shall jointly engineer, operate and maintain a Synchronous Optical Network (SONET) transmission system by which they shall interconnect their transmission and routing of Local Traffic via a Local Channel at either the DS1 or DS3 level. The Parties shall work jointly to determine the specific transmission system. However, Global Connection's SONET transmission system must be compatible with BellSouth's equipment, and the Data Communications Channel (DCC) must be turned off.
- Each Party, at its own expense, shall procure, install and maintain the agreed upon SONET transmission system in its network.
- 3.4.3 The Parties shall agree to a Fiber Meet point between the BellSouth Serving Wire Center and the Global Connection Serving Wire Center. The Parties shall deliver their fiber optic facilities to the Fiber Meet point with sufficient spare length to reach the fusion splice point for the Fiber Meet Point. BellSouth shall, at its own expense, provide and maintain the fusion splice point for the Fiber Meet. A building type Common Language Location Identification (CLLI) code will be established for each Fiber Meet point. All orders for interconnection facilities from the Fiber Meet point shall indicate the Fiber Meet point as the originating point for the facility.
- 3.4.4 Upon verbal request by Global Connection, BellSouth shall allow Global Connection access to the fusion splice point for the Fiber Meet point for maintenance purposes on Global Connection's side of the Fiber Meet point.
- 3.4.5 Neither Party shall charge the other for its Local Channel portion of the Fiber Meet facility used exclusively for Local Traffic. All other appropriate charges will apply. Global Connection shall be billed for a mixed use of the Local Channel using the actual traffic Global Connection elects to transmit over the facility and the rates from this Agreement and the appropriate tariff(s). Charges for switched and special access services shall be billed in accordance with the applicable access service tariff.

### 4. INTERCONNECTION TRUNK GROUP ARCHITECTURES

4.1 BellSouth and Global Connection shall establish interconnecting trunk groups and trunk group configurations between networks, including the use of one-way or two-way trunks in accordance with the following provisions set forth in this Agreement. For trunking purposes, traffic will be routed based on the digits dialed by the originating End User and in accordance with the LERG.

- 4.2 Global Connection shall establish an interconnection trunk group(s) to at least one BellSouth access tandem within the LATA for the delivery of Global Connection's originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic and for the receipt and delivery of Transit Traffic. To the extent Global Connection desires to deliver Local Traffic, ISP-bound Traffic, IntraLATA Toll Traffic and/or Transit Traffic to BellSouth access tandems within the LATA, other than the tandems(s) to which Global Connection has established interconnection trunk groups, Global Connection shall order Multiple Tandem Access, as described in this Attachment, to such other BellSouth access tandems.
- 4.2.1 Notwithstanding the forgoing, Global Connection shall establish an interconnection trunk group(s) to all BellSouth access and local tandems in the LATA where Global Connection has homed (i.e. assigned) its NPA/NXXs. Global Connection shall home its NPA/NXXs on the BellSouth tandems that serve the exchange rate center areas to which the NPA/NXXs are assigned. The specified exchange rate center assigned to each BellSouth tandem is defined in the LERG. Global Connection shall enter its NPA/NXX access and/or local tandem homing arrangements into the LERG.
- 4.3 Switched access traffic will be delivered to and from Interexchange Carriers (IXCs) based on Global Connection's NXX access tandem homing arrangement as specified by Global Connection in the LERG.
- Any Global Connection interconnection request that (1) deviates from the interconnection trunk group architectures as described in this Agreement, (2) affects traffic delivered to Global Connection from a BellSouth switch, and (3) requires special BellSouth switch translations and other network modifications will require Global Connection to submit a BFR/NBR via the BFR/NBR Process as set forth in this Agreement.
- 4.5 Recurring and nonrecurring rates associated with interconnecting trunk groups between BellSouth and Global Connection are set forth in Exhibit A. To the extent a rate associated with the interconnecting trunk group is not set forth in Exhibit A, the rate shall be as set forth in the appropriate BellSouth tariff for switched access services.
- 4.6 For two-way trunk groups that carry only both Parties' Local Traffic, the Parties shall be compensated at 50% of the nonrecurring and recurring rates for dedicated trunks and DS1 facilities. Global Connection shall be responsible for ordering and paying for any two-way trunks carrying Transit Traffic.
- 4.7 All trunk groups will be provisioned as Signaling System 7 (SS7) capable where technically feasible. If SS7 is not technically feasible multi-frequency (MF) protocol signaling shall be used.

- 4.8 In cases where Global Connection is also an IXC, the IXC's Feature Group D (FG D) trunk group(s) must remain separate from the local interconnection trunk group(s).
- Each Party shall order interconnection trunks and trunk group including trunk and trunk group augmentations via the ASR process. A Firm Order Confirmation (FOC) shall be returned to the ordering Party, after receipt of a valid, error free ASR, within the timeframes set forth in each state's applicable Performance Measures. Notwithstanding the foregoing, blocking situations and projects shall be managed through BellSouth's Carrier Interconnection Switching Center (CISC) Project Management Group and Global Connection's equivalent trunking group, and FOCs for such orders shall be returned in the timeframes applicable to the project. A project is defined as (1) a new trunk group or (2) a request for more than 96 trunks on a single or multiple group(s) in a given BellSouth local calling area.

# 4.10 Interconnection Trunk Groups for Exchange of Local Traffic and Transit Traffic

Upon mutual agreement of the Parties in a joint planning meeting, the Parties' shall exchange Local Traffic on two-way interconnection trunk group(s) with the quantity of trunks being mutually determined and the provisioning being jointly coordinated. Furthermore, the Parties shall agree upon the IP(s) for two-way interconnection trunk groups transporting both Parties' Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic. Global Connection shall order such two-way trunks via the Access Service Request (ASR) process. BellSouth will use the Trunk Group Service Request (TGSR) to request changes in trunking. Furthermore, the Parties shall jointly review trunk performance and forecasts on a periodic basis. The Parties' use of two-way interconnection trunk groups for the transport of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic between the Parties does not preclude either Party from establishing additional one-way interconnection trunks for the delivery of its originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to the other Party.

#### 4.10.1 **BellSouth Access Tandem Interconnection**

BellSouth access tandem interconnection at a single access tandem provides access to those end offices subtending that access tandem (Intratandem Access). Access tandem interconnection is available for any of the following access tandem architectures

#### 4.10.1.1 **Basic Architecture**

In the basic architecture, Global Connection's originating Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic and originating and terminating Transit Traffic is transported on a single two-way trunk group between Global Connection and BellSouth access tandem(s) within a LATA to provide Intratandem Access. This trunk group carries Transit Traffic between Global Connection and Independent

Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Global Connection desires to exchange traffic. This trunk group also carries Global Connection originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to Global Connection. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The basic Architecture is illustrated in Exhibit B.

### 4.10.1.2 One-Way Trunk Group Architecture

In one-way trunk group architecture, the Parties interconnect using three separate trunk groups. A one-way trunk group provides Intratandem Access for Global Connection-originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic destined for BellSouth End Users. A second one-way trunk group carries BellSouth-originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic destined for Global Connection End-Users. A two-way trunk group provides Intratandem Access for Global Connection's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between Global Connection and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Global Connection desires to exchange traffic. This trunk group also carries Global Connection originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to Global Connection. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The one-way trunk group architecture is illustrated in Exhibit C.

#### 4.10.1.3 **Two-Way Trunk Group Architecture**

The two-way trunk group Architecture establishes one two-way trunk group to provide Intratandem Access for the exchange of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic between Global Connection and BellSouth. In addition, a separate two-way transit trunk group must be established for Global Connection's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between Global Connection and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Global Connection desires to exchange traffic. This trunk group also carries

Global Connection originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to Global Connection. However, where Global Connection is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the two-way Local Traffic trunk group carrying ISP-bound Traffic and IntraLATA Toll Traffic. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The two-way trunk group architecture is illustrated in Exhibit D.

# 4.10.1.4 **Supergroup Architecture**

In the supergroup architecture, the Parties' Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic and Global Connection's Transit Traffic are exchanged on a single two-way trunk group between Global Connection and BellSouth to provide Intratandem Access to Global Connection. This trunk group carries Transit Traffic between Global Connection and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Global Connection desires to exchange traffic. This trunk group also carries Global Connection originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to Global Connection. However, where Global Connection is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the Supergroup. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The supergroup architecture is illustrated in Exhibit E.

# 4.10.1.5 **Multiple Tandem Access Interconnection**

4.10.1.5.1 Where Global Connection does not choose access tandem interconnection at every BellSouth access tandem within a LATA, Global Connection may utilize BellSouth's multiple tandem access interconnection (MTA). To utilize MTA Global Connection must establish an interconnection trunk group(s) at a BellSouth access tandem through multiple BellSouth access tandems within the LATA as required. BellSouth will route Global Connection's originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic for LATA wide transport and termination. Global Connection must also establish an interconnection trunk group(s) at all BellSouth access tandems where Global Connection NXXs are homed as described in Section 4.2.1 above. If Global Connection does not have

NXXs homed at any particular BellSouth access tandem within a LATA and elects not to establish an interconnection trunk group(s) at such BellSouth access tandem, Global Connection can order MTA in each BellSouth access tandem within the LATA where it does have an interconnection trunk group(s) and BellSouth will terminate Global Connection's Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to End-Users served through those BellSouth access tandems where Global Connection does not have an interconnection trunk group(s). MTA shall be provisioned in accordance with BellSouth's Ordering Guidelines.

- 4.10.1.5.2 Global Connection may also utilize MTA to route its originated Transit Traffic; provided, however, that MTA may not be utilized to route switched access traffic that transits the BellSouth network to an Interexchange Carrier (IXC). Switched access traffic originated by or terminated to Global Connection will be delivered to and from IXCs based on Global Connection's NXX access tandem homing arrangement as specified by Global Connection in the LERG.
- 4.10.1.5.3 Compensation for MTA shall be at the applicable tandem switching and transport charges specified in Exhibit A to this Attachment and shall be billed in addition to any Call Transport and Termination charges.
- 4.10.1.5.4 To the extent Global Connection does not purchase MTA in a LATA served by multiple access tandems, Global Connection must establish an interconnection trunk group(s) to every access tandem in the LATA to serve the entire LATA. To the extent Global Connection routes its traffic in such a way that utilizes BellSouth's MTA service without properly ordering MTA, Global Connection shall pay BellSouth the associated MTA charges.

### 4.10.2 **Local Tandem Interconnection**

- 4.10.2.1 Local Tandem Interconnection arrangement allows Global Connection to establish an interconnection trunk group(s) at BellSouth local tandems for: (1) the delivery of Global Connection-originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic transported and terminated by BellSouth to BellSouth end offices served by those BellSouth local tandems, and (2) for local Transit Traffic transported by BellSouth for third party network providers who have also established an interconnection trunk group(s) at those BellSouth local tandems.
- 4.10.2.2 When a specified local calling area is served by more than one BellSouth local tandem, Global Connection must designate a "home" local tandem for each of its assigned NPA/NXXs and establish trunk connections to such local tandems. Additionally, Global Connection may choose to establish an interconnection trunk group(s) at the BellSouth local tandems where it has no codes homing but is not required to do so. Global Connection may deliver Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to a "home" BellSouth local tandem that is destined for other BellSouth or third party network provider end offices

subtending other BellSouth local tandems in the same local calling area where Global Connection does not choose to establish an interconnection trunk group(s). It is Global Connection's responsibility to enter its own NPA/NXX local tandem homing arrangements into the LERG either directly or via a vendor in order for other third party network providers to determine appropriate traffic routing to Global Connection's codes. Likewise, Global Connection shall obtain its routing information from the LERG.

- 4.10.2.3 Notwithstanding establishing an interconnection trunk group(s) to BellSouth's local tandems, Global Connection must also establish an interconnection trunk group(s) to BellSouth access tandems within the LATA on which Global Connection has NPA/NXXs homed for the delivery of Interexchange Carrier Switched Access (SWA) and toll traffic, and traffic to Type 2A CMRS connections located at the access tandems. BellSouth shall not switch SWA traffic through more than one BellSouth access tandem. SWA, Type 2A CMRS or toll traffic routed to the local tandem in error will not be backhauled to the BellSouth access tandem for completion. (Type 2A CMRS interconnection is defined in BellSouth's A35 General Subscriber Services Tariff).
- 4.10.2.4 BellSouth's provisioning of Local Tandem Interconnection assumes that Global Connection has executed the necessary local interconnection agreements with the other third party network providers subtending those local tandems as required by the Act.

## 4.10.3 **Direct End Office-to-End Office Interconnection**

- 4.10.3.1 Direct End Office-to-End Office one-way or two-way interconnection trunk groups allow for the delivery of a Party's originating Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to the terminating Party on a direct end office-to-end office basis.
- 4.10.3.2 The Parties shall utilize direct end office-to-end office trunk groups under any one of the following conditions:
- 4.10.3.2.1 Tandem Exhaust If a tandem through which the Parties are interconnected is unable to, or is forecasted to be unable to support additional traffic loads for any period of time, the Parties will mutually agree on an end office trunking plan that will alleviate the tandem capacity shortage and ensure completion of traffic between Global Connection and BellSouth.
- 4.10.3.2.2 Traffic Volume –To the extent either Party has the capability to measure the amount of traffic between Global Connection's switch and a BellSouth end office and where such traffic exceeds or is forecasted to exceed a single DS1 of traffic per month, then the Parties shall install and retain direct end office trunking sufficient to handle such traffic volumes. Either Party will install additional capacity between such points when overflow traffic exceeds or is forecasted to

exceed a single DS1 of traffic per month. In the case of one-way trunking, additional trunking shall only be required by the Party whose trunking has achieved the preceding usage threshold.

4.10.3.2.3 Mutual Agreement - The Parties may install direct end office trunking upon mutual agreement in the absence of conditions (1) or (2) above.

## 4.10.4 Transit Traffic Trunk Group

Transit Traffic trunks can either be two-way trunks or two one-way trunks ordered by Global Connection to deliver and receive Transit Traffic. Establishing Transit Traffic trunks at BellSouth access and local tandems provides intratandem access to the third parties also interconnected at those tandems.

#### 4.10.4.1 **Toll Free Traffic**

- 4.10.4.1.1 If Global Connection chooses BellSouth to perform the Service Switching Point (SSP) Function (i.e., handle Toll Free database queries) from BellSouth's switches, all Global Connection originating Toll Free traffic will be routed over the Transit Traffic Trunk Group and shall be delivered using GR-394 format. Carrier Code "0110" and Circuit Code (to be determined for each LATA) shall be used for all such calls.
- 4.10.4.1.2 Global Connection may choose to perform its own Toll Free database queries from its switch. In such cases, Global Connection will determine the nature (local/intraLATA/interLATA) of the Toll Free call (local/IntraLATA/InterLATA) based on the response from the database. If the call is a BellSouth local or intraLATA Toll Free call, Global Connection will route the post-query local or IntraLATA converted ten-digit local number to BellSouth over the local or intraLATA trunk group. If the call is a third party (ICO, IXC, CMRS or other CLEC) local or intraLATA Toll Free call, Global Connection will route the postquery local or intraLATA converted ten-digit local number to BellSouth over the Transit Traffic Trunk Group and Global Connection shall provide to BellSouth a Toll Free billing record when appropriate. If the query reveals the call is an interLATA Toll Free call, Global Connection will route the post-query interLATA Toll Free call (1) directly from its switch for carriers interconnected with its network or (2) over the Transit Traffic Trunk Group to carriers that are not directly connected to Global Connection's network but that are connected to BellSouth's access tandem.
- 4.10.5 All post-query Toll Free calls for which Global Connection performs the SSP function, if delivered to BellSouth, shall be delivered using GR-394 format for calls destined to IXCs, and GR-317 format for calls destined to end offices that directly subtend a BellSouth access tandem within the LATA.

## 5. NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION

- 5.1 <u>Network Management and Changes</u>. The Parties will exchange toll-free maintenance contact numbers and escalation procedures. The Parties will provide public notice of network changes in accordance with applicable federal and state rules and regulations.
- Interconnection Technical Standards. The interconnection of all networks will be based upon accepted industry/national guidelines for transmission standards and traffic blocking criteria. Interconnecting facilities shall conform, at a minimum, to the telecommunications industry standard of DS-1 pursuant to Telcordia Standard No. TR-NWT-00499. Where Global Connection chooses to utilize Signaling System 7 signaling, also known as Common Channel Signaling (SS7), SS7 connectivity is required between the Global Connection switch and the BellSouth Signaling Transfer Point (STP). BellSouth will provide SS7 signaling using Common Channel Signaling Access Capability in accordance with the technical specifications set forth in the BellSouth Guidelines to Technical Publication, TR-TSV-000905. Facilities of each Party shall provide the necessary on-hook, off-hook answer and disconnect supervision and shall provide calling number ID (Calling Party Number) when technically feasible.
- Quality of Interconnection. The local interconnection for the transmission and routing of telephone exchange service and exchange access that each Party provides to each other will be at least equal in quality to what it provides to itself and any subsidiary or affiliate, where technically feasible, or to any other Party to which each Party provides local interconnection.
- Network Management Controls. Both Parties will work cooperatively to apply sound network management principles by invoking appropriate network management controls (e.g., call gapping) to alleviate or prevent network congestion.
- SS7 Signaling. Both Parties will utilize LEC-to-LEC SS7 Signaling, where available, in conjunction with all traffic in order to enable full interoperability of CLASS features and functions except for call return. All SS7 signaling parameters will be provided, including but not limited to automatic number identification (ANI), originating line information (OLI) calling company category and charge number. All privacy indicators will be honored, and the Parties will exchange Transactional Capabilities Application Part (TCAP) messages to facilitate full interoperability of SS7-based features between the respective networks. Neither Party shall alter the SS7 parameters, or be a party to altering such parameters, or knowingly pass SS7 parameters that have been altered in order to circumvent appropriate interconnection charges.
- 5.6 <u>Signaling Call Information</u>. BellSouth and Global Connection will send and receive 10 digits for Local Traffic. Additionally, BellSouth and Global Connection will exchange the proper call information, i.e. originated call company number and

destination call company number, CIC, and OZZ, including all proper translations for routing between networks and any information necessary for billing.

# 5.7 Forecasting for Trunk Provisioning

- 5.7.1 Within six (6) months after execution of this Agreement, Global Connection shall provide an initial interconnection trunk group forecast for each LATA in which it plans to provide service within BellSouth's region. Upon receipt of Global Connection's forecast, the Parties shall conduct a joint planning meeting to develop a joint interconnection trunk group forecast. Each forecast provided under this Section shall be deemed "Confidential Information" under the General Terms and Conditions of this Agreement.
- 5.7.1.1 At a minimum, the forecast shall include the projected quantity of Transit Trunks, Global Connection-to-BellSouth one-way trunks (Global Connection Trunks), BellSouth-to-Global Connection one-way trunks (Reciprocal Trunk Groups) and/or two-way interconnection trunks, if the Parties have agreed to interconnect using two-way trunking to transport the Parties' Local Traffic and IntraLATA Toll Traffic. The quantities shall be projected for a minimum of six months and shall include an estimate of the current year plus the next two years total forecasted quantities. The Parties shall mutually develop Reciprocal Trunk Groups and/or two-way interconnection trunk forecast quantities.
- 5.7.1.2 All forecasts shall include, at a minimum, Access Carrier Terminal Location (ACTL), trunk group type (local/intraLATA toll, Transit, Operator Services, 911, etc.), A location/Z location (CLLI codes for Global Connection location and BellSouth location where the trunks shall terminate), interface type (e.g., DS1), Direction of Signaling, Trunk Group Number, if known, (commonly referred to as the 2-6 code) and forecasted trunks in service each year (cumulative).
- Once initial interconnection trunk forecasts have been developed, Global Connection shall continue to provide interconnection trunk forecasts on a semiannual basis or at otherwise mutually agreeable intervals. Global Connection shall use its best efforts to make the forecasts as accurate as possible based on reasonable engineering criteria. The Parties shall continue to develop Reciprocal Trunk Group and/or two-way interconnection trunk forecasts as described in Section 5.7.1.1.
- 5.7.3 The submitting and development of interconnection trunk forecasts shall not replace the ordering process for local interconnection trunks. Each Party shall exercise its best efforts to provide the quantity of interconnection trunks mutually forecasted. However, the provision of the forecasted quantity of interconnection trunks is subject to trunk terminations and facility capacity existing at the time the trunk order is submitted. Furthermore, the receipt and development of trunk forecasts does not imply any liability for failure to perform if capacity (trunk terminations or facilities) is not available for use at the forecasted time.

#### 5.8 Trunk Utilization

- 5.8.1 For the Reciprocal Trunk Groups that are Final Trunk Groups (Reciprocal Final Trunk Groups), BellSouth and Global Connection shall monitor traffic on each interconnection Reciprocal Final Trunk Group that is ordered and installed. The Parties agree that the Reciprocal Final Trunk Groups will be utilized at 60 percent (60%) of the time consistent busy hour utilization level within 90 days of installation. The Parties agree that the Reciprocal Final Trunk Groups will be utilized at eighty percent (80%) of the time consistent busy hour utilization level within 180 days of installation. Any Reciprocal Final Trunk Group not meeting the minimum thresholds set forth in this Section are defined as "Under-utilized" trunks. BellSouth may disconnect any Under-utilized Reciprocal Final Trunk Groups and Global Connection shall refund to BellSouth the associated nonrecurring and recurring trunk and facility charges paid by BellSouth, if any.
- 5.8.1.1 BellSouth's CISC will notify Global Connection of any under-utilized Reciprocal Trunk Groups and the number of such trunk groups that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated Global Connection interface. Global Connection will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which Global Connection expects to need such trunks. BellSouth's CISC Project Manager and Circuit Capacity Manager will discuss the information with Global Connection to determine if agreement can be reached on the number of Reciprocal Final Trunk Groups to be removed. If no agreement can be reached, BellSouth will issue disconnect orders to Global Connection. The due date of these orders will be four weeks after Global Connection was first notified in writing of the underutilization of the trunk groups.
- To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties may review the trunk groups and, if necessary, shall negotiate in good faith for the installation of augmented facilities.
- For the two-way trunk groups, BellSouth and Global Connection shall monitor traffic on each interconnection trunk group that is ordered and installed. The Parties agree that within 90 days of the installation of the BellSouth two-way trunk or trunks, the trunks will be utilized at 60 percent (60%) of the time consistent busy hour utilization level. The Parties agree that within 180 days of the installation of a trunk or trunks, the trunks will be utilized at eighty percent (80%) of the time consistent busy hour utilization level. Any trunk or trunks not meeting the minimum thresholds set forth in this Section are defined as "Under-utilized" trunks. BellSouth will request the disconnection of any Under-utilized two-way

trunk(s) and Global Connection shall refund to BellSouth the associated nonrecurring and recurring trunk and facility charges paid by BellSouth, if any.

- 5.8.3.1 BellSouth's LISC will notify Global Connection of any under-utilized two-way trunk groups and the number of trunks that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated Global Connection interface. Global Connection will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the two-way trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which Global Connection expects to need such trunks. BellSouth's CISC Project Manager and Circuit Capacity Manager will discuss the information with Global Connection to determine if agreement can be reached on the number of trunks to be removed. If no agreement can be reached, Global Connection will issue disconnect orders to BellSouth. The due date of these orders will be four weeks after Global Connection was first notified in writing of the underutilization of the trunk groups.
- To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties may review the trunk groups and, if necessary, shall negotiate in good faith for the installation of augmented facilities.

#### 6. LOCAL DIALING PARITY

6.1 BellSouth and Global Connection shall provide local and toll dialing parity, as defined in FCC rules and regulations, with no unreasonable dialing delays. Dialing parity shall be provided for all originating telecommunications services that require dialing to route a call.

#### 7. INTERCONNECTION COMPENSATION

- 7.1 Compensation for Call Transportation and Termination for Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic
- 7.1.1 For the purposes of this Attachment and for reciprocal compensation between the Parties pursuant to this Attachment, Local Traffic is defined as any telephone call that originates in one exchange and terminates in either the same exchange, or other local calling area associated with the originating exchange as defined and specified in Section A3 of BellSouth's General Subscriber Service Tariff.
- 7.1.1.1 Additionally, Local Traffic includes any cross boundary, voice-to-voice intrastate, interLATA or interstate, interLATA calls established as a local call by the ruling regulatory body.

- 7.1.2 ISP-bound Traffic is defined as calls to an information service provider or Internet service provider (ISP) that are dialed by using a local dialing pattern (7 or 10 digits) by a calling party in one exchange to an ISP server or modem in either the same exchange or a corresponding Extended Area Service (EAS) exchange as defined and specified in Section A3 of BellSouth's General Subscriber Service tariff. ISP-bound Traffic is not Local Traffic subject to reciprocal compensation, but instead is information access traffic subject to the FCC's jurisdiction.
- 7.1.3 Notwithstanding the definitions of Local Traffic and ISP-bound traffic above, and pursuant to the FCC's Order on Remand and Report and Order in CC Docket 99-68 released April 27, 2001 (ISP Order on Remand), BellSouth and Global Connection agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or Global Connection that exceeds a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered ISP-bound traffic for compensation purposes. BellSouth and Global Connection further agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or Global Connection that does not exceed a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered Local Traffic for compensation purposes.
- 7.1.4 Neither Party shall pay compensation to the other Party for per minute of use rate elements associated with the Call Transport and Termination of Local Traffic or ISP-bound Traffic.
- 7.1.5 The appropriate elemental rates set forth in Exhibit A of this Attachment shall apply for Transit Traffic as described in Sections 7.6 and 7.6.1 below and to Multiple Tandem Access as described in Section 4.10.1.5 above.
- 7.1.6 Neither Party shall represent Switched Access Traffic as Local Traffic or ISP-bound Traffic for purposes of determining compensation for the call.
- 7.1.7 IntraLATA Toll Traffic is defined as all traffic that originates and terminates within a single LATA that is not Local or ISP-bound traffic under this Attachment.
- 7.1.7.1 For terminating its intraLATA toll traffic on the other company's network, the originating Party will pay the terminating Party BellSouth's current intrastate or interstate, whichever is appropriate, terminating switched access tariff rates as set forth in BellSouth's Access Services Tariffs as filed and in effect with the FCC or Commission. The appropriate charges will be determined by the routing of the call. Additionally, if one Party is the other Party's End User's presubscribed interexchange carrier or if one Party's End User uses the other Party as an interexchange carrier on a 101XXXXX basis, the originating party will charge the other Party the appropriate BellSouth originating switched access tariff rates as set forth in BellSouth's Intrastate or Interstate Access Services Tariff as filed and in effect with the FCC or appropriate Commission.

- 7.1.8 If Global Connection assigns NPA/NXXs to specific BellSouth rate centers within the LATA and assigns numbers from those NPA/NXXs to Global Connection End Users physically located outside of that LATA, BellSouth traffic originating from within the LATA where the NPA/NXXs are assigned and delivered to a Global Connection customer physically located outside of such LATA, shall not be deemed Local Traffic. Further, Global Connection agrees to identify such interLATA traffic to BellSouth and to compensate BellSouth for originating and transporting such interLATA traffic to Global Connection at BellSouth's switched access tariff rates.
- 7.2 If Global Connection does not identify such interLATA traffic to BellSouth, to the best of BellSouth's ability BellSouth will determine which whole Global Connection NPA/NXXs on which to charge the applicable rates for originating network access service as reflected in BellSouth's Access Service Tariff. BellSouth shall make appropriate billing adjustments if Global Connection can provide sufficient information for BellSouth to determine whether or not said traffic is Local or ISP-bound Traffic.

# 7.3 **Jurisdictional Reporting**

- 7.3.1 Percent Local Use. Each Party shall report to the other a Percent Local Usage (PLU) factor. The application of the PLU will determine the amount of local or ISP-bound minutes to be billed to the other Party. Each Party shall update its PLU on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month based on local and ISP-bound usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.
- 7.3.2 Percent Local Facility. Each Party shall report to the other a Percent Local Facility (PLF) factor. The application of the PLF will determine the portion of switched dedicated transport to be billed per the local jurisdiction rates. The PLF shall be applied to Multiplexing, Local Channel and Interoffice Channel Switched Dedicated Transport utilized in the provision of local interconnection trunks. Each Party shall update its PLF on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month to be effective the first bill period the following month, respectively. Requirements associated with PLU and PLF calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.
- 7.3.3 Percent Interstate Usage. Each Party shall report to the other the projected Percent Interstate Usage (PIU) factor. All jurisdictional report requirements, rules and regulations for Interexchange Carriers specified in BellSouth's Intrastate Access Services Tariff will apply to Global Connection. After interstate and

intrastate traffic percentages have been determined by use of PIU procedures, the PLU and PLF factors will be used for application and billing of local interconnection. Each Party shall update its PIUs on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month, for all services showing the percentages of use for the past three months ending the last day of December, March, June and September.

- 7.3.4 Notwithstanding the provisions in Section 7.3.1, 7.3.2, and 7.3.3 above, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information shall, at the terminating Party's option, be utilized to determine the appropriate jurisdictional reporting factors (PLU, PIU, and/or PLF), in lieu of those provided by the originating Party. In the event that the terminating Party opts to utilize its own data to determine jurisdictional reporting factors, such terminating Party shall notify the originating Party at least 15 days prior to the beginning of the calendar quarter in which the terminating Party will begin to utilize its own data. Such factors shall subject to the Dispute Resolution provisions in this Agreement, as well as the Audit provisions set forth in 7.3.5 below.
- 7.3.5 Audits. On thirty (30) days written notice, each Party must provide the other the ability and opportunity to conduct an annual audit to ensure the proper billing of traffic. BellSouth and Global Connection shall retain records of call detail for a minimum of nine months from which the PLU, PLF and/or PIU can be ascertained. The audit shall be conducted during normal business hours at an office designated by the Party being audited. Audit requests shall not be submitted more frequently than one (1) time per calendar year. Audits shall be performed by a mutually acceptable independent auditor paid for by the Party requesting the audit. The PLF, PLU and/or PIU shall be adjusted based upon the audit results and shall apply for the quarter the audit was completed, for the quarter prior to the completion of the audit. If, as a result of an audit, either Party is found to have overstated the PLF, PLU and/or PIU by twenty percentage points (20%) or more, that Party shall reimburse the auditing Party for the cost of the audit.

# 7.4 Compensation for 8XX Traffic

- 7.4.1 Compensation for 8XX Traffic. Each Party shall pay the other the appropriate switched access charges set forth in the BellSouth intrastate or interstate switched access tariffs. Global Connection will pay BellSouth the database query charge as set forth in the BellSouth intrastate or interstate switched access tariffs as applicable.
- 7.4.2 Records for 8XX Billing. Each Party will provide to the other the appropriate records necessary for billing intraLATA 8XX customers. The records provided will be in a standard EMI format.

7.4.3 <u>8XX Access Screening</u>. BellSouth's provision of 8XX Toll Free Dialing (TFD) to Global Connection requires interconnection from Global Connection to BellSouth's 8XX Signal Channel Point (SCP). Such interconnections shall be established pursuant to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. Global Connection shall establish SS7 interconnection at the BellSouth Local Signal Transfer Points serving the BellSouth 8XX SCPs that Global Connection desires to query. The terms and conditions for 8XX TFD are set out in BellSouth's Intrastate Access Services Tariff.

#### 7.5 Mutual Provision of Switched Access Service

- 7.5.1 Switched Access Traffic. Switched Access Traffic is described as telephone calls requiring local transmission or switching services for the purpose of the origination or termination of Telephone Toll Service. Switched Access Traffic includes, but is not limited to, the following types of traffic: Feature Group A, Feature Group B, Feature Group C, Feature Group D, toll free access (e.g., 8XX), 900 access and their successors. Additionally, any Public Switched Telephone Network interexchange telecommunications traffic, regardless of transport protocol method, where the originating and terminating points, end-to-end points, are in different LATAs, or are in the same LATA and the Parties' Switched Access services are used for the origination or termination of the call, shall be considered Switched Access Traffic. Irrespective of transport protocol method used, a call which originates in one LATA and terminates in another LATA (i.e., the end-to-end points of the call) or in which the Parties' Switched Access Services are used for the origination or termination of the call, shall not be considered Local Traffic or ISP-bound Traffic.
- 7.5.2 If the BellSouth End User chooses Global Connection as their presubscribed interexchange carrier, or if the BellSouth End User uses Global Connection as an interexchange carrier on a 101XXXX basis, BellSouth will charge Global Connection the appropriate BellSouth tariff charges for originating switched access services.
- 7.5.3 Where the originating Party delivers a call to the terminating Party over switched access facilities, the originating Party will pay the terminating Party terminating, switched access charges as set forth in BellSouth's Intrastate or Interstate Access Services Tariff, as appropriate.
- 7.5.4 When Global Connection's end office switch provides an access service connection to or from an interexchange carrier (IXC) by a direct trunk group to the IXC utilizing BellSouth facilities, each Party will provide its own access services to the IXC and bill on a multi-bill, multi-tariff meet-point basis. Each Party will bill its own access services rates to the IXC with the exception of the interconnection charge. The interconnection charge will be billed by Global Connection as the Party providing the end office function. Each party will use the Multiple Exchange

Carrier Access Billing (MECAB) guidelines to establish meet point billing for all applicable traffic. The Parties shall utilize a thirty (30) day billing period.

- 7.5.4.1 When Global Connection's end office subtends the BellSouth Access Tandem switch for receipt or delivery of switched access traffic and provides an access service connection to or from an IXC via BellSouth's Access Tandem switch, BellSouth, as the tandem company agrees to provide to Global Connection, as the End Office Company, as defined in MECAB, at no charge, all the switched access detail usage data, recorded at the access tandem, within no more than sixty (60) days after the recording date. Each Party will notify the other when it is not feasible to meet these requirements. As business requirements change, data reporting requirements may be modified as necessary.
- 7.5.5 BellSouth, as the tandem provider company, will retain for a minimum period of sixty (60) days, access message detail sufficient to recreate any data that is lost or damaged by the tandem provider company or any third party involved in processing or transporting data.
- 7.5.6 BellSouth, as the tandem provider company, agrees to recreate the lost or damaged data within forty-eight (48) hours of notification by the other or by an authorized third party handling the data.
- 7.5.7 Any claims against BellSouth, as the tandem provider company, for unbillable or uncollectible revenue should be filed with the tandem provider company within 120 days of the usage date.
- 7.5.8 BellSouth, as the tandem provider company shall keep records of its billing activities relating to jointly-provided Intrastate and Interstate access services in sufficient detail to permit the Subsequent Billing Party to, by formal or informal review or audit, to verify the accuracy and reasonableness of the jointly-provided access billing data provided by the Initial Billing Party. Each Party agrees to cooperate in such formal or informal reviews or audits and further agrees to jointly review the findings of such reviews or audits in order to resolve any differences concerning the findings thereof.
- 7.5.9 Global Connection agrees not to deliver switched access traffic to BellSouth for termination except over Global Connection ordered switched access trunks and facilities.

#### 7.6 **Transit Traffic**

7.6.1 BellSouth shall provide tandem switching and transport services for Global Connection's Transit Traffic. Rates for local Transit Traffic and ISP-bound Transit Traffic shall be the applicable Call Transport and Termination charges as set forth in Exhibit A to this Attachment. Rates for Switched Access Transit Traffic shall be the applicable charges as set forth in BellSouth Interstate or

Intrastate Switched Access tariffs. Billing associated with all Transit Traffic shall be pursuant to MECAB guidelines. Traffic between Global Connection and Wireless Type 1 third parties shall not be treated as Transit Traffic from a routing or billing perspective. Traffic between Global Connection and Wireless Type 2A or a third party CLEC utilizing BellSouth switching shall not be treated as Transit Traffic from a routing or billing perspective until BellSouth and the Wireless carrier or a third party CLEC utilizing BellSouth switching have the capability to properly meet-point-bill in accordance with MECAB guidelines.

7.6.2 The delivery of traffic that transits the BellSouth network and is transported to another carrier's network is excluded from any BellSouth billing guarantees. BellSouth agrees to deliver Transit Traffic to the terminating carrier; provided, however, that Global Connection is solely responsible for negotiating and executing any appropriate contractual agreements with the terminating carrier for the exchange of Transit Traffic through the BellSouth network. BellSouth will not be liable for any compensation to the terminating carrier or to Global Connection. In the event that the terminating third party carrier imposes on BellSouth any charges or costs for the delivery of Transit Traffic, Global Connection shall reimburse BellSouth for such costs. Additionally, the Parties agree that any billing to a third party or other telecommunications carrier under this section shall be pursuant to MECAB procedures.

#### 8. FRAME RELAY SERVICE INTERCONNECTION

- 8.1 In addition to the Local Interconnection services set forth above, BellSouth will offer a network to network Interconnection arrangement between BellSouth's and Global Connection's frame relay switches as set forth below. The following provisions will apply only to Frame Relay Service and Exchange Access Frame Relay Service and Managed Shared Frame Relay Service in those states in which Global Connection is certified and providing Frame Relay Service as a Local Exchange Carrier and where traffic is being exchanged between Global Connection and BellSouth Frame Relay Switches in the same LATA.
- 8.2 The Parties agree to establish two-way Frame Relay facilities between their respective Frame Relay Switches to the mutually agreed upon Frame Relay Service point(s) of interconnection (IP(s)) within the LATA. All IPs shall be within the same Frame Relay Network Serving Areas as defined in Section A40 of BellSouth's General Subscriber Service Tariff except as set forth in this Attachment.
- 8.3 Upon the request of either Party, such interconnection will be established where BellSouth and Global Connection have Frame Relay Switches in the same LATA. Where there are multiple Frame Relay switches in one central office, an interconnection with any one of the switches will be considered an interconnection with all of the switches at that central office for purposes of routing packet traffic.

- 8.4 The Parties agree to provision local and intraLATA Frame Relay Service and Exchange Access Frame Relay Service and Managed Shared Frame Relay Service (both intrastate and interstate) over Frame Relay interconnection facilities between the respective Frame Relay switches and the IPs.
- 8.5 The Parties agree to assess each other reciprocal charges for the facilities that each provides to the other according to the Percent Local Circuit Use Factor (PLCU), determined as follows:
- 8.5.1 If the data packets originate and terminate in locations in the same LATA, and are consistent with the local definitions of the Agreement, the traffic is considered local. Frame Relay framed packet data is transported within Virtual Circuits (VC). For the purposes of this Agreement, if all the data packets transported within a VC remain within the LATA, then consistent with the local definitions in this Agreement, the traffic on that VC is local (Local VC).
- 8.5.2 If the originating and terminating locations of the two-way packet data traffic are not in the same LATA, the traffic on that VC is interLATA (InterLATA VC).
- 8.5.3 The PLCU is determined by dividing the total number of Local VCs, by the total number of VCs on each Frame Relay facility. To facilitate implementation, Global Connection may determine its PLCU in aggregate, by dividing the total number of Local VCs in a given LATA by the total number VCs in that LATA. The Parties agree to renegotiate the method for determining PLCU, at BellSouth's request, and within 90 days, if BellSouth notifies Global Connection that it has found that this method does not adequately represent the PLCU.
- 8.5.4 If there are no VCs on a facility when it is billed, the PLCU will be zero.
- 8.5.5 BellSouth will provide the circuit between the Parties' respective Frame Relay Switches. The Parties will be compensated as follows: BellSouth will invoice, and Global Connection will pay, the total nonrecurring and recurring charges for the circuit based upon the rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. Global Connection will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed charges for the circuit by one-half of Global Connection's PLCU.
- 8.6 The Parties agree to compensate each other for Frame Relay network-to-network interface (NNI) ports based upon the NNI rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. Compensation for each pair of NNI ports will be calculated as follows: BellSouth will invoice, and Global Connection will pay, the total nonrecurring and recurring charges for the NNI port. Global Connection will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed nonrecurring and recurring charges for the NNI port by Global Connection's PLCU.

- 8.7 Each Party agrees that there will be no charges to the other Party for its own subscriber's Permanent Virtual Circuit (PVC) rate elements for the local PVC segment from its Frame Relay switch to its own subscriber's premises. PVC rate elements include the Data Link Connection Identifier (DLCI) and Committed Information Rate (CIR).
- 8.8 For the PVC segment between the Global Connection and BellSouth Frame Relay switches, compensation for the PVC charges is based upon the rates in BellSouth's Interstate Access Tariff, FCC No. 1.
- 8.9 Compensation for PVC rate elements will be calculated as follows:
- 8.9.1 If Global Connection orders a VC connection between a BellSouth subscriber's PVC segment and a PVC segment from the BellSouth Frame Relay switch to the Global Connection Frame Relay switch, BellSouth will invoice, and Global Connection will pay, the total nonrecurring and recurring PVC charges for the PVC segment between the BellSouth and Global Connection Frame Relay switches. If the VC is a Local VC, Global Connection will then invoice and BellSouth will pay, the total nonrecurring and recurring PVC charges billed for that segment. If the VC is not local, no compensation will be paid to Global Connection for the PVC segment.
- 8.9.2 If BellSouth orders a Local VC connection between a Global Connection subscriber's PVC segment and a PVC segment from the Global Connection Frame Relay switch to the BellSouth Frame Relay switch, BellSouth will invoice, and Global Connection will pay, the total nonrecurring and recurring PVC and CIR charges for the PVC segment between the BellSouth and Global Connection Frame Relay switches. If the VC is a Local VC, Global Connection will then invoice and BellSouth will pay the total nonrecurring and recurring PVC and CIR charges billed for that segment. If the VC is not local, no compensation will be paid to Global Connection for the PVC segment.
- 8.9.3 The Parties agree to compensate each other for requests to change a PVC segment or PVC service order record, according to the Feature Change charge as set forth in the BellSouth access tariff BellSouth Tariff FCC No. 1.
- 8.9.4 If Global Connection requests a change, BellSouth will invoice and Global Connection will pay a Feature Change charge for each affected PVC segment.
- 8.9.4.1 If BellSouth requests a change to a Local VC, Global Connection will invoice and BellSouth will pay a Feature Change charge for each affected PVC segment.
- 8.9.5 The Parties agree to limit the sum of the CIR for the VCs on a DS1 NNI port to not more than three times the port speed, or not more than six times the port speed on a DS3 NNI port.


- 8.9.6 Except as expressly provided herein, this Agreement does not address or alter in any way either Party's provision of Exchange Access Frame Relay Service, Managed Shared Frame Relay Service or interLATA Frame Relay Service. All charges by each Party to the other for carriage of Exchange Access Frame Relay Service or interLATA Frame Relay Service are included in the BellSouth access tariff BellSouth Tariff FCC No. 1.
- 8.10 Global Connection will identify and report quarterly to BellSouth the PLCU of the Frame Relay facilities it uses, per Section 8.5.3 above.
- 8.11 Either Party may request a review or audit of the various service components, consistent with the provisions of section E2 of the BellSouth State Access Services tariffs or Section 2 of the BellSouth FCC No.1 Tariff.

# 9. ORDERING CHARGES

9.1 The terms, conditions and rates for Ordering Charges are as set forth in FCC Tariff for Access Service Records.


# **Basic Architecture**

Exhibit B



# **One-Way Architecture**

**Exhibit C** 



# **Two-Way Architecture**

**Exhibit D** 





Exhibit E

# **Supergroup Architecture**



LOCAL IN	FERCONNECTION - Alabama													ment: 3		bit: A
									-		Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
	Tandem Switching Function Per MOU  Multiple Tandem Switching, per MOU (applies to intial tandem only)  Tandem Intermediary Charge, per MOU*  charge is applicable only to transit traffic and is applied in a IK CHARGE  Installation Trunk Side Service - per DS0  Dedicated End Office Trunk Port Service-per DS0**  Dedicated End Office Trunk Port Service-per DS0**  Dedicated Tandem Trunk Port Service-per DS0**  Dedicated Tandem Trunk Port Service-per DS0**  Dedicated Tandem Trunk Port Service-per DS1**  s rate element is recovered on a per MOU basis and is includ MON TRANSPORT (Shared)  Common Transport - Per Mile, Per MOU  Common Transport - Per Mile, Per MOU  RCONNECTION (DEDICATED TRANSPORT)  ROFFICE CHANNEL - DEDICATED TRANSPORT  Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Per Mile per month  Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month  Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month  Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month  Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month  Interoffice Channel - Dedicated Transport - 64 kbps - per mile	Intori									Elec		Manual Svc	Manual Svc		Manual Svo
CATEGORY		Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (17			per LSK	per LON	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_ 1	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTE	RCONNECTION (CALL TRANSPORT AND TERMINATION)															
		ll and k	eep fo	r that element pursu	ant to the te	ms and conditi	ons in Attachn	nent 3.								
	DEM SWITCHING		1													
	Tandem Switching Function Per MOU			OHD		0.000498bk										
				OHD		0.000498										
				OHD		0.0015										
* Thi		dition to	appli	cable switching and	l/or intercon	ection charges										
			1		1											
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				OHD	TPP++	† 1	21.56	8.12	†							1
		l		OHD	TDE0P	0.00			†					İ		1
				0H1 OH1MS	TDE1P	0.00			†							1
		l		OHD	TDW0P	0.00			†					İ		1
				OH1 OH1MS	TDW1P	0.00										
** Th		in the	End O				J rate elements	1								
		1	<u> </u>	lines outroming and	1	, po o	7.410 0.0									
				OHD		0.0000023bk			1		1					-
<b>—</b>				OHD		0.0003224bk					1					
LOCAL INTE			1													
			1													
			1													
				OHL. OHM	1L5NF	0.008838										
			1													
				OHL. OHM	1L5NF	21.13	40.54	27.41	16.74	6.90						
			1	0.12, 0.111	120.41	20	10.01	2	10.7 1	0.00						
				OHL, OHM	1L5NK	0.008838										
<b>—</b>				0.12, 0.111	1201111	0.000000					1					
				OHL, OHM	1L5NK	15.12	40.54	27.41	16.74	6.90						
	per month			OHL, OHM	1L5NK	0.008838										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility			,												
	Termination per month			OHL, OHM	1L5NK	15.12	40.54	27.41	16.74	6.90						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		1													
	month			OH1, OH1MS	1L5NL	0.18										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility		1	0.11, 0.110	120.12	0.10										
1 1	Termination per month			OH1, OH1MS	1L5NL	60.16	89.27	81.81	16.35	14.44						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	<b>†</b>		. ,	1	22.10		2	12.00							1
1 1	month		1	OH3, OH3MS	1L5NM	4.09										
	Interoffice Channel - Dedicated Transport - DS3 - Facility			,					†							1
1 1	Termination per month			OH3, OH3MS	1L5NM	703.52	278.75	162.76	60.20	58.46						
LOC	AL CHANNEL - DEDICATED TRANSPORT				1	. 55.52	2.00	.020	55.25	55.10						1
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL, OHM	TEFV2	13.97	193.10	33.17	36.64	3.20						1
	Local Channel - Dedicated - 4-Wire Voice Grade per month		1	OHL, OHM	TEFV4	14.93	193.53	33.60	37.11	3.67						
	Local Channel - Dedicated - DS1 per month			OH1	TEFHG	35.76	177.47	153.72	22.19	15.26						1
					1	22.10					İ	İ				
1 1	Local Channel - Dedicated - DS3 Facility Termination per month			ОНЗ	TEFHJ	416.54	451.52	263.94	119.49	83.58						
LOC	AL INTERCONNECTION MID-SPAN MEET		t		1 -					22.30	1	i			Ì	1
	E: If Access service ride Mid-Span Meet, one-half the tariffed ser	rvice Lo	cal Ch	annel rate is applica	able.	† †			1		1	i				
	Local Channel - Dedicated - DS1 per month		1	OH1MS	TEFHG	0.00	0.00				1	i				
	Local Channel - Dedicated - DS3 per month		1	OH3MS	TEFHJ	0.00	0.00				1	i				
MUL	TIPLEXERS			1	1	3.50	3.50		† †							1
	Channelization - DS1 to DS0 Channel System		1	OH1, OH1MS	SATN1	101.06	91.04	62.57	10.54	9.79	1	i				
		1	1	OH3, OH3MS	SATNS	166.13	178.14	93.97	33.26	31.63	1	i				1
	Dog to Do i Channel System per month															i
	DS3 to DS1 Channel System per month DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	12.70	6.58	4.72								

LOCAL INT	FERCONNECTION - Florida													ment: 3		bit: A
										-	Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	_	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (17			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_ 1	Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTE	RCONNECTION (CALL TRANSPORT AND TERMINATION)															
NOTE	E: "bk" beside a rate indicates that the Parties have agreed to bi	ll and k	eep fo	that element pursu	ant to the ter	ms and conditi	ons in Attachn	nent 3.								
TANE	DEM SWITCHING															
	Tandem Switching Function Per MOU			OHD		0.0006019bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem															
	only)			OHD		0.0006019										
	Tandem Intermediary Charge, per MOU*			OHD		0.0015										
* This	s charge is applicable only to transit traffic and is applied in ad-	dition to	appli	cable switching and	l/or interconi	nection charges										
TRUN	NK CHARGE															
	Installation Trunk Side Service - per DS0			OHD	TPP++		21.73	8.19								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00										
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
** Thi	is rate element is recovered on a per MOU basis and is included	in the	End O	ffice Switching and	Tandem Swit	ching, per MOL	J rate elements	3								
COM	MON TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU			OHD		0.0000035bk										
	Common Transport - Facilities Termination Per MOU			OHD		0.0004372bk										
LOCAL INTE	RCONNECTION (DEDICATED TRANSPORT)															
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			OHL, OHM	1L5NF	0.0091										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
	Facility Termination per month			OHL. OHM	1L5NF	25.32	47.35	31.78	18.31	7.03						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile			,												
	per month			OHL, OHM	1L5NK	0.0091										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			,												
	Termination per month			OHL, OHM	1L5NK	18.44	47.35	31.78	18.31	7.03						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month			OHL, OHM	1L5NK	0.0091										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination per month			OHL, OHM	1L5NK	18.44	47.35	31.78	18.31	7.03						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			,												
	month			OH1, OH1MS	1L5NL	0.1856										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination per month			OH1, OH1MS	1L5NL	88.44	105.54	98.47	21.47	19.05						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	l			1									İ	İ	İ
	month	1	1	OH3, OH3MS	1L5NM	3.87									I	l
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month		1	OH3, OH3MS	1L5NM	1,071.00	335.46	219.28	72.03	70.56					I	l
LOCA	AL CHANNEL - DEDICATED TRANSPORT															
	Local Channel - Dedicated - 2-Wire Voice Grade per month	l		OHL, OHM	TEFV2	19.66	265.84	46.97	37.63	4.00				İ	İ	İ
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	20.45	266.54	47.67	44.22	5.33	İ					
	Local Channel - Dedicated - DS1 per month			OH1	TEFHG	36.49	216.65	183.54	24.30	16.95	İ					
	Local Channel - Dedicated - DS3 Facility Termination per month		1	ОН3	TEFHJ	531.91	556.37	343.01	139.13	96.84					I	l
LOCA	AL INTERCONNECTION MID-SPAN MEET	l		İ										İ	İ	İ
	E: If Access service ride Mid-Span Meet, one-half the tariffed ser	rvice Lo	cal Ch	annel rate is applica	ble.	†								İ	İ	İ
	Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00							İ	İ	İ
	Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00				İ					
MUL	TIPLEXERS	l			1									İ	İ	İ
	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	146.77	101.42	71.62	11.09	10.49					t	1
	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	211.19	199.28	118.64	40.34	39.07					t	1
1											1			<b>-</b>	1	
	DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	13.76	10.07	7.08								

CATEGORY	RATE ELEMENTS										Svc Order		Incremental		Incremental	Incremental
CATEGORY	DATE ELEMENTS		1	1	1	1										
CATEGORY	PATE ELEMENTS										Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	PATE ELEMENTS										Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
		Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (17			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
	· ·															
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTERC	CONNECTION (CALL TRANSPORT AND TERMINATION)															
	'bk" beside a rate indicates that the Parties have agreed to bil	ll and k	eep for	that element pursu	ant to the ter	ms and conditi	ons in Attachn	nent 3.								
	M SWITCHING															
17	Tandem Switching Function Per MOU			OHD		0.0011009bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem			-												
	only)			OHD		0.0011009										
	Tandem Intermediary Charge, per MOU*			OHD		0.0015										
	harge is applicable only to transit traffic and is applied in add	dition to	appli	cable switching and	l/or interconr	nection charges										
	CHARGE															
	Installation Trunk Side Service - per DS0			OHD	TPP++		21.53	8.11		İ					İ	İ
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00			İ	1					İ	İ
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00				1	İ					İ
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
	rate element is recovered on a per MOU basis and is included	in the	End Of				J rate elements	1								
	ON TRANSPORT (Shared)	1	<u>.</u>		1	, por mo	7.410 0.0									
	Common Transport - Per Mile, Per MOU			OHD		0.0000080bk										
	Common Transport - Facilities Termination Per MOU			OHD		0.0004152bk										
	CONNECTION (DEDICATED TRANSPORT)															
	OFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			OHL, OHM	1L5NF	0.0222										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			0.1.L, 0.1.III	120111	0.0222										
	Facility Termination per month			OHL, OHM	1L5NF	17.07	79.61	36.08								
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile			OTIL, OTIVI	120141	17.07	70.01	00.00								
	per month			OHL, OHM	1L5NK	0.0222										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			0.1.L, 0.1.III	1201111	0.0222										
	Termination per month			OHL, OHM	1L5NK	16.45	79.61	36.08								
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			0.1.L, 0.1.III	1201111	10.10	7 0.0 1	00.00								
	per month			OHL, OHM	1L5NK	0.0222										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility			OTIE, OTIM	TEOTAIX	0.0222										
	Termination per month			OHL, OHM	1L5NK	16.45	79.61	36.08								
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			0.1.L, 0.1.III	1201111	10.10	7 0.0 1	00.00								
	month			OH1, OH1MS	1L5NL	0.4523										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility			OTTI, OTTIMO	TEOTYE	0.4020										
	Termination per month			OH1, OH1MS	1L5NL	78.47	147.07	111.75								
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			0111, 01111110	120112	70.11										
	month			OH3, OH3MS	1L5NM	2.72										
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month			OH3, OH3MS	1L5NM	788.00	511.10	330.77								
	CHANNEL - DEDICATED TRANSPORT			orio, orionio		7.00.00	011110	000.77								
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL, OHM	TEFV2	13.91	382.95	62.40								
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	14.99	368.44	64.05								
	Local Channel - Dedicated - Ville Voice Character Historia			OH1	TEFHG	38.36	356.15	312.89								
	2004 STATE DOGIOGICA DOT POLITICITAL	1	<del>                                     </del>	J. 11	7.2.1.10	30.30	550.15	312.03		<b> </b>	1				<b> </b>	
	Local Channel - Dedicated - DS3 Facility Termination per month	1	1	ОНЗ	TEFHJ	515.91	639.50	426.31		I					I	l
	INTERCONNECTION MID-SPAN MEET	<del>                                     </del>		0110	121110	313.91	000.00	720.31		<del> </del>	1				1	
	f Access service ride Mid-Span Meet, one-half the tariffed ser	vice I o	cal Ch	ı annel rate is annlica	hle	1			1	t	1				1	1
	Local Channel - Dedicated - DS1 per month	TICE LO	Jai Oili	OH1MS	TEFHG	0.00	0.00		1	<del> </del>	1				<del> </del>	1
	Local Channel - Dedicated - DS1 per month  Local Channel - Dedicated - DS3 per month	1	<b>-</b>	OH3MS	TEFHJ	0.00	0.00		1	<del> </del>	1				<del> </del>	1
	Local Channel - Dedicated - DS3 per month	<b>-</b>	<del>                                     </del>	CIVIO	IEFFIJ	0.00	0.00			<del></del>	-				<del>                                     </del>	-
	Channelization - DS1 to DS0 Channel System	<u> </u>		OH1, OH1MS	SATN1	126.22	198.22	123.59		<del>                                     </del>					<del>                                     </del>	
Tr.		<u> </u>		- ,					ļ		ļ				-	
	DC2 to DC1 Channel System per month															
	DS3 to DS1 Channel System per month DS3 Interface Unit (DS1 COCI) per month			OH3, OH3MS OH1, OH1MS	SATNS	182.04 11.02	280.66 12.02	195.33 8.66		-						

LOCAL IN	TERCONNECTION - Kentucky													ment: 3		bit: A
										-	Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc	_	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (17			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_ 1	Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTE	RCONNECTION (CALL TRANSPORT AND TERMINATION)															
NOTI	: "bk" beside a rate indicates that the Parties have agreed to bi	ll and k	eep fo	that element pursu	ant to the ter	rms and conditi	ons in Attachn	nent 3.								
TANI	DEM SWITCHING															
	Tandem Switching Function Per MOU			OHD		0.0006772bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem															
	only)			OHD		0.0006772										
	Tandem Intermediary Charge, per MOU*			OHD		0.0015										
	s charge is applicable only to transit traffic and is applied in ad-	dition to	o appli	cable switching and	l/or interconi	nection charges										
TRUI	IK CHARGE															
	Installation Trunk Side Service - per DS0			OHD	TPP++		21.58	8.13								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00										
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
	is rate element is recovered on a per MOU basis and is included	in the	End O	ffice Switching and	Tandem Swi	tching, per MOl	J rate elements	3								
COM	MON TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU			OHD		0.0000030bk										
	Common Transport - Facilities Termination Per MOU			OHD		0.0007466bk										
	RCONNECTION (DEDICATED TRANSPORT)															
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			OHL, OHM	1L5NF	0.01										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
	Facility Termination per month			OHL, OHM	1L5NF	29.11	47.34	31.78	22.77	8.75						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			OHL, OHM	1L5NK	0.0115										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination per month			OHL, OHM	1L5NK	20.97	47.35	31.78	22.77	8.75						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month			OHL, OHM	1L5NK	0.0115										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination per month			OHL, OHM	1L5NK	20.97	47.35	31.78	22.77	8.75						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			OH1, OH1MS	1L5NL	0.23										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination per month	ļ	<u> </u>	OH1, OH1MS	1L5NL	96.04	105.52	98.46	23.09	20.49	ļ			ļ	<b>.</b>	ļ
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			0110 0110:20	41 5512 2										1	
	month			OH3, OH3MS	1L5NM	4.97										
	Interoffice Channel - Dedicated Transport - DS3 - Facility			0110 0110:20	41 5512 2										1	
	Termination per month	<u> </u>	<u> </u>	OH3, OH3MS	1L5NM	1,175.15	335.40	219.24	89.57	87.75						
LOC	AL CHANNEL - DEDICATED TRANSPORT			0	TEE: 10	40.55		10.00	10 =0							
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL, OHM	TEFV2	18.57	265.78	46.96	46.79	4.98						
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	19.86	266.48	47.65	47.54	5.73						
<b></b>	Local Channel - Dedicated - DS1 per month	<u> </u>	ļ	OH1	TEFHG	40.46	209.60	176.51	30.21	21.07	<u> </u>			ļ	-	
l	Level Observed Bulliant L BOO Forth Tourist	1	1	0110	TEE	570.05	554.00	200 22	470.00	400 10				l	I	l
H	Local Channel - Dedicated - DS3 Facility Termination per month  AL INTERCONNECTION MID-SPAN MEET	<u> </u>	ļ	OH3	TEFHJ	576.05	551.38	338.08	173.00	120.42	<u> </u>			ļ	-	
		ndes!	and O'	onnol roto in anni'i	l la						<b> </b>				1	-
NOTI	E: If Access service ride Mid-Span Meet, one-half the tariffed ser	VICE LO	cai Ch			0.00	0.00				ļ			1	<del>                                     </del>	1
<b>  </b>	Local Channel - Dedicated - DS1 per month	-	1	OH1MS OH3MS	TEFHG TEFHJ	0.00	0.00				-				<del>                                     </del>	
	Local Channel - Dedicated - DS3 per month	-	1	OHSIVIO	IEFHJ	0.00	0.00				<del>                                     </del>			-	<del>                                     </del>	-
IWIUL		-	1	OH1, OH1MS	SATN1	113.33	101.40	71.60	13.79	13.04	-				<del>                                     </del>	
	Channelization - DS1 to DS0 Channel System	1	1	- ,	SATNS			118.62	50.16	48.59	<del>                                     </del>			-	<del>                                     </del>	-
	IDS2 to DS1 Channel System per month															•
	DS3 to DS1 Channel System per month DS3 Interface Unit (DS1 COCI) per month			OH3, OH3MS OH1, OH1MS	SATCO	158.20 11.80	199.23 10.07	7.08	50.16	40.39	1					

LOCAL INT	ERCONNECTION - Louisiana												Attach	ment: 3	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per LSK	per LON	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		-
						Rec	First	Add'l	First	Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTER	CONNECTION (CALL TRANSPORT AND TERMINATION)															
	: "bk" beside a rate indicates that the Parties have agreed to bi	ll and k	eep for	r that element pursu	ant to the te	ms and conditi	ons in Attachr	nent 3.								
	EM SWITCHING															
	Tandem Switching Function Per MOU			OHD		0.0005507bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem															
	only)			OHD		0.0005507										
	Tandem Intermediary Charge, per MOU*			OHD		0.0015										
* This	charge is applicable only to transit traffic and is applied in ad-	dition to	appli	cable switching and	l/or interconi	nection charges										
	K CHARGE															
111011	Installation Trunk Side Service - per DS0			OHD	TPP++		21.64	8.15								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00										
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
** This	s rate element is recovered on a per MOU basis and is included	in the	End Of				I rate elements	<u> </u>								
	MON TRANSPORT (Shared)		<u> </u>	line ownering and	Tunidem Own	lonning, per mot	o rate element									
COMIN	Common Transport - Per Mile, Per MOU			OHD		0.0000032bk			1		1					
	Common Transport - Facilities Termination Per MOU			OHD		0.0003748bk										
LOCAL INTER	RCONNECTION (DEDICATED TRANSPORT)			OTID		0.00001 TODIC										
	ROFFICE CHANNEL - DEDICATED TRANSPORT															
1111111	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			OHL. OHM	1L5NF	0.013										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			OTIE, OTIM	TEOTH	0.010										
	Facility Termination per month			OHL. OHM	1L5NF	22.60	39.36	26.62								
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile			OTIL, OTIVI	ILOIVI	22.00	33.30	20.02								
	per month			OHL, OHM	1L5NK	0.013										
-	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			OTIL, OTIVI	TESTAIN	0.013			1		1					
	Termination per month			OHL, OHM	1L5NK	15.61	39.37	26.62								
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			OTIE, OTIM	ILOIVIC	10.01	00.01	20.02								
	per month			OHL, OHM	1L5NK	0.013										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility			OTIL, OTIVI	ILOIVIC	0.013										
	Termination per month			OHL, OHM	1L5NK	15.61	39.37	26.62								
-	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			OTIL, OTIVI	TESTAIN	15.01	33.31	20.02	1		1					
	month			OH1, OH1MS	1L5NL	0.2652										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility			OTTI, OTTINIO	ILOIVE	0.2002										
	Termination per month			OH1, OH1MS	1L5NL	70.47	86.69	79.44								
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			OTTI, OTTIMO	TEOTAL	70.47	00.00	70.44								
	month			OH3, OH3MS	1L5NM	6.04										
<b>-</b>	Interoffice Channel - Dedicated Transport - DS3 - Facility			0.10, 0.100	12011111	0.01										
	Termination per month			OH3, OH3MS	1L5NM	850.45	270.69	158.05								
LOCA	L CHANNEL - DEDICATED TRANSPORT			OT 13, OT 13IVIO	TESTAIN	030.43	270.03	130.03								
LOGA	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL. OHM	TEFV2	18.32	187.51	32.21								
-	Local Channel - Dedicated - 4-Wire Voice Grade per month		-	OHL, OHM	TEFV4	19.41	187.94	32.63			<u> </u>					
<del>                                     </del>	Local Channel - Dedicated - 4-Wire Voice Grade per month	1		OH1	TEFHG	39.18	172.34	149.27	t	1	1				<del>                                     </del>	<del>                                     </del>
<del>                                     </del>	Leoda Ghainiei - Dedicated - DOT per month	1		0.11	121110	35.10	112.04	143.21	t	1	1				<del>                                     </del>	<del>                                     </del>
1 1	Local Channel - Dedicated - DS3 Facility Termination per month	l		ОНЗ	TEFHJ	469.44	438.46	256.30	1							1
LOCA	L INTERCONNECTION MID-SPAN MEET	1		0.10	ILI IIU	405.44	+30.40	230.30	<del> </del>	1	1	1		1	<del> </del>	<del>                                     </del>
	: If Access service ride Mid-Span Meet, one-half the tariffed ser	vice I o	cal Ch	annel rate is applied	able	1			<del> </del>	1	1	1		1	<del> </del>	<del>                                     </del>
NOTE		AICE FO	cai Ufi	OH1MS	TEFHG	0.00	0.00		<del></del>	1	-			-	<del></del>	<del></del>
$\vdash$	Local Channel - Dedicated - DS1 per month  Local Channel - Dedicated - DS3 per month	<u> </u>	<del>                                     </del>	OH1MS OH3MS	TEFHG		0.00		<b>-</b>	-	<b> </b>				-	<del></del>
	Local Channel - Dedicated - DS3 per month   IPLEXERS	<del>                                     </del>		OHSIVIO	IEFHJ	0.00	0.00		<del>                                     </del>	-	1				<del>                                     </del>	<del>                                     </del>
MULI		1		OU4 OU4BAC	CATNIA	405.00	00.44	CO 70	<del>                                     </del>	1	1			-	<del>                                     </del>	<del>                                     </del>
<b> </b>	Channelization - DS1 to DS0 Channel System	<u> </u>		OH1, OH1MS	SATN1	105.09	88.41	60.76	<b>.</b>					1	-	<b>├</b>
	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	201.48	172.99	91.25		ļ	ļ					<del></del>
<u> </u>	DS3 Interface Unit (DS1 COCI) per month	L		OH1, OH1MS	SATCO	11.78	6.39	4.58	<u> </u>							
	: If no rate is identified in the contract, the rates, terms, and co	ndition	s for t	he specific service o	or function w	ill be as set for	h in applicable	e BellSouth ta	riff.	1	1	1		l	1	1

LOCAL INT	TERCONNECTION - Mississippi													ment: 3		ibit: A
				]							Svc Order		Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)	·	1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTE	RCONNECTION (CALL TRANSPORT AND TERMINATION)															
	: "bk" beside a rate indicates that the Parties have agreed to bi	ll and k	eep for	that element pursu	ant to the ter	ms and conditi	ons in Attachn	nent 3.								
TANE	DEM SWITCHING															
	Tandem Switching Function Per MOU			OHD		0.0005379bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem															
	only)			OHD		0.0005379										
	Tandem Intermediary Charge, per MOU*			OHD		0.0015										
* This	s charge is applicable only to transit traffic and is applied in ad-	dition to	appli	cable switching and	or interconi	nection charges										
TRUN	IK CHARGE															
	Installation Trunk Side Service - per DS0			OHD	TPP++		21.58	8.13								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00										
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
** Thi	is rate element is recovered on a per MOU basis and is included	in the	End Of	ffice Switching and	Tandem Swi	tching, per MOL	J rate elements	5								
	MON TRANSPORT (Shared)					J, 1										
	Common Transport - Per Mile, Per MOU			OHD		0.0000026bk										
	Common Transport - Facilities Termination Per MOU			OHD		0.0004541bk										
LOCAL INTE	RCONNECTION (DEDICATED TRANSPORT)															
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			OHL, OHM	1L5NF	0.0098										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
	Facility Termination per month			OHL. OHM	1L5NF	22.52	40.77	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile			,												
	per month			OHL, OHM	1L5NK	0.0098										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			,												
	Termination per month			OHL, OHM	1L5NK	15.68	40.78	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month			OHL, OHM	1L5NK	0.0098										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination per month			OHL, OHM	1L5NK	15.68	40.78	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			,												
	month			OH1, OH1MS	1L5NL	0.201										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility					0.00										
	Termination per month			OH1, OH1MS	1L5NL	57.33	89.79	82.28	16.86	14.90						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			, , , , , , , , , , , , , , , , , , , ,												
	month			OH3, OH3MS	1L5NM	4.76										
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month			OH3, OH3MS	1L5NM	641.90	280.37	163.70	62.08	60.29						
LOCA	AL CHANNEL - DEDICATED TRANSPORT															
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL, OHM	TEFV2	14.91	194.22	33.36	37.79	3.30						
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	15.99	194.66	33.80	38.27	3.78	İ					
	Local Channel - Dedicated - DS1 per month			OH1	TEFHG	36.83	178.50	154.61	22.89	15.74	İ					
						1.00										
	Local Channel - Dedicated - DS3 Facility Termination per month		1	ОН3	TEFHJ	413.87	454.13	264.47	123.23	86.19					I	
LOCA	AL INTERCONNECTION MID-SPAN MEET			İ										İ	İ	1
NOTE	: If Access service ride Mid-Span Meet, one-half the tariffed ser	rvice Lo	cal Ch	annel rate is applica	ble.											
	Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00		1							
	Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00									
MUL	TIPLEXERS															
	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	102.85	91.57	62.94	10.87	10.10						
	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	170.63	179.17	94.52	34.30	32.82						
		•													1	1
	DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	12.96	6.62	4.74								

LOCAL INT	ERCONNECTION - North Carolina													ment: 3		ibit: A
							. <u></u>				Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTER	RCONNECTION (CALL TRANSPORT AND TERMINATION)															
	: "bk" beside a rate indicates that the Parties have agreed to bi	ll and k	eep fo	r that element pursu	ant to the ter	ms and conditi	ons in Attachn	nent 3.								
	DEM SWITCHING															
	Tandem Switching Function Per MOU			OHD		0.0012000bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem															
	only)			OHD		0.0012										
	Tandem Intermediary Charge, per MOU*			OHD		0.0015										
* This	s charge is applicable only to transit traffic and is applied in ad-	dition to	appli	cable switching and	l/or interconr	ection charges										
	IK CHARGE					Ū										
	Installation Trunk Side Service - per DS0			OHD	TPP++		21.55	8.12		1						1
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00				1						1
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										1
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										1
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										1
** Thi	s rate element is recovered on a per MOU basis and is included	in the	End O	ffice Switching and	Tandem Swit	china, per MOl	J rate elements	3								
	MON TRANSPORT (Shared)					J, 1										
	Common Transport - Per Mile, Per MOU			OHD		0.0000100bk										
	Common Transport - Facilities Termination Per MOU			OHD		0.0003400bk										
LOCAL INTER	RCONNECTION (DEDICATED TRANSPORT)															
	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			OHL, OHM	1L5NF	0.0282										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
	Facility Termination per month			OHL, OHM	1L5NF	18.00	137.48	52.58								
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			OHL, OHM	1L5NK	0.0282										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination per month			OHL, OHM	1L5NK	17.40	137.48	52.58								
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															1
	per month			OHL, OHM	1L5NK	0.0282										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															1
	Termination per month			OHL, OHM	1L5NK	17.40	137.48	52.58								
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			OH1, OH1MS	1L5NL	0.5753										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															1
	Termination per month			OH1, OH1MS	1L5NL	71.29	217.17	163.75								
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															1
	month			OH3, OH3MS	1L5NM	12.98										
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month	<u></u>		OH3, OH3MS	1L5NM	720.38	794.94	579.55	<u></u>	<u> </u>	<u> </u>	<u></u>		<u> </u>	<u> </u>	<u> </u>
LOCA	AL CHANNEL - DEDICATED TRANSPORT															
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL, OHM	TEFV2	11.24	553.80	89.69								
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	12.03	562.23	92.67								
	Local Channel - Dedicated - DS1 per month			OH1	TEFHG	27.05	534.48	462.69								
	Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	298.92	438.46	256.30		<u> </u>	<u> </u>					<u> </u>
	AL INTERCONNECTION MID-SPAN MEET															
NOTE	: If Access service ride Mid-Span Meet, one-half the tariffed ser	rvice Lo	cal Ch		ble.											
	Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00									
	Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00									
MULT	TIPLEXERS															
	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	146.69	197.78	140.06								
	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	233.10	403.97	234.40								
			1	OLIA OLIANO	SATCO	40.07	13.09	9.38		1	1	1		1	1	1
	DS3 Interface Unit (DS1 COCI) per month s: If no rate is identified in the contract, the rates, terms, and co		<u>L</u>	OH1, OH1MS		16.07			<u> </u>	<u> </u>	<u> </u>					

LOCAL INTE	RCONNECTION - South Carolina													ment: 3		ibit: A
								· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)	·	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																1
LOCAL INTERO	CONNECTION (CALL TRANSPORT AND TERMINATION)															1
	"bk" beside a rate indicates that the Parties have agreed to bi	ll and k	eep for	that element pursu	ant to the ter	ms and conditi	ons in Attachr	nent 3.								
	M SWITCHING															
	Tandem Switching Function Per MOU			OHD		0.0007360bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem															
	only)			OHD		0.000736										
	Tandem Intermediary Charge, per MOU*			OHD		0.0015										
* This c	harge is applicable only to transit traffic and is applied in ad-	dition to	appli	cable switching and	or interconi	ection charges										
	CHARGE															
	Installation Trunk Side Service - per DS0			OHD	TPP++		21.65	8.16			1					1
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00										1
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										1
	rate element is recovered on a per MOU basis and is included	in the	End O	fice Switching and	Tandem Swi	china, per MOL	J rate elements	3								
	ON TRANSPORT (Shared)					J, 1										
	Common Transport - Per Mile, Per MOU			OHD		0.0000045bk										
	Common Transport - Facilities Termination Per MOU			OHD		0.0004095bk										
	CONNECTION (DEDICATED TRANSPORT)															
	OFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			OHL, OHM	1L5NF	0.0167										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			0.12, 0.1	120111	0.0107					1					<del> </del>
	Facility Termination per month			OHL, OHM	1L5NF	24.30	40.63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile			OTIL, OTIVI	1 LOI VI	24.00	40.00	21.41	10.77	0.01	1					1
	per month			OHL, OHM	1L5NK	0.0167										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			0.12, 0.1		0.0107					1					<del> </del>
	Termination per month			OHL, OHM	1L5NK	16.76	40.63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			0.12, 0.1		10.10	10.00	2		0.01	1					<del> </del>
	per month			OHL, OHM	1L5NK	0.0167										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility			OTIL, OTIVI	TEOTAIC	0.0107					1					<del> </del>
	Termination per month			OHL, OHM	1L5NK	16.76	40.63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			OTIL, OTIVI	TEOTAIC	10.70	40.00	21.41	10.77	0.01						
	month			OH1, OH1MS	1L5NL	0.3415										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility			OTTI, OTTINO	TEGITE	0.0410					1					<del> </del>
	Termination per month			OH1, OH1MS	1L5NL	77.14	89.47	81.99	16.39	14.48						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		<b>-</b>	,	† <u>-</u>		55.71	350		10	1			<del> </del>	<b>†</b>	t
	month		1	OH3, OH3MS	1L5NM	8.02								l	I	
	Interoffice Channel - Dedicated Transport - DS3 - Facility			0.10, 0.10,110		0.02					1					<del> </del>
	Termination per month			OH3, OH3MS	1L5NM	880.65	279.37	163.12	60.33	58.59						
	CHANNEL - DEDICATED TRANSPORT			0.10, 0.10,110		000.00	2, 0.0.	100.12	00.00	00.00						
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL, OHM	TEFV2	15.33	193.53	33.24	36.72	3.21	1					<del> </del>
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	16.54	193.97	33.68	37.19	3.68	1					<del> </del>
	Local Channel - Dedicated - DS1 per month			OH1	TEFHG	42.62	177.87	154.06	22.24	15.30	1	<b>-</b>		<del> </del>		<b>†</b>
			<b>-</b>		120	72.02	177.57	104.00	22.27	10.00	1			<del> </del>	<b>†</b>	t
	Local Channel - Dedicated - DS3 Facility Termination per month		l	ОНЗ	TEFHJ	446.00	452.52	264.53	119.75	83.77						
LOCAL	INTERCONNECTION MID-SPAN MEET		<del>                                     </del>		1.20	440.00	102.02	204.00	110.70	55.77	<b> </b>				<b> </b>	<del> </del>
	If Access service ride Mid-Span Meet, one-half the tariffed ser	vice I o	cal Ch	annel rate is applica	ble.				<del>                                     </del>		<b> </b>				<b> </b>	<del> </del>
	Local Channel - Dedicated - DS1 per month		Jai 311	OH1MS	TEFHG	0.00	0.00		<del>                                     </del>		<del> </del>	<b> </b>				<del>                                     </del>
	Local Channel - Dedicated - DS3 per month		<del>                                     </del>	OH3MS	TEFHJ	0.00	0.00		<del>                                     </del>					<del> </del>	<del>                                     </del>	<del>                                     </del>
	PLEXERS			OI IOIVIO	ILIII	0.00	0.00				1	1		1	1	+
	Channelization - DS1 to DS0 Channel System		<del>                                     </del>	OH1, OH1MS	SATN1	107.57	91.24	62.71	10.56	9.81	<b> </b>			-	<del></del>	<del> </del>
				OH3, OH3MS	SATNS	144.02	178.54	94.18	33.33	31.90	<del> </del>				-	+
	DS3 to DS1 Channel System per month DS3 Interface Unit (DS1 COCI) per month			OH3, OH3MS OH1, OH1MS	SATCO	144.02 8.64		94.18 4.73	33.33	31.90	<del>                                     </del>			-	<del>                                     </del>	<del> </del>
		l market e					6.59		-: ##		<del>                                     </del>	<del>                                     </del>		<del>                                     </del>	1	<del> </del>
	If no rate is identified in the contract, the rates, terms, and co	ondition	s tor t	ne specific service c	or tunction w	III be as set fort	in in applicable	e BellSouth ta	ritt.							1

LOCAL INT	ERCONNECTION - Tennessee												Attach	ment: 3	Exhi	bit: A
_											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTE	RCONNECTION (CALL TRANSPORT AND TERMINATION)															
	: "bk" beside a rate indicates that the Parties have agreed to bi	ll and k	eep for	that element pursu	ant to the ter	ms and conditi	ions in Attachn	nent 3.								
TAND	DEM SWITCHING															
	Tandem Switching Function Per MOU			OHD		0.0009778bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem															
	only)			OHD		0.0009778										
	Tandem Intermediary Charge, per MOU*			OHD		0.0015			1							
* This	s charge is applicable only to transit traffic and is applied in ad-	dition to	appli	cable switching and	or interconi	nection charges	S									
TRUN	IK CHARGE															
	Installation Trunk Side Service - per DS0			OHD	TPP++		21.59	8.09	1							
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00			1		1					
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
** Thi	s rate element is recovered on a per MOU basis and is included	in the	End Of	ffice Switching and	Tandem Swi	ching, per MOI	J rate elements	3								
	MON TRANSPORT (Shared)					• • •										
	Common Transport - Per Mile, Per MOU			OHD		0.0000064bk										
	Common Transport - Facilities Termination Per MOU			OHD		0.0003871bk										
LOCAL INTE	RCONNECTION (DEDICATED TRANSPORT)															
INTER	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			OHL, OHM	1L5NF	0.0174										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
	Facility Termination per month			OHL. OHM	1L5NF	18.58	55.39	17.37	27.96	3.51						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile			,												
	per month			OHL, OHM	1L5NK	0.0174										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			- /-												
	Termination per month			OHL, OHM	1L5NK	17.98	55.39	17.37	27.96	3.51						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month			OHL, OHM	1L5NK	0.0174										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination per month			OHL, OHM	1L5NK	17.98	55.39	17.37	27.96	3.51						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			,												
	month			OH1, OH1MS	1L5NL	0.3562										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination per month		1	OH1, OH1MS	1L5NL	77.86	112.40	76.27	19.55	14.99						l
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per				1				1					İ		İ
	month		l	OH3, OH3MS	1L5NM	2.34										
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month		1	OH3, OH3MS	1L5NM	848.99	395.29	176.56	109.04	105.91						l
LOCA	AL CHANNEL - DEDICATED TRANSPORT															
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL, OHM	TEFV2	19.43	199.33	24.16	54.81	4.80				İ		İ
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	20.56	201.53	24.83	55.52	5.51	İ					
	Local Channel - Dedicated - DS1 per month			OH1	TEFHG	40.99	277.35	233.26	33.18	22.30	İ					
									1							
	Local Channel - Dedicated - DS3 Facility Termination per month		1	ОН3	TEFHJ	611.30	595.37	304.50	215.82	151.15						l
LOCA	AL INTERCONNECTION MID-SPAN MEET															
NOTE	: If Access service ride Mid-Span Meet, one-half the tariffed ser	rvice Lo	cal Ch	annel rate is applica	ble.				1		1					
	Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00									
	Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00		1							
MULT	TIPLEXERS								ĺ							
	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	80.77	141.87	77.11	44.47	42.62						
	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	222.98	308.03	108.47	6.34	4.23	1	Ì		İ	İ	
	D33 to D31 Chariner System per month															
	DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	17.58	6.07	4.66	0.0 1	20						

# **Attachment 4**

**Physical Collocation** 

#### BELLSOUTH

#### PHYSICAL COLLOCATION

## 1. Scope of Attachment

- 1.1 The rates, terms, and conditions contained within this Attachment shall only apply when Global Connection is physically collocated as a sole occupant or as a Host within a BellSouth Premises location pursuant to this Attachment. BellSouth Premises include BellSouth Central Offices and Serving Wire Centers (hereinafter "Premises"). This Attachment is applicable to Premises owned or leased by BellSouth. However, if the Premises occupied by BellSouth is leased by BellSouth from a third party, special considerations and intervals may apply in addition to the terms and conditions contained in this Attachment.
- Right to Occupy. BellSouth shall offer to Global Connection collocation on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the FCC. Subject to the rates, terms and conditions of this Attachment, where space is available and it is technically feasible, BellSouth will allow Global Connection to occupy a certain area designated by BellSouth within a Premises, or on BellSouth property upon which the Premises is located, of a size which is specified by Global Connection and agreed to by BellSouth (hereinafter "Collocation Space"). The necessary rates, terms and conditions for h premises as defined by the FCC, other than BellSouth Premises, shall be negotiated upon reasonable request for collocation at such premises.
- 1.2.1 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth in this Attachment.
- 1.2.1.1 In all states other than Florida, the size specified by Global Connection may contemplate a request for space sufficient to accommodate Global Connection's growth within a twenty-four (24) month period.
- 1.2.1.2 In the state of Florida, the size specified by Global Connection may contemplate a request for space sufficient to accommodate Global Connection's growth within an eighteen (18) month period.
- 1.3 Space Allocation. BellSouth shall attempt to accommodate Global Connection's requested preferences, if any. In allocating Collocation Space, BellSouth shall not materially increase Global Connection's cost or materially delay Global Connection's occupation and use of the Collocation Space, assign Collocation Space that will impair the quality of service or otherwise limit the service Global Connection wishes to offer, reduce unreasonably the total space available for physical collocation or preclude unreasonable physical collocation within the Premises. Space shall not be available for collocation if it is: (a) physically occupied by non-obsolete equipment; (b) assigned to another collocated telecommunications carrier; (c) used to provide physical access to

occupied space; (d) used to enable technicians to work on equipment located within occupied space; (e) properly reserved for future use, either by BellSouth or another collocated telecommunications carrier; or (f) essential for the administration and proper functioning of Premises. BellSouth may segregate Collocation Space and require separate entrances for collocated telecommunications carriers to access their Collocation Space, pursuant to FCC Rules.

- 1.4 <u>Space Reclamation.</u> In the event of space exhaust within a Premises, BellSouth may include in its documentation for the Petition for Waiver filed with the Commission, any unutilized space in the Premises. Global Connection will be responsible for the justification of unutilized space within its Collocation Space, if the Commission requires such justification.
- 1.5 <u>Use of Space</u>. Global Connection shall use the Collocation Space for the purposes of installing, maintaining and operating Global Connection's equipment (to include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities or for accessing BellSouth unbundled network elements for the provision of telecommunications services, as specifically set forth in this Agreement. The Collocation Space assigned to Global Connection may not be used for any purposes other than as specifically described herein or in any amendment hereto.
- 1.6 <u>Rates and Charges</u>. Global Connection agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 1.7 If any due date contained in this Attachment falls on a weekend or National holiday, the due date will be the next business day thereafter. For intervals of ten (10) calendar days or less, National holidays will be excluded.
- 1.8 The Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

## 2. Space Availability Report

- 2.1 Space Availability Report. Upon request from Global Connection and at the Global Connection's expense, BellSouth will provide a written report (Space Availability Report) describing in detail the space that is available for collocation at a particular Premises. This report will include the amount of Collocation Space available at the Premises requested, the number of collocators present at the Premises, any modifications in the use of the space since the last report on the Premises requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the Premises for which the Space Availability Report was requested by Global Connection.
- 2.1.1 The request from Global Connection for a Space Availability Report must be in writing and include the Premises street address, as identified in the Local Exchange

Routing Guide (LERG) and Common Language Location Identification (CLLI) code of the Premises. CLLI code information is located in the National Exchange Carrier Association (NECA) Tariff FCC No. 4.

2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular Premises within ten (10) calendar days of the receipt of such a request. BellSouth will make its best efforts to respond in ten (10) calendar days to a Space Availability Report request when the request includes from two (2) to five (5) Premises within the same state. The response time for Space Availability Report requests of more than five (5) Premises shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) calendar day response time, BellSouth shall notify Global Connection and inform Global Connection of the timeframe under which it can respond.

# 3. <u>Collocation Options</u>

- 3.1 <u>Cageless.</u> BellSouth shall allow Global Connection to collocate Global Connection's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow Global Connection to have direct access to Global Connection's equipment and facilities in accordance with Section 5.9. BellSouth shall make cageless collocation available in single bay increments. Except where Global Connection's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), BellSouth shall assign cageless Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, Global Connection must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment.
- 3.2 Caged. At Global Connection's expense, Global Connection will arrange with a Supplier certified by BellSouth (BellSouth Certified Supplier) to construct a collocation arrangement enclosure in accordance with BellSouth's Technical References (TRs) (Specifications) prior to starting equipment installation. BellSouth will provide Specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's enclosure Specifications, Global Connection and Global Connection's BellSouth Certified Supplier must comply with the more stringent local building code requirements. Global Connection's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with Global Connection and provide, at Global Connection's expense, the documentation, including existing building architectural drawings, enclosure drawings, and Specifications required and necessary for Global Connection's BellSouth Certified Supplier to obtain the zoning, permits and/or other licenses. Global Connection's BellSouth Certified Supplier shall bill Global Connection directly for all work performed for Global Connection pursuant to this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by Global Connection's

BellSouth Certified Supplier. Global Connection must provide the local BellSouth Central Office building contact with two Access Keys that will allow entry into the locked enclosure. Except in the case of an emergency, BellSouth will not access Global Connection's locked enclosure prior to notifying Global Connection at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the Collocation Space is required. Upon request, BellSouth shall construct the enclosure for Global Connection.

- 3.2.1 BellSouth may elect to review Global Connection's plans and specifications prior to allowing construction to start, to ensure compliance with BellSouth's Specifications. BellSouth will notify Global Connection of its desire to execute this review in BellSouth's response to the Initial Application, if Global Connection has indicated its desire to construct its own enclosure. If Global Connection's Initial Application does not indicate its desire to construct its own enclosure, but its subsequent firm order does indicate its desire to construct its own enclosure, then notification to review will be given within ten (10) calendar days after the Firm Order date. BellSouth shall complete its review within fifteen (15) calendar days after the receipt of Global Connection's plans and specifications. Regardless of whether or not BellSouth elects to review Global Connection's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction has been completed to ensure that it is constructed according to Global Connection's submitted plans and specifications and/or BellSouth's Specifications, as applicable. If BellSouth decides to inspect the constructed Collocation Space, BellSouth will complete its inspection within fifteen (15) calendar days after receipt of written notification of completion of the enclosure from Global Connection. BellSouth shall require Global Connection to remove or correct within seven (7) calendar days, at Global Connection's expense, any structure that does not meet Global Connection's plans and specifications or BellSouth's Specifications, if applicable.
- Shared Caged Collocation. Global Connection may allow other telecommunications carriers to share Global Connection's caged collocation arrangement, pursuant to the terms and conditions agreed to by Global Connection (Host) and the other telecommunications carriers (Guests) pursuant to this Section, except where the Premises is located within a leased space and BellSouth is prohibited by said lease from offering such an option to Global Connection. BellSouth shall be notified in writing by Global Connection upon the execution of any agreement between the Host and its Guest(s) within ten (10) calendar days of its execution and prior to the submission of any Firm Orders. Further, such notification shall include the name of the Guest(s), the term of the agreement, and a certification by Global Connection that said agreement imposes upon the Guest(s) the same terms and conditions for Collocation Space as set forth in this Attachment between BellSouth and Global Connection.
- 3.3.1 Global Connection, as the Host, shall be the sole interface and responsible Party to BellSouth for the assessment and billing of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest(s), its employees and agents.

BellSouth shall provide Global Connection with a proration of the costs of the Collocation Space based on the number of collocators and the space used by each, with a minimum charge of one (1) bay/rack per Host/Guest. In all states other than Florida, and in addition to the above, Global Connection shall be the responsible party to BellSouth for the purpose of submitting applications for initial and additional equipment placement for the Guest(s). In Florida, the Guest(s) may submit its own initial and additional equipment placement applications using the Host's Access Carrier Name Abbreviation (ACNA). A separate Guest application shall result in the assessment of an Initial Application Fee or a Subsequent Application Fee, as set forth in Exhibit B, which will be billed to the Host on the date that BellSouth provides its written response to the Guest(s) Bona Fide Application (Application Response).

- 3.3.2 Notwithstanding the foregoing, the Guest(s) may submit service orders directly to BellSouth to request the provisioning of interconnecting facilities between BellSouth and the Guest(s), the provisioning of services, and access to unbundled network elements. The bill for these interconnecting facilities, services and access to UNEs will be charged to the Guest(s) pursuant to the applicable Tariff or the Guest's Interconnection Agreement with BellSouth.
- 3.3.3 Global Connection shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Global Connection's Guest(s) in the Collocation Space, except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will permit an adjacent collocation arrangement (Adjacent Arrangement) on Premises' property only when space within the Premises is legitimately exhausted and where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Premises' property. An Adjacent Arrangement shall be constructed or procured by Global Connection and must be in conformance with BellSouth's design and construction Specifications. Further, Global Connection shall construct, procure, maintain and operate said Adjacent Arrangement(s) pursuant to all of the rates, terms and conditions set forth in this Attachment.
- 3.4.1 If Global Connection requests Adjacent Collocation, pursuant to the conditions stated in 3.4 above, Global Connection must arrange with a BellSouth Certified Supplier to construct the Adjacent Arrangement structure in accordance with BellSouth's Specifications. BellSouth will provide Specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's Specifications, Global Connection and Global Connection's BellSouth Certified Supplier must comply with the more stringent local building code requirements. Global Connection's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. Global Connection's BellSouth Certified Supplier shall bill Global Connection directly for all work performed for Global Connection pursuant to this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by Global

Connection's BellSouth Certified Supplier. Global Connection must provide the local BellSouth Central Office building contact with two cards, keys or other access devices used to gain entry into the locked enclosure. Except in the case of an emergency, BellSouth will not access Global Connection's locked enclosure prior to notifying Global Connection at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the Collocation Space is required.

- 3.4.2 Global Connection must submit its Adjacent Arrangement construction plans and specifications to BellSouth when it places its Firm Order. BellSouth shall review Global Connection's plans and specifications prior to construction of an Adjacent Arrangement(s) to ensure Global Connection's compliance with BellSouth's Specifications. BellSouth shall complete its review within fifteen (15) calendar days after receipt of the plans and specifications from Global Connection for the Adjacent Arrangement. BellSouth may inspect the Adjacent Arrangement during and after construction is completed to ensure that it is constructed according to Global Connection's submitted plans and specifications. If BellSouth decides to inspect the completed Adjacent Arrangement, BellSouth will complete its inspection within fifteen (15) calendar days after receipt of written notification of completion of the enclosure from Global Connection. BellSouth shall require Global Connection to remove or correct within seven (7) calendar days at Global Connection's expense, any structure that does not meet its submitted plans and specifications or BellSouth's Specifications, if applicable.
- 3.4.3 Global Connection shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning (HVAC), lighting, and all of the facilities that are required to connect the structure (i.e., racking, conduits, etc.) to the BellSouth point of demarcation. At Global Connection's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities, subject to the same nondiscriminatory requirements as those applicable to any other physical collocation arrangement. In Alabama and Louisiana, BellSouth will provide DC power to Adjacent Collocation sites where technically feasible, as that term has been defined by the FCC subject to individual case basis pricing. Global Connection's BellSouth Certified Supplier shall be responsible, at Global Connection's sole expense, for filing and receiving any and all necessary zoning, permits and/or licenses for an Adjacent Arrangement. BellSouth shall allow Shared Caged Collocation within an Adjacent Arrangement, pursuant to the terms and conditions set forth in 3.3 above.
- 3.5 <u>Co-Carrier Cross Connect (CCXC)</u>. The primary purpose of collocation is for a telecommunications carrier to interconnect with BellSouth's network or to access BellSouth's unbundled network elements for the provision of telecommunications services. BellSouth will permit Global Connection to interconnect between its virtual or physical collocation arrangements and those of another collocated telecommunications carrier within the same Premises. Both Global Connection's agreement and the other collocated telecommunications carrier's agreement must contain rates, terms and conditions for CCXC language. Global Connection is

prohibited from using the Collocation Space for the sole or primary purpose of cross connecting to other collocated telecommunications carriers.

- 3.5.1 Global Connection must contract with a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned through facilities owned by Global Connection. Such connections to other collocated telecommunications carriers may be made using either optical or electrical facilities. In cases where Global Connection's equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged Collocation Spaces, Global Connection may use its own technicians to install co-carrier cross connects using either electrical or optical facilities between the equipment of both collocated telecommunications carriers and construct a dedicated cable support structure between the two contiguous cages. Global Connection shall deploy such optical or electrical connections directly between its own facilities and the facilities of another collocated telecommunications carrier without being routed through BellSouth's equipment. Global Connection shall not provision CCXC on any BellSouth distribution frame, POT (Point of Termination) Bay, DSX (Digital System Cross-connect) or LGX (Light Guide Cross-connect). Global Connection is responsible for ensuring the integrity of the signal.
- 3.5.2 Global Connection shall be responsible for providing a letter of authorization (LOA), with the application, to BellSouth from the other collocated telecommunications carrier to which it will be cross-connecting Global Connection-provisioned CCXC shall utilize common cable support structure. There will be a recurring charge per linear foot, per cable, of common cable support structure used. In the case of two contiguous caged collocation arrangements, Global Connection may use its own technicians to construct the dedicated support structure between the two collocation arrangements.
- 3.5.3 To order CCXCs, Global Connection must submit an Initial Application or Subsequent Application to BellSouth. If no modification to the Collocation Space is requested other than the placement of CCXCs, the Subsequent Application Fee for CCXCs, as defined in Exhibit B, will apply. If modifications, in addition to the placement of CCXCs, are requested, the Initial Application or Subsequent Application Fee will apply. BellSouth will bill this nonrecurring fee on the date that it provides an Application Response to Global Connection.

#### 4. Occupancy

4.1 Occupancy. BellSouth will notify Global Connection in writing when the Collocation Space is ready for occupancy (Space Ready Date). Global Connection will schedule and complete an acceptance walkthrough of the Collocation Space with BellSouth within fifteen (15) calendar days of the Space Ready Date. BellSouth will correct any deviations in Global Connection's original or jointly amended application requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame. BellSouth will also establish a new Space Ready Date. Another acceptance walkthrough will then be scheduled and conducted

within fifteen (15) calendar days of the new Space Ready Date. This follow-up acceptance walkthrough will be limited to only those items identified in the initial walkthrough. If Global Connection completes its acceptance walkthrough within the fifteen (15) calendar day interval, billing will begin upon the date of Global Connection's acceptance of the Collocation Space (Space Acceptance Date). In the event that Global Connection fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Collocation Space shall be deemed accepted by Global Connection on the Space Ready Date and billing will commence from that date. If Global Connection decides to occupy the space prior to the Space Ready Date, the date Global Connection occupies the space becomes the new Space Acceptance Date and billing will begin from that date. Global Connection must notify BellSouth in writing that collocation equipment installation is complete and operational with BellSouth's network. BellSouth may, at its discretion, refuse to accept orders for cross connects until it has received such notice. For the purposes of this paragraph, Global Connection's telecommunications equipment will be deemed operational when it has been cross-connected to BellSouth's network for the purpose of provisioning telecommunication services to its customers.

- 4.2 Termination of Occupancy. In addition to any other provisions addressing termination of occupancy in this Agreement, Global Connection may terminate occupancy in a particular Collocation Space by submitting a Subsequent Application requesting termination of occupancy. Such termination shall be effective upon BellSouth's acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date that Global Connection and BellSouth conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that Global Connection signs off on the Space Relinquishment Form and sends this form to BellSouth, if a subsequent inspection of the terminated space by BellSouth reveals no discrepancies. If the subsequent inspection by BellSouth does reveal discrepancies, billing will cease on the date that BellSouth and Global Connection jointly conduct an inspection, which confirms that Global Connection has corrected all of the noted discrepancies. A Subsequent Application Fee will not apply for the termination of occupancy. BellSouth may terminate Global Connection's right to occupy the Collocation Space in the event that Global Connection fails to comply with any provision of this Agreement, including the payment of the applicable fees.
- 4.2.1 Upon termination of occupancy, Global Connection, at its sole expense, shall remove its equipment and any other property from the Collocation Space. Global Connection shall have thirty (30) calendar days from the Bona Fide Firm Order (BFFO) Subsequent Application date (Termination Date) to complete such removal, including the removal of all equipment and facilities of Global Connection's Guest(s), unless Global Connection's Guest(s) has assumed responsibility for the Collocation Space housing the Guest(s)'s equipment and executed the appropriate documentation required by BellSouth prior to the Global Connection removal date. Global Connection shall continue the payment of all monthly fees to BellSouth until the date thatGlobal Connection, and if applicable Global Connection's Guest(s), has fully vacated the Collocation Space and the Space Relinquishment Form has been accepted

by BellSouth. Should Global Connection or Global Connection's Guest(s) fail to vacate the Collocation Space within thirty (30) calendar days from the Termination Date, BellSouth shall have the right to remove the equipment and dispose of the equipment and other property of Global Connection or Global Connection's Guest(s), in any manner that BellSouth deems fit, at Global Connection's expense and with no liability whatsoever for Global Connection's property or Global Connection's Guest(s)'s property. Upon termination of Global Connection's right to occupy specific Collocation Space, the Collocation Space will revert back to BellSouth's space inventory, and Global Connection shall surrender the Collocation Space to BellSouth in the same condition as when it was first occupied by Global Connection, with the exception of ordinary wear and tear, unless otherwise agreed to by the Parties. Global Connection's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth's Specifications including, but not limited to, Central Office Record Drawings and ERMA Records. Global Connection shall be responsible for the cost of removing any Global Connection constructed enclosure, together with any supporting structures (e.g., racking, conduits, or power cables), at the termination of occupancy and restoring the grounds to their original condition.

## 5. <u>Use of Collocation Space</u>

- 5.1 Equipment Type. BellSouth permits the collocation of any equipment necessary for interconnection to BellSouth's network or access to BellSouth's unbundled network elements in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary purpose and function of any equipment collocated in a Premises must be for interconnection to BellSouth's network or access to BellSouth's unbundled network elements in the provision of telecommunications services.
- 5.1.1 Examples of equipment that would not be considered necessary include, but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.
- 5.1.2 Such equipment must, at a minimum, meet the following Telcordia Network
  Equipment Building Systems (NEBS) General Equipment Requirements: Criteria
  Level 1 requirements as outlined in Telcordia Special Report SR-3580, Issue 1.
  Except where otherwise required by a Commission, BellSouth shall comply with the

- applicable FCC rules relating to denial of collocation based on Global Connection's failure to comply with this Section.
- 5.1.3 Global Connection shall not request more DS0, DS1, DS3 and optical terminations for a collocation arrangement than the total port or termination capacity of the equipment physically installed in the arrangement. The total capacity of the equipment collocated in the arrangement will include equipment contained in an application, as well as equipment already placed in the collocation arrangement. If full network termination capacity of the equipment being installed is not requested in the application, additional network terminations for the installed equipment will require the submission of another application. In the event Global Connection submits an application for terminations that will exceed the total capacity of the collocated equipment, Global Connection will be informed of the discrepancy by BellSouth and required to submit a revision to the application.
- Global Connection shall notify BellSouth whenever Global Connection submits a Method of Procedure (MOP) adding equipment to Global Connection's Collocation Space and shall provide to BellSouth a list of all UCC-1 lien holders or other entities that have a financial interest, secured or otherwise, in the equipment in Global Connection's Collocation Space. Global Connection shall submit a list of any lien holders or other entities that have a financial interest in the equipment that is collocated by Global Connection to its RCM Representative.
- 5.3 Global Connection shall not use the Collocation Space for marketing purposes, nor shall it place any identifying signs or markings outside the Collocation Space or on the grounds of the Premises.
- Global Connection shall place a plaque or affix other identification (e.g., stenciling) to Global Connection's equipment, in order for BellSouth to identify Global Connection's equipment, including a list of emergency contacts with telephone numbers.
- 5.5 Entrance Facilities. Global Connection may elect to place Global Connection-owned or Global Connection-leased fiber entrance facilities into its Collocation Space. BellSouth will designate the point of interconnection in close proximity to the Premises building housing the Collocation Space, such as at an entrance manhole or a cable vault, which are physically accessible by both Parties. Global Connection will provide and place fiber cable at the point of entrance of sufficient length to be pulled through conduit and into the splice location. Global Connection will provide and install a sufficient length of fire retardant riser cable, to which the entrance cable will be spliced by BellSouth. The fire retardant riser cable will extend from the splice location to Global Connection's equipment in the Collocation Space. In the event Global Connection utilizes a non-metallic, riser-type entrance facility, a splice will not be required. Global Connection must contact BellSouth for instructions prior to placing any entrance facility cable in the manhole. Global Connection is responsible for maintenance of the entrance facilities. At Global Connection's option, BellSouth will

- accommodate, where technically feasible, a microwave entrance facility, pursuant to separately negotiated terms and conditions. In the case of adjacent collocation, copper facilities may be used between the adjacent collocation arrangement and the central office demarcation point unless BellSouth determines that limited space is available for the placement of entrance facilities.
- 5.5.1 <u>Dual Entrance Facilities</u>. BellSouth will provide at least two interconnection points at each Premise where at least two such interconnection points are available and capacity exists. Upon receipt of a request by Global Connection for dual entrance facilities to its physical Collocation Space, BellSouth shall provide Global Connection with information regarding BellSouth's capacity to accommodate the requested dual entrance facilities. If conduit in the serving manhole(s) is available and is not reserved for another purpose or for utilization within twelve (12) months of the receipt of an application for collocation, BellSouth will make the requested conduit space available for installing a second entrance facility to Global Connection's arrangement. The location of the serving manhole(s) will be determined at the sole discretion of BellSouth. Where dual entrance facilities are not available due to lack of capacity, BellSouth will provide this information to Global Connection in the Application Response.
- 5.5.2 Shared Use. Global Connection may utilize spare capacity on an existing interconnector's entrance facility for the purpose of providing an entrance facility to Global Connection's collocation arrangement within the same Premises. BellSouth shall allow the splice, as long as the fiber is non-working fiber. Global Connection must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from the other telecommunications carrier for BellSouth to perform the splice of the Global Connection provided riser cable to the spare capacity on the entrance facility. If Global Connection desires to allow another telecommunications carrier to use its entrance facilities, that telecommunications carrier must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from Global Connection for BellSouth to perform the splice of that telecommunications carrier's provided riser cable to the spare capacity on Global Connection's entrance facility.
- Demarcation Point. BellSouth will designate the point(s) of demarcation between Global Connection's equipment and/or network and BellSouth's network. Each Party will be responsible for the maintenance and operation of all equipment/facilities on its side of the demarcation point. For 2-wire and 4-wire connections to BellSouth's network, the demarcation point shall be a common block on the BellSouth designated conventional distributing frame (CDF). Global Connection shall be responsible for providing, and Global Connection's BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling the common block and any necessary cabling identified in Section 7 of this Attachment. For all other terminations, BellSouth shall designate a demarcation point on a per arrangement basis. Global Connection or its agent must perform all required maintenance to the equipment/facilities on its side of the demarcation point, pursuant to Section 5.7,

following, and may self-provision cross-connects that may be required within the Collocation Space to activate service requests.

- 5.6.1 In Tennessee, BellSouth will designate the point(s) of demarcation between Global Connection's equipment and/or network and BellSouth's network. Each Party will be responsible for the maintenance and operation of all equipment/facilities on its side of the demarcation point. For connections to BellSouth's network, the demarcation point shall be a Global Connection-provided Point of Termination Bay (POT Bay) in a common area within the Premises. Global Connection shall be responsible for providing, and Global Connection's BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling the POT Bay, as well as installing the necessary cabling between Global Connection's Collocation Space and the demarcation point. Global Connection or its agent must perform all required maintenance to equipment/facilities on its side of the demarcation point, pursuant to Section 5.7, following, and may self-provision cross-connects that may be required within the Collocation Space to activate service requests. BellSouth will negotiate alternative rates, terms and conditions related to the demarcation point in Tennessee, in the event that Global Connection desires to avoid the use of an intermediary device as contemplated by the Tennessee Regulatory Authority.
- 5.7 Global Connection's Equipment and Facilities. Global Connection, or if required by this Attachment, Global Connection's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by Global Connection which must be performed in compliance with all applicable BellSouth Specifications. Such equipment and facilities may include, but are not limited to, cable(s), equipment, and point of termination connections. Global Connection and its selected BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564.
- BellSouth's Access to Collocation Space. From time to time, BellSouth may require access to the Collocation Space. BellSouth retains the right to access Global Connection's space for the purpose of making BellSouth equipment and building modifications (e.g., running, altering or removing racking, ducts, electrical wiring, HVAC, and cabling). BellSouth will give notice to Global Connection at least forty-eight (48) hours before access to the Collocation Space is required. Global Connection may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that Global Connection will not bear any of the expense associated with this type of work.
- Access. Pursuant to Section 12, Global Connection shall have access to its Collocation Space twenty-four (24) hours a day, seven (7) days a week. Global Connection agrees to provide the name and social security number, date of birth, or driver's license number of each employee, supplier, or agent of Global Connection or Global Connection's Guests that will be provided with access keys or cards (Access Keys) prior to the issuance of said Access Keys, using form RF-2906-C, the "CLEC"

and CLEC Certified Supplier Access Request and Acknowledgement" form. Key acknowledgement forms, the "Collocation Acknowledgement Sheet" for access cards and the "Key Acknowledgement Form" for keys must be signed by Global Connection and returned to BellSouth Access Management within fifteen (15) calendar days of Global Connection's receipt. Failure to return these properly acknowledged forms will result in the holding of subsequent access key or card requests until the proper acknowledgement documents have been received by BellSouth and reflect current information. Access Keys may not be duplicated under any circumstances. Global Connection agrees to be responsible for all Access Keys and for the return of all Access Keys in the possession of Global Connection's employees, suppliers, Guests, or agents after termination of the employment relationship, the contractual obligation with Global Connection ends, upon the termination of this Attachment, or upon the termination of occupancy of an individual collocation arrangement.

- 5.9.1 BellSouth will permit one accompanied site visit to Global Connection's designated collocation arrangement location, after receipt of the BFFO without charge to Global Connection. Global Connection must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the Premises within a minimum of thirty (30) calendar days prior to the date Global Connection desires access to the Collocation Space. In order to permit reasonable access during construction of the Collocation Space, Global Connection may submit a request for its one accompanied site visit to its designated collocation arrangement location at any time subsequent to BellSouth's receipt of the BFFO. In the event Global Connection desires access to the Collocation Space after submitting such a request, but prior to the approval of its access request, in addition to the first accompanied free visit, BellSouth shall permit Global Connection to access the Collocation Space accompanied by a security escort, at Global Connection's expense. Global Connection must request escorted access to its designated collocation arrangement location at least three (3) business days prior to the date such access is desired.
- 5.10 <u>Lost or Stolen Access Keys</u>. Global Connection shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. If it becomes necessary for BellSouth to re-key buildings or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), Global Connection shall pay for all reasonable costs associated with the re-keying or deactivating the card.
- Interference or Impairment. Notwithstanding any other provisions of this Attachment, Global Connection shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment or facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications services; 2) endangers or damages the equipment, facilities or any other property of BellSouth or of any other entity or person; 3) compromises the privacy of any communications; or 4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of Global Connection violates

the provisions of this paragraph, BellSouth shall provide written notice to Global Connection, which shall direct Global Connection to cure the violation within forty-eight (48) hours of Global Connection's actual receipt of written notice or, at a minimum, to commence curative measures within twenty-four (24) hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to conduct an inspection of the arrangement.

- 5.11.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if Global Connection fails to take curative action within forty-eight (48) hours or if the violation is of a character that poses an immediate and substantial threat of damage to property or injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or another entity's service, then and only in that event, BellSouth may take such action as it deems appropriate to correct the violation, including, without limitation, the interruption of electrical power to Global Connection's equipment. BellSouth will endeavor, but is not required, to provide notice to Global Connection prior to the taking of such action and BellSouth shall have no liability to Global Connection for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- 5.11.2 For purposes of this Section, the term "significantly degrades" shall be defined as an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and Global Connection fails to take curative action within forty-eight (48) hours, then BellSouth will establish before the Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to Global Connection or, if subsequently necessary, the Commission must be supported by BellSouth with specific and verifiable information. When BellSouth demonstrates that a certain technology deployed by Global Connection is significantly degrading the performance of other advanced services or traditional voice band services, Global Connection shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that it is acceptable for deployment under Section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly-deployed technology
- 5.12 Personalty and its Removal. Facilities and equipment placed by Global Connection in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personal property and may be removed by Global Connection at any time. Any damage caused to the Collocation Space by Global Connection's employees, suppliers, agents or representatives during the removal of such property shall be promptly repaired by Global Connection at its sole expense. If Global Connection decides to

remove equipment from its Collocation Space and the removal requires no physical change, BellSouth will bill Global Connection a Supplemental Application Fee (Administrative Only Application Fee) as set forth in Exhibit B. This non-recurring fee will be billed on the date that BellSouth provides an Application Response.

- Alterations. Under no condition shall Global Connection or any person acting on behalf of Global Connection make any rearrangement, modification, augment, improvement, addition, and/or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Collocation Space or the Premises, hereinafter referred to individually or collectively as "Augments", without the express written consent of BellSouth, which shall not be unreasonably withheld. The cost of any such Augment shall be paid by Global Connection. Any such Augment shall require an application and will result in the assessment of an application fee, which will be billed by BellSouth on the date that BellSouth provides Global Connection with an Application Response.
- Janitorial Service. Global Connection shall be responsible for the general upkeep of its Collocation Space. Global Connection shall arrange directly with a BellSouth Certified Supplier for janitorial services applicable to Caged Collocation Space. BellSouth shall provide a list of such suppliers on a site-specific basis, upon request.

### 6. Ordering and Preparation of Collocation Space

- 6.1 If any state or federal regulatory agency imposes procedures or intervals applicable to Global Connection and BellSouth that are different from the procedures or intervals set forth in this Section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications that are submitted for the first time after the effective date thereof.
- 6.2 <u>Initial Application</u>. For Global Connection or Global Connection's Guest(s) initial equipment placement, Global Connection shall submit to BellSouth a Physical Expanded Interconnection Application Document (Initial Application). The Initial Application is considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the application are completed with the appropriate type of information. An application fee will apply to each application submitted by Global Connection, which will be billed by BellSouth on the date that BellSouth provides Global Connection with an Application Response.
- 6.3 <u>Subsequent Application.</u> In the event Global Connection or Global Connection's Guest(s) desires to modify the use of the Collocation Space after a BFFO, Global Connection shall complete an application that contains all of the detailed information associated with an Augment **to** the Collocation Space, as defined in Section 5.13 of this Attachment (Subsequent Application). The Subsequent Application is considered Bona Fide when it is complete and accurate, meaning that all of the required fields on

the Subsequent Application are completed with the appropriate type of information associated with the Augment. BellSouth shall determine what modifications, if any, to the Premises are required to accommodate the change requested by Global Connection in the application. Such modifications to the Premises may include, but are not limited to: floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.

- 6.3.1 Subsequent Application Fee. The application fee paid by Global Connection for its request for an Augment shall be dependent upon the level of assessment needed for the Augment requested. Where the Subsequent Application does not require assessment for provisioning or construction work but requires administrative costs by BellSouth, a Subsequent Application Fee (Administrative Only Application Fee) will be required as set forth in Exhibit B. This Administrative Only Application Fee will be applicable in instances such as Transfer of Ownership of the Collocation Space, Removal of Equipment from the Collocation Space, modification to an application prior to BFFO and V-to-P Conversion (In Place). The fee for a Subsequent Application where the Augment requested has limited effect (e.g., requires limited assessment but no capital expenditure by BellSouth as sufficient cable support structure, HVAC, power and terminations are available) shall be the Subsequent Application Fee as set forth in Exhibit B. If the modification requires capital expenditure, an Initial Application Fee shall apply. This nonrecurring fee will be billed on the date that BellSouth provides Global Connection with an Application Response.
- Space Preferences. If Global Connection has previously requested and received a Space Availability Report for the Premises, Global Connection may submit up to three (3) space preferences on its application by identifying the specific space identification numbers referenced on the Space Availability Report for the space it is requesting. In the event BellSouth cannot accommodate the Global Connection's preference(s), Global Connection may accept the space allocated by BellSouth or cancel its application and submit another application requesting additional space preferences for the same central office. This application will be treated as a new application and an application fee will apply. The application fee will be billed by BellSouth on the date that BellSouth provides Global Connection with an Application Response.
- 6.5 <u>Space Availability Notification.</u>
- Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a requested Premises. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify Global Connection of the amount of space that is available and no application fee will apply. When BellSouth's response includes an amount of space less than that requested by Global Connection or space that is configured differently, no application fee will apply. If Global Connection decides to accept the available space, Global Connection must resubmit its application to reflect the actual space available, including the configuration

- of the space, prior to submitting a BFFO. When Global Connection resubmits its application, BellSouth will bill Global Connection the appropriate application fee.
- 6.5.2 BellSouth will respond to a Florida application within fifteen (15) calendar days as to whether space is available or not available within a Premises. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and bill Global Connection an appropriate application fee on the date that BellSouth provides the Application Response. When BellSouth's Application Response includes an amount of space less than that requested by Global Connection or space that is configured differently, if Global Connection decides to accept the available space, Global Connection must amend its application to reflect the actual space available, including the configuration of the space, prior to submitting a BFFO.
- 6.5.3 BellSouth will respond to a Louisiana application within ten (10) calendar days in regard to space availability for one (1) to ten (10) applications; fifteen (15) calendar days for eleven (11) to twenty (20) applications; and for more than twenty (20) applications, the response interval is increased by five (5) calendar days for every five additional applications received within five (5) business days. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify Global Connection of the amount of space that is available and no application fee will apply. When BellSouth's response includes an amount of space less than that requested by Global Connection or space that is configured differently, no application fee will apply. If Global Connection decides to accept the available space, Global Connection must resubmit its application to reflect the actual space available, including the configuration of the space, prior to submitting a BFFO. When Global Connection resubmits its application, BellSouth will bill Global Connection the appropriate application fee. Denial of Application. If BellSouth notifies Global Connection that no space is available (Denial of Application), BellSouth will not assess an application fee to Global Connection. After notifying Global Connection that BellSouth has no available space in the requested Premises, BellSouth will allow Global Connection, upon request, to tour the entire Premises within ten (10) calendar days of such Denial of Application. In order to schedule this tour within ten (10) calendar days, the request for the tour of the Premises must be received by BellSouth within five (5) calendar days of the Denial of Application.
- 6.6 Filing of Petition for Waiver. Upon Denial of Application, BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement

or provision, BellSouth shall permit Global Connection to inspect any floor plans or diagrams that BellSouth provides to the Commission.

- Maiting List. On a first-come, first-served basis, governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate in that Premises. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available, according to the position of the telecommunications carriers on said waiting list.
- 6.7.1 In Florida, on a first-come, first-served basis, governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate in that Premises. Sixty (60) calendar days prior to space becoming available, if known, BellSouth will notify the Commission and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of each telecommunications carrier on said waiting list. If BellSouth does not know sixty (60) calendar days in advance of when space will become available, BellSouth will notify the Commission and the telecommunications carriers on the waiting list within two (2) business days of the determination that space is available. A telecommunications carrier that, upon denial of physical collocation, requests virtual collocation shall be automatically placed on the waiting list.
- 6.7.2 When space becomes available, Global Connection must submit an updated, complete, and correct application to BellSouth within thirty (30) calendar days of notification by BellSouth that space will be available in the Premises previously out of space. If Global Connection has originally requested caged Collocation Space and cageless Collocation Space becomes available, Global Connection may refuse such space and notify BellSouth in writing within the thirty (30) day timeframe that Global Connection wants to maintain its place on the waiting list, without accepting the available cageless Collocation Space. Global Connection may accept an amount of space less than its originally requested space by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If Global Connection does not submit an application or notify BellSouth in writing as described above, BellSouth will offer the space to the next telecommunications carrier on the waiting list and remove Global Connection from the waiting list. Upon request, BellSouth will advise Global Connection as to its position on the waiting list.
- 6.8 <u>Public Notification</u>. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Premises that are without available space. BellSouth shall update such document within ten (10) calendar days of the date that BellSouth becomes aware that insufficient space is available to accommodate physical collocation. BellSouth will also post a document on its Interconnection Services

website that contains a general notice when space has become available in a Premises previously on the space exhaust list.

- 6.9 <u>Application Response.</u>
- In Alabama, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, and Tennessee, when space has been determined to be available for caged or cageless arrangements, BellSouth will provide an Application Response within twenty (20) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and any other applicable space preparation fees, as described in Section 8.
- In Florida, within fifteen (15) calendar days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable Global Connection to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When Global Connection submits ten (10) or more applications within ten (10) calendar days, the initial fifteen (15) calendar day response interval will increase by ten (10) calendar days for every additional ten (10) applications or fraction thereof.
- 6.9.3 In Louisiana, when space has been determined to be available, BellSouth will provide an Application Response within thirty (30) calendar days for one (1) to ten (10) applications; thirty-five (35) calendar days for eleven (11) to twenty (20) applications; and for requests of more than twenty (20) applications, the Application Response interval will be increased by five (5) calendar days for every five (5) applications received within five (5) business days. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- 6.10 <u>Application Modifications.</u>
- 6.10.1 If a modification or revision is made to any information in the Bona Fide Application prior to a BFFO, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, at the request of Global Connection, or necessitated by technical considerations, the application shall be considered a new application and handled as a new application with respect to the response and provisioning intervals. BellSouth will charge Global Connection the appropriate application fee associated with the level of assessment performed by BellSouth. If the modification requires no labor or capital expenditure by BellSouth, but BellSouth must perform an assessment of the application to evaluate whether or not BellSouth would be required to perform necessary infrastructure or provisioning activities, then an Administrative Only Application Fee shall apply. The fee for an

application modification where the modification requested has limited effect (e.g., requires labor expenditure but no capital expenditure by BellSouth and where sufficient cable support structure, HVAC, power and terminations are available) shall be the Subsequent Application Fee as set forth in Exhibit B. A modification involving a capital expenditure by BellSouth shall require Global Connection to submit the application with an Initial Application Fee. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides Global Connection with an Application Response.

#### 6.11 <u>Bona Fide Firm Order</u>.

- 6.11.1 Global Connection shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a Bona Fide Firm Order (BFFO) to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to Global Connection's Bona Fide Application or Global Connection's application will expire.
- 6.11.2 BellSouth will establish a firm order date based upon the date BellSouth is in receipt of Global Connection's BFFO. BellSouth will acknowledge the receipt of Global Connection's BFFO within seven (7) calendar days of receipt, so that Global Connection will have positive confirmation that its BFFO has been received. BellSouth's response to a BFFO will include a Firm Order Confirmation, which contains the firm order date. No revisions can be made to a BFFO.

#### 7. Construction and Provisioning

- 7.1 Construction and Provisioning Intervals.
- 7.1.1 In Florida, BellSouth will complete construction for collocation arrangements as soon as possible within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. For Augments requested to the Collocation Space after initial space completion, BellSouth will complete construction for collocation arrangements as soon as possible within a maximum of forty-five (45) calendar days from receipt of a BFFO or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant timeframe and BellSouth and Global Connection cannot agree upon a completion date, within forty-five (45) calendar days of receipt of the BFFO for an initial request, and within thirty (30) calendar days of receipt of the BFFO for an Augment, BellSouth may seek an extension from the Commission.
- 7.1.2 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee, BellSouth will complete construction for caged collocation arrangements under ordinary conditions as soon as possible within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. BellSouth will complete construction for cageless collocation arrangements under ordinary conditions as soon as possible within a maximum of sixty (60) calendar days

from receipt of a BFFO and ninety (90) calendar days from receipt of a BFFO for extraordinary conditions, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required such as, but not limited to, HVAC, cabling and the power plant. Extraordinary conditions shall include, but not be limited to, major BellSouth equipment rearrangements or additions; power plant additions or upgrades; major mechanical additions or upgrades; a major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

- 7.1.3 When Global Connection adds equipment within initial demand parameters that requires no additional space preparation work on the part of BellSouth, then no additional charges or additional intervals will be imposed by BellSouth that would delay Global Connection's operation.
- 7.1.4 In the states of Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, BellSouth will provide the reduced intervals outlined below to Global Connection, when Global Connection requests an Augment after the Space Ready Date for existing physical collocation space. In such instances, Global Connection must provide an accurate front equipment view (a.k.a. rack elevation drawing) specifying bay(s) for Global Connection's point of termination.
- 7.1.4.1 Simple Augments will be completed within twenty (20) calendar days after receipt of the BFFO for an:
  - Extension of Existing AC Circuit Capacity within Arrangement Where Sufficient Circuit Capacity is Available
  - Fuse Change and/or Increase or Decrease -48V DC Power from Existing ILEC BDFB
- 7.1.4.2 Minor Augments will be completed within forty-five (45) calendar days after receipt of the BFFO for:
  - 168 DS1s Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
  - 96 DS3s Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
  - 99 Fiber Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
  - Maximum of 2000 Service Ready DS0 Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
- 7.1.4.3 Intermediate Augments will be completed within sixty (60) calendar days after receipt of the BFFO for:

- 168 DS1s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
- 96 DS3s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
- 99 Fiber Terminations (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
- 2000 DS0s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
- Install Cable Racking or Other Support Structures as Required to Support Co-Carrier Cross Connects (Adequate Floor or Ceiling Structural Capacity Exists and Support/Protection Structure for Fiber Patch Cord is Excluded)
- 7.1.4.4 Major Augments Physical Collocation will be completed within ninety (90) calendar days after BFFO and includes all requests for additional physical collocation space (caged or cageless).
- 7.1.4.5 Major Augments Virtual Collocation will be completed within seventy-five (75) calendar days after BFFO and includes all requests for additional virtual collocation space.
- 7.1.4.6 If Global Connection submits an augment application request that includes two augment items from the same category in Sections 7.1.4.1, 7.1.4.2, and 7.1.4.3 above, the augment interval associated with the next highest augment category will apply (e.g., if two items from the minor augment category are requested on the same request, then an interval of sixty (60) calendar days from the receipt of the BFFO would apply, which is the interval associated with the intermediate category).
- 7.1.4.7 If Global Connection submits an augment application request that includes three augment items from the same category in Sections 7.1.4.1, 7.1.4.2, and 7.1.4.3 above, the major augment interval of ninety (90) calendar days from the receipt of the BFFO would apply (e.g., if three items from the simple augment category are requested on the same request for a physical collocation arrangement, then an interval of ninety (90) calendar days from the receipt of the BFFO would apply, which is the major physical augment interval; likewise if three items from the simple augment category are requested on the same request for a virtual collocation arrangement, then an interval of seventy-five (75) calendar days from the receipt of the BFFO would apply, which is the major virtual augment interval; ).
- 7.1.4.8 If Global Connection submits an augment application request that includes one augment item from two separate categories in Sections 7.1.4.1, 7.1.4.2 and 7.1.4.3 above, the augment interval associated with the highest augment category will apply (e.g., if an item from the minor augment category and an item from the intermediate augment category are requested on the same request, then an interval of sixty (60) calendar days from the receipt of the BFFO would apply, which is the interval associated with the intermediate augment category).

- 7.1.4.9 All Augments not expressly included in the Simple, Minor, Intermediate or Major categories as outlined above will be placed into the appropriate category as negotiated by Global Connection and BellSouth. If Global Connection and BellSouth are unable to determine the appropriate category through negotiation, then the appropriate major augment category identified in Sections 7.1.4.4 and 7.1.4.5 would apply based on whether the augment request is for Global Connection's physical or virtual collocation arrangement.
- 7.1.4.10 Individual application fees associated with simple, minor and intermediate augment applications are contained in Exhibit B. The appropriate application fee will be assessed to Global Connection at the time BellSouth provides Global Connection with the Application Response. Global Connection will be assessed a Subsequent Application Fee for all Major Augment applications (Major Augments are defined above in Sections 7.1.4.4 and 7.1.4.5). The Subsequent Application Fee is also reflected in Exhibit B of this Attachment.
- Joint Planning. Joint planning between BellSouth and Global Connection will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a BFFO. BellSouth will provide the preliminary design of the Collocation Space and the equipment configuration requirements as reflected in the Bona Fide application and affirmed in the BFFO. The Collocation Space completion interval will be provided to Global Connection during the joint planning meeting.
- 7.3 <u>Permits</u>. Each Party or its agent(s) will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agent(s) within ten (10) calendar days of the completion of the finalized construction design and specifications.
- Acceptance Walkthrough. Global Connection will schedule and complete an acceptance walkthrough of each Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notification to Global Connection that the Collocation Space is ready for occupancy. In the event Global Connection fails to complete an acceptance walkthrough within this fifteen (15) day interval, the Collocation Space shall be deemed accepted by Global Connection on the Space Ready Date. BellSouth will correct any deviations to Global Connection's original or jointly amended design and/or specification requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different timeframe.
- 7.5 <u>Circuit Facility Assignments (CFAs).</u> Unless otherwise specified, BellSouth will provide CFAs to Global Connection prior to the applicable provisioning interval set forth herein (Provisioning Interval) for those Premises in which Global Connection has a physical collocation arrangement with no POT bay or with a POT bay provided by BellSouth. BellSouth cannot provide CFAs to Global Connection prior to the Provisioning Interval for those Premises in which Global Connection has a physical collocation arrangement with a POT bay provided by Global Connection or a virtual collocation arrangement, until Global Connection provides BellSouth with the following information:

- 7.5.1 For a physical collocation arrangement with a Global Connection-provided POT bay a complete layout of the POT panels (equipment inventory update (EIU) form) showing locations, speeds, etc.
- 7.5.2 For a virtual collocation arrangement a complete layout of Global Connection's equipment (equipment inventory update (EIU) form), including the locations of the low speed ports and the specific frame terminations to which the equipment will be wired by Global Connection's BellSouth Certified Supplier.
- 7.5.3 BellSouth cannot begin work on the CFAs until the complete and accurate EIU form is received from Global Connection. If the EIU form is provided ten (10) calendar days prior to the ending date of the Provisioning Interval, then CFAs will be made available by the ending date of the Provisioning Interval. If the EIU form is not received ten (10) calendar days prior to the ending date of the Provisioning Interval, then the CFAs will be provided within ten (10) calendar days of receipt of the EIU form.
- 7.5.4 BellSouth will bill Global Connection a nonrecurring charge, as set forth in Exhibit B, each time Global Connection requests a resend of its CFAs for any reason other than a BellSouth error in the CFAs initially provided to Global Connection.
- 7.6 Use of BellSouth Certified Supplier. Global Connection shall select a supplier which has been approved as a BellSouth Certified Supplier to perform all engineering and installation work. Global Connection and Global Connection's BellSouth Certified Supplier must follow and comply with all of BellSouth's requirements, outlined in BellSouth TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, Global Connection must select separate BellSouth Certified Suppliers for those work activities associated with transmission equipment, switching equipment and power equipment. BellSouth shall provide Global Connection with a list of BellSouth Certified Suppliers, upon request. The BellSouth Certified Supplier(s) shall be responsible for installing Global Connection's equipment and associated components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and Global Connection upon successful completion of installation, etc. The BellSouth Certified Supplier shall bill Global Connection directly for all work performed for Global Connection pursuant to this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by Global Connection's BellSouth Certified Supplier. BellSouth shall make available its supplier certification program to Global Connection or any supplier proposed by Global Connection and will not unreasonably withhold certification. All work performed by or for Global Connection shall conform to generally accepted industry standards.
- Alarm and Monitoring. BellSouth shall place environmental alarms in the Premises for the protection of BellSouth equipment and facilities. Global Connection shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service Global Connection's Collocation Space. Upon request, BellSouth will provide Global Connection with an applicable tariffed service(s) to

facilitate remote monitoring of collocated equipment by Global Connection. Both Parties shall use best efforts to notify the other of any verified environmental condition known to that Party.

- Virtual to Physical Collocation Relocation. In the event physical Collocation Space 7.8 was previously denied at a location due to technical reasons or space limitations and physical Collocation Space has subsequently become available, Global Connection may relocate its existing virtual collocation arrangement(s) to a physical collocation arrangement(s) and pay the appropriate fees associated with physical collocation and the rearrangement or reconfiguration of services terminated in the virtual collocation arrangement, as outlined in the appropriate BellSouth Tariffs. In the event BellSouth knows when additional space for physical collocation may become available at the location requested by Global Connection, such information will be provided to Global Connection in BellSouth's written denial of physical collocation space. To the extent that (i) physical Collocation Space becomes available to Global Connection within one hundred eighty (180) calendar days of BellSouth's written denial of Global Connection's request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) Global Connection was not informed in the written denial that physical Collocation Space would become available within such one hundred eighty (180) calendar days, then Global Connection may relocate its virtual collocation arrangement to a physical collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual collocation. Global Connection must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Collocation Space to its physical Collocation Space and will bear the cost of such relocation.
- 7.8.1 In Alabama, BellSouth will complete a relocation from virtual collocation to cageless physical collocation within thirty (30) calendar days and from virtual collocation to caged physical collocation within ninety (90) calendar days.
- Virtual to Physical Conversion (In-Place). Virtual collocation arrangements may be converted to "in-place" physical arrangements if the potential conversion meets the following four criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual collocation arrangement; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to secure its own equipment and facilities due to the location of the virtual collocation arrangement; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified, BellSouth will complete virtual to in-place physical collocation conversions within sixty (60) calendar days from receipt of the BFFO. BellSouth will bill Global Connection an Administrative Only Application Fee as set forth in Exhibit B on the date that BellSouth provides an Application Response to Global Connection.

- 7.9.1 In Alabama and Tennessee, BellSouth will complete Virtual to Physical Conversions (In Place) within thirty (30) calendar days from receipt of the BFFO.
- 7.10 <u>Cancellation</u>. If at any time prior to space acceptance, Global Connection cancels its order for the Collocation Space(s) (Cancellation), BellSouth will bill the applicable nonrecurring rate(s) for any and all work processes for which work has begun or been completed. In Georgia, if Global Connection cancels its order for Collocation Space at any time prior to space acceptance, BellSouth will bill Global Connection for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the order not been cancelled.
- 7.11 <u>Licenses.</u> Global Connection, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to build-out, equip and/or occupy the Collocation Space.
- 7.12 <u>Environmental Compliance.</u> The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

## 8. Rates and Charges

- 8.1 <u>Application Fee.</u> BellSouth shall assess an application fee via a service order, which shall be issued at the time BellSouth responds that space is available pursuant to Section 6.10 (Application Response). BellSouth will bill this nonrecurring fee on the date that BellSouth provides an Application Response to Global Connection.
- 8.1.1 In Tennessee the applicable application fee is the planning fee for both Initial Applications and Subsequent Applications placed by Global Connection. BellSouth will bill this nonrecurring fee on the date that BellSouth provides an Application Response to Global Connection.
- 8.2 <u>Cable Installation</u>. Cable Installation Fee(s) are assessed per entrance cable placed. This nonrecurring fee will be billed by BellSouth upon receipt of Global Connection's BFFO.
- 8.3 Recurring Charges. If Global Connection has met the applicable fifteen (15) calendar day walkthrough interval(s) specified in Section 4, billing for recurring charges will begin upon the Space Acceptance Date. In the event that Global Connection fails to complete an acceptance walkthrough within the applicable fifteen (15) calendar day interval(s), billing for recurring charges will commence on the Space Ready Date. If Global Connection occupies the space prior to the Space Ready Date, the date Global Connection occupies the space becomes the new Space Acceptance Date and billing for recurring charges begin on that date.

- Space Preparation. Space preparation fees consist of a nonrecurring charge for firm order processing and monthly recurring charges for central office modifications assessed per arrangement, per square foot and common systems modifications assessed per arrangement, per square foot for cageless collocation and per cage for caged collocation. Global Connection shall remit payment of the nonrecurring firm order processing fee coincident with submission of a BFFO. The charges recover the costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, building and support systems. In the event Global Connection opts for cageless space, the space preparation fees will be assessed based on the total floor space dedicated to Global Connection as prescribed in this Section.
- 8.5 Floor Space. The Floor Space Charge includes reasonable charges for lighting, HVAC, and other allocated expenses associated with maintenance of the Premises but does not include any power-related costs incurred by BellSouth. When the Collocation Space is enclosed, Global Connection shall pay floor space charges based upon the number of square feet so enclosed. When the Collocation Space is not enclosed, Global Connection shall pay floor space charges based upon the following floor space calculation: [(depth of the equipment lineup in which the rack is placed) + (0.5 x maintenance aisle depth) + (0.5 x wiring aisle depth)] X (width of rack and )spacers). For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. BellSouth will assign unenclosed Collocation Space in conventional equipment rack lineups where feasible. In the event Global Connection's collocated equipment requires special cable racking, isolated grounding or other treatment which prevents placement within conventional equipment rack lineups, Global Connection shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement.
- 8.6 Power. BellSouth shall make available –48 Volt (-48V) Direct Current (DC) power for Global Connection's Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay (BDFB) at Global Connection's option within the Premises. BellSouth will revise recurring power charges to reflect a power upgrade upon notification of the completion of the upgrade by Global Connection's BellSouth Certified Vendor. BellSouth will revise recurring power charges to reflect a power reduction upon BellSouth's receipt of the Power Reduction Form from Global Connection certifying the completion of the power reduction, including the removal of the power cabling by Global Connection's BellSouth Certified Supplier.
- 8.6.1 When obtaining power from a BDFB, fuses and power cables (A&B) must be engineered (sized), and installed by Global Connection's BellSouth Certified Supplier. When obtaining power from a BellSouth power board, power cables (A&B) must be engineered (sized), and installed by Global Connection's BellSouth Certified Supplier. Global Connection is responsible for contracting with a BellSouth Certified Supplier for power distribution feeder cable runs from a BellSouth BDFB or BellSouth power board to Global Connection's equipment. The determination of the BellSouth BDFB

or BellSouth power board as the power source will be made at BellSouth's sole, but reasonable, discretion. The BellSouth Certified Supplier contracted by Global Connection must provide BellSouth with a copy of the engineering power specifications prior to the day on which Global Connection's equipment becomes operational (Commencement Date). BellSouth will provide the common power feeder cable support structure between the BellSouth BDFB or BellSouth power board and Global Connection's arrangement area. Global Connection shall contract with a BellSouth Certified Supplier who will be responsible for the following: dedicated power cable support structure within Global Connection's arrangement, power cable feeds, and terminations of cable. Any terminations at a BellSouth power board must be performed by a BellSouth Certified Supplier. Global Connection shall comply with all applicable National Electric Code (NEC), BellSouth TR73503, Telcordia and ANSI Standards regarding power cabling, installation, and maintenance.

- 8.6.2 If Global Connection elects to install its own DC Power Plant, BellSouth shall provide Alternating Current (AC) power to feed Global Connection's DC Power Plant. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by Global Connection's BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. Global Connection's BellSouth Certified Supplier must also provide a copy of the engineering power specifications prior to the Commencement Date. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit B. AC power voltage and phase ratings shall be determined on a per location basis. At Global Connection's option, Global Connection may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.
- 8.6.3 In Tennessee, recurring charges for -48V DC power consumption will be assessed per ampere per month based upon the engineered and installed power feed fused ampere capacity. Rates include redundant feeder fuse positions (A&B) and common cable racks to Global Connection's equipment or space enclosure. Global Connection shall contract with a BellSouth Certified Supplier who will be responsible for the following: dedicated power cable support structure within Global Connection's arrangement and terminations of cable within the Collocation Space.
- 8.6.3.1 In Tennessee, nonrecurring charges for –48V DC power distribution will be based on the common power feeder cable support structure between the BellSouth BDFB and Global Connection's arrangement area.
- 8.6.4 In Alabama and Louisiana, Global Connection has the option to purchase power directly from an electric utility company. Under such an option, Global Connection is responsible for contracting with the electric utility company for its own power feed and meter, and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and cabling. The actual work to install this

arrangement must be performed by a BellSouth Certified Supplier hired by Global Connection. Global Connection's BellSouth Certified Supplier must comply with all applicable safety codes, including the National Electric Safety Codes, in installing this power arrangement. If Global Connection previously had power supplied by BellSouth, Global Connection may request to change its arrangement to obtain power from an electric utility company by submitting a Subsequent Application. BellSouth will waive any application fee for this subsequent application if no other change was requested therein. Any floor space, cable racking, etc. utilized by Global Connection in provisioning said power will be billed on an ICB basis.

- 8.6.5 In South Carolina, Global Connection has the option to purchase power directly from an electric utility company where technically feasible and where space is available in a requested Premises. Under such an option, Global Connection is responsible for contracting with the electric utility company for its own power feed and meter, and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and power cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by Global Connection. Global Connection's BellSouth Certified Supplier must comply with all applicable national, regional, state and local safety, electrical, fire and building codes, including the National Electric Safety Code standards, in installing this power arrangement, just as BellSouth is required to comply with these codes. Global Connection must submit an application to BellSouth for the appropriate amount of Collocation Space that Global Connection requires to install this type of power arrangement. BellSouth will evaluate the request and determine if the appropriate amount of space is available within the office for the installation of Global Connection's power equipment and facilities. This type of power arrangement must be located in an appropriate area in the central office that has been properly conditioned for the installation of power equipment and conforms to the applicable national, regional, state and local safety, electrical, fire and building codes. BellSouth shall waive the application fee or any other nonrecurring charge that would otherwise be due from a CLEC that decides to reconfigure an existing collocation power arrangement so as to purchase power directly from an electric utility company as provided herein. Global Connection shall be responsible for the recurring charges associated with the central office space needed for collocation of this type of power arrangement, including space required to place associated powerrelated equipment and facilities (i.e., batteries, generator, power meter, etc.). If there is no space available for this type of power arrangement in the requested central office, BellSouth may seek a waiver of these requirements from the Commission for the central office requested. Global Connection would still have the option to order its power needs directly from BellSouth.
- 8.6.6 If Global Connection requests a reduction in the amount of power that BellSouth is currently providing, Global Connection must submit a Subsequent Application. If no modification to the Collocation Space is requested other than the reduction in power, the Subsequent Application Fee for Power Reduction as set forth in Exhibit B will apply. If modifications are requested in addition to the reduction of power, the

- Subsequent Application Fee will apply. BellSouth will bill this nonrecurring fee on the date that BellSouth provides an Application Response.
- 8.6.7 In Alabama and Louisiana, if Global Connection is currently served from the BellSouth main power board and requests that its power be reconfigured to connect to a BellSouth BDFB, in a specific central office, Global Connection must submit a Subsequent Application. BellSouth will respond to such application within seven (7) calendar days and no application fee will apply.
- 8.7 <u>Security Escort.</u> A security escort will be required whenever Global Connection or its approved agent desires access to the entrance manhole or must have access to the Premises after the one accompanied site visit allowed pursuant to Section 5 prior to completing BellSouth's Security Training requirements. Rates for a security escort are assessed according to the schedule appended hereto as Exhibit B beginning with the scheduled escort time. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and Global Connection shall pay for such half-hour charges in the event Global Connection fails to show up.
- 8.8 <u>Cable Record charges.</u> These charges apply for work required to build cable records in BellSouth systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records. These nonrecurring fees will be billed upon receipt of Global Connection's BFFO.
- 8.9 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.

# 9. Insurance

- 9.1 Global Connection shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A-.
- 9.2 Global Connection shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.

- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of Global Connection's real and personal property situated on or within BellSouth's Central Office location(s).
- 9.2.4 Global Connection may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) calendar days notice to Global Connection to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.4 All policies purchased by Global Connection shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to Premises and shall remain in effect for the term of this Attachment or until all Global Connection's property has been removed from BellSouth's Premises, whichever period is longer. If Global Connection fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from Global Connection.
- 9.5 Global Connection shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. Global Connection shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from Global Connection's insurance company. Global Connection shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 17H53 BellSouth Center 675 W. Peachtree Street Atlanta, Georgia 30375

- 9.6 Global Connection must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 <u>Self-Insurance</u>. If Global Connection's net worth exceeds five hundred million dollars (\$500,000,000), Global Connection may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and 9.2.2. Global Connection shall provide audited financial statements to BellSouth thirty (30) calendar days prior to the commencement of any work in the Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to Global Connection in the event that self-insurance status is not granted to Global Connection.

If BellSouth approves Global Connection for self-insurance, Global Connection shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of Global Connection's corporate officers. The ability to self-insure shall continue so long as the Global Connection meets all of the requirements of this Section. If Global Connection subsequently no longer satisfies this Section, Global Connection is required to purchase insurance as indicated by Sections 9.2.1 and 9.2.2.

- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days' notice to Global Connection to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

# 10. Mechanics Liens

10.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or Global Connection), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

# 11. Inspections

11.1 BellSouth may conduct an inspection of Global Connection's equipment and facilities in the Collocation Space(s) prior to the activation of facilities between Global Connection's equipment and equipment of BellSouth. BellSouth may conduct an inspection if Global Connection adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide Global Connection with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

# 12. Security and Safety Requirements

- Unless otherwise specified, Global Connection will be required, at its own expense, to conduct a statewide investigation of criminal history records for each Global Connection employee hired in the past five years being considered for work on the Premises, for the states/counties where the Global Connection employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. Global Connection shall not be required to perform this investigation if an affiliated company of Global Connection has performed an investigation of the Global Connection employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if Global Connection has performed a pre-employment statewide investigation of criminal history records of the Global Connection employee for the states/counties where the Global Connection employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.
- 12.2 Global Connection will be required to administer to its personnel assigned to the Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- Global Connection shall provide its employees and agents with picture identification, which must be worn and visible at all times while in the Collocation Space or other areas in or around the Premises. The photo identification card shall bear, at a minimum, the employee's name and photo and Global Connection's name. BellSouth reserves the right to remove from its Premises any employee of Global Connection not possessing identification issued by Global Connection or who has violated any of BellSouth's policies as outlined in the CLEC Security Training documents. Global Connection shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Premises. Global Connection shall be solely responsible for ensuring that any Guest(s) of Global Connection is in compliance with all subsections of this Section.
- Global Connection shall not assign to the Premises any personnel with records of felony criminal convictions. Global Connection shall not assign to the Premises any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse building access to any Global Connection personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that Global Connection chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, Global Connection may, in the alternative, certify to BellSouth that it shall not assign to the Premises any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 12.4.1 Global Connection shall not knowingly assign to the Premises any individual who was a former employee of BellSouth and whose employment with BellSouth was Version 1Q03: 02/28/03

- terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 Global Connection shall not knowingly assign to the Premises any individual who was a former supplier of BellSouth and whose access to a Premises was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.5 For each Global Connection employee or agent hired by Global Connection within five years of being considered for work on the Premises, who requires access to a Premises pursuant to this Attachment, Global Connection shall furnish BellSouth, prior to an employee or agent gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certify that the employee completed the security training. If the employee's criminal history includes misdemeanor convictions, Global Connection will disclose the nature of the convictions to BellSouth at that time. In the alternative, Global Connection may certify to BellSouth that it shall not assign to the Premises any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 12.5.1 For all other Global Connection employees requiring access to a Premises pursuant to this Attachment, Global Connection shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, Global Connection shall promptly remove from Premises any employee of Global Connection BellSouth does not wish to grant access to its Premises 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of Global Connection is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall promptly be commenced by BellSouth.
- 12.7 Security Violations. BellSouth reserves the right to interview Global Connection's employees, agents, or suppliers in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another collocated telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to Global Connection's Security representative of such interview. Global Connection and its suppliers shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving Global Connection's employees, agents, or suppliers. Additionally, BellSouth reserves the right to bill Global Connection for all reasonable costs associated with investigations involving its employees, agents, or suppliers if it is established and mutually agreed in good faith that Global Connection's employees, agents, or suppliers are responsible for the alleged act. BellSouth shall bill Global Connection for BellSouth property, which is stolen or damaged where an investigation determines the culpability of Global Connection's employees, agents, or suppliers and where Global Connection agrees, in good faith, with the results of such investigation.

Global Connection shall notify BellSouth in writing immediately in the event that Global Connection discovers one of its employees already working on the Premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth's Premises, any employee found to have violated the security and safety requirements of this Section. Global Connection shall hold BellSouth harmless for any damages resulting from such removal of its personnel from Premises.

- 12.8 <u>Use of Supplies</u>. Unauthorized use of equipment, supplies or other property by either Party, whether or not used routinely to provide telephone service will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- Use of Official Lines. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the Premises.
   Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 <u>Accountability</u>. Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

# 13. <u>Destruction of Collocation Space</u>

13.1 In the event a Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for Global Connection's permitted use hereunder, then either Party may elect within ten (10) calendar days after such damage, to terminate occupancy of the damaged Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for Global Connection's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to Global Connection, except for improvements not to the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. Global Connection may, at its own expense, accelerate the rebuild of its collocated space and equipment provided however that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. If Global Connection's acceleration of the project increases the cost of the project, then those additional charges will be incurred by Global Connection. Where allowed and where practical, Global Connection may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be

rebuilt or repaired, Global Connection shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for Global Connection's permitted use, until such Collocation Space is fully repaired and restored and Global Connection's equipment installed therein (but in no event later than thirty (30) calendar days after the Collocation Space is fully repaired and restored). Where Global Connection has placed an Adjacent Arrangement pursuant to Section 3.4, Global Connection shall have the sole responsibility to repair or replace said Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Adjacent Arrangement.

# 14. <u>Eminent Domain</u>

14.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Collocation Space or Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, BellSouth and Global Connection shall each have the right to terminate this Attachment with respect to such Collocation Space or Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) calendar days after such taking.

# 15. Nonexclusivity

Global Connection understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis

# ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

### 1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and Global Connection agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC (Applicable Laws). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and Global Connection shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Global Connection should contact 1-800-743-6737 for any BellSouth MSDS required.
- 1.3 <u>Practices/Procedures</u>. BellSouth may make available additional environmental control procedures for Global Connection to follow when working at a Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. Global Connection will require its suppliers, agents and others accessing the Premises to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by Global Connection when operating in the Premises.
- 1.4 <u>Environmental and Safety Inspections</u>. BellSouth reserves the right to inspect the Global Connection space with proper notification. BellSouth reserves the right to stop any Global Connection work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Premises.
- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the Premises by Global Connection are owned by Global Connection. Global Connection will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by Global Connection or different hazardous materials used by Global Connection at Premises. Global Connection must demonstrate adequate emergency response

- capabilities for its materials used or remaining at the Premises.
- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a Premises, either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately be reported by Global Connection to BellSouth.
- Coordinated Environmental Plans and Permits. BellSouth and Global Connection will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and Global Connection will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, Global Connection must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- Environmental and Safety Indemnification. BellSouth and Global Connection shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages (including direct and indirect damages and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, suppliers, or employees concerning its operations at the Premises.

### 2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

- When performing functions that fall under the following Environmental categories on BellSouth's Premises, Global Connection agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. Global Connection further agrees to cooperate with BellSouth to ensure that Global Connection's employees, agents, and/or suppliers are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by Global Connection, its employees, agents and/or suppliers.
- 2.2 The most current version of the reference documentation must be requested from Global Connection's BellSouth Regional Contract Manager (RCM) (f/k/a Account Team Collocation Coordinator ATCC).

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent tubes, solvents & cleaning materials)	Compliance with all applicable local, state, & federal laws and regulations  Pollution liability insurance  EVET approval of supplier	Std T&C 450 Fact Sheet Series 17000  Std T&C 660-3  Approved Environmental Vendor List (Contact RCM Representative)
Emergency response	Hazmat/waste release/spill fire safety emergency	Fact Sheet Series 17000 Building Emergency Operations Plan (EOP) (specific to and located on Premises)
Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Premises (e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Compliance with all applicable local, state, & federal laws and regulations  Performance of services in accordance with BST's environmental M&Ps  Insurance	Std T&C 450-B (Contact RCM Representative for copy of appropriate E/S M&Ps.) Std T&C 660
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations  Pollution liability insurance  EVET approval of supplier	Std T&C 450 Fact Sheet Series 17000  Std T&C 660-3  Approved Environmental Vendor List (Contact RCM Representative)
Maintenance/operations work which may produce a waste	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450  29CFR 1910.147 (OSHA
Other maintenance work	Protection of BST employees and equipment	Standard) 29CFR 1910 Subpart O

		(OSHA Standard)
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations	Procurement Manager (CRES Related Matters)-BST Supply Chain Services
	All Hazardous Material and Waste	Fact Sheet Series 17000
	Asbestos notification and protection of employees and equipment	GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom)
Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996
	Pollution liability insurance	Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact RCM Representative)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3 For questions regarding removing or disturbing materials that contain asbestos, call the BellSouth Building Service Center: AL, MS, TN, KY & LA (local area code) 557-6194 FL, GA, NC & SC (local area code) 780-2740

# 3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in Section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a Premises which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

### 4. ACRONYMS

RCM – Regional Collocation Manager (f/k/a Account Team Collocation Coordinator)

BST – BellSouth Telecommunications

<u>CRES</u> – Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

<u>E/S</u> – Environmental/Safety

**EVET** - Environmental Vendor Evaluation Team

GU-BTEN-001BT - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

<u>P&SM</u> - Property & Services Management

Std T&C - Standard Terms & Conditions

# **Attachment 4**

**Remote Site Physical Collocation** 

#### BELLSOUTH

#### REMOTE SITE PHYSICAL COLLOCATION

# 1. Scope of Attachment

- 1.1 <u>Scope of Attachment.</u> The rates, terms, and conditions contained within this Attachment shall only apply when Global Connection is occupying the collocation space as a sole occupant or as a Host within a Remote Site Location ("Remote Collocation Space") pursuant to this Attachment.
- 1.2 Right to occupy. BellSouth shall offer to Global Connection Remote Collocation Space on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the Federal Communications Commission ("FCC"). Subject to the rates, terms, and conditions of this Attachment, where space is available and collocation is technically feasible, BellSouth will allow Global Connection to occupy that certain area designated by BellSouth within a BellSouth Remote Site Location, or on BellSouth property upon which the BellSouth Remote Site Location is located, of a size, which is specified by Global Connection and agreed to by BellSouth. BellSouth Remote Site Locations include cabinets, huts, and controlled environmental vaults owned or leased by BellSouth that house BellSouth Network Facilities. To the extent this Attachment does not include all the necessary rates, terms and conditions for BellSouth Remote Site Locations other than cabinets, huts and controlled environmental vaults, the Parties will negotiate said rates, terms, and conditions upon request for collocation at BellSouth Remote Site Locations other than those specified above.

# 1.3 Space Reservation.

- 1.3.1 In all states other than Florida, the number of racks/bays specified by Global Connection may contemplate a request for space sufficient to accommodate Global Connection's growth within a two-year period.
- 1.3.2 In the state of Florida, the number of racks/bays specified by Global Connection may contemplate a request for space sufficient to accommodate Global Connection's growth within an eighteen (18) month period.
- 1.3.3 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth above.
- 1.4 <u>Third Party Property.</u> If the Premises, or the property on which it is located, is leased by BellSouth from a Third Party or otherwise controlled by a Third Party, special

considerations and intervals may apply in addition to the terms and conditions of this Attachment. Additionally, where BellSouth notifies Global Connection that BellSouth's agreement with a Third Party does not grant BellSouth the ability to provide access and use rights to others, upon Global Connection's request, BellSouth will use its best efforts to obtain the owner's consent and to otherwise secure such rights for Global Connection. Global Connection agrees to reimburse BellSouth for the reasonable and demonstrable costs incurred by BellSouth in obtaining such rights for Global Connection. In cases where a Third Party agreement does not grant BellSouth the right to provide access and use rights to others as contemplated by this Attachment and BellSouth, despite its best efforts, is unable to secure such access and use rights for Global Connection as above, Global Connection shall be responsible for obtaining such permission to access and use such property. BellSouth shall cooperate with Global Connection in obtaining such permission.

- 1.5 <u>Space Reclamation</u>. In the event of space exhaust within a Remote Site Location, BellSouth may include in its documentation for the Petition for Waiver filing any unutilized space in the Remote Site Location. Global Connection will be responsible for any justification of unutilized space within its Remote Collocation Space, if the Commission requires such justification.
- 1.6 <u>Use of Space.</u> Global Connection shall use the Remote Collocation Space for the purposes of installing, maintaining and operating Global Connection's equipment (to include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities or for accessing BellSouth unbundled network elements (UNEs) for the provision of telecommunications services, as specifically set forth in this Agreement. The Remote Collocation Space may be used for no other purposes except as specifically described herein or in any amendment hereto.
- 1.7 <u>Rates and charges</u>. Global Connection agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 1.8 If any due date contained in this Attachment falls on a weekend or National holiday, then the due date will be the next business day thereafter. For intervals of ten (10) calendar days or less National holidays will be excluded.
- 1.9 The Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

# 2. <u>Space Availability Report</u>

2.1 <u>Space Availability Report</u>. Upon request from Global Connection, BellSouth will provide a written report ("Space Availability Report"), describing in detail the space that is available for collocation and specifying the amount of Remote Collocation Space available at the Remote Site Location requested, the number of collocators

present at the Remote Site Location, any modifications in the use of the space since the last report on the Remote Site Location requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the Remote Site Location.

- 2.1.1 The request from Global Connection for a Space Availability Report must be written and must include the Common Language Location Identification ("CLLI") code for both the Remote Site Location and the serving wire center. The CLLI code information for the serving wire center is located in the National Exchange Carrier Association (NECA) Tariff FCC No. 4. If Global Connection is unable to obtain the CLLI code for the Remote Site Location from, for example, a site visit to the remote site, Global Connection may request the CLLI code from BellSouth. To obtain a CLLI code for a Remote Site Location directly from BellSouth, Global Connection should submit to BellSouth a Remote Site Interconnection Request for the serving wire center CLLI code prior to submitting its request for a Space Availability Report. Global Connection should complete all the requested information and submit the Request to BellSouth. BellSouth will bill the applicable fee upon receipt of the request.
- 2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular Remote Site Location within ten (10) calendar days of receipt of such request. BellSouth will make best efforts to respond in ten (10) calendar days to such a request when the request includes from two (2) to five (5) Remote Site Locations within the same state. The response time for requests of more than five (5) Remote Site Locations shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) calendar day response time, BellSouth shall notify Global Connection and inform Global Connection of the time frame under which it can respond.
- 2.2 Remote Terminal information. Upon request, BellSouth will provide Global Connection with the following information concerning BellSouth's remote terminals: (i) the address of the remote terminal; (ii) the CLLI code of the remote terminal; (iii) the carrier serving area of the remote terminal; (iv) the designation of which remote terminals subtend a particular central office; and (v) the number and address of customers that are served by a particular remote terminal.
- 2.2.1 BellSouth will provide this information on a first come, first served basis within thirty (30) calendar days of a Global Connection request subject to the following conditions: (i) the information will only be provided on a CD in the same format in which it appears in BellSouth's systems; (ii) the information will only be provided for each serving wire center designated by Global Connection, up to a maximum of thirty (30) wire centers per Global Connection request per month per state, and up to for a maximum of one hundred twenty (120) wire centers total per month per state for all CLECs; and (iii) Global Connection agrees to pay the costs incurred by BellSouth in providing the information.

# 3. <u>Collocation Options</u>

- 3.1 Cageless. BellSouth shall allow Global Connection to collocate Global Connection's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow Global Connection to have direct access to Global Connection's equipment and facilities in accordance with Section 5.8. BellSouth shall make cageless collocation available in single rack/bay increments. Except where Global Connection's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), BellSouth shall assign cageless Remote Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, Global Connection must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment pursuant to Section 7.6 following.
- 3.2 Caged. At Global Connection's expense, Global Connection may arrange with a Supplier certified by BellSouth ("BellSouth Certified Supplier") to construct a collocation arrangement enclosure, where technically feasible as that term has been defined by the FCC, in accordance with BellSouth's Technical References (TR) ("Specifications") prior to starting equipment installation. BellSouth will provide Specifications upon request. Global Connection's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with Global Connection and provide, at Global Connection's expense, the documentation, including existing building architectural drawings, enclosure drawings, and Specifications required and necessary for Global Connection's BellSouth Certified Supplier to obtain the zoning, permits and/or other licenses. Global Connection's BellSouth Certified Supplier shall bill Global Connection directly for all work performed for Global Connection pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by Global Connection's BellSouth Certified Supplier. Global Connection must provide the local BellSouth Remote Site Location contact with two Access Keys used to enter the locked enclosure. Except in case of emergency, BellSouth will not access Global Connection's locked enclosure prior to notifying Global Connection at least forty-eight (48) hours before access to the Remote Site Location is required. Upon request, BellSouth shall construct the enclosure for Global Connection.
- 3.2.1 BellSouth may elect to review Global Connection's plans and specifications prior to allowing construction to start to ensure compliance with BellSouth's Specifications. Notification to Global Connection indicating BellSouth's desire to execute this review will be provided in BellSouth's response to the Application, if Global Connection has indicated their desire to construct their own enclosure. If Global Connection's Application does not indicate their desire to construct their own enclosure, but their firm order does indicate their desire to construct their own enclosure, then notification

to review will be given within ten (10) calendar days after the Firm Order date. BellSouth shall complete its review within fifteen (15) calendar days after the receipt of the plans and specifications. Regardless of whether or not BellSouth elects to review Global Connection's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction to make sure it is constructed according to the submitted plans and specifications and/or BellSouth's Specifications, as applicable. BellSouth shall require Global Connection to remove or correct within seven (7) calendar days at Global Connection's expense any structure that does not meet these plans and specifications or, where applicable, BellSouth's Specifications.

- 3.3 Shared Collocation. Global Connection may allow other telecommunications carriers to share Global Connection's Remote Collocation Space pursuant to terms and conditions agreed to by Global Connection ("Host") and other telecommunications carriers ("Guests") and pursuant to this Section, except where the BellSouth Remote Site Location is located within a leased space and BellSouth is prohibited by said lease from offering such an option or is located on property for which BellSouth holds an easement and such easement does not permit such an option. Global Connection shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest within ten (10) calendar days of its execution and prior to any Firm Order. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by Global Connection that said agreement imposes upon the Guest(s) the same terms and conditions for Remote Collocation Space as set forth in this Attachment between BellSouth and Global Connection.
- 3.3.1 Global Connection, as the Host, shall be the sole interface and responsible Party to BellSouth for assessment of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. BellSouth shall provide Global Connection with a proration of the costs of the Remote Collocation Space based on the number of collocators and the space used by each with a minimum charge of one (1) bay/rack per Host/Guest. In those instances where the Host permits a Guest to use a shelf within the Host's bay, BellSouth will not prorate the cost of the bay. In all states other than Florida, and in addition to the foregoing, Global Connection shall be the responsible party to BellSouth for the purpose of submitting applications for bay/rack placement for the Guest. In Florida the Guest may directly submit bay/rack placement applications using the Host's access carrier name abbreviation (ACNA). A separate Guest application shall require the assessment of an Application Fee, as set forth in Exhibit B, which will be charged to the Host. BellSouth shall bill this nonrecurring fee on the date that BellSouth provides it written response ("Application Response").
- 3.3.2 Notwithstanding the foregoing, the Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and the Guest and for the provision of the services and access to unbundled network elements. The bill for these interconnecting facilities, services and access to UNEs will be charged to the Guest

pursuant to the applicable tariff or the Guest's Interconnection Agreement with BellSouth.

- 3.3.3 Global Connection shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Global Connection's Guest(s) in the Remote Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will permit adjacent Remote Site collocation arrangements ("Remote Site Adjacent Arrangement") on the property on which the Remote Site is located when space within the Remote Site Location is legitimately exhausted, where the Remote Site Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Remote Site Location property. The Remote Site Adjacent Arrangement shall be constructed or procured by Global Connection and in conformance with BellSouth's design and construction Specifications. Further, Global Connection shall construct, procure, maintain and operate said Remote Site Adjacent Arrangement(s) pursuant to all of the terms and conditions set forth in this Attachment. Rates shall be negotiated at the time of the application for the Remote Site Adjacent Arrangement.
- 3.4.1 Should Global Connection elect Adjacent Collocation, Global Connection must arrange with a BellSouth Certified Supplier to construct a Remote Site Adjacent Arrangement structure in accordance with BellSouth's Specifications. Where local building codes require enclosure specifications more stringent than BellSouth's Specifications, Global Connection and Global Connection's BellSouth Certified Supplier must comply with local building code requirements. Global Connection's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. Global Connection's BellSouth Certified Supplier shall bill Global Connection directly for all work performed for Global Connection pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by Global Connection's BellSouth Certified Supplier. Global Connection must provide the local BellSouth Remote Site Location contact with two cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth shall not access Global Connection's locked enclosure prior to notifying Global Connection at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the locked enclosure is required.
- 3.4.2 Global Connection must submit its plans and specifications to BellSouth with its Firm Order. BellSouth shall review Global Connection's plans and specifications prior to construction of a Remote Site Adjacent Arrangement(s) to ensure compliance with BellSouth's Specifications. BellSouth shall complete its review within fifteen (15) calendar days after receipt of plans and specifications. BellSouth may inspect the Remote Site Adjacent Arrangement(s) during and after construction to confirm it is

constructed according to the submitted plans and specifications. BellSouth shall require Global Connection to remove or correct within seven (7) calendar days at Global Connection's expense any structure that does not meet these plans and specifications or, where applicable, BellSouth's Specifications.

- 3.4.3 Global Connection shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning ("HVAC"), lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of demarcation. At Global Connection's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement. In Alabama and Louisiana, BellSouth will provide DC power to Adjacent Collocation sites where technically feasible, as that term has been defined by the FCC, and subject to individual case basis pricing. Global Connection's BellSouth Certified Supplier shall be responsible, at Global Connection's expense, for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement. BellSouth shall allow Shared Collocation within a Remote Site Adjacent Arrangement pursuant to the terms and conditions set forth herein.
- 3.5 Co-carrier cross-connect (CCXC). The primary purpose of collocation is for a collocated telecommunications carrier to interconnect with BellSouth's network or to access BellSouth's unbundled network elements for the provision of telecommunications services within a BellSouth Premises. BellSouth will permit Global Connection to interconnect between its virtual or physical collocation arrangements and those of another collocated telecommunications carrier within the same Remote Site Location. Both Global Connection's agreement and the other collocated telecommunications carrier's agreement must contain rates, terms and conditions for CCXC language. At no point in time shall Global Connection use the Remote Collocation Space for the sole or primary purpose of cross connecting to other collocated telecommunications carriers.
- 3.5.1 Global Connection must use a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned through facilities owned by Global Connection. Such connections to other collocated telecommunications carriers may be made using either optical or electrical facilities. In cases where Global Connection's equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged Collocation Spaces, Global Connection will have the option of using Global Connection's own technicians to deploy co-carrier cross connects using either electrical or optical facilities between the sets of equipment and construct its own dedicated cable support structure. Global Connection shall deploy such optical or electrical connections directly between its own facilities and the facilities of other collocated telecommunications carriers without being routed through BellSouth equipment. Global Connection shall not provision CCXC on any BellSouth distribution frame, POT (Point of Termination) Bay, DSX (Digital System Cross-

- connect) or LGX (Light Guide Cross-connect). Global Connection is responsible for ensuring the integrity of the signal.
- 3.5.2 Global Connection shall be responsible for providing a letter of authorization ("LOA") to BellSouth from the other collocated telecommunications carrier prior to installing the CCXC. Global Connection-provisioned CCXC shall utilize common cable support structure. There will be a recurring charge per linear foot, per cable, of common cable support structure used. In the case of two contiguous caged collocation arrangements, Global Connection will have the option of using Global Connection's own technicians to construct its own dedicated support structure.
- 3.5.3 To order CCXCs, Global Connection must submit an Application. If no modification to the Remote Collocation Space is requested other than the placement of CCXCs, the Subsequent Application Fee for CCXCs, as defined in Exhibit B, will apply. If modifications in addition to the placement of CCXCs are requested, the Application Fee will apply. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.

# 4. Occupancy

4.1 Occupancy. BellSouth will notify Global Connection in writing that the Remote Collocation Space is ready for occupancy ("Space Ready Date"). Global Connection will schedule and complete an acceptance walkthrough of each Remote Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying Global Connection that Remote Collocation Space is ready for occupancy ("Space Ready Date"). BellSouth will correct any deviations to Global Connection's original or jointly amended requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame, and BellSouth shall establish a new Space Ready Date. Another acceptance walkthrough will then be scheduled and conducted within fifteen (15) calendar days of the new Space Ready Date. This follow-up acceptance walkthrough will be limited to those items identified in the initial walkthrough. If Global Connection has met the fifteen (15) calendar day interval(s), billing will begin upon the date of Global Connection's acceptance of the Collocation Space ("Space Acceptance Date"). In the event that Global Connection fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Remote Collocation Space shall be deemed accepted by Global Connection on the Space Ready Date and billing will commence from that date. If Global Connection decides to occupy the space prior to the Space Ready Date, the date Global Connection occupies the space becomes the new Space Acceptance Date and billing begins from that date. Global Connection must notify BellSouth in writing that collocation equipment installation is complete and is operational with BellSouth's network. BellSouth may, at its option, not accept orders for cross connects until receipt of such notice. For purposes of this paragraph, Global Connection's telecommunications equipment will be deemed operational when cross-connected to BellSouth's network for the purpose of service provision.

- 4.2 Termination of Occupancy. In addition to any other provisions addressing termination of occupancy in this Attachment, Global Connection may terminate occupancy in a particular Remote Collocation Space by submitting an Application requesting termination of occupancy; such termination shall be effective upon BellSouth's acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date Global Connection and BellSouth conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that Global Connection signs off on the Space Relinquishment Form and sends the form to BellSouth if a subsequent inspection of the terminated space by BellSouth reveals no discrepancies. If the subsequent inspection by BellSouth reveals discrepancies, billing will cease on the date that BellSouth and Global Connection jointly conduct an inspection which confirms that Global Connection has corrected the discrepancies. An Application Fee will not apply for termination of occupancy. BellSouth may terminate Global Connection's right to occupy the Remote Collocation Space in the event Global Connection fails to comply with any provision of this Agreement.
- 4.2.1 Upon termination of occupancy, Global Connection at its expense shall remove its equipment and other property from the Remote Collocation Space. Global Connection shall have thirty (30) calendar days from the Bona Fide Firm Order ("BFFO") Application Date ("Termination Date") to complete such removal, including the removal of all equipment and facilities of Global Connection's Guest(s), unless Global Connection's Guest(s) has assumed responsibility for the Remote Collocation Space housing the Guest(s)'s equipment and executed the documentation required by BellSouth prior to such removal date. Global Connection shall continue payment of monthly fees to BellSouth until such date as Global Connection, and if applicable Global Connection's Guest(s), has fully vacated the Remote Collocation Space and the Space Relinquish Form has been accepted by BellSouth. Should Global Connection or Global Connection's Guest(s) fail to vacate the Remote Collocation Space within thirty (30) calendar days from the Termination Date, BellSouth shall have the right to remove the equipment and dispose of the equipment and other property of Global Connection or Global Connection's Guest(s), in any manner that BellSouth deems fit, at Global Connection's expense and with no liability whatsoever for Global Connection's or Global Connection's Guest(s)'s property. Upon termination of Global Connection's right to occupy Remote Collocation Space, the Remote Collocation Space will revert back to BellSouth, and Global Connection shall surrender such Remote Collocation Space to BellSouth in the same condition as when first occupied by the Global Connection except for ordinary wear and tear unless otherwise agreed to by the Parties. For CEVs and huts Global Connection's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth's Specifications including but not limited to Record Drawings and ERMA Records. Global Connection shall be responsible for the cost of removing any Global Connection constructed enclosure, together with all support structures (e.g., racking, conduits, or power cables), at the termination of occupancy and restoring the grounds to their original condition.

# 5. Use of Remote Collocation Space

- Equipment Type. BellSouth permits the collocation of any type of equipment necessary for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary purpose and function of any equipment collocated in a Remote Collocation Space must be for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services.
- 5.1.1 Examples of equipment that would not be considered necessary include but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on BellSouth's Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.
- 5.1.2 Such equipment must, at a minimum, meet the following Telcordia Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 3 requirements as outlined in the Telcordia Special Report SR-3580, Issue 1. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on Global Connection's failure to comply with this Section.
- 5.1.2.1 All Global Connection equipment installation shall comply with BellSouth TR 73503-11h, "Grounding Engineering Procedures". Metallic cable sheaths and metallic strength members of optical fiber cables as well as the metallic cable sheaths of all copper conductor cables shall be bonded to the designated grounding bus for the Remote Site Location. All copper conductor pairs, working and non-working, shall be equipped with a solid-state protector unit (over-voltage protection only), which has been listed by a nationally recognized testing laboratory.
- 5.1.3 Global Connection shall identify to BellSouth whenever Global Connection submits a Method of Procedure ("MOP") adding equipment to Global Connection's Remote Collocation Space all UCC-1 lien holders or other entities that have a financial interest, secured or otherwise, in the equipment in Global Connection's Remote Collocation Space. Global Connection shall submit a copy of the list of any lien holders or other entities that have a financial interest to Global Connection's ATCC Representative.

- 5.2 Global Connection shall not use the Remote Collocation Space for marketing purposes nor shall it place any identifying signs or markings in the area surrounding the Remote Collocation Space or on the grounds of the Remote Site Location.
- 5.3 Global Connection shall place a plaque or other identification affixed to Global Connection's equipment to identify Global Connection's equipment, including a list of emergency contacts with telephone numbers.
- 5.4 Entrance Facilities. Global Connection may elect to place Global Connection-owned or Global Connection-leased fiber entrance facilities into the Remote Collocation Space. BellSouth will designate the point of interconnection at the Remote Site Location housing the Remote Collocation Space, which is physically accessible by both Parties. Global Connection will provide and place copper cable through conduit from the Remote Collocation Space to the Feeder Distribution Interface to the splice location of sufficient length for splicing by BellSouth. Global Connection must contact BellSouth for instructions prior to placing the entrance facility cable. Global Connection is responsible for maintenance of the entrance facilities.
- 5.4.1 Shared Use. Global Connection may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to Global Connection's collocation arrangement within the same BellSouth Remote Site Location. BellSouth shall allow splicing to the entrance facility, provided that the fiber is non-working fiber. Global Connection must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from the other telecommunications carrier for BellSouth to splice the Global Connection provided riser cable to the spare capacity on the entrance facility. If Global Connection desires to allow another telecommunications carrier to use its entrance facilities, then that telecommunications carrier must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from Global Connection for BellSouth to splice that telecommunications carrier's provided riser cable to the spare capacity on Global Connection's entrance facility.
- 5.5 <u>Demarcation Point</u>. BellSouth will designate the point(s) of demarcation between Global Connection's equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. Global Connection or its agent must perform all required maintenance to Global Connection equipment/facilities on its side of the demarcation point, pursuant to Section 5.6, following.
- 5.6 <u>Global Connection's Equipment and Facilities</u>. Global Connection, or if required by this Attachment, Global Connection's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by Global Connection which must be performed in compliance with all applicable BellSouth

Specifications. Such equipment and facilities may include but are not limited to cable(s), equipment, and point of termination connections. Global Connection and its selected BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564.

- 5.7 <u>BellSouth's Access to Remote Collocation Space</u>. From time to time BellSouth may require access to the Remote Collocation Space. BellSouth retains the right to access the Remote Collocation Space for the purpose of making BellSouth equipment and Remote Site Location modifications. Except in case of emergency, BellSouth will give notice to Global Connection at least forty-eight (48) hours before access to the Remote Collocation Space is required. Global Connection may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that Global Connection will not bear any of the expense associated with this work.
- 5.8 Access. Pursuant to Section 12, Global Connection shall have access to the Remote Collocation Space twenty-four (24) hours a day, seven (7) days a week. Global Connection agrees to provide the name and social security number or date of birth or driver's license number of each employee, supplier, or agents of Global Connection or Global Connection's Guests to be provided with access keys or cards ("Access Keys") prior to the issuance of said Access Keys using form RF-2906-C "CLEC and CLEC Certified Supplier Access Request and Acknowledgement". Key acknowledgement forms, "Collocation Acknowledgement Sheet" for access cards and "Key Acknowledgement Form" for keys, must be signed by Global Connection and returned to BellSouth Access Management within fifteen (15) calendar days of Global Connection's receipt. Failure to return properly acknowledged forms will result in the holding of subsequent requests until acknowledgements are current. Access Keys shall not be duplicated under any circumstances. Global Connection agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of Global Connection's employees, suppliers, Guests, or agents after termination of the employment relationship, contractual obligation with Global Connection or upon the termination of this Attachment or the termination of occupancy of an individual Remote Collocation Space arrangement.
- 5.8.1 BellSouth will permit one accompanied site visit to Global Connection's designated collocation arrangement location after receipt of the BFFO without charge to Global Connection. Global Connection must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the BellSouth Remote Site Location a minimum of thirty (30) calendar days prior to the date Global Connection desires access to the Remote Collocation Space. In order to permit reasonable access during construction of the Remote Collocation Space, Global Connection may submit such a request at any time subsequent to BellSouth's receipt of the BFFO. In the event Global Connection desires access to the Remote Collocation Space after submitting such a request but prior to access being approved, in addition to the first accompanied free visit, BellSouth shall permit Global Connection to access the Remote Collocation Space accompanied by a security escort

at Global Connection's expense. Global Connection must request escorted access at least three (3) business days prior to the date such access is desired.

- 5.9 <u>Lost or Stolen Access Keys</u>. Global Connection shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to re-key Remote Site Locations or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), Global Connection shall pay for all reasonable costs associated with the re-keying or deactivating the card.
- 5.10 Interference or Impairment. Notwithstanding any other provisions of this Attachment, Global Connection shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment and facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications service; 2) endangers or damages the equipment, facilities or other property of BellSouth or of any other entity or person; 3) compromises the privacy of any communications; or 4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of Global Connection violates the provisions of this paragraph, BellSouth shall give written notice to Global Connection, which notice shall direct Global Connection to cure the violation within forty-eight (48) hours of Global Connection's actual receipt of written notice or, at a minimum, to commence curative measures within 24 hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement.
- 5.10.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if Global Connection fails to take curative action within forty-eight (48) hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or any other entity's service, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to Global Connection's equipment. BellSouth will endeavor, but is not required, to provide notice to Global Connection prior to taking such action and shall have no liability to Global Connection for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- 5.10.2 For purposes of this section, the term significantly degrade shall mean an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and Global Connection fails to take curative action within forty-eight (48) hours then BellSouth will establish before the Commission that the technology deployment is causing the significant degradation.

Any claims of network harm presented to Global Connection or, if subsequently necessary, the Commission must be supported with specific and verifiable information. Where BellSouth demonstrates that a deployed technology is significantly degrading the performance of other advanced services or traditional voice band services, Global Connection shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that is acceptable for deployment under Section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly-deployed technology.

- 5.11 Personalty and its Removal. Facilities and equipment placed by Global Connection in the Remote Collocation Space shall not become a part of the Remote Site Location, even if nailed, screwed or otherwise fastened to the Remote Collocation Space but shall retain their status as personalty and may be removed by Global Connection at any time. Any damage caused to the Remote Collocation Space by Global Connection's employees, agents or representatives shall be promptly repaired by Global Connection at its expense.
- 5.11.1 If Global Connection decides to remove equipment from its Remote Collocation Space and the removal requires no physical changes, BellSouth will bill Global Connection an Administrative Only Application Fee as set forth in Exhibit B for these changes. This nonrecurring fee will be billed on the date that BellSouth provides an Application Response.
- Alterations. In no case shall Global Connection or any person acting on behalf of Global Connection make any rearrangement, modification, improvement, addition, or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Remote Collocation Space or the BellSouth Remote Site Location without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any specialized alterations shall be paid by Global Connection. Any such material rearrangement, modification, improvement, addition, or other alteration shall require an application and Application Fee. BellSouth will bill the nonrecurring fee on the date that BellSouth provides an Application Response.
- 5.13 <u>Upkeep of Remote Collocation Space</u>. Global Connection shall be responsible for the general upkeep and cleaning of the Remote Collocation Space. Global Connection shall be responsible for removing any Global Connection debris from the Remote Collocation Space and from in and around the Remote Site Location on each visit.

# 6. Ordering and Preparation of Remote Collocation Space

Should any state or federal regulatory agency impose procedures or intervals applicable to Global Connection and BellSouth that are different from procedures or intervals set forth in this Section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the

requirements set forth herein for that jurisdiction for all applications submitted for the first time after the effective date thereof

- Remote Site Application. When Global Connection or Global Connection's Guest(s) desires to install a bay/rack in a Remote Site Location, Global Connection shall submit to BellSouth a Physical Expanded Interconnection Application Document ("Application"). The application is Bona Fide when it is complete and accurate, meaning that all required fields on the application are completed with the appropriate type of information. An application fee will apply which will be billed on the date that BellSouth provides an Application Response. The placement of an additional bay/rack at a later date will be treated in the same fashion and an application will be required. The installation of additional shelves/equipment, subject to the restrictions contained in Section 5.10, within an existing bay/rack does not require an application.
- 6.3 Availability of Space. Upon submission of an application, BellSouth will permit Global Connection to physically collocate, pursuant to the terms of this Attachment, at any BellSouth Remote Site Location, unless BellSouth has determined that there is no space available due to space limitations or that collocation at the Remote Site Location is not practical for technical reasons. In the event space is not immediately available at a Remote Site Location, BellSouth reserves the right to make additional space available, in which case the conditions in Section 7 shall apply, or BellSouth may elect to deny space in accordance with this Section in which case virtual or adjacent collocation options may be available. If the amount of space requested is not available, BellSouth will notify Global Connection of the amount that is available.
- 6.4 Space Availability Notification.
- Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify Global Connection of the amount of space that is available and no Application Fee shall apply. When BellSouth's response includes an amount of space less than that requested by Global Connection or differently configured no application fee shall apply. If Global Connection decides to accept the available space, Global Connection must resubmit its application to reflect the actual space available prior to submitting a BFFO and an application fee will be billed.
- 6.4.2 BellSouth will respond to a Florida application within fifteen (15) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and an Application Fee will be billed by BellSouth on the date that BellSouth provides an Application

Response. When BellSouth's Application Response includes an amount of space less than that requested by Global Connection or differently configured, if Global Connection decides to accept the available space, Global Connection must amend its application to reflect the actual space available prior to submitting a BFFO.

- BellSouth will respond to a Louisiana application within ten (10) calendar days for space availability for one (1) to ten (10) applications; fifteen (15) calendar days for eleven (11) to twenty (20) applications; and for more than twenty (20) applications, the response interval is increased by five (5) calendar days for every five additional applications received within five (5) business days. If the amount of space requested is not available, BellSouth will notify Global Connection of the amount of space that is available and no Application Fee will apply. When BellSouth's response includes an amount of space less than that requested by Global Connection or differently configured no application fee shall apply. If Global Connection decides to accept the available space, Global Connection must resubmit its application to reflect the actual space available prior to submitting a BFFO and an application fee will be billed. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide.
- 6.5 <u>Denial of Application</u>. If BellSouth notifies Global Connection that no space is available ("Denial of Application"), BellSouth will not assess an Application Fee. After notifying Global Connection that BellSouth has no available space in the requested Remote Site Location, BellSouth will allow Global Connection, upon request, to tour the Remote Site Location within ten (10) calendar days of such Denial of Application. In order to schedule said tour within ten (10) calendar days, the request for a tour of the Remote Site Location must be received by BellSouth within five (5) calendar days of the Denial of Application.
- 6.6 Filing of Petition for Waiver. Upon Denial of Application BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit Global Connection to inspect any plans or diagrams that BellSouth provides to the Commission.
- Maiting List. On a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available according to the position of the telecommunications carriers on said waiting list.

- 6.7.1 In Florida, on a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. Sixty (60) calendar days prior to space becoming available, if known, BellSouth will notify the Florida PSC and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of the telecommunications carrier on said waiting list. If not known sixty (60) calendar days in advance, BellSouth shall notify the Florida PSC and the telecommunications carriers on the waiting list within two business days of the determination that space is available. A telecommunications carrier that, upon denial of physical collocation, requests virtual collocation shall be automatically placed on the waiting list.
- 6.7.2 When space becomes available, Global Connection must submit an updated, complete, and correct application to BellSouth within thirty (30) calendar days of such notification. If Global Connection has originally requested caged Remote Collocation Space and cageless Remote Collocation Space becomes available, Global Connection may refuse such space and notify BellSouth in writing within that time that Global Connection wants to maintain its place on the waiting list without accepting such space. Global Connection may accept an amount of space less than its original request by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If Global Connection does not submit such an application or notify BellSouth in writing as described above, BellSouth will offer such space to the next telecommunications carrier on the waiting list and remove Global Connection from the waiting list. Upon request, BellSouth will advise Global Connection as to its position on the list.
- 6.8 Public Notification. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Remote Site Locations that are without available space. BellSouth shall update such document within ten (10) calendar days of the date that BellSouth becomes aware that there is insufficient space to accommodate collocation at the Remote Site Location. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Remote Site Location previously on the space exhaust list.
- 6.9 <u>Application Response.</u>
- 6.9.1 In Florida, within fifteen (15) calendar days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable Global Connection to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When Global Connection submits ten (10) or more applications within ten (10) calendar days, the

- initial fifteen (15) calendar day response period will increase by ten (10) calendar days for every additional ten (10) applications or fraction thereof.
- In Alabama, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, and Tennessee when space has been determined to be available, BellSouth will provide an Application Response within twenty (20) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- 6.9.3 In Louisiana, when space has been determined to be available, BellSouth will respond with an Application Response within thirty (30) calendar days for one (1) to ten (10) applications; thirty (35) calendar days for eleven (11) to twenty (20) applications; and for requests of more than twenty (20) applications, the Application Response interval will be increased by five (5) calendar days for every five (5) applications received within five (5) business days. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- 6.10 <u>Application Modifications.</u>
- 6.10.1 If a modification or revision is made to any information in the Bona Fide application prior to a BFFO, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of Global Connection or necessitated by technical considerations, said application shall be considered a new application and shall be handled as a new application with respect to response and provisioning intervals and BellSouth will charge Global Connection a full application fee as set forth in Exhibit B. BellSouth will bill the nonrecurring fee on the date that BellSouth provides an Application Response.
- 6.10.2 Bona Fide Firm Order.
- 6.10.3 Global Connection shall indicate its intent to proceed with equipment installation in a BellSouth Remote Site Location by submitting a Firm Order to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to Global Connection's Bona Fide application or the application will expire.
- 6.10.4 BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a BFFO. BellSouth will acknowledge the receipt of Global Connection's BFFO within seven (7) calendar days of receipt indicating that the BFFO has been received. A BellSouth response to a BFFO will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a BFFO.

# 7. <u>Construction and Provisioning</u>

- 7.1 Construction and Provisioning Intervals.
- 7.1.1 In Florida, BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. For changes to Remote Collocation Space after initial space completion ("Augmentation"), BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of forty-five (45) calendar days from receipt of a BFFO or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant time frame and BellSouth and Global Connection cannot agree upon a completion date, within forty-five (45) calendar days of receipt of the BFFO for an initial request, and within thirty (30) calendar days for Augmentations, BellSouth may seek an extension from the Florida Commission.
- 7.1.2 In Alabama, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, and Tennessee, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a BFFO and ninety (90) calendar days from receipt of a BFFO for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions shall include, but not limited to, major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.3 In Louisiana, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a BFFO for an initial request, and within 60 calendar days for an Augmentation, or as agreed to by the Parties. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.2 In the event BellSouth does not have space immediately available at a Remote Site Location, BellSouth may elect to make additional space available by, for example but not limited to, rearranging BellSouth facilities or constructing additional capacity. In such cases, the above intervals shall not apply and BellSouth will provision the Remote Collocation Space in a nondiscriminatory manner and at parity with BellSouth and will provide Global Connection with the estimated completion date in its Response.
- 7.3 <u>Joint Planning</u>. Joint planning between BellSouth and Global Connection will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of

- a BFFO. BellSouth will provide the preliminary design of the Remote Collocation Space and the equipment configuration requirements as reflected in the Bona Fide application and affirmed in the BFFO. The Remote Collocation Space completion time period will be provided to Global Connection during joint planning.
- 7.4 <u>Permits</u>. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.
- Acceptance Walkthrough. Global Connection will schedule and complete an acceptance walkthrough of each Remote Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying Global Connection that the Remote Collocation Space is ready for occupancy. In the event that Global Connection fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Remote Collocation Space shall be deemed accepted by Global Connection on the Space Ready Date. BellSouth will correct any deviations to Global Connection's original or jointly amended requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame.
- 7.6 Use of BellSouth Certified Supplier. Global Connection shall select a supplier which has been approved by BellSouth to perform all engineering and installation work Global Connection and Global Connection's BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, Global Connection must select separate BellSouth Certified Suppliers for transmission equipment, switching equipment and power equipment. BellSouth shall provide Global Connection with a list of BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing Global Connection's equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's Outside Plant engineers and Global Connection upon successful completion of installation. The BellSouth Certified Supplier shall bill Global Connection directly for all work performed for Global Connection pursuant to this Attachment, and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Supplier. BellSouth shall make available its supplier certification program to Global Connection or any supplier proposed by Global Connection and will not unreasonably withhold certification. All work performed by or for Global Connection shall conform to generally accepted industry standards.
- Alarm and Monitoring. BellSouth may place alarms in the Remote Site Location for the protection of BellSouth equipment and facilities. Global Connection shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service Global Connection's Remote Collocation Space. Upon request, BellSouth will provide Global Connection with applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by Global Connection. Both

Parties shall use best efforts to notify the other of any verified hazardous conditions known to that Party.

- 7.8 Virtual Remote Collocation Space Relocation. In the event physical Remote Collocation Space was previously denied at a Remote Site Location due to technical reasons or space limitations, and physical Remote Collocation Space has subsequently become available, Global Connection may relocate its virtual Remote Collocation arrangements to physical Remote Collocation Space arrangements and pay the appropriate fees for physical Remote Collocation Space and for the rearrangement or reconfiguration of services terminated in the virtual Remote Collocation Space arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical Remote Collocation Space may become available at the location requested by Global Connection, such information will be provided to Global Connection in BellSouth's written denial of physical Remote Collocation Space. To the extent that (i) physical Remote Collocation Space becomes available to Global Connection within one hundred eighty (180) calendar days of BellSouth's written denial of Global Connection's request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) Global Connection was not informed in the written denial that physical Remote Collocation Space would become available within such one hundred eighty (180) calendar days, then Global Connection may relocate its virtual Remote Collocation Space arrangement to a physical Remote Collocation Space arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual Remote Collocation Space. Global Connection must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Remote Collocation Space to its physical Remote Collocation Space and will bear the cost of such relocation.
- 7.8.1 In Alabama, BellSouth will complete a relocation from virtual collocation to physical collocation within ninety (90) calendar days.
- Virtual to Physical Conversion (In-Place). Virtual collocation arrangements may be converted to "in-place" physical arrangements if the potential conversion meets the following four criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual collocation arrangement; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to secure its own equipment and facilities due to the location of the virtual collocation arrangement; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified, BellSouth will complete virtual to in-place physical collocation conversions within sixty (60) calendar days from receipt of the BFFO. BellSouth will bill Global Connection an Administrative Only Application Fee as set forth in Exhibit B for these charges on the date that BellSouth provides an Application Response.

- 7.9.1 In Alabama and Tennessee, BellSouth will complete Virtual to Physical Conversions (In Place) within thirty (30) calendar days from receipt of the BFFO.
- 7.10 <u>Cancellation</u>. If, at any time prior to space acceptance, Global Connection cancels its order for the Remote Collocation Space(s) ("Cancellation"), BellSouth will bill the applicable nonrecurring rate for any and all work processes for which work has begun. In Georgia, if Global Connection cancels its order for Remote Collocation Space at any time prior to space acceptance, BellSouth will bill Global Connection for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the order not been cancelled.
- 7.11 <u>Licenses</u>. Global Connection, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to build-out, equip and occupy the Remote Collocation Space.
- 7.12 <u>Environmental Hazard Guidelines</u>. The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

# 8. Rates and Charges

- 8.1 Recurring Charges. If Global Connection has met the applicable fifteen (15) calendar day walkthrough interval(s) specified in Section 4, billing for recurring charges will begin upon the Space Acceptance Date. In the event that Global Connection fails to complete an acceptance walkthrough within the applicable fifteen (15) calendar day interval(s), billing for recurring charges will commence on the Space Ready Date. If Global Connection occupies the space prior to the Space Ready Date, the date Global Connection occupies the space becomes the new Space Acceptance Date and billing for recurring charges begin on that date.
- 8.2 <u>Application Fee.</u> BellSouth shall assess an Application Fee via a service order, which shall be issued at the time BellSouth responds that space is available pursuant to Section 6.10 (Application Response). This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.
- 8.2.1 In Tennessee, the applicable application fee is the planning fee for both Initial Applications and Subsequent Applications placed by Global Connection. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.
- 8.3 <u>Rack/Bay Space</u>. The rack/bay space charge includes reasonable charges for air conditioning, ventilation and other allocated expenses associated with maintenance of the Remote Site Location, and includes amperage necessary to power Global

Connection's equipment. Global Connection shall pay rack/bay space charges based upon the number of racks/bays requested. BellSouth will assign Remote Collocation Space in conventional remote site rack/bay lineups where feasible.

- 8.4 Power. BellSouth shall make available –48 Volt (-48V) DC power for Global Connection's Remote Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay (BDFB) at Global Connection's option within the Remote Site Location. The charge for power shall be assessed as part of the recurring charge for rack/bay space. If the power requirements for Global Connection's equipment exceeds the capacity available, then such power requirements shall be assessed on an individual case basis. BellSouth will revise recurring power charges to reflect a power upgrade upon notification of the completion of the upgrade by Global Connection's BellSouth Certified Vendor. BellSouth will revise recurring power charges to reflect a power reduction upon BellSouth's receipt of the Power Reduction Form from Global Connection certifying the completion of the power reduction, including the removal of the power cabling by Global Connection's BellSouth Certified Supplier.
- Adjacent Collocation Power. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power, where available. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by Global Connection's BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. Global Connection's BellSouth Certified Supplier must also provide a copy of the engineering power specification prior to the equipment becoming operational. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit B. AC power voltage and phase ratings shall be determined on a per location basis. At Global Connection's option, Global Connection may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.
- 8.5 <u>Security Escort.</u> A security escort will be required whenever Global Connection or its approved agent desires access to the Remote Site Location after the one accompanied site visit allowed pursuant to Section 5 prior to completing BellSouth's Security Training requirements. Rates for a security escort are assessed according to the schedule appended hereto as Exhibit B beginning with the scheduled escort time. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and Global Connection shall pay for such half-hour charges in the event Global Connection fails to show up.
- 8.6 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.

# 9. Insurance

- 9.1 Global Connection shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A-.
- 9.2 Global Connection shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of Global Connection's real and personal property situated on or within BellSouth's Remote Site Location.
- 9.2.4 Global Connection may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) calendar days notice to Global Connection to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.4 All policies purchased by Global Connection shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Remote Site Location and shall remain in effect for the term of this Attachment or until all of Global Connection's property has been removed from BellSouth's Remote Site Location, whichever period is longer. If Global Connection fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from Global Connection.
- 9.5 Global Connection shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Remote Collocation Space. Failure to meet this

interval may result in construction and equipment installation delays. Global Connection shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from Global Connection's insurance company. Global Connection shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 17H53 BellSouth Center 675 W. Peachtree Street Atlanta, Georgia 30375

- 9.6 Global Connection must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 <u>Self-Insurance</u>. If Global Connection's net worth exceeds five hundred million dollars (\$500,000,000), Global Connection may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and 9.2.2. Global Connection shall provide audited financial statements to BellSouth thirty (30) calendar days prior to the commencement of any work in the Remote Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to Global Connection in the event that self-insurance status is not granted to Global Connection. If BellSouth approves Global Connection for self-insurance, Global Connection shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of Global Connection's corporate officers. The ability to self-insure shall continue so long as Global Connection meets all of the requirements of this Section. If Global Connection subsequently no longer satisfies this Section, Global Connection is required to purchase insurance as indicated by Sections 9.2.1 and Section 9.2.2.
- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days' notice to Global Connection to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

## 10. Mechanics Liens

10.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or Global Connection), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party

directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

## 11. <u>Inspections</u>

11.1 BellSouth may conduct an inspection of Global Connection's equipment and facilities in the Remote Collocation Space(s) prior to the activation of facilities between Global Connection's equipment and equipment of BellSouth. BellSouth may conduct an inspection if Global Connection adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide Global Connection with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

## 12. Security and Safety Requirements

- Unless otherwise specified, Global Connection will be required, at its own expense, to conduct a statewide investigation of criminal history records for each Global Connection employee hired in the past five years being considered for work on the BellSouth Remote Site Location, for the states/counties where the Global Connection employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. Global Connection shall not be required to perform this investigation if an affiliated company of Global Connection has performed an investigation of the Global Connection employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if Global Connection has performed a preemployment statewide investigation of criminal history records of the Global Connection employee for the states/counties where the Global Connection employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.
- Global Connection will be required to administer to their personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- Global Connection shall provide its employees and agents with picture identification, which must be worn, and visible at all times while in the Remote Collocation Space or other areas in or around the Remote Site Location. The photo Identification card shall bear, at a minimum, the employee's name and photo, and Global Connection's name. BellSouth reserves the right to remove from its Remote Site Location any employee of Global Connection not possessing identification issued by Global Connection or who

have violated any of BellSouth's policies as outlined in the CLEC Security Training documents. Global Connection shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Remote Site Location. Global Connection shall be solely responsible for ensuring that any Guest(s) of Global Connection is in compliance with all subsections of this Section.

- Global Connection shall not assign to the BellSouth Remote Site Location any personnel with records of felony criminal convictions. Global Connection shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse access to any Global Connection personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that Global Connection chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, Global Connection may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 12.4.1 Global Connection shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 Global Connection shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former supplier of BellSouth and whose access to a BellSouth Remote Site Location was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.5 For each Global Connection employee or agent hired by Global Connection within five years of being considered for work on the BellSouth Remote Site Location, who requires access to a BellSouth Remote Site Location pursuant to this Attachment, Global Connection shall furnish BellSouth, prior to an employee gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, Global Connection will disclose the nature of the convictions to BellSouth at that time. In the alternative, Global Connection may certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 12.5.1 For all other Global Connection employees requiring access to a BellSouth Remote Site Location pursuant to this Attachment, Global Connection shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not

- subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, Global Connection shall promptly remove from BellSouth's Remote Site Location any employee of Global Connection BellSouth does not wish to grant access to its Remote Site Location 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of Global Connection is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall promptly be commenced by BellSouth.
- 12.7 <u>Security Violations</u>. BellSouth reserves the right to interview Global Connection's employees, agents, or suppliers in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another collocated telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to Global Connection's Security representative of such interview. Global Connection and its suppliers shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving Global Connection's employees, agents, or suppliers. Additionally, BellSouth reserves the right to bill Global Connection for all reasonable costs associated with investigations involving its employees, agents, or suppliers if it is established and mutually agreed in good faith that Global Connection's employees, agents, or suppliers are responsible for the alleged act. BellSouth shall bill Global Connection for BellSouth property, which is stolen or damaged where an investigation determines the culpability of Global Connection's employees, agents, or suppliers and where Global Connection agrees, in good faith, with the results of such investigation. Global Connection shall notify BellSouth in writing immediately in the event that the Global Connection discovers one of its employees already working on the BellSouth Remote Site Location is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth's Remote Site Location, any employee found to have violated the security and safety requirements of this section. Global Connection shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth's Remote Site Location.
- 12.8 <u>Use of Supplies</u>. Unauthorized use of telecommunications equipment or supplies by either Party, whether or not used routinely to provide telephone service (e.g. plug-in cards,) will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth Remote Site Location. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.

12.10 <u>Accountability</u>. Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

## 13. Destruction of Remote Collocation Space

13.1 In the event a Remote Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for Global Connection's permitted use hereunder, then either Party may elect within ten (10) calendar days after such damage, to terminate this Attachment with respect to the affected Remote Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof with respect to such Remote Collocation Space. If the Remote Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for Global Connection's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to Global Connection, except for improvements not to the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. Global Connection may, at its own expense, accelerate the rebuild of its Remote Collocation Space and equipment provided however that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. Rebuild of equipment must be performed by a BellSouth Certified Vendor. If Global Connection's acceleration of the project increases the cost of the project, then those additional charges will be incurred by Global Connection. Where allowed and where practical, Global Connection may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Remote Collocation Space shall be rebuilt or repaired, Global Connection shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Remote Collocation Space for Global Connection's permitted use, until such Remote Collocation Space is fully repaired and restored and Global Connection's equipment installed therein (but in no event later than thirty (30) calendar days after the Remote Collocation Space is fully repaired and restored). Where Global Connection has placed a Remote Site Adjacent Arrangement pursuant to Section 3.4, Global Connection shall have the sole responsibility to repair or replace said Remote Site Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Remote Site Adjacent Arrangement.

## 14. Eminent Domain

14.1 If the whole of a Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Remote Collocation Space or Remote Site Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken under eminent domain, BellSouth and Global Connection shall each have the right to terminate this Attachment with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) calendar days after such taking.

### 15. Nonexclusivity

Global Connection understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis.

# ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

#### 1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and Global Connection agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and Global Connection shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Global Connection should contact 1-800-743-6737 for any BellSouth MSDS required.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for Global Connection to follow when working at a BellSouth Remote Site Location (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. Global Connection will require its suppliers, agents and others accessing the BellSouth Remote Site Location to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by Global Connection when operating in the BellSouth Remote Site Location.
- 1.4 <u>Environmental and Safety Inspections</u>. BellSouth reserves the right to inspect the Global Connection space with proper notification. BellSouth reserves the right to stop any Global Connection work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Remote Site Location.
- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Remote Site Location by Global Connection are owned by Global Connection. Global Connection will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by Global Connection or different hazardous materials used by Global Connection at the BellSouth Remote Site Location. Global Connection must

- demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Remote Site Location.
- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a BellSouth Remote Site Location, either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately be reported by Global Connection to BellSouth.
- 1.7 <u>Coordinated Environmental Plans and Permits</u>. BellSouth and Global Connection will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and Global Connection will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, Global Connection must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- Environmental and Safety Indemnification. BellSouth and Global Connection shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, suppliers, or employees concerning its operations at the Remote Site Location.

#### 2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

- When performing functions that fall under the following Environmental categories on BellSouth's Remote Site Location, Global Connection agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. Global Connection further agrees to cooperate with BellSouth to ensure that Global Connection's employees, agents, and/or suppliers are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by Global Connection, its employees, agents and/or suppliers.
- 2.1.1 The most current version of reference documentation must be requested from Global Connection's BellSouth Account Team Collocation Coordinator (ATCC) Representative.

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent	Compliance with all applicable local, state, & federal laws and	<ul><li>Std T&amp;C 450</li><li>Fact Sheet Series 17000</li></ul>

tubes, solvents & cleaning	regulations	• Std T&C 660-3
materials)	Pollution liability insurance  EVET approval of supplier	Approved Environmental     Vendor List (Contact ATCC     Representative)
Emergency response	Hazmat/waste release/spill fire safety emergency	<ul> <li>Fact Sheet Series 1700</li> <li>Building Emergency         Operations Plan (EOP)         (specific to and located on Remote Site Location)     </li> </ul>
Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Remote Site Location (e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Compliance with all applicable local, state, & federal laws and regulations  Performance of services in accordance with BST's environmental M&Ps  Insurance	<ul> <li>Std T&amp;C 450</li> <li>Std T&amp;C 450-B</li> <li>(Contact ATCC Representative for copy of appropriate E/S M&amp;Ps.)</li> <li>Std T&amp;C 660</li> </ul>
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations  Pollution liability insurance  EVET approval of supplier	<ul> <li>Std T&amp;C 450</li> <li>Fact Sheet Series 17000</li> <li>Std T&amp;C 660-3</li> <li>Approved Environmental Vendor List (Contact ATCC Representative)</li> </ul>
Maintenance/operations work which may produce a waste  Other maintenance work	Compliance with all applicable local, state, & federal laws and regulations  Protection of BST employees and equipment	<ul> <li>Std T&amp;C 450</li> <li>29CFR 1910.147 (OSHA Standard)</li> <li>29CFR 1910 Subpart O (OSHA Standard)</li> </ul>
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations All Hazardous Material and Waste Asbestos notification and protection of employees and	<ul> <li>–Procurement Manager (CRES Related Matters)-BST Supply Chain Services</li> <li>Fact Sheet Series 17000</li> </ul>

			CLUDTENI 001DT CL : 2
	equipment	•	GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom)
			(Hazeoni)
Manhole cleaning	Compliance with all applicable	•	Std T&C 450
	local, state, & federal laws and	•	Fact Sheet 14050
	regulations	•	BSP 620-145-011PR
			Issue A, August 1996
	Pollution liability insurance	•	Std T&C 660-3
	EVET approval of supplier	•	Approved Environmental
	_ · _ · off- · · · · · · · · · · · · · · · · · ·		Vendor List (Contact ATCC
			Representative)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	•	GU-BTEN-001BT, Chapter 3 For questions regarding removing or disturbing
contain aspestos			materials that contain
			asbestos, call the BellSouth
			Building Service Center:
			AL, MS, TN, KY & LA
			(local area code) 557-6194
			FL, GA, NC & SC
			(local area code) 780-2740

#### 3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a remote site location which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

#### 4. ACRONYMS

<u>ATCC</u> – Account Team Collocation Coordinator

BST – BellSouth Telecommunications

<u>CRES</u> – Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

 $\underline{E/S}-Environmental/Safety$ 

**EVET - Environmental Vendor Evaluation Team** 

<u>GU-BTEN-001BT</u> - BellSouth Environmental Methods and Procedures

**NESC** - National Electrical Safety Codes

<u>P&SM</u> - Property & Services Management

Std T&C - Standard Terms & Conditions

COLLOCAT	ION - Alabama												Attach	ment: 4	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonred First	urring Add'l	Nonrecurring		COMEC	COMAN		Rates (\$)	COMAN	COMAN
							FIrst	Addi	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	LLOCATION															
1	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res			UEPSR	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66				<u> </u>
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			LIEDOE	PE1R2	0.03	40.00	44.00	0.00	5.44		45.00				
-	Wire Voice Grade PBX Trunk - Res Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSE	PE IRZ	0.03	12.30	11.80	6.03	5.44		15.66				<b>_</b>
	Wire Analog - Bus			UEPSB	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			02. 03		0.00	12.00	11.00	0.00	0.11		10.00				
	Wire ISDN			UEPSX	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire ISDN			UEPTX	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66				<u> </u>
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-			HEDEV	DE4D4	0.05	40.00	44.07	0.00	F 70		45.00				
PHYSICAL CO	Wire ISDN DS1			UEPEX	PE1R4	0.05	12.39	11.87	6.39	5.73		15.66				<del> </del>
PHISICAL CO	Physical Collocation - Application Fee - Initial			CLO	PE1BA		1,879.48	1,879.48								<del>                                     </del>
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		1,566.60	1,566.60								<del>                                     </del>
	Physical Collocation - Cageless - Application Fee			CLO	PE1CH		1,205.26	1,205.26								
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		742.15	·								
	Physical Collocation - Space Preparation - Firm Order															
	Processing			CLO	PE1SJ		600.71	600.71								ļ
	Physical Collocation - Space Preparation - C.O. Modification per			01.0	DEAOK	4.00										
-	square ft.  Physical Collocation - Space Preparation - Common Systems			CLO	PE1SK	1.96										<del> </del>
	Modification per square ft Cageless			CLO	PE1SL	2.62										
	Physical Collocation - Space Preparation - Common Systems			020		2.02										
	Modification per Cage			CLO	PE1SM	88.86										
	Physical Collocation - Cable Installation			CLO	PE1BD		859.71	859.71	22.49	22.49						
	Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	3.22										
	Physical Collocation - Cable Support Structure, Per Entrance			01.0	PE1PM	47.44										
	Cable Physical Collocation - Cageless - Cable Support Structure			CLO	PE1PM PE1CJ	17.11 14.97										<u> </u>
+	Physical Collocation - Power -48V DC Power, per Fused Amp			CLO	PE1PL	7.83										
	Thysical conceation Tower 400 Be Fower, per Fused 74mp			OLO		7.00										
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	4.91										
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	9.84										
	Dhusias Callacetics 400/ There Dhace Steedhy Davies Date			CLO	PE1FE	14.74										
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PETFE	14.74										1
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	34.06										
				UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX,												
$\vdash$	Physical Collocation - 2-Wire Cross-Connects			UNLDX, UNCNX	PE1P2	0.03	12.30	11.80	6.03	5.44					ļ	<b></b>
	Physical Collocation - 4-Wire Cross-Connects			CLO, UAL, UDL, UDN, UEA, UHL, UNCVX, UNCDX, UCL	PE1P4	0.05	12.39	11.87	6.39	5.73						
	Physical Collocation - DS1 Cross-Connects			CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1, UDL	PE1P1	1.11	22.03	15.93	6.40	5.79						

COLLOC	ATION - Alabama												Attach	ment: 4	Exhi	nit: B
COLLOC	ATION - Alabama	1	1								Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
5,1125511		m		200	0000			101120 (4)			per LSR	per LSR				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_ 1	Nonrec	urring	Nonrecurrin	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				CLO, UE3,U1TD3,												
				UXTD3, UXTS1,												
				UNC3X, UNCSX,												
				ULDD3,												
				U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connects			UNLD3, UDL	PE1P3	14.16	20.89	15.20	7.38	5.92						
				CLO, ULDO3,												
				ULD12, ULD48,												
				U1TO3, U1T12,												
				U1T48, UDLO3,												
	Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF	PE1F2	2.81	20.89	15.20	7.38	5.92						
				CLO, ULDO3,									]	]		
		1		ULD12, ULD48,	l								Ì	Ì		
				U1TO3, U1T12,												
				U1T48, UDLO3,												
	Physical Collocation - Cageless - 2 Fiber Cross Connect			UDL12, UDF	PE1CK	2.84	20.89	15.20	7.38	5.92						
				CLO, ULDO3,												
				ULD12, ULD48,												
				U1TO3, U1T12,												
				U1T48, UDLO3,												
	Physical Collocation - 4-Fiber Cross-Connect			UDL12, UDF	PE1F4	4.99	25.55	19.86	9.71	8.25						
				CLO, ULDO3,												
				ULD12, ULD48,												
				U1TO3, U1T12,												
				U1T48, UDLO3,												
	Physical Collocation - Cageless - 4-Fiber Cross-Connect			UDL12, UDF	PE1CL	5.69	25.55	19.86	9.71	8.25						
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	156.33										
<b>—</b>	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	15.34										
	Physical Collocation - Security Access System - Security System per Central Office			01.0	DEANY	45.70										
				CLO	PE1AX	45.70										
	Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PE1A1	0.05	27.79	27.79								
	Card Activation, per Card			CLO	PETAT	0.05	21.19	21.19								
	Physical Collocation-Security Access System-Administrative															
	Change, existing Access Card, per Request, per State, per Card	1		CLO	PE1AA		7.79	7.79					Ì	Ì		
<del>                                     </del>	Physical Collocation - Security Access System - Replace Lost or	1	<del>                                     </del>	OLO	LIAA		1.19	1.19					<del> </del>	<del> </del>		
	Stolen Card, per Card			CLO	PE1AR		22.78	22.78								
	Physical Collocation - Security Access - Initial Key, per Key	<b>†</b>		CLO	PE1AK	<del>                                     </del>	13.10	13.10	1		<u> </u>		<b> </b>	<b> </b>		
	Physical Collocation - Security Access - Key, Replace Lost or	<b>†</b>	t t	-	1								1	1		
	Stolen Key, per Key	1		CLO	PE1AL		13.10	13.10					1	1		
	Physical Collocation - Space Availability Report per premises			CLO	PE1SR		1,075.17	1,075.17		l				İ		
				UEANL,UEA,UDN,U				•								
		1		DC,UAL,UHL,UCL,U	l								Ì	Ì		
		1		EQ,CLO,UDL,	l								Ì	Ì		
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect,	1		UNCVX, UNCDX,	l								Ì	Ì		
	per cross-connect	<u></u>		UNCNX	PE1PE	0.08				<u></u>						
				UEANL,UEA,UDN,U												
		1		DC,UAL,UHL,UCL,U	l								Ì	Ì		
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect,			EQ,CLO, USL,												
	per cross-connect			UNCVX, UNCDX	PE1PF	0.17										
				UEANL,UEA,UDN,U												
		1		DC,UAL,UHL,UCL,U	l								Ì	Ì		
				EQ,CLO,WDS1L,W												
		1		DS1S, USL, U1TD1,	l								Ì	Ì		
		1		UXTD1, UNC1X,	l								Ì	Ì		
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect,	1		ULDD1, USLEL,									1	1		
	per cross-connect	1	1	UNLD1	PE1PG	1.20						l	]	l		

COLLOCATI	ON - Alabama												Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		
						Rec		curring	Nonrecurring					Rates (\$)		
				LIEANII LIEA LIEVIII			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX	PE1PH	10.67										
-	per cross-connect			UEANL,UEA,UDN,U	PEIPH	10.67					-					<del>                                     </del>
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	36.40										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	49.09										
	Physical Collocation - Request Resend of CFA Information, per			•												
	CLLI				PE1C9		77.56									<u></u>
	Nonrecurring Collocation Cable Records - per request			CLO	PE1CR		759.29	488.11	133.00	133.00						<b></b>
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD		326.92	326.92	189.12	189.12						
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO		4.81	4.81	5.90	5.90						
	Nonrecurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		2.25	2.25	2.76	2.76						
	Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		7.88	7.88	9.66	9.66						Ĺ
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99			0.0	55465											ĺ
	fiber records			CLO CLO.CLORS	PE1CB PE1BT		84.49 16.93	84.49	77.13	77.13						<del>                                     </del>
-	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PETBI		16.93	10.73								<del> </del>
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		22.05	13.86								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		27.17	16.98								i .
	V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV		33.00	10.00								
	V to P Conversion, Per Customer Request-DS0				PE1BO		33.00									
	V to P Conversion, Per Customer Request-DS1				PE1B1		52.00									
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3		52.00									
	V to P Conversion, Per Customer Request per VG Circuit Reconfigured			CLO	PE1BR		23.00									
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured			CLO	PE1BP		23.00									
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured				PE1BS		33.00									
	V to P Conversion, Per Customer Request per DS3 Circuit				PE1BE		37.00									
	Reconfigured V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof				PE1BE		592.00									
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable						392.00									
	Support Structure, per cable, per linear ft. Physical Collocation - Co-Carrier Cross Connects - Copper/Coax				PE1ES	0.0011										
	Cable Support Structure, per cable, per lin. ft. Physical Collocation - Co-Carrier Cross Connects Only -				PE1DS	0.0016										
	Application Fee, per application			CLO	PE1DT		584.22									<u> </u>

COLLOCA	ΓΙΟΝ - Alabama												Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Application to Augment Exsisting Space -															
	Simple			CLO	PE1KS		594.41		1.21							
	Physical Collocation - Application to Augment Exsisting Space -			CLO	DEAKM		000 47		4.04							
	Minor Physical Collocation - Application to Augment Exsisting Space -		<u> </u>	CLO	PE1KM		833.47		1.21							
	Intermediate			CLO	PE1K1		1.058.00		1.21							
ADJACENT C	COLLOCATION			CLO	FLIKI		1,036.00		1.21							
ADUACENT	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.14										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.41										
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.02	12.30	11.80	6.03	5.44						
	,			UEA,UHL,UDL,UCL,		12	12.50	50								
	Adjacent Collocation - 4-Wire Cross-Connects		1	CLOAC	PE1P4	0.04	12.39	11.87	6.39	5.73		1		1	1	
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1.03	22.03	15.93	6.40	5.79						
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	13.95	20.89	15.20	7.38	5.92						
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.36	20.89	15.20	7.38	5.92						
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	4.52	25.55	19.86	9.71	8.25						
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,576.69									
	Adjacent Collocation - 120V, Single Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FB	4.91										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	9.84										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	14.74										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FG	34.06										
	Adjacent Collocation - DC power provisioning (Alabama Only Mandate)			CLOAC			ICB									
	Note: ICB means Individual Case Basis															
PHYSICAL C	DLLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		307.70	307.70	168.22	168.22						
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	201.42										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.10	13.10								
	Physical Collocation in the Remote Site - Space Availability															
	Report per Premises Requested			CLORS	PE1SR		115.87	115.87								
	Physical Collocation in the Remote Site - Remote Site CLLI															
	Code Request, per CLLI Code Requested			CLORS	PE1RE		37.56	37.56								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.38									
	Power, DC Power Provisioning (Alabama Only)			CLORS		ICB										
PHYSICAL C	DLLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp	1		CLORS	PE1RS	6.27										
	Demote Cite Adiacest Collegetion - Deal Fateta	Ι.		CLORS	PE1RT	0.134								1	1	
	Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU	0.134	755.62	755.62								
NOTE	: If Security Escort and/or Add'I Engineering Fees become nec	occary i	for rom			will nogotiate a								-	-	-
VIRTUAL CO		essary	or rem	T site conocation,	lile Farties	wiii negotiate a	рргорпате гате	5.								
VIKTOAL CO	Virtual Collocation - Application Fee		1	AMTFS	EAF		1,205.26	1,205.26	0.51	0.51		15.66				
<del>                                     </del>	Virtual Collocation - Cable Installation Cost, per cable	1	<u> </u>	AMTFS	ESPCX	1	859.71	859.71	22.49	22.49	1	15.66	1	<b>I</b>	<b>I</b>	<u> </u>
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	3.22	5551	3001		10		.0.00		1	1	
	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	7.83										
	Virtual Collocation - Cable Support Structure, per entrance															
	cable			AMTFS UEANL,UEA,UDN,U	ESPSX	14.97										
				DC,UAL,UHL,UCL,U EQ, AMTFS, UDL, UNCVX, UNCDX.												
	Virtual Collocation - 2-wire Cross Connects (loop)	1	1	UNCNX	UEAC2	0.03	12.30	11.80	6.03	5.44		15.66	1	1	1	1

COLLOCAT	TON - Alabama												Attach	ment: 4	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
						Rec		curring	Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 4-wire Cross Connects (loop)			UEA,UHL,UCL,UDL, AMTFS, UAL, UDN, UNCVX, UNCDX AMTFS,UDL12,	UEAC4	0.05	12.39	11.87	6.39	5.73		15.66				
	Virtual Collocation - 2-Fiber Cross Connects			UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC2F	2.84	20.89	15 20	7.38	5.92		15.66				
	Virtual Collocation - 2-Fiber Cross Connects		<u> </u>	AMTFS,UDL12,	CNC2F	2.84	20.89	15.20	1.38	5.92		15.66				
	Virtual Collocation - 4-Fiber Cross Connects			UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	5.69	25.55	19.86	9.71	8.25		15.66				
	Virtual collocation - Special Access & UNE, cross-connect per DS1			USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1	CNC1X	1.11	22.03	15.93	6.40	5.79		15.66				
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL, ULC, AMTFS, U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	14.16	20.89	15.20	7.38	5.92		15.66				
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot			AMTFS	VE1CB	0.0026	20.00	10.20	1.00	0.02		10.00				
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per linear ft  Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			AMTFS	VE1CD	0.0038										
	Support Structure,per cable  Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			AMTFS	VE1CC		535.37					15.66				
	Cable Support Structure, per cable			AMTFS	VE1CE		535.37					15.66				
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		1,518.57	1,518.57	265.99	265.99		15.66				
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS	VE1BB		653.83	653.83	378.24	378.24		15.66				
	Virtual Collocaiton Cable Records - VG/DS0 Cable, per each 100 pair			AMTFS	VE1BC		9.62	9.62	11.79	11.79		15.66				
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		4.50	4.50		5.52		15.66	1			<b>†</b>
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		15.75	15.75	19.32	19.32		15.66				
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	VE1BF		168.97	168.97	154.25	154.25		15.66				
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		16.93	10.73				15.66				
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		22.05	13.86				15.66				
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		27.17	16.98			1	15.66				1
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		27.93	10.73				15.66				
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		36.47	13.86				15.66				
WIDTHAL CO.	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		45.02	16.98				15.66				
VIRTUAL COL	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.03	12.30	11.80	6.03	5.44		15.66				

COLI	OCATIO	ON - Alabama												Attach	nent: 4	Exhil	bit: B
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
			Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							D	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		I
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire															
		ISDN			UEPSX	VE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
		ISDN			UEPTX	VE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
		Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire															
		ISDN DS1				VE1R4	0.05	12.39	11.87	6.39	5.44		15.66				
	Note: F	Rates displaying an "R" in Interim column are interim and sub	ject to i	rate tru	e-up as set forth in (	General Term	ns and Condition	ons.									

COLLOCAT	ION - Florida												Attach	ment: 4	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring		001150	0011411		Rates (\$) SOMAN	SOMAN	SOMAN
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	LLOCATION															
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															1
	Wire Analog - Res			UEPSR	PE1R2	0.0276	8.22	7.22				11.90				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.0276	8.22	7.22				11.90				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			02. 0.		0.02.0	0.22					11.00			İ	
	Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.0276	8.22	7.22				11.90				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
<del> </del>	Wire Analog - Bus Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSB	PE1R2	0.0276	8.22	7.22				11.90			1	<b></b>
	Wire ISDN			UEPSX	PE1R2	0.0276	8.22	7.22				11.90				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		1			3.3270	5.22					50				
	Wire ISDN			UEPTX	PE1R2	0.0276	8.22	7.22				11.90				
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-			LIEDEY	DEADA	0.0550	0.10	7.00				44.60				
PHYSICAL CO	Wire ISDN DS1			UEPEX	PE1R4	0.0552	8.42	7.36				11.90			1	<b></b>
PHISICAL CC	Physical Collocation - Application Fee - Initial			CLO	PE1BA		2,597.00									<del>                                     </del>
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		2,236.00									<del>                                     </del>
	Physical Collocation Administrative Only - Application Fee	1		CLO	PE1BL		742.00									
	Physical Collocation - Space Preparation - Firm Order															
	Processing			CLO	PE1SJ		288.93									
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.			CLO	PE1SK	2.38										<b>↓</b>
	Physical Collocation - Space Preparation - Common Systems			CLO	PE1SM	92.55										
	Modification per Cage Physical Collocation - Cable Installation per Cable			CLO	PE1BD	92.55	1,750.00		45.16							<del>                                     </del>
<del>                                     </del>	Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	7.86	1,730.00		43.10							
	Physical Collocation - Cable Support Structure, Per Entrance			020		1.00										1
	Cable			CLO	PE1PM	18.96										
	Physical Collocation - Power, per Fused Amp			CLO	PE1PL	7.80										
	Physical Collocation - Power Reduction, Application Fee	ı		CLO	PE1PR		399.43									
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	5.38										<b>.</b>
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	10.77										
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PEIFU	10.77										<del>                                     </del>
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	16.15										
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	37.30										
			1		0	57.55										1
	Physical Collocation - 2-Wire Cross-Connects			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX	PE1P2	0.0276	8.22	7.22	5.74	4.58						
				CLO, UAL, UDL, UDN, UEA, UHL, UNCVX, UNCDX,												
	Physical Collocation - 4-Wire Cross-Connects			UCL	PE1P4	0.0552	8.42	7.36	5.90	4.66						
				CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1,												
]	Physical Collocation - DS1 Cross-Connects			UDL	PE1P1	1.32	27.77	15.52	5.93	4.77				1	I	

COLLOCAT	ION - Florida												Attach	ment: 4	Fyhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec			Disconnect				Rates (\$)		
-				CLO, UE3,U1TD3,			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - DS3 Cross-Connects			UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3, UDL CLO, ULDO3, ULD12, ULD48,	PE1P3	16.81	25.48	14.05	7.77	5.01						
				U1TO3, U1T12,												
	Physical Collocation - 2-Fiber Cross-Connect			U1T48, UDLO3, UDL12, UDF	PE1F2	3.34	41.94	30.52	13.91	11.16						
	Physical Collocation - 4-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F4	5.92	51.30	39.87	18.29	15.54						
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	189.45	31.30	39.01	10.23	10.04						
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	18.58										
	Physical Collocation - Security System Per Central Office Per Assignable Sq. Ft.			CLO	PE1AY	0.0105										
	Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PE1A1	0.0577	55.80									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		15.65									
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		45.75									
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.30									
	Physical Collocation - Security Access - Key, Replace Lost or															
	Stolen Key, per Key			CLO	PE1AL PE1SR		26.30									
	Physical Collocation - Space Availability Report per premises  POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect	I		CLO UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX	PE1PE	0.00	2,159.00									
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect	ı		UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX	PE1PF	0.00										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect	I		UEANIL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, WDS1L, W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1 UEANIL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1,	PE1PG	0.00										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect	ı		UNLD3, UDL, UDLSX	PE1PH	0.00										

COLLOC	ATION - Florida												Attach	ment: 4	Exhi	ibit: B
CATEGOR		Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
						Rec		curring		Disconnect				Rates (\$)		-
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect,			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect	1		UDL12, UDF UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	0.00										
	Physical Collocation - Request Resend of CFA Information, per															
	CLLI	I		CLO CLO	PE1C9 PE1CR		77.54 1,525.00	980.22	007.00							ļ
	Nonrecurring Collocation Cable Records - per request  Nonrecurring Collocation Cable Records - VG/DS0 Cable, per			CLO	PETCR		1,525.00	980.22	267.08							
	cable record  Nonrecurring Collocation Cable Records - VG/DS0 Cable, per			CLO	PE1CD		656.50	656.50	379.78							
	each 100 pair			CLO	PE1CO		9.66	9.66	11.84	11.84						
	Nonrecurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		4.52	4.52	5.54	5.54						
	Nonrecurring Collocation Cable Records - DS3, per T3TIE  Nonrecurring Collocation Cable Records - Fiber Cable, per 99			CLO	PE1C3		15.82	15.82	19.40	19.40						ļ
	fiber records			CLO	PE1CB		169.67	169.67	154.89	154.89						
	Physical Collocation - Security Escort - Basic, Per Quarter Hour			CLO	PE1BQ		10.89									
	Physical Collocation - Security Escort - Overtime, Per Quarter Hour			CLO	PE10Q		13.64									
	Physical Collocation - Security Escort - Premium, Per Quarter Hour			CLO	PE1PQ		16.40									
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		33.99	21.54								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		44.27	27.82								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		54.55	34.10								
	V to P Conversion, Per Customer Request-Voice Grade	ı		CLO	PE1BV	1	33.00	54.10	1							
	V to P Conversion, Per Customer Request-DS0	I		CLO	PE1BO		33.00									
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1	ļ	52.00		-							<b></b>
	V to P Conversion, Per Customer request-DS3  V to P Conversion, Per Customer Request per VG Circuit Reconfigured	1		CLO	PE1B3 PE1BR		52.00 23.00									
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured			CLO	PE1BP		23.00									
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured	<u> </u>		CLO	PE1BS		33.00									
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured	ı		CLO	PE1BE		37.00									
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof	I		CLO	PE1B7		592.00									
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.001									-	
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0014										
AD IA CEL	Physical Collocation - Co-Carrier Cross Connects Only - Application Fee, per application			CLO	PE1DT		584.11									
ADJACENT	COLLOCATION  Adjacent Collocation - Space Charge per Sq. Ft.	<b> </b>	-	CLOAC	PE1JA	0.1635			<del>                                     </del>		1					<del>                                     </del>
	Adjacent Collocation - Space Charge per Sq. Ft.  Adjacent Collocation - Electrical Facility Charge per Linear Ft.	1	<b>-</b>	CLOAC	PE1JA PE1JC	5.11		1	<del> </del>		1		1	1		+

COLLOCAT	ION - Florida												Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
						Dee	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.0213	24.69	23.69	11.77	10.62						
				UEA,UHL,UDL,UCL,												
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.0426	24.88	23.83	12.04	10.80						
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1 PE1P3	1.22 16.56	44.24 41.94	31.98	12.07	10.91						
-	Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC CLOAC	PE1F3 PE1F2	2.81	41.94	30.52 30.52	13.91 13.91	11.15 11.16	-					
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	5.36	51.30	39.87	18.29	15.54						
	Adjacent Collocation - Application Fee			CLOAC	PE1JB	0.00	2,785.00	00.01	10.25	10.04						
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.38	,									
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	10.77										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	16.15										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp  Adjacent Collocation - Cable Support Structure per Entrance			CLOAC	PE1FG	37.30										
PHYSICAL CO	Cable  LLOCATION IN THE REMOTE SITE	ı		CLOAC	PE1PM	18.96										
	Physical Collocation in the Remote Site - Application Fee	1		CLORS	PE1RA	1	617.91		328.81							
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	219.49	2									
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		26.30									
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		232.69									
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS CLORS	PE1RE PE1RR		75.41 233.51									
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE - ADJACENT			CLORS	PEIKK		233.51									
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
	If Security Escort and/or Add'l Engineering Fees become nec	essary f	for rem	ote site collocation,	the Parties v	will negotiate ap	opropriate rate	s.								
VIRTUAL CO																
	Virtual Collocation - Application Fee/Planning Fee Initial Request			AMTFS	EAF		4,122.00					11.90				
	Virtual Collocation - Application Fee/Planning Fee Additional Entrance Cable Request	l		AMTFS	EAF		1,249.00					11.90				
	Virtual Collocation - Cable Installation Cost, per cable			AMTFS AMTFS	ESPCX	12.45	965.00					11.90				
	Virtual Collocation - Cable Installation Cost, per cable  Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	4.25	300.00					11.50				
	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	6.95			<u> </u>							
	Virtual Collocation - Cable Support Structure, per entrance cable			AMTFS	ESPSX	13.35										
				UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, AMTFS, UDL, UNCVX, UNCDX,	LIE A CO	0.0522		44				44.63				
	Virtual Collocation - 2-wire Cross Connects (loop)	<b>!</b>	<del>                                     </del>	UNCNX	UEAC2	0.0502	11.57	11.57	<del>                                     </del>			11.90				<b> </b>
				UEA,UHL,UCL,UDL, AMTFS, UAL, UDN,												
	Virtual Collocation - 4-wire Cross Connects (loop)			UNCVX, UNCDX AMTFS,UDL12,	UEAC4	0.0502	11.57	11.57			-	11.90				
	Vistori Cellegatine 2 Files Con Constant			UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12,	CNICOT	0.71	0.404.00					44.00				
	Virtual Collocation - 2-Fiber Cross Connects	l	<u> </u>	ULD48, UDF	CNC2F	6.71	2,431.00					11.90				L

COLLOCA	TION - Florida												Attach	ment: 4	Exhi	bit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually		Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 20.1	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'I	Disc 1st	Disc Add'l
															DISC 1St	DISC Add I
$\vdash$						Rec	Nonrec		Nonrecurring		SOMEC	SOMAN		Rates (\$) SOMAN	COMAN	COMAN
				AMTFS,UDL12,			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UDLO3. U1T48.										'	'	
				U1T12, U1T03,										'	'	
				ULDO3, ULD12,										'	'	
	Virtual Collocation - 4-Fiber Cross Connects			ULD48, UDF	CNC4F	6.71	2,431.00					11.90		·		
-	Virtual Collocation - 4-Fiber Cross Conflects	1	1	USL,ULC,AMTFS,	CNC4F	0.71	2,431.00				1	11.90		<u> </u>		
				ULR, UXTD1,										·		
				UNC1X, ULDD1,										'	'	
	Virtual collocation - Special Access & UNE, cross-connect per			U1TD1, USLEL,										'	'	
	DS1			UNLD1	CNC1X	7.50	155.00	14.00				11.90		'	'	
<del></del>	D31			USL,ULC,AMTFS,U	CINCIA	7.50	155.00	14.00				11.90				
1 1				E3, U1TD3, UXTS1,									1	1 '	1 '	1
				UXTD3, UNC3X,									Ì	1 '	1 '	Ì
				UNCSX, ULDD3,										1 '	1 '	
	Virtual collocation - Special Access & UNE, cross-connect per			U1TS1, ULDS1,										'	'	
	DS3			UDLSX, UNLD3	CND3X	56.25	151.90	11.83				11.90		·		
<del>                                     </del>	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable	1		ODLOA, ONLDO	SINDOA	30.23	151.50	11.03	<del>                                     </del>			11.50	<del> </del>	<del>                                     </del>	$\vdash \vdash \vdash$	<del> </del>
	Support Structure, per linear foot			AMTFS,CLO	VE1CB	0.0028								l '		
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			741111 0,020	12.02	0.0020										
	Cable Support Structure, per linear ft			AMTFS, CLO	VE1CD	0.0041								·		
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			744111 0, 020	12.02	0.0011										
	Support Structure,per cable			AMTFS	VE1CC		535.54					11.90		·		
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			744111	12.00		000.01					11.00				
	Cable Support Structure, per cable			AMTFS	VE1CE		535.54					11.90		·		
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		1,525.00	1,525.00	267.08	267.08						
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable						.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,								
	record			AMTFS	VE1BB		656.50	656.50	379.78	379.78				'	'	
	Virtual Collocation Cable Records - VG/DS0 Cable, per each															
	100 pair			AMTFS	VE1BC		9.66	9.66	11.84	11.84				·		
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		4.52	4.52	5.54	5.54						
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		15.82	15.82	19.40	19.40						
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber													,		
	records			AMTFS	VE1BF		169.67	169.67	154.89	154.89				·		
	Virtual collocation - Security Escort - Basic, per quarter hour			AMTFS	SPTBQ		10.89					11.90		,		
	Virtual collocation - Security Escort - Overtime, per quarter hour			AMTFS	SPTOQ		13.64					11.90		<u> </u>		
1 1 =			1 7										1	1	1 7	1
	Virtual collocation - Security Escort - Premium, per quarter hour			AMTFS	SPTPQ		16.40					11.90	ļ	L	<u> </u>	ļ
	Virtual Collocation - 2-wire Cross Connects (loop), per ckts			AMTFS	VE1R2	0.05	11.57					11.90		<b></b> '	<b></b> '	
	Virtual Collocation - 4-wire Cross Connects (loop), per ckts		ļ	AMTFS	VE1R4	0.05	11.57					11.90		<b></b> '	<b></b> '	
$\vdash$	Virtual Collocation - DS-1/DCS Cross Connects, PER CKTS	1	1	AMTFS	VE11S	8.09	69.64					11.90		<b></b> '	<b></b> '	
$\vdash$	Virtual Collocation - DS-1.DSX Cross Connects, PER CKTS	1	1	AMTES	VE11X	0.41	69.64					11.90		<b></b> '	<b></b> '	
	Virtual Collocation - DS-3/DCS Cross Connects, PER CKT		ļ	AMTFS	VE13S	59.67	528.00					11.90		<b></b> '	<b></b> '	
$\vdash$	Virtual Collocation - DS-3/DSC Cross Connects, PER CKT	1	1	AMTFS	VE13X	10.06	528.00					11.90		<b></b> '	<b></b> '	
1 1	Vertical colleges and Matter and Co. 5			ANTEC	ODTO								1	1 '	1 '	1
$\vdash$	Virtual collocation - Maintenance in CO - Basic, per quarter hour	-	<b> </b>	AMTFS	SPTRE		10.89		-			11.90		<b></b> '	<b>├</b> ──	
	Virtual collocation - Maintenance in CO - Overtime, per quarter			AMTEC	CDTCE		40.01					44.00		1 '	1 '	
$\vdash$	hour	-	<b> </b>	AMTFS	SPTOE		13.64		-			11.90		<b></b> '	<b>├</b> ───'	
1 1	Virtual collocation - Maintenance in CO - Premium per quarter			AMTEC	CDTDE		40.40					44.00	1	1 '	1 '	1
WIDTH'S CO	hour	1	1	AMTFS	SPTPE		16.40		1			11.90	<b> </b>	<b></b> '	<b>├</b> ───	<b> </b>
VIRTUAL CO		1	1		1				1		-	-	1	<b></b> '	<b>├</b> ──	1
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-			LIEDOD	VE4D0	0.0500		44.5-				44.00		1 '	1 '	
$\vdash$	Wire Analog - Res	1	1	UEPSR	VE1R2	0.0502	11.57	11.57				11.90	<b> </b>	<b></b>	<b>└──</b>	<b> </b>
1 1	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-			LIEDOD	VE4D0	0.0500						44.00	1	1 '	1 '	1
<b></b>	Wire Line Side PBX Trunk - Bus	1	1	UEPSP	VE1R2	0.0502	11.57	11.57				11.90	-	<b></b> '	<b>├</b> ───	-
1 1	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			UEPSE	VE1R2	0.0502	11.57	11.57				11.90	1	1 '	1 '	1
1					LVE IK/		11.5/	11.5/			1	11.90	I		1 '	I
	Voice Grade PBX Trunk - Res Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	1		OLI OL	, , , , , , , , , , , , , , , , , , ,	0.0302		11.01								

COLL	OCATIO	ON - Florida												Attach	nent: 4	Exhi	bit: B
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
					Dee	Nonrec	urring	Nonrecurring	Disconnect		Į	oss	Rates (\$)	I			
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire															
		ISDN			UEPSX	VE1R2	0.0502	11.57	11.57				11.90				
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
		ISDN			UEPTX	VE1R2	0.0502	11.57	11.57				11.90				
		Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire															
		ISDN DS1				VE1R4	0.0502	11.57	11.57				11.90				
	Note: R	Rates displaying an "R" in Interim column are interim and sub	rate tru	e-up as set forth in (													

COLLOCAT	ION - Georgia										-		Attach	ment: 4	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonred First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
PHYSICAL CO																
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Bus			UEPSB	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPSX	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN			UEPTX	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	PE1R4	0.50	12.60	12.60					18.94	8.42		
PHYSICAL CO				01. LX		0.50	12.00	12.00					10.54	0.42	1	<del>                                     </del>
1	Physical Collocation - Application Fee - Initial	1		CLO	PE1BA	<b>-</b>	3,850.00						1	1	<b>†</b>	<del>                                     </del>
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		3,130.00	3,130.00								<b>†</b>
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		740.83	-,								
	Physical Collocation - Space Preparation - Firm Order Processing			CLO	PE1SJ		1,187.00									
	Physical Collocation - Space Preparation - C.O. Modification per square ft.	<u> </u>		CLO	PE1SK	2.02	1,107.00									
	Physical Collocation - Space Preparation - Common Systems	<u> </u>		CLO	PE1SL	2.80										
	Modification per square ft Cageless Physical Collocation - Space Preparation - Common Systems	<u> </u>														
	Modification per Cage	ı		CLO	PE1SM	95.23	0.750.00	0.750.00								
	Physical Collocation - Cable Installation		1	CLO	PE1BD	7.50	2,750.00	2,750.00								-
-	Physical Collocation - Floor Space per Sq. Ft.		1	CLO CLO	PE1PJ PE1PK	7.50 6.75										+
	Physical Collocation - Floor Space - Zone B per Sq. Ft. Physical Collocation - Cable Support Structure, Per Entrance				PE1PK PE1PM											
<b>-</b>	Cable  Physical Callegation Power 48V DC Power per Fused Amp		1	CLO CLO	PE1PM PE1PL	13.35 8.06									-	+
	Physical Collocation - Power -48V DC Power, per Fused Amp Physical Collocation - Power Reduction, Application Fee	ı		CLO	PE1PL PE1PR	8.06	398.80									
	Physical Collocation - 120V, Single Phase Standby Power Rate	ı		CLO	PE1FB	5.52										
	Physical Collocation - 240V, Single Phase Standby Power Rate	ı		CLO	PE1FD	11.05										
	Physical Collocation - 120V, Three Phase Standby Power Rate	ı		CLO	PE1FE	16.58										
	Physical Collocation - 277V, Three Phase Standby Power Rate	ı		CLO	PE1FG	38.27										
	Physical Collocation - 2-Wire Cross-Connects			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX CLO, UAL, UDL,	PE1P2	0.30	12.60	12.60								
	Physical Collocation - 4-Wire Cross-Connects			UDN, UEA, UHL, UNCVX, UNCDX, UCL	PE1P4	0.50	12.60	12.60								
				CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1,												
	Physical Collocation - DS1 Cross-Connects			UDL	PE1P1	8.00	155.00	27.00							<u>l</u>	

COLLOCA	FION - Georgia												Attach	ment: 4	Exhi	nit. D
COLLOCA	TION - Georgia	1	1 1								Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		l									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Diac 1at	Disc Add I
						Rec	Nonrec			g Disconnect				Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				CLO, UE3,U1TD3,												
				UXTD3, UXTS1,												
				UNC3X, UNCSX,												
				ULDD3,												
	B			U1TS1,ULDS1,	DE 100	=====										
	Physical Collocation - DS3 Cross-Connects			UNLD3, UDL CLO, ULDO3,	PE1P3	72.00	155.00	27.00			ļ					
				ULD12, ULD48,												
				U1TO3, U1T12,												
				U1T48, UDLO3,												
	Physical Collocation - 2-Fiber Cross-Connect			UDL12. UDF	PE1F2	2.86	52.14	38.72		1						
<del>                                     </del>	i nysicai conocation - 2-i ibei cioss-connect	1		CLO, ULDO3,	LIFE	2.00	JZ. 14	30.72		+			<del> </del>	<del> </del>		
				ULD12, ULD48,						1						
		1		U1TO3, U1T12,						1			1	1		
				U1T48, UDLO3,												
	Physical Collocation - 4-Fiber Cross-Connect			UDL12, UDF	PE1F4	5.08	64.74	51.31								
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	161.27	•									
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.	1		CLO	PE1CW	15.82										
	Physical Collocation - Security System Per Central Office Per															
	Assignable Sq. Ft.			CLO	PE1AY	0.0172										
	Physical Collocation - Security Access System - New Access															
	Card Activation, per Card			CLO	PE1A1	0.0607	46.20	46.20								
	Physical Collocation - Security Access System - New Access															
	Card Deactivation, per Card			CLO	PE1A4		8.72	8.72								
	Physical Collocation-Security Access System-Administrative			0.0			4 40									
	Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		15.40	15.40								
	Physical Collocation - Security Access System- Replace Lost or Stolen Card, per Card			CLO	PE1AR		45.02	45.02								
	Physical Collocation - Security Access - Initial Key, per Key	1		CLO	PE1AK		26.16	26.16			1					
	Physical Collocation - Security Access - Initial Rey, per Rey  Physical Collocation - Security Access - Key, Replace Lost or			CLO	FLIAN		20.10	20.10		+						
	Stolen Key, per Key			CLO	PE1AL		26.16	26.16								
	Physical Collocation - Space Availability Report per premises	<u> </u>		CLO	PE1SR		2,148.00	2.148.00								
	Trysteal Collection Copace / trainability (Copace per promises	<u> </u>		UEANL,UEA,UDN,U	. 2.0.0		2,110.00	2,110.00								
				DC,UAL,UHL,UCL,U												
				EQ,CLO,UDL,												
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect,			UNCVX, UNCDX,												
	per cross-connect	<u></u>	<u> </u>	UNCNX	PE1PE	0.40			<u></u>	<u> </u>			<u> </u>	L		
				UEANL,UEA,UDN,U												
		1		DC,UAL,UHL,UCL,U						1			1	1		
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect,			EQ,CLO, USL,												
	per cross-connect			UNCVX, UNCDX	PE1PF	1.20										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ,CLO,WDS1L,W DS1S, USL, U1TD1,												
				UXTD1, UNC1X,												
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect,			ULDD1, USLEL,												
	per cross-connect			UNLD1	PE1PG	1.20										
	1	1		UEANL,UEA,UDN,U	0	20				1			1	1		
		1		DC,UAL,UHL,UCL,U						1			1	1		
				EQ,CLO,UE3,												
				U1TD3, UXTD3,						1						
		1		UXTS1, UNC3X,						1			1	1		
		1		UNCSX, ULDD3,						1			1	1		
		1		U1TS1, ULDS1,						1			1	1		
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect,	1		UNLD3, UDL,	DE 40::					1			1	1		
	per cross-connect	l		UDLSX	PE1PH	8.00			<u> </u>	1			Ì	Ì		

COLLOCATI	ON - Georgia												Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	
						Rec		curring	Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	38.79										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	52.31										
	Physical Collocation - Request Resend of CFA Information, per															
	CLLI			CLO	PE1C9		77.42									
	Nonrecurring Collocation Cable Records - per request			CLO	PE1CR		1,706.00									-
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record  Nonrecurring Collocation Cable Records - VG/DS0 Cable, per			CLO	PE1CD		922.38									
	each 100 pair			CLO	PE1CO		18.00	18.00								İ
	Nonrecurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		8.43	8.43								<del></del>
	Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		29.49	29.49								
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99															
	fiber records			CLO	PE1CB		278.61	278.61								
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		41.00	25.00								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		48.00	30.00								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		55.00	35.00								İ
	V to P Conversion, Per Customer Request-Voice Grade			CLO,CLORS CLO	PE1BV		33.00	35.00	1						1	<del>                                     </del>
	V to P Conversion, Per Customer Request-DS0			CLO	PE1BO		33.00									
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1		52.00									
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3		52.00									
	V to P Conversion, Per Customer Request per VG Circuit															
	Reconfigured V to P Conversion, Per Customer Request per DS0 Circuit			CLO	PE1BR		23.00									<b></b>
	Reconfigured			CLO	PE1BP		23.00									İ
	V to P Conversion, Per Customer Request per DS1 Circuit						20.00		<u> </u>						1	
	Reconfigured			CLO	PE1BS		33.00	<u></u>	<u></u>		<u> </u>					
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE		37.00									
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof			CLO	PE1B7		592.00									
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.001			1							
	Support Structure, per cable, per linear π.  Physical Collocation - Co-Carrier Cross Connects - Copper/Coax			OLO,UDF	LE IE9	0.001		1	<del>                                     </del>	1	<del>                                     </del>					<del>                                     </del>
	Cable Support Structure, per cable, per lin. ft.  Physical Collocation - Co-Carrier Cross Connects Only -			CLO, UE3, USL	PE1DS	0.0015										
	Application Fee, per application Physical Collocation - Application to Augment Exsisting Space -			CLO	PE1DT		583.18									
	Simple Physical Collocation - Application to Augment Existing Space -			CLO	PE1KS		594.05		1.21							<del>                                     </del>
	Minor  Physical Collocation - Application to Augment Existing Space -			CLO	PE1KM		832.95		1.21							<b></b>
ADJACENT CO	Intermediate			CLO	PE1K1		1,057.00		1.21							<b></b>
ADJACENT CC	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.2542			<del>                                     </del>		1			-	<del> </del>	<del>                                     </del>
<del>                                     </del>	Adjacent Collocation - Space Charge per Sq. 11.  Adjacent Collocation - Electrical Facility Charge per Linear Ft.		<del>                                     </del>	CLOAC	PE1JC	5.44			<b>†</b>		<del> </del>	<b> </b>	-		<del> </del>	<del>                                     </del>

Adjac Adjac	RATE ELEMENTS  Iccent Collocation - 2-Wire Cross-Connects Iccent Collocation - 4-Wire Cross-Connects Iccent Collocation - DS1 Cross-Connects Iccent Collocation - DS3 Cross-Connects Iccent Collocation - 2-Fiber Cross-Connect Iccent Collocation - 4-Fiber Cross-Connect Iccent Collocation - 4-Piber Cross-Connect Iccent Collocation - 4-Piber Cross-Connect Iccent Collocation - 120V, Single Phase Standby Power Rate Iccent Collocation - 240V, Single Phase Standby Power Rate Iccent Collocation - 120V, Three Phase Standby Power Rate Iccent Collocation - 120V, Three Phase Standby Power Rate Iccent Collocation - 277V, Three Phase Standby Power Rate Iccent Collocation - 240V, Three Phase Standby Power Rate Iccent Collocation - 240V, Three Phase Standby Power Rate Iccent Collocation - 240V, Three Phase Standby Power Rate Iccent Collocation - 240V, Three Phase Standby Power Rate Iccent Collocation - 240V, Three Phase Standby Power Rate	Interi	Zone	BCS  CLOAC UEA,UHL,UDL,UCL, CLOAC USL,CLOAC CLOAC CLOAC CLOAC CLOAC CLOAC CLOAC	PE1P2 PE1P4 PE1P1 PE1P3 PE1F2 PE1F4 PE1JB	Rec 0.598 0.1196 1.04 14.12 2.39 4.57	Nonrec First 24.95 25.14 44.19 41.93	urring Add'l 23.97 24.11 32.13	Nonrecurring First 11.80 12.15	Add'I 10.67	Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st OSS SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Add'I Rates (\$) SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
Adjac	icent Collocation - 2-Wire Cross-Connects icent Collocation - 4-Wire Cross-Connects icent Collocation - DS1 Cross-Connects icent Collocation - DS3 Cross-Connects icent Collocation - 2-Fiber Cross-Connect icent Collocation - 4-Fiber Cross-Connect icent Collocation - 4-Fiber Cross-Connect icent Collocation - 4-Piber Cross-Connect icent Collocation - 4-Piber Cross-Connect icent Collocation - 120V, Single Phase Standby Power Rate AC Breaker Amp icent Collocation - 240V, Single Phase Standby Power Rate AC Breaker Amp icent Collocation - 120V, Three Phase Standby Power Rate AC Breaker Amp icent Collocation - 277V, Three Phase Standby Power Rate AC Breaker Amp		Zone	CLOAC UEA,UHL,UDL,UCL, CLOAC USL,CLOAC CLOAC CLOAC CLOAC CLOAC CLOAC CLOAC	PE1P2 PE1P4 PE1P1 PE1P3 PE1F2 PE1F4	0.598 0.1196 1.04 14.12 2.39	24.95 25.14 44.19	urring Add'I 23.97	First 11.80	Add'I 10.67	Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l Rates (\$)	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l
Adjac  Adjac  Adjac  Adjac  Adjac  Adjac  Adjac  Adjac  per A  Adjac  per A  Adjac  per A	icent Collocation - 2-Wire Cross-Connects icent Collocation - 4-Wire Cross-Connects icent Collocation - DS1 Cross-Connects icent Collocation - DS3 Cross-Connects icent Collocation - 2-Fiber Cross-Connect icent Collocation - 4-Fiber Cross-Connect icent Collocation - 4-Fiber Cross-Connect icent Collocation - 4-Piber Cross-Connect icent Collocation - 4-Piber Cross-Connect icent Collocation - 120V, Single Phase Standby Power Rate AC Breaker Amp icent Collocation - 240V, Single Phase Standby Power Rate AC Breaker Amp icent Collocation - 120V, Three Phase Standby Power Rate AC Breaker Amp icent Collocation - 277V, Three Phase Standby Power Rate AC Breaker Amp		Zone	CLOAC UEA,UHL,UDL,UCL, CLOAC USL,CLOAC CLOAC CLOAC CLOAC CLOAC CLOAC CLOAC	PE1P2 PE1P4 PE1P1 PE1P3 PE1F2 PE1F4	0.598 0.1196 1.04 14.12 2.39	24.95 25.14 44.19	urring Add'I 23.97	First 11.80	Add'I 10.67	per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'I  Rates (\$)	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
Adjac  Adjac  Adjac  Adjac  Adjac  Adjac  Adjac  Adjac  per A  Adjac  per A  Adjac  per A	icent Collocation - 2-Wire Cross-Connects icent Collocation - 4-Wire Cross-Connects icent Collocation - DS1 Cross-Connects icent Collocation - DS3 Cross-Connects icent Collocation - 2-Fiber Cross-Connect icent Collocation - 4-Fiber Cross-Connect icent Collocation - 4-Fiber Cross-Connect icent Collocation - 4-Piber Cross-Connect icent Collocation - 4-Piber Cross-Connect icent Collocation - 120V, Single Phase Standby Power Rate AC Breaker Amp icent Collocation - 240V, Single Phase Standby Power Rate AC Breaker Amp icent Collocation - 120V, Three Phase Standby Power Rate AC Breaker Amp icent Collocation - 277V, Three Phase Standby Power Rate AC Breaker Amp	m		CLOAC UEA,UHL,UDL,UCL, CLOAC USL,CLOAC CLOAC CLOAC CLOAC CLOAC CLOAC CLOAC	PE1P2 PE1P4 PE1P1 PE1P3 PE1F2 PE1F4	0.598 0.1196 1.04 14.12 2.39	24.95 25.14 44.19	urring Add'I 23.97	First 11.80	Add'I 10.67	•		Electronic- 1st OSS	Electronic- Add'I Rates (\$)	Electronic- Disc 1st	Electronic- Disc Add'l
Adjac Adjac Adjac Adjac Adjac Adjac Adjac Adjac Adjac Adjac Adjac Adjac Adjac	icent Collocation - 4-Wire Cross-Connects icent Collocation - DS1 Cross-Connects icent Collocation - DS3 Cross-Connects icent Collocation - 2-Fiber Cross-Connect icent Collocation - 2-Fiber Cross-Connect icent Collocation - 4-Fiber Cross-Connect icent Collocation - Application Fee icent Collocation - 120V, Single Phase Standby Power Rate AC Breaker Amp icent Collocation - 240V, Single Phase Standby Power Rate AC Breaker Amp icent Collocation - 120V, Three Phase Standby Power Rate AC Breaker Amp icent Collocation - 277V, Three Phase Standby Power Rate AC Breaker Amp			UEA,UHL,UDL,UCL, CLOAC USL,CLOAC CLOAC CLOAC CLOAC CLOAC CLOAC	PE1P4 PE1P1 PE1P3 PE1F2 PE1F4	0.598 0.1196 1.04 14.12 2.39	24.95 25.14 44.19	Add'I 23.97 24.11	First 11.80	Add'I 10.67	SOMEC	SOMAN	1st OSS	Add'I Rates (\$)	Disc 1st	Disc Add'l
Adjac Adjac Adjac Adjac Adjac Adjac Adjac Adjac Adjac Adjac Adjac Adjac Adjac	icent Collocation - 4-Wire Cross-Connects icent Collocation - DS1 Cross-Connects icent Collocation - DS3 Cross-Connects icent Collocation - 2-Fiber Cross-Connect icent Collocation - 2-Fiber Cross-Connect icent Collocation - 4-Fiber Cross-Connect icent Collocation - Application Fee icent Collocation - 120V, Single Phase Standby Power Rate AC Breaker Amp icent Collocation - 240V, Single Phase Standby Power Rate AC Breaker Amp icent Collocation - 120V, Three Phase Standby Power Rate AC Breaker Amp icent Collocation - 277V, Three Phase Standby Power Rate AC Breaker Amp			UEA,UHL,UDL,UCL, CLOAC USL,CLOAC CLOAC CLOAC CLOAC CLOAC CLOAC	PE1P4 PE1P1 PE1P3 PE1F2 PE1F4	0.598 0.1196 1.04 14.12 2.39	24.95 25.14 44.19	Add'I 23.97 24.11	First 11.80	Add'I 10.67	SOMEC	SOMAN	oss	Rates (\$)		
Adjac Adjac Adjac Adjac Adjac Adjac Adjac Adjac Adjac Adjac Adjac Adjac Adjac Adjac Adjac	icent Collocation - 4-Wire Cross-Connects icent Collocation - DS1 Cross-Connects icent Collocation - DS3 Cross-Connects icent Collocation - 2-Fiber Cross-Connect icent Collocation - 2-Fiber Cross-Connect icent Collocation - 4-Fiber Cross-Connect icent Collocation - Application Fee icent Collocation - 120V, Single Phase Standby Power Rate AC Breaker Amp icent Collocation - 240V, Single Phase Standby Power Rate AC Breaker Amp icent Collocation - 120V, Three Phase Standby Power Rate AC Breaker Amp icent Collocation - 277V, Three Phase Standby Power Rate AC Breaker Amp			UEA,UHL,UDL,UCL, CLOAC USL,CLOAC CLOAC CLOAC CLOAC CLOAC CLOAC	PE1P4 PE1P1 PE1P3 PE1F2 PE1F4	0.598 0.1196 1.04 14.12 2.39	24.95 25.14 44.19	Add'I 23.97 24.11	First 11.80	Add'I 10.67	SOMEC	SOMAN			SOMAN	SOMAN
Adjac Adjac Adjac Adjac Adjac Adjac Adjac Adjac Adjac Adjac Adjac Adjac Adjac Adjac Adjac	icent Collocation - 4-Wire Cross-Connects icent Collocation - DS1 Cross-Connects icent Collocation - DS3 Cross-Connects icent Collocation - 2-Fiber Cross-Connect icent Collocation - 2-Fiber Cross-Connect icent Collocation - 4-Fiber Cross-Connect icent Collocation - Application Fee icent Collocation - 120V, Single Phase Standby Power Rate AC Breaker Amp icent Collocation - 240V, Single Phase Standby Power Rate AC Breaker Amp icent Collocation - 120V, Three Phase Standby Power Rate AC Breaker Amp icent Collocation - 277V, Three Phase Standby Power Rate AC Breaker Amp			UEA,UHL,UDL,UCL, CLOAC USL,CLOAC CLOAC CLOAC CLOAC CLOAC CLOAC	PE1P4 PE1P1 PE1P3 PE1F2 PE1F4	0.598 0.1196 1.04 14.12 2.39	24.95 25.14 44.19	23.97 24.11	11.80 12.15	10.67 10.93	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Adjac Adjac Adjac Adjac Adjac Adjac Adjac Adjac Adjac Adjac Adjac Adjac Adjac Adjac Adjac	icent Collocation - 4-Wire Cross-Connects icent Collocation - DS1 Cross-Connects icent Collocation - DS3 Cross-Connects icent Collocation - 2-Fiber Cross-Connect icent Collocation - 2-Fiber Cross-Connect icent Collocation - 4-Fiber Cross-Connect icent Collocation - Application Fee icent Collocation - 120V, Single Phase Standby Power Rate AC Breaker Amp icent Collocation - 240V, Single Phase Standby Power Rate AC Breaker Amp icent Collocation - 120V, Three Phase Standby Power Rate AC Breaker Amp icent Collocation - 277V, Three Phase Standby Power Rate AC Breaker Amp			UEA,UHL,UDL,UCL, CLOAC USL,CLOAC CLOAC CLOAC CLOAC CLOAC CLOAC	PE1P4 PE1P1 PE1P3 PE1F2 PE1F4	0.1196 1.04 14.12 2.39	25.14 44.19	24.11	12.15	10.93						<u> </u>
Adjac Adjac Adjac Adjac Adjac	Ident Collocation - DS1 Cross-Connects Ident Collocation - DS3 Cross-Connects Ident Collocation - 2-Fiber Cross-Connect Ident Collocation - 4-Fiber Cross-Connect Ident Collocation - 4-Fiber Cross-Connect Ident Collocation - 4-Fiber Cross-Connect Ident Collocation - 120V, Single Phase Standby Power Rate Ident Collocation - 240V, Single Phase Standby Power Rate Ident Collocation - 240V, Single Phase Standby Power Rate Ident Collocation - 120V, Three Phase Standby Power Rate Ident Collocation - 120V, Three Phase Standby Power Rate Ident Collocation - 277V, Three Phase Standby Power Rate Ident Collocation - 277V, Three Phase Standby Power Rate Ident Collocation - 277V, Three Phase Standby Power Rate Ident Collocation - 277V, Three Phase Standby Power Rate Ident Collocation - 277V, Three Phase Standby Power Rate Ident Collocation - 277V, Three Phase Standby Power Rate Ident Collocation - 277V, Three Phase Standby Power Rate Ident Collocation - 277V, Three Phase Standby Power Rate Ident Collocation - 277V, Three Phase Standby Power Rate			CLOAC USL,CLOAC CLOAC CLOAC CLOAC CLOAC CLOAC	PE1P1 PE1P3 PE1F2 PE1F4	1.04 14.12 2.39	44.19									ı
Adjac Adjac	Ident Collocation - DS1 Cross-Connects Ident Collocation - DS3 Cross-Connects Ident Collocation - 2-Fiber Cross-Connect Ident Collocation - 4-Fiber Cross-Connect Ident Collocation - 4-Fiber Cross-Connect Ident Collocation - 4-Fiber Cross-Connect Ident Collocation - 120V, Single Phase Standby Power Rate Ident Collocation - 240V, Single Phase Standby Power Rate Ident Collocation - 240V, Single Phase Standby Power Rate Ident Collocation - 120V, Three Phase Standby Power Rate Ident Collocation - 120V, Three Phase Standby Power Rate Ident Collocation - 277V, Three Phase Standby Power Rate Ident Collocation - 277V, Three Phase Standby Power Rate Ident Collocation - 277V, Three Phase Standby Power Rate Ident Collocation - 277V, Three Phase Standby Power Rate Ident Collocation - 277V, Three Phase Standby Power Rate Ident Collocation - 277V, Three Phase Standby Power Rate Ident Collocation - 277V, Three Phase Standby Power Rate Ident Collocation - 277V, Three Phase Standby Power Rate Ident Collocation - 277V, Three Phase Standby Power Rate			USL,CLOAC CLOAC CLOAC CLOAC CLOAC CLOAC	PE1P1 PE1P3 PE1F2 PE1F4	1.04 14.12 2.39	44.19									
Adjac Adjac Adjac Adjac Adjac Adjac Adjac Per A Adjac Per A Adjac Per A Adjac Per A Adjac Per A Adjac Per A Adjac	cent Collocation - DS3 Cross-Connects cent Collocation - 2-Fiber Cross-Connect cent Collocation - 4-Fiber Cross-Connect cent Collocation - Application Fee cent Collocation - 120V, Single Phase Standby Power Rate AC Breaker Amp cent Collocation - 240V, Single Phase Standby Power Rate AC Breaker Amp cent Collocation - 120V, Three Phase Standby Power Rate AC Breaker Amp cent Collocation - 120V, Three Phase Standby Power Rate AC Breaker Amp cent Collocation - 277V, Three Phase Standby Power Rate AC Breaker Amp			CLOAC CLOAC CLOAC CLOAC	PE1P3 PE1F2 PE1F4	14.12 2.39			11.93	10.81						
Adjac Adjac Adjac Adjac Adjac per A	icent Collocation - 2-Fiber Cross-Connect icent Collocation - 4-Fiber Cross-Connect icent Collocation - Application Fee icent Collocation - 120V, Single Phase Standby Power Rate AC Breaker Amp icent Collocation - 240V, Single Phase Standby Power Rate AC Breaker Amp icent Collocation - 120V, Three Phase Standby Power Rate AC Breaker Amp icent Collocation - 277V, Three Phase Standby Power Rate AC Breaker Amp icent Collocation - 277V, Three Phase Standby Power Rate AC Breaker Amp			CLOAC CLOAC CLOAC	PE1F2 PE1F4	2.39		30.69	13.71	11.04						
Adjac	icent Collocation - 4-Fiber Cross-Connect icent Collocation - Application Fee icent Collocation - 120V, Single Phase Standby Power Rate AC Breaker Amp icent Collocation - 240V, Single Phase Standby Power Rate AC Breaker Amp icent Collocation - 120V, Three Phase Standby Power Rate AC Breaker Amp icent Collocation - 277V, Three Phase Standby Power Rate AC Breaker Amp			CLOAC CLOAC	PE1F4		41.93	30.69	13.71	11.04						
Adjac Adjac Adjac per A	Ident Collocation - Application Fee Ident Collocation - 120V, Single Phase Standby Power Rate AC Breaker Amp Ident Collocation - 240V, Single Phase Standby Power Rate AC Breaker Amp Ident Collocation - 120V, Three Phase Standby Power Rate AC Breaker Amp Ident Collocation - 277V, Three Phase Standby Power Rate AC Breaker Amp AC Breaker Amp			CLOAC			51.14	39.90	17.96	15.29						
Adjac per A Adjac per A Adjac per A Adjac per A Adjac	Icent Collocation - 120V, Single Phase Standby Power Rate AC Breaker Amp accent Collocation - 240V, Single Phase Standby Power Rate AC Breaker Amp Icent Collocation - 120V, Three Phase Standby Power Rate AC Breaker Amp Icent Collocation - 277V, Three Phase Standby Power Rate AC Breaker Amp AC Breaker Amp				FLIJB	4.57	1,555.00	39.90	17.50	13.29						
per A Adjac per A Adjac per A Adjac per A Adjac	AC Breaker Amp  cent Collocation - 240V, Single Phase Standby Power Rate AC Breaker Amp  cent Collocation - 120V, Three Phase Standby Power Rate AC Breaker Amp  cent Collocation - 277V, Three Phase Standby Power Rate AC Breaker Amp			CLOAC			1,000.00									
Adjac per A Adjac per A Adjac per A Adjac	cent Collocation - 240V, Single Phase Standby Power Rate AC Breaker Amp cent Collocation - 120V, Three Phase Standby Power Rate AC Breaker Amp cent Collocation - 277V, Three Phase Standby Power Rate AC Breaker Amp			OLOAO	PE1FB	5.39										i
per A Adjac per A Adjac per A Adjac per A Adjac per A	AC Breaker Amp cent Collocation - 120V, Three Phase Standby Power Rate AC Breaker Amp cent Collocation - 277V, Three Phase Standby Power Rate AC Breaker Amp				ILIID	5.55										
per A Adjac per A Adjac per A	AC Breaker Amp Icent Collocation - 277V, Three Phase Standby Power Rate AC Breaker Amp			CLOAC	PE1FD	10.79										
Adjad per A Adjad per A	icent Collocation - 277V, Three Phase Standby Power Rate AC Breaker Amp			CLOAC	PE1FE	16.18										i
Adjac per A																
per A	icent Conocation - 240V, Three Phase Standby Power Rate			CLOAC	PE1FG	38.27										
DIII/010 11	AC Breaker Amp			CLOAC	PE1JD	37.37										
PHYSICAL COLLOC	CATION IN THE REMOTE SITE															
Phys	sical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		608.18	608.17	323.63	323.63						
Cabir	inet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	224.82										
Phys	sical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		25.88	25.88								
Physi	sical Collocation in the Remote Site - Space Availability			0, 000	25.422											
	ort per Premises Requested			CLORS	PE1SR		229.02	229.02								
	sical Collocation in the Remote Site - Remote Site CLLI			01.000	DEADE		74.00	74.00								i
	e Request, per CLLI Code Requested			CLORS CLORS	PE1RE PE1RR		74.22 232.88	74.22								
	note Site DLEC Data (BRSDD), per Compact Disk, per CO CATION IN THE REMOTE SITE - ADJACENT			CLURS	PEIKK		232.00		-							
PHISICAL COLLOC	CATION IN THE REMOTE SITE - ADJACENT								-							
Remo	note Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
Rem	note Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										Ī
	note Site-Adjacent Collocation-Application Fee			CLORS	PE1RU	201	755.62	755.62								
	curity Escort and/or Add'l Engineering Fees become nece	essary f	or rem			ill negotiate ar										
VIRTUAL COLLOCA			T													
Virtua	al Collocation - Application Fee			AMTFS	EAF		2,848.30	2,848.30					19.99	19.99		
	al Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX		2,750.00	2,750.00					19.99	19.99		
	al Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	3.20										
Virtua	al Collocation - Power, per fused amp			AMTFS	ESPAX	3.48										
Virtua cable	al Collocation - Cable Support Structure, per entrance			AMTFS	ESPSX	13.35										
Cable				UEANL,UEA,UDN,U	LOFOX	13.33										
				DC,UAL,UHL,UCL,U												i
				EQ, AMTFS, UDL,												i
				UNCVX, UNCDX,												1
Virtua	al Collocation - 2-wire Cross Connects (loop)			UNCNX	UEAC2	0.0283	24.56	23.56	9.20	8.30			19.99	19.99	19.99	19.99
				UEA,UHL,UCL,UDL,												i
	al Collegation Assistance Court College			AMTFS, UAL, UDN,	LIEAO.											
Virtua	al Collocation - 4-wire Cross Connects (loop)			UNCVX, UNCDX	UEAC4	0.0566	24.75	23.70	9.03	8.10			19.99	19.99	19.99	19.99
				AMTFS,UDL12,	]											•
				UDLO3, U1T48,	j											1
				U1T12, U1T03, ULDO3, ULD12.	j											1
\ first	al Collocation - 2-Fiber Cross Connects			ULD48, UDF	CNC2F	2.88	41.72	30.36	10.43	8.36			2.20	2.20		

COLLOCAT	ION - Georgia													ment: 4	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
				AMTFS,UDL12,			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 4-Fiber Cross Connects			UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	5.76	51.03	39.67	13.71	11.65			2.20	2.20		
	Virtual collocation - Special Access & UNE, cross-connect per DS1			USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1	CNC1X	7.50	155.00	14.00					19.99	19.99		
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	56.25	151.90	11.83					19.99	19.99		
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot			AMTFS	VE1CB	0.0023										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0034										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	VE1CC		553.43						19.99			
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE		553.43						19.99			
	Virtual Collocation Cable Records - per request Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS AMTFS	VE1BA VE1BB		1,706.00 922.38	1,706.00 922.38								
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair			AMTFS	VE1BC		18.00	18.00								
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		8.43	8.43								
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		29.49	29.49								†
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber			,	*2.02		20.10	20.10								
	records			AMTFS	VE1BF		278.61	278.61								
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		41.00	25.00					19.99	19.99		
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		48.00	30.00					19.99	19.99		
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		55.00	35.00					19.99	19.99		
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		30.64	30.64					19.99	19.99		
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		35.77	35.77					19.99	19.99		
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		40.90	40.90					19.99	19.99		
VIRTUAL COL																
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.30	12.60	12.60					18.94	8.42		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.30	12.60	12.60					18.94	8.42		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.30	12.60	12.60					18.94	8.42		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.30	12.60	12.60					18.94	8.42		
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.30	12.60	12.60					18.94	8.42		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.30	12.60	12.60					18.94	8.42		
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0.50	12.60	12.60					18.94	8.42		

COLL	OCATI	ON - Kentucky												Attach	ment: 4	Evhi	bit: B
COLL	OCAII	ON - Rentucky	1			1						Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				,				
OA.L		KATE EEEMENTO	m	20110	200	0000			TOTAL CO			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates (\$)	l .	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
									7144.	101	71441	0020					
PHYSI	CAL CO	LLOCATION															
	1	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
		Wire Analog - Res			UEPSR	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
		Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
		Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
		Wire Analog - Bus			UEPSB	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															1
L	<u></u>	Wire ISDN	<u> </u>	<u> </u>	UEPSX	PE1R2	0.0333	24.68	23.68	12.14	10.95	<u></u>	7.86				1
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
		Wire ISDN	<u> </u>		UEPTX	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				<u> </u>
		Physical Collocation 4-Wire Cross Connect, Exchange Port 4-	1														1
		Wire ISDN DS1			UEPEX	PE1R4	1.48	44.23	31.98	12.81	11.57		7.86				
PHYSI	CAL CO	LLOCATION															
		Physical Collocation - Application Fee - Initial			CLO	PE1BA		3,773.54	3,773.54								
		Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		3,145.35	3,145.35								
		Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		742.12									
		Physical Collocation - Space Preparation - Firm Order															
		Processing			CLO	PE1SJ		1,206.07	1,206.07								
		Physical Collocation - Space Preparation - C.O. Modification per			0.0	55.00											
		square ft.			CLO	PE1SK	2.32										
		Physical Collocation - Space Preparation - Common Systems			0.0	55.00											
-		Modification per square ft Cageless			CLO	PE1SL	3.26										
		Physical Collocation - Space Preparation - Common Systems			CLO	PE1SM	110.57										
-		Modification per Cage Physical Collocation - Cable Installation		<u> </u>	CLO	PE1BD	110.57	1,729.11		45.16							$\vdash$
		Physical Collocation - Cable Installation  Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	7.99	1,729.11		45.10		1					
		Physical Collocation - Floor Space per Sq. Ft.  Physical Collocation - Cable Support Structure, Per Entrance			CLO	PEIFJ	7.99					1					
		Cable			CLO	PE1PM	19.86										
		Physical Collocation - Power -48V DC Power, per Fused Amp			CLO	PE1PL	8.06										
		Physical Collocation - Power Reduction, Application Fee	<u> </u>		CLO	PE1PR	0.00	399.50									
		r nyoloar concoalion i choi neadollon, i ppiloalion i co	<u> </u>		020			000.00									
		Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	5.44										
			<b>†</b>			1 2 2	0.44										
		Physical Collocation - 240V, Single Phase Standby Power Rate	1		CLO	PE1FD	10.88						1				1
	1	. 5	1			1				İ					l	l	
		Physical Collocation - 120V, Three Phase Standby Power Rate	1		CLO	PE1FE	16.32						1				1
																	1
	<u></u>	Physical Collocation - 277V, Three Phase Standby Power Rate	<u>L</u>	<u></u>	CLO	PE1FG	37.68			<u> </u>		<u> </u>	<u></u>		<u> </u>	<u> </u>	<u>1</u> '
		·															
1			1		UEANL,UEA,UDN,U												1 '
					DC,UAL,UHL,UCL,U												
					EQ, UDL, UNCVX,												
	<u> </u>	Physical Collocation - 2-Wire Cross-Connects			UNLDX, UNCNX	PE1P2	0.0333	24.68	23.68	12.14	10.95						
					CLO, UAL, UDL,				·								1
			1	1	UDN, UEA, UHL,					Ì			1				1 '
			1		UNCVX, UNCDX,												1
	<u> </u>	Physical Collocation - 4-Wire Cross-Connects	<u> </u>		UCL	PE1P4	0.0665	24.88	23.82	12.77	11.46				ļ	ļ	<b>├</b>
1			1		CLO,UEANL,UEQ,W	1							1				1
1			1	1	DS1L,WDS1S, USL,					Ì			1				1
			1		U1TD1, UXTD1,	I							1				1
			1		UNC1X, ULDD1, USLEL, UNLD1,	I							1				1
		Physical Collocation - DS1 Cross-Connects	1		UDL	PE1P1	1.48	44.23	31.98	12.81	11.57						1
L	<u> </u>	i nysicai conocation - Do i cross-connects	1	<u> </u>	UDL	I FIFT	1.40	44.23	31.80	12.01	11.57	1	L		l	L	<u> </u>

COLLOCAT	ION - Kentucky												Δttach	ment: 4	Fyhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge -		Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						5	Nonrec	urring	Nonrecurring	Disconnect		<u> </u>	OSS	Rates (\$)		L
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - DS3 Cross-Connects			CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3, UDL CLO, ULDO3, ULD12, ULD48,	PE1P3	18.89	41.93	30.51	14.75	11.83						
				U1TO3, U1T12, U1T48, UDLO3,												
	Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF	PE1F2	3.75	41.93	30.51	14.76	11.84						
	Physical Collocation - 4-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F4	6.65	51,29	39.87	19.41	16.49						
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	184.97	01.20	00.01		10.10				İ		
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	18.14										
	Physical Collocation - Security Access System - Security System per Central Office			CLO	PE1AX	76.10										
	Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PE1A1	0.058	55.79	55.79								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		15.64	15.64								
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		45.74	45.74								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.29	26.29								
	Physical Collocation - Security Access - Key, Replace Lost or															
	Stolen Key, per Key			CLO	PE1AL		26.29	26.29								
	Physical Collocation - Space Availability Report per premises  POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			CLO UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX	PE1SR PE1PE	0.113	2,158.67	2,158.67								
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX	PE1PF	0.23										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			UEANIL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, WDS1L, W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1 UEANIL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1,	PE1PG	1.60										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UNLD3, UDL, UDLSX	PE1PH	14.23										<u> </u>

COLLO	CATI	ON - Kentucky												Attach	ment: 4	Exhi	ibit: B
CATEGOR		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
							Rec		curring		Disconnect				Rates (\$)		-
		POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1T03, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	48.57	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	65.50										
		Physical Collocation - Request Resend of CFA Information, per															
-		CLLI Nonrecurring Collocation Cable Records - per request		1	CLO CLO	PE1C9 PE1CR		77.55 1,524.45	980.01	267.02		1					1
		Nonrecurring Collocation Cable Records - per request  Nonrecurring Collocation Cable Records - VG/DS0 Cable, per			CLO	PETCR		1,524.45	980.01	267.02							
		cable record			CLO	PE1CD		656.37	656.37	379.70							
		Nonrecurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO		9.65	9.65	11.84	11.84						
		Nonrecurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		4.52	4.52	5.54	5.54						1
		Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		15.81	15.81	19.39	19.39						
		Nonrecurring Collocation Cable Records - Fiber Cable, per 99															
-		fiber records Physical Collocation - Security Escort - Basic, per Half Hour			CLO CLO,CLORS	PE1CB PE1BT		169.63 33.98	169.63 21.53	154.85	154.85						<del> </del>
		Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		44.26	27.81								
		Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		54.54	34.09								
		V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV		33.00	0 1100								
		V to P Conversion, Per Customer Request-DS0			CLO	PE1BO		33.00									
		V to P Conversion, Per Customer Request-DS1			CLO	PE1B1		52.00									
-		V to P Conversion, Per Customer request-DS3 V to P Conversion, Per Customer Request per VG Circuit			CLO	PE1B3		52.00		<b>-</b>							-
		Reconfigured			CLO	PE1BR		23.00									
		V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured V to P Conversion, Per Customer Request per DS1 Circuit			CLO	PE1BP		23.00									
		Reconfigured			CLO	PE1BS		33.00									
		V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE		37.00									
		V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof Physical Collocation - Co-Carrier Cross Connects - Fiber Cable			CLO	PE1B7		592.00									
		Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.0012										
		Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft. Physical Collocation - Co-Carrier Cross Connects Only -			CLO, UE3, USL	PE1DS	0.0018										
		Application Fee, per application Physical Collocation - Application to Augment Exsisting Space -			CLO	PE1DT		584.20									
		Simple Physical Collocation - Application to Augment Exsisting Space -			CLO	PE1KS		594.98		1.21							
		Minor			CLO	PE1KM		834.26		1.21							
		Physical Collocation - Application to Augment Exsisting Space - Intermediate			CLO	PE1K1		1,059.00		1.21							
ADJACEN		Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0173					<u> </u>					<u> </u>
$\vdash$		Adjacent Collocation - Space Charge per Sq. Ft.  Adjacent Collocation - Electrical Facility Charge per Linear Ft.	-	-	CLOAC	PE1JC	5.35			+	-			-	-	-	1

COLI	OCAT	ON - Kentucky												Attach	ment: 4	Exhi	hit: B
3322												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect		l	oss	Rates (\$)	l	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.0258	24.68	23.68	12.14	10.95	JONILO	JONAN	JONAN	JOHAN	JOHAN	JOINAN
		Adjacent Conocation - 2-wife Cross-Connects		1	UEA,UHL,UDL,UCL,	FLIFZ	0.0236	24.00	23.00	12.14	10.93						
		Adiana Callagation A Miss Const Constant			CLOAC	PE1P4	0.0545	24.88	22.02	12.77	44.40						
		Adjacent Collocation - 4-Wire Cross-Connects					0.0515		23.82		11.46						
		Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1.37	44.23	31.98	12.81	11.57						
		Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	18.61	41.93	30.51	14.75	11.83						
		Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	3.15	41.93	30.51	14.76	11.84						
		Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	6.02	51.29	39.87	19.41	16.49						
		Adjacent Collocation - Application Fee			CLOAC	PE1JB		3,165.50									
		Adjacent Collocation - 120V, Single Phase Standby Power Rate															
		per AC Breaker Amp			CLOAC	PE1FB	5.44										
		Adjacent Collocation - 240V, Single Phase Standby Power Rate															
		per AC Breaker Amp		J	CLOAC	PE1FD	10.88					l	l				
	t	Adjacent Collocation - 120V, Three Phase Standby Power Rate	t			i -				† 1			1		1	1	
		per AC Breaker Amp			CLOAC	PE1FE	16.32					l	l				
-	<del>                                     </del>	Adjacent Collocation - 277V, Three Phase Standby Power Rate	<del>                                     </del>	<del>                                     </del>	020,10		10.02			<del>                                     </del>			l		1	1	
		per AC Breaker Amp			CLOAC	PE1FG	37.68					l	l				
DUVO	L		1	<del>                                     </del>	ULUAU	FEIFG	37.68			<del>                                     </del>					1	<del>                                     </del>	
PHYSIC	CAL CO	LLOCATION IN THE REMOTE SITE			01.000	55.15.1		0.42.20		202.00							
		Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		617.78		338.89							
		Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	219.67										
		Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		26.29									
		Physical Collocation in the Remote Site - Space Availability															
		Report per Premises Requested			CLORS	PE1SR		232.64									
		Physical Collocation in the Remote Site - Remote Site CLLI															
		Code Request, per CLLI Code Requested			CLORS	PE1RE		75.40									
		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.42									
PHYSI	CAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT			020110			200.12									
	I OO	I															
		Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
		Nemote Site-Adjacent Conocation - AC Fower, per breaker amp			CLORG	FLIKS	0.21										
		Books O't Alliand Oilland's Book Estate and College			01.000	DEADT	0.404										
		Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134	=== 00	=== 00								
	L	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU	L	755.62	755.62								
		If Security Escort and/or Add'l Engineering Fees become nec	essary f	or remo	ote site collocation,	the Parties v	vill negotiate ap	opropriate rate	s.								
VIRTU	AL COL	LOCATION															
		Virtual Collocation - Application Fee			AMTFS	EAF		2,419.86	2,419.86	1.01	1.01		7.86				
		Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX		1,729.11	1,729.11	45.16	45.16		7.86				
		Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	7.99										
		Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	8.06										
		Virtual Collocation - Cable Support Structure, per entrance				Ì				į i			l				
1	1	cable	1		AMTFS	ESPSX	17.38						1			l	
	t		t		UEANL,UEA,UDN,U		50			† 1			1		1	1	
					DC,UAL,UHL,UCL,U												
1					EQ, AMTFS, UDL,	]	]			1		]	l		1	1	
					UNCVX, UNCDX,							l	l				
1	1	Vistori Callagation 2 min Casa Contract (1999)	1			LIEAGO	0.0000	04.00	20.00	10.11	10.0=		7.00			l	
<u> </u>	<b>!</b>	Virtual Collocation - 2-wire Cross Connects (loop)	<b>!</b>	$\vdash \vdash \downarrow$	UNCNX	UEAC2	0.0309	24.68	23.68	12.14	10.95		7.86		-	1	
1	1		1		UEA IIII 1101 1151	1	]						1			l	
1	1		1		UEA,UHL,UCL,UDL,	1	]						1			İ	
1	1		1		AMTFS, UAL, UDN,	l							1			İ	
		Virtual Collocation - 4-wire Cross Connects (loop)			UNCVX, UNCDX	UEAC4	0.0619	24.88	23.82	12.77	11.46		7.86				
	1		1		AMTFS,UDL12,	1	]					1	1				
1	1		1		UDLO3, U1T48,	1	]						1			İ	
					U1T12, U1T03,							l	l				
1					ULDO3, ULD12,	]	]			1		]	l		1	1	
1	1	Virtual Collocation - 2-Fiber Cross Connects	1		ULD48, UDF	CNC2F	3.80	41.94	30.51	14.76	11.84		7.86			İ	
	1		1		AMTFS,UDL12,	- · · •	3.50		00.01						t	<del> </del>	
	1		1		UDLO3, U1T48,	1	]						1			İ	
1	1		1		U1T12, U1T03,	1	]						1			İ	
1	1		1		ULDO3, ULD12,	1	]						1			İ	
1	1	Virtual Collocation - 4-Fiber Cross Connects	1		ULDO3, ULD12, ULD48, UDF	CNC4F	7.59	51.29	39.87	19.41	16.49		7.86			İ	
	1	virtual Collocation - 4-Fiber Cross Connects	<u> </u>	<u>1 1 </u>	ULD48, UDF	CNC4F	7.59	51.29	39.87	19.41	16.49	l	7.86		1	L	

COLLOCAT	ION - Kentucky				1 -			ment: 4		ibit: B						
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES (\$)					Submitted Elec	Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
				LIOL LILO ANTEO			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual collocation - Special Access & UNE, cross-connect per DS1			USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1	CNC1X	1.48	44.23	31.98	12.81	11.57						
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	18.89	41.93	30.51	14.75	11.83						
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure, per linear foot Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			AMTEC	VE1CB	0.003										<del>                                     </del>
	Cable Support Structure, per linear ft  Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			AMTFS	VE1CD	0.0045										+
	Support Structure, per cable			AMTFS	VE1CC		535.55									
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE		535.55									
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		1,524.45	980.01	267.02	267.02						
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS	VE1BB		656.37	656.37	379.70	379.70						
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair			AMTFS	VE1BC		9.65	9.65	11.84	11.84						
	Virtual Collocation Cable Records -DS1, per T1TIE			AMTFS	VE1BD		4.52	4.52	5.54	5.54						
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		15.81	15.81	19.39	19.39						<u> </u>
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	VE1BF		169.63	169.63	154.85	154.85						
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		33.98	21.53								
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		44.26	27.81								
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		54.54	34.09								
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		56.07	21.53								
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		73.23	27.81								<u> </u>
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		90.39	34.09								
VIRTUAL COL																
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86				
	Wire Line Side PBX Trunk - Bus Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86			1	
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86				
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86				
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R2	1.48	44.23	31.98	12.14	11.57		7.86			1	
Notes	Rates displaying an "R" in Interim column are interim and sub	iect to r	ato tru					31.98	12.01	11.37	1	1.00		1	1	+

COLLOCAT	ION - Louisiana													ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurrin	g Disconnect		•	oss	Rates (\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO																
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res			UEPSR	PE1R2	0.0318	11.94	11.46				15.20				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.0318	11.94	11.46				15.20				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Voice Grade PBX Trunk - Res		1	UEPSE	PE1R2	0.0318	11.94	11.46				15.20				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			LIEDOD	DE4D0	0.0040	44.04	44.40				45.00				
	Wire Analog - Bus Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSB	PE1R2	0.0318	11.94	11.46			1	15.20			-	
	Wire ISDN			UEPSX	PE1R2	0.0318	11.94	11.46				15.20				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN			UEPTX	PE1R2	0.0318	11.94	11.46				15.20				
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	PE1R4	0.0636	12.04	11.53				15.20				
PHYSICAL CO						0.0000										
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		1,837.24									
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		1,533.41									
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		741.97									
	Physical Collocation - Space Preparation - Firm Order Processing			CLO	PE1SJ		583.33									
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.			CLO	PE1SK	2.31										
	Physical Collocation - Space Preparation - Common Systems Modification per square ft Cageless			CLO	PE1SL	2.70										
	Physical Collocation - Space Preparation - Common Systems Modification per Cage			CLO	PE1SM	91.60										
	Physical Collocation - Cable Installation			CLO	PE1BD	91.00	841.54	841.54			1				-	
	Physical Collocation - Cable Installation  Physical Collocation - Floor Space per Sq. Ft.		1	CLO	PE1PJ	5.30	041.54	041.04								
	Physical Collocation - Cable Support Structure, Per Entrance Cable			CLO	PE1PM	18.31										
	Physical Collocation - Power -48V DC Power, per Fused Amp			CLO	PE1PL	8.32										1
				CLO	PE1FB	5.45										
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PETFB	5.45										
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	10.92										
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	16.37										
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	37.80										
	Physical Collocation - 2-Wire Cross-Connects			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX	PE1P2	0.0318	11.94	11.46								
	Physical Collocation - 4-Wire Cross-Connects			CLO, UAL, UDL, UDN, UEA, UHL, UNCVX, UNCDX, UCL	PE1P4	0.0636	12.04	11.53								
				CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1,												
	Physical Collocation - DS1 Cross-Connects			UDL	PE1P1	1.04	21.39	15.47	l		l	<u> </u>		İ	L	

COLLOCAT	ION - Louisiana												Attach	ment: 4	Fyhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrec	urrina	Nonrecurrin	g Disconnect	-			Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - DS3 Cross-Connects			CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3, UDL CLO, ULDO3, ULD12, ULD48,	PE1P3	13.21	20.28	14.76								
				U1TO3, U1T12, U1T48, UDLO3,												
1 1	Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF	PE1F2	2.62	20.28	14.76								]
	Physical Collocation - 4-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F4	4.65	24.81	19.29								
	Physical Collocation - 4-1 iber Cross-Connect  Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	184.50	24.01	19.29			+					
<del> </del>	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	18.10										
	Physical Collocation - Security System Per Central Office Per Assignable Sq. Ft.			CLO	PE1AY	0.0224										
	Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PE1A1	0.0579	27.50									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		7.74	7.74								
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		22.64	22.64								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.01	13.01								
	Physical Collocation - Security Access - Key, Replace Lost or															
	Stolen Key, per Key Physical Collocation - Space Availability Report per premises			CLO CLO	PE1AL PE1SR		13.01 1,044.07	13.01 1,044.07								
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX	PE1PE	0.079	1,044.07	1,044.07								
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX	PE1PF	0.158										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect  POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect,			UEANIL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, WDS1L, W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1 UEANIL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL,	PE1PG	1.12										
	per cross-connect			UDLSX	PE1PH	9.95										

COLLOCATI	ON - Louisiana												Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec		curring		g Disconnect				Rates (\$)		
		<u> </u>		LIEANII LIEA LIBATT			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect				PE1B2	33.96										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	45.80										
	Physical Collocation - Request Resend of CFA Information, per															
	CLLI Popurring Collection Cable Records per request			CLO CLO	PE1C9 PE1CU	10.97	77.43		1		+	1				
<del>                                     </del>	Recurring Collocation Cable Records - per request Recurring Collocation Cable Records - VG/DS0 Cable, per cable			CLO	FEICU	10.97			1		1	1	-	-		
	record	L		CLO	PE1CE	5.29					<u> </u>					
	Recurring Collocation Cable Records - VG/DS0 Cable, per each															
	100 pair Recurring Collocation Cable Records - DS1, per T1TIE			CLO CLO	PE1CT PE1C2	0.08 0.04			1	<del> </del>	1	-				
	Recurring Collocation Cable Records - DS1, per T1TIE  Recurring Collocation Cable Records - DS3, per T3TIE				PE1C2 PE1C4	0.04										
	Recurring Collocation Cable Records - Fiber Cable, per 99 fiber			CLO	FL104	0.13										
	records			CLO	PE1CG	1.37										
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		16.44	10.42								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		21.41	13.45								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		26.38	16.49								
	V to P Conversion, Per Customer Request-Voice Grade				PE1BV		33.00									
	V to P Conversion, Per Customer Request-DS0				PE1BO		33.00									
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1		52.00									
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3		52.00									
	V to P Conversion, Per Customer Request per VG Circuit Reconfigured			CLO	PE1BR		23.00									
	V to P Conversion, Per Customer Request per DS0 Circuit										<b>†</b>					
	Reconfigured			CLO	PE1BP		23.00		1							
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured			CLO	PE1BS		33.00									
	V to P Conversion, Per Customer Request per DS3 Circuit															
	Reconfigured V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof				PE1BE PE1B7		37.00 592.00									
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable			-			302.30				<b>†</b>					
	Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.001					1					
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft. Physical Collocation - Co-Carrier Cross Connects Only -			CLO, UE3, USL	PE1DS	0.0015										
	Application Fee, per application  Physical Collocation - Application to Augment Exsisting Space -			CLO	PE1DT		583.30									
	Simple			CLO	PE1KS		596.35		1.22		1					
	Physical Collocation - Application to Augment Exsisting Space - Minor			CLO	PE1KM		836.18		1.22							
	Physical Collocation - Application to Augment Exsisting Space - Intermediate			CLO	PE1K1		1,061.00		1.22							
ADJACENT CO				-			.,001.00			İ	1					
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0552										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.61										

COLI	OCATI	ION - Louisiana												Attach	ment: 4	Exhil	oit: B
JULL												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
																Disc 1st	
														1st	Add'l	DISC 1St	Disc Add'l
							_	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.0245	11.94	11.46								
					UEA,UHL,UDL,UCL,												
		Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.0491	12.04	11.53								
		Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	0.9605	21.39	15.47								
		Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	13.01	20.28	14.76								
		Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.20	20.28	14.76								
		Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	4.21	24.81	19.29								
		Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,543.20									
		Adjacent Collocation - 120V, Single Phase Standby Power Rate						,									
		per AC Breaker Amp			CLOAC	PE1FB	5.45										
		Adjacent Collocation - 240V, Single Phase Standby Power Rate				Ì						1					
		per AC Breaker Amp	1		CLOAC	PE1FD	10.92				I				Ì		
	l	Adjacent Collocation - 120V, Three Phase Standby Power Rate	1			İ					1				İ		
		per AC Breaker Amp	1		CLOAC	PE1FE	16.37				1						
		Adjacent Collocation - 277V, Three Phase Standby Power Rate	1			i -					t				1		
	1	per AC Breaker Amp	1		CLOAC	PE1FG	37.80				I				Ì		
PHYSIC	CAL CO	LLOCATION IN THE REMOTE SITE			020710		01.00										
	1	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		298.80	298.80								
		Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	225.39	200.00	200.00								
		Cabinet opace in the remote cite per Bay react			020110		220.00										
		Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.01	13.01								
		Physical Collocation in the Remote Site - Space Availability			OLORO	LIND		10.01	10.01								
		Report per Premises Requested			CLORS	PE1SR		112.52	112.52								
		Physical Collocation in the Remote Site - Remote Site CLLI			OLONO	LIOI		112.02	112.02								
		Code Request, per CLLI Code Requested			CLORS	PE1RE		36.47	36.47								
		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.21	30.47								
DHYSI	CAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT			OLONO	LIKK		200.21									
111101	JAL OU	LEGORATION IN THE REMOTE SITE - ADDAGENT									1	1					
		Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
		remote one-Adjacent conocation - Ac I ower, per breaker amp			CLOIKO	LIKO	0.21										
		Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
		Remote Site-Adjacent Collocation-Real Estate, per square root			CLORS	PE1RU	0.134	755.62	755.62								
-	NOTE:	If Security Escort and/or Add'l Engineering Fees become nec	occary (	for rome			vill pogotiato a				-						
VIDTII		LOCATION	essai y	Or reine	ote site conocation,	lile Failles v	in negotiate a	opropriate rate	3.		-						
VIKTO	AL COL	Virtual Collocation - Application Fee			AMTFS	EAF		1,770,40			-		15.20				
-		Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX		841.54			-		15.20				
-	1	Virtual Collocation - Cable Installation Cost, per cable Virtual Collocation - Floor Space, per sq. ft.	1		AMTFS	ESPVX	3.20	041.04			<del></del>	1	15.20		-		
-	-		<del>                                     </del>	$\vdash$	AMTFS	ESPAX	3.20 8.32				<del>                                     </del>	1					
-	<del>                                     </del>	Virtual Collocation - Power, per fused amp Virtual Collocation - Cable Support Structure, per entrance	<del> </del>		MINITO	LJFAA	0.32			-	-				-		
	1	cable	1		AMTFS	ESPSX	16.02				I				Ì		
-	<del>                                     </del>	Cable	<del> </del>		UEANL,UEA,UDN,U	EOPOX	16.02			-	-				-		
			1								1						
1			1		DC,UAL,UHL,UCL,U		]				I				Ì		
	1		1		EQ, AMTFS, UDL,	1	]				1	I	]		l		
		Maria Callanatia a Caria Cara Cara (fara)	1		UNCVX, UNCDX,	115 400	0.0000	44.54	44 **		1		45.00				
<u> </u>	<u> </u>	Virtual Collocation - 2-wire Cross Connects (loop)	<b>!</b>	<b> </b>	UNCNX	UEAC2	0.0296	11.94	11.46		<b>.</b>		15.20		1		
			1								1						
	1		1		UEA,UHL,UCL,UDL,	1	]				1	I	]		l		
1		Vistoria Callagation Assista Casas Communication	1		AMTFS, UAL, UDN,	LIEACA	0.050:	40.01	44.50		I		45.00		Ì		
<u> </u>	<u> </u>	Virtual Collocation - 4-wire Cross Connects (loop)	<b>!</b>	<b> </b>	UNCVX, UNCDX	UEAC4	0.0591	12.04	11.53		<b>.</b>		15.20		1		
			1		AMTFS,UDL12,		]				I				Ì		
1			1		UDLO3, U1T48,		]				I				Ì		
			1		U1T12, U1T03,						1						
			1		ULDO3, ULD12,	l	_				1						
<b></b>	ļ	Virtual Collocation - 2-Fiber Cross Connects	ļ		ULD48, UDF	CNC2F	2.65	20.29	14.76		<b>.</b>		15.20		ļ		
			1		AMTFS,UDL12,						1						
1			1		UDLO3, U1T48,		]				I				Ì		Į.
			1		U1T12, U1T03,						1						
	1		1		ULDO3, ULD12,	l	]				I				Ì		
		Virtual Collocation - 4-Fiber Cross Connects			ULD48, UDF	CNC4F	5.31	24.81	19.29		l .	l	15.20		<u>l</u>		

COLLOCAT	ION - Louisiana			ı		,						1 -		ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted Manually	Order vs. Electronic- 1st	Charge - Manual Svo Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs.
						Rec	Nonrec			g Disconnect				Rates (\$)		
				LIOL LILO ANTEO			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual collocation - Special Access & UNE, cross-connect per DS1			USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1	CNC1X	1.04	21.39	15.47				15.20				
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	13.21	20.28	14.76				15.20				
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot			AMTFS	VE1CB	0.0024										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax  Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0024										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			7411110	12.05	0.0000										1
	Support Structure,per cable			AMTFS	VE1CC		534.79					15.20				
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE		534.79					15.20				
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA	10.97	554.79					15.20				+
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable			744111 0	VEIDA	10.57										1
	record			AMTFS	VE1BB	5.29										
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair			AMTFS	VE1BC	0.08										
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD	0.04										
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE	0.13										+
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	VE1BF	1.37										
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX	1.07	16.44	10.42				15.20				+
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		21.41	13.45				15.20				1
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		26.38	16.49				15.20				
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		27.12	10.42				15.20				
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		35.42	13.45				15.20				
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		43.72	16.49				15.20				<u> </u>
VIRTUAL COL		ļ			1	ļ					ļ			ļ	ļ	<b></b>
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.0296	11.94	11.46				15.20				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.0296	11.94	11.46				15.20				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.0296	11.94	11.46				15.20				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.0296	11.94	11.46				15.20				
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.0296	11.94	11.46				15.20				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.0296	11.94	11.46				15.20				
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0.0591	12.04	11.53				15.20				

COLL	OCATI	ON - Mississippi												Attach	ment: 4	Evhi	bit: B
COLL	OCAII	ON - Mississippi	1									Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted				Charge -
															Charge -	Charge -	
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,		Manual Svc	Manual Svc	Manual Svc
CAILG	IOK I	RATE ELEMENTS	m	Zone	603	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-				<del>                                     </del>			1	Nonrec	urrina	Monroourrin	Disconnect		l	000	Rates (\$)		
-							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
								FIISL	Auu i	FIISL	Add I	SOMEC	SUMAN	SUMAIN	SOWAN	SUMAN	SOWAN
DUVEI	AL CO	L LLOCATION										-					$\vdash$
FITTSIC	AL CO	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		<u> </u>													$\vdash$
		Wire Analog - Res			UEPSR	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				1
-		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			OLFSK	FLINZ	0.0200	12.37	11.07	0.04	3.43	-	13.73				$\vdash$
		Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				1
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			ULFSF	FLINZ	0.0200	12.37	11.07	0.04	3.43		13.73				
		Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				1
-		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			ULFSL	FLINZ	0.0200	12.37	11.07	0.04	3.43	-	13.73				$\vdash$
		Wire Analog - Bus			UEPSB	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				1
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			OLFOB	FLINZ	0.0200	12.37	11.07	0.04	3.43		13.73				
	l	Wire ISDN	1		UEPSX	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				1
	1	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	1	1	المان	I LINZ	0.0200	12.31	11.07	0.04	5.45	1	13.73				
	l	Wire ISDN	1		UEPTX	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				1
	1	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-	1	1	OLI IX		0.0200	12.31	11.07	0.04	5.45	<del>                                     </del>	13.73	1			
		Wire ISDN DS1			UEPEX	PE1R4	0.0576	12.47	11.94	6.59	5.91		15.75				1
DHASIC	AL COL	LLOCATION			OLFLX	FL IIX4	0.0376	12.47	11.54	0.39	3.91		13.73				
1111010	I	Physical Collocation - Application Fee - Initial			CLO	PE1BA		1,890.38									
		Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		1,575.69									
		Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		740.76									
		Physical Collocation - Space Preparation - Firm Order			CLO	I LIDE		740.70									
		Processing			CLO	PE1SJ		604.19									1
		Physical Collocation - Space Preparation - C.O. Modification per	-		OLO	1 2100		004.10									
		square ft.			CLO	PE1SK	2.30										1
		Physical Collocation - Space Preparation - Common Systems	-		OLO	LIOK	2.00										
		Modification per square ft Cageless			CLO	PE1SL	2.52										1
		Physical Collocation - Space Preparation - Common Systems	<u> </u>		020		2.02										
		Modification per Cage	1		CLO	PE1SM	85.67										1
		Physical Collocation - Cable Installation			CLO	PE1BD		926.27	926.27	22.62							
		Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	5.74										
		Physical Collocation - Cable Support Structure, Per Entrance															
		Cable			CLO	PE1PM	17.42										1
		Physical Collocation - Power -48V DC Power, per Fused Amp	-		CLO	PE1PL	7.33										
		Physical Collocation - Power Reduction, Application Fee	1		CLO	PE1PR		398.76									
		7															
		Physical Collocation - 120V, Single Phase Standby Power Rate	- 1		CLO	PE1FB	5.29										1
	1	Physical Collocation - 240V, Single Phase Standby Power Rate	1	1	CLO	PE1FD	10.58			Ì			1				1
		•															ſ
	<u> </u>	Physical Collocation - 120V, Three Phase Standby Power Rate	L	<u></u>	CLO	PE1FE	15.87				<u></u>			<u></u>			<u> </u>
		Physical Collocation - 277V, Three Phase Standby Power Rate	- 1		CLO	PE1FG	36.65										1
					UEANL,UEA,UDN,U												1
					DC,UAL,UHL,UCL,U												1
					EQ, UDL, UNCVX,												1
		Physical Collocation - 2-Wire Cross-Connects			UNLDX, UNCNX	PE1P2	0.0288	12.37	11.87	6.04	5.45						
1	1		1	1	CLO, UAL, UDL,	l				Ì			1				1
	l		1		UDN, UEA, UHL,												1
	1	L	1	1	UNCVX, UNCDX,	l				_	_		1				1
	<b> </b>	Physical Collocation - 4-Wire Cross-Connects	ļ	<b> </b>	UCL	PE1P4	0.0576	12.47	11.94	6.59	5.91						<b></b>
1	1		1		CLO,UEANL,UEQ,W								1				1
	1		1	1	DS1L,WDS1S, USL,	l				Ì			1				1
1	l		1		U1TD1, UXTD1,	1											1
	1		1	1	UNC1X, ULDD1,	l				Ì			1				1
	1	Physical Callegrafic PO4 Course Courses	1	1	USLEL, UNLD1,	DE 4 D 4	ا ا	00.10	40.00	0.00			1				1
<u> </u>	<b>I</b>	Physical Collocation - DS1 Cross-Connects	1	1	UDL	PE1P1	1.14	22.16	16.02	6.60	5.97		l		l		

COLLOCAT	ION - Mississippi												Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect				Rates (\$)	l	<b>-</b>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - DS3 Cross-Connects		1	CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3, UDL CLO, ULDO3,	PE1P3	14.49	21.01	15.29	7.61	6.10						
				ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,												
<b> </b>	Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF CLO, ULDO3,	PE1F2	2.87	21.01	15.29	7.61	6.10	-			ļ		<del></del>
	Physical Collocation - 4-Fiber Cross-Connect			ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F4	5.10	25.70	19.97	10.01	8.50						
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	183.20	200	10.01	10.01	0.00				İ		
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	17.97										
	Physical Collocation - Security Access System - Security System per Central Office	ı		CLO	PE1AX	75.23										
	Physical Collocation - Security Access System - New Access Card Activation, per Card	I		CLO	PE1A1	0.0576	27.95	27.95								<u> </u>
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card	1		CLO	PE1AA		7.84	7.84								
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		22.91	22.91								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.17	13.17								<del></del>
	Physical Collocation - Security Access - Key, Replace Lost or															
	Stolen Key, per Key			CLO	PE1AL		13.17	13.17								
	Physical Collocation - Space Availability Report per premises  POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect	ı	1	CLO UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX	PE1SR PE1PE	0.0867	1,081.40	1,081.40								
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX	PE1PF	0.1734										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, WDS1L, W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1 UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDD3,	PE1PG	1.22										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UNLD3, UDL, UDLSX	PE1PH	10.91										<u> </u>

COLLOCA	ATION - Mississippi												Attach	ment: 4	Exhi	ibit: B
CATEGORY		Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
						Rec	Nonred			g Disconnect				Rates (\$)		_
			ļ	LIEANII LIEA LIBATTI			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	37.26										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	50.24										
	Physical Collocation - Request Resend of CFA Information, per															
	CLLI Nonrecurring Collocation Cable Records - per request			CLO CLO	PE1C9 PE1CR		77.41 763.69	490.94	133.77							<u> </u>
	Nonrecurring Collocation Cable Records - per request  Nonrecurring Collocation Cable Records - VG/DS0 Cable, per			CLO	PETCR		763.69	490.94	133.77							
	cable record			CLO	PE1CD		328.81		190.22							
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per															
	each 100 pair			CLO	PE1CO		4.84	4.84	5.93	5.93						<b>.</b>
	Nonrecurring Collocation Cable Records - DS1, per T1TIE  Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO CLO	PE1C1 PE1C3		2.27 7.92	2.27 7.92	2.78 9.72	2.78 9.72						
<del>                                     </del>	Nonrecurring Collocation Cable Records - 533, per 13112			CLO	FLICS		1.52	1.52	5.72	9.12						
	fiber records			CLO	PE1CB		84.98	84.98	77.58	77.58						
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		17.02	10.79								1
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		22.17	13.94								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		27.32	17.08								
	V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV		33.00	17.00								
	V to P Conversion, Per Customer Request-DS0			CLO	PE1BO		33.00									
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1		52.00									
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3		52.00									
	V to P Conversion, Per Customer Request per VG Circuit Reconfigured			CLO	PE1BR		23.00									
	V to P Conversion, Per Customer Request per DS0 Circuit															1
	Reconfigured			CLO	PE1BP		23.00									
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured			CLO	PE1BS		33.00									
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE		37.00									
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof			CLO	PE1B7		592.00									
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure, per cable, per linear ft.  Physical Collocation - Co-Carrier Cross Connects - Copper/Coax		1	CLO,UDF	PE1ES	0.001			-		-					-
	Cable Support Structure, per cable, per lin. ft.  Physical Collocation - Co-Carrier Cross Connects Only -			CLO, UE3, USL	PE1DS	0.0015										
	Application Fee, per application  Physical Collocation - Application  Physical Collocation - Application to Augment Exsisting Space -			CLO	PE1DT		583.13									
	Simple			CLO	PE1KS		597.34		1.22							
	Physical Collocation - Application to Augment Exsisting Space - Minor			CLO	PE1KM		837.57		1.22							
	Physical Collocation - Application to Augment Exsisting Space - Intermediate			CLO	PE1K1		1,063.00		1.22							
ADJACENT	COLLOCATION															
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0678				ļ				ļ		<u> </u>
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	4.68				1	<u> </u>	1			l	<u> </u>

COLLO	CATI	ON - Mississippi												Attach	ment: 4	Exhil	oit: B
JULLU	JAII	он плозозаррі										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (17)			per LSK	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
																Disc 1st	
														1st	Add'l	DISC 1St	Disc Add'l
							_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	L L	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.0223	12.37	11.87	6.04	5.45						
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			UEA,UHL,UDL,UCL,												
		Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.0446	12.47	11.94	6.59	5.91						
		Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1.05	22.16	16.02	6.60	5.97						
		Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	14.27	21.01	15.29	7.61	6.10						
		Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.42	21.01	15.29	7.61	6.10						
		Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	4.62	25.70	19.97	10.01	8.50						
		Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,585.83									
		Adjacent Collocation - 120V, Single Phase Standby Power Rate						.,									
		per AC Breaker Amp			CLOAC	PE1FB	5.29										
		Adjacent Collocation - 240V, Single Phase Standby Power Rate					5.29			1		<del> </del>	<del> </del>	<b>†</b>	<del> </del>		
		per AC Breaker Amp			CLOAC	PE1FD	10.58					1	1				
<del>                                     </del>		Adjacent Collocation - 120V, Three Phase Standby Power Rate	<del>                                     </del>		525/10		10.50			1				<del> </del>	<del>                                     </del>		
		per AC Breaker Amp	1		CLOAC	PE1FE	15.87							Ì	Ì		
-		Adjacent Collocation - 277V, Three Phase Standby Power Rate			CLOAC	FLIFE	13.07										
		per AC Breaker Amp			CLOAC	PE1FG	36.65										
DUVEICA	1 00	LOCATION IN THE REMOTE SITE			CLOAC	PEIFG	30.03										
FITSICA	AL COL	Physical Collocation in the Remote Site - Application Fee	<u> </u>		CLORS	PE1RA		309.48		168.63							
-			<u> </u>		CLORS	PE1RB	210.05	309.46		100.03							
-		Cabinet Space in the Remote Site per Bay/ Rack	-		CLORS	PETRB	210.05										
		District College Control of the Description Control of the Assessment Control			01.000	DE4DD		40.47	10.17								
		Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.17	13.17								
		Physical Collocation in the Remote Site - Space Availability			0.000	55105											
		Report per Premises Requested			CLORS	PE1SR		116.54	116.54								
		Physical Collocation in the Remote Site - Remote Site CLLI															
		Code Request, per CLLI Code Requested			CLORS	PE1RE		37.77	37.77								
		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.14									
PHYSIC/	IL COL	LOCATION IN THE REMOTE SITE - ADJACENT															
		Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
		Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
		Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
		If Security Escort and/or Add'l Engineering Fees become nec	essary f	or rem	ote site collocation,	the Parties v	will negotiate ap	opropriate rate	S.								
VIRTUAL	. COLL	OCATION															
		Virtual Collocation - Application Fee			AMTFS	EAF		1,212.25		0.51			15.75				
		Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX		926.27		22.62			15.75				
		Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	5.74										
		Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	7.33										
		Virtual Collocation - Cable Support Structure, per entrance															
		cable	<u> </u>		AMTFS	ESPSX	15.24			<u>                                       </u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>		
					UEANL,UEA,UDN,U												
					DC,UAL,UHL,UCL,U												
					EQ, AMTFS, UDL,												
					UNCVX, UNCDX,												
		Virtual Collocation - 2-wire Cross Connects (loop)	1		UNCNX	UEAC2	0.0268	12.37	11.87	6.04	5.45		15.75	Ì	Ì		
		(			-	T		.=		5.51	2.10	İ	1	İ	İ		
			1		UEA,UHL,UCL,UDL,									Ì	Ì		
			1		AMTFS, UAL, UDN,							l	l	Ì	İ		
		Virtual Collocation - 4-wire Cross Connects (loop)			UNCVX, UNCDX	UEAC4	0.0536	12.47	11.94	6.59	5.91		15.75				
<del>                                     </del>		I I I I I I I I I I I I I I I I			AMTFS,UDL12,	1	3.3330			0.00	0.01			1	1		
					UDLO3, U1T48,												
			1		U1T12, U1T03,									Ì	Ì		
			1		ULDO3, ULD12,							l	l	Ì	İ		
		Virtual Collocation - 2-Fiber Cross Connects			ULD48, UDF	CNC2F	2.91	21.01	15.29	7.61	6.10		15.75				
<del>                                     </del>		The product of the cross controls	<del>                                     </del>		AMTFS,UDL12,	5.102	2.01	21.01	10.20	7.01	0.10		10.70				
			1		UDLO3, U1T48,							l	l	Ì	İ		
					U1T12, U1T03,							1	1				
			1		ULDO3, ULD12,							l	l	Ì	İ		
		Virtual Collocation - 4-Fiber Cross Connects	1		ULD48, UDF	CNC4F	5.82	25.70	19.97	10.01	8.50	l	15.75	Ì	İ		
$oxed{oxed}$		VIII GOI GOI GOI GOI GOI GOI GOI GOI GOI	1		0LD40, 0DF	OINC4F	5.02	20.70	19.97	10.01	0.50	1	10.75	1	1		

COLLOCAT	ION - Mississippi			T	1	T								ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs.
						Rec	Nonrec		Nonrecurring					Rates (\$)	T	
				USL,ULC,AMTFS,			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - Special Access & UNE, cross-connect per DS1			ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1	CNC1X	1.14	22.16	16.02	6.60	5.97		15.75				
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	14.49	21.01	15.29	7.61	6.10		15.75				
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			OBLOX, ONLBO	CIADOX	14.40	21.01	10.20	7.01	0.10		10.70				†
	Support Structure, per linear foot			AMTFS	VE1CB	0.0025										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0037										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable															1
	Support Structure,per cable  Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			AMTFS	VE1CC		534.65					15.75				<b></b>
	Cable Support Structure, per cable			AMTFS	VE1CE		534.65					15.75				
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		763.69	490.94	133.77	133.77						
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS	VE1BB		328.81	328.81	190.22	190.22						
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair			AMTFS	VE1BC		4.84	4.84	5.93	5.93						1
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		2.27	2.27	2.78	2.78						+
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		7.92	7.92	9.72	9.72						
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	VE1BF		84.98	84.98	77.58	77.58						
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		17.02	10.79	77.50	11.50		15.75				+
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX	1	22.17	13.94				15.75				†
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		27.32	17.08				15.75				1
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		28.09	10.79				15.75				1
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		36.69	13.94				15.75				
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		45.28	17.08				15.75				
VIRTUAL COL																
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				1
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				1
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
	ISDN Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire			UEPTX	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				+
	ISDN DS1 Rates displaying an "R" in Interim column are interim and sub	l	<u> </u>	UEPEX	VE1R4	0.0536	12.47	11.94	6.59	5.91	<u> </u>	15.75		ļ		<b></b>

COLLOCAT	ION - North Carolina												Attach	ment: 4	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec			g Disconnect		001111		Rates (\$)	001441	201111
-							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	LLOCATION															
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res			UEPSR	PE1R2	0.32	41.78	39.23					26.94	12.76		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			LIEDOD	DE4D0	0.00	44.70	00.00					00.04	40.70		
-	Wire Line Side PBX Trunk - Bus Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSP	PE1R2	0.32	41.78	39.23		-			26.94	12.76		
	Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.32	41.78	39.23					26.94	12.76		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		1	02. 02		0.02		00.20					20.01	12.70		
	Wire Analog - Bus			UEPSB	PE1R2	0.32	41.78	39.23					26.94	12.76		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			l												
	Wire ISDN		ļ	UEPSX	PE1R2	0.32	41.78	39.23					26.94	12.76		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	PE1R2	0.32	41.78	39.23		1			26.94	12.76		
<del>                                     </del>	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-		<b>-</b>	OLI IX	1 - 111/4	0.32	41.70	35.23		+			20.94	12.70	<b>-</b>	
	Wire ISDN DS1			UEPEX	PE1R4	0.64	41.91	39.25		1			26.94	12.76		
PHYSICAL CO																
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		2,322.00									
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		2,311.00									
-	Physical Collocation Administrative Only - Application Fee Physical Collocation - Space Preparation - Firm Order			CLO	PE1BL		741.44			-						
	Processing			CLO	PE1SJ		1,196.00									
	Physical Collocation - Space Preparation - C.O. Modification per			020	. 2.00		1,100.00									
	square ft.	- 1		CLO	PE1SK	2.42										
	Physical Collocation - Space Preparation - Common Systems															
	Modification per square ft Cageless	- 1		CLO	PE1SL	2.88										
	Physical Collocation - Space Preparation - Common Systems Modification per Cage			CLO	PE1SM	97.98										
	Space Preparation Fees - Power Per Nominal -48V Dc Amp	+		CLO	PE15M PE1FH	97.98 5.76					-					
	Physical Collocation - Cable Installation	i i	1	CLO	PE1BD	5.70	1,701.00	1,701.00			-					
	Physical Collocation - Floor Space per Sq. Ft.	i		CLO	PE1PJ	2.30	1,701.00	1,7 0 1.00			1				1	
	Physical Collocation - Cable Support Structure, Per Entrance															
	Cable	- 1		CLO	PE1PM	20.57										
	Physical Collocation - Power -48V DC Power, per Fused Amp			CLO	PE1PL	7.65										
	Physical Collocation - Power Reduction, Application Fee	ı		CLO	PE1PR		399.13									
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	5.50				1						
<del>                                     </del>	i nysicai collocation - 120v, single Filase standby Fower Rate	<u> </u>	<b>!</b>	010	LIID	5.50			1	+	1				<b> </b>	
	Physical Collocation - 240V, Single Phase Standby Power Rate	ı		CLO	PE1FD	11.01				1						
	Physical Collocation - 120V, Three Phase Standby Power Rate	- 1	<u> </u>	CLO	PE1FE	16.51				1						
	Dhusiaal Callagation 077)/ Those Dhage Ctond/ Dr. C. D.	١.		CI O	DE4EC	20.40				1						
<del>                                     </del>	Physical Collocation - 277V, Three Phase Standby Power Rate		<u> </u>	CLO	PE1FG	38.12				+	1	<del>                                     </del>			<del>                                     </del>	
	Physical Collocation - 2-Wire Cross-Connects	1		UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX	PE1P2	0.0309	33.53	31.65								
	7			CLO, UAL, UDL,			22.00	200		1					İ	
				UDN, UEA, UHL,						1						
				UNCVX, UNCDX,						1						
	Physical Collocation - 4-Wire Cross-Connects	I		UCL	PE1P4	0.0618	33.67	31.70								
				CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1,												
1	Physical Collocation - DS1 Cross-Connects			UDL	PE1P1	1.38	52.87	39.86								

COLI	OCAT	ION - North Carolina												Attach	ment: 4	Exhi	hit: B
COLL	LUCAI	- North Carollia		1								Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	Disc Add I
							Rec	Nonrec			g Disconnect				Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					CLO, UE3,U1TD3,												
					UXTD3, UXTS1,												
					UNC3X, UNCSX,												
					ULDD3,												
					U1TS1,ULDS1,		4= 00										
		Physical Collocation - DS3 Cross-Connects	- 1		UNLD3, UDL CLO, ULDO3,	PE1P3	17.62	51.97	38.59		-	1					
					ULD12, ULD48,												
					U1TO3, U1T12,												
					U1T48, UDLO3,												
		Physical Collocation - 2-Fiber Cross-Connect			UDL12. UDF	PE1F2	3.50	51.97	38.59								
		Friysical Collocation - 2-1 iber Cross-Connect			CLO, ULDO3,	FLIIZ	3.30	31.97	30.33			1					
					ULD12, ULD48,												
	1			1	U1TO3, U1T12,	1								1	1		
					U1T48, UDLO3,												
		Physical Collocation - 4-Fiber Cross-Connect	1		UDL12, UDF	PE1F4	6.20	64.53	51.15								
		Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.	i		CLO	PE1BW	0.20	559.81	01110								
		Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.	i		CLO	PE1CW		25.37									
		Physical Collocation - Security System Per Central Office Per															
		Assignable Sq. Ft.			CLO	PE1AY	0.0135										
		Physical Collocation - Security Access System - Security System															
		per Central Office	- 1		CLO	PE1AX	41.03										
		Physical Collocation - Security Access System - New Access															
		Card Activation, per Card	- 1		CLO	PE1A1	0.062	15.00									
		Physical Collocation-Security Access System-Administrative															
		Change, existing Access Card, per Request, per State, per Card	I		CLO	PE1AA		15.51									
		Physical Collocation - Security Access System - Replace Lost or															
		Stolen Card, per Card			CLO	PE1AR		15.00									
		Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		15.00									
		Physical Collocation - Security Access - Key, Replace Lost or			01.0	DE441		45.00									
-		Stolen Key, per Key Physical Collocation - Space Availability Report per premises			CLO	PE1AL PE1SR		15.00	2,140.00								
		Physical Collocation - Space Availability Report per premises	I		UEANL,UEA,UDN,U	PETSK	1	2,140.00	2,140.00								
					DC,UAL,UHL,UCL,U												
					EQ,CLO,UDL,												
		POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect,			UNCVX, UNCDX,												
	1	per cross-connect		1	UNCNX	PE1PE	0.1054							1	1		
-	1	F		<b>†</b>	UEANL,UEA,UDN,U		0.1004				1	1		<b> </b>	<b> </b>		
	1			1	DC,UAL,UHL,UCL,U	1								1	1		
		POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect,			EQ,CLO, USL,												
		per cross-connect			UNCVX, UNCDX	PE1PF	0.2108										
					UEANL,UEA,UDN,U												
					DC,UAL,UHL,UCL,U												
					EQ,CLO,WDS1L,W												
					DS1S, USL, U1TD1,												
					UXTD1, UNC1X,												
		POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect,			ULDD1, USLEL,												
	1	per cross-connect		<u> </u>	UNLD1	PE1PG	1.49				1	ļ					
					UEANL,UEA,UDN,U												
					DC,UAL,UHL,UCL,U												
	1			1	EQ,CLO,UE3,	1								1	1		
					U1TD3, UXTD3, UXTS1, UNC3X,												
	1			1	UNCSX, ULDD3,	1								1	1		
	1			1	U1TS1, ULDS1,	1								1	1		
	1	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect,		1	UNLD3, UDL,	1								1	1		
		per cross-connect			UDLSX	PE1PH	13.27										
	1	IF -: -: 00::::00t		1	1	<u>,                                    </u>	10.27				·		l	1	1		

COLLOCATI	ON - North Carolina												Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	
						Rec	Nonre		Nonrecurring					Rates (\$)		
						1.60	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	45.30										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	61.09										
	Physical Collocation - Request Resend of CFA Information, per															
	CLLI			CLO	PE1C9		77.48									
	Nonrecurring Collocation Cable Records - per request			CLO	PE1CR		1,707.00									-
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record  Nonrecurring Collocation Cable Records - VG/DS0 Cable, per			CLO	PE1CD		923.08									
	each 100 pair			CLO	PE1CO		18.02	18.02								İ
	Nonrecurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		8.43	8.43								<u> </u>
	Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		29.51	29.51								
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99															
	fiber records			CLO	PE1CB		278.82	278.82								
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		33.68	21.34								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		43.87	27.57								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		54.06	33.80								İ
	V to P Conversion, Per Customer Request-Voice Grade			CLO,CLORS CLO	PE1BV		33.00	33.00							1	<del>                                     </del>
	V to P Conversion, Per Customer Request-DS0			CLO	PE1BO		33.00									
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1		52.00								İ	
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3		52.00									
	V to P Conversion, Per Customer Request per VG Circuit															
	Reconfigured V to P Conversion, Per Customer Request per DS0 Circuit			CLO	PE1BR		23.00									<u> </u>
	Reconfigured			CLO	PE1BP		23.00									ĺ
	V to P Conversion, Per Customer Request per DS1 Circuit						20.00		1							
	Reconfigured		<u> </u>	CLO	PE1BS		33.00				<u> </u>				<u></u>	
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE		37.00									
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof			CLO	PE1B7		592.00									
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft.		l	CLO,UDF	PE1ES	0.0028										1
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax			OLO,UDF	FEIES	0.0028			1		-				<del>                                     </del>	<del></del>
	Cable Support Structure, per cable, per lin. ft. Physical Collocation - Co-Carrier Cross Connects Only -			CLO, UE3, USL	PE1DS	0.0041										1
	Application Fee, per application Physical Collocation - Application to Augment Exsisting Space -			CLO	PE1DT		583.66									
	Simple Physical Collocation - Application to Augment Exsisting Space -			CLO	PE1KS		575.93		1.16							
	Minor  Physical Collocation - Application to Augment Exsisting Space -			CLO	PE1KM		806.66		1.16							<b></b>
ADJACENT CO	Intermediate			CLO	PE1K1		1,023.00		1.16							1
ADJACENT CC	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.1555			1	-	<b> </b>		-	-	<del></del>	-
<del>                                     </del>	Adjacent Collocation - Space Charge per Sq. Ft.  Adjacent Collocation - Electrical Facility Charge per Linear Ft.		<b>-</b>	CLOAC	PE1JC	5.78			1		1	1	1	1	<del> </del>	<del>                                     </del>

COLI	OCATI	ION - North Carolina												Attach	ment: 4	Exhi	bit: B
							1					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1			-			1	Nonrec		Monroourrin	g Disconnect	1		000	Rates (\$)		
							Rec										
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.0239	33.53	31.65								
					UEA,UHL,UDL,UCL,												
		Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.0477	33.67	31.70								
		Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1.28	52.87	39.86								
		Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	17.35	51.97	38.59								
		Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.94	51.97	38.59								
		Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	5.62	64.53	51.15								
		Adjacent Collocation - Application Fee	<del>                                     </del>		CLOAC	PE1JB	0.02	3,139.00	01.10			<u> </u>					
-			1		CLOAC	I LIJD		3,133.00									
		Adjacent Collocation - 120V, Single Phase Standby Power Rate			CLOAC	DE4ES					1	1					
<u> </u>	1	per AC Breaker Amp	<u> </u>	<b> </b>	CLOAC	PE1FB	5.50			ļ	-	1	<b>.</b>	ļ		ļ	
1		Adjacent Collocation - 240V, Single Phase Standby Power Rate	1				]				1	1	I	1	1	1	
L		per AC Breaker Amp	<u> </u>		CLOAC	PE1FD	11.01				L	<u> </u>					
		Adjacent Collocation - 120V, Three Phase Standby Power Rate															
		per AC Breaker Amp			CLOAC	PE1FE	16.51				1	1					
		Adjacent Collocation - 277V, Three Phase Standby Power Rate				1	į i					1	İ				
		per AC Breaker Amp			CLOAC	PE1FG	38.12				1	1					
PHACI	CAL CO	LLOCATION IN THE REMOTE SITE	1		020.10		55.12			<u> </u>	<b>-</b>	1					
111131	T CO	Physical Collocation in the Remote Site - Application Fee	<del>                                     </del>	$\vdash$	CLORS	PE1RA	+ +	865.34	865.34	1	+	1	<del> </del>	1	1		
						PE1RB	254.02	000.34	000.34			ļ					
		Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PETRB	254.02										
		Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		26.06	26.06								
		Physical Collocation in the Remote Site - Space Availability															
		Report per Premises Requested			CLORS	PE1SR		230.60	230.60								
		Physical Collocation in the Remote Site - Remote Site CLLI															
		Code Request, per CLLI Code Requested			CLORS	PE1RE		74.74	74.74								
		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		232.94	14.14								
DUVE	CAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT	<del>                                     </del>		CLORG	I LIKK		202.04				<u> </u>					
FILISI	CAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT															
					0.000	55150											
		Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
		Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
		Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
	NOTE:	If Security Escort and/or Add'l Engineering Fees become nec	essary	or remo	ote site collocation,	the Parties v	will negotiate a	propriate rate	s.								
VIRTU		LOCATION					l i										
	1	Virtual Collocation - Application Fee	1		AMTFS	EAF		2.848.30	2,848.30					26.94	12.76		
		Virtual Collocation - Cable Installation Cost, per cable	<del>                                     </del>		AMTFS	ESPCX		2,750.00	2,750.00			<u> </u>		26.94	12.76		
-	1	Virtual Collocation - Cable Installation Cost, per cable Virtual Collocation - Floor Space, per sq. ft.	<del>                                     </del>		AMTFS	ESPVX	3.20	۷,750.00	۷,750.00	-	+	1	<del> </del>	20.94	12.70	-	
<u> </u>	1		-	<b>—</b>						1	+	1	1	1	1	<b> </b>	
L	<u> </u>	Virtual Collocation - Power, per fused amp		lacksquare	AMTFS	ESPAX	3.48					<b> </b>					
1	1	Virtual Collocation - Cable Support Structure, per entrance	1								1	I	İ	Ì			
		cable			AMTFS	ESPSX	13.35										
1			1		UEANL,UEA,UDN,U		]						1			]	
1			1		DC,UAL,UHL,UCL,U		1				1	1	I	1	1	1	
					EQ, AMTFS, UDL,						1	1					
1			1		UNCVX, UNCDX,		]				1	1	I	1	1	1	
1		Virtual Collocation - 2-wire Cross Connects (loop)	1		UNCNX	UEAC2	0.09	41.78	39.23	4.75	4.75	1	I	26.94	12.76	1	
$\vdash$	t	VIII. SSIIOOGIIOTI Z WIIO OTOGO OOTITIOOG (100p)	<del>                                     </del>	$\vdash$	JO. 1/A	JL/ 102	0.03	71.70	55.25	7.73	4.73	<del> </del>	<del> </del>	20.34	12.70	l	
					HEVITH TICL TICL						1	1					
1			1		UEA,UHL,UCL,UDL,		]				1	1	I	1	1	1	
1			1		AMTFS, UAL, UDN,							1	I			1	
		Virtual Collocation - 4-wire Cross Connects (loop)			UNCVX, UNCDX	UEAC4	0.18	41.91	39.25	4.73	4.73			26.94	12.76		
1			1		AMTFS,UDL12,		]				1	1	I	1	1	1	
1			1		UDLO3, U1T48,		1				1	1	I	1	1	1	
1			1		U1T12, U1T03,		]				1	1	I	1	1	1	
					ULDO3, ULD12,						1	1					
1		Virtual Collocation - 2-Fiber Cross Connects	1		ULD48, UDF	CNC2F	15.99	67.34	48.55		1	1	I	26.94	12.76	1	
<b>—</b>	1	VIII. SSHOOLIGH E I IDOI OFOSS CONTIDUIS	<del>                                     </del>	$\vdash$	AMTFS,UDL12,	511021	10.00	07.54	70.33	1	+	1	<del> </del>	20.34	12.70	1	
1			1				]				1	1	I	1	1	1	
					UDLO3, U1T48,	1						1	1	1			
					U1T12, U1T03,						1	1					
1	1		1		ULDO3, ULD12,						1	I	İ	Ì			
L	<u> </u>	Virtual Collocation - 4-Fiber Cross Connects	<u></u>		ULD48, UDF	CNC4F	28.74	82.35	63.56			<u> </u>		26.94	12.76		

COLLOCAT	ION - North Carolina					1					Ι -			ment: 4	1	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect				Rates (\$)		
			L .	IOL LILO ANTEO			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual collocation - Special Access & UNE, cross-connect per DS1			USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1	CNC1X	0.97	71.02	51.08					26.94	12.76		
	Virtual collocation - Special Access & UNE, cross-connect per DS3		E U U	USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	56.25	151.90	11.83					26.94	12.76		
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure, per linear foot Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			AMTFS	VE1CB	0.0028										
	Cable Support Structure, per linear ft		P	AMTFS	VE1CD	0.0041										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	VE1CC		532.72						26.94	12.76		
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per cable			AMTFS	VE1CE		532.72						26.94	12.76		
	Virtual Collocation Cable Records - per request		ı	AMTFS	VE1BA		1,707.00									
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record		,	AMTFS	VE1BB		923.08									
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair			AMTFS	VE1BC		18.02	18.02								
	Virtual Collocation Cable Records - DS1, per T1TIE		A	AMTFS	VE1BD		8.43	8.43								
	Virtual Collocation Cable Records - DS3, per T3TIE		A	AMTFS	VE1BE		29.51	29.51								
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	VE1BF		278.82	278.82								
	Virtual collocation - Security Escort - Basic, per half hour		F	AMTFS	SPTBX		41.00	25.00					26.94	12.76		
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		48.00	30.00					26.94	12.76		
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		55.00	35.00					26.94	12.76		
	Virtual collocation - Maintenance in CO - Basic, per half hour		1	AMTFS	CTRLX		30.64	30.64					26.94	12.76		
	Virtual collocation - Maintenance in CO - Overtime, per half hour		ı	AMTFS	SPTOM		35.77	35.77					26.94	12.76		
	Virtual collocation - Maintenance in CO - Premium per half hour		1	AMTFS	SPTPM		40.90	40.90					26.94	12.76		
VIRTUAL COL																
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res		l	UEPSR	VE1R2	0.09	41.78	39.23					26.94	12.76		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus		l	UEPSP	VE1R2	0.09	41.78	39.23					26.94	12.76		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.09	41.78	39.23					26.94	12.76		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.09	41.78	39.23					26.94	12.76		
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			JEPSX	VE1R2	0.09	41.78	39.23					26.94	12.76		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
	ISDN Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire		l	UEPTX	VE1R2	0.09	41.78	39.23					26.94	12.76		
	ISDN DS1			UEPEX e-up as set forth in	VE1R4	0.18	41.91	39.25					26.94	12.76		

COLL	OCATI	ON - South Carolina												Attach	ment: 4	Evhi	bit: B
COLL	JUAII						I					Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
OAIL		KATE EEEMENTO	m	20110	500	0000			TOTAL CO			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSI	CAL CO	LOCATION															·
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															i
		Wire Analog - Res			UEPSR	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				ł '
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															i
		Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				l
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															,
		Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															1
		Wire Analog - Bus			UEPSB	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															í
	<u> </u>	Wire ISDN	<u> </u>		UEPSX	PE1R2	0.0341	12.32	11.83	6.04	5.45	<u> </u>	15.69				<b></b>
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	1			DE 4 D -					_			1			ł
	ļ	Wire ISDN	ļ		UEPTX	PE1R2	0.0341	12.32	11.83	6.04	5.45	ļ	15.69				<del> </del>
		Physical Collocation 4-Wire Cross Connect, Exchange Port 4-															i '
		Wire ISDN DS1			UEPEX	PE1R4	1.12	22.08	15.96	6.42	5.80		15.69				<b></b>
PHYSIC	CAL CO	LLOCATION			01.0	55.5											<b></b>
	<u> </u>	Physical Collocation - Application Fee - Initial		<u> </u>	CLO	PE1BA		1,883.67	1,883.67								<b></b>
-		Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		1,570.10	1,570.10								<b></b>
		Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		743.66				ļ					
		Physical Collocation - Space Preparation - Firm Order Processing			CLO	PE1SJ		602.05	602.05								i '
		Physical Collocation - Space Preparation - C.O. Modification per			CLO	PETSJ		602.05	602.05			1					
		square ft.			CLO	PE1SK	2.75										ł '
-		Physical Collocation - Space Preparation - Common Systems			CLO	PEISK	2.75										
		Modification per square ft Cageless			CLO	PE1SL	3.24										ł
		Physical Collocation - Space Preparation - Common Systems			OLO	I L IOL	3.24										
		Modification per Cage			CLO	PE1SM	110.16										i '
		Physical Collocation - Cable Installation			CLO	PE1BD	110.10	794.22	794.22	22.54	22.54						
		Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	3.95										
		Physical Collocation - Cable Support Structure, Per Entrance					0.00										i
		Cable			CLO	PE1PM	21.33										í
		Physical Collocation - Power -48V DC Power, per Fused Amp			CLO	PE1PL	9.19										i
		Physical Collocation - Power Reduction, Application Fee			CLO	PE1PR		400.33									
		Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	5.67										í
								_						]			1
		Physical Collocation - 240V, Single Phase Standby Power Rate	<u></u>		CLO	PE1FD	11.36										<u> </u>
			1											]			
	<u> </u>	Physical Collocation - 120V, Three Phase Standby Power Rate	<u> </u>		CLO	PE1FE	17.03					<u> </u>					<b></b>
																	i '
		Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	39.33										<b></b> '
																	i '
			1	1	UEANL,UEA,UDN,U	l				Ì				Ì			1
					DC,UAL,UHL,UCL,U												í
		Floring College Control			EQ, UDL, UNCVX,	DE 400	0.0044	40.00	44.00	0.04	5.45						í
-	<b> </b>	Physical Collocation - 2-Wire Cross-Connects	<b>!</b>	<u> </u>	UNLDX, UNCNX	PE1P2	0.0341	12.32	11.83	6.04	5.45	}		<del> </del>			<del></del>
			1	1	CLO, UAL, UDL, UDN, UEA, UHL,	l				Ì				Ì			1
					UNCVX, UNCDX,												í
		Physical Collocation - 4-Wire Cross-Connects	1		UNCVX, UNCDX,	PE1P4	0.0682	12.42	11.90	6.40	5.74			1			i
-	1	r nysical collocation - 4-vvile cross-connects	1	1	CLO,UEANL,UEQ,W	FEIF4	0.0082	12.42	11.90	6.40	5.74	1	1				
			1		DS1L,WDS1S, USL,									1			í
			1	1	U1TD1, UXTD1,	l				Ì				Ì			1
			1	1	UNC1X, ULDD1,	l				Ì				Ì			1
					USLEL, UNLD1,												í
		Physical Collocation - DS1 Cross-Connects	1	1	UDL	PE1P1	1.12	22.08	15.96	6.42	5.80			Ì			1
	·	1, 1.1.1. Jonesans. Do i 0.000 Connocto	1				1.12	22.00	10.00	0.42	0.50		ı	1			

COLLOCAT	ION - South Carolina												Attach	ment: 4	Fxhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect				Rates (\$)		
				CLO, UE3,U1TD3,			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - DS3 Cross-Connects			UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3, UDL CLO, ULDO3, ULD12, ULD48,	PE1P3	14.21	20.94	15.23	7.39	5.93						
				U1TO3, U1T12, U1T48, UDLO3,												
	Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF	PE1F2	2.82	20.94	15.23	7.40	5.93						1
	Physical Collocation - 4-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F4	5.01	25.61	19.90	9.73	8.26						
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	219.19	20.01	10.00	0.70	0.20						
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	21.50										
	Physical Collocation - Security Access System - Security System per Central Office			CLO	PE1AX	74.72										
	Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PE1A1	0.0601	27.85	27.85								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		7.81	7.81								
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		22.83	22.83								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.13	13.13								
	Physical Collocation - Security Access - Key, Replace Lost or															
	Stolen Key, per Key			CLO	PE1AL		13.13	13.13								
	Physical Collocation - Space Availability Report per premises  POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			CLO UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX	PE1SR PE1PE	0.085	1,077.57	1,077.57								
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX	PE1PF	0.1701										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			UEANIL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, WDS1L, W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1 UEANIL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1,	PE1PG	1.20										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UNLD3, UDL, UDLSX	PE1PH	10.71										

COLLOCATI	ON - South Carolina													ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	
						Rec	Nonre		Nonrecurring					Rates (\$)		
						1130	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect				PE1B2	36.55										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	49.29										
	Physical Collocation - Request Resend of CFA Information, per			0.0	DE 100											İ
	CLLI Nonrecurring Collocation Cable Records - per request			CLO CLO	PE1C9 PE1CR		77.71 760.98	489.20	133.29	133.29						<del></del>
<b>—</b>	Nonrecurring Collocation Cable Records - per request			CLO	PEICK		760.96	469.20	133.29	133.29					1	<del></del>
	cable record			CLO	PE1CD		327.65	327.65	189.54	189.54						
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO		4.82	4.82	5.91	5.91						
	Nonrecurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		2.26	2.26	2.77	2.77					İ	
	Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		7.90	7.90	9.68	9.68						
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99															
	fiber records				PE1CB		84.68	84.68	77.30	77.30						
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		16.96	10.75							1	<del>                                     </del>
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		22.10	13.89								1
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		27.23	17.02								
	V to P Conversion, Per Customer Request-Voice Grade				PE1BV		33.00		İ						1	
	V to P Conversion, Per Customer Request-DS0				PE1BO		33.00									
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1		52.00									
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3		52.00									
	V to P Conversion, Per Customer Request per VG Circuit Reconfigured			CLO	PE1BR		23.00									
	V to P Conversion, Per Customer Request per DS0 Circuit															
	Reconfigured V to P Conversion, Per Customer Request per DS1 Circuit			CLO	PE1BP		23.00									├──
	Reconfigured			CLO	PE1BS		33.00					<u> </u>				<u> </u>
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE		37.00									
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof				PE1B7		592.00									
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable						-									
	Support Structure, per cable, per linear ft.  Physical Collocation - Co-Carrier Cross Connects - Copper/Coax			CLO,UDF	PE1ES	0.001			1			1			<del>                                     </del>	<del>                                     </del>
	Cable Support Structure, per cable, per lin. ft.  Physical Collocation - Co-Carrier Cross Connects Only -			CLO, UE3, USL	PE1DS	0.0015										<del>                                     </del>
	Application Fee, per application			CLO	PE1DT		584.42									<b></b>
	Physical Collocation - Application to Augment Exsisting Space - Simple			CLO	PE1KS		594.27		1.21							
	Physical Collocation - Application to Augment Exsisting Space - Minor			CLO	PE1KM		833.26		1.21							
	Physical Collocation - Application to Augment Exsisting Space - Intermediate				PE1K1		1,058.00		1.21							
ADJACENT CO				0_0			1,000.00		1.21							
1	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0939			1	Ì					1	
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	6.40										

COLI	OCATI	ION - South Carolina												Attach	ment: 4	Exhi	bit: B
0022	-00/11	Court Garonna										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				1		1		Nonrec	urring	Nonrecurring	Disconnoct		l .	066	Rates (\$)	l .	
				1			Rec			First		SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		A Francis College Control Control			01.040	DE 4 DO	0.0004	First	Add'I		Add'l	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
		Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.0264	12.32	11.83	6.04	5.45						
					UEA,UHL,UDL,UCL,												
		Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.0527	12.42	11.90	6.40	5.74						
		Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1.03	22.08	15.96	6.42	5.80						
		Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	14.00	20.94	15.23	7.39	5.93						
		Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.37	20.94	15.23	7.40	5.93						
		Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	4.53	25.61	19.90	9.73	8.26						
		Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,580.20									
		Adjacent Collocation - 120V, Single Phase Standby Power Rate															
		per AC Breaker Amp			CLOAC	PE1FB	5.67										
		Adjacent Collocation - 240V, Single Phase Standby Power Rate			<del>.</del>	T	2.07										
		per AC Breaker Amp	1		CLOAC	PE1FD	11.36						1				
-	1	Adjacent Collocation - 120V, Three Phase Standby Power Rate	<del>                                     </del>	1	525/10		11.50			1		1	l		1	1	
		per AC Breaker Amp	1		CLOAC	PE1FE	17.03						1				
-	1		1	1	CLOAC	FEIFE	17.03			-		1			-		
1		Adjacent Collocation - 277V, Three Phase Standby Power Rate			01.040	DE450	00.00						l				
	<u> </u>	per AC Breaker Amp	<u> </u>	<b>                                     </b>	CLOAC	PE1FG	39.33			ļ			ļ				
PHYSI	CAL CO	LLOCATION IN THE REMOTE SITE															
		Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		308.38	308.38	168.60	168.60						
		Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	246.44										
		Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.13	13.13								
		Physical Collocation in the Remote Site - Space Availability															
		Report per Premises Requested			CLORS	PE1SR		116.13	116.13								
		Physical Collocation in the Remote Site - Remote Site CLLI															
		Code Request, per CLLI Code Requested			CLORS	PE1RE		37.64	37.64								
-		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO		1	CLORS	PE1RR		234.50	37.04								
DUVE	CAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT		1	CLORG	FLIKK		234.30									
FHISI	CAL CO	LEGGATION IN THE REMOTE SITE - ADJACENT				-											
		D			01.000	DE 4 DO	0.07										
		Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
		Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
		Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
		If Security Escort and/or Add'l Engineering Fees become nec	essary 1	for remo	ote site collocation,	the Parties v	vill negotiate ap	opropriate rate	s.								
VIRTU	AL COL	LOCATION															
		Virtual Collocation - Application Fee			AMTFS	EAF		1,207.95	1,207.95	0.51	0.51		15.69				
		Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX		794.22	794.22	22.54	22.54		15.69				
		Virtual Collocation - Floor Space, per sq. ft.	1		AMTFS	ESPVX	3.95	-									
		Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	9.19					1	1		1		
<b>1</b>	1	Virtual Collocation - Cable Support Structure, per entrance	1	1	··· •	1	5					t	1		t		
		cable	1		AMTFS	ESPSX	18.66						1				
-	1	Cabic	<del>                                     </del>	1	UEANL,UEA,UDN,U	LOI OA	10.00			1		1	l		1	1	
			1				]						1				
1					DC,UAL,UHL,UCL,U		]						l		1	1	
1					EQ, AMTFS, UDL,		]						l		1	1	
1					UNCVX, UNCDX,	l	l				_		l				
		Virtual Collocation - 2-wire Cross Connects (loop)			UNCNX	UEAC2	0.0317	12.32	11.83	6.04	5.45		15.69				
1							1						l				
1					UEA,UHL,UCL,UDL,		]						l		1	1	
1					AMTFS, UAL, UDN,		]						l		1	1	
1		Virtual Collocation - 4-wire Cross Connects (loop)			UNCVX, UNCDX	UEAC4	0.0634	12.42	11.90	6.40	5.74		15.69				
					AMTFS,UDL12,												
1					UDLO3, U1T48,		1						l				
			1		U1T12, U1T03,		]						1				
			1		ULDO3, ULD12,		]						1				
1		Virtual Collocation - 2-Fiber Cross Connects			ULD48, UDF	CNC2F	2.86	20.94	15.23	7.40	5.93		15.69				
-	1	VIII CONOCATION - 2-1 IDEI CIOSS CONTIECES	1		AMTFS,UDL12,	011021	2.00	20.54	15.23	7.40	5.93	+	13.09		<del>                                     </del>	-	
			1				]					1	1				
1					UDLO3, U1T48,								l				
1					U1T12, U1T03,								l				
1					ULDO3, ULD12,	0.10:-											
		Virtual Collocation - 4-Fiber Cross Connects			ULD48, UDF	CNC4F	5.71	25.61	19.90	9.73	8.26	1	15.69		1	l	

COLLOCAL	ION - South Carolina				1	1					_			ment: 4		bit: B
												Svc Order Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incrementa Charge -
		l				1					Elec	Manually	Charge - Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (,,			per Lor	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
1							Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				USL,ULC,AMTFS,												
				ULR, UXTD1,												
1	No. 1 11 12 12 13 14 14 14 14 14 14 14 14 14 14 14 14 14			UNC1X, ULDD1,												
	Virtual collocation - Special Access & UNE,cross-connect per			U1TD1, USLEL,	0110414					= 00		4= 00				
-	DS1			UNLD1	CNC1X	1.12	22.08	15.96	6.42	5.80		15.69			-	
				USL,ULC,AMTFS,U E3, U1TD3, UXTS1,												
				UXTD3, UNC3X,												
				UNCSX, ULDD3,												
	Virtual collocation - Special Access & UNE, cross-connect per			U1TS1, ULDS1,												
	DS3			UDLSX, UNLD3	CND3X	14.21	20.94	15.23	7.39	5.93		15.69				
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure, per linear foot			AMTFS	VE1CB	0.0022										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0033										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure,per cable			AMTFS	VE1CC		536.56									
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per cable			AMTFS	VE1CE		536.56	100.00	100.00							
-	Virtual Collocation Cable Records - per request Virtual Collocation Cable Records - VG/DS0 Cable, per cable			AMTFS	VE1BA	<del> </del>	760.98	489.20	133.29	133.29					-	
	record			AMTFS	VE1BB		327.65	327.65	189.54	189.54						
	Virtual Collocation Cable Records - VG/DS0 Cable, per each			AWITTO	VLIDD	1	327.03	327.03	105.54	105.54						
	100 pair			AMTFS	VE1BC		4.82	4.82	5.91	5.91						
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD	1	2.26	2.26	2.77	2.77					1	
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		7.90	7.90	9.68	9.68						
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber															
	records			AMTFS	VE1BF		84.68	84.68	77.30	77.30						
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		16.96	10.75				15.69				
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		22.10	13.89				15.69				
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		27.23	17.02				15.69				
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		27.99	10.75				15.69				
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		36.56	13.89				15.69				
-	Virtual collocation - Maintenance in CO - Overtime, per han hour			AIVITS	SPION	-	36.36	13.09	-		-	15.69			-	-
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		45.12	17.02				15.69				
VIRTUAL COL				740111 0	Or II IVI		40.12	17.02				10.00				
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-					1									1	
	Wire Analog - Res			UEPSR	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire									·					1	
	Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69			1	
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			LIEDOD	\/E4D0	0.00:-	40.00	44.00	0.01			45.00			1	
<del>                                     </del>	Analog Bus			UEPSB	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69		<b> </b>	<del>                                     </del>	<del>                                     </del>
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69			1	
$\vdash$	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			ULFOX	VEIRZ	0.0317	12.32	11.83	6.04	ა.45		15.69			+	+
	ISDN			UEPTX	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69			1	
<del>                                     </del>	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire			JE. 17	IIV	0.0017	12.02	11.00	5.04	0.40		10.00			<b>-</b>	<b>-</b>
	ISDN DS1			UEPEX	VE1R4	1.12	22.08	15.96	6.42	5.80		15.69			1	
Notes	Rates displaying an "R" in Interim column are interim and sub	iect to	rate tru						3.42	0.00	1			1	1	1

COLLOCAT	ION - Tennessee												Attach	ment: 4	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l		SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
								7144		7144				00		
PHYSICAL CO																
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			OLI OIL	I LIIVE	0.00	10.20	10.20					20.00	10.04	10.02	1.40
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-				DE 100											
	Wire Voice Grade PBX Trunk - Res Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSE	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Wire Analog - Bus			UEPSB	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire ISDN			UEPSX	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN			UEPTX	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
-	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-			UEPIX	PETRZ	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Wire ISDN DS1			UEPEX	PE1R4	0.50	19.20	19.20					20.35	10.54	13.32	1.40
PHYSICAL CO																
	Physical Collocation - Cageless - Application Fee			CLO	PE1CH		2,633.00	2,633.00								
	Physical Collocation Administrative Only - Application Fee	ı		CLO	PE1BL		743.25									
	Physical Collocation - Space Preparation - Firm Order	- 1		CLO	PE1SJ		1,204.00	1,204.00								
	Physical Collocation - Space Preparation - C.O. Modification per			0.0	55.01											
ļ	square ft.	ı		CLO	PE1SK	2.74										
	Physical Collocation - Space Preparation - Common Systems Modification per square ft Cageless	1		CLO	PE1SL	2.95										
	Physical Collocation - Space Preparation - Common Systems															
	Modification per Cage	ı		CLO	PE1SM	100.14										
	Physical Collocation - Cageless - Cable Installation Cost, per cable			CLO	PE1ZA		1,749.00									
	Physical Collocation - Cageless - Floor Space, per sq. ft.			CLO	PE1ZB	3.91	1,743.00									
<b></b>	Physical Collocation - Floor Space per Sq. Rt.			CLO	PE1PJ	5.94										
<b></b>	Physical Collocation - Cageless - Cable Support Structure	-		CLO	PE1CJ	17.87										
<b></b>	Physical Collocation - Cable Support Structure, Per Entrance			CLO	FLIG	17.07										
	Cable	1		CLO	PE1PM	19.80										
	Physical Collocation - Cageless - Floor Space Power, per Fused	·		020		10.00										
	Amp			CLO	PE1ZC	6.79										
	Physical Collocation - Power -48V DC Power, per Fused Amp	- 1		CLO	PE1PL	8.87										
	Physical Collocation - Power Reduction, Application Fee	ı		CLO	PE1PR		400.10									
	Physical Collocation - 120V, Single Phase Standby Power Rate	- 1		CLO	PE1FB	5.60										
	Physical Collocation - 240V, Single Phase Standby Power Rate		l	CLO	PE1FD	11.22									<del>                                     </del>	
	Physical Collocation - 120V, Three Phase Standby Power Rate	1		CLO	PE1FE	16.82					1					
	Dhysical Callegation 277\/ Three Dhage Standby Dayler Date			CLO	PE1FG	38.84										
	Physical Collocation - 277V, Three Phase Standby Power Rate		<del>                                     </del>	CLO	PETFG	38.84			1	1	1			-	<del></del>	1
	Physical Collocation - 2-Wire Cross-Connects	I		UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX	PE1P2	0.033	33.82	31.92								
				CLO, UAL, UDL, UDN, UEA, UHL, UNCVX, UNCDX,												
	Physical Collocation - 4-Wire Cross-Connects	I		UCL	PE1P4	0.066	33.94	31.95								

COLLO	CATION - Tennessee												Attach	ment: 4	Exhi	bit: B
CATEGOR		Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
			1			D	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Physical Collocation - DS1 Cross-Connects	ı	[ [ [	CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1, UDL	PE1P1	1.51	53.27	40.16								
	Physical Collocation - DS3 Cross-Connects	1	       	CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3, UDL	PE1P3	19.26	52.37	38.89								
	Physical Collocation - 2-Fiber Cross-Connect	I	( ( (	CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDC3, UDL1, UDC	PE1F2	15.64	41.56	29.82	12.96	10.34			2.69	2.69	1.56	1.56
	Physical Collocation - Cageless - 2-Fiber Cross-Connect		ι ι	CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1CK	3.03	41.56	29.82	12.96	10.34						
	Physical Collocation - 4-Fiber Cross-Connect	1	( ( (	CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F4	28.11	50.53	38.78	16.97	14.35			2.69	2.69	1.56	1.56
	Physical Collocation - Cageless - 4-Fiber Cross-Connect		( ( (	CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1CL	6.06	50.53	38.78	16.97	14.35						
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.	I		CLO	PE1BW	218.53	00.00	00.70	10.01	1 1.00						
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.	I	(	CLO	PE1CW	21.44										
	Physical Collocation - Security Access System - Security System per Central Office  Physical Collocation - Security Access System - New Access	ı		CLO	PE1AX	55.99										
	Card Activation, per Card	- 1	C	CLO	PE1A1	0.059	55.67	55.67								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		15.61	15.61								
	Stolen Card, per Card			CLO	PE1AR		45.64	45.64								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.24	26.24						İ		
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		26.24	26.24								
	Physical Collocation - Space Availability Report per premises  POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect,		( ( ( (	CLO UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX,	PE1SR		2,027.00	2,154.00								
	per cross-connect	ı		UNCNX UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U	PE1PE	0.40										
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect	ı		EQ,CLO, USL, UNCVX, UNCDX	PE1PF	1.20										

COLLOCAT	ION - Tennessee												Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						_	Nonrecurring		Nonrecurring	g Disconnect			oss	Rates (\$)	L	L
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect	I		UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1	PE1PG	1.20										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect	ı		UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX	PE1PH	8.00										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, Per Cross-Connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1PH	38.79										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	52.31										
	Physical Collocation - Request Resend of CFA Information, per				DE 100											
	CLLI Nonrecurring Collocation Cable Records - per request	-		CLO CLO	PE1C9 PE1CR		77.67 1,711.00		1							
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record	i		CLO	PE1CD		925.06									
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per															
	each 100 pair			CLO	PE1CO		18.05	18.05								
	Nonrecurring Collocation Cable Records - DS1, per T1TIE  Nonrecurring Collocation Cable Records - DS3, per T3TIE	-	<b>-</b>	CLO CLO	PE1C1 PE1C3	1	8.45 29.57	8.45 29.57	+	1	1				<b>+</b>	<del> </del>
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99 fiber records	j		CLO	PE1CB		279.42	279.42								
	Physcial Collocation - Cageless - Security Escort - Basic, per Half Hour			CLO	PE1ZM		33.15	20.44								
	Physical Collocation - Cageless - Security Escort - Overtime, per Half Hour			CLO	PE1ZN		41.50	25.61								
	Physical Collocation - Cageless - Security Escort - Premium, per Half Hour			CLO	PE1ZO		49.86	30.79								
	Physical Collocation - Security Escort - Basic, per Half Hour		<u> </u>	CLO,CLORS	PE1BT		33.91	21.49		-					1	1
	Physical Collocation - Security Escort - Overtime, per Half Hour		<u> </u>	CLO,CLORS	PE1OT	1	44.17	27.76			1					
	Physical Collocation - Security Escort - Premium, per Half Hour V to P Conversion, Per Customer Request-Voice Grade	-	-	CLO,CLORS	PE1PT PE1BV	<u> </u>	54.42 33.00	34.02	+		1				-	-
<del>                                     </del>	V to P Conversion, Per Customer Request-Voice Grade  V to P Conversion, Per Customer Request-DS0	-		CLO CLO	PE1BV PE1BO	1	33.00		+	<del>                                     </del>						
	V to P Conversion, Per Customer Request-DS1	÷		CLO	PE1B1		52.00		<del>                                     </del>	<b>-</b>	+				<b>†</b>	<b>†</b>
	V to P Conversion, Per Customer request-DS3	İ		CLO	PE1B3		52.00		1	1						
	V to P Conversion, Per Customer Request per VG Circuit Reconfigured			CLO	PE1BR		23.00									
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured	_		CLO	PE1BP		23.00									

COLLOCAT	ION - Tennessee												Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring			g Disconnect				Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	V to P Conversion, Per Customer Request per DS1 Circuit			CLO	PE1BS		33.00									
	Reconfigured  V to P Conversion, Per Customer Request per DS3 Circuit	- '		CLO	PEIDO		33.00									
	Reconfigured	1		CLO	PE1BE		37.00									
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700															
	prs or fraction thereof	- 1		CLO	PE1B7		592.00									
	Physical Caged Collocation-App Cost(initial & sub)-Planning,			CLO	PE1AC	16.16	2,903.66	2,903.66								
<del>                                     </del>	per request			CLO	PETAC	16.16	2,903.00	2,903.00								
	Physical Caged Collocation-Space Prep-Grounding, per location			CLO	PE1BB	4.32										
	Physical Caged Collocation-Space Prep-Power Delivery, per 40															
	amp Feed			CLO	PE1SN		142.40									
	Physical Caged Collocation-Space Prep-Power Delivery, per 100 amp Feed			CLO	PE1SO		185.72									
	Physical Caged Collocation-Space Prep-Power Delivery, per 200	1	1	OLO	1 1 1 3 0		105.72									
	amp Feed	L	<u>L</u>	CLO	PE1SP		242.05		1					<u></u>	<u> </u>	
	Physical Caged Collocation-Space Enclosure-Cage Preparation,															
	per first 100 sq. ft.			CLO	PE1S1	110.97										
	Phycical Caged Collocation-Space Enclosure-Cage Preparation2, per add'l 50 sq. ft.			CLO	PE1S5	55.49										
	Physical Caged collocation-Cable Installation-Entrance Fiber			CLO	PE 133	55.49										
	Structure, interduct per ft.			CLO	PE1CP	0.0156										
	Phycical Caged Collocation-Cable Installation-Entrance Fiber,															
	per cable			CLO	PE1CQ	2.56	944.27									
	Physical Caged Collocation-Floor Space-Land & Buildings, per sq. ft.			CLO	PE1FS	5.94										
	Physical Caged Collocation-Cable Support Structure-Cable			CLO	PEIFS	5.94										
	Racking, per entrance cable			CLO	PE1CS	21.47										
	Physical Caged Collocation-Power-Power Construction, per amp															
	DC plant			CLO	PE1PN	3.55										
	Physical Caged Collocation-Power-Power Consumption,per amp AC usage			CLO	PE1PO	2.03										
	Physical Caged Collocation-2-wire Cross Connects-Voice Grade			CLO	FLIFO	2.03										
	ckts, per ckt.			CLO	PE12C	0.0475	7.68									
	Physical Caged Collocation-4-wire Cross Connects-Voice Grade															
	Ckts, per ckt.	<u> </u>	<u> </u>	CLO	PE14C	0.0475	7.68		1	1						
	Physical Caged Collocation-DS1 Cross Connects-connection to DCS, per ckt.			CLO	PE11S	7.68	41.65									
	Physical Caged Collocation-DS1 Cross Connects-Connection to			020	1 2.76	1.00	71.00		1	1	1					
	DSX, per ckt.			CLO	PE11X	0.38	41.65									
	Physical Caged Collocation-DS3 Cross Connects-Connection to			01.0	DE463	== -	600.0-						-			
<del>                                     </del>	DCS, per ckt.  Physical Caged Collocation-DS3 Cross Connects-Connection to	}	-	CLO	PE13S	53.96	298.03		1	1						
	DSX, per ckt.			CLO	PE13X	9.32	298.03									
	Physical Caged Collocation-Security Access-Access Cards, per				3/1	0.32				İ	1					
	5 Cards			CLO	PE1A2		76.10		1		ļ					
1 1	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable			CLO LIDE	DE4EC	0.0010										
	Support Structure, per cable, per linear ft.  Physical Collocation - Cageless - Co-Carrier Cross Connects -	<u> </u>	<u> </u>	CLO,UDF	PE1ES	0.0013			-	-	<u> </u>					
	Fiber Cable Support Structure, per linear ft.			CLO	PE1ZH	0.0031										
	Physical Collocation - Cageless - Co-Carrier Cross Connects-															
	Fiber Cable Support Structure, per cable	ļ	ļ	CLO	PE1ZK		555.03		1							
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft.			CLO	PE1DS	0.0019										
<del>                                     </del>	Physical Collocation - Cageless - Co-Carrier Cross Connects -	<u> </u>	<u> </u>	OLO	FLIDS	0.0019			1	<del> </del>	-					
	Copper/Coax Cable Support Structure, per linear ft.			CLO	PE1ZJ	0.0045	<u> </u>		<u> </u>		<u> </u>					
	Physical Collocation - Cageless - Co-Carrier Cross Connects -															
	Copper/Coax Cable Support Structure, per cable			CLO	PE1ZL		555.03									

COLLOCAT	ION - Tennessee													ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	<sup>i</sup> Zone	e BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Co-Carrier Cross Connects Only -															
	Application Fee, per application			CLO	PE1DT		585.09									
ADJACENT C	OLLOCATION															
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0656										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.53									L	<u> </u>
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.34	11.12	10.18	11.33	10.23			1.77	1.77	1.12	1.12
	A Francis College Control A Miles Control			UEA,UHL,UDL,UCL, CLOAC	PE1P4	0.00	44.00	40.04	44.00	40.44			4 77	4 77	4.40	4.40
	Adjacent Collocation - 4-Wire Cross-Connects					0.33	11.30	10.31	11.62	10.44			1.77	1.77	1.12	1.12
	Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS3 Cross-Connects			USL,CLOAC	PE1P1 PE1P3	1.70 19.03	28.39	16.88 15.51	11.65	10.54 10.77			1.77 1.77	1.77		1.12
	Adjacent Collocation - DS3 Cross-Connects  Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC CLOAC	PE1F3	3.49	26.23 26.23	15.51	13.40 13.41	10.77			1.77	1.77 1.77		1.12 1.12
	Adjacent Collocation - 2-Fiber Cross-Connect  Adjacent Collocation - 4-Fiber Cross-Connect	-		CLOAC	PE1F2 PE1F4	6.50	26.23	19.02	13.41	10.78		<b> </b>	1.77	1.77	1.12	1.12
	Adjacent Collocation - 4-Fiber Cross-Connect  Adjacent Collocation - Application Fee	-		CLOAC	PE1F4 PE1JB	0.30	29.75	19.02	17.00	14.97		<b> </b>	1.77	1.77	1.12	1.12
	Adjacent Collocation - Application Fee  Adjacent Collocation - 120V, Single Phase Standby Power Rate			OLONO	1 L 10D	<del> </del>	2,313.00						1	t	t	<del>                                     </del>
	per AC Breaker Amp			CLOAC	PE1FB	5.81						1	1	1	I	
<del>-  </del>	Adjacent Collocation - 240V, Single Phase Standby Power Rate			020/10		5.01	1		†		<u> </u>	<b> </b>	<b> </b>	<b>I</b>	<b>I</b>	1
	per AC Breaker Amp			CLOAC	PE1FD	11.64										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate			0207.0		11.01										1
	per AC Breaker Amp			CLOAC	PE1FE	17.45										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate														1	
	per AC Breaker Amp			CLOAC	PE1FG	40.30										
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		580.20		312.76							
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	220.41										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		24.69									
	Physical Collocation in the Remote Site - Space Availability															
	Report per Premises Requested			CLORS	PE1SR		218.49									
	Physical Collocation in the Remote Site - Remote Site CLLI															
	Code Request, per CLLI Code Requested			CLORS	PE1RE		70.81									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		234.15									
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE - ADJACENT															
				0, 000	55456											
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Book O't Alice of Oille of the Book Folds			01.000	DEADT	0.404										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS CLORS	PE1RT PE1RU	0.134	755.62	755.62								
NOTE	Remote Site-Adjacent Collocation-Application Fee  If Security Escort and/or Add'l Engineering Fees become neces	2000011	or rom			vill nagatiota s										
VIRTUAL COL		essary i	or rem	l	life Farties v	VIII negotiate a	ippropriate rate	5.			-			-	-	
THE COL	Virtual Collocation - Application Fee	-		AMTFS	EAF	<del>                                     </del>	2,633.00	2,633.00					2.07	2.81	0.67	1.41
	Virtual Collocation - Application Fee  Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX	<b>-</b>	1,749.00	1,749.00	+				2.07	2.81	0.67	1.41
	Virtual Collocation - Cable Installation Cost, per cable  Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	3.91	1,7 45.00	1,7 70.00					2.01	2.01	5.07	1.71
	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	6.79										
	Virtual Collocation - Cable Support Structure, per entrance					-										
	cable			AMTFS	ESPSX	17.87										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ, AMTFS, UDL,		I						1	1	1	I	
				UNCVX, UNCDX,		I						1	1	1	I	
	Virtual Collocation - 2-wire Cross Connects (loop)			UNCNX	UEAC2	0.57	11.62	9.90	10.38	8.66			2.07	2.81	0.67	1.41
						_						1	]	_	_	
				UEA,UHL,UCL,UDL,		I						1	1	I	I	
1				AMTFS, UAL, UDN,								1				
	Virtual Collocation - 4-wire Cross Connects (loop)			UNCVX, UNCDX	UEAC4	0.57	11.81	10.04	10.44	8.67			2.07	2.81	0.67	1.41
				AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03,												
				ULDO3, ULD12,		1								1	1	
	Virtual Collocation - 2-Fiber Cross Connects			ULD48, UDF	CNC2F	3.03	41.56	29.82	12.96	10.34		l	2.69	2.69	1.56	1.56

CATEORY   RATE ELEMENTS   Mail   Zone   BCS   USDC   RATE (s)   Section   Section   Section   Section   Calminat	COLLOCAT	ION - Tennessee												Attach	ment: 4	Fxhi	bit: B
CATEGORY   RATE FLEMENTS   Inferior   Zone   BCS	552255711											Svc Order	Svc Order				
CATEGORY   RATE ELEMENTS   mn   Rose   BCS   USC   PATES (F)   per LSR   per LSR   per LSR   college to the c												Submitted					Charge -
March College   March Colleg	04750000	DATE ELEMENTO	Interi	<b>-</b>	200	11000			DATEO (6)								Manual Svc
No.   No.	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR				Order vs.
Name   Name														Electronic-	Electronic-	Electronic-	Electronic-
MATERIAL COLORS   MATERIAL C														1st	Add'l	Disc 1st	Disc Add'l
MATERIAL COLORS   MATERIAL C	<u> </u>							Nonrocurring		Monrocurrin	a Disconnect			088	Dates (\$)		
AMPTER_UPLT_2							Rec		٨٨٨١			SOMEC	SOMAN			SOMAN	SOMAN
UKUS, UTTA, UTTS					AMTES UDI 12			11131	Auu i	11130	Auu	JOHILO	JOMAN	JOINAIN	JONIAN	JOHAN	JOHAN
United Collocation - 4-Fiber Cross Currents																	
Virtual Collocation - 4-Fiber Cross Cornecties   ULDO3, ULDO2, ULDO3,																	
Virtual Colocation - 4-Pierr Droce Connects   ULDML EUPE   CRU24   E.08   58.78   16.97   14.35   2.69   2.69   1.96					ULDO3, ULD12,												
URL NOTE   URl NOTE   Url NOTE		Virtual Collocation - 4-Fiber Cross Connects			ULD48, UDF	CNC4F	6.06	50.53	38.78	16.97	14.35			2.69	2.69	1.56	1.56
Virtual collocation - Special Access & UNE, cross connect per   UNCTS, ULDEL, UTTD, UBEL   CNCTX   132   32.22   17.76   10.48   8.75   2.67   2.81   0.67																	
Virtual collocation - Special Access & UNE, cross-connect per   UTDT, USELT, UNCD, UNCS, UNCS,																	
OSI																	
United Collection - Special Acess & UNE, cross-connect per   UNITS, UNCO.																	
Canada Collection - Special Acess & LNE, cross-connect per   UNTS, LUCOS, LUCOS, SSS   UNCS, LUCOS, SSS		DS1			· · · · ·	CNC1X	1.32	32.22	17.76	10.46	8.75			2.07	2.81	0.67	1.41
UNTITAL COLORIDA - Special Aces & LINE, cross-connect per UNTITAL LILLORS UNTI										1	1			1	1		
Virtual Collocation - Special Acess & UNE, cross-connect per   UNCSX, UNDSX   USXX																	
Virtual collocation - Special Anness & AURE, cross-connected per   UTS1, ULDS1										I	I			1	1		
DSS   Virtual Collocation - Oo Carrier Cross Connects - Fiber Cable   Support Struturus, per linear foct   AMTES   VE1CB   0.0031		Virtual collecation Special Access & LINE cross connect per															
Virtual Collocation - Co-Carrier Cross Connects - Fiber Cabile   Support Structure, per intended   AMTES   VETCB   0.0031						CND3X	12 32	29 97	16 30	12.03	8 00			2.07	2 21	0.67	1.41
Support Structure, per linear foot					ODLOX, ONLDS	CINDOX	12.52	29.91	10.50	12.03	0.33			2.07	2.01	0.07	1.41
Withus Collocation - Co-Carrier Cross Connects - Copperidoxic Cable Support Structure, per linear #1					AMTFS	VE1CB	0.0031										
Cable Support Structure, per linear ft					_												
Support Structure, per cable		Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0045										
Virtual Collocation - Co-Carrer Cross Connects - CopperCoax   AMTES   VE1CE   555.03   2.07   2.81   0.67		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable															
Cable Support Structure, per cable					AMTFS	VE1CC		555.03						2.07	2.81	0.67	1.41
Virtual Collocation Cable Records - per request   AMTFS   VE18A   1,711.00																	
Virtual Collocation Cable Records - VG/DS0 Cable, per cable   AMTFS   VE18B   S25.06														2.07	2.81	0.67	1.41
Pecord   MATES   VE1BB   995.06					AMTFS	VE1BA		1,711.00									
Virtual Collocation Cable Records - VG/ISS (Cable, per each 100 pair					AMTEC	\/E1DD		025.06									
100 pair	-				AIVITO	VEIDD		925.06		-	-	1	-				
Wirtual Collocation Cable Records - D83, per 11TIE					AMTES	VE1BC		18.05	18.05								
Virtual Collocation Cable Records - DS3, per T3TIE												1					
Virtual Collocation - Security Escort - Sessic, per half hour   AMTFS   SPTBX   33.15   20.44   2.07   2.81   0.67										1							
Records																	
Virtual collocation - Security Escort - Overtime, per half hour   AMTFS   SPTOX   41.50   25.61   2.07   2.81   0.67					AMTFS	VE1BF		279.42	279.42								
Virtual collocation - Security Escort - Premium, per half hour   AMTFS   SPTPX   49.86   30.79   2.07   2.81   0.67																	1.41
Virtual collocation - Maintenance in CO - Basic, per half hour   AMTFS   CTRLX   30.64   30.64   30.64   2.07   2.81   0.67																	1.41
Virtual collocation - Maintenance in CO - Overtime, per half hour   AMTFS   SPTOM   35.77   35.77     2.07   2.81   0.67																	1.41
Virtual collocation - Maintenance in CO - Premium per half hour   AMTFS   SPTPM   40.90   40.90   40.90   2.07   2.81   0.67		Virtual collocation - Maintenance in CO - Basic, per half hour		ļ	AMTFS	CTRLX		30.64	30.64			ļ		2.07	2.81	0.67	1.41
Virtual collocation - Maintenance in CO - Premium per half hour   AMTFS   SPTPM   40.90   40.90   40.90   2.07   2.81   0.67		Virtual collecation Maintenance in CO. Quartimo nos half have			AMTES	SDTOM		25 77	25 77	1	1			2.07	2.04	0.67	1.41
VIRTUAL COLLOCATION	<del>                                     </del>	virtual conocation - ivialitienance in CO - Overtime, per nail nour	-	1	CIVIII O	OF TOW		33.11	33.77	<b>+</b>	<b>+</b>	<b> </b>	-	2.07	2.01	0.67	1.41
VIRTUAL COLLOCATION		Virtual collocation - Maintenance in CO - Premium per half hour			AMTES	SPTPM		40 90	40 90	1	1			2.07	2.81	0.67	1.41
Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-   UEPSR   VE1R2   0.30   19.20   19.20   20.35   10.54   13.32	VIRTUAL COI				, , 0	C. 11 IVI		40.90	40.00	<b>†</b>	1			2.07	2.01	3.07	1.41
Wire Analog - Res	1									<b>†</b>	1						
Wire Line Side PBX Trunk - Bus					UEPSR	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire   Voice Grade PBX Trunk- Res   UEPSE   VE1R2   0.30   19.20   19.20   20.35   10.54   13.32		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-															
Voice Grade PBX Trunk - Res					UEPSP	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus   UEPSB   VE1R2   0.30   19.20   19.20   20.35   10.54   13.32														]	]	<u> </u>	
Analog Bus					UEPSE	VE1R2	0.30	19.20	19.20	ļ	ļ			20.35	10.54	13.32	1.40
Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire   UEPSX   VE1R2   0.30   19.20   19.20   20.35   10.54   13.32		, ,				\ (E + D -				I	I						
SDN	<del>                                     </del>			ļ	UEPSB	VE1R2	0.30	19.20	19.20	<b>.</b>	<b>.</b>	ļ		20.35	10.54	13.32	1.40
Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire   UEPTX					LIEDQV	\/E1D2	0.30	10.20	10.00	1	I			20.25	10.54	40.00	1.40
ISDN	$\vdash$			<b>-</b>	ULFOA	VEIRZ	0.30	19.20	19.20	<del>                                     </del>	<del>                                     </del>	<b>_</b>		∠0.35	10.54	13.32	1.40
Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1         UEPEX         VE1R4         0.50         19.20         19.20         20.35         10.54         13.32					LIEPTX	VF1R2	0.30	19 20	19 20	I	I			20.35	10 54	13 32	1.40
ISDN DS1   UEPEX   VE1R4   0.50   19.20   19.20   20.35   10.54   13.32	<del>                                     </del>				SEI 17.	· L 1114	0.30	10.20	19.20	<b>+</b>	<b>†</b>			20.33	10.34	10.02	1.40
					UEPEX	VE1R4	0.50	19,20	19.20	I	I			20,35	10.54	13.32	1.40
prote. Nates are praying an it in mornin seram are internit and subject to rate true-up as set forth in General relins and Conditions.	Note:		ject to	rate tru						İ	t						

## **Attachment 5**

Access to Numbers and Number Portability

## TABLE OF CONTENTS

1.	NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS	3
2.	LOCAL SERVICE PROVIDER NUMBER PORTABILITY - PERMANENT	
SC	OLUTION (LNP)	3
3.	OPERATIONAL SUPPORT SYSTEM (OSS) RATES	4

#### ACCESS TO NUMBERS AND NUMBER PORTABILITY

#### 1. NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS

- During the term of this Agreement, where Global Connection is utilizing its own switch, Global Connection shall contact the North American Numbering Plan Administrator, NeuStar, for the assignment of numbering resources. In order to be assigned a Central Office Code, Global Connection will be required to complete the Central Office Code (NXX) Assignment Request and Confirmation Form (Code Request Form) in accordance with Industry Numbering Committee's Central Office Code (NXX) Assignment Guidelines (INC 95-0407-008).
- Where BellSouth provides local switching or resold services to Global Connection, BellSouth will provide Global Connection with on-line access to intermediate telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. Global Connection acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. Global Connection acknowledges that there may be instances where there is a shortage of telephone numbers in a particular rate center; and in such instances, BellSouth may request that Global Connection return unused intermediate numbers to BellSouth. Global Connection shall return unused intermediate numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.
- BellSouth will allow Global Connection to designate up to 100 intermediate telephone numbers per rate center for Global Connection's sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations. Global Connection acknowledges that there may be instances where there is a shortage of telephone numbers in a particular rate center and BellSouth has the right to limit access to blocks of intermediate telephone numbers. These instances include: 1) where jeopardy status has been declared by the North American Numbering Plan (NANP) for a particular Numbering Plan Area (NPA); or 2) where a rate center has less than six months supply of numbering resources.

# 2. LOCAL SERVICE PROVIDER NUMBER PORTABILITY - PERMANENT SOLUTION (LNP)

- 2.1 The Parties will offer Number Portability in accordance with rules, regulations and guidelines adopted by the Commission, the FCC and industry fora.
- 2.2 <u>End User Line Charge</u>. Where Global Connection subscribes to BellSouth's local switching, BellSouth shall bill and Global Connection shall pay the end user line

charge associated with implementing LNP as set forth in BellSouth's FCC Tariff No. 1. This charge is not subject to the resale discount set forth in Attachment 1 of this Agreement.

- To limit service outage, BellSouth and Global Connection will adhere to the process flows and cutover guidelines for porting numbers as outlined in the LNP Reference Guide, as amended from time to time. The LNP Reference Guide, incorporated herein by reference, is accessible via the Internet at the following site: http://www.interconnection.bellsouth.com. All intervals referenced in the LNP Reference Guide shall apply to both BellSouth and Global Connection.
- 2.4 The Parties will set Location Routing Number (LRN) unconditional or 10-digit triggers where applicable. Where triggers are set, the porting Party will remove the ported number at the same time the trigger is removed.
- A trigger order is a service order issued in advance of the porting of a number. A trigger order 1) initiates call queries to the AIN SS7 network in advance of the number being ported; and 2) provides for the new service provider to be in control of when a number ports.
- Where triggers are not set, the Parties shall coordinate the porting of the number between service providers so as to minimize service interruptions to the End User.
- 2.7 BellSouth and Global Connection will work cooperatively to implement changes to LNP process flows ordered by the FCC or as recommended by standard industry forums addressing LNP.

### 3. OPERATIONAL SUPPORT SYSTEM (OSS) RATES

3.1 The terms, conditions and rates for OSS are as set forth in Attachment 2.

## **Attachment 6**

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

## **TABLE OF CONTENTS**

1.	QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR.	3
2.	ACCESS TO OPERATIONS SUPPORT SYSTEMS	3
3.	MISCELLANEOUS	5

### PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

# 1. QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

- 1.1 BellSouth shall provide to Global Connection nondiscriminatory access to its Operations Support Systems (OSS) and the necessary information contained therein in order that Global Connection can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing.. BellSouth shall provide Global Connection with all relevant documentation (manuals, user guides, specifications, etc.) regarding business rules and other formatting information as well as practices and procedures necessary to ensure requests are efficiently processed. All documentation will be readily accessible at BellSouth's interconnection website and are incorporated herein by reference. BellSouth shall ensure that its OSS are designed to accommodate access requests for both current and projected demand of Global Connection and other CLECs in the aggregate.
- BellSouth shall provision services during its regular working hours. To the extent Global Connection requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians or project manager to work outside of regular working hours, overtime charges shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician or project manager during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of Global Connection, BellSouth will not assess Global Connection additional charges beyond the rates and charges specified in this Agreement.

### 2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

- 2.1 BellSouth shall provide Global Connection nondiscriminatory access to its OSS and the necessary information contained therein in order that Global Connection can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide nondiscriminatory access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole responsibility of Global Connection to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for Global Connection's access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference.
- 2.1.1 <u>Pre-Ordering</u>. BellSouth will provide electronic access to its OSS and the information contained therein in order that Global Connection can perform the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record

information and loop makeup information. Mechanized access is provided by electronic interfaces whose specifications for access and use are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Global Connection will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. Global Connection shall provide to BellSouth access to customer record information, including circuit numbers associated with each telephone number where applicable. Global Connection shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available, Global Connection shall provide to BellSouth paper copies of customer record information, including circuit numbers associated with each telephone number where applicable. If BellSouth requests the information before noon, the customer record information shall be provided the same day. If BellSouth requests the information after noon, the customer record information shall be provided by noon the following day.

- 2.1.2 The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission. Global Connection will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the state in which the service is provided. BellSouth reserves the right to audit Global Connection's access to customer record information. If a BellSouth audit of Global Connection's access to customer record information reveals that Global Connection is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to Global Connection may take corrective action, including but not limited to suspending or terminating Global Connection's electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by the Proprietary and Confidential Information section in the General Terms and Conditions of this Agreement.
- 2.1.3 Ordering. BellSouth will make available to Global Connection electronic interfaces for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. Specifications for access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Global Connection will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below.
- 2.1.4 <u>Maintenance and Repair</u>. BellSouth will make available to Global Connection electronic interfaces for the purpose of reporting and monitoring service troubles. Specifications for access and use of BellSouth's maintenance and repair electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Global Connection will

manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. Requests for trouble repair are billed in accordance with the provisions of this Agreement. BellSouth and Global Connection agree to adhere to BellSouth's Operational Understanding, as amended from time to time during this Agreement and as incorporated herein by reference. The Operational Understanding may be accessed via BellSouth's interconnection website.

- 2.1.5 <u>Billing</u>. BellSouth will provide Global Connection nondiscriminatory access to billing information as specified in Attachment 7 to this Agreement.
- 2.2 Change Management. BellSouth and Global Connection agree that the collaborative change management process known as the Change Control Process (CCP) will be used to manage changes to existing interfaces, introduction of new interfaces and retirement of interfaces. BellSouth and Global Connection agree to comply with the provisions of the documented Change Control Process as may be amended from time to time and incorporated herein by reference. The change management process will cover changes to BellSouth's electronic interfaces, BellSouth's testing environment, associated manual process improvements, and relevant documentation. The process will define a procedure for resolution of change management disputes. Documentation of the CCP as well as related information and processes will be clearly organized and readily accessible to Global Connection at BellSouth's interconnection website.
- 2.3 Rates. Charges for use of OSS shall be as set forth in this Agreement.

## 3. MISCELLANEOUS

- 3.1 <u>Pending Orders.</u> Orders placed in the hold or pending status by Global Connection will be held for a maximum of thirty (30) calendar days from the date the order is placed on hold. After such time, Global Connection shall be required to submit a new service request. Incorrect or invalid requests returned to Global Connection for correction or clarification will be held for thirty (30) calendar days. If Global Connection does not return a corrected request within thirty (30) calendar days, BellSouth will cancel the request.
- 3.2 <u>Single Point of Contact</u>. Global Connection will be the single point of contact with BellSouth for ordering activity for network elements and other services used by Global Connection to provide services to its End Users, except that BellSouth may accept a request directly from another CLEC, or BellSouth, acting with authorization of the affected End User. Global Connection and BellSouth shall each execute a blanket letter of authorization with respect to customer requests so that prior proof of End User authorization will not be necessary with every request (except in the case of a local service freeze). The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for requests, provided, however, that such processes shall comply with applicable state and federal law and industry and regulatory guidelines. Pursuant to a request from

another carrier, BellSouth may disconnect any network element being used by Global Connection to provide service to that End User and may reuse such network elements or facilities to enable such other carrier to provide service to the End User. BellSouth will notify Global Connection that such a request has been processed but will not be required to notify Global Connection in advance of such processing.

- 3.2.1 Neither BellSouth nor Global Connection shall prevent or delay an End User from migrating to another carrier because of unpaid bills, denied service, or contract terms.
- 3.2.2 BellSouth shall return a Firm Order Confirmation (FOC) and Local Service Request (LSR) rejection/clarification within the intervals in accordance with the Service Quality Measurement (SQM) set forth in Attachment 9 of this Agreement.
- 3.2.3 Global Connection shall return a FOC to BellSouth within thirty-six (36) hours after Global Connection's receipt from BellSouth of a valid LSR.
- 3.2.4 Global Connection shall provide a Reject Response to BellSouth within twenty-four (24) hours after BellSouth's submission of an LSR which is incomplete or incorrectly formatted.
- 3.3 <u>Use of Facilities</u>. When a customer of Global Connection elects to discontinue service and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to Global Connection by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received a request to establish new service or transfer of service from a customer or a customer's CLEC at the same address served by the denied facility. BellSouth will notify Global Connection that such a request has been processed after the disconnect order has been completed.
- 3.4 <u>Contact Numbers</u>. The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services.
- 3.5 <u>Subscription Functions</u>. In cases where BellSouth performs subscription functions for an interexchange carrier (IXC) (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will in all possible instances provide the affected IXCs with the Operating Company Number (OCN) of the local provider for the purpose of obtaining End User billing account and other End User information required under subscription requirements.
- 3.5.1 When Global Connection's End User, served by resale or loop and port combinations, changes its PIC or LPIC, and per BellSouth's FCC or state tariff the interexchange carrier elects to charge the End User the PIC or LPIC change charge, BellSouth will bill the PIC or LPIC change charge to Global Connection,

which has the billing relationship with that End User, and Global Connection may pass such charge to the End User.

- Cancellation Charges. If Global Connection cancels a request for network 3.6 elements or resold services, any costs incurred by BellSouth in conjunction with the provisioning of that request will be recovered in accordance with BellSouth's Private Line Tariff or BellSouth's FCC No. 1 Tariff, Section 5.4, as applicable. Notwithstanding the foregoing, if Global Connection places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements requested and another spare compatible facility cannot be found with the transmission characteristics of the network elements originally requested, cancellation charges described in this Section shall not apply. Where Global Connection places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, Global Connection may cancel its request for those network elements or services without incurring cancellation charges as described in this Section. In such instance, should Global Connection elect to cancel the entire LSR, cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.
- 3.7 <u>Service Date Advancement Charges (a.k.a. Expedites)</u>. For Service Date Advancement requests by Global Connection, Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in BellSouth's FCC No. 1 Tariff, Section 5, will apply as applicable.

## **Attachment 7**

**Billing** 

## TABLE OF CONTENTS

1.	PAYMENT AND BILLING ARRANGEMENTS	3
2.	BILLING DISPUTES	7
3.	RAO HOSTING	8
4.	OPTIONAL DAILY USAGE FILE	11
5.	ACCESS DAILY USAGE FILE	14
6.	ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)	16
Rai	tes	Evhibit A

### BILLING

## 1. PAYMENT AND BILLING ARRANGEMENTS

The terms and conditions set forth in this Attachment shall apply to all services ordered and provisioned pursuant to this Agreement.

- 1.1 <u>Billing</u>. BellSouth will bill through the Carrier Access Billing System (CABS), Integrated Billing System (IBS) and/or the Customer Records Information System (CRIS) depending on the particular service(s) provided to Global Connection under this Agreement. BellSouth will format all bills in Carrier Billing Output Specification (CBOS) Standard or CLUB/EDI format, depending on the type of service provided. For those services where standards have not yet been developed, BellSouth's billing format will change as necessary when standards are finalized by the applicable industry forum.
- 1.1.1 For any service(s) BellSouth receives from Global Connection, Global Connection shall bill BellSouth in CBOS format.
- 1.1.2 Any switched access charges associated with interexchange carrier access to the resold local exchange lines will be billed by, and due to BellSouth.
- 1.1.3 BellSouth will render bills each month on established bill days for each of Global Connection's accounts. If either Party requests multiple billing media or additional copies of the bills, the billing Party will provide these at a reasonable cost.
- 1.1.4 BellSouth will bill Global Connection in advance for all services to be provided during the ensuing billing period except charges associated with service usage and nonrecurring charges, which will be billed in arrears.
- 1.1.4.1 Charges for services will be calculated on an individual End User account level, including, if applicable, any charge for usage or usage allowances. BellSouth will also bill Global Connection, and Global Connection will be responsible for and remit to BellSouth, all charges applicable to said services including but not limited to 911 and E911 charges, End Users common line charges, federal subscriber line charges, telecommunications relay charges (TRS), and franchise fees, unless otherwise ordered by a Commission.
- 1.1.5 BellSouth will not perform billing and collection services for Global Connection as a result of the execution of this Agreement.
- 1.1.6 In the event that this Agreement or an amendment to this Agreement effects a rate change to recurring rate elements that are billed in advance, BellSouth will make an adjustment to such recurring rates billed in advance at the previously effective rate. The adjustment shall reflect billing at the new rates from the Effective Date of the Agreement or amendment.

- 1.2 Establishing Accounts. After submitting a credit profile and deposit, if required, and after receiving certification as a local exchange carrier from the appropriate regulatory agency, Global Connection will provide the appropriate BellSouth advisory team/local contract manager the necessary documentation to enable BellSouth to establish accounts for Local Interconnection, Network Elements and Other Services, Collocation and/or resold services. Such documentation shall include the Application for Master Account, if applicable, proof of authority to provide telecommunications services, the appropriate Operating Company Numbers (OCN) for each state as assigned by the National Exchange Carriers Association (NECA), Carrier Identification Code (CIC), Access Customer Name and Abbreviation (ACNA), Blanket Letter of Authorization (LOA), Misdirected Number form, and a tax exemption certificate, if applicable. Notwithstanding anything to the contrary in this Agreement, Global Connection may not order services under a new account established in accordance with this Section 1.2 until 30 days after all information specified in this Section 1.2 is received from Global Connection.
- 1.2.1 OCN. If Global Connection needs to change its OCN(s) under which it operates when Global Connection has already been conducting business utilizing those OCN(s), Global Connection shall bear all costs incurred by BellSouth to convert Global Connection to the new OCN(s). OCN conversion charges include all time required to make system updates to all of Global Connection's End User customer records and will be handled by the BFR/NBR process.
- 1.2.2 <u>Payment Responsibility</u>. Payment of all charges will be the responsibility of Global Connection. Global Connection shall make payment to BellSouth for all services billed. Payments made by Global Connection to BellSouth as payment on account will be credited to Global Connection's accounts receivable master account. BellSouth will not become involved in billing disputes that may arise between Global Connection and Global Connection's customer.
- 1.3 <u>Payment Due.</u> Payment for services provided is due on or before the next bill date in immediately available funds. Payment is considered to have been made when received by BellSouth.
- 1.4 <u>Due Dates</u>. If the payment due date falls on a Sunday or on a holiday that is observed on a Monday, the payment due date shall be the first non-holiday day following such Sunday or holiday. If the payment due date falls on a Saturday or on a holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-holiday day preceding such Saturday or holiday. If payment is not received by the payment due date, a late payment charge, as set forth in Section 1.6, below, shall apply.
- 1.5 <u>Tax Exemption</u>. Upon BellSouth's receipt of tax exemption certificate, the total amount billed to Global Connection will not include those taxes or fees from which Global Connection is exempt. Global Connection will be solely responsible for the

computation, tracking, reporting and payment of all taxes and like fees associated with the services provided to the End User of Global Connection.

- Late Payment. If any portion of the payment is not received by BellSouth on or before the payment due date as set forth preceding, or if any portion of the payment is received by BellSouth in funds that are not immediately available to BellSouth, then a late payment charge shall be due to BellSouth. The late payment charge shall be the portion of the payment not received by the payment due date multiplied by a late factor and will be applied on a per bill basis. The late factor shall be as set forth in Section A2 of the General Subscriber Services Tariff, Section B2 of the Private Line Service Tariff or Section E2 of the Intrastate Access Tariff, as appropriate. In addition to any applicable late payment charges, Global Connection may be charged a fee for all returned checks as set forth in Section A2 of the General Subscriber Services Tariff or pursuant to the applicable state law.
- 1.7 <u>Discontinuing Service to Global Connection</u>. The procedures for discontinuing service to Global Connection are as follows:
- 1.7.1 BellSouth reserves the right to suspend or terminate service in the event of prohibited, unlawful or improper use of BellSouth facilities or service, abuse of BellSouth facilities, or any other violation or noncompliance by Global Connection of the rules and regulations of BellSouth's tariffs.
- 1.7.2 BellSouth reserves the right to suspend or terminate service for nonpayment. If payment of amounts not subject to a billing dispute, as described in Section 2, is not received by the bill date in the month after the original bill date, BellSouth will provide written notice to Global Connection that additional applications for service may be refused, that any pending orders for service may not be completed, and/or that access to ordering systems may be suspended if payment of such amounts, and all other amounts not in dispute that become past due before refusal, incompletion or suspension, is not received by the fifteenth day following the date of the notice. In addition, BellSouth may, at the same time, provide written notice to the person designated by Global Connection to receive notices of noncompliance that BellSouth may discontinue the provision of existing services to Global Connection if payment of such amounts, and all other amounts not in dispute that become past due before discontinuance, is not received by the thirtieth day following the date of the initial notice.
- 1.7.3 In the case of discontinuance of services, all billed charges, as well as applicable termination charges, shall become due.
- 1.7.4 Discontinuance of service on Global Connection's account will effect a discontinuance of service to Global Connection's End Users. BellSouth will reestablish service for Global Connection upon payment of all past due charges and the appropriate connection fee subject to BellSouth's normal application

procedures. Global Connection is solely responsible for notifying the End User of the discontinuance of the service. If within fifteen (15) days after Global Connection's service has been discontinued and no arrangements to reestablish service have been made consistent with this subsection, Global Connection's service will be disconnected.

- 1.8 Deposit Policy. Global Connection shall complete the BellSouth Credit Profile and provide information to BellSouth regarding credit worthiness. Based on the results of the credit analysis, BellSouth reserves the right to secure the account with a suitable form of security deposit. Such security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or, in BellSouth's sole discretion, some other form of security proposed by Global Connection. Any such security deposit shall in no way release Global Connection from its obligation to make complete and timely payments of its bill. Global Connection shall pay any applicable deposits prior to the inauguration of service. If, in the sole opinion of BellSouth, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the level of security deposit, BellSouth reserves the right to request additional security and/or file a Uniform Commercial Code (UCC-1) security interest in Global Connection's "accounts receivables and proceeds." Interest on a security deposit, if provided in cash, shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff. Security deposits collected under this Section shall not exceed two months' estimated billing. In the event Global Connection fails to remit to BellSouth any deposit requested pursuant to this Section, service to Global Connection may be terminated in accordance with the terms of Section 1.7 of this Attachment, and any security deposits will be applied to Global Connection's account(s). In the event Global Connection defaults on its account, service to Global Connection will be terminated in accordance with the terms of Section 1.7 above, and any security deposits will be applied to Global Connection's account.
- Notices. Notwithstanding anything to the contrary in this Agreement, all bills and notices regarding billing matters, including notices relating to security deposits, disconnection of services for nonpayment of charges, and rejection of additional orders from Global Connection, shall be forwarded to the individual and/or address provided by Global Connection in establishment of its billing account(s) with BellSouth, or to the individual and/or address subsequently provided by Global Connection as the contact for billing information. All monthly bills and notices described in this Section shall be forwarded to the same individual and/or address; provided, however, upon written request from Global Connection to BellSouth's billing organization, the notice of discontinuance of services purchased by Global Connection under this Agreement provided for in Section 1.7.2 of this Attachment shall be sent via certified mail to the individual(s) listed in the Notices provision of the General Terms and Conditions of this Agreement.

1.10 Rates. Rates for Optional Daily Usage File (ODUF), Access Daily Usage File (ADUF), Enhanced Optional Daily Usage File (EODUF) and Centralized Message Distribution Service (CMDS) are set out in Exhibit A to this Attachment. If no rate is identified in this Attachment, the rate for the specific service or function will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

## 2. BILLING DISPUTES

- 2.1 Each Party agrees to notify the other Party in writing upon the discovery of a billing dispute. Global Connection shall report all billing disputes to BellSouth using the Billing Adjustment Request Form (RF 1461) provided by BellSouth. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) calendar days of the notification date. If the Parties are unable within the 60 day period to reach resolution, then the aggrieved Party may pursue dispute resolution in accordance with the General Terms and Conditions of this Agreement.
- 2.2 For purposes of this Section 2, a billing dispute means a reported dispute of a specific amount of money actually billed by either Party. The dispute must be clearly explained by the disputing Party and supported by written documentation, which clearly shows the basis for disputing charges. A billing dispute will not include the refusal to pay all or part of a bill or bills when no written documentation is provided to support the dispute, nor shall a billing dispute include the refusal to pay other amounts owed by the billed Party until the dispute is resolved. Claims by the billed Party for damages of any kind will not be considered a billing dispute for purposes of this Section. If the billing dispute is resolved in favor of the billing Party, the disputing Party will make immediate payment of any of the disputed amount owed to the billing Party or the billing Party shall have the right to pursue normal treatment procedures. Any credits due to the disputing Party, pursuant to the billing dispute, will be applied to the disputing Party's account by the billing Party immediately upon resolution of the dispute.
- If a Party disputes a charge and does not pay such charge by the payment due date, or if a payment or any portion of a payment is received by either Party after the payment due date, or if a payment or any portion of a payment is received in funds which are not immediately available to the other Party, then a late payment charge and interest, where applicable, shall be assessed. For bills rendered by either Party for payment, the late payment charge for both Parties shall be calculated based on the portion of the payment not received by the payment due date multiplied by the late factor as set forth in the following BellSouth tariffs: for services purchased from the General Subscribers Services Tariff for purposes of resale and for ports and non-designed loops, Section A2 of the General Subscriber Services Tariff; for services purchased from the Private Line Tariff for purposes of resale, Section B2 of the Private Line Service Tariff; and for designed network elements and other

services and local interconnection charges, Section E2 of the Access Service Tariff. The Parties shall assess interest on previously assessed late payment charges only in a state where it has the authority pursuant to its tariffs.

## 3. RAO HOSTING

- 3.1 RAO Hosting, Calling Card and Third Number Settlement System (CATS) and Non-Intercompany Settlement System (NICS) services provided to Global Connection by BellSouth will be in accordance with the methods and practices regularly applied by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth.
- 3.2 Global Connection shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.
- Charges or credits, as applicable, will be applied by BellSouth to Global Connection on a monthly basis in arrears. Amounts due (excluding adjustments) are payable within thirty (30) days of receipt of the billing statement.
- 3.4 Global Connection must have its own unique hosted RAO code. Where BellSouth is the selected CMDS interfacing host, Global Connection must request that BellSouth establish a unique hosted RAO code for Global Connection. Such request shall be in writing to the BellSouth RAO Hosting coordinator and must be submitted at least eight (8) weeks prior to provision of services pursuant to this Section. Services shall commence on a date mutually agreed by the Parties.
- 3.5 BellSouth will receive messages from Global Connection that are to be processed by BellSouth, another LEC in the BellSouth region or a LEC outside the BellSouth region. Global Connection shall send all messages to BellSouth no later than sixty (60) days after the message date.
- 3.6 BellSouth will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from Global Connection.
- 3.7 All data received from Global Connection that is to be processed or billed by another LEC within the BellSouth region will be distributed to that LEC in accordance with the Agreement(s) in effect between BellSouth and the involved LEC.
- All data received from Global Connection that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in accordance with the agreement(s) in effect between BellSouth and its connecting contractor.

- 3.9 BellSouth will receive messages from the CMDS network that are destined to be processed by Global Connection and will forward them to Global Connection on a daily basis for processing.
- 3.10 Transmission of message data between BellSouth and Global Connection will be via CONNECT:Direct or Secure File Transfer Protocol (FTP).
- 3.10.1 Data circuits (private line or dial-up) will be required between BellSouth and Global Connection for the purpose of data transmission when utilizing CONNECT: Direct. Where a dedicated line is required, Global Connection will be responsible for ordering the circuit and coordinating the installation with BellSouth. Global Connection is responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit data will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Global Connection. Additionally, all message toll charges associated with the use of the dial circuit by Global Connection will be the responsibility of Global Connection. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on the Global Connection end for the purpose of data transmission will be the responsibility of Global Connection.
- 3.10.2 If Global Connection utilizes Secure File Transfer Protocol for data file transmission, purchase of the Secure File Transfer Protocol software will be the responsibility of Global Connection.
- 3.11 All messages and related data exchanged between BellSouth and Global Connection will be formatted for EMI formatted records and packed between appropriate EMI header and trailer records in accordance with accepted industry standards.
- 3.12 Global Connection will maintain recorded message detail necessary to recreate files provided to BellSouth for a period of three (3) calendar months beyond the related message dates.
- 3.13 Should it become necessary for Global Connection to send data to BellSouth more than sixty (60) days past the message date(s), Global Connection will notify BellSouth in advance of the transmission of the data. BellSouth will work with its connecting contractor and/or Global Connection, where necessary, to notify all affected LECs.
- In the event that data to be exchanged between the two Parties should become lost or destroyed, the Party responsible for creating the data will make every effort to restore and retransmit such data. If the data cannot be retrieved, the Party

responsible for losing or destroying the data will be liable to the other Party for any resulting lost revenue. Lost revenue may be a combination of revenues that could not be billed to the End Users and associated access revenues. Both Parties will work together to estimate the revenue amount based upon historical data through a method mutually agreed upon. The resulting estimated revenue loss will be paid by the responsible Party to the other Party within three (3) calendar months of the resolution of the amount owed, or as mutually agreed upon by the Parties.

- 3.15 Should an error be detected by the EMI format edits performed by BellSouth on data received from Global Connection, the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify Global Connection of the error. Global Connection will correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on subsequent packs, Global Connection will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.
- 3.16 In association with message distribution service, BellSouth will provide Global Connection with associated intercompany settlements reports (CATS and NICS) as appropriate.
- 3.17 Notwithstanding anything in this Agreement to the contrary, in no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this Section 3.
- 3.18 Intercompany Settlements Messages
- 3.18.1 Intercompany Settlements Messages facilitate the settlement of revenues associated with traffic originated from or billed by Global Connection as a facilities based provider of local exchange telecommunications services outside the BellSouth region. Only traffic that originates in one Bell operating territory and bills in another Bell operating territory is included. Traffic that originates and bills within the same Bell operating territory will be settled on a local basis between Global Connection and the involved company(ies), unless that company is participating in NICS.
- 3.18.2 Both traffic that originates outside the BellSouth region by Global Connection and is billed within the BellSouth region, and traffic that originates within the BellSouth region and is billed outside the BellSouth region by Global Connection, is covered by CATS. Also covered is traffic that either is originated by or billed by Global Connection, involves a company other than Global Connection, qualifies for inclusion in the CATS settlement, and is not originated or billed within the BellSouth region (NICS).

- 3.18.3 Once Global Connection is operating within the BellSouth territory, revenues associated with calls originated and billed within the BellSouth region will be settled via NICS.
- 3.18.4 BellSouth will receive the monthly NICS reports from Telcordia on behalf of Global Connection. BellSouth will distribute copies of these reports to Global Connection on a monthly basis.
- 3.18.5 BellSouth will receive the monthly CATS reports from Telcordia on behalf of Global Connection. BellSouth will distribute copies of these reports to Global Connection on a monthly basis.
- 3.18.6 BellSouth will collect the revenue earned by Global Connection from the Bell operating company in whose territory the messages are billed via CATS, less a per message billing and collection fee of five cents (\$0.05), on behalf of Global Connection. BellSouth will remit the revenue billed by Global Connection to the Bell operating company in whose territory the messages originated, less a per message billing and collection fee of five cents (\$0.05), on behalf on Global Connection. These two amounts will be netted together by BellSouth and the resulting charge or credit issued to Global Connection via a monthly Carrier Access Billing System (CABS) miscellaneous bill.
- 3.18.7 BellSouth will collect the revenue earned by Global Connection within the BellSouth territory from another CLEC also within the BellSouth territory (NICS) where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of Global Connection. BellSouth will remit the revenue billed by Global Connection within the BellSouth region to the CLEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents (\$0.05). These two amounts will be netted together by BellSouth and the resulting charge or credit issued to Global Connection via a monthly CABS miscellaneous bill.
- 3.18.8 BellSouth and Global Connection agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.

## 4. OPTIONAL DAILY USAGE FILE

- 4.1 Upon written request from Global Connection, BellSouth will provide the Optional Daily Usage File (ODUF) service to Global Connection pursuant to the terms and conditions set forth in this section.
- 4.2 Global Connection shall furnish all relevant information required by BellSouth for the provision of the ODUF.
- 4.3 The ODUF feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a Global Connection customer.

4.4 Charges for the ODUF will appear on Global Connections' monthly bills for the previous month's usage. The charges are as set forth in Exhibit A to this Attachment. Global Connection will be billed at the ODUF rates that are in effect at the end of the previous month. 4.5 The ODUF feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format. 4.6 Messages that error in the billing system of Global Connection will be the responsibility of Global Connection. If, however, Global Connection should encounter significant volumes of errored messages that prevent processing by Global Connection within its systems, BellSouth will work with Global Connection to determine the source of the errors and the appropriate resolution. 4.7 The following specifications shall apply to the ODUF feed. 4.7.1 ODUF Messages to be Transmitted 4.7.1.1 The following messages recorded by BellSouth will be transmitted to Global Connection: 4.7.1.1.1 Message recording for per use/per activation type services (examples: Three -Way Calling, Verify, Interrupt, Call Return, etc.) 4.7.1.1.2 Measured billable Local 4.7.1.1.3 Directory Assistance messages 4.7.1.1.4 IntraLATA Toll 4.7.1.1.5 WATS and 800 Service 4.7.1.1.6 N11 4.7.1.1.7 **Information Service Provider Messages** 4.7.1.1.8 **Operator Services Messages** 4.7.1.1.9 Operator Services Message Attempted Calls (Network Element only) 4.7.1.1.10 Credit/Cancel Records 4.7.1.1.11 Usage for Voice Mail Message Service 4.7.1.2 Rated Incollects (messages BellSouth receives from other revenue accounting offices) can also be on ODUF. Rated Incollects will be intermingled with

BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.

- 4.7.1.3 BellSouth will perform duplicate record checks on records processed to ODUF. Any duplicate messages detected will be deleted and not sent to Global Connection.
- 4.7.1.4 In the event that Global Connection detects a duplicate on ODUF they receive from BellSouth, Global Connection will drop the duplicate message and will not return the duplicate to BellSouth.
- 4.7.2 ODUF Physical File Characteristics
- 4.7.2.1 ODUF will be distributed to Global Connection via CONNECT:Direct, Secure File Transfer Protocol (FTP) or another mutually agreed medium. The ODUF feed will be a variable block format. The data on the ODUF feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- 4.7.2.2 Data circuits (private line or dial-up) will be required between BellSouth and Global Connection for the purpose of data transmission as set forth in Section 3.10.1 above.
- 4.7.2.3 If Global Connection utilizes Secure File Transfer Protocol (FTP) for data file transmission, purchase of the Secure File Transfer Protocol (FTP) software will be the responsibility of Global Connection.
- 4.7.3 ODUF Packing Specifications
- 4.7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 4.7.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Global Connection which BellSouth RAO that is sending the message. BellSouth and Global Connection will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Global Connection and resend the data as appropriate.

The data will be packed using ATIS EMI records.

- 4.7.4 ODUF Pack Rejection
- 4.7.4.1 Global Connection will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack

sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. Global Connection will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Global Connection by BellSouth.

## 4.7.5 ODUF Control Data

4.7.5.1 Global Connection will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Global Connection's receipt of the pack and acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Global Connection for reasons stated in the above section.

## 4.7.6 ODUF Testing

4.7.6.1 Upon request from Global Connection, BellSouth shall send ODUF test files to Global Connection. The Parties agree to review and discuss the ODUF content and/or format. For testing of usage results, BellSouth shall request that Global Connection set up a production (live) file. The live test may consist of Global Connection's employees making test calls for the types of services Global Connection requests on ODUF. These test calls are logged by Global Connection, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

## 5. ACCESS DAILY USAGE FILE

- 5.1 Upon written request from Global Connection, BellSouth will provide the Access Daily Usage File (ADUF) service to Global Connection pursuant to the terms and conditions set forth in this section.
- 5.2 Global Connection shall furnish all relevant information required by BellSouth for the provision of ADUF.
- 5.3 ADUF will contain access messages associated with a port that Global Connection has purchased from BellSouth
- Charges for ADUF will appear on Global Connection's monthly bills for the previous month's usage. The charges are as set forth in Exhibit A to this Attachment. Global Connection will be billed at the ADUF rates that are in effect at the end of the previous month.
- 5.5 Messages that error in the billing system of Global Connection will be the responsibility of Global Connection. If, however, Global Connection should encounter significant volumes of errored messages that prevent processing by

Global Connection within its systems, BellSouth will work with Global Connection to determine the source of the errors and the appropriate resolution.

- 5.6 ADUF Messages To Be Transmitted
- 5.6.1 The following messages recorded by BellSouth will be transmitted to Global Connection:
- 5.6.1.1 Recorded originating and terminating interstate and intrastate access records associated with a port.
- 5.6.1.2 Recorded terminating access records for undetermined jurisdiction access records associated with a port.
- 5.6.2 BellSouth will perform duplicate record checks on records processed to ADUF. Any duplicate messages detected will be dropped and not sent to Global Connection.
- 5.6.3 In the event that Global Connection detects a duplicate on ADUF they receive from BellSouth, Global Connection will drop the duplicate message and will not return the duplicate to BellSouth.
- 5.6.4 ADUF Physical File Characteristics
- ADUF will be distributed to Global Connection via CONNECT:Direct, Secure File Transfer Protocol (FTP) or another mutually agreed medium. The ADUF feed will be a fixed block format. The data on the ADUF feed will be in a non-compacted EMI format (210 byte). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- Data circuits (private line or dial-up) will be required between BellSouth and Global Connection for the purpose of data transmission as set forth in Section 3.10.1 above.
- 5.6.4.3 If Global Connection utilizes Secure File Transfer Protocol (FTP) for data file transmission, purchase of the Secure File Transfer Protocol (FTP) software will be the responsibility of Global Connection.
- 5.6.5 ADUF Packing Specifications
- 5.6.5.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.

The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Global Connection which BellSouth RAO is sending the message. BellSouth and Global Connection will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Global Connection and resend the data as appropriate.

The data will be packed using ATIS EMI records.

- 5.6.6 ADUF Pack Rejection
- 5.6.6.1 Global Connection will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. Global Connection will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Global Connection by BellSouth.
- 5.6.7 ADUF Control Data
- 5.6.7.1 Global Connection will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Global Connection's receipt of the pack and acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Global Connection for reasons stated in the above section.
- 5.6.8 ADUF Testing
- 5.6.8.1 Upon request from Global Connection, BellSouth shall send a test file of generic data to Global Connection via Connect:Direct or Text File via E-Mail. The Parties agree to review and discuss the test file's content and/or format.

## 6. ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)

- Upon written request from Global Connection, BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to Global Connection pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
- Global Connection shall furnish all relevant information required by BellSouth for the provision of the Enhanced Optional Daily Usage File.
- 6.3 The Enhanced Optional Daily Usage File (EODUF) will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.
- 6.4 Charges for delivery of the Enhanced Optional Daily Usage File will appear on Global Connection's monthly bills for the previous month's usage. The charges

at the EODUF rates that are in effect at the end of the previous month. 6.5 All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format. 6.6 Messages that error in the billing system of Global Connection will be the responsibility of Global Connection. If, however, Global Connection should encounter significant volumes of errored messages that prevent processing by Global Connection within its systems, BellSouth will work with Global Connection to determine the source of the errors and the appropriate resolution. 6.7 The following specifications shall apply to the EODUF feed. 6.7.1 Usage To Be Transmitted 6.7.1.1 The following messages recorded by BellSouth will be transmitted to Global Connection: Customer usage data for flat rated local call originating from Global Connection's 6.7.1.1.1 End User lines (1FB or 1FR). The EODUF record for flat rate messages will include: 6.7.1.1.2 Date of Call 6.7.1.1.3 From Number 6.7.1.1.4 To Number 6.7.1.1.5 Connect Time 6.7.1.1.6 Conversation Time 6.7.1.1.7 Method of Recording 6.7.1.1.8 From RAO 6.7.1.1.9 Rate Class 6.7.1.1.10 Message Type

are as set forth in Exhibit A to this Attachment. Global Connection will be billed

6.7.1.1.11

6.7.1.1.12

6.7.1.2

**Billing Indicators** 

not sent to Global Connection.

Bill to Number

BellSouth will perform duplicate record checks on EODUF records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and

- 6.7.1.3 In the event that Global Connection detects a duplicate on Enhanced Optional Daily Usage File they receive from BellSouth, Global Connection will drop the duplicate message (Global Connection will not return the duplicate to BellSouth).
- 6.7.2 Physical File Characteristics
- 6.7.2.1 The EODUF feed will be distributed to Global Connection over their existing Optional Daily Usage File (ODUF) feed. The EODUF messages will be intermingled among Global Connection's Optional Daily Usage File (ODUF) messages. The EODUF will be a variable block format (2476) with an LRECL of 2472. The data on the EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays).
- 6.7.2.2 Data circuits (private line or dial-up) may be required between BellSouth and Global Connection for the purpose of data transmission. Where a dedicated line is required, Global Connection will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Global Connection will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Global Connection. Additionally, all message toll charges associated with the use of the dial circuit by Global Connection will be the responsibility of Global Connection. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on Global Connection's end for the purpose of data transmission will be the responsibility of Global Connection.
- 6.7.3 Packing Specifications
- 6.7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 6.7.3.2 The Operating Company Number (OCN), From Revenue Accounting Office (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Global Connection which BellSouth RAO is sending the message. BellSouth and Global Connection will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Global Connection and resend the data as appropriate.
- 6.7.3.3 The data will be packed using ATIS EMI records.

ODUF/ADUF	/EODUF/CMDS - Alabama												Attach	ment: 7	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/O	EDUF/CMDS															
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.007037										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.000113										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.000011										
	ODUF: Message Processing, per message				N/A	0.004101										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	42.67										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.000094										
CENT	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHAN	ICED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message				N/A	0.22			1	<u> </u>	l					
Notes:	If no rate is identified in the contract, the rate for the specific	service	or fun	ction will be as set	forth in appli	cable BellSout	h tariff or as n	egotiated by t	he Parties upor	n request by ei	ther Party.					

ODUF/ADUF	/EODUF/CMDS - Florida												Attach	ment: 7	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C																
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.001656										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0001245										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000071										
	ODUF: Message Processing, per message				N/A	0.002146										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	35.91										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010375										
CENTE	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message			·	N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message			_	N/A	0.001										
ENHA	ICED OPTIONAL DAILY USAGE FILE (EODUF)		ļ													
	EODUF: Message Processing, per message				N/A	0.080698			1	l	l					
Notes:	If no rate is identified in the contract, the rate for the specific	service	or fun	ction will be as set	forth in appli	cable BellSout	h tariff or as n	egotiated by t	he Parties upor	n request by ei	ther Party.					

ODUF/ADUF	F/EODUF/CMDS - Georgia												Attach	ment: 7	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C																
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.0136327										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0000434										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0001275										
	ODUF: Message Processing, per message				N/A	0.0082548										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	28.85										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0000434										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message				N/A	0.0034555										
Notes:	If no rate is identified in the contract, the rate for the specific	service	or fun	ction will be as set	forth in appli	cable BellSout	h tariff or as n	egotiated by t	he Parties upor	n request by ei	ther Party.					

ODUF/ADUF	F/EODUF/CMDS - Kentucky												Attach	ment: 7	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C																
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.001857										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0001245										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000136										
	ODUF: Message Processing, per message				N/A	0.002506										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	35.90										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010372										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										1
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message				N/A	0.235889										
Notes:	If no rate is identified in the contract, the rate for the specific	service	or fun	ction will be as set t	forth in appli	cable BellSout	h tariff or as n	egotiated by the	he Parties upor	request by ei	ther Party.					

ODUF/ADUF	F/EODUF/CMDS - Louisiana												Attach	ment: 7	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Charge -	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C	DEDUF/CMDS															
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.007983										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00012681										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000117										
	ODUF: Message Processing, per message				N/A	0.004641										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	48.45										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010568										
CENTE	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)															ļI
	EODUF: Message Processing, per message				N/A	0.250015										
Notes:	If no rate is identified in the contract, the rate for the specific	service	or fur	nction will be as set	forth in appli	icable BellSout	h tariff or as n	egotiated by t	he Parties upor	n request by ei	ther Party.					

ODUF/ADUF	F/EODUF/CMDS - Mississippi												Attach	ment: 7	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C	EDUF/CMDS															
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.008087										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00012803										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000063										
	ODUF: Message Processing, per message				N/A	0.004707										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	49.04										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010669										
CENTE	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)					0.050101										
	EODUF: Message Processing, per message	l			N/A	0.250424			l		l					ļ
Notes:	If no rate is identified in the contract, the rate for the specific	service	or fun	ction will be as set	forth in appli	cable BellSout	h tariff or as n	egotiated by t	he Parties upor	n request by ei	ther Party.					

ODUF/ADUF	F/EODUF/CMDS - North Carolina												Attach	ment: 7	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C	DEDUF/CMDS															
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.01435										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0001277										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0003										
	ODUF: Message Processing, per message				N/A	0.0032										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	54.61										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00004										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message				N/A	0.2285406										
Notes:	If no rate is identified in the contract, the rate for the specific	service	or fun	ction will be as set	forth in appli	cable BellSout	h tariff or as n	egotiated by t	he Parties upor	n request by ei	ther Party.					

ODUF/ADUF	/EODUF/CMDS - South Carolina												Attach	ment: 7	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Charge -	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/O																
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.008061										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00013036										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000216										
	ODUF: Message Processing, per message				N/A	0.004704										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	48.87										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010863										
CENTR	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHAN	ICED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message				N/A	0.258301										
Notes:	If no rate is identified in the contract, the rate for the specific	service	or fun	ction will be as set	forth in appli	cable BellSout	h tariff or as n	egotiated by the	he Parties upor	request by ei	ther Party.					

ODUF/ADUF	F/EODUF/CMDS - Tennessee												Attach	ment: 7	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Charge -	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	
ODUF/ADUF/C	EDUF/CMDS															
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.004										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000044										
	ODUF: Message Processing, per message				N/A	0.0027366										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	52.75										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0000339										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message				N/A	0.004										
Notes:	If no rate is identified in the contract, the rate for the specific	service	or fur	nction will be as set	forth in appli	cable BellSout	h tariff or as ne	egotiated by the	ne Parties upor	n request by e	ther Party.					

# **Attachment 8**

Rights-of-Way, Conduits and Pole Attachments

# Rights-of-Way, Conduits and Pole Attachments

BellSouth will provide nondiscriminatory access to any pole, duct, conduit, or right-of-way owned or controlled by BellSouth pursuant to 47 U.S.C. § 224, as amended by the Act, pursuant to terms and conditions of a license agreement subsequently negotiated with BellSouth's Competitive Structure Provisioning Center.

# **Attachment 9**

**Performance Measurements** 

Version 1Q03: 04/11/03

## PERFORMANCE MEASUREMENTS

Upon a particular Commission's issuance of an Order pertaining to Performance Measurements in a proceeding expressly applicable to all CLECs generally, BellSouth shall implement in that state such Performance Measurements as of the date specified by the Commission. Performance Measurements that have been Ordered in a particular state can currently be accessed via the internet at https://pmap.bellsouth.com. The following Service Quality Measurements (SQM) plan adopted by the Florida Commission on February 14, 2002, as it presently exists and as it may be modified in the future, is being included as the performance measurements currently in place for the state of Tennessee. At such time that the TRA issues a subsequent Order pertaining to Performance Measurements, such Performance Measurements shall supersede the SQM contained in the Agreement.

Version 1Q03: 04/11/03

# BellSouth Service Quality Measurement Plan (SQM)

# **Tennessee Performance Metrics**

Measurement Descriptions
Version 1.00

Issue Date: December 1, 2002

#### **Tennessee Performance Metrics**

## Introduction

The BellSouth Service Quality Measurement Plan (SQM) describes in detail the measurements produced to evaluate the quality of service delivered to BellSouth's customers both wholesale and retail. The SQM was developed to respond to the requirements of the Communications Act of 1996 Section 251 (96 Act) which required BellSouth to provide non-discriminatory access to Competitive Local Exchange Carriers (CLEC)<sup>1</sup> and their Retail Customers. The reports produced by the SQM provide regulators, CLECs and BellSouth the information necessary to monitor the delivery of non-discriminatory access.

This plan results from the many divergent forces evolving from the 96 Act. The 96 Act, the Georgia Public Service Commission (GPSC) Order (Docket 7892-U 12/30/97), LCUG 1-7.0, the FCC's NPRM (CC Docket 98-56 RM9101 04/17/98), the Louisiana Public Service Commission (LPSC) Order (Docket U-22252 Subdocket C 04/19/98), the Florida Public Service Commission Order (Docket 000121-TP), numerous arbitration cases, LPSC sponsored collaborative workshops (10/98-02/00), and proceedings in Alabama, Mississippi, and North Carolina have and continue to influence the SQM.

The SQM and the reports flowing from it must change to reflect the dynamic requirements of the industry. New measurements are added as new products, systems, and processes are developed and fielded. New products and services are added as the markets for them develop and the processes stabilize. The measurements are also changed to reflect changes in systems, correct errors, and respond to both 3<sup>rd</sup> Party audit requirements and the Tennessee Regulatory Authority.

This document is intended for use by someone with knowledge of telecommunications industry, information technologies and a functional knowledge of the subject areas covered by the BellSouth Performance Measurements and the reports that flow from them.

Once it is approved, the most current copy of this document can be found on the web at URL: <a href="http://pmap.bellsouth.com">http://pmap.bellsouth.com</a> in the Documentation/Exhibits folder.

## **Report Publication Dates**

Each month, preliminary SQM reports will be posted to BellSouth's SQM web site (<a href="http://pmap.bellsouth.com">http://pmap.bellsouth.com</a>) by 8:00 A.M. EST on the 21st day of each month or the first business day after the 21st. The validated SQM reports will be posted by 8:00 A.M. on the last day of the month. Reports not posted by this time will be considered late for SEEM payment purposes. Validated SEEM reports will be posted on the 15th of the following month. SEEM payments due will also be paid on the 15th of the following month. For instance: May data will be posted in preliminary SQM reports on June 21. Final validated SQM reports will be posted on the 15th of the following month. Final validated SEEM reports will be posted and payments mailed on the 15th of the following month. BellSouth shall retain the performance measurement raw data files for a period of 18 months and further retain the monthly reports produced in PMAP for a period of three years.

1. Alternative Local Exchange Companies (ALEC) and Competing Local Providers (CLP) are referred to as Competitive Local Exchange Carriers (CLEC) in this document.



## **Report Delivery Methods**

CLEC SQM and SEEM reports will be considered delivered when posted to the web site. The Tennessee Regulatory Authority has access to the web site. In addition, a copy of the Monthly State Summary reports will be filed with the TRA as soon as possible after the last day of each month.

Issue Date: December 1, 2002



# **Contents**

Section 1:	Operations Support Systems (OSS)	
OSS-1:	Average Response Time and Response Interval (Pre-Ordering/Ordering)	1-
OSS-2:	Interface Availability (Pre-Ordering/Ordering)	1-:
OSS-3:	Interface Availability (Maintenance & Repair)	1-
OSS-4:	Response Interval (Maintenance & Repair)	1-10
PO-1:	Loop Makeup - Response Time - Manual	1-12
PO-2:	Loop Make Up - Response Time - Electronic	1-14
Section 2:	Ordering	
O-1:	Acknowledgement Message Timeliness	2-
O-2:	Acknowledgement Message Completeness	2-
O-3:	Percent Flow-Through Service Requests (Summary)	2-
O-4:	Percent Flow-Through Service Requests (Detail)	2-
O-5:	Flow-Through Error Analysis	
O-6:	CLEC LSR Information	
•	LSR Flow Through Matrix	2-1:
O-7:	Percent Rejected Service Requests	2-13
O-8:	Reject Interval	
O-9:	Firm Order Confirmation Timeliness	
O-10:	Service Inquiry with LSR Firm Order Confirmation (FOC) Response Time Manual	
O-11:	Firm Order Confirmation and Reject Response Completeness	2-29
O-12:	Speed of Answer in Ordering Center	2-3
Section 3:	Provisioning	
P-1:	Mean Held Order Interval & Distribution Intervals	3-
P-2:	Average Jeopardy Notice Interval & Percentage of Orders Given Jeopardy Notices	3-
P-3:	Percent Missed Initial Installation Appointments	3-
P-3A:	Percent Missed Installation Appointments Including Subsequent Appointments	3-1
P-4:	Average Completion Interval (OCI) & Order Completion Interval Distribution	3-1
P-4A:	Average Order Completion and Completion Notice Interval (AOCCNI) Distribution	3-1
P-5:	Average Completion Notice Interval	3-2
P-6:	% Completions/Attempts without Notice or < 24 hours Notice	3-2
P-7:	Coordinated Customer Conversions Interval	
P-7A:	Coordinated Customer Conversions – Hot Cut Timeliness % Within Interval and Average Interval	
P-7B:	Coordinated Customer Conversions – Average Recovery Time	3-2
P-7C:	Hot Cut Conversions - % Provisioning Troubles Received Within 7 days of a completed Service Order	3-3
P-8:	Cooperative Acceptance Testing - % of xDSL Loops Successfully Tested	3-3.
P-9:	% Provisioning Troubles within 30 days of Service Order Completion	3-3:
P-10:	Total Service Order Cycle Time (TSOCT)	
P-11:	Service Order Accuracy	
P-12:	LNP-Average Disconnect Timeliness Interval & Disconnect Timeliness Interval Distribution	3-4
Section 4:	Maintenance & Repair	
M&R-1:	Missed Repair Appointments	4-
M&R-2:	Customer Trouble Report Rate	4-



M&R-3:	Maintenance Average Duration	4-7
	Percent Repeat Troubles within 30 Days	
	Out of Service (OOS) > 24 Hours	
M&R-6:	Average Answer Time – Repair Centers	4-16
M&R-7:	Mean Time To Notify CLEC of Network Outages	4-17
Section 5:	Billing	
B-1:	Invoice Accuracy	5-1
B-2:	Mean Time to Deliver Invoices	
B-3:	Usage Data Delivery Accuracy	
B-4:	Usage Data Delivery Completeness	
B-5:	Usage Data Delivery Timeliness	
B-6:	Mean Time to Deliver Usage	
B-7:	Recurring Charge Completeness	
B-8:	Non-Recurring Charge Completeness	5-14
B-9:	Percent Daily Usage Feed Errors Corrected in X Business Days	5-17
B-10:	Percent Billing Errors Corrected in X Days	5-1/
Section 6:	<b>Operator Services And Directory Assistance</b>	
OS-1:	Speed to Answer Performance/Average Speed to Answer – Toll	
OS-2:	Speed to Answer Performance/Percent Answered with "X" Seconds – Toll	
DA-1:	Speed to Answer Performance/Average Speed to Answer – Directory Assistance (DA)	6-4
DA-2:	Speed to Answer Performance/Percent Answered within "X" Seconds – Directory Assistance (DA)	6-5
Section 7:	<b>Database Update Information</b>	
D-1:	Average Database Update Interval	7-1
D-2:	Percent Database Update Accuracy	
D-3:	Percent NXXs and LRNs Loaded by the LERG Effective Date	7-5
Section 8:	E911	
E-1:	Timeliness	8-1
E-2:	Accuracy	
E-3:	Mean Interval	8-4
Section 9:	Trunk Group Performance	
	Trunk Group Performance-Aggregate	9_1
TGP-2:	Trunk Group Performance – CLEC Specific	
C 4 10		
	2: Collocation	10.1
C-1:	Collocation Average Response Time	10-1
C-2: C-3:	Collocation Average Arrangement Time	
C-3.	Collocation Percent of Due Dates Missed	10-3
	: Change Management	
CM-1:	Timeliness of Change Management Notices	
CM-2:	Change Management Notice Average Delay Days	11-3
CM-3:	Timeliness of Documents Associated with Change	
CM-4: CM-5:	Change Management Documentation Average Delay Days Notification of CLEC Interface Outages	11-5 11-7
	- · · · · · · · · · · · · · · · · · · ·	,
	A: Reporting Scope	A-1
A-1:	Standard Service Groupings	
A-2:	Standard Service Order Activities	A-l

CCCS 685 of 869



Appendi	x B: Glossary of Acronyms and Terms	B-1
Appendi	x C: BellSouth Audit Policy	C-1
C-1:	BellSouth's Internal Audit Policy	C-1
C-2:	BellSouth's External Audit Policy	C-1



### **Section 1: Operations Support Systems (OSS)**

### OSS-1: Average Response Time and Response Interval (Pre-Ordering/ Ordering)

### Definition

Average response time and response intervals are the average times and number of requests responded to within certain intervals for accessing legacy data associated with appointment scheduling, service & feature availability, address verification, request for Telephone numbers (TNs), and Customer Service Records (CSRs).

### **Exclusions**

Syntactically incorrect queries.

### **Business Rules**

The average response time for retrieving pre-order/order information from a given legacy system is determined by summing the response times for all requests submitted to the legacy systems during the reporting period and dividing by the total number of legacy system requests for that month.

The date/time stamp shall begin when BST receives a query at the BellSouth Gateway and shall end when the query is transmitted from the BST Gateway (applies to both TAG and LENS). For BellSouth, the response interval starts when the client application (RNS or ROS) submits a request to the legacy system and ends when the appropriate response is returned to the client application. The number of accesses to the legacy systems during the reporting period which take less than 2.3 seconds, the number of accesses which take more than 6 seconds, and the number which are less than or equal to 6.3 seconds are also captured.

### Calculation

**Response Time** = (a - b)

- a = Date & Time of Legacy Response
- b = Date & Time of Legacy Request

### Average Response Time = $c \div d$

- c = Sum of Response Times
- d = Number of Legacy Requests During the Reporting Period

### **Report Structure**

- · Interface Type
- Not CLEC Specific
- Not product/service specific
- Regional Level

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance		
Report Month	Report Month		
Legacy Contract (per reporting dimension)	Legacy Contract (per reporting dimension)		
Response Interval	Response Interval		
Regional Scope	Regional Scope		

Version 1.00 1-1 Issue Date: December 1, 2002



### **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
<ul> <li>RSAG – Address (Regional Street Address Guide-Address) – stores street address information used to validate customer addresses. CLECs and BellSouth query this legacy system.</li> <li>RSAG – TN (Regional Street Address Guide-Telephone number) – contains information about facilities available and telephone numbers working at a given address. CLECs and BellSouth query this legacy system.</li> <li>ATLAS (Application for Telephone Number Load Administration and Selection) – acts as a warehouse for storing telephone numbers that are available for assignment by the system. It enables CLECs and BellSouth service reps to select and reserve telephone numbers. CLECs and BellSouth query this legacy system.</li> <li>COFFI (Central Office Feature File Interface) – stores information about product and service offerings and availability. CLECs query this legacy system.</li> <li>DSAP (DOE Support Application) – provides due date information. CLECs and BellSouth query this legacy system.</li> <li>CRIS (Customer Record Information System) – Source of CSR (Customer Service Record) information. Contains information about individual customers including listings, addresses, features, services, etc. CLECs and BellSouth can query for CSR information.</li> <li>P/SIMS (Product/Services Inventory Management system) – provides information on capacity, tariffs, inventory and service availability. CLECs query this legacy system.</li> <li>OASIS (Obtain Available Services Information Systems) – Information on feature and rate availability. BellSouth queries this legacy system.</li> </ul>	• Parity + 2 seconds

**Table 1: Legacy System Access Times For RNS** 

System	Contract	Data	< 2.3 sec.	> 6 sec.	<u>≤</u> 6.3 sec.	Avg. Sec.	# of Calls
RSAG	RSAG-TN	Address	X	X	X	X	X
RSAG	RSAG-ADDR	Address	X	X	X	x	х
ATLAS	ATLAS-TN	TN	X	X	X	x	х
DSAP	DSAP-DDI	Schedule	X	X	X	X	Х
CRIS	CRSACCTS	CSR	X	X	X	X	Х
OASIS	OASISCAR	Feature/Service	X	X	X	X	X
OASIS	OASISLPC	Feature/Service	X	X	X	X	Х
OASIS	OASISMTN	Feature/Service	X	X	X	X	Х
OASIS	OASISBIG	Feature/Service	X	X	X	X	Х

Table 2: Legacy System Access Times For R0S

System	Contract	Data	< 2.3 sec.	> 6 sec.	<u>&lt;</u> 6.3 sec.	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	х	X	х	х	х
RSAG	RSAG-ADDR	Address	Х	X	Х	Х	Х
ATLAS	ATLAS-TN	TN	Х	X	Х	Х	Х

Version 1.00 1-2 Issue Date: December 1, 2002



### Table 2: Legacy System Access Times For R0S

System	Contract	Data	< 2.3 sec.	> 6 sec.	<u>&lt;</u> 6.3 sec.	Avg. sec.	# of Calls
DSAP	DSAP-DDI	Schedule	х	X	X	X	X
CRIS	CRSOCSR	CSR	Х	X	X	X	X
OASIS	OASISBIG	Feature/Service	X	X	X	X	X

**Table 3: Legacy System Access Times For LENS** 

System	Contract	Data	< 2.3 sec.	> 6 sec.	<u>&lt;</u> 6.3 sec.	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	X	X	X	х	X
RSAG	RSAG-ADDR	Address	x	X	X	x	X
ATLAS	ATLAS-TN	TN	x	X	X	x	X
DSAP	DSAP	Schedule	X	X	X	X	X
CRIS	CRSECSRL	CSR	x	X	X	x	X
COFFI	COFFI/USOC	Feature/Service	x	X	X	x	X
P/SIMS	PSIMS/ORB	Feature/Service	x	X	X	x	X

**Table 4: Legacy System Access Times For TAG** 

System	Contract	Data	< 2.3 sec.	> 6 sec.	<u>&lt;</u> 6.3 sec.	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	x	X	X	x	X
RSAG	RSAG-ADDR	Address	X	X	X	X	X
ATLAS	ATLAS-TN	TN	x	X	X	X	X
ATLAS	ATLAS-MLH	TN	X	X	X	X	X
ATLAS	ATLAS-DID	TN	X	X	X	X	X
DSAP	DSAP-DDI	Schedule	X	X	X	X	X
CRIS	TAG-CSR	CSR	X	X	X	X	X
P/SIMS	PSIM/ORB	Feature/Service	X	X	X	Х	X

### **SEEM Measure**

SEEM Measure				
Yes	Tier I			
	Tier II	X		

Note: CLEC specific data is not available in this measure. Queries of this sort do not have company specific signatures.

# OSS-1: Average Response Time and Response Interval (Pre-Ordering/Ordering)

### **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
<ul> <li>RSAG – Address (Regional Street Address Guide-Address) – stores street address information used to validate customer addresses. CLECs and BellSouth query this legacy system.</li> <li>RSAG – TN (Regional Street Address Guide-Telephone number) – contains information about facilities available and telephone numbers working at a given address. CLECs and BellSouth query this legacy system.</li> <li>ATLAS (Application for Telephone Number Load Administration and Selection) – acts as a warehouse for storing telephone numbers that are available for assignment by the system. It enables CLECs and BellSouth service reps to select and reserve telephone numbers. CLECs and BellSouth query this legacy system.</li> <li>COFFI (Central Office Feature File Interface) – stores information about product and service offerings and availability. CLECs query this legacy system.</li> <li>DSAP (DOE Support Application) – provides due date information. CLECs and BellSouth query this legacy system.</li> <li>CRIS (Customer Record Information System) – Source of CSR (Customer Service Record) information. Contains information about individual customers including listings, addresses, features, services, etc. CLECs and BellSouth can query for CSR information.</li> <li>P/SIMS (Product/Services Inventory Management system) – provides information on capacity, tariffs, inventory and service availability. CLECs query this legacy system.</li> <li>OASIS (Obtain Available Services Information Systems) – Information on feature and rate availability. BellSouth queries this legacy system.</li> </ul>	• Parity + 2 Seconds

### **SEEM OSS Legacy Systems**

System	System BellSouth					
Telephone Number/Address						
RSAG-ADDR	RNS, ROS	TAG, LENS				
RSAG-TN	RNS, ROS	TAG, LENS				
Atlas	RNS,ROS	TAG. LENS				
Appointment Scheduling						
DSAP	TAG, LENS					
	CSR Data					
CRSACCTS	RNS					
CRSOCSR	ROS					
CRSECSRL		LENS				
TAG-CSR		TAG				
Service/Feature Availability						
OASISBIG	RNS, ROS					
PSIMS/ORB, COFFI		LENS, TAG				



### **OSS-2: Interface Availability (Pre-Ordering)Ordering)**

### Definition

Percent of time OSS interface is functionally available compared to scheduled availability. Availability percentages for CLEC interface systems and for all Legacy systems accessed by them are captured. ("Functional Availability" is the amount of time in hours during the reporting period that the legacy systems are available to users. The planned System Scheduled Availability is the time in hours per day that the legacy system is scheduled to be available.)

Scheduled availability is posted on the ICS Operations internet site: (www.interconnection.bellsouth.com/oss/osshour.html)

### **Exclusions**

None

### **Business Rules**

This measurement captures the functional availability of applications/interfaces as a percentage of scheduled availability for the same systems. Only full outages are included in the calculation for this measure. Full outages are defined as occurrences of either of the following:

- Application/Interface application is down or totally inoperative.
- Application is totally inoperative for customers attempting to access or use the application. This includes transport outages when they
  may be directly associated with a specific application.

Comparison to an internal benchmark provides a vehicle for determining whether or not CLECs and retail BellSouth entities are given comparable opportunities for use of pre-ordering and ordering systems.

(Note: Scheduled maintenance will not be performed between the hours of 8:00 a.m through 9:00 p.m. Monday through Friday.)

### Calculation

Interface Availability (Pre-Ordering/Ordering) =  $(a \div b) \times 100$ 

- a = Functional Availability
- b = Scheduled Availability

### **Report Structure**

- · Interface Type
- · Not CLEC Specific
- Not product/service specific
- · Regional Level

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
<ul> <li>Legacy Contract Type (per reporting dimension)</li> </ul>	Legacy Contract Type (per reporting dimension)
Regional Scope	Regional Scope
Hours of Downtime	Hours of Downtime

SQM Level of Disaggregation	SQM Analog/Benchmark
Regional Level	• ≥ 99.5%



### **OSS Interface Availability**

OSS Interface	Applicable to	% Availability
EDI	CLEC	X
LENS	CLEC	X
LEO	CLEC	X
LESOG	CLEC	x
PSIMS	CLEC	X
TAG	CLEC	X
LNP Gateway	CLEC	X
COG	CLEC	X
SOG	CLEC	X
DOM	CLEC	X
DOE	CLEC/BellSouth	X
CRIS	CLEC/BellSouth	X
ATLAS/COFFI	CLEC/BellSouth	X
BOCRIS	CLEC/BellSouth	X
DSAP	CLEC/BellSouth	X
RSAG	CLEC/BellSouth	X
SOCS	CLEC/BellSouth	X
SONGS	CLEC/BellSouth	X
RNS	BellSouth	X
ROS	BellSouth	X

### **SEEM Measure**

SEEM Measure		
Yes	Tier I	
	Tier II	X

### **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
Regional Level	• ≥ 99.5%

### **SEEM OSS Interface Availability**

OSS Interface	Applicable to	% Availability
EDI	CLEC	X
LENS	CLEC	X
LEO	CLEC	X
LESOG	CLEC	X
PSIMS	CLEC	X



OSS Interface	Applicable to	% Availability
TAG	CLEC	X
LNP Gateway	CLEC	X
COG	CLEC	X
SOG	CLEC	X
DOM	CLEC	x



### **OSS-3: Interface Availability (Maintenance & Repair)**

### Definition

This measures the percentage of time the OSS Interface is functionally available compared to scheduled availability. Availability percentage for the CLEC and BellSouth interface systems and for the legacy systems accessed by them are captured.

Scheduled availability is posted on the ICS Operations internet site: (www.interconnection.bellsouth.com/oss/osshour.html)

### **Exclusions**

None

### **Business Rules**

This measure is designed to compare the OSS availability versus scheduled availability of BellSouth's legacy systems.

**Note**: Only full outages are used in the calculation of Application Availability. A full outage is incurred when any of the following circumstances exists:

- The application or system is down.
- The application or system is inaccessible, for any reason, by the customers who normally access the application or system.
- More than one work center cannot access the application or system for any reason.
- When only one work center accesses an application or system and 40% or more of the clients in that work center cannot access the application.
- When 40% of the functions the clients normally perform or 40% of the functionality that is normally provided by an application or system is unavailable.

(Note: Scheduled maintenance will not be performed between the hours of 8:00 a.m through 9:00 p.m. Monday through Friday.)

### Calculation

OSS Interface Availability (a ÷ b) X 100

- a = Functional Availability
- b = Scheduled Availability

### **Report Structure**

- Interface Type
- · Not CLEC Specific
- Not product/service specific
- · Regional Level

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Availability of CLEC TAFI  A CLASS CONSTRUCT MARCH SOCS CRIS	Availability of BellSouth TAFI  A citable of HOST MARCH SOCS CRIS
Availability of LMOS HOST, MARCH, SOCS, CRIS, PREDICTOR, LNP and OSPCM	Availability of LMOS HOST, MARCH, SOCS, CRIS, PREDICTOR, LNP and OSPCM
• ECTA	

SQM Level of Disaggregation	SQM Analog/Benchmark
Regional Level	• ≥ 99.5%



### OSS Interface Availability (M&R)

OSS Interface	% Availability
BellSouth TAFI	X
CLEC TAFI	х
CLEC ECTA	х
BellSouth & CLEC	X
CRIS	X
LMOS HOST	х
LNP	х
MARCH	х
OSPCM	х
PREDICTOR	х
SOCS	х

### **SEEM Measure**

SEEM Measure		
Yes	Tier I	
	Tier II	X

### **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
Regional Level	• ≥ 99.5%

### OSS Interface Availability (M&R)

OSS Interface	% Availability
CLEC TAFI	x
CLEC ECTA	x



### **OSS-4: Response Interval (Maintenance & Repair)**

### Definition

The response intervals are determined by subtracting the time a request is received on the BellSouth side of the interface from the time the response is received from the legacy system. Percentages of requests falling into each interval category are reported, along with the actual number of requests falling into those categories.

### **Exclusions**

None

### **Business Rules**

This measure is designed to monitor the time required for the CLEC and BellSouth interface system to obtain from BellSouth's legacy systems the information required to handle maintenance and repair functions. The clock starts on the date and time when the request is received on the BellSouth side of the interface and the clock stops when the response has been transmitted through that same point to the requester.

Note: The OSS Response Interval BellSouth Total Report is a combination of BellSouth Residence and Business Total.

### Calculation

### **OSS Response Interval** = (a - b)

- a = Query Response Date and Time
- b = Query Request Date and Time

### **Percent Response Interval** (per category) = $(c \div d) \times 100$

- c = Number of Response Intervals in category "X"
- d = Number of Queries Submitted in the Reporting Period

where, "X" is 
$$\leq 4$$
,  $> 4 \leq 10$ ,  $\leq 10$ ,  $> 10$ , or  $> 30$  seconds.

### Average Interval = $(e \div f)$

- e = Sum of Response Intervals
- f = Number of Queries Submitted in the Reporting Period

### **Report Structure**

- Not CLEC Specific
- Not product/service specific
- · Regional Level

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
CLEC Transaction Intervals	BellSouth Business and Residential Transactions Intervals

SQM Level of Disaggregation	SQM Analog/Benchmark
Regional Level	Average Interval



### **Legacy System Access Times for M&R**

Cuetam	BellSouth & Count						
System	CLEC	<u>≤</u> 4	> 4 <u>&lt;</u> 10	<u>&lt;</u> 10	> 10	> 30	Avg. Int.
CRIS	х	X	х	X	X	X	Х
DLETH	х	X	X	X	X	X	Х
DLR	х	X	X	X	X	X	Х
LMOS	x	X	X	X	X	X	Х
LMOSupd	X	X	X	X	X	X	Х
LNP	X	X	X	X	X	X	Х
MARCH	X	X	X	X	X	X	Х
OSPCM	X	X	X	X	X	X	Х
Predictor	X	X	X	X	X	X	Х
SOCS	x	X	X	X	X	X	X
NIW	x	X	X	X	X	X	Х

### **SEEM Measure**

SEEM Measure		
Yes	Tier I	
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• Region	Average Interval



### PO-1: Loop Makeup - Response Time - Manual

### Definition

This report measures the average interval and percent within the interval from the submission of a Manual Loop Makeup Service Inquiry (LMUSI) to the distribution of Loop Makeup information back to the CLEC.

### **Exclusions**

- Inquiries, which are submitted electronically.
- Designated Holidays are excluded from the interval calculation.
- Weekends are excluded from the interval calculation.
- · Canceled Inquiries

### **Business Rules**

The CLEC Manual Loop Makeup Service Inquiry (LMUSI) process includes inquiries submitted via mail or FAX to BellSouth's Complex Resale Support Group (CRSG)

This measurement combines three intervals:

- 1. From receipt of a valid Service Inquiry for Loop Makeup to hand off to the Service Advocacy Center (SAC) for "Look-up."
- 2. From SAC start date to SAC complete date
- From SAC complete date to date the Complex Resale Support Group (CRSG) distributes loop makeup information back to the CLEC.

The "Receive Date" is defined as the date the Manual LMUSI is received by the CRSG. It is counted as day Zero. LMU "Return Date" is defined as the date the LMU information is sent back to the CLEC from BellSouth. The interval calculation is reset to Zero when a CLEC initiated change occurs on the Manual LMU request.

**Note**: The Loop Make Up Service Inquiry Form does not require the CLEC to furnish the type of Loop. The CLEC determines whether the loop makeup will support the type of service they wish to order or not and qualifies the loop. If the loop makeup will support the service, a firm order LSR is submitted by the CLEC.

(A valid Service Inquiry is an inquiry that has all required fields populated correctly and has not been returned for clarification.)

### Calculation

### Response Interval = (a - b)

- a = Date the LMUSI returned to CLEC
- b = Date the LMUSI is received

### Average Interval = $(c \div d)$

- c = Sum of all Response Intervals
- d = Total Number of LMUSIs received within the reporting period

### **Percent within interval** = $(e \div f) \times 100$

- e = Total LMUSIs received within the interval
- f = Total Number of LMUSIs processed within the reporting period

### Report Structure

- · CLEC Aggregate
- · CLEC Specific
- · Geographic Scope
  - State
  - Region
- Interval for manual LMUs:
  - 0 < 1 day
  - $>1-\leq 2$  days
  - $>2-\leq 3$  days



 $0 - \leq 3 \text{ days}$ 

 $>3-\leq 6$  days

 $>6 - \le 10 \text{ days}$ 

> 10 days

· Average Interval in days

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	
Total Number of Inquiries	
SI Intervals	
State and Region	

### **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
• Loops	Benchmark • 95% ≤ 3 Business Days

### **SEEM Measure**

SEEM Measure		
Yes	Tier I	
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• Loops	Benchmark • 95% ≤ 3 Business Days



### PO-2: Loop Make Up - Response Time - Electronic

### Definition

This report measures the average interval and the percent within the interval from the electronic submission of a Loop Makeup Service Inquiry (LMUSI) to the distribution of Loop Makeup information back to the CLEC.

### **Exclusions**

- Manually submitted inquiries.
- Designated Holidays are excluded from the interval calculation.
- · Canceled Requests.

### **Business Rules**

The response interval starts when the CLEC's Mechanized Loop Makeup Service Inquiry (LMUSI) is submitted electronically through the Operational Support Systems interface, LENS, TAG or RoboTAG. It ends when BellSouth's Loop Facility Assignment and Control System (LFACS) responds electronically to the CLEC with the requested Loop Makeup data via LENS, TAG or RoboTAG Interfaces.

**Note**: The Loop Make Up Service Inquiry Form does not require the CLEC to furnish the type of Loop. The CLEC determines whether the loop makeup will support the type of service they wish to order or not and qualifies the loop. If the loop makeup will support the service, a firm order LSR is submitted by the CLEC. EDI is not a pre-ordering system, and, therefore, is not applicable in this measure.

### Calculation

### **Response Interval** = (a - b)

- a = Date and Time the LMUSI returned to CLEC
- b = Date and Time the LMUSI is received

### Average Interval = $(c \div d)$

- c = Sum of all response intervals
- d = Total Number of LMUSIs received within the reporting period

### Percent within interval = $(e \div f) \times 100$

- e = Total LMUSIs received within the interval
- f = Total Number of LMUSIs processed within the reporting period

### Report Structure

- · CLEC Aggregate
- CLEC Specific
- · Geographic Scope
  - State
  - Region
- Interval for electronic LMUs:
  - 0 < 1 minute
  - $>1-\leq 5$  minutes
  - $0 \le 5$  minutes
  - $> 5 \le 8$  minutes
  - $> 8 \le 15$  minutes
  - > 15 minutes
- · Average Interval in minutes



### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month     Legacy Contract	Not Applicable
<ul><li>Response Interval</li><li>Regional Scope</li></ul>	

### **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
• Loop	Benchmark • 95% ≤ 1 Minute

### **SEEM Measure**

SEEM Measure		
Yes	Tier I	
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• Loop	• 95% ≤ 1 Minute



### **Section 2: Ordering**

### **O-1: Acknowledgement Message Timeliness**

### **Definition**

This measurement provides the response interval from the time a Message/LSR is electronically submitted via EDI or TAG until an acknowledgement notice is sent by the system.

### **Exclusions**

None

### **Business Rules**

The process includes EDI & TAG system functional acknowledgements for all Local Service Requests (LSRs) which are electronically submitted by the CLEC. The start time is the receipt time of the LSR at BellSouth's side of the interface (gateway). The end time is when the acknowledgement is transmitted by BellSouth at BellSouth's side of the interface (gateway). For those CLECs using EDI, if more than one CLEC uses the same ordering center, an Acknowledgement Message will be returned to the "Aggregator", however, BellSouth will not be able to determine which specific CLEC this message represented.

### Calculation

### **Response Interval** = (a - b)

- a = Date and Time Acknowledgement Notices returned to CLEC
- b = Date and Time Messages/LSRs electronically submitted by the CLEC via EDI or TAG respectively

### Average Response Interval = $(c \div d)$

- c = Sum of all Response Intervals
- d = Total number of electronically submitted Messages/LSRs received, via EDI or TAG respectively, in the Reporting Period.

### **Reporting Structure**

- CLEC Aggregate
- CLEC Specific
- Geographic Scope
  - Region
- · Electronically Submitted LSRs
  - $0 \le 10$  minutes
- $> 10 \leq 20$  minutes
- $> 20 \le 30$  minutes
- $0 \le 3\overline{0}$  minutes
- $> 30 \le 45$  minutes
- > 45  $\leq$ 60 minutes
- $> 60 \le 120$  minutes
- > 120 minutes
- · Average interval for electronically submitted LSRs in minutes

(A) BELLSOUTH®



Relating to CLEC Experience	Relating to BellSouth Performance
<ul><li>Report Month</li><li>Record of Functional Acknowledgements</li></ul>	Not Applicable

### **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	Retail Analog/Benchmark
• EDI	• EDI – 95% ≤ 30 Minutes
• TAG	• TAG – 95% ≤ 30 Minutes

### **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• EDI	• EDI – 95% ≤ 30 Minutes
• TAG	• TAG – 95% ≤ 30 Minutes

BELLSOUTH

### O-2: Acknowledgement Message Completeness

### Definition

This measurement provides the percent of Messages/LSRs received via EDI or TAG, which are acknowledged electronically.

### **Exclusions**

Manually submitted LSRs

### **Business Rules**

EDI and TAG send Functional Acknowledgements for all LSRs, which are electronically submitted by a CLEC. For those CLECs using EDI, if more than one CLEC uses the same ordering center, an Acknowledgement Message will be returned to the "Aggregator", however, BellSouth will not be able to determine which specific CLEC this message represented. The Acknowledgement Message is returned prior to the determination of whether the LSR will be partially mechanized or fully mechanized.

### Calculation

Acknowledgement Completeness =  $(a \div b) \times 100$ 

- a = Total number of Functional Acknowledgements returned in the reporting period for Messages/LSRs electronically submitted by EDI or TAG respectively
- b = Total number of electronically submitted Messages/LSRs received in the reporting period by EDI or TAG respectively

### **Report Structure**

- · CLEC Aggregate
- · CLEC Specific
- Geographic Scope
  - Region

Note: Acknowledgement message is generated before the system recognizes whether this message (LSR) will be partially or fully mechanized.

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month     Record of functional acknowledgements	Not Applicable

### SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• EDI	Benchmark: 100%
• TAG	

### **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

**BELLSOUTH®** 

SEEM Disaggregation	SEEM Analog/Benchmark
• EDI • TAG	• Benchmark: 100%

(A) **BELLSOUTH** \*

### O-3: Percent Flow-Through Service Requests (Summary)

### Definition

The percentage of Local Service Requests (LSR) and LNP Local Service Requests (LNP LSRs) submitted electronically via the CLEC mechanized ordering process that flow through and reach a status for a FOC to be issued, without manual intervention.

### **Exclusions**

- · Fatal Rejects
- Auto Clarification
- Manual Fallout for Percent Flow-Through only
- · CLEC System Fallout

### **Business Rules**

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI and LENS), that flow through and reach a status for a FOC to be issued, without manual intervention. These LSRs can be divided into two classes of service: Business and Residence, and two types of service: Resale, and Unbundled Network Elements (UNE). The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier) or are not designed to flow through (for example, Manual Fallout.)

Fatal Rejects: Errors that prevent an LSR, submitted electronically by the CLEC, from being processed further. When an LSR is submitted by a CLEC, LEO/LNP Gateway will perform edit checks to ensure the data received is correctly formatted and complete. For example, if the PON field contains an invalid character, LEO/LNP Gateway will reject the LSR and the CLEC will receive a Fatal Reject.

Auto-Clarification: Clarifications that occur due to invalid data within the LSR. LESOG/LAUTO will perform data validity checks to ensure the data within the LSR is correct and valid. For example, if the address on the LSR is not valid according to RSAG, or if the LNP is not available for the NPA NXXX requested, the CLEC will receive an Auto-Clarification.

Manual Fallout: Planned Fallout that occur by design. Certain LSRs are designed to fallout of the Mechanized Order Process due to their complexity. These LSRs are manually processed by the LCSC. When a CLEC submits an LSR, LESOG/LAUTO will determine if the LSR should be forwarded to LCSC for manual handling. Following are the categories for Manual Fallout:

- Complex\*
- Special pricing plans
- Some Partial migrations
- New telephone number not yet posted to BOCRIS
- Pending order review required
- CSR inaccuracies such as invalid or missing CSR data in
- Expedites (requested by the CLEC)

- Denials-restore and conversion, or disconnect and conversion orders
- Class of service invalid in certain states with some types of
- 10. Low volume such as activity type "T" (move)
- 11. More than 25 business lines, or more than 15 loops
- 12. Transfer of calls option for the CLEC end users
- 13. Directory Listings (Indentions and Captions)

\* See "LSR Flow-Through Matrix" on page 15, for a list of services, including complex services, and whether LSRs issued for the services are eligible to flow through.

Total System Fallout: Errors that require manual review by the LCSC to determine if the error is caused by the CLEC, or is due to BellSouth system functionality. If it is determined the error is caused by the CLEC, the LSR will be sent back to the CLEC for clarification. If it is determined the error is BellSouth caused, the LCSC representative will correct the error, and the LSR will continue to be processed.

Z Status: LSRs that receive a supplemental LSR submission prior to final disposition of the original LSR.

(A) **BELLSOUTH** \*

## O-3: Percent Flow-Through Service Requests (Summary)

### Calculation

**Percent Flow Through** =  $a \div [b - (c + d + e + f)] \times 100$ 

- a = The total number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c =the number of LSRs that fall out for manual processing
- d = the number of LSRs that are returned to the CLEC for clarification
- e = the number of LSRs that contain errors made by CLECs
- f =the number of LSRs that receive a Z status.

### **Percent Achieved Flow Through** = $a \div [b-(c+d+e)] \times 100$

- a = the number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued.
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c =the number of LSRs that are returned to the CLEC for clarification
- d = the number of LSRs that contain errors made by CLECs
- e = the number of LSRs that receive Z status

### **Report Structure**

- · CLEC Aggregate
  - Region

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
<ul> <li>Total Number of LSRs Received, by Interface, by CLEC</li> </ul>	Total Number of Errors by Type
- TAG	- BellSouth System Error
- EDI	
- LENS	
<ul> <li>Total Number of Errors by Type, by CLEC</li> </ul>	
- Fatal Rejects	
- Auto Clarification	
- CLEC Caused System Fallout	
Total Number of Errors by Error Code	
Total Fallout for Manual Processing	

### SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark <sup>a</sup>
Residence	Benchmark: 95%
Business	Benchmark: 90%
• UNE	Benchmark: 85%
• LNP	Benchmark: 85%

a. Benchmarks do not apply to the "Percent Achieved Flow Through."

### **SEEM Measure**

SEEM Measure		
Yes	Tier I	
	Tier II	X

**BELLSOUTH®** 

SEEM Disaggregation	SEEM Analog/Benchmark <sup>a</sup>
Residence	Benchmark: 95%
Business	Benchmark: 90%
• UNE	Benchmark: 85%
• LNP	Benchmark: 85%

a. Benchmarks do not apply to the "Percent Achieved Flow Through."

(A) **BELLSOUTH** \*

### O-4: Percent Flow-Through Service Requests (Detail)

### Definition

A detailed list, by CLEC, of the percentage of Local Service Requests (LSR) and LNP Local Service Requests (LNP LSRs) submitted electronically via the CLEC mechanized ordering process that flow through and reach a status for a FOC to be issued, without manual or human intervention.

### **Exclusions**

- · Fatal Rejects
- Auto Clarification
- · Manual Fallout for Percent Flow-Through only
- CLEC System Fallout

### **Business Rules**

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued, without manual intervention. These LSRs can be divided into two classes of service: Business and Residence, and two types of service: Resale, and Unbundled Network Elements (UNE). The CLEC mechanized ordering process does not include LSRs, which are submitted manually (for example, fax and courier) or are not designed to flow through (for example, Manual Fallout.)

### **Definitions:**

Fatal Rejects: Errors that prevent an LSR, submitted electronically by the CLEC, from being processed further. When an LSR is submitted by a CLEC, LEO/LNP Gateway will perform edit checks to ensure the data received is correctly formatted and complete. For example, if the PON field contains an invalid character, LEO/LNP Gateway will reject the LSR and the CLEC will receive a Fatal Reject.

Auto-Clarification: Clarifications that occur due to invalid data within the LSR. LESOG/LAUTO will perform data validity checks to ensure the data within the LSR is correct and valid. For example, if the address on the LSR is not valid according to RSAG, or if the LNP is not available for the NPA NXXX requested, the CLEC will receive an Auto-Clarification.

Manual Fallout: Planned Fallout that occur by design. Certain LSRs are designed to fallout of the Mechanized Order Process due to their complexity. These LSRs are manually processed by the LCSC. When a CLEC submits an LSR, LESOG/LAUTO will determine if the LSR should be forwarded to LCSC for manual handling. Following are the categories for Manual Fallout:

- Complex\*
- Special pricing plans
- 3. Some Partial migrations
- 4. New telephone number not yet posted to BOCRIS
- Pending order review required
- CSR inaccuracies such as invalid or missing CSR data in CRIS

- Denials-restore and conversion, or disconnect and conversion orders
- Class of service invalid in certain states with some types of
- 10. Low volume such as activity type "T" (move)
- 11. More than 25 business lines, or more than 15 loops
- 12. Transfer of calls option for the CLEC end users
- 13. Directory Listings (Indentions and Captions)

- Expedites (requested by the CLEC)
- \* See "LSR Flow-Through Matrix" on page 15. for a list of services, including complex services, and whether LSRs issued for the services are eligible to flow through.

Total System Fallout: Errors that require manual review by the LCSC to determine if the error is caused by the CLEC, or is due to BellSouth system functionality. If it is determined the error is caused by the CLEC, the LSR will be sent back to the CLEC for clarification. If it is determined the error is BellSouth caused, the LCSC representative will correct the error, and the LSR will continue to be processed.

**Z Status:** LSRs that receive a supplemental LSR submission prior to final disposition of the original LSR.

(A) **BELLSO**UTH®

### Calculation

**Percent Flow Through** =  $a \div [b - (c + d + e + f)] \times 100$ 

- a = The total number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c =the number of LSRs that fall out for manual processing
- d = the number of LSRs that are returned to the CLEC for clarification
- e = the number of LSRs that contain errors made by CLECs
- f = the number of LSRs that receive a Z status.

### Percent Achieved Flow Through = $a \div [b-(c+d+e)] \times 100$

- a = the number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued.
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c =the number of LSRs that are returned to the CLEC for clarification
- d = the number of LSRs that contain errors made by CLECs
- e = the number of LSRs that receive Z status

### **Report Structure**

Provides the flow through percentage for each CLEC (by alias designation) submitting LSRs through the CLEC mechanized ordering process. The report provides the following:

- CLEC (by alias designation)
- · Number of fatal rejects
- · Mechanized interface used
- · Total mechanized LSRs
- Total manual fallout
- Number of auto clarifications returned to CLEC
- · Number of validated LSRs
- · Number of BellSouth caused fallout
- · Number of CLEC caused fallout
- · Number of Service Orders Issued
- · Base calculation
- · CLEC error excluded calculation

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Total Number of Lsrs Received, by Interface, by CLEC	<ul> <li>Total Number of Errors by Type</li> </ul>
- TAG	- BellSouth System Error
- EDI	
- LENS	
Total Number of Errors by Type, by CLEC	
- Fatal Rejects	
- Auto Clarification	
- CLEC Errors	
Total Number of Errors by Error Code	
Total Fallout for Manual Processing	

SQM Level of Disaggregation	SQM Analog/Benchmark <sup>a</sup>
Residence	Benchmark: 95%
Business	Benchmark: 90%
• UNE	Benchmark: 85%

**BELLSOUTH®** 

SQM Level of Disaggregation	SQM Analog/Benchmark <sup>a</sup>
• LNP	Benchmark: 85%

a. Benchmarks do not apply to the "Percent Achieved Flow Through."

### **SEEM Measure**

SEEM Measure		
	Tier I	X
Yes	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Residence	Benchmark: 95%
Business	Benchmark: 90%
• UNE	Benchmark: 85%
• LNP	Benchmark: 85%

(A) **BELL**SOUTH

### O-5: Flow-Through Error Analysis

### Definition

An analysis of each error type (by error code) that was experienced by the LSRs that did not flow through or reached a status for a FOC to be issued.

### **Exclusions**

Each Error Analysis is error code specific, therefore exclusions are not applicable.

### **Business Rules**

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued. The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier).

### Calculation

Total for each error type.

### **Report Structure**

Provides an analysis of each error type (by error code). The report is in descending order by count of each error code and provides the following:

- Error Type (by error code)
- · Count of each error type
- · Percent of each error type
- · Cumulative percent
- · Error Description
- · CLEC Caused Count of each error code
- Percent of aggregate by CLEC caused count
- · Percent of CLEC caused count
- BellSouth Caused Count of each error code
- · Percent of aggregate by BellSouth caused count
- · Percent of BellSouth by BellSouth caused count.

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Report Month</li> <li>Total Number of Lsrs Received</li> <li>Total Number of Errors by Type (by Error Code)</li> <li>CLEC caused error</li> </ul>	<ul> <li>Report Month</li> <li>Total Number of Errors by Type (by Error Code)</li> <li>BellSouth System Error</li> </ul>

### **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Not Applicable	Not Applicable

### **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		



**BELLSOUTH®** 

### O-5: Flow-Through Error Analysis

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

(A) **BELLSO**UTH®

### O-6: CLEC LSR Information

### **Definition**

A list with the flow through activity of LSRs by CC, PON and Ver, issued by each CLEC during the report period.

### **Exclusions**

- · Fatal Rejects
- · LSRs submitted manually

### **Business Rules**

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued. The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier).

### Calculation

Not Applicable

### Report Structure

Provides a list with the flow through activity of LSRs by CC, PON and Ver, issued by each CLEC during the report period with an explanation of the of the columns and content. This report is available on a CLEC specific basis. The report provides the following for each LSR.

- CC
- PON
- Ver
- Timestamp
- Type
- Err #
- Note or Error Description

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Report Month</li> <li>Record of LSRs Received by CC, PON and Ver</li> <li>Record of Timestamp, Type, Err # and Note or Error</li> </ul>	Not Applicable
Description for Each LSR by CC, PON and Ver	

### **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark				
Not Applicable	Not Applicable				

### **SEEM Measure**

SEEM Measure					
No	Tier I				
	Tier II				

**BELLSOUTH®** 

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



### **LSR Flow Through Matrix**

	Product Type	Reqtype	ACT Type	F/T³	Complex Service	Complex Order	Planned Fallout For Manual Handling <sup>1</sup>	EDI	TAG <sup>2</sup>	LENS <sup>4</sup>
2 wire analog DID trunk port	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
2 wire analog port	U	A	N,T	No	UNE	No	Yes	Y	Y	N
2 wire ISDN digital line	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
2 wire ISDN digital loop	U,C	A	N,T	Yes	UNE	Yes	No	Y	Y	N
3 Way Calling	R,B	E,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
4 wire analog voice grade loop	U,C	A	N,T	Yes	UNE	Yes	No	Y	Y	N
4 wire DSO & PRI digital loop	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
4 wire DS1 & PRI digital loop	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
4 wire ISDN DSI digital trunk ports	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
Accupulse	С	Е	N,C,T,V,W	No	Yes	Yes	NA	N	N	N
ADSL	R,B,C	Е	V,W	No	UNE	No	No	Y	Y	N
Area Plus	R,B	E,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Basic Rate ISDN	U,C	A	N,T	No	Yes	Yes	Yes	Y	Y	N
Basic Rate ISDN 2 Wire	С	Е	C, D,T,V,W	No	Yes	Yes	Yes	Y	Y	N
Basic Rate ISDN 2 Wire	С	Е	N,T	No	Yes	Yes	N/A	N	N	N
Basic Rate ISDN 2 Wire UNE P	С	M	N,C,D,V	No	YES	Yes	N/A	N	N	N
Analog Data/Private Line	С	Е	N, C, T, V, W, D, P, Q	No	Yes	Yes	N/A	N	N	N
Call Block	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Forwarding	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Return	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Selector	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Tracing	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Waiting	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Waiting Deluxe	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Caller ID	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
CENTREX	С	P	V,P	No	Yes	Yes	NA	N	N	N
DID ACT W	С	N	W	No	Yes	Yes	Yes	Y	Y	Y
Digital Data Transport	U	Е	N,C,T,V,W	No	UNE	Yes	NA	N	N	N
Directory Listing Indentions	B,U	B,C,E,F, J,M,N	N,C,T,R,V,W,P,Q	No	No	No	Yes	Y	Y	Y
Directory Listings Captions	R,B,U	B,C,E,F, J,M,N	N,C,T,R,V,W,P,Q	No	No	Yes	Yes	Y	Y	Y
Directory Listings (simple)	R,B,U	B,C,E,F, J,M,N	N,C,T,R,V,W,P,Q	Yes	No	No	No	Y	Y	Y
DS3	U	A,M	N,C,V	No	UNE	Yes	NA	N	N	N
DS1Loop	U	A,M	N,C,V	Yes	UNE	Yes	No	Y	Y	N
DSO Loop	U	A, B	N,C,D,T,V	Yes	UNE	Yes	No	Y	Y	N
Enhanced Caller ID	R,B	E,M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y



	Product Type	Reqtype	ACT Type	F/T <sup>3</sup>	Complex Service	Complex Order	Planned Fallout For Manual Handling <sup>1</sup>	EDI	TAG <sup>2</sup>	LENS <sup>4</sup>
ESSX	С	P	C,D,T,V,S,B,W,L ,P,Q	No	Yes	Yes	NA	N	N	N
Flat Rate/Business	В	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
Flat Rate/Residence	R	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
FLEXSERV	С	Е	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N
Frame Relay	C	Е	N,C,D,V,W	No	Yes	Yes	NA	N	N	N
FX	C	Е	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N
Ga. Community Calling	R,B	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
HDSL	U	A	N,C,D	Yes	UNE	No	No	Y	Y	N
Hunting MLH	R,B	E, M	C,D,N,T,V,W	No	C/S4	C/S	Yes	Y	Y	N
Hunting Series Completion	R,B	E, M	C,D,N,T,V,W	Yes	C/S	C/S	No	Y	Y	Y
INP to LNP Conversion	U	C	С	No	UNE	Yes	Yes	Y	Y	N
LightGate	C	Е	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N
Line Sharing	U	A	C,D	Yes	UNE	No	No	Y	Y	Y
Local Number Portability	U	C	C,D,P,V,Q	Yes	UNE	Yes	No	Y	Y	N
LNP With Complex Listing	C	C	P,V,Q,W	No	UNE	Yes	Yes	Y	Y	N
LNP with Partial Migration	U	C	D,P,V,Q	No	UNE	Yes	Yes	Y	Y	N
LNP with Complex Services	C	C	P,V,Q,W	No	UNE	Yes	Yes	Y	Y	N
Loop+INP	U	В	D,P,V,Q	Yes	UNE	No	No	Y	Y	N
Loop+LNP	U	В	C,D,N,V	Yes	UNE	No	No	Y	Y	N
Measured Rate/Bus	R,B	E,M	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Measured Rate/Res	R,B	E,M	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Megalink	C	Е	N,V,W,T,D,C,P,Q	No	Yes	Yes	NA	N	N	N
Megalink-T1	C	E,M	N,V,W,T,D,C,P,Q	No	Yes	Yes	NA	N	N	N
Memory Call	R,B	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
Memory Call Ans. Svc.	R,B	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
Multiserv	С	P	N,C,D,T,V,S,B, W,L,P,Q	No	Yes	Yes	NA	N	N	N
Native Mode LAN Interconnection (NMLI)	С	Е	N,C,D,V,W	No	Yes	Yes	NA	N	N	N
Off-Prem Stations	С	Е	N,C,D,V,W,T,P,Q	No	Yes	Yes	NA	N	N	N
Optional Calling Plan	R,B	E, M	N	Yes	No	No	No	Y	Y	Y
Package/Complete Choice and Area Plus	R,B	E, M	N,T,C,V,W	Yes	No	No	No	Y	Y	Y
Pathlink Primary Rate ISDN	С	Е	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N
Pay Phone Provider	В	Е	C,D,T,N,V,W	No	No	No	NA	N	N	N
PBX Standalone Port	С	F	N,C,D	No	Yes	Yes	Yes	Y	Y	N
PBX Trunks	R,B	Е	N,C,D,V,W,T,P,Q	No	Yes	Yes	Yes	Y	Y	N
Port/Loop PBX	U	M	A,C,D,V	No	No	No	Yes	Y	Y	N
Port/Loop Simple	U	M	A,C,D,V	Yes	No	No	Yes	Y	Y	Y
Preferred Call Forward	R,B,U	Е	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
RCF Basic	R,B	Е	N,D,W,T,F	Yes	No	No	No	Y	Y	Y



	Product Type	Reqtype	ACT Type	F/T³	Complex Service	Complex Order	Planned Fallout For Manual Handling <sup>1</sup>	EDI	TAG <sup>2</sup>	LENS <sup>4</sup>
Remote Access to CF	R,B	E,M	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Repeat Dialing	R,B	E,M	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Ringmaster	R,B	E,M	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Smartpath	R,B	Е	C,D,T,N,V,W	No	Yes	Yes	NA	N	N	N
SmartRING	С	Е	N,D,C,V,W	No	Yes	Yes	NA	N	N	N
Speed Calling	R,B	Е	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Synchronet	С	Е	N	Yes	Yes	Yes	Yes	Y	Y	N
Tie Lines	С	Е	N,C,D,V,W,T,P,Q	No	Yes	Yes	NA	N	N	N
Touchtone	R,B	Е	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Unbundled Loop-Analog 2W, SL1, SL2	U	A,B	C,D,T,N,V,W	Yes	UNE	No	No	Y	Y	Y
WATS	R,B	Е	W,D	No	Yes	Yes	NA	N	N	N
XDSL	C,U	A,B	N,T,C,V,D	Yes	UNE	No	No	Y	Y	N
XDSL Extended LOOP	C,U	A,B	N,T,C,V,D	No	UNE	Yes	NA	N	N	N
Collect Call Block	R,B	Е	N,T,C,V,W,D	Yes	No	No	No	Y	Y	Y
900 Call Block	R,B	Е	N,T,C,V,W,D	Yes	No	No	No	Y	Y	Y
3rd Party Call Block	R,B	Е	N,T,C,V,W,D	Yes	No	No	No	Y	Y	Y
Three Way Call Block	R,B	Е	N,T,C,V,W,D	Yes	No	No	No	Y	Y	Y
PIC/LPIC Change	R,B	Е	T,C,V,	Yes	No	No	No	Y	Y	Y
PIC/LPIC Freeze	R,B	Е	N,T,C,V	Yes	No	No	No	Y	Y	Y

**Note**<sup>1</sup>: Planned Fallout for Manual Handling denotes those services that are electronically submitted and are not intended to flow through due to the complexity of the service.

Note<sup>2</sup>: The TAG column includes those LSRs submitted via Robo TAG.

Note<sup>3</sup>: For all services that indicate 'No' for flow-through, the following reasons, in addition to errors or complex services, also prompt manual handling: Expedites from CLECs, special pricing plans, denials – restore and conversion or disconnect and conversion both required, partial migrations (although conversions-as-is flow through), class of service invalid in certain states with some TOS – e.g. government, or cannot be changed when changing main TN on C activity, low volume – e.g. activity type T=move, pending order review required, more than 25 business lines, CSR inaccuracies such as invalid or missing CSR data in CRIS, Directory listing indentions and captions, transfer of calls option for CLEC end user – new TN not yet posted to BOCRIS. Many are unique to the CLEC environment.

Note<sup>4</sup>: Services with C/S in the Complex Service and/or the Complex Order columns can be either complex or simple.

**Note<sup>5</sup>:** EELs are manually ordered.

**Note**<sup>6</sup>: LSRs submitted for Resale Products and Services for which there is a temporary promotion or discount plan will be processed identically to those LSRs ordering the same Products or Services without a promotion or discount plan.

**Note**: The Flow Through Matrix is continually being updated and expanded with additional information about the listed products and services. BellSouth will not change any "Yes" designation to "No" without commission approval. The most current pre-approved matrix will be posted to the PMAP web site (www.pmap.bellsouth.com).



### **O-7: Percent Rejected Service Requests**

### Definition

Percent Rejected Service Request is the percent of total Service Requests [(Local Service Requests (LSRs)) or Access Service Requests (ASRs)] received which are rejected due to error or omission. Service Requests are considered valid when they are submitted by the CLEC and pass edit checks to insure the data received is correctly formatted and complete.

### **Exclusions**

- Service Requests canceled by the CLEC prior to being rejected/clarified.
- · Fatal Rejects
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Test Orders, etc.) where identifiable.

### **Business Rules**

**Fully Mechanized:** An LSR/Service Request is considered "rejected" when it is submitted electronically but does not pass edit checks in the ordering systems (EDI, LENS, TAG, LESOG, LNP Gateway, LAUTO) and is returned to the CLEC without manual intervention. There are two types of "Rejects" in the Mechanized category:

A **Fatal Reject** occurs when a CLEC attempts to electronically submit an LSR but required fields are either not populated or incorrectly populated and the request is returned to the CLEC before it is considered a valid LSR.

Fatal rejects are reported in a separate column, and for informational purposes ONLY. They are not considered in the calculation of the percent of total LSRs rejected or the total number of rejected LSRs.

An **Auto Clarification** occurs when a valid LSR is electronically submitted but rejected from LESOG or LAUTO because it does not pass further edit checks for order accuracy.

Partially Mechanized: A valid LSR, which is electronically submitted (via EDI, LENS, TAG) but cannot be processed electronically and "falls out" for manual handling. It is then put into "clarification" and sent back (rejected) to the CLEC.

**Non-Mechanized:** LSRs which are faxed or mailed to the LCSC for processing and "clarified" (rejected) back to the CLEC by the BellSouth service representative.

**Interconnection Trunks:** Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). Trunk data is reported as a separate category.

### Calculation

**Percent Rejected Service Requests** =  $(a \div b) \times 100$ 

- a = Total Number of Service Requests Rejected in the reporting period
- b = Total Number of Service Requests Received in the reporting period

### Report Structure

- · Fully Mechanized, Partially Mechanized, Non-Mechanized
- Trunks
- CLEC Specific
- CLEC Aggregate
- Geographic Scope
- State
- Region
- Product Specific percent Rejected
- · Total percent Rejected

(A) BELLSOUTH®

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Total Number of LSRs	
Total Number of Rejects	
State and Region	
Total Number of ASRs (Trunks)	

### **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
Mechanized, Partially Mechanized and Non-Mechanized	Diagnostic
Resale - Residence	
Resale - Business	
Resale – Design (Special)	
Resale PBX	
Resale Centrex	
Resale ISDN	
LNP Standalone	
INP Standalone	
2W Analog Loop Design	
2W Analog Loop Non-Design	
2W Analog Loop with INP Design	
2W Analog Loop with INP Non-Design	
2W Analog Loop with LNP Design	
• 2W Analog Loop with LNP Non-Design	
• UNE Digital Loop < DS1	
• UNE Digital Loop ≥ DS1	
• UNE Loop + Port Combinations	
UNE Combination Other	
• UNE ISDN Loop	
• UNE Other Design	
UNE Other Non-Design	
UNE Line Splitting	
• EELs	
Switch Ports      Note: Port (Appl. HPG)	
• UNE xDSL (ADSL, HDSL, UCL)	
• Line Sharing	
Local Interoffice Transport	
Local Interconnection Trunks	

### **SEEM Measure**

	SEEM Measure						
No	Tier I						
	Tier II						

SEEM Disaggregation	SEEM Analog/Benchmark			
Not Applicable	Not Applicable			



# O-8: Reject Interval

#### Definition

Reject Interval is the average reject time from receipt of Service Requests [(Local Service Requests (LSRs)) or Access Service Requests (ASRs)] to the distribution of a Reject. Service Requests are considered valid when they are submitted by the CLEC and pass edit checks to insure the data received is correctly formatted and complete.

#### **Exclusions**

- Service Requests canceled by CLEC prior to being rejected/clarified.
- · Fatal Rejects
- Designated Holidays are excluded from the interval calculation.
- · LSRs which are identified and classified as "Projects"
- The following hours for Partially mechanized and Non-mechanized LSRs are excluded from the interval calculation:

Residence Resale Group – Monday through Saturday 7:00PM until 7:00AM From 7:00 PM Saturday until 7:00 AM Monday

Business Resale, Complex, UNE Groups – Monday through Friday 6:00PM until 8:00AM From 6:00 PM Friday until 8:00 AM Monday.

Local Interconnection Service Center (LISC) - Monday through Friday 4:30 P.M. until 8:00 A M.

From 4:30 P.M.Friday until 8:00 A.M. Monday

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

# **Business Rules**

The Reject interval is determined for each rejected LSR processed during the reporting period. The Reject interval is the elapsed time from when BellSouth receives LSR (date and time stamps in EDI or TAG) until that LSR is rejected back to the CLEC. Elapsed time for each LSR (date and time stamps in EDI or TAG) is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of rejected LSRs to produce the reject interval distribution.

**Fully Mechanized:** The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI translator or TAG) until the LSR is rejected (date and time stamp or reject in EDI translator, or TAG). Auto Clarifications are considered in the Fully Mechanized category.

Partially Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI translator or TAG) until it falls out for manual handling. The stop time on partially mechanized LSRs is when the LCSC Service Representative clarifies the LSR back to the CLEC via EDI translator, or TAG.

**Non-Mechanized:** The elapsed time from receipt of a valid LSR (date and time stamp of FAX or date and time mailed LSR is received in the LCSC) until notice of the reject (clarification) is returned to the CLEC via LON.

**Interconnection Trunks:** Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). Trunk data is reported as a separate category.

# Calculation

**Reject Interval** = (a - b)

- a = Date and Time of Service Request Rejection
- b = Date and Time of Service Request Receipt

Average Reject Interval =  $(c \div d)$ 

- c = Sum of all Reject Intervals
- d = Number of Service Requests Rejected in Reporting Period

**Reject Interval Distribution** =  $(e \div f) \times 100$ 

- e = Service Requests Rejected in reported interval
- f = Total Number of Service Requests Rejected in Reporting Period

# **Report Structure**

- · Fully Mechanized, Partially Mechanized, Non-Mechanized
- · CLEC Specific
- · CLEC Aggregate
- · Geographic Scope
  - State
  - Region
- · Fully Mechanized:
- $0 \leq 4 \text{ minutes}$
- $> 4 \leq 8 \text{ minutes}$
- >8  $\leq$  12 minutes
- $> 12 \le 60 \text{ minutes}$
- $0 \leq 1 \text{ hour}$
- $> 1 \leq 4 \text{ hours}$
- > 4  $\leq$  8 hours
- $> 8 \le 12 \text{ hours}$
- $> 12 \le 16 \text{ hours}$
- $> 16 \le 20 \text{ hours}$
- $> 20 \le 24 \text{ hours}$
- > 24 hours
- · Partially Mechanized:
  - $0 \leq 1 \text{ hour}$
- $> 1 \leq 4 \text{ hours}$
- $> 4 \leq 8 \text{ hours}$
- $> 8 \le 10 \text{ hours}$
- $0 \leq 10 \text{ hours}$
- $> 10 \le 18 \text{ hours}$
- $0 \leq 18 \text{ hours}$
- $> 18 \le 24 \text{ hours}$
- > 24 hours
- · Non-mechanized:
- $0 \leq 1 \text{ hour}$
- $> 1 \leq 4 \text{ hours}$
- > 4  $\leq$  8 hours
- $> 8 \le 12 \text{ hours}$
- $> 12 \le 16 \text{ hours}$  $> 16 - \le 20 \text{ hours}$
- $> 20 \le 24 \text{ hours}$
- $0 \leq 24 \text{ hours}$ > 24 hours
- Trunks:
  - $0 \leq 36 \text{ hours}$
- > 36 hours
- Average Interval is reported in business hours.

(A) BELLSOUTH®

# **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Reject Interval	
Total Number of LSRs	
Total Number of Rejects	
State and Region	
Total Number of ASRs (Trunks)	

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
• Resale – Residence • Resale – Business • Resale – Design (Special) • Resale PBX • Resale Centrex • Resale ISDN • LNP Standalone • INP Standalone • 2W Analog Loop Design • 2W Analog Loop with INP Design • 2W Analog Loop with INP Design • 2W Analog Loop with INP Non-Design • 2W Analog Loop with INP Non-Design • 2W Analog Loop with LNP Non-Design • 2W Analog Loop with LNP Non-Design • 2W Analog Loop with LNP Non-Design • 10 UNE Digital Loop < DS1 • UNE Digital Loop > DS1 • UNE Loop + Port Combinations • UNE Combination Other • UNE ISDN Loop	<ul> <li>SQM Analog/Benchmark</li> <li>Fully Mechanized: - 97% ≤ 1Hour</li> <li>Partially Mechanized: - 95% ≤ 10 Hours</li> <li>Non-Mechanized: - 95% ≤ 24 Hours</li> </ul>
<ul> <li>UNE Other Design</li> <li>UNE Other Non-Design</li> <li>UNE Line Splitting</li> <li>EELs</li> <li>Switch Ports</li> <li>UNE xDSL (ADSL, HDSL, UCL)</li> <li>Line Sharing</li> <li>Local Interoffice Transport</li> </ul>	
Local Interconnection Trunks	• Trunks: 95% ≤ 36 Hours

# **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Fully Mechanized	• 97% ≤ 1 hour



SEEM Disaggregation	SEEM Analog/Benchmark
Partially Mechanized	• 95% ≤ 10 hours
Non-Mechanized	• 95% ≤ 24 hours
Local Interconnection Trunks	• 95% ≤ 36 hours

# **O-9: Firm Order Confirmation Timeliness**

#### Definition

Interval for Return of a Firm Order Confirmation (FOC Interval) is the average response time from receipt of valid LSR to distribution of a Firm Order Confirmation. The interval will include an electronic facilities check.

# **Exclusions**

- Service Requests canceled by CLEC prior to being confirmed.
- Designated Holidays are excluded from the interval calculation.
- · LSRs which are identified and classified as "Projects"
- The following hours for Partially mechanized and Non-mechanized LSRs are excluded from the interval calculation:

Residence Resale Group – Monday through Saturday 7:00PM until 7:00AM From 7:00 PM Saturday until 7:00 AM Monday

Business Resale, Complex, UNE Groups – Monday through Friday 6:00PM until 8:00AM From 6:00 PM Friday until 8:00 AM Monday.

Local Interconnection Service Center (LISC) - From 4:30 P.M. Friday until 8:00 A.M. Monday (ASRs received after 2:00PM will be counted as if received at 8:00AM the next business day.)

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

# **Business Rules**

- Fully Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI or TAG) until the LSR is processed, appropriate service orders are generated and a Firm Order Confirmation is returned to the CLEC via EDI translator or TAG.
- Partially Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, or TAG) which falls out for manual handling until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is returned to the CLEC via EDI translator, or TAG.
- Non-Mechanized: The elapsed time from receipt of a valid paper LSR (date and time stamp of FAX or date and time paper LSRs received in LCSC) until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is sent to the CLEC via LON.
- Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). The elapsed time is measured from receipt of a valid ASR (date and time stamp of a FAX or paper ASR received in the LISC) until the appropriate orders are issued by a BellSouth representative and a FOC issued in EXACT. Trunk data is reported as a separate category.

# Calculation

# Firm Order Confirmation Interval = (a - b)

- a = Date and Time of Firm Order Confirmation
- b = Date and Time of Service Request Receipt

# Average FOC Interval = $(c \div d)$

- c = Sum of all Firm Order Confirmation Times
- d = Number of Service Requests Confirmed in Reporting Period

#### **FOC Interval Distribution** = $(e \div f) \times 100$

- e = Service Requests Confirmed in Designated Interval
- f = Total Service Requests Confirmed in the Reporting Period

# **Report Structure**

- · Fully Mechanized, Partially Mechanized, Non-Mechanized
  - CLEC Specific
  - CLEC Aggregate
- · Geographic Scope
- State
- Region
- · Fully Mechanized:
  - $0 \leq 15 \text{ minutes}$
- $> 15 \leq 30 \text{ minutes}$
- $> 30 \le 45 \text{ minutes}$
- > 45  $\leq$  60 minutes
- $> 60 \le 90 \text{ minutes}$
- $> 90 \le 120 \text{ minutes}$
- $> 120 \le 180 \text{ minutes}$
- $0 \leq 3 \text{ hours}$
- > 3  $\leq$  6 hours
- $> 6 \le 12 \text{ hours}$
- $> 12 \le 24 \text{ hours}$
- $> 24 \le 48 \text{ hours}$
- > 48 hours
- · Partially Mechanized:
  - $0 \leq 4 \text{ hours}$
- > 4  $\leq$  8 hours
- $> 8 \le 10 \text{ hours}$
- $0 \leq 10 \text{ hours}$
- $> 10 \le 18 \text{ hours}$
- $0 \leq 18 \text{ hours}$
- $> 18 \le 24 \text{ hours}$
- $> 24 \le 48 \text{ hours}$
- > 48 hours
- · Non-mechanized:
  - $0 \leq 4 \text{ hours}$
- > 4  $\leq$  8 hours
- $> 8 \le 12 \text{ hours}$
- $> 12 \le 16 \text{ hours}$
- $0 \leq 24 \text{ hours}$
- $> 16 \le 20 \text{ hours}$
- $> 20 \le 24 \text{ hours}$
- $> 24 \le 36 \text{ hours}$
- $0 \leq 36 \text{ hours}$
- $> 36 \le 48 \text{ hours}$
- > 48 hours
- Trunks:
  - $0 \leq 48 \text{ hours}$
  - > 48 hours
- · Average Interval is reported in business hours

# **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report month	Not Applicable
• Interval for FOC	
Total number of LSRs	
State and Region	
Total Number of ASRs (Trunks)	

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale – Residence	• Fully Mechanized: - 95% ≤3 Hours
Resale – Business	Partially Mechanized:
Resale – Design (Special)	- 95% ≤ 10 Hours
Resale PBX	• Non-Mechanized: - 95% ≤ 24 Hours
Resale Centrex	
Resale ISDN	
LNP Standalone	
INP Standalone	
2W Analog Loop Design	
2W Analog Loop Non-Design	
2W Analog Loop with INP Design	
2W Analog Loop with INP Non-Design	
2W Analog Loop with LNP Design	
2W Analog Loop with LNP Non-Design	
• UNE Digital Loop < DS1	
• UNE Digital Loop ≥ DS1	
UNE Loop + Port Combinations	
UNE Combination Other	
UNE ISDN Loop	
UNE Other Design	
UNE Other Non-Design	
UNE Line Splitting	
• EELs	
Switch Ports	
• UNE xDSL (ADSL, HDSL, UCL)	
Line Sharing	
Local Interoffice Transport	
Local Interconnection Trunks	• Trunks: 95% ≤ 48 Hours

# **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Fully Mechanized	• 95% ≤ 3 Hours
Partially Mechanized	• 95% ≤ 10 Hours
Non-Mechanized	• 95% ≤ 24 Hours
Local Interconnection Trunks	• 95% ≤ 48 Hours

(A) **BELL**SOUTH

# O-10: Service Inquiry with LSR Firm Order Confirmation (FOC) Response Time Manual<sup>1</sup>

# Definition

This report measures the interval and the percent within the interval from the submission of a Service Inquiry (SI) with Firm Order LSR to the distribution of a Firm Order Confirmation (FOC).

#### **Exclusions**

- Designated Holidays are excluded from the interval calculation.
- Weekend hours from 5:00PM Friday until 8:00AM Monday are excluded from the interval calculation of the Service Inquiry.
- Canceled Requests
- · Electronically Submitted Requests

# **Business Rules**

This measurement combines four intervals:

- From receipt of a valid Service Inquiry with LSR to hand off to the Service Advocacy Center (SAC) for Loop 'Look-up'.
- From SAC start date to SAC complete date.
- From SAC complete date to the Complex Resale Support Group (CRSG) complete date with hand off to LCSC.
- From receipt of a valid SI/LSR in the LCSC to Firm Order Confirmation.

(A valid Service Inquiry is an inquiry that has all required fields populated correctly and has not been returned for clarification.)

#### Calculation

# **FOC Timeliness Interval** = (a - b)

- a = Date and Time Firm Order Confirmation (FOC) for SI with LSR returned to CLEC
- b = Date and Time SI with LSR received

# Average Interval = $(c \div d)$

- c = Sum of all FOC Timeliness Intervals
- d = Total number of SIs with LSRs received in the reporting period

#### **Percent Within Interval** = $(e \div f) \times 100$

- e = Total number of Service Inquiries with LSRs received by the CRSG to distribution of FOC by the Local Carrier Service Center
- f = Total number of Service Inquiries with LSRs received in the reporting period

# **Report Structure**

- · CLEC Aggregate
- CLEC Specific
- Geographic Scope
  - State
  - Region
- · Intervals
- $0 \leq 3$  days
- $> 3 \le 5$  days  $0 - \le 5 \text{ days}$
- $> 5 \le 7$  days
- $> 7 \le 10 \text{ days}$
- $> 10 \le 15 \text{ days}$
- >15 days
- · Average Interval measured in days

1. See O-9 for FOC Timeliness



Relating to CLEC Experience	Relating to BellSouth Performance
<ul><li>Report Month</li><li>Total Number of Requests</li><li>SI Intervals</li><li>State and Region</li></ul>	Not Applicable

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
<ul> <li>xDSL (includes UNE unbundled ADSL, HDSL and UNE Unbundled Copper Loops)</li> <li>Unbundled Interoffice Transport</li> </ul>	• 95% Returned ≤ 5 Business Days

# **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

(A) **BELLSOUTH** \*

# O-11: Firm Order Confirmation and Reject Response Completeness

#### Definition

A response is expected from BellSouth for every Local Service Request transaction (version). Firm Order Confirmation and Reject Response Completeness is the corresponding number of Local Service Requests received to the combination of Firm Order Confirmation and Reject Responses.

#### **Exclusions**

· Service Requests canceled by the CLEC prior to FOC or Rejected/Clarified.

#### **Business Rules**

Mechanized - The number of FOCs or Auto Clarifications sent to the CLEC from EDI, or TAG in response to electronically submitted LSRs.

Partially Mechanized - The number of FOCs or Rejects sent to the CLEC from EDI, or TAG in response to electronically submitted LSRs which fall out for manual handling by the LCSC personnel.

Non-Mechanized: The number of FOCs or Rejects sent to the CLECs by FAX server.

Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). Trunk data is reported as a separate category.

#### For CLEC Results:

Percent responses is determined by computing the number of Firm Order Confirmations and Rejects transmitted by BellSouth and dividing by the number of Local Service Requests (all versions) received in the reporting period.

# Calculation

Firm Order Confirmation / Reject Response Completeness =  $(a \div b) \times 100$ 

- a = Total Number of Service Requests for which a Firm Order Confirmation or Reject is Sent
- b = Total Number of Service Requests Received in the Report Period

# **Report Structure**

Fully Mechanized, Partially Mechanized, Non-Mechanized and Interconnection Trunks

- State and Region
- · CLEC Specific
- · CLEC Aggregate

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report month	Not Applicable
Total number of LSRs	
Total number of rejects	
Total number of ASRs (Trunks)	
Total number of FOCs	

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	• 95% Returned
Resale Business	
Resale Design (Special)	
Resale PBX	
Resale Centrex	
Resale ISDN	
LNP Standalone	
INP Standalone	
2W Analog Loop Design	
2W Analog Loop Non-Design	
2W Analog Loop with INP Design	
• 2W Analog Loop with INP Non-Design	
2W Analog Loop with LNP Design	
2W Analog Loop with LNP Non-Design	
• UNE Digital Loop < DS1	
• UNE Digital Loop ≥ DS1	
<ul> <li>UNE Loop + Port Combinations</li> </ul>	
UNE Combination Other	
UNE ISDN Loop	
UNE Other Design	
UNE Other Non-Design	
UNE Line Splitting	
• EELs	
Switch Ports	
• UNE xDSL (ADSL, HDSL, UCL)	
Line Sharing	
Local Interoffice Transport	
Local Interconnection Trunks	

# **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
<ul> <li>Fully Mechanized</li> <li>Partially Mechanized</li> <li>Non-Mechanized</li> <li>Local Interconnection Trunks</li> </ul>	• 95% Returned

Version 1.00 2-30 Issue Date: December 1, 2002 (A) **BELLSOUTH** \*

# O-12: Speed of Answer in Ordering Center

#### Definition

Measures the average time a customer is in queue.

#### **Exclusions**

None

#### **Business Rules**

The clock starts when the appropriate option is selected (i.e., 1 for Resale Consumer, 2 for Resale Multiline, and 3 for UNE-LNP, etc.) and the call enters the queue for that particular group in the LCSC. The clock stops when a BellSouth service representative in the LCSC answers the call. The speed of answer is determined by measuring and accumulating the elapsed time from the entry of a CLEC call into the BellSouth automatic call distributor (ACD) until a service representative in BellSouth's Local Carrier Service Center (LCSC) answers the CLEC call.

#### Calculation

**Speed of Answer in Ordering Center** =  $(a \div b)$ 

- a = Total seconds in queue
- b = Total number of calls answered in the Reporting Period

# **Report Structure**

Aggregate

- CLEC Local Carrier Service Center
- · BellSouth
- Business Service Center
- Residence Service Center

Note: Combination of Residence Service Center and Business Service Center data under development

# **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Mechanized Tracking Through LCSC Automatic Call	Mechanized Tracking Through BellSouth Retail Center
Distributor	Support System

# SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Aggregate	Parity with Retail

# **SEEM Measure**

SEEM Measure		
Yes	Tier I	
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
<ul> <li>CLEC Local Carrier Service Center</li> <li>BellSouth</li> <li>Business Service Center</li> <li>Residence Service Center</li> </ul>	Parity With Retail



# **Section 3: Provisioning**

# P-1: Mean Held Order Interval & Distribution Intervals

# **Definition**

When delays occur in completing CLEC orders, the average period that CLEC orders are held for BellSouth reasons, pending a delayed completion, should be no worse for the CLEC when compared to BellSouth delayed orders. Calculation of the interval is the total days orders are held and pending but not completed that have passed the currently committed due date; divided by the total number of held orders. This report is based on orders still pending, held and past their committed due date. The distribution interval is based on the number of orders held and pending but not completed over 15 and 90 days. (Orders reported in the >90 day interval are also included in the >15 day interval.)

# **Exclusions**

- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) Test order types may be C, N, R, or T.
- Disconnect (D) & From (F) orders
- Orders with appointment code of 'A' for Rural orders.

# **Business Rules**

Mean Held Order Interval: This metric is computed at the close of each report period. The held order interval is established by first identifying all orders, at the close of the reporting interval, that both have not been reported as completed in SOCS and have passed the currently committed due date for the order and identifying all orders that have been reported as completed in SOCS after the currently committed due date for the order. For each such order, the number of calendar days between the earliest committed due date on which BellSouth had a company missed appointment and the close of the reporting period is established and represents the held order interval for that particular order. The held order interval is accumulated by the standard groupings, unless otherwise noted, and the reason for the order being held. The total number of days accumulated in a category is then divided by the number of held orders within the same category to produce the mean held order interval. The interval is by calendar days with no exclusions for Holidays or Sundays.

CLEC Specific reporting is by type of held order (facilities, equipment, other), total number of orders held, and the total and average days.

**Held Order Distribution Interval:** This measure provides data to report total days held and identifies these in categories of >15 days and >90 days. (Orders counted in >90 days are also included in >15 days).

# Calculation

Mean Held Order Interval =  $a \div b$ 

- a = Sum of held-over-days for all Past Due Orders Held for the reporting period
- b = Number of Past Due Orders Held and Pending But Not Completed and past the committed due date

Held Order Distribution Interval (for each interval) =  $(c \div d) \times 100$ 

- c = # of Orders Held for  $\ge 15$  days or # of Orders Held for  $\ge 90$  days
- d = Total # of Past Due Orders Held and Pending But Not Completed)

# **Report Structure**

- · CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate
- Circuit Breakout  $< 10, \ge 10$  (except trunks)
- Dispatch/Non-Dispatch

Version 1.00 3-1 Issue Date: December 1, 2002

# **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
<ul> <li>CLEC Order Number and PON (PON)</li> </ul>	BellSouth Order Number
Order Submission Date (TICKET_ID)	Order Submission Date
Committed Due Date (DD)	Committed Due Date
Service Type (CLASS_SVC_DESC)	Service Type
Hold Reason	Hold Reason
Total line/circuit count	Total line/circuit count
Geographic Scope	Geographic Scope
<b>Note</b> : Code in parentheses is the corresponding header found in the raw data file.	

SQM LEVEL of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
LNP (Standalone)	Retail Residence and Business (POTS)
INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
2W Analog Loop With LNP - Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP- Non-Design	Retail Residence and Business - POTS Excluding Switch
2W Analog Loop With INP-Design	Retail Residence and Business Dispatch
2W Analog Loop With INP-Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop ≥ DS1	Retail Digital Loop ≥ DS1
UNE Loop + Port Combinations     Dispatch In     Switch Based	Retail Residence and Business     Dispatch In     Switch Based
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
UNE ISDN (Includes UDC)	Retail ISDN - BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice



# **Tennessee Performance Measurements**

SQM LEVEL of Disaggregation	SQM Analog/Benchmark
Local Interconnection Trunks	Parity with Retail
UNE Line Splitting	ADSL to Retail
• EELs	Retail DS1/DS3

# **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# P-2: Average Jeopardy Notice Interval & Percentage of Orders Given **Jeopardy Notices**

#### Definition

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC.

The interval is from the date/time the notice is released to the CLEC/BellSouth systems until 5pm on the commitment date of the order. The Percent of Orders is the percentage of orders given jeopardy notices for facility delay in the count of orders confirmed in the report period.

#### **Exclusions**

- · Orders held for CLEC end user reasons
- Disconnect (D) & From (F) orders

# **Business Rules**

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC. The number of committed orders in a report period is the number of orders that have a due date in the reporting period. Jeopardy notices for interconnection trunks results are usually zero as these trunks seldom experience facility delays. The Committed due date is considered the Confirmed due date.

# Calculation

Jeopardy Interval = a - b

- a = Date and Time of Jeopardy Notice
- b = Date and Time of Scheduled Due Date on Service Order

Average Jeopardy Interval =  $c \div d$ 

- c = Sum of all jeopardy intervals
- d = Number of Orders Notified of Jeopardy in Reporting Period

Percent of Orders Given Jeopardy Notice =  $(e \div f) \times 100$ 

- e = Number of Orders Given Jeopardy Notices in Reporting Period
- f = Number of Orders Confirmed (due) in Reporting Period)

# **Report Structure**

- CLEC Specific
- · CLEC Aggregate
- BellSouth Aggregate
- Mechanized Orders
- · Non-Mechanized Orders
- · Dispatch/Non-Dispatch

# **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Report Month</li> <li>CLEC Order Number and PON</li> <li>Date and Time Jeopardy Notice sent</li> <li>Committed Due Date</li> <li>Service Type</li> </ul>	<ul> <li>Report Month</li> <li>BellSouth Order Number</li> <li>Date and Time Jeopardy Notice sent</li> <li>Committed Due Date</li> <li>Service Type</li> </ul>
<b>Note:</b> Code in parentheses is the corresponding header found in the raw data file.	



# **SQM** Disaggregation - Analog/Benchmark

SQM LEVEL of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone)	Retail Residence and Business (POTS)
• INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
• 2W Analog Loop With LNP - Design	Retail Residence and Business Dispatch
• 2W Analog Loop With LNP- Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
2W Analog Loop With INP-Design	Retail Residence and Business Dispatch
• 2W Analog Loop With INP-Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
• UNE Digital Loop < DS1	• Retail Digital Loop < DS1
• UNE Digital Loop ≥ DS1	• Retail Digital Loop ≥ DS1
<ul> <li>UNE Loop + Port Combinations</li> <li>Dispatch In</li> <li>Switch Based</li> </ul>	Retail Residence and Business     Dispatch In     Switch Based
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
UNE ISDN (Includes UDC)	Retail ISDN - BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail
UNE Line Splitting	ADSL to Retail
• EELs	Retail DS1/DS3
Average Jeopardy Notice Interval (Electronic only)	• 95% >= 48 Hours

# **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

# P-2: Average Jeopardy Notice Interval & Percentage of Orders Given Jeopardy Notices

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

(A) **BELLSO**UTH®

# P-3: Percent Missed Initial Installation Appointments

# (This metric was not ordered by FPSC)

# Definition

"Percent missed initial installation appointments" monitors the reliability of BellSouth commitments with respect to committed due dates to assure that the CLEC can reliably quote expected due dates to their retail customer as compared to BellSouth. This measure is the percentage of total orders processed for which BellSouth is unable to complete the service orders on the committed due dates and reported for Total misses and End User Misses.

#### **Exclusions**

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders Test Orders, etc.)
- Disconnect (D) & From (F) orders
- · End User Misses

# **Business Rules**

Percent Missed Initial Installation Appointments (PMI) is the percentage of orders with completion dates in the reporting period that are past the original committed due date. Missed Appointments caused by end-user reasons will be excluded and reported separately. The first commitment date on the service order that is a missed appointment is the missed appointment code used for calculation whether it is a BellSouth missed appointment or an End User missed appointment. The "due date" is any time on the confirmed due date. Which means there cannot be a cutoff time for commitments, as certain types of orders are requested to be worked after standard business hours. Also, during Daylight Savings Time, field technicians are scheduled until 9PM in some areas and the customer is offered a greater range of intervals from which to select.

# Calculation

Percent Missed Installation Appointments =  $(a \div b) \times 100$ 

- a = Number of Orders with Completion date in Reporting Period past the Original Committed Due Date
- b = Number of Orders Completed in Reporting Period

# **Report Structure**

- · CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate
- Report in Categories of <10 lines/circuits ≥ 10 lines/circuits (except trunks)
- · Dispatch/Non-Dispatch

# **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report month	Report month
<ul> <li>CLEC Order Number and PON (PON)</li> </ul>	BellSouth Order Number
Committed Due Date (DD)	Committed Due Date (DD)
Completion Date (CMPLTN DD)	Completion Date (CMPLTN DD)
Status Type	Status Type
Status Notice Date	Status Notice Date
Standard Order Activity	Standard Order Activity
Geographic Scope	Geographic Scope
<b>Note:</b> Code in parentheses is the corresponding header found in the raw data file.	

# **SQM** Disaggregation - Analog/Benchmark

SQM LEVEL of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
LNP (Standalone)	Retail Residence and Business (POTS)
INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
2W Analog Loop With LNP - Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP- Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
2W Analog Loop With INP-Design	Retail Residence and Business Dispatch
2W Analog Loop With INP-Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop ≥ DS1	• Retail Digital Loop ≥ DS1
<ul> <li>UNE Loop + Port Combinations</li> <li>Dispatch In</li> <li>Switch Based</li> </ul>	Retail Residence and Business     Dispatch In     Switch Based
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)     Without Conditioning     With Conditioning	ADSL Provided to Retail     Without Conditioning     With Conditioning (BellSouth does not offer this service to Retail)
UNE ISDN (Includes UDC)	Retail ISDN - BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail
UNE Line Splitting	ADSL to Retail
• EELs	• Retail DS1/DS3

# **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

**Tennessee Performance Measurements** 

# P-3: Percent Missed Initial Installation Appointments

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# P-3A: Percent Missed Installation Appointments Including Subsequent Appointments

#### Definition

"Percent missed installation appointments" monitors the reliability of BellSouth commitments with respect to committed due dates to assure that the CLEC can reliably quote expected due dates to their retail customer as compared to BellSouth. This measure is the percentage of total orders processed for which BellSouth is unable to complete the service orders on the committed due dates and reported for Total misses and End User Misses.

# **Exclusions**

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders Test Orders, etc.) Test order types may be C, N, R, or T.
- Disconnect (D) & From (F) orders
- End User Misses

# **Business Rules**

Percent Missed Installation Appointments (PMI) is the percentage of orders with completion dates in the reporting period that are past the original committed due date. Missed Appointments caused by end-user reasons will be excluded and reported separately. The "due date" is the commitment time (if applicable) on the confirmed due date.

# Calculation

**Percent Missed Installation Appointments** =  $(a \div b) \times 100$ 

- a = Number of Appointments in Reporting Period past the Original (Date/Time as applicable) Committed and Subsequent Committed Due Date
- b = Number of Appointments on Orders Completed in Reporting Period

# **Report Structure**

- · CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Report in Categories of <10 lines/circuits ≥ 10 lines/circuits (except trunks)
- · Dispatch/Non-Dispatch

# **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
<ul> <li>CLEC Order Number and PON (PON)</li> </ul>	BellSouth Order Number
Committed Due Date (DD)	Committed Due Date (DD)
Completion Date (CMPLTN DD)	Completion Date (CMPLTN DD)
Status Type	Status Type
Status Notice Date	Status Notice Date
Standard Order Activity	Standard Order Activity
Geographic Scope	Geographic Scope
<b>Note:</b> Code in parentheses is the corresponding header found in the raw data file.	



# **SQM** Disaggregation - Analog/Benchmark

SQM LEVEL of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
LNP (Standalone)	Retail Residence and Business (POTS)
INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
2W Analog Loop With LNP - Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP- Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
2W Analog Loop With INP-Design	Retail Residence and Business Dispatch
2W Analog Loop With INP-Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop ≥ DS1	• Retail Digital Loop ≥ DS1
UNE Loop + Port Combinations     Dispatch In     Switch Based	Retail Residence and Business     Dispatch In     Switch Based
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)     Without Conditioning     With Conditioning	ADSL Provided to Retail     Without Conditioning     With Conditioning (BellSouth does not offer this service to Retail)
UNE ISDN (Includes UDC)	Retail ISDN - BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail
UNE Line Splitting	ADSL to Retail
• EELs	Retail DS1/DS3

# **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
LNP (Standalone)	Retail Residence and Business (POTS)
INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
2W Analog Loop With LNP - Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP- Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
2W Analog Loop With INP-Design	Retail Residence and Business Dispatch
2W Analog Loop With INP-Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop ≥ DS1	Retail Digital Loop ≥ DS1
<ul> <li>UNE Loop + Port Combinations</li> <li>Dispatch In</li> <li>Switch Based</li> </ul>	Retail Residence and Business     Dispatch In     Switch Based
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)     Without Conditioning     With Conditioning	ADSL Provided to Retail     Without Conditioning     With Conditioning (BellSouth does not offer this service to Retail)
UNE ISDN (Includes UDC)	Retail ISDN - BRI
UNE Line Sharing	ADSL Provided to Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail
UNE Line Splitting	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
• EELs	Retail DS1/DS3



# P-4: Average Completion Interval (OCI) & Order Completion Interval Distribution

# (This metric not ordered by the FPSC)

#### **Definition**

The "average completion interval" measure monitors the interval of time it takes BellSouth to provide service for the CLEC or its own customers. The "Order Completion Interval Distribution" provides the percentages of orders completed within certain time periods. This report measures how well BellSouth meets the interval offered to customers on service orders.

#### **Exclusions**

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- Disconnect (D&F) orders (Except "D" orders associated with LNP Standalone)
- "L" Appointment coded orders (where the customer has requested a later than offered interval)
- · End user-caused misses

#### **Business Rules**

The actual completion interval is determined for each order processed during the reporting period. The completion interval is the elapsed time from when BellSouth issues a FOC or SOCS date time stamp receipt of an order from the CLEC to BellSouth's actual order completion date. The clock starts when a valid order number is assigned by SOCS and stops when the technician or system completes the order in SOCS. Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed. Orders that are worked on zero due dates are calculated with a .33-day interval (8 hours) in order to report a portion of a day interval. These orders are issued and worked/completed on the same day. They can be either flow through orders (no field work-non-dispatched) or field orders (dispatched).

The interval breakout for UNE and Design is: 0-5 = 0 < 5, 5-10 = 5 < 10, 10-15 = 10 < 15, 15-20 = 15 < 20, 20-25 = 20 < 25, 25-30 = 25 < 30,  $\ge 30 = 30$  and greater.

#### Calculation

#### Completion Interval = (a - b)

- a = Completion Date
- b = FOC/SOCS date time-stamp (application date)

#### Average Completion Interval = $(c \div d)$

- c = Sum of all Completion Intervals
- d = Count of Orders Completed in Reporting Period

#### **Order Completion Interval Distribution** (for each interval) = $(e \div f) \times 100$

- e = Service Orders Completed in "X" days
- f = Total Service Orders Completed in Reporting Period

# Report Structure

- · CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Dispatch/Non-Dispatch categories applicable to all levels except trunks
- Residence & Business reported in day intervals = 0.1,3,4,5,5+
- UNE and Design reported in day intervals =0-5,5-10,10-15,15-20,20-25,25-30, $\geq$  30
- All Levels are reported <10 line/circuits; ≥ 10 line/circuits (except trunks)
- · ISDN Orders included in Non-Design



# **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month CLEC Company Name Order Number (PON) Application Date & Time Completion Date (CMPLTN_DT) Service Type (CLASS_SVC_DESC) Geographic Scope	<ul> <li>Report Month</li> <li>BellSouth Order Number</li> <li>Order Submission Date &amp; Time</li> <li>Order Completion Date &amp; Time</li> <li>Service Type</li> <li>Geographic Scope</li> </ul>
<b>Note:</b> Code in parentheses is the corresponding header found in the raw data file.	

SQM LEVEL of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
LNP (Standalone)	Retail Residence and Business (POTS)
INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
2W Analog Loop With LNP - Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP- Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
2W Analog Loop With INP-Design	Retail Residence and Business Dispatch
2W Analog Loop With INP-Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop ≥ DS1	Retail Digital Loop ≤ DS1
UNE Loop + Port Combinations     Dispatch In     Switch Based	Retail Residence and Business     Dispatch In     Switch Based
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)     Without Conditioning     With Conditioning	- ≤ 5 Days - ≤ 12 Days
UNE ISDN (Includes UDC)	Retail ISDN - BRI
UNE Line Sharing	ADSL Provided to Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail

(A) BELLSOUTH®

SQM LEVEL of Disaggregation	SQM Analog/Benchmark
UNE Line Splitting	ADSL to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
• EELs	• Retail DS1/DS3

# **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# P-4A: Average Order Completion and Completion Notice Interval (AOCCNI) Distribution

#### **Definition**

The "Order Completion And Completion Notice Interval Distribution" provides the percentages of orders completed within certain time periods. This report measures how well BellSouth meets the interval offered to customers and notice of completion to the CLEC on service orders.

#### **Exclusions**

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) Test order types may be C, N, R, or T.
- Disconnect (D&F) orders (Except "D" orders associated with LNP Standalone)
- "L" Appointment coded orders (where the customer has requested a later than offered interval)
- · End user-caused misses

#### **Business Rules**

The interval is determined for each order processed during the reporting period. The completion interval for AOCCNI is the elapsed time from when BellSouth issues a FOC or SOCS date time stamp receipt of an order from the CLEC to BellSouth's return of the completion notice (CN) to the CLEC. Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed. Orders that are worked on zero due dates are calculated with a .33-day interval (8 hours) in order to report a portion of a day interval. These orders are issued and worked/completed on the same day. They can be either flow through orders (no field work-non-dispatched) or field orders (dispatched).

The interval breakout for UNE and Design is: 0.5 = 0.< 5, 5.10 = 5.<10, 10.15 = 10.< 15, 15.20 = 15.< 20, 20.25 = 20.< 25, 25.30 = 25.< 30,  $\ge 30 = 30$  and greater.

# Calculation

Completion Interval = (a - b)

- a = Date and Time Completion Notice is sent
- b = FOC/SOCS date time-stamp (application date)

Average Completion Interval =  $(c \div d)$ 

- c = Sum of all Completion Intervals
- d = Count of Orders Completed in Reporting Period

Order Completion Interval Distribution (for each interval) =  $(e \div f) \times 100$ 

- e = Service Orders Completed in "X" days
- f = Total Service Orders Completed in Reporting Period

# Report Structure

- · CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Dispatch/Non-Dispatch categories applicable to all levels except trunks
- Residence & Business reported in day intervals = 0,1,2,3,4,5,5+
- UNE and Design reported in day intervals = 0-5, 5-10, 10-15, 15-20, 20-25, 25-30,  $\geq$  30
- All Levels are reported <10 line/circuits; ≥ 10 line/circuits (except trunks)
- · ISDN Orders included in Non-Design
- Mechanized/Non-Mechanized (Non-Mechanized is not applicable to BellSouth)

# **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Report Month</li> <li>CLEC Company Name</li> <li>Order Number (PON)</li> <li>Application Date &amp; Time</li> <li>Completion Date (CMPLTN_DT)</li> <li>Service Type (CLASS_SVC_DESC)</li> <li>Geographic Scope</li> </ul>	<ul> <li>Report Month</li> <li>BellSouth Order Number</li> <li>Order Submission Date &amp; Time</li> <li>Order Completion Date &amp; Time</li> <li>Service Type</li> <li>Geographic Scope</li> </ul>
<b>Note:</b> Code in parentheses is the corresponding header found in the raw data file.	

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
LNP (Standalone)	Retail Residence and Business (POTS)
INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
2W Analog Loop With LNP - Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP- Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
2W Analog Loop With INP-Design	Retail Residence and Business Dispatch
2W Analog Loop With INP-Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop ≥ DS1	Retail Digital Loop ≤ DS1
UNE Loop + Port Combinations     Dispatch In     Switch Based	Retail Residence and Business     Dispatch In     Switch Based
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)     Without Conditioning     With Conditioning	- ≤ 5 Days - ≤ 12 Days
UNE ISDN (Includes UDC)	Retail ISDN - BRI
UNE Line Sharing	ADSL Provided to Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail

(A) BELLSOUTH®

SQM Level of Disaggregation	SQM Analog/Benchmark
UNE Line Splitting	ADSL to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
• EELs	• Retail DS1/DS3

# **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
LNP (Standalone)	Retail Residence and Business (POTS)
INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
2W Analog Loop With LNP - Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP- Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
2W Analog Loop With INP-Design	Retail Residence and Business Dispatch
2W Analog Loop With INP-Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop ≥ DS1	• Retail Digital Loop ≤ DS1
<ul> <li>UNE Loop + Port Combinations</li> <li>Dispatch In</li> <li>Switch Based</li> </ul>	Retail Residence and Business     Dispatch In     Switch Based
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)     Without Conditioning     With Conditioning	- ≤ 5 Days - ≤ 12 Days
UNE ISDN (Includes UDC)	Retail ISDN - BRI
UNE Line Sharing	ADSL Provided to Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice

SEEM Disaggregation	SEEM Analog/Benchmark
Local Interconnection Trunks	Parity with Retail
UNE Line Splitting	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
• EELs	• Retail DS1/DS3

# P-5: Average Completion Notice Interval

#### **Definitions**

The Completion Notice Interval is the elapsed time between the BellSouth reported completion of work and the issuance of a valid completion notice to the CLEC.

# **Exclusions**

- · Cancelled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) Test order types may be C, N, R, or T.
- D&F orders (Exception: "D" orders associated with LNP Standalone)

# **Business Rules**

Measurement on interval of completion date and time entered by a field technician on dispatched orders, and 5PM start time on the due date for non-dispatched orders; to the release of a notice to the CLEC/BellSouth of the completion status. The field technician notifies the CLEC the work was complete and then he/she enters the completion time stamp information in his/her computer. This information switches through to the SOCS systems either completing the order or rejecting the order to the Work Management Center (WMC). If the completion is rejected, it is manually corrected and then completed by the WMC. The notice is returned on each individual order.

The start time for all orders is the completion stamp either by the field technician or the 5PM due date stamp; the end time for mechanized orders is the time stamp the notice was transmitted to the CLEC interface (LENS, EDI, OR TAG). For non-mechanized orders the end time will be date and timestamp of order update from the FAX record via LON or C-SOTS system.

#### Calculation

Completion Notice Interval = (a - b)

- a = Date and Time of Notice of Completion
- b = Date and Time of Work Completion

Average Completion Notice Interval =  $c \div d$ 

- c = Sum of all Completion Notice Intervals
- d = Number of Orders with Notice of Completion in Reporting Period

# Report Structure

- · CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate
- · Mechanized Orders
- · Non-Mechanized Orders
- · Dispatch/Non-Dispatch
- Reporting intervals in Hours; 0,1-2,2-4,4-8,8-12,12-24, ≥ 24 plus Overall Average Hour Interval (The categories are inclusive of these time intervals: 0-1 = 0.99; 1-2 = 1-1.99; 2-4 = 2-3.99, etc.)
- Reported in categories of <10 line / circuits;  $\ge 10$  line/circuits (except trunks)

# **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
CLEC Order Number (so_nbr)	BellSouth Order Number (so_nbr)
<ul> <li>Work Completion Date (cmpltn_dt)</li> </ul>	Work Completion Date (cmpltn_dt)
Work Completion Time	Work Completion Time
Completion Notice Availability Date	Completion Notice Availability Date
Completion Notice Availability Time	Completion Notice Availability Time
Service Type	Service Type
Geographic Scope	Geographic Scope
<b>Note:</b> Code in parentheses is the corresponding header found in the raw data file.	<b>NOTE:</b> Code in parentheses is the corresponding header found in the raw data file.

SQM LEVEL of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
LNP (Standalone)	Retail Residence and Business (POTS)
INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
2W Analog Loop With LNP - Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP- Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
2W Analog Loop With INP-Design	Retail Residence and Business Dispatch
2W Analog Loop With INP-Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop ≥ DS1	Retail Digital Loop ≤ DS1
UNE Loop + Port Combinations     Dispatch In     Switch Based	Retail Residence and Business     Dispatch In     Switch Based
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
UNE ISDN (Includes UDC)	Retail ISDN - BRI
UNE Line Sharing	ADSL Provided to Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail



**Tennessee Performance Measurements** 

SQM LEVEL of Disaggregation	SQM Analog/Benchmark
UNE Line Splitting	ADSL to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
• EELs	• Retail DS1/DS3

# **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

(A) **BELLSOUTH** \*

# P-6: % Completions/Attempts without Notice or < 24 hours Notice

# **Definition**

The purpose of this measure is to report if BellSouth is returning a FOC to the CLEC in time for the CLEC to notify their customer of

# **Exclusions**

- · Cancelled Orders
- Expedited Orders
- "0" dated orders or any request where the subscriber requested an earlier due date of < 24 hours prior to the original commitment date, or any LSR received < 24 hours prior to the original commitment date.

#### **Business Rules**

#### For CLEC Results:

Calculation would exclude any successful or unsuccessful service delivery where the CLEC was informed at least 24 hours in advance. BellSouth may also exclude from calculation any LSRs received from the requesting CLEC with less than 24 hour notice prior to the commitment date.

#### For BellSouth Results:

BellSouth does not provide a FOC to its retail customers.

# Calculation

Percent Completions or Attempts without Notice or with Less Than 24 Hours Notice =  $(a \div b) \times 100$ 

- a = Completion Dispatches (Successful and Unsuccessful) With No FOC or FOC Received < 24 Hours of Original Committed Due Date
- b = All Completions

# **Report Structure**

- · CLEC Specific
- · CLEC Aggregate
- · Dispatch /Non-Dispatch
- Total Orders FOC < 24 Hours
- Total Completed Service Orders
- % FOC < 24 Hours

# **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Committed Due Date (DD)</li> <li>FOC End Timestamp</li> <li>Report Month</li> <li>CLEC Order Number and PON</li> <li>Geographic Scope</li> <li>State / Region</li> </ul>	Not Applicable

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	• <= 5%
Resale Business	
Resale Design	
Resale PBX	
Resale Centrex	
Resale ISDN	
• LNP (Standalone)	
• INP (Standalone)	
2W Analog Loop Design	
2W Analog Loop Non-Design	
2W Analog Loop Design With LNP	
• 2W Analog Loop Non-Design With LNP	
2W Analog Loop Design With INP	
2W Analog Loop Non-Design With INP	
• UNE Digital Loop < DS1	
• UNE Digital Loop ≥DS1	
UNE Loop + Port Combinations	
- Dispatch In	
- Switch Based	
• UNE Switch ports	
UNE Combo Other	
• UNE xDSL (HDSL, ADSL and UCL)	
UNE ISDN (Includes UDC)	
UNE Line Sharing	
UNE Line Splitting	
Local Transport (Unbundled Interoffice Transport)	
Local Interconnection Trunks	
• EELS	

### **SEEM Measure**

SEEM Measure		
No Tier I		
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# P-7: Coordinated Customer Conversions Interval

### Definition

This report measures the average time it takes BellSouth to disconnect an unbundled loop from the BellSouth switch and cross connect it to CLEC equipment. This measurement applies to service orders with INP and LNP, and where the CLEC has requested BellSouth to provide a coordinated cutover.

### **Exclusions**

- Any order canceled by the CLEC will be excluded from this measurement.
- Delays due to CLEC following disconnection of the unbundled loop
- Unbundled Loops where there is no existing subscriber loop and loops where coordination is not requested.

### **Business Rules**

Where the service order includes LNP, the interval includes the total time for the cutover including the translation time to place the line back in service on the ported line. When the service order includes INP, the interval includes the total time for the cutover including the translation time to place the link back in service on the ported line. The interval is calculated for the entire cutover time for the service order and then divided by items worked in that time to give the average per-item interval for each service order.

### Calculation

**Coordinated Customer Conversions Interval** = (a - b)

- a = Completion Date and Time for Cross Connection of a Coordinated Unbundled Loop
- b = Disconnection Date and Time of an Coordinated Unbundled Loop

**Percent Coordinated Customer Conversions** (for each interval) =  $(c \div d) \times 100$ 

- c = Total number of Coordinated Customer Conversions for each interval
- d = Total Number of Unbundled Loop with Coordinated Conversions (items) for the reporting period

### **Report Structure**

- · CLEC Specific
- · CLEC Aggregate
- The interval breakout is  $0-5 = 0-\le 5$ ,  $5-15 = >5-\le 15$ ,  $\ge 15 = 15$  and greater, plus Overall Average Interval.

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	No BellSouth Analog Exists
CLEC Order Number	
Committed Due Date (DD)	
Service Type (CLASS_SVC_DESC)	
Cutover Start Time	
Cutover Completion time	
<ul> <li>Portability Start and Completion Times (INP orders)</li> </ul>	
Total Conversions (Items)	
<b>Note:</b> Code in parentheses is the corresponding header	
found in the raw data file.	

SQM Level of Disaggregation	SQM Analog/Benchmark	Ì
Unbundled Loops with INP	• 95% ≤ 15 minutes	1
Unbundled Loops with LNP	• 95% ≤ 15 minutes	ì

**BELLSOUTH®** 

### **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
<ul><li>Unbundled Loops With INP</li><li>Unbundled Loops With LNP</li></ul>	<ul> <li>95% ≤ 15 minutes</li> <li>95% ≤ 15 minutes</li> </ul>

(A) **BELLSOUTH** 

# P-7A: Coordinated Customer Conversions – Hot Cut Timeliness % Within Interval and Average Interval

### **Definition**

This category measures whether BellSouth begins the cutover of an unbundled loop on a coordinated and/or a time specific order at the CLEC requested start time. It measures the percentage of orders where the cut begins within 15 minutes of the requested start time of the order and the average interval.

### **Exclusions**

- Any order canceled by the CLEC will be excluded from this measurement.
- Delays caused by the CLEC
- Unbundled Loops where there is no existing subscriber loop and loops where coordination is not requested.
- All unbundled loops on multiple loop orders after the first loop.

### **Business Rules**

This report measures whether BellSouth begins the cutover of an unbundled loop on a coordinated and/or a time specific order at the CLEC requested start time. The cut is considered on time if it starts 15 minutes before or after the requested start time. Using the scheduled time and the actual cutover start time, the measurement will calculate the percent within interval and the average interval. If a cut involves multiple lines, the cut will be considered "on time" if the first line is cut within the interval. ≤ 15 minutes includes intervals that began 15:00 minutes or less before the scheduled cut time and cuts that began 15 minutes or less after the scheduled cut time; >15 minutes, ≤30 minutes includes cuts within 15:00 – 30:00 minutes either prior to or after the scheduled cut time; >30 minutes includes cuts greater than 30:00 minutes either prior to or after the scheduled cut time. If IDLC is involved, a four hour window applies to the start time. (8 A.M. to Noon or 1 P.M. to 5 P.M.) This only applies if BellSouth notifies the CLEC by 10:30 A.M. on the day before the due date that the service is on IDLC.

A Hot Cut is considered complete when one of the following occurs:

- BellSouth performs the hot cut, notifies the CLEC by telephone.
- BellSouth performs the hot cut and attempts to notify the CLEC by telephone, but receives no answer and leaves a phone message.

### Calculation

% within Interval =  $(a \div b) \times 100$ 

- a = Total Number of Coordinated Unbundled Loop Orders for the interval
- b = Total Number of Coordinated Unbundled Loop Orders for the reporting period

Interval = (c - d)

- c = Scheduled Time for Cross Connection of a Coordinated Unbundled Loop Order
- d = Actual Start Date and Time of a Coordinated Unbundled Loop Order

Average Interval =  $(e \div f)$ 

- · Sum of all Intervals
- Total Number of Coordinated Unbundled Loop Orders for the reporting period.

### **Report Structure**

- · CLEC Specific
- · CLEC Aggregate

Reported in intervals of early, on time and late cuts % ≤ 15 minutes; % > 15 minutes, ≤30 minutes; % > 30 minutes, plus Overall Average Interval

(A) BELLSOUTH®

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Report Month</li> <li>CLEC Order Number (so_nbr)</li> <li>Committed Due Date (DD)</li> <li>Service Type (CLASS_SVC_DESC)</li> <li>Cutover Scheduled Start Time</li> <li>Cutover Actual Start Time</li> <li>Total Conversions Orders</li> </ul>	No BellSouth Analog exists
<b>Note:</b> Code in parentheses is the corresponding header found in the raw data file.	

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
<ul> <li>Product Reporting Level</li> <li>SL1 Time Specific</li> <li>SL1 Non-Time Specific</li> <li>SL2 Time Specific</li> <li>SL2 Non-Time Specific</li> </ul>	• 95% Within + or – 15 Minutes of Scheduled Start Time
- SL1 IDLC - SL2 IDLC	• 95% Within 4-hour Window

### **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
<ul> <li>SL1 Time Specific</li> <li>SL1 Non-Time Specific</li> <li>SL2 Time Specific</li> <li>SL2 Non-Time Specific</li> </ul>	• 95% Within + or – 15 Minutes of Scheduled Start Time
- SL1 IDLC - SL2 IDLC	• 95% Within 4-hour Window

(A) **BELL**SOUTH

# P-7B: Coordinated Customer Conversions – Average Recovery Time

### Definition

Measures the time between notification and resolution by BellSouth of a service outage found that can be isolated to the BellSouth side of the network. The time between notification and resolution by BellSouth must be measured to ensure that CLEC customers do not experience unjustifiable lengthy service outages during a Coordinated Customer Conversion. This report measures outages associated with Coordinated Customer Conversions prior to service order completion.

### **Exclusions**

- Cutovers where service outages are due to CLEC caused reasons when the CLEC agrees
- Cutovers where service outages are due to end-user caused reasons when the CLEC agrees

### **Business Rules**

Measures the outage duration time related to Coordinated Customer Conversions from the initial trouble notification until the trouble has been restored and the CLEC has been notified. The duration time is defined as the time from the initial trouble notification until the trouble has been restored and the CLEC has been notified. The interval is calculated on the total outage time for the circuits divided by the total number of outages restored during the report period to give the average outage duration.

### Calculation

**Recovery Time** = (a - b)

- a = Date & Time That Trouble is Closed by CLEC
- b = Date & Time Initial Trouble is Opened with BellSouth

Average Recovery Time =  $(c \div d)$ 

- c = Sum of all the Recovery Times
- d = Number of Troubles Referred to the BellSouth

### **Report Structure**

- · CLEC Specific
- · CLEC Aggregate

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	• None
CLEC Company Name	
• CLEC Order Number (so_nbr)	
• Committed Due Date (DD)	
<ul> <li>Service Type (CLASS_SVC_DESC)</li> </ul>	
<ul> <li>CLEC Acceptance Conflict (CLEC_CONFLICT)</li> </ul>	
<ul> <li>CLEC Conflict Resolved (CLEC_CON_RES)</li> </ul>	
<ul> <li>CLEC Conflict MFC (CLEC_CONFLICT_MFC)</li> </ul>	
Total Conversion Orders	
<b>Note:</b> Code in parentheses is the corresponding header found in the raw data file.	

SQM Level of Disaggregation	SQM Analog/Benchmark
<ul><li> Unbundled Loops with INP</li><li> Unbundled Loops with LNP</li></ul>	Diagnostic (To Be Established at The 6 Month Review Period)

**BELLSOUTH®** 

### **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# P-7C: Hot Cut Conversions - % Provisioning Troubles Received Within 7 days of a completed Service Order

### Definition

The Percent Provisioning Troubles received within 7 days of a completed service order associated with a Hot Cut Conversion (CCC) measures the quality and accuracy of Coordinated Customer Conversion Activities.

### **Exclusions**

- · Any order canceled by the CLEC
- Troubles caused by Customer Provided Equipment

### **Business Rules**

Measures the quality and accuracy of completed service orders associated with Coordinated and Non-coordinated Customer Conversions. The first trouble report received on a circuit ID within 7 days following a service order completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed Coordinated Customer Conversion service orders and following 7 days after the completion of the service order for a trouble report issue date.

### Calculation

% Provisioning Troubles within 7 days of service order completion =  $(a \div b) \times 100$ 

- a = The sum of all CCC Circuits with a trouble within 7 days following service order(s) completion
- b = The total number of CCC service order circuits completed in the previous report calendar month

### **Report Structure**

- · CLEC Specific
- CLEC Aggregate
- · Dispatch/Non-Dispatch

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	No BellSouth Analog exists
CLEC Order Number (so_nbr)	
• PON	
Order Submission Date (TICKET_ID)	
Order Submission Time (TICKET_ID)	
Status Type	
Status Notice Date	
Standard Order Activity	
Geographic Scope	
Total Conversion Circuits	
<b>Note:</b> Code in parentheses is the corresponding header found in the raw data file.	

SQM Level of Disaggregation	SQM Analog/Benchmark
<ul><li> UNE Loop Design</li><li> UNE Loop Non-Design</li></ul>	• ≤ 5% (To be reviewed after six month period)

**BELLSOUTH®** 

### **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
<ul><li> UNE Loop Design</li><li> UNE Loop Non-Design</li></ul>	• ≤ 5% (To be reviewed after six month period)



# P-8: Cooperative Acceptance Testing - % of xDSL Loops Successfully Tested

### **Definition**

A loop will be considered successfully cooperatively tested when both the CLEC and ILEC representatives agree that the loop has passed the cooperative testing.

### **Exclusions**

- Testing failures due to CLEC (incorrect contact number, CLEC not ready, etc.)
- xDSL lines with no request for cooperative testing

### **Business Rules**

When a BellSouth technician finishes delivering an order for an xDSL loop where the CLEC order calls for cooperative testing at the customer's premise, the BellSouth technician is to call a toll free number to the CLEC testing center. The BellSouth technician and the CLEC representative at the center then test the line. As an example of the type of testing performed, the testing center may ask the technician to put a short on the line so that the center can run a test to see if it can identify the short. CLEC caused failures will be captured in the raw data files.

### Calculation

Cooperative Acceptance Testing - % of xDSL Loops Successfully Tested =  $(a \div b) \times 100$ 

- a = Total number of successful xDSL cooperative tests for xDSL lines where cooperative testing was requested in the reporting period
- b = Total Number of xDSL line tests requested by the CLEC and scheduled in the reporting period

### Report Structure

- · CLEC Specific
- CLEC Aggregate
- · Type of Loop tested

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Report Month</li> <li>CLEC Company Name (OCN)</li> <li>CLEC Order Number (so_nbr) and PON (PON)</li> <li>Committed Due Date (DD)</li> <li>Service Type (CLASS_SVC_DESC)</li> <li>Acceptance Testing Completed (ACCEPT_TESTING)</li> <li>Acceptance Testing Declined (ACCEPT_TESTING)</li> <li>Total xDSL Orders</li> <li>Missed Appointments Code (SO_MISSED_CMMT_CD)</li> <li>Note: Code in parentheses is the corresponding header found in the raw data file.</li> </ul>	No BellSouth Analog Exists

### **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• UNE xDSL - ADSL - HDSL - UCL - OTHER	95% of Lines Successfully Tested

Version 1.00 3-33 Issue Date: December 1, 2002

**BELLSOUTH®** 

### **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• UNE xDSL - ADSL - HDSL - UCL - Other	95% of Lines Successfully Tested



# P-9: % Provisioning Troubles within 30 days of Service Order Completion

### Definition

Percent Provisioning Troubles within 30 days of Service Order Completion measures the quality and accuracy of Service order activities.

### **Exclusions**

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) Test order types may be C, N, R, or T.
- · D & F orders
- Trouble reports caused and closed out to Customer Provided Equipment (CPE)

### **Business Rules**

Measures the quality and accuracy of completed orders. The first trouble report from a service order after completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed service orders and following 30 days after completion of the service order for a trouble report issue date.

D & F orders are excluded as there is no subsequent activity following a disconnect.

Note: Standalone LNP historical data is not available in the maintenance systems (LMOS or WFA).

### Calculation

% Provisioning Troubles within 30 days of Service Order Activity =  $(a \div b) \times 100$ 

- a = Trouble reports on all completed orders 30 days following service order(s) completion
- b = All Service Orders completed in the previous report calendar month

### **Report Structure**

- · CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Reported in categories of <10 line/circuits; ≥ 10 line/circuits (except trunks)
- Dispatch /Non-Dispatch (except trunks)

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
CLEC Order Number and PON	BellSouth Order Number
Order Submission Date (TICKET_ID)	Order Submission Date
Order Submission Time (TICKET_ID)	Order Submission Time
Status Type	Status Type
Status Notice Date	Status Notice Date
Standard Order Activity	Standard Order Activity
Geographic Scope	Geographic Scope
<b>Note:</b> Code in parentheses is the corresponding header found in the raw data file.	

SQM LEVEL of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence

(A) BELLSOUTH®

SQM LEVEL of Disaggregation	SQM Analog/Benchmark
Resale Business	Retail business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
LNP (Standalone)	Retail Residence and Business (POTS)
INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - (POTS Excluding Switch- Based Orders)
2W Analog Loop With LNP Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP Non-Design	Retail Residence and Business - (POTS Excluding Switch- Based Orders)
2W Analog Loop With INP Design	Retail Residence and Business Dispatch
2W Analog Loop With INP Non-Design	Retail Residence and Business (POTS - Excluding Switch- Based Orders)
UNE Digital Loop < DS1	• Retail Digital Loop < DS1
• UNE Digital Loop ≥ DS1	Retail Digital Loop ≥ DS1
UNE xDSL (HDSL, ADSL and UCL)	ADSL provided to Retail
UNE ISDN (Includes UDC)	Retail ISDN BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Loop + Port Combinations     Dispatch In     Switch-Based	Retail Residence and Business     Dispatch In     Switch-Based
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch (Including Dispatch Out and Dispatch In)
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
UNE Other Non-Design	Retail Residence and Business
UNE Other Design	Retail Design
Local Interconnection Trunks	Parity with Retail
UNE Line Splitting	ADSL to Retail
• EELs	• Retail DS1/DS3

### **SEEM Measure**

	SEEM Measure	
Ye	es Tier I	X
	Tier II	X



SEEM Disaggregation	SEEM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
LNP (Standalone)	Retail Residence and Business (POTS)
INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - (POTS Excluding Switch- Based Orders)
2W Analog Loop With LNP Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP Non-Design	Retail Residence and Business - (POTS Excluding Switch- Based Orders)
2W Analog Loop With INP Design	Retail Residence and Business Dispatch
2W Analog Loop With INP Non-Design	Retail Residence and Business (POTS - Excluding Switch- Based Orders)
UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop ≥ DS1	Retail Digital Loop ≥ DS1
UNE Loop + Port Combinations     Dispatch In     Switch-Based	Retail Residence and Business     Dispatch In     Switch-Based
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch (Including Dispatch Out and Dispatch In)
UNE xDSL (HDSL, ADSL and UCL)	ADSL provided to Retail
UNE ISDN (Includes UDC)	Retail ISDN BRI
UNE Line Sharing	ADSL Provided to Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail
UNE Line Splitting	ADSL Provided to Retail
UNE Other Non-Design	Retail Residence and Business
UNE Other Design	Retail Design
• EELs	Retail DS1/DS3

(A) **BELLSOUTH** 

# P-10: Total Service Order Cycle Time (TSOCT)

### Definition

This report measures the total service order cycle time from receipt of a valid service order request to the return of a completion notice to the CLEC Interface.

### **Exclusions**

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) Test order types may be C, N, R, or T.
- D (Disconnect Except "D" orders associated with LNP Standalone.) and F (From) orders. (From is disconnect side of a move order when the customer moves to a new address).
- "L" Appointment coded orders (where the customer has requested a later than offered interval)
- Orders with CLEC/Subscriber caused delays or CLEC/Subscriber requested due date changes.

### **Business Rules**

The interval is determined for each order processed during the reporting period. This measurement combines three reports: FOC Timeliness, Average Order Completion Interval and Average Completion Notice Interval.

This interval starts with the receipt of a valid service order request and stops when a completion notice is sent to the CLEC Interface (LENS, TAG OR EDI). Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed. Orders that are worked on zero due dates are calculated with a .33 day interval (8 hours) in order to report a portion of a day interval. These orders are issued and worked/completed on same day. They can be either flow through orders (no field work-non-dispatched) or field orders (dispatched).

Reporting is by Fully Mechanized, Partially Mechanized and Non-Mechanized receipt of LSRs.

### Calculation

Total Service Order Cycle Time = (a - b)

- a = Service Order Completion Notice Date
- b = Service Request Receipt Date

Average Total Service Order Cycle Time =  $(c \div d)$ 

- c = Sum of all Total Service Order Cycle Times
- d = Total Number Service Orders Completed in Reporting Period

Total Service Order Cycle Time Interval Distribution (for each interval) =  $(e \div f) \times 100$ 

- e = Total Number of Service Requests Completed in "X" minutes/hours
- f = Total Number of Service Requests Received in Reporting Period

### Report Structure

- · CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Fully Mechanized; Partially Mechanized; Non-Mechanized
- Report in categories of <10 line/circuits; ≥ 10 line/circuits (except trunks)
- Dispatch /Non-Dispatch categories applicable to all levels except trunks
- Intervals 0-5, 5-10, 10-15, 15-20, 20-25, 25-30,  $\geq$  30 Days. The interval breakout is: 0-5 = 0-<5, 5-10 = 5-<10, 10-15 = 10-<15, 15-20 = 15-<20, 20-25 = 20-<25, 25-30 = 25-<30,  $\geq$  30 = 30 and greater.

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Report Month</li> <li>Interval for FOC</li> <li>CLEC Company Name (OCN)</li> <li>Order Number (PON)</li> <li>Submission Date &amp; Time (TICKET_ID)</li> <li>Completion Date (CMPLTN_DT)</li> <li>Service Type (CLASS_SVC_DESC)</li> <li>Geographic Scope</li> <li>Note: Code in parentheses is the corresponding header</li> </ul>	<ul> <li>Report Month</li> <li>BellSouth Order Number</li> <li>Order Submission Date &amp; Time</li> <li>Order Completion Date &amp; Time</li> <li>Service Type</li> <li>Geographic Scope</li> </ul>
found in the raw data file	

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Diagnostic
Resale Business	
Resale Design	
Resale PBX	
Resale Centrex	
Resale ISDN	
• LNP (Standalone)	
• INP (Standalone)	
2W Analog Loop Design	
2W Analog Loop Non-Design	
2W Analog Loop With LNP Design	
2W Analog Loop With LNP Non-Design	
2W Analog Loop With INP Design	
• 2W Analog Loop With INP Non-Design	
UNE Switch Ports	
• UNE Loop + Port Combinations	
- Dispatch In	
- Switch Based	
UNE Combo Other	
UNE xDSL (HDSL, ADSL and UCL)	
• UNE ISDN (Includes UDC)	
UNE Line Sharing	
UNE Other Design	
UNE Other Non -Design	
• UNE Digital Loops < DS1	
• UNE Digital Loops ≥ DS1	
Local Transport (Unbundled Interoffice Transport)	
Local Interconnection Trunks	
UNE Line Splitting	
• EELs	

### **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

P-10: Total Service Order Cycle Time (TSOCT)



### **Tennessee Performance Measurements**

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

(A) **BELLSOUTH** \*

# P-11: Service Order Accuracy

### Definition

The "service order accuracy" measurement measures the accuracy and completeness of BellSouth service orders by comparing what was ordered and what was completed.

### **Exclusions**

- · Cancelled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- D & F orders

### **Business Rules**

A statistically valid sample of service orders, completed during a monthly reporting period, is compared to the original account profile and the order that the CLEC sent to BellSouth. An order is "completed without error" if all service attributes and account detail changes (as determined by comparing the original order) completely and accurately reflect the activity specified on the original order and any supplemental CLEC order. For both small and large sample sizes, when a Service Request cannot be matched with a corresponding Service Order, it will not be counted. For small sample sizes an effort will be made to replace the service request.

Service Order Accuracy Sampling Process: A list of all orders completed in the report month is generated. The orders are then listed by the disaggregations specified in the SQM. For each disaggregation, the quantity of completed orders and the error rate for each disaggregation from the previous month are entered into a "Stratified Random Sampling for Proportions" formula. This formula determines the number of orders that are to be reviewed for each disaggregation. Once the sample size for each disaggregation is determined, the specified quantity of orders for each disaggregation are pulled for review.

### Calculation

Percent Service Order Accuracy =  $(a \div b) \times 100$ 

- a = Orders Completed without Error
- b = Orders Completed in Reporting Period

### Report Structure

- · CLEC Aggregate
- Reported in categories of <10 line/circuits; > = 10 line/circuits
- · Dispatch/Non-Dispatch

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Experience
Report Month	No BellSouth Analog Exist
CLEC Order Number and PON	
Local Service Request (LSR)	
Order Submission Date	
Committed Due Date	
Service Type	
Standard Order Activity	



# **SQM** Disaggregation - Analog/Benchmark

SQM LEVEL of Disaggregation	SQM Analog/Benchmark:
Resale Residence	95% Accurate
Resale Business	
Resale Design (Specials)	
• UNE Specials (Design)	
• UNE (Non-Design)	
Local Interconnection Trunks	

### **SEEM Measure**

SEEM Measure		
Yes	Tier I	
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• Resale	• 95%
• UNE	• 95%
• UNE-P	• 95%

BELLSOUTH®

# P-12: LNP-Average Disconnect Timeliness Interval & Disconnect Timeliness **Interval Distribution**

### **Definition**

Disconnect Timeliness is defined as the interval between the time ESI Number Manager receives the valid 'Number Ported' message from NPAC (signifying the CLEC 'Activate') until the time the Disconnect is completed in the Central Office switch. This interval effectively measures BellSouth responsiveness by isolating it from impacts that are caused by CLEC related activities.

### **Exclusions**

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) where identifiable.

### **Business Rules**

The Disconnect Timeliness interval is determined for each number ported associated with a disconnect service order processed on an LSR during the reporting period. The Disconnect Timeliness interval is the elapsed time from when BellSouth receives a valid 'Number Ported' message in ESI Number Manager (signifying the CLEC 'Activate') for each telephone number ported until each number on the service order is disconnected in the Central Office switch. Elapsed time for each ported number is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the total number of selected telephone numbers disconnected in the reporting period.

### Calculation

### **Disconnect Timeliness Interval** = (a - b)

- a = Completion Date and Time in Central Office switch for each number on disconnect order
- b = Valid 'Number Ported' message received date & time

### Average Disconnect Timeliness Interval = $(c \div d)$

- c = Sum of all Disconnect Timeliness Intervals
- d = Total Number of disconnected numbers completed in reporting period

### **Disconnect Timeliness Interval Distribution** (for each interval) = $(e \div f) \times 100$

- e = Disconnected numbers completed in "X" days
- f = Total disconnect numbers completed in reporting period

### **Report Structure**

- · CLEC Specific
- CLEC Aggregate
- Geographic Scope
- State, Region

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Order Number	Not Applicable
Telephone Number / Circuit Number	
Committed Due Date	
Receipt Date / Time (ESI Number Manager)	
Date/Time of Recent Change Notice	

(A) BELLSOUTH®

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation:	SQM Analog/Benchmark
• LNP	• 95% ≤ 15 Minutes

### **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# Section 4: Maintenance & Repair

# **M&R-1: Missed Repair Appointments**

### **Definition**

The percent of trouble reports not cleared by the committed date and time.

### **Exclusions**

- Trouble tickets canceled at the CLEC request.
- BellSouth trouble reports associated with internal or administrative service.
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble.

### **Business Rules**

The negotiated commitment date and time is established when the repair report is received. The cleared time is the date and time that BellSouth personnel clear the trouble and closes the trouble report in his/her Computer Access Terminal (CAT) or workstation. If this is after the Commitment time, the report is flagged as a "Missed Commitment" or a missed repair appointment. When the data for this measure is collected for BellSouth and a CLEC, it can be used to compare the percentage of the time repair appointments are missed due to BellSouth reasons. (No access reports are not part of this measure because they are not a missed appointment.)

**Note**: Appointment intervals vary with force availability in the POTS environment. Specials and Trunk intervals are standard interval appointments of no greater than 24 hours. Standalone LNP historical data is not available in the maintenance systems (LMOS or WFA).

### Calculation

Percentage of Missed Repair Appointments =  $(a \div b) \times 100$ 

- a = Count of Customer Troubles Not Cleared by the Quoted Commitment Date and Time
- b = Total Trouble reports closed in Reporting Period

### **Report Structure**

- · Dispatch/Non-Dispatch
- · CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month CLEC Company Name Submission Date & Time (TICKET_ID) Completion Date (CMPLTN_DT) Service Type (CLASS_SVC_DESC) Disposition and Cause (CAUSE_CD & CAUSE_DESC) Geographic Scope	<ul> <li>Report Month</li> <li>BellSouth Company Code</li> <li>Submission Date &amp; Time</li> <li>Completion Date</li> <li>Service Type</li> <li>Disposition and Cause (Non-Design /Non-Special Only)</li> <li>Trouble Code (Design and Trunking Services)</li> </ul>
<b>Note</b> : Code in parentheses is the corresponding header found in the raw data file.	Geographic Scope

Version 1.00 4-1 Issue Date: December 1, 2002

**M&R-1: Missed Repair Appointments** 



# **Tennessee Performance Measurements**

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non – Design	Retail Residence & Business (POTS) (Exclusion of switch- based feature troubles
UNE Digital Loop < DS1	Retail Digital Loop < DS1
UNE Digital Loop ≥ DS1	Retail Digital Loop ≥ DS1
UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch ports	Retail Residence & Business (POTS)
UNE Combo Other	Retail Residence, Business & Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL provided to Retail
• UNE ISDN	Retail ISDN – BRI
UNE Line Sharing	ADSL provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
Local Interconnection Trunks	Parity with Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice

### **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non – Design	Retail Residence & Business (POTS) (Exclusion of switch- based feature troubles
UNE Digital Loop < DS1	Retail Digital Loop < DS1



SEEM Disaggregation	SEEM Analog/Benchmark
UNE Digital Loop ≥ DS1	Retail Digital Loop ≥ DS1
UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch ports	Retail Residence & Business (POTS)
UNE Combo Other	Retail Residence, Business & Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL provided to Retail
UNE ISDN	Retail ISDN – BRI
UNE Line Sharing	ADSL provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail



# M&R-2: Customer Trouble Report Rate

### Definition

Initial and repeated customer direct or referred troubles reported within a calendar month per 100 lines/circuits in service.

### **Exclusions**

- Trouble tickets canceled at the CLEC request.
- BellSouth trouble reports associated with internal or administrative service.
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble.

### **Business Rules**

Customer Trouble Report Rate is computed by accumulating the number of maintenance initial and repeated trouble reports during the reporting period. The resulting number of trouble reports are divided by the total "number of service" lines, ports or combination that exist for the CLECs and BellSouth respectively at the end of the report month.

### Calculation

Customer Trouble Report Rate =  $(a \div b) \times 100$ 

- a = Count of Initial and Repeated Trouble Reports closed in the Current Period
- b = Number of Service Access Lines in service at End of the Report Period

### **Report Structure**

- · CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month CLEC Company Name Ticket Submission Date & Time (TICKET_ID) Ticket Completion Date (CMPLTN_DT) Service Type (CLASS_SVC_DESC) Disposition and Cause (CAUSE_CD & CAUSE_DESC) # Service Access Lines in Service at the end of period Geographic Scope  Note: Code in parentheses is the corresponding header found in the raw data file.	<ul> <li>Report Month</li> <li>BellSouth Company Code</li> <li>Ticket Submission Date &amp; Time</li> <li>Ticket Completion Date</li> <li>Service Type</li> <li>Disposition and Cause (Non-Design /Non-Special Only)</li> <li>Trouble Code (Design and Trunking Services)</li> <li># Service Access Lines in Service at the end of period</li> <li>Geographic Scope</li> </ul>

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
2W Analog Loop Design	Retail Residence & Business Dispatch

SQM Level of Disaggregation	SQM Analog/Benchmark
2W Analog Loop Non – Design	Retail Residence & Business (POTS) (Exclusion of switch- based feature troubles)
UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop ≥ DS1	Retail Digital Loop ≥ DS1
UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch Ports	Retail Residence & Business (POTS)
UNE Combo Other	Retail Residence, Business & Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL provided to Retail
• UNE ISDN	Retail ISDN – BRI
UNE Line Sharing	ADSL provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
Local Interconnection Trunks	Parity with Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice

### **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non – Design	Retail Residence & Business (POTS) (Exclusion of switch-based feature troubles)
UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop ≥ DS1	Retail Digital Loop ≥ DS1
UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch ports	Retail Residence & Business (POTS)
UNE Combo Other	Retail Residence, Business & Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL provided to Retail
• UNE ISDN	Retail ISDN – BRI
UNE Line Sharing	ADSL provided to Retail
UNE Other Design	Retail Design



SEEM Disaggregation	SEEM Analog/Benchmark
UNE Other Non-Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail



# **M&R-3: Maintenance Average Duration**

### Definition

The Average duration of Customer Trouble Reports from the receipt of the Customer Trouble Report to the time the trouble report is cleared.

### **Exclusions**

- Trouble tickets canceled at the CLEC request.
- BellSouth trouble reports associated with internal or administrative service.
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble.

### **Business Rules**

For Average Duration the clock starts on the date and time of the receipt of the correct report information, i.e. correct telephone number, correct circuit identification, trouble description, etc. for the repair request. The clock stops on the date and time the service is restored and the BellSouth or CLEC customer is notified (when the technician completes the trouble ticket on his/her CAT or work systems).

### Calculation

**Maintenance Duration** = (a - b)

- a = Date and Time of Service Restoration
- b = Date and Time Trouble Ticket was Opened

### Average Maintenance Duration = $(c \div d)$

- c = Total of all maintenance durations in the reporting period
- d = Total Closed Troubles in the reporting period

### **Report Structure**

- · Dispatch/Non-Dispatch
- · CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

### **Data Retained**

Relating to CLEC Experience:	Relating to BellSouth Performance:
Report month	Report month
Total Tickets (LINE_NBR)	Total Tickets
CLEC Company Name	BellSouth Company Code
Ticket Submission Date & Time (TICKET_ID)	Ticket Submission Date
Ticket Completion Date (CMPLTN_DT)	Ticket Submission Time
Service Type (CLASS_SVC_DESC)	Ticket Completion Date
<ul> <li>Disposition and Cause (CAUSE_CD &amp; CAUSE_DESC)</li> </ul>	Ticket Completion Time
Geographic Scope	Total Duration Time
<b>Note</b> : Code in parentheses is the corresponding header	Service Type
1 0	Disposition and Cause (Non-Design /Non-Special Only)
found in the raw data file.	Trouble Code (Design and Trunking Services)
	Geographic Scope

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail business

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non – Design	Retail Residence & Business (POTS) (Exclusion of switch- based feature troubles)
UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop ≥ DS1	Retail Digital Loop ≥ DS1
UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch ports	Retail Residence & Business (POTS)
UNE Combo Other	Retail Residence, Business & Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL provided to Retail
• UNE ISDN	Retail ISDN – BRI
UNE Line Sharing	ADSL provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail

### **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non – Design	Retail Residence & Business (POTS) (Exclusion of switch- based feature troubles)
UNE Digital Loop < DS1	Retail Digital Loop < DS1
UNE Digital Loop ≥ DS1	Retail Digital Loop ≥ DS1
UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch ports	Retail Residence & Business (POTS)



SEEM Disaggregation	SEEM Analog/Benchmark
UNE Combo Other	Retail Residence, Business & Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL provided to Retail
UNE ISDN	Retail ISDN – BRI
UNE Line Sharing	ADSL provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail



# M&R-4: Percent Repeat Troubles within 30 Days

### Definition

Closed trouble reports on the same line/circuit as a previous trouble report received within 30 calendar days as a percent of total troubles closed reported

### **Exclusions**

- Trouble tickets canceled at the CLEC request.
- BellSouth trouble reports associated with internal or administrative service.
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble.

### **Business Rules**

Includes Customer trouble reports received within 30 days of an original Customer trouble report

### Calculation

**Percent Repeat Troubles within 30 Days** =  $(a \div b) \times 100$ 

- a = Count of closed Customer Troubles where more than one trouble report was logged for the same service line within a continuous
   30 days
- b = Total Trouble Reports Closed in Reporting Period

### **Report Structure**

- · Dispatch/Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

### **Data Retained**

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex

**BELLSOUTH®** 

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale ISDN	Retail ISDN
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non – Design	Retail Residence & Business (POTS) (Exclusion of switch- based feature troubles)
UNE Digital Loop < DS1	Retail Digital Loop < DS1
UNE Digital Loop ≥ DS1	Retail Digital Loop ≥ DS1
UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch ports	Retail Residence & Business (POTS)
UNE Combo Other	Retail Residence, Business & Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL provided to Retail
• UNE ISDN	Retail ISDN – BRI
UNE Line Sharing	ADSL provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail

### **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non – Design	Retail Residence & Business (POTS) (Exclusion of switch- based feature troubles)
UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop ≥ DS1	Retail Digital Loop ≥ DS1
UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch ports	Retail Residence & Business (POTS)
UNE Combo Other	Retail Residence, Business & Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL provided to Retail
• UNE ISDN	Retail ISDN – BRI



# SEEM Disaggregation SEEM Analog/Benchmark • UNE Line Sharing • ADSL provided to Retail • UNE Other Design • Retail Design • UNE Other Non-Design • Retail Residence and Business • Local Transport (Unbundled Interoffice Transport) • Retail DS1/DS3 Interoffice • Local Interconnection Trunks • Parity with Retail



# M&R-5: Out of Service (OOS) > 24 Hours

### Definition

For Out of Service Troubles (no dial tone, cannot be called or cannot call out) the percentage of Total OOS Troubles cleared in excess of 24 hours. (All design services are considered to be out of service).

### **Exclusions**

- Trouble Reports canceled at the CLEC request
- BellSouth Trouble Reports associated with administrative service
- Customer Provided Equipment (CPE) Troubles or CLEC Equipment Troubles.

### **Business Rules**

Customer Trouble reports that are out of service and cleared in excess of 24 hours. The clock begins when the trouble report is created in LMOS/WFA and the trouble is counted if the elapsed time exceeds 24 hours.

### Calculation

Out of Service (OOS) > 24 hours =  $(a \div b) \times 100$ 

- a = Total Cleared Troubles OOS > 24 Hours
- b = Total OOS Troubles in Reporting Period

### **Report Structure**

- · Dispatch/Non-Dispatch
- CLEC Specific
- BellSouth Aggregate
- · CLEC Aggregate

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month Total Tickets CLEC Company Name Ticket Submission Date & Time (TICKET_ID) Ticket Completion Date (CMPLTN_DT Percentage of Customer Troubles out of Service > 24 Hours (OOS>24_FLAG) Service type (CLASS_SVC_DESC) Disposition and Cause (CAUSE_CD & CAUSE-DESC) Geographic Scope	<ul> <li>Report Month</li> <li>Total Tickets</li> <li>BellSouth Company Code</li> <li>Ticket Submission Date</li> <li>Ticket Submission time</li> <li>Ticket Completion Date</li> <li>Ticket Completion Time</li> <li>Percent of Customer Troubles out of Service &gt; 24 Hours</li> <li>Service type</li> <li>Disposition and Cause (Non-Design/Non-Special only)</li> </ul>
<b>Note:</b> Code in parentheses is the corresponding header found in the raw data file.	<ul><li> Trouble Code (Design and Trunking Services)</li><li> Geographic Scope</li></ul>

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale ISDN	Retail ISDN
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non – Design	Retail Residence & Business (POTS) (Exclusion of switch- based feature troubles)
UNE Digital Loop < DS1	Retail Digital Loop < DS1
UNE Digital Loop ≥ DS1	Retail Digital Loop ≥ DS1
UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch ports	Retail Residence & Business (POTS)
UNE Combo Other	Retail Residence, Business & Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL provided to Retail
• UNE ISDN	Retail ISDN – BRI
UNE Line Sharing	ADSL provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail

## **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non – Design	Retail Residence & Business (POTS) (Exclusion of switch- based feature troubles)
UNE Digital Loop < DS1	Retail Digital Loop < DS1
UNE Digital Loop ≥ DS1	Retail Digital Loop ≥ DS1
UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch Ports	Retail Residence & Business (POTS)
UNE Combo Other	Retail Residence, Business & Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL provided to Retail
UNE ISDN	Retail ISDN – BRI



SEEM Disaggregation	SEEM Analog/Benchmark
UNE Line Sharing	ADSL provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail



# M&R-6: Average Answer Time – Repair Centers

#### Definition

This report measures the average time a customer is in queue.

#### **Exclusions**

None

#### **Business Rules**

The clock starts when a CLEC Representative or BellSouth customer makes a choice on the Repair Center's menu and is put in queue for the next repair attendant. The clock stops when the repair attendant answers the call (abandoned calls are not included).

Note: The Total Column is a combined BellSouth Residence and Business number.

### Calculation

**Answer Time for BellSouth Repair Centers** = (a - b)

- a = Time BellSouth Repair Attendant Answers Call
- b = Time of entry into queue after ACD Selection

## Average Answer Time for BellSouth Repair Centers = $(c \div d)$

- c = Sum of all Answer Times
- d = Total number of calls by reporting period

## **Report Structure**

- CLEC Aggregate
- · BellSouth Aggregate

## **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
CLEC Average Answer Time	BellSouth Average Answer Time

# SQM Disaggregation - Analog / Benchmark

SQM Level of Disaggregation	Retail Analog / Benchmark
Region. CLEC/BellSouth Service Centers and BellSouth Repair Centers are regional.	• For CLEC, Average Answer Times in UNE Center and BRMC are comparable to the Average Answer Times in the BellSouth Repair Centers.

# **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# M&R-7: Mean Time To Notify CLEC of Network Outages

#### Definition

BellSouth will inform the CLEC of any Network outages (key customer accounts)

#### **Exclusions**

None

#### **Business Rules**

The time it takes for BellSouth to notify the CLEC and appropriate BellSouth personnel of a customer impacting network incident in equipment that may be utilized by the CLEC. When BellSouth becomes aware of a network incident, the CLEC and appropriate BellSouth personnel will be notified electronically. The notification time for each outage will be measured in minutes and divided by the number of outages for the reporting period. The CLECs will be notified the same way and at the same time as BellSouth personnel. These are broadcast messages. It is up to those receiving the message to determine if they have customers affected by the incident.

## Calculation

Time to Notify CLEC = (a - b)

- a = Date and Time BellSouth Notified CLEC
- b = Date and time BellSouth detected network incident

Mean Time to Notify CLEC =  $(c \div d)$ 

- c = Sum of all Times to Notify CLEC
- d = Count of Network Incidents

# **Report Structure**

- · BellSouth Aggregate
- · CLEC Aggregate
- · CLEC Specific

## **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Major Network Events	Major Network Events
Date/Time of Incident	Date/Time of Incident
• Date/Time of Notification	Date/Time of Notification

# SQM Disaggregation - Analog / Benchmark

SQM Level of Disaggregation	Retail Analog / Benchmark
<ul><li>BellSouth Aggregate</li><li>CLEC Aggregate</li><li>CLEC Specific</li></ul>	Parity by Design

### **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		



SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# **Section 5: Billing**

# **B-1: Invoice Accuracy**

#### **Definition**

This measure provides the percentage of accuracy of the billing invoices rendered to CLECs during the current month.

#### **Exclusions**

- Adjustments not related to billing errors (e.g., credits for service outage, special promotion credits, adjustments to satisfy the customer)
- · Test Accounts

#### **Business Rules**

The accuracy of billing invoices delivered by BellSouth to the CLEC must enable them to provide a degree of billing accuracy comparative to BellSouth bills rendered to retail customers of BellSouth. CLECs request adjustments on bills determined to be incorrect. The BellSouth Billing verification process includes manually analyzing a sample of local bills from each bill period. The bill verification process draws from a mix of different customer billing options and types of service. An end-to-end auditing process is performed for new products and services. Internal measurements and controls are maintained on all billing processes. The CLEC-specific raw data file (which is available on the PMAP web site) will contain the number of bills and adjustments for the reporting month. The number of bills and bill adjustments will be displayed by OCN and/or ACNA.

#### Calculation

**Invoice Accuracy** =  $[(a - b) \div a] \times 100$ 

- a = Absolute Value of Total Billed Revenues during current month
- b = Absolute Value of Billing Related Adjustments during current month

#### Measure of Adjustments = $[(c-d)/c] \times 100$

- c = Number of Bills in current month
- d= Number of Billing-related Adjustments in current month

# **Report Structure**

- · CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Geographic Scope
  - Region
  - State

Version 1.00 5-1 Issue Date: December 1, 2002

**BELLSOUTH®** 

# **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Report Month</li> <li>Invoice Type</li> <li>UNE</li> <li>Resale</li> <li>Interconnection</li> <li>Total Billed Revenue</li> <li>Billing Related Adjustments</li> <li>Number of Bills</li> <li>Number of Adjustments</li> </ul>	<ul> <li>Report Month</li> <li>Retail Type</li> <li>CRIS</li> <li>CABS</li> <li>Total Billed Revenue</li> <li>Billing Related Adjustments</li> </ul>

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Product/Invoice Type     Resale     UNE	Parity with BellSouth Retail Aggregate
- Interconnection	

# **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• Resale • UNE	Parity with Retail
Interconnection	



# **B-2: Mean Time to Deliver Invoices**

#### **Definition**

Bill Distribution is calculated as follows: CRIS BILLS-The number of workdays is reported for CRIS bills. This is calculated by counting the Bill Period date as the first work day. Weekends and holidays are excluded when counting workdays. J/N Bills are counted in the CRIS work day category for the purposes of the measurement since their billing account number (Q account) is provided from the CRIS system.

CABS BILLS-The number of calendar days is reported for CABS bills. This is calculated by counting the day following the Bill Period date as the first calendar day. Weekends and holidays are included when counting the calendar days.

#### **Exclusions**

None

#### **Business Rules**

This report measures the mean interval for timeliness of billing records delivered to CLECs in an agreed upon format. CRIS-based invoices are measured in business days, and CABS-based invoices in calendar days.

#### Calculation

Invoice Timeliness = (a - b)

- a = Invoice Transmission Date
- b = Close Date of Scheduled Bill Cycle

#### Mean Time To Deliver Invoices = $(c \div d)$

- c = Sum of all Invoice Timeliness intervals
- d = Count of Invoices Transmitted in Reporting Period

# **Report Structure**

- · CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate
- · Geographic Scope
  - Region
  - State

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month     Invoice Type	Report Month     Invoice Type
- UNE - Resale	- CRIS - CABS
- Interconnection - State	<ul><li>Invoice Transmission Count</li><li>Date of Scheduled Bill Close</li></ul>
<ul><li>Invoice Transmission Count</li><li>Date of Scheduled Bill Close</li></ul>	

**BELLSOUTH®** 

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Product/Invoice Type  Resale  UNE  Interconnection  State	<ul> <li>CRIS-based invoices will be released for delivery within six (6) business days.</li> <li>CABS-based invoices will be released for delivery within eight (8) calendar days.</li> <li>CLEC Average Delivery Intervals for both CRIS and CABS Invoices are comparable to BellSouth Average delivery for both systems.</li> </ul>

# **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
<ul><li>CLEC State</li><li>CRIS</li><li>CABS</li><li>BST-State</li></ul>	Parity with Retail



# **B-3: Usage Data Delivery Accuracy**

#### Definition

This measurement captures the percentage of recorded usage that is delivered error free and in an acceptable format to the appropriate Competitive Local Exchange Carrier (CLEC). These percentages will provide the necessary data for use as a comparative measurement for BellSouth performance. This measurement captures Data Delivery Accuracy rather than the accuracy of the individual usage recording.

## **Exclusions**

None

#### **Business Rules**

The accuracy of the data delivery of usage records delivered by BellSouth to the CLEC must enable them to provide a degree of accuracy comparative to BellSouth bills rendered to their retail customers. If errors are detected in the delivery process, they are investigated, evaluated and documented. Errors are corrected and the data retransmitted to the CLEC.

#### Calculation

Usage Data Delivery Accuracy (Packs) =  $(a - b) \div a \times 100$  (This calculation not ordered by the FPSC)

- a = Total number of usage data packs sent during current month
- b = Total number of usage data packs requiring retransmission during current month

Usage Data Delivery Accuracy (Records) =  $(c - d) \div c \times 100$ 

- c = Total number of usage records sent during current month
- d = Total number of usage records requiring retransmission during current month

# **Report Structure**

- · CLEC Aggregate
- · BellSouth Aggregate
- · Geographic Scope
  - Region

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Record Type	Record Type
- BellSouth Recorded	Number of Records
- Non-BellSouth Recorded	• Packs
Number of Records	
• Packs	

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	Parity With Retail

#### **SEEM Measure**

SEEM Measure		
Yes Tier I		
	Tier II	X



SEEM Disaggregation	SEEM Analog/Benchmark
<ul><li>CLEC State (In Tennessee, SEEM is based on records.)</li><li>BellSouth Region</li></ul>	Parity with Retail



# **B-4: Usage Data Delivery Completeness**

#### Definition

This measurement provides percentage of complete and accurately recorded usage data (usage recorded by BellSouth and usage recorded by other companies and sent to BellSouth for billing) that is processed and transmitted to the CLEC within thirty (30) days of the message recording date. A parity measure is also provided showing completeness of BellSouth messages processed and transmitted via CMDS. BellSouth delivers its own retail usage from recording location to billing location via CMDS as well as delivering billing data to other companies. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

#### **Exclusions**

None

#### **Business Rules**

The purpose of these measurements is to demonstrate the level of quality of usage data delivered to the appropriate CLEC. Method of delivery is at the option of the CLEC.

#### Calculation

Usage Data Delivery Completeness =  $(a \div b) \times 100$ 

- a = Total number of Recorded usage records delivered during current month that are within thirty (30) days of the message recording
  date
- b = Total number of Recorded usage records delivered during the current month

# **Report Structure**

- · CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate
- Region

# **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Report Month</li> <li>Record Type</li> <li>BellSouth Recorded</li> <li>Non-BellSouth Recorded</li> </ul>	Report Month     Record Type

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	Parity With Retail

## **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	



SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# **B-5: Usage Data Delivery Timeliness**

#### Definition

This measurement provides a percentage of recorded usage data (usage recorded by BellSouth and usage recorded by other companies and sent to BellSouth for billing) that is delivered to the appropriate CLEC within six (6) calendar days from the receipt of the initial recording. A parity measure is also provided showing timeliness of BellSouth messages processed and transmitted via CMDS. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

## **Exclusions**

None

#### **Business Rules**

The purpose of this measurement is to demonstrate the level of timeliness for processing and transmission of usage data delivered to the appropriate CLEC. The usage data will be mechanically transmitted or mailed to the CLEC data processing center once daily. The Timeliness interval of usage recorded by other companies is measured from the date BellSouth receives the records to the date BellSouth distributes to the CLEC. Method of delivery is at the option of the CLEC

# Calculation

Usage Data Delivery Timeliness Current month =  $(a \div b) \times 100$ 

- a = Total number of usage records sent within six (6) calendar days from initial recording/receipt
- b = Total number of usage records sent

# **Report Structure**

- · CLEC Aggregate
- CLEC Specific
- · BellSouth Aggregate
- · Region

# **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Report Month</li> <li>Record Type</li> <li>BellSouth Recorded</li> <li>Non-BellSouth Recorded</li> </ul>	Report Month     Record Type

# SQM Level of Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	Parity with Retail

# **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

**BELLSOUTH®** 



SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# **B-6: Mean Time to Deliver Usage**

#### Definition

This measurement provides the average time it takes to deliver Usage Records to a CLEC. A parity measure is also provided showing timeliness of BellSouth messages processed and transmitted via CMDS. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

#### **Exclusions**

None

#### **Business Rules**

The purpose of this measure is to calculate the average number of days it takes BellSouth to deliver usage data to the appropriate CLEC. The calculation reflects the differences between the date the data is transmitted or mailed to the CLEC and the date the data is generated by Customer divided by the total record volume delivery.

Each delivery record is calculated as the time, in days, between when the customer generates the call and when BellSouth delivers the usage data to the CLEC. Each delivery record is categorized by the resulting number of days.

An estimated interval is calculated for each category by taking the total number of usage data records delivered for that period and multiplying it by the total number of days in that period. The mean (average) time to deliver the usage data is calculated by summing all estimated intervals and dividing by the total number of records delivered.

Note: Any usage record falling in the 30+ day interval will be added using an average figure of 31.5 days.

Usage data is mechanically transmitted or mailed to the CLEC data processing center once daily. Method of delivery is at the option of the CLEC.

#### Calculation

# **Delivery Interval Record** = (a - b)

- a = Date BellSouth delivers the usage data
- b = Date usage data is generated by the customer

# Estimated Interval = (c X d)

- c = Number of records delivered in each category
- d = Number of days to deliver for the category

# Mean Time to Deliver Usage = $(e \div f)$

- e = Sum of all estimated intervals
- f = Total number of records delivered

## **Report Structure**

- CLEC Aggregate
- · CLEC Specific
- · BellSouth Aggregate
- · Region

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Record Type	Record Type
- BellSouth Recorded	
- Non-BellSouth Recorded	

**BELLSOUTH®** 

# **SQM Level of Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
Region	Parity With Retail

# **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# **B-7: Recurring Charge Completeness**

#### **Definition**

This measure captures percentage of fractional recurring charges appearing on the correct bill.

#### **Exclusions**

None

#### **Business Rules**

The effective date of the recurring charge must be within 30 days of the bill date for the charge to appear on the correct bill.

#### Calculation

Recurring Charge Completeness =  $(a \div b) \times 100$ 

- a = Count of fractional recurring charges that are on the correct bill<sup>1</sup>
- b = Total count of fractional recurring charges that are on the correct bill

# **Report Structure**

- · CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate

# **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report month	Report month
Invoice Type	Retail Analog
Total Recurring Charges Billed	Total recurring charges billed
Total Billed On Time	Total Billed On Time

# **SQM Level of Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
Product/Invoice Type	
Resale	Parity
• UNE	Benchmark 90%
Interconnection	Benchmark 90%

# **SEEM Measure**

SEEM Measure		
No	Tier I	
Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

<sup>&</sup>lt;sup>1</sup>Correct bill = next available bill



# **B-8: Non-Recurring Charge Completeness**

#### **Definition**

This measure captures percentage of non-recurring charges appearing on the correct bill.

#### **Exclusions**

None

#### **Business Rules**

The effective date of the non-recurring charge must be within 30 days of the bill date for the charge to appear on the correct bill.

#### Calculation

Non-Recurring Charge Completeness =  $(a \div b) \times 100$ 

- a = Count of non-recurring charges that are on the correct bill<sup>1</sup>
- b = Total count of non-recurring charges that are on the correct bill

# **Report Structure**

- · CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate

# **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report month	Report month
Invoice type	Retail Analog
Total non-recurring charges billed	Total non-recurring charges billed
Total billed on time	Total billed on time

# **SQM Level of Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
Product/Invoice Type	
• Resale	Parity
• UNE	Benchmark 90%
Interconnection	Benchmark 90%

# **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

<sup>&</sup>lt;sup>1</sup>Correct bill = next available bill



# B-9: Percent Daily Usage Feed Errors Corrected in X Business Days

#### Definition

Measures the timely correction of Daily Usage Feed (DUF) errors in record information and Pack formats measured separately. Errors included (1) Pack Failure errors and (2) EMI content errors in records.

#### **Exclusions**

- Usage that cannot be corrected and resent or usage that the CLEC doesn't want Retransmitted.
- CLEC Problem/Issue/File Retransmission forms disputed by BellSouth SMEs that do not result in an EMI error.
- CLEC notification received by BellSouth > 10 business days from transmission date of errored messages or packs.

#### **Business Rules**

This measure will provide the % of errors corrected in X Business days.

Pack Failure errors are defined as a DUF header/trailer error containing one or more of the following conditions: Grand total records not equal to records in pack or sequence/invoice numbers for a from RAO is not sequential

EMI content errors are defined as those records with errors contained in the EMI detail records that cause a message to be unbillable by the CLEC

Only notification received via the CLEC Problem/Issue/File Retransmission form will be included in this measure. To locate the form, go to the PMAP web site (<a href="http://www.pmap.bellsouth.com/">http://www.pmap.bellsouth.com/</a>) and click the Documentation Downloads link, then select the "CLEC Problem/Issue/File Retransmission form."

When circumstances arise for multiple content errors it is not necessary for the form to be filled out in its entirety, the CLECs agree to provide sufficient information for content error research so that a thorough investigation and resolution can be completed.

For each type error condition, a new CLEC Problem/Issue/File Retransmission form should be submitted.

EMI content errors should be attached in a separate file from the CLEC Problem/Issue/File Retransmission form

Elapsed time is measured in business days.

The clock starts when BellSouth receives CLEC's Problem/Issue/File Retransmission form.

The clock stops when BellSouth provides the corrected usage to the CLEC using the predesignated DUF delivery method.

This measure applies only to CLECs that are ODUF and ADUF participants

# Calculation

## Timeliness of Daily Usage EMI Content Errors Corrected = $(a \div b) \times 100$

- a = Total number of Daily Usage Records with EMI Content Errors Corrected in the reporting month within 10 Business Days.
- b = Total number of Daily Usage Records with EMI Content Errors corrected in reporting month.

# Timeliness of Daily Usage Pack Format Errors Corrected = $(c \div d) \times 100$

- c= Total number of Daily Usage Packs with Format Errors Corrected in the reporting month within 4 Business Days.
- d = Total number of Daily Usage Packs with Format Errors corrected in reporting month

# **Report Structure**

- · CLEC Specific
  - Total number of BST disputed Daily Usage Records with EMI Content Errors received in reporting month.
  - Total number of Daily Usage Records with EMI Content Errors received in reporting month.
  - Total number of BST disputed Daily Usage Packs with Format Errors received in reporting month
  - Total number of Daily Usage Packs with Format Errors received in reporting month
- · CLEC Aggregate
- · Geographic Scope
  - Region

(A) BELLSOUTH®

# **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul><li>Report month</li><li>BellSouth Recorded</li><li>Non-BellSouth Recorded</li></ul>	• None

# **SQM Level of Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation		SQM Analog/Benchmark	
• Region		Diagnostic	

# **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# **B-10: Percent Billing Errors Corrected in X Days**

#### Definition

Measures timely carrier bill adjustments.

## **Exclusions**

Billing adjustments requests that are rejected by BellSouth or disputed by BellSouth.

Adjustments that are initiated by BellSouth.

#### **Business Rules**

This measure applies to CLEC wholesale bill adjustments. IXC Access billing adjustment requests are not reflected in this measure. Elapsed time is measured in business days. Clock starts when BellSouth receives the ALECs Billing Adjustment Request (BAR) form (BAR form and instructions found at WWW.interconnection.bellsouth.com/forms/html/billing & collections.html) and the clock stops when adjustments is made to bill through ACATS or BOCRIS (generally next CLEC bill unless adjustment request after middle of the month). BellSouth will report separately those adjustment requests that are disputed by BellSouth.

#### Calculation

Percent Billing Errors Corrected in 45 Days = (a / b) X 100

- a = Number of BellSouth Adjustments in 45 Days
- b = Total Number of Adjustment Requests in Reporting Period

# **Report Structure**

- · CLEC Specific
- · CLEC Aggregate
- · Geographic Scope:
- · State Specific

# **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Number of BellSouth Adjustments in 45 days</li> <li>Total number of Billing Adjustment Requests in Reporting Period</li> <li>Number of Adjustments disputed by BellSouth (reported separately)</li> </ul>	• None

# **SQM Disaggregation - Retail Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
• State	Diagnostic

# **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		



SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# **Section 6: Operator Services And Directory Assistance**

# OS-1: Speed to Answer Performance/Average Speed to Answer - Toll

#### Definition

Measurement of the average time in seconds calls wait before answered by a toll operator.

#### **Exclusions**

None

#### **Business Rules**

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

#### Calculation

**Speed to Answer Performance/Average Speed to Answer – Toll =**  $a \div b$ 

- a = Total queue time
- b = Total calls answered

**Note**: Total queue time includes time that answered calls wait in queue as well as time abandoned calls wait in queue prior to abandonment.

# **Report Structure**

- Reported for the aggregate of BellSouth and CLECs
  - State

# **Data Retained (on Aggregate Basis)**

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (Toll)
- Average Speed of Answer

# SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

Version 1.00 6-1 Issue Date: December 1, 2002



# **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# OS-2: Speed to Answer Performance/Percent Answered with "X" Seconds – Toll

#### **Definition**

Measurement of the percent of toll calls that are answered in less than ten seconds

#### **Exclusions**

None

## **Business Rules**

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

# Calculation

The Percent Answered within "X" Seconds measurement for toll is derived by using the BellCore Statistical Answer Conversion Tables, to convert the Average Speed to Answer measure into a percent of calls answered within "X" seconds. The BellCore Conversion Tables are specific to the defined parameters of work time, number of operators, max queue size and call abandonment rates.

# **Report Structure**

- · Reported for the aggregate of BellSouth and CLECs
  - State

# Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- · Month
- Call Type (Toll)
- · Average Speed of Answer

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation:	SQM Analog/Benchmark
• None	Parity by Design

#### **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# DA-1: Speed to Answer Performance/Average Speed to Answer – Directory Assistance (DA)

#### **Definition**

Measurement of the average time in seconds calls wait before answered by a DA operator.

#### **Exclusions**

None

#### **Business Rules**

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

# Calculation

Speed to Answer Performance/Average Speed to Answer – Directory Assistance (DA) =  $a \div b$ 

- a = Total queue time
- b = Total calls answered

**Note**: Total queue time includes time that answered calls wait in queue as well as time abandoned calls wait in queue prior to abandonment.

# **Report Structure**

- Reported for the aggregate of BellSouth and CLECs
  - State

# **Data Retained (on Aggregate Basis)**

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (DA)
- Average Speed of Answer

# SQM Level of Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

## **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# DA-2: Speed to Answer Performance/Percent Answered within "X" Seconds – Directory Assistance (DA)

#### Definition

Measurement of the percent of DA calls that are answered in less than twelve seconds.

#### **Exclusions**

None

#### **Business Rules**

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

# Calculation

The Percent Answered within "X" Seconds measurement for DA is derived by using the BellCore Statistical Answer Conversion Tables, to convert the Average Speed to Answer measure into a percent of calls answered within "X" seconds. The BellCore Conversion Tables are specific to the defined parameters of work time, number of operators, max queue size and call abandonment rates.

# **Report Structure**

- Reported for the aggregate of BellSouth and CLECs
  - State

# Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP.
- · Month
- Call Type (DA)
- · Average Speed of Answer

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

### **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# **Section 7: Database Update Information**

# D-1: Average Database Update Interval

## **Definition**

This report measures the interval from receipt of the database change request to the completion of the update to the database for Line Information Database (LIDB), Directory Assistance and Directory Listings.

#### **Exclusions**

- Updates Canceled by the CLEC
- Initial update when supplemented by CLEC
- BellSouth updates associated with internal or administrative use of local services.

#### **Business Rules**

The interval for this measure begins with the date and time stamp when a service order is completed and the completion notice is released to all systems to be updated with the order information including Directory Assistance, Directory Listings, and Line Information Database (LIDB). The end time stamp is the date and time of completion of updates to the system.

#### For BellSouth Results:

The BellSouth computation is identical to that for the CLEC with the clarifications noted below.

## Other Clarifications and Qualification:

- For LIDB, the elapsed time for a BellSouth update is measured from the point in time when the BellSouth file maintenance process makes the LIDB update information available until the date and time reported by BellSouth that database updates are completed.
- Results for the CLECs are captured and reported at the update level by Reporting Dimension (see below).
- The Completion Date is the date upon which BellSouth issues the Update Completion Notice to the CLEC.
- If the CLEC initiates a supplement to the originally submitted update and the supplement reflects changes in customer requirements (rather than responding to BellSouth initiated changes), then the update submission date and time will be the date and time of BellSouth receipt of a syntactically correct update supplement. Update activities responding to BellSouth initiated changes will not result in changes to the update submission date and time used for the purposes of computing the update completion interval.
- · Elapsed time is measured in hours and hundredths of hours rounded to the nearest tenth of an hour.
- Because this should be a highly automated process, the accumulation of elapsed time continues through off-schedule, weekends and holidays; however, scheduled maintenance windows are excluded.

## Calculation

## **Update Interval** = (a - b)

- a = Completion Date & Time of Database Update
- b = Submission Date and Time of Database Change

# Average Update Interval = $(c \div d)$

- c = Sum of all Update Intervals
- d = Total Number of Updates Completed During Reporting Period

# **Report Structure**

- CLEC Specific (Under development)
- · CLEC Aggregate
- · BellSouth Aggregate



# **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
	<ul> <li>Database File Submission Time</li> <li>Database File Update Completion Time</li> <li>BellSouth Number of Submissions</li> <li>Total Number of Updates</li> </ul>

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation:	SQM Analog/Benchmark
Database Type • LIDB	Parity by Design
<ul><li> Directory Listings</li><li> Directory Assistance</li></ul>	

# **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# **D-2: Percent Database Update Accuracy**

#### Definition

This report measures the accuracy of database updates by BellSouth for Line Information Database (LIDB) Directory Assistance and Directory Listings using a statistically valid sample of LSRs/Orders in a manual review. This manual review is not conducted on BellSouth Retail Orders.

#### **Exclusions**

- Updates canceled by the CLEC
- · Initial update when supplemented by CLEC
- · CLEC orders that had CLEC errors
- BellSouth updates associated with internal or administrative use of local services.

## **Business Rules**

For each update completed during the reporting period, the original update that the CLEC sent to BellSouth is compared to the database following completion of the update by BellSouth. An update is "completed without error" if the database completely and accurately reflects the activity specified on the original and supplemental update (e.g., orders) submitted by the CLEC. Each database (e.g., LIDB, Directory Assistance and Directory Listings) should be separately tracked and reported.

A statistically valid sample of CLEC Orders will be pulled each month. The sample will be used to test the accuracy of the database update process. This is a manual process.

#### Calculation

Percent Update Accuracy =  $(a \div b) \times 100$ 

- a = Number of Updates Completed Without Error
- b = Number Updates Completed

# **Report Structure**

- · CLEC Aggregate
- CLEC Specific (not available in this report)
- BellSouth Aggregate (not available in this report)

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Report Month</li> <li>CLEC Order Number (so_nbr) and PON (PON)</li> <li>Local Service Request (LSR)</li> <li>Order Submission Date</li> <li>Number of Orders Reviewed</li> </ul>	Not Applicable
<b>Note</b> : Code in parentheses is the corresponding header found in the raw data file.	

SQM Level of Disaggregation	SQM Analog/Benchmark
Database Type	• 95% Accurate
• LIDB	
Directory Listings	



# **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# D-3: Percent NXXs and LRNs Loaded by the LERG Effective Date

#### Definition

Measurement of the percent of NXX(s) and Location Routing Numbers LRN(s) loaded and tested in new end office and/or tandem switches by the Local Exchange Routing Guide (LERG) effective date when facilities are in place. BellSouth has a single provisioning process for both NXX(s) and LRN(s). In this measure BellSouth will identify whether or not a particular NXX has been flagged as LNP capable (set triggers for dips) by the LERG effective date.

An LRN is assigned by the owner of the switch and is placed into the software translations for every switch to be used as an administrative pointer to route NXX(s) in LNP capable switches. The LRN is a result of Local Number Porting and is housed in a national database provided by the Number Portability Administration Center (NPAC). The switch owner is responsible for notifying NPAC and requesting the effective date that will be reflected in the LERG. The national database downloads routing tables into BellSouth's Service Control Point (SCP) regional databases, which are queried by switches when routing ported numbers.

The basic NXX routing process includes the addition of all NXX(s) in the response translations. This addition to response translations is what supports LRN routing. Routing instructions for all NXX(s), including LRN(s), are received from the Advance Routing & Trunking System (ARTS) and all routing, including response, is established based on the information contained in the Translation Work Instructions (TWINs) document.

#### **Exclusions**

- · Activation requests where the CLEC's interconnection arrangements and facilities are not in place by the LERG effective date.
- · Expedite requests

#### **Business Rules**

Data for the initial NXX(s) and LRN(s) in a local calling area will be based on the LERG effective date or completion of the initial interconnection trunk group(s), whichever is longer. Data for additional NXX(s) in the local calling area will be based on the LERG effective date. The LERG effective date is loaded into the system at the request of the CLEC. It is contingent upon the CLEC to engineer, order, and install interconnection arrangements and facilities prior to that date.

The total Count of NXX(s) and LRN(s) that were scheduled to be loaded and those that were loaded by the LERG effective date in BellSouth switches will be captured in the Work Force Administration -Dispatch In database.

#### Calculation

Percent NXXs/LRNs Loaded and Tested Prior to the LERG Effective Date =  $(a \div b) \times 100$ 

- a = Count of NXXs and LRNs loaded by the LERG effective date
- b = Total NXXs and LRNs to be scheduled and loaded by the LERG effective date

# **Report Structure**

- · CLEC Specific
- · CLEC Aggregate
- BellSouth (Not Applicable)

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Company Name	Not Applicable
Company Code	
• NPA/NXX	
LERG Effective Date	
Loaded Date	



# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Geographic Scope     Region	100% by LERG Effective Date

# **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# Section 8: E911

# **E-1: Timeliness**

#### Definition

Measures the percent of batch orders for E911 database updates (to CLEC resale and BellSouth retail records) processed successfully within a 24-hour period.

#### **Exclusions**

- · Any resale order canceled by a CLEC
- · Facilities-based CLEC orders

#### **Business Rules**

The 24-hour processing period is calculated based on the date and time processing starts on the batch orders and the date and time processing stops on the batch orders. Mechanical processing starts when SCC (the BellSouth E911 vendor) receives E911 files containing batch orders extracted from the BellSouth Service Order Control System (SOCS). Processing stops when SCC loads the individual records to the E911 database. The E911 database includes updates to the Automatic Location Identification (ALI) database. The system makes no distinction between CLEC resale records and BellSouth retail records.

# Calculation

**E911 Timeliness** =  $(a \div b) \times 100$ 

- a = Number of batch orders processed within 24 hours
- b = Total number of batch orders submitted

#### **Report Structure**

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- Region

# **Data Retained**

- · Report month
- · Aggregate data

# SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

## **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

**BELLSOUTH**®



SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# E-2: Accuracy

#### **Definition**

Measures the percent of E911 telephone number (TN) record updates (to CLEC resale and BellSouth retail records) processed successfully for E911 (including the Automatic Location Identification (ALI) database).

# **Exclusions**

- · Any resale order canceled by a CLEC
- · Facilities-based CLEC orders

#### **Business Rules**

Accuracy is based on the number of records processed without error at the conclusion of the processing cycle. Mechanical processing starts when SCC (the BellSouth E911 vendor) receives E911 files containing telephone number (TN) records extracted from BellSouth's Service Order Control System (SOCS). The system makes no distinction between CLEC resale records and BellSouth retail records.

#### Calculation

**E911 Accuracy** =  $(a \div b) \times 100$ 

- a = Number of record individual updates processed with no errors
- b = Total number of individual record updates

## **Report Structure**

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- · Region

# **Data Retained**

- · Report month
- · Aggregate data

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

#### **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# E-3: Mean Interval

#### Definition

Measures the mean interval processing of E911 batch orders (to update CLEC resale and BellSouth retail records) including processing against the Automatic Location Identification (ALI) database.

# **Exclusions**

- · Any resale order canceled by a CLEC
- · Facilities-based CLEC orders

#### **Business Rules**

The processing period is calculated based on the date and time processing starts on the batch orders and the date and time processing stops on the batch orders. Data is posted is 4-hour increments up to and beyond 24 hours. The system makes no distinction between CLEC resale records and BellSouth retail records.

## Calculation

#### E911 Interval = (a - b)

- a = Date and time of batch order completion
- b = Date and time of batch order submission

#### E911 Mean Interval = $(c \div d)$

- c = Sum of all E911 Intervals
- d = Number of batch orders completed

# **Report Structure**

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- Region

# **Data Retained**

- · Report month
- · Aggregate data

# SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

# **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# **Section 9: Trunk Group Performance**

# **TGP-1: Trunk Group Performance-Aggregate**

### **Definition**

The Trunk Group Performance report displays, over a reporting cycle, aggregate, average trunk group blocking data for each hour of each day of the reporting cycle, for both CLEC affecting and BellSouth affecting trunk groups.

#### **Exclusions**

- Trunk Groups for which there was no valid data available for an entire study period
- Duplicate trunk group information

## **Business Rules**

The purpose of the Trunk Group Performance Report is to provide trunk blocking measurements on CLEC and BellSouth trunk groups for comparison only. It is not the intent of the report that it be used for network management and/or engineering.

### **Monthly Average Blocking:**

- The reporting cycle includes both business and non-business days in a calendar month.
- Monthly average blocking values are calculated for each trunk group for each of the 24 time consistent hours across a reporting cycle.

#### **Aggregate Monthly Blocking:**

- Used to compare aggregate blocking across trunk groups which terminate traffic at CLEC points of presence versus BellSouth switches.
- · Aggregate monthly blocking data is calculated for each hour of the day across all trunk groups assigned to a category.

### Trunk Categorization:

This report displays, over a reporting cycle, aggregate, average blocking data for each hour of a day. Therefore, for each reporting cycle, 24 blocking data points are generated for two aggregate groups of selected trunk groups. These groups are CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups to each aggregate group, all trunk groups are first assigned to a category. A trunk group's end points and the type of traffic that is transmitted on it define a category. Selected categories of trunk groups are assigned to the aggregate groups so that trunk reports can be generated. The categories to which trunk groups have been assigned for this report are as follows.

Point A

Point B

#### **CLEC Affecting Categories**:

	Category 1:	BellSouth End Office	BellSouth Access Tandem
	Category 3:	BellSouth End Office	CLEC Switch
	Category 4:	BellSouth Local Tandem	CLEC Switch
	Category 5:	BellSouth Access Tandem	CLEC Switch
	Category 10:	BellSouth End Office	BellSouth Local Tandem
	Category 16:	BellSouth Tandem	BellSouth Tandem
BellSouth Affecti	ng Categories:		
		Point A	Point B
	Category 9:	BellSouth End Office	BellSouth End Office



#### Calculation

#### **Monthly Average Blocking:**

- For each hour of the day, each day's raw data are summed across all valid measurements days in a report cycle for blocked and attempted calls.
- The sum of the blocked calls is divided by the total number of calls attempted in a reporting period.

#### **Aggregate Monthly Blocking:**

- For each hour of the day, the monthly sums of the blocked and attempted calls from each trunk group are separately aggregated over all trunk groups within each assigned category.
- The total blocked calls is divided by the total call attempts within a group to calculate an aggregate monthly blocking for each assigned group.
- The result is an aggregate monthly average blocking value for each of the 24 hours by group.
- The difference between the CLEC and BellSouth affecting trunk groups are also calculated for each hour.

## **Report Structure**

- · CLEC Aggregate
- · BellSouth Aggregate
  - State

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Total Trunk Groups	Total Trunk Groups
Number of Trunk Groups by CLEC	Aggregate Hourly Blocking Per Trunk Group
Hourly Blocking Per Trunk Group	Hourly Usage Per Trunk Group
Hourly Usage Per Trunk Group	Hourly Call Attempts Per Trunk Group
Hourly Call Attempts Per Trunk Group	

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
CLEC Aggregate	• Any 2 hour period in 24 hours where CLEC blockage exceeds
BellSouth Aggregate	BellSouth blockage by more than 0.5% using trunk groups 1,
	3, 4, 5, 10, 16 for CLECs and 9 for BellSouth

# **SEEM Measure**

SEEM Measure		
Yes	Tier I	
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
CLEC Aggregate     BellSouth Aggregate	• Any 2 hour period in 24 hours where CLEC blockage exceeds BellSouth blockage by more than 0.5% using trunk groups 1,3,4,5,10,16 for CLECs and 9 for BellSouth

Daint B

(A) **BELLSOUTH** \*

# TGP-2: Trunk Group Performance – CLEC Specific

#### Definition

The Trunk Group Performance report displays, over a reporting cycle, aggregate, average trunk group blocking data for each hour of each day of the reporting cycle, for both CLEC affecting and BellSouth affecting trunk groups.

#### **Exclusions**

- Trunk Groups for which there was no valid data available for an entire study period
- Duplicate trunk group information

#### **Business Rules**

The purpose of the Trunk Group Performance Report is to provide trunk blocking measurements on CLEC and BellSouth trunk groups for comparison only. It is not the intent of the report that it be used for network management and/or engineering.

#### Monthly Average Blocking:

- The reporting cycle includes both business and non-business days in a calendar month.
- Monthly average blocking values are calculated for each trunk group for each of the 24 time consistent hours across a reporting cycle.

#### Aggregate Monthly Blocking:

- · Used to compare aggregate blocking across trunk groups which terminate traffic at CLEC points of presence versus BellSouth switches.
- Aggregate monthly blocking data is calculated for each hour of the day across all trunk groups assigned to a category.

#### Trunk Categorization:

• This report displays, over a reporting cycle, aggregate, average blocking data for each hour of a day. Therefore, for each reporting cycle, 24 blocking data points are generated for two aggregate groups of selected trunk groups. These groups are CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups to each aggregate group, all trunk groups are first assigned to a category. A trunk group's end points and the type of traffic that is transmitted on it define a category. Selected categories of trunk groups are assigned to the aggregate groups so that trunk reports can be generated. The categories to which trunk groups have been assigned for this report are as follows.

### **CLEC Affecting Categories:**

	Point A	Point B
Category 1:	BellSouth End Office	BellSouth Access Tandem
Category 3:	BellSouth End Office	CLEC Switch
Category 4:	BellSouth Local Tandem	CLEC Switch
Category 5:	BellSouth Access Tandem	CLEC Switch
Category 10:	BellSouth End Office	BellSouth Local Tandem
Category 16:	BellSouth Tandem	BellSouth Tandem

### **BellSouth Affecting Categories:**

	1 Ollit A	1 Ollit B
Category 9:	BellSouth End Office	BellSouth End Office

Doint A

#### Calculation

# Monthly Average Blocking:

- For each hour of the day, each day's raw data are summed across all valid measurements days in a report cycle for blocked and attempted calls.
- The sum of the blocked calls is divided by the total number of calls attempted in a reporting period.

#### **Aggregate Monthly Blocking:**



- For each hour of the day, the monthly sums of the blocked and attempted calls from each trunk group are separately aggregated over all trunk groups within each assigned category.
- The total blocked calls is divided by the total call attempts within a group to calculate an aggregate monthly blocking for each assigned group.
- The result is an aggregate monthly average blocking value for each of the 24 hours by group.
- The difference between the CLEC and BellSouth affecting trunk groups are also calculated for each hour.

# **Report Structure**

- · CLEC Specific
  - State

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Total Trunk Groups	Total Trunk Groups
Number of Trunk Groups by CLEC	Aggregate Hourly Blocking Per Trunk Group
Hourly Blocking Per Trunk Group	Hourly Usage Per Trunk Group
Hourly Usage Per Trunk Group	Hourly Call Attempts Per Trunk Group
Hourly Call Attempts Per Trunk Group	

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
CLEC Trunk Group	• Any 2 hour period in 24 hours where CLEC blockage exceeds BellSouth blockage by more than 0.5% using trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for BellSouth

#### **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
CLEC Trunk Group     BellSouth Trunk Group	• Any 2 hour period in 24 hours where CLEC blockage exceeds BellSouth blockage by more than 0.5% using trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for BellSouth



# **Section 10: Collocation**

# C-1: Collocation Average Response Time

#### **Definition**

Measures the average time (counted in calendar days) from the receipt of a complete and accurate collocation application (including receipt of application fee if required) to the date BellSouth returns a response electronically or in writing. Within 10 calendar days after having received a bona fide application for physical collocation, BellSouth must respond as to whether space is available or not.

## **Exclusions**

Any application canceled by the CLEC

#### **Business Rules**

The clock starts on the date that BellSouth receives a complete and accurate collocation application accompanied by the appropriate application fee if required. The clock stops on the date that BellSouth returns a response. The clock will restart upon receipt of changes to the original application request.

#### Calculation

**Response Time** = (a - b)

- a = Request Response Date
- b = Request Submission Date

Average Response Time =  $(c \div d)$ 

- c = Sum of all Response Times
- d = Count of Responses Returned within Reporting Period

# **Report Structure**

- Individual CLEC (alias) aggregate
- Aggregate of all CLECs

### **Data Retained**

- · Report period
- · Aggregate data

SQM Level of Disaggregation	SQM Analog/Benchmark
• State	Virtual - 15 Calendar Days
Virtual-Initial	Physical Caged - 15 Calendar Days
Virtual-Augment	Physical Cageless - 15 Calendar Days
Physical Caged-Initial	
Physical Caged-Augment	
Physical-Cageless-Initial	
Physical Cageless-Augment	

**BELLSOUTH®** 

# **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

(A) **BELLSOUTH** \*

# C-2: Collocation Average Arrangement Time

#### Definition

Measures the average time (counted in calendar days) from receipt of a complete and accurate Bona Fide firm order (including receipt of appropriate fee if required) to the date BellSouth completes the collocation arrangement and notifies the CLEC and the CLEC accepts the arrangement.

#### **Exclusions**

Any Bona Fide firm order canceled by the CLEC

#### **Business Rules**

The clock starts on the date that BellSouth receives a complete and accurate Bone Fide firm order accompanied by the appropriate fee. The clock stops on the date that BellSouth completes the collocation arrangement and notifies the CLEC. The cable assignments associated with the specific collocation request will be provided prior to completion of the arrangement.

#### Calculation

Arrangement Time = (a - b)

- a = Date Collocation Arrangement is Complete
- b = Date Order for Collocation Arrangement Submitted

Average Arrangement Time =  $(c \div d)$ 

- c = Sum of all Arrangement Times
- d = Total Number of Collocation Arrangements Completed during Reporting Period

# **Report Structure**

- Individual CLEC (alias) aggregate
- · Aggregate of all CLECs

### **Data Retained**

- · Report period
- · Aggregate data

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
State     Virtual-Initial     Virtual-Augment     Physical Caged-Initial     Physical Caged-Augment     Physical Cageless-Initial     Physical Cageless-Augment	<ul> <li>Virtual - 60 Calendar Days</li> <li>Virtual-Augment - 45 Calendar Days (Without Space Increase)</li> <li>Virtual-Augment - 60 Calendar Days (With Space Increase)</li> <li>Physical Caged - 90 Calendar Days (Ordinary)</li> <li>Physical Caged-Augment - 45 Calendar Days (Without Space Increase)</li> <li>Physical Caged-Augment - 90 Calendar Days (With Space Increase)</li> <li>Physical Cagedless - 90 Calendar Days</li> <li>Physical Cagedless-Augment - 45 Calendar Days (Without Space Increase)</li> <li>Physical Cagedless-Augment - 90 Calendar Days (With Space Increase)</li> <li>Physical Cagedless-Augment - 90 Calendar Days (With Space Increase)</li> </ul>

#### **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

**BELLSOUTH®** 

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

(A) BELLSOUTH

# C-3: Collocation Percent of Due Dates Missed

#### Definition

Measures the percent of missed due dates for both virtual and physical collocation arrangements

#### **Exclusions**

Any Bona Fide firm order canceled by the CLEC

#### **Business Rules**

Percent Due Dates Missed is the percent of total collocation arrangements which BellSouth is unable to complete by end of the BellSouth committed due date. The clock starts on the date that BellSouth receives a complete and accurate Bona Fide firm order accompanied by the appropriate fee if required. The arrangement is considered a missed due date if it is not completed on or before the committed due date

#### Calculation

% of Due Dates Missed =  $(a \div b) \times 100$ 

- a = Number of Completed Orders that were not completed within BellSouth Committed Due Date during Reporting Period
- b = Number of Orders Completed in Reporting Period

# **Report Structure**

- Individual CLEC (alias) aggregate
- · Aggregate of all CLECs

#### **Data Retained**

- · Report period
- · Aggregate data

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• State	• $\geq$ 95% on time
Virtual-Initial	
Virtual- Augment	
Physical Caged- Initial	
Physical Caged- Augment	
Physical Cageless- Initial	
Physical Cageless- Augment	

#### **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
All Collocation Arrangements	• $\geq 95\%$ on time



# **Section 11: Change Management**

# **CM-1: Timeliness of Change Management Notices**

### **Definition**

Measures whether CLECs receive required software release notices on time to prepare for BellSouth interface/system changes so CLEC interfaces are not impaired by change.

#### **Exclusions**

- Changes to release dates for reasons outside BellSouth control, such as the system software vendor changes. For example: a patch to fix a software problem.
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process (CCP)

#### **Business Rules**

This metric is designed to measure the percent of change management notices sent to the CLECs according to notification standards and time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the notification date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. A revised notification would be required and the clock would restart. Based on release constraints for defects/expedites, notification may be less than the agreed upon interval in the CCP for new features.

## Calculation

Timeliness of Change Management Notices =  $(a \div b) \times 100$ 

- a = Total number of Change Management Notifications Sent Within Required Time frames
- b = Total Number of Change Management Notifications Sent

## **Report Structure**

· BellSouth Aggregate

#### **Data Retained**

- · Report Period
- Notice Date
- · Release Date

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Region	• 98% on time

### **SEEM Measure**

SEEM Measure		
Yes	Tier I	
	Tier II	X

Version 1.00 11-1 Issue Date: December 1, 2002



SEEM Disaggregation	SEEM Analog/Benchmark
• Region	• 98% on time

# CM-2: Change Management Notice Average Delay Days

#### Definition

Measures the average delay days for change management system release notices sent outside the time frame set forth in the Change Control Process.

#### **Exclusions**

- Changes to release dates for reasons outside BellSouth control, such as the system vendor
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process

#### **Business Rules**

This metric is designed to measure the percent of change management notices sent to the CLECs according to notification standards and time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the notification due date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. A revised notification would be required and the clock would restart. Based on release constraints for defects/expedites, notification may be less than the agreed upon interval in the CCP for new features

#### Calculation

Change Management Notice Delay Days = (a - b)

- a = Date Notice Sent
- b = Date Notice Due

Change Management Notice Average Delay Days =  $(c \div d)$ 

- c = Sum of all Change Management Notice Delay Days
- d = Total Number of Notices Sent Late

## **Report Structure**

· BellSouth Aggregate

#### **Data Retained**

- · Report Period
- Notice Date
- · Release Date

# SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	• ≤ 5 Days

#### **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

CM-3: Timeliness of Documents Associated with Change

**Tennessee Performance Measurements** 

# CM-3: Timeliness of Documents Associated with Change

#### Definition

Measures whether CLECs received requirements or business rule documentation on time to prepare for BellSouth interface/system changes so CLEC interfaces are not impaired by change as set forth in the Change Control Process governed by the CLEC/BellSouth Review Board.

#### **Exclusions**

- Documentation for release dates that slip less than 30 days for a change mandated by regulatory or legal entities (Federal Communications Commission [FCC], a state commission/authority, or state and federal courts) or CLEC request.
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process.

#### **Business Rules**

This metric is designed to measure the percent of requirements or business rule documentation sent to the CLECs according to documentation standards and time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the business rule documentation release date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. Revisions to documentation could be required and the clock would restart.

# Calculation

Timeliness of Documents Associated with Change = (a ÷ b) X 100

- a = Change Management Documentation Sent Within Required Time frames after Notices
- b = Total Number of Change Management Documentation Sent

# Report Structure

· BellSouth Aggregate

# **Data Retained**

- · Report Period
- · Notice Date
- · Release Date

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Region	• 98% on Time

#### **SEEM Measure**

SEEM Measure		
Yes	Tier I	
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Region	• 98% on Time

# CM-4: Change Management Documentation Average Delay Days

#### Definition

Measures the average delay days for requirements or business rule documentation sent outside the time frames set forth in the Change

#### **Exclusions**

- Documentation for release dates that slip less than 30 days for reasons outside BellSouth control, such as changes due to Regulatory mandate or CLEC request.
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process.

#### **Business Rules**

This metric is designed to measure the percent of requirements or business rule documentation sent to the CLECs according to documentation standards and time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the business rule documentation release date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. Revisions to documentation could be required and the clock would restart.

#### Calculation

**Change Management Documentation Delay Days** = (a - b)

- a = Date Documentation Provided
- b = Date Documentation Due

Change Management Documentation Average Delay Days =  $(c \div d)$ 

- c = Sum of all CM Documentation Delay Days
- d = Total Change Management Documents Sent

# Report Structure

· BellSouth Aggregate

## **Data Retained**

- · Report Period
- · Notice Date
- · Release Date

# SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	• ≤ 5 Days

#### **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	



SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# **CM-5: Notification of CLEC Interface Outages**

#### **Definition**

Measures the time it takes BellSouth to notify the CLEC of an outage of an interface.

#### **Exclusions**

None

#### **Business Rules**

This measure is designed to notify the CLEC of interface outages within 15 minutes of BellSouth's verification that an outage has taken place. This metric will be expressed as a percentage.

## Calculation

Notification of CLEC Interface Outages =  $(a \div b) \times 100$ 

- a = Number of Interface Outages where CLECS are notified within 15 minutes
- b = Total Number of Interface Outages

# **Report Structure**

· CLEC Aggregate

## **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Number of Interface Outages</li> <li>Number of Notifications ≤ 15 minutes</li> </ul>	Not Applicable

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
By interface type for all interfaces accessed by CLECs	• 97% ≤ 15 Minutes

Interface	Applicable to
EDI	CLEC
CSOTS	CLEC
LENS	CLEC
TAG	CLEC
ECTA	CLEC
TAFI	CLEC/BellSouth

#### **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	



SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



# **Appendix A: Reporting Scope**

# A-1: Standard Service Groupings

See individual reports in the body of the SQM.

# A-2: Standard Service Order Activities

These are the generic BellSouth/CLEC service order activities which are included in the Pre-Ordering, Ordering, and Provisioning sections of this document. It is not meant to indicate specific reporting categories.

# **Service Order Activity Types**

- Service Migrations Without Changes
- Service Migrations With Changes
- Move and Change Activities
- Service Disconnects (Unless noted otherwise)
- · New Service Installations

# **Pre-Ordering Query Types**

- Address
- Telephone Number
- Appointment Scheduling
- Customer Service Record
- · Feature Availability
- Service Inquiry

#### **Maintenance Query Types**

TAFI - TAFI queries the systems below

- · CRIS
- March
- Predictor
- LMOS
- DLR
- DLETHLMOSupd
- LNP
- NIW
- OSPCM
- SOCS

# **Report Levels**

- CLEC RESH
- CLEC State
- · CLEC Region
- Aggregate CLEC State



- Aggregate CLEC Region
- BellSouth State
- BellSouth Region



# **Appendix B: Glossary of Acronyms and Terms**

# Symbols used in calculations

- $\Sigma$  A mathematical symbol representing the sum of a series of values following the symbol.
- A mathematical operator representing subtraction.
- + A mathematical operator representing addition.
- ÷ A mathematical operator representing division.
- < A mathematical symbol that indicates the metric on the left of the symbol is less than the metric on the right.
- ≤ A mathematical symbol that indicates the metric on the left of the symbol is less than or equal to the metric on the right.
- > A mathematical symbol that indicates the metric on the left of the symbol is greater than the metric on the right.
- > A mathematical symbol that indicates the metric on the left of the symbol is greater than or equal to the metric on the right.
- () Parentheses, used to group mathematical operations which are completed before operations outside the parentheses.

## Α

**ACD:** Automatic Call Distributor - A service that provides status monitoring of agents in a call center and routes high volume incoming telephone calls to available agents while collecting management information on both callers and attendants.

Aggregate: Sum total of all items in like category, e.g. CLEC aggregate equals the sum total of all CLECs' data for a given reporting level

**ALEC:** Alternative Local Exchange Company = FL CLEC

ADSL: Asymmetrical Digital Subscriber Line

**ASR:** Access Service Request - A request for access service terminating delivery of carrier traffic into a Local Exchange Carrier's network.

ATLAS: Application for Telephone Number Load Administration System - The BellSouth Operations System used to administer the pool of available telephone numbers and to reserve selected numbers from the pool for use on pending service requests/service orders.

ATLASTN: ATLAS software contract for Telephone Number.

**Auto Clarification:** The number of LSRs that were electronically rejected from LESOG and electronically returned to the CLEC for correction.

#### В

**BFR:** Bona Fied Request



**BILLING:** The process and functions by which billing data is collected and by which account information is processed in order to render accurate and timely billing.

BOCRIS: Business Office Customer Record Information System (Front-end to the CRIS database.)

**BRI:** Basic Rate ISDN

**BRC:** Business Repair Center – The BellSouth Business Systems trouble receipt center which serves large business and CLEC customers.

BellSouth: BellSouth Telecommunications, Inc.

C

CABS: Carrier Access Billing System

**CCC:** Coordinated Customer Conversions

**CCP:** Change Control Process

**Centrex:** A business telephone service, offered by local exchange carriers, which is similar to a Private Branch Exchange (PBX) but the switching equipment is located in the telephone company Central Office (CO).

**CKTID:** A unique identifier for elements combined in a service configuration

CLEC: Competitive Local Exchange Carrier

**CLP:** Competitive Local Provider = NC CLEC

CM: Change Management

**CMDS:** Centralized Message Distribution System - Telcordia administered national system used to transfer specially formatted messages among companies.

**COFFI:** Central Office Feature File Interface - Provides information about USOCs and class of service. COFFI is a part of DOE/SONGS. It indicates all services available to a customer.

CRIS: Customer Record Information System - This system is used to retain customer information and render bills for telecommunications service.

CRSACCTS: CRIS software contract for CSR information

CRSG: Complex Resale Support Group

C-SOTS: CLEC Service Order Tracking System

**CSR:** Customer Service Record

CTTG: Common Transport Trunk Group - Final trunk groups between BellSouth & Independent end offices and the BellSouth access tandems.

D

DA: Directory Assistance

**DESIGN:** Design Service is defined as any Special or Plain Old Telephone Service Order which requires BellSouth Design Engineering Activities.



**DISPOSITION & CAUSE:** Types of trouble conditions, e.g. No Trouble Found, Central Office Equipment, Customer Premises Equipment, etc.

**DLETH:** Display Lengthy Trouble History - A history report that gives all activity on a line record for trouble reports in LMOS.

**DLR:** Detail Line Record - A report that gives detailed line record information on records maintained in LMOS

**DS-0:** The worldwide standard speed for one digital voice signal (64000 bps).

**DS-1:** 24 DS-0s (1.544Mb/sec., i.e. carrier systems)

**DOE:** Direct Order Entry System - An internal BellSouth service order entry system used by BellSouth Service Representatives to input business service orders in BellSouth format.

**DSAP:** DOE (Direct Order Entry) Support Application - The BellSouth Operations System which assists a Service Representative or similar carrier agent in negotiating service provisioning commitments for non-designed services and Unbundled Network Elements.

**DSAPDDI:** DSAP software contract for schedule information.

**DSL:** Digital Subscriber Line

**DUI:** Database Update Information

#### Ε

**E911:** Provides callers access to the applicable emergency services bureau by dialing a 3-digit universal telephone number.

**EDI:** Electronic Data Interchange - The computer-to-computer exchange of inter and/or intra-company business documents in a public standard format.

ESSX: BellSouth Centrex Service

#### F G

**Fatal Reject:** The number of LSRs that were electronically rejected from LEO, which checks to see of the LSR has all the required fields correctly populated.

**Flow-Through:** In the context of this document, LSRs submitted electronically via the CLEC mechanized ordering process that flow through to the BellSouth OSS without manual or human intervention.

**FOC:** Firm Order Confirmation - A notification returned to the CLEC confirming that the LSR has been received and accepted, including the specified commitment date.

FX: Foreign Exchange

#### Н

**HAL:** "Hands Off" Assignment Logic - Front end access and error resolution logic used in interfacing BellSouth Operations Systems such as ATLAS, BOCRIS, LMOS, PSIMS, RSAG and SOCS.

HALCRIS: HAL software contract for CSR information

HDSL: High Density Subscriber Loop/Line

Version 1.00 B-3 Issue Date: December 1, 2002



### IJK

**ILEC:** Incumbent Local Exchange Company

**INP:** Interim Number Portability

**ISDN:** Integrated Services Digital Network

**IPC:** Interconnection Purchasing Center

L

LAN: Local Area Network

LAUTO: The automatic processor in the LNP Gateway that validates LSRs and issues service orders.

LCSC: Local Carrier Service Center - The BellSouth center which is dedicated to handling CLEC LSRs, ASRs, and Preordering transactions along with associated expedite requests and escalations.

Legacy System: Term used to refer to BellSouth Operations Support Systems (see OSS)

**LENS:** Local Exchange Negotiation System - The BellSouth LAN/web server/OS application developed to provide both preordering and ordering electronic interface functions for CLECs.

**LEO:** Local Exchange Ordering - A BellSouth system which accepts the output of EDI, applies edit and formatting checks, and reformats the Local Service Requests in BellSouth Service Order format.

LERG: Local Exchange Routing Guide

**LESOG:** Local Exchange Service Order Generator - A BellSouth system which accepts the service order output of LEO and enters the Service Order into the Service Order Control System using terminal emulation technology.

LFACS: Loop Facilities Assessment and Control System

LIDB: Line Information Database

**LMOS:** Loop Maintenance Operations System - A system that provides a mechanized means of maintaining customer line records and for entering, processing, and tracking trouble reports.

LMOS HOST: LMOS host computer

**LMOSupd:** LMOS update allows trouble tickets on line records to be entered into LMOS.

LMU: Loop Make-up

LMUS: Loop Make-up Service Inquiry

**LNP:** Local Number Portability - In the context of this document, the capability for a subscriber to retain his current telephone number as he transfers to a different local service provider.

**LNP Gateway:** Local Number Portability (gateway)- A system that provides both internal and external communications with various interfaces and process including:

- (1). Linking BellSouth to the Number Portability Administration Center (NPAC).
- (2). Allowing for inter-company communications between BellSouth and the CLECs for electronic ordering.
- (3). Providing interface between NPAC and AIN SMS for LNP routing processes.



**LOOPS**: Transmission paths from the central office to the customer premises.

LRN: Location Routing Number

LSR: Local Service Request – A request for local resale service or unbundled network elements from a CLEC.

#### M

**Maintenance & Repair:** The process and function by which trouble reports are passed to BellSouth and by which the related service problems are resolved.

**MARCH:** A memory administration system that translates line-related service order data into switch provisioning messages and automatically transmits the messages to targeted stored program control system switches.

### Ν

**NBR:** New Business Request

NC: "No Circuits" - All circuits busy announcement.

NIW: Network Information Warehouse - A system that stores central office blockage data for use in processing trouble reports.

**NMLI:** Native Mode LAN Interconnection

NPA: Numbering Plan Area

NXX: The "exchange" portion of a telephone number.

# 0

**OASIS:** Obtain Availability Services Information System - A BellSouth front-end processor, which acts as an interface between COFFI and RNS. This system takes the USOCs in COFFI and translates them to English for display in RNS.

OASISBSN: OASIS software contract for feature/service

OASISCAR: OASIS software contract for feature/service

OASISLPC: OASIS software contract for feature/service

OASISMTN: OASIS software contract for feature/service

**OASISNET:** OASIS software contract for feature/service

**OASISOCP:** OASIS software contract for feature/service

**ORDERING:** The process and functions by which resale services or unbundled network elements are ordered from Bell-South as well as the process by which an LSR or ASR is placed with BellSouth.

Order Types: The following order types are used in this document:

- (1). T The "to" portion of a change of address. This Order Type is used to connect main service at a new address when a customer moves from one address to another in any of the nine states within the BellSouth region. A "T" Order Type is always pared with an "F" Order Type which will have the same telephone number following the "F" Order Type Code unless the orders are within different states.
- (2). N Orders establishing a new account. Also, this Order Type Code is occasionally used when changing from one type of system to another such as when changing from PBX to Centrex.



- (3). C Order Type used for the following conditions: changes or partial connections or disconnections of service or equipment; change of telephone number, grade or class of main line, additional lines, auxiliary lines, PBX trunks and stations; addition of trunks or lines to existing accounts; move of equipment (other than change of address); temporary suspension and restoration of service at customer's request.
- (4). R Order Type used for the following conditions: additions, removals or changes in directory listings; responsibility change orders, addition, removal or changes in directory and billing information; other record corrections where no "field work" is involved.

**OSPCM:** Outside Plant Contract Management System - A system that provides scheduling and completion information on outside plant construction activities.

**OSS:** Operations Support System - A support system or database which is used to mechanize the flow or performance of work. The term is used to refer to the overall system consisting of hardware complex, computer operating system(s), and application which is used to provide the support functions.

**OUT OF SERVICE:** Customer has no dial tone and cannot call out.

# P Q

PMAP: Performance Measurement Analysis Platform

PON: Purchase Order Number

POTS: Plain Old Telephone Service

**PREDICTOR:** A system which is used to administer proactive maintenance and rehabilitation activities on outside plant facilities, provide access to selected work groups to Mechanized Loop Testing and switching system I/O ports.

**Preordering:** The process and functions by which vital information is obtained, verified, or validated prior to placing a service request.

PRI: Primary Rate ISDN

**Provisioning:** The process and functions by which necessary work is performed to activate a service requested via an LSR or ASR and to initiate the proper billing and accounting functions.

**PSIMS:** Product/Service Inventory Management System - A BellSouth database Operations System which contains availability information on switching system features and capabilities and on BellSouth service availability. This database is used to verify the availability of a feature or service in an NXX prior to making a commitment to the customer.

**PSIMSORB:** PSIMS software contract for feature/service.

#### R

**RNS:** Regional Negotiation System - An internal BellSouth service order entry system used by BellSouth Consumer Services to input service orders in BellSouth format.

ROS: Regional Ordering System

RRC: Residence Repair Center - The BellSouth Consumer Services trouble receipt center which serves residential customers.

**RSAG:** Regional Street Address Guide - The BellSouth database, which contains street addresses validated to be accurate with state and local governments.

**RSAGADDR:** RSAG software contract for address search.



**RSAGTN:** RSAG software contract for telephone number search.

S

SAC: Service Advocacy Center

**SEEM:** Self Effectuating Enforcement Mechanism

**SOCS:** Service Order Control System - A system which routes service order images among BellSouth drop points and BellSouth OSS during the service provisioning process.

**SOIR:** Service Order Interface Record - any change effecting activity to a customer account by service order that impacts 911/E911

SONGS: Service Order Negotiation and Generation System.

**Syntactically Incorrect Query:** A query that cannot be fulfilled due to insufficient or incorrect input data from the end user. For example, A CLEC would like to query the legacy system for the following address: 1234 Main ST. Entering "1234 Main ST" will be considered syntactically correct because valid characters were used in the address field. However, entering "AB34 Main ST" will be considered syntactically incorrect because invalid characters (i.e., alpha characters were entered in numeric slots) were used in the address field.

### T

**TAFI:** Trouble Analysis Facilitation Interface - The BellSouth Operations System that supports trouble receipt center personnel in taking and handling customer trouble reports.

**TAG:** Telecommunications Access Gateway – TAG was designed to provide an electronic interface, or machine-to-machine interface for the bi-directional flow of information between BellSouth's OSSs and participating CLECs.

TN: Telephone Number

**Total Manual Fallout:** The number of LSRs which are entered electronically but require manual entering into a service order generator.

# UV

UNE: Unbundled Network Element

UCL: Unbundled Copper Link

USOC: Universal Service Order Code

## WXYZ

**WATS:** Wide Area Telephone Service

WFA: Work Force Administration

**WMC:** Work Management Center

WTN: Working Telephone Number.



# **Appendix C: BellSouth Audit Policy**

# C-1: BellSouth's Internal Audit Policy

BellSouth's internal efforts to make certain that the reports produced by the PMAP platform are of the highest accuracy has been formalized into a Performance Measurements Quality Assurance Plan (PMQAP) that documents and augments existing quality assurance processes integral to the production and validation of Performance Measurements data.

The plan consists of three sections:

- 1. Change Control addresses the quality assurance steps involved in the introduction of new measurements and changes to existing measurements.
- 2. Production addresses the quality assurance steps used to create monthly SQM reports.
- 3. Monthly Validation addresses the quality assurance steps used to ensure accurate posting of monthly results.

The BellSouth PMQAP will ensure that BellSouth effectively and consistently provides accurate performance measurements data for the activities included in the SQM. The BellSouth Internal Audit department will audit this plan and its quality assurance steps annually, beginning in 4Q01.

# C-2: BellSouth's External Audit Policy

BellSouth currently provides many CLECs with audit rights as a part of their individual interconnection agreements. BellSouth has developed a proposed Audit Plan for use by the parties to an audit. If requested by a Public Service Commission or by a CLEC exercising contractual audit rights, BellSouth will agree to undergo a comprehensive audit of the current year aggregate level reports for both BellSouth and the CLECs for each of the next five (5) years (2001 - 2005), to be conducted by an independent third party auditor jointly selected by BellSouth and the CLEC. The results of audits will be made available to all the parties subject to proper safeguards to protect proprietary information. Requested audits include the following specifications:

- 1. The cost shall be borne by BellSouth.
- 2. The independent third party auditor shall be selected with input from BellSouth, the PSC, if applicable, and the CLEC(s).
- 3. BellSouth, the PSC and the CLECs shall jointly determine the scope of the audit.

These comprehensive audits are intended to provide the basis for the PSCs and CLECs to determine that the SQM and PMAP produce accurate data that reflects each States Order for performance measurements. Once this has been verified by an initial audit, the BellSouth PMQAP will provide the basis for future audits.

# **Attachment 10**

# **BellSouth Disaster Recovery Plan**

CON	TENT	<u>S</u>		PAGE	
1.0	Purpose				
2.0	.0 Single Point of Contact				
3.0	Identi	fying the	Problem	2	
	3.1	Site Co	ontrol	3	
	3.2	Enviro	nmental Concerns	4	
4.0	4.0 The Emergency Control Center (ECC)			4	
5.0	Recov	ery Proc	edures	5	
	5.1	CLEC (	Outage	5	
	5.2	BellSou	uth Outage	5	
		5.2.1	Loss of Central Office	6	
		5.2.2	Loss of a Central Office with Serving Wire Center Functions	6	
		5.2.3	Loss of a Central Office with Tandem Functions	6	
		5.2.4	Loss of a Facility Hub	7	
	5.3	Combin	ned Outage (CLEC and BellSouth Equipment)	7	
6.0				7	
7.0	Acronyms			8	

#### 1.0 PURPOSE

In the unlikely event of a disaster occurring that affects BellSouth's long-term ability to deliver traffic to a Competitive Local Exchange Carrier (CLEC), general procedures have been developed by BellSouth to hasten the recovery process in accordance with the Telecommunications Service Priority (TSP) Program established by the Federal Communications Commission to identify and prioritize telecommunication services that support national security or emergency preparedness (NS/EP) missions. Since each location is different and could be affected by an assortment of potential problems, a detailed recovery plan is impractical. However, in the process of reviewing recovery activities for specific locations, some basic procedures emerge that appear to be common in most cases.

These general procedures should apply to any disaster that affects the delivery of traffic for an extended time period. Each CLEC will be given the same consideration during an outage, and service will be restored as quickly as possible.

This document will cover the basic recovery procedures that would apply to every CLEC.

## 2.0 SINGLE POINT OF CONTACT

When a problem is experienced, regardless of the severity, the BellSouth Network Management Center (NMC) will observe traffic anomalies and begin monitoring the situation. Controls will be appropriately applied to insure the sanity of BellSouth's network; and, in the event that a switch or facility node is lost, the NMC will attempt to circumvent the failure using available reroutes.

BellSouth's NMC will remain in control of the restoration efforts until the problem has been identified as being a long-term outage. At that time, the NMC will contact BellSouth's Emergency Control Center (ECC) and relinquish control of the recovery efforts. Even though the ECC may take charge of the situation, the NMC will continue to monitor the circumstances and restore traffic as soon as damaged network elements are revitalized.

The telephone number for the BellSouth Network Management Center in Atlanta, as published in Telcordia's National Network Management Directory, is 404-321-2516.

#### 3.0 IDENTIFYING THE PROBLEM

During the early stages of problem detection, the NMC will be able to tell which CLECs are affected by the catastrophe. Further analysis and/or first hand observation will determine if the disaster has affected CLEC equipment only, BellSouth equipment only or a combination. The initial restoration activity will be largely determined by the equipment that is affected.

Once the nature of the disaster is determined and after verifying the cause of the problem, the NMC will initiate reroutes and/or transfers that are jointly agreed upon by the affected CLECs' Network Management Center and the BellSouth NMC. The type and percentage of controls used will depend upon available network capacity. Controls necessary to stabilize the situation will be invoked and the NMC will attempt to re-establish as much traffic as possible.

For long-term outages, recovery efforts will be coordinated by the Emergency Control Center (ECC). Traffic controls will continue to be applied by the NMC until facilities are re-established. As equipment is made available for service, the ECC will instruct the NMC to begin removing the controls and allow traffic to resume.

## 3.1 SITE CONTROL

In the total loss of building use scenario, what likely exists will be a smoking pile of rubble. This rubble will contain many components that could be dangerous. It could also contain any personnel on the premises at the time of the disaster. For these reasons, the local fire marshal with the assistance of the police will control the site until the building is no longer a threat to surrounding properties and the companies have secured the site from the general public.

During this time, the majority owner of the building should be arranging for a demolition contractor to mobilize to the site with the primary objective of reaching the cable entrance facility for a damage assessment. The results of this assessment would then dictate immediate plans for restoration, both short term and permanent.

In a less catastrophic event, i.e., the building is still standing and the cable entrance facility is usable, the situation is more complex. The site will initially be controlled by local authorities until the threat to adjacent property has diminished. Once the site is returned to the control of the companies, the following events should occur.

An initial assessment of the main building infrastructure systems (mechanical, electrical, fire and life safety, elevators, and others) will establish building needs. Once these needs are determined, the majority owner should lead the building restoration efforts. There may be situations where the site will not be totally restored within the confines of the building. The companies must individually determine their needs and jointly assess the cost of permanent restoration to determine the overall plan of action.

Multiple restoration trailers from each company will result in the need for designated space and installation order. This layout and control is required to maximize the amount of restoration equipment that can be placed at the site, and the priority of placements.

Care must be taken in this planning to ensure other restoration efforts have logistical access to the building. Major components of telephone and building equipment will need to be removed and replaced. A priority for this equipment must also be jointly established to facilitate overall site restoration. (Example: If the AC switchgear has sustained damage, this would be of the highest priority in order to regain power, lighting, and HVAC throughout the building.)

If the site will not accommodate the required restoration equipment, the companies would then need to quickly arrange with local authorities for street closures, rights of way or other possible options available.

# 3.2 ENVIRONMENTAL CONCERNS

In the worse case scenario, many environmental concerns must be addressed. Along with the police and fire marshal, the state environmental protection department will be on site to monitor the situation.

Items to be concerned with in a large central office building could include:

- 1. Emergency engine fuel supply. Damage to the standby equipment and the fuel handling equipment could have created "spill" conditions that have to be handled within state and federal regulations.
- 2. Asbestos-containing materials that may be spread throughout the wreckage. Asbestos could be in many components of building, electrical, mechanical, outside plant distribution, and telephone systems.
- 3. Lead and acid. These materials could be present in potentially large quantities depending upon the extent of damage to the power room.
- 4. Mercury and other regulated compounds resident in telephone equipment.
- 5. Other compounds produced by the fire or heat.

Once a total loss event occurs at a large site, local authorities will control immediate clean up (water placed on the wreckage by the fire department) and site access.

At some point, the companies will become involved with local authorities in the overall planning associated with site clean up and restoration. Depending on the clean up approach taken, delays in the restoration of several hours to several days may occur.

In a less severe disaster, items listed above are more defined and can be addressed individually depending on the damage.

In each case, the majority owner should coordinate building and environmental restoration as well as maintain proper planning and site control.

## 4.0 THE EMERGENCY CONTROL CENTER (ECC)

The ECC is located in the Midtown 1 Building in Atlanta, Georgia. During an emergency, the ECC staff will convene a group of pre-selected experts to inventory the damage and initiate corrective actions. These experts have regional access to BellSouth's personnel and equipment and will assume control of the restoration activity anywhere in the nine-state area.

In the past, the ECC has been involved with restoration activities resulting from hurricanes, ice storms and floods. They have demonstrated their capabilities during these calamities as well as

during outages caused by human error or equipment failures. This group has an excellent record of restoring service as quickly as possible.

During a major disaster, the ECC may move emergency equipment to the affected location, direct recovery efforts of local personnel and coordinate service restoration activities with the CLECs. The ECC will attempt to restore service as quickly as possible using whatever means is available, leaving permanent solutions, such as the replacement of damaged buildings or equipment, for local personnel to administer.

Part of the ECC's responsibility, after temporary equipment is in place, is to support the NMC efforts to return service to the CLECs. Once service has been restored, the ECC will return control of the network to normal operational organizations. Any long-term changes required after service is restored will be made in an orderly fashion and will be conducted as normal activity.

## 5.0 RECOVERY PROCEDURES

The nature and severity of any disaster will influence the recovery procedures. One crucial factor in determining how BellSouth will proceed with restoration is whether or not BellSouth's equipment is incapacitated. Regardless of whose equipment is out of service, BellSouth will move as quickly as possible to aid with service recovery; however, the approach that will be taken may differ depending upon the location of the problem.

#### 5.1 CLEC OUTAGE

For a problem limited to one CLEC (or a building with multiple CLECs), BellSouth has several options available for restoring service quickly. For those CLECs that have agreements with other CLECs, BellSouth can immediately start directing traffic to a provisional CLEC for completion. This alternative is dependent upon BellSouth having concurrence from the affected CLECs.

Whether or not the affected CLECs have requested a traffic transfer to another CLEC will not impact BellSouth's resolve to re-establish traffic to the original destination as quickly as possible.

# **5.2 BELLSOUTH OUTAGE**

Because BellSouth's equipment has varying degrees of impact on the service provided to the CLECs, restoring service from damaged BellSouth equipment is different. The outage will probably impact a number of Carriers simultaneously. However, the ECC will be able to initiate immediate actions to correct the problem.

A disaster involving any of BellSouth's equipment locations could impact the CLECs, some more than others. A disaster at a Central Office (CO) would only impact the delivery of traffic to and from that one location, but the incident could affect many Carriers. If the Central Office is a Serving Wire Center (SWC), then traffic from the entire area to those Carriers served from that switch would also be impacted. If the switch functions as an Access Tandem, or there is a tandem in the building, traffic from every CO to every CLEC could be interrupted. A disaster that destroys a facility hub could disrupt various traffic flows, even though the switching equipment may be unaffected.

The NMC would be the first group to observe a problem involving BellSouth's equipment. Shortly after a disaster, the NMC will begin applying controls and finding re-routes for the

completion of as much traffic as possible. These reroutes may involve delivering traffic to alternate Carriers upon receiving approval from the CLECs involved. In some cases, changes in translations will be required. If the outage is caused by the destruction of equipment, then the ECC will assume control of the restoration.

#### 5.2.1 Loss of a Central Office

When BellSouth loses a Central Office, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or End Users served by BellSouth or CLEC in accordance with the TSP priority restoration coding scheme entered in the BellSouth Maintenance database immediately prior to the emergency.

# 5.2.2 Loss of a Central Office with Serving Wire Center Functions

The loss of a Central Office that also serves as a Serving Wire Center (SWC) will be restored as described in Section 5.2.1.

### 5.2.3 Loss of a Central Office with Tandem Functions

When BellSouth loses a Central Office building that serves as an Access Tandem and as a SWC, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or End Users served by BellSouth or CLEC in accordance with the TSP priority restoration coding scheme entered in the BellSouth Maintenance database immediately prior to the emergency;
- e) Re-direct as much traffic as possible to the alternate access tandem (if available) for delivery to those CLECs utilizing a different location as a SWC;
- f) Begin aggregating traffic to a location near the damaged building. From this location, begin re-establishing trunk groups to the CLECs for the delivery of traffic normally found on the direct trunk groups. (This aggregation point may be the alternate access tandem location or another CO on a primary facility route.)

# 5.2.4 Loss of a Facility Hub

In the event that BellSouth loses a facility hub, the recovery process is much the same as above. Once the NMC has observed the problem and administered the appropriate controls, the ECC will assume authority for the repairs. The recovery effort will include

- a) Placing specialists and emergency equipment on notice;
- b) Inventorying the damage to determine what equipment and/or functions are lost;
- c) Moving containerized emergency equipment to the stricken area, if necessary;
- d) Reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or End Users served by BellSouth or CLEC in accordance with the TSP priority restoration coding scheme entered in the BellSouth Maintenance database immediately prior to the emergency; and
- e) If necessary, BellSouth will aggregate the traffic at another location and build temporary facilities. This alternative would be viable for a location that is destroyed and building repairs are required.

## 5.3 COMBINED OUTAGE (CLEC AND BELLSOUTH EQUIPMENT)

In some instances, a disaster may impact BellSouth's equipment as well as the CLECs'. This situation will be handled in much the same way as described in Section 5.2.3. Since BellSouth and the CLECs will be utilizing temporary equipment, close coordination will be required.

## 6.0 T1 IDENTIFICATION PROCEDURES

During the restoration of service after a disaster, BellSouth may be forced to aggregate traffic for delivery to a CLEC. During this process, T1 traffic may be consolidated onto DS3s and may become unidentifiable to the Carrier. Because resources will be limited, BellSouth may be forced to "package" this traffic entirely differently than normally received by the CLECs. Therefore, a method for identifying the T1 traffic on the DS3s and providing the information to the Carriers is required.

# 7.0 ACRONYMS

CLEC - Competitive Local Exchange Carrier

CO - Central Office (BellSouth)

DS3 - Facility that carries 28 T1s (672 circuits)

ECC - Emergency Control Center (BellSouth)

NMC - Network Management Center

SWC - Serving Wire Center (BellSouth switch)

T1 - Facility that carries 24 circuits

TSP - Telecommunications Service Priority

# **Hurricane Information**

During a hurricane, BellSouth will make every effort to keep CLECs updated on the status of our network. Information centers will be set up throughout BellSouth Telecommunications. These centers are not intended to be used for escalations, but rather to keep the CLEC informed of network related issues, area damages and dispatch conditions, etc.

Hurricane-related information can also be found on line at <a href="http://www.interconnection.bellsouth.com/network/disaster/dis\_resp.htm">http://www.interconnection.bellsouth.com/network/disaster/dis\_resp.htm</a>. Information concerning Mechanized Disaster Reports can also be found at this website by clicking on CURRENT MDR REPORTS or by going directly to <a href="http://www.interconnection.bellsouth.com/network/disaster/mdrs.htm">http://www.interconnection.bellsouth.com/network/disaster/mdrs.htm</a>.

# **BST Disaster Management Plan**

BellSouth maintenance centers have geographical and redundant communication capabilities. In the event of a disaster removing any maintenance center from service another geographical center would assume maintenance responsibilities. The contact numbers will not change and the transfer will be transparent to the CLEC.

# **Attachment 11**

**Bona Fide Request and New Business Request Process** 

# **BONA FIDE REQUEST AND NEW BUSINESS REQUEST PROCESS**

1.0 The Parties agree that Global Connection is entitled to order any Unbundled Network Element, Interconnection option, service option or Resale Service required to be made available by FCC or Commission requirements pursuant to the Communications Act of 1934, as modified by the Telecommunications Act of 1996 (the "Act"). Global Connection also shall be permitted to request the development of new or revised facilities or service options which are not required by the Act. Procedures applicable to requesting the addition of such facilities or service options are specified in this Attachment 11.

# 2.0 **BONA FIDE REQUEST**

- A Bona Fide Request (BFR) is to be used when Global Connection makes a request of BellSouth to provide a new or modified Unbundled Network Element, Interconnection option, or other service option (Requested Services) pursuant to the Act that was not previously included in this Agreement.
- A BFR shall be submitted in writing by Global Connection and shall specifically identify the requested service date, technical requirements, space requirements and/or such other specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. Such a request shall also include Global Connection's designation of the request as being pursuant to the Telecommunications Act of 1996 (i.e. a BFR). The request shall be sent to Global Connection's designated BellSouth Sales contact.
- 2.3 If BellSouth determines that the preliminary analysis of the requested BFR is of such complexity that it will cause BellSouth to expend inordinate resources to evaluate the BFR, BellSouth shall notify Global Connection within ten (10) business days of BellSouth's receipt of BFR that a fee will be required prior to the evaluation of the BFR. Global Connection shall submit such fee within thirty (30) business days of BellSouth's notice that a fee is required. Within thirty (30) business days of BellSouth's receipt of the fee, BellSouth shall respond to Global Connection by providing a preliminary analysis of such Requested Services that are the subject of the BFR. The preliminary analysis shall either confirm that BellSouth will offer access to the Requested Services or confirm that BellSouth will not offer the Requested Services, BellSouth will provide an

explanation of why the request is not technically feasible, does not qualify as a BFR for the Requested Services or is otherwise not required to be provided under the Act. If preliminary analysis of the requested BFR is not of such complexity that it will cause BellSouth to expend inordinate resources to evaluate the BFR, within thirty (30) business days of its receipt of the BFR, BellSouth shall respond to Global Connection by providing a preliminary analysis of such Requested Services that are the subject of the BFR. The preliminary analysis shall either confirm that BellSouth will offer access to the Requested Services or confirm that BellSouth will not offer the Requested Services. If the preliminary analysis states that BellSouth will not offer the Requested Services, BellSouth will provide an explanation of why the request is not technically feasible, does not qualify as a BFR for the Requested Services or is otherwise not required to be provided under the Act.

- Global Connection may cancel a BFR at any time. If Global Connection cancels the request more than ten (10) business days after submitting the BFR request, Global Connection shall pay BellSouth's reasonable and demonstrable costs of processing and/or implementing the BFR up to the date of cancellation in addition to any fee submitted in accordance with Section 2.3 above.
- Global Connection will have thirty (30) business days from receipt of preliminary analysis to accept the preliminary analysis or cancel the BFR as set forth in Section 2.4. Acceptance of the preliminary analysis must be in writing and accompanied by all nonrecurring charges quoted in the preliminary analysis. The nonrecurring charges as stated in the preliminary analysis cover the initial work required to develop the project plan, create the design parameters, and establish all activities and resources required to complete the BFR (Development Costs).

  Development costs are non-refundable. If Global Connection fails to respond within this 30-day period, the BFR will be deemed cancelled.
- 2.5.1 BellSouth shall propose a firm price quote and a detailed implementation plan within thirty (30) business days of receipt of Global Connection's acceptance of the preliminary analysis.
- 2.5.2 Global Connection shall have thirty (30) business days from receipt of firm price quote to accept or deny the firm price quote and submit any additional nonrecurring, non-refundable fees quoted in the firm price quote.
- 2.6 Unless Global Connection agrees otherwise, all prices shall be consistent with the pricing principles of the Act, FCC and/or the Commission.

- 2.7 If Global Connection believes that BellSouth's firm price quote is not consistent with the requirements of the Act, or if either Party believes that the other is not acting in good faith in requesting, negotiating or processing the BFR, either Party may seek FCC or Commission arbitration, as appropriate, to resolve the dispute. Any such arbitration applicable to Unbundled Network Elements and/or Interconnection shall be conducted in accordance with standards prescribed in Section 252 of the Act.
- Upon agreement to the rates, terms and conditions of a BFR, an amendment to this Agreement may be required.

# 3.0 NEW BUSINESS REQUEST

- A New Business Request (NBR) is to be used by Global Connection to make a request of BellSouth for a new or modified feature or capability of an existing product or service, a new product or service that is not deployed within the BellSouth network or operations and business support systems, or a new or modified service option that was not previously included in this Agreement (Requested Enhanced Services).
- An NBR shall be submitted in writing by Global Connection and shall specifically identify the requested service date, technical requirements, space requirements and/or such specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. The request shall be sent to Global Connection's designated BellSouth Sales contact.
- 3.3 If BellSouth determines that the preliminary analysis of the requested NBR is of such complexity that it will cause BellSouth to expend inordinate resources to evaluate the NBR, BellSouth shall notify Global Connection that a fee will be required prior to the evaluation of the NBR. Global Connection shall submit such fee within ten (10) business days of BellSouth's notice that a fee is required. BellSouth shall use reasonable efforts to respond to the NBR within (30) business days following BellSouth's receipt of the fee by providing a preliminary analysis of such Requested Enhanced Services that are the subject of the NBR. The preliminary analysis shall either confirm that BellSouth will offer access to the Requested Enhanced Services or confirm that BellSouth will not offer the Requested Enhanced Services. If the preliminary analysis states that BellSouth will not offer the Requested Services, BellSouth will provide an explanation of why the request is not technically feasible, does not qualify as an NBR for the Requested Services or is otherwise not required to be provided under the Act. If preliminary analysis of the requested NBR is not of such complexity that it will cause BellSouth to

expend inordinate resources to evaluate the NBR, BellSouth will use reasonable efforts to respond to Global Connection within thirty (30) business days of its receipt of an NBR by providing a preliminary analysis of such Requested Services that are the subject of the NBR. The preliminary analysis shall either confirm that BellSouth will offer access to the Requested Enhanced Services or confirm that BellSouth will not offer the Requested Enhanced Services. If the preliminary analysis states that BellSouth will not offer the Requested Services, BellSouth will provide an explanation of why the request is not technically feasible, does not qualify as an NBR for the Requested Services or is otherwise not required to be provided under the Act.

- Global Connection may cancel an NBR at any time. If Global Connection cancels the request more than ten (10) business days after submitting it, Global Connection shall pay BellSouth's reasonable and demonstrable costs of processing and/or implementing the NBR up to the date of cancellation in addition to any fee submitted in accordance with Section 3.3 above.
- 3.5 Global Connection will have thirty (30) business days from receipt of preliminary analysis to accept the preliminary analysis or cancel the NBR as set forth in section 3.4. Acceptance of the preliminary analysis must be in writing and accompanied by all nonrecurring charges quoted in the preliminary analysis. The nonrecurring charges as stated in the preliminary analysis cover the initial work required to develop the project plan, create the design parameters, and establish all activities and resources required to complete the NBR. If Global Connection fails to respond within this 30-day period, the NBR will be deemed cancelled.
- 3.6 If Global Connection accepts the preliminary analysis, BellSouth shall propose a firm price quote and a detailed implementation plan within sixty (60) business days of receipt of Global Connection's acceptance of the preliminary analysis and nonrecurring fees quoted in the preliminary analysis.
- 3.7 Global Connection shall have thirty (30) business days from receipt of the firm price quote to accept or deny the firm price quote and submit any additional nonrecurring, non-refundable fees quoted in the firm price quote.
- 3.8 Upon agreement to the terms of a NBR, an amendment to this Agreement, or a separate agreement, may be required.