Amendment to the Agreement

Between

Micro-Comm, Inc.

and

BellSouth Telecommunications, Inc.

Dated January 15, 2003

Pursuant to this Amendment, (the "Amendment"), Micro-Comm, Inc., (Micro-Comm), and BellSouth Telecommunications, Inc., (BellSouth), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated January 15, 2003, (Agreement) to be effective thirty (30) calendar days after the date of the last signature executing the Amendment.

WHEREAS, BellSouth and Micro-Comm entered into the Agreement on January 15, 2003, and;

WHEREAS, the Parties desire to amend the Agreement in order to modify provisions pursuant to the Federal Communications Commission's (FCC) Order on Remand and Further Notice of proposed Rulemaking (Triennial Order) effective on October 2, 2003;

WHEREAS, the Parties desire to amend the Agreement to reflect other changes as agreed upon by the Parties;

NOW, THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The Parties agree to delete Attachment 2, Network Elements and Other Services, in its entirety and replace with Attachment 2 reflected as Exhibit 1, attached hereto and by reference incorporated into this Amendment.
- 2. The Parties agree to delete Attachment 6, Pre-Ordering, Ordering, Provisioning, Maintenance and Repair, in its entirety and replace with Attachment 6 reflected as Exhibit 2, attached hereto and by reference incorporated into this Amendment.
- 3. All of the other provisions of the Agreement, dated January 15, 2003, shall remain in full force and effect.
- 4. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.

/

Name: Kristen E. Rowe

Title: Director

Date: 2/23/04

Micro-Comm, Inc.

Name: DAVID SURATI

Title: Tresident

Date: 01-23-2004

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

1	INTRODUCTION	3
2	UNBUNDLED LOOPS	6
3	LINE SHARING	25
4	LOCAL SWITCHING	32
5	UNBUNDLED NETWORK ELEMENT COMBINATIONS	40
6	TRANSPORT, CHANNELIZATION AND DARK FIBER	44
7	DATABASES	48
8	BELLSOUTH SWITCHED ACCESS (SWA) 8XX TOLL FREE DIALING TEN DIGIT SCREENI SERVICE	
9	LINE INFORMATION DATABASE (LIDB)	49
10	SIGNALING	52
11	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS)	58
12	CALLING NAME (CNAM) DATABASE SERVICE	58
13	SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SMS ADVANCED INTELLIGENT NETWORK (AIN) ACCESS	-
14	OPERATIONAL SUPPORT SYSTEMS (OSS)	60
Ra	ntesExhib	it A

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 <u>Introduction</u>

- This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to Micro-Comm in accordance with its obligations under Section 251(c)(3) of the Act.

 Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to Micro-Comm (Other Services). The rates for each Network Element and combination of Network Elements and Other Services are set forth in Exhibit A of this Attachment. Additionally, the provision of a particular Network Element or Other Service may require Micro-Comm to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment Micro-Comm used in the provision of a qualifying service, as defined by the FCC. Micro-Comm may not access a Network Element for the sole purpose of providing non-qualifying services as defined by the FCC. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.3 BellSouth shall, upon request of Micro-Comm, and to the extent technically feasible, provide to Micro-Comm access to its Network Elements for the provision of Micro-Comm's qualifying services. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 Micro-Comm may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R 51.309.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- Except to the extent required by the Report and Order on Remand and Further Notice of Proposed Rulemaking (rel. Aug. 21, 2003) (TRO), any Network Elements that no longer require unbundling on a national level will no longer be available pursuant to this Agreement.
- 1.7 Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent unbundled Network Element (UNE), or combination of elements that is available to Micro-Comm under Section 251(c)(3) of the Telecommunications Act of 1996. Nonrecurring (NRC) switch-as-is rates for conversion of Network Elements are contained in Exhibit A of this Attachment. Conversion of a wholesale service or group of wholesale services shall be

considered termination for purposes of any volume and/or term commitments and/or grandfathered status between Micro-Comm and BellSouth. Any change from a wholesale service to a Network Element that requires a physical rearrangement of the Network Element will not be considered a conversion for purposes of this Agreement.

- 1.8 Except to the extent expressly provided otherwise in this Attachment, for elements or combinations of elements that are no longer offered pursuant to, or are not in compliance with, the terms set forth in this Agreement (for example, but not limited to, local channels or non-compliant EELs), Micro-Comm will submit orders to rearrange or disconnect those arrangements or services within thirty (30) calendar days of the Effective Date of this Amendment. If orders to rearrange or disconnect those arrangements or services are not received by the 31st day after the Effective Date of this Amendment, BellSouth may disconnect those arrangements or services without further notice. Where no re-termination or physical rearrangement of circuits or service is required, Micro-Comm will be charged a NRC switch-as-is charge for the individual Network Element(s) as set forth in Exhibit A. For arrangements that require a re-termination or other physical rearrangement of circuits to comply with the terms of this Agreement, NRC charges for the applicable Network Element from Exhibit A of this Attachment will apply. To the extent a Network Element requires re-termination or other physical rearrangement in order to comply with a tariff or separate agreement, the applicable rates, terms and conditions of such tariff or separate agreement shall apply.
- 1.8.1 Micro-Comm may utilize Network Elements and Other Services to provide services as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- 1.8.2 Except to the extent expressly provided otherwise in this Attachment, if a Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, Micro-Comm may request BellSouth to perform such routine network modifications. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Micro-Comm, BellSouth shall perform the routine network modifications.
- 1.8.3 Notwithstanding any other provision of this Agreement, BellSouth will not commingle or combine Network Elements or combinations of Network Elements with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.

1.9 Commingling of Services

1.9.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Network Element combination, to one or more telecommunications

services or facilities that Micro-Comm has obtained at wholesale from BellSouth, or the combining of a Network Element or Network Element combination with one or more such wholesale telecommunications services or facilities.

- 1.9.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a combination of Network Elements on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for non-qualifying services.
- 1.9.3 BellSouth will not "ratchet" a commingled circuit. Unless otherwise agreed to by the Parties, the Network Element portion of such circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates.
- 1.9.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment and Central Office Channel Interfaces (COCIs) will be billed from the same jurisdictional authorization (agreement or tariff) as the higher grade of service.
- 1.10 If Micro-Comm reports a trouble on a Network Element or Other Service and no trouble actually exists on the BellSouth portion, BellSouth will charge Micro-Comm for any dispatching and testing (both inside and outside the Central Office (CO)) required by BellSouth in order to confirm the working status.

1.11 Rates

- 1.11.1 The prices that Micro-Comm shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit A to this Attachment. If Micro-Comm purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.
- 1.11.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
- 1.11.3 If Micro-Comm modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by Micro-Comm in accordance with FCC No. 1 Tariff, Section 5.
- 1.11.4 A one-month minimum billing period shall apply to all Network Elements and Other Services.

2 <u>Unbundled Loops</u>

2.1 General

- 2.1.1 The local loop Network Element (Loop) is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the Loop demarcation point at an End User's premises, including inside wire owned by BellSouth. Facilities that do not terminate at a demarcation point at an End User premise, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device (NID), and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's premises. Micro-Comm shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.
- 2.1.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.1.2 In new build (Greenfield) areas, where BellSouth has only deployed Fiber To The Home (FTTH) facilities, BellSouth is under no obligation to provide Loops.
- 2.1.1.3 In FTTH overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to Micro-Comm on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64kbps second voice grade channel over its FTTH facilities.
- 2.1.1.4 Furthermore, in FTTH overbuild areas, BellSouth is not obligated to ensure that copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by Micro-Comm. If a request is received by BellSouth for a copper Loop, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval.
- 2.1.1.5 For hybrid loops, where Micro-Comm seeks access to a hybrid loop for the provision of broadband services, BellSouth shall provide Micro-Comm with nondiscriminatory access to the time division multiplexing features, functions and capabilities of that hybrid loop, including DS1 or DS3, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's premises.

- 2.1.1.6 Micro-Comm may not purchase Loops or convert Special Access circuits to Loops if such Loops will be used to provide wireless telecommunications services.
- 2.1.2 The provisioning of a Loop to Micro-Comm's collocation space will require cross office cabling and cross connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross connects are separate components that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination (OC) as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.4 The Loop shall be provided to Micro-Comm in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.5 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.5.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If Micro-Comm wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g. UVL-SL1, UVL-SL2, and UCL-ND), Micro-Comm may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A of this Attachment.
- 2.1.5.2 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by Micro-Comm (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Micro-Comm for each additional dispatch required to provision the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

2.1.6 <u>Loop Testing/Trouble Reporting</u>

2.1.6.1 Micro-Comm will be responsible for testing and isolating troubles on the Loops. Micro-Comm must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled Loop (e.g., UVL-SL2, UCL-D, UVL-SL1,

UCL-ND, etc.) before reporting repair to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, Micro-Comm will be required to provide the results of the Micro-Comm tests which indicate a problem on the BellSouth provided Loop.

- 2.1.6.2 Once Micro-Comm has isolated a trouble to the BellSouth provided Loop, and has issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its End Users.
- 2.1.6.3 If Micro-Comm reports a trouble on a non-designed or designed Loop and no trouble actually exists, BellSouth will charge Micro-Comm for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Loop's working status.
- 2.1.6.4 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by Micro-Comm (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Micro-Comm for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

2.1.7 <u>Order Coordination and Order Coordination-Time Specific</u>

- 2.1.7.1 Order Coordination (OC) allows BellSouth and Micro-Comm to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Micro-Comm's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.7.2 Order Coordination Time Specific (OC-TS) allows Micro-Comm to order a specific time for OC to take place. BellSouth will make every effort to accommodate Micro-Comm's specific conversion time request. However, BellSouth reserves the right to negotiate with Micro-Comm a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. Micro-Comm may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Micro-Comm specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges.

Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.1.8 CLEC to CLEC Conversions for Unbundled Loops

- 2.1.8.1 The CLEC to CLEC conversion process for unbundled Loops may be used by Micro-Comm when converting an existing unbundled Loop from another CLEC for the same End User. The Loop type being converted must be included in Micro-Comm's Agreement before requesting a conversion.
- 2.1.8.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.8.3 The Loops converted to Micro-Comm pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

	Order Coordination (OC)	Order Coordination - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops- SL2 (including 2- & 4W UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available Comm must order and wi	Included	Included	Charged for Dispatch outside Central Office

2.1.9 **Bulk Migration**

2.1.9.1 If Micro-Comm requests to migrate twenty-five (25) or more UNE-Port/Loop Combination (UNE-P) customers to UNE-Loop (UNE-L) in the same CO on the same due date, Micro-Comm must use the Bulk Migration process, which is described in the BellSouth CLEC Information Package, "UNE-Port/Loop Combination (UNE-P) to UNE-Loop (UNE-L) Bulk Migration." This CLEC Information package, incorporated herein by reference as it may be amended from time to time, is located at

www.interconnection.bellsouth.com/guides/html/unes.html. The rates for the Bulk Migration process shall be the NRC rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A of this Attachment. Additionally, OSS charges will also apply per LSR generated per customer account as provided for in the Bulk Migration Request. The migration of loops from Integrated Digital Loop Carrier (IDLC) will be done pursuant to Section 2.6 of this Attachment.

2.1.10 **Ordering Guidelines and Processes**

- 2.1.10.1 For information regarding Ordering Guidelines and Processes for various UNEs, Micro-Comm should refer to the "Guides" section of the BellSouth Interconnection website, which is incorporated herein by reference, as amended from time to time. The website address is:

 http://www.interconnection.bellsouth.com/
- 2.1.10.2 Additional information may also be found in the individual CLEC Information Packages, as amended from time to time and which are incorporated herein by reference, located at the "CLEC UNE Products" website at the following address: http://www.interconnection.bellsouth.com/guides/html/unes.html

2.2 Unbundled Voice Loops (UVLs)

- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Micro-Comm will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels Service Level One (SL1) and Service Level Two (SL2).

- 2.2.2.1 Unbundled Voice Loop SL1 (UVL-SL1) Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by Micro-Comm. Micro-Comm may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.
- 2.2.2.2 For an additional charge BellSouth will make available Loop Testing so that Micro-Comm may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.2.3 Unbundled Voice Loop SL2 (UVL-SL2) Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to Micro-Comm. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow Micro-Comm to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.3 **Unbundled Digital Loops**

- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
- 2.3.2.2 2-wire Unbundled ADSL Compatible Loop
- 2.3.2.3 2-wire Unbundled HDSL Compatible Loop
- 2.3.2.4 4-wire Unbundled HDSL Compatible Loop
- 2.3.2.5 4-wire Unbundled DS1 Digital Loop
- 2.3.2.6 4-wire Unbundled Digital Loop/DS0 64 kbps, 56 kbps and below
- 2.3.2.7 DS3 Loop
- 2.3.2.8 STS-1 Loop
- 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. Micro-Comm will be responsible for providing BellSouth

with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.

- 2.3.3.1 Upon the Effective Date of this Amendment, Universal Digital Channel (UDC) elements will no longer be offered by BellSouth and no new orders for UDC will be accepted. Any existing UDCs that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Amendment. Existing UDCs that were provisioned prior to the Effective Date of this Amendment may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by Micro-Comm or BellSouth provides ninety (90) calendar days notice that such UDC must be terminated. Micro-Comm may order an ISDN loop, if available, to provide the same functionality as the previously offered UDC product.
- 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18kft long and may have up to 6kft of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12kft long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-Wire DS1 Network Interface at the End User's location.
- 2.3.7 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 DS3 Loop. This is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of Micro-Comm in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.

- 2.3.8.1 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.8.2 Micro-Comm may access a total capacity of two (2) DS3s per End User location at the Network Element rates set forth in Exhibit A.
- 2.3.9 STS-1 Loop. This is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of Micro-Comm for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a Service Inquiry (SI) in order to ascertain availability.
- 2.3.11 If DS3/STS-1 Loops are not readily available but can be made available through routine network modifications, as defined by the FCC, Micro-Comm may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Micro-Comm, BellSouth shall perform the routine network modifications.

2.4 <u>Unbundled Copper Loops (UCL)</u>

2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.

2.4.2 <u>Unbundled Copper Loop – Designed (UCL-D)</u>

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2- or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be 18kft or less in length and is provisioned according to Resistance Design parameters, may have up to 6kft of bridged tap and will have up to 1300 Ohms of resistance.

- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by Micro-Comm.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by Micro-Comm to provide a wide range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.2.5 Upon the Effective Date of this Amendment, Unbundled Copper Loop Long (UCL-L) elements will no longer be offered by BellSouth and no new orders for UCL-L will be accepted. Any existing UCL-Ls that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Amendment. Existing UCL-Ls that were provisioned prior to the Effective Date of this Amendment may remain connected, maintained and repaired according to BellSouth's TR73600 and may remain connected until such time as they are disconnected by Micro-Comm or BellSouth provides ninety (90) calendar days notice that such UCL-L must be terminated.

2.4.3 <u>Unbundled Copper Loop – Non-Designed (UCL-ND)</u>

- 2.4.3.1 The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premise (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6kft of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18kft in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18kft and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for Loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.
- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, Micro-Comm can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that Micro-Comm may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.

- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by Micro-Comm to provide a wide range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 Micro-Comm may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCLND could be transformed into Loops that do qualify, using the ULM process.

2.5 <u>Unbundled Loop Modifications (Line Conditioning)</u>

- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Sub-loop that may diminish the capability of the Loop or Sub-loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth TR 73600.
- 2.5.2 BellSouth will remove load coils only on copper loops and sub-loops that are less than 18kft in length.
- 2.5.3 For any copper loop being ordered by Micro-Comm which has over 6kft of combined bridged tap will be modified, upon request from Micro-Comm, so that the loop will have a maximum of 6kft of bridged tap. This modification will be performed at no additional charge to Micro-Comm. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper loop that will result in a combined total of bridged tap between 2,500 and 6kft will be performed at the rates set forth in Exhibit A of this Attachment.
- 2.5.4 Micro-Comm may request removal of any unnecessary and non-excessive bridged tap (bridged tap between 0 and 2,500 feet which serves no network design purpose), at rates pursuant to BellSouth's Special Construction Process as mutually agreed to by the Parties.
- 2.5.5 Rates for ULM are as set forth in Exhibit A of this Attachment.

- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If Micro-Comm requests ULM on a reserved facility for a new loop order, BellSouth may perform a pair change and provision a different loop facility in lieu of the reserved facility with ULM if feasible. The loop provisioned will meet or exceed specifications of the requested loop facility as modified. Micro-Comm will not be charged for ULM if a different loop is provisioned. For loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the loop provisioned.
- 2.5.8 Micro-Comm shall request Loop make up information pursuant to this Attachment prior to submitting a SI and/or a LSR for the Loop type that Micro-Comm desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for Micro-Comm, Micro-Comm will submit a SI to BellSouth. If a spare Loop facility that meets the loop modification specifications requested by Micro-Comm is available at the location for which the ULM was requested, Micro-Comm will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, Micro-Comm will not be charged for ULM but will only be charged the service order charges for submitting an order.

2.6 <u>Loop Provisioning Involving Integrated Digital Loop Carriers</u>

- 2.6.1 Where Micro-Comm has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to Micro-Comm. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for Micro-Comm (e.g. hairpinning):
 - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
 - 3. If capacity exists, provide "side-door" porting through the switch.
 - 4. If capacity exists, provide "Digital Access Cross Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.3 If no alternate facility is available, and upon request from Micro-Comm, and if agreed to by both Parties, BellSouth may utilize its Special Construction (SC)

process to determine the additional costs required to provision facilities. Micro-Comm will then have the option of paying the one-time SC rates to place the Loop.

2.7 **Network Interface Device**

- 2.7.1 The NID is defined as any means of interconnection of the End User's premise wiring to BellSouth's distribution plant, such as a cross connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's premise wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit Micro-Comm to connect Micro-Comm's Loop facilities to the End User's premise wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

- 2.7.3.1 Micro-Comm may access the End User's premise wiring by any of the following means and Micro-Comm shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow Micro-Comm to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.
- 2.7.3.1.2 Where an adequate length of the End User's premise wiring is present and environmental conditions permit, either Party may remove the premise wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the premise wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 Micro-Comm may request BellSouth to make other rearrangements to the End User premise wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's Loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable

Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting Loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Micro-Comm's responsibility to ensure there is no safety hazard, and Micro-Comm will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's Loop has been disconnected from the NID, to reconnect the disconnected Loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected Loop must be appropriately cleared, capped and stored.

- 2.7.3.3 Micro-Comm shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 Micro-Comm shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with Micro-Comm to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 Technical Requirements
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's premises and the distribution media and/or cross connect to Micro-Comm's NID.
- 2.7.4.3 Existing BellSouth NIDs will be provided in "as is" condition. Micro-Comm may request BellSouth to do additional work to the NID on a time and material basis. When Micro-Comm deploys its own local Loops in a multiple-line termination device, Micro-Comm shall specify the quantity of NID connections that it requires within such device.
- 2.8 **Sub-loop Elements**
- 2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) elements as specified herein.
- 2.8.2 <u>Unbundled Sub-Loop Distribution</u>

2.8.2.1 The Unbundled Sub-Loop Distribution facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2-Wire or 4-Wire facility. BellSouth will make available the following sub-loop distribution offerings where facilities exist:

Unbundled Sub-Loop Distribution – Voice Grade
Unbundled Copper Sub-Loop
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a copper sub-loop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 2.8.2.3.1 If Micro-Comm requests a UCSL and it is not available, Micro-Comm may request the copper Sub-Loop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross connect device in the building equipment room up to and including the point of demarcation at the End User's premises.
- 2.8.2.4.1 Upon request for USLD-INC from Micro-Comm, BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for Micro-Comm's use on this cross-connect panel. Micro-Comm will be responsible for connecting its facilities to the 25-pair cross-connect block(s).
- 2.8.2.5 For access to Voice Grade USLD and UCSL, Micro-Comm shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-

up process. Micro-Comm's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.

- 2.8.2.6 Through the SI process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by Micro-Comm is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Micro-Comm's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at the website address: http://www.interconnection.bellsouth.com/products/html/unes.html.
- 2.8.2.7 The site set-up must be completed before Micro-Comm can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Micro-Comm's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, Micro-Comm will request sub-loop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when Micro-Comm requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by Micro-Comm for sub-loop pairs, expedite charges will apply for intervals less than five (5) calendar days.
- 2.8.2.9 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

2.8.3 Unbundled Network Terminating Wire (UNTW)

- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, or where a third party owns the wiring to the End User's premises.

2.8.3.3 Requirements

2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.

- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, Micro-Comm will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate Micro-Comm for each pair activated commensurate to the price specified in Micro-Comm's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premise, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for NRC and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.

- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten (10) percent of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a NRC charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.8.4 **Unbundled Sub-Loop Feeder**

2.8.4.1 Upon the Effective Date of this Amendment, Unbundled Sub-Loop Feeder (USLF) elements will no longer be offered by BellSouth at TELRIC prices. Within ninety (90) calendar days of the Effective Date of this Amendment, Micro-Comm will either negotiate market-based rates for these elements or will issue orders to have these elements disconnected. If, after this ninety (90) day period, market-based rates have not been negotiated and Micro-Comm has not issued the appropriate disconnect orders, BellSouth may immediately disconnect any remaining USLF elements and will bill Micro-Comm any applicable disconnect charges.

2.8.5 **Unbundled Loop Concentration**

2.8.5.1 Upon the Effective Date of this Amendment, the Unbundled Loop Concentration (ULC) element will no longer be offered by BellSouth and no new orders for ULC will be accepted. Any existing ULCs that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to this Amendment and may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by Micro-Comm, or BellSouth provides ninety (90) calendar days notice that such ULC must be terminated.

2.8.6 **Dark Fiber Loop**

- 2.8.6.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from the demarcation point at an End User's premises to the End User's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Micro-Comm to utilize Dark Fiber Loops.
- 2.8.6.2 If Dark Fiber Loop is not readily available but can be made available through routine network modifications, as defined by the FCC, Micro-Comm may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Micro-Comm, BellSouth shall perform the routine network modifications.

2.8.6.3 Requirements

- 2.8.6.3.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.
- 2.8.6.3.2 Micro-Comm is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.
- 2.8.6.3.3 BellSouth shall use its commercially reasonable efforts to provide to Micro-Comm information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a SI from Micro-Comm.
- 2.8.6.3.4 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to Micro-Comm within twenty (20) business days after Micro-Comm submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable Micro-Comm to connect Micro-Comm provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

2.9 **Loop Makeup**

2.9.1 <u>Description of Service</u>

- 2.9.1.1 BellSouth shall make available to Micro-Comm LMU information so that Micro-Comm can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Micro-Comm intends to install and the services Micro-Comm wishes to provide. This section addresses LMU as a preordering transaction, distinct from Micro-Comm ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.
- 2.9.1.2 BellSouth will provide Micro-Comm LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to Micro-Comm as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 Micro-Comm may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by Micro-Comm and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Micro-Comm's ability to provide advanced data services over the ordered Loop type. Further, if Micro-Comm orders Loops that do not require a specific facility medium (i.e. copper only) or Loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible Loops) and that are not inventoried as advanced services Loops, the LMU information for such Loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Micro-Comm is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

2.9.2 **Submitting Loop Makeup Service Inquiries**

- 2.9.2.1 Micro-Comm may obtain LMU information by submitting a mechanized LMU query or a Manual LMUSI. Mechanized LMUs should be submitted through BellSouth's OSS interfaces. After obtaining the Loop information from the mechanized LMU process, if Micro-Comm needs further Loop information in order to determine Loop service capability, Micro-Comm may initiate a separate Manual SI for a separate NRC charge as set forth in Exhibit A of this Attachment.
- 2.9.2.2 Manual LMUSIs shall be submitted according to the guidelines in the LMU CLEC Information Package, incorporated herein by reference, as it may be amended from time to time, which can be found at the following BellSouth website:

 http://interconnection.bellsouth.com/guides/html/unes.html. The service interval for the return of a Manual LMUSI is three (3) business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

2.9.3 <u>Loop Reservations</u>

- 2.9.3.1 For a Mechanized LMU, Micro-Comm may reserve up to ten (10) Loop facilities. For a Manual LMUSI, Micro-Comm may reserve up to three (3) Loop facilities.
- 2.9.3.2 Micro-Comm may reserve facilities for up to four (4) business days for each facility requested through LMU from the time the LMU information is returned to Micro-Comm. During and prior to Micro-Comm placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If Micro-Comm does not submit an LSR for a UNE service on a reserved facility within the four (4)-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.
- 2.9.3.3 Charges for preordering Manual LMUSI or Mechanized LMU are separate from any charges associated with ordering other services from BellSouth.
- 2.9.3.4 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Micro-Comm will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, Micro-Comm does not reserve facilities upon an initial LMUSI, Micro-Comm's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A of this Attachment.
- 2.9.3.5 Where Micro-Comm has reserved multiple Loop facilities on a single reservation, Micro-Comm may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Micro-Comm, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Micro-Comm.

3 Line Sharing

- 3.1 General
- 3.1.1 Line Sharing is defined as the process by which Micro-Comm provides digital subscriber line service over the same copper loop that BellSouth uses to provide voice service, with BellSouth using the low frequency portion of the loop and Micro-Comm using the high frequency spectrum (as defined below) of the loop.
- 3.1.2 Line Sharing arrangements in service as of October 1, 2003, will be grandfathered until the earlier of the date the End User discontinues or moves service with Micro-Comm. Grandfathered arrangements pursuant to this Section will be billed at the rates set forth in Exhibit A.
- 3.1.3 For the period from October 2, 2003, through October 1, 2004, Micro-Comm may request new Line Sharing arrangements. For Line Sharing arrangements placed in service between October 2, 2003, and October 1, 2004, the rates will be as set forth in Exhibit A. After October 1, 2004, Micro-Comm may not request new Line Sharing arrangements under the terms of this Agreement.
- 3.1.4 The rates set forth herein will be applied retroactively back to the date set forth in the Triennial Review Order.
- 3.1.5 As of the earlier of October 2, 2006, or the date that the End User discontinues or moves service with Micro-Comm, all Line Sharing arrangements pursuant to Section 3.1.3 of this Attachment shall be terminated.
- 3.1.6 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper Loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Micro-Comm the ability to provide Digital Subscriber Line (xDSL) data services to the End User for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the Loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Micro-Comm shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.1.7 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.

- 3.1.8 BellSouth will provide Loop Modification to Micro-Comm on an existing Loop in accordance with procedures as specified in Section 2 of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If Micro-Comm requests that BellSouth modify a Loop and such modification significantly degrades the voice services on the Loop, Micro-Comm shall pay for the Loop to be restored to its original state.
- 3.1.9 Line Sharing shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the End User. In the event the End User terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the End User's voice service pursuant to its tariffs or applicable law, and Micro-Comm desires to continue providing xDSL service on such Loop, Micro-Comm shall be required to purchase a full stand-alone Loop UNE. To the extent commercially practicable, BellSouth shall give Micro-Comm notice in a reasonable time prior to disconnect, which notice shall give Micro-Comm an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the End User and Micro-Comm purchases the full standalone Loop, Micro-Comm may elect the type of Loop it will purchase. Micro-Comm will pay the appropriate recurring and NRC rates for such Loop as set forth in Exhibit A to this Attachment. In the event Micro-Comm purchases a voice grade Loop, Micro-Comm acknowledges that such Loop may not remain xDSL compatible.
- 3.1.10 If Micro-Comm reports a trouble on the High Frequency Spectrum of a Loop and no trouble actually exists on the BellSouth portion, BellSouth will charge Micro-Comm for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the working status. The rates charged for no trouble found (NTF) shall be as set forth in Exhibit A of this Attachment.
- 3.1.11 Only one CLEC shall be permitted access to the High Frequency Spectrum of any particular Loop.

3.2 **Provisioning of Line Sharing and Splitter Space**

- 3.2.1 BellSouth will provide Micro-Comm with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, Micro-Comm must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the CO that serves the End User of such Loop.
- 3.2.1.2 Micro-Comm may provide its own splitters or may order splitters in a CO once it has installed its DSLAM in that CO. BellSouth will install splitters within thirty-six (36) calendar days of Micro-Comm's submission of an error free Line Splitter

Ordering Document (LSOD) to the BellSouth Complex Resale Support Group (CRSG).

- 3.2.1.3 Once a splitter is installed on behalf of Micro-Comm in a CO in which Micro-Comm is located, Micro-Comm shall be entitled to order the High Frequency Spectrum on lines served out of that CO. BellSouth will bill and Micro-Comm shall pay the electronic or manual ordering charges as applicable when Micro-Comm orders High Frequency Spectrum for End User service.
- 3.2.1.4 BellSouth shall test the data portion of the Loop to ensure the continuity of the wiring for Micro-Comm's data.

3.3 **BellSouth Provided Splitter – Line Sharing**

- 3.3.1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide Micro-Comm access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to Micro-Comm's xDSL equipment in Micro-Comm's collocation space. At least thirty (30) calendar days before making a change in splitter suppliers, BellSouth will provide Micro-Comm with a carrier notification letter, informing Micro-Comm of change. Micro-Comm shall purchase ports on the splitter in increments of eight (8), twenty-four (24), or ninety-six (96) ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina. Micro-Comm shall purchase ports on the splitter in increments of twenty-four (24) or ninety-six (96) ports in Tennessee.
- 3.3.2 BellSouth will install the splitter in (i) a common area close to Micro-Comm's collocation area, if possible; or (ii) in a BellSouth relay rack as close to Micro-Comm's DS0 termination point as possible. Micro-Comm shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the CO in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for Micro-Comm on the main distributing frame in the CO and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross connect the splitter data ports to a specified Micro-Comm DS0 at such time that a Micro-Comm End User's service is established.

3.4 <u>CLEC Provided Splitter – Line Sharing</u>

3.4.1 Micro-Comm may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. Micro-Comm may use such splitters for access to its customers and to provide xDSL services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.

3.4.2 Any splitters installed by Micro-Comm in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Micro-Comm may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.5 **Ordering – Line Sharing**

- 3.5.1 Micro-Comm shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFAs) for use with High Frequency Spectrum.
- 3.5.2 BellSouth will provide Micro-Comm the LSR format to be used when ordering the High Frequency Spectrum.
- 3.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.5.4 BellSouth will provide Micro-Comm access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and Micro-Comm shall pay the rates for such services, as described in Exhibit A.

3.6 <u>Maintenance and Repair – Line Sharing</u>

- 3.6.1 Micro-Comm shall have access for repair and maintenance purposes to any Loop for which it has access to the High Frequency Spectrum. If Micro-Comm is using a BellSouth owned splitter, Micro-Comm may access the Loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If Micro-Comm provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premises and the Termination Point. Micro-Comm will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.6.3 Micro-Comm shall inform its End Users to direct data problems to Micro-Comm, unless both voice and data services are impaired, in which event the End Users should call BellSouth.
- 3.6.4 Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the End User that the trouble is on the other Party's portion of the Loop.
- 3.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to Micro-Comm, BellSouth will notify Micro-Comm.

Micro-Comm will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, Micro-Comm will provide BellSouth an LSR with the new CFA pair information within twenty-four (24) hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue Micro-Comm's access to the High Frequency Spectrum on such Loop. BellSouth will not be responsible for any loss of data as a result of this action.

3.7 <u>Line Splitting</u>

- 3.7.1 Line splitting allows a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.
- 3.7.2 In the event Micro-Comm provides its own switching or obtains switching from a third party, Micro-Comm may engage in line splitting arrangements with another CLEC using a splitter, provided by Micro-Comm, in a Collocation Arrangement at the CO where the loop terminates into a distribution frame or its equivalent.
- 3.7.3 Where Micro-Comm is purchasing a UNE-port and a UNE-loop, BellSouth shall offer line splitting pursuant to the following sections in this Attachment.
- 3.7.4 Micro-Comm shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if Micro-Comm will not provide voice and data services.
- 3.7.5 End Users currently receiving voice service from a Voice CLEC through a UNE-P may be converted to Line Splitting arrangements by Micro-Comm or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, a UNE port, two collocation cross connects and the high frequency spectrum line activation. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, port, and one collocation cross connection.
- 3.7.6 When End Users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing Micro-Comm for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of Micro-Comm or its authorized agent to determine if the Loop is compatible for Line Splitting Service. Micro-Comm or its authorized agent may use the existing Loop unless it is not compatible with the Data LEC's data service and Micro-Comm or its authorized agent submits an LSR to BellSouth to change the Loop.

3.8 **Provisioning Line Splitting and Splitter Space**

- 3.8.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When Micro-Comm or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location; a collocation cross connection connecting the Loop to the collocation space; a second collocation cross connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. The Loop and port cannot be a Loop and port combination (i.e. UNE-P), but must be individual stand-alone Network Elements. When BellSouth owns the splitter, Line Splitting requires the following: a non designed analog Loop from the serving wire center to the NID at the End User's location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.
- 3.8.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.8.3 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement, BellSouth Retail Voice Service, BellSouth High Frequency Spectrum (CO Based) Line Sharing.
- 3.8.4 For other migration scenarios to line splitting, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same Loop.

3.9 <u>Ordering – Line Splitting</u>

- 3.9.1 Micro-Comm shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation CFA for use with Line Splitting.
- 3.9.2 BellSouth shall provide Micro-Comm the LSR format to be used when ordering Line Splitting service.
- 3.9.3 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.9.4 BellSouth will provide Micro-Comm access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and Micro-Comm shall pay the rates for such services as described in Exhibit A.
- 3.9.5 BellSouth will provide Loop modification to Micro-Comm on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from ULM set forth in Section 2.5 of this Attachment. Procedures

for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at: http://www.interconnection.bellsouth.com/html/unes.html. NRC rates for this offering are as set forth in Exhibit A of this Attachment.

3.10 <u>Maintenance – Line Splitting</u>

- 3.10.1 BellSouth will be responsible for repairing voice services and the physical loop between the NID at the customer's premises and the termination point. Micro-Comm will be responsible for maintaining the voice and data services. Each Party will be responsible for maintaining its own equipment.
- 3.10.2 Micro-Comm shall inform its End Users to direct all problems to Micro-Comm or its authorized agent.
- 3.10.3 If Micro-Comm is not the data provider, Micro-Comm shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the data provider.

4 Local Switching

4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to Micro-Comm for the provision of a telecommunications service.

4.2 Local Circuit Switching Capability, including Tandem Switching Capability

- 4.2.1 Local circuit switching capability is defined as all line-side and trunk-side facilities, plus the features, functions, and capabilities of the switch. The features, functions, and capabilities of the switch shall include the basic switching function of connecting lines to lines, lines to trunks, trunks to lines, and trunks to trunks. Local circuit switching includes all vertical features that the switch is capable of providing, including custom calling, custom local area signaling service features, and Centrex, as well as any technically feasible customized routing functions.
- 4.2.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for Micro-Comm when Micro-Comm: (1) serves an End User with four (4) or more voice-grade (DS0) equivalents or lines served by BellSouth in Zone 1 of one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA; or (2) serves an End User with a DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that Micro-Comm is serving any End User as described in (2) above as of October 2, 2003, such arrangement may not remain in place any longer than April 1, 2004, after which such arrangement must be terminated by Micro-Comm or BellSouth

shall convert such arrangement to tariff pricing. The filing of this Amendment with the applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.

- 4.2.3 Rates for unbundled switching at the DS1 level and above or for combinations with unbundled switching at the DS1 level and above provisioned prior to the Effective Date of this Amendment shall be those rates set forth in Exhibit A of this Attachment until April 1, 2004.
- 4.2.4 Local Switching that is not required to be provided as a UNE will be provided pursuant to a separate agreement or a tariff, at BellSouth's discretion.
- 4.2.5 Unbundled Local Switching consists of three separate unbundled elements:
 Unbundled Ports, End Office Switching Functionality, and End Office Interoffice
 Trunk Ports.
- 4.2.6 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to Micro-Comm's End User local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.2.7 Provided that Micro-Comm purchases unbundled local switching from BellSouth and uses the BellSouth Carrier Identification Code (CIC) for its End Users' Local Preferred Interexchange Carrier (LPIC) or if a BellSouth local End User selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a Micro-Comm local End User, or originated by a BellSouth local End User and terminated to a Micro-Comm local End User, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than BellSouth). For such calls, BellSouth will charge Micro-Comm the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and Micro-Comm shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.
- 4.2.8 Where Micro-Comm purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its End Users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a Micro-Comm End User and terminate within the basic local calling area or within the extended local calling areas and that are dialed using seven (7) or ten (10) digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs (GSST). For such local calls, BellSouth will charge Micro-Comm the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and Micro-Comm shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.

4.2.9 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill Micro-Comm the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges as appropriate.

4.2.10 **Unbundled Port Features**

- 4.2.10.1 Charges for Unbundled Port are as set forth in Exhibit A, and as specified in such exhibit, may or may not include individual features.
- 4.2.10.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.2.10.3 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.10.4 BellSouth will provide to Micro-Comm selective routing of calls to a requested Operator System platform pursuant to this Attachment. Any other routing requests by Micro-Comm will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.

4.2.11 Remote Call Forwarding

- 4.2.11.1 As an option, BellSouth shall make available to Micro-Comm an unbundled port with Remote Call Forwarding capability (URCF service). URCF service combines the functionality of unbundled local switching, tandem switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. When ordering URCF service, Micro-Comm will ensure that the following conditions are satisfied:
- 4.2.11.1.1 That the End User of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such End User is different from the URCF service End User);
- 4.2.11.1.2 That the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;
- 4.2.11.1.3 That the URCF service will not be utilized to forward calls to another URCF or similar service; and
- 4.2.11.1.4 That the forward-to number (service) is not a public safety number (e.g. 911, fire or police number).
- 4.2.11.2 In addition to the charge for the URCF service port, BellSouth shall charge Micro-Comm the rates set forth in Exhibit A for unbundled local switching, tandem

switching, and common transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward-to number (service).

4.2.12 **Provision for Local Switching**

- 4.2.12.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.2.12.2 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.2.12.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.2.12.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to Micro-Comm all Advanced Intelligent Network (AIN) triggers in connection with its SMS/SCE offering.
- 4.2.12.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by Micro-Comm.

4.2.13 **Local Switching Interfaces**.

- 4.2.13.1 Micro-Comm shall order ports and associated interfaces compatible with the services it wishes to provide as listed in Exhibit A. BellSouth shall provide the following local switching interfaces:
- 4.2.13.1.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
- 4.2.13.1.2 Coin phone signaling;
- 4.2.13.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
- 4.2.13.1.4 Two-wire analog interface to PBX;
- 4.2.13.1.5 Four-wire analog interface to PBX;

- 4.2.13.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
- 4.2.13.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;
- 4.2.13.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
- 4.2.13.1.9 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.
- 4.2.14 All End Users of Micro-Comm who have service provisioned via 4-Wire ISDN DS1 Port with E911 Locator Capability shall physically be located in the E911 Tandem Switch service area.
- 4.2.15 Micro-Comm shall pass its End User's telephone number to BellSouth over the Primary Interface (PRI) trunk group via ANI or via direct Centralized Automated Message Accounting (CAMA) trunks to the appropriate E911 tandem switch.
- 4.2.16 Micro-Comm shall maintain the individual telephone number and the correct corresponding address/location data, including maintaining the End User listed address as the actual physical End User location in the E911 Automatic Location Identification (ALI) Database.
- 4.2.17 Micro-Comm will be responsible and liable for any errors resulting from the submission of invalid telephone number and address/location data for CLEC's End Users.

4.3 **Tandem Switching**

- 4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.
- 4.3.1.1 Where Micro-Comm utilizes portions of the BellSouth network in originating or terminating traffic, the Tandem Switching rates are applied in call scenarios where the Tandem Switching Network Element has been utilized. Because switch recordings cannot accurately indicate on a per call basis when the Tandem Switching Network Element has been utilized for an interoffice call originating from a UNE port and terminating to a BellSouth, Independent Company or Facility-Based CLEC office, BellSouth has developed, based upon call studies, a melded rate that takes into account the average percentage of calls that utilize

Tandem Switching in these scenarios. BellSouth shall apply the melded Tandem Switching rate for every call in these scenarios. BellSouth shall utilize the melded Tandem Switching Rate until BellSouth has the capability to measure actual Tandem Switch usage in each call scenario specifically mentioned above, at which point the rate for the actual Tandem Switch usage shall apply. The UNE Call Flows set forth on BellSouth's website, as amended from time to time and incorporated herein by this reference, illustrate when the full or melded Tandem Switching rates apply for specific scenarios.

4.3.2 Technical Requirements

- 4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, June 1, 1990. The requirements for Tandem Switching include but are not limited to the following:
- 4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by Micro-Comm and BellSouth;
- 4.3.2.1.3 Where applicable, Tandem Switching shall provide AIN triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 4.3.2.1.4 Where applicable, Tandem Switching shall provide access to Toll Free number database;
- 4.3.2.1.5 Tandem Switching shall provide connectivity to Public Safety Answering Point (PSAP)s where 911 solutions are deployed and the tandem is used for 911; and
- 4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.
- 4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to Micro-Comm.
- 4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.3.2.4 Tandem Switching shall process originating toll free traffic received from Micro-Comm's local switch.

- 4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability.
- 4.3.3 Upon Micro-Comm's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for Micro-Comm's traffic overflowing from direct end office high usage trunk groups.
- 4.4 <u>AIN Selective Carrier Routing for Operator Services, Directory Assistance</u> and Repair Centers
- 4.4.1 Where BellSouth provides local switching to Micro-Comm, BellSouth will provide AIN Selective Carrier Routing (AIN SCR) at the request of Micro-Comm. AIN SCR will provide Micro-Comm with the capability of routing operator calls, 0+ and 0- and 0+ NPA Local Numbering Plan Area (LNPA), 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.
- 4.4.2 Micro-Comm shall order AIN SCR through its Account Team and/or Local Contract Manager. AIN SCR must first be established regionally and then on a per CO per state basis.
- 4.4.3 AIN SCR is not available in DMS 10 switches.
- 4.4.4 Where AIN SCR is utilized by Micro-Comm, the routing of Micro-Comm's End User calls shall be pursuant to information provided by Micro-Comm and stored in BellSouth's AIN SCR Service Control Point database. AIN SCR shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each CO where AIN SCR is established.
- 4.4.5 Upon ordering AIN SCR Regional Service, Micro-Comm shall remit to BellSouth the Regional Service Order NRC charges set forth in Exhibit A of this Attachment. There shall be a NRC End Office Establishment Charge per office due at the addition of each CO where AIN SCR will be utilized. Said NRC charge shall be as set forth in Exhibit A of this Attachment. For each Micro-Comm End User activated, there shall be a NRC End User Establishment charge as set forth in Exhibit A of this Attachment. Micro-Comm shall pay the AIN SCR Per Query Charge set forth in Exhibit A of this Attachment.
- 4.4.6 This Regional Service Order NRC charge will be non-refundable and will be paid with one half due up-front with the submission of all fully completed required forms including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN SCRSCR Order Request Form B, AIN SCR Central Office Identification Form Form C, AIN SCR Routing Options Selection Form Form D, and Routing Combinations Table Form E. BellSouth has thirty (30)

calendar days to respond to Micro-Comm's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to Micro-Comm, BellSouth considers that the delivery schedule of this service commences. The remaining half of the Regional Service Order payment must be paid when at least ninety (90) percent of the COs listed on the original order have been turned up for the service.

- 4.4.7 The NRC End Office Establishment Charge will be billed to Micro-Comm following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.8 End User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The NRC End User Establishment Charges will be billed to Micro-Comm following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.9 Additionally, the AIN SCR Per Query Charge will be billed to Micro-Comm following the normal billing cycle for per query charges.
- 4.4.10 All other network components needed, for example, unbundled switching, unbundled local transport, etc., will be billed per contracted rates.

4.5 Selective Call Routing Using Line Class Codes

- 4.5.1 Where Micro-Comm purchases unbundled local switching from BellSouth and utilizes an operator services provider other than BellSouth, BellSouth will route Micro-Comm's End User calls to that provider through Selective Call Routing.
- 4.5.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for Micro-Comm to have its Operator Call Processing/Directory Assistance (OCP/DA) calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if LCC capacity is available in the requested BellSouth end office switches.
- 4.5.3 Custom Branding for DA is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- Where available, Micro-Comm specific and unique LCCs are programmed in each BellSouth end office switch where Micro-Comm intends to serve End Users with customized OCP/DA branding. The LCCs specifically identify Micro-Comm's End Users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional LCCs are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Micro-Comm intends to provide Micro-Comm-branded OCP/DA to its End Users in these multiple rate areas.

- 4.5.5 SCR-LCC supporting Custom Branding and Self Branding require Micro-Comm to order dedicated trunking from each BellSouth end office identified by Micro-Comm, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Micro-Comm Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for DA. Rates for trunks are set forth in applicable BellSouth tariffs.
- 4.5.6 Unbranding Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by Micro-Comm to the BellSouth TOPS.
- 4.5.7 The rates for SCR-LCC are as set forth in this Attachment. There is a NRC charge for the establishment of each LCC in each BellSouth CO. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.

5 <u>Unbundled Network Element Combinations</u>

- 5.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by Micro-Comm are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by Micro-Comm are not already combined by BellSouth in the location requested by Micro-Comm but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by Micro-Comm are not elements that BellSouth combines for its use in its network.
- 5.1.1 Upon request, BellSouth shall perform the functions necessary to combine UNEs in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such combination is technically feasible and will not undermine the ability of other carriers to obtain access to UNEs or to interconnect with BellSouth's network.

5.2 Enhanced Extended Links

5.2.1 Enhanced Extended Links (EELs) are combinations of unbundled Loops and unbundled dedicated transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide Micro-Comm with EELs where the underlying UNEs are

available and in all instances where the requesting carrier meets the eligibility requirements, if applicable.

- High-capacity EELs are combinations of loop and transport UNEs or commingled loop and transport facilities at the DS1 and/or DS3 level as described in 47 CFR 51.318(b). High-capacity EELs must comply with the service eligibility requirements set forth in 5.2.4 below.
- By placing an order for a high-capacity EEL, Micro-Comm thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit Micro-Comm's high-capacity EELs as specified below.
- 5.2.4 If a high-capacity EEL or Ordinarily Combined Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, Micro-Comm may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Micro-Comm, BellSouth shall perform the routine network modifications.
- 5.2.5 <u>Service Eligibility Criteria</u>
- 5.2.5.1 Micro-Comm must certify for each high-capacity EEL that all of the following service eligibility criteria are met:
- 5.2.5.1.1 Micro-Comm has received state certification to provide local voice service in the area being served;
- 5.2.5.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:
- 5.2.5.2.1 Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit;
- 5.2.5.2.2 Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;
- 5.2.5.2.3 Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit;
- 5.2.5.2.4 Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 CFR 51.318(c);

- 5.2.5.2.5 Each circuit to be provided to each End User will be served by an interconnection trunk over which Micro-Comm will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.2.5.2.6 For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, Micro-Comm will have at least one (1) active DS1 local service interconnection trunk over which Micro-Comm will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.2.5.2.7 Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic.
- 5.2.6 BellSouth may, on an annual basis, audit Micro-Comm's records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that Micro-Comm failed to comply with the service eligibility criteria, Micro-Comm must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a goingforward basis. In the event the auditor's report concludes that Micro-Comm did not comply in any material respect with the service eligibility criteria, Micro-Comm shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that Micro-Comm did comply in all material respects with the service eligibility criteria, BellSouth will reimburse Micro-Comm for its reasonable and demonstrable costs associated with the audit. Micro-Comm will maintain appropriate documentation to support its certifications.
- 5.2.7 In the event Micro-Comm converts special access services to UNEs, Micro-Comm shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

5.3 <u>UNE Port/Loop Combinations</u>

- 5.3.1 Combinations of port and loop UNEs along with switching and transport UNEs provide local exchange service for the origination or termination of calls. Port/loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.
- 5.3.2 BellSouth is not required to provide combinations of port and loop Network Elements on an unbundled basis in locations where, pursuant to FCC and Commission rules, BellSouth is not required to provide local circuit switching as a UNE.

- 5.3.3 BellSouth shall not be required to provide local circuit switching as a UNE in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to Micro-Comm if Micro-Comm's customer has four (4) or more DS0 equivalent lines.
- 5.3.4 BellSouth shall not be required to provide local circuit switching as a UNE or combination of UNEs if the End User is being served by a BellSouth DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that Micro-Comm is serving any End User as described above as of October 2, 2003, such arrangement may not remain in place any longer than April 1, 2004, after which such arrangement must be terminated by Micro-Comm or BellSouth shall convert such arrangement to tariff pricing. The filing of this Amendment with the applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.
- 5.3.5 BellSouth shall make 911 updates in the BellSouth 911 database for Micro-Comm's UNE port/Loop combinations. BellSouth will not bill Micro-Comm for 911 surcharges. Micro-Comm is responsible for paying all 911 surcharges to the applicable governmental agency.

5.4 Rates

- 5.4.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the rates associated with such combinations. Where a Currently Combined combination is not specifically set forth in Exhibit A, the rate for such Currently Combined combination of Network Elements shall be the sum of the recurring rates for those individual Network Elements in addition to the applicable NRC switch-as-is charge set forth in Exhibit A.
- The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the NRC and recurring charges for those combinations. Where an Ordinarily Combined combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined combination of Network Elements shall be the sum of the recurring and NRC rates for those individual Network Elements as set forth in Exhibit A.
- 5.4.3 Except as set forth in this Section 5, BellSouth shall provide UNE port/loop combinations specifically set forth in Exhibit A that are Currently Combined or Ordinarily Combined in BellSouth's network at the cost-based rates in Exhibit A.
- 5.4.4 BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to Micro-Comm in addition to those specifically referenced in this Section 5 above, where available. To the extent Micro-Comm requests a combination for which BellSouth does not have rates and

methods and procedures in place to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.

6 Transport, Channelization and Dark Fiber

6.1 **Transport**

- 6.1.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rules 51.311, 51.319, and Section 251(c)(3) of the Act to interoffice transmission facilities described in this Section 6 on an unbundled basis to Micro-Comm for the provision of a qualifying service, as set forth herein.
- 6.1.1.1 Dedicated Transport is defined as BellSouth's interoffice transmission facilities, dedicated to a particular customer or carrier that Micro-Comm uses for transmission between wire centers or switches owned by BellSouth and within the same LATA.
- 6.1.1.2 Dark Fiber Transport is defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics, between wire centers or switches owned by BellSouth and within the same LATA:
- 6.1.1.3 Common (Shared) Transport is defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.
- 6.1.1.3.1 Notwithstanding any other provision of this Agreement, BellSouth will only provide unbundled access to Common (Shared) Transport to the extent BellSouth is required to provide and is providing unbundled Local Circuit Switching to Micro-Comm.
- 6.1.2 BellSouth shall:
- 6.1.2.1 Provide Micro-Comm exclusive use of Dedicated Transport to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- Provide all technically feasible features, functions, and capabilities of the transport facility;
- 6.1.2.3 Permit, to the extent technically feasible, Micro-Comm to connect such interoffice facilities to equipment designated by Micro-Comm, including but not limited to, Micro-Comm's collocated facilities; and

- Permit, to the extent technically feasible, Micro-Comm to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.1.3 Technical Requirements of Common (Shared) Transport
- 6.1.3.1 Common (Shared) Transport provided on DS1, DS3, and STS-1 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office (CO to CO) connections in the applicable industry standards.
- 6.1.3.2 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 6.1.3.3 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.

6.2 **Dedicated Transport**

- 6.2.1 BellSouth shall offer Dedicated Transport in each of the following ways:
- 6.2.1.1 As capacity on a shared UNE facility.
- 6.2.1.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to Micro-Comm.
- 6.2.2 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- 6.2.3 Micro-Comm may obtain a maximum of twelve (12) unbundled dedicated DS3 circuits, or their equivalent, for any single route at the UNE rates set forth in Exhibit A for which dedicated DS3 transport is available as unbundled transport. Additional capacity may be purchased pursuant to the rates, terms and conditions as set forth in the applicable tariff. A route is defined as a transmission path between one of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.
- Any request to re-terminate one end of a circuit will require the issuance of new service and disconnection of the existing service and the applicable charges in Exhibit A shall apply, and the re-terminated circuit shall be considered a new circuit as of the installation date.
- 6.2.5 If Dedicated Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, Micro-Comm may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case

basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Micro-Comm, BellSouth shall perform the routine network modifications.

6.2.6 Technical Requirements

- 6.2.6.1 The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to Micro-Comm designated traffic.
- 6.2.6.2 For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.
- 6.2.6.3 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
- 6.2.6.3.1 DS0 Equivalent;
- 6.2.6.3.2 DS1;
- 6.2.6.3.3 DS3; and
- 6.2.6.3.4 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 6.2.6.4 BellSouth shall design Dedicated Transport according to its network infrastructure. Micro-Comm shall specify the termination points for Dedicated Transport.
- 6.2.6.5 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.
- 6.2.6.6 BellSouth Technical References:
- 6.2.6.6.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 6.2.6.6.2 TR 73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995.
- 6.2.6.6.3 TR 73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

6.3 Unbundled Channelization (Multiplexing)

Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps)

UNE or collocation cross connect to be multiplexed or channelized at a BellSouth CO. Channelization can be accomplished through the use of a multiplexer or a

digital cross connect system at the discretion of BellSouth. Once UC has been installed, Micro-Comm may request channel activation on an as needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.

- 6.3.2 BellSouth shall make available the following channelization systems and interfaces:
- 6.3.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following COCIs are available: Voice Grade, Digital Data and ISDN.
- DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.3.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.3.2.4 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as an optional feature on DS1 facilities.
- 6.3.3 <u>Technical Requirements</u>
- 6.3.3.1 In order to assure proper operation with BellSouth provided CO multiplexing functionality, Micro-Comm's channelization equipment must adhere strictly to form and protocol standards. Micro-Comm must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 6.3.3.2 TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995

6.4 **Dark Fiber Transport**

- Dark Fiber Transport is strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Micro-Comm to utilize Dark Fiber Transport.
- 6.4.2 If Dark Fiber Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, Micro-Comm may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Micro-Comm, BellSouth shall perform the routine network modifications.

6.4.3 Requirements

- BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.
- 6.4.3.2 Micro-Comm is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.
- 6.4.3.3 BellSouth shall use its best efforts to provide to Micro-Comm information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from Micro-Comm. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.
- 6.4.3.4 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to Micro-Comm within twenty (20) business days after Micro-Comm submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., LGX) to enable Micro-Comm to connect Micro-Comm provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.

7 Databases

- Call Related Databases are the databases set forth in this Attachment, other than OSS, that are used in signaling networks for billing and collection, or the transmission, routing or other provision of a telecommunications service. Notwithstanding anything to the contrary herein, BellSouth shall only provide unbundled access to BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, Line Information Database (LIDB), Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, and Calling Name (CNAM) Database Service at the prices set forth herein where BellSouth is required to provide and is providing unbundled access to local circuit switching to Micro-Comm.
- 7.2 To the extent unbundled local circuit switching is converted to market based switching pursuant to Section 4.2.2 of this Attachment, BellSouth may, at its discretion, provide access to BellSouth SWA 8XX Toll Free Dialing Ten Digit

Screening Service, LIDB, Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, and/or CNAM at market based rates pursuant to a separate agreement or tariff.

8. <u>BellSouth Switched Access 8XX Toll Free Dialing Ten Digit Screening Service</u>

- 8.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (8XX SCP Database) is a SCP that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the SSP or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD Service) utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At Micro-Comm's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by Micro-Comm.
- 8.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

9 Line Information Database

- 9.1 LIDB is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, Micro-Comm must purchase appropriate signaling links pursuant to Section 10 of this Attachment. LIDB contains records associated with End User Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.
- 9.2 <u>Technical Requirements</u>
- 9.2.1 BellSouth will offer to Micro-Comm any additional capabilities that are developed for LIDB during the life of this Agreement.
- 9.2.2 BellSouth shall process Micro-Comm's customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions.

 BellSouth shall indicate to Micro-Comm what additional functions (if any) are performed by LIDB in the BellSouth network.

- 9.2.3 Within two (2) weeks after a request by Micro-Comm, BellSouth shall provide Micro-Comm with a list of the customer data items, which Micro-Comm would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 9.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed thirty (30) minutes per year.
- 9.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed twelve (12) hours per year.
- 9.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than twelve (12) hours per year.
- 9.2.7 All additions, updates and deletions of Micro-Comm data to the LIDB shall be solely at the direction of Micro-Comm. Such direction from Micro-Comm will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 9.2.8 BellSouth shall provide priority updates to LIDB for Micro-Comm data upon Micro-Comm's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 9.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of Micro-Comm customer records will be missing from LIDB, as measured by Micro-Comm audits. BellSouth will audit Micro-Comm records in LIDB against Data Base Administration System (DBAS) to identify record mismatches and provide this data to a designated Micro-Comm contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mismatches to Micro-Comm within one (1) business day of audit. Once reconciled records are received back from Micro-Comm, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact Micro-Comm to negotiate a time frame for the updates, not to exceed three (3) business days.
- 9.2.10 BellSouth shall perform backup and recovery of all of Micro-Comm's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.

- 9.2.11 BellSouth shall provide Micro-Comm with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between Micro-Comm and BellSouth.
- 9.2.12 BellSouth shall prevent any access to or use of Micro-Comm data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by Micro-Comm in writing.
- 9.2.13 BellSouth shall provide Micro-Comm performance of the LIDB Data Screening function, which allows LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by Micro-Comm at least at parity with BellSouth Customer Data. BellSouth shall obtain from Micro-Comm the screening information associated with LIDB Data Screening of Micro-Comm data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to Micro-Comm under the BFR/NBR process.
- 9.2.14 BellSouth shall accept queries to LIDB associated with Micro-Comm customer records and shall return responses in accordance with industry standards.
- 9.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 9.2.16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 9.3 <u>Interface Requirements</u>
- 9.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 9.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 9.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 9.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation (GTT) shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 9.3.5 The application of the LIDB rates contained in Exhibit A to this Attachment will be based on a Percent CLEC LIDB Usage (PCLU) factor. Micro-Comm shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. Micro-Comm shall update its PCLU on the first of January, April, July and

October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

10 Signaling

10.1 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

10.2 <u>Signaling Link Transport</u>

- 10.2.1 Signaling Link Transport is a set of two (2) or four (4) dedicated 56 kbps transmission paths between Micro-Comm designated Signaling Points of Interconnection that provide appropriate physical diversity.
- 10.2.2 Technical Requirements
- 10.2.2.1 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:
- 10.2.2.1.1 As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and
- 10.2.2.1.2 As a "B-link" Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs).
- 10.2.2.2 Signaling Link Transport shall consist of two (2) or more signaling link layers as follows:
- 10.2.2.2.1 An A-link layer shall consist of two (2) links.
- 10.2.2.2.2 A B-link layer shall consist of four (4) links.
- 10.2.2.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
- 10.2.2.3.1 No single failure of facilities or equipment causes the failure of both links in an Alink layer (i.e., the links should be provided on a minimum of two (2) separate physical paths end-to-end); and

- 10.2.2.3.2 No two (2) concurrent failures of facilities or equipment shall cause the failure of all four (4) links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).
- 10.2.3 <u>Interface Requirements</u>
- There shall be a DS1 (1.544 Mbps) interface at Micro-Comm's designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.

10.3 **Signaling Transfer Points**

- 10.3.1 A Signaling Transfer Point (STP) is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPS) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and STPSs.
- 10.3.2 <u>Technical Requirements</u>
- 10.3.2.1 STPs shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. STPs also provide access to third-party local or tandem switching and third-party-provided STPs.
- 10.3.2.2 The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.
- 10.3.2.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a Micro-Comm local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between Micro-Comm local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- 10.3.2.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection Requirements. This includes GTT and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a Micro-Comm or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the

destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a Micro-Comm database, then Micro-Comm agrees to provide BellSouth with the Destination Point Code for Micro-Comm database.

- STPs shall provide all functions of the Operations, Maintenance and Administration Part (OMAP) as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).
- 10.3.2.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a Micro-Comm or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

10.4 SS7 AIN Access

- 10.4.1 When technically feasible and upon request by Micro-Comm, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with Micro-Comm's SS7 network to exchange TCAP queries and responses with a Micro-Comm SCP.
- 10.4.2 SS7 AIN Access shall provide Micro-Comm SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and Micro-Comm SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the Micro-Comm SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.

10.4.3 <u>Interface Requirements</u>

- 10.4.3.1 BellSouth shall provide the following STP options to connect Micro-Comm or Micro-Comm-designated local switching systems to the BellSouth SS7 network:
- 10.4.3.1.1 An A-link interface from Micro-Comm local switching systems; and,
- 10.4.3.1.2 A B-link interface from Micro-Comm local STPs.
- 10.4.3.2 Each type of interface shall be provided by one or more layers of signaling links.

- The Signaling Point of Interconnection (SPOI) for each link shall be located at a cross-connect element in the CO where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 10.4.3.4 BellSouth shall provide intraoffice diversity between the SPOI and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 10.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.

10.4.4 <u>Message Screening</u>

- 10.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from Micro-Comm local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the Micro-Comm switching system has a valid signaling relationship.
- 10.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from Micro-Comm local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the Micro-Comm switching system has a valid signaling relationship.
- BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from Micro-Comm from any signaling point or network interconnected through BellSouth's SS7 network where the Micro-Comm SCP has a valid signaling relationship.

10.5 Service Control Points/Databases

- 10.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application databases and DA.
- A SCP is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. SMSs provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.

- 10.5.3 <u>Technical Requirements for SCPs/Databases</u>
- BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 10.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

10.6 **Local Number Portability Database**

10.6.1 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

10.7 **SS7 Network Interconnection**

- 10.7.1 SS7 Network Interconnection is the interconnection of Micro-Comm local signaling transfer point switches or Micro-Comm local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, Micro-Comm local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- 10.7.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and Micro-Comm or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 10.7.3 If traffic is routed based on dialed or translated digits between a Micro-Comm local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the Micro-Comm local signaling transfer point switches and BellSouth or other third-party local switch.
- 10.7.4 SS7 Network Interconnection shall provide:

- Page 57 10.7.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2; 10.7.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and Signaling Network Management functions, as specified in ANSI T1.111.4. 10.7.4.3 10.7.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a Micro-Comm local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of Micro-Comm local STPs and shall not include SCCP Subsystem Management of the destination. 10.7.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113. 10.7.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114. 10.7.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 10.7.9 **Interface Requirements**
- 10.7.9.1 The following SS7 Network Interconnection interface options are available to connect Micro-Comm or Micro-Comm-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 10.7.9.1.1 A-link interface from Micro-Comm local or tandem switching systems; and 10.7.9.1.2 B-link interface from Micro-Comm STPs.
- 10.7.9.2 The SPOI for each link shall be located at a cross-connect element in the CO where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 10.7.9.3 BellSouth shall provide intraoffice diversity between the SPOI and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 10.7.9.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.

10.7.9.5 BellSouth shall set message screening parameters to accept messages from Micro-Comm local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Micro-Comm switching system has a valid signaling relationship.

11 <u>Automatic Location Identification/Data Management System</u>

The ALI/DMS Database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. Micro-Comm will be required to provide BellSouth daily updates to E911 database. Micro-Comm shall also be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 service to its End Users.

11.2 <u>Technical Requirements</u>

- BellSouth shall provide Micro-Comm the capability of providing updates to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to Micro-Comm after Micro-Comm provides End User information for input into the ALI/DMS database.
- 11.2.2 Micro-Comm shall conform to the National Emergency Number Association (NENA) recommended standards for LNP and updating the ALI/DMS database.

12 Calling Name Database Service

- 12.1 CNAM is the ability to associate a name with the calling party number, allowing the End User (to which a call is being terminated) to view the calling party's name before the call is answered. The calling party's information is accessed by queries launched to the CNAM database. This service also provides Micro-Comm the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- Micro-Comm shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than sixty (60) calendar days prior to Micro-Comm's access to BellSouth's CNAM Database Services and shall be addressed to Micro-Comm's Local Contract Manager.
- 12.3 BellSouth's provision of CNAM Database Services to Micro-Comm requires interconnection from Micro-Comm to BellSouth CNAM SCPs. Such interconnections shall be established pursuant to Attachment 3 of this Agreement.
- 12.4 In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, Micro-Comm shall provide its own CNAM SSP. Micro-Comm's CNAM SSPs

must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".

- 12.5 If Micro-Comm elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that Micro-Comm desires to query.
- 12.6 If Micro-Comm queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway STPs. The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.
- The mechanism to be used by Micro-Comm for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by Micro-Comm in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of Micro-Comm to provide accurate information to BellSouth on a current basis.
- 12.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- Micro-Comm CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.
- 13 <u>Service Creation Environment and Service Management System Advanced</u>
 <u>Intelligent Network Access</u>
- BellSouth's SCE/SMS AIN Access shall provide Micro-Comm the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.

- BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to Micro-Comm. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application.
- 13.3 BellSouth SCP shall partition and protect Micro-Comm service logic and data from unauthorized access.
- When Micro-Comm selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable Micro-Comm to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- 13.5 Micro-Comm access will be provided via remote data connection (e.g., dial-in, ISDN).
- BellSouth shall allow Micro-Comm to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

14 Operational Support Systems

- 14.1 BellSouth has developed and made available electronic interfaces by which Micro-Comm may submit LSRs electronically.
- LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Exhibit A of this Attachment.
- 14.3 <u>Denial/Restoral OSS Charge</u>. In the event Micro-Comm provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 14.4 <u>Cancellation OSS Charge</u>. Micro-Comm will incur an OSS charge for an accepted LSR that is later cancelled.
- Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 14.6 Network Elements and Other Services Manual Additive. The Commissions in some states have ordered per element manual additive NRC charges for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A.

INBUNE	LED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
											Svc	Svc Order	Incrementa	Incremental	Incrementa	Increme
											Order	Submitted		Charge -	I Charge -	I Charg
											Submitte	Manually	Manual	Manual Svc	Manual	Manu
ATEGOR	Y RATE ELEMENTS	Inter		BCS	USOC		RAT	ΓES (\$)			d Elec	per LSR	Svc Order	Order vs.	Svc Order	Svc Or
		m	е					,			per LSR	per Lor	vs.	Electronic-	vs.	vs.
											per LSK		Electronic-	Add'l	Electronic-	
													Electronic-	Addi	Electronic-	Electro
						_	Nonrec	urring	NRC Disc	onnect			ÖSS	Rates (\$)	1 11166 16+	I I II E A
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOM
The	"Zone" shown in the sections for stand-alone loops or loops as part	of a co	ombir	nation refers to Geog	raphically De	eaveraged UNE Z	ones. To vie	w Geograp	hically Deav	veraged L	NE Zone D	esignation	s by Central	Office, refer	to internet W	Vebsite:
	//www.interconnection.bellsouth.com/become_a_clec/html/interconn				.,											
	NAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"		T													
NOT	E: (1) CLEC should contact its contract negotiator if it prefers the "sta	ate sp	ecific	" OSS charges as ord	ered by the	State Commissio	ns. The OSS	charges c	urrently cor	ntained in	this exhib	it are the B	ellSouth "re	gional" servi	ce orderina d	charges
	C may elect either the state specific Commission ordered rates for the															
	connection contract established in each of the 9 states.				,,				,							
	E: (2) Any element that can be ordered electronically will be billed ac	cordi	na to	the SOMEC rate liste	d in this cate	enory Please ref	er to BellSou	ith's Local	Ordering Ha	andhook	(LOH) to de	etermine if a	nroduct ca	n he ordered	electronical	ly For
	e elements that cannot be ordered electronically at present per the L															
	ual ordering charge, SOMAN, will be applied to a CLECs bill when it :				s category re	niecis ine charge	tilat would t	be billed to	a CLLC OII	e electro	ilic orderii	ig capabiliti	ies conie on	-inte ioi tilat	elelilelli. Oli	iiei wise
man		เลยเเมี	is an	LON TO DEFISOURIT.	SOMEC	1	2 50	0.00	2 50	0.00		1				1
-	OSS-Electronic Service Order Charge, Per LSR-UNE Only		1-	1			3.50						 	 	 	
IE CEC	OSS-Manual Service Order Charge, Per LSR-UNE Only	-	+	 	SOMAN		15.66	0.00	1.97	0.00			1	1	1	1
	ICE DATE ADVANCEMENT CHARGE		FCC	No 4 Tariff Cont		1.			1					1	1	<u> </u>
NOI	E: The Expedite charge will be maintained commensurate with BellS	outn's	FCC	No.1 Tariff, Section	as applicat	oie.										
				UAL, UEANL, UCL,												
				UEF, UDF, UEQ,												
				UDL, UENTW, UDN,												
				UEA, UHL, ULC,												
				USL, U1T12, U1T48,												
				U1TD1, U1TD3,												
				U1TDX, U1TO3,												
				U1TS1, U1TVX,												
				UC1BC, UC1BL,												
				UC1CC, UC1CL,												
				UC1DC, UC1DL,												
				UC1EC, UC1EL,												
				UC1FC, UC1FL,												
				UC1GC, UC1GL,												
				UC1HC, UC1HL,												
				UDL12, UDL48,												
				UDLO3, UDLSX,												
				UE3, ULD12,												
				ULD48, ULDD1,												
				ULDD3, ULDDX,												
				ULDO3, ULDS1,												
				ULDVX, UNC1X,												
				UNC3X, UNCDX,												
				UNCNX, UNCSX,												
				UNCVX, UNLD1,												
				UNLD3, UXTD1,												
				UXTD3, UXTS1,												
				U1TUC, U1TUD,												
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day	<u> </u>	1	U1TUB, U1TUA	SDASP		200.00									ļ
	ED EXCHANGE ACCESS LOOP	<u> </u>	1													ļ
2-W	RE ANALOG VOICE GRADE LOOP	<u> </u>	₩.													ļ
	2W Analog VG Loop-SL1-Zone 1	<u> </u>	1	UEANL	UEAL2	12.58	37.81	17.56	23.49	5.30						<u> </u>
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEAL2	21.05	37.81	17.56		5.30			1	1	1	
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEAL2	34.34	37.81	17.56		5.30						
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEASL	12.58	37.81	17.56	23.49	5.30						
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEASL	21.05	37.81	17.56		5.30						
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEASL	34.34	37.81	17.56		5.30						
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83								
_	Loop Testing-Basic 1st Half Hour		1	UEANL	URET1		34.16	34.16					1	1	1	1
	Loop Testing-Basic Add'l Half Hour		1	UEANL	URETA		19.85	19.85	1				1	1	1	!
\neg			+			ļ			 		 	1	1	ļ	ļ	+
	CLEC to CLEC Conversion Charge w/o Outside Dispettle (LN/L CL4)															
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1)			UEANL	UREWO		15.78	8.94								
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1) Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information-E.I.)			UEANL	UREWO		15.78	8.94								

ONRONDE	ED NETWORK ELEMENTS - Alabama													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic- Add'l	I Charge - Manual Svc Order vs.	I Charge Manual
						Rec	Nonrec		NRC Disc					Rates (\$)		
	0-10		\vdash	LIEANII	OCOSL		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
O MUD	Order Coordination for Specified Conversion Time for UVL-SL1 (per E Unbundled COPPER LOOP		+	UEANL	OCOSL		18.09		+							
Z-WIR			1	UEQ	UEQ2X	11.20	34.14	45.40	24.25	4.45						
	2W Unbundled Copper Loop-Non-Designed Zone 1 2W Unbundled Copper Loop-Non-Designed-Zone 2	H	2	UEQ	UEQ2X UEQ2X	13.27	34.14	15.10 15.10		4.15 4.15						
	2W Unbundled Copper Loop-Non-Designed-Zone 3		3	UEQ	UEQ2X	15.07	34.14			4.15						
	Unbundled Misc Rate Element, Tag Loop at End User Premise		3	UEQ	URETL	15.07	8.33	15.10 0.83		4.15						+
	Manual Order Coordination 2W Unbundled Copper Loop-Non-		+	UEQ	UKEIL		0.33	0.03	1			1				+
	Designed (per loop)			UEQ	USBMC		8.15									
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST		+	UEQ	USBIVIC		0.13									+
	providing make-up (Engineering Information-E.I.)			UEQ	UEQMU		13.44									
	Loop Testing-Basic 1st Half Hour		+ +	UEQ	URET1		34.16	34.16								+
	Loop Testing-Basic 1st Hall Hour			UEQ	URETA		19.85	19.85			1					+
-	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-ND)		+	UEQ	UREWO		14.27	7.43								+
UNBUNDI FI	D EXCHANGE ACCESS LOOP			OLQ	OILLIVO		17.27	7.40	-		1					+
	E ANALOG VOICE GRADE LOOP								-		1					+
2-7711	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	12.58	37.81	17.56	23.49	5.30						+
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEABS	12.58	37.81	17.56		5.30						
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	21.05	37.81	17.56		5.30						+
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS	21.05	37.81	17.56		5.30						+
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEALS	34.34	37.81	17.56		5.30						+
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEABS	34.34	37.81	17.56		5.30						
UNBUNDI FI	D EXCHANGE ACCESS LOOP		Ť	02. 0 02. 02	02,100	0	01.01	11.00	20.10	0.00						1
	E ANALOG VOICE GRADE LOOP				1				1							
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		1	UEA	UEAL2	14.38	88.00	55.00	47.24	7.44						
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2		2	UEA	UEAL2	22.85	88.00	55.00		7.44						
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA	UEAL2	36.14	88.00	55.00		7.44						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.09									1
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 1		1	UEA	UEAR2	14.38	88.00	55.00	47.24	7.44						1
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 2		2	UEA	UEAR2	22.85	88.00	55.00	47.24	7.44						
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 3		3	UEA	UEAR2	36.14	88.00	55.00	47.24	7.44						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.09									1
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.72	36.36								
	Loop Tagging-SL2 (SL2)			UEA	URETL		11.21	1.10								
4-WIR	E ANALOG VOICE GRADE LOOP															
	4W Analog VG Loop-Zone 1		1	UEA	UEAL4	25.34	131.97	94.51	59.14	14.50						
	4W Analog VG Loop-Zone 2		2	UEA	UEAL4	38.58	131.97	94.51		14.50						
	4W Analog VG Loop-Zone 3		3	UEA	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.09									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.72	36.36								
2-WIR	E ISDN DIGITAL GRADE LOOP															
	2W ISDN Digital Grade Loop-Zone 1		1	UDN	U1L2X	21.88	117.24	79.77		10.54						
	2W ISDN Digital Grade Loop-Zone 2		2	UDN	U1L2X	32.85	117.24	79.77		10.54						
	2W ISDN Digital Grade Loop-Zone 3		3	UDN	U1L2X	48.55	117.24	79.77	52.88	10.54						
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18.09									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO		91.63	44.16								
2-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIB	LE LO	OP													
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-		l . l													
	Zone 1		1	UAL	UAL2X	11.01	110.00	68.00	47.24	7.44						
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-	1				40 ==			1				I			
	Zone 2	<u> </u>	2	UAL	UAL2X	12.73	110.00	68.00	47.24	7.44	<u> </u>					
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-								4= 04	l						
	Zone 3		3	UAL	UAL2X	14.30	110.00	68.00	47.24	7.44			-		-	
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>		UAL	OCOSL	44.01	18.09	F7.00	47.01	7.11	<u> </u>					
	2W Unbundled ADSL Loop w/o man! svc inq & facility reservaton-Zone	<u> </u>	1	UAL	UAL2W	11.01	90.00	57.00		7.44	ļ			1		+
	2W Unbundled ADSL Loop w/o man! svc inq & facility reservator-Zone		2	UAL UAL	UAL2W	12.73	90.00	57.00		7.44	<u> </u>	-	1	1	1	+
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone Order Coordination for Specified Conversion Time (per LSR)		3	UAL	UAL2W	14.30	90.00	57.00	47.24	7.44	<u> </u>		 	-	-	
		ı	1 1	UAL	OCOSL		18.09	1	1	I	1		1	1		1
	CLEC to CLEC Conversion Charge w/o outside dispatch		1	UAL	UREWO	1	86.20	40.40			1					

EXHIBIT 1

INBOND	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
											Svc	Svc Order	Incrementa	Incremental	Incrementa	Incremen
											Order	Submitted	I Charge -	Charge -	I Charge -	I Charge
		Interi	Zon								Submitte	Manually	Manual	Manual Svc	Manual	Manual
ATEGORY	RATE ELEMENTS		e	BCS	USOC		RAT	ΓES (\$)			d Elec	per LSR	Svc Order	Order vs.	Svc Order	Svc Orde
		m	е								per LSR	po. 20.1	vs.	Electronic-	vs.	vs.
											po. zo.t		Electronic-	Add'I	Electronic-	
													104	Auu	Dice 1et	Diec Add
						Dan	Nonrec	urring	NRC Disc	onnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-															
	Zone 1		1	UHL	UHL2X	8.74	110.00	68.00	47.24	7.44						i
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-															
	Zone 2		2	UHL	UHL2X	10.17	110.00	68.00	47.24	7.44						l
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-															
	Zone 3		3	UHL	UHL2X	11.44	110.00	68.00	47.24	7.44						l
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-															
	Zone 1		1	UHL	UHL2W	8.74	90.00	57.00	47.24	7.44						l
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-															
	Zone 2		2	UHL	UHL2W	10.17	90.00	57.00	47.24	7.44						l
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-															
	Zone 3		3	UHL	UHL2W	11.44	90.00	57.00	47.24	7.44						i
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.14	40.40								
4-WIF	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE	E LOO	P													
	4W Unbundled HDSL Loop including man! svc ing and facility															
	reservation-Zone 1		1	UHL	UHL4X	13.95	148.36	68.00	51.70	9.73						l
	4W Unbundled HDSL Loop including man! svc inq and facility															
	reservation-Zone 2		2	UHL	UHL4X	15.56	148.36	68.00	51.70	9.73						l
	4W Unbundled HDSL Loop including man! svc ing and facility															
	reservation-Zone 3		3	UHL	UHL4X	15.25	148.36	68.00	51.70	9.73						l
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									
	4W Unbundled HDSL Loop w/o manl svc ing and facility reservation-															
	Zone 1		1	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73						l
	4W Unbundled HDSL Loop w/o manl svc ing and facility reservation-															
	Zone 2		2	UHL	UHL4W	15.56	94.00	57.00	51.70	9.73						l
	4W Unbundled HDSL Loop w/o manl svc ing and facility reservation-															
	Zone 3		3	UHL	UHL4W	15.25	94.00	57.00	51.70	9.73						l
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.14	40.40								
4-WIF	E DS1 DIGITAL LOOP															
	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	82.55	252.47	157.54	44.70	11.71						
	4W DS1 Digital Loop-Zone 2		2	USL	USLXX	154.18	252.47	157.54	44.70	11.71						
	4W DS1 Digital Loop-Zone 3		3	USL	USLXX	314.52	252.47	157.54	44.70	11.71						
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		18.09									
	CLEC to CLEC Conversion Charge w/o outside dispatch			USL	UREWO		101.09	43.05								
4-WIF	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	26.09	126.27	88.80	59.14	14.50						
	4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	35.95	126.27	88.80	59.14	14.50						1
	4W Unbundled Digital 19.2 Kbps		3	UDL	UDL19	37.88	126.27	88.80	59.14	14.50						
	4W Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	26.09	126.27	88.80	59.14	14.50						
	4W Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	35.95	126.27	88.80	59.14	14.50						
	4W Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL	UDL56	37.88	126.27	88.80	59.14	14.50						1
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.09									
	4W Unbundled Digital Loop 64 Kbps-Zone 1		1	UDL	UDL64	26.09	126.27	88.80	59.14	14.50						
	4W Unbundled Digital Loop 64 Kbps-Zone 2		2	UDL	UDL64	35.95	126.27	88.80	59.14	14.50						
	4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL	UDL64	37.88	126.27	88.80	59.14	14.50						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.09								İ	
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	UREWO		102.13	49.75	İ						İ	

JNBUNDL	ED NETWORK ELEMENTS - Alabama											•		ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	i Zon e	BCS	USOC			ΓES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic- Add'l	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.
						Rec	Nonrec		NRC Disc					Rates (\$)	•	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIR	E Unbundled COPPER LOOP															<u> </u>
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 1		1	UCL	UCLPB	11.01	112.46	65.30	47.24	7.44						
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 2		2	UCL	UCLPB	12.73	112.46	65.30	47.24	7.44						
	2W Unbundled Copper Loop-Designed including manl svc inq & facility															
	reservation-Zone 3		3	UCL	UCLPB	14.30	112.46	65.30	47.24	7.44						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 1	ı	1	UCL	UCLPW	11.01	91.46	54.30	47.24	7.44						
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 2		2	UCL			91.46			7.44						
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility	- 1		UCL	UCLPW	12.73	91.46	54.30	47.24	7.44						-
	reservation-Zone 3		3	UCL	UCLPW	14.30	91.46	54.30	47.24	7.44						
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	14.30	8.15	8.15		7.44						
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-D)			UCL	UREWO		97.23	42.48								-
4-WIR	E COPPER LOOP			001	OKEWO		07.20	42.40								
1	4W Copper Loop-Designed including manI svc ing and facility															1
	reservation-Zone 1		1	UCL	UCL4S	17.36	135.21	88.05	51.70	9.73						
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 2		2	UCL	UCL4S	20.76	135.21	88.05	51.70	9.73						
	4W Copper Loop-Designed including manl svc inq and facility		3	UCL	UCL4S	28.21	135.21	88.05	51.70	9.73						
_	reservation-Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	28.21	8.15	8.15		9.73						
	4W Copper Loop-Designed w/o man! svc inq and facility reservation-			UCL	OCLIVIC		0.13	0.13	1							
	Zone 1		1	UCL	UCL4W	17.36	114.21	67.05	51.70	9.73						
	4W Copper Loop-Designed w/o man! svc inq and facility reservation-															
	Zone 2	-	2	UCL	UCL4W	20.76	114.21	67.05	51.70	9.73						1
	4W Copper Loop-Designed w/o manl svc inq and facility reservation- Zone 3	ı	3	UCL	UCL4W	28.21	114.21	67.05	51.70	9.73						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
	CLEC to CLEC conversion Charge w/o outside dispatch			UCL	UREWO		97.23	42.48								
OP MODI	FICATION															
	Unbundled Loop Modification, Removal of Load Coils-2W pr less than or equal to 18k ft. per Unbundled Loop	I		UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00								
	Unbundled Loop Modification Removal of Load Coils-4W less than or equal to 18K ft, per Unbundled Loop	1		UHL, UCL, UEA	ULM4L		0.00	0.00								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop	1		UAL, UHL, UCL, UEQ,ULS,UEA, UEANL, UEPSR, UEPSB	ULMBT		32.41	32.41								
B-LOOPS																
Sub-L	oop Distribution															
	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up	-		UEANL	USBSA		244.42									
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up	ı		UEANL	USBSB		22.64									ļ
	Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up	<u> </u>		UEANL	USBSC		177.45				ļ					
	Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up	-	+_	UEANL	USBSD	11.01	55.15	00.00	45.05	0.70				1		.
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1		1	UEANL	USBN2	11.21	65.80	30.96		6.70	1			1		
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2 Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3		3	UEANL UEANL	USBN2 USBN2	11.94 16.86	65.80 65.80	30.96 30.96		6.70	-			-		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr		3	UEANL	USBMC	10.86	8.15	30.96 8.15	40.20	0.70	-			 		₩
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1		1	UEANL	USBN4	8.46	79.03	44.19	49.71	9.07	-			 		├──
-	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1		2	UEANL	USBN4	16.67	79.03	44.19		9.07				t		
_	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2		3	UEANL	USBN4	32.57	79.03	44.19		9.07	 			t		+
+	Order Coordination for Unbundled Sub-Loops, per sub-loop pr		-	UEANL	USBMC	52.51	8.15	8.15	-70.11	3.01	t	1		I		
_	Sub-Loop 2W Intrabuilding Network Cable (INC)		1	UEANL	USBR2	2.27	53.01	18.17	45.25	6.70				-		\vdash
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr	'		UEANL	USBMC	2.21	8.15	8.15		3.10	 	l .	 	1		

UNBUN	IDLF	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ibit: A
CATEGO		RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Incrementa	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incrementa I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs.
														104		Dice 1ct	Electronic-
							Rec	Nonrec		NRC Disco					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Sub-Loop 4W Intrabuilding Network Cable (INC)	ı		UEANL	USBR4	5.16	59.25	24.41		9.07						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		8.15	8.15								
		.oop Testing-Basic 1st Half Hour .oop Testing-Basic Add'l Half Hour			UEANL UEANL	URET1 URETA		34.16 19.85	34.16 19.85								<u> </u>
-		W Copper Unbundled Sub-Loop Distribution-Zone 1		1	UEF	UCS2X	6.22	65.80	30.96		6.70						
		W Copper Unbundled Sub-Loop Distribution-Zone 2		2	UEF	UCS2X	8.76	65.80	30.96		6.70						
		W Copper Unbundled Sub-Loop Distribution-Zone 3		3	UEF	UCS2X	11.27	65.80	30.96		6.70						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		8.15	8.15								
	4	W Copper Unbundled Sub-Loop Distribution-Zone 1		1	UEF	UCS4X	6.11	79.03	44.19	49.71	9.07						
		W Copper Unbundled Sub-Loop Distribution-Zone 2		2	UEF	UCS4X	12.61	79.03	44.19		9.07						
		W Copper Unbundled Sub-Loop Distribution-Zone 3		3	UEF	UCS4X	15.36	79.03	44.19		9.07						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pr		<u> </u>	UEF	USBMC		8.15	8.15								
		oop Testing-Basic 1st Half Hour		<u> </u>	UEF	URET1		34.16	34.16			ļ					-
11		.oop Testing-Basic Add'l Half Hour		1	UEF	URETA		19.85	19.85			-			 		
Ur		Aled Network Terminating Wire (UNTW) Jinbundled Network Terminating Wire (UNTW) per pr		!	UENTW	UENPP	0.40	30.01		 							
Ne		k Interface Device (NID)			OLIVIV	OLINEE	0.40	30.01		+							
140		Network Interface Device (NID)-1-2 lines			UENTW	UND12		43.23	28.38	+							
		Network Interface Device (NID)-1-6 lines			UENTW	UND16		63.97	49.11								
		Network Interface Device Cross Connect-2 W			UENTW	UNDC2		5.87	5.87								
	١	Network Interface Device Cross Connect-4W			UENTW	UNDC4		5.87	5.87								
UNE OTI	IER,	PROVISIONING ONLY - NO RATE															
		IID-Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	l	JNTW Circuit Id Establishment, Provisioning Only-No Rate			UENTW	UENCE	0.00	0.00									
					UEANL,UEF,UEQ,U												
LINE OT		Unbundled Contract Name, Provisioning Only-No Rate			ENTW	UNECN	0.00	0.00		1							
UNE OT	IEK,	PROVISIONING ONLY - NO RATE			UAL,UCL,UDC,UDL,					+							<u> </u>
	l,	Inbundled Contact Name, Provisioning Only-no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
		Inbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00		+							
		Inbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Inbundled DS1 Loop-Superframe Format Option-no rate			USL	CCOSF	0.00	0.00									
		Inbundled DS1 Loop-Expanded Superframe Format option-no rate			USL	CCOEF	0.00	0.00									
HIGH CA	PAC	TY UNBUNDLED LOCAL LOOP															
		ligh Capacity Unbundled Local Loop-DS3-Per mi per mo			UE3	1L5ND	8.38										
		ligh Capacity Unbundled Local Loop-DS3-Facility Term per mo			UE3	UE3PX	308.98	451.52	263.94	119.49	83.58						
		High Capacity Unbundled Local Loop-STS-1-Per mi per mo			UDLSX	1L5ND	8.38										
LOOP M		ligh Capacity Unbundled Local Loop-STS-1-Facility Term per mo			UDLSX	UDLS1	319.83	451.52	263.94	119.49	83.58						
LOOP IVI		oop Makeup-Preordering w/o Reservation, per working or spare facility								+							
		jueried (Manual).			UMK	UMKLW		20.00	20.00								
		oop Makeup-Preordering With Reservation, per spare facility queried			0.7113	O (EV)		20.00	20.00								<u> </u>
		Manual).			UMK	UMKLP		21.00	21.00								
	Ì	oop MakeupWith or w/o Reservation, per working or spare facility															
		ueried (Mechanized)			UMK	UMKMQ		0.59	0.59								
		G AND LINE SPLITTING															
		: The Line Sharing monthly recurring rates for all installations con				rough midr	ight October 01,	2004 shall b	e billed as	follows:							<u> </u>
		: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled copper	loop r	non-d	esigned ("UCLND")				1			ļ					<u> </u>
		: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND : 10/02/2005 – 10/01/2006: 75% of the rate for UCLND		1					1	1		1	1				
		: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND : Above will apply to USOCS: ULSDT and ULSCT		 					 			 					
NC **B	UOTE	2: The Line Sharing monthly recurring rates with USOCs ULSDC a	nd III	SCC	annlies only to circui	te inetallad	and inservice on	or hefore Or	rtoher 1 20	103		1	1				
		2. The Line Sharing mondiny recurring rates with 0500s 01500 a	a UL	1	applies only to circul	mataneu	and most vice on	or perote Of	J. J. J. J. J. J. J. J. J. J. J. J. J. J	,,,,							
		ERS-CENTRAL OFFICE BASED		†													†
- 1		ine Sharing Splitter, per System 96 Line Capacity		1	ULS	ULSDA	155.97	188.79	0.00	177.98	0.00				İ		†
		ine Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	38.99	188.79	0.00		0.00						1
	L	ine Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	12.73	377.58	0.00	355.96	0.00						
ı T		ine Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation															
	(per LSOD)			ULS	ULSDG		86.47	0.00	49.84	0.00]

<u>UNBU</u>	NDLI	ED NETWORK ELEMENTS - Alabama													ment: 2	Exhi	bit: A
CATEGO	ORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	I Charge -	I Charge - Manual Svc Order vs.
							Rec	Nonrec		NRC Disc				OSS	Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
E		SER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
		Line Sharing -per Line Activation (BST Owned splitter)-OBSOLETE see															
		*NOTE 2			ULS	ULSDC	0.61	18.51	10.60	10.01	4.92						
		Line Share Service, TRO per line activation, BST owned splitter-CO															
		Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS	ULSDT	2.80	18.51	10.60	10.01	4.92						
		Line Share Service, TRO per line activation, BST owned splitter-CO				LUODT	5.00	40.54	40.00	40.04	4.00						
		Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter-CO			ULS	ULSDT	5.60	18.51	10.60	10.01	4.92						
		Line Share Service, TRO per line activation, BST owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	8.40	18.51	10.60	10.01	4.92						
		Line Sharing-per Subsgnt Activity per Line Rearrangement(BST Owned			ULS	ULSDT	0.40	10.01	10.60	10.01	4.92						
		Line Snaring-per Subsqnt Activity per Line Rearrangement(BST Owned Splitter			ULS	ULSDS		16.39	8.19								
		ine Sharing-per Subsqnt Activity per Line Rearrangement(DLEC			ULS	ULSDS		16.39	8.19								
		Owned Splitter			ULS	ULSCS		16.39	8.19								
		Line Sharing-per Line Activation (DLEC owned Splitter)-OBSOLETE			ULS	ULGCG		10.39	0.19			 			-		ļ
		tine Snaring-per Line Activation (DLEC owned Splitter)-OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.02	9.83		1	l	I		
		Line Share Service, TRO per line activation, CLEC owned splitter-CO		-	ULS	ULSCC	0.01	47.44	19.31	20.02	9.03						
		Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.80	47.44	19.31	20.02	9.83						
		Line Share Service, TRO per line activation, CLEC owned splitter-CO			ULS	ULSCI	2.00	47.44	19.31	20.02	9.03	 			-		ļ
		Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.60	47.44	19.31	20.02	9.83						
-		Line Share Service, TRO per line activation, CLEC owned splitter-CO			ULS	ULSCI	3.00	47.44	19.31	20.02	9.03	 			-		ļ
		Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	8.40	47.44	19.31	20.02	9.83						
		PLITTING		-	ULS	ULSCI	0.40	47.44	19.31	20.02	9.03						
		SER ORDERING-CENTRAL OFFICE BASED															-
		ine Splitting-per line activation DLEC owned splitter		-	UEPSR UEPSB	UREOS	0.61										1
		Line Splitting-per line activation BST owned-physical			UEPSR UEPSB	UREBP	0.61	37.01	21.19	20.02	9.83						
		Line Splitting-per line activation BST owned-virtual		-	UEPSR UEPSB	UREBV	0.61	37.01	21.19	20.02	9.83						
м		ENANCE			OLF SK OLF SB	UKLBV	0.01	37.01	21.19	20.02	9.03						
IVI		No Trouble Found-per 1/2 hour increments-Basic		-				80.00	55.00								1
		No Trouble Found-per 1/2 hour increments-Dasic						120.00	82.50								
		No Trouble Found-per 1/2 hour increments-Overtime						160.00	110.00								
NRIINI		DEDICATED TRANSPORT						100.00	110.00								
		OFFICE CHANNEL - DEDICATED TRANSPORT															
		nteroffice Channel-Dedicated Transport-2W VG-Per mi per mo			U1TVX	1L5XX	0.008838										
		nteroffice Channel-Dedicated Transport-2W VG-Facility Term			U1TVX	U1TV2	21.13	40.54	27.41	16.74	6.90	-			-		-
		nteroffice Channel-Dedicated Transport-2W VG Rev Bat-Per mi per mo			U1TVX	1L5XX	0.008838	10.01	2		0.00						
		nteroffice Channel-Dedicated Transport-2W VG Rev Bat-Facility Term			U1TVX	U1TR2	21.13	40.54	27.41	16.74	6.90						
		nteroffice Channel -Dedicated Transport-4W VG-Per mi per mo			U1TVX	1L5XX	0.008838	10.01	27		0.00						
		nteroffice Channel -Dedicated Transport-4W VG-Facility Term			U1TVX	U1TV4	18.73	40.54	27.41	16.74	6.90						
		nteroffice Channel-Dedicated Transport-56 kbps-per mi per mo			U1TDX	1L5XX	0.008838			1	2.30			1	1		
		nteroffice Channel-Dedicated Transport-56 kbps-Facility Term			U1TDX	U1TD5	15.12	40.54	27.41	16.74	6.90			İ	İ	İ	
		nteroffice Channel-Dedicated Transport-64 kbps-per mi per mo			U1TDX	1L5XX	0.008838			1				İ	1	İ	
t		nteroffice Channel-Dedicated Transport-64 kbps-Facility Term			U1TDX	U1TD6	15.12	40.54	27.41	16.74	6.90	1					1
		nteroffice Channel-Dedicated Channel-DS1-Per mi per mo			U1TD1	1L5XX	0.18										
		nteroffice Channel-Dedicated Tranport-DS1-Facility Term			U1TD1	U1TF1	60.16	89.27	81.81	16.35	14.44					1	
		nteroffice Channel -Dedicated Transport-DS3-Per mi per mo			U1TD3	1L5XX	4.09									1	
		nteroffice Channel-Dedicated Transport-DS3-Facility Term per mo			U1TD3	U1TF3	703.52	278.75	162.76	60.20	28.46						
		nteroffice Channel-Dedicated Transport-STS-1-Per mi per mo			U1TS1	1L5XX	4.09										
		nteroffice Channel-Dedicated Transport-STS-1-Facility Term			U1TS1	U1TFS	701.37	278.75	162.76	60.20	28.46						
ARK F	IBER																
		Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per															
		no-Interoffice Channel			UDF, UDFCX	1L5DF	23.29										
		NRC Dark Fiber-Interoffice Channel			UDF, UDFCX	UDF14		639.09	137.87	317.06	197.66						
		Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per					İ										
l		no-Local Loop			UDF, UDFCX	1L5DL	60.32		<u> </u>			<u></u>	<u></u>	<u> </u>	<u> </u>	<u> </u>	<u></u>
		NRC Dark Fiber-Local Loop			UDF, UDFCX	UDFL4		639.09	137.87	317.06	197.66						
(X AC		TEN DIGIT SCREENING															
		BXX Access Ten Digit Screening, Per Call			OHD		0.00056										
		3XX Access Ten Digit Screening, Reservation Charge Per 8XX No															
	- 1.	Reserved			OHD	N8R1X		2.58	0.44				l			l	I

EXHIBIT 1

UNBUNDL	LED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
											Svc	Svc Order	Incrementa	Incremental	Incrementa	Incrementa
											Order	Submitted	I Charge -	Charge -	I Charge -	I Charge -
												Manually		Manual Svc		Manual
CATEGORY	RATE ELEMENTS	Interi		BCS	USOC		RAT	ΓES (\$)			d Elec	per LSR		Order vs.	Svc Order	
		m	е					(+/			per LSR	per LSK		Electronic-	vs.	
											per LSR		vs.			vs.
													Electronic-	Add'l	Electronic-	Electronic-
							Nonrec	urring	NRC Disc	onnect			OSS	Rates (\$)	Dicc 1ct	Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS															
	Translations			OHD			5.94	0.81	4.57	0.54						
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS															
	Translations			OHD	N8FTX		5.94	0.81	4.57	0.54						
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX			0.15	110: 171		0.01	0.01		0.0.	1	1		1		-
	No			OHD	N8FCX		2.58	1.29								
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per			0.15	1101 071		2.00	1.20								
	CXR Requested Per 8XX No.			OHD	N8FMX		3.02	1.73								
	8XX Access Ten Digit Screening, Change Charge Per Request		1	OHD	N8FAX		3.02	0.44								
	8XX Access Ten Digit Screening, Call Handling and Destination			OHD	N8FDX		2.58	0.44			1					
	8XX Access Ten Digit Screening, Call Handling and Destination			OHD	NOLDY	0.000565	2.30			 	†				 	
	8XX Access Ten Digit Screening, w/POTS No. Delivery			OHD		0.000565					1					
INE INFOR	MATION DATA BASE ACCESS (LIDB)			OHD		0.000303										
LINE IN OIL	LIDB Common Transport Per Query			OQT		0.00002										
	LIDB Validation Per Query			OQU		0.012002										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX	0.012002	34.32		42.08							
SIGNALING				OQ1, OQU	NINDEX		34.32		42.00							
SIGNALING	CCS7 Signaling Connection, Per 56Kbps Facility				ļ	15.46	35.53	35.53	16.44	16.44	+	-		-		-
	CCS7 Signaling Connection, Fer Sortops Facility CCS7 Signaling Term, Per STP Port			UDB	PT8SX	130.83	33.33	33.33	10.44	10.44						
	CCS7 Signaling Term, Fel 31F Fort			UDB	F 100A	0.0000142			-		+	-		-		-
	CCS7 Signaling Usage, Per CAII Setup Message			UDB	ļ	0.0000142			-		+	-		-		-
	CCS7 Signaling Osage, Per TCAP Message CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	15.46	35.53	35.53	16.44	16.44	+	-		-		-
	CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	15.46	35.53	35.53		16.44						
	CCS7 Signaling Connection, Per link (B link) (also known as D link) CCS7 Signaling Usage, Per ISUP Message			UDB	IPP++	0.0000142	35.53	35.53	16.44	16.44						
	CCS7 Signaling Usage, Per ISOP Message CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	650.33										
	CCS7 Signaling Usage Surrogate, per link per LATA CCS7 Signaling Point Code, per Originating Point Code Establishment			UDB	51056	650.33										
	or Change, per STP affected			UDB	CCAPO		29.01	29.01	35.57	35.57						
E911 SERVI				UDB	CCAPO		29.01	29.01	35.57	33.37						
E911 SEKVI	Local Channel-Dedicated-2W VG					13.97	193.10	33.17	36.64	3.20						
	Interoffice Transport-Dedicated-2W VG Per mi					0.008838	193.10	33.17	30.04	3.20						
	Interoffice Transport-Dedicated-2W VG Per mi					21.13	40.54	27.41	16.74	6.90						
	Local Channel-Dedicated-DS1-Zone 1					35.76	177.47	153.72	22.19	15.26						
	Local Channel-Dedicated-DS1-Zone 1					49.98	177.47	153.72		15.26						
	Local Channel-Dedicated-DS1-Zone 2					107.63	177.47	153.72		15.26						
							177.47	153.72	22.19	15.26						
	Interoffice Transport-Dedicated-DS1 Per mi					0.18 60.16	89.27	81.81	16.35	14.44						
0411100	Interoffice Transport-Dedicated-DS1 Per Facility Term					60.16	89.27	81.81	16.35	14.44						
CALLING N	AME (CNAM) SERVICE			001/			00.05		04.44							
	CNAM For DB Owners-Service Establishment			OQV			22.95		21.11							
	CNAM For Non DB Owners-Service Establishment		1	OQV	1		22.95		21.11		<u> </u>	1		1		
	CNAM For DB Owners-Service Provisioning With Point Code			001/												
	Establishment	<u> </u>	1	OQV	1		990.88	732.84	268.93	197.74	1	1	ļ	1	1	1
	CNAM For Non DB Owners-Service Provisioning With Point Code			001/			242.00	045.44	075.05	407.74					1	
	Establishment		1	OQV	1	0.000000	342.33	245.14	275.25	197.74	<u> </u>	1		1		
	CNAM for DB Owners, Per Query		1	OQV	1	0.000902					<u> </u>	1		1		
DEL FOTILIE	CNAM for Non DB Owners, Per Query		1	OQV	1	0.000902					<u> </u>	1		1		
SELECTIVE		<u> </u>	1		1		04.70	04.70	4444	44.44	1	1	ļ	1	1	1
1	Selective Routing Per Unique Line Class Code Per Request Per Switch		1		1		84.70	84.70	14.11	14.11		<u> </u>				
VIRTUAL CO																

ONRONDL	ED NETWORK ELEMENTS - Alabama					1								ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			TES (\$)			Svc Order Submitte d Elec per LSR	Submitted	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	I Charge -	I Charge Manual Svc Orde vs.
						Rec	Nonrec		NRC Disc					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	OLLOCATION															
	Physical Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.03	12.30	11.80	6.03	5.44						
	IVE CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		101,098.91		8,590.70							
	End Office Establishment			SRC	SRCEO		169.88	169.88	1.70	1.70						
	Query NRC, per query			SRC		0.002749										
	OUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service-Service Establishment, Per State, Initial Setup	1		A1N	CAMSE		39.44	39.44	40.69	40.69						
	AIN SMS Access Service-Port Connection-Dial/Shared Access			A1N	CAMDP		7.83	7.83	9.09	9.09						
	AIN SMS Access Service-Port Connection-ISDN Access			A1N	CAM1P		7.83	7.83	9.09	9.09						
	AIN SMS Access Service-User Identification Codes-Per User ID Code			A1N	CAMAU		35.00	35.00	27.06	27.06						
	AIN SMS Access Service-Security Card, Per User ID Code, Initial or															
	Replacement			A1N	CAMRC		41.88	41.88	11.71	11.71						
	AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)					0.002188										
	AIN SMS Access Service-Session, Per min					0.59										
	AIN SMS Access Service-Company Performed Session, Per min					0.73										
	OUTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service-Service Establishment Charge, Per State, Initial			CAM	BAPSC		39.44	39.44	40.69	40.69						
	AIN Toolkit Service-Training Session, Per Customer				BAPVX		4,202.17	4,202.17								
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term.															
	Attempt				BAPTT		7.83	7.83	9.09	9.09						
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-															
	Hook Delay				BAPTD		7.83	7.83	9.09	9.09						
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-															
	Hook Immediate				BAPTM		7.83	7.83	9.09	9.09						
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-															
	Digit PODP				BAPTO		34.47	34.47	14.36	14.36						
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		34.47	34.47	14.36	14.36						
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN,															
	Feature Code				BAPTF		34.47	34.47	14.36	14.36						
	AIN Toolkit Service-Query Charge, Per Query					0.05										
	AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription,															
	Per Node, Per Query					0.00582										
	AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account,															
	Per 100 Kilobytes					0.05										
	AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription			CAM	BAPMS	10.17	7.83	7.83	5.50	5.50						
	AIN Toolkit Service-Special Study-Per AIN Toolkit Service Subscription			CAM	BAPLS	2.87	8.66	8.66								
	AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service			-		-										
	Subscription			CAM	BAPDS	7.39	7.83	7.83	5.50	5.50						
	AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service															
	Subscription			CAM	BAPES	0.10	8.66	8.66								
ENHANCED I	EXTENDED LINK (EELs)															
	The monthly recurring and non-recurring charges below will apply	and ti	he Sv	ritch-As-Is Charge w	II not apply	for UNE combina	ations provisi	ioned as ' C	rdinarily Co	ombined'	Network E	lements.				
	The monthly recurring and the Switch-As-Is Charge and not the no															
	ITED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED D															1
	First 2W VG Loop (SL2) in Combination-Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44						
	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44						
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX	0.18										
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	1/0 Channelization System in combination Per mo			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	VG COCI-Per mo			UNCVX	1D1VG	0.53	6.58	4.72								
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44				İ	İ	
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44				İ	İ	
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44				İ	İ	
	VG COCI-Per mo	1		UNCVX	1D1VG	0.53	6.58	4.72								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
	IDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED D	S1 IN	ΈRΩ					1	. , ,							†
	First 4W Analog VG Loop in Combination -Zone 1			UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50	1	1				+

JNBUNDL	ED NETWORK ELEMENTS - Alabama													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Orde vs.
						Rec	Nonrec		NRC Disc				oss	Rates (\$)	•	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4W Analog VG Loop in Combination -Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
	First 4W Analog VG Loop in Combination -Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.18										
	Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	1/0 Channel System in combination Per mo			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	VG COCI in combination-per mo			UNCVX	1D1VG	0.53	6.58	4.72								
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport		1	LINIOVO	115414	25.24	404.07	04.54	50.44	44.50						
	Combination-Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport		_	110000	115 41 4	00.50	404.07	04.54	50.44	44.50						
-	Combination-Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50	1			 		
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport		3	LINCV	UEAL4	60.00	124.07	04.54	E0 14	14 50						1
_	Combination-Zone 3 Add'I VG COCI in combination-per mo		3	UNCVX	1D1VG	60.02 0.53	131.97 6.58	94.51 4.72	59.14	14.50	1			 		
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC	0.53	5.59	5.59	6.98	6.98						
EVTE	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATE	D DC4	INITE				5.59	5.59	0.90	0.90						
EVIE	First 4W 56Kbps Digital Grade Loop in Combination-Zone 1	ו פט ט	1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80		14.50						
-	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo		3	UNC1X	1L5XX	0.18	120.21	00.00	35.14	14.50						
	Interoffice Transport-Dedicated-DS1-combination-Field Hill Firm Per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	1/0 Channel System in combination Per mo			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	OCU-DP COCI (data) per mo (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72		3.13						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport			ONODA	10100	1.12	0.00	7.72								
	Combination-Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport		Ė	0.105/1	05200	20.00	.20.27	00.00	50	1 1.00	-			-		
	Combination-Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport		_	0.1027	02200	00.00	120.21	00.00	00	1 1.00						
	Combination-Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
	Add'l OCU-DP COCI (data)-in combination per mo (2.4-64kbs)		Ť	UNCDX	1D1DD	1.12	6.58	4.72								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATE	D DS1	INTE						0.00							
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.18										
	interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	1/0 Channel System in combination Per mo			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72								
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport													_		
	Combination-Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport															
	Combination-Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport															
	Combination-Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
	Add'l OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXIE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS 4W DS1 Digital Loop in Combination-Zone 1	o I INT	EROF 1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71	ļ			1		
	4W DS1 Digital Loop in Combination-Zone 1		2	UNC1X UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
_	4W DS1 Digital Loop in Combination-Zone 2 4W DS1 Digital Loop in Combination-Zone 3		3	UNC1X UNC1X	USLXX	314.52	252.47	157.54		11.71	-		-	 		
-	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo		3	UNC1X UNC1X	1L5XX	0.18	252.47	137.54	44.70	11.77	1			 		1
	Interoffice Transport-Dedicated-DS1 combination-Per miliPer mo			UNC1X UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44				t		
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC	00.10	5.59	5.59	6.98	6.98				t		
FXTF	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED D	33 INT	EROF		011000		5.55	3.39	0.30	5.50	 			t		
-7.6	First DS1Loop in Combination-Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71	t	1		I		1
	First DS1Loop in Combination-Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71			1	<u> </u>		
	First DS1Loop in Combination-Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71				1		
-	Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo		Ť	UNC3X	1L5XX	4.09	_UL.71	.57.04	17.70		t	1		I		1
				000/										i		

JNBUND	LED NETWORK ELEMENTS - Alabama													ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			ΓES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic- Add'l	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Orde vs.
						Rec	Nonrec		NRC Disco					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	3/1 Channel System in combination per mo			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						<u> </u>
	DS1 COCI in combination per mo			UNC1X	UC1D1	12.70	6.58	4.72								
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54		11.71						
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54		11.71						
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54		11.71						
	Additoinal DS1 COCI in combination per mo			UNC1X	UC1D1	12.70	6.58	4.72								
FVTF	NRC Currently Combined Network Elements Switch -As-Is Charge	DE IN	TED 0	UNC3X	UNCCC		5.59	5.59	6.98	6.98						
EXIL	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRA	DE IN	TERU		LIEALO	44.00	00.00	55.00	47.04	7 44						
	2WVG Loop in combination-Zone 1		1	UNCVX	UEAL2	14.38	88.00			7.44						
	2WVG Loop in combination-Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00		7.44						
_	2WVG Loop in combination-Zone 3 Interoffice Transport-2W VG-Dedicated-Per mi Per mo		3	UNCVX	UEAL2 1L5XX	36.14 0.008838	88.00	55.00	47.24	7.44	-		-	-	-	
	Interoffice Transport-2W VG-Dedicated-Per mi Per mo Interoffice Transport-2W VG-Dedicated-Facility Term per mo	-	1	UNCVX	U1TV2	21.13	40.54	27.41	16.74	6.90	-			 	 	
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC	21.13	5.59	5.59		6.98						
EVTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRA	DE IN	TERO		UNCCC		3.39	3.39	0.90	0.90	 			-		
LAIL	4WVG Loop in combination -Zone 1	UL III	1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
	4WVG Loop in combination -Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
	4WVG Loop in combination -Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51		14.50						
	Interoffice Transport-4W VG-Dedicated-Per mi Per mo		-	UNCVX	1L5XX	0.008838	101.01	34.31	33.14	14.50						
	Interoffice Transport-4W VG-Dedicated-Facility Term per mo			UNCVX	U1TV4	18.73	40.54	27.41	16.74	6.90						
	NRC Currently Combined Network Elements Switch -As-Is Charge		<u> </u>	UNCVX	UNCCC	10.75	5.59	5.59		6.98						
FXTE	ENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	ROFFI	CE TE		011000		0.00	0.00	0.50	0.00	-			-		
	DS3 Local Loop in combination-per mi per mo		<u> </u>	UNC3X	1L5ND	8.38			<u> </u>							
	DS3 Local Loop in combination-Facility Term per mo			UNC3X	UE3PX	308.98	451.52	263.94	119.49	83.58						
	Interoffice Transport-Dedicated-DS3-Per mi per mo			UNC3X	1L5XX	4.09										
	Interoffice Transport-Dedicated-DS3 combination-Facility Term per mo			UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC	700.02	5.59	5.59		6.98						
EXTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IF	NTERC	FFIC													
	STS-1 Local Lolp in combination-per mi per mo			UNCSX	1L5ND	8.38										
	STS-1 Local Loop in combination-Facility Term per mo			UNCSX	UDLS1	319.83	451.52	263.94	119.49	83.58						
	Interoffice Transport-Dedicated-STS-1 combination-per mi per mo			UNCSX	1L5XX	4.09										1
	Interoffice Transport-Dedicated-STS-1 combination-Facility Term per			UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		5.59	5.59	6.98	6.98						1
EXTE	NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRA	NSPO	RT													
	First 2W ISDN Loop in Combination-Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77		10.54						
	First 2W ISDN Loop in Combination-Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77		10.54						
	First 2W ISDN Loop in Combination-Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54						
	Interoffice Transport-Dedicated-DS1 combination-per mi per mo			UNC1X	1L5XX	0.18										
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	1/0 Channel System in combination-per mo			UNC1X	MQ1	101.06	91.04	62.57		9.79						
	2W ISDN COCI (BRITE)-in combination-per mo			UNCNX	UC1CA	2.41	6.58	4.72								
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-															
	Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54						
	Add'I 2W ISDN Loop in same DS1Interoffice Transport Combination-															
	Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54						
	Add'I 2W ISDN Loop in same DS1Interoffice Transport Combination-					40 ==										
	Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54						
	Add'I 2W ISDN COCI (BRITE)-in combination-per mo			UNCNX	UC1CA	2.41	6.58	4.72		0.00						
EVE	NRC Currently Combined Network Elements Switch -As-Is Charge NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED S'	C 4 "	ITEC:	UNC1X	UNCCC		5.59	5.59	6.98	6.98	ļ		-	1	-	₩
EXIL		13-7 IN	1			82.55	252.47	157.54	44.70	11 71			-	 		
_	First DS1 Loop Combination-Zone 1 First DS1 Loop Combination-Zone 2	 	2	UNC1X UNC1X	USLXX	154.18	252.47 252.47	157.54		11.71 11.71	-		-		 	
_	First DS1 Loop Combination-Zone 2 First DS1 Loop Combination-Zone 3	-	3	UNC1X UNC1X	USLXX	154.18 314.52	252.47	157.54		11.71	-			 	 	+
_	Interoffice Transport-Dedicated-STS-1 combination-Per mi Per mo		3	UNCSX	1L5XX	4.09	252.47	157.54	44.70	11.71	-		-	-	-	
-	Interoffice Transport-Dedicated-STS-1 combination-Fer fill Fer fillo Interoffice Transport-Dedicated-STS-1 combination-Facility Term per		 	UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46	 	1	1	1		
-	3/1 Channel System in combination per mo		1	UNCSX	MQ3	166.13	178.14	93.97		31.83	 	1	1	 	1	
	DS1 COCI in combination per mo			UNC1X	UC1D1	12.70	6.58	4.72		51.03				t		+
-	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-			OINOIA	00101	12.70	0.30	4.12	 					t		\leftarrow
1	Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71		İ	1			

INRONDI	LED NETWORK ELEMENTS - Alabama						·				-		Attach	nment: 2	Exhi	ibit: A
11001101	T THE THE THE TENER OF THE TENE		1	l							Svc	Svc Order				
													1			
											Order	Submitted		Charge -	I Charge -	I Charge
		Interi	Zon								Submitte	Manually	Manual	Manual Svc	Manual	Manua
ATEGORY	RATE ELEMENTS			BCS	USOC		RA ⁻	ΓES (\$)			d Elec	per LSR	Svc Order	Order vs.	Svc Order	Svc Ord
		m	е					.,,				per Lor	1			
											per LSR		vs.	Electronic-	vs.	vs.
													Electronic-	Add'l	Electronic-	Electroni
													1ct	- (2)	Dicc 1ct	Dicc Add
						Rec	Nonrec		NRC Disco					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-													1		
	Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71				1		
-	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-		+-											 		†
	Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71				1		
			3							11.71						
	DS1 COCI in combination per mo			UNC1X	UC1D1	12.70	6.58	4.72								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS IN	NTERO	FFIC	E TRANSPORT										1		
	4W 56 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
	4W 56 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50				 		+
-		1	3	UNCDX	UDL56	37.88		88.80	59.14		1	1	1	 	⊢	
	4W 56 kbps Local Loop in combination-Zone 3	 	3				126.27	88.80	59.14	14.50	1	1	1		+	+
	Interoffice Transport-Dedicated-4W 56 kbps combination-Per mi per mo		1	UNCDX	1L5XX	0.008838		ļ	1		ļ	ļ	ļ	Ļ	└	
	Interoffice Transport-Dedicated-4W 56 kbps combination-Facility Term		1					l	1		1			1	1	1
	per mo		1	UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90	1			1	1	1
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98						†
EVTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS IN	ITEDO	EEIC		0.1000		0.00	0.00	0.00	0.00						
EVIE		TERU	ALLIO		UDL64	20.00	400.0=	00.00	50.11	44.50	 	 	 			+
	4W 64 kbps Lcoal Loop in Combination-Zone 1		1	UNCDX		26.09	126.27	88.80	59.14	14.50						
	4W 64 kbps Lcoal Loop in Combination-Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
	4W 64 kbps Lcoal Loop in Combination-Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50				1		
	Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi per mo			UNCDX	1L5XX	0.008838			1							
	Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term			********					1					 		
				LINCDY	LIATEC	45.40	40.54	07.44	40.74	0.00				1		
	per mo			UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TRANS	SPORT	√ w/ 3/	1 MUX										1		
	First 2W VG Loop (SL2) in Combination-Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44				1		
	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44						
_	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44				 		+
-			3				00.00	55.00	41.24	7.44						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi			UNC1X	1L5XX	0.18										
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term per													1		
	mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44				1		
	Per each DS1 Channelization System Per mo			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79				1		1
	Per each VG COCI-Per mo per mo			UNCVX	1D1VG	0.53	6.58	4.72								†
	3/1 Channel System in combination per mo			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						+
			-						33.20	31.03						
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	12.70	6.58	4.72								
	Each Add'l 2W VG Loop(SL 2) in the same DS1 Interoffice Transport													1		
	Combination-Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44				1		
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport													1		
	Combination-Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44				1		
_	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport		-	ONOVA	OLITICAL	22.00	00.00	00.00	77.27	7						+
			3	1110101	UEAL2	00.44	00.00	55.00	47.04	7.44				1		
	Combination-Zone 3		3	UNCVX		36.14	88.00	55.00	47.24	7.44						
	Each Add'l VG COCI-in combination-per mo			UNCVX	1D1VG	0.53	6.58	4.72								
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel													1		
	System per mo			UNC1X	1L5XX	0.18								1		
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel			0110171	120/01	0.10										
				UNC1X	U1TF1	60.16	89.27	01 01	16.35	14.44				1		
	System per mo							81.81	10.33	14.44						
	Each Add'l DS1 COCI combination per mo			UNC1X	UC1D1	12.70	6.58	4.72								
	NRC Currently Combined Network Elements Switch -As-Is Charge	<u> </u>	1	UNC1X	UNCCC	_	5.59	5.59	6.98	6.98					<u> </u>	
EXTE	NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTEROF	FICE	TRAN	ISPORT w/ 3/1 MUX							1				1	
1	First 4W Analog VG Local Loop in Combination -Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50	l			1		1
+	First 4W Analog VG Local Loop in Combination -Zone 2	-	2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50	t	1	1			
-		-				60.02					1	1	1	 	⊢—	+
	First 4W Analog VG Local Loop in Combination -Zone 3		3	UNCVX	UEAL4		131.97	94.51	59.14	14.50	 	.	.	 '	└	+
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.18						1		<u> </u>	1	
	First Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44					1	1
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79	l			1		1
+	Per each VG COCI in combination-per mo			UNCVX	1D1VG	0.53	6.58	4.72	15.51	20	†	1	1	†		
+		 	1-						22.00	24.00		1	-	 	+	+
	3/1 Channel System in combination per mo		1	UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83	1	1	1	 '	└	+
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	12.70	6.58	4.72			1			ļ		↓
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport	1	1	1				1	1 7		1	1			1	1
	Combination-Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50	1	1		1	1	

JNBUNDI	ED NETWORK ELEMENTS - Alabama											•		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			ΓES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic- Add'l	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.
			<u> </u>			Rec	Nonrec		NRC Disc				oss	Rates (\$)	_	
			<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport															
	Combination-Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport		3	110000	115414	00.00	101.07	04.54	50.44	44.50						
	Combination-Zone 3 Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
	System per mo			UNC1X	1L5XX	0.18										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel		+	UNCIX	ILSAA	0.10										
	System per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
-	Add'l VG COCI-in combination-per mo		+	UNCVX	1D1VG	0.53	6.58	4.72		14.44						-
	NRC Currently Combined Network Elements Switch -As-Is Charge		1	UNC1X	UNCCC	0.55	5.59	5.59	6.98	6.98						
FYTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEL	OFFI	CE TE				0.00	3.33	0.50	0.30						
LAIL	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 1	1	1 1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80		14.50						-
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo		Ť	UNC1X	1L5XX	0.18	120.27	00.00	00.14	14.00						
	First Interoffice Transport-Dedicated-DS1-combination Facility Term Per	-	t	5.1017	. 25/01	0.10							t	t		
	mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Per each 1/0 Channel System in combination Per mo		1	UNC1X	MQ1	101.06	91.04	62.57		9.79						—
	Per each OCU-DP COCI (data) COCI per mo (2.4-64kbs)		1	UNCDX	1D1DD	1.12	6.58	4.72		****						
	3/1 Channel System in combination per mo			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	12.70	6.58	4.72	00.00							
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport															
	Combination-Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport															
	Combination-Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport															1
	Combination-Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
	OCU-DP COCI (data) COCI in combination per mo (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72								
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel															
	System per mo			UNC1X	1L5XX	0.18										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel															
	System per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Each Add'l DS1 COCI in the same 3/1 channel system combination per			UNC1X	UC1D1	12.70	6.58	4.72								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTE	ROFFI	CE TF	RANSPORT w/ 3/1 MU	JX											
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport		١.													
	Combination-Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport			LINODY	LIDLO4	05.05	100.07	00.00	50.44	44.50						
	Combination-Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						-
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50			1			
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo		3	UNC1X	1L5XX	0.18	126.27	88.80	59.14	14.50						
	First Interoffice Transport-Dedicated-DS1 combination-Fer fill Fer file		1	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Per each Channel System 1/0 in combination Per mo		+	UNC1X	MQ1	101.06	91.04	62.57	10.53	9.79						
	Per each OCU-DP COCI (data) in combination-per mo (2.4-64kbs)		1	UNCDX	1D1DD	1.12	6.58	4.72	10.54	3.13						-
	3/1 Channel System in combination per mo		1	UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	Per each DS1 COCI in combination per mo		1	UNC1X	UC1D1	12.70	6.58	4.72	00.20	01.00						
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport		1													
	Combination-Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport		i i	-							1					
	Combination-Zone 2	1	2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50		1	I	1		1
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport															
	Combination-Zone 3	l	3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
	Add'I OCU-DP COCI (data)-DS1 to DS0 Channel System combination-		1													
	per mo (2.4-64kbs)	L	L	UNCDX	1D1DD	1.12	6.58	4.72	<u> </u>		<u></u>	<u> </u>	<u></u>	<u> </u>		<u></u>
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel															
	System per mo			UNC1X	1L5XX	0.18										<u> </u>
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel		1		<u> </u>											
1	System per mo	<u></u>	L	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44	<u></u>	<u> </u>	<u> </u>	<u> </u>		<u> </u>

JNBUNDL	ED NETWORK ELEMENTS - Alabama											1 -		ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic- Add'l	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Orde vs.
						Rec	Nonrec		NRC Disc				oss	Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Add'l DS1 COCI in the same 3/1 channel system combination per		1	UNC1X	UC1D1	12.70	6.58	4.72	0.00	0.00						
EVTE	NRC Currently Combined Network Elements Switch -As-Is Charge NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT w/	2/4 MI	l v	UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXIE	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1	3/1 1/10	1 1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54			-	-		-
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54						
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi per mo		Ť	UNC1X	1L5XX	0.18		70.77	02.00	10.01						
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term per															
	mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Per each Channel System 1/0 in combination-per mo			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						1
	Per each 2W ISDN COCI (BRITE) in combination-per mo			UNCNX	UC1CA	2.41	6.58	4.72								
	3/1 Channel System in combination per mo			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	12.70	6.58	4.72								
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-		1		1 7			l . –								1
_	Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54	ļ					
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-		2	LINONIX	1141.07	00.0=	447.01	70 7-	F0 00	40.51						
	Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54						
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54						
	Zone 3 Add'I 2W ISDN COCI (BRITE) in same 1/0 channel system combination-		3	UNCNX	UILZX	48.55	117.24	79.77	52.88	10.54						
	per mo	1		UNCNX	UC1CA	2.41	6.58	4.72								
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel		1	UNCINA	OCICA	2.41	0.30	4.72								
	System per mo			UNC1X	1L5XX	0.18										
<u> </u>	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel		1	ONOTA	120/01	0.10										
	System per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Each Add'l DS1 COCI in the same 3/1 channel system combination per			UNC1X	UC1D1	12.70	6.58	4.72	10.00							
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE TRA	NSPO	RT w/													
	First 4W DS1 Digital Lcoal Loop in Combination-Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	First 4W DS1 Digital Lcoal Loop in Combination-Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	First 4W DS1 Digital Lcoal Loop in Combination-Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo		<u> </u>	UNC1X	1L5XX	0.18		01.01	10.05							
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per		<u> </u>	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	3/1 Channel System in combination per mo		-	UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
_	Per each DS1 COCI combination per mo		1	UNC1X	UC1D1	12.70	6.58	4.72								
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.18										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel		1	ONOTA	TESTON	0.10										
	System per mo		1	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Each Add'l DS1 COCI in the same 3/1 channel system combination per	1	1	UNC1X	UC1D1	12.70	6.58	4.72						1		t
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71				1		1
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						1
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTER	OFFIC														
	First 4W 56 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						<u> </u>
	First 4W 56 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	First 4W 56 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50				-		1
	First 4We 56 kbps Interoffice Transport-Dedicated-Per mi per mo	-	1	UNCDX	1L5XX	0.008838	40.51	07.44	40.74	0.00	1		-	1		₩
	First 4W 56 kbps Interoffice Transport-Dedicated-Facility Term per mo NRC Currently Combined Network Elements Switch -As-Is Charge	-	+	UNCDX UNCDX	U1TD5 UNCCC	15.12	40.54 5.59	27.41 5.59		6.90	-		-	 		
EYTE	INRC Currently Combined Network Elements Switch -As-is Charge NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTER	OFFIC	E TP		UNCCC		5.59	5.59	0.98	0.98	1		-	 	-	+
EVIE	First 4W 64 kbps Local Loop in combination-Zone 1	J-FIL	E IK	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50	1		-	 	-	+
	First 4W 64 kbps Local Loop in combination-Zone 1		2	UNCDX	UDL64	35.95	126.27	88.80		14.50				t		+
-	First 4W 64 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80		14.50	 		-	t	 	
-	First I4W 65 kbps Interoffice Transport-Dedicated-Per mi per mo		1	UNCDX	1L5XX	0.008838	120.21	30.00	33.14	17.50	t	1	†	I	1	\vdash
\rightarrow	First 4W 64 kbps Interoffice Transport-Dedicated-Facility Term per mo		†	UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90				1		
\neg	NRC Currently Combined Network Elements Switch -As-Is Charge		t	UNCDX	UNCCC	2	5.59	5.59	6.98	6.98			t	t	1	
	NETWORK ELEMENTS	_	1				2.00	2.00	2.50	2.50	†		1		l	

<u> NROND</u> L	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Submitted	Incrementa		Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Orde vs.
						Dee	Nonrec	urring	NRC Disc	onnect			ÖSS	Rates (\$)	11166 164	T LUCK AAA
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
When	used as a part of a currently combined facility, the non-recurring ch	arges	do n	ot apply, but a Swit	ch As Is cha	rge does apply.										
	used as ordinarily combined network elements in All States, the no					s Is Charge does	not.									
Nonre	curring Currently Combined Network Elements "Switch As Is" Charg	ge (On	e app	lies to each combin	ation)											
	NRC Currently Combined Network Elements Switch -As-Is Charge- 2W/4W VG			UNCVX	UNCCC		5.59	5.59	6.98	6.98						
	NRC Currently Combined Network Elements Switch -As-Is Charge-															
	56/64 kbps			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS1			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS3			UNC3X	UNCCC		5.59	5.59		6.98						
	NRC Currently Combined Network Elements Switch -As-Is Charge-			UNCSX	UNCCC		5.59	5.59	6.98	6.98						
Option	nal Features & Functions:															
				U1TD1,												
	Clear Channel Capability Extended Frame Option-per DS1	I		ULDD1,UNC1X U1TD1,	CCOEF		OI	OI	OI	01						
	Clear Channel Capability Super FrameOption-per DS1	I	<u> </u>	ULDD1,UNC1X ULDD1, U1TD1,	CCOSF		OI	OI	OI	01		ļ				<u> </u>
	Clear Channel Capability (SF/ESF) Option-Subsqnt Activity-per DS1	ı		UNC1X, USL	NRCCC		184.85S	23.81S	1.99S	0.7741S						
	C-bit Parity Option-Subsgnt Activity-per DS3	i		U1TD3, ULDD3, UE3, UNC3X	NRCC3		219.13S	7.67S	0.7355S	0S						
MULT	IPLEXERS															1
	DS1 to DS0 Channel System per mo			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						1
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)						0.110.1									1
	used for a Local Loop OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)			UDL	1D1DD	1.12	6.58	4.72	0.00	0.00						
	used for connection to a channelized DS1 Local Channel in the same															
	SWC as collocation			U1TUD	1D1DD	1.12	6.58	4.72	0.00	0.00						
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo for a			OTTOD	10100	1.12	0.50	7.72	0.00	0.00						+
	Local Loop			UDN	UC1CA	2.41	6.58	4.72	0.00	0.00						
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo used			02.1	00.07	2	0.00		0.00	0.00						+
	for connection to a channelized DS1 Local Channel in the same SWC															
	as collocation			U1TUB	UC1CA	2.41	6.58	4.72	0.00	0.00						
	VG COCI-DS1 to DS0 Channel System-per mo used for a Local Loop			UEA	1D1VG	0.53	6.58	4.72	0.00	0.00						+
	VG COCI-DS1 to DS0 Channel System-per mo used for connection to			02/1	.5	0.00	0.00		0.00	0.00						+
	a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0.53	6.58	4.72	0.00	0.00						
	DS3 to DS1 Channel System per mo			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						1
	STS-1 to DS1 Channel System per mo			UNCSX	MQ3	166.13	178.14	93.97	33.26	31.83						1
	DS1 COCI used with Loop per mo			USL	UC1D1	12.70	6.58	4.72		0.00						1
	DS1 COCI (used for connection to a channelized DS1 Local Channel in			-				T								
	the same SWC as collocation) per mo			U1TUA	UC1D1	12.70	6.58	4.72	0.00	0.00						
	DS1 COCI used with Interoffice Channel per mo			U1TD1	UC1D1	12.70	6.58	4.72		0.00				1		1
	DS3 Interface Unit (DS1 COCI) used with Local Channel per mo			ULDD1	UC1D1	12.70	6.58	4.72	0.00	0.00						T
IBUNDLE	LOCAL EXCHANGE SWITCHING(PORTS)															Ι
	nge Ports															
2-WIR	E VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports-2W Analog Line Port-Res.			UEPSR	UEPRL	1.38	2.38	2.27		1.33						
	Exchange Ports-2W Analog Line Port with Caller ID-Res.			UEPSR	UEPRC	1.38	2.38	2.27		1.33						
	Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR	UEPRO	1.38	2.38	2.27	1.42	1.33						
	Exchange Ports-2W VG unbundled AL extended local dialing parity Port with Caller ID-Res.			UEPSR	UEPAR	1.38	2.38	2.27	1.42	1.33						
	Exchange Ports-2W VG unbundled res, low usage line port with Caller															
	ID (LUM)		<u> </u>	UEPSR	UEPAP	1.38	2.38	2.27	1.42	1.33	ļ					 _ _
	Exchange Ports-2W VG AL res Dialing Plan w/o Caller Id		 	UEPSR	UEPWA	1.38	2.38	2.27	1.42	1.33						
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability		<u> </u>	UEPSR	UEPRT	1.38	2.38	2.27	1.42	1.33				ļ		4
	Subsqnt Activity		<u> </u>	UEPSR	USASC	0.00	0.00	0.00		ļ				ļ		
FEAT			<u> </u>		<u> </u>		ļ	ļ	ļ					ļ		4
	All Available Vertical Features E VOICE GRADE LINE PORT RATES (BUS)		<u> </u>	UEPSR	UEPVF	1.98	0.00	0.00								<u> </u>

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RAT	ES (\$)			Svc Order Submitte d Elec per LSR	Submitted	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Orde vs.
						Rec	Nonrecu	ırring	NRC Disco	onnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports-2W VG unbundled Line Port with unbundled port with Caller+E484 ID-Bus.			UEPSB	UEPBC	1.38	2.38	2.27	1.42	1.33						
	Exchange Ports-2W Analog Line Port outgoing only-Bus.			UEPSB	UEPBO	1.38	2.38	2.27	1.42	1.33						
	Exchange Ports-2W VG unbundled AL extended local dialing parity Port with Caller ID-Bus.			UEPSB	UEPAW	1.38	2.38	2.27	1.42	1.33						
	Exhange Ports-2W VG unbundled incoming only port with Caller ID-			UEPSB	UEPB1	1.38	2.38	2.27	1.42	1.33						
	Exchange Ports-2W Voice AL bus Dialing Plan w/o Caller ID			UEPSB	UEPWB	1.38	2.38	2.27	1.42	1.33						
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPSB	UEPBE	1.38	2.38	2.27	1.42	1.33						
	Subsqnt Activity			UEPSB	USASC	0.00	0.00	0.00								
FEAT	URES															
	All Available Vertical Features			UEPSB	UEPVF	1.98	0.00	0.00								
EXCH	ANGE PORT RATES (DID & PBX)															
	2W VG Unbundled 2-Way PBX Trunk-Res			UEPSE	UEPRD	1.38	31.27	14.85	13.94	0.90						
	2W VG Line Side Unbundled 2-Way PBX Trunk-Bus			UEPSP	UEPPC	1.38	31.27	14.85	13.94	0.90						
	2W VG Line Side Unbundled Outward PBX Trunk-Bus			UEPSP	UEPPO	1.38	31.27	14.85	13.94	0.90	ļ					
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus			UEPSP	UEPP1	1.38	31.27	14.85	13.94	0.90						
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	1.38	31.27	14.85	13.94	0.90						
	2W Voice Unbundled 2-Way PBX AL Calling Port			UEPSP	UEPA2	1.38	31.27	14.85	13.94	0.90						
	2W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.38	31.27	14.85	13.94	0.90						
	2W Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.38	31.27	14.85	13.94	0.90						
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.38	31.27	14.85	13.94	0.90						
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.38	31.27	14.85	13.94	0.90						
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.38	31.27	14.85 14.85	13.94 13.94	0.90						
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.38	31.27	14.85	13.94	0.90						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.38	31.27	14.85	13.94	0.90						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.38	31.27	14.85	13.94	0.90						
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1.38	31.27	14.85	13.94	0.90						
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.38	31.27	14.85	13.94	0.90						
	Subsgnt Activity			UEPSP	USASC	0.00	0.00	0.00								
FEAT	URES															
	All Available Vertical Features			UEPSP UEPSE	UEPVF	1.98	0.00	0.00								
EXCH	ANGE PORT RATES (COIN)															
	Exchange Ports-Coin Port					1.38	2.38	2.27	1.42	1.33						
	: Transmission/usage charges associated with POTS circuit switch												ire ISDN por	ts.		
	: Access to B Channel or D Channel Packet capabilities will be avail	lable c	nly th	rough BFR/NBR Pro	cess. Rates	for the packet ca	apabilities wil	I be detern	nined via the	e BFR/NE	3R Process					
	D LOCAL EXCHANGE SWITCHING(PORTS)		<u> </u>								1					
	ANGE PORT RATES		<u> </u>	1.11.24			0/0/00	14104 4*	. 4/4/04 //		<u> </u>	1 - 1 '''	L	L		
	S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN P												s or a separ	ate agreemer	it.	
Reque	ests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after	ne erre	ective								outn's aisc	retion.				
 	Exchange Ports-2W DID Port Exchange Ports-DDITS Port-4W DS1 Port with DID capability	-	├	UEPEX UEPDD	UEPP2 UEPDD	8.05 60.09	119.31 202.02	18.74 95.69	59.90 72.59	3.76 2.46	 					+
 	Exchange Ports-2W ISDN Port (See Notes below.)		1	UEPTX, UEPSX	U1PMA	9.79	72.77	52.99	47.79	10.74	1			1		1
 	All Features Offered		 	UEPTX, UEPSX	UEPVF	1.98	0.00	0.00	41.19	10.74	1			1		1
 	Exchange Ports-2W ISDN PortChannel Profiles		 	UEPTX, UEPSX	U1UMA	0.00	0.00	0.00			 		 	-		+
NOTE	: Transmission/usage charges associated with POTS circuit switch	ed usa	ae wi						ission hv R	-Channe	ls associat	ed with 2-wi	ire ISDN nor	ts.		+
	: Access to B Channel or D Channel Packet capabilities will be avai													Ī		1
	ANGE PORT RATES (continued)		T								1 11100					
	Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004)			UEPEX	UEPEX	84.32	203.81	101.56	79.18	20.06						
\vdash	Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)		├	UEPDX	UEPDX	84.32	203.81	101.56	79.18	20.06			-	-		-
	Physical Collocation-DS1 Cross-Connects		1	UEPEX UEPDX	PE1P1	1.11	203.81	15.93	6.40	5.79	1			1		-
					LIFI	1.11	22.03	10.50	0.40	5.19		1	1	1		+
					CNC1Y	1 11	33 U3	15 02	6 10	5 70						
Detail	Virtual collocation-Special Access & UNE, cross-connect per DS1			UEPEX UEPDX	CNC1X	1.11	22.03	15.93	6.40	5.79						
Detail					CNC1X	1.11	22.03	15.93	6.40	5.79						

NRONDI	LED NETWORK ELEMENTS - Alabama			ı								1 -		ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	I Charge -	I Charge Manua Svc Orde vs.
			<u> </u>			Rec	Nonrec		NRC Disc				OSS	Rates (\$)		T
		<u> </u>	<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator			LIEDEY	LIEDAD	0.00	475.44									
Marri	Capability-Subsqnt Profile Changes, Additions, Deletions		-	UEPEX	UEP1B	0.00	175.14									
New	or Additional PRI Telephone Numbers		1													
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator			UEPEX	UEP1C	0.0697	0.49									
	Capability 2-way Tel Nos, per No in E911 profile [New or Add'l] Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator	-	-	UEPEX	UEPIC	0.0697	0.49				ļ					
	Capability-Outdial Tel Nos, per No in E911 profile [New or Add'l]			UEPEX	UEP1D	0.0697	11.51									
	Unbundled Exchange Ports, 4W ISDN DS1 Port-Inward Tel Nos-Inward	-	1	UEPEX	UEFID	0.0697	11.51				-					
	Data Only Option [New or Add'l]			UEPDX	UEP1E	0.00	0.049									
			-	UEPDX	UEPTE	0.00	0.049		-		ļ					
	Exchange Ports-4W ISDN DS1 Port-Subsqnt [New] Inward Tel Nos			LIEDEY	DD77T	0.00	00.00									
1.00	[Customer Testing Purposes]		1	UEPEX	PR7ZT	0.00	23.02									
LOCA	AL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
INTE	RFACE (Provsioning Only)															
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00								
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00								
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00								
New	or Additional Channel															
	New or Add'I-Voice/Data "B" Channel			UEPEX	PR7BV	0.00	14.53									
	New or Add'I-Digital Data "B" Channel			UEPEX	PR7BF	0.00	14.53									
	New or Add'l Inward Data "B" Channel			UEPDX	PR7BD	0.00	14.53									
	New or Add'l Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00	14.53									
	New or Add'l Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00	14.53									
	New or Add'l PRI "D" Channel			UEPEX	PR7EX	0.00	14.53									
CALL	. TYPES															
	Inward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00								
	Outward			UEPEX	PR7CO	0.00	0.00	0.00								
	Two-way			UEPEX	PR7CC	0.00	0.00	0.00								
	JNDLED PORT with REMOTE CALL FORWARDING CAPABILITY															
UNBU	JNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.38	2.38	2.27	1.42	1.33						
	Unbundled Remote Call Forwarding Service, Local Calling-Res			UEPVR	UERLC	1.38	2.38	2.27	1.42	1.33						
	Unbundled Remote Call Forwarding Service, InterLATA-Res			UEPVR	UERTE	1.38	2.38	2.27	1.42	1.33						
	Unbundled Remote Call Forwarding Service, IntraLATA-Res			UEPVR	UERTR	1.38	2.38	2.27	1.42	1.33						
Non-	Recurring															
	Unbundled Remote Call Forwarding Service -Conversion-Switch-as-is			UEPVR	USAC2		0.10	0.10								†
	Unbundled Remote Call Forwarding Service -Conversion with allowed															t
	change (PIC and LPIC)			UEPVR	USACC		0.10	0.10								
UNBL	JNDLED REMOTE CALL FORWARDING - Bus		1	02. 11.	00/100		0.10	0.10			1					—
0.1.5	Unbundled Remote Call Forwarding Service, Area Calling-Bus		1	UEPVB	UERAC	1.38	2.38	2.27	1.42	1.33	1					—
_	Unbundled Remote Call Forwarding Service, Local Calling-Bus		1	UEPVB	UERLC	1.38	2.38	2.27		1.33	-					+
_	Unbundled Remote Call Forwarding Service, InterLATA-Bus		1	UEPVB	UERTE	1.38	2.38	2.27		1.33	-					+
_	Unbundled Remote Call Forwarding Service, IntraLATA-Bus		1	UEPVB	UERTR	1.38	2.38	2.27		1.33	-					+
	Unbundled Remote Call Forwarding Service, IntraLATA-bus Unbundled Remote Call Forwarding Service Expanded and Exception		1	OLI VD	OLIVIN	1.50	2.50	2.21	1.72	1.00	-					
	Local Calling			UEPVB	UERVJ	1.38	2.38	2.27	1.42	1.33						
Non-	Recurring	1	1	OLF VB	OLKVJ	1.30	2.30	2.21	1.42	1.33			-	-		+
NOII-	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is		-	UEPVB	USAC2		0.10	0.10			1					+
_		-	1	UEFVB	USACZ		0.10	0.10			-					+
	Unbundled Remote Call Forwarding Service -Conversion with allowed			LIED\/D	110400		0.40	0.40								
DIIND: 5	change (PIC and LPIC)	1	1	UEPVB	USACC		0.10	0.10	+	 	1		 	 		
	D LOCAL SWITCHING, PORT USAGE	<u> </u>	1						1	ļ	1		1	-	ļ	₩
End (Office Switching (Port Usage)	<u> </u>	<u> </u>			0.000700=			1					1		₩
	End Office Switching Function, Per MOU	<u> </u>	1			0.0007025			+	<u> </u>	1		-	-		₩
	End Office Trunk Port-Shared, Per MOU	<u> </u>	1			0.0001638				ļ	1					
Tand	em Switching (Port Usage) (Local or Access Tandem)	<u> </u>	 						-		1					1
	Tandem Switching Function Per MOU	<u> </u>	<u> </u>			0.000095								1		ــــــ
	Tandem Trunk Port-Shared, Per MOU	<u> </u>	1			0.0002015			1		<u> </u>		ļ	1		↓
	Tandem Switching Function Per MOU (Melded)	<u> </u>	1			0.000040993			1		<u> </u>		ļ	1		↓
	Tandem Trunk Port-Shared, Per MOU (Melded)					0.000086947										
	Melded Factor: 43.15% of the Tandem Rate	1								l	1				l	1

ATE COPY RATE LEMENTS when we will be a part of the pa	<u>Inbun</u> dl	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
AT GORY RATE ELEMENTS blass Zon BCS USOC RATE (s) First AGM Charges Charge Charg												Svc	Svc Order	Incrementa	Incremental	Incrementa	Incremer
ATTECHN RATE ELEMENTS BCS BCS BCS BCS BCS BCS BCS B												Order				I Charge -	I Charge
## BCS USCC PATES (4) PATES (5) PATES (5) PATES (6) PATES (7) PATE												Submitte	Manually	Manual		Manual	Manua
Common Transport Pa	ATEGORY	RATE ELEMENTS			BCS	USOC		RA'	TES (\$)							Svc Order	Svc Ord
			m	е					.,				per Lor				vs.
Common Transport												per Lor					
Common Transport First Add SMEC SMAN SOMAN														Electronic-	Add I	Electronic-	Electron
Common Transport From Per MoU Common Inapport From Per Mou Common Inapport From Per Mou							B	Nonrec	urring	NRC Disc	onnect	1	•	oss	Rates (\$)		
Correct Transport Fuel Per In Per INOU C00000231 Control Transport Fuel Per INOU C0000024 Control Transport Fuel Per INOU C0000024 C0000024 C0000024 C0000024 C00000024 C00000000000000000000000000000000000							Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
Courtem Transport Per No Per	Comn	non Transport										1					
Common Transport Progressive Term Per MODI Common Transport Progressive Cort Rasket Cort Common Transport Progressive Cort Rasket Cort Common Transport Progressive Cort Rasket Cort Common Transport Progressive Cort Rasket Rise set going to the set growth of the same resurrer as they are applied to the Stand-Alone Unburnded Port section of this activities of the same resurrer as they are applied to the Stand-Alone Unburnded Port section of this activities and add? For NRC charges apply to NRC Common Transport Usage restarts in the Port section of this exhibits all apply to all combinations except for URC Cort Port Log Common Transport Usage restarts in the Port section of this exhibits all apply to all combinations except for URC Cort Port Log Common Transport Usage restarts in the Port section of this exhibits all apply to all combinations except for URC Cort Port Log Common Transport Usage restarts in the Port section of this exhibits all apply to all combinations except for URC Cort Port Log Common Transport Usage restarts in the Port section of this exhibits all apply to all combinations except for URC Cort Port Log Common Transport Usage restarts in the Port Section of this exhibits all apply to all combinations except for URC Cort Port Log Common Transport Usage restarts and add Port Rice Cort Port Log Cort							0.0000023										
Cost Seed Rates are applied where BellSouth is required by PCC and/or State Commission rule to provide Unbunded Local Switching or Switch Ports.							0.0003224										
Features shall apply to the Unbounded Port Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Allone Unbounded Port Section of this exhibit stall apply to all combinations of loop-plor network place in the Port section of this exhibit stall apply to all combinations of loop-plor network place in the Port section of this exhibit stall apply to all combinations of loop-plor network places.	NBUNDLE	D PORT/LOOP COMBINATIONS - COST BASED RATES										1					
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this exhibit shall apply to all commissions.	Cost I	Based Rates are applied where BellSouth is required by FCC and/or	State	Comn	nission rule to provi	de Unbundle	ed Local Switchin	g or Switch	Ports.			1					
Emd office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this exhibit shall apply to all common for Port No Common For Currently Combined Combon For Currently Combined Currently	Featu	res shall apply to the Unbundled Port/Loop Combination - Cost Bas	ed Rat	te sec	tion in the same ma	nner as they	are applied to the	e Stand-Alon	e Unbundl	ed Port sect	ion of th	is exhibit.					
The first and add't Port NRC Charges apply to Not Currently Combined Sections.													E Coin Port	Loop Comb	inations.		
UNE FOUR PART COMPS JONE 1	The fi	rst and add'I Port NRC charges apply to Not Currently Combined Co	mbos	. For (Currently Combined	Combos the	NRC charges sh	all be those	identified in	n the NRC -	Currently	Combined	d sections.				
EVY ClaughPer Combo Zone 2	2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
ZW VG Loop/Part Combo-Zone 3	UNE F	Port/Loop Combination Rates															
29 W VG Loop Pert Combo-Zone 3							12.70										
20 VIV CLOOP/PROTOMED-ZONE 3 3 3 34.80				2			21.19										
UNE Loop Rates				3			34.80					Ì					
ZW VG Long (SL1)-Zone 2	UNE L			1		İ		İ				1		1	1	İ	1
2W VG Loop (St.1)-Zone 3		2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	11.55										
ZW VG cond Carbon For Rates (Res)																	
2																	
ZW voice unbundled port-res	2-Wire			Ť	OZ. TO	02. 27	00.00		-			1	1	-			
ZW voice urbandled port with Caller ID-res UEPRX UEPRC 1.15 40.19 19.83 24.91 6.63				1	LIFPRX	UFPRI	1 15	40 19	19.83	24 91	6.63	1	1	-			
ZW voice unbundled port outgoing only-res UEPRX UEPRO 1.15 40.19 19.83 24.91 6.63 ZW voice unbundled Fast, low usage line port with Caller ID (LUM) UEPRX UEPAP 1.15 40.19 19.83 24.91 6.63 ZW voice unbundled Fast, low Usage line port with Caller ID (LUM) UEPRX UEPAP 1.15 40.19 19.83 24.91 6.63 ZW voice unbundled Low Usage Line Port wo Caller ID UEPRX UEPAP 1.15 40.19 19.83 24.91 6.63 ZW voice unbundled Low Usage Line Port wo Caller ID Capability UEPRX UEPRX UEPRY 1.15 40.19 19.83 24.91 6.63 ZW voice unbundled Low Usage Line Port wo Caller ID Capability UEPRX UEPPX				1								1	1	-			
ZW VG unbundled AL extended Local dialing parity port with Caller ID- UEPRX UEPAR 1.15 40.19 19.83 24.91 6.63				1								1	1	-			
ZW voice unbundled At res Dalling Plant with Caller ID (URN) UEPRX UEPRA 1.15 40.19 19.83 24.91 6.63 ZW voice unbundled Live Espalling Plant with Caller ID UEPRX UEPRT 1.15 40.19 19.83 24.91 6.63 ZW voice unbundled Live Usage Line Port wio Caller ID Capability UEPRX UEPRT 1.15 40.19 19.83 24.91 6.63 ZW voice unbundled Live Usage Line Port wio Caller ID Capability UEPRX UEPRT 1.15 40.19 19.83 24.91 6.63 ZW VG Lord Line Port Combination Conversion Switch with the UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX USAG2 0.10 0.10 ZW VG Loop/Line Port Combination Conversion Switch with change UEPRX USAG2 0.10 0.10 0.10 ZW VG Loop/Line Port Combination Conversion Switch with change UEPRX USAG2 0.10 0.10 0.10 ZW VG Loop/Line Port Combination Conversion Switch with change UEPRX USAG2 0.10 0.				1								 					
W Voice Unbundled AL res Dialing Plan w/o Caller ID UEPRX UEPWA 1.15 40.19 19.83 24.91 6.63				1								1					
ZW voice unbundled Low Usage Line Port w/o Caller ID Capability UEPRX UEPRY 1.15 40.19 19.83 24.91 6.63				1								1					
FEATURES				1								1					
AUTO- Column Co	EEAT			1	ULFKX	OLFKI	1.13	40.19	19.03	24.51	0.03	1					
LOCAL NUMBER PORTABILITY LOCAL NUMBER PORTAB	FEAT			1	HEDDY	HEDVE	1.00	0.00	0.00			1					
Local No Portability (1 per port)	LOCA			1	OLITIX	OLI VI	1.30	0.00	0.00			1					
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	LOCA			1	HEDDY	LNDCY	0.25		ļ	1		1	1	-			
W G Logo/Line Port Combination-Conversion-Switch-as-is UEPRX USACC U.10	NONE			1	ULFIX	LINFOX	0.33		ļ	1		1	1	-			
W G Loop/Line Port Combination -Conversion-Switch with change UEPRX USACC 0.10 0.10	NONK			1	LIEDDV	LICACO		0.10	0.10	1		1	1	-			
ADDITIONAL NRCs 2				1								1	1	-			
2W VG Loop/Line Port Combination-Subsignt Activity UEPRX USAS2 0.00 0.0	ADDI			1	UEPKA	USACC		0.10	0.10			 					
Unbundled Misc Rate Element, Tag Loop at End User Premise	ADDII			1	LIEDDV	LICACO	0.00	0.00	0.00			 					
OFFION PREMISES EXTENSION CHANNELS 2W Analog VG Extension Loop – Non-Design 1 UEPRX UEAEN 12.58 37.81 17.56 23.49 5.30 2W Analog VG Extension Loop – Non-Design 2 UEPRX UEAEN 21.05 37.81 17.56 23.49 5.30 2W Analog VG Extension Loop – Non-Design 3 UEPRX UEAEN 34.34 37.81 17.56 23.49 5.30 2W Analog VG Extension Loop – Design 3 UEPRX UEAEN 34.34 37.81 17.56 23.49 5.30 2W Analog VG Extension Loop – Design 1 UEPRX UEAEN 34.34 37.81 17.56 23.49 5.30 2W Analog VG Extension Loop – Design 1 UEPRX UEAED 22.85 88.00 55.00 47.24 7.44 2W Analog VG Extension Loop – Design 2 UEPRX UEAED 22.85 88.00 55.00 47.24 7.44 2W Analog VG Extension Loop – Design 2 UEPRX UEAED 22.85 88.00 55.00 47.24 7.44 2W Analog VG Extension Loop – Design 2 UEPRX UEAED 22.85 88.00 55.00 47.24 7.44 2W Analog VG Extension Loop – Design 2 UEPRX UEAED 22.85 88.00 55.00 47.24 7.44 2W Analog VG Extension Loop – Design 2 UEPRX UEAED 22.85 88.00 55.00 47.24 7.44 2W Analog VG Extension Loop – Design 2 UEPRX UEAED 22.85 88.00 55.00 47.24 7.44 2W Analog VG Extension Loop – Design 2 UEPRX UEAED 22.85 88.00 55.00 47.24 7.44 2W Analog VG Extension Loop – Design 2 UEPRX UEAED 22.85 88.00 25.00 47.24 7.44 2W Analog VG Extension Loop – Design 2 UEPRX UEAED 22.11 40.54 27.41 16.74 6.90 47.24 7.44 40.54 47.44 47.44 40.54 47.44 40.54 47.44 47.44 40.54 47				1			0.00					 					
2W Analog VG Extension Loop - Non-Design	OFF/			1	UEPRX	UREIL		8.33	0.83			 					
2	OFF/C			1	LIEDDY	LIEAENI	40.50	27.04	47.50	22.40	F 20	 					
2W Analog VG Extension Loop - Non-Design 3 UEPRX UEAEN 34,34 37,81 17,56 23,49 5,30	_											ļ					
2W Analog VG Extension Loop - Design												ļ					
2	_			_								ļ					
2W Analog VG Extension Loop - Design 3 UEPRX UEAED 36.14 88.00 55.00 47.24 7.44 INTEROFFICE TRANSPORT												ļ					
Interoffice Transport-Dedicated-2W VG-Facility Term	_											ļ					
Interoffice Transport-Dedicated-2W VG-Facility Term	INITEE			3	UEPRX	UEAED	36.14	88.00	55.00	47.24	7.44						
Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi	INTER			1	HEDDY	11477.60	04.40	40.54	07.44	40.74	0.00						
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)				-							6.90						
UNE Port/Loop Combination Rates				1	UEPRX	U11VM	0.008838	0.00	0.00								
2W VG Loop/Port Combo-Zone 1				-													
2W VG Loop/Port Combo-Zone 2 2 21.19	UNE F			١.,		!	10 =0					ļ		-		1	<u> </u>
2W VG Loop/Port Combo-Zone 3 3 34.80						1				<u> </u>	<u> </u>	<u> </u>	<u> </u>	-		1	!
UNE Loop Rates	_					1				1			1		1	1	<u> </u>
2W VG Loop (SL1)-Zone 1	1			3		1	34.80			<u> </u>	<u> </u>	<u> </u>	<u> </u>	-		1	!
2W VG Loop (SL1)-Zone 2 2 UEPBX UEPLX 20.04	UNE L			١.	LIEDDY	LIEBLY	44			1			1		1	1	!
2W VG Loop (SL1)-Zone 3 3 UEPBX UEPLX 33.65			<u> </u>							ļ	ļ	1	ļ				<u> </u>
2-Wire Voice Grade Line Port (Bus) UEPBX UEPBL 1.15 40.19 19.83 24.91 6.63 2W voice unbundled port with Caller + E484 ID-bus UEPBX UEPBX UEPBC 1.15 40.19 19.83 24.91 6.63			<u> </u>							ļ	ļ	1	ļ				<u> </u>
2W voice unbundled port w/o Caller ID-bus UEPBX UEPBL 1.15 40.19 19.83 24.91 6.63				3	UEPBX	UEPLX	33.65			ļ			ļ				ļ
2W voice unbundled port with Caller + E484 ID-bus UEPBX UEPBC 1.15 40.19 19.83 24.91 6.63	2-Wire			1		<u> </u>				ļ		ļ	ļ	.	ļ	ļ	ļ
				1								ļ	ļ	.	ļ	ļ	ļ
				1									1				ļ
2W voice unbundled port outgoing only-bus UEPBX UEPBO 1.15 40.19 19.83 24.91 6.63 2W VG unbundled AL extended local dialing parity port with Caller ID- UEPBX UEPAW 1.15 40.19 19.83 24.91 6.63		2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	1.15	40.19	19.83		6.63						<u> </u>

NBUNDLED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
										Svc	Svc Order	Incrementa	Incremental	Incrementa	Incremen
										Order	Submitted	I Charge -	Charge -	I Charge -	I Charge
	Interi	Zon								Submitte	Manually	Manual	Manual Svc	Manual	Manua
ATEGORY RATE ELEMENTS	m	e	BCS	USOC		RA	ΓES (\$)			d Elec	per LSR	Svc Order	Order vs.	Svc Order	Svc Ord
	- "	e								per LSR		vs.	Electronic-	vs.	vs.
										p = = = = = = = = = = = = = = = = = = =		Electronic-		Electronic-	Flectron
												1c+		Disc 1st	Dicc Ad
					Rec	Nonrec		NRC Disc					Rates (\$)		
						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UEPB1	1.15	40.19	19.83	24.91	6.63						<u> </u>
2W Voice Unbundled AL bus Dialing Plan w/o Caller ID			UEPBX	UEPWB	1.15	40.19	19.83	24.91	6.63						<u> </u>
2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPBX	UEPBE	1.15	40.19	19.83	24.91	6.63						
LOCAL NUMBER PORTABILITY															
Local No Portability (1 per port)			UEPBX	LNPCX	0.35										<u> </u>
FEATURES															<u> </u>
All Features Offered			UEPBX	UEPVF	1.98	0.00	0.00								
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPBX	USAC2		0.10	0.10								
2W VG Loop/Line Port Combination -Conversion-Switch with chang	je		UEPBX	USACC		0.10	0.10								
ADDITIONAL NRCs															
2W VG Loop/Line Port Combination-Subsqnt Activity			UEPBX	USAS2		0.00	0.00								
Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83								
OFF/ON PREMISES EXTENSION CHANNELS															
2W Analog VG Extension Loop – Non-Design		1	UEPBX	UEAEN	12.58	37.81	17.56	23.49	5.30						
2W Analog VG Extension Loop – Non-Design		2	UEPBX	UEAEN	21.05	37.81	17.56	23.49	5.30						
2W Analog VG Extension Loop – Non-Design		3	UEPBX	UEAEN	34.34	37.81	17.56	23.49	5.30						
2W Analog VG Extension Loop – Design		1	UEPBX	UEAED	14.38	88.00	55.00	47.24	7.44						
2W Analog VG Extension Loop – Design		2	UEPBX	UEAED	22.85	88.00	55.00	47.24	7.44						
2W Analog VG Extension Loop – Design		3	UEPBX	UEAED	36.14	88.00	55.00	47.24	7.44						
INTEROFFICE TRANSPORT															
Interoffice Transport-Dedicated-2W VG-Facility Term			UEPBX	U1TV2	21.13	40.54	27.41	16.74	6.90						
Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPBX	U1TVM	0.008838	0.00	0.00								
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE Port/Loop Combination Rates															
2W VG Loop/Port Combo-Zone 1		1			12.70										
2W VG Loop/Port Combo-Zone 2		2			21.19										
2W VG Loop/Port Combo-Zone 3		3			34.80										
UNE Loop Rates															
2W VG Loop (SL 1)-Zone 1		1	UEPRG	UEPLX	11.55										
2W VG Loop (SL 1)-Zone 2		2	UEPRG	UEPLX	20.04										
2W VG Loop (SL 1)-Zone 3		3	UEPRG	UEPLX	33.65										
2-Wire Voice Grade Line Port Rates (RES - PBX)															
2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	1.15	69.08	32.41	37.43	6.20						
LOCAL NUMBER PORTABILITY															
Local No Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEATURES															
All Features Offered			UEPRG	UEPVF	1.98	0.00	0.00								

NRONDL	ED NETWORK ELEMENTS - Alabama											1 -		ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	i Zon e	BCS	usoc			TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic- Add'l	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Orde vs.
						Rec	Nonrec		NRC Disco					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															L
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2		7.91	1.90								
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch w			UEPRG	USACC		7.81	1.90								
ADDIT	IONAL NRCs															
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPRG	USAS2	0.00	0.00	0.00								
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.32	7.32								ļ
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRG	URETL		8.33	0.83								
OFF/C	N PREMISES EXTENSION CHANNELS			UEBBO	50 11 11/			== 00	17.01							
	Local Channel VG, per Term		1	UEPRG	P2JHX	14.38	88.00	55.00		7.44						<u> </u>
_	Local Channel VG, per Term		2	UEPRG	P2JHX	22.85	88.00	55.00		7.44						ļ
	Local Channel VG, per Term	!	3	UEPRG UEPRG	P2JHX	36.14	88.00	55.00		7.44	1			 		
	Non-Wire Direct Serve Channel VG	<u> </u>			SDD2X	22.41	131.60	61.92		13.40	1		-	1		₩
	Non-Wire Direct Serve Channel VG Non-Wire Direct Serve Channel VG	<u> </u>	2	UEPRG UEPRG	SDD2X SDD2X	23.88 33.72	131.60 131.60	61.92 61.92		13.40 13.40	 		1	1		
INTER			3	UEPRG	SDDZX	33.12	131.60	61.92	90.50	13.40						
INTER	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRG	U1TV2	21.13	40.54	27.41	16.74	6.90						
_	Interoffice Transport-Dedicated-2W VG-Pacifity Term Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRG	U1TVM	0.008838	0.00	0.00		6.90						
2 WID	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	-	-	UEFRG	UTTVIVI	0.000030	0.00	0.00			-					
	Port/Loop Combination Rates				-				1							
UNE	2W VG Loop/Port Combo-Zone 1		1		-	12.70			1							
+	2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2		2		+	21.19		ļ	1					-		-
-	2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3		3		+	34.80		ļ	1					-		-
LINE	oop Rates		3		-	34.00			1							
	2W VG Loop (SL 1)-Zone 1	1	1	UEPPX	UEPLX	11.55		1	1							-
	2W VG Loop (SL 1)-Zone 2		2	UEPPX	UEPLX	20.04			1		1					
	2W VG Loop (SL 1)-Zone 3		3	UEPPX	UEPLX	33.65			1		1					
2-Wire	e Voice Grade Line Port Rates (BUS - PBX)		-	OLITA	OLILA	33.03			1							
- ****	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	1.15	69.08	32.41	37.43	6.20	-					
	Line Side Unbundled Outward PBX Trunk Port-Bus		1	UEPPX	UEPPO	1.15	69.08	32.41	37.43	6.20				-		1
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	1.15	69.08	32.41		6.20						
	2W Voice Unbundled 2-Way Combination PBX AL Calling Port			UEPPX	UEPA2	1.15	69.08	32.41		6.20						
_	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.15	69.08	32.41		6.20	1					
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.15	69.08	32.41		6.20						
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.15	69.08	32.41		6.20						
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.15	69.08	32.41		6.20	1					
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.15	69.08	32.41		6.20						1
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.15	69.08	32.41		6.20						1
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy									0.00						<u> </u>
	Administrative Calling Port			UEPPX	UEPXL	1.15	69.08	32.41	37.43	6.20						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room															
	Calling Port			UEPPX	UEPXM	1.15	69.08	32.41	37.43	6.20						
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount															
	Room Calling Port			UEPPX	UEPXO	1.15	69.08	32.41	37.43	6.20						
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.15	69.08	32.41	37.43	6.20						
LOCA	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEAT																
	All Features Offered			UEPPX	UEPVF	1.98	0.00	0.00								
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPPX	USAC2		7.91	1.90								
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch w			UEPPX	USACC		7.91	1.90			ļ					<u> </u>
ADDIT	IONAL NRCs	<u> </u>									<u> </u>					<u> </u>
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity	<u> </u>		UEPPX	USAS2	0.00	0.00	0.00			ļ			1		
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group	<u> </u>					7.32	7.32			<u> </u>			1		<u> </u>
	Unbundled Misc Rate Element, Tag Loop at End User Premise	<u> </u>		UEPPX	URETL		8.33	0.83			ļ					<u> </u>
OFF/C	N PREMISES EXTENSION CHANNELS	<u> </u>			<u> </u>				ļ				ļ			ļ
	Local Channel VG, per Term	<u> </u>	1	UEPPX	P2JHX	14.38	88.00	55.00		7.44	<u> </u>			1		<u> </u>
	Local Channel VG, per Term	<u> </u>	2	UEPPX	P2JHX	22.85	88.00	55.00		7.44			<u> </u>			<u> </u>
1	Local Channel VG, per Term	L	3	UEPPX	P2JHX	36.14	88.00	55.00	47.24	7.44	L	<u> </u>	<u> </u>	<u> </u>		L

INDUNDL	ED NETWORK ELEMENTS - Alabama													ment: 2	Exhi	ibit: A
				_			-				Svc	Svc Order	Incrementa	Incremental	Incrementa	Increme
											Order	Submitted	I Charge -	Charge -	I Charge -	I Charg
											Submitte		Manual	Manual Svc		Manu
TEGORY	RATE ELEMENTS	Interi		BCS	USOC		RAT	TES (\$)			d Elec	per LSR	Svc Order	Order vs.	Svc Order	
		m	е					(+)				per LSK				
											per LSR		vs.	Electronic-	vs.	vs.
													Electronic-	Add'l	Electronic-	
			_		-	1	Nonreci	ırrina	NRC Disco	nnoot	-		104	Rates (\$)	Dicc 1ct	Dicc Add
_			_		+	Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
	No. Miss Bissal Commedition		_	UEPPX	SDD2X	22.41					SOMEC	SUMAN	SOMAN	SUMAN	SOWAN	SUMA
	Non-Wire Direct Serve Channel VG		1				131.60	61.92	90.50	13.40	ļ	ļ				
	Non-Wire Direct Serve Channel VG		2	UEPPX	SDD2X	23.88	131.60	61.92	90.50	13.40						
	Non-Wire Direct Serve Channel VG		3	UEPPX	SDD2X	33.72	131.60	61.92	90.50	13.40						
INTER	OFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPPX	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPPX	U1TVM	0.008838	0.00	0.00								
	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
UNE F	ort/Loop Combination Rates															
	2W VG Coin Port/Loop Combo – Zone 1		1			12.70										
	2W VG Coin Port/Loop Combo – Zone 2	<u> </u>	2			21.19			1							<u> </u>
	2W VG Coin Port/Loop Combo – Zone 3	<u> </u>	3			34.80						1]]	1
UNE L	oop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	11.55										
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	20.04										
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	33.65										
2-Wire	Voice Grade Line Ports (COIN)															
	2W Coin 2-Way w/o Oper Screening and w/o Blocking			UEPCO	UEPRF	1.15	40.19	19.83	24.91	6.63						
	2W Coin 2-Way with Oper Screening			UEPCO	UEPRE	1.15	40.19	19.83	24.91	6.63						
	2W Coin 2-Way with Oper Screening and Blocking: 011, 900/976,			UEPCO	UEPRA	1.15	40.19	19.83	24.91	6.63						
	2W Coin 2-Way with Oper Screening and 011 Blocking			UEPCO	UEPRB	1.15	40.19	19.83	24.91	6.63						
	2W Coin 2-Way with Oper Screening & Blocking: 900/976, 1+DDD,															
	011+. & Local			UEPCO	UEPCD	1.15	40.19	19.83	24.91	6.63						
	2W Coin Outward with Oper Screening and 011 Blocking			UEPCO	UEPRK	1.15	40.19	19.83	24.91	6.63						
	2W Coin Outward with Oper Screening and Blocking: 011, 900/976,			UEPCO	UEPRH	1.15	40.19	19.83	24.91	6.63						—
	2W Coin Outward Oper Screening & Blocking: 900/976, 1+DDD, 011+,															
	and Local			UEPCO	UEPCN	1.15	40.19	19.83	24.91	6.63						
	2W 2-Way Smartline with 900/976			UEPCO	UEPCK	1.15	40.19	19.83	24.91	6.63						†
	2W Coin Outward Smartline with 900/976			UEPCO	UEPCR	1.15	40.19	19.83	24.91	6.63						†
ADDIT	TONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.56	0.00	0.00	0.00	0.00						
LOCA	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPCO	LNPCX	0.35										
NONR	ECURRING CHARGES - CURRENTLY COMBINED															†
	2W VG Loop/Line Port Combination -Conversion-Switch-as-is			UEPCO	USAC2		0.10	0.10								†
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPCO	USACC		0.10	0.10								†
ADDIT	IONAL NRCs			02.00	00/100		0.10	0.10								—
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPCO	USAS2		0.00	0.00								—
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8.33	0.83								
2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LIN	F POR	T (RE		ORETE		0.00	0.00								
	Port/Loop Combination Rates	1	· (<u>, </u>	+											
ONE	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			15.76										+
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2		+	24.23										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3		1	37.52										+
TIME	oop Rates		3			37.32			+		1	1				+
ONE L	2W VG Loop (SL2)-Zone 1	!	1	UEPFR	UECF2	14.38			+ + +		1	 	 	 	1	
	2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 2	1	2	UEPFR	UECF2	22.85			 		1	 	-	-	-	
-	2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3	1	3	UEPFR	UECF2	36.14			+ +		1	 	-	-	-	
2 14/:		<u> </u>	3	UEPFK	UECFZ	30.14			 					-		
∠-Wire	Voice Grade Line Port Rates (Res)	<u> </u>	1	HEDED	UEPRL	4.00	00.00	F7 07	40.00	0.77	 	-	-	1	-	₩
	2W voice unbundled port-res	<u> </u>	1	UEPFR		1.38	90.38	57.27		8.77	 	-	-	1	-	
_	2W voice unbundled port with Caller ID-res	<u> </u>	1	UEPFR	UEPRC	1.38	90.38	57.27		8.77		1				₩
_	2W voice unbundled port outgoing only-res	<u> </u>	1	UEPFR	UEPRO	1.38	90.38	57.27		8.77		1				₩
+	2W VG unbundled AL extended local dialing parity port with Caller ID-	<u> </u>	1	UEPFR	UEPAR	1.38	90.38	57.27		8.77			1	ļ	1	₩
	2W voice unbundles res, low usage line port with Caller ID (LUM)		1	UEPFR	UEPAP	1.38	90.38	57.27	48.66	8.77		ļ	ļ		ļ	
1	2W Voice Unbundled AL res Dialing Plan w/o Caller ID			UEPFR	UEPWA	1.38	90.38	57.27	48.66	8.77						

NBUNDL	ED NETWORK ELEMENTS - Alabama													ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc			ΓES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Orde vs.
						Rec	Nonrec		NRC Disc					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTER	OFFICE TRANSPORT															<u> </u>
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	21.13	40.54	27.41	16.74	6.90						<u> </u>
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR	1L5XX	0.008838										
FEAT																
	All Features Offered			UEPFR	UEPVF	1.98	0.00	0.00								<u> </u>
	L NUMBER PORTABILITY				LUBOY											
	Local No Portability (1 per port)			UEPFR	LNPCX	0.35										<u> </u>
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-			HEDED	110400		0.40	4.07								
	Conversion-Switch-as-is		1	UEPFR	USAC2		8.48	1.87								
	2W Loop/Dedicated IO Transport/2W Line Port Combination-			UEPFR	110400		0.40	4.07								
_	Conversion-Switch-With-Change Unbundled Misc Rate Element, Tag Designed Loop at End User		-	UEPFR	USACC URETN		8.48 11.21	1.87 1.10								
2 WID	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINI	BOB.	T /DII		UKETIN		11.21	1.10								+
	Port/Loop Combination Rates	FOR	1 (60	3)							 			-		+
UNE F	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			15.76										+
	2W VG Loop/IO Tranport/Port Combo-Zone 1		2			24.23										+
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			37.52										+
LINE	oop Rates		J			31.32										+
OIAL L	2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	14.38										+
	2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2	22.85										+
	2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	36.14										†
2-Wire	e Voice Grade Line Port (Bus)		-	OLITB	OLOI 2	30.14										+
	2W voice unbundled port w/o Caller ID-bus		1	UEPFB	UEPBL	1.38	90.38	57.27	48.66	8.77						†
	2W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBC	1.38	90.38	57.27	48.66	8.77	-			-		+
	2W voice unbundled port outgoing only-bus			UEPFB	UEPBO	1.38	90.38	57.27	48.66	8.77	-			-		+
	2W VG unbundled AL extended local dialing parity port with Caller ID-		1	UEPFB	UEPAW	1.38	90.38	57.27	48.66	8.77						
	2W voice unbundled incoming only port with Caller ID-Bus		1	UEPFB	UEPB1	1.38	90.38	57.27	48.66	8.77						
	2W Voice Unbundled AL bus Dialing Plan w/o Caller ID			UEPFB	UEPWB	1.38	90.38	57.27	48.66	8.77						†
LOCA	L NUMBER PORTABILITY															†
	Local No Portability (1 per port)			UEPFB	LNPCX	0.35										†
INTER	OFFICE TRANSPORT															1
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2	21.13	40.54	27.41	16.74	6.90						1
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX	0.008838										
FEAT	URES															1
	All Features Offered			UEPFB	UEPVF	1.98	0.00	0.00								1
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-															
	Conversion-Switch-as-is			UEPFB	USAC2		8.48	1.87								
	2W Loop/Dedicated IO Transport/2W Line Port Combination-															
	Conversion-Switch with change			UEPFB	USACC		8.48	1.87								
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFB	URETN		11.21	1.10								
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINI	POR	T (PB	X)												
UNE P	Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			15.76										<u> </u>
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			24.23										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			37.52										
UNE L	oop Rates			UEPFP	LIEGES	14.38								-		
-	2W VG Loop (SL2)-Zone 1	<u> </u>	1		UECF2				1		!	ļ	1	1		
-	2W VG Loop (SL2)-Zone 2		2	UEPFP UEPFP	UECF2	22.85 36.14			1				-	 		+
2-14/:	2W VG Loop (SL2)-Zone 3 e Voice Grade Line Port Rates (BUS - PBX)		3	UEPFP	UECF2	30.14					-		-	-		+
Z-VVIPE	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus	-	+	UEPFP	UEPPC	1.38	119.27	69.85	61.18	8.34	-	-		 		+
-	Line Side Unbundled Outward PBX Trunk Port-Bus		+	UEPFP	UEPPO	1.38	119.27	69.85		8.34	-		-	-		+
	Line Side Unbundled Incoming PBX Trunk Port-Bus		+	UEPFP	UEPP1	1.38	119.27	69.85		8.34	 		1	1		+
+	2W Voice Unbundled 2-Way Combination PBX AL Calling Port	 	+	UEPFP	UEPA2	1.38	119.27	69.85	61.18	8.34	 	-	1	 		+
+	2W Voice Unbundled PBX LD Terminal Ports		+	UEPFP	UEPLD	1.38	119.27	69.85	61.18	8.34				t		+
	2W Voice Unbundled 2-Way Combination PBX Usage Port		+	UEPFP	UEPXA	1.38	119.27	69.85	61.18	8.34	 		1	1		+
		•	1	ULFIF	ULFAA	1.30	115.2/	05.00	01.10	0.54	1		•	1		1

INBUNDI	ED NETWORK ELEMENTS - Alabama			1										ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			ΓES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic- Add'l	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Orde vs.
						Rec	Nonrec		NRC Disc					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Voice Unbundled PBX LD DDD Terminals Port		<u> </u>	UEPFP	UEPXC	1.38	119.27	69.85	61.18	8.34						
	2W Voice Unbundled PBX LD Terminal Switchboard Port		<u> </u>	UEPFP	UEPXD	1.38	119.27	69.85	61.18	8.34						
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		<u> </u>	UEPFP	UEPXE	1.38	119.27	69.85	61.18	8.34						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDED	LIEDVI	4.00	110.07	00.05	04.40	0.04						
	Administrative Calling Port 2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room			UEPFP	UEPXL	1.38	119.27	69.85	61.18	8.34				-		-
	Calling Port			UEPFP	UEPXM	1.38	119.27	69.85	61.18	8.34						
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount		1	OLITI	OLI XIVI	1.50	113.27	03.00	01.10	0.54						
	Room Calling Port			UEPFP	UEPXO	1.38	119.27	69.85	61.18	8.34						
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.38	119.27	69.85	61.18	8.34						
LOC/	AL NUMBER PORTABILITY			02	02.70	1.00	110.27	00.00	01110	0.01						
	Local No Portability (1 per port)		1	UEPFP	LNPCP	3.15	0.00	0.00								
INTE	ROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2	21.13	40.54	27.41	16.74	6.90						1
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	1L5XX	0.008838										
FEAT	URES															
	All Features Offered			UEPFP	UEPVF	1.98	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-															
	Conversion-Switch-as-is			UEPFP	USAC2		8.48	1.87								
	2W Loop/Dedicated IO Transport/2W Line Port Combination-															
	Conversion-Switch with change			UEPFP	USACC		8.48	1.87								
	Unbundled Misc Rate Element, Tag Designed Loop at End User		<u> </u>	UEPFP	URETN		11.21	1.10								
	D PORT/LOOP COMBINATIONS - COST BASED RATES	<u> </u>	<u> </u>													
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK POR	T	1													
UNE	Port/Loop Combination Rates 2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1			22.40										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1 2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2			30.88										
_	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		3			44.17										
LINE	Loop Rates		3			44.17										
UNL	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD1	14.38										
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD1	22.85										
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1	36.14										
UNE	Port Rate		Ť	02.17	02021	00.11										
	Exchange Ports-2W DID Port			UEPPX	UEPD1	8.02	207.31	73.74	107.14	11.20						
NON	RECURRING CHARGES - CURRENTLY COMBINED															1
	2W VG Loop/2W DID Trunk Port Combination -Switch-as-is			UEPPX	USAC1		7.31	1.87								1
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable			UEPPX	USA1C		7.31	1.87								1
ADDI	TIONAL NRCs															
	2W DID Subsqnt Activity-Add Trunks, Per Trunk			UEPPX	USAS1		26.78	26.78								
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPX	URETN		11.21	1.10								
Telep	hone Number/Trunk Group Establisment Charges															
	DID Trunk Term (One Per Port)			UEPPX	NDT	0.00	0.00	0.00								
	Add'l DID Nos for each Group of 20 DID Nos			UEPPX	ND4	0.00	0.00	0.00								
	DID Nos, Non-consecutive DID Nos , Per No			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Nos		<u> </u>	UEPPX	ND6	0.00	0.00	0.00								
1.00	Reserve DID Nos		<u> </u>	UEPPX	NDV	0.00	0.00	0.00								
LOCA	AL NUMBER PORTABILITY		-	UEPPX	LNPCP	2.45	0.00	0.00								
2 14/15	Local No Portability (1 per port) RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SI	DE DO	L.	UEPPX	LINPUP	3.15	0.00	0.00								
		DE PO	ואי					-	-		-	-		 		
UNE	Port/Loop Combination Rates 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE		+								-		-	-		├──
	Zone 1		1	UEPPB UEPPR		27.28		1								
-	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE		+-	OLFFB UEPPR		21.28		 	1		1			 		+
	Zone 2		2	UEPPB UEPPR		37.86		1								
+	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE		+ -	OLITO OLFFR		31.00		 	 		 			t		
	Zone 3		3	UEPPB UEPPR		53.84		1								
UNE	Loop Rates	_	۲	SELLE OFFICE		33.04			+				 	t		
J. T.	2W ISDN Digital Grade Loop-UNE Zone 1			UEPPB UEPPR	USL2X	19.03		ļ						<u> </u>		4

ATE ELEMENTS Interest 2	BUNDL	ED NETWORK ELEMENTS - Alabama			1		1						Ia		ment: 2		ibit: A
29 SDN Digital Grade Locy-LINE Zone 2 2 UEPPB UEPPR USLXX 29.62	TEGORY	RATE ELEMENTS			BCS	usoc			.,,			Submitte d Elec	Submitted Manually	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic- Add'l	I Charge -	I Charge Manua Svc Ord vs.
WHERD Dated Contact Lord-LINE Zone 2							Rec										
2W ISDN Digital Grade Loop-UNE Zone 3 3 UFPPB UEPPB USLZX 45.00								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
UBEP FOR Rate																	
Exchange Port.2VI SDN Line Side Port UEPPB				3	UEPPB UEPPR	USL2X	45.60										
NONECURRING CHARGES - CURRENTLY COMBINED					LIEDDD LIEDDD	LIEDDD	0.04	100.01	400.70	400.07	04.00						
2W ISDN Oglaid Grade Loop/2W ISDN Line Side Port Combination-					UEPPB UEPPR	UEPPB	8.24	190.01	132.76	100.67	21.28						
Conversion				_					ļ								
ADDITIONAL NRCs UPDMCH Mick Rate Element, Tag Designed Loop at End User UEPPB UEPPR URETN 11,21 1,10					HEDDD HEDDD	LICACD	0.00	20.54	27.00								
Unbundled Misc Rate Element, Tag Loop at End User Permise UEPPB UEPPR URETL 1.10				_	UEPPB UEPPR	USACB	0.00	38.51	27.02								
Unbundled Misc Rate Element, Taj Loop at End User Premise UEPPB UEPPR URETL 8.33 0.83				_	LIEDDD LIEDDD	LIDETNI		11.01	1 10								
LOCAL NUMBER PORTABILITY LEORIN PORTABILITY LEORIN PORTABILITY LEORIN PORTABILITY LEORIN PORTABILITY LEORIN PORTABILITY LEORIN PORTABILITY LEORIN PORTABILITY LEORING			-														
Lican No Portability (1 per port)			1	1	ULPPD UEPPK	UKEIL		0.33	0.83	1		1	1	1			
B-CHÁNNEL USER PROFILE ACCESS: UEPPB UEPPR UTUCA 0.00 0.00 0.00 0.00			!	1	HEDDR HEDDD	LNPCY	0.35	0.00	0.00	1	1	1	1	ł	1		+
CVS/CSD (DMS/ESS)			<u> </u>	<u> </u>	OLFFD UEFFR	LINEUX	0.35	0.00	0.00	-		 	-	1	-		┼
CVS (EWSD)			!	1	HEPPR HEPPP	LITLICA	0.00	0.00	0.00	1	1	1	1	ł	1		
CSD B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN) UEPPB UEPPR UTUCD UEVA UUCC				1													+
B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)				1													+
CVS/CSD (DMS/SESS)			& TN		OLFFB OLFFR	01000	0.00	0.00	0.00	1			1				+
CVS (EWSD)			, G. 114,	_	HEDDR HEDDR	HILLOD	0.00	0.00	0.00								+
USER TERMINAL PROFILE			1	-						1			1				+
USER TERMINAL PROFILE USER TERMINAL PROFILE USER TERMINAL PROFILE USER TERMINAL PROFILE (WIND Only) USER TERMINAL PROFILE (WIND ONLY) USER TERMINAL PROFILE (WIND ONLY) USER TERMINAL PROFILE (WIND ONLY) USER TERMINAL ONLY ONLY ONLY ONLY ONLY ONLY ONLY ONL				1													+
User Terminal Profile (EWSD only)					OLFFB OLFFR	01001	0.00	0.00	0.00	1			1				+
VERTICAL FEATURES					HEDDR HEDDR	ΙΙΙΙΙΜΔ	0.00	0.00	0.00	1			1				+
All Vertical Features-One per Channel B User Profile UEPPB UEPPR UEPVF 1.98 0.00				1	OLITB OLITIC	OTOWA	0.00	0.00	0.00								+
Interoffice Channel miage each, including first mi and facilities Term Interoffice Channel miage each, including first mi and facilities Term UEPPB UEPPR MIGNC 21.13 40.54 27.41 16.74 6.90 UEPPB UEPPR MIGNM 0.008838 0.00 0.00 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT The UNEP DS1 combination rates below for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital Trunk Port in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to agreement. Requests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital Trunk Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. UNEP Port/Loop Combination Rates 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 1 1 UEPPP 166.87 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2 1 UEPPP 238.50 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3 3 UEPPP 398.85 UNE Loop Rates UNE DOP Rates 4W DS1 Digital Loop-UNE Zone 1 1 UEPPP USL4P 82.55 UNE DOP DIGITAL COOP UNE ZONE 3 3 UEPPP USL4P 84.18 4W DS1 Digital Loop-UNE Zone 2 2 UEPPP USL4P 84.18 4W DS1 Digital Loop-UNE Zone 3 3 UEPPP USL4P 84.18 UNE PORT Rate Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) UNEP Port Rate Exchange Ports-4W ISDN DS1 DS1 DS1 Drigital Trunk Port Combination- Conversion - Switch-as-is (E:4/1/2004) UEPPP USACP 0.00 119.07 78.56 ADDITIONAL NRCS 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination- Conversion - Switch-as-is (E:4/1/2004) UEPPP PRTTF 0.49					LIEPPR LIEPPR	LIEP\/F	1 98	0.00	0.00	1			1				+
Interoffice Channel miage each, including first mi and facilities Term Interoffice Channel miage each, Add mid mi Interoffice Channel miage each, Add mid mide with the factor of the mide with the factor of the mide will all the mide will all the mide will all the mide will all the mide will all the mide will all the mide will all the mide will all the mide will all the mide will all the mide will all					OLITE OLITIC	OLI VI	1.00	0.00	0.00			1					
Interoffice Channel miage each, AddI mi					HEDDR HEDDR	MIGNO	21 13	40.54	27 /11	16.74	6.90	1					+
#WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT The UNE-P DS1 combination rates below for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital Trunk Port in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to agreement. Requests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital Trunk Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. UNE Port/Loop Combination Rates 4W DS1 Digital Loop/WI ISDN DS1 Digital Trunk Port -UNE Zone 1 1 UEPPP 166.87 4W DS1 Digital Loop/WI ISDN DS1 Digital Trunk Port -UNE Zone 2 2 UEPPP 238.50 UNE Loop Rates 4W DS1 Digital Loop-UNE Zone 1 1 UEPPP USL4P 82.55 4W DS1 Digital Loop-UNE Zone 1 1 UEPPP USL4P 82.55 4W DS1 Digital Loop-UNE Zone 2 2 UEPPP USL4P 154.18 4W DS1 Digital Loop-UNE Zone 3 3 UEPPP USL4P 154.18 4W DS1 Digital Loop-UNE Zone 3 3 UEPPP USL4P 314.52 UNE Port Rate Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) NONRECURRING CHARGES - CURRENTLY COMBINED 4W DS1 Digital Loop/WI ITNK Port Combination- Conversion - Switch-as-is (E:4/1/2004) UEPPP USACP 0.00 119.07 78.56 UEPPP USACP 0.04										10.74	0.30						+
The UNE-P DS1 combination rates below for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital Trunk Port in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to agreement. Requests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital Trunk Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. UNE Port/Loop Combination Rates W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 1	4-WIRE	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK POR	eT.		OLITE OLITE		0.000000	0.00	0.00			1					+
4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 1	agreen Reque	nent. sts for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital Trunk			-										lali revert to	tariii rates o	га ѕера
WW DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2 UEPPP 238.50																	ļ
AW DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3 3 UEPPP 398.85																	
UNE Loop Rates																	4
AW DS1 Digital Loop-UNE Zone 1				3	UEPPP		398.85		ļ								
AW DS1 Digital Loop-UNE Zone 2 2 UEPPP				1	LIEDDD	LICI AD	00 55		1								+
WW DS1 Digital Loop-UNE Zone 3 3 UEPPP		4W DS1 Digital Loop LINE Zone 2										+					+
UNE Port Rate									1								+
Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			1	3	ULFFF	USL4F	314.32			1			1				+
NONRECURRING CHARGES - CURRENTLY COMBINED 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination- Conversion - Switch-as-is (E:4/1/2004) 4DDITIONAL NRCs 4W DS1 Loop/4-W ISDN Digit Trk Port-Subsqt Actvy-Inward/two way Tel Nos UEPPP PR7TF 0.49					LIEPPP	LIEPPP	84 32	456 28	259 10	123.88	31 77		1				+
4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination- Conversion - Switch-as-is (E:4/1/2004) ADDITIONAL NRCs 4W DS1 Loop/4-W ISDN Digit Trk Port-Subsqt Actvy-Inward/two way Tel Nos UEPPP PR7TF 0.49					OLITT	OLITI	04.02	400.20	200.10	120.00	01.77						†
Conversion Switch-as-is (E:4/1/2004)																	
ADDITIONAL NRCs 4W DS1 Loop/4-W ISDN Digit Trk Port-Subsqt Actvy-Inward/two way Tel Nos UEPPP PR7TF 0.49					UEPPP	USACP	0.00	119.07	78.56								
4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqt Actvy-Inward/two way Tel Nos UEPPP PR7TF 0.49																	—
Tel Nos UEPPP PR7TF 0.49									İ								—
					UEPPP	PR7TF		0.49									
14W DST LOOD/4W ISDN DST DIGITAL TRUNK POR-OUTWARD TELL NOS UEPPP PR/TO 11.51		4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos			UEPPP	PR7TO		11.51									
4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqnt Inward Tel Nos UEPPP PR7ZT 23.02																	
LOCAL NUMBER PORTABILITY	LOCAL	NUMBER PORTABILITY															
Local No Portability (1 per port) UEPPP LNPCN 1.75		Local No Portability (1 per port)			UEPPP	LNPCN	1.75										
INTERFACE (Provisioning Only)	INTER	FACE (Provsioning Only)															
Voice/Data					UEPPP	PR71V	0.00	0.00	0.00								
Digital Data UEPPP PR71D 0.00 0.00 0.00 0.00																	
Inward Data UEPPP PR71E 0.00					UEPPP	PR71E	0.00	0.00	0.00								
New or Additional "B" Channel																	
					UEPPP	PR7BV	0.00	14.53									
		New or Add'l-Digital Data B Channel			UEPPP	PR7BF	0.00	14.53	1	1		_	1	1			1

	LED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
ATEGORY		Interi m	Zon e	BCS	USOC		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Submitted	Incrementa I Charge -		Incrementa I Charge -	Increment I Charge Manual Svc Order
											per core		Electronic-	Add'l	Electronic-	
						_	Nonrec	urring	NRC Disc	onnect		1	OSS	Rates (\$)	Dice 1ct	Dice Ad
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
CALI	TYPES															
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7CO	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Inter	office Channel Mileage															
	Fixed Each Including First mi			UEPPP	1LN1A	60.34	89.27	81.81	16.35	14.44						
	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.18										
	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
	JNE-P DS1 combination rates below for 4-Wire DS1 Digital Loop with											these rates	shall revert	to tariff rates	or a separat	te agree
	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective	date	of this	s amendment shall	be provided	oursuant to a sep	parate agreen	nent or tarif	f at BellSou	th's disc	retion.					
UNE	Port/Loop Combination Rates		١.													
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1		1	UEPDC		142.64										
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2		2	UEPDC	ļ	214.26	1	}		 	ļ	}		1		!
11875	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 3		3	UEPDC	 	374.61	1	1	ļ	 	1	1	1	1	1	1
UNE	Loop Rates 4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	82.55	1	1		 	1	1	-	 	-	!
-	4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	82.55 154.18		ļ								
	4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	314.52		ļ								
LINE	Port Rate		3	UEPDC	USLDC	314.52		ļ								
UNE	4W DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	60.09	454.49	253.23	117.29	14.17						
NON	RECURRING CHARGES - CURRENTLY COMBINED			UEPDC	UDDII	60.09	454.49	253.23	117.29	14.17						
NON	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is			LIEBBO	110404		400.40	07.00								
	(E:4/1/2004) 4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion			UEPDC	USAC4		129.49	67.02								
				LIEDDO	110 4144		400.40	07.00								
-	with DS1 Changes (E:4/1/2004) 4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion		-	UEPDC	USAWA		129.49	67.02								
	with Change-Trunk (E:4/1/2004)			UEPDC	USAWB		129.49	67.02								
ADD	TIONAL NRCs			OLFDC	USAVID		123.43	07.02				1				
ADDI	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel							1				1				
	Activation/Chan-2-Way Trunk			UEPDC	UDTTA		14.48	14.48								
-	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-			OLI DO	ODTIN		14.40	14.40								
	1-Way Outward Trunk			UEPDC	UDTTB		14.48	14.48								
	4W DS1 Loop/4W DDITS Trunk Port-Subsgnt Channel Activation/Chan															
	Inward Trunk w/out DID			UEPDC	UDTTC		14.48	14.48								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per															
	Chan-Inward Trunk with DID			UEPDC	UDTTD		14.48	14.48								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-															
	Way DID w User Trans			UEPDC	UDTTE		14.48	14.48								
BIPO	LAR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	600.00s								
	B8ZS-Extended Superframe Format			UEPDC	CCOEF		0.00i	600.00s								
Alter	nate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI-Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telep	hone Number/Trunk Group Establisment Charges															
	Tel No for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
	Tel No for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
	Tel No for 1-Way Inward Trunk Group w/o DID		\vdash	UEPDC	UDTGZ	0.00	0.00	}		 	ļ	}		1		!
	DID Nos for each Group of 20 DID Nos		1	UEPDC UEPDC	ND4	0.00	0.00				<u> </u>		 	-	-	<u> </u>
	DID Nos, Non-consecutive DID Nos , Per No Reserve Non-Consecutive DID Nos.		1	UEPDC	ND5 ND6	0.00	0.00	0.00		 	 	1	 	 	 	
+	Reserve Non-Consecutive DID Nos. Reserve DID Nos		\vdash	UEPDC	NDV	0.00	0.00	0.00		 	 	-		-	 	
Dod:	reserve DID Nos cated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digi	al I a	n			0.00	0.00	0.00			<u> </u>		 	-	-	1
Deald	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)	al LO	JP WIT	UEPDC	1LNO1	60.16	89.27	81.81	16.35	14.44	 		-	-	-	<u> </u>
+	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term) Interoffice Channel miage-Add'l rate per mi-0-8 mis		\vdash	UEPDC	1LNOA	0.18	0.00	0.00	10.33	14.44	 	-		-	 	
1	Interoffice Channel miage-Add I rate per mi-u-8 mis Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)		\vdash	UEPDC	1LNOA 1LNO2	0.18	0.00	0.00	1	 	1	}	-	 	-	1
			1	UEPDC	ILINO2	0.00	0.00	0.00					<u> </u>	1		
				HEDD€	11 NIOP	0.40	0.00	0.00								
	Interoffice Channel miage-Add'l rate per mi-9-25 mis Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC UEPDC	1LNOB 1LNO3	0.18 0.00	0.00	0.00	0.00							

	LED NETWORK ELEMENTS - Alabama													ment: 2	Exhil	
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	I Charge -	Increme I Charge Manua Svc Ord vs. Electron
					1	Rec	Nonrec		NRC Disc					Rates (\$)		
					L		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Local No Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	CO Termininating Point			UEPDC	CTG	0.00										
	RE DS1 LOOP WITH CHANNELIZATION WITH PORT															
	em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activation		<u> </u>	L <u>. </u>												
	System can have up to 24 combinations of rates depending on type				it ammler to th			-f 40/0/00 ·		A 54 a m A /A	/0.4 4l =	taa ahall sa				
	JNE-P DS1 combination rates below for 4-Wire DS1 Loop with Chann ests for 4-Wire DS1 Loop with Channelization with Port after the effe											ites snail re	vert to tariff	rates or a se	parate agree	ment.
	ests for 4-wire DST Loop with Chaimenzation with Fort after the ene	Clive C	Jale 0	i tilis amendment s	liali be provi	leu pursuant to a	a separate ay	reement or	tariii at bei	South S	discretion.					
ONE	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	82.55	0.00	0.00	-		-					
-	4W DS1 Loop-UNE Zone 2	-	2	UEPMG	USLDC	154.18	0.00	0.00	1							
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	314.52	0.00	0.00								
UNF	DSO Channelization Capacities (D4 Channel Bank Configurations)	1	-	OLI WO	UGLDO	314.32	0.00	0.00								
SINE	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	101.40	0.00	0.00								-
1	48 DSO Channel Capacity-1 per 2 DS1s		1	UEPMG	VUM48	202.80	0.00	0.00								
+	96 DSO Channel Capacity -1per 4 DS1s	-		UEPMG	VUM96	405.60	0.00	0.00						1		
+	144 DS0 Channel Capacity-1per 4 DS1s			UEPMG	VUM14	608.40	0.00	0.00								
1	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	811.20	0.00	0.00						1		
+	240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM2O	1,014.00	0.00	0.00								
	288 DS0 Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	1,216.80	0.00	0.00								
	384 DS0 Channel Capacity-1 per 16 DS1s			UEPMG	VUM38	1,622.40	0.00	0.00								
	480 DS0 Channel Capacity-1 per 20 DS1s			UEPMG	VUM4O	2.028.00	0.00	0.00								
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,433.60	0.00	0.00								
	672 DS0 Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	2,839.20	0.00	0.00								
Non-	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Cha	nneliz	tion v		on Charge Ba		1									
	nimum System configuration is One (1) DS1, One (1) D4 Channel Ban															
	ples of this configuration functioning as one are considered Add'l af															
	NRC-Conversion (Currently Combined) with or w/o BST Allowed			UEPMG	USAC4	0.00	150.48	8.36								
Syste	m Additions at End User Locations Where 4-Wire DS1 Loop with Ch	anneli	zatio	with Port Combina	tion Current	y Exists and										
New ((Not Currently Combined) in all states, except in Density Zone 1 of To	on 8 M	SA's													
		P U														
	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea															
	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004)	, p c		UEPMG	VUMD4	0.00	716.11	468.04	148.75	17.65						
Bipol	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) ar 8 Zero Substitution			UEPMG		0.00	716.11		148.75	17.65						
Bipol	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) are 8 Zero Substitution [Clear Channel Capability Format, superframe-Subsqnt Activity Only				VUMD4		716.11 0.00i	468.04 600.00s	148.75	17.65						
Bipol	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) ar 8 Zero Substitution (Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt			UEPMG UEPMG	CCOSF	0.00	0.00i	600.00s	148.75	17.65						
	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) ar 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only			UEPMG		0.00			148.75	17.65						
	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) are 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only activity Only nate Mark Inversion (AMI)			UEPMG UEPMG	CCOSF	0.00	0.00i 0.00i	600.00s 600.00s	148.75	17.65						
	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) are 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only atte Mark Inversion (AMI) Superframe Format			UEPMG UEPMG UEPMG UEPMG	CCOSF CCOEF MCOSF	0.00	0.00i 0.00i	600.00s 600.00s	148.75	17.65						
Alterr	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) ar 8 Zero Substitution [Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only nate Mark Inversion (AMI) [Superframe Format] Extended Superframe Format			UEPMG UEPMG	CCOSF	0.00	0.00i 0.00i	600.00s 600.00s	148.75	17.65						
Alterr	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) are 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only activity Only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelization with activity only and the superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelization with activities and the superframe format and the superframe format and the superframe format and the superframe format and the superframe format form			UEPMG UEPMG UEPMG UEPMG	CCOSF CCOEF MCOSF	0.00	0.00i 0.00i	600.00s 600.00s	148.75	17.65						
Alterr	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) are 8 Zero Substitution [Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only ante Mark Inversion (AMI) Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelization witange Ports			UEPMG UEPMG UEPMG UEPMG UEPMG	CCOSF CCOEF MCOSF MCOPO	0.00 0.00 0.00 0.00	0.00i 0.00i 0.00 0.00	600.00s 600.00s 0.00 0.00								
Alterr	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) ar 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelization with ange Ports Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004)			UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG	CCOSF CCOEF MCOSF MCOPO UEPCX	0.00 0.00 0.00 0.00 1.15	0.00i 0.00i 0.00 0.00 0.00	600.00s 600.00s 0.00 0.00	0.00	0.00						
Alterr	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) are 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelization with ange Ports Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004)			UEPMG UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX	0.00 0.00 0.00 0.00 1.15 1.15	0.00i 0.00i 0.00 0.00 0.00 0.00 0.00	600.00s 600.00s 0.00 0.00 0.00 0.00	0.00	0.00						
Alterr	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) are 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only Activity Only Superframe Format Extended Superframe Format Exten			UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEP1X	0.00 0.00 0.00 0.00 1.15 1.15 1.15	0.00i 0.00i 0.00 0.00 0.00 0.00 0.00 0.00	600.00s 600.00s 0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00						
Alterr	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) ar 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only atte Wark Inversion (AMI) Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelization wire ange Ports Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004)			UEPMG UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX	0.00 0.00 0.00 0.00 1.15 1.15	0.00i 0.00i 0.00 0.00 0.00 0.00 0.00	600.00s 600.00s 0.00 0.00 0.00 0.00	0.00	0.00						
Alterr	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) ar 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only Activity Only Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format In Extended Superframe Format Superframe Format Extended Superframe Format In Extended Superframe Format In Extended Superframe Format Superframe Format In Extended Superframe Format Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port Wo DID Line Side Inward Only Channelized PBX Trunk Port Wo DID Line Side Inward Only Channelized DID Trunk Port (E:4/1/2004) Unbundled Exchange Ports, 2W Channelized – Outdial – (AL, KY, LA,			UEPMG UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEP1X UEPDM	0.00 0.00 0.00 0.00 1.15 1.15 1.15 8.05	0.00i 0.00i 0.00 0.00 0.00 0.00 0.00 0.00	600.00s 600.00s 0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00						
Alterr	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) ar 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004) Unbundled Exchange Ports, 2W Channelized — Outdial — (AL, KY, LA, MS, & TN)(Conversion from Network Access Service) (E:4/1/2004)			UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEP1X	0.00 0.00 0.00 0.00 1.15 1.15 1.15	0.00i 0.00i 0.00 0.00 0.00 0.00 0.00 0.00	600.00s 600.00s 0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00						
Alterr	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) are 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only attended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Icine Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004) Unbundled Exchange Ports, 2W Channelized – Outdial – (AL, KY, LA, MS, & TN)(Conversion from Network Access Service) (E:4/1/2004) Unbundled Exchange Ports, 2W Channelized – Combination (AL, KY, LA, MS, & TN)(Conversion from Network Access Service) (E:4/1/2004) Unbundled Exchange Ports, 2W Channelized – Combination (AL, KY, LA,			UEPMG UEPMG UEPMG UEPMG UEPPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEPOX UEP1X UEPDM UEPCY	0.00 0.00 0.00 0.00 1.15 1.15 1.15 8.05	0.00i 0.00i 0.00 0.00 0.00 0.00 0.00 0.00	600.00s 600.00s 0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00						
Alterr	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) are 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only axie Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelization with ange Ports Associated with 4-Wire DS1 Loop with Channelization with ange Ports Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port-bus (E:4/1/2004) Unbundled Exchange Ports, 2W Channelized — Outdial — (AL, KY, LA, MS, & TN) (Conversion from Network Access Service) (E:4/1/2004) Unbundled Exchange Ports, 2W Channelized — Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access Service) (E:4/1/2004) 2W Channelized PBX Area Calling Service Combination Port (AL Only)			UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEP1X UEPDM UEPCY UEPCT	0.00 0.00 0.00 0.00 1.15 1.15 1.15 1.15 1.15	0.00i 0.00i 0.00 0.00 0.00 0.00 0.00 0.00	000.00s 000.00s 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00	0.00 0.00 0.00						
Alterr	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) ar 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only Activity Only Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Bange Ports Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port Wo DID 2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004) Unbundled Exchange Ports, 2W Channelized – Outdial – (AL, KY, LA, MS, & TN) (Conversion from Network Access Service) (E:4/1/2004) Unbundled Exchange Ports, 2W Channelized – Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access Service) (E:4/1/2004) LA, MS, & TN) (Conversion from Network Access Service) (E:4/1/2004) (E:4/1/2004)			UEPMG UEPMG UEPMG UEPMG UEPPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEPOX UEP1X UEPDM UEPCY	0.00 0.00 0.00 0.00 1.15 1.15 1.15 8.05	0.00i 0.00i 0.00 0.00 0.00 0.00 0.00 0.00	600.00s 600.00s 0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00						
Alterr	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) ar 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only axiet Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelization with ange Ports Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port Wo DID 2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004) Unbundled Exchange Ports, 2W Channelized - Outdial - (AL, KY, LA, MS, & TN)(Conversion from Network Access Service) (E:4/1/2004) Unbundled Exchange Ports, 2W Channelized - Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access Service) (E:4/1/2004) 2W Channelized PBX Area Calling Service Outgoing Only Port (AL) 2W Channelized PBX Area Calling Service Outgoing Only Port (AL)			UEPMG UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEPOX UEP1X UEPDM UEPCY UEPCT UEPA4	0.00 0.00 0.00 0.00 1.15 1.15 1.15 1.15 1.15 1.15	0.00i 0.00i 0.00 0.00 0.00 0.00 0.00 0.	000.00s 000.00s 0.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00						
Excha Excha	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) are 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only axiet Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelization with ange Ports Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized PDID Trunk Port (E:4/1/2004) Line Side Inward Only Channelized PDID Trunk Port (E:4/1/2004) Unbundled Exchange Ports, 2W Channelized - Outdial - (AL, KY, LA, MS, & TN) (Conversion from Network Access Service) (E:4/1/2004) Unbundled Exchange Ports, 2W Channelized - Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access Service) (E:4/1/2004) 2W Channelized PBX Area Calling Service Outgoing Only Port (AL Only) (E:4/1/2004)			UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEP1X UEPDM UEPCY UEPCT	0.00 0.00 0.00 0.00 1.15 1.15 1.15 1.15 1.15	0.00i 0.00i 0.00 0.00 0.00 0.00 0.00 0.00	000.00s 000.00s 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00	0.00 0.00 0.00						
Excha Excha	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) ar 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only axiet Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Inage Ports Associated with 4-Wire DS1 Loop with Channelization with ange Ports Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004) Unbundled Exchange Ports, 2W Channelized — Outdial — (AL, KY, LA, MS, & TN) (Conversion from Network Access Service) (E:4/1/2004) Unbundled Exchange Ports, 2W Channelized — Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access Service) (E:4/1/2004) 2W Channelized PBX Area Calling Service Combination Port (AL Only) (E:4/1/2004) 2W Channelized PBX Area Calling Service Outgoing Only Port (AL Only) (E:4/1/2004) Tre Activations - Unbundled Loop Concentration			UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEP1X UEPDM UEPCT UEPCT UEPA4 UEPA3	0.00 0.00 0.00 0.00 1.15 1.15 1.15 1.15	0.00i 0.00i 0.00 0.00 0.00 0.00 0.00 0.	000.00s 000.00s 0.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00						
Excha Excha	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) are 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only Activity Only Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format In Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004) Unbundled Exchange Ports, 2W Channelized – Outdial – (AL, KY, LA, MS, & TN)(Conversion from Network Access Service) (E:4/1/2004) Unbundled Exchange Ports, 2W Channelized – Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access Service) (E:4/1/2004) 2W Channelized PBX Area Calling Service Combination Port (AL Only) (E:4/1/2004) 2W Channelized PBX Area Calling Service Outgoing Only Port (AL Only) (E:4/1/2004) IF eature (Service) Activation for each Line Port Terminated in D4 Bank			UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEPOX UEPTX UEPDM UEPCY UEPCT UEPA4 UEPA4 1PQWM	0.00 0.00 0.00 0.00 1.15 1.15 1.15 1.15	0.00i 0.00i 0.00 0.00 0.00 0.00 0.00 0.	000.00s 000.00s 0.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00						
Alterr	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) are 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelization with ange Ports Associated with 4-Wire DS1 Loop with Channelization with ange Ports Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized PBX Trunk Port (E:4/1/2004) Unbundled Exchange Ports, 2W Channelized - Outdial - (AL, KY, LA, MS, & TN)(Conversion from Network Access Service) (E:4/1/2004) Unbundled Exchange Ports, 2W Channelized - Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access Service) (E:4/1/2004) 2W Channelized PBX Area Calling Service Combination Port (AL Only) (E:4/1/2004) 2W Channelized PBX Area Calling Service Outgoing Only Port (AL Only) (E:4/1/2004) Peactivations - Unbundled Loop Concentration Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEP1X UEPDM UEPCT UEPCT UEPA4 UEPA3	0.00 0.00 0.00 0.00 1.15 1.15 1.15 1.15	0.00i 0.00i 0.00 0.00 0.00 0.00 0.00 0.	000.00s 000.00s 0.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00						
Alterr Excha	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) ar 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only axiet Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format In Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port Wo DID 2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004) Linbundled Exchange Ports, 2W Channelized — Outdial — (AL, KY, LA, MS, & TN) (Conversion from Network Access Service) (E:4/1/2004) Unbundled Exchange Ports, 2W Channelized — Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access Service) (E:4/1/2004) 2W Channelized PBX Area Calling Service Combination Port (AL Only) (E:4/1/2004) 2W Channelized PBX Area Calling Service Outgoing Only Port (AL Only) (E:4/1/2004) Line Activations - Unbundled Loop Concentration Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPMG UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEP1X UEPDM UEPCT UEPCT UEPA4 UEPA3 1PQWM 1PQWU	0.00 0.00 0.00 0.00 1.15 1.15 1.15 1.15	0.00i 0.00i 0.00 0.00 0.00 0.00 0.00 0.	000.00s 000.00s 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00						
Alterr Excha	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) are 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelization with ange Ports Associated with 4-Wire DS1 Loop with Channelization with ange Ports Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized PBX Trunk Port (E:4/1/2004) Unbundled Exchange Ports, 2W Channelized - Outdial - (AL, KY, LA, MS, & TN)(Conversion from Network Access Service) (E:4/1/2004) Unbundled Exchange Ports, 2W Channelized - Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access Service) (E:4/1/2004) 2W Channelized PBX Area Calling Service Combination Port (AL Only) (E:4/1/2004) 2W Channelized PBX Area Calling Service Outgoing Only Port (AL Only) (E:4/1/2004) Peactivations - Unbundled Loop Concentration Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEPOX UEPTX UEPDM UEPCY UEPCT UEPA4 UEPA4 1PQWM	0.00 0.00 0.00 0.00 1.15 1.15 1.15 1.15	0.00i 0.00i 0.00 0.00 0.00 0.00 0.00 0.	000.00s 000.00s 0.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00						

UNBUND	DLED NETWORK ELEMENTS - Alabama	,		ı	1									ment: 2		ibit: A
CATEGOR	Y RATE ELEMENTS	Interi m	i Zon e	BCS	USOC			TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic- Add'l	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Orde vs.
						Rec	Nonrec		NRC Disco				oss	Rates (\$)		
							First	Add'l		Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00								
1.00	Reserve DID Nos al Number Portability	-		UEPPX	NDV	0.00	0.00	0.00	 							
LOC	Local No Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00	 				-	-		1
FFA	TURES - Vertical and Optional			OLITA	LIVI OI	0.10	0.00	0.00	 							
	al Switching Features Offered with Line Side Ports Only								†							
	All Features Available			UEPPX	UEPVF	1.98	0.00	0.00	l l							
	ED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES															
	ost Based Rates are applied where BellSouth is required by FCC and/															
	eatures shall apply to the Unbundled Port/Loop Combination - Cost E															
3. E	nd Office and Tandem Switching Usage and Common Transport Usage	e rate	s in th	e Port section of th	is exhibit sh	all apply to all co	mbinations o	of loop/port	network ele	ments ex	cept for U	INE Coin Po	ort/Loop Cor	nbinations.		
	he first and add'l Port NRC charges apply to Not Currently Combined	Comb	os. I	or Currently Comb	inea Compos	s, the NKC charge	s snall be th	ose identifi	ea in the NK	C - Curre	ently Comb	inea sectio	ns. Add N	RCs may app	iy aiso and a	are
	gorized accordingly. /arket Rates for Unbundled Centrex Port/Loop Combination will be no	antint	ad an	an Individual Casa	Pasia until	further netice	ı		1				1			1
	E-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)	gona	leu oi	i an muividuai Case	l basis, unitii	Turther notice.			1							
	ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo								 							
	Port/Loop Combination Rates (Non-Design)								i i							
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP91		12.70			i i							
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP91		21.19										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP91		34.80										
UNE	Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP91		15.53										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP91		24.00										
LINE	2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate	-	3	UEP91		37.29			 							
UNE	2W VG Loop (SL 1)-Zone 1		1	UEP91	UECS1	11.55			1							
	2W VG Loop (SL 1)-Zone 2		2	UEP91	UECS1	20.04			 							
	2W VG Loop (SL 1)-Zone 3		3	UEP91	UECS1	33.65			†							
	2W VG Loop (SL 2)-Zone 1		1	UEP91	UECS2	14.38			l l							
	2W VG Loop (SL 2)-Zone 2		2	UEP91	UECS2	22.85										
	2W VG Loop (SL 2)-Zone 3		3	UEP91	UECS2	36.14										
	Ports															
All S	States (Except NC and SC)			LIEDOA	LIEDVA	1.15	40.40	40.00	04.04	0.00						
	2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term)Basic Local Area	-		UEP91 UEP91	UEPYA UEPYB	1.15 1.15	40.19 40.19	19.83 19.83		6.63 6.63						
	2W VG Port (Centrex with Caller ID)Note1 Basic Local Area			UEP91	UEPYH	1.15	40.19	19.83		6.63						
	2W VG Port (Centrex from diff SWC) Note 2, 3 Basic Local Area			UEP91	UEPYM	1.15	90.38	57.27		8.77						
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP91	UEPYZ	1.15	90.38	57.27		8.77						
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP91	UEPY9	1.15	40.19	19.83	24.91	6.63						
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP91	UEPY2	1.15	40.19	19.83	24.91	6.63						
AL,	KY, LA, MS, & TN Only															
	2W VG Port (Centrex)			UEP91	UEPQA	1.15	40.19	19.83		6.63						
	2W VG Port (Centrex 800 Term) 2W VG Port (Centrex with Caller ID)1			UEP91 UEP91	UEPQB UEPQH	1.15 1.15	40.19 40.19	19.83 19.83	24.91 24.91	6.63						
	2W VG Port (Centrex with Caller ID)1 2W VG Port (Centrex from diff SWC)2,3			UEP91	UEPQM	1.15	90.38	57.27		8.77						
	2W VG Port, Diff SWC-2,3-800 Service Term			UEP91	UEPQZ	1.15	90.38	57.27	48.66	8.77						
	2W VG Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.15	40.19	19.83	24.91	6.63						
	2W VG Port Terminated on 800 Service Term			UEP91	UEPQ2	1.15	40.19	19.83	24.91	6.63						
Loc	al Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.5488										
Loc	al Number Portability	<u> </u>	 	LIEDO.	LNDOO	2.5-										ļ
 	Local No Portability (1 per port)	<u> </u>	1-	UEP91	LNPCC	0.35										
Feat	All Standard Features Offered, per port	1	1-	UEP91	UEPVF	1.98		1	1		1	1	-	1		<u> </u>
1	All Select Features Offered, per port	!	+	UEP91 UEP91	UEPVF	0.00	405.52	-	1		-			-		-
		1	1-	UEP91	UEPVC	1.98	+00.32	 	 		-	-	 	 		
	IAII Centrex Control Features Offered per port															1
NAF	All Centrex Control Features Offered, per port		1	OLI 01					1							
NAF				UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						

NRONDL	ED NETWORK ELEMENTS - Alabama		, ,											ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic- Add'l	I Charge -	I Charge Manua Svc Orde vs.
						Rec	Nonrec	urring	NRC Disc	onnect		•		Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Network Access Register-Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
	llaneous Terminations															
2-Wire	Trunk Side			LIEDA.	051110			40.74		0.70						
	Trunk Side Terms, each			UEP91	CENA6	8.05	119.31	18.74	59.90	3.76						
Intero	ffice Channel Mileage - 2-Wire Interoffice Channel Facilities Term-VG			UEP91	M1GBC	21.13	40.54	27.41	16.74	6.90						
	Interoffice Channel miage, per mi or fraction of mi	-	-	UEP91	M1GBC M1GBM	0.008838	40.54	21.41	10.74	6.90						+
Featur	re Activations (DS0) Centrex Loops on Channelized DS1 Service			OLI 31	WITODW	0.000000			1							
	annel Bank Feature Activations								+							
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.56										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.56								1		†
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP91	1PQWP	0.56										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.56					<u></u>					
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.56										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	Conversion-Currently Combined Switch-As-Is with allowed changes,															
	per port			UEP91	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block			UEP91	USACN		37.75	16.58								
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	667.21									
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	667.21									
	Secondary Block, per Block			UEP91	M2CC1	0.00	78.02									
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.73									
Additi	onal Non-Recurring Charges (NRC)			UEP91	LIDETI		0.22	0.83	-							
_	Unbundled Misc Rate Element, Tag Loop at End Use Premise Unbundled Misc Rate Element, Tag Design Loop at End Use Premise	-		UEP91	URETL URETN		8.33 11.21	1.10								+
IINF-E	CENTREX - 5ESS (Valid in All States)			UEF91	UKETIN		11.21	1.10	+				-	-		+
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo				+				1							+
	ort/Loop Combination Rates (Non-Design)				+											
0.12.	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95	1	12.70										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95		21.19										1
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95		34.80										1
UNE P	ort/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		15.53										1
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP95		24.00										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95		37.29										
UNE L	oop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP95	UECS1	11.55										
	2W VG Loop (SL 1)-Zone 2		2	UEP95	UECS1	20.04		1	1		1					1
_	2W VG Loop (SL 1)-Zone 3		3	UEP95	UECS1	33.65		 	1		<u> </u>			-		
	2W VG Loop (SL 2)-Zone 1		1	UEP95	UECS2	14.38										
	2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 3		2	UEP95 UEP95	UECS2 UECS2	22.85 36.14										
LINE			3	UEP95	UECS2	36.14			-							
All Sta	ort Rate	-			+				-							+
All St	2W VG Port (Centrex) Basic Local Area			UEP95	UEPYA	1.15	40.19	19.83	24.91	6.63						+
	2W VG Port (Centrex 800 Term)			UEP95	UEPYB	1.15	40.19	19.83		6.63	 			1		
-	2W VG Port (Centrex 666 Term) 2W VG Port (Centrex with Caller ID)1Basic Local Area		1	UEP95	UEPYH	1.15	40.19	19.83		6.63		1		-		
	2W VG Port (Centrex with Garler 12) 12 date 2004 7 fed			UEP95	UEPYM	1.15	90.38	57.27		8.77				1		†
	2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area		1	UEP95	UEPYZ	1.15	90.38	57.27		8.77				1		t
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP95	UEPY9	1.15	40.19	19.83		6.63						†
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP95	UEPY2	1.15	40.19	19.83		6.63						†
AL, K	Y, LA, MS, SC, & TN Only															
	2W VG Port (Centrex)			UEP95	UEPQA	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex 800 Term)			UEP95	UEPQB	1.15	40.19	19.83		6.63						
	2W VG Port (Centrex with Caller ID)1			UEP95	UEPQH	1.15	40.19	19.83		6.63						
	2W VG Port (Centrex from diff SWC)2,3			UEP95	UEPQM	1.15	90.38	57.27		8.77						
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP95	UEPQZ	1.15	90.38	57.27	48.66	8.77	1				l	1

וטאטטאנ	ED NETWORK ELEMENTS - Alabama											1 -		ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			ΓES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge Manua Svc Orde vs.
						Rec	Nonrec		NRC Disc				oss	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.15	40.19	19.83	24.91	6.63						
	2W VG Port Terminated on 800 Service Term			UEP95	UEPQ2	1.15	40.19	19.83	24.91	6.63						
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.5488										
Local	Number Portability															
	Local No Portability (1 per port)			UEP95	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP95	UEPVF	1.98										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	405.52									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	1.98										
NARS			1		1						ļ		ļ	ļ		<u> </u>
_	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00				ļ		<u> </u>
	Unbundled Network Access Register-Indial		1	UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00	ļ		ļ	ļ		<u> </u>
	Unbundled Network Access Register-Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						<u> </u>
	ellaneous Terminations															ļ
2-Wir	e Trunk Side			LIEBAE	051150				=0.00							
	Trunk Side Terms, each			UEP95	CEND6	8.05	119.31	18.74	59.90	3.76						
4-Wir	e Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP95	M1HD1	60.09	202.02	95.69	72.59	2.46						
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.48									
Interd	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP95	M1GBC	21.13	40.54	27.41	16.74	6.90						
	Interoffice Channel miage, per mi or fraction of mi			UEP95	M1GBM	0.008838										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.56										ļ
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.56										ļ
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP95	1PQWP	0.56										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.56										
_	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP95 UEP95	1PQWQ	0.56										4
Ni.	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.56										
Non-i	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed			LIEDOE	110100		0.40	0.40								
-	changes, per port		-	UEP95	USAC2		0.10	0.10								
-	Conversion of Existing Centrex Common Block, each		-	UEP95 UEP95	USACN	0.00	37.75	16.58								
	New Centrex Standard Common Block				M1ACS		667.21									-
+	New Centrex Customized Common Block	-	-	UEP95 UEP95	M1ACC URECA	0.00	667.21		1		!		1	1		
V ~~ ; •	NAR Establishment Charge, Per Occasion	-	1	UEP95	UKECA	0.00	72.73		-		-			 		+
Addit	ional Non-Recurring Charges (NRC)	-	1	UEP95	URETL		8.33	0.83	-		-			 		+
-	Unbundled Misc Rate Element, Tag Loop at End Use Premise Unbundled Misc Rate Element, Tag Design Loop at End Use Premise		1	UEP95 UEP95	URETN		11.21	1.10			-		-	-		\vdash
LINE	P CENTREX - DMS100 (Valid in All States)			UEF95	UKETIN		11.21	1.10								+
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo		-		+						 			-		┼
	Port/Loop Combination Rates (Non-Design)		-													+
UNL	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D		12.70										+
-	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	_	2	UEP9D	+	21.19			+				 	t		+
+	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D	1	34.80								t		
UNF	Port/Loop Combination Rates (Design)		٦	0LI 9D	+	54.00			 		 			t		
3.12	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D	1	15.53			1		t	1		I		
	2W VG Loop/2W VG Fort (Centrex) Fort Combo-Design		2	UEP9D		24.00							 	t		
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		37.29							1	1		\vdash
UNE I	Loop Rate		Ť	05		020							 	t		
	2W VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	11.55								1		
	2W VG Loop (SL 1)-Zone 2		2	UEP9D	UECS1	20.04							1	1		\vdash
1	2W VG Loop (SL 1)-Zone 3		3	UEP9D	UECS1	33.65							1	1		†
\neg	2W VG Loop (SL 2)-Zone 1		1	UEP9D	UECS2	14.38								1		†
\dashv	2W VG Loop (SL 2)-Zone 2		2	UEP9D	UECS2	22.85							 	t		-
	2W VG Loop (SL 2)-Zone 3	 	3	UEP9D	UECS2	36.14			 		 					

INRONDE	ED NETWORK ELEMENTS - Alabama													ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc			ΓES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic- Add'l	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Orde vs.
						Rec	Nonrec		NRC Disco					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Port Rate															
ALL S	TATES															
	2W VG Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex/EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex /EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex /EBS-M5209)3 Basic Local Area			UEP9D	UEPYE	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex /EBS-M5312)3Basic Local Area			UEP9D	UEPYG	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area		!	UEP9D	UEPYU	1.15	40.19	19.83	24.91	6.63	!		1	1	 	
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area		—	UEP9D	UEPYV	1.15	40.19	19.83	24.91	6.63			ļ	-		₩
_	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area		—	UEP9D UEP9D	UEPY3	1.15	40.19 40.19	19.83	24.91 24.91	6.63	ļ		-	1	-	1
	2W VG Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4 Basic Local			LIEDOD	LIEDVAN	4.45	10.10	40.00	04.04	0.00						
	Area			UEP9D	UEPYW	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4 Basic Local Area			UEP9D	UEPYJ	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex from diff SWC) 2,3-Basic Local Area			UEP9D	UEPYM	1.15	90.38	57.27		8.77						
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area			UEP9D	UEPYO	1.15	90.38	57.27	48.66	8.77						
	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	1.15	90.38	57.27	48.66	8.77						
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area			UEP9D	UEPYQ	1.15	90.38	57.27	48.66	8.77						
	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	1.15	90.38	57.27	48.66	8.77						
	2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area			UEP9D	UEPYS	1.15	90.38	57.27	48.66	8.77						
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	1.15	90.38	57.27	48.66	8.77						
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.15	90.38	57.27	48.66	8.77						
	2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area			UEP9D	UEPY6	1.15	90.38	57.27	48.66	8.77						
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	1.15	90.38	57.27	48.66	8.77						
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPYZ	1.15	90.38	57.27	48.66	8.77						
	2W VG Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.15	40.19	19.83	24.91	6.63						
	2W VG Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.15	40.19	19.83	24.91	6.63						
AL, K	Y, LA, MS, SC, & TN Only															ļ
	2W VG Port (Centrex)			UEP9D	UEPQA	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex 800 Term)			UEP9D	UEPQB	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex/EBS-PSET)4			UEP9D	UEPQC	1.15	40.19	19.83	24.91	6.63						ļ
	2W VG Port (Centrex /EBS-M5009)4			UEP9D	UEPQD	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex /EBS-M5209)4			UEP9D	UEPQE	1.15	40.19	19.83		6.63						
	2W VG Port (Centrex /EBS-M5112)4			UEP9D	UEPQF	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex /EBS-M5312)4			UEP9D	UEPQG	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex /EBS-M5008)4			UEP9D	UEPQT	1.15	40.19	19.83	24.91	6.63						ļ
	2W VG Port (Centrex/EBS-M5208)4			UEP9D	UEPQU	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex/EBS-M5216)4			UEP9D	UEPQV	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex/EBS-M5316)4			UEP9D	UEPQ3	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex with Caller ID)			UEP9D	UEPQH	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4			UEP9D	UEPQW	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex from diff SWC) 2,3			UEP9D	UEPQM	1.15	90.38	57.27	48.66	8.77						
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.15	90.38	57.27	48.66	8.77						
	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.15	90.38	57.27	48.66	8.77						
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4		<u> </u>	UEP9D	UEPQQ	1.15	90.38	57.27	48.66	8.77	ļ		ļ	ļ	ļ	<u> </u>
_	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.15	90.38	57.27	48.66	8.77						
	2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4		<u> </u>	UEP9D	UEPQS	1.15	90.38	57.27		8.77	ļ		ļ	ļ	ļ	<u> </u>
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4		<u> </u>	UEP9D	UEPQ4	1.15	90.38	57.27		8.77				ļ		<u> </u>
	2W VG Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.15	90.38	57.27	48.66	8.77				1		
	2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4		<u> </u>	UEP9D	UEPQ6	1.15	90.38	57.27		8.77				ļ		<u> </u>
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.15	90.38	57.27	48.66	8.77				1		
	2W VG Port, Diff SWC-800 Service Term 2,3		<u> </u>	UEP9D	UEPQZ	1.15	90.38	57.27	48.66	8.77				ļ		ـــــ
	2W VG Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.15	40.19	19.83	24.91	6.63						<u> </u>
	2W VG Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.15	40.19	19.83	24.91	6.63						
Local	Switching		1 7					1							1	

עאטפאיי	ED NETWORK ELEMENTS - Alabama		, ,								_			ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc			TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge Manua Svc Orde vs.
						Rec	Nonrec		NRC Disc					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.5488										
Loca	Number Portability															
	Local No Portability (1 per port)			UEP9D	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP9D	UEPVF	1.98										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	405.52									
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	1.98										
NAR																
	Unbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00	0.00		0.00						
	Unbundled Network Access Register-Inward	1		UEP9D	UAR1X	0.00	0.00	0.00		0.00						
	Unbundled Network Access Register-Outdial		1	UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00				-		
	ellaneous Terminations	-														
2-Wii	e Trunk Side			LIEDOD	OFNE	0.05	110.01	40.74	50.00	0.70						
4 140	Trunk Side Terms, each	1	_	UEP9D	CEND6	8.05	119.31	18.74	59.90	3.76						-
4-Wii	e Digital (1.544 Megabits)	1	_	LIEDOD	MALIDA	00.00	200.00	05.00	70.50	0.40						4
_	DS1 Circuit Terms, each	1	_	UEP9D	M1HD1	60.09	202.02	95.69	72.59	2.46						4
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.48									
Inter	office Channel Mileage - 2-Wire			LIEDOD	144000	04.40	40.54	07.44	10.71	0.00						
	Interoffice Channel Facilities Term			UEP9D	M1GBC	21.13	40.54	27.41	16.74	6.90						
	Interoffice Channel miage, per mi or fraction of mi			UEP9D	M1GBM	0.008838										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	1	_													
D4 C	nannel Bank Feature Activations			LIEDOD	400000	0.50										
_	Feature Activation on D-4 Channel Bank Centrex Loop Slot	1	_	UEP9D	1PQWS	0.56										-
_	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	1	_	UEP9D	1PQW6	0.56										4
_	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot	1	1	UEP9D UEP9D	1PQW7 1PQWP	0.56 0.56			-							
_	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC Feature Activation on D-4 Channel Bank Private Line Loop Slot	-		UEP9D	1PQWP	0.56										
_	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop Slot	-		UEP9D	1PQWV	0.56										┼──
-	Feature Activation on D-4 Channel Bank Tile Line/ Hunk Loop Slot	1	+	UEP9D	1PQWA	0.56										+
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex	1	+	OLF 3D	IFQWA	0.30										+
NOI1-	NRC Conversion Currently Combined Switch-As-Is with allowed	1														+
	changes, per port			UEP9D	USAC2		0.10	0.10								
-	Conversion of existing Centrex Common Block, each	1	+	UEP9D	USACN		37.75	16.58								+
	New Centrex Standard Common Block	1		UEP9D	M1ACS	0.00	667.21	10.50								+
	New Centrex Customized Common Block		1	UEP9D	M1ACC	0.00	667.21		-							+
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.73									†
Δddi	ional Non-Recurring Charges (NRC)			OLI 3D	UNLUA	0.00	12.13									+
Audi	Unbundled Misc Rate Element, Tag Loop at End Use Premise		1	UEP9D	URETL		8.33	0.83	-							+
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise	1		UEP9D	URETN		11.21	1.10			-			-		+
UNE-	P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)				0											†
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															—
	Port/Loop Combination Rates (Non-Design)															—
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9E		12.70										—
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9E		21.19										†
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9E		34.80										
UNE	Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9E		15.53										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9E		24.00										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9E		37.29										
UNE	Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP9E	UECS1	11.55										
	2W VG Loop (SL 1)-Zone 2		2	UEP9E	UECS1	20.04										
	2W VG Loop (SL 1)-Zone 3		3	UEP9E	UECS1	33.65										
	2W VG Loop (SL 2)-Zone 1		1	UEP9E	UECS2	14.38										
	2W VG Loop (SL 2)-Zone 2		2	UEP9E	UECS2	22.85										
	2W VG Loop (SL 2)-Zone 3		3	UEP9E	UECS2	36.14										
	Port Rate															
AL, F	L, KY, LA, MS, & TN only						_									T
	2W VG Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.15	40.19	19.83	24.91	6.63						1

IBUNDL	LED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
											Svc	Svc Order	Incrementa	Incremental	Incrementa	Increme
											Order	Submitted	I Charge -	Charge -	I Charge -	I Charg
		Interi	7								Submitte		Manual	Manual Svc		Manua
TEGORY	RATE ELEMENTS		1 1	BCS	USOC		RAT	TES (\$)			d Elec	per LSR	Svc Order	Order vs.	Svc Order	Svc Ore
		m	е					,			per LSR	per Lor	VS.	Electronic-	VS.	vs.
											per LSK		_		_	_
													Electronic-	Add'l	Electronic-	Disc A
						Rec	Nonrec	urring	NRC Disc	onnect		•	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9E	UEPYB	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP9E	UEPYM	1.15	90.38	57.27	48.66	8.77						
	2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area			UEP9E	UEPYZ	1.15	90.38	57.27	48.66	8.77						
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP9E	UEPY9	1.15	40.19	19.83	24.91	6.63						
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP9E	UEPY2	1.15	40.19	19.83	24.91	6.63						
AL, K	Y, LA, MS, & TN Only															
	2W VG Port (Centrex)			UEP9E	UEPQA	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex 800 Term)			UEP9E	UEPQB	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex from diff SWC)2.3			UEP9E	UEPQM	1.15	90.38	57.27	48.66	8.77						
	2W VG Port, Diff SWC 2,3 -800 Service Term			UEP9E	UEPQZ	1.15	90.38	57.27	48.66	8.77						
	2W VG Port terminated in on Megalink or equivalent	†	1	UEP9E	UEPQ9	1.15	40.19	19.83	24.91	6.63	1					
	2W VG Port Terminated on 800 Service Term	†	1	UEP9E	UEPQ2	1.15	40.19	19.83	24.91	6.63	1					
Local	Switching	†	1								1					
	Centrex Intercom Funtionality, per port	†	1	UEP9E	URECS	0.5488					1					
Local	Number Portability	†	1	02. 02	0.1200	0.0.00					1					
	Local No Portability (1 per port)			UEP9E	LNPCC	0.35			1			1				
Featu				02. 02	2.1. 00	0.00			1			1				
· outu	All Standard Features Offered, per port			UEP9E	UEPVF	1.98			1			1				
+-	All Select Features Offered, per port			UEP9E	UEPVS	0.00	405.52		1			1				
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	1.98	400.02		1			1				
NARS				OLI OL	OLI VO	1.00					-					
TUTALLO	Unbundled Network Access Register-Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00	-					
	Unbundled Network Access Register-Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00	-					
	Unbundled Network Access Register-India Unbundled Network Access Register-Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						
Misce	ellaneous Terminations			OLI OL	O/II(O/(0.00	0.00	0.00	0.00	0.00		1				
	e Trunk Side				+						-					
2	Trunk Side Terms, each	-	H	UEP9E	CEND6	8.05	119.31	18.74	59.90	3.76	 	1	 	 		
4-Wir	e Digital (1.544 Megabits)	-	H	OLI OL	OLINDO	5.05	110.01	10.74	55.50	5.70	 	1	 	 		
7-4411	DS1 Circuit Terms, each	-	H	UEP9E	M1HD1	60.09	202.02	95.69	72.59	2.46	 	1	 	 		
-	DS0 Channel Activated Per Channel	-	H	UEP9E	M1HDO	0.09	14.48	33.03	12.39	2.+0	 	1	 	 		
Interd	office Channel Mileage - 2-Wire		H	OLI OL	WITIDO	0.00	14.40									
interc	Interoffice Channel Facilities Term	-	1	UEP9E	M1GBC	21.13	40.54	27.41	16.74	6.90	1	1	1	1		
	Interoffice Channel miage, per mi or fraction of mi	!		UEP9E	M1GBM	0.008838	+0.04	21.+1	10.74	0.30		ļ			ļ	<u> </u>

NRONDE	ED NETWORK ELEMENTS - Alabama										,			ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge Manua Svc Ord vs.
						Rec	Nonrec		NRC Disc					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	re Activations (DS0) Centrex Loops on Channelized DS1 Service															<u> </u>
D4 Ch	nannel Bank Feature Activations			LIEDAE	150110	0.50										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	<u> </u>		UEP9E	1PQWS	0.56										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6 1PQW7	0.56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP9E UEP9E	1PQW7	0.56 0.56			ļ							
_				UEP9E UEP9E	1PQWP 1PQWV	0.56						-				+
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9E	1PQWV	0.56			1							+
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWQ	0.56			1							+
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex	1		OLI 3L	II QWA	0.50			1							+
14011-1	NRC Conversion Currently Combined Switch-As-Is with allowed	†			+			<u> </u>	 	 	 					
	changes, per port			UEP9E	USAC2		0.10	0.10			1					
-	Conversion of Existing Centrex Common Block, each	1	1	UEP9E	USACN		37.75	16.58		1	1					+
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	667.21	10.00								+
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	667.21									†
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.73									1
Addit	ional Non-Recurring Charges (NRC)					3.44										1
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP9E	URETL		8.33	0.83								1
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP9E	URETN		11.21	1.10								1
UNE-I	P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															1
2-Wire	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															1
	Port/Loop Combination Rates (Non-Design)															1
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP93		12.70										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP93		21.19										1
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP93		34.80										
UNE F	Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP93		15.53										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP93		24.00										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP93		37.29										
UNE I	Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP93	UECS1	11.55										
	2W VG Loop (SL 1)-Zone 2		2	UEP93	UECS1	20.04										
	2W VG Loop (SL 1)-Zone 3		3	UEP93	UECS1	33.65										
	2W VG Loop (SL 2)-Zone 1	<u> </u>	1	UEP93	UECS2	14.38		ļ	ļ	ļ	1					 _ _
	2W VG Loop (SL 2)-Zone 2	<u> </u>	2	UEP93	UECS2	22.85		ļ	ļ	ļ	1					 _ _
	2W VG Loop (SL 2)-Zone 3	<u> </u>	3	UEP93	UECS2	36.14					ļ					╀
	Port Rate	<u> </u>	1		+						ļ					╀
AL, K	Y, LA, MS, & TN only	<u> </u>		UEP93	UEPYA	1.15	40.19	10.00	24.04	6.00	1	-				₩
	2W VG Port (Centrex) Basic Local Area	1	1	UEP93 UEP93	UEPYA	1.15	40.19	19.83 19.83	24.91 24.91	6.63 6.63						+
+	2W VG Port (Centrex 800 Term)Basic Local Area 2W VG Port (Centrex with Caller ID)1Basic Local Area	 	1	UEP93 UEP93	UEPYB	1.15	40.19	19.83	24.91	6.63	 					+
+	2W VG Port (Centrex with Caller ID)1Basic Local Area 2W VG Port (Centrex from diff SWC)2,3 Basic Local Area	1	\vdash	UEP93 UEP93	UEPYH	1.15	90.38	19.83 57.27	48.66	8.77	1	-		 		+
+	2W VG Port, Diff SWC-2,3-800 Service Term-Basic Local Area	1	\vdash	UEP93	UEPYZ	1.15	90.38	57.27	48.66	8.77	1	-		 		+
-	2W VG Port terminated in on Megalink or equivalent-Basic Local Area	\vdash		UEP93	UEPY9	1.15	40.19	19.83	24.91	6.63	1			 		+
-	2W VG Port Terminated in 6N Wegalink of equivalent basic Local Area	1	1	UEP93	UEPY2	1.15	40.19	19.83	24.91	6.63	1					+
1	2W VG Port (Centrex)	†		UEP93	UEPQA	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex 800 Term)			UEP93	UEPQB	1.15	40.19	19.83	24.91	6.63						†
	2W VG Port (Centrex with Caller ID)1			UEP93	UEPQH	1.15	40.19	19.83		6.63						†
1	2W VG Port (Centrex from diff SWC)2,3			UEP93	UEPQM	1.15	90.38	57.27	48.66	8.77						†
	2W VG Port, Diff SWC-2,3 -800 Service Term			UEP93	UEPQZ	1.15	90.38	57.27	48.66	8.77						1
	2W VG Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.15	40.19	19.83	24.91	6.63						1
	2W VG Port Terminated on 800 Service Term			UEP93	UEPQ2	1.15	40.19	19.83	24.91	6.63						
Local	Switching										Ì					1
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.5488					Ì					1
Local	Number Portability															1
1	Local No Portability (1 per port)	1		UEP93	LNPCC	0.35		İ	i e	1	i e	1	Ì			1

NBUNDI	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
											Svc	Svc Order	Incrementa	Incremental	Incrementa	Incrementa
											Order		I Charge -	Charge -	I Charge -	I Charge -
			_								Submitte			Manual Svo		Manual
ATEGORY	RATE ELEMENTS	Interi		BCS	USOC		RAT	ΓES (\$)			d Elec	per LSR	Svc Order	Order vs.	Svc Order	
		m	е	200	5555			(4)				per LSR				
											per LSR		vs.	Electronic-	vs.	vs.
													Electronic-	Add'l	Electronic-	
							Nonrec	urring	NRC Disc	onnect			OSS	Rates (\$)	Dicc 1ct	Disc Add'
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
Featu	res															
	All Standard Features Offered, per port			UEP93	UEPVF	1.98										
	All Centrex Control Features Offered, per port			UEP93	UEPVC	1.98										
NARS																
	Unbundled Network Access Register-Combination			UEP93	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Indial			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Outdial			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00						
Misco	ellaneous Terminations	1				2.00	2.00	2.00	2.30	2.30	1	1	1	1	1	1
	e Trunk Side	1			+				1		1	1	-		-	
	Trunk Side Terms, each	1		UEP93	CEND6	8.05	119.31	18.74	59.90	3.76			-			
4-Wir	e Digital (1.544 Megabits)	1		OLI 50	OLIVDO	0.00	110.01	10.74	00.00	0.70			-			
7-111	DS1 Circuit Terms, each			UEP93	M1HD1	60.09	202.02	95.69	72.59	2.46	-					
	DS0 Channels Activated. Per Channel			UEP93	M1HDO	0.00	14.48	33.03	12.55	2.70	1					1
Interd	office Channel Mileage - 2-Wire			OLI 95	WITTIDO	0.00	14.40				1					1
IIIter	Interoffice Channel Facilities Term			UEP93	M1GBC	21.13	40.54	27.41	16.74	6.90	1					
_	Interoffice Channel miage, per mi or fraction of mi	1		UEP93	M1GBC	0.008838	40.34	21.41	10.74	0.90	1		1		1	
Foot	re Activations (DS0) Centrex Loops on Channelized DS1 Service	1		ULF 93	IVITGBIVI	0.00656					1		1		1	
	nannel Bank Feature Activations				_						-					-
D4 C	Feature Activation on D-4 Channel Bank Centrex Loop Slot	ļ		UEP93	1PQWS	0.56					ļ					
_		ļ									ļ					
_	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot	ļ		UEP93	1PQW6	0.56					ļ					
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot	ļ		UEP93	1PQW7	0.56					ļ					ļ
_	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP93	1PQWP	0.56										ļ
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.56										ļ
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.56										ļ
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.56										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP93	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		37.75	16.58								
	New Centrex Standard Common Block	ļ		UEP93	M1ACS	0.00	667.21									
	New Centrex Customized Common Block	ļ		UEP93	M1ACC	0.00	667.21									<u> </u>
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.73									<u> </u>
Addit	ional Non-Recurring Charges (NRC)															
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP93	URETL		8.33	0.83								
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP93	URETN		11.21	1.10								
	1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	2 - Requres Interoffice Channel Mileage															
	3 - Installation is combination of Installation charge for SL2 Loop ar	nd Port														
Note	4 - Requires Specific Customer Premises Equipment															
Note:	Rates displaying an "R" in Interim column are interim and subject	to rate	true-u	p as set forth in G	eneral Terms a	and Conditions.										

UNRII	NDI	ED NETWORK ELEMENTS - Florida												Δttach	ment: 2	Exhi	hit: A
5.400	1DL	ED ILLINOITI ELLINEITIO I IOIIGA										Svc	Svc Order			Incremental	Incrementa
												Order	Submitted		Charge -	Charge -	I Charge -
			Interi	Zon								Submitte			Manual Svo		Manual
CATEG	ORY	RATE ELEMENTS	m	e	BCS	USOC		RAT	TES (\$)			d Elec	per LSR	Svc Order	Order vs.	Order vs.	Svc Order
			""	-								per LSR	'	vs.	Electronic-	Electronic-	vs.
														Electronic-	Add'l	Disc 1st	Electronic-
								Nonrec	urrina	NRC Disc	onnoct			164	Rates (\$)		Dicc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
								11131	Addi	11130	Auu	OCIVILO	JOHIAN	JOINAIN	JONIAN	JOINAIN	JONAN
Т	he "Z	one" shown in the sections for stand-alone loops or loops as part	of a co	mbin	ation refers to Geogr	raphically De	eaveraged UNE Zo	nes. To view	Geographic	ally Deaver	aged UNI	Zone Des	signations b	y Central Of	ffice, refer to	internet Web	site:
		www.interconnection.bellsouth.com/become_a_clec/html/interconn	ection	.htm					• •	•							
OPERA	TION	AL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
		(1) CLEC should contact its contract negotiator if it prefers the "sta															
		may elect either the state specific Commission ordered rates for the	e servic	e ord	lering charges, or CL	EC may elec	ct the regional se	rvice ordering	charge, how	vever, CLE	can not	obtain a m	nixture of th	ne two regard	dless if CLEC	C has a interc	onnection
C	ontra	ct established in each of the 9 states. (2) Any element that can be ordered electronically will be billed ac	cordin	a to t	ho SOMEC rate lister	d in this cate	nany Blosen rofe	or to BollSouth	a's Local Or	doring Han	dhook (I f	\U\ to doto	rmino if a n	roduct can l	oo ordorod o	loctronically	For those
		nts that cannot be ordered electronically at present per the LOH, the															
		ng charge, SOMAN, will be applied to a CLECs bill when it submits				ory reflects	the charge that w	ould be billed	IO a CLEC (once electro	onic order	ing capab	ilities come	on-ine ior i	mat element.	. Otherwise,	ine manuai
	rueri	OSS-Electronic Service Order Charge, Per LSR-UNE Only	all Loi	\ IO E	ensouth.	SOMEC		3.50	0.00	3.50	0.00	1		1	1	1	
\vdash		OSS-Manual Service Order Charge, Per LSR-UNE Only				SOMAN		11.90	0.00	1.83	0.00		1			1	
		E DATE ADVANCEMENT CHARGE			Ì			50	0.00		0.00					Ì	
		The Expedite charge will be maintained commensurate with BellS	outh's	FCC	No.1 Tariff, Section 5	as applicab	ole.										
		-														1	
1 1				l	UAL, UEANL, UCL, UEF, UDF, UEQ.						1	1					1
				l	UDL. UENTW. UDN.						1	1					1
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12, ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1.												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
					U1TUC, U1TUD,												
LINISHT	DI ==	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day		 	U1TUB, U1TUA	SDASP		200.00								ļ	
		D EXCHANGE ACCESS LOOP E ANALOG VOICE GRADE LOOP		-	 		1				-					 	
 	-vviK	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEAL2	10.69	49.57	22.83	25.62	6.57	 		1	1	1	-
\vdash		2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEAL2	15.20	49.57	22.83	25.62	6.57					†	
\vdash		2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEAL2	26.97	49.57	22.83	25.62	6.57					1	
		2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEASL	10.69	49.57	22.83	25.62	6.57					l	
		2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEASL	15.20	49.57	22.83	25.62	6.57					1	
		2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEASL	26.97	49.57	22.83	25.62	6.57					<u> </u>	
		Unbundled Misc Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83								
		Loop Testing-Basic 1st Half Hour			UEANL	URET1		48.65	48.65								
		Loop Testing-Basic Add'l Half Hour			UEANL	URETA		23.95	23.95								
		CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1)			UEANL	UREWO		15.78	8.94								
		Unbundled Voice Loop, Non-D Voice Loop, billing for BST providing		l							1	1					1
$\vdash \vdash$		make-up (Engineering Information-EI)			UEANL	UEANM		13.49								ļ	
\vdash		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00							ļ	
		Order Coordination for Specified Conversion Time for UVL-SL1 (per			UEANL	OCOSL		23.02]		1	1	1	I

UNBL	JNDLI	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: A
	Ī											Svc	Svc Order	Incrementa		Incremental	
												Order	Submitted		Charge -	Charge -	I Charge -
			Interi	Zon								Submitte	Manually	Manual	Manual Svo	Manual Svc	Manual
CATE	GORY	RATE ELEMENTS	m	e	BCS	USOC		RA	TES (\$)			d Elec	per LSR	Svc Order	Order vs.	Order vs.	Svc Order
			m	е								per LSR		vs.	Electronic-		vs.
												•		Electronic-	Add'l		Electronic-
														1c+		-100 101	Disc Add'l
							Rec	Nonrec		NRC Disc					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WIRE	Unbundled COPPER LOOP	<u> </u>			115001											
		2W Unbundled Copper Loop-Non-Designed Zone 1	1	1	UEQ	UEQ2X	7.69	44.98	20.90 20.90	24.88 24.88	6.45						
		2W Unbundled Copper Loop-Non-Designed-Zone 2	-	2	UEQ UEQ	UEQ2X UEQ2X	10.92 19.38	44.98 44.98	20.90	24.88	6.45 6.45						
		2W Unbundled Copper Loop-Non-Designed-Zone 3 Unbundled Misc Rate Element, Tag Loop at End User Premise		3	UEQ	URETL	19.30	8.33	0.83	24.00	0.43						
-		Manual Order Coordination 2W Unbundled Copper Loop-Non-	-		UEQ	UKEIL		0.33	0.63								
		Designed (per loop)			UEQ	USBMC		9.00									
		Unbundled Copper Loop, Non-Design Cooper Loop, billing for BST	-		ULQ	USBIVIC		9.00									
		providing make-up (Engineering Information-E.I.)			UEQ	UEQMU		13.49									
-		Loop Testing-Basic 1st Half Hour			UEQ	URET1		48.65	48.65								
\vdash	\vdash	Loop Testing-Basic 1st Hall Hour			UEQ	URETA		23.95	23.95		 		 		-	t	
		CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-ND)	l		UEQ	UREWO		14.27	7.43	1		1	 		†	I	
UNBU		EXCHANGE ACCESS LOOP	-		014	SILLIVO		17.21	7.40						-	-	
		ANALOG VOICE GRADE LOOP												1	 	<u> </u>	
	1	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	10.69	49.57	22.83	25.62	6.57			1		1	
		2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEABS	10.69	49.57	22.83	25.62	6.57			1		1	
		2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	15.20	49.57	22.83	25.62	6.57					1	
		2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS	15.20	49.57	22.83	25.62	6.57			1		1	
		2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEALS	26.97	49.57	22.83	25.62	6.57			İ		İ	
		2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEABS	26.97	49.57	22.83	25.62	6.57						
UNBU	NDLED	EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		1	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01						
		2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2		2	UEA	UEAL2	17.40	135.75	82.47	63.53	12.01						
		2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA	UEAL2	30.87	135.75	82.47	63.53	12.01						
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02									
		2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 1		1	UEA	UEAR2	12.24	135.75	82.47	63.53	12.01						
		2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 2		2	UEA	UEAR2	17.40	135.75	82.47	63.53	12.01						
		2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 3		3	UEA	UEAR2	30.87	135.75	82.47	63.53	12.01						
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02									
		CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.71	36.35								
		Loop Tagging-SL2 (SL2)			UEA	URETL		11.21	1.10								
		ANALOG VOICE GRADE LOOP					10.00	100.00			45.50						
		4W Analog VG Loop-Zone 1		1	UEA	UEAL4	18.89	167.86	115.15	67.08	15.56						
		4W Analog VG Loop-Zone 2		2	UEA	UEAL4	26.84	167.86	115.15	67.08	15.56						
		4W Analog VG Loop-Zone 3		3	UEA	UEAL4	47.62	167.86	115.15	67.08	15.56						
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02	36.35								
		CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.71	36.35								
\vdash		E ISDN DIGITAL GRADE LOOP	-	4	UDN	U1L2X	19.28	147.69	94.41	62.23	10.74				-	 	
\vdash		2W ISDN Digital Grade Loop-Zone 1	-	2							10.71				-	 	
\vdash	\vdash	2W ISDN Digital Grade Loop-Zone 2 2W ISDN Digital Grade Loop-Zone 3	<u> </u>	3	UDN UDN	U1L2X U1L2X	27.40 48.62	147.69 147.69	94.41 94.41	62.23 62.23	10.71 10.71	 	-		 	 	
\vdash	\vdash	Order Coordination For Specified Conversion Time (per LSR)	<u> </u>	3	UDN	OCOSL	48.02	23.02	94.41	02.23	10.71	 	-		 	 	
\vdash		CLEC to CLEC Conversion Charge w/o outside dispatch	 		UDN	UREWO		91.61	44.15					-	 		
$\vdash \vdash$		E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIE	IFIO)P	אופט	UNLVVO		31.01	44.13		 				-	t	
\vdash		2W Unbundled ADSL Loop including manl svc ing & facility				1			-		 		 		-	t	
		reservation-Zone 1		1	UAL	UAL2X	8.30	149.53	103.85	75.05	15.63					1	
		2W Unbundled ADSL Loop including man! svc ing & facility	l	<u> </u>	₩	J. 12/1	0.00	1-10.00	.00.00	70.00	.0.00	1	 		†	I	
		reservation-Zone 2	l	2	UAL	UAL2X	11.80	149.53	103.85	75.05	15.63		1	l		I	
		2W Unbundled ADSL Loop including man! svc ing & facility									12.30			1		1	
		reservation-Zone 3	1	3	UAL	UAL2X	20.94	149.53	103.85	75.05	15.63		1			1	
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.02		2.20							
		2W Unbundled ADSL Loop w/o manl svc ing & facility reservaton-Zone		1	UAL	UAL2W	8.30	124.83	71.12	60.64	9.12					1	
		2W Unbundled ADSL Loop w/o manl svc ing & facility reservaton-Zone		2	UAL	UAL2W	11.80	124.83	71.12	60.64	9.12			İ		İ	
		2W Unbundled ADSL Loop w/o manl svc ing & facility reservaton-Zone		3	UAL	UAL2W	20.94	124.83	71.12	60.64	9.12			İ		İ	
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.02									
		CLEC to CLEC Conversion Charge w/o outside dispatch			UAL	UREWO		86.19	40.39								

DINDUNDE	ED NETWORK ELEMENTS - Florida										,			ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			TES (\$)			Svc Order Submitte d Elec per LSR	Submitted	Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment I Charge Manual Svc Orde vs. Electroni
						Rec	Nonrect		NRC Disc					Rates (\$)		
	0.00.11.1						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
	2W Unbundled HDSL Loop including manl svc inq & facility		1	UHL	LILILOV	7.00	450.00	440.44	75.05	45.00						
	reservation-Zone 1 2W Unbundled HDSL Loop including manl svc ing & facility		- 1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63						
	reservation-Zone 2		2	UHL	UHL2X	10.26	159.09	113.41	75.05	15.63						
	2W Unbundled HDSL Loop including manl svc ing & facility			OFFE	OFFICEX	10.20	155.05	113.41	75.05	13.03						
	reservation-Zone 3		3	UHL	UHL2X	18.21	159.09	113.41	75.05	15.63						
	Order Coordination for Specified Conversion Time (per LSR)		-	UHL	OCOSL		23.02									
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-			-												
	Zone 1		1	UHL	UHL2W	7.22	134.40	80.69	60.64	9.12						
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-															
	Zone 2		2	UHL	UHL2W	10.26	134.40	80.69	60.64	9.12						
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-															
	Zone 3		3	UHL	UHL2W	18.21	134.40	80.69	60.64	9.12						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
4 14/15	CLEC to CLEC Conversion Charge w/o outside dispatch	F 1 00		UHL	UREWO		86.12	40.39								
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBL	E L00	Ρ													-
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 1		1	UHL	UHL4X	10.86	193.31	138.98	77.15	12.61						
_	4W Unbundled HDSL Loop including manl svc ing and facility		-	UNL	UHL4A	10.00	193.31	130.90	77.15	12.01						-
	reservation-Zone 2		2	UHL	UHL4X	15.44	193.31	138.98	77.15	12.61						
	4W Unbundled HDSL Loop including manl svc ing and facility			OFIL	UI IL4X	13.44	193.31	130.90	77.13	12.01						
	reservation-Zone 3		3	UHL	UHL4X	27.39	193.31	138.98	77.15	12.61						
	Order Coordination for Specified Conversion Time (per LSR)		Ŭ	UHL	OCOSL	27.00	23.02	100.00	77.10	12.01						
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-															†
	Zone 1		1	UHL	UHL4W	10.86	168.62	115.47	62.74	11.22						
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-															
	Zone 2		2	UHL	UHL4W	15.44	168.62	115.47	62.74	11.22						
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-															
	Zone 3		3	UHL	UHL4W	27.39	168.62	115.47	62.74	11.22						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.12	40.39								ļ
4-WIR	E DS1 DIGITAL LOOP				1101101	====	010 ==	101.10	24.00	10.50						
	4W DS1 Digital Loop-Zone 1		2	USL	USLXX	70.74 100.54	313.75 313.75	181.48 181.48	61.22 61.22	13.53						-
_	4W DS1 Digital Loop-Zone 2 4W DS1 Digital Loop-Zone 3		3	USL	USLXX	178.39	313.75	181.48	61.22	13.53 13.53						_
-	Order Coordination for Specified Conversion Time (per LSR)		3	USL	OCOSL	178.39	23.02	181.48	61.22	13.53		-		-		├──
	CLEC to CLEC Conversion Charge w/o outside dispatch			USL	UREWO		101.07	43.04								
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			OOL	OKEWO		101.07	45.04								
1	4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	22.20	161.56	108.85	67.08	15.56				1	1	
	4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	31.56	161.56	108.85	67.08	15.56						†
	4W Unbundled Digital 19.2 Kbps		3	UDL	UDL19	55.99	161.56	108.85	67.08	15.56						
	4W Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	22.20	161.56	108.85	67.08	15.56						
	4W Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	31.56	161.56	108.85	67.08	15.56						
	4W Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL	UDL56	55.99	161.56	108.85	67.08	15.56						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.02									<u> </u>
_	4W Unbundled Digital Loop 64 Kbps-Zone 1		1	UDL	UDL64	22.20	161.56	108.85	67.08	15.56					ļ	<u> </u>
	4W Unbundled Digital Loop 64 Kbps-Zone 2		2	UDL	UDL64	31.56	161.56	108.85	67.08	15.56						Ļ—
	4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL UDL	UDL64 OCOSL	55.99	161.56 23.02	108.85	67.08	15.56	-			1		├ ──
-	Order Coordination for Specified Conversion Time (per LSR)			UDL			102.11	49.74			 	-		 	 	Н——
2.14/10	CLEC to CLEC Conversion Charge w/o outside dispatch E Unbundled COPPER LOOP			UDL	UREWO		102.11	49.74			 			 		├──
Z-VVIR	2W Unbundled Copper Loop-Designed including man! svc inq &				1						 			t	 	
	facility reservation-Zone 1		1	UCL	UCLPB	8.30	148.50	102.82	75.05	15.63					1	1
	2W Unbundled Copper Loop-Designed including man! svc ing &			301	556.5	0.50	140.00	.02.02	. 0.00	.0.00		<u> </u>		I	 	
	facility reservation-Zone 2		2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63					1	
	2W Unbundled Copper Loop-Designed including man! svc inq &				1	11.00			. 2.30		1		İ		İ	
	facility reservation-Zone 3		3	UCL	UCLPB	20.94	148.50	102.82	75.05	15.63			l	1	l	
	Order Coordination for Unbundled Copper Loops (per loop)	1		UCL	UCLMC		9.00	9.00			1		İ		İ	

DNRONDE	LED NETWORK ELEMENTS - Florida										•			ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			ES (\$)			Svc Order Submitte d Elec per LSR	Submitted	Incrementa I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge -
						Rec	Nonrecu		NRC Disc		001150	001441		Rates (\$)	001441	001441
	OW Habitandad Consort on Design and to // second out in a good facility.				 		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 1		4	UCL	UCLPW	8.30	123.81	70.09	60.64	0.10						
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility		1	UCL	UCLPVV	8.30	123.81	70.09	60.64	9.12						
	reservation-Zone 2		2	UCL	UCLPW	11.80	123.81	70.09	60.64	9.12						
-	2W Unbundled Copper Loop-Designed w/o manl svc ing and facility			OCL	OCLI W	11.00	125.01	70.03	00.04	3.12						
	reservation-Zone 3		3	UCL	UCLPW	20.94	123.81	70.09	60.64	9.12						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	20.04	9.00	9.00	00.04	0.12						
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-D)			UCL	UREWO		97.21	42.47								
4-WIF	RE COPPER LOOP															
	4W Copper Loop-Designed including manl svc inq and facility															
	reservation-Zone 1		1	UCL	UCL4S	11.83	177.87	132.76	77.15	17.73						
	4W Copper Loop-Designed including manl svc inq and facility															
	reservation-Zone 2		2	UCL	UCL4S	16.81	177.87	132.76	77.15	17.73		<u></u>				<u></u>
	4W Copper Loop-Designed including manl svc inq and facility															
	reservation-Zone 3		3	UCL	UCL4S	29.82	177.87	132.76	77.15	17.73						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-															
	Zone 1		1	UCL	UCL4W	11.83	153.18	100.03	62.74	11.22						
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-															
	Zone 2		2	UCL	UCL4W	16.81	153.18	100.03	62.74	11.22						
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-						.=									
	Zone 3		3	UCL	UCL4W	29.82	153.18	100.03	62.74	11.22						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	CLEC to CLEC Conversion Charge w/o outside dispatch			UCL	UREWO		97.21	42.47								
OOP MODI	IFICATION															
	Unbundled Loop Modification, Removal of Load Coils-2W pr less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00								
	Unbundled Loop Modification Removal of Load Coils-4W less than or															
UB-LOOPS	equal to 18K ft, per Unbundled Loop Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UHL, UCL, UEA UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM4L ULMBT		10.52	10.52								
	Loop Distribution				+											
Oub-L				UEANL	USBSA		487.23									
	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up	÷		UEANL	USBSB		6.25									
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up	İ		UEANL UEANL	USBSB		6.25 169.25									
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-	Ť		UEANL UEANL UEANL	USBSC		169.25									
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set- Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up	I	1	UEANL	USBSC USBSD	6.46		21.78	47.50	5.26						
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-	I	1 2	UEANL UEANL	USBSC	6.46 9.18	169.25 38.65	21.78 21.78	47.50 47.50	5.26 5.26						
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set- Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1	I		UEANL UEANL UEANL	USBSC USBSD USBN2		169.25 38.65 60.19									
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set- Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1 Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2	I	2	UEANL UEANL UEANL UEANL	USBSC USBSD USBN2 USBN2	9.18	169.25 38.65 60.19 60.19	21.78	47.50	5.26						
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set- Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1 Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2 Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3	I	2	UEANL UEANL UEANL UEANL UEANL UEANL	USBSC USBSD USBN2 USBN2 USBN2	9.18	169.25 38.65 60.19 60.19	21.78 21.78	47.50	5.26						
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set- Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1 Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2 Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3 Order Coordination for Unbundled Sub-Loops, per sub-loop pr	I	3	UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL	USBSC USBSD USBN2 USBN2 USBN2 USBNC	9.18 16.29	169.25 38.65 60.19 60.19 9.00	21.78 21.78 9.00	47.50 47.50	5.26 5.26						
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set- Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1 Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2 Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3 Order Coordination for Unbundled Sub-Loops, per sub-loop pr Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1 Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2 Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2 Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2	I	3	UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL	USBSC USBSD USBN2 USBN2 USBN2 USBN2 USBNC USBMC USBN4 USBN4 USBN4	9.18 16.29 7.37	169.25 38.65 60.19 60.19 60.19 9.00 68.83 68.83 68.83	21.78 21.78 9.00 30.42	47.50 47.50 49.71	5.26 5.26 6.60						
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set- Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1 Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2 Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3 Order Coordination for Unbundled Sub-Loops, per sub-loop pr Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1 Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2	I	2 3	UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL	USBSC USBSD USBN2 USBN2 USBN2 USBN2 USBN2 USBN4 USBN4 USBN4	9.18 16.29 7.37 10.47 18.58	169.25 38.65 60.19 60.19 60.19 9.00 68.83 68.83 9.00	21.78 21.78 9.00 30.42 30.42 30.42 9.00	47.50 47.50 49.71 49.71 49.71	5.26 5.26 6.60 6.60 6.60						
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set- Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1 Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2 Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3 Order Coordination for Unbundled Sub-Loops, per sub-loop pr Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1 Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2 Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2 Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2	I	2 3	UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL	USBSC USBSD USBN2 USBN2 USBN2 USBN2 USBNC USBMC USBN4 USBN4 USBN4	9.18 16.29 7.37 10.47	169.25 38.65 60.19 60.19 60.19 9.00 68.83 68.83 68.83	21.78 21.78 9.00 30.42 30.42 30.42	47.50 47.50 49.71 49.71	5.26 5.26 6.60 6.60						
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set- Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1 Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2 Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3 Order Coordination for Unbundled Sub-Loops, per sub-loop pr Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1 Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2 Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2 Sub-Loop Distribution Per 4W Analog VG Loop -Zone 3 Order Coordination for Unbundled Sub-Loops, per sub-loop pr Sub-Loop 2W Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pr	I	2 3	UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL	USBSC USBSD USBN2 USBN2 USBN2 USBN2 USBMC USBMC USBN4 USBN4 USBN4 USBN4 USBN4 USBN4 USBN6 USBMC USBMC	9.18 16.29 7.37 10.47 18.58	169.25 38.65 60.19 60.19 9.00 68.83 68.83 68.83 9.00 51.84	21.78 21.78 9.00 30.42 30.42 30.42 9.00 13.44 9.00	47.50 47.50 49.71 49.71 49.71 47.50	5.26 5.26 6.60 6.60 6.60 5.26						
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set- Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1 Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2 Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2 Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3 Order Coordination for Unbundled Sub-Loops, per sub-loop pr Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1 Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2 Sub-Loop Distribution Per 4W Analog VG Loop -Zone 3 Order Coordination for Unbundled Sub-Loops, per sub-loop pr Sub-Loop 2W Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pr Sub-Loop 4W Intrabuilding Network Cable (INC)	I	2 3	UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL	USBSC USBSD USBN2 USBN2 USBN2 USBN2 USBMC USBMC USBN4 USBN4 USBN4 USBMC USBR2 USBRC USBRC USBRC USBRC	9.18 16.29 7.37 10.47 18.58	169.25 38.65 60.19 60.19 9.00 68.83 68.83 9.00 51.84 9.00	21.78 21.78 9.00 30.42 30.42 30.42 9.00 13.44 9.00 17.51	47.50 47.50 49.71 49.71 49.71	5.26 5.26 6.60 6.60 6.60						
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set- Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1 Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2 Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2 Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3 Order Coordination for Unbundled Sub-Loops, per sub-loop pr Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1 Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2 Sub-Loop Distribution Per 4W Analog VG Loop -Zone 3 Order Coordination for Unbundled Sub-Loops, per sub-loop pr Sub-Loop 2W Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pr Sub-Loop 4W Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pr	I	2 3	UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL	USBSC USBSD USBN2 USBN2 USBN2 USBN2 USBNC USBMC USBN4 USBN4 USBN4 USBN4 USBNC USBNC USBNC USBNC USBNC USBNC USBNC	9.18 16.29 7.37 10.47 18.58	169.25 38.65 60.19 60.19 9.00 68.83 68.83 9.00 51.84 9.00 55.91 9.00	21.78 21.78 9.00 30.42 30.42 9.00 13.44 9.00 17.51 9.00	47.50 47.50 49.71 49.71 49.71 47.50	5.26 5.26 6.60 6.60 6.60 5.26						
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set- Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1 Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2 Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3 Order Coordination for Unbundled Sub-Loops, per sub-loop pr Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1 Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2 Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2 Sub-Loop Distribution Per 4W Analog VG Loop -Zone 3 Order Coordination for Unbundled Sub-Loops, per sub-loop pr Sub-Loop 2W Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pr Sub-Loop 4W Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pr Loop Testing-Basic 1st Half Hour	I	2 3	UEANL UEANL	USBSC USBSD USBN2 USBN2 USBN2 USBN2 USBMC USBMH USBN4 USBN4 USBN4 USBMC USBR2 USBMC USBR4 USBMC USBR6 USBMC USBR7	9.18 16.29 7.37 10.47 18.58	169.25 38.65 60.19 60.19 9.00 68.83 68.83 9.00 51.84 9.00 55.91 9.00	21.78 21.78 9.00 30.42 30.42 9.00 13.44 9.00 17.51 9.00 48.65	47.50 47.50 49.71 49.71 49.71 47.50	5.26 5.26 6.60 6.60 6.60 5.26						
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set- Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1 Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2 Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2 Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3 Order Coordination for Unbundled Sub-Loops, per sub-loop pr Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1 Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2 Sub-Loop Distribution Per 4W Analog VG Loop -Zone 3 Order Coordination for Unbundled Sub-Loops, per sub-loop pr Sub-Loop 2W Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pr Sub-Loop 4W Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pr	I	2 3	UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL UEANL	USBSC USBSD USBN2 USBN2 USBN2 USBN2 USBN4 USBN4 USBN4 USBN4 USBN4 USBN4 USBMC USBR2 USBR2 USBMC USBR2 USBMC USBR4 USBMC USBR4 USBMC	9.18 16.29 7.37 10.47 18.58 3.96 9.37	169.25 38.65 60.19 60.19 9.00 68.83 68.83 9.00 51.84 9.00 55.91 9.00	21.78 21.78 9.00 30.42 30.42 9.00 13.44 9.00 17.51 9.00 48.65 23.95	47.50 47.50 49.71 49.71 49.71 47.50 49.71	5.26 5.26 6.60 6.60 5.26 6.60						
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set- Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1 Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2 Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2 Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3 Order Coordination for Unbundled Sub-Loops, per sub-loop pr Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1 Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2 Sub-Loop Distribution Per 4W Analog VG Loop -Zone 3 Order Coordination for Unbundled Sub-Loops, per sub-loop pr Sub-Loop 2W Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pr Sub-Loop 4W Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pr Loop Testing-Basic 1st Half Hour Loop Testing-Basic Add¹l Half Hour 2W Copper Unbundled Sub-Loop Distribution-Zone 1	I	1 2 3	UEANL UEANL	USBSC USBSD USBN2 USBN2 USBN2 USBN2 USBMC USBMC USBN4 USBN4 USBN4 USBN4 USBN6 USBR2 USBMC USBR2 USBMC USBR2 USBMC USBR2 USBMC USBR3 USBMC USBR4 USBMC USBR4 USBMC	9.18 16.29 7.37 10.47 18.58 3.96 9.37	169.25 38.65 60.19 60.19 9.00 68.83 68.83 9.00 51.84 9.00 55.91 9.00 48.65 23.95 60.19	21.78 21.78 9.00 30.42 30.42 9.00 13.44 9.00 17.51 9.00 48.65 23.95 21.78	47.50 47.50 49.71 49.71 49.71 47.50 47.50	5.26 5.26 6.60 6.60 5.26 6.60						
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set- Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1 Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2 Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3 Order Coordination for Unbundled Sub-Loops, per sub-loop pr Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1 Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2 Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2 Sub-Loop Distribution Per 4W Analog VG Loop -Zone 3 Order Coordination for Unbundled Sub-Loops, per sub-loop pr Sub-Loop 2W Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pr Sub-Loop 4W Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pr Loop Testing-Basic 1st Half Hour Loop Testing-Basic Add'l Half Hour 2W Copper Unbundled Sub-Loop Distribution-Zone 1 2W Copper Unbundled Sub-Loop Distribution-Zone 2		1 2 3 3 3 1 1 2 3	UEANL UEANL	USBSC USBSD USBN2 USBN2 USBN2 USBNC USBMC USBN4 USBN4 USBN4 USBMC USBR2 USBMC USBR2 USBMC USBR4 USBMC USBR2 USBMC USBR4 USBMC USBR2 USBMC USBR4 USBMC USBR4 USBMC USBR4 USBMC USBR4 USBMC USBR4 USBMC USBR4 USBMC USBR4 USBMC	9.18 16.29 7.37 10.47 18.58 3.96 9.37	169.25 38.65 60.19 60.19 9.00 68.83 68.83 9.00 51.84 9.00 55.84 9.00 48.65 23.95 60.19 60.19	21.78 21.78 9.00 30.42 30.42 9.00 13.44 9.00 17.51 9.00 48.65 23.95 21.78	47.50 47.50 49.71 49.71 49.71 47.50 47.50 47.50	5.26 5.26 6.60 6.60 5.26 6.60						
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set- Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1 Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2 Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2 Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3 Order Coordination for Unbundled Sub-Loops, per sub-loop pr Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1 Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2 Sub-Loop Distribution Per 4W Analog VG Loop -Zone 3 Order Coordination for Unbundled Sub-Loops, per sub-loop pr Sub-Loop 2W Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pr Sub-Loop 4W Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pr Loop Testing-Basic 1st Half Hour Loop Testing-Basic Add¹l Half Hour 2W Copper Unbundled Sub-Loop Distribution-Zone 1		1 2 3	UEANL UEANL	USBSC USBSD USBN2 USBN2 USBN2 USBN2 USBMC USBMC USBN4 USBN4 USBN4 USBN4 USBN6 USBR2 USBMC USBR2 USBMC USBR2 USBMC USBR2 USBMC USBR3 USBMC USBR4 USBMC USBR4 USBMC	9.18 16.29 7.37 10.47 18.58 3.96 9.37	169.25 38.65 60.19 60.19 9.00 68.83 68.83 9.00 51.84 9.00 55.91 9.00 48.65 23.95 60.19	21.78 21.78 9.00 30.42 30.42 9.00 13.44 9.00 17.51 9.00 48.65 23.95 21.78	47.50 47.50 49.71 49.71 49.71 47.50 47.50	5.26 5.26 6.60 6.60 5.26 6.60						

UNB	UNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
<u> </u>												Svc Order	Submitted	Incrementa I Charge -	Incremental Charge -	Incremental Charge -	Incrementa I Charge -
CATE	GORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RAT	'ES (\$)			Submitte d Elec per LSR	Manually per LSR	Manual Svc Order vs.	Manual Svc Order vs. Electronic-	Manual Svo Order vs. Electronic-	Manual Svc Order vs.
														Electronic-	Add'l	Disc 1st	Electronic-
							Dee	Nonrecu	ırring	NRC Disco	nnect			OSS	Rates (\$)	<u> </u>	Dicc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4W Copper Unbundled Sub-Loop Distribution-Zone 1		1	UEF	UCS4X	5.36	68.83	30.42	49.71	6.60						
		4W Copper Unbundled Sub-Loop Distribution-Zone 2	<u> </u>	2	UEF	UCS4X	7.61	68.83	30.42	49.71	6.60						
		4W Copper Unbundled Sub-Loop Distribution-Zone 3 Order Coordination for Unbundled Sub-Loops, per sub-loop pr	- 1	3	UEF UEF	UCS4X USBMC	13.51	68.83 9.00	30.42 9.00	49.71	6.60						
		Loop Testing-Basic 1st Half Hour			UEF	URET1		48.65	48.65	+							+
		Loop Testing-Basic 1st Hall Hour			UEF	URETA		23.95	23.95	+							1
		Idled Network Terminating Wire (UNTW)			02.	ORLIN		20.00	20.00								
		Unbundled Network Terminating Wire (UNTW) per pr			UENTW	UENPP	0.4572	18.02									
	Netwo	rk Interface Device (NID)															
		Network Interface Device (NID)-1-2 lines			UENTW	UND12		71.49	48.87								
	ļ	Network Interface Device (NID)-1-6 lines	<u> </u>		UENTW	UND16		113.89	89.07								
		Network Interface Device Cross Connect-2 W		1	UENTW UENTW	UNDC2		7.63	7.63 7.63								<u> </u>
LINE		Network Interface Device Cross Connect-4W PROVISIONING ONLY - NO RATE			UENTW	UNDC4		7.63	7.63								
ONE (NID-Dispatch and Service Order for NID installation	-	1	UENTW	UNDBX	0.00	0.00		-		1					
		UNTW Circuit Id Establishment, Provisioning Only-No Rate			UENTW	UENCE	0.00	0.00									
		CIVITY Chould be Establishment, I Toylolorling Only No Nato			UEANL,UEF,UEQ,U	CLITCL	0.00	0.00									
		Unbundled Contract Name, Provisioning Only-No Rate			ENTW	UNECN	0.00	0.00									
UNE (OTHER,	PROVISIONING ONLY - NO RATE															
					UAL,UCL,UDC,UDL,												
		Unbundled Contact Name, Provisioning Only-no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate			UEA,UDN,UCL,UDC		0.00	0.00									
		Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate			UEA,USL,UCL,UDL		0.00	0.00		-							
		Unbundled DS1 Loop-Superframe Format Option-no rate Unbundled DS1 Loop-Expanded Superframe Format option-no rate			USL USL	CCOSF CCOEF	0.00	0.00									
нісн		CITY UNBUNDLED LOCAL LOOP			USL	CCOEF	0.00	0.00		+							1
nion		High Capacity Unbundled Local Loop-DS3-Per mi per mo			UE3	1L5ND	10.92			 							
		High Capacity Unbundled Local Loop-DS3-Facility Term per mo			UE3	UE3PX	386.88	556.37	343.01	139.13	96.84						
		High Capacity Unbundled Local Loop-STS-1-Per mi per mo			UDLSX	1L5ND	10.92										
		High Capacity Unbundled Local Loop-STS-1-Facility Term per mo			UDLSX	UDLS1	426.60	556.37	343.01	139.13	96.84						
LOOF	MAKE																
		Loop Makeup-Preordering w/o Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		52.17	52.17								
		Loop Makeup-Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		55.07	55.07								
		Loop MakeupWith or w/o Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.6784	0.6784								
LINE		IG AND LINE SPLITTING			UIVIK	UIVIKIVIQ		0.0764	0.6764	+							+
		1: The Line Sharing monthly recurring rates for all installations co	mplete	d fror	n October 02, 2003 th	rough midn	ight October 01. 2	2004 shall be b	illed as foll	ows:							
		1: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled copper															
	NOTE	1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND															
		1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND															
		1: Above will apply to USOCS: ULSDT and ULSCT			<u> </u>												
		E 2: The Line Sharing monthly recurring rates with USOCs ULSDC	and UL	SCC a	applies only to circuit	ts installed	and inservice on	or before Octo	ber 1, 2003								
		SHARING	<u> </u>	1													
		TERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	119.72	379.13	0.00	347.90	0.00	-					
		Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity	-	1	ULS	ULSDA	119.72 29.93	379.13	0.00	347.90	0.00	1					—
		Line Sharing Splitter, Per System, 8 Line Capacity		1	ULS	ULSD8	8.33	379.13	0.00	347.90	0.00						
		Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation			525	02000	0.00	373.13	0.00	0.7.00	5.00	1					
l		(per LSOD)	1		ULS	ULSDG		173.66	0.00	97.42	0.00						
	END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
		Line Sharing -per Line Activation (BST Owned splitter)-OBSOLETE															
		see **NOTE 2			ULS	ULSDC	0.61	29.68	21.28	19.57	9.61						
		Line Share Service, TRO per line activation, BST owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS	ULSDT	1.99	29.68	21.28	19.57	9.61						
		Line Share Service, TRO per line activation, BST owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	3.98	29.68	21.28	19.57	9.61						

ONBOND	LED NETWORK ELEMENTS - Florida													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			ES (\$)			Svc Order Submitte d Elec per LSR	Submitted Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge -
						Rec	Nonrecu		NRC Disc					Rates (\$)		
	Line Chara Contine TDO and line notice that DCT accorded by little CO						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	5.97	29.68	21.28	19.57	9.61						
	Line Sharing-per Subsqnt Activity per Line Rearrangement -(BST			ULS	ULSDI	5.97	29.08	21.28	19.57	9.61						
	Owned Splitter)			ULS	ULSDS		21.68	16.44								
	Line Sharing-per Subsqnt Activity per Line Rearrangement -(DLEC															
	Owned Splitter)			ULS	ULSCS		21.68	16.44								
	Line Sharing-per Line Activation (DLEC owned Splitter)-OBSOLETE					0.04	47.44	40.04	00.07	40.74						'
	see **NOTE 2 Line Share Service, TRO per line activation, CLEC owned splitter-CO			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74						
	Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS	ULSCT	1.99	47.44	19.31	20.67	12.74						
	Line Share Service, TRO per line activation, CLEC owned splitter-CO				. II 00T	0.00	47.44	40.04	00.07	40.74						
	Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, CLEC owned splitter-CO			ULS	ULSCT	3.98	47.44	19.31	20.67	12.74						
	Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	5.97	47.44	19.31	20.67	12.74						
LINE	SPLITTING			OLO	OLGCI	3.91	47.44	19.51	20.07	12.74		1				
	USER ORDERING-CENTRAL OFFICE BASED											1				
LIND	Line Splitting-per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										-
	Line Splitting-per line activation BST owned-physical			UEPSR UEPSB	UREBP	0.61	29.68	21.28	19.57	9.61						
	Line Splitting-per line activation BST owned-virtual			UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61						
MAIN	NTENANCE					-		_								
	No Trouble Found-per 1/2 hour increments-Basic						80.00	55.00								
	No Trouble Found-per 1/2 hour increments-Overtime						120.00	82.50								
	No Trouble Found-per 1/2 hour increments-Premium						160.00	110.00								
UNBUNDLE	D DEDICATED TRANSPORT															
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo			U1TVX	1L5XX	0.0091										
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03						
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Per mi per			U1TVX	1L5XX	0.0091										
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Facility			U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03						
	Interoffice Channel -Dedicated Transport-4W VG-Per mi per mo			U1TVX	1L5XX	0.0091										
	Interoffice Channel -Dedicated Transport-4W VG-Facility Term			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03						
	Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo			U1TDX	1L5XX	0.0091	47.05	24.70	40.04	7.00		1				
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo			U1TDX U1TDX	U1TD5 1L5XX	18.44 0.0091	47.35	31.78	18.31	7.03						
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term			U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03						
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term Interoffice Channel-Dedicated Channel-DS1-Per mi per mo			U1TD1	1L5XX	0.1856	47.35	31.78	18.31	7.03						
	Interoffice Channel-Dedicated Tranport-DS1-Facility Term			U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05		1				
	Interoffice Channel -Dedicated Transport-DS3-Per mi per mo			U1TD3	1L5XX	3.87	103.34	30.47	21.47	13.03						
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56						
	Interoffice Channel-Dedicated Transport-STS-1-Per mi per mo			U1TS1	1L5XX	3.87	3000	0	. 2.00	. 0.00						
	Interoffice Channel-Dedicated Transport-STS-1-Facility Term			U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56						
DARK FIBE	R					,										
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per															,
	mo-Interoffice Channel			UDF, UDFCX	1L5DF	26.85										'
	NRC Dark Fiber-Interoffice Channel			UDF, UDFCX	UDF14		751.34	193.88	356.21	230.11						
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per															
	mo-Local Loop			UDF, UDFCX	1L5DL	55.04						<u> </u>				
	NRC Dark Fiber-Local Loop			UDF, UDFCX	UDFL4		751.34	193.88	356.21	230.11						
8XX ACCES	SS TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call		1	OHD		0.0006252						}				+
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX No Reserved			OHD	N8R1X		4.15	0.70								
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS		1	OUD	NOKIX		4.15	0.70				}				
	Translations			OHD			8.78	1.18	5.77	0.70						
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS															
	Translations			OHD	N8FTX		8.78	1.18	5.77	0.70						
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX			OHD	N8FCX		4.15	2.07								
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		4.85	2.78								

UNBUNDL	ED NETWORK ELEMENTS - Florida													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			ES (\$)			Svc Order Submitte d Elec per LSR	Submitted	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge -
						Rec	Nonrecu		NRC Disc					Rates (\$)		
	2007 A T BI 110 I OI D B B		<u> </u>	0115	110511/		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	8XX Access Ten Digit Screening, Change Charge Per Request		1	OHD	N8FAX		4.85	0.70								
	8XX Access Ten Digit Screening, Call Handling and Destination		1	OHD OHD	N8FDX	0.0006252	4.15	4.15								
	8XX Access Ten Digit Screening, w/8FL No. Delivery, per query 8XX Access Ten Digit Screening, w/POTS No. Delivery, per query			OHD		0.0006252										
	IATION DATA BASE ACCESS (LIDB)			OHD		0.0006252										
	LIDB Common Transport Per Query			OQT		0.0000203										
	LIDB Validation Per Query			OQU		0.0136959										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX	0.0100000	55.13	55.13	55.13	55.13						
SIGNALING (041,040	THE PARTY		00.10	000	00.10	00.10						
	CCS7 Signaling Term, Per STP Port			UDB	PT8SX	135.05										
	CCS7 Signaling Usage, Per TCAP Message	i –	i –	UDB		0.0000607								İ		
	CCS7 Signaling Connection, Per link (A link)	i		UDB	TPP++	17.93	43.57	43.57	18.31	18.31	İ			1		
	CCS7 Signaling Connection, Per link (B link) (also known as D link)	i		UDB	TPP++	17.93	43.57	43.57	18.31	18.31	İ			1		
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000152										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	694.32										
	CCS7 Signaling Point Code, per Originating Point Code					_										
	Establishment or Change, per STP affected			UDB	CCAPO		46.03	46.03	46.03	46.03						
E911 SERVIC																
	Local Channel-Dedicated-2W VG-Zone 1					21.94	265.84	46.97	37.63	4.00						
	Local Channel-Dedicated-2W VG-Zone 2					29.62	265.84	46.97	37.63	4.00						
	Local Channel-Dedicated-2W VG-Zone 3					57.22	265.84	46.97	37.63	4.00						
	Interoffice Transport-Dedicated-2W VG Per mi					0.0091										
	Interoffice Transport-Dedicated-2W VG Per Facility Term					25.32	47.35	31.78	18.31	7.03						
	Local Channel-Dedicated-DS1-Zone 1					35.28	216.65	183.54	21.47	19.05						
	Local Channel-Dedicated-DS1-Zone 2					47.63	216.65	183.54	21.47	19.05						
	Local Channel-Dedicated-DS1-Zone 3 Interoffice Transport-Dedicated-DS1 Per mi					92.01 0.1856	216.65	183.54	21.47	19.05						
	Interoffice Transport-Dedicated-DS1 Per Facility Term					88.44	105.54	98.47	21.47	19.05						
	ME (CNAM) SERVICE					00.44	105.54	30.47	21.47	19.03						
	CNAM For DB Owners-Service Establishment			OQV			25.35	25.35	19.01	19.01						
	CNAM For Non DB Owners-Service Establishment			OQV			25.35	25.35	19.01	19.01						
	CNAM For DB Owners-Service Provisioning With Point Code			OQV			20.00	20.00	10.01	10.01						
	Establishment			OQV			1,592.00	1,177.00	352.36	259.09						
	CNAM For Non DB Owners-Service Provisioning With Point Code						1,00=100	.,								
	Establishment			OQV			546.51	393.82	358.06	259.09						
	CNAM for DB Owners, Per Query			OQV		0.001024										
	CNAM for Non DB Owners, Per Query			OQV		0.001024										
SELECTIVE I																
	Selective Routing Per Unique Line Class Code Per Request Per			_			93.55	93.55	12.71	12.71						
VIRTUAL CO																
	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0502	11.57	11.57	0.00	0.00						
	DLLOCATION															
	Physical Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0276	8.22	7.22	5.74	4.58						
	VE CARRIER ROUTING															
	Regional Service Establishment		<u> </u>	SRC	SRCEC		193,444.00	407.00	7,737.00	0.00	ļ					-
	End Office Establishment	<u> </u>	 	SRC	SRCEO	0.0001000	187.36	187.36	0.69	0.69	1			1		
	Query NRC, per query DUTH AIN SMS ACCESS SERVICE	 	1	SRC		0.0031868				-	-			 		-
	AIN SMS Access Service-Service Establishment, Per State, Initial	<u> </u>	<u> </u>	A1N	CAMSE		43.56	43.56	44.93	44.93	 					
	AIN SMS Access Service-Service Establishment, Per State, Initial AIN SMS Access Service-Port Connection-Dial/Shared Access	<u> </u>	-	A1N A1N	CAMDP		43.56 8.64	8.64	10.03	10.03	-			-		
	AIN SMS Access Service-Port Connection-Dial/Shared Access AIN SMS Access Service-Port Connection-ISDN Access	1	1	A1N A1N	CAM1P		8.64	8.64	10.03	10.03		1				
	AIN SMS Access Service-Port Confrection-ISDN Access AIN SMS Access Service-User Identification Codes-Per User ID Code		 	A1N	CAMAU		38.66	38.66	29.88	29.88	†			 		
	AIN SMS Access Service-Oser Identification Codes-Per Oser ID Code AIN SMS Access Service-Security Card, Per User ID Code, Initial or		 	AIN	JAMAU		30.00	50.00	23.00	23.00	†			 		
	Replacement			A1N	CAMRC		75.10	75.10	12.93	12.93						
	AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)	†	t		2	0.0028	730	,	.2.00	.2.00				1		
	AIN SMS Access Service-Session, Per min	1	1			0.7809								İ		
	AIN SMS Access Service-Company Performed Session, Per min	i				0.4609					İ			1		
AIN - BELLS	OUTH AIN TOOLKIT SERVICE										Ì					
	AIN Toolkit Service-Service Establishment Charge, Per State, Initial	1		CAM	BAPSC		43.56	43.56	44.93	44.93						

	ED NETWORK ELEMENTS - Florida			ı		1						_		ment: 2	Exhil	
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			TES (\$)			Svc Order Submitte d Elec per LSR	Submitted	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge
						Rec	Nonrect		NRC Disc					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN Toolkit Service-Training Session, Per Customer				BAPVX		8,439.00	8,439.00								
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term.															
	Attempt				BAPTT		8.64	8.64	10.03	10.03						
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-															
	Hook Delay				BAPTD		8.64	8.64	10.03	10.03						
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off- Hook Immediate				BAPTM		8.64	8.64	10.03	10.03						
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-				BAPTIVI		8.04	8.64	10.03	10.03						
	Digit PODP				BAPTO		38.06	38.06	15.86	15.86						
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		38.06	38.06	15.86	15.86						
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN,				DALLO		30.00	30.00	13.00	13.00						
	Feature Code				BAPTF		38.06	38.06	15.86	15.86						
	AIN Toolkit Service-Query Charge, Per Query					0.0535927										
	AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription,															
	Per Node, Per Query					0.0063698										
	AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account,															
	Per 100 Kilobytes					0.06										
	AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription			CAM	BAPMS	8.34	8.64	8.64	6.08	6.08						
	AIN Toolkit Service-Special Study-Per AIN Toolkit Service Subscription			CAM	BAPLS	3.73	9.56	9.56								
	AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service															
	Subscription			CAM	BAPDS	4.73	8.64	8.64	6.08	6.08						
	AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service															
	Subscription			CAM	BAPES	0.12	9.56	9.56								
	EXTENDED LINK (EELs)		<u> </u>							L						
	: The monthly recurring and non-recurring charges below will apply											nents.				
NOTE	: The monthly recurring and the Switch-As-Is Charge and not the no	n-recu	ırring	charges below will a								nents.				
NOTE	: The monthly recurring and the Switch-As-Is Charge and not the no NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED D	n-recu	ırring	charges below will a	apply for UNI	combinations p	rovisioned as	' Currently	Combined'	Network I		nents.				
NOTE	The monthly recurring and the Switch-As-Is Charge and not the no NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED Derivatives (SL2) in Combination-Zone 1	n-recu	Irring FEROF	charges below will a FICE TRANSPORT UNCVX	UEAL2	combinations p	rovisioned as 127.59	Currently 60.54	Combined' 42.79	Network I		nents.				
NOTE	: The monthly recurring and the Switch-As-Is Charge and not the no NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED D First 2W VG Loop (SL2) in Combination-Zone 1 First 2W VG Loop (SL2) in Combination-Zone 2	n-recu	TEROF	charges below will a FICE TRANSPORT UNCVX UNCVX	UEAL2 UEAL2	12.24 17.40	127.59 127.59	60.54 60.54	42.79 42.79	2.81 2.81		nents.				
NOTE	: The monthly recurring and the Switch-As-Is Charge and not the no NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED D First 2W VG Loop (SL2) in Combination-Zone 1 First 2W VG Loop (SL2) in Combination-Zone 2 First 2W VG Loop (SL2) in Combination-Zone 3	n-recu	Irring FEROF	charges below will a FICE TRANSPORT UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2	12.24 17.40 30.87	rovisioned as 127.59	Currently 60.54	Combined' 42.79	Network I		nents.				
NOTE	The monthly recurring and the Switch-As-Is Charge and not the no NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED D First 2W VG Loop (SL2) in Combination-Zone 1 First 2W VG Loop (SL2) in Combination-Zone 2 First 2W VG Loop (SL2) in Combination-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi per mo	n-recu	TEROF	Charges below will a FICE TRANSPORT UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 1L5XX	12.24 17.40 30.87 0.1856	127.59 127.59 127.59	60.54 60.54 60.54	42.79 42.79 42.79 42.79	2.81 2.81 2.81		nents.				
NOTE	: The monthly recurring and the Switch-As-Is Charge and not the not NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DE First 2W VG Loop (SL2) in Combination-Zone 1 First 2W VG Loop (SL2) in Combination-Zone 2 First 2W VG Loop (SL2) in Combination-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo	n-recu	TEROF	charges below will a FICE TRANSPORT UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	12.24 17.40 30.87 0.1856 88.44	127.59 127.59 127.59 127.59	60.54 60.54 60.54 60.54	42.79 42.79	2.81 2.81		nents.				
NOTE	: The monthly recurring and the Switch-As-Is Charge and not the not NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DE IFIRST 2W VG Loop (SL2) in Combination-Zone 1 First 2W VG Loop (SL2) in Combination-Zone 2 First 2W VG Loop (SL2) in Combination-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo 1//0 Channelization System in combination Per mo	n-recu	TEROF	Charges below will a FICE TRANSPORT UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1	12.24 17.40 30.87 0.1856 88.44 146.77	127.59 127.59 127.59 127.59 174.46 101.42	60.54 60.54 60.54 60.54 122.46 71.62	42.79 42.79 42.79 42.79 45.61	2.81 2.81 2.81 17.95		nents.				
NOTE	: The monthly recurring and the Switch-As-Is Charge and not the not NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DE IFIRST 2W VG Loop (SL2) in Combination-Zone 1 First 2W VG Loop (SL2) in Combination-Zone 2 First 2W VG Loop (SL2) in Combination-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo 1/10 Channelization System in combination Per mo VG COCI-Per mo	n-recu	TEROF 1 2 3	charges below will a FICE TRANSPORT UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 IL5XX U1TF1 MQ1 1D1VG	12.24 17.40 30.87 0.1856 88.44 146.77	127.59 127.59 127.59 127.59 174.46 101.42 10.07	60.54 60.54 60.54 60.54 122.46 71.62 7.08	42.79 42.79 42.79 42.79 45.61	2.81 2.81 2.81 17.95		nents.				
NOTE	: The monthly recurring and the Switch-As-Is Charge and not the not NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DE IFIRST 2W VG Loop (SL2) in Combination-Zone 1 First 2W VG Loop (SL2) in Combination-Zone 2 First 2W VG Loop (SL2) in Combination-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo 1/0 Channelization System in combination Per mo VG COCI-Per mo Each Add1 2W VG Loop (SL 2) in Combination-Zone 1	n-recu	TEROF 1 2 3	charges below will a FICE TRANSPORT UNCVX UNCVX UNCVX UNCYX UNC1X UNC1X UNC1X UNC1X UNC1X UNCYX UNCYX UNCYX UNCYX	UEAL2 UEAL2 UEAL2 UEAL2 IL5XX U1TF1 MQ1 1D1VG UEAL2	12.24 17.40 30.87 0.1856 88.44 146.77 1.38	127.59 127.59 127.59 127.59 174.46 101.42 10.07 127.59	*Currently 60.54 60.54 60.54 122.46 71.62 7.08 60.54	42.79 42.79 42.79 42.79 45.61 0.00 42.79	2.81 2.81 2.81 17.95 0.00 2.81		nents.				
NOTE	: The monthly recurring and the Switch-As-Is Charge and not the not NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DE IFIRST 2W VG Loop (SL2) in Combination-Zone 1 First 2W VG Loop (SL2) in Combination-Zone 2 First 2W VG Loop (SL2) in Combination-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi per mo 1/0 Channelization System in combination Per mo VG COCI-Per mo Each Add'l 2W VG Loop (SL2) in Combination-Zone 1 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1	n-recu	1 2 3 3 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1	charges below will a FICE TRANSPORT UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCYX UNCYX UNCYX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2	12.24 17.40 30.87 0.1856 88.44 146.77 1.38 12.24	127.59 127.59 127.59 127.59 174.46 101.42 10.07 127.59 127.59	*Currently 60.54 60.54 60.54 122.46 71.62 7.08 60.54 60.54	42.79 42.79 42.79 42.79 45.61 0.00 42.79 42.79	2.81 2.81 2.81 17.95 0.00 2.81 2.81		nents.				
NOTE	: The monthly recurring and the Switch-As-Is Charge and not the not NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DE IFIRST 2W VG Loop (SL2) in Combination-Zone 1 First 2W VG Loop (SL2) in Combination-Zone 2 First 2W VG Loop (SL2) in Combination-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo 1//0 Channelization System in combination Per mo VG COCI-Per mo Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 3	n-recu	TEROF 1 2 3	charges below will a FICE TRANSPORT UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNCYX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UDITF1 MQ1 UDITF1 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	12.24 17.40 30.87 0.1856 88.44 146.77 1.38 12.24 17.40	127.59 127.59 127.59 127.59 174.46 101.42 10.07 127.59 127.59	*Currently 60.54 60.54 60.54 122.46 71.62 7.08 60.54 60.54 60.54	42.79 42.79 42.79 42.79 45.61 0.00 42.79 42.79 42.79	2.81 2.81 2.81 17.95 0.00 2.81 2.81 2.81		ments.				
NOTE	: The monthly recurring and the Switch-As-Is Charge and not the nontender of the normal part of the normal p	n-recu	1 2 3 3 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1	charges below will a FICE TRANSPORT UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCYX UNCYX UNCYX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 1D1VG	12.24 17.40 30.87 0.1856 88.44 146.77 1.38 12.24	127.59 127.59 127.59 127.59 174.46 101.42 10.07 127.59 127.59 127.59 10.07	*Currently 60.54 60.54 60.54 122.46 71.62 7.08 60.54 60.54 60.54	42.79 42.79 42.79 45.61 0.00 42.79 42.79 42.79	2.81 2.81 2.81 17.95 0.00 2.81 2.81 2.81		ments.				
NOTE	: The monthly recurring and the Switch-As-Is Charge and not the not NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DEFIRITED LOOP WITH DEDICATED DEFIRITED W GLOP (SL2) in Combination-Zone 1 First 2W VG Loop (SL2) in Combination-Zone 2 First 2W VG Loop (SL2) in Combination-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo 1/0 Channelization System in combination Per mo VG OCI-Per mo Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 3 VG COCI-Per mo NRC Currently Combined Network Elements Switch -As-Is Charge	on-recu OS1 IN	1 1 2 3 3 1 2 3 3 1 1 3 3 1 3 3 1 3 3 1 3 3 1 3 3 1 3 3 1 3 3 3 1 3	charges below will a FICE TRANSPORT UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCYX UNCYX UNCYX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UDITF1 MQ1 UDITF1 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	12.24 17.40 30.87 0.1856 88.44 146.77 1.38 12.24 17.40	127.59 127.59 127.59 127.59 174.46 101.42 10.07 127.59 127.59	*Currently 60.54 60.54 60.54 122.46 71.62 7.08 60.54 60.54 60.54	42.79 42.79 42.79 42.79 45.61 0.00 42.79 42.79 42.79	2.81 2.81 2.81 17.95 0.00 2.81 2.81 2.81		ments.				
NOTE	: The monthly recurring and the Switch-As-Is Charge and not the not NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DE IFIRST 2W VG Loop (SL2) in Combination-Zone 1 First 2W VG Loop (SL2) in Combination-Zone 2 First 2W VG Loop (SL2) in Combination-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Pacility Term per mo 1/0 Channelization System in combination Per mo VG COCI-Per mo Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 3 VG COCI-Per mo INCC Currently Combined Network Elements Switch -As-Is Charge NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED D	on-recu OS1 IN	TEROI	charges below will a FICE TRANSPORT UNCVX UNCVX UNCVX UNCYX UNC1X UNC1X UNC1X UNC1X UNC1X UNCYX UNCYX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCYX UNCVX UNCVX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCTX FICE TRANSPORT	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	12.24 17.40 30.87 0.1856 88.44 146.77 1.38 12.24 17.40 30.87	127.59 127.59 127.59 127.59 147.59 174.46 101.42 10.07 127.59 127.59 127.59 10.07 8.98	*Currently 60.54 60.54 60.54 122.46 71.62 7.08 60.54 60.54 60.54 7.08	42.79 42.79 42.79 45.61 0.00 42.79 42.79 42.79 42.79 0.00 8.98	2.81 2.81 2.81 17.95 0.00 2.81 2.81 2.81 0.00 8.98		ments.				
NOTE	: The monthly recurring and the Switch-As-Is Charge and not the not NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DE IFIRS 12W VG Loop (SL2) in Combination-Zone 1 First 2W VG Loop (SL2) in Combination-Zone 2 First 2W VG Loop (SL2) in Combination-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo 1/0 Channelization System in combination Per mo VG COCI-Per mo Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 3 VG COCI-Per mo NRC Currently Combined Network Elements Switch -As-Is Charge NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DE ISSUE AND STATES AND S	on-recu OS1 IN	1 2 3 1 1 2 3 3 TEROI	charges below will a FICE TRANSPORT UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNCYX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	12.24 17.40 30.87 0.1856 88.44 146.77 1.38 12.24 17.40 30.87 1.38	127.59 127.59 127.59 127.59 174.46 101.42 10.07 127.59 127.59 127.59 10.07 8.98	*Currently 60.54 60.54 60.54 1122.46 71.62 7.08 60.54 60.54 60.54 7.08 8.98	42.79 42.79 42.79 45.61 0.00 42.79 42.79 42.79 0.00 8.98	2.81 2.81 17.95 0.00 2.81 2.81 2.81 2.81 0.00 8.98		nents.				
NOTE	: The monthly recurring and the Switch-As-Is Charge and not the not NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DE IFIRST 2W VG Loop (SL2) in Combination-Zone 1 First 2W VG Loop (SL2) in Combination-Zone 2 First 2W VG Loop (SL2) in Combination-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Per mi per mo 1/0 Channelization System in combination Per mo VG COCI-Per mo Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 3 VG COCI-Per mo NRC Currently Combined Network Elements Switch -As-Is Charge NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DE IFIRST 4W Analog VG Loop in Combination -Zone 2	on-recu OS1 IN	1 2 3 1 1 2 3 3 TEROI 1 2 2 3 3 TEROI 1 2 2 3 3 TEROI 1 2 2 3 3 TEROI 1 2 2 3 3 TEROI 1 2 2 3 TEROI 1 2 2 3 TEROI 1 2 2 3 TEROI 1 2 2 3 TEROI 1 2 2 3 TEROI 1 2 2 TEROI 1 2 TE	charges below will a FICE TRANSPORT UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCYX UNCYX UNCYX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 IL5XX U1TF1 MQ1 ID1VG UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4	12.24 17.40 30.87 0.1856 88.44 146.77 1.38 12.24 17.40 30.87 1.38	127.59 127.59 127.59 127.59 144.46 101.42 10.07 127.59 127.59 127.59 10.07 8.98	*Currently 60.54 60.54 60.54 71.62 7.08 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.50 8.98	42.79 42.79 42.79 42.79 45.61 0.00 42.79 42.79 42.79 0.00 8.98	2.81 2.81 2.81 17.95 0.00 2.81 2.81 2.81 0.00 8.98		nents.				
NOTE	: The monthly recurring and the Switch-As-Is Charge and not the not NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DEFIRED EVINE VOICE GRADE EXTENDED LOOP WITH DEDICATED DEFIRED EVINE VOICE GRADE (SL2) in Combination-Zone 1 First 2W VG Loop (SL2) in Combination-Zone 2 First 2W VG Loop (SL2) in Combination-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Per mi per mo 1/0 Channelization System in combination Per mo VG COCI-Per mo Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 3 VG COCI-Per mo NRC Currently Combined Network Elements Switch -As-Is Charge NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DEFIRST 4W Analog VG Loop in Combination -Zone 2 First 4W Analog VG Loop in Combination -Zone 2	on-recu OS1 IN	1 2 3 1 1 2 3 3 TEROI	charges below will a FICE TRANSPORT UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCYX UNCVX	DEPLY FOR UNITED STATES TO	12.24 17.40 30.87 0.1856 88.44 146.77 1.38 12.24 17.40 30.87 1.38	127.59 127.59 127.59 127.59 174.46 101.42 10.07 127.59 127.59 127.59 10.07 8.98	*Currently 60.54 60.54 60.54 1122.46 71.62 7.08 60.54 60.54 60.54 7.08 8.98	42.79 42.79 42.79 45.61 0.00 42.79 42.79 42.79 0.00 8.98	2.81 2.81 17.95 0.00 2.81 2.81 2.81 2.81 0.00 8.98		ments.				
NOTE	: The monthly recurring and the Switch-As-Is Charge and not the not NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DE IFIRST 2W VG Loop (SL2) in Combination-Zone 1 First 2W VG Loop (SL2) in Combination-Zone 2 First 2W VG Loop (SL2) in Combination-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Pacility Term per mo 1/0 Channelization System in combination Per mo VG COCI-Per mo Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 3 VG COCI-Per mo NRC Currently Combined Network Elements Switch -As-Is Charge NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DE IFIST 4W Analog VG Loop in Combination -Zone 2 First 4W Analog VG Loop in Combination -Zone 1 First 4W Analog VG Loop in Combination -Zone 2 First 4W Analog VG Loop in Combination -Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo	on-recu OS1 IN	1 2 3 1 1 2 3 3 TEROI 1 2 2 3 3 TEROI 1 2 2 3 3 TEROI 1 2 2 3 3 TEROI 1 2 2 3 3 TEROI 1 2 2 3 TEROI 1 2 2 3 TEROI 1 2 2 3 TEROI 1 2 2 3 TEROI 1 2 2 3 TEROI 1 2 2 TEROI 1 2 TE	charges below will a FICE TRANSPORT UNCVX UNCVX UNCVX UNCVX UNCYX UNC1X UNC1X UNC1X UNC1X UNCYX UNCYX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 LUEAL2 LUEAL2 LUEAL2 LUEAL2 LUEAL2 LUEAL2 LUEAL4 LUEAL4 LUEAL4 LUEAL4 LUEAL4 LUEAL4 LUEAL4 LUEAL4	12.24 17.40 30.87 0.1856 88.44 146.77 1.38 12.24 17.40 30.87 1.38	127.59 127.59 127.59 127.59 127.59 174.46 101.42 10.07 127.59 127.59 10.07 8.98 127.59 127.59 127.59	*Currently 60.54 60.54 60.54 71.62 7.08 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54	Combined' 42.79 42.79 42.79 45.61 0.00 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79	2.81 2.81 17.95 17.95 18.10 19.10		nents.				
NOTE	: The monthly recurring and the Switch-As-Is Charge and not the not NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DIFIRST 2W VG Loop (SL2) in Combination-Zone 1 First 2W VG Loop (SL2) in Combination-Zone 2 First 2W VG Loop (SL2) in Combination-Zone 2 First 2W VG Loop (SL2) in Combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Per mi per mo 1/0 Channelization System in combination Per mo VG COCI-Per mo Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 3 VG COCI-Per mo NRC Currently Combined Network Elements Switch -As-Is Charge NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DIFIRST 4W Analog VG Loop in Combination -Zone 1 First 4W Analog VG Loop in Combination -Zone 3 Interoffice Transport-Dedicated-DS1 - Gooling Term Per mo Interoffice Transport-Dedicated-DS1 - Facility Term Per mo	on-recu OS1 IN	1 2 3 1 1 2 3 3 TEROI 1 2 2 3 3 TEROI 1 2 2 3 3 TEROI 1 2 2 3 3 TEROI 1 2 2 3 3 TEROI 1 2 2 3 TEROI 1 2 2 3 TEROI 1 2 2 3 TEROI 1 2 2 3 TEROI 1 2 2 3 TEROI 1 2 2 TEROI 1 2 TE	charges below will a FICE TRANSPORT UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCYX UNCYX UNCVX UNC1X	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 IL5XX U1TF1 MQ1 ID1VG UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4	12.24 17.40 30.87 0.1856 88.44 146.77 1.38 12.24 17.40 30.87 1.38 12.34 17.40 30.87 1.38	127.59 127.59 127.59 127.59 144.46 101.42 10.07 127.59 127.59 127.59 127.59 127.59 127.59 127.59	*Currently 60.54 60.54 60.54 71.62 7.08 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 122.46	42.79 42.79 42.79 42.79 45.61 0.00 42.79 42.79 42.79 0.00 8.98	2.81 2.81 2.81 17.95 0.00 2.81 2.81 2.81 0.00 8.98		nents.				
NOTE	EThe monthly recurring and the Switch-As-Is Charge and not the not NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DEFIRIST 2W VG Loop (SL2) in Combination-Zone 1 First 2W VG Loop (SL2) in Combination-Zone 2 First 2W VG Loop (SL2) in Combination-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi per mo 1/0 Channelization System in combination Per mo VG COCI-Per mo Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 3 VG COCI-Per mo NRC Currently Combined Network Elements Switch -As-Is Charge NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED E First 4W Analog VG Loop in Combination -Zone 1 First 4W Analog VG Loop in Combination -Zone 2 First 4W Analog VG Loop in Combination -Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo 1/0 Channel System in combination Per mo	on-recu OS1 IN	1 2 3 1 1 2 3 3 TEROI 1 2 2 3 3 TEROI 1 2 2 3 3 TEROI 1 2 2 3 3 TEROI 1 2 2 3 3 TEROI 1 2 2 3 TEROI 1 2 2 3 TEROI 1 2 2 3 TEROI 1 2 2 3 TEROI 1 2 2 3 TEROI 1 2 2 TEROI 1 2 TE	charges below will a FICE TRANSPORT UNCVX UNCVX UNCVX UNCYX UNC1X UNC1X UNC1X UNC1X UNCYX UNCYX UNCYX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCYX	UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4	12.24 17.40 30.87 0.1856 88.44 146.77 1.38 12.24 17.40 30.87 1.38 12.24 17.40 30.87 1.38 18.89 26.84 47.62 0.1856 88.44 146.77	127.59 127.59 127.59 127.59 144.46 101.42 10.07 127.59 127.59 127.59 10.07 8.98 127.59 127.59 127.59 127.59	60.54 60.54 60.54 71.62 7.08 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 7.08 8.98	42.79 42.79 45.61 0.00 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79	2.81 2.81		ments.				
NOTE	EThe monthly recurring and the Switch-As-Is Charge and not the not NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DEPIRED FIRST 2W VG Loop (SL2) in Combination-Zone 1 First 2W VG Loop (SL2) in Combination-Zone 2 First 2W VG Loop (SL2) in Combination-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Pacility Term per mo 1/0 Channelization System in combination Per mo VG COCI-Per mo Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 3 VG COCI-Per mo NRC Currently Combined Network Elements Switch -As-Is Charge NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DEFIRST 4W Analog VG Loop in Combination -Zone 2 First 4W Analog VG Loop in Combination -Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1-Facility Term Per mo VG COCI in combination-Per mi	on-recu OS1 IN	1 2 3 1 1 2 3 3 TEROI 1 2 2 3 3 TEROI 1 2 2 3 3 TEROI 1 2 2 3 3 TEROI 1 2 2 3 3 TEROI 1 2 2 3 TEROI 1 2 2 3 TEROI 1 2 2 3 TEROI 1 2 2 3 TEROI 1 2 2 3 TEROI 1 2 2 TEROI 1 2 TE	charges below will a FICE TRANSPORT UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCYX UNCYX UNCVX UNC1X	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 IL5XX U1TF1 MQ1 ID1VG UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4	12.24 17.40 30.87 0.1856 88.44 146.77 1.38 12.24 17.40 30.87 1.38 12.34 17.40 30.87 1.38	127.59 127.59 127.59 127.59 144.46 101.42 10.07 127.59 127.59 127.59 127.59 127.59 127.59 127.59	*Currently 60.54 60.54 60.54 71.62 7.08 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 122.46	Combined' 42.79 42.79 42.79 45.61 0.00 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79	2.81 2.81 17.95 17.95 18.10 19.10		ments.				
NOTE	EThe monthly recurring and the Switch-As-Is Charge and not the not NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DEFIRIST 2W VG Loop (SL2) in Combination-Zone 1 First 2W VG Loop (SL2) in Combination-Zone 2 First 2W VG Loop (SL2) in Combination-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi per mo 1/0 Channelization System in combination Per mo VG COCI-Per mo Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 3 VG COCI-Per mo NRC Currently Combined Network Elements Switch -As-Is Charge NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED E First 4W Analog VG Loop in Combination -Zone 1 First 4W Analog VG Loop in Combination -Zone 2 First 4W Analog VG Loop in Combination -Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo 1/0 Channel System in combination Per mo	on-recu OS1 IN	1 2 3 1 1 2 3 3 TEROI 1 2 2 3 3 TEROI 1 2 2 3 3 TEROI 1 2 2 3 3 TEROI 1 2 2 3 3 TEROI 1 2 2 3 TEROI 1 2 2 3 TEROI 1 2 2 3 TEROI 1 2 2 3 TEROI 1 2 2 3 TEROI 1 2 2 TEROI 1 2 TE	charges below will a FICE TRANSPORT UNCVX UNCVX UNCVX UNCYX UNC1X UNC1X UNC1X UNC1X UNCYX UNCYX UNCYX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCYX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 IL5XX U1TF1 MQ1 ID1VG UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 IL5XX U1TF1 MQ1 ID1VG	12.24 17.40 30.87 0.1856 88.44 146.77 1.38 12.24 17.40 30.87 1.38 12.24 17.40 30.87 1.38 18.89 26.84 47.62 0.1856 88.44 146.77 1.38	127.59 127.59 127.59 127.59 127.59 147.46 101.42 10.07 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59	*Currently 60.54 60.54 60.54 71.62 7.08 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 7.08 7.08	42.79 42.79 42.79 45.61 0.00 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79	2.81 2.81 17.95 2.81		nents.				
NOTE	EThe monthly recurring and the Switch-As-Is Charge and not the not NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DIFIRST 2W VG Loop (SL2) in Combination-Zone 1 First 2W VG Loop (SL2) in Combination-Zone 2 First 2W VG Loop (SL2) in Combination-Zone 2 First 2W VG Loop (SL2) in Combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Per mi per mo 1/0 Channelization System in combination Per mo VG COCI-Per mo Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 3 VG COCI-Per mo NRC Currently Combined Network Elements Switch -As-Is Charge NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED E First 4W Analog VG Loop in Combination -Zone 1 First 4W Analog VG Loop in Combination -Zone 2 First 4W Analog VG Loop in Combination -Zone 3 Interoffice Transport-Dedicated-DS1-Facility Term Per mo 1/0 Channel System in combination -Per mi VG COCI in combination-per mo Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1	on-recu OS1 IN	1	charges below will a FICE TRANSPORT UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCYX UNCYX UNCYX UNCYX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCYX UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNCYX	UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4	12.24 17.40 30.87 0.1856 88.44 146.77 1.38 12.24 17.40 30.87 1.38 12.24 17.40 30.87 1.38 18.89 26.84 47.62 0.1856 88.44 146.77	127.59 127.59 127.59 127.59 144.46 101.42 10.07 127.59 127.59 127.59 10.07 8.98 127.59 127.59 127.59 127.59	60.54 60.54 60.54 71.62 7.08 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 7.08 8.98	42.79 42.79 45.61 0.00 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79	2.81 2.81		ments.				
NOTE	Ethe monthly recurring and the Switch-As-Is Charge and not the not NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DIFIRST 2W VG Loop (SL2) in Combination-Zone 1 First 2W VG Loop (SL2) in Combination-Zone 2 First 2W VG Loop (SL2) in Combination-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Per mi per mo 1/0 Channelization System in combination Per mo VG COCI-Per mo Each Addl 2W VG Loop (SL 2) in Combination-Zone 1 Each Addl 2W VG Loop (SL 2) in Combination-Zone 1 Each Addl 2W VG Loop (SL 2) in Combination-Zone 2 Each Addl 12W VG Loop (SL 2) in Combination-Zone 3 VG COCI-Per mo NRC Currently Combined Network Elements Switch -As-Is Charge NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DIFIRST 4W Analog VG Loop in Combination -Zone 1 First 4W Analog VG Loop in Combination -Zone 2 First 4W Analog VG Loop in Combination -Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo 1/10 Channel System in combination Per mo VG COCI in combination-per mo Addl 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1 Addl 4W Analog VG Loop in same DS1 Interoffice Transport	on-recu OS1 IN	1	charges below will a FICE TRANSPORT UNCVX UNCVX UNCVX UNCVX UNCYX UNC1X UNC1X UNC1X UNC1X UNCYX UNCYX UNCYX UNCYX UNCYX UNCVX UNCVX UNCVX UNCYX UNCYX UNCYX UNC1X UNCYX UNC1X UNCYX UNC1X UNCYX UNC1X UNCYX	DEPLY FOR UNITED STATES TO	12.24 17.40 30.87 0.1856 88.44 146.77 1.38 12.24 17.40 30.87 1.38 12.24 17.40 30.87 1.38 1.38	127.59 127.59 127.59 127.59 127.59 144.46 101.42 10.07 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59	*Currently 60.54 60.54 60.54 71.62 7.08 60.54 60.54 60.54 60.54 7.08 60.54 7.08 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54	Combined' 42.79 42.79 42.79 45.61 0.00 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79	2.81 2.81		ments.				
NOTE	EThe monthly recurring and the Switch-As-Is Charge and not the not NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DIFIRST WYG Loop (SL2) in Combination-Zone 1 First 2W VG Loop (SL2) in Combination-Zone 2 First 2W VG Loop (SL2) in Combination-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Per mi per mo 1/0 Channelization System in combination Per mo VG COCI-Per mo Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 3 VG COCI-Per mo INFIC Currently Combined Network Elements Switch -As-Is Charge NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED IF First 4W Analog VG Loop in Combination -Zone 1 First 4W Analog VG Loop in Combination -Zone 2 First 4W Analog VG Loop in Combination -Zone 2 First 4W Analog VG Loop in Combination -Zone 2 First 4W Analog VG Loop in Combination -Zone 2 First 4W Analog VG Loop in Combination -Zone 3 Interoffice Transport-Dedicated-DS1-Facility Term Per mo Interoffice Transport-Dedicated-DS1-Facility Term Per mo Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1 Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2	on-recu OS1 IN	1	charges below will a FICE TRANSPORT UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCYX UNCYX UNCYX UNCYX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCYX UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNCYX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 IL5XX U1TF1 MQ1 ID1VG UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 IL5XX U1TF1 MQ1 ID1VG	12.24 17.40 30.87 0.1856 88.44 146.77 1.38 12.24 17.40 30.87 1.38 12.38 12.24 17.40 30.87 1.38 18.89 26.84 47.62 0.1856 88.44 146.77 1.38	127.59 127.59 127.59 127.59 127.59 147.46 101.42 10.07 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59	*Currently 60.54 60.54 60.54 71.62 7.08 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 7.08 7.08	42.79 42.79 42.79 45.61 0.00 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79	2.81 2.81 17.95 2.81		nents.				
NOTE	Ethe monthly recurring and the Switch-As-Is Charge and not the not NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DIFIRST 2W VG Loop (SL2) in Combination-Zone 1 First 2W VG Loop (SL2) in Combination-Zone 2 First 2W VG Loop (SL2) in Combination-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Per mi per mo 1/0 Channelization System in combination Per mo VG COCI-Per mo Each Addl 2W VG Loop (SL 2) in Combination-Zone 1 Each Addl 2W VG Loop (SL 2) in Combination-Zone 1 Each Addl 2W VG Loop (SL 2) in Combination-Zone 2 Each Addl 12W VG Loop (SL 2) in Combination-Zone 3 VG COCI-Per mo NRC Currently Combined Network Elements Switch -As-Is Charge NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DIFIRST 4W Analog VG Loop in Combination -Zone 1 First 4W Analog VG Loop in Combination -Zone 2 First 4W Analog VG Loop in Combination -Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo 1/10 Channel System in combination Per mo VG COCI in combination-per mo Addl 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1 Addl 4W Analog VG Loop in same DS1 Interoffice Transport	on-recu OS1 IN	1	charges below will a FICE TRANSPORT UNCVX UNCVX UNCVX UNCVX UNCYX UNC1X UNC1X UNC1X UNC1X UNCYX UNCYX UNCYX UNCYX UNCYX UNCVX UNCVX UNCVX UNCYX UNCYX UNCYX UNC1X UNCYX UNC1X UNCYX UNC1X UNCYX UNC1X UNCYX	DEPLY FOR UNITED STATES TO	12.24 17.40 30.87 0.1856 88.44 146.77 1.38 12.24 17.40 30.87 1.38 12.24 17.40 30.87 1.38 1.38	127.59 127.59 127.59 127.59 127.59 144.46 101.42 10.07 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59	*Currently 60.54 60.54 60.54 71.62 7.08 60.54 60.54 60.54 60.54 7.08 60.54 7.08 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54	Combined' 42.79 42.79 42.79 45.61 0.00 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79	2.81 2.81		nents.				
NOTE	Ethe monthly recurring and the Switch-As-Is Charge and not the not NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DIFIRST WY GLoop (SL2) in Combination-Zone 1 First 2W VG Loop (SL2) in Combination-Zone 2 First 2W VG Loop (SL2) in Combination-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Per mi per mo 1/0 Channelization System in combination Per mo VG COCI-Per mo Each Add1 2W VG Loop (SL 2) in Combination-Zone 1 Each Add1 2W VG Loop (SL 2) in Combination-Zone 1 Each Add1 2W VG Loop (SL 2) in Combination-Zone 2 Each Add1 2W VG Loop (SL 2) in Combination-Zone 3 VG COCI-Per mo NRC Currently Combined Network Elements Switch -As-Is Charge NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED INTERSTRANGE AND AND AND AND AND AND AND AND AND AND	on-recu OS1 IN	1	charges below will a FICE TRANSPORT UNCVX UNCVX UNCVX UNCYX UNC1X UNC1X UNC1X UNC1X UNC1X UNCYX UNCYX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCVX UNCVX UNCVX UNCVX UNCVX UNCYX	DEPLY FOR UNITED STATES TO	12.24 17.40 30.87 0.1856 88.44 146.77 1.38 12.24 17.40 30.87 1.38 12.24 17.40 30.87 1.38 18.89 26.84 47.62 0.1856 88.44 146.77 1.38	127.59 127.59 127.59 127.59 127.59 14.46 101.42 10.07 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59	*Currently 60.54 60.54 60.54 71.62 7.08 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54	Combined' 42.79 42.79 42.79 45.61 0.00 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79	2.81 2.81 17.95		ments.				
NOTE	Ethe monthly recurring and the Switch-As-Is Charge and not the not NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DIFIRST 2W VG Loop (SL2) in Combination-Zone 1 First 2W VG Loop (SL2) in Combination-Zone 2 First 2W VG Loop (SL2) in Combination-Zone 2 First 2W VG Loop (SL2) in Combination-Pore mi per mo Interoffice Transport-Dedicated-DS1 combination-Per mi per mo 1/0 Channelization System in combination Per mo VG COCI-Per mo Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 3 VG COCI-Per mo NRC Currently Combined Network Elements Switch -As-Is Charge NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED E First 4W Analog VG Loop in Combination -Zone 2 First 4W Analog VG Loop in Combination -Zone 2 First 4W Analog VG Loop in Combination -Zone 2 First 4W Analog VG Loop in Combination -Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1-Facility Term Per mo 1/0 Channel System in combination Per mo VG COCI in combination-per mo Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2 Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2 Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3	on-recu OS1 IN	1	charges below will a FICE TRANSPORT UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCYX UNCYX UNCYX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNCVX UNC1X UNCYX UNC1X UNCYX UNC1X UNCYX UNC1X UNCVX UNCYX	DEPLY TO UNIT	12.24 17.40 30.87 0.1856 88.44 146.77 1.38 12.24 17.40 30.87 1.38 12.24 17.40 30.87 1.38 18.89 26.84 47.62 0.1856 88.44 146.77 1.38	127.59 127.59 127.59 127.59 127.59 144.46 101.42 10.07 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59	*Currently 60.54 60.54 60.54 71.62 7.08 60.54 60.54 60.54 60.54 7.08 8.98 60.54 60.54 7.162 7.08 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54	42.79 42.79 45.61 0.00 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79	2.81 2.81		ments.				
EXTE	EThe monthly recurring and the Switch-As-Is Charge and not the not NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DIFIRST WYOICE GRADE EXTENDED LOOP WITH DEDICATED DIFIRST WYOICE GRADE (SL2) in Combination-Zone 1 First 2W VG Loop (SL2) in Combination-Zone 2 First 2W VG Loop (SL2) in Combination-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo 1/0 Channelization System in combination Per mo VG COCI-Per mo Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 3 VG COCI-Per mo NRC Currently Combined Network Elements Switch -As-Is Charge NED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DEFIRST WA Analog VG Loop in Combination -Zone 1 First 4W Analog VG Loop in Combination -Zone 2 First 4W Analog VG Loop in Combination -Zone 3 Interoffice Transport-Dedicated-DS1-Facility Term Per mo Interoffice Transport-Dedicated-DS1-Facility Term Per mo Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1 Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2 Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2 Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3 Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3 Add'l 4W COCI in combination-per mo	DIST IN	TEROI	charges below will a FICE TRANSPORT UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNCYX UNCVX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCVX	DEPLY FOR UNITED STATE S	12.24 17.40 30.87 0.1856 88.44 146.77 1.38 12.24 17.40 30.87 1.38 12.24 17.40 30.87 1.38 18.89 26.84 47.62 0.1856 88.44 146.77 1.38	127.59 127.59 127.59 127.59 127.59 127.59 174.46 101.42 10.07 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59	*Currently 60.54 60.54 60.54 71.62 7.08 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 7.08 60.54 7.08 60.54 7.08	42.79 42.79 45.61 0.00 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79	2.81 17.95		ments.				
EXTE	Ethe monthly recurring and the Switch-As-Is Charge and not the not NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DIFIRST 2W VG Loop (SL2) in Combination-Zone 1 First 2W VG Loop (SL2) in Combination-Zone 2 First 2W VG Loop (SL2) in Combination-Zone 2 First 2W VG Loop (SL2) in Combination-Pore mi per mo Interoffice Transport-Dedicated-DS1 combination-Per mi per mo 1/0 Channelization System in combination Per mo VG COCI-Per mo Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 3 VG COCI-Per mo NRC Currently Combined Network Elements Switch -As-Is Charge NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED INTERSTRICT OF STREET OF STR	DIST IN	TEROI	charges below will a FICE TRANSPORT UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNCYX UNCVX UNCYX UNCYX UNCYX UNCYX UNCYX UNCYX UNCVX	DEPLY FOR UNITED STATE S	12.24 17.40 30.87 0.1856 88.44 146.77 1.38 12.24 17.40 30.87 1.38 12.24 17.40 30.87 1.38 18.89 26.84 47.62 0.1856 88.44 146.77 1.38	127.59 127.59 127.59 127.59 127.59 127.59 174.46 101.42 10.07 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59	*Currently 60.54 60.54 60.54 71.62 7.08 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 7.08 60.54 7.08 60.54 7.08	42.79 42.79 45.61 0.00 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79	2.81 17.95		ments.				
EXTE	Ethe monthly recurring and the Switch-As-Is Charge and not the not NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DIFIRST 2W VG Loop (SL2) in Combination-Zone 1 First 2W VG Loop (SL2) in Combination-Zone 2 First 2W VG Loop (SL2) in Combination-Zone 2 First 2W VG Loop (SL2) in Combination-Pore mi per mo Interoffice Transport-Dedicated-DS1 combination-Per mi per mo 1/0 Channelization System in combination Per mo VG COCI-Per mo Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 3 VG COCI-Per mo NRC Currently Combined Network Elements Switch -As-Is Charge NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED E First 4W Analog VG Loop in Combination -Zone 1 First 4W Analog VG Loop in Combination -Zone 2 First 4W Analog VG Loop in Combination -Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1-Facility Term Per mo 1/0 Channel System in combination Per mo VG COCI in combination-per mo Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1 Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3 Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3 Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3 Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3 Add'l 4W Analog VG Loop in Same DS1 Interoffice Transport Combination-Zone 3 Add'l 4W Analog VG Loop in Same DS1 Interoffice Transport Combination-Zone 3 Add'l 4W Analog VG Loop in Same DS1 Interoffice Transport Combination-Zone 3 Add'l 4W Analog VG Loop in Same DS1 Interoffice Transport Combination-Zone 3 Add'l 4W Analog VG Loop in Same DS1 Interoffice Transport Combination-Zone 3 Add'l 4W Analog VG Loop in Same DS1 Interoffice Transport	DIST IN	TEROI	charges below will a FICE TRANSPORT UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCYX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCYX	DEPLY FOR UNITED STATE S	12.24 17.40 30.87 0.1856 88.44 146.77 1.38 12.24 17.40 30.87 1.38 12.24 17.40 30.87 1.38 18.89 26.84 47.62 0.1856 88.44 146.77 1.38 18.89 26.84 47.62 1.38	127.59 127.59 127.59 14.46 101.42 10.07 127.59	*Currently 60.54 60.54 122.46 71.62 7.08 60.54 60.54 60.54 60.54 60.54 60.54 7.08 8.98 60.54 71.62 7.08 60.54 60.54 7.08 8.98	Combined' 42.79 42.79 45.61 0.00 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 6.00 42.79 42.79 8.98	2.81 2.89 3.98 3.98 3.81 3.81 3.98 3.81		ments.				

ONBONDL	ED NETWORK ELEMENTS - Florida			1							,			ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			ES (\$)			Svc Order Submitte d Elec per LSR	Submitted	Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge
						Rec	Nonrecu		NRC Disc					Rates (\$)		т
				1000	41 = 304		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1856	474.40	122.46	45.04	47.05						
	Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X UNC1X	U1TF1 MQ1	88.44 146.77	174.46 101.42	71.62	45.61	17.95						
	1/0 Channel System in combination Per mo OCU-DP COCI (data) per mo (2.4-64kbs)			UNCDX	1D1DD	2.10	101.42	71.62	0.00	0.00						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice			UNCDA	טטוטו	2.10	10.07	7.06	0.00	0.00				-		-
	Transport Combination-Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice		<u> </u>	ONODA	ODLSO	22.20	127.00	00.54	72.13	2.01						
	Transport Combination-Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice		_	011057	02200	01.00	127.00	00.01	.2	2.01						
	Transport Combination-Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
	Add'l OCU-DP COCI (data)-in combination per mo (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98	Ì					1
EXTE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATE	D DS1	INTER				_				İ					
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1856										
	interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	1/0 Channel System in combination Per mo			UNC1X	MQ1	146.77	101.42	71.62								
	OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	Add'I 4W 64Kbps Digital Grade Loop in same DS1 Interoffice															
	Transport Combination-Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice															
	Transport Combination-Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice															
	Transport Combination-Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	Add'I OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
EVTE	NRC Currently Combined Network Elements Switch -As-Is Charge	C4 INT	EDOE	UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXIE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED D 4W DS1 Digital Loop in Combination-Zone 1	STINI	1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
-	4W DS1 Digital Loop in Combination-Zone 1		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						-
	4W DS1 Digital Loop in Combination-Zone 2		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo		3	UNC1X	1L5XX	0.1856	217.75	121.02	31.44	17.75						
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC	00.11	8.98	8.98	8.98	8.98						
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED D	S3 INT	EROF		0.1000		0.00	0.00	0.00	0.00						
	First DS1Loop in Combination-Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45				1	İ	†
	First DS1Loop in Combination-Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45				1	İ	†
	First DS1Loop in Combination-Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45	Ì					1
	Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo			UNC3X	1L5XX	3.87										
	Interoffice Transport-Dedicated-DS3-Facility Term per mo			UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23						
	3/1Channel System in combination per mo			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	DS1 COCI in combination per mo			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	Additoinal DS1 COCI in combination per mo			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		8.98	8.98	8.98	8.98						<u> </u>
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRA	DE IN				10 - :			40.55	0.5	ļ					
	2WVG Loop in combination-Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81	1			!		
	2WVG Loop in combination-Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81	1			 		
	2WVG Loop in combination-Zone 3		3	UNCVX UNCVX	UEAL2 1L5XX	30.87	127.59	60.54	42.79	2.81	1			1	-	├
-	Interoffice Transport 2W VG-Dedicated-Per mi Per mo		1	UNCVX	1L5XX U1TV2	0.0091	94.70	52.59	E0 40	24 52	1			 		├
_	Interoffice Transport-2W VG-Dedicated-Facility Term per mo NRC Currently Combined Network Elements Switch -As-Is Charge		 	UNCVX	UNCCC	25.32	94.70 8.98	52.59 8.98	50.49 8.98	21.53 8.98	 			 		
EVTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRA	DE IN	TEPO		UNCCC		8.98	8.98	8.98	8.98	}			 	-	+
EVIE	4WVG Loop in combination -Zone 1	יחר ווא	1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81	1			t		\vdash
	4WVG Loop in combination -Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81	1			t		\vdash
	4WVG Loop in combination -Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81	 	1	1	1	1	

UNBUND	LED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RAT	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental
						Rec	Nonrec	urring	NRC Disc					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport-4W VG-Dedicated-Per mi Per mo			UNCVX	1L5XX	0.0091										1
	Interoffice Transport-4W VG-Dedicated-Facility Term per mo			UNCVX	U1TV4	22.58	94.70	52.59	50.49	21.53						!
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98						
EXIE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	ROFFIC	JE IR													
	DS3 Local Loop in combination-per mi per mo			UNC3X	1L5ND	10.92	0.10.00				ļ					├
	DS3 Local Loop in combination-Facility Term per mo			UNC3X	UE3PX	386.88	249.97	162.05	67.10	26.82						
	Interoffice Transport-Dedicated-DS3-Per mi per mo			UNC3X	1L5XX	3.87	011.15	400.00	00.00	40.00						-
	Interoffice Transport-Dedicated-DS3 combination-Facility Term per mo			UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23	ļ					├
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		8.98	8.98	8.98	8.98	ļ					├
EXIE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 II	NIERO	FFICE		41 END	40.00										
	STS-1 Local Loop in combination-per mi per mo		-	UNCSX	1L5ND	10.92	240.07	160.05	67.10	26.00	+	-	-	 	1	
	STS-1 Local Loop in combination-Facility Term per mo		-	UNCSX	UDLS1	426.60	249.97	162.05	67.10	26.82	1		-	-	1	
	Interoffice Transport-Dedicated-STS-1 combination-per mi per mo Interoffice Transport-Dedicated-STS-1 combination-Facility Term per			UNCSX	1L5XX U1TFS	3.87 1,056.00	314.45	130.88	38.60	18.23	1		 	 	1	
						1,056.00										-
EVTE	NRC Currently Combined Network Elements Switch -As-Is Charge NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRA	NEDO	<u> </u>	UNCSX	UNCCC		8.98	8.98	8.98	8.98	 			 	1	
EVIE	First 2W ISDN Loop in Combination-Zone 1	NSFU	1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81	1					——
	First 2W ISDN Loop in Combination-Zone 1 First 2W ISDN Loop in Combination-Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81						
	First 2W ISDN Loop in Combination-Zone 2 First 2W ISDN Loop in Combination-Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81						—
	Interoffice Transport-Dedicated-DS1 combination-per mi per mo		3	UNC1X	1L5XX	0.1856	127.59	60.60	42.79	2.01						—
	Interoffice Transport-Dedicated-DS1 combination-per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						—
	1/0 Channel System in combination-per mo			UNC1X UNC1X	MQ1	146.77	101.42	71.62	45.61	17.95	 		-	ļ		
	2W ISDN COCI (BRITE)-in combination-per mo			UNCNX	UC1CA	3.66	101.42	71.02	0.00	0.00						—
	Add'I 2W ISDN Loop in same DS1Interoffice Transport Combination-			UNCINA	UCICA	3.00	10.07	7.00	0.00	0.00	 		-	ļ		
	Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81						i
-	Add'I 2W ISDN Loop in same DS1Interoffice Transport Combination-			UNCINA	UILZA	19.20	127.59	60.60	42.79	2.01	1					——
	Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81						i
-	Add'I 2W ISDN Loop in same DS1Interoffice Transport Combination-			UNCINA	UILZX	27.40	127.39	00.00	42.75	2.01	1					——
	Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81						i
	Add'I 2W ISDN COCI (BRITE)-in combination-per mo		3	UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC	3.00	8.98	8.98	8.98	8.98						
FXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED S	TS-1 IN	TFRC				0.00	0.50	0.50	0.00						
EXIL	First DS1 Loop Combination-Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
-	First DS1 Loop Combination-Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45			-	1		
	First DS1 Loop Combination-Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	Interoffice Transport-Dedicated-STS-1 combination-Per mi Per mo			UNCSX	1L5XX	3.87			• • • • • • • • • • • • • • • • • • • •							
	Interoffice Transport-Dedicated-STS-1 combination-Facility Term per			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23						
	3/1 Channel System in combination per mo			UNCSX	MQ3	211.19	199.28	118.64	40.34	39.07						
	DS1 COCI in combination per mo			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-															
	Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						i
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-															
	Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						i
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-															
	Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						i
	DS1 COCI in combination per mo			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS II	NTERO	FFICE													
	4W 56 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	4W 56 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	4W 56 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						1
	Interoffice Transport-Dedicated-4W 56 kbps combination-Per mi per			UNCDX	1L5XX	0.0091										1
	Interoffice Transport-Dedicated-4W 56 kbps combination-Facility Term									l		1				1
	per mo			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98						1
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS II	NTERO									<u> </u>					
	4W 64 kbps Lcoal Loop in Combination-Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81	<u> </u>				ļ	
	4W 64 kbps Lcoal Loop in Combination-Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
1 1 -	4W 64 kbps Lcoal Loop in Combination-Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81					1	1

וטאטסאו	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RAT	ΓES (\$)			Svc Order Submitte d Elec per LSR	Submitted	Incrementa	Incremental Charge -	Incremental Charge - Manual Svc Order vs.	I Charge
													1ct		DISC ISI	Disc Add
						Rec	Nonrec		NRC Disc					Rates (\$)		T
	Literation Transport De Protect ANN CALL CONTRACTOR Described			LINODY	41.500/		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi per Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term			UNCDX	1L5XX	0.0091										
	niteronice transport-Dedicated-4vv 64 kbps combination-racility Termi			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53						
_	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC	10.44	8.98	8.98	8.98	8.98						
EXTE	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TRANS	SPORT	w/ 3/1		0.1000		0.00	0.00	0.00	0.00						
	First 2W VG Loop (SL2) in Combination-Zone 1	<u> </u>	1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi			UNC1X	1L5XX	0.1856										1
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term															
	per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Per each DS1 Channelization System Per mo			UNC1X	MQ1	146.77	101.42	71.62								
	Per each VG COCI-Per mo per mo			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
	3/1 Channel System in combination per mo			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						↓
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						<u> </u>
	Each Add'l 2W VG Loop(SL 2) in the same DS1 Interoffice Transport		١													
	Combination-Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport		_	110000	115410	47.40	407.50	00.54	40.70	0.04						
	Combination-Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport		3	LINCVA	LIEALO	20.07	407.50	CO 54	40.70	0.04						
	Combination-Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81 0.00						
	Each Add'l VG COCI in combination-per mo Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
	System per mo			UNC1X	1L5XX	0.1856										
+	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel			ONOTA	TESTON	0.1030										+
	System per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Each Add'l DS1 COCI combination per mo			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTERO	FFICE	TRAN													1
	First 4W Analog VG Local Loop in Combination -Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
	First 4W Analog VG Local Loop in Combination -Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						1
	First 4W Analog VG Local Loop in Combination -Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1856										
	First Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	146.77	101.42	71.62								
	Per each VG COCI in combination-per mo			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
	3/1 Channel System in combination per mo			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Add'I 4W Analog VG Loop in same DS1 Interoffice Transport															
	Combination-Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
	Add'I 4W Analog VG Loop in same DS1 Interoffice Transport								40.70							
	Combination-Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
			3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.1856										
_	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel			UNCIX	ILSAA	0.1656										+
	System per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
+	Add'I VG COCI-in combination-per mo			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						+
+	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98					1	†
EXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTE	ROFFIC	CE TR				0.00	3.30	3.30	0.50					1	†
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						1
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81			İ			†
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1856										
	First Interoffice Transport-Dedicated-DS1-combination Facility Term															
	Per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						<u> </u>
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	146.77	101.42	71.62								
	Per each OCU-DP COCI (data) COCI per mo (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						

RATE ELEMENTS Interior m Zon m BCS USOC RATES (\$) RATE SLEMENTS RATE SLEMENTS Order Submitted Manually per LSR vs. Electronic-Electronic-Electronic-Electronic-Electronic-Electronic-Electronic-Submitted Add'I Disc 1st Electronic-Submitted Add'I Disc 1st Electronic-Submitted Add'I Disc 1st Electronic-Submitted Add'I Disc 1st Electronic-Submitted Manually per LSR vs. Electronic-Submitted Manually per	ARONDF	ED NETWORK ELEMENTS - Florida					•								ment: 2		bit: A
ALL COLUMN No. C. C. C. C. C. C. C. C. C. C. C. C. C.			Interi	7on								Order	Submitted	I Charge -	Charge -	Charge -	I Charge
1 Charried Systems in combination page ms	TEGORY	RATE ELEMENTS			BCS	USOC		RAT	TES (\$)					vs.	Electronic-	Electronic-	Svc Orde vs. Electronic
3 Channel System in combination part mo														1c+		DISC 1St	Dice Add
No. Compared Systems on combination per min Compared Systems (Compared Systems							Rec										
Per care Dist 1000 in combination per me. UNION UCC17 1370 1370 7.56 0.00 0.0												SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Act and Selberg Digital Grade Loop in same DS1 Intervilles Transport Contribution 2-20x 1 Tra																	<u> </u>
Transport Combination-Zene 1 DNCDX DNCS6 22.20 127.99 60.54 42.79 2.81					UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
Act of Widelpas Quality Construction 201 Interesting 2 UNCDX UDL66 11:56 127:56 60.54 42.75 2.81 Act of Montpolipas Construction 150 Interesting 2 UNCDX UDL66 55:99 127:90 60.54 42.76 2.81 Act of Montpolipas Construction 150 Interesting per mit is same 21 Channel UNCDX UDL66 55:99 127:90 60.54 42.76 2.81 Act of Montpolipas Construction 150 Interesting per mit is same 21 Channel UNCDX UDL66 55:99 127:90 60.54 42.76 2.81 Act of Montpolipas Construction 150 Interesting per mit is same 21 Channel UNCDX UDL64 150 Interesting 150 Inte										40 =0							
Transport Combination-Zumar 2 2 UNICDX UNICS 31.60 127.56 60.04 42.79 2.81				1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
Aut W 5869ps Dipal Grade Loop in some DS1 Intereffice 3 UACDX UDL56 55.90 127.50 60.54 42.79 2.81 Dipal Committee C				2	LINICDY	LIDI EG	24 56	127.50	60.54	42.70	2.01						
Transport Controllant Control accentination per mo (2-4-84bbs)	-				UNCDX	UDLS6	31.50	127.59	60.54	42.79	2.81		-				ļ
COLUPE COCI Ideals (OCCI in combination per mis CA-464ba) UNCIX				3	LINCDX	LIDL 56	55 99	127 50	60.54	12 70	2.81						
Each Add TSX Interioffice Channel gar in is same 3/1 Channel System per in				3													
System per mo					0.1027	15155	20		7.00	0.00	0.00						
Each AddT DST Interoffice Channel Existly Term in same alf Channel System per tor OO This Per torm Continue for the per torm Continu					UNC1X	1L5XX	0.1856										
System per mo							000										
NRC Currently Combined Network Elements Switch -As-is Charge UNCTX UNCCC 8.88 8.98					UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
EXTENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DSI INTEROPFICE TRANSPORT w/ 3/1 MUX		Each Add'l DS1 COCI in the same 3/1 channel system combination			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
First ANY 640Cps Digital Grade Loop in a DS1 Interoffice Transport 1 UNCDX								8.98	8.98	8.98	8.98						
Combination-Zone	EXTEN		ROFFIC	E TR	ANSPORT w/ 3/1 MU	JX											
First 4W 6HOSps Digital Grade Loop in a DST Interoffice Transport Combination-Zone 2 First 4W 6HOSps Digital Grade Loop in a DST Interoffice Transport Combination-Zone 3 First MW 6HOSps Digital Grade Loop in a DST Interoffice Transport Combination-Zone 3 First Interoffice Transport-Decicated DST combination-Per m Per m UNCTX UDL64 S5.99 127.59 60.54 42.79 2.81 UNCDX UDL64 S5.99 127.59 60.54 42.79 2.81 UNCDX UTFT 1 SW 44 First Interoffice Transport-Decicated DST combination-Per m Per m UNCTX UTFT 1 Per each Channel System 1/0 in combination-per mo (2-4-64bs) UNCDX UNCDX UDL64 S5.99 127.59 Per each Channel System in combination per m UNCTX UDL64 UNCDX UDL64 S5.90 ST 10-10-10-10-10-10-10-10-10-10-10-10-10-1																	
Combination-Zone 2				1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
First 4W 64Kbps Digital Grade Loop in a DS1 Interdifice Transport 3 UNCDX UDL64 55.99 127.59 60.54 42.79 2.81																	
Combination-Zone 3				2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
First Interoffice Transport-Dedicated-DSI combination-Per mi Per mo UNC1X 11,55X 0,1856				_													
First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per m UNC1X				3				127.59	60.54	42.79	2.81						<u> </u>
Per mo					UNC1X	1L5XX	0.1856										
Per each CLAnnel System 1/0 in combination Per mo (24-64kbs)					110041/	LIATEA	00.44	474.40	400.40	45.04	47.05						
Per each OCU-DP COCI (data) in combination-per mo (2.4-64kbs) UNCDX M33 Channel System in combination per mo UNC3X M33 211.19 199.28 118.64 40.34 38.07										45.61	17.95						
31 Channel System in combination per mo										0.00	0.00						
Per each DST COCI in combination per mo	-												-				ļ
Add1 4W 64Kbps Digital Grade Loop in same DS1 Interoffice 1 UNCDX UDL64 22.20 127.59 60.54 42.79 2.81																	
Transport Combination-Zone 1					ONOTA	00101	10.70	10.07	7.00	0.00	0.00						
Add1 4W 64Kpps Digital Grade Loop in same DS1 Interoffice 2 UNCDX				1	UNCDX	UDI 64	22 20	127 59	60 54	42 79	2 81						
Transport Combination-Zone 2					0.1027	02201	22.20	127.00	00.01	.2.70	2.01						
Transport Combination-Zone 3				2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
Add'i OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-64kbs) UNCDX 1D1DD 2.10 10.07 7.08 0.00 0.00		Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice															
Add OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-64kbs) UNCDX 1D1DD 2.10 10.07 7.08 0.00 0.00				3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel UNC1X																	
System per mo					UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
Each Add' DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo																	
System per mo					UNC1X	1L5XX	0.1856										
Each Add' DS1 COCI in the same 3/1 channel system combination UNC1X UC1D1 13.76 10.07 7.08 0.00 0.00																	1
NRC Currently Combined Network Elements Switch -As-Is Charge		System per mo	<u> </u>									ļ					
EXTENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX		Each Add'l DS1 COCl in the same 3/1 channel system combination	<u> </u>				13.76										
First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1 UNCNX U1L2X 19.28 127.59 60.60 42.79 2.81	EVE		0/4 5		UNC1X	UNCCC		8.98	8.98	8.98	8.98	ļ					
First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2 UNCNX U1L2X 27.40 127.59 60.60 42.79 2.81	EXIEN		3/1 MIL	١٨.	LINIONIV	1141.017	10.00	407.50	00.00	40.70	001	ļ		ļ		1	
First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3 UNCNX U1L2X 48.62 127.59 60.60 42.79 2.81	-		 	1								1	-			1	-
First Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			-									-					
First Interoffice Transport-Dedicated-DS1 combination-Facility Term UNC1X			1	3				121.39	00.00	42.19	2.01	1		-	-		
Der mo					ONOIA	ILUAA	0.1036					1				1	
Per each Channel System 1/0 in combination-per mo		· · · · · · · · · · · · · · · · · · ·			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95			1			1
Per each 2W ISDN COCI (BRITE) in combination-per mo										70.01	.7.55						1
3/1 Channel System in combination per mo										0.00	0.00					Ì	
Per each DS1 COCI in combination per mo																Ì	
Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination- Zone 1 Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination- UNCNX U1L2X 19.28 127.59 60.60 42.79 2.81																	
Zone 1								-									
Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-		Zone 1	L_	_1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81	<u> </u>	<u></u>	<u></u>	<u></u>		<u></u>
		Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-															

DINDUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RAT	TES (\$)			Svc Order Submitte d Elec per LSR	Submitted	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge
									L NDO D'				104		-100 101	Disc Add
						Rec	Nonrec		NRC Disc		COMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	Add'I 2W ISDN Loop in same DS1Interoffice Transport Combination-						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81						
	Add'l 2W ISDN COCI (BRITE) in same 1/0 channel system		Ť	0.10101	O ILLEX	10.02	127.00	00.00	12.70	2.01						
	combination-per mo			UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00						
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel															
	System per mo			UNC1X	1L5XX	0.1856										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel															
	System per mo			UNC1X UNC1X	U1TF1 UC1D1	88.44 13.76	174.46 10.07	122.46 7.08	45.61 0.00	17.95 0.00						
	Each Add'l DS1 COCI in the same 3/1 channel system combination NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X UNC1X	UNCCC	13.76	8.98	8.98	8.98	8.98						
	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE TRA	NSPO	RT w/		UNCCC		0.90	0.50	0.90	0.90						
	First 4W DS1 Digital Lcoal Loop in Combination-Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	First 4W DS1 Digital Lcoal Loop in Combination-Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	First 4W DS1 Digital Lcoal Loop in Combination-Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1856										
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term															
	Per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	3/1 Channel System in combination per mo			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	Per each DS1 COCI combination per mo Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	System per mo			UNC1X	1L5XX	0.1856										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel			UNCIX	ILJAA	0.1630										
	System per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Each Add'l DS1 COCI in the same 3/1 channel system combination			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	Add'I 4W DS1 Digital Local Loop in Combination-Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	NRC Currently Combined Network Elements Switch -As-Is Charge		<u> </u>	UNC1X	UNCCC		8.98	8.98	8.98	8.98						
	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTER	OFFIC	1		LIDLEC	22.20	107.50	CO 54	40.70	0.04						
	First 4W 56 kbps Local Loop in combination-Zone 1 First 4W 56 kbps Local Loop in combination-Zone 2		2	UNCDX UNCDX	UDL56 UDL56	22.20 31.56	127.59 127.59	60.54 60.54	42.79 42.79	2.81						
	First 4W 56 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
_	First 4We 56 kbps Interoffice Transport-Dedicated-Per mi per mo		3	UNCDX	1L5XX	0.0091	127.55	00.54	42.13	2.01						
	First 4W 56 kbps Interoffice Transport-Dedicated-Facility Term per mo			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		8.98	8.98		8.98						
	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTER	OFFIC	E TRA													
	First 4W 64 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	First 4W 64 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	First 4W 64 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81	ļ					1
	First I4W 65 kbps Interoffice Transport-Dedicated-Per mi per mo First 4W 64 kbps Interoffice Transport-Dedicated-Facility Term per mo		1	UNCDX	1L5XX U1TD6	0.0091 18.44	94.70	52.59	50.49	21.53						1
	NRC Currently Combined Network Elements Switch -As-Is Charge		 	UNCDX	UNCCC	10.44	8.98	8.98	8.98	8.98						1
	NETWORK ELEMENTS		1	SHODA	011000		0.30	0.30	0.30	0.30						
	used as a part of a currently combined facility, the non-recurring ch	narges	do no	t apply, but a Switc	h As Is char	ge does apply.										
	used as ordinarily combined network elements in All States, the no						not.									
Nonre	curring Currently Combined Network Elements "Switch As Is" Char															
	NRC Currently Combined Network Elements Switch -As-Is Charge-															
	2W/4W VG		<u> </u>	UNCVX	UNCCC		8.98	8.98	8.98	8.98						
	NRC Currently Combined Network Elements Switch -As-Is Charge-		1	LINCDY	LINICOO		0.00	0.00	0.00	0.00	1					
	56/64 kbps NRC Currently Combined Network Elements Switch -As-Is Charge-		<u> </u>	UNCDX UNC1X	UNCCC		8.98 8.98	8.98 8.98	8.98 8.98	8.98 8.98						
	NRC Currently Combined Network Elements Switch -As-Is Charge-		<u> </u>	UNC3X	UNCCC		8.98	8.98	8.98	8.98						
	NRC Currently Combined Network Elements Switch -As-Is Charge-		1	UNCSX	UNCCC		8.98	8.98		8.98						
	nal Features & Functions:		†	2557.			3.50	5.50	0.00	0.00						
Option																
Option				U1TD1,												
Option	Clear Channel Capability Extended Frame Option-per DS1	L		U1TD1, ULDD1,UNC1X U1TD1,	CCOEF		OI	OI	01	01						

UNBUNDL	LED NETWORK ELEMENTS - Florida													ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo Order vs. Electronic- Add'l	Order vs. Electronic-	I Charge - Manual Svc Order
						Rec	Nonrec		NRC Disc		001150	SOMAN		Rates (\$)	SOMAN	001111
				ULDD1, U1TD1,			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Clear Channel Capability (SF/ESF) Option-Subsqnt Activity-per DS1	ı		UNC1X, USL U1TD3, ULDD3,	NRCCC		184.92S	23.82S	2.07S	0.8S						
	C-bit Parity Option-Subsqnt Activity-per DS3	l i		UE3, UNC3X	NRCC3		219.09S	7.67S	0.773S	0S						
MUL	TIPLEXERS			0=0, 0::00::												
	DS1 to DS0 Channel System per mo			UNC1X	MQ1	146.77	101.42	71.62								
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-															
	64kbs) used for a Local Loop			UDL	1D1DD	2.10	10.07	7.08								
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-															
	64kbs) used for connection to a channelized DS1 Local Channel in															
	the same SWC as collocation			U1TUD	1D1DD	2.10	10.07	7.08	0.00	0.00						
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo for a															
	Local Loop			UDN	UC1CA	3.66	10.07	7.08								
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo used															
	for connection to a channelized DS1 Local Channel in the same SWC															
	as collocation			U1TUB	UC1CA	3.66	10.07	7.08	0.00	0.00						
	VG COCI-DS1 to DS0 Channel System-per mo used for a Local Loop			UEA	1D1VG	1.38	10.07	7.08								
	VG COCI-DS1 to DS0 Channel System-per mo used for connection to															
	a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	1.38	10.07	7.08	0.00	0.00						
	DS3 to DS1 Channel System per mo			UNC3X	MQ3	211.19	199.28	118.64		39.07						
	STS-1 to DS1 Channel System per mo			UNXCS	MQ3	211.19	199.28	118.64	40.34	39.07						
	DS1 COCI used with Loop per mo			USL	UC1D1	13.76	10.07	7.08								
	DS1 COCI (used for connection to a channelized DS1 Local Channel															
	in the same SWC as collocation) per mo			U1TUA	UC1D1	13.76	10.07	7.08	0.00	0.00						
	DS1 COCI used with Interoffice Channel per mo			U1TD1	UC1D1	13.76	10.07	7.08		0.00						
	DS3 Interface Unit (DS1 COCI) used with Local Channel per mo			ULDD1	UC1D1	13.76	10.07	7.08	0.00	0.00						
	D LOCAL EXCHANGE SWITCHING(PORTS)															
	ange Ports															
2-WIF	RE VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports-2W Analog Line Port-Res.			UEPSR	UEPRL	1.40	3.74	3.63	1.88	1.80						
	Exchange Ports-2W Analog Line Port with Caller ID-Res.			UEPSR	UEPRC	1.40	3.74	3.63	1.88	1.80						
	Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR	UEPRO	1.40	3.74	3.63	1.88	1.80						
	Exchange Ports-2W VG unbundled FL area calling with Caller ID-Res.			UEPSR	UEPAF	1.40	3.74	3.63	1.88	1.80						
	Exchange Ports-2W VG unbundled FL res Area Calling Plan, w/o															
	Caller ID capability			UEPSR	UEPA9	1.40	3.74	3.63	1.88	1.80						
	Exchange Ports-2W VG unbundled FL extended dialing port for use															
	with CREX7 and Caller ID			UEPSR	UEPA1	1.40	3.74	3.63	1.88	1.80						
	Exchange Ports-2W VG unbundled FL extended dialing port for use			LIEDOD	LIEDAO	4.40	0.74	3.63	4.00	4.00						
	with CREX7, w/o Caller ID capability Exchange Ports-2W VG unbundled res, low usage line port with Caller			UEPSR	UEPA8	1.40	3.74	3.03	1.88	1.80						
	ID (LUM)			UEPSR	UEPAP	1.40	3.74	3.63	1.88	1.80						
				UEPSR	UEPRT	1.40	3.74	3.63		1.80						
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability Subsqnt Activity			UEPSR	USASC	0.00	0.00	0.00		1.80						
EEAT	TURES	-		UEFSK	USASC	0.00	0.00	0.00	1							
FEAT	All Available Vertical Features			UEPSR	UEPVF	2.26	0.00	0.00								
2-14/15	RE VOICE GRADE LINE PORT RATES (BUS)			OLI OK	OLI VI	2.20	0.00	0.00								
2-1111	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus			UEPSB	UEPBL	1.40	3.74	3.63	1.88	1.80						
	Exchange Ports-2W VG unbundled Line Port with unbundled port with	-	1	OLI OD	OLIDE	1.40	5.74	5.05	1.00	1.00	1		-	-	 	1
	Caller+E484 ID-Bus.			UEPSB	UEPBC	1.40	3.74	3.63	1.88	1.80			1			
	Exchange Ports-2W Analog Line Port outgoing only-Bus.	-	 	UEPSB	UEPBO	1.40	3.74	3.63	1.88	1.80	 		-	1	<u> </u>	
- 1	Exhange Ports-2W VG unbundled incoming only port with Caller ID-	1		UEPSB	UEPB1	1.40	3.74	3.63	1.88	1.80	1		t	t		
	2W voice unbundled Incoming Only Port w/o Caller ID Capability	1		UEPSB	UEPBE	1.40	3.74			1.80			t	t		
1	Subsqnt Activity			UEPSB	USASC	0.00	0.00	0.00		50			1			
FEAT	TURES					3.00	2.00	2.00					İ			
1	All Available Vertical Features			UEPSB	UEPVF	2.26	0.00	0.00					İ			
EXCH	IANGE PORT RATES (DID & PBX)				1		1						1	1	1	
	2W VG Unbundled 2-Way PBX Trunk-Res			UEPSE	UEPRD	1.40	39.06	18.18	12.35	0.7187						
				UEPSP	UEPPC	1.40	39.06			0.7187					İ	
	2W VG Line Side Unbundled 2-Way PBX Trunk-Bus															

	ED NETWORK ELEMENTS - Florida													ment: 2	Exhil	
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			ES (\$)			Svc Order Submitte d Elec per LSR	Submitted	Incrementa I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge
						Rec	Nonrecu		NRC Disc					Rates (\$)		
							First	Add'l	First		SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus			UEPSP	UEPP1	1.40	39.06	18.18	12.35	0.7187						
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187						
	2W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187						
	2W Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.40	39.06	18.18	12.35	0.7187						
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.40	39.06	18.18	12.35	0.7187						
	2W Voice Unbundled PBX LD DDD Terminals Port 2W Voice Unbundled PBX LD Terminal Switchboard Port		1	UEPSP UEPSP	UEPXC UEPXD	1.40 1.40	39.06 39.06	18.18 18.18	12.35 12.35	0.7187 0.7187						
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.40	39.06	18.18	12.35	0.7187						
	2W Voice Unbundled PBX LD Terminal Switchboard Ibb Capable Port 2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.40	39.06	18.18	12.35	0.7187						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.40	39.06	18.18	12.35	0.7187						
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1.40	39.06	18.18	12.35	0.7187						
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port		1	UEPSP	UEPXS	1.40	39.06	18.18	12.35	0.7187				+		
	Subsqnt Activity			UEPSP	USASC	0.00	0.00	0.00	12.33	0.7 107						
FEATL				OLI OI	OOAGC	0.00	0.00	0.00								
	All Available Vertical Features			UEPSP UEPSE	UEPVF	2.26	0.00	0.00								
EXCH	ANGE PORT RATES (COIN)			02. 0. 02. 02	02	2.20	0.00	0.00								
	Exchange Ports-Coin Port					1.40	3.74	3.63	1.88	1.80						
NOTE:	Transmission/usage charges associated with POTS circuit switch	ed usa	ge wil	also apply to circui	t switched v	oice and/or circu	it switched da	ta transmiss	sion by B-C	hannels a	ssociated	with 2-wire	ISDN ports.			
The DS Reque	ANGE PORT RATES 51 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Posts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after to Exchange Ports-2W DID Port			date of this amendm	ent shall be								or a separate	agreement.		
	Exchange Ports-2W DID Port				LIEDDO	0.70				4.00						
				UEPEX	UEPP2	8.73	78.41	15.82	41.94	4.26						
	Exchange Ports-DDITS Port-4W DS1 Port with DID capability			UEPDD	UEPDD	54.95	78.41 151.11	15.82 77.75	41.94 48.81	3.10						
	Exchange Ports-DDITS Port-4W DS1 Port with DID capability Exchange Ports-2W ISDN Port (See Notes below.)			UEPDD UEPTX, UEPSX	UEPDD U1PMA	54.95 8.83	78.41 151.11 46.83	15.82 77.75 50.68	41.94							
	Exchange Ports-DDITS Port-4W DS1 Port with DID capability Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered			UEPDD UEPTX, UEPSX UEPTX, UEPSX	UEPDD U1PMA UEPVF	54.95 8.83 2.26	78.41 151.11 46.83 0.00	15.82 77.75 50.68 0.00	41.94 48.81	3.10						
	Exchange Ports-DDITS Port-4W DS1 Port with DID capability Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN PortChannel Profiles	lable o	only th	UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX	UEPDD U1PMA UEPVF U1UMA	54.95 8.83 2.26 0.00	78.41 151.11 46.83 0.00 0.00	15.82 77.75 50.68 0.00 0.00	41.94 48.81 27.64	3.10 11.93						
NOTE:	Exchange Ports-DDITS Port-4W DS1 Port with DID capability Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered			UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX rough BFR/NBR Pro	UEPDD U1PMA UEPVF U1UMA cess. Rates	54.95 8.83 2.26 0.00 for the packet ca	78.41 151.11 46.83 0.00 0.00 pabilities will	15.82 77.75 50.68 0.00 0.00 be determin	41.94 48.81 27.64 ed via the E	3.10 11.93 BFR/NBR	Process.					
NOTE:	Exchange Ports-DDITS Port-4W DS1 Port with DID capability Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN PortChannel Profiles Access to B Channel or D Channel Packet capabilities will be avai			UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX rough BFR/NBR Pro	UEPDD U1PMA UEPVF U1UMA cess. Rates	54.95 8.83 2.26 0.00 for the packet ca	78.41 151.11 46.83 0.00 0.00 pabilities will	15.82 77.75 50.68 0.00 0.00 be determin	41.94 48.81 27.64 ed via the E	3.10 11.93 BFR/NBR	Process.					
NOTE: NOTE: EXCH/	Exchange Ports-DDITS Port-4W DS1 Port with DID capability Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN PortChannel Profiles Access to B Channel or D Channel Packet capabilities will be avai Access to B Channel or D Channel Packet capabilities will be avai ANGE PORT RATES (continued) Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator			UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX rough BFR/NBR Pro	UEPDD U1PMA UEPVF U1UMA cess. Rates	54.95 8.83 2.26 0.00 for the packet ca	78.41 151.11 46.83 0.00 0.00 pabilities will pabilities will	15.82 77.75 50.68 0.00 0.00 be determin	41.94 48.81 27.64 ed via the E	3.10 11.93 BFR/NBR	Process.					
NOTE: NOTE: EXCHA	Exchange Ports-DDITS Port-4W DS1 Port with DID capability Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN PortChannel Profiles Access to B Channel or D Channel Packet capabilities will be avai Access to B Channel or D Channel Packet capabilities will be avai ANGE PORT RATES (continued) Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004)			UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX OUBT BFR/NBR Pro OUGH BFR/NBR Pro UEPEX	UEPDD U1PMA UEPVF U1UMA cess. Rates Cess. Rates	54.95 8.83 2.26 0.00 for the packet ca for the packet ca	78.41 151.11 46.83 0.00 0.00 pabilities will pabilities will	15.82 77.75 50.68 0.00 0.00 be determin be determin	41.94 48.81 27.64 ed via the E ed via the E	3.10 11.93 BFR/NBR BFR/NBR	Process.					
NOTE: NOTE: EXCH/	Exchange Ports-DDITS Port-4W DS1 Port with DID capability Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN PortChannel Profiles Access to B Channel or D Channel Packet capabilities will be avai Access to B Channel or D Channel Packet capabilities will be avai Access to B Channel or D Channel Packet capabilities will be avai ACCESS to B Channel or D Channel Packet capabilities will be avai ANGE PORT RATES (continued) Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004) Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX rough BFR/NBR Pro rough BFR/NBR Pro UEPEX UEPDX	UEPDD U1PMA UEPVF U1UMA cess. Rates cess. Rates UEPEX UEPDX	54.95 8.83 2.26 0.00 for the packet ca for the packet ca 82.74 82.74	78.41 151.11 46.83 0.00 0.00 pabilities will pabilities will 174.61	15.82 77.75 50.68 0.00 0.00 be determin be determin 95.17	41.94 48.81 27.64 ed via the E ed via the E 49.80 49.80	3.10 11.93 BFR/NBR BFR/NBR 18.23 18.23	Process.					
NOTE: NOTE: EXCH/	Exchange Ports-DDITS Port-4W DS1 Port with DID capability Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN PortChannel Profiles Access to B Channel or D Channel Packet capabilities will be avai Access to B Channel or D Channel Packet capabilities will be avai ACCESS TO B Channel or D Channel Packet capabilities will be avai AMGE PORT RATES (continued) Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004) Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) Physical Collocation-DS1 Cross-Connects			UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX OUBPTX, UEPSX OUBPBFR/NBR Pro OUBPEX UEPEX UEPDX UEPEX UEPDX UEPEX UEPDX	UEPDD U1PMA UEPVF U1UMA cess. Rates cess. Rates UEPEX UEPDX PE1P1	54.95 8.83 2.26 0.00 for the packet ca for the packet ca 82.74 82.74	78.41 151.11 46.83 0.00 0.00 pabilities will pabilities will 174.61 174.61	15.82 77.75 50.68 0.00 0.00 be determin be determin 95.17 95.17	41.94 48.81 27.64 ed via the E ed via the E	3.10 11.93 BFR/NBR BFR/NBR	Process.					
NOTE: NOTE: EXCH/	Exchange Ports-DDITS Port-4W DS1 Port with DID capability Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN PortChannel Profiles Access to B Channel or D Channel Packet capabilities will be avai Access to B Channel or D Channel Packet capabilities will be avai Access to B Channel or D Channel Packet capabilities will be avai ANGE PORT RATES (continued) Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004) Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) Physical Collocation-DS1 Cross-Connects Virtual collocation-Special Access & UNE, cross-connect per DS1			UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX rough BFR/NBR Pro rough BFR/NBR Pro UEPEX UEPDX	UEPDD U1PMA UEPVF U1UMA cess. Rates cess. Rates UEPEX UEPDX	54.95 8.83 2.26 0.00 for the packet ca for the packet ca 82.74 82.74	78.41 151.11 46.83 0.00 0.00 pabilities will pabilities will 174.61	15.82 77.75 50.68 0.00 0.00 be determin be determin 95.17	41.94 48.81 27.64 ed via the E ed via the E 49.80 49.80	3.10 11.93 BFR/NBR BFR/NBR 18.23 18.23	Process.					
NOTE: NOTE: EXCH/	Exchange Ports-DDITS Port-4W DS1 Port with DID capability Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN PortChannel Profiles Access to B Channel or D Channel Packet capabilities will be avai Access to B Channel or D Channel Packet capabilities will be avai Access to B Channel or D Channel Packet capabilities will be avai ACCESS TO B CHANNEL (SON DS1 PORT WITH DETAILS WIT			UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX OUBPTX, UEPSX OUBPBFR/NBR Pro OUBPEX UEPEX UEPDX UEPEX UEPDX UEPEX UEPDX	UEPDD U1PMA UEPVF U1UMA cess. Rates cess. Rates UEPEX UEPDX PE1P1	54.95 8.83 2.26 0.00 for the packet ca for the packet ca 82.74 82.74	78.41 151.11 46.83 0.00 0.00 pabilities will pabilities will 174.61 174.61	15.82 77.75 50.68 0.00 0.00 be determin be determin 95.17 95.17	41.94 48.81 27.64 ed via the E ed via the E 49.80 49.80	3.10 11.93 BFR/NBR BFR/NBR 18.23 18.23	Process.					
NOTE: NOTE: EXCH/	Exchange Ports-DDITS Port-4W DS1 Port with DID capability Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN Port -Channel Profiles Exchange Ports-2W ISDN Port -Channel Profiles Access to B Channel or D Channel Packet capabilities will be avai Access to B Channel or D Channel Packet capabilities will be avai AMGE PORT RATES (continued) Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004) Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) Physical Collocation-DS1 Cross-Connects Virtual collocation-Special Access & UNE, cross-connect per DS1 ad E911 with Locator Capability (required with UEPEX port) Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Initial Profile Establishment per CLEC per State			UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX OUBPTX, UEPSX OUBPBFR/NBR Pro OUBPEX UEPEX UEPDX UEPEX UEPDX UEPEX UEPDX	UEPDD U1PMA UEPVF U1UMA cess. Rates cess. Rates UEPEX UEPDX PE1P1	54.95 8.83 2.26 0.00 for the packet ca for the packet ca 82.74 82.74	78.41 151.11 46.83 0.00 0.00 pabilities will pabilities will 174.61 174.61	15.82 77.75 50.68 0.00 0.00 be determin be determin 95.17 95.17	41.94 48.81 27.64 ed via the E ed via the E 49.80 49.80	3.10 11.93 BFR/NBR BFR/NBR 18.23 18.23	Process.					
NOTE: NOTE: EXCH/	Exchange Ports-DDITS Port-4W DS1 Port with DID capability Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN Port -Channel Profiles Exchange Ports-2W ISDN Port -Channel Profiles Access to B Channel or D Channel Packet capabilities will be avai ACCESS to B Channel or D Channel Packet capabilities will be avai ANGE PORT RATES (continued) Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004) Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) Physical Collocation-DS1 Cross-Connects Virtual collocation-Special Access & UNE, cross-connect per DS1 de E911 with Locator Capability (required with UEPEX port) Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Initial Profile Establishment per CLEC per State Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes, Additions, Deletions			UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX rough BFR/NBR Pro rough BFR/NBR Pro UEPEX UEPDX UEPDX UEPEX UEPDX UEPEX UEPDX UEPEX UEPDX	UEPDD U1PMA UEPVF U1UMA cess. Rates cess. Rates UEPEX UEPDX PE1P1 CNC1X	54.95 8.83 2.26 0.00 for the packet ca for the packet ca 82.74 82.74 1.32 7.50	78.41 151.11 46.83 0.00 0.00 pabilities will 174.61 174.61 27.77 155.00	15.82 77.75 50.68 0.00 0.00 be determin be determin 95.17 95.17	41.94 48.81 27.64 ed via the E ed via the E 49.80 49.80 5.93	3.10 11.93 BFR/NBR BFR/NBR 18.23 18.23	Process.					
NOTE: NOTE: EXCH.	Exchange Ports-DDITS Port-4W DS1 Port with DID capability Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN Port -Channel Profiles Access to B Channel or D Channel Packet capabilities will be avai Access to B Channel or D Channel Packet capabilities will be avai ACCEST ACCEST OF THE STATES (continued) Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004) Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) Physical Collocation-DS1 Cross-Connects Virtual collocation-Special Access & UNE, cross-connect per DS1 de E911 with Locator Capability (required with UEPEX port) Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Initial Profile Establishment per CLEC per State Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes, Additions, Deletions r Additional PRI Telephone Numbers Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes, Additions, Deletions r Additional PRI Telephone Numbers Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability -Way Tell Nos, per No in E911 profile [New or Add'i]			UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX rough BFR/NBR Pro rough BFR/NBR Pro UEPEX UEPDX UEPDX UEPDX UEPEX UEPDX UEPEX UEPDX UEPEX UEPEX UEPEX UEPEX UEPEX	UEPDD U1PMA UEPVF U1UMA cess. Rates cess. Rates UEPEX UEPDX PE1P1 CNC1X	54.95 8.83 2.26 0.00 for the packet ca for the packet ca 82.74 82.74 1.32 7.50	78.41 151.11 46.83 0.00 0.00 0.00 pabilities will 174.61 27.77 155.00	15.82 77.75 50.68 0.00 0.00 be determin be determin 95.17 95.17	41.94 48.81 27.64 ed via the E ed via the E 49.80 49.80 5.93	3.10 11.93 BFR/NBR BFR/NBR 18.23 18.23	Process.					
NOTE: NOTE: EXCHA	Exchange Ports-DDITS Port-4W DS1 Port with DID capability Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN PortChannel Profiles Access to B Channel or D Channel Packet capabilities will be avai Access to B Channel or D Channel Packet capabilities will be avai Access to B Channel or D Channel Packet capabilities will be avai ANGE PORT RATES (continued) Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004) Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) Physical Collocation-DS1 Cross-Connects Virtual collocation-Special Access & UNE, cross-connect per DS1 ad E911 with Locator Capability (required with UEPEX port) Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Initial Profile Establishment per CLEC per State Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes, Additions, Deletions r Additional PRI Telephone Numbers Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator			UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX rough BFR/NBR Pro rough BFR/NBR Pro UEPEX UEPEX UEPDX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX	UEPDD U1PMA UEPVF U1UMA cess. Rates cess. Rates UEPEX UEPDX PE1P1 CNC1X UEP1A UEP1B	54.95 8.83 2.26 0.00 for the packet ca for the packet ca 82.74 82.74 1.32 7.50 0.00	78.41 151.11 46.83 0.00 0.00 0.00 pabilities will 174.61 174.61 27.77 155.00 1,809.00	15.82 77.75 50.68 0.00 0.00 be determin be determin 95.17 95.17	41.94 48.81 27.64 ed via the E ed via the E 49.80 49.80 5.93	3.10 11.93 BFR/NBR BFR/NBR 18.23 18.23	Process.					
NOTE: NOTE: EXCHA	Exchange Ports-DDITS Port-4W DS1 Port with DID capability Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN Port -Channel Profiles Access to B Channel or D Channel Packet capabilities will be avai Access to B Channel or D Channel Packet capabilities will be avai ARGE PORT RATES (continued) Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004) Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) Physical Collocation-DS1 Cross-Connects Virtual collocation-Special Access & UNE, cross-connect per DS1 de E911 with Locator Capability (required with UEPEX port) Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Initial Profile Establishment per CLEC per State Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes, Additions, Deletions r Additional PRI Telephone Numbers Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes, Numbers Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes, Port, Port-E911 Locator Capability-Outdial Tel Nos, per No in E911 profile [New or Add'l] Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Outdial Tel Nos, per No in E911 profile [New or Add'l] Unbundled Exchange Ports, 4W ISDN DS1 Port-Inward Tel Nos- Inward Data Only Option [New or Add'l]			UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX rough BFR/NBR Pro rough BFR/NBR Pro UEPEX UEPDX UEPEX UEPDX UEPEX UEPDX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX	UEPDD U1PMA UEPVF U1UMA cess. Rates cess. Rates UEPEX UEPDX PE1P1 CNC1X UEP1A UEP1B	54.95 8.83 2.26 0.00 for the packet ca for the packet ca 82.74 1.32 7.50 0.00 0.000	78.41 151.11 46.83 0.00 0.00 0.00 pabilities will 174.61 174.61 27.77 155.00 1,809.00 175.66	15.82 77.75 50.68 0.00 0.00 be determin 95.17 95.17 15.52 14.00	41.94 48.81 27.64 ed via the E ed via the E 49.80 49.80 5.93	3.10 11.93 BFR/NBR BFR/NBR 18.23 18.23	Process.					
NOTE: NOTE: EXCHA	Exchange Ports-DDITS Port-4W DS1 Port with DID capability Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN Port -Channel Profiles Access to B Channel or D Channel Packet capabilities will be avai Access to B Channel or D Channel Packet capabilities will be avai Access to B Channel or D Channel Packet capabilities will be avai ACCEST OF CONTINUES (CONTINUES) Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004) Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) Physical Collocation-DS1 Cross-Connects Virtual collocation-Special Access & UNE, cross-connect per DS1 dE 9911 with Locator Capability (required with UEPEX port) Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Initial Profile Establishment per CLEC per State Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes, Additions, Deletions r Additional PRI Telephone Numbers Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability -Outdial Tel Nos, per No in E911 profile [New or Add'l] Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Outdial Tel Nos, per No in E911 profile [New or Add'l] Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Outdial Tel Nos, per No in E911 profile [New or Add'l] Unbundled Exchange Ports, 4W ISDN DS1 Port-Inward Tel Nos- Inward Data Only Option [New or Add'l] Exchange Ports-4W ISDN ISP Port-Subsqnt [New] Inward Tel Nos [Customer Testing Purposes]			UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX rough BFR/NBR Pro UEPEX UEPDX UEPDX UEPDX UEPEX UEPDX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX	UEPDD U1PMA UEPVF U1UMA cess. Rates UEPEX UEPDX PE1P1 CNC1X UEP1A UEP1B	54.95 8.83 2.26 0.00 for the packet ca for the packet ca 82.74 82.74 1.32 7.50 0.00 0.00 0.0699	78.41 151.11 46.83 0.00 0.00 0.00 174.61 174.61 174.61 27.77 155.00 1,809.00 175.66	15.82 77.75 50.68 0.00 0.00 be determin 95.17 95.17 15.52 14.00	41.94 48.81 27.64 ed via the E ed via the E 49.80 49.80 5.93	3.10 11.93 BFR/NBR BFR/NBR 18.23 18.23	Process.					
NOTE: NOTE: EXCHA	Exchange Ports-DDITS Port-4W DS1 Port with DID capability Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN Port -Channel Profiles Access to B Channel or D Channel Packet capabilities will be avai Access to B Channel or D Channel Packet capabilities will be avai ANGE PORT RATES (continued) Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004) Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) Physical Collocation-DS1 Cross-Connects Virtual collocation-Special Access & UNE, cross-connect per DS1 ate E911 with Locator Capability (required with UEPEX port) Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Initial Profile Establishment per CLEC per State Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes, Additions, Deletions r Additional PRI Telephone Numbers Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes, Nadditions, Deletions r Additional PRI Telephone Numbers Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Outdial Tel Nos, per No in E911 profile [New or Add'I] Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Outdial Tel Nos, per No in E911 profile [New or Add'I] Unbundled Exchange Ports, 4W ISDN DS1 Port-Inward Tel Nos- Inward Data Only Option [New or Add'I] Exchange Ports-4W ISDN DS1 Port-Subsqnt [New] Inward Tel Nos- Inward Data Only Option [New or Add'I] Exchange Ports-4W ISDN DS1 Port-Subsqnt [New] Inward Tel Nos- Inward Data Only Option [New or Add'I]			UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX rough BFR/NBR Pro UEPEX UEPDX UEPDX UEPEX UEPDX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX	UEPDD U1PMA UEPVF U1UMA cess. Rates Cess. Rates UEPEX UEPDX PE1P1 CNC1X UEP1A UEP1B UEP1C UEP1D UEP1E PR7ZT	54.95 8.83 2.26 0.00 for the packet ca for the packet ca 82.74 82.74 1.32 7.50 0.00 0.0699 0.0699 0.000	78.41 151.11 46.83 0.00 0.00 0.00 pabilities will 174.61 174.61 27.77 155.00 1,809.00 175.66 0.5412	15.82 77.75 50.68 0.00 0.00 be determin e determin 95.17 95.17 15.52 14.00	41.94 48.81 27.64 ed via the E ed via the E 49.80 49.80 5.93	3.10 11.93 BFR/NBR BFR/NBR 18.23 18.23	Process.					
NOTE: NOTE: EXCH/	Exchange Ports-DDITS Port-4W DS1 Port with DID capability Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN PortChannel Profiles Exchange Ports-2W ISDN PortChannel Profiles Access to B Channel or D Channel Packet capabilities will be avai Access to B Channel or D Channel Packet capabilities will be avai Access to B Channel or D Channel Packet capabilities will be avai Access to B Channel or D Channel Packet capabilities will be avai ACCEST STATES (continued) Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004) Physical Collocation-DS1 Cross-Connects Virtual collocation-Special Access & UNE, cross-connect per DS1 dd E911 with Locator Capability (required with UEPEX port) Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Initial Profile Establishment per CLEC per State Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes, Additions, Deletions r Additional PRI Telephone Numbers Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability 2-way Tel Nos, per No in E911 profile [New or Add'I] Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Outdial Tel Nos, per No in E911 profile [New or Add'I] Unbundled Exchange Ports, 4W ISDN DS1 Port-Inward Tel Nos- Inward Data Only Option [New or Add'I] Exchange Ports-4W ISDN DS1 Port-Subsqnt [New] Inward Tel Nos- Inward Data Only Option [New or Add'I] Exchange Ports-4W ISDN DS1 Port-Subsqnt [New] Inward Tel Nos- Inward Data Only Option [New or Add'I] Exchange Ports-4W ISDN DS1 Port-Subsqnt [New] Inward Tel Nos- Inward Data Only Option [New or Add'I] Exchange Ports-4W ISDN DS1 Port-Subsqnt [New] Inward Tel Nos- Inward Data Only Option [New or Add'I] Exchange Ports-4W ISDN DS1 Port-Subsqnt [New] Inward Tel Nos- Inward Data Only Option [New or Add'I]			UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX rough BFR/NBR Pro UEPEX UEPDX UEPEX UEPDX UEPEX UEPDX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX	UEPDD U1PMA UEPVF U1UMA cess. Rates cess. Rates UEPEX UEPDX PE1P1 CNC1X UEP1A UEP1B UEP1C UEP1D	54.95 8.83 2.26 0.00 for the packet ca for the packet ca 82.74 1.32 7.50 0.00 0.00 0.0699 0.0699	78.41 151.11 46.83 0.00 0.00 0.00 pabilities will 174.61 174.61 27.77 155.00 1,809.00 175.66 0.5412	15.82 77.75 50.68 0.00 0.00 be determin e determin 95.17 95.17 15.52 14.00	41.94 48.81 27.64 ed via the E ed via the E 49.80 49.80 5.93	3.10 11.93 BFR/NBR BFR/NBR 18.23 18.23	Process.					
NOTE: NOTE: EXCHA Detaile New o	Exchange Ports-DDITS Port-4W DS1 Port with DID capability Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN Port -Channel Profiles Access to B Channel or D Channel Packet capabilities will be avai Access to B Channel or D Channel Packet capabilities will be avai Access to B Channel or D Channel Packet capabilities will be avai ACCES TO B Channel Or D Channel Packet capabilities will be avai ANGE PORT RATES (continued) Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004) Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) Physical Collocation-DS1 Cross-Connects Virtual collocation-Special Access & UNE, cross-connect per DS1 and E911 with Locator Capability (required with UEPEX port) Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Initial Profile Establishment per CLEC per State Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes, Additions, Deletions r Additional PRI Telephone Numbers Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-2-way Tel Nos, per No in E911 profile [New or Add'l] Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Outdial Tel Nos, per No in E911 profile [New or Add'l] Unbundled Exchange Ports, 4W ISDN DS1 Port-Inward Tel Nos- Inward Data Only Option [New or Add'l] Exchange Ports-4W ISDN DS1 Port-Subsqnt [New] Inward Tel Nos- Inward Data Only Option [New or Add'l] Exchange Ports-BULITY Local No Portability (1 per port) FACE (Provsioning Only)			UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX rough BFR/NBR Pro UEPEX UEPDX UEPDX UEPEX UEPDX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX	UEPDD U1PMA UEPVF U1UMA cess. Rates UEPEX UEPDX PE1P1 CNC1X UEP1A UEP1B UEP1C UEP1D UEP1C UEP1D UEP1C UEP1D	54.95 8.83 2.26 0.00 for the packet ca for the packet ca 82.74 82.74 1.32 7.50 0.00 0.0699 0.0699 0.000 1.75	78.41 151.11 46.83 0.00 0.00 0.00 pabilities will 174.61 174.61 27.77 155.00 1,809.00 175.66 0.5412 12.71 0.5412 25.42	15.82 77.75 50.68 0.00 0.00 be determin 95.17 95.17 15.52 14.00	41.94 48.81 27.64 ed via the E ed via the E 49.80 49.80 5.93	3.10 11.93 BFR/NBR BFR/NBR 18.23 18.23	Process.					
NOTE: NOTE: EXCH Detaile New o	Exchange Ports-DDITS Port-4W DS1 Port with DID capability Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN PortChannel Profiles Exchange Ports-2W ISDN PortChannel Profiles Access to B Channel or D Channel Packet capabilities will be avai Access to B Channel or D Channel Packet capabilities will be avai Access to B Channel or D Channel Packet capabilities will be avai Access to B Channel or D Channel Packet capabilities will be avai ACCEST STATES (continued) Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004) Physical Collocation-DS1 Cross-Connects Virtual collocation-Special Access & UNE, cross-connect per DS1 dd E911 with Locator Capability (required with UEPEX port) Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Initial Profile Establishment per CLEC per State Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes, Additions, Deletions r Additional PRI Telephone Numbers Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability 2-way Tel Nos, per No in E911 profile [New or Add'I] Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Outdial Tel Nos, per No in E911 profile [New or Add'I] Unbundled Exchange Ports, 4W ISDN DS1 Port-Inward Tel Nos- Inward Data Only Option [New or Add'I] Exchange Ports-4W ISDN DS1 Port-Subsqnt [New] Inward Tel Nos- Inward Data Only Option [New or Add'I] Exchange Ports-4W ISDN DS1 Port-Subsqnt [New] Inward Tel Nos- Inward Data Only Option [New or Add'I] Exchange Ports-4W ISDN DS1 Port-Subsqnt [New] Inward Tel Nos- Inward Data Only Option [New or Add'I] Exchange Ports-4W ISDN DS1 Port-Subsqnt [New] Inward Tel Nos- Inward Data Only Option [New or Add'I] Exchange Ports-4W ISDN DS1 Port-Subsqnt [New] Inward Tel Nos- Inward Data Only Option [New or Add'I]			UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX rough BFR/NBR Pro UEPEX UEPDX UEPDX UEPEX UEPDX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX	UEPDD U1PMA UEPVF U1UMA cess. Rates Cess. Rates UEPEX UEPDX PE1P1 CNC1X UEP1A UEP1B UEP1C UEP1D UEP1E PR7ZT	54.95 8.83 2.26 0.00 for the packet ca for the packet ca 82.74 82.74 1.32 7.50 0.00 0.0699 0.0699 0.000	78.41 151.11 46.83 0.00 0.00 0.00 pabilities will 174.61 174.61 27.77 155.00 1,809.00 175.66 0.5412	15.82 77.75 50.68 0.00 0.00 be determin e determin 95.17 95.17 15.52 14.00	41.94 48.81 27.64 ed via the E ed via the E 49.80 49.80 5.93	3.10 11.93 BFR/NBR BFR/NBR 18.23 18.23	Process.					

UNBUNDLE	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RAT	'ES (\$)				Submitted Manually per LSR	I Charge -	Charge - Manual Svo Order vs. Electronic-	Charge - Manual Svo Order vs. Electronic-	Svc Order
							N 1		NDO D'				1c+			Disc Add!
						Rec	Nonrecu		NRC Disc		SOMEC	SOMAN		Rates (\$)	001111	001441
Nam as f	Additional Channel						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ew or Add'l-Voice/Data "B" Channel			UEPEX	PR7BV	0.00	15.48									+
	ew or Add'I-Digital Data "B" Channel		-	UEPEX	PR7BF	0.00	15.48									
	ew or Add'l Inward Data "B" Channel			UEPDX	PR7BD	0.00	15.48									+
	ew or Add'l Useage Sensitive Voice Data "B" Channel		1	UEPEX	PR7BS	0.00	13.40				1					+
	ew or Add'l Useage Sensitive Voice Data "B" Channel		1	UEPEX	PR7BU	0.00										
	ew or Add'l PRI "D" Channel		1	UEPEX	PR7EX	0.00	15.48									+
CALL TY			1	OLILA	TRILA	0.00	13.40									+
	ward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00				1				+
	utward			UEPEX	PR7CO	0.00	0.00	0.00								+
	wo-wav			UEPEX	PR7CC	0.00	0.00	0.00								+
	DLED PORT with REMOTE CALL FORWARDING CAPABILITY			02.27		0.00	0.00	0.00								1
	DLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															+
	nbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.40	3.74	3.63	1.88	1.80						1
	nbundled Remote Call Forwarding Service, Local Calling-Res			UEPVR	UERLC	1.40	3.74	3.63	1.88	1.80						_
	nbundled Remote Call Forwarding Service, InterLATA-Res			UEPVR	UERTE	1.40	3.74	3.63	1.88	1.80						1
U	nbundled Remote Call Forwarding Service, IntraLATA-Res			UEPVR	UERTR	1.40	3.74	3.63	1.88	1.80						1
Non-Rec	urring															1
U	nbundled Remote Call Forwarding Service -Conversion-Switch-as-is			UEPVR	USAC2		0.102	0.102								1
U	nbundled Remote Call Forwarding Service -Conversion with allowed															
	nange (PIC and LPIC)			UEPVR	USACC		0.102	0.102								
UNBUND	DLED REMOTE CALL FORWARDING - Bus															
	nbundled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UERAC	1.40	3.74	3.63	1.88	1.80						
	nbundled Remote Call Forwarding Service, Local Calling-Bus			UEPVB	UERLC	1.40	3.74	3.63	1.88	1.80						
	nbundled Remote Call Forwarding Service, InterLATA-Bus			UEPVB	UERTE	1.40	3.74	3.63	1.88	1.80						
	nbundled Remote Call Forwarding Service, IntraLATA-Bus			UEPVB	UERTR	1.40	3.74	3.63	1.88	1.80						
	nbundled Remote Call Forwarding Service Expanded and Exception															
Lo	ocal Calling			UEPVB	UERVJ	1.40	3.74	3.63	1.88	1.80						

Version 3Q03: 11/12/2003

	DLED NETWORK ELEMENTS - Florida					1					•			ment: 2	Exhil	
CATEGOR	RY RATE ELEMENTS	Interi m	Zon e	BCS	USOC			ES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge -
						Rec	Nonrecu		NRC Disco					Rates (\$)		
						NCC	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Nor	n-Recurring															
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is Unbundled Remote Call Forwarding Service -Conversion with allowed			UEPVB	USAC2		0.102	0.102								
	change (PIC and LPIC)			UEPVB	USACC		0.102	0.102								
	ED LOCAL SWITCHING, PORT USAGE															
Enc	d Office Switching (Port Usage)					0.0007000			.							-
	End Office Switching Function, Per MOU		ļ			0.0007662 0.000164			1							
T	End Office Trunk Port-Shared, Per MOU		ļ			0.000164			1							
ran	Idem Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU					0.0004240			.							
	Tandem Trunk Port-Shared, Per MOU		1			0.0001319 0.000235										
	Tandem Trunk Port-Shared, Per MOU Tandem Switching Function Per MOU (Melded)		1			0.000235										
	Tandem Trunk Port-Shared, Per MOU (Melded)		1			0.000027183										
	Melded Factor: 20.61% of the Tandem Rate				1	0.000048434			 					 		
Com	nmon Transport		<u> </u>		}	-			+ +					-		
Con	Common Transport-Per mi, Per MOU		<u> </u>		}	0.0000035			+ +					-		
	Common Transport-Fer Init, Fer MOU Common Transport-Facilities Term Per MOU		-			0.0004372			+					-		-
LINDIINDI	ED PORT/LOOP COMBINATIONS - COST BASED RATES		1			0.0004372										
	t Based Rates are applied where BellSouth is required by FCC and/or	Ctoto	Camm	iccion rulo to provio	la Unbundla	d Local Curitahina	a or Cwitch Do	rto								
									Dort coation	of this s	vhihit					
	tures shall apply to the Unbundled Port/Loop Combination - Cost Bas I Office and Tandem Switching Usage and Common Transport Usage											'ain Bart/I a	on Combine	otiono		
	e first and additional Port nonrecurring charges apply to Not Currently														no.	
	riffice and additional Port nonrecurring charges apply to Not Currently IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	Comb	inea (ombos. For Current	Ty Combined	Compos the no	nrecurring cha	rges snaii b	e those ider	ntiffed in	tne Nonre	curring - Ct	irrently Com	ibinea sectio	ns.	
	E Port/Loop Combination Rates		1													
OIVE	2W VG Loop/Port Combo-Zone 1		1			10.94			+					-		-
	2W VG Loop/Port Combo-Zone 1		2			15.05			+					-		-
	2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3		3			25.80			1							
LINE	E Loop Rates		3			25.60			+							
ON	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	9.77			 							
	2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX	13.88										
	2W VG Loop (SL1)-Zone 3		3		UEPLX	24.63										
2-W			Ŭ	UEPRX	OLI LX	24.03										
2-W	/ire Voice Grade Line Port Rates (Res)		Ľ				53 31	26.46	27 50	8 37						
2-W	/ire Voice Grade Line Port Rates (Res) 2W voice unbundled port-res		Ŭ	UEPRX	UEPRL	1.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37						
2-W	/ire Voice Grade Line Port Rates (Res) 2W voice unbundled port-res 2W voice unbundled port with Caller ID-res			UEPRX UEPRX	UEPRL UEPRC	1.17 1.17	53.31	26.46	27.50	8.37						
2-W	Vire Voice Grade Line Port Rates (Res) 2W voice unbundled port-res 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res			UEPRX UEPRX UEPRX	UEPRL UEPRC UEPRO	1.17 1.17 1.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37						
2-W	//ire Voice Grade Line Port Rates (Res) 2W voice unbundled port-res 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled FL Area Calling with Caller ID-res			UEPRX UEPRX UEPRX UEPRX UEPRX	UEPRL UEPRC UEPRO UEPAF	1.17 1.17 1.17 1.17	53.31 53.31 53.31	26.46 26.46 26.46	27.50 27.50 27.50	8.37 8.37 8.37						
2-W	//ire Voice Grade Line Port Rates (Res) 2W voice unbundled port-res 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled FL Area Calling with Caller ID-res 2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPRL UEPRC UEPRO UEPAF UEPAP	1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37						
2-W	//ire Voice Grade Line Port Rates (Res) 2W voice unbundled port-res 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled FL Area Calling with Caller ID-res 2W voice unbundles res, low usage line port with Caller ID (LUM) 2W voice unbundled FL extended dialing with Caller ID			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPRL UEPRC UEPRO UEPAF UEPAF UEPAP	1.17 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37						
2-W	Vire Voice Grade Line Port Rates (Res) 2W voice unbundled port-res 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled FL Area Calling with Caller ID-res 2W voice unbundles res, low usage line port with Caller ID (LUM) 2W voice unbundled FL extended dialing with Caller ID 2W voice unbundled FL extended dialing port w/o Caller ID capability			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPRL UEPRC UEPRO UEPAF UEPAF UEPAP UEPA1 UEPA8	1.17 1.17 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37						
2-W	// Voice Grade Line Port Rates (Res) 2W voice unbundled port-res 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled FL Area Calling with Caller ID-res 2W voice unbundles res, low usage line port with Caller ID (LUM) 2W voice unbundled FL extended dialing with Caller ID (apability 2W voice unbundled FL extended dialing port w/o Caller ID capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPRL UEPRC UEPRO UEPAF UEPAF UEPAP UEPA1 UEPA8 UEPA9	1.17 1.17 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37						
	//ire Voice Grade Line Port Rates (Res) 2W voice unbundled port-res 2W voice unbundled port with Caller ID-res 2W voice unbundled port with Caller ID-res 2W voice unbundled FL Area Calling with Caller ID-res 2W voice unbundled FL avea Calling with Caller ID-res 2W voice unbundled FL extended dialing with Caller ID (LUM) 2W voice unbundled FL extended dialing port w/o Caller ID capability 2W voice unbundled FL area Calling Port w/o Caller ID Capability 2W voice unbundled Le w Usage Line Port w/o Caller ID Capability			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPRL UEPRC UEPRO UEPAF UEPAF UEPAP UEPA1 UEPA8	1.17 1.17 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37						
	//Ire Voice Grade Line Port Rates (Res) 2W voice unbundled port-res 2W voice unbundled port with Caller ID-res 2W voice unbundled port with Caller ID-res 2W voice unbundled FL Area Calling with Caller ID-res 2W voice unbundled FL Area Calling with Caller ID-res 2W voice unbundles res, low usage line port with Caller ID (LUM) 2W voice unbundled FL extended dialing with Caller ID capability 2W voice unbundled FL extended dialing port w/o Caller ID capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled Low Usage Line Port w/o Caller ID Capability ATURES			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPRL UEPRC UEPRO UEPAF UEPAF UEPAP UEPA1 UEPA8 UEPA9 UEPRT	1.17 1.17 1.17 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37						
FEA	Ire Voice Grade Line Port Rates (Res) 2W voice unbundled port-res 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled FL Area Calling with Caller ID-res 2W voice unbundles res, low usage line port with Caller ID (LUM) 2W voice unbundled FL extended dialing with Caller ID 2W voice unbundled FL extended dialing port w/o Caller ID capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled Low Usage Line Port w/o Caller ID Capability ATURES All Features Offered			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPRL UEPRC UEPRO UEPAF UEPAF UEPAP UEPA1 UEPA8 UEPA9	1.17 1.17 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37						
FEA	Irie Voice Grade Line Port Rates (Res) 2W voice unbundled port-res 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled FL Area Calling with Caller ID-res 2W voice unbundled FL Area Calling with Caller ID (LUM) 2W voice unbundles res, low usage line port with Caller ID (LUM) 2W voice unbundled FL extended dialing with Caller ID capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability ATURES AI Features Offered CAL NUMBER PORTABILITY			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPRL UEPRC UEPRO UEPAF UEPAP UEPA1 UEPA8 UEPA9 UEPA9 UEPT	1.17 1.17 1.17 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37						
FEA	//ire Voice Grade Line Port Rates (Res) 2W voice unbundled port-res 2W voice unbundled port with Caller ID-res 2W voice unbundled port with Caller ID-res 2W voice unbundled FL Area Calling with Caller ID-res 2W voice unbundled FL extended dialing with Caller ID (LUM) 2W voice unbundled FL extended dialing with Caller ID (apability 2W voice unbundled FL extended dialing port w/o Caller ID capability 2W voice unbundled FL extended dialing Port w/o Caller ID Capability 2W voice unbundled FL area Calling Port w/o Caller ID Capability 2W voice unbundled Low Usage Line Port w/o Caller ID Capability ATURES All Features Offered CAL NUMBER PORTABILITY Local No Portability (1 per port)			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPRL UEPRC UEPRO UEPAF UEPAF UEPAP UEPA1 UEPA8 UEPA9 UEPRT	1.17 1.17 1.17 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37						
FEA	Irie Voice Grade Line Port Rates (Res) 2W voice unbundled port-res 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled FL Area Calling with Caller ID-res 2W voice unbundled FL Area Calling with Caller ID (LUM) 2W voice unbundles res, low usage line port with Caller ID (LUM) 2W voice unbundled FL extended dialing with Caller ID capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability ATURES AI Features Offered CAL NUMBER PORTABILITY			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPRL UEPRC UEPRO UEPAF UEPAP UEPA1 UEPA8 UEPA9 UEPA9 UEPT	1.17 1.17 1.17 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37						
FEA	//Ire Voice Grade Line Port Rates (Res) 2W voice unbundled port-res 2W voice unbundled port-with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled FL Area Calling with Caller ID-res 2W voice unbundled FL Area Calling with Caller ID-res 2W voice unbundled FL extended dialing with Caller ID (LUM) 2W voice unbundled FL extended dialing with Caller ID capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled Low Usage Line Port w/o Caller ID Capability **TURES** All Features Offered CAL NUMBER PORTABILITY Local No Portability (1 per port) NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPRL UEPRC UEPRO UEPAF UEPAF UEPAB UEPAB UEPAB UEPAS UEPAS UEPT UEPVF	1.17 1.17 1.17 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37						
FEA	// Voice Grade Line Port Rates (Res) 2W voice unbundled port-res 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled FL Area Calling with Caller ID-res 2W voice unbundled FL Area Calling with Caller ID-res 2W voice unbundled FL extended dialing with Caller ID (LUM) 2W voice unbundled FL extended dialing with Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled Low Usage Line Port w/o Caller ID Capability ATURES All Features Offered CAL NUMBER PORTABILITY Local No Portability (1 per port) NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPRL UEPRC UEPRO UEPAF UEPAP UEPAI UEPAB UEPAB UEPAB UEPAS UEPAS UEPCS UEPVF	1.17 1.17 1.17 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31 53.31 53.31 0.00	26.46 26.46 26.46 26.46 26.46 26.46 26.46 0.00	27.50 27.50 27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37						
FEA	//Ire Voice Grade Line Port Rates (Res) 2W voice unbundled port-res 2W voice unbundled port with Caller ID-res 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled FL Area Calling with Caller ID-res 2W voice unbundled FL extended dialing with Caller ID (LUM) 2W voice unbundled FL extended dialing with Caller ID (apability) 2W voice unbundled FL Area Calling Port w/o Caller ID capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled Low Usage Line Port w/o Caller ID Capability ATURES All Features Offered CAL NUMBER PORTABILITY Local No Portability (1 per port) NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2W VG Loop/Line Port Combination-Conversion-Switch-as-is 2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPRL UEPRC UEPRO UEPAF UEPAP UEPAI UEPAB UEPAB UEPAB UEPAS UEPAS UEPCS UEPVF	1.17 1.17 1.17 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31 53.31 53.31 0.00	26.46 26.46 26.46 26.46 26.46 26.46 26.46 0.00	27.50 27.50 27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37						
FEA LOC	// Voice Grade Line Port Rates (Res) 2W voice unbundled port-res 2W voice unbundled port with Caller ID-res 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled FL Area Calling with Caller ID-res 2W voice unbundled FL extended dialing with Caller ID (LUM) 2W voice unbundled FL extended dialing port w/o Caller ID capability 2W voice unbundled FL Area Calling Port w/o Caller ID capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled Low Usage Line Port w/o Caller ID Capability 2W voice unbundled Low Usage Line Port w/o Caller ID Capability ATURES ALI Features Offered CAL NUMBER PORTABILITY Local No Portability (1 per port) NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2W VG Loop/Line Port Combination-Conversion-Switch with change DITIONAL NRCs 2W VG Loop/Line Port Combination-Subsqnt Activity Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPRL UEPRC UEPRO UEPAF UEPAF UEPAB UEPAB UEPAB UEPAS UEPAS UEPAS UEPRT UEPVF LNPCX USAC2	1.17 1.17 1.17 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31 53.31 53.31 0.00 0.102	26.46 26.46 26.46 26.46 26.46 26.46 26.46 0.00	27.50 27.50 27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37						
FEA LOC	// Voice Grade Line Port Rates (Res) 2W voice unbundled port-res 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled FL Area Calling with Caller ID-res 2W voice unbundled FL Area Calling with Caller ID-res 2W voice unbundled FL extended dialing with Caller ID (LUM) 2W voice unbundled FL extended dialing with Caller ID (apability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled Low Usage Line Port w/o Caller ID Capability 2W voice unbundled Low Usage Line Port w/o Caller ID Capability 2W Voice Unbundled FL Area Calling Port W/o Caller ID Capability 2W Voice Unbundled FL Area Calling Port W/o Caller ID Capability ATURES All Features Offered CAL NUMBER PORTABILITY Local No Portability (1 per port) NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2W VG Loop/Line Port Combination-Conversion-Switch with change DITIONAL NRCs 2W VG Loop/Line Port Combination-Subsqnt Activity			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPRL UEPRC UEPRO UEPAF UEPAF UEPAB UEPAB UEPAB UEPAS UEPAS UEPAS UEPAS UEPAS UEPAS UEPAS UEPAS UEPAS UEPAS UEPAS UEPAS UEPAS UEPAS UEPAS UEPAS UEPAS UEPAS UEPAS USASS	1.17 1.17 1.17 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31 53.31 53.31 0.00	26.46 26.46 26.46 26.46 26.46 26.46 26.46 20.46 0.00	27.50 27.50 27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37						
FEA LOC	// Voice Grade Line Port Rates (Res) 2W voice unbundled port-res 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled FL Area Calling with Caller ID-res 2W voice unbundled FL Area Calling with Caller ID-res 2W voice unbundled FL extended dialing with Caller ID (LUM) 2W voice unbundled FL extended dialing port w/o Caller ID capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled Low Usage Line Port w/o Caller ID Capability ATURES All Features Offered CAL NUMBER PORTABILITY Local No Portability (1 per port) NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2W VG Loop/Line Port Combination -Conversion-Switch-as-is 2W VG Loop/Line Port Combination -Subsqnt Activity Unbundled Misc Rate Element, Tag Loop at End User Premise F/ON PREMISES EXTENSION CHANNELS 2W Analog VG Extension Loop - Non-Design			UEPRX UEPRX	UEPRL UEPRC UEPRO UEPAF UEPAF UEPAB UEPAB UEPAS UEPAS UEPAS UEPAS UEPT UEPVF LNPCX USAC2 USACC USAS2 URETL	1.17 1.17 1.17 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31 53.31 53.31 0.00 0.102 0.102 0.102 0.00 8.33	26.46 26.46 26.46 26.46 26.46 26.46 26.46 26.46 0.00 0.102 0.102 0.102 0.83	27.50 27.50 27.50 27.50 27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37 8.37 8.37						
FEA LOC	Voice Grade Line Port Rates (Res) 2W voice unbundled port-res 2W voice unbundled port with Caller ID-res 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled FL Area Calling with Caller ID-res 2W voice unbundled FL extended dialing with Caller ID (LUM) 2W voice unbundled FL extended dialing port w/c Caller ID capability 2W voice unbundled FL extended dialing port w/c Caller ID capability 2W voice unbundled FL extended dialing port w/c Caller ID capability 2W voice unbundled FL extended dialing port w/c Caller ID Capability 2W voice unbundled FL extended dialing port w/c Caller ID Capability 2W voice unbundled Low Usage Line Port w/c Caller ID Capability ATURES All Features Offered CAL NUMBER PORTABILITY Local No Portability (1 per port) NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2W VG Loop/Line Port Combination-Conversion-Switch-as-is 2W VG Loop/Line Port Combination - Conversion-Switch with change DITIONAL NRCs 2W VG Loop/Line Port Combination-Subsqnt Activity Unbundled Misc Rate Element, Tag Loop at End User Premise FON PREMISES EXTENSION CHANNELS 2W Analog VG Extension Loop - Non-Design 2W Analog VG Extension Loop - Non-Design		1 2	UEPRX UEPRX	UEPRL UEPRC UEPRO UEPAP UEPAP UEPAP UEPAB UEPAB UEPAS UEPAS UEPAS UEPT UEPT LNPCX USAC2 USAC2 USAC2 USAC2 USACC USAS2 URETL	1.17 1.17 1.17 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31 53.31 53.31 0.00 0.102 0.102 0.102 0.00 8.33	26.46 26.46 26.46 26.46 26.46 26.46 26.46 26.46 20.46 20.40	27.50 27.50 27.50 27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37 8.37 8.37						
FEA LOC	// Voice Grade Line Port Rates (Res) 2W voice unbundled port-res 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled FL Area Calling with Caller ID-res 2W voice unbundled FL Area Calling with Caller ID-res 2W voice unbundled FL extended dialing with Caller ID (LUM) 2W voice unbundled FL extended dialing port w/o Caller ID capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled Low Usage Line Port w/o Caller ID Capability ATURES All Features Offered CAL NUMBER PORTABILITY Local No Portability (1 per port) NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2W VG Loop/Line Port Combination -Conversion-Switch-as-is 2W VG Loop/Line Port Combination -Subsqnt Activity Unbundled Misc Rate Element, Tag Loop at End User Premise F/ON PREMISES EXTENSION CHANNELS 2W Analog VG Extension Loop - Non-Design			UEPRX UEPRX	UEPRL UEPRC UEPRO UEPAF UEPAF UEPAB UEPAB UEPAS UEPAS UEPRT UEPKS UEPKS UEPKS UEPKS UEPKS UEPKS UEACC USACC USACC USACC USACC USACC USACC USACC USACC USACC USACC USACC	1.17 1.17 1.17 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31 53.31 53.31 0.00 0.102 0.102 0.102 0.00 8.33	26.46 26.46 26.46 26.46 26.46 26.46 26.46 26.46 0.00 0.102 0.102 0.102 0.83	27.50 27.50 27.50 27.50 27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37 8.37 8.37						
FEA LOC	Voice Grade Line Port Rates (Res) 2W voice unbundled port-res 2W voice unbundled port with Caller ID-res 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled FL Area Calling with Caller ID-res 2W voice unbundled FL extended dialing with Caller ID (LUM) 2W voice unbundled FL extended dialing port w/c Caller ID capability 2W voice unbundled FL extended dialing port w/c Caller ID capability 2W voice unbundled FL extended dialing port w/c Caller ID capability 2W voice unbundled FL extended dialing port w/c Caller ID Capability 2W voice unbundled Low Usage Line Port w/c Caller ID Capability 2W voice unbundled Low Usage Line Port w/c Caller ID Capability ATURES All Features Offered CAL NUMBER PORTABILITY Local No Portability (1 per port) NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2W VG Loop/Line Port Combination-Conversion-Switch-as-is 2W VG Loop/Line Port Combination - Conversion-Switch with change DITIONAL NRCs 2W VG Loop/Line Port Combination-Subsqnt Activity Unbundled Misc Rate Element, Tag Loop at End User Premise FON PREMISES EXTENSION CHANNELS 2W Analog VG Extension Loop - Non-Design 2W Analog VG Extension Loop - Non-Design		1 2	UEPRX UEPRX	UEPRL UEPRC UEPRO UEPAP UEPAP UEPAP UEPAB UEPAB UEPAS UEPAS UEPAS UEPT UEPT LNPCX USAC2 USAC2 USAC2 USAC2 USACC USAS2 URETL	1.17 1.17 1.17 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31 53.31 53.31 0.00 0.102 0.102 0.102 0.00 8.33	26.46 26.46 26.46 26.46 26.46 26.46 26.46 26.46 20.46 20.40	27.50 27.50 27.50 27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37 8.37 8.37						
FEA LOC	// Voice Grade Line Port Rates (Res) 2W voice unbundled port-res 2W voice unbundled port with Caller ID-res 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled FL Area Calling with Caller ID-res 2W voice unbundled FL extended dialing with Caller ID (LUM) 2W voice unbundled FL extended dialing port w/o Caller ID capability 2W voice unbundled FL extended dialing port w/o Caller ID capability 2W voice unbundled FL extended dialing port w/o Caller ID Capability 2W voice unbundled FL extended dialing port w/o Caller ID Capability 2W voice unbundled Low Usage Line Port w/o Caller ID Capability ATURES All Features Offered CAL NUMBER PORTABILITY Local No Portability (1 per port) NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2W VG Loop/Line Port Combination-Conversion-Switch-as-is 2W VG Loop/Line Port Combination - Conversion-Switch with change DITIONAL NRCs 2W VG Loop/Line Port Combination-Subsqnt Activity Unbundled Misc Rate Element, Tag Loop at End User Premise FOON PREMISES EXTENSION CHANNELS 2W Analog VG Extension Loop - Non-Design 2W Analog VG Extension Loop - Non-Design 2W Analog VG Extension Loop - Non-Design 2W Analog VG Extension Loop - Design 2W Analog VG Extension Loop - Design 2W Analog VG Extension Loop - Design		1 1 2 3	UEPRX UEPRX	UEPRL UEPRC UEPRO UEPAP UEPAP UEPAP UEPAB UEPAB UEPAB UEPAS UEPAS UEPAS UEPAS UEPAS UEPAS UEPAS UEPAS UEPAS UEPAS UEPAS UEPAS UEAC USAC2 USAC2 USACC USAC2 USACC USAC2 USAC2 URETL	1.17 1.17 1.17 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31 0.00 0.102 0.102 0.102 0.402 49.57 49.57	26.46 26.46 26.46 26.46 26.46 26.46 26.46 20.46 20.40 20.102 20.102 20.102 20.20 20.	27.50 27.50 27.50 27.50 27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37 8.37 8.37						
FEA LOC NOI	Voice Grade Line Port Rates (Res) 2W voice unbundled port-res 2W voice unbundled port with Caller ID-res 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled FL Area Calling with Caller ID-res 2W voice unbundled FL Area Calling with Caller ID-res 2W voice unbundled FL extended dialing with Caller ID (LUM) 2W voice unbundled FL extended dialing port w/o Caller ID capability 2W voice unbundled FL extended dialing port w/o Caller ID Capability 2W voice unbundled FL Area Calling Port w/o Caller ID Capability 2W voice unbundled Low Usage Line Port w/o Caller ID Capability 2W voice unbundled Low Usage Line Port w/o Caller ID Capability ATURES All Features Offered CAL NUMBER PORTABILITY Local No Portability (1 per port) NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2W VG Loop/Line Port Combination -Conversion-Switch-as-is 2W VG Loop/Line Port Combination -Conversion-Switch with change DITIONAL NRCS 2W VG Loop/Line Port Combination-Subsqnt Activity Unbundled Misc Rate Element, Tag Loop at End User Premise F/ON PREMISES EXTENSION CHANNELS 2W Analog VG Extension Loop - Non-Design 2W Analog VG Extension Loop - Non-Design 2W Analog VG Extension Loop - Non-Design 2W Analog VG Extension Loop - Design 2W Analog VG Extension Loop - Design 2W Analog VG Extension Loop - Design 2W Analog VG Extension Loop - Design 2W Analog VG Extension Loop - Design 2W Analog VG Extension Loop - Design 2W Analog VG Extension Loop - Design 2W Analog VG Extension Loop - Design 2W Analog VG Extension Loop - Design 2W Analog VG Extension Loop - Design 2W Analog VG Extension Loop - Design 2W Analog VG Extension Loop - Design 2W Analog VG Extension Loop - Design 2W Analog VG Extension Loop - Design 2W Analog VG Extension Loop - Design 2W Analog VG Extension Loop - Design 2W Analog VG Extension Loop - Design 2W Analog VG Extension Loop - Design 2W Analog VG Extension Loop - Design 2W Analog VG Extension Loop		1 1 2 3 3 1	UEPRX UEPRX	UEPRL UEPRC UEPRO UEPAF UEPAF UEPAB UEPAB UEPAB UEPAS UEPAS UEPAS UEPRT UEPVF LNPCX USAC2 USACC USAS2 URETL UEAEN UEAEN UEAEN UEAEN UEAEN	1.17 1.17 1.17 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31 53.31 53.31 0.00 0.102 0.102 0.102 0.00 8.33 49.57 49.57	26.46 26.46 26.46 26.46 26.46 26.46 26.46 26.46 0.00 0.102 0.102 0.83 22.83 22.83 22.83 82.47	27.50 27.50 27.50 27.50 27.50 27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37 8.37 8.37						

0.100.10.	LED NETWORK ELEMENTS - Florida		, ,		, ,					-		1_		ment: 2		oit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RAT	ES (\$)			Svc Order Submitte d Elec per LSR	Submitted Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge - Manual Svc Order vs. Electronic-	Increment I Charge Manual Svc Orde vs. Electronic
						Rec	Nonrecu		NRC Disco					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRX	U1TV2	25.32	47.35	31.78								
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRX	U1TVM	0.0091	0.00	0.00								
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)								ļ							
UNE	Port/Loop Combination Rates		_			40.04										
	2W VG Loop/Port Combo-Zone 1	<u> </u>	2		+	10.94 15.05										
	2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3		3		+	25.80			+							
UNE	Loop Rates	1	- 3		+	23.00										
OILE	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	9.77										
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	13.88										
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	24.63										
2-Wir	re Voice Grade Line Port (Bus)				1 1											
1	2W voice unbundled port w/o Caller ID-bus			UEPBX	UEPBL	1.17	53.31	26.46	27.50	8.37						
	2W voice unbundled port with Caller + E484 ID-bus			UEPBX	UEPBC	1.17	53.31	26.46	27.50	8.37						
	2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	1.17	53.31	26.46	27.50	8.37						
	2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UEPB1	1.17	53.31	26.46	27.50	8.37						
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPBX	UEPBE	1.17	53.31	26.46	27.50	8.37						
LOCA	AL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPBX	LNPCX	0.35										
FEAT	TURES															
	All Features Offered			UEPBX	UEPVF	2.26	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPBX	USAC2		0.102	0.102								
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPBX	USACC		0.102	0.102								
ADDI	TIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPBX	USAS2		0.00	0.00								
055/	Unbundled Misc Rate Element, Tag Loop at End User Premise ON PREMISES EXTENSION CHANNELS			UEPBX	URETL		8.33	0.83								
UFF/	2W Analog VG Extension Loop – Non-Design		1	UEPBX	UEAEN	10.69	49.57	22.83	25.62	6.57						
_	2W Analog VG Extension Loop – Non-Design		2	UEPBX	UEAEN	15.20	49.57	22.83	25.62	6.57						
	2W Analog VG Extension Loop – Non-Design		3	UEPBX	UEAEN	26.97	49.57	22.83	25.62	6.57						
-	2W Analog VG Extension Loop – Non-Design		1	UEPBX	UEAED	12.24	135.75	82.47	63.53	12.01						
	2W Analog VG Extension Loop – Design	1	2	UEPBX	UEAED	17.40	135.75	82.47	63.53	12.01						
	2W Analog VG Extension Loop – Design		3	UEPBX	UEAED	30.87	135.75	82.47	63.53	12.01						
INTE	ROFFICE TRANSPORT				<u> </u>	-										
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPBX	U1TV2	25.32	47.35	31.78								
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPBX	U1TVM	0.0091	0.00	0.00								
2-WII	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			10.94										
	2W VG Loop/Port Combo-Zone 2		2			15.05										
	2W VG Loop/Port Combo-Zone 3		3			25.80										
UNE	Loop Rates															
	2W VG Loop (SL 1)-Zone 1		1	UEPRG	UEPLX	9.77										
	2W VG Loop (SL 1)-Zone 2		2	UEPRG	UEPLX	13.88										ļ
	2W VG Loop (SL 1)-Zone 3		3	UEPRG	UEPLX	24.63			ļļ.							
2-Wir	e Voice Grade Line Port Rates (RES - PBX)			LIEBBO	LIEDDO		474.00	400.05	75.00	40.70						ļ
1.00	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res	<u> </u>	\vdash	UEPRG	UEPRD	1.17	174.81	100.65	75.88	12.73						
LUCA		 	\vdash	UEPRG	LNPCP	3.15	0.00	0.00						-		
FEAT	Local No Portability (1 per port)			UEPKG	LINPUP	3.15	0.00	0.00	 							
CEAI	All Features Offered		\vdash	UEPRG	UEPVF	2.26	0.00	0.00	-							
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			ULFING	OLF VI	2.20	0.00	0.00	-							-
INON	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2	+	8.45	1.91	 							
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with			521110	33/102	+	0.40	1.01								
	Change			UEPRG	USACC		8.45	1.91								
ADDI	TIONAL NRCs				1		2.10									
12.	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity	t		UEPRG	USAS2	0.00	0.00	0.00								
-+	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group	1			1		7.86	7.86	+			1				1

INRONDL	ED NETWORK ELEMENTS - Florida													ment: 2	Exhil	
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RA	ΓES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR		Charge -		I Charge
							Nonrec	urring	NRC Disc	onnect			1ct OSS	Rates (\$)		Dicc Add
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRG	URETL		8.33	0.83	11130	Auu i	JOINILO	JONAN	JOHIAN	JOHIAN	JOHAN	JONAN
OEE/G	ON PREMISES EXTENSION CHANNELS			OLITIO	OKLIL		0.00	0.00								
OFF	Local Channel VG, per Term		1	UEPRG	P2JHX	12.24	135.75	82.47	63.53	12.01	1		-	ļ		-
	Local Channel VG, per Term		2	UEPRG	P2JHX	17.40	135.75	82.47	63.53	12.01	1		-	ļ		-
-	Local Channel VG, per Term		3	UEPRG	P2JHX	30.87	135.75	82.47	63.53	12.01						
	Non-Wire Direct Serve Channel VG		1	UEPRG	SDD2X	12.92	120.38	43.56	95.00	10.54						
	Non-Wire Direct Serve Channel VG		2	UEPRG	SDD2X	18.36	120.38	43.56	95.00	10.54						
	Non-Wire Direct Serve Channel VG		3	UEPRG	SDD2X SDD2X	32.58	120.38	43.56	95.00	10.54						
INTE	ROFFICE TRANSPORT		5	OLITIO	ODDZX	32.30	120.30	43.30	33.00	10.54						
114121	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRG	U1TV2	25.32	47.35	31.78								
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRG	U1TVM	0.0091	0.00	0.00								
2-W/IE	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	1		OLFING	O I I VIVI	0.0081	0.00	0.00			 		t	1	1	
	Port/Loop Combination Rates	1	H		+			 			 		t	1	1	
OIAL I	2W VG Loop/Port Combo-Zone 1	1	1		+	10.94		 			 		t	1	1	
	2W VG Loop/Port Combo-Zone 2	1	2		+	15.05		 			 		t	1	1	
	2W VG Loop/Port Combo-Zone 3		3		+	25.80										
LINE	Loop Rates		5		+	25.00										
ONL	2W VG Loop (SL 1)-Zone 1		1	UEPPX	UEPLX	9.77										
	2W VG Loop (SL 1)-Zone 2		2	UEPPX	UEPLX	13.88										
	2W VG Loop (SL 1)-Zone 3		3	UEPPX	UEPLX	24.63										
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)		3	ULFFX	OLFLX	24.03										
2-7711	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	1.17	174.81	100.65	75.88	12.73						
-	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	1.17	174.81	100.65	75.88	12.73	1		-	ļ		-
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	1.17	174.81	100.65	75.88	12.73						
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.17	174.81	100.65	75.88	12.73						
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.17	174.81	100.65	75.88	12.73						
-	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.17	174.81	100.65	75.88	12.73						
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.17	174.81	100.65	75.88	12.73	1		-	ļ		-
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.17	174.81	100.65	75.88	12.73	1		-	ļ		
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.17	174.81	100.65	75.88	12.73	1		-	ļ		
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPPA	UEFAE	1.17	174.01	100.65	75.00	12.73						
	Administrative Calling Port			UEPPX	UEPXL	1.17	174.81	100.65	75.88	12.73						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room			ULFFX	ULFAL	1.17	174.01	100.03	75.00	12.73	1		-	ļ		
	Calling Port			UEPPX	UEPXM	1.17	174.81	100.65	75.88	12.73						
				ULFFX	OLFAIN	1.17	174.01	100.03	75.00	12.73	1		-	ļ		-
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount			UEPPX	UEPXO	1.17	174.81	100.65	75.88	12.73	1	1	I			
-	Room Calling Port 2W Voice Unbundled 1-Way Outgoing PBX Measured Port	1		UEPPX	UEPXS	1.17	174.81	100.65	75.88	12.73	1		1	1	1	
1.004				UEFFX	UEFAS	1.17	174.01	100.03	75.00	12.73	<u> </u>					
LUCA	L NUMBER PORTABILITY Local No Portability (1 per port)		\vdash	UEPPX	LNPCP	3.15	0.00	0.00			-		-	-	1	
FEAT	URES	-		ULFFA	LINFUF	ა. 15	0.00	0.00			}	 	-	-		
FEAT	All Features Offered	1		UEPPX	UEPVF	2.26	0.00	0.00			1		1	1	1	
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1		ULFFA	OLFVF	2.20	0.00	0.00			1	-	 	 	1	
NON	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPPX	USAC2		8.45	1.91								
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with			ULFFX	USACZ		0.40	1.91								
	Change			UEPPX	USACC		8.45	1.91								
ADDI	TIONAL NRCs			ULFFX	USACC		0.40	1.91								
ADDI	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPPX	USAS2	0.00	0.00	0.00								
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group	1		ULFFA	UUMUZ	0.00	7.86	7.86			1	-	 	 	1	
-	Unbundled Misc Rate Element, Tag Loop at End User Premise	1		UEPPX	URETL		8.33	0.83			 		t	1	1	
OFF/	ON PREMISES EXTENSION CHANNELS			OLITA	UNLIL		0.00	0.00			1		-	-		
31.170	Local Channel VG, per Term		1	UEPPX	P2JHX	12.24	135.75	82.47	63.53	12.01	1	l	-	1	<u> </u>	
	Local Channel VG, per Term		2	UEPPX	P2JHX	17.40	135.75	82.47	63.53	12.01	1	l	-	1	<u> </u>	
-	Local Channel VG, per Term	1	3	UEPPX	P2JHX	30.87	135.75	82.47	63.53	12.01	 		t	1	1	
	Non-Wire Direct Serve Channel VG		1	UEPPX	SDD2X	12.92	120.38	43.56	95.00	10.54						
-	Non-Wire Direct Serve Channel VG	1	2	UEPPX	SDD2X SDD2X	18.36	120.38	43.56	95.00	10.54	 		t	1	1	
-	Non-Wire Direct Serve Channel VG	1	3	UEPPX	SDD2X SDD2X	32.58	120.38	43.56	95.00	10.54	 		t	1	1	
INTE	ROFFICE TRANSPORT	1	3	ULFFA	SDDZA	32.30	120.30	40.00	33.00	10.54	 		t	1	1	
HALE	Interoffice Transport-Dedicated-2W VG-Facility Term	1		UEPPX	U1TV2	25.32	47.35	31.78			1	-	 	 	1	
1	Interoffice Transport-Dedicated-2W VG-Facility Term Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi	L		UEPPX	U1TVM	0.0091	0.00	0.00			L	ļ			<u> </u>	

NBUNDL	ED NETWORK ELEMENTS - Florida			1								· - ·		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RAT	ES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	I Charge
						Rec	Nonrecu		NRC Disc					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
UNE P	ort/Loop Combination Rates															
	2W VG Coin Port/Loop Combo – Zone 1		1			10.94										<u> </u>
	2W VG Coin Port/Loop Combo – Zone 2		2		1	15.05										ļ
	2W VG Coin Port/Loop Combo – Zone 3		3		1	25.80										
UNEL	oop Rates 2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	9.77										-
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	13.88										ļ
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	24.63										-
	Voice Grade Line Ports (COIN)		-	OLI OO	OLI EX	24.00										
	2W Coin 2-Way with Oper Screening and Blocking: 011, 900/976,				+											
	1+DDD (FL)			UEPCO	UEP2F	1.17	53.31	26.46	27.50	8.37				1		
	2W Coin 2-Way with Oper Screening and 011 Blocking (FL)			UEPCO	UEPFA	1.17	53.31	26.46	27.50	8.37				1		
	2W Coin 2-Way with Oper Screening and Blocking: 900/976, 1+DDD,															
	011+, and Local (FL)			UEPCO	UEPCG	1.17	53.31	26.46	27.50	8.37						
	2W Coin Outward with Oper Screening and 011 Blocking (AL, FL)			UEPCO	UEPRK	1.17	53.31	26.46	27.50	8.37						
	2W Coin Outward with Oper Screening and Blocking: 900/976,															
	1+DDD, 011+ (FL)			UEPCO	UEPOF	1.17	53.31	26.46	27.50	8.37						
	2W Coin Outward with Oper Screening and Blocking: 900/976,															
	1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	1.17	53.31	26.46	27.50	8.37						
	2W 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.17	53.31	26.46	27.50	8.37						
	2W Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1.17	53.31	26.46	27.50	8.37						
ADDIT	IONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.86	0.00	0.00	0.00	0.00						
LOCA	NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPCO	LNPCX	0.35										ļ
NONR	ECURRING CHARGES - CURRENTLY COMBINED			LIEBOO	110400		0.400	0.100								
	2W VG Loop/Line Port Combination -Conversion-Switch-as-is			UEPCO UEPCO	USAC2		0.102	0.102 0.102								ļ
ADDIT	2W VG Loop/Line Port Combination -Conversion-Switch with change IONAL NRCs			UEPCU	USACC		0.102	0.102								
AUUII	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPCO	USAS2		0.00	0.00								-
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPCO	URETL	1	8.33	0.83								
2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LIN	E POR	T (RES		OKLIL	1	0.55	0.00								
	ort/Loop Combination Rates	<u> </u>	1 (,,	+											
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			13.64										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			18.80										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			32.27										
	oop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	12.24										
	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	17.40										
	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	30.87										
2-Wire	Voice Grade Line Port Rates (Res)															
	2W voice unbundled port-res			UEPFR	UEPRL	1.40	174.81	100.65	75.88	12.73						
	2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	1.40	174.81	100.65	75.88	12.73						
	2W voice unbundled port outgoing only-res			UEPFR	UEPRO	1.40	174.81	100.65	75.88	12.73						
	2W voice unbundled FL Area Calling with Caller ID-res		1	UEPFR	UEPAF	1.40	174.81	100.65	75.88	12.73						<u> </u>
INITED	2W voice unbundles res, low usage line port with Caller ID (LUM)		1	UEPFR	UEPAP	1.40	174.81	100.65	75.88	12.73						<u> </u>
INTER	OFFICE TRANSPORT			UEPFR	U1TV2	05.00	47.05	24.70								ļ
-	Interoffice Transport Dedicated-2W VG-Facility Term					25.32 0.0091	47.35	31.78			1			 		
FEAT	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR	1L5XX	0.0091			 		 			-		+
FEAT	All Features Offered			UEPFR	UEPVF	2.26	0.00	0.00								├
I OCA	L NUMBER PORTABILITY			UEFFR	UEFVF	2.20	0.00	0.00								├
LOCA	Local No Portability (1 per port)			UEPFR	LNPCX	0.35					1			 		
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			CLITIC	L147 O/	0.00					 			 		
NONK	2W Loop/Dedicated IO Transport/2W Line Port Combination-				+ +											
	Conversion-Switch-as-is			UEPFR	USAC2		16.97	3.73								
	2W Loop/Dedicated IO Transport/2W Line Port Combination- Conversion-Switch-With-Change			UEPFR	USACC		16.97	3.73								

RATE ELEMENTS Interior m Example 20 m Exa	UNDLE	D NETWORK ELEMENTS - Florida												Attach	nment: 2	Exhi	ibit: A
Comparison Com					BCS	usoc		RA	TES (\$)			Order Submitte d Elec	Submitted Manually	Incrementa I Charge - Manual Svc Order vs.	Incremental Charge - Manual Svo Order vs. Electronic-	Incremental Charge - Manual Svo Order vs.	I Increme I Charge Manua Svc Ord
Description Description							Boo	Nonrec	urring	NRC Disc	connect		•	oss	Rates (\$)		
2 2 2 2 3 3 3 3 3 3							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
West September West We						URETN		11.21	1.10								
29 VG LoopilO TransproPtor Combo-Zona 1 1 1.564	2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LIN	E PORT	T (BUS	3)												
2	UNE Po	ort/Loop Combination Rates															
Reserve Rese		2W VG Loop/IO Tranport/Port Combo-Zone 1		1			13.64										1
Committee		2W VG Loop/IO Tranport/Port Combo-Zone 2		2			18.80										
EVA VOLODI (SL2)-Zono 1				3			32.27										
29 WYG Loop (\$42)-20m2 2 UEPPB UECF2 17.40																	
29 VVG Loop (SL2)-Zone 3 3																	
22 Wisco unbundled port with Caller 1-E484 Doug																	
ZiV vacie unbundled port with Caller (E-948) UEPB UEPB 1.40 174.61 100.66 75.88 12.73 ZiV vacie unbundled port udging only-bus UEPB UEPB UEPB 1.40 174.61 100.65 75.88 12.73 ZiV vacie unbundled port udging only-bus UEPB				3	UEPFB	UECF2	30.87										
29 Wose unbunded port with Caller t = £484 ID-bus UEPFB UEPBC 1.40 174.81 100.65 75.88 12.73 29 Wose unbunded incoming only port with Caller ID-Bus UEPFB UEPBC 1.40 174.81 100.65 75.88 12.73 20 Wrose unbunded incoming only port with Caller ID-Bus UEPFB UEPBT 1.40 174.81 100.65 75.88 12.73 20 Wrose unbunded incoming only port with Caller ID-Bus UEPFB UEPBT 1.40 174.81 100.65 75.88 12.73 20 Wrose unbunded incoming only port with Caller ID-Bus UEPFB UEPBT 1.40 174.81 100.65 75.88 12.73 20 Wrose unbunded incoming only port with Caller ID-Bus UEPFB UEPBT UEPTB						1			1	<u> </u>	<u> </u>	<u> </u>			1	ļ	<u> </u>
2W voice unbundled port outgoing only-bus UEPPB UEPB1 1.40 174.81 100.65 75.88 12.73			<u> </u>									<u> </u>			1	1	<u> </u>
27 Vivice unbundled incoming only port with Caller ID-Bus UEPFB UEPFB 1.40 174.81 100.65 75.88 12.73															1]	
LOCAL NUMBER PORTABILITY LICATE NO PORTABILITY LICATE NO PORTABILITY POP POY) LICATE NO PORTABILITY POP POY) LICATE NO PORTABILITY POP POY LICATE NO PORTABILITY POP POY LICATE NO PORTABILITY POP POY LICATE NO PORTABILITY POP POP POY LICATE NO POP POP POP POP POP POP POP POP POP												ļ			1	ļ	<u> </u>
Local No Portability (1 per port)					UEPFB	UEPB1	1.40	174.81	100.65	75.88	12.73						
Interoffice Transport-Dedicated-ZW VG-Facility Term																	
Interoffice Transport-Dedicated SW VG-Facility Term					UEPFB	LNPCX	0.35										
Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi																	
FEATURES								47.35	31.78								
All Features Offered					UEPFB	1L5XX	0.0091										
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																	
2W Loop/Dedicated IO Transport/2W Line Port Combination-					UEPFB	UEPVF	2.26	0.00	0.00								
Conversion-Switch-as-is																	
2W Loop/Dedicated (D Transport/2W Line Port Combination-Conversion-Switch with change UEPFB USACC 16.97 3.73																	
Conversion-Switch with change					UEPFB	USAC2		16.97	3.73								
Unbundled Misc Rate Element, Tag Designed Loop at End User																	
2.WIRE VOICE LOOP/ ZWIRE VOICE GRADE TRANSPORT/ 2-WIRE LINE PORT (PBX)																	
UNE Port/Loop Combination Rates			<u> </u>	<u> </u>		URETN		11.21	1.10								
2W VG Loop/IO Tranport/Port Combo-Zone 1			E POR	T (PB)	()												<u> </u>
2W VG Loop/IO Tranport/Port Combo-Zone 2 2 18.80 2W VG Loop/IO Tranport/Port Combo-Zone 3 3 32.27																	<u> </u>
W/G Loop/IO Tranport/Port Combo-Zone 3 3 3 32.27				1													<u> </u>
UNE Loop Rates																	<u> </u>
2W VG Loop (SL2)-Zone 1				3			32.27										<u> </u>
2				.			10.01										↓
2-Wire Voice Grade Line Port Rates (BUS - PBX) UEPFP UEPPC 1.40 174.81 100.65 75.88 12.73 UEPFP UEPPC 1.40 174.81 100.65 75.88 12.73 UEPFP UEPPC 1.40 174.81 100.65 75.88 12.73 UEPFP UEPPC 1.40 174.81 100.65 75.88 12.73 UEPFP UEPPC 1.40 174.81 100.65 75.88 12.73 UEPFP UEPPC 1.40 174.81 100.65 75.88 12.73 UEPFP UEPPC 1.40 174.81 100.65 75.88 12.73 UEPFP UEPPC 1.40 174.81 100.65 75.88 12.73 UEPFP UEPPC 1.40 174.81 100.65 75.88 12.73 UEPFP UEPPC 1.40 174.81 100.65 75.88 12.73 UEPFP UEPPC 1.40 174.81 100.65 75.88 12.73 UEPFP UEPPC																	↓
2-Wire Voice Grade Line Port Rates (BUS - PBX)																	+
Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus				3	UEPFP	UECF2	30.87										4
Line Side Unbundled Outward PBX Trunk Port-Bus					HEDED	LIEDDO	4.40	474.04	100.05	75.00	40.70						4
Line Side Unbundled Incoming PBX Trunk Port-Bus			<u> </u>	-								 		 	 	1	+
2W Voice Unbundled PBX LD Terminal Ports			-									-		-	 	1	+
2W Voice Unbundled 2-Way Combination PBX Usage Port UEPFP UEPXA 1.40 174.81 100.65 75.88 12.73 2W Voice Unbundled PBX Toll Terminal Hotel Ports UEPFP UEPXB 1.40 174.81 100.65 75.88 12.73 2W Voice Unbundled PBX LD DDD Terminals Port UEPFP UEPXC 1.40 174.81 100.65 75.88 12.73 2W Voice Unbundled PBX LD Terminal Switchboard Port UEPFP UEPXD 1.40 174.81 100.65 75.88 12.73 2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port UEPFP UEPXD 1.40 174.81 100.65 75.88 12.73 2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port UEPFP UEPXL 1.40 174.81 100.65 75.88 12.73 2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port UEPFP UEPXM 1.40 174.81 100.65 75.88 12.73 2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port UEPFP UEPXD 1.40 174.81 100.65 75.88 12.73 2W Voice Unbundled 1-Way Outgoing PBX Measured Port UEPFP UEPXD 1.40 174.81 100.65 75.88 12.73 2.73 2.73 2.74															+		+
2W Voice Unbundled PBX Toll Terminal Hotel Ports			-														+
2W Voice Unbundled PBX LD DDD Terminals Port UEPFP UEPXC 1.40 174.81 100.65 75.88 12.73 2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port UEPFP UEPXD 1.40 174.81 100.65 75.88 12.73 2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port UEPFP UEPXD 1.40 174.81 100.65 75.88 12.73 2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port UEPFP UEPXL 1.40 174.81 100.65 75.88 12.73 2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port UEPFP UEPXM 1.40 174.81 100.65 75.88 12.73 2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port UEPFP UEPXD 1.40 174.81 100.65 75.88 12.73 2W Voice Unbundled 1-Way Outgoing PBX Measured Port UEPFP UEPXS 1.40 174.81 100.65 75.88 12.73 2.73 2.73 2.73 2.74 2.															+		+
2W Voice Unbundled PBX LD Terminal Switchboard Port UEPFP UEPXD 1.40 174.81 100.65 75.88 12.73 2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port UEPFP UEPXE 1.40 174.81 100.65 75.88 12.73			 									 		1	 	1	+
2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port UEPFP UEPXE 1.40 174.81 100.65 75.88 12.73																	+
2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy UEPFP UEPXL 1.40 174.81 100.65 75.88 12.73			-									1	1	1	+	1	+
Administrative Calling Port			-	 	ULFFF	ULFAE	1.40	174.61	100.05	10.08	12.13	1		1	+	1	+
2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room UEPFP UEPXM 1.40 174.81 100.65 75.88 12.73			l		HEDED	LIEDYI	1 40	17/ 01	100.65	75 00	12 72	1			1		
2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port UEPFP UEPXO 1.40 174.81 100.65 75.88 12.73 2W Voice Unbundled 1-Way Outgoing PBX Measured Port UEPFP UEPXS 1.40 174.81 100.65 75.88 12.73		2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room															<u> </u>
2W Voice Unbundled 1-Way Outgoing PBX Measured Port UEPFP UEPXS 1.40 174.81 100.65 75.88 12.73		2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount															
			 	-								1	1	1	1	 	+
ILUGAL NUMBER PURTABILITY			 	-	UEPFP	UEPXS	1.40	1/4.81	100.65	/5.88	12.73	1	1	1	1	 	+
Level Me Deutshillts (4 accord)			-		HEDED	LNDOD	0.45	0.00	0.00	1	 	1	-	1	1	1	₩
Local No Portability (1 per port)			 	-	UEPFP	LNPCP	3.15	0.00	0.00	1	 	1	1	1	1	 	₩
INTEROFFICE TRANSPORT INTEROFFICE TRANSPORT			<u> </u>	-	HEDED	11477/0	05.00	47.05	04.70	1	ļ	1		1	1	1	₩
Interoffice Transport-Dedicated-2W VG-Facility Term UEPFP U1TV2 25.32 47.35 31.78				-				47.35	31.78	-			1	1	1	1	₩
Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi UEPFP 1L5XX 0.0091		interoffice fransport-Dedicated-2vv VG-Per mi or Fraction mi			UEPFP	1L5XX	0.0091		1	1		1	1	1	1		ь

UNDU	JNDL	ED NETWORK ELEMENTS - Florida			1							_		ment: 2		ibit: A
CATE	GORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			TES (\$)		Svc Order Submitte d Elec per LSR	Submitted Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge - Manual Svc Order
							Rec	Nonrec		NRC Disconnect				Rates (\$)		
								First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	FEAT	All Features Offered			UEPFP	LIEDVE	2.20	0.00	0.00							+
		ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPFP	UEPVF	2.26	0.00	0.00							
		2W Loop/Dedicated IO Transport/2W Line Port Combination-										-				+
		Conversion-Switch-as-is			UEPFP	USAC2		16.97	3.73							
		2W Loop/Dedicated IO Transport/2W Line Port Combination-			02	00/102		10.01	00							1
		Conversion-Switch with change			UEPFP	USACC		16.97	3.73							
		Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFP	URETN		11.21	1.10							
		PORT/LOOP COMBINATIONS - COST BASED RATES														
		E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK POR	RT													
		ort/Loop Combination Rates		_			00.05									
		2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1 2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2			20.95 26.11			 	1	1				+
		2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2 2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3			39.58				1					+
		oop Rates					33.30			 	+					+
		2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD1	12.24									†
		2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD1	17.40									
		2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1	30.87									
		ort Rate														
		Exchange Ports-2W DID Port			UEPPX	UEPD1	8.71	214.16	98.29							
		ECURRING CHARGES - CURRENTLY COMBINED			HEDDY	110404		7.05	4.07							
		2W VG Loop/2W DID Trunk Port Combination -Switch-as-is 2W VG Loop/2W DID Trunk Port Conversion with BST Allowable			UEPPX UEPPX	USAC1 USA1C		7.85 7.85	1.87 1.87							
		TONAL NRCs			ULFFX	USAIC		7.03	1.07							
		2W DID Subsqnt Activity-Add Trunks, Per Trunk			UEPPX	USAS1		32.26	32.26							
		Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPX	URETN		11.21	1.10							
		none Number/Trunk Group Establisment Charges														
		DID Trunk Term (One Per Port)			UEPPX	NDT	0.00	0.00	0.00							
		DID Nos, Establish Trunk Group and Provide First Group of 20 DID			UEPPX	NDZ	0.00	0.00	0.00							
		Add'l DID Nos for each Group of 20 DID Nos			UEPPX	ND4	0.00	0.00	0.00							
		DID Nos, Non-consecutive DID Nos , Per No			UEPPX	ND5	0.00	0.00	0.00							
		Reserve Non-Consecutive DID Nos Reserve DID Nos			UEPPX UEPPX	ND6 NDV	0.00	0.00	0.00							
		L NUMBER PORTABILITY			UEPPA	NDV	0.00	0.00	0.00							+
		Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00							
		E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE S	IDE PC	RT	<u> </u>		99									
		ort/Loop Combination Rates														
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE			_											
		Zone 1		1	UEPPB UEPPR		22.63									
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE		_	HEDDD HEDDD		00.05									
		Zone 2 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE		2	UEPPB UEPPR		29.05									+
		Zone 3		3	UEPPB UEPPR		45.84									
		oop Rates		Ŭ	OLITE OLITIC		40.04									
		2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB UEPPR	USL2X	15.25									
		2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB UEPPR	USL2X	21.67									
		2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB UEPPR	USL2X	38.46									
		ort Rate														
		Exchange Port-2W ISDN Line Side Port			UEPPB UEPPR	UEPPB	7.38	194.52	145.09		1					
		ECURRING CHARGES - CURRENTLY COMBINED 2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-								 	-	-				+
		Conversion			UEPPB UEPPR	USACB	0.00	25.22	17.00	1						
		IONAL NRCs			CLID OLIPK	JOHOD	0.00	20.22	17.00		+					+
		Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPB UEPPR	URETN		11.21	1.10	1						†
		Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPB UEPPR	URETL		8.33	0.83							
	LOCAL	L NUMBER PORTABILITY														
		Local No Portability (1 per port)			UEPPB UEPPR	LNPCX	0.35	0.00	0.00							<u> </u>
	IB-CHA	NNEL USER PROFILE ACCESS:	1	1	UEPPB UEPPR	U1UCA	0.00	0.00	0.00			1				1

<u> NRONDL</u>	ED NETWORK ELEMENTS - Florida			1		1								ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			FES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment I Charge Manua Svc Ord vs. Electron
						Rec	Nonrec		NRC Disc					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CVS (EWSD)			UEPPB UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB UEPPR	U1UCC	0.00	0.00	0.00								
	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS	, & TN)														
USER	TERMINAL PROFILE															
	User Terminal Profile (EWSD only)			UEPPB UEPPR	U1UMA	0.00	0.00	0.00								
VERT	ICAL FEATURES					0.00										
INITE	All Vertical Features-One per Channel B User Profile			UEPPB UEPPR	UEPVF	2.26	0.00	0.00								
INTER	ROFFICE CHANNEL MILEAGE Interoffice Channel miage each, including first mi and facilities Term			UEPPB UEPPR	MACNIC	25.3291	47.35	24.70	40.04	7.03						
	Interoffice Channel miage each, Add'l mi			UEPPB UEPPR UEPPB UEPPR	M1GNC M1GNM	0.0091	0.00	31.78 0.00	18.31	7.03						
4 10/15	Interoffice Channel mage each, Add i mi RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK POR)		UEPPB UEPPR	MIGNIM	0.0091	0.00	0.00								
	NE-P DS1 combination rates below for in this exhibit apply to the en		od ba	eo in place as of 10/	2/02 until 4/1	/04 After 4/1/04 t	haca ratas chi	Il rovert to t	ariff rates o	r a conar	ato commo	reial agree	mont			
	ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital Trunk															
	Port/Loop Combination Rates	l	itei tii	e enective date of th	is amenume	In Shan be provid	lea parsaant t	o a separate	agreement	Or tailir	at Delioou	li s discret	1011.			
- 0.11	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 1		1	UEPPP		153.48										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2		2	UEPPP		183.28										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3		3	UEPPP		261.12										
UNE I	oop Rates															
	4W DS1 Digital Loop-UNE Zone 1		1	UEPPP	USL4P	70.74										
	4W DS1 Digital Loop-UNE Zone 2		2	UEPPP	USL4P	100.54										
	4W DS1 Digital Loop-UNE Zone 3		3	UEPPP	USL4P	178.38										
UNE I	Port Rate			-												
	Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEPPP	UEPPP	82.74	488.36	276.65								
NONF	RECURRING CHARGES - CURRENTLY COMBINED															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-															
	Conversion -Switch-as-is (E:4/1/2004)			UEPPP	USACP	0.00	84.17	61.38								
ADDI	TIONAL NRCs															
	4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqt Actvy-Inward/two way															
	Tel Nos			UEPPP	PR7TF		0.5412									
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos			UEPPP	PR7TO		12.71	12.71								
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqnt Inward Tel Nos			UEPPP	PR7ZT		25.42	25.42								
LOCA	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPPP	LNPCN	1.75										
INTER	RFACE (Provsioning Only)				DD=41/4											
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP UEPPP	PR71D PR71E	0.00	0.00	0.00								
Now	Inward Data or Additional "B" Channel			UEPPP	PR/IE	0.00	0.00	0.00								
New C	New or Add'I-Voice/Data B Channel			UEPPP	PR7BV	0.00	15.48									
_	New or Add'l-Voice/Data B Channel			UEPPP	PR7BF	0.00	15.48									
_	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	15.48									
CALL	TYPES			OLITT	110700	0.00	10.40									
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7CO	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Interc	ffice Channel Mileage															
	Fixed Each Including First mi			UEPPP	1LN1A	88.6256	105.54	98.47	21.47	19.05						
	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.1856										
	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
The U	NE-P DS1 combination rates below for in this exhibit apply to the en	mbedd	ed ba	se in place as of 10/2	2/03 until 4/1	/04. After 4/1/04 t	hese rates sha	all revert to t	ariff rates o	r a separ	ate comme	ercial agree	ment.			
Reque	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective	e date	of this	amendment shall b	e provided p	ursuant to a sepa	arate agreeme	nt or tariff at	BellSouth'	s discret	ion.					
UNE F	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1		1	UEPDC		125.69										
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2		2	UEPDC		155.49					ļ					<u> </u>
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 3		3	UEPDC		233.33					ļ			1		<u> </u>
	Loop Rates	Ì	1	l	1	1	l	l		l	1	l		1	I	
UNE I					110:											
UNE I	4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2		1 2	UEPDC UEPDC	USLDC USLDC	70.74 100.54										

UNDUNDL	ED NETWORK ELEMENTS - Florida												ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			ΓES (\$)		d Elec per LSR	Submitted Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge Manual Svc Orde
						Rec	Nonrec		NRC Disconnec				Rates (\$)		
						1100	First	Add'l	First Add	'I SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE F	ort Rate				<u> </u>										
	4W DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	54.95	464.86	259.23							
NONK	ECURRING CHARGES - CURRENTLY COMBINED														
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is (E:4/1/2004)			UEPDC	USAC4		95.31	46.71							
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion			UEPDC	USAC4		95.51	46.71							
	with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		95.31	46.71							
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion			OLI DO	OOAWA		33.31	40.71	 						
	with Change-Trunk (E:4/1/2004)			UEPDC	USAWB		95.31	46.71							
ADDIT	IONAL NRCs			02. 50	00/11/2		00.01	10.7 1							
71.5511	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel				1										
	Activation/Chan-2-Way Trunk			UEPDC	UDTTA		15.69	15.69							
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel														1
	Activation/Chan-1-Way Outward Trunk			UEPDC	UDTTB		15.69	15.69							
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel														
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.69	15.69							
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per														
	Chan-Inward Trunk with DID			UEPDC	UDTTD		15.69	15.69							
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-														
	Way DID w User Trans			UEPDC	UDTTE		15.69	15.69							
BIPOL	AR 8 ZERO SUBSTITUTION				00005		0.00								
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	655.00s							
A 14 a	B8ZS-Extended Superframe Format			UEPDC	CCOEF		0.00i	655.00s							
Aitern	ate Mark Inversion AMI -Superframe Format		-	UEPDC	MCOSF		0.00	0.00	 						
	AMI-Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00		_	-				
Tolon	none Number/Trunk Group Establisment Charges			OLFDC	WCOFO		0.00	0.00	 						
Гетер	Tel No for 2-Way Trunk Group			UEPDC	UDTGX	0.00									
	Tel No for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00				+					
	Tel No for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00									
	DID Nos, Establish Trunk Group and Provide First Group of 20 DID			UEPDC	NDZ	0.00	0.00	0.00							
	DID Nos for each Group of 20 DID Nos			UEPDC	ND4	0.00									
	DID Nos, Non-consecutive DID Nos , Per No			UEPDC	ND5	0.00									
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00							1
	Reserve DID Nos			UEPDC	NDV	0.00	0.00	0.00							
Dedic	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digi	ital Loc	p witl												
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	88.44	105.54	98.47	21.47 19.	05					
	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.1856	0.00	0.00							
_	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)	<u> </u>	<u> </u>	UEPDC	1LNO2	0.00	0.00	0.00							
	Interoffice Channel miage-Add'l rate per mi-9-25 mis		<u> </u>	UEPDC	1LNOB	0.1856	0.00	0.00	0.00				-		
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00	0.00						
	Interoffice Channel miage-Add'l rate per mi-25+ mis Local No Portability, per DS0 Activated			UEPDC UEPDC	1LNOC LNPCP	0.1856 3.15	0.00	0.00	0.00						
	CO Termininating Point		-	UEPDC	CTG	0.00	0.00	0.00	0.00						
4 WID	E DS1 LOOP WITH CHANNELIZATION WITH PORT			UEPDC	CIG	0.00				_	-				├ ──
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activation	ne			+					-					
	System can have up to 24 combinations of rates depending on type		umber	of norts used						_	+				
	NE-P DS1 combination rates below for 4-Wire DS1 Loop with Chan				it apply to the	embedded base	e in place as o	f 10/2/03 uni	til 4/1/04. After 4/1	/04 these rat	es shall reve	ert to tariff ra	tes or a sena	rate agreem	ent.
	sts for 4-Wire DS1 Loop with Channelization with Port after the effe														
	S1 Loop	l	1				,			1			1		
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	70.74	0.00	0.00							1
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	100.54	0.00	0.00							
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	178.38	0.00	0.00							
UNE D	SO Channelization Capacities (D4 Channel Bank Configurations)														
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	118.06	0.00	0.00							
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	236.12	0.00	0.00							
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	472.24	0.00	0.00							ļ
	144 DS0 Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	708.36	0.00	0.00							
	192 DS0 Channel Capacity -1 per 8 DS1s	. –		UEPMG	VUM19	944.48	0.00	0.00	1 1		1		1		1

OMBONDL	ED NETWORK ELEMENTS - Florida					ı					_			ment: 2	Exhil	
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc			ES (\$)			Svc Order Submitte d Elec per LSR	Submitted	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge - Manual Svc Order vs. Electronic-	I Charge
						Rec	Nonrecu		NRC Disco					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM2O	1,180.60	0.00	0.00								
	288 DS0 Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	1,416.72	0.00	0.00								
	384 DS0 Channel Capacity-1 per 16 DS1s			UEPMG UEPMG	VUM38	1,888.96	0.00	0.00								
	480 DS0 Channel Capacity-1 per 20 DS1s			UEPMG	VUM4O	2,361.20	0.00	0.00								
	576 DS0 Channel Capacity -1 per 24 DS1s		-	UEPMG	VUM57	2,833.44	0.00	0.00								
Non D	672 DS0 Channel Capacity-1 per 28 DS1s ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with Cha		-4:		VUM67	3,305.68		0.00								
	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with Cha mum System configuration is One (1) DS1, One (1) D4 Channel Ban															
	les of this configuration functioning as one are considered Add'l a															
	NRC-Conversion (Currently Combined) with or w/o BST Allowed	iter tile	- 11111111	UEPMG	USAC4	0.00	96.77	4.24								
	n Additions at End User Locations Where 4-Wire DS1 Loop with Ch	anneli	ization				90.11	4.24								
	Not Currently Combined) in all states, except in Density Zone 1 of T				LIGHT GUITEIRE	, Exists and			 							
11011 (1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc		1		1											
	Fea Activation (E:4/1/2004)		1	UEPMG	VUMD4	0.00	726.11	468.21	145.32	17.24						
Bipola	r 8 Zero Substitution		 			3.00	, 20	.50.21	0.02							
	Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	CCOSF	0.00	0.00i	655.00s								
	Clear Channel Capability Format-Extended Superframe-Subsqnt															
	Activity Only			UEPMG	CCOEF	0.00	0.00i	655.00s								
Altern	ate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
Excha	nge Ports Associated with 4-Wire DS1 Loop with Channelization wi	th Por	t													
Excha	nge Ports															
	Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004)			UEPPX	UEPCX	1.40	0.00	0.00	0.00	0.00						
	Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004)			UEPPX	UEPOX	1.40	0.00	0.00	0.00	0.00						
	Line Side Inward Only Channelized PBX Trunk Port w/o DID			UEPPX	UEP1X	1.40	0.00	0.00	0.00	0.00						
	2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004)			UEPPX	UEPDM	8.71	0.00	0.00	0.00	0.00						
Featur	e Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.6402	25.40	13.41	3.96	3.93						
	Feature (Service) Activation for each Trunk Port Terminated in D4			UEPPX	1PQWU	0.6402	78.16	18.42	56.03	10.95						
	none Number/ Group Establishment Charges for DID Service			LIEDDY	NDT	0.00	0.00	0.00								
	DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)		-	UEPPX UEPPX	NDZ ND4	0.00	0.00	0.00								
	DID Nos-groups of 20-Valid all States Non-Consecutive DID Nos-per No		-	UEPPX	ND4 ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00	-							
	Reserve DID Nos		1	UEPPX	NDV	0.00	0.00	0.00								
	Number Portability		1	OLFFA	IADA	0.00	0.00	0.00				1				
	Local No Portability-1 per port		+	UEPPX	LNPCP	3.15	0.00	0.00						 		
	JRES - Vertical and Optional		1	ÇEI I X	2.11 01	5.15	0.00	0.00								
	Switching Features Offered with Line Side Ports Only		 	1	1											
	All Features Available		1	UEPPX	UEPVF	2.26	0.00	0.00								
	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES															
	t Based Rates are applied where BellSouth is required by FCC and/	or Stat	te Cor	nmission rule to pro	vide Unbund	led Local Switch	ing or Switch	Ports.								
	tures shall apply to the Unbundled Port/Loop Combination - Cost E								d Port secti	on of this	exhibit.					
3. End	Office and Tandem Switching Usage and Common Transport Usage	e rates	s in th	e Port section of thi	s exhibit sha	Il apply to all cor	nbinations of I	oop/port ne	twork eleme	nts exce	pt for UN	E Coin Port/	Loop Comb	inations.		
4. The	first and additional Port nonrecurring charges apply to Not Curren	tly Coı	mbine	d Combos. For Cu	rrently Comb	ined Combos, th	e nonrecurring	charges sh	all be those	identifie	d in the N	onrecurring	- Currently	Combined se	ctions. Add	itional
	may apply also and are categorized accordingly.															
	rket Rates for Unbundled Centrex Port/Loop Combination will be no	gotiat	ted on	an Individual Case	Basis, until f	urther notice.										
	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)		<u> </u>	ļ												
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo		<u> </u>											ļ		
2-Wire			1	1	1											
2-Wire	ort/Loop Combination Rates (Non-Design)		+													1
2-Wire	ort/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP91		10.94										
2-Wire	ort/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP91		15.05										
2-Wire	ort/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design															
2-Wire	ort/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design ort/Loop Combination Rates (Design)		3	UEP91 UEP91		15.05 25.80										
2-Wire	ort/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP91		15.05										

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: A
											Svc	Svc Order	Incrementa	Incrementa	Incremental	Incrementa
											Order	Submitted		Charge -	Charge -	I Charge -
		l	l _									Manually			Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	-	BCS	USOC		RAT	TES (\$)			d Elec		Svc Order	Order vs.	Order vs.	
		m	е					- (.,			per LSR	per LOK	VS.	Electronic-		
											per Lon		_			
													Electronic-	Add'l	Disc 1st	Electronic-
						n	Nonrect	urring	NRC Disc	onnect			oss	Rates (\$)		THE AAA
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE L	oop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP91	UECS1	9.77										
	2W VG Loop (SL 1)-Zone 2		2	UEP91	UECS1	13.88										1
	2W VG Loop (SL 1)-Zone 3		3	UEP91	UECS1	24.63										1
	2W VG Loop (SL 2)-Zone 1		1	UEP91	UECS2	12.24										1
	2W VG Loop (SL 2)-Zone 2		2	UEP91	UECS2	17.40										1
	2W VG Loop (SL 2)-Zone 3		3	UEP91	UECS2	30.87										1
UNE F																1
All Sta	ates (Except NC and SC)															1
	2W VG Port (Centrex) Basic Local Area			UEP91	UEPYA	1.17	53.31	26.46	27.50	8.37						1
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP91	UEPYB	1.17	53.31	26.46	27.50	8.37						1
	2W VG Port (Centrex with Caller ID)Note1 Basic Local Area			UEP91	UEPYH	1.17	53.31	26.46	27.50	8.37						1
	2W VG Port (Centrex from diff SWC) Note 2, 3 Basic Local Area			UEP91	UEPYM	1.17	139.49	86.10	65.41	13.81						1
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP91	UEPYZ	1.17	139.49	86.10	65.41	13.81						1
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP91	UEPY9	1.17	53.31	26.46	27.50	8.37						1
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP91	UEPY2	1.17	53.31	26.46	27.50	8.37						1
	gia and Florida Only															1
	2W VG Port (Centrex)			UEP91	UEPHA	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex 800 Term)			UEP91	UEPHB	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex with Caller ID)1			UEP91	UEPHH	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex from diff SWC)2,3			UEP91	UEPHM	1.17	139.49	86.10	65.41	13.81						1
	2W VG Port, Diff SWC 2,3-800 Service Term			UEP91	UEPHZ	1.17	139.49	86.10	65.41	13.81						1
	2W VG Port terminated in on Megalink or equivalent			UEP91	UEPH9	1.17	53.31	26.46	27.50	8.37						
	2W VG Port Terminated on 800 Service Term			UEP91	UEPH2	1.17	53.31	26.46	27.50	8.37						
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.7384										
Local	Number Portability					******										1
	Local No Portability (1 per port)			UEP91	LNPCC	0.35										
Featu				*=: *:	1	2.00							i	İ	1	
	All Standard Features Offered, per port			UEP91	UEPVF	2.26							i	İ	1	
	All Select Features Offered, per port			UEP91	UEPVS	0.00	370.70						i	İ	1	
	All Centrex Control Features Offered, per port			UEP91	UEPVC	2.26	0.0.70						i	İ	1	
NARS		l -		02.0.	525	2.20		l			1		-	1		
	Unbundled Network Access Register-Combination	l -		UEP91	UARCX	0.00	0.00	0.00	0.00	0.00	1		-	1		
-	Unbundled Network Access Register-Indial	l -		UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00	1		-	1		
	Unbundled Network Access Register-India Unbundled Network Access Register-Outdial	1		UEP91	UAROX	0.00	0.00	0.00	0.00	0.00	1			1	1	t

ироир	LED NETWORK ELEMENTS - Florida			ı								1 -		ment: 2		bit: A
ATEGOR	(RATE ELEMENTS	Interi m	Zon e	BCS	USOC			TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge Manual Svc Orde
						Rec	Nonrec		NRC Disc					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ellaneous Terminations															ļ
2-Wi	re Trunk Side															
	Trunk Side Terms, each			UEP91	CENA6	8.73										
Inter	office Channel Mileage - 2-Wire			LIEDOA	144000	05.00										-
	Interoffice Channel Facilities Term-VG	_	1	UEP91 UEP91	M1GBC M1GBM	25.32 0.0091										
East	Interoffice Channel miage, per mi or fraction of mi ure Activations (DS0) Centrex Loops on Channelized DS1 Service	-		UEP91	MIGBIN	0.0091										+
	hannel Bank Feature Activations	-			+											+
D4 C	Feature Activation on D-4 Channel Bank Centrex Loop Slot	-	+	UEP91	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		1	UEP91	1PQW6	0.66										-
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot		1	UEP91	1PQW7	0.66										-
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC	1		UEP91	1PQWP	0.66								1		
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	1		UEP91	1PQWV	0.66								1		
	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop Slot			UEP91	1PQWQ	0.66										†
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66								İ		
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex															
	Conversion-Currently Combined Switch-As-Is with allowed changes,															
	per port			UEP91	USAC2		21.50	8.42								
	Conversion of Existing Centrex Common Block			UEP91	USACN		5.17	8.32								
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	618.82									
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	618.82									
	Secondary Block, per Block			UEP91	M2CC1	0.00	71.31									
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	66.48									
	-P CENTREX - 5ESS (Valid in All States)															
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95		10.94										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95	+	15.05										<u> </u>
LINIE	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design)	_	3	UEP95	+	25.80										<u> </u>
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Design	_	1	UEP95	-	13.41										
_	2W VG Loop/2W VG Port (Centrex) Port Combo-Design	-	2	UEP95	+	18.57										
-	2W VG Loop/2W VG Port (Centrex)Port Combo-Design	-	3	UEP95	+	32.04										
UNE	Loop Rate	+	1 3	OLI 93	+	32.04			1							-
UNL	2W VG Loop (SL 1)-Zone 1		1	UEP95	UECS1	9.77										
	2W VG Loop (SL 1)-Zone 2		2	UEP95	UECS1	13.88										
	2W VG Loop (SL 1)-Zone 3		3	UEP95	UECS1	24.63										†
	2W VG Loop (SL 2)-Zone 1		1	UEP95	UECS2	12.24										†
	2W VG Loop (SL 2)-Zone 2		2	UEP95	UECS2	17.40										
	2W VG Loop (SL 2)-Zone 3		3	UEP95	UECS2	30.87										
UNE	Port Rate															
All S	tates															
	2W VG Port (Centrex) Basic Local Area			UEP95	UEPYA	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex 800 Term)			UEP95	UEPYB	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP95	UEPYM	1.17	139.49	86.10	65.41	13.81						
	2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area			UEP95	UEPYZ	1.17	139.49	86.10	65.41	13.81						
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP95	UEPY9	1.17	53.31	26.46	27.50	8.37						
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP95	UEPY2	1.17	53.31	26.46	27.50	8.37						<u> </u>
FL 8	GA Only		1		<u> </u>						ļ			ļ		ļ
	2W VG Port (Centrex)		<u> </u>	UEP95	UEPHA	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex 800 Term)		<u> </u>	UEP95	UEPHB	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex with Caller ID)1	-	1	UEP95	UEPHH	1.17	53.31	26.46	27.50	8.37						
-	2W VG Port (Centrex from diff SWC)2,3	+	+	UEP95	UEPHM UEPHZ	1.17	139.49	86.10	65.41	13.81 13.81	!			 		├
_	2W VG Port, Diff SWC-800 Service Term 2,3	-	1	UEP95 UEP95	UEPH2 UEPH9	1.17 1.17	139.49	86.10 26.46	65.41	13.81 8.37						
	2W VG Port terminated in on Megalink or equivalent 2W VG Port Terminated on 800 Service Term	+	1	UEP95 UEP95	UEPH9 UEPH2	1.17	53.31 53.31	26.46	27.50 27.50	8.37			 	1		
1 000	Il Switching	+	-	UEF90	ULFFIZ	1.17	اد.دد	20.40	21.50	0.37	<u> </u>		-	-		+
LUCA	Centrex Intercom Funtionality, per port	+	1	UEP95	URECS	0.7384		 	1	-	 	-	-	-		├──

ONBOND	LED NETWORK ELEMENTS - Florida				,									ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc			ES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge Manual Svc Orde
						Rec	Nonrect		NRC Disc					Rates (\$)		
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Loca	Number Portability															
	Local No Portability (1 per port)			UEP95	LNPCC	0.35										ļ
Feat				LIEDA.	11551/5											
	All Standard Features Offered, per port			UEP95	UEPVF	2.26	070.70									
	All Select Features Offered, per port			UEP95 UEP95	UEPVS UEPVC	0.00 2.26	370.70									
NAR	All Centrex Control Features Offered, per port			UEP95	UEPVC	2.20										-
INAK	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						-
	Unbundled Network Access Register-Combination Unbundled Network Access Register-Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						-
	Unbundled Network Access Register-Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
Misc	ellaneous Terminations			OLI 50	O) II (O) (0.00	0.00	0.00	0.00	0.00						
	re Trunk Side				+											
	Trunk Side Terms, each			UEP95	CEND6	8.73					1		1			
4-Wi	re Digital (1.544 Megabits)				1	20					 		i	1		—
	DS1 Circuit Terms, each			UEP95	M1HD1	54.95							İ	İ		
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	15.69				İ			1		
Inter	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP95	M1GBC	25.32										
	Interoffice Channel miage, per mi or fraction of mi			UEP95	M1GBM	0.0091										
Feat	ure Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 C	hannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP95	1PQWP	0.66										ļ
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP95	1PQWQ	0.66										1
Nan	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.66										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex				+ +											
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP95	USAC2	0.00	21.50	8.42								
	Conversion of Existing Centrex Common Block, each			UEP95 UEP95	USACZ	0.00	5.17	8.42								-
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	618.82	0.32								-
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	618.82									-
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	66.48									
Addi	tional Non-Recurring Charges (NRC)			OLI 50	ORLOR	0.00	00.40									
7.00.0	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP95	URETL		8.33	0.83								†
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP95	URETN		11.21	1.10								†
UNE	P CENTREX - DMS100 (Valid in All States)				1 1	İ								İ		
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo				1						İ			1		
	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D		10.94										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D		15.05										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D		25.80										
UNE	Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D	1	13.41					ļ					ļ
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D	1	18.57					ļ					<u> </u>
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D	+	32.04							ļ	ļ		ļ
UNE	Loop Rate		L .	LIEBAR	1,5007						ļ					ļ
	2W VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	9.77					ļ					
	2W VG Loop (SL 1)-Zone 2		2	UEP9D	UECS1	13.88					1		1			₩
	2W VG Loop (SL 1)-Zone 3		3	UEP9D UEP9D	UECS1	24.63					1		1			₩
	2W VG Loop (SL 2)-Zone 1		2	UEP9D UEP9D	UECS2 UECS2	12.24 17.40			1		1			 		
	2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 3		3	UEP9D UEP9D	UECS2	30.87			-		 			-		+
LINE	Port Rate		3	UEP9D	UEUSZ	30.87			1		}			1		
	STATES				+ +						 			 		\vdash
ALL	2W VG Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.17					1			 		\vdash
	2W VG Port (Centrex 800 Term)Basic Local Area	 		UEP9D	UEPYB	1.17	53.31	26.46	27.50	8.37	 	 	1	1		

UNDUNDL	ED NETWORK ELEMENTS - Florida			1	, ,									ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RAT	ΓES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo Order vs. Electronic- Add'l	Charge - Manual Svc Order vs.	I Charge Manual Svc Orde
						Boo	Nonrec	urring	NRC Disc			•	oss	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Port (Centrex/EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex /EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex /EBS-M5209)3 Basic Local Area			UEP9D	UEPYE	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex /EBS-M5312)3Basic Local Area			UEP9D	UEPYG	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area			UEP9D	UEPYU	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area	<u> </u>		UEP9D	UEPY3	1.17	53.31	26.46	27.50	8.37						<u> </u>
	2W VG Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.17	53.31	26.46	27.50	8.37						-
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4 Basic			UEP9D	UEPYW	1.17	50.04	00.40	07.50	0.07						
	Local Area			UEP9D UEP9D	UEPYW	1.17	53.31	26.46 26.46	27.50 27.50	8.37 8.37						-
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4 Basic Local Area			UEP9D	UEPYJ		53.31	26.46								
	2W VG Port (Centrex from diff SWC) 2,3-Basic Local Area 2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area			UEP9D	UEPYO	1.17 1.17	53.31 53.31	26.46	27.50 27.50	8.37 8.37						
	2W VG Port (Centrex/differ SWC /EBS-PSE1)2,3,4 Basic Local Area			UEP9D	UEPYD	1.17	53.31	26.46	27.50	8.37						ļ
	2W VG Port (Centrex/differ SWC /EBS-1/05009)2,3,4 Basic Local Area			UEP9D	UEPYQ	1.17	139.49	86.10	65.41	13.81		1				
	2W VG Port (Centrex/differ SWC /EBS-9209)2,3,4 Basic Local Area			UEP9D	UEPYR	1.17	139.49	86.10	65.41	13.81		1				
	2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area			UEP9D	UEPYS	1.17	139.49	86.10	65.41	13.81						-
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	1.17	139.49	86.10	65.41	13.81						-
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.17	139.49	86.10	65.41	13.81						†
	2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area			UEP9D	UEPY6	1.17	139.49	86.10	65.41	13.81						<u> </u>
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	1.17	139.49	86.10	65.41	13.81						†
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPYZ	1.17	139.49	86.10	65.41	13.81						
	2W VG Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.17	53.31	26.46	27.50	8.37						
	2W VG Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.17	53.31	26.46	27.50	8.37						
FL &	GA Only															
	2W VG Port (Centrex)			UEP9D	UEPHA	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex 800 Term)			UEP9D	UEPHB	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex/EBS-PSET)4			UEP9D	UEPHC	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex /EBS-M5009)4			UEP9D	UEPHD	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex /EBS-M5209)4			UEP9D	UEPHE	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex /EBS-M5112)4			UEP9D	UEPHF	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex /EBS-M5312)4	<u> </u>		UEP9D	UEPHG	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex /EBS-M5008)4			UEP9D	UEPHT	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex/EBS-M5208)4 2W VG Port (Centrex/EBS-M5216)4			UEP9D UEP9D	UEPHU UEPHV	1.17 1.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37						
	2W VG Port (Centrex/EBS-M5216)4 2W VG Port (Centrex/EBS-M5316)4			UEP9D	UEPHV UEPH3	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex EBS-WSS16)4 2W VG Port (Centrex with Caller ID)			UEP9D	UEPHH	1.17	53.31	26.46	27.50	8.37						
-	2W VG Port (Centrex with Caller ID) 2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4			UEP9D	UEPHW	1.17	53.31	26.46	27.50	8.37		1				
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPHJ	1.17	53.31	26.46	27.50	8.37						-
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4 2W VG Port (Centrex from diff SWC) 2,3			UEP9D	UEPHM	1.17	139.49	86.10	65.41	13.81						-
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPHO	1.17	139.49	86.10	65.41	13.81						-
-	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPHP	1.17	139.49	86.10	65.41	13.81						
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	1.17	139.49	86.10	65.41	13.81						†
	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	1.17	139.49	86.10	65.41	13.81						
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3,4			UEP9D	UEPHS	1.17	139.49	86.10	65.41	13.81						
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPH4	1.17	139.49	86.10	65.41	13.81						
	2W VG Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPH5	1.17	139.49	86.10	65.41	13.81						
	2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPH6	1.17	139.49	86.10	65.41	13.81						
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPH7	1.17	139.49	86.10	65.41	13.81						
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPHZ	1.17	139.49	86.10	65.41	13.81						
	2W VG Port terminated in on Megalink or equivalent			UEP9D	UEPH9	1.17	53.31	26.46	27.50	8.37						
	2W VG Port Terminated on 800 Service Term			UEP9D	UEPH2	1.17	53.31	26.46	27.50	8.37						
Local	Switching										<u> </u>					<u> </u>
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7384				ļ	ļ					<u> </u>
Local	Number Portability			LIEBAB	LNESS					ļ	ļ					<u> </u>
	Local No Portability (1 per port)	 		UEP9D	LNPCC	0.35					ļ					ļ

INROND	ED NETWORK ELEMENTS - Florida					•					,			ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitte d Elec per LSR	per LSR	I Charge -	Charge -		I Charge Manual Svc Orde
							Nonrec	urring	NRC Disc	onnect		1	OSS	Rates (\$)	I.	Dicc Add
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	All Standard Features Offered, per port			UEP9D	UEPVF	2.26										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	370.70									1
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.26										1
NARS																
	Unbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
	Illaneous Terminations															
2-Wir	e Trunk Side															
4 140	Trunk Side Terms, each			UEP9D	CEND6	8.73										
4-Wir	e Digital (1.544 Megabits) DS1 Circuit Terms, each			UEP9D	M1HD1	54.95					 			<u> </u>	 	
	DS0 Channels Activiated per Channel			UEP9D UEP9D	M1HD0	0.00	15.69				 			<u> </u>	 	
Intere	ffice Channel Mileage - 2-Wire			OLFAD	IVITADO	0.00	15.69	-			}		-	-	1	
interc	Interoffice Channel Facilities Term			UEP9D	M1GBC	25.32										
	Interoffice Channel miage, per mi or fraction of mi			UEP9D	M1GBC	0.0091		-			 		-	-	 	+
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service			OLI 3D	WITODW	0.0031										
	nannel Bank Feature Activations															
2.0.	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.66										1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP9D	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.66										1
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.66										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		21.50	8.42								
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		5.17	8.32								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	618.82									
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	618.82									
A -1 -1:4	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	66.48									
Addit	ional Non-Recurring Charges (NRC) Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83								
_	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN		11.21	1.10								
IINE-	P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)			OLF9D	UKLIN		11.21	1.10								+
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9E		10.94									1	1
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9E	1	15.05									i e	†
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9E		25.80					İ				1	
UNE	Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9E		13.41										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9E		18.57										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9E		32.04										
UNE	oop Rate															
_	2W VG Loop (SL 1)-Zone 1		1	UEP9E	UECS1	9.77					ļ				ļ	<u> </u>
	2W VG Loop (SL 1)-Zone 2		2	UEP9E	UECS1	13.88					ļ				ļ	
_	2W VG Loop (SL 1)-Zone 3		3	UEP9E	UECS1	24.63					1				1	₩
-	2W VG Loop (SL 2)-Zone 1		1	UEP9E	UECS2	12.24		-			1		-	-	 	+
_	2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 3	-	3	UEP9E UEP9E	UECS2 UECS2	17.40 30.87		-			 		-	 	1	
LINE	Port Rate	-	3	UEPSE	UEUSZ	30.87		-			 		-	 	1	
	L, KY, LA, MS, & TN only				1			-			}		-	-	1	+
AL, F	2W VG Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.17	53.31	26.46	27.50	8.37	1			-	1	\leftarrow
-	2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term)Basic Local Area			UEP9E	UEPYA	1.17	53.31	26.46	27.50	8.37	1			-	1	\leftarrow
-	2W VG Port (Centrex 800 Ferri)Basic Local Area			UEP9E	UEPYH	1.17	53.31	26.46	27.50	8.37	1		<u> </u>	†	1	
-+	2W VG Port (Centrex with Caller ID) 15 Basic Local Area			UEP9E	UEPYM	1.17	139.49	86.10	65.41	13.81	1		-	-	1	
	2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area			UEP9E	UEPYZ	1.17	139.49	86.10	65.41	13.81	t		1	1	 	+

NBUNDL	LED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RAT	ΓES (\$)			Svc Order Submitte d Elec per LSR	Submitted Manually per LSR	Manual	Charge -	Incremental Charge - Manual Svc Order vs. Electronic-	I Charge
							Nonrec	urrina	NRC Disc	annost			Electronic-	Add'I Rates (\$)	Disc 1st	Electroni
		-				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP9E	UEPY9	1.17	53.31	26.46	27.50	8.37	JOINEC	JONAN	JOMAN	JONAN	JONAN	JOHA
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP9E	UEPY2	1.17	53.31	26.46	27.50	8.37						1
Floric	da Only															
	2W VG Port (Centrex)			UEP9E	UEPHA	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex 800 Term)			UEP9E	UEPHB	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex with Caller ID)1			UEP9E	UEPHH	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex from diff SWC)2,3			UEP9E	UEPHM	1.17	139.49	86.10	65.41	13.81						
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9E	UEPHZ	1.17	139.49	86.10	65.41	13.81						
	2W VG Port terminated in on Megalink or equivalent			UEP9E	UEPH9	1.17	53.31	26.46	27.50	8.37						
	2W VG Port Terminated on 800 Service Term			UEP9E	UEPH2	1.17	53.31	26.46	27.50	8.37						
Local	I Switching															
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.7384										
Local	Number Portability															
	Local No Portability (1 per port)			UEP9E	LNPCC	0.35										
Featu				LIEBOE	UEPVF	0.00										
_	All Standard Features Offered, per port			UEP9E UEP9E	UEPVF	2.26 0.00	270.70									
	All Select Features Offered, per port All Centrex Control Features Offered, per port			UEP9E UEP9E	UEPVS	2.26	370.70									
NARS				UEF9E	UEFVC	2.20										
NAKS	Unbundled Network Access Register-Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						-
_	Unbundled Network Access Register-Combination Unbundled Network Access Register-Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-India Unbundled Network Access Register-Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						
Misce	ellaneous Terminations			OLI OL	O/ II (O/)	0.00	0.00	0.00	0.00	0.00						
	e Trunk Side															
	Trunk Side Terms, each			UEP9E	CEND6	8.73										
4-Wire	re Digital (1.544 Megabits)			02.02	02.120	00										†
	DS1 Circuit Terms, each			UEP9E	M1HD1	54.95										
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	15.69									
Interd	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP9E	M1GBC	25.32										
	Interoffice Channel miage, per mi or fraction of mi			UEP9E	M1GBM	0.0091										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 Ch	hannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP9E	1PQWP	0.66		ļ					ļ	ļ	ļ	ļ
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66										
_	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9E	1PQWQ	0.66								-		├
Nac 5	Feature Activation on D-4 Channel Bank WATS Loop Slot	-		UEP9E	1PQWA	0.66		-			 	-	1	1		₩
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex	-						-			 	-	1	1		₩
	NRC Conversion Currently Combined Switch-As-Is with allowed			UEP9E	116460		24.50	0.40								1
-	changes, per port Conversion of Existing Centrex Common Block, each	 	$\vdash \vdash$	UEP9E UEP9E	USAC2 USACN		21.50 5.17	8.42 8.32			1	1	1		 	├
	New Centrex Standard Common Block	-		UEP9E UEP9E	M1ACS	0.00	618.82	8.32					 	-		
	New Centrex Standard Common Block New Centrex Customized Common Block	-	\vdash	UEP9E UEP9E	M1ACS M1ACC	0.00	618.82	-			-		 	-	-	├──
1	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	66.48									<u> </u>

UNB	UNDLI	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
												Svc	Svc Order	Incrementa	Incremental	Incremental	Incrementa
														I Charge -			I Charge -
1			Interi	Zon								Submitte	Manually	Manual	Manual Svc	Manual Svc	Manual
CATE	GORY	RATE ELEMENTS	m	e	BCS	USOC		RAT	ES (\$)			d Elec	per LSR	Svc Order	Order vs.	Order vs.	Svc Order
				_								per LSR		vs.	Electronic-	Electronic-	vs.
														Electronic-	Add'l	Disc 1st	Electronic-
							1	Monroo	.rrina	NRC Disco	nnnoot	 	l	1c+	Rates (\$)	l	Dice Addil
							Rec	Nonrecu									
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Addition	onal Non-Recurring Charges (NRC)															
		Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP9E	URETL		8.33	0.83								
		Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP9E	URETN		11.21	1.10								
	Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	Note 2	- Requres Interoffice Channel Mileage															
	Note 3	- Installation is combination of Installation charge for SL2 Loop ar	d Port														
		- Requires Specific Customer Premises Equipment															
	Note:	Rates displaying an "R" in Interim column are interim and subject t	o rate	true-u	p as set forth in Gen	eral Terms a	nd Conditions.										

UNBUND	PLED NETWORK ELEMENTS - Georgia			T									Attachr			bit: A
CATEGOR	Y RATE ELEMENTS	Interi m	Zon e	BCS	usoc		R	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Increment I Charge Manual Svc Order vs. Electronic
						Rec	Nonrec	urring	NRC Disc	onnect			OSS F	Rates (\$)		Thee year.
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		<u> </u>	<u> </u>						L	L	<u> </u>	L	l			<u> </u>
	"Zone" shown in the sections for stand-alone loops or loops as pa				graphically	Deaveraged UNI	Zones. Io	view Geogra	aphically De	eaveraged U	NE Zone L	Designation	s by Central (Office, refer	to internet W	ebsite:
OPERATIO	://www.interconnection.bellsouth.com/become_a_clec/html/interco	mecuc	on.nu												1	
	NAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" E: (1) CLEC should contact its contract negotiator if it prefers the															narges.
	C may elect either the state specific Commission ordered rates for	the ser	vice c	rdering charges, or	CLEC may e	lect the regional	service orde	ring charge	, however,	CLEC can n	ot obtain a	a mixture of	the two rega	rdless if CL	EC has a	
inte	rconnection contract established in each of the 9 states.	accord	na t	the SUMEC rate its	ea in this c	aregory. Piease	refer to Bells	outn's Loca	ı Orgering	папороок	LUM) TO DE	etermine it	a product can	pe orgered	electronical	IV. FOR
	se elements that cannot be ordered electronically at present per the															
	ual ordering charge, SOMAN, will be applied to a CLECs bill when						•					•				
	OSS-Electronic Service Order Charge, Per LSR-UNE Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS-Manual Service Order Charge, Per LSR-UNE Only				SOMAN		11.73	0.00	6.13	0.00						
	ICE DATE ADVANCEMENT CHARGE E: The Expedite charge will be maintained commensurate with Be	IIC a code	In FO	C No. 4 Tauiff Coation	F!	-1-1-										
NOI	E: The Expedite charge will be maintained commensurate with Be	lisouth	SFC	,	o as applic	abie.										
				UAL, UEANL, UCL,												
				UEF, UDC, UDF, UEQ, UDL, UENTW,												
				UDN, UEA, UHL,												
				ULC, USL, U1T12,												
				U1T48, U1TD1,												
				U1TD3, U1TDX,												
				U1TO3, U1TS1,												
				U1TVX, UC1BC,												
				UC1BL, UC1CC, UC1CL, UC1DC,												
				UC1DL, UC1EC,												
				UC1EL, UC1FC,												
				UC1FL, UC1GC,												
				UC1GL, UC1HC,												
				UC1HL, UDL12,												
				UDL48, UDLO3, UDLSX, UE3,												
				ULD12, ULD48,												
				ULDD1, ULDD3,												
				ULDDX, ULDO3,												
				ULDS1, ULDVX,												
				UNC1X, UNC3X,												
				UNCDX, UNCNX, UNCSX, UNCVX,												
				UNLD1, UNLD3,												
				UXTD1, UXTD3,												
				UXTS1, U1TUC,												
				U1TUD, U1TUB,												
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day		<u> </u>	U1TUA	SDASP		200.00									
	ED EXCHANGE ACCESS LOOP IRE ANALOG VOICE GRADE LOOP	-	<u> </u>						-	-	-	-				
2-77	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEAL2	10.51	40.02	9.99	5.61	1.72						
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEAL2	15.85	40.02	9.99	5.61	1.72		t				
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEAL2	31.97	40.02	9.99	5.61	1.72						
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEASL	10.51	40.02	9.99	5.61	1.72						
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEASL	15.85	40.02	9.99	5.61	1.72						
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEASL	31.97	40.02	9.99	5.61	1.72						
	Unbundled Misc Rate Element, Tag Loop at End User Premise Loop Testing-Basic 1st Half Hour	<u> </u>	 	UEANL UEANL	URETL URET1		8.33 25.12	0.83 25.12								
	Loop Testing-Basic 1st Half Hour	-		UEANL	URETA		13.62	13.62								-
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1)	†		UEANL	UREWO		15.75	8.92								
	Unbundled Voice Loop, Non-D Voice Loop, billing for BST providing															
	make-up (Engineering Information-EI)			UEANL	UEANM		7.30	7.30								
_	Manual Order Coordiantion for UVL-SL1s (per loop)			UEANL	UEAMC		18.92	18.92								

UNBUND	LED NETWORK ELEMENTS - Georgia												Attachr			bit: A
CATEGOR'	r RATE ELEMENTS	Interi m	Zon e	BCS	USOC		R	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order
						Rec	Nonrec	urring	NRC Disc	onnect			OSS F	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Specified Conversion Time for UVL-SL1 (per															
	LSR)			UEANL	OCOSL		57.79									
2-WI	RE UNBUNDLED COPPER LOOP - NON-DESIGNED															
	2W Unbundled Copper Loop Non-Designed-Zone 1		1	UEQ	UEQ2X	11.02	44.69	22.40	0.00	0.00						
	2W Unbundled Copper Loop Non-Designed-Zone 2		2	UEQ	UEQ2X	12.72	44.69	22.40	0.00	0.00						
	2W Unbundled Copper Loop Non-Designed-Zone 3		3	UEQ	UEQ2X	20.22	44.69	22.40	0.00	0.00						
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83								
	Manual Order Coordination 2W Unbundled Copper Loop-Non-															
	Designed (per loop)			UEQ	USBMC		18.92	18.92								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST															
	providing make-up (Engineering Information-E.I.)			UEQ	UEQMU		7.30	7.30								1
	Loop Testing-Basic 1st Half Hour			UEQ	URET1		25.12	25.12								
	Loop Testing-Basic Add'l Half Hour			UEQ	URETA		13.62	13.62								
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-ND)			UEQ	UREWO		14.25	7.42								
	ED EXCHANGE ACCESS LOOP															
	RE ANALOG VOICE GRADE LOOP				l											<u> </u>
UNE	Loop Rates for Line Splitting (In Ga. PSC ordered the line splitting		USO													
	2W VG Loop (SL1) for Line Splitting-Zone 1	- 1	1	UEPSR UEPSB	UEALS	9.56	10.05	7.36		1.28						
	2W VG Loop (SL1) for Line Splitting-Zone 1	- 1	1	UEPSR UEPSB	UEABS	9.56	10.05	7.36	1.37	1.28						
	2W VG Loop (SL1) for Line Splitting-Zone 2	- 1	2	UEPSR UEPSB	UEALS	14.86	10.05	7.36	1.37	1.28						
	2W VG Loop (SL1) for Line Splitting-Zone 2	- 1	2	UEPSR UEPSB	UEABS	14.86	10.05	7.36	1.37	1.28						
	2W VG Loop (SL1)for Line Splitting-Zone 3	- 1	3	UEPSR UEPSB	UEALS	31.66	10.05	7.36	1.37	1.28						
	2W VG Loop (SL1)for Line Splitting-Zone 3	- 1	3	UEPSR UEPSB	UEABS	31.66	10.05	7.36	1.37	1.28						
	ED EXCHANGE ACCESS LOOP															
2-WI	RE ANALOG VOICE GRADE LOOP															
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		1	UEA	UEAL2	11.57	79.85	24.65	18.92	7.87						
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2		2	UEA	UEAL2	16.95	79.85	24.65	18.92	7.87						
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA	UEAL2	33.08	79.85	24.65	18.92	7.87						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		57.79									
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 1		1	UEA	UEAR2	11.57	79.85	24.65	18.92	7.87						
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 2		2	UEA	UEAR2	16.95	79.85	24.65	18.92	7.87						
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 3		3	UEA	UEAR2	33.08	79.85	24.65	18.92	7.87						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		57.79									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.72	36.36								
	Loop Tagging-SL2 (SL2)			UEA	URETL		11.19	1.10								
4-Wi	RE ANALOG VOICE GRADE LOOP															
	4W Analog VG Loop-Zone 1		1	UEA	UEAL4	17.80	93.01	28.17	19.52	8.12						
	4W Analog VG Loop-Zone 2		2	UEA	UEAL4	21.68	93.01	28.17	19.52	8.12						
	4W Analog VG Loop-Zone 3		3	UEA	UEAL4	30.25	93.01	28.17	19.52	8.12						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		57.79									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.72	36.36								ļ
2-WI	RE ISDN DIGITAL GRADE LOOP															
	2W ISDN Digital Grade Loop-Zone 1		1	UDN	U1L2X	21.89	180.06	35.25	18.23	6.97						ļ
	2W ISDN Digital Grade Loop-Zone 2		2	UDN	U1L2X	25.27	180.06	35.25	18.23	6.97						ļ
	2W ISDN Digital Grade Loop-Zone 3		3	UDN	U1L2X	40.17	180.06	35.25	18.23	6.97						
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		57.79									ļ
	CLEC to CLEC Conversion Charge w/o outside dispatch	<u></u>		UDN	UREWO		120.98	33.04								
2-WI	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA	I IBLE L	.00P		ļ											
	2W Unbundled ADSL Loop including manl svc inq & facility	1 .	١		l	l l						1			1	
	reservation-Zone 1		1	UAL	UAL2X	11.23	44.69	31.55	0.00	0.00						_
	2W Unbundled ADSL Loop including manl svc inq & facility	1 .	_		1141.007											
	reservation-Zone 2	\perp	2	UAL	UAL2X	12.97	44.69	31.55	0.00	0.00						<u> </u>
	2W Unbundled ADSL Loop including manl svc inq & facility	1 .										1			1	
	reservation-Zone 3		3	UAL	UAL2X	20.62	44.69	31.55	0.00	0.00						
	Order Coordination for Specified Conversion Time (per LSR)	1	-	UAL	OCOSL		57.79									
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-	1 .	١									1			1	
	Zone 1	\perp	1	UAL	UAL2W	11.23	44.69	31.55	0.00	0.00						
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-	1.	_]			l				
	Zone 2	1 1	2	UAL	UAL2W	12.97	44.69	31.55	0.00	0.00	1	ı	1		l	1

## ATTE ELEMENTS Interfer Zon BCS USOC ## ATTE \$(s)	JNBUNDL	ED NETWORK ELEMENTS - Georgia												Attachi	ment: 2	Exhi	bit: A
Nec Nonsecuring NRC Disconnect N		•			BCS	USOC		R	RATES (\$)			Order Submitte d Elec	Submitted Manually	Incremental Charge -	Incrementa I Charge - Manual Svc Order vs.		Increment I Charge
Nec First Addr First Addr SOMEC SOMAN SOMEC 20												per Lor		1st	Electronic-		Electroni
Nec First Addr First Addr SOMEC SOMAN SOMEC 20								Nonre	curring	NRC Disc	onnect		l .	OSS	Rates (\$)	l .	LDicc Add
27V Unbundled ADSL Loop with mail set ing & facility reservation 1							Rec					SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
Zone 3	-	2W Unbundled ADSL Loop w/o manl svc ing & facility reservators						11100	Addi	11130	Auui	COME	COMPAN	COMPAR	COMPAR	COMPAR	COMPA
Order Coordination for Specified Commension Time (per LSR)				3	ΠΔΙ	LIAL 2W/	20.62	44 69	31 55	0.00	0.00						
CLEC to CLES Conversion Change with outside dispatch 1			i i	Ŭ			20.02		01.00	0.00	0.00						
2 Withounded HDSL top with remainstoring many set ing and facility reservation- 2									29 29								
27V Unburndlet HDSL Loop including mant see in q.8 facility 1	2-WIR		RIFIC	OP	0712	O.V.E.V.O		11.00	20.20	1							
mesenation-Zone 1																	
27 Unbundled HDSL Lop including mail six ine & facility reservation-Zone 2 2 UHL				1	UHI	LIHL2X	7 88	44 69	31 55	0.00	0.00						
Reservation-Zone 2			<u> </u>		OTIL	OTILEX	7.00	44.00	01.00	0.00	0.00						
27 Unbundled HDSL Loop including mail see in qs facility reservation 1 3 UHL UHL2X 14.48 54.69 31.55 0.00 0.00			1	2	UHI	UHI 2X	9.09	44 69	31.55	0.00	0.00						
meanvation-Zone 3				_	01.12	OT ILLEX	0.00	11.00	01.00	0.00	0.00						
Order Coordination for Specified Conversion Time (per LSR)			1	3	UHI	UHI 2X	14 48	44 69	31.55	0.00	0.00		İ				1
2W Unbundled HOSL Loop w/o manl svc inq and facility reservation-			- '-	Ť			14.40		01.00	0.00	0.00					 	
Zone 1				\vdash	02			00	 								
Zone 2			1	1	UHI	UHI 2W	7 88	44 69	31.55	0.00	0.00						
Zone 2				<u> </u>	01.12	O. I.E.	7.00	11.00	01.00	0.00	0.00						-
2W Unbundled HDSL Loop w/o mani svc inq and facility reservation- 1 3 UHL UHLXW				2	UHI	LIHL 2W	9.09	44 69	31 55	0.00	0.00						
Zone 3			<u> </u>	_	OTIL	OTTLEVV	0.00	44.00	01.00	0.00	0.00						
Order Coordination for Specified Conversion Time (per LSR)				3	UHI	LIHL 2W	14 48	44 69	31 55	0.00	0.00						
CLEC to CLEC Conversion Charge w/o outside dispatch			<u> </u>	Ŭ			14.40		01.00	0.00	0.00						
AW Unbunded HDS.L Loop including man lave inq and facility reservation-Zone 2 UHL UHLAW 10.39 44.69 31.55 0.00 0.00									31 55								
AW Unbundled HDSL Loop including manl six ing and facility 1			BIEIC	OP	OFIL	UKLWO		44.03	31.33								
reservation-Zone 1	4-4411		DEE EC	JOF													
AW Unbundled HDSL Loop including manl svc inq and facility 1 2				1	ш		10.20	44.60	21 55	0.00	0.00						
reservation-Zone 2			-	-	OFIL	OI IL4X	10.59	44.03	31.33	0.00	0.00						-
AW Unbundled HDSL Loop including manl svc inq and facility reservation—Zone 3 1 3				2	ш	LILILAV	12.00	44.60	21 55	0.00	0.00						
reservation-Zone 3					UHL	UHL4X	12.00	44.69	31.55	0.00	0.00						
Order Coordination for Specified Conversion Time (per LSR)				2	ш	LILILAV	10.07	44.60	21 55	0.00	0.00						
AW Unbundled HDSL Loop w/o manl svc inq and facility reservation-			<u>'</u>	3			19.07		31.33	0.00	0.00						-
Zone 1					UNL	UCUSL		57.79									-
AW Unbundled HDSL Loop w/o manl svc inq and facility reservation- Zone 2 UHL		,	١.		1.0.0	1 11 11 4147	10.00	44.00	24.55	0.00	0.00						
Zone 2				1	UHL	UHL4VV	10.39	44.69	31.55	0.00	0.00						
AW Unbundled HDSL Loop w/o man! svc inq and facility reservation-Zone 3			١.	2	ш		12.00	44.60	24 55	0.00	0.00						
Zone 3			<u>'</u>		UNL	UHL4VV	12.00	44.09	31.33	0.00	0.00						-
Order Coordination for Specified Conversion Time (per LSR)				2	ш	LILIL AVA	10.07	44.60	21 55	0.00	0.00						
CLEC to CLEC Conversion Charge w/o outside dispatch I			<u>'</u>	3			19.07		31.33	0.00	0.00						-
A-WIRE DS1 Digital Loop-Zone 1	_								24.55								-
WW DS1 Digital Loop-Zone 1					UHL	UREWU		44.69	31.55								
W DS1 Digital Loop-Zone 2 2	4-WIR			-1	LICI	LICL VV	44.02	211.02	72.40	20.24	7 20						
WW DS1 Digital Loop-Zone 3 3				1													
Order Coordination for Specified Conversion Time (per LSR)	_																-
CLEC to CLEC Conversion Charge W/o outside dispatch USL UREWO 100.91 42.97 44.97 44.97 44.97 44.97 44.97 44.97 44.97 44.97 44.97 44.97 44.97 44.97 44.97 44.97 44.97 44.97 44.97 44.97 44.97 44.97 44.97 44.97 44.97 44.97 44.97 44.97 44.97 44.97 44.97 44.97 44.97 44.97 44.97				3			62.03		72.49	38.24	7.20						
A-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			-						40.07								
4W Unbundled Digital 19.2 Kbps 1	4 14/15				USL	UREWO		100.91	42.97								
4W Unbundled Digital 19.2 Kbps 2 UDL UDL19 28.36 196.66 37.00 18.82 7.20 4W Unbundled Digital 19.2 Kbps 3 UDL UDL19 38.22 196.66 37.00 18.82 7.20 4W Unbundled Digital Loop 56 Kbps-Zone 1 1 UDL UDL56 21.86 196.66 37.00 18.82 7.20 4W Unbundled Digital Loop 56 Kbps-Zone 2 2 UDL UDL56 28.36 196.66 37.00 18.82 7.20 4W Unbundled Digital Loop 56 Kbps-Zone 3 3 UDL UDL56 38.22 196.66 37.00 18.82 7.20 Order Coordination for Specified Conversion Time (per LSR) UDL OCOSL 57.79					LIDI	LIDIAO	04.00	100.00	07.00	40.00	7.00						
4W Unbundled Digital 19.2 Kbps 3 UDL UDL19 38.22 196.66 37.00 18.82 7.20 4W Unbundled Digital Loop 56 Kbps-Zone 1 1 UDL UDL56 21.86 196.66 37.00 18.82 7.20 4W Unbundled Digital Loop 56 Kbps-Zone 2 2 UDL UDL56 28.36 196.66 37.00 18.82 7.20 4W Unbundled Digital Loop 56 Kbps-Zone 3 3 UDL UDL56 38.22 196.66 37.00 18.82 7.20 Order Coordination for Specified Conversion Time (per LSR) UDL OCOSL 57.79																	
4W Unbundled Digital Loop 56 Kbps-Zone 1 1 UDL UDL56 21.86 196.66 37.00 18.82 7.20 4W Unbundled Digital Loop 56 Kbps-Zone 2 2 UDL UDL56 28.36 196.66 37.00 18.82 7.20 4W Unbundled Digital Loop 56 Kbps-Zone 3 3 UDL UDL56 38.22 196.66 37.00 18.82 7.20 Order Coordination for Specified Conversion Time (per LSR) UDL OCOSL 57.79 57.79 4W Unbundled Digital Loop 64 Kbps-Zone 1 1 UDL UDL64 21.86 196.66 37.00 18.82 7.20 4W Unbundled Digital Loop 64 Kbps-Zone 2 2 UDL UDL64 28.36 196.66 37.00 18.82 7.20 4W Unbundled Digital Loop 64 Kbps-Zone 2 2 UDL UDL64 28.36 196.66 37.00 18.82 7.20 4W Unbundled Digital Loop 64 Kbps-Zone 3 3 UDL UDL64 28.36 196.66 37.00 18.82 7.20 4W Unbundled Digital Loop 64 Kbps-Zone 3 3 UDL UDL64 38.22 196.66 37.00 18.8	-		 									 		1	ļ	1	!
W Unbundled Digital Loop 56 Kbps-Zone 2	-		 									 		1	ļ	1	
W Unbundled Digital Loop 56 Kbps-Zone 3 3 UDL UDL56 38.22 196.66 37.00 18.82 7.20																ļ	
Order Coordination for Specified Conversion Time (per LSR)														1			├
4W Unbundled Digital Loop 64 Kbps-Zone 1 1 UDL UDL64 21.86 196.66 37.00 18.82 7.20 4W Unbundled Digital Loop 64 Kbps-Zone 2 2 UDL UDL64 28.36 196.66 37.00 18.82 7.20 4W Unbundled Digital Loop 64 Kbps-Zone 3 3 UDL UDL64 38.22 196.66 37.00 18.82 7.20 Order Coordination for Specified Conversion Time (per LSR) UDL OCOSL 57.79 CLEC to CLEC Conversion Charge w/o outside dispatc h UDL UREWO 101.95 49.66				3			38.22		37.00	18.82	7.20			1			├
4W Unbundled Digital Loop 64 Kbps-Zone 2 2 UDL UDL64 28.36 196.66 37.00 18.82 7.20 4W Unbundled Digital Loop 64 Kbps-Zone 3 3 UDL UDL64 38.22 196.66 37.00 18.82 7.20 Order Coordination for Specified Conversion Time (per LSR) UDL OCOSL 57.79 CLEC to CLEC Conversion Charge Wo outside dispate h UDL UREWO 101.95 49.66	-		 				04.00		07.00	40.00	7.00	 		1	ļ	1	!
4W Unbundled Digital Loop 64 Kbps-Zone 3 3 UDL UDL64 38.22 196.66 37.00 18.82 7.20 Order Coordination for Specified Conversion Time (per LSR) UDL OCOSL 57.79 57.79 CLEC to CLEC Conversion Charge w/o outside dispatc h UDL UREWO 101.95 49.66	-		 									 		1	ļ	1	
Order Coordination for Specified Conversion Time (per LSR) UDL OCOSL 57.79 CLEC to CLEC Conversion Charge w/o outside dispatc h UDL UREWO 101.95 49.66																	<u> </u>
CLEC to CLEC Conversion Charge w/o outside dispatc h UDL UREWO 101.95 49.66				3			38.22		37.00	18.82	7.20	ļ					
	_								L					ļ		ļ	.
					UDL	UREWO		101.95	49.66								ļ
	2-WIR	E Unbundled COPPER LOOP	<u> </u>														<u> </u>
2W Unbundled Copper Loop-Designed including manl svc inq & I 1 UCL UCLPB 12.02 44.69 31.55 0.00 0.00			l							1			1		1	İ	1

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attachr	nent: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		R	ATES (\$)			Svc Order Submitte d Elec per LSR	Submitted	Incremental			Increment I Charge
													1st	Electronic-	Disc 1st	Electronic
						1	Nonre	curring	NRC Disc	onnect			OSS	Rates (\$)		Disc Add!
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Unbundled Copper Loop-Designed including manl svc ing &						11131	Auu	11100	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
	facility reservation-Zone 2	1	2	UCL	UCLPB	13.88	44.69	31.55	0.00	0.00						
	2W Unbundled Copper Loop-Designed including manl svc inq &															
	facility reservation-Zone 3	- 1	3	UCL	UCLPB	22.07	44.69	31.55	0.00	0.00						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility															
	reservation-Zone 1	I	1	UCL	UCLPW	12.02	44.69	31.55	0.00	0.00						
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility															
	reservation-Zone 2	- 1	2	UCL	UCLPW	13.88	44.69	31.55	0.00	0.00						
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility															
	reservation-Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL UCL	UCLPW UCLMC	22.07	44.69 18.92	31.55 18.92	0.00	0.00			 			1
	Order Coordination for Unbundled Copper Loops (per loop) Order Coordination for Unbundled Copper Loops (per loop)		-	UCL	UCLMC		18.92	18.92 18.92	1				 			-
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-D)			UCL	UREWO		44.69	31.55								
4-WID	E COPPER LOOP	-		UCL	UKLWO		44.03	31.33								
4-VVIR	4W Copper Loop-Designed including manI svc inq and facility												1			
	reservation-Zone 1	١,	1	UCL	UCL4S	16.65	44.69	31.55	0.00	0.00	1	1	1			
	4W Copper Loop-Designed including man! svc ing and facility		- '-	OOL	00140	10.03	44.03	31.33	0.00	0.00						
	reservation-Zone 2	1	2	UCL	UCL4S	19.22	44.69	31.55	0.00	0.00						
	4W Copper Loop-Designed including manl svc inq and facility	-	ΗĒ	002	002.0	.0.22		01.00	0.00	0.00						
	reservation-Zone 3	1	3	UCL	UCL4S	30.55	44.69	31.55	0.00	0.00						
	Order Coordination for Unbundled Copper Loops (per loop)		Ť	UCL	UCLMC		18.92	18.92		0.00						
	4W Copper Loop-Designed w/o manl svc ing and facility reservation-															
	Zone 1	- 1	1	UCL	UCL4W	16.65	44.69	31.55	0.00	0.00						
	4W Copper Loop-Designed w/o man! svc inq and facility reservation-															
	Zone 2	- 1	2	UCL	UCL4W	19.22	44.69	31.55	0.00	0.00						
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-															
	Zone 3	- 1	3	UCL	UCL4W	30.55	44.69	31.55	0.00	0.00						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
	CLEC to CLEC conversion Charge w/o outside dispatch	- 1		UCL	UREWO		44.69	31.55								
OOP MODI	ICATION															
				UAL, UHL, UCL,												
	Habitan dia di Lang Madification Daman al afil and Caile (IM) an lang			UEQ, ULS, UEA, UEANL, UEPSR,												
	Unbundled Loop Modification, Removal of Load Coils-2W pr less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		0.00	0.00								
	Unbundled Loop Modification Removal of Load Coils-4W less than			UEPSB	ULIVIZL		0.00	0.00								
	or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		0.00	0.00								
	or equal to Tolk II, per oribunded Loop			UAL, UHL, UCL,	OLIVI4L		0.00	0.00								
				UEQ, ULS, UEA,												
	Unbundled Loop Modification Removal of Bridged Tap Removal, per			UEANL, UEPSR,												
	Unbundled Loop			UEPSB	ULMBT		17.91									
JB-LOOPS																
Sub-L	pop Distribution															
	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up			UEANL	USBSA		255.76									
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up			UEANL	USBSB		7.29									
	Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-			UEANL	USBSC		175.09									
	Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up			UEANL	USBSD		51.61									
	Unbundled Sub-Loops, Riser Cable, 2W per Loop, Working and															
	Spare Loop Activation			UEANL	USBRC	3.61	28.46	3.85	2.20	0.01						
	Unbundled Sub-Loops, Riser Cable, 4W per Loop, Working and]			1	1	<u> </u>			
	Spare Loop Activation			UEANL	USBRD	7.67	31.07	4.79	2.27	0.01			ļ			
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1		1	UEANL	USBN2	6.52	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2		2	UEANL	USBN2	10.18	28.46	3.85	2.20	0.01					ļ	
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3		3	UEANL	USBN2	19.51	28.46	3.85	2.20	0.01			ļ			
_	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1		1	UEANL	USBN4	5.93	31.07	4.79	2.27	0.01			1			<u> </u>
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2 Sub-Loop Distribution Per 4W Analog VG Loop -Zone 3		2	UEANL	USBN4	9.71	31.07	4.79	2.27	0.01			 			1
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 3 Order Coordination for Unbundled Sub-Loops, per sub-loop pr		3	UEANL UEANL	USBN4 USBMC	18.85	31.07 18.92	4.79 18.92	2.27	0.01			 			-
-			-	UEANL	USBR2	3.61	18.92 28.46	18.92 3.85	2.20	0.01			 			1
1	Sub-Loop 2W Intrabuilding Network Cable (INC)			UEANL	USBK2	3.61	∠8.46	3.85	2.20	0.01		l				<u></u>

	LED NETWORK ELEMENTS - Georgia												Attachi	ment: 2	Exni	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		R	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic-	I Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge
						Rec	Nonred	urring	NRC Disc	onnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		18.92	18.92								
	Sub-Loop 4W Intrabuilding Network Cable (INC)	- 1		UEANL	USBR4	7.67	31.07	4.79	2.27	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		18.92	18.92								
	Loop Testing-Basic 1st Half Hour			UEANL	URET1		25.12	25.12								
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA		13.62	13.62								
	2W Copper Unbundled Sub-Loop Distribution-Zone 1	_	1	UEF	UCS2X	5.94	28.46	3.85	2.20	0.01						
	2W Copper Unbundled Sub-Loop Distribution-Zone 2	I	2	UEF	UCS2X	7.51	28.46	3.85	2.20	0.01						
	2W Copper Unbundled Sub-Loop Distribution-Zone 3	ı	3	UEF	UCS2X	9.22	28.46	3.85	2.20	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		18.92	18.92								
	4W Copper Unbundled Sub-Loop Distribution-Zone 1	- 1	1	UEF	UCS4X	6.37	31.07	4.79	2.27	0.01						
	4W Copper Unbundled Sub-Loop Distribution-Zone 2	- 1	2	UEF	UCS4X	6.32	31.07	4.79	2.27	0.01						
	4W Copper Unbundled Sub-Loop Distribution-Zone 3	- 1	3	UEF	UCS4X	9.10	31.07	4.79	2.27	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		18.92	18.92								
	Loop Testing-Basic 1st Half Hour			UEF	URET1		25.12	25.12								
	Loop Testing-Basic Add'l Half Hour			UEF	URETA		13.62	13.62								
Unbu	ndled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per pr			UENTW	UENPP	0.533	25.12	12.28								
Netwo	ork Interface Device (NID)															
	Network Interface Device (NID)-1-2 lines	- 1		UENTW	UND12		32.86	20.69								
	Network Interface Device (NID)-1-6 lines	- 1		UENTW	UND16		56.03	43.86								
	Network Interface Device Cross Connect-2 W	- 1		UENTW	UNDC2		2.45	2.45								
	Network Interface Device Cross Connect-4W			UENTW	UNDC4		2.45	2.45								
UNE OTHER	R, PROVISIONING ONLY - NO RATE															
	NID-Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only-No Rate			UENTW	UENCE	0.00	0.00									
				UEANL,UEF,UEQ,U												
	Unbundled Contract Name, Provisioning Only-No Rate			ENTW	UNECN	0.00	0.00									
UNE OTHER	R, PROVISIONING ONLY - NO RATE															
				UAL,UCL,UDC,UDL,												
	Unbundled Contact Name, Provisioning Only-no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop-Superframe Format Option-no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop-Expanded Superframe Format option-no rate			USL	CCOEF	0.00	0.00									
HIGH CAPA	CITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop-DS3-Per mi per mo			UE3	1L5ND	10.97	. ===	101.00		== 00						
	High Capacity Unbundled Local Loop-DS3-Facility Term per mo			UE3	UE3PX	253.38	1,753.23	131.90	112.91	75.88						
	High Capacity Unbundled Local Loop-STS-1-Per mi per mo			UDLSX	1L5ND	10.97	. ===	101.00								ļ
1 000 11:::	High Capacity Unbundled Local Loop-STS-1-Facility Term per mo			UDLSX	UDLS1	305.42	1,753.23	131.90	112.91	75.88						
LOOP MAKE																
	Loop Makeup-Preordering w/o Reservation, per working or spare			1.15.41.4			45.00	45.00								
	facility queried (Manual).			UMK	UMKLW		15.19	15.19					-		-	!
	Loop Makeup-Preordering With Reservation, per spare facility			LINAL	LIMIZER		40.05	40.05								
$-\!+\!-$	queried (Manual).			UMK	UMKLP		19.85	19.85								
	Loop MakeupWith or w/o Reservation, per working or spare facility				l			0.82	l	l	1		l	l	l	I

UNBUN	NDLE	D NETWORK ELEMENTS - Georgia												Attachr			bit: A
CATEGO	DRY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			ATES (\$)			Svc Order Submitte d Elec per LSR	Submitted	Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Increment I Charge Manual Svc Orde vs. Electronic
							Rec	Nonred		NRC Disc					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		G AND LINE SPLITTING	L			<u>. </u>	<u> </u>			<u> </u>							
NC	OIE 1	: The Line Sharing monthly recurring rates for all installations	comple	eted fr	om October 02, 2003	through mi	dnight October (01, 2004 shal	be billed as	s tollows:							
		: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled copp : 10/02/2004 – 10/01/2005: 50% of the rate for UCLND	er ioo	o non-	aesignea ("UCLND")											
		: 10/02/2004 - 10/01/2005: 50% of the rate for OCLND															
		: Above will apply to USOCS: ULSDT and ULSCT								1							
		2: The Line Sharing monthly recurring rates with USOCs ULSD	C and I	II SC	annlies only to circ	l ruite inetalla	d and inservice	on or before	October 1 3	2003							
		HARING	C and v	LOCK	applies only to circ	uits mstane	a and miservice	l belote	October 1, 2	1							
		ERS-CENTRAL OFFICE BASED															
		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	131.00	0.00	0.00	0.00	0.00						
		ine Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	32.00	0.00	0.00	0.00	0.00						
	I	ine Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	11.00	0.00	0.00	0.00	0.00						
	L	ine Sharing-DLEC Owned Splitter in CO-CFA activaton-															
		deactivation (per LSOD)			ULS	ULSDG		66.34	0.00	51.20	0.00						
EN		SER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
		ine Sharing -per Line Activation (BST Owned splitter)-OBSOLETE															
		see **NOTE 2			ULS	ULSDC	0.61	10.51	7.70	7.00	4.20						
		Line Share Service, TRO per line activation, BST owned splitter-CO															
		.ocated (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS	ULSDT	2.76	10.51	7.70	7.00	4.20					-	ļ
		ine Share Service, TRO per line activation, BST owned splitter-CO ocated (50% of UCLND)-please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	5.51	10.51	7.70	7.00	4.20						
	-	Line Share Service, TRO per line activation, BST owned splitter-CO		-	ULS	ULSDI	5.51	10.51	7.70	7.00	4.20					-	
		ocated (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	8.27	10.51	7.70	7.00	4.20						
		ine Sharing-per Subsqnt Activity per Line Rearrangement(BST			020	OLODI	0.21	10.01	7.70	7.00	7.20					-	
		Owned Splitter			ULS	ULSDS		36.23	13.23	16.94	1.69						
		Line Sharing-per Subsqnt Activity per Line Rearrangement(DLEC						00.20									
		Owned Splitter			ULS	ULSCS		36.23	13.23	16.94	1.69						
	ļ	ine Sharing-per Line Activation (DLEC owned Splitter)-OBSOLETE															
	5	see **NOTE 2			ULS	ULSCC	0.61	17.82	9.36	8.53	4.30					<u> </u>	<u> </u>
		ine Share Service, TRO per line activation, CLEC owned splitter-						1				-					
		CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.76	17.82	9.36	8.53	4.30						
		Line Share Service, TRO per line activation, CLEC owned splitter-						.=									
	(CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)		-	ULS	ULSCT	5.51	17.82	9.36	8.53	4.30					1	
		Line Share Service, TRO per line activation, CLEC owned splitter- CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	8.27	17.82	9.36	8.53	4.30						
1 10		PLITTING			ULO	ULOUI	6.27	17.82	9.36	0.33	4.30					1	
		SER ORDERING-CENTRAL OFFICE BASED						1		1						t	
EN		ine Splitting-per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61	 		 						t	
		ine Splitting-per line activation BST owned splitter.			UEPSR UEPSB	UREBP	0.6297	20.10	12.40	7.68	4.30					I	
		ine Splitting-per line activation BST owned-virtual			UEPSR UEPSB	UREBV	0.6288	20.10	12.40	7.68	4.30					1	
MA		ENANCE															
		No Trouble Found-per 1/2 hour increments-Basic						80.00	55.00	Ì							
		No Trouble Found-per 1/2 hour increments-Overtime						120.00	82.50								
	1	No Trouble Found-per 1/2 hour increments-Premium						160.00	110.00								
		DEDICATED TRANSPORT															
IN		OFFICE CHANNEL - DEDICATED TRANSPORT															
		nteroffice Channel-Dedicated Transport-2W VG-Per mi per mo			U1TVX	1L5XX	0.0057										
		nteroffice Channel-Dedicated Transport-2W VG-Facility Term			U1TVX	U1TV2	12.87	48.46	19.48	16.58	5.00						
		nteroffice Channel-Dedicated Transport-2W VG Rev Bat-Per mi per		ļ	U1TVX	1L5XX	0.0057			<u> </u>							
		nteroffice Channel-Dedicated Transport-2W VG Rev Bat-Facility			11475.07	LIATEO	10.0=	40.40	40.40	40.50	- A-						
		Ferm		-	U1TVX U1TVX	U1TR2 1L5XX	12.87 0.0057	48.46	19.48	16.58	5.00					1	
		nteroffice Channel -Dedicated Transport-4W VG-Per mi per mo		-				40.40	10.40	16.50	E 00					 	
		nteroffice Channel -Dedicated Transport-4W VG-Facility Term nteroffice Channel-Dedicated Transport-56 kbps-per mi per mo		-	U1TVX U1TDX	U1TV4 1L5XX	10.78 0.0057	48.46	19.48	16.58	5.00					-	
		nteroffice Channel-Dedicated Transport-56 kbps-per mi per mo			U1TDX U1TDX	U1TD5	7.83	48.46	19.48	16.58	5.00					 	
		nteroffice Channel-Dedicated Transport-56 kbps-pacifity Termi			U1TDX	1L5XX	0.0057	40.40	15.40	10.36	3.00					1	
 -		nteroffice Channel-Dedicated Transport-64 kbps-Facility Term		 	U1TDX	U1TD6	7.83	48.46	19.48	16.58	5.00					 	
		nteroffice Channel-Dedicated Channel-DS1-Per mi per mo			U1TD1	1L5XX	0.1154	70.70	10.70	10.00	0.00					I	
		nteroffice Channel-Dedicated Channel-DS1-Facility Term			U1TD1	U1TF1	34.19	111.03	80.28	31.36	21.73					<u> </u>	

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attachr			bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		R	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo Order vs. Electronic-	I Charge - Manual Svc Order
						Rec	Nonrec	curring	NRC Disc	onnect				Add'i		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			U1TD3	U1TF3	342.02	320.47	86.32	66.77	52.81						
	Interoffice Channel-Dedicated Transport-STS-1-Per mi per mo			U1TS1	1L5XX	2.53										
	Interoffice Channel-Dedicated Transport-STS-1-Facility Term			U1TS1	U1TFS	358.67	320.47	86.32	66.77	52.81						
DARK FIBER																
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof			UDE UDEOV												
	per mo-Interoffice Channel			UDF, UDFCX	1L5DF	23.29	4 ==== ===									
	NRC Dark Fiber-Interoffice Channel			UDF, UDFCX	UDF14		1,776.53	89.75	73.64	18.70						
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-Local Loop			UDF, UDFCX	1L5DL	46.84										
	NRC Dark Fiber-Local Loop			UDF, UDFCX	UDFL4	46.84	1,745.99	87.54	73.64	18.70						
OVY ACCES	S TEN DIGIT SCREENING			UDF, UDFCX	UDFL4		1,745.99	67.34	73.04	10.70						
I I	8XX Access Ten Digit Screening, Per Call			OHD	t	0.0008543		 	 	 		 	 		 	
 	8XX Access Ten Digit Screening, Reservation Charge Per 8XX No		\vdash	OTTE	-	0.0000040					1		-		†	
	Reserved			OHD	N8R1X		2.50	0.43								
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O				1			20					1		Ì	
	POTS Translations			OHD	I		5.65	0.76	4.24	0.51		1				
l l	8XX Access Ten Digit Screening, Per 8XX No. Established With															
	POTS Translations			OHD	N8FTX		5.65	0.76	4.24	0.51						
	8XX Access Ten Digit Screening, Customized Area of Service Per															
	8XX No			OHD	N8FCX		2.50	1.25								
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing															
	Per CXR Requested Per 8XX No.			OHD	N8FMX		2.93	1.68								
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		2.93	0.43								
	8XX Access Ten Digit Screening, Call Handling and Destination			OHD	N8FDX		2.50									
	8XX Access Ten Digit Screening, w/8FL No. Delivery			OHD		0.0008543										
<u> </u>	8XX Access Ten Digit Screening, w/POTS No. Delivery			OHD		0.0008543										ļ
LINE INFOR	MATION DATA BASE ACCESS (LIDB)			OQT		0.0000000										
	LIDB Common Transport Per Query LIDB Validation Per Query			OQU		0.0000682 0.0266962										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX	0.0200902	33.24	33.24	39.35	39.35						+
SIGNALING				OQ1, OQU	INKDEA		33.24	33.24	39.33	39.33						
SIGNALING	CCS7 Signaling Connection, Per 56Kbps Facility			UDB	TPP++	8.73	34.77	34.77	16.91	16.91						
	CCS7 Signaling Term, Per STP Port			UDB	PT8SX	108.80	34.77	34.77	10.51	10.31						
	CCS7 Signaling Usage, Per Call Setup Message			UDB	1 100%	0.0000132										†
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000527										
	CCS7 Signaling Connection, Per link (A link) (same as E.3.1)			UDB	TPP++	8.73	34.77	34.77	16.91	16.91						
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			-												
	(same as E.3.1)			UDB	TPP++	8.73	34.77	34.77	16.91	16.91						
	CCS7 Signaling Usage, Per ISUP Message (same as E.3.3)			UDB		0.0000132										
	CCS7 Signaling Usage Surrogate, per link			UDB	STU56	907.44										
	CCS7 Signaling Point Code, Establishment or Change, per STP															
	affected			UDB	CCAPO		28.15	28.15	33.32	33.32						
E911 SERVIO																
	Local Channel-Dedicated-2W VG		\vdash		<u> </u>	7.74	121.07	53.30	46.40	13.37			_			<u> </u>
 	Interoffice Transport-Dedicated-2W VG Per mi				-	0.0057	40.10	40.10	40.50	F 00			-			
 	Interoffice Transport-Dedicated-2W VG Per Facility Term		\vdash		 	12.87	48.46	19.48	16.58	5.00			-		+	
 	Local Channel-Dedicated-DS1-Zone 1 Local Channel-Dedicated-DS1-Zone 2		\vdash		 	18.47 56.30	149.46 149.46	111.20 111.20	40.36 40.36	26.12 26.12			-		+	
 	Local Channel-Dedicated-DS1-Zone 2 Local Channel-Dedicated-DS1-Zone 3		\vdash		-	164.70	149.46	111.20	40.36	26.12			-		-	
 	Interoffice Transport-Dedicated-DS1-Zone 3		\vdash		+	0.1154	149.46	111.20	40.36	20.12	-		+			-
 	Interoffice Transport-Dedicated-DS1 Per mi				t	34.19	111.03	80.28	31.36	21.73			1		1	
CALLING NA	ME (CNAM) SERVICE				I	34.13	111.00	00.20	31.30	21.73	<u> </u>				1	†
1	CNAM For DB Owners-Service Establishment			OQV	I		22.90	1	20.32		<u> </u>				1	†
	CNAM For Non DB Owners-Service Establishment			OQV	t		22.90		20.32							
	CNAM For DB Owners-Service Provisioning With Point Code			* **												
	Establishment			OQV	I		959.77	709.83	251.47	184.91		1				
	CNAM For Non DB Owners-Service Provisioning With Point Code															
	Establishment	<u></u>		OQV	<u> </u>	<u> </u>	331.89	237.45	257.65	184.91	<u> </u>	<u></u>	<u> </u>		<u> </u>	
	CNAM for DB Owners, Per Query			OQV		0.0009924										

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attachr			bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order
						Rec		curring	NRC Disc					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CNAM for Non DB Owners, Per Query			OQV		0.0009924										
	CNAM (Non-Databs Owner), NRC, applies when using the															
	Character Based User Interface (CHUI)			OQV	CDDCH		595.00	595.00								
SELECTIVE																
	Selective Routing Per Unique Line Class Code Per Request Per						102.19	61.15	12.68	6.34						
	PLLOCATION															
	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0188	0.00	0.00	0.00	0.00						
	OLLOCATION															
	Physical Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0197	0.00	0.00								
AIN SELECT	IVE CARRIER ROUTING															
	Regional Service Establishment		<u> </u>	SRC	SRCEC			101,311.67		7,833.25			ļ		1	
	End Office Establishment			SRC	SRCEO		158.92	158.92	1.64	1.64						
	Line/Port NRC, per end user			SRC	SRCLP		2.06	2.06								
	Query NRC, per query			SRC		0.0020368										
AIN - BELLS	OUTH AIN SMS ACCESS SERVICE							ļ					1			
	AIN SMS Access Service-Service Establishment, Per State, Initial			A1N	CAMSE		41.41	41.41	41.63	41.63						
	AIN SMS Access Service-Port Connection-Dial/Shared Access			A1N	CAMDP		8.15	8.15	9.16	9.16						
	AIN SMS Access Service-Port Connection-ISDN Access			A1N	CAM1P		8.15	8.15		9.16						
	AIN SMS Access Service-User Identification Codes-Per User ID			A1N	CAMAU		35.29	35.29	26.50	26.50						
	AIN SMS Access Service-Security Card, Per User ID Code, Initial or															
	Replacement			A1N	CAMRC		40.24	40.24	11.72	11.72						
	AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)					0.0038										
	AIN SMS Access Service-Session, Per min					1.81										
	AIN SMS Access Service-Company Performed Session, Per min					0.8323										
AIN - BELLS	OUTH AIN TOOLKIT SERVICE															
	AlN Toolkit Service-Service Establishment Charge, Per State, Initial															
	Setup			CAM	BAPSC		41.41	41.41	41.63	41.63						
	AIN Toolkit Service-Training Session, Per Customer				BAPVX		4,236.62	4,236.62								
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN,															
	Term. Attempt				BAPTT		8.15	8.15	9.16	9.16						
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-				BAPTD		0.45	0.45	0.40	0.40						
	Hook Delay				BAPID		8.15	8.15	9.16	9.16						
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-				BAPTM		0.45	0.45	0.40	0.40						
	Hook Immediate				BAPTIVI		8.15	8.15	9.16	9.16						
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-				DARTO		00.00	00.00	44.00	44.00						
	Digit PODP				BAPTO BAPTC		33.98 33.98	33.98 33.98	14.09 14.09	14.09 14.09						
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN,				BAPIC		33.98	33.98	14.09	14.09						
	Feature Code				BAPTF		33.98	33.98	14.09	14.09						
	AIN Toolkit Service-Query Charge, Per Query				DAFIF	0.0271438	33.90	33.90	14.09	14.09						
	AIN Toolkit Service-Query Charge, Per Query AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit					0.0271438										
	Subscription, Per Node, Per Query					0.0059195				1	1		1			
 	AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account,					0.0059195		-					-		-	1
	Per 100 Kilobytes					0.04		l		1			I		1	
 	AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription	1		CAM	BAPMS	14.78	8.15	8.15	5.71	5.71			1		1	1
- -	AIN Toolkit Service-Thory report-Per AIN Toolkit Service Subscription AIN Toolkit Service-Special Study-Per AIN Toolkit Service		-	CAM	BAPLS	6.46	8.98	8.98	5.71	5.71			1		1	1
 	AIN Toolkit Service-Special Study-Per AIN Toolkit Service AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service		1	OAW	DAILO	0.40	0.90	0.90					-		-	†
	Subscription			CAM	BAPDS	8.54	8.15	8.15	5.71	5.71						
	AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service			O7 UVI	B/11 BC	0.04	0.10	0.10	0.71	0.71						
	Subscription			CAM	BAPES	0.22	8.98	8.98					I		1	
ENHANCED	EXTENDED LINK (EELs)		<u> </u>	G, uvi	2, :: 20	0.22	0.00	0.00					1		1	
	: The monthly recurring and non-recurring charges below will ap	ply and	the S	witch-As-Is Charge	will not appl	y for UNE combi	nations pro	visioned as	Ordinarily	Combined'	Network E	lements.	1		1	
	: The monthly recurring and the Switch-As-Is Charge and not the												1		1	1
	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED							1	,				1		1	Ì
	First 2W VG Loop (SL2) in Combination-Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86			1		1	1
- 	First 2W VG Loop (SL2) in Combination-Zone 2	1	2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86						
	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						
1											1		 		t	1
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX	0.1154										l l

NRONDL	ED NETWORK ELEMENTS - Georgia		,		, .							_	Attachr			ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		R	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Orde
							Nonrec	urring	NRC Disc	onnect			OSS F	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	1/0 Channelization System in combination Per mo			UNC1X	MQ1	69.75	86.10									
	VG COCI-Per mo			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						†
_	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						+
_	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86					-	+
_	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 3		3	UNCVX	UEAL2	33.08	195.94		18.42	6.86						+
			3					36.38								+
_	VG COCI-Per mo			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						4
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXIE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATE	D DS1 I	NIER													
	First 4W Analog VG Loop in Combination -Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						1
	First 4W Analog VG Loop in Combination -Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						
	First 4W Analog VG Loop in Combination -Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo		╚	UNC1X	1L5XX	0.1154										
	Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						T
	1/0 Channel System in combination Per mo			UNC1X	MQ1	69.75	86.10									
	VG COCI in combination-per mo			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						1
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport															†
	Combination-Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						
_	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport		<u> </u>	OHOTA	OL/1L4	17.00	100.04	00.00	10.42	0.00						+
	Combination-Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						
				UNCVA	UEAL4	21.00	195.94	30.30	10.42	0.00						
	Add'I 4W Analog VG Loop in same DS1 Interoffice Transport		_													
	Combination-Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						
	Add'I VG COCI in combination-per mo			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXTE	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICA	TED DS	S1 INT	EROFFICE TRANSP	ORT											
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1154										1
	Interoffice Transport-Dedicated-DS1-combination Facility Term Per			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						†
-	1/0 Channel System in combination Per mo			UNC1X	MQ1	69.75	86.10	10.70	10.00	27.07						+
_	OCU-DP COCI (data) per mo (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						+
-	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice			UNCDA	טטוטו	0.9963	21.33	2.90	10.00	1.04	-		-		-	+
			1	LINCDY	LIDLEC	04.00	405.04	20.20	40.40	0.00						
	Transport Combination-Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice		_													
	Transport Combination-Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice															
	Transport Combination-Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
	Add'l OCU-DP COCI (data)-in combination per mo (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXTE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICA	TED DS	S1 INT	EROFFICE TRANSP	ORT											
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						1
-	First 4W 64Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						+
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1154	100.04	00.00	10.42	0.00						+
-	interoffice Transport-Dedicated-DS1 combination-Facility Term Per			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97					-	+
	1/0 Channel System in combination Per mo			UNC1X	MQ1	69.75	86.10	43.73	43.60	21.91						+
								0.00	40.00	4.04						+
	OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice															
	Transport Combination-Zone 1	<u> </u>	1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86					1	
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice											l				
	Transport Combination-Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice															
	Transport Combination-Zone 3	1	3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86					1	
	Add'l OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	NRC Currently Combined Network Elements Switch -As-Is Charge	1		UNC1X	UNCCC		5.70	5.70	6.61	6.61					1	1
FYTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED	DS1 IN	ITERO				5.75	0.70	0.01	0.01					I	
	4W DS1 Digital Loop in Combination-Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86			 		1	+
	4W DS1 Digital Loop in Combination-Zone 2	 	2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86	-	 	-		 	+
				UNCIA					37.81	0.80			1		1	1

NNRANDL	ED NETWORK ELEMENTS - Georgia			ı	•								Attachr			bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		R	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Orde
						Dee	Nonrec	urring	NRC Disc	onnect			OSS F	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1154										1
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						1
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						1
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED	DS3 IN	ITERO	FFICE TRANSPORT												1
	First DS1Loop in Combination-Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
	First DS1Loop in Combination-Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
	First DS1Loop in Combination-Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
	Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo			UNC3X	1L5XX	2.53										
	Interoffice Transport-Dedicated-DS3-Facility Term per mo			UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88						
	3/1Channel System in combination per mo			UNC3X	MQ3	121.90										
	DS1 COCI in combination per mo			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
	Additoinal DS1 COCI in combination per mo			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		5.70	5.70	6.61	6.61						
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE G	RADE	NTER	OFFICE TRANSPOR	Т											
	2WVG Loop in combination-Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						
	2WVG Loop in combination-Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86						
	2WVG Loop in combination-Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						
	Interoffice Transport-2W VG-Dedicated-Per mi Per mo			UNCVX	1L5XX	0.0057										
	Interoffice Transport-2W VG-Dedicated-Facility Term per mo			UNCVX	U1TV2	12.87	66.53	33.61	43.42	27.60						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		5.70	5.70	6.61	6.61						
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE G	RADE	NTER	OFFICE TRANSPOR	Т											
	4WVG Loop in combination -Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						
	4WVG Loop in combination -Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						
	4WVG Loop in combination -Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						
	Interoffice Transport-4W VG-Dedicated-Per mi Per mo			UNCVX	1L5XX	0.0057										
	Interoffice Transport-4W VG-Dedicated-Facility Term per mo			UNCVX	U1TV4	10.78	66.53	33.61	43.42	27.60						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		5.70	5.70	6.61	6.61						
EXTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 IN	TEROF	FICE	TRANSPORT												
	DS3 Local Loop in combination-per mi per mo			UNC3X	1L5ND	10.97										
	DS3 Local Loop in combination-Facility Term per mo			UNC3X	UE3PX	253.38	1,260.47	628.84	41.53	20.76						
	Interoffice Transport-Dedicated-DS3-Per mi per mo			UNC3X	1L5XX	2.53										
	Interoffice Transport-Dedicated-DS3 combination-Facility Term per			UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		5.70	5.70	6.61	6.61						
EXTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-	1 INTER	OFFI	CE TRANSPORT												
	STS-1 Local Lolp in combination-per mi per mo			UNCSX	1L5ND	10.97										
	STS-1 Local Loop in combination-Facility Term per mo			UNCSX	UDLS1	305.42	1,260.47	628.84	41.53	20.76						
	Interoffice Transport-Dedicated-STS-1 combination-per mi per mo			UNCSX	1L5XX	2.53										
	Interoffice Transport-Dedicated-STS-1 combination-Facility Term per			UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		5.70	5.70	6.61	6.61						
EXTE	NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE T	RANSP	ORT													
	First 2W ISDN Loop in Combination-Zone 1		1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86						
	First 2W ISDN Loop in Combination-Zone 2		2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86						
	First 2W ISDN Loop in Combination-Zone 3		3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86						
	Interoffice Transport-Dedicated-DS1 combination-per mi per mo			UNC1X	1L5XX	0.1154										
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	1/0 Channel System in combination-per mo			UNC1X	MQ1	69.75	86.10									
	2W ISDN COCI (BRITE)-in combination-per mo			UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04						
	Add'I 2W ISDN Loop in same DS1Interoffice Transport Combination-															
	Zone 1		1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86						
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-															
	Zone 2		2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86		1			1	1
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-															
	Zone 3		3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86		1			1	1
	Add'l 2W ISDN COCI (BRITE)-in combination-per mo			UNCNX	UC1CA	1.66	27.33	2.90		1.04						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.70	5.70		6.61					1	
	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED	CTC 4	INITE						1		1		1		 	

NRONDL	ED NETWORK ELEMENTS - Georgia												Attachr			bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		R	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order
						_	Nonrec	urring	NRC Disc	onnect		•	OSS F	Rates (\$)		THE AAA
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	First DS1 Loop Combination-Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
	First DS1 Loop Combination-Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
	First DS1 Loop Combination-Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						-
	Interoffice Transport-Dedicated-STS-1 combination-Per mi Per mo		Ŭ	UNCSX	1L5XX	2.53	200.40	70.44	07.01	0.00						-
_	Interoffice Transport-Dedicated-STS-1 combination-Facility Term per			UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88						
	3/1 Channel System in combination per mo			UNCSX	MQ3	121.90	323.91	11.01	49.50	32.00						1
	DS1 COCI in combination per mo			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						1
-	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-			UNCIA	OCIDI	7.33	21.33	2.90	10.00	1.04			-			
	Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination- Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination- Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
	DS1 COCI in combination per mo			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		5.70	5.70	6.61	6.61						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	INTER	OFFIC													
	4W 56 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
	4W 56 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						Ì
	4W 56 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						Ì
	Interoffice Transport-Dedicated-4W 56 kbps combination-Per mi per			UNCDX	1L5XX	0.0057	100.01	00.00	.0.12	0.00						1
	Interoffice Transport-Dedicated-4W 56 kbps combination-Facility			ONODA	TEO/OX	0.0007										1
	Term per mo			UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC	7.00	5.70	5.70	6.61	6.61						1
FYTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	INTER	OFFIC		011000		0.70	0.10	0.01	0.01						
LATE	4W 64 kbps Lcoal Loop in Combination-Zone 1		1 1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	4W 64 kbps Lcoal Loop in Combination-Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	4W 64 kbps Lcoal Loop in Combination-Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi per		3	UNCDX	1L5XX	0.0057	133.34	30.30	10.42	0.00						
	Interoffice Transport-Dedicated-4W 64 kbps combination-Fer IIII per			UNCDA	ILJAA	0.0037							-			1
	Term per mo			UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC	7.00	5.70	5.70	6.61	6.61						
FYTE	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TRA	NSPOR	PT w/ 3		UNCCC		5.70	3.70	0.01	0.01						
LAIL	First 2W VG Loop (SL2) in Combination-Zone 1	NOFOR	1 W/ 3	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86			-			1
-	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86			-			1
-	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86			-			1
	First Interoffice Transport-Dedicated-DS1 combination-Per mi		3	UNC1X	1L5XX	0.1154	195.94	30.30	10.42	0.00			-			1
-	First Interoffice Transport-Dedicated-DS1 combination-Per mil			UNCIA	ILOAA	0.1154							-			1
	Der mo			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						1
_	Per each DS1 Channelization System Per mo			UNC1X	MQ1	69.75	86.10	45.73	43.60	21.91			-		1	-
	Per each VG_COCI-Per mo per mo			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04					1	1
_				UNC3X	MQ3	121.90	21.33	2.90	10.86	1.04			-		1	-
_	3/1 Channel System in combination per mo						27.22	2.00	16.00	1.04			 		1	1
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Each Add'l 2W VG Loop(SL 2) in the same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport															1
	Combination-Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86						<u> </u>
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport															1
	Combination-Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						
	Each Add'l VG COCI in combination-per mo			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						<u> </u>
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.1154										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
+-	Each Add'l DS1 COCI combination per mo			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04					 	\vdash
-	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC	1.55	5.70	5.70	6.61	6.61			1		1	
FYTE	NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTER	OFFIC	F TRA				5.70	5.70	0.01	0.01					 	
		OI FIG	1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86			1		1	
LXIL	IFirst 4W Analog VG Local Loop in Combination -7one 1															
EXIL	First 4W Analog VG Local Loop in Combination -Zone 1 First 4W Analog VG Local Loop in Combination -Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						

	ED NETWORK ELEMENTS - Georgia												Attachn			ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		R.	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Orde
			-		+	1	Nonrec	urring	NRC Disc	onnect		l .	088 F	Rates (\$)		Dice Addi
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per		-	UNC1X	1L5XX	0.1154	11130	Auu	11130	Addi	JONEC	JONAN	JONAN	JONAN	JONAN	JOINAIN
	First Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						+
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	69.75	86.10	45.75	45.00	21.51						+
_	Per each VG COCI in combination-per mo			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						+
	3/1 Channel System in combination per mo			UNC3X	MQ3	121.90	27.55	2.30	10.00	1.04						+
_	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						+
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport			UNCIA	OCIDI	7.55	21.33	2.90	10.00	1.04						
	Combination-Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						
$-\!+\!-$	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport		_'_	UNCVA	UEAL4	17.00	195.94	30.30	10.42	0.00						+
	Combination-Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						
$\!\!\!\!+\!\!\!\!-$	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport			UNCVX	UEAL4	21.08	195.94	36.38	18.42	0.86						+
	Combination-Zone 3		3	UNCVX	LIE AL 4	20.05	405.04	20.20	40.40	0.00						
			3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel			LINGAV	41.577	0.4454										
	System per mo			UNC1X	1L5XX	0.1154										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1				=				40.00							
	Channel System per mo			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Add'l VG COCI-in combination-per mo			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	INTER	ROFFIC													
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per			UNC1X	1L5XX	0.1154										
	First Interoffice Transport-Dedicated-DS1-combination Facility Term															
	Per mo			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	69.75	86.10									
	Per each OCU-DP COCI (data) COCI per mo (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	3/1 Channel System in combination per mo			UNC3X	MQ3	121.90										
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice															
	Transport Combination-Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice															
	Transport Combination-Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice															1
	Transport Combination-Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
	OCU-DP COCI (data) COCI in combination per mo (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						1
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel			***************************************												
	System per mo			UNC1X	1L5XX	0.1154										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1															
	Channel System per mo			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Each Add'l DS1 COCI in the same 3/1 channel system combination			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC	7.00	5.70	5.70	6.61	6.61						1
EXTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 IN	TEROF	FICE T				0.70	0.70	0.01	0.01						+
- LXIL	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport	I	1	TOTAL OF CITE WAY OF T	T											+
	Combination-Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport			ONODA	ODLOT	21.00	133.34	30.30	10.42	0.00						+
	Combination-Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport			ONODA	ODLOT	20.50	133.34	30.30	10.42	0.00						+
	Combination-Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per		3	UNC1X	1L5XX	0.1154	133.34	50.50	10.42	0.00					1	+
	First Interoffice Transport-Dedicated-DS1 combination-Fer fill Fer			UNCIA	ILUAA	0.1154									1	+
	Per mo			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97		1			1	
$\longrightarrow \longmapsto$		 		UNC1X	MQ1	69.75	86.10	40.73	43.60	21.91					-	+
	Per each Channel System 1/0 in combination Per mo Per each OCU-DP COCI (data) in combination-per mo (2.4-64kbs)	-	\vdash	UNCIX	1D1DD	0.9963	27.33	2.00	16.00	1.04					1	+
			\vdash	UNCDX	MQ3	0.9963	21.33	2.90	16.86	1.04		ļ			1	₩
\longrightarrow															1	
	3/1 Channel System in combination per mo						6= 66		40.00							+
	3/1 Channel System in combination per mo Per each DS1 COCI in combination per mo Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attachr			bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		R	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge - Manual Svc Order
						Rec	Nonre	curring	NRC Disc	onnect		•	OSS	Rates (\$)	•	THE AAA
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice															
	Transport Combination-Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice															
	Transport Combination-Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						ļ
	Add'l OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel			UNCDX	טטוטו	0.9963	21.33	2.90	10.80	1.04						
	System per mo			UNC1X	1L5XX	0.1154										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1			ONOTA	120/01	0.1104										
	Channel System per mo			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Each Add'l DS1 COCI in the same 3/1 channel system combination			UNC1X	UC1D1	7.35	27.33	2.90		1.04						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXTE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT	w/ 3/1 I	MUX													·
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-															
	Zone 1		1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86			_			<u> </u>
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-		2	LINONIX	1141.00/	00.00	105.01	00.00	40.40	0.00						
	Zone 2 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-		2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86						
	Zone 3		3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi per		3	UNCINA	UILZA	42.17	195.94	30.30	10.42	0.00					-	
	Imo			UNC1X	1L5XX	0.1154										
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term			ONOTA	TESTA	0.1134										
	per mo			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Per each Channel System 1/0 in combination-per mo			UNC1X	MQ1	69.75	86.10									
	Per each 2W ISDN COCI (BRITE) in combination-per mo			UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04						
	3/1 Channel System in combination per mo			UNC3X	MQ3	121.90										
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Add'I 2W ISDN Loop in same DS1Interoffice Transport Combination-															
	Zone 1		1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86						
	Add'I 2W ISDN Loop in same DS1Interoffice Transport Combination-															
	Zone 2 Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-		2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86						
	Zone 3		3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86						
	Add'l 2W ISDN COCI (BRITE) in same 1/0 channel system		3	UNCINA	UILZA	42.17	195.94	30.30	10.42	0.00					-	
	combination-per mo			UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04						
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel			ONOR	0010/1	1.00	27.00	2.00	10.00	1.04						
	System per mo			UNC1X	1L5XX	0.1154										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1															
	Channel System per mo			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Each Add'l DS1 COCI in the same 3/1 channel system combination			UNC1X	UC1D1	7.35	27.33	2.90		1.04						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXIE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE TI First 4W DS1 Digital Looal Loop in Combination-Zone 1	RANSP	ORI W	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
	First 4W DS1 Digital Leoal Loop in Combination-Zone 1 First 4W DS1 Digital Leoal Loop in Combination-Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
	First 4W DS1 Digital Lcoal Loop in Combination-Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per		J	UNC1X	1L5XX	0.1154	203.43	70.44	37.31	0.00						
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term			0.10.17	120/01	0.1101										
	Per mo			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97	1		[
	3/1 Channel System in combination per mo			UNC3X	MQ3	121.90										
	Per each DS1 COCI combination per mo			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel					\Box				1	1		[
	System per mo			UNC1X	1L5XX	0.1154			ļ				ļ			ļ
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1			LINGAY	LIATEA	24.40	07.70	45.70	40.00	07.07						
_	Channel System per mo			UNC1X UNC1X	U1TF1 UC1D1	34.19 7.35	87.76 27.33	45.73 2.90	43.80 16.86	27.97 1.04			 		 	
-	Each Add'l DS1 COCI in the same 3/1 channel system combination Add'l 4W DS1 Digital Local Loop in Combination-Zone 1		1	UNC1X UNC1X	USLXX	7.35 41.02	209.45	70.44		1.04 6.86	-		 		-	├──
_	Add'l 4W DS1 Digital Local Loop in Combination-Zone 1 Add'l 4W DS1 Digital Local Loop in Combination-Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44		6.86			1		1	\vdash
-+	Add'l 4W DS1 Digital Local Loop in Combination-Zone 2 Add'l 4W DS1 Digital Local Loop in Combination-Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86			 		 	\vdash
	NRC Currently Combined Network Elements Switch -As-Is Charge		J	UNC1X	UNCCC	02.00	5.70	5.70		6.61	 				+	+

INBUNDL	ED NETWORK ELEMENTS - Georgia												Attachr	nent: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		F	RATES (\$)			Svc Order Submitte d Elec per LSR	Submitted	Incremental		Incremental Charge - Manual Svo Order vs. Electronic-	I Charge
											per LOIX		1st	Electronic-		Electroni
						_	Nonre	curring	NRC Disc	connect			OSS	Rates (\$)		Dicc Ada
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INT	FROFE	ICF T	RANSPORT					11100	1						
	First 4W 56 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
	First 4W 56 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						†
	First 4W 56 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						†
	First 4We 56 kbps Interoffice Transport-Dedicated-Per mi per mo			UNCDX	1L5XX	0.0057										
	First 4W 56 kbps Interoffice Transport-Dedicated-Facility Term per			UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.70	5.70		6.61						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DSO INT	EROFF	ICE T	RANSPORT												
	First 4W 64 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	First 4W 64 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	First 4W 64 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	First I4W 65 kbps Interoffice Transport-Dedicated-Per mi per mo			UNCDX	1L5XX	0.0057										
	First 4W 64 kbps Interoffice Transport-Dedicated-Facility Term per			UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.70	5.70	6.61	6.61						
DITIONAL	NETWORK ELEMENTS															
When	used as a part of a currently combined facility, the non-recurring	charge	es do	not apply, but a Sw	itch As Is ch	arge does apply										
	used as ordinarily combined network elements in All States, the															
	curring Currently Combined Network Elements "Switch As Is" Ch					1										1
	NRC Currently Combined Network Elements Switch -As-Is Charge- 2W/4W VG	J . (UNCVX	UNCCC		5.70	5.70	6.61	6.61						
	NRC Currently Combined Network Elements Switch -As-Is Charge-															
	56/64 kbps			UNCDX	UNCCC		5.70	5.70	6.61	6.61						
	NRC Currently Combined Network Elements Switch -As-Is Charge- DS1			UNC1X	UNCCC		5.70	5.70		6.61						
	NRC Currently Combined Network Elements Switch -As-Is Charge- DS3			UNC3X	UNCCC		5.70	5.70	6.61	6.61						
	NRC Currently Combined Network Elements Switch -As-Is Charge- STS1			UNCSX	UNCCC		5.70	5.70	6.61	6.61						
Optio	nal Features & Functions:															
				U1TD1,												
	Clear Channel Capability Extended Frame Option-per DS1	I		ULDD1,UNC1X U1TD1,	CCOEF		OI	Ol	OI	OI						1
	Clear Channel Capability Super FrameOption-per DS1 Clear Channel Capability (SF/ESF) Option-Subsqnt Activity-per	I		ULDD1,UNC1X ULDD1, U1TD1,	CCOSF		OI	OI	OI	OI						
	DS1	I		UNC1X, USL U1TD3, ULDD3,	NRCCC		184.62S	23.78S	2.03S	0.79S						
	C-bit Parity Option-Subsqnt Activity-per DS3	i		UE3, UNC3X	NRCC3		218.74S	7.66S	0.7591S	0S						
MULT	IPLEXERS															1
	DS1 to DS0 Channel System per mo			UNC1X	MQ1	69.75	86.10									
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) used for a Local Loop			UDL	1D1DD	0.9963	11.98	11.39	6.61	6.61						
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4- 64kbs) used for connection to a channelized DS1 Local Channel in				45.455											
	the same SWC as collocation 2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo for a			U1TUD	1D1DD	0.9963	11.98	11.39	6.61	6.61						
	Local Loop 2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo used			UDN	UC1CA	1.66	15.81	11.39	6.61	6.61						
	Tor connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	1.66	15.81	11.39	6.61	6.61						
-	VG COCI-DS1 to DS0 Channel System-per mo used for a Local	-	<u> </u>	UEA	1D1VG	0.4689	11.98	11.39		6.61			-		 	
	VG COCI-DS1 to DS0 Channel System-per mo used for connection to a channelized DS1 Local Channel in the same SWC as			OLA	IDIVG	0.4009	11.90	11.39	0.01	0.01						
	collocation			U1TUC	1D1VG	0.4689	11.98	11.39	6.61	6.61						
	DS3 to DS1 Channel System per mo			UNC3X	MQ3	121.90			ļ	ļ						1
	STS-1 to DS1 Channel System per mo			UNCSX	MQ3	121.90				<u> </u>						
	DS1 COCI used with Loop per mo DS1 COCI (used for connection to a channelized DS1 Local		-	USL	UC1D1	7.35	15.81	11.39	6.61	6.61						
	Channel in the same SWC as collocation) per mo			U1TUA U1TD1	UC1D1	7.35	15.81	11.39	6.61	6.61						<u> </u>
1	DS1 COCI used with Interoffice Channel per mo			מודט 1	UC1D1	7.35	15.81	11.39	6.61	6.61	1		1		1	

ONBON	ULE	D NETWORK ELEMENTS - Georgia				1						_	_	Attachr		1	bit: A
CATEGO	RY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		R	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo Order vs. Electronic-	I Charge Manual Svc Orde
							Rec	Nonrec	curring	NRC Disc	onnect				Add'i		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	С	OS3 Interface Unit (DS1 COCI) used with Local Channel per mo			ULDD1	UC1D1	7.35	15.81	11.39	6.61	6.61						1
UNBUND	LED	LOCAL EXCHANGE SWITCHING(PORTS)															
Ex	chan	ge Ports															
		Although the Port Rate includes all available features in GA, KY,	LA &	TN. th	e desired features w	ill need to be	ordered using	retail USOCs									
		VOICE GRADE LINE PORT RATES (RES)					<u> </u>										
		exchange Ports-2W Analog Line Port-Res.			UEPSR	UEPRL	1.09	2.42	2.31	1.37	1.28						1
		exchange Ports-2W Analog Line Port with Caller ID-Res.			UEPSR	UEPRC	1.09	2.42	2.31	1.37	1.28						-
		exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR	UEPRO	1.09	2.42	2.31	1.37	1.28	-					
					UEFOR	UEPRO	1.09	2.42	2.31	1.37	1.20						
		exchange Ports-2W VG unbundled res, low usage line port with															
		Caller ID (LUM)			UEPSR	UEPAP	1.09	2.42	2.31	1.37	1.28						
		exchange Ports-2W Voice GA basic dialing port w/o Caller ID			UEPSR	UEPWC	1.09	2.42	2.31		1.28	ļ	ļ	ļ			.
		W voice unbundled GA basic dialing port for use with Caller ID-res			UEPSR	UEPWQ	1.09	2.42	2.31	1.37	1.28						
		W voice unbundled GA basic dialing port-outgoing only			UEPSR	UEPWR	1.09	2.42	2.31	1.37	1.28						
		W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPSR	UEPRT	1.09	2.42	2.31	1.37	1.28						
		W VG Unbundled Port w/o Caller ID capability, GA			UEPSR	UEPRV	1.09	2.42	2.31	1.37	1.28						
		W VG Unbundled Port with Caller ID capability, GA			UEPSR	UEPRU	1.09	2.42	2.31	1.37	1.28						
		Subsqnt Activity			UEPSR	USASC	0.00	0.00	0.00								
FF	ATU																-
		Il Available Vertical Features			UEPSR	UEPVF	0.775	0.00	0.00								+
2.1		VOICE GRADE LINE PORT RATES (BUS)			OLI OIL	OLI VI	0.110	0.00	0.00								-
Z-V					UEPSB	UEPBL	1.09	2.42	2.31	1.37	1.28	1		-			
		xchange Ports-2W Analog Line Port w/o Caller ID-Bus			UEPSB	UEPBL	1.09	2.42	2.31	1.37	1.28						
		exchange Ports-2W VG unbundled Line Port with unbundled port															
		vith Caller+E484 ID-Bus.			UEPSB	UEPBC	1.09	2.42	2.31	1.37	1.28						
		xchange Ports-2W Voice GA bus Basic Dialing Port, with Caller ID															
		apability			UEPSB	UEPWP	1.09	2.42	2.31	1.37	1.28						
		xchange Ports-2W Analog Line Port outgoing only-Bus.			UEPSB	UEPBO	1.09	2.42	2.31	1.37	1.28						
	E	xhange Ports-2W VG unbundled incoming only port with Caller ID-			UEPSB	UEPB1	1.09	2.42	2.31		1.28						
	E	xchange Ports-2W Voice GA bus Dialing Plan w/o Caller ID			UEPSB	UEPWD	1.09	2.42	2.31	1.37	1.28						
	2	W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPSB	UEPBE	1.09	2.42	2.31	1.37	1.28						1
		Subsqnt Activity			UEPSB	USASC	0.00	0.00	0.00								
FF	ATU							0.00									
		Il Available Vertical Features			UEPSB	UEPVF	0.775	0.00	0.00								1
FY		NGE PORT RATES (DID & PBX)			OLIOD	OLI VI	0.110	0.00	0.00								-
		W VG Unbundled 2-Way PBX Trunk-Res			UEPSE	UEPRD	1.09	28.88	13.63	11.48	0.83	1		-			+
					UEPSP	UEPPC						-					
		W VG Line Side Unbundled 2-Way PBX Trunk-Bus					1.09	28.88	13.63	11.48	0.83			-		 	
		W VG Line Side Unbundled Outward PBX Trunk-Bus			UEPSP	UEPPO	1.09	28.88	13.63		0.83	1	l	1		1	├
		W VG Line Side Unbundled Incoming PBX Trunk-Bus			UEPSP	UEPP1	1.09	28.88	13.63		0.83	ļ	ļ	ļ			
		W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	1.09	28.88	13.63	11.48	0.83			ļ			<u> </u>
		W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.09	28.88	13.63	11.48	0.83						
		W Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.09	28.88	13.63	11.48	0.83						
		W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.09	28.88	13.63	11.48	0.83						
	2	W Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.09	28.88	13.63	11.48	0.83						
		W Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.09	28.88	13.63	11.48	0.83						
		W Voice Unbundled PBX LD Terminal Switchboard IDD Capable			-	İ				i -				1		Ì	1
		Port			UEPSP	UEPXE	1.09	28.88	13.63	11.48	0.83		l				
		W Voice Unbundled 2-Way PBX Hotel/Hospital Economy			021 01	OLI AL	1.03	20.00	10.00	11.40	0.00	1		-			
		Idministrative Calling Port			UEPSP	UEPXL	1.09	28.88	13.63	11.48	0.83		l				
		W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room			ULFSF	ULFAL	1.09	20.00	13.03	11.40	0.63	-	 	-		-	├
		calling Port			UEPSP	UEPXM	1.09	28.88	13.63	11.48	0.83		l				
					UEPSP	UEPAIVI	1.09	∠8.88	13.63	11.48	0.83	1	l	1		1	├
1		W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount	l										1				1
		Room Calling Port			UEPSP	UEPXO	1.09	28.88	13.63	11.48	0.83	ļ	ļ	ļ			.
		W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.09	28.88	13.63	11.48	0.83						<u> </u>
		W voice unbundled GA basic dialing port-1-Way Oudial Trunk			UEPSP	UEPWS	1.09	28.88	13.63	11.48	0.83						
		W voice unbundled GA basic dialing port-2-Way Trunk			UEPSP	UEPWT	1.09	28.88	13.63	11.48	0.83						
		W voice unbundled GA basic dialing port-2-way PBX Trunk			UEPSP	UEPPQ	1.09	28.88	13.63	11.48	0.83						
		Subsqnt Activity			UEPSP	USASC	0.00	0.00	0.00								
FE	ATU									İ							1
		Il Available Vertical Features			UEPSP UEPSE	UEPVF	0.775	0.00	0.00	1	1	1		-			
- 1		NGE PORT RATES (COIN)		-	3L1 31 0L1 0L	OLI VI	0.113	0.00	0.00	1	 	 	 	1		 	+

UNBUND	DLED NETWORK ELEMENTS - Georgia					1							Attachr			bit: A
CATEGOR	Y RATE ELEMENTS	Interi m	Zon e	BCS	USOC		R	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Orde
						Rec	Nonrec	urring	NRC Disc	onnect			OSS F	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports-Coin Port					1.09	2.42	2.31	1.37	1.28						
NOT	TE: Transmission/usage charges associated with POTS circuit sw	itched u	sage	vill also apply to circ	cuit switche	d voice and/or ci	rcuit switche	ed data trans	mission by	B-Channel	s associat	ed with 2-w	ire ISDN port	s.		
	TE: Access to B Channel or D Channel Packet capabilities will be															
UNBUNDLI	ED LOCAL EXCHANGE SWITCHING(PORTS)															
EXC	CHANGE PORT RATES															
	DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISD												es or a separa	ite agreeme	nt.	
Req	uests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports a	ter the e	ffective	e date of this amend	lment shall	be provided pure	uant to a se	parate agree	ement or tar	iff at BellSo	uth's disc	retion.				
	Exchange Ports-2W DID Port			UEPEX	UEPP2	5.50	122.26	18.65	54.82	3.45						
	Exchange Ports-DDITS Port-4W DS1 Port with DID capability (E:4/1/2004)			UEPDD	UEPDD	41.20	200.96	93.00	65.81	2.33						
	Exchange Ports-2W ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	6.09	76.39	51.50	45.67	10.36						
	All Features Offered			UEPTX, UEPSX	UEPVF	0.775	0.00	0.00								
	Exchange Ports-2W ISDN PortChannel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
NOT	TE: Transmission/usage charges associated with POTS circuit sw	itched u	sage	vill also apply to circ	uit switche	d voice and/or ci	rcuit switche	d data trans	smission by	B-Channel	s associat	ed with 2-w	ire ISDN port	s.		
NOT	TE: Access to B Channel or D Channel Packet capabilities will be	available	only	through BFR/NBR P	rocess. Rat	es for the packet	capabilities	will be dete	rmined via	the BFR/NB	R Process					
EXC	CHANGE PORT RATES (continued)															
	Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator															
	Capability (E:4/1/2004)			UEPEX	UEPEX	65.13	198.74	97.29	72.95	17.69						
	Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	65.13	198.74	97.29	72.95	17.69						
	Physical Collocation-DS1 Cross-Connects			UEPEX UEPDX	PE1P1	0.3726										
	Virtual collocation-Special Access & UNE, cross-connect per DS1			UEPEX UEPDX	CNC1X	0.3726										
Deta	ailed E911 with Locator Capability (required with UEPEX port)															
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator															
	Capability-Initial Profile Establishment per CLEC per State			UEPEX	UEP1A	0.00	1,818.00									
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator															
	Capability-Subsqnt Profile Changes, Additions, Deletions			UEPEX	UEP1B	0.00	176.57									
New	or Additional PRI Telephone Numbers															
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator															
	Capability 2-way Tel Nos, per No in E911 profile [New or Add'l]			UEPEX	UEP1C	0.0703	0.50									
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator															
	Capability-Outdial Tel Nos, per No in E911 profile [New or Add'l]			UEPEX	UEP1D	0.0703	10.72	10.72								
	Unbundled Exchange Ports, 4W ISDN DS1 Port-Inward Tel Nos-															
	Inward Data Only Option [New or Add'l]			UEPDX	UEP1E	0.00	0.50									
	Exchange Ports-4W ISDN DS1 Port-Subsqnt [New] Inward Tel Nos															
	[Customer Testing Purposes]			UEPEX	PR7ZT	0.00	21.43	21.43								
LOC	CAL NUMBER PORTABILITY			LIEBEN LIEBEN	LUBOU											
INITE	Local No Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
INTE	ERFACE (Provsioning Only)	1	-	UEPEX	PR71V	0.00	0.00	0.00	-				 		 	
	Voice/Data	-		UEPEX	PR71V PR71D	0.00	0.00	0.00			-		 		 	
	Digital Data Inward Data	+	-	UEPEX	PR71D PR71E	0.00	0.00	0.00					 		-	
Nove	y or Additional Channel	-		UEPDA	FR/IE	0.00	0.00	0.00			-		 		 	├──
New	New or Add'I-Voice/Data "B" Channel	-		UEPEX	PR7BV	0.00	28.71				-		 		 	
	New or Add'I-voice/Data "B" Channel New or Add'I-Digital Data "B" Channel	+	-	UEPEX	PR7BF	0.00	28.71						-		-	┼
	New or Add I-Digital Data B Channel New or Add'l Inward Data "B" Channel	1	-	UEPDX	PR7BD	0.00	28.71		1						1	\vdash
	New or Add'l Useage Sensitive Voice Data "B" Channel		-	UEPEX	PR7BS	0.00	20.11		-		-		+		 	+
	New or Add'l Useage Sensitive Voice Data 'B' Channel		-	UEPEX	PR7BU	0.00			-		-		+		 	+
	New or Add'l PRI "D" Channel	+	 	UEPEX	PR7EX	0.00	28.71						1		1	
CVI	L TYPES	+	1	OLILA	TIVLX	0.00	20.71								-	
JAL.	Inward	1		UEPEX UEPDX	PR7C1	0.00	0.00	0.00							<u> </u>	
	Outward	1		UEPEX	PR7CO	0.00	0.00	0.00							<u> </u>	
	Two-way	1		UEPEX	PR7CC	0.00	0.00	0.00							t	
UNR	BUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY	1				5.50	0.00	0.00							1	1
	BUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE	1													1	†
	Unbundled Remote Call Forwarding Service, Area Calling, Res	1		UEPVR	UERAC	1.09	2.42	2.31	1.37	1.28						1
	Unbundled Remote Call Forwarding Service, Local Calling-Res	1		UEPVR	UERLC	1.09	2.42	2.31	1.37	1.28						†
	Unbundled Remote Call Forwarding Service, InterLATA-Res	1		UEPVR	UERTE	1.09	2.42	2.31	1.37	1.28			1		1	1
	Unbundled Remote Call Forwarding Service, IntraLATA-Res			UEPVR	UERTR	1.09	2.42	2.31	1.37	1.28						
II.																

UNBUNDLED NETWORK ELEMENTS - Georgia												Attachr	nent: 2	Exhil	oit: A
										Svc	Svc Order	Incremental	Incrementa	Incremental	Incrementa
										Order	Submitted	Charge -	I Charge -	Charge -	I Charge -
		7				Submitte	Manually	Manual Svc		Manual Svc	Manual				
CATEGORY RATE ELEMENTS		Zon	BCS USOC RATES (\$)								per LSR		Svc Order	Order vs.	Svc Order
	m	е								d Elec per LSR		Electronic-	VS.	Electronic-	vs.
										per Lor			Electronic-		Electronic
												151	V 441	DISC ISI	Disc Add'l
					Rec	Nonrec	urring	NRC Disc	onnect		•	OSS F	Rates (\$)		
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Unbundled Remote Call Forwarding Service -Conversion-Switch-as-			UEPVR	USAC2		2.01	0.31								
Unbundled Remote Call Forwarding Service -Conversion with															
allowed change (PIC and LPIC)			UEPVR	USACC		2.01	0.31								
UNBUNDLED REMOTE CALL FORWARDING - Bus															
Unbundled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UERAC	1.09	2.42	2.31	1.37	1.28						
Unbundled Remote Call Forwarding Service, Local Calling-Bus			UEPVB	UERLC	1.09	2.42	2.31	1.37	1.28						
Unbundled Remote Call Forwarding Service, InterLATA-Bus			UEPVB	UERTE	1.09	2.42	2.31	1.37	1.28						
Unbundled Remote Call Forwarding Service, IntraLATA-Bus			UEPVB	UERTR	1.09	2.42	2.31	1.37	1.28						
Unbundled Remote Call Forwarding Service Expanded and															
Exception Local Calling			UEPVB	UERVJ	1.09	2.42	2.31	1.37	1.28						
Non-Recurring															
Unbundled Remote Call Forwarding Service-Conversion-Switch-as-			UEPVB	USAC2		2.01	0.31								
Unbundled Remote Call Forwarding Service -Conversion with															
allowed change (PIC and LPIC)			UEPVB	USACC		2.01	0.31								
UNBUNDLED LOCAL SWITCHING, PORT USAGE															
End Office Switching (Port Usage)															
End Office Switching Function, Per MOU					0.0006153										
End Office Trunk Port-Shared, Per MOU					0.0001226										
Tandem Switching (Port Usage) (Local or Access Tandem)															
Tandem Switching Function Per MOU					0.0000972										
Tandem Trunk Port-Shared, Per MOU					0.0001557										
Tandem Switching Function Per MOU (Melded)					0.000017904										
Tandem Trunk Port-Shared, Per MOU (Melded)					0.00002868										
Melded Factor: 18.42% of the Tandem Rate															
Common Transport															
Common Transport-Per mi, Per MOU					0.0000027										
Common Transport-Facilities Term Per MOU					0.0001914										
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES															
Cost Based Rates are applied where BellSouth is required by FCC and															
Features shall apply to the Unbundled Port/Loop Combination - Cost															
End Office and Tandem Switching Usage and Common Transport Usa															
The first and additional Port nonrecurring charges apply to Not Curre	ntly Co	mbined	Combos. For Curr	ently Combir	ed Combos the i	nonrecurring	g charges sl	nall be those	identified	in the Nor	recurring -	Currently Co	mbined sec	tions.	

Version 3Q03: 11/12/2003

NRUND	LED NETWORK ELEMENTS - Georgia		, ,								_		Attachi			bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	I Charge
						Rec	Nonrec		NRC Disc					Addu Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WII	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			10.46										
	2W VG Loop/Port Combo-Zone 2		2			15.76										1
	2W VG Loop/Port Combo-Zone 3		3			32.56										
UNE	Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	9.56										
	2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX	14.86										1
	2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	31.66										1
2-Wii	re Voice Grade Line Port Rates (Res)			-												1
	2W voice unbundled port-res			UEPRX	UEPRL	0.9019	10.05	7.36	1.37	1.28			İ		İ	†
1	2W voice unbundled port with Caller ID-res			UEPRX	UEPRC	0.9019	10.05	7.36	1.37	1.28			1		1	1
	2W voice unbundled port with calls 15 res 2W voice unbundled port outgoing only-res	l -		UEPRX	UEPRO	0.9019	10.05	7.36	1.37	1.28			 		 	†
	2W voice unbundles res, low usage line port with Caller ID (LUM)	 	\vdash	UEPRX	UEPAP	0.9019	10.05	7.36	1.37	1.28						
+	2W voice unbundled GA basic dialing port w/o Caller ID capability-	 		Q=110X	5=174	0.0010	10.00	7.50	1.07	1.20			 		 	
1	res	1		UEPRX	UEPWC	0.9019	10.05	7.36	1.37	1.28			İ		İ	
-	2W voice unbundled GA basic dialing port for use with Caller ID-res			UEPRX	UEPWQ	0.9019	10.05	7.36	1.37	1.28	ļ					+
				UEPRX	UEPWR	0.9019	10.05	7.36	1.37	1.28						
_	2W voice unbundled GA basic dialing port-outgoing only				UEPRT											
_	2W voice unbundled Low Usage Line Port w/o Caller ID Capability		-	UEPRX		0.9019	10.05	7.36	1.37	1.28						
_	2W VG Unbundled Port w/o Caller ID, GA		-	UEPRX	UEPRV	0.9019	10.05	7.36	1.37	1.28						
	2W VG Unbundled Port with Caller ID, GA		-	UEPRX	UEPRU	0.9019	10.05	7.36	1.37	1.28						
FEA	TURES															
	All Features Offered			UEPRX	UEPVF	0.775	0.00	0.00								
LOC	AL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPRX	LNPCX	0.35										
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPRX	USAC2		0.10	0.10								
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPRX	USACC		0.10	0.10								
ADDI	TIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPRX	USAS2	0.00	0.00	0.00								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRX	URETL		8.33	0.83								
OFF/	ON PREMISES EXTENSION CHANNELS															
	2W Analog VG Extension Loop – Non-Design		1	UEPRX	UEAEN	10.51	40.02	9.99	5.61	1.72						
	2W Analog VG Extension Loop – Non-Design		2	UEPRX	UEAEN	15.85	40.02	9.99	5.61	1.72						
	2W Analog VG Extension Loop – Non-Design		3	UEPRX	UEAEN	31.97	40.02	9.99	5.61	1.72						
	2W Analog VG Extension Loop – Design		1	UEPRX	UEAED	11.57	79.85	24.65	18.92	7.87						
	2W Analog VG Extension Loop – Design		2	UEPRX	UEAED	16.95	79.85	24.65	18.92	7.87						
	2W Analog VG Extension Loop – Design		3	UEPRX	UEAED	33.08	79.85	24.65	18.92	7.87						
INTE	ROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRX	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRX	U1TVM	0.0057	0.00	0.00								
2-WII	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
	Port/Loop Combination Rates				1								İ		İ	1
	2W VG Loop/Port Combo-Zone 1		1		1	10.46			i				İ		İ	1
\neg	2W VG Loop/Port Combo-Zone 2		2		1	15.76							İ		İ	†
1	2W VG Loop/Port Combo-Zone 3		3		1	32.56							İ		i	†
UNF	Loop Rates		Ť		1	02.00							1		i	—
	2W VG Loop (SL1)-Zone 1	-	1	UEPBX	UEPLX	9.56							 		 	
-1	2W VG Loop (SL1)-Zone 2	1	2	UEPBX	UEPLX	14.86							 		 	
	2W VG Loop (SL1)-Zone 3	-	3	UEPBX	UEPLX	31.66							 		 	1
2-Wii	re Voice Grade Line Port (Bus)	1		OLI DA	02.12/	01.00							 		 	
	2W voice unbundled port w/o Caller ID-bus	l -		UEPBX	UEPBL	0.9019	10.05	7.36	1.37	1.28			 		 	
	2W voice unbundled port w/b Caller + E484 ID-bus		H	UEPBX	UEPBC	0.9019	10.05	7.36	1.37	1.28			1		1	+
	2W voice unburidled port with Caller + E464 iD-bus 2W voice unbundled port outgoing only-bus	-	\vdash	UEPBX	UEPBO	0.9019	10.05	7.36	1.37	1.28	+		1		1	
-	2W voice unbundled incoming only port with Caller ID-Bus		\vdash	UEPBX	UEPB1	0.9019	10.05	7.36	1.37	1.28			1		1	+
+	2W voice unbundled GA basic dialing port, w/o Caller ID capability-	-	\vdash	ULFDA	ULFDI	0.9019	10.05	1.30	1.3/	1.28	+		1		1	+
	bus	1		UEPBX	UEPWD	0.9019	10.05	7.36	1.37	1.28			l		l	
+	540	 		UEPBX	UEPWD	0.9019					1		 		 	+
1	2W voice unbundled GA basic dialing port for use with Caller ID-bus 2W voice unbundled Incoming Only Port w/o Caller ID Capability		1	UEPBX	UEPWP	0.9019	10.05 10.05	7.36 7.36	1.37 1.37	1.28 1.28	1					

IBUNDLED N	NETWORK ELEMENTS - Georgia												Attachi	nent: 2	Exhi	bit: A
TEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		R	ATES (\$)			Svc Order Submitte d Elec	Submitted	Incremental Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order	Incremental Charge - Manual Svc Order vs.	Increme I Charg Manua Svc Ord
											per LSR		Electronic- 1st	vs. Electronic-	Electronic- Disc 1st	vs. Electron
							Nonrec	curring	NRC Disc	onnect			OSS	Rates (\$)	l	Dicc Ad
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
LOCAL NUM	MBER PORTABILITY															
	I No Portability (1 per port)			UEPBX	LNPCX	0.35										
FEATURES																
All Fe	eatures Offered			UEPBX	UEPVF	0.775	0.00	0.00								
	RRING CHARGES (NRCs) - CURRENTLY COMBINED															
	/G Loop/Line Port Combination-Conversion-Switch-as-is			UEPBX	USAC2		0.10	0.10								
	/G Loop/Line Port Combination -Conversion-Switch with change			UEPBX	USACC		0.10	0.10								
ADDITIONA	AL NRCs															
2W V	/G Loop/Line Port Combination-Subsqnt Activity			UEPBX	USAS2		0.00	0.00								
Unbu	undled Misc Rate Element, Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83								
	REMISES EXTENSION CHANNELS															
2W A	Analog VG Extension Loop – Non-Design		1	UEPBX	UEAEN	10.51	40.02	9.99	5.61	1.72						
	Analog VG Extension Loop – Non-Design		2	UEPBX	UEAEN	15.85	40.02	9.99	5.61	1.72						
2W A	Analog VG Extension Loop – Non-Design		3	UEPBX	UEAEN	31.97	40.02	9.99	5.61	1.72						
2W A	Analog VG Extension Loop – Design		1	UEPBX	UEAED	11.57	79.85	24.65	18.92	7.87						
2W A	Analog VG Extension Loop – Design		2	UEPBX	UEAED	16.95	79.85	24.65	18.92	7.87						
	Analog VG Extension Loop – Design		3	UEPBX	UEAED	33.08	79.85	24.65	18.92	7.87						
	ICE TRANSPORT															
	office Transport-Dedicated-2W VG-Facility Term			UEPBX	U1TV2	12.87	48.46	19.48	16.58	5.00						
	office Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPBX	U1TVM	0.0057	0.00	0.00								
	ICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
	.oop Combination Rates															
	/G Loop/Port Combo-Zone 1		1			10.46										
	/G Loop/Port Combo-Zone 2		2			15.76										
	/G Loop/Port Combo-Zone 3		3			32.56										
UNE Loop F																
	/G Loop (SL 1)-Zone 1		1	UEPRG	UEPLX	9.56										
	/G Loop (SL 1)-Zone 2		2	UEPRG	UEPLX	14.86										
	/G Loop (SL 1)-Zone 3		3	UEPRG	UEPLX	31.66										
	ce Grade Line Port Rates (RES - PBX)															
	/G Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	0.9019	10.05	7.36	1.37	1.28						
	MBER PORTABILITY			LIEBBO	LNDOD	0.45	0.00	0.00								
FEATURES	l No Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
	eatures Offered			UEPRG	UEPVF	0.775	0.00	0.00								
				UEPRG	UEPVF	0.775	0.00	0.00								
	RRING CHARGES (NRCs) - CURRENTLY COMBINED /G Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2		0.10	0.10							 	
	/G Loop/Line Port Combination (PBX)-Conversion-Switch-As-is /G Loop/Line Port Combination (PBX)-Conversion-Switch with			UEFRG	USACZ		0.10	0.10							-	
Chan				UEPRG	USACC		0.10	0.10								
ADDITIONA			\vdash	OLFING	OUACC		0.10	0.10							1	
	/G Loop/Line Port Combination (PBX)-Subsgnt Activity		H	UEPRG	USAS2	0.00	0.00	0.00							-	
	Subsqnt Activity-Change/Rearrange Multiline Hunt Group		\vdash	OLI NO	00/102	0.00	6.70	6.70								
	undled Misc Rate Element, Tag Loop at End User Premise		\vdash	UEPRG	URETL		8.33	0.83								
	REMISES EXTENSION CHANNELS		\vdash	02/10	J.,E.I.E		0.00	0.00							1	
	I Channel VG, per Term		1	UEPRG	P2JHX	11.57	79.85	24.65	18.92	7.87	 					
	I Channel VG, per Term		2	UEPRG	P2JHX	16.95	79.85	24.65	18.92	7.87					1	
	I Channel VG, per Term		3	UEPRG	P2JHX	33.08	79.85	24.65	18.92	7.87						
	Wire Direct Serve Channel VG		1	UEPRG	SDD2X	12.74	56.92	7.70	4.40	0.02						
	Wire Direct Serve Channel VG		2	UEPRG	SDD2X	19.76	56.92	7.70	4.40	0.02					1	1
	Wire Direct Serve Channel VG		3	UEPRG	SDD2X	37.18	56.92	7.70	4.40	0.02						
	ICE TRANSPORT					50	30.02	0		0.02						
	office Transport-Dedicated-2W VG-Facility Term			UEPRG	U1TV2	12.87	48.46	19.48	16.58	5.00					İ	
	office Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRG	U1TVM	0.0057	0.00	0.00			l					

	ED NETWORK ELEMENTS - Georgia										_	_	Attachr			bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		R	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Orde
						_	Nonrec	curring	NRC Disc	onnect		•	OSS	Rates (\$)	•	THE NAME
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)								1							
	ort/Loop Combination Rates															1
	2W VG Loop/Port Combo-Zone 1		1			10.46			1							
	2W VG Loop/Port Combo-Zone 2		2		+	15.76							-			1
	2W VG Loop/Port Combo-Zone 2		3		+	32.56							-			1
	oop Rates		3		-	32.30										
			1	UEPPX	LIEDLY	9.56										ļ
	2W VG Loop (SL 1)-Zone 1				UEPLX											
	2W VG Loop (SL 1)-Zone 2		2	UEPPX	UEPLX	14.86										
	2W VG Loop (SL 1)-Zone 3		3	UEPPX	UEPLX	31.66										
	Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus	 	\sqcup	UEPPX	UEPPC	0.9019	10.05	7.36		1.28			ļ			ļ
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	0.9019	10.05	7.36	1.37	1.28			ļ			<u> </u>
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	0.9019	10.05	7.36	1.37	1.28			1			<u> </u>
	2W Voice Unbundled PBX LD Terminal Ports	<u> </u>		UEPPX	UEPLD	0.9019	10.05	7.36	1.37	1.28						<u> </u>
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	0.9019	10.05	7.36		1.28						
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	0.9019	10.05	7.36		1.28						
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	0.9019	10.05	7.36	1.37	1.28						
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	0.9019	10.05	7.36	1.37	1.28						
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable															
	Port			UEPPX	UEPXE	0.9019	10.05	7.36	1.37	1.28						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPPX	UEPXL	0.9019	10.05	7.36	1.37	1.28						
-+-+	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room			OZ X	02.742	0.0010	10.00	7.00	1.01	1.20			-			
	Calling Port			UEPPX	UEPXM	0.9019	10.05	7.36	1.37	1.28						
\longrightarrow	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount			OLITA	OLI 74VI	0.0010	10.00	7.00	1.07	1.20						1
1 ,	Room Calling Port			UEPPX	UEPXO	0.9019	10.05	7.36	1.37	1.28						
\rightarrow	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	0.9019	10.05	7.36	1.37	1.28			-			1
\longrightarrow	2W voice unbundled GA basic dialing port-1-Way Oudial Trunk			UEPPX	UEPWS	0.9019	10.05	7.36		1.28						<u> </u>
-+-+	2W voice unbundled GA basic dialing port-1-way Oddiar Hunk 2W voice unbundled GA basic dialing port-2-Way Trunk			UEPPX	UEPWT	0.9019	10.05	7.36	1.37	1.28						<u> </u>
\longrightarrow	2W voice unbundled GA basic dialing port-2-way Trunk 2W voice unbundled GA basic dialing port-2-way PBX Trunk			UEPPX	UEPPQ	0.9019										
							10.05	7.36	1.37	1.28						
	2W voice unbundled GA basic dialing port-PBX LD Terminal Ports			UEPPX	UEPPS	0.9019	10.05	7.36	1.37	1.28						
	2W voice unbundled GA basic dialing port-PBX Toll Terminal Ports			UEPPX	UEPPT	0.9019	10.05	7.36	1.37	1.28						
	2W voice unbundled GA basic dialing port-PBX LD DDD Terminal															
	Port			UEPPX	UEPPU	0.9019	10.05	7.36	1.37	1.28						
	2W voice unbundled GA basic dialing port-PBX LD Terminal	l										İ				
	Switchboard Port			UEPPX	UEPPV	0.9019	10.05	7.36	1.37	1.28						
	2W voice unbundled GA basic dialing port-PBX LD Terminal		l T									<u> </u>	_		<u> </u>	1
	Switchboard DDD Capable Port	<u></u>		UEPPX	UEPPW	0.9019	10.05	7.36	1.37	1.28					L	<u> </u>
	2W voice unbundled GA basic dialing port-PBX 2-Way Trunk			UEPPX	UEPPC	0.9019	10.05	7.36	1.37	1.28						
LOCA	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEATU	JRES															
	All Features Offered		1 1	UEPPX	UEPVF	0.775	0.00	0.00								
	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		1 1		1				İ				1		İ	1
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPPX	USAC2		0.10	0.10	1						İ	
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with		1	02	00,102		3.10	3.10					1		1	1
	Change	l		UEPPX	USACC		0.10	0.10				1	I		l	1
ADDIT	IONAL NRCs	-	1	OE/ I A	55/100		0.10	0.10	†				t		 	-
	2W VG Loop/Line Port Combination (PBX)-Subsgnt Activity	-	1	UEPPX	USAS2	0.00	0.00	0.00	 						 	
	PBX Subsgnt Activity-Change/Rearrange Multiline Hunt Group	1	\vdash	OL/ I A	00/102	0.00	6.70	6.70					t		 	
	Unbundled Misc Rate Element, Tag Loop at End User Premise	 	 	UEPPX	URETL		8.33	0.83	1				t		1	
	N PREMISES EXTENSION CHANNELS	1	1	ULFFA	UKEIL		0.33	0.63	1				 		 	1
	Local Channel VG, per Term	 	1	UEPPX	P2JHX	11.57	79.85	24.65	18.92	7.87		-	 		 	
		l			P2JHX P2JHX								1		 	
	Local Channel VG, per Term	 	2	UEPPX		16.95	79.85	24.65	18.92	7.87		1	1		1	1
	Local Channel VG, per Term		3	UEPPX	P2JHX	33.08	79.85	24.65	18.92	7.87			-		ļ	
	Non-Wire Direct Serve Channel VG		1	UEPPX	SDD2X	12.74	56.92	7.70	4.40	0.02						
			2 3	UEPPX UEPPX UEPPX	SDD2X SDD2X SDD2X	12.74 19.76 37.18	56.92 56.92 56.92	7.70 7.70 7.70	4.40	0.02 0.02 0.02						

ONRONDL	ED NETWORK ELEMENTS - Georgia										_	_	Attachr			bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		R	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Orde
						B	Nonrec	urring	NRC Disc	onnect		•	OSS F	Rates (\$)		, ince AAA
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPPX	U1TV2	12.87	48.46	19.48	16.58	5.00						1
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPPX	U1TVM	0.0057	0.00	0.00								
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
UNE F	ort/Loop Combination Rates															
	2W VG Coin Port/Loop Combo – Zone 1		1			10.46										
	2W VG Coin Port/Loop Combo – Zone 2		2			15.76										
	2W VG Coin Port/Loop Combo – Zone 3		3			32.56										
UNE L	oop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	9.56										
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	14.86										
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	31.66									1	
2-Wire	Voice Grade Line Ports (COIN)				1				ļ							
	2W Coin 2-Way with Oper Screening (GA)			UEPCO	UEPGC	0.9019	10.05	7.36	1.37	1.28					1	
	2W Coin 2-Way with Oper Screening and Blocking: 011, 900/976,															
	1+DDD (GA)			UEPCO	UEP2G	0.9019	10.05	7.36	1.37	1.28						<u> </u>
	2W Coin 2-Way with Oper Screening and 011 Blocking (GA)			UEPCO	UEPGA	0.9019	10.05	7.36		1.28						
	2W Coin 2-Way with Oper Screening and 900/976 Blocking (GA)			UEPCO	UEPGB	0.9019	10.05	7.36	1.37	1.28						
	2W Coin 2-Way with Oper Screening and Blocking: 900/976,															
	1+DDD, 011+, and Local (GA)			UEPCO	UEPCH	0.9019	10.05	7.36	1.37	1.28						
	2W Coin Outward with Oper Screening and 011 Blocking			UEPCO	UEPRJ	0.9019	10.05	7.36	1.37	1.28						
	2W Coin Outward with Oper Screening and Blocking: 900/976,															
	1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	0.9019	10.05	7.36	1.37	1.28						
	2W 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	0.9019	10.05	7.36		1.28						
	2W Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	0.9019	10.05	7.36	1.37	1.28						
ADDI	IONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.59	0.00	0.00	0.00	0.00						
LOCA	L NUMBER PORTABILITY			LIEBOO	LNDOV	0.05										
NONE	Local No Portability (1 per port)			UEPCO	LNPCX	0.35										
NONK	ECURRING CHARGES - CURRENTLY COMBINED			LIEBOO	110400		0.40	0.40								
	2W VG Loop/Line Port Combination -Conversion-Switch-as-is			UEPCO UEPCO	USAC2 USACC		0.10 0.10	0.10 0.10								
ADDI	2W VG Loop/Line Port Combination -Conversion-Switch with change TONAL NRCs			UEPCO	USACC		0.10	0.10								
ADDI	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPCO	USAS2		0.00	0.00								
_	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8.33	0.00								
2 WID	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE L	INE DO	DT /DI		UKLIL		0.33	0.03	1				-		-	+
	ort/Loop Combination Rates	IIVE FO	KI (KI	L3)	1											+
ONL	2W VG Loop/IO Tranport/Port Combo-Zone 1		1		+	25.53			1							-
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			30.92										-
-	2W VG Loop/IO Tranport/Port Combo-Zone 2		3		+	47.04			 				 		t	
UNF	oop Rates				+	77.04					t	1			I	
5.11	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	11.57									1	1
1	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	16.95									1	1
	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	33.08			1						<u> </u>	
2-Wire	Voice Grade Line Port Rates (Res)		-		1 - 5 - 5	55.50									1	1
	2W voice unbundled port-res			UEPFR	UEPRL	1.09	166.05	43.66	41.89	15.44					1	1
	2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	1.09	166.05	43.66		15.44					1	†
	2W voice unbundled port outgoing only-res			UEPFR	UEPRO	1.09	166.05	43.66	41.89	15.44						
1	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.09	166.05	43.66	41.89	15.44			1		1	1
	2W voice unbundled GA basic dialing port, w/o Caller ID capability-			UEPFR	UEPWC	1.09	166.05	43.66	41.89	15.44						1
	2W voice unbundled GA basic dialing port for use with Caller ID-res			UEPFR	UEPWQ	1.09	166.05	43.66	41.89	15.44						
	2W voice unbundled GA basic dialing port-outgoing only			UEPFR	UEPWR	1.09	166.05	43.66	41.89	15.44						
INTER	OFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR	1L5XX	0.0057	0.00	0.00								
FEAT	JRES															
	All Features Offered			UEPFR	UEPVF	0.775	0.00	0.00								
LOCA	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPFR	LNPCX	0.35										
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															

NRONDL	ED NETWORK ELEMENTS - Georgia												Attachr			bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		R	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge Manual Svc Orde
					\bot									Add'I		Dicc Add
						Rec	Nonrec		NRC Disc					Rates (\$)		T
	OM 1 /D- 1' 10 T 1/OM 1' D1 O1 ' 1'						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Loop/Dedicated IO Transport/2W Line Port Combination-			HEDED	110400		7.05	4.00								
	Conversion-Switch-as-is 2W Loop/Dedicated IO Transport/2W Line Port Combination-			UEPFR	USAC2		7.85	1.86								
	Conversion-Switch-With-Change			UEPFR	USACC		7.85	1.86								
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFR	URETN		11.19	1.10				1				
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE L	INF PO	RT (R		UKLIN		11.19	1.10								
	ort/Loop Combination Rates		K1 (B	00)	+											
O.V.E.	2W VG Loop/IO Tranport/Port Combo-Zone 1		1		+	25.53										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			30.92										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			47.04										
	oop Rates		_			11.01										
	2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	11.57										
	2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2	16.95									İ	†
	2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	33.08									İ	1
	Voice Grade Line Port (Bus)															1
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	1.09	166.05	43.66	41.89	15.44						
	2W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBC	1.09	166.05	43.66	41.89	15.44						
	2W voice unbundled port outgoing only-bus			UEPFB	UEPBO	1.09	166.05	43.66	41.89	15.44						1
	2W voice unbundled incoming only port with Caller ID-Bus			UEPFB	UEPB1	1.09	166.05	43.66	41.89	15.44						
	2W voice unbundled GA basic dialing port, w/o Caller ID capability-			UEPFB	UEPWD	1.09	166.05	43.66	41.89	15.44						
	2W voice unbundled GA basic dialing port for use with Caller ID-bus			UEPFB	UEPWP	1.09	166.05	43.66	41.89	15.44						
	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPFB	LNPCX	0.35										
INTER	OFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX	0.0057	0.00	0.00								
FEAT																
	All Features Offered			UEPFB	UEPVF	0.775	0.00	0.00								
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-															
	Conversion-Switch-as-is			UEPFB	USAC2		7.85	1.86								
	2W Loop/Dedicated IO Transport/2W Line Port Combination-															
	Conversion-Switch with change			UEPFB	USACC		7.85	1.86								
0.14/15	Unbundled Misc Rate Element, Tag Designed Loop at End User	INIE BO	DT (D	UEPFB	URETN		11.19	1.10								
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE L	INE PO	KI (P	вх)												
UNE	ort/Loop Combination Rates 2W VG Loop/IO Tranport/Port Combo-Zone 1		4			25.53										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2		+	30.92										├
-+	2W VG Loop/IO Tranport/Port Combo-Zone 2		3			47.04						1				
	oop Rates		3		+	47.04										
ONL	2W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2	11.57										+
	2W VG Loop (SL2)-Zone 2		2	UEPFP	UECF2	16.95										
	2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	33.08										
	Voice Grade Line Port Rates (BUS - PBX)		Ť	02	020.2	00.00										
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFP	UEPPC	1.09	166.05	43.66	41.89	15.44						
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	1.09	166.05	43.66	41.89	15.44						
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPFP	UEPP1	1.09	166.05	43.66	41.89	15.44						1
	2W Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.09	166.05	43.66	41.89	15.44					İ	t
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.09	166.05	43.66	41.89	15.44					İ	1
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.09	166.05	43.66	41.89	15.44						
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.09	166.05	43.66	41.89	15.44						
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.09	166.05	43.66	41.89	15.44						
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable															
	Port			UEPFP	UEPXE	1.09	166.05	43.66	41.89	15.44	L	<u></u>	<u> </u>		<u> </u>	<u> </u>
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	1.09	166.05	43.66	41.89	15.44						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	1.09	166.05	43.66	41.89	15.44				_		

UNBUNDL	ED NETWORK ELEMENTS - Georgia	,		1									Attachi			bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		R	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order
						Rec	Nonrec	curring	NRC Disc	onnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount															
	Room Calling Port			UEPFP	UEPXO	1.09	166.05	43.66	41.89	15.44						
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.09	166.05	43.66	41.89	15.44						
	2W voice unbundled GA basic dialing port-1-Way Oudial Trunk			UEPFP	UEPWS	1.09	166.05	43.66	41.89	15.44						
	2W voice unbundled GA basic dialing port-2-Way Trunk			UEPFP	UEPWT	1.09	166.05	43.66	41.89	15.44						
LOCA	AL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00								
INTE	ROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	1L5XX	0.0057	0.00	0.00								
FEAT	URES															
	All Features Offered			UEPFP	UEPVF	0.775	0.00	0.00								
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
ĺ	2W Loop/Dedicated IO Transport/2W Line Port Combination-															
	Conversion-Switch-as-is			UEPFP	USAC2		7.85	1.86								
	2W Loop/Dedicated IO Transport/2W Line Port Combination-															
	Conversion-Switch with change			UEPFP	USACC		7.85	1.86								
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFP	URETN		11.19	1.10								
UNBUNDLE	D PORT/LOOP COMBINATIONS - COST BASED RATES															
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK P	ORT														
UNE	Port/Loop Combination Rates															
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1			17.05										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2			22.44										1
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3			38.56										1
UNE	Loop Rates															1
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD1	11.57										1
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD1	16.95										
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1	33.08										
UNE	Port Rate															
	Exchange Ports-2W DID Port			UEPPX	UEPD1	5.48	174.55	13.64	59.31	4.27						
NONE	RECURRING CHARGES - CURRENTLY COMBINED			<u> </u>		0.10										
	2W VG Loop/2W DID Trunk Port Combination -Switch-as-is			UEPPX	USAC1		6.66	1.86								
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable															
	Changes			UEPPX	USA1C		6.66	1.86								
ADDI	TIONAL NRCs															
7.22.	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPX	URETN		11.19	1.10								
Telen	hone Number/Trunk Group Establisment Charges			02.17	ORLIN											
. 0.00	DID Trunk Term (One Per Port)			UEPPX	NDT	0.00	0.00	0.00								+
	DID Nos, Establish Trunk Group and Provide First Group of 20 DID			UEPPX	NDZ	0.00	0.00	0.00								
	Add'l DID Nos for each Group of 20 DID Nos			UEPPX	ND4	0.00	0.00	0.00								
	DID Nos, Non-consecutive DID Nos , Per No			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00								1
LOCA	AL NUMBER PORTABILITY			02.17		0.00	0.00	0.00					-			+
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								+
2-WIF	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE	SIDE F	ORT	02.17	2.1. 0.	0.10	0.00	0.00								
	Port/Loop Combination Rates		1													
0.12	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE															+
	Zone 1		1	UEPPB UEPPR		19.44										
1	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE	†											1			†
	Zone 2	1	2	UEPPB UEPPR		24.45							1			
1	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE	†	Ē	32 .710		20							1		Ì	†
	Zone 3		3	UEPPB UEPPR		38.09										
UNF	Loop Rates	1		OLITIC		00.00			 				 		<u> </u>	
J.112	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB UEPPR	USL2X	14.25			1		†		<u> </u>			
	2W ISDN Digital Grade Loop-UNE Zone 2	1	2	UEPPB UEPPR	USL2X	19.26			 				 		<u> </u>	
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB UEPPR	USL2X	32.90			1		†		<u> </u>			
IINE	Port Rate	 	-	SELLE OFICE	JULZA	32.30			1		1		t		1	
ONL	Exchange Port-2W ISDN Line Side Port	 		UEPPB UEPPR	UEPPB	5.19	161.36	141.68	43.68	8.37	 	l	1		1	+

	ED NETWORK ELEMENTS - Georgia	,		,									Attachr		Exhil	
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		R	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremen I Charge Manual Svc Orde vs. Electroni
						D	Nonrec	curring	NRC Disc	onnect			OSS F	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NONE	RECURRING CHARGES - CURRENTLY COMBINED															
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-															
	Conversion			UEPPB UEPPR	USACB	0.00	42.52	26.99								
ADDI	TIONAL NRCs			OLITE OLITE	CONOD	0.00	72.02	20.00								
ADDI	2W ISDN Loop/2W ISDN Port Combination-Sub Actvy-Non															
	Feature/Add Trunk			UEPPB UEPPR	USASB		0.00									
-	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPB UEPPR	URETN		11.19	1.10	1							
_	Unbundled Misc Rate Element, Tag Designed Loop at End Oser			UEPPB UEPPR	URETL		8.33	0.83								
1.004				UEPPB UEPPR	UREIL		8.33	0.83	ļ							
LOCA	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPPB UEPPR	LNPCX	0.35	0.00	0.00								
B-CH/	ANNEL USER PROFILE ACCESS:															
	CVS/CSD (DMS/5ESS)			UEPPB UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB UEPPR	U1UCC	0.00	0.00	0.00								
B-CH/	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,N	/IS, & T	N)													
	TERMINAL PROFILE															
	User Terminal Profile (EWSD only)			UEPPB UEPPR	U1UMA	0.00	0.00	0.00								
VERT	ICAL FEATURES	1		OLITE OLITE	0.0	0.00	0.00	0.00								
	All Vertical Features-One per Channel B User Profile			UEPPB UEPPR	UEPVF	0.775	0.00	0.00	1							
	ROFFICE CHANNEL MILEAGE			OLITO OLITIK	OLI VI	0.773	0.00	0.00	-							
INTER			_	UEPPB UEPPR	M1GNC	12.8757	48.46	19.48	40.50	F 00						
_	Interoffice Channel miage each, including first mi and facilities Term								16.58	5.00						
	Interoffice Channel miage each, Add'l mi	L		UEPPB UEPPR	M1GNM	0.0057	0.00	0.00								
	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK P															
	INE-P DS1 combination rates below for in this exhibit apply to the															
	ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital Trui	nk Port	after	the effective date of	this amend	nent shall be pro	vided pursu	ant to a sep	arate agreei	ment or tari	ff at BellSo	outh's disc	retion.			
UNE F	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 1		1	UEPPP		106.15										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2		1 2	UEPPP UEPPP		106.15 111.54										
UNE I	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3		2	UEPPP		111.54										
UNE L	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3 Loop Rates		2	UEPPP UEPPP	USL4P	111.54 127.15										
UNE I	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3 -oop Rates 4W DS1 Digital Loop-UNE Zone 1		3	UEPPP UEPPP UEPPP	USL4P	111.54 127.15 41.02										
UNE L	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3 -oop Rates 4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2		2 3 1 2	UEPPP UEPPP UEPPP UEPPP	USL4P	111.54 127.15 41.02 46.41										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3 -oop Rates 4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 3		3	UEPPP UEPPP UEPPP		111.54 127.15 41.02										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3 coop Rates 4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 3 Port Rate		2 3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP	USL4P USL4P	111.54 127.15 41.02 46.41 62.03	205 72	197.42	72.44	24.90						
UNE F	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3 -coop Rates 4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 3 -coop Rate		2 3 1 2	UEPPP UEPPP UEPPP UEPPP	USL4P	111.54 127.15 41.02 46.41	365.73	187.42	73.41	21.80						
UNE F	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3 Loop Rates 4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 3 Port Rate Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) ECURRING CHARGES - CURRENTLY COMBINED		2 3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP	USL4P USL4P	111.54 127.15 41.02 46.41 62.03	365.73	187.42	73.41	21.80						
UNE F	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3 -coop Rates 4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 3		2 3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP	USL4P USL4P UEPPP	111.54 127.15 41.02 46.41 62.03 65.13			73.41	21.80						
UNE F	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3 -oop Rates 4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 3		2 3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP	USL4P USL4P	111.54 127.15 41.02 46.41 62.03	365.73 122.56	187.42	73.41	21.80						
UNE F	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3 -coop Rates 4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 3		2 3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP	USL4P USL4P UEPPP	111.54 127.15 41.02 46.41 62.03 65.13			73.41	21.80						
UNE F	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3 -oop Rates 4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 3		2 3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP	USL4P USL4P UEPPP USACP	111.54 127.15 41.02 46.41 62.03 65.13			73.41	21.80						
UNE F	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3 -coop Rates 4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 3		2 3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP	USL4P USL4P UEPPP	111.54 127.15 41.02 46.41 62.03 65.13			73.41	21.80						
UNE F	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3 -coop Rates 4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 3 -cort Rate Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-Conversion -Switch-as-is (E:4/1/2004) TIONAL INCS 4W DS1 Loop/4-W ISDN Digit Trk Port-Subsqt Actvy-Inward/two way		2 3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP	USL4P USL4P UEPPP USACP	111.54 127.15 41.02 46.41 62.03 65.13	122.56		73.41	21.80						
UNE F	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3 -oop Rates 4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 3 -ort Rate Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) ECURRING CHARGES - CURRENTLY COMBINED 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-Conversion -Switch-as-is (E:4/1/2004) TIONAL NRCS 4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqt Actvy-Inward/two way Tel Nos. (except NC)		2 3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP	USL4P USL4P UEPPP USACP	111.54 127.15 41.02 46.41 62.03 65.13	122.56		73.41	21.80						
UNE F	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3 -coop Rates 4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 3		2 3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP	USL4P USL4P UEPPP USACP PR7TF PR7TO	111.54 127.15 41.02 46.41 62.03 65.13	122.56 0.50 10.72		73.41	21.80						
UNE F NONR ADDIT	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3 coop Rates 4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 3 Port Rate Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination- Conversion -Switch-as-is (E:4/1/2004) 1TONAL NRCS 4W DS1 Loop/4W ISDN Digital Trunk Port-Subsqt Actvy-Inward/two way Tel Nos. (except NC) 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Subsqnt Inward Tel L NUMBER PORTABILITY		2 3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP	USL4P USL4P UEPPP USACP PR7TF PR7TO PR7ZT	111.54 127.15 41.02 46.41 62.03 65.13	122.56 0.50 10.72		73.41	21.80						
UNE F NONR ADDIT	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3 -oop Rates 4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 3 -ort Rate Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) ECURRING CHARGES - CURRENTLY COMBINED 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-Conversion -Switch-as-is (E:4/1/2004) FIONAL NRCS 4W DS1 Loop/4-W ISDN Digit Trk Port-Subsqt Actvy-Inward/two way Tel Nos. (except NC) 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trk Port-Subsqnt Inward Tel LNUMBER PORTABILITY Local No Portability (1 per port)		2 3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP	USL4P USL4P UEPPP USACP PR7TF PR7TO	111.54 127.15 41.02 46.41 62.03 65.13	122.56 0.50 10.72		73.41	21.80						
UNE F NONR ADDIT	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3 -oop Rates 4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 3 -Port Rate Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) ECURRING CHARGES - CURRENTLY COMBINED 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-Conversion -Switch-as-is (E:4/1/2004) TIONAL NRCS 4W DS1 Loop/4W ISDN DS1 Digit Trk Port-Subsqt Actvy-Inward/two way Tel Nos. (except NC) 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trk Port-Subsqnt Inward Tel LNUMBER PORTABILITY Local No Portability (1 per port) FACE (Provsioning Only)		2 3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP	USL4P USL4P UEPPP USACP PR7TF PR7TO PR7ZT LNPCN	111.54 127.15 41.02 46.41 62.03 65.13 0.00	122.56 0.50 10.72 21.43	77.97	73.41	21.80						
UNE F NONR ADDIT	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3 coop Rates 4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 2 2W DS1 Digital Loop-UNE Zone 3 Port Rate Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-Conversion -Switch-as-is (E:4/1/2004) 1TIONAL NRCs 4W DS1 Loop/4W ISDN DIgital Trunk Port-Outward Tel Nos (except NC) 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Subsqnt Inward Tel 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Subsqnt Inward Tel 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos		2 3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP	USL4P USL4P UEPPP USACP PR7TF PR7TO PR7ZT LNPCN	111.54 127.15 41.02 46.41 62.03 65.13 0.00	0.50 10.72 21.43	77.97	73.41	21.80						
UNE F NONR ADDIT	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3 -oop Rates 4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 3 -ort Rate Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) ECURRING CHARGES - CURRENTLY COMBINED 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-Conversion -Switch-as-is (E:4/1/2004) TIONAL NRCS 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Subsqnt Inward Tel LNUMBER PORTABILITY Local No Portability (1 per port) RFACE (Provsioning Only) Voice/Data Digital Data		2 3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP	USL4P USL4P UEPPP USACP PR7TF PR7TO PR7ZT LNPCN PR71V PR71D	111.54 127.15 41.02 46.41 62.03 65.13 0.00 1.75	0.50 10.72 21.43 0.00 0.00	77.97	73.41	21.80						
UNE F NONR ADDIT	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3 -oop Rates 4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 3 -ort Rate Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) ECURRING CHARGES - CURRENTLY COMBINED 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-Conversion -Switch-as-is (E:4/1/2004) TIONAL NRCs 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trik Port-Subsqnt Inward Tel LNUMBER PORTABILITY Local No Portability (1 per port) RFACE (Provsioning Only) Voice/Data Digital Data Inward Data		2 3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP	USL4P USL4P UEPPP USACP PR7TF PR7TO PR7ZT LNPCN	111.54 127.15 41.02 46.41 62.03 65.13 0.00	0.50 10.72 21.43	77.97	73.41	21.80						
UNE F NONR ADDIT	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3 -oop Rates 4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 3 Port Rate Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) EECURRING CHARGES - CURRENTLY COMBINED 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-Conversion -Switch-as-is (E:4/1/2004) TIONAL NRCS 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos EXPECTED (Provisioning Only) Voice/Data Digital Data Inward Data T Additional "B" Channel		2 3 1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP	USL4P USL4P UEPPP USACP PR7TF PR7TO PR7ZT LNPCN PR71V PR71D PR71E	111.54 127.15 41.02 46.41 62.03 65.13 0.00 1.75 0.00 0.00	0.50 10.72 21.43 0.00 0.00	77.97	73.41	21.80						
UNE F NONR ADDIT	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3 coop Rates 4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 3 Port Rate Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) ECURRING CHARGES - CURRENTLY COMBINED 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination- Conversion -Switch-as-is (E:4/1/2004) TIONAL NRCS 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Subsqnt Inward Tel LNUMBER PORTABILITY Local No Portability (1 per port) RFACE (Provsioning Only) Voice/Data		2 3 1 2	UEPPP UEPPP	USL4P USL4P USL4P USACP UEPPP USACP PR7TF PR7TO PR7ZT LNPCN PR71V PR71D PR71E PR78V	111.54 127.15 41.02 46.41 62.03 65.13 0.00 1.75 0.00 0.00 0.00	0.50 10.72 21.43 0.00 0.00 0.00	77.97	73.41	21.80						
UNE F NONR ADDIT	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3 -oop Rates 4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 3 -ort Rate Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) ECURRING CHARGES - CURRENTLY COMBINED 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-Conversion -Switch-as-is (E:4/1/2004) TIONAL NRCs 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Subsqnt Inward Tel LNUMBER PORTABILITY Local No Portability (1 per port) FACE (Provsioning Only) Voice/Data Digital Data Inward Data New or Add'I-Voice/Data B Channel New or Add'I-Voice/Data B Channel New or Add'I-Digital Data B Channel		2 3 1 2	UEPPP UEPPP	USL4P USL4P USL4P UEPPP USACP PR7TF PR7TO PR7ZT LNPCN PR71V PR71D PR71E PR78V PR78F	111.54 127.15 41.02 46.41 62.03 65.13 0.00 1.75 0.00 0.00 0.00 0.00	0.50 10.72 21.43 0.00 0.00 0.00 13.59	77.97	73.41	21.80						
UNE F NONR ADDIT	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3 -oop Rates 4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 3 Port Rate Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) EECURRING CHARGES - CURRENTLY COMBINED 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-Conversion -Switch-as-is (E:4/1/2004) TIONAL NRCS 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-		2 3 1 2	UEPPP UEPPP	USL4P USL4P USL4P USACP UEPPP USACP PR7TF PR7TO PR7ZT LNPCN PR71V PR71D PR71E PR78V	111.54 127.15 41.02 46.41 62.03 65.13 0.00 1.75 0.00 0.00 0.00	0.50 10.72 21.43 0.00 0.00 0.00	77.97	73.41	21.80						
UNE F NONR ADDIT	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3 -oop Rates 4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 3 -ort Rate Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) ECURRING CHARGES - CURRENTLY COMBINED 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-Conversion -Switch-as-is (E:4/1/2004) TIONAL NRCs 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Subsqnt Inward Tel LNUMBER PORTABILITY Local No Portability (1 per port) FACE (Provsioning Only) Voice/Data Digital Data Inward Data New or Add'I-Voice/Data B Channel New or Add'I-Voice/Data B Channel New or Add'I-Digital Data B Channel		2 3 1 2	UEPPP UEPPP	USL4P USL4P USL4P USL4P USACP PR7TF PR7TO PR7ZT LNPCN PR71V PR71D PR71E PR7BV PR7BD	111.54 127.15 41.02 46.41 62.03 65.13 0.00 1.75 0.00 0.00 0.00 0.00 0.00	0.50 10.72 21.43 0.00 0.00 0.00 13.59	77.97	73.41	21.80						
UNE F NONR ADDIT	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3 -oop Rates 4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 3 Port Rate Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) EECURRING CHARGES - CURRENTLY COMBINED 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-Conversion -Switch-as-is (E:4/1/2004) TIONAL NRCS 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-		2 3 1 2	UEPPP UEPPP	USL4P USL4P USL4P UEPPP USACP PR7TF PR7TO PR7ZT LNPCN PR71V PR71D PR71E PR78V PR78F	111.54 127.15 41.02 46.41 62.03 65.13 0.00 1.75 0.00 0.00 0.00 0.00	0.50 10.72 21.43 0.00 0.00 0.00 13.59	77.97	73.41	21.80						
UNE F NONR ADDIT	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3 -oop Rates 4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 3 -ort Rate Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) ECURRING CHARGES - CURRENTLY COMBINED 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination- Conversion -Switch-as-is (E:4/1/2004) TIONAL NRCs 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos -4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos -4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos -4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Subsqnt Inward Tel		2 3 1 2	UEPPP UEPPP	USL4P USL4P USL4P UEPPP USACP PR7TF PR7TO PR7ZT LNPCN PR71U PR71D PR71E PR7BV PR7BD PR7C1	111.54 127.15 41.02 46.41 62.03 65.13 0.00 1.75 0.00 0.00 0.00 0.00 0.00	0.50 10.72 21.43 0.00 0.00 0.00 13.59 13.59 0.00	77.97 0.00 0.00 0.00	73.41	21.80						
UNE F NONF	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3 -oop Rates 4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 3 -ort Rate Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) ECURRING CHARGES - CURRENTLY COMBINED 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-Conversion -Switch-as-is (E:4/1/2004) TIONAL NRCs 4W DS1 Loop/4W ISDN Digitl Trk Port-Subsqt Actvy-Inward/two way Tel Nos. (except NC) 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trk Port-Subsqnt Inward Tel LNUMBER PORTABILITY Local No Portability (1 per port) RFACE (Provsioning Only) Voice/Data Digital Data Inward Data New or Add¹l-Voice/Data B Channel New or Add¹l-Voice/Data B Channel New or Add¹l-Nigital Data B Channel New or Add¹l Inward Data B Channel New or Add¹l Inward Data B Channel New or Add¹l Inward Data B Channel New or Add¹l Inward Data B Channel New or Add¹l Inward Data B Channel		2 3 1 2	UEPPP UEPPP	USL4P USL4P USL4P USACP UEPPP USACP PR7TF PR7TO PR7ZT LNPCN PR71V PR71D PR71E PR7BV PR7BF PR7BD PR7C1 PR7C0	111.54 127.15 41.02 46.41 62.03 65.13 0.00 1.75 0.00 0.00 0.00 0.00 0.00 0.00	0.50 10.72 21.43 0.00 0.00 0.00 13.59 13.59 13.59	0.00 0.00 0.00 0.00	73.41	21.80						
UNE F NONR ADDIT	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3 -oop Rates 4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 3 -ort Rate Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) ECURRING CHARGES - CURRENTLY COMBINED 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination- Conversion -Switch-as-is (E:4/1/2004) TIONAL NRCs 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos -4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos -4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos -4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Subsqnt Inward Tel		2 3 1 2	UEPPP UEPPP	USL4P USL4P USL4P UEPPP USACP PR7TF PR7TO PR7ZT LNPCN PR71U PR71D PR71E PR7BV PR7BD PR7C1	111.54 127.15 41.02 46.41 62.03 65.13 0.00 1.75 0.00 0.00 0.00 0.00 0.00	0.50 10.72 21.43 0.00 0.00 0.00 13.59 13.59 0.00	77.97 0.00 0.00 0.00 0.00	73.41	21.80						

NNRANDI	ED NETWORK ELEMENTS - Georgia					ı						1 -	Attachr			bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge Manual Svc Orde
						Rec		curring	NRC Disc					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.1154										
	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
	JNE-P DS1 combination rates below for in this exhibit apply to the											mercial agr	eement.			
	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effect	ive date	of th	is amendment shall	be provided	pursuant to a s	separate agre	ement or tar	riff at BellSo	outh's disc	retion.					
UNE	Port/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1		4	UEPDC		82.22										
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2	1	2	UEPDC		87.61									-	-
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2	1	3	UEPDC		103.22									-	-
LINE	Loop Rates	-	3	OLFDC		103.22			1	1						
ONL	4W DS1 Digital Loop-UNE Zone 1	1	1	UEPDC	USLDC	41.02			1							
	4W DS1 Digital Loop-UNE Zone 2	1	2	UEPDC	USLDC	46.41										
	4W DS1 Digital Loop-UNE Zone 3	1	3	UEPDC	USLDC	62.03										
UNF	Port Rate	 		02.00	33250	02.00			1	t	<u> </u>	1			I	
	4W DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	41.20	392.25	185.06	80.17	7.86						
NON	RECURRING CHARGES - CURRENTLY COMBINED					-										
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as- is (E:4/1/2004)			UEPDC	USAC4		132.19	66.79								
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		132.19	66.79								
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with Change-Trunk (E:4/1/2004)			UEPDC	USAWB		132.19	66.79								
ADDI	TIONAL NRCs															
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Service Activity Per															
	Service Order			UEPDC	USAS4		0.00	0.00								
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel															
	Activation/Chan-2-Way Trunk			UEPDC	UDTTA		13.95	13.95								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel															
	Activation/Chan-1-Way Outward Trunk 4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel	<u> </u>		UEPDC	UDTTB		13.95	13.95								
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		13.95	13.95								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID			UEPDC	UDTTD		13.95	13.95								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan- 2-Way DID w User Trans			UEPDC	UDTTE		13.95	13.95								
DIDO	LAR 8 ZERO SUBSTITUTION	1		UEFDC	ODITE		13.93	13.95							-	-
ыго	B8ZS -Superframe Format	1		UEPDC	CCOSF		0.00i	392.25s	1							
	B8ZS-Extended Superframe Format	1		UEPDC	CCOEF		0.00i	392.25s								
Alteri	nate Mark Inversion	1		OLI DO	OOOLI		0.001	002.200								
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI-Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telep	hone Number/Trunk Group Establisment Charges															
	Tel No for 2-Way Trunk Group			UEPDC	UDTGX	0.00										1
	Tel No for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										1
	Tel No for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00										
	DID Nos, Establish Trunk Group and Provide First Group of 20 DID			UEPDC	NDZ	0.00	0.00	0.00								
	DID Nos for each Group of 20 DID Nos			UEPDC	ND4	0.00										
	DID Nos, Non-consecutive DID Nos , Per No			UEPDC	ND5	0.00										
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Nos	لــــــــــــــــــــــــــــــــــــــ		UEPDC	NDV	0.00	0.00	0.00								<u> </u>
Dedic	cated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 D	igital Lo	op w				4						—		-	
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)		_	UEPDC	1LNO1	34.19	111.03	80.28	31.36	21.73			-		1	
	Interoffice Channel miage-Add'l rate per mi-0-8 mis Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)		_	UEPDC UEPDC	1LNOA 1LNO2	0.1154 0.00	0.00	0.00					-		1	
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term) Interoffice Channel miage-Add'l rate per mi-9-25 mis	 		UEPDC	1LNO2 1LNOB	0.00	0.00	0.00	 				-		-	
	Interoffice Channel miage-Add rate per mi-9-25 mis Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)	1	-	UEPDC	1LNO3	0.1154	0.00	0.00		-	-		+		 	
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term) Interoffice Channel miage-Add'l rate per mi-25+ mis	+		UEPDC	1LNO3	0.1154	0.00	0.00							1	
	Local No Portability, per DS0 Activated	 		UEPDC	LNPCP	3.15	0.00	0.00	 				 		1	
	CO Termininating Point	 		UEPDC	CTG	0.00	 	 	1		1		1		1	
4-10/15	RE DS1 LOOP WITH CHANNELIZATION WITH PORT	 		OLI DO	0.0	3.00	 	 	 	1					1	-

	LED NETWORK ELEMENTS - Georgia				1	I					•	0	Attachr			bit: A
ATEGOR'	Y RATE ELEMENTS	Interi m	Zon e	BCS	usoc		R	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	I Charge Manua Svc Ord
						Rec	Nonre	curring	NRC Disc	onnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
Syst	em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activa	tions														
	System can have up to 24 combinations of rates depending on ty															
The	UNE-P DS1 combination rates below for 4-Wire DS1 Loop with Cha	anneliza	ation v	vith Port in this exh	ibit apply to	the embedded b	ase in place	as of 10/2/03	3 until 4/1/0	After 4/1	04 these ra	ates shall re	evert to tariff	rates or a so	eparate agree	ement.
	uests for 4-Wire DS1 Loop with Channelization with Port after the	effective	e date	of this amendment	shall be prov	ided pursuant t	o a separate	agreement of	or tariff at Bo	ellSouth's	discretion.					
UNE	DS1 Loop															
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	41.02	0.00	0.00								
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	46.41	0.00	0.00								
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	62.03	0.00	0.00								
UNE	DSO Channelization Capacities (D4 Channel Bank Configurations)														
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	43.04	0.00	0.00								
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	86.06	0.00	0.00								
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	172.16	0.00	0.00							1	
	144 DS0 Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	258.24	0.00	0.00							i e	
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	344.32	0.00	0.00							i e	
	240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM2O	430.40	0.00	0.00							1	
	288 DS0 Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	516.48	0.00	0.00							1	
	384 DS0 Channel Capacity-1 per 16 DS1s			UEPMG	VUM38	688.64	0.00	0.00								
	480 DS0 Channel Capacity-1 per 20 DS1s			UEPMG	VUM4O	860.80	0.00	0.00								
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	1,032.96	0.00	0.00								
	672 DS0 Channel Capacity-1 per 28 DS1s	-		UEPMG	VUM67	1,205.12	0.00	0.00								
Non	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with (`hanno	liztion					0.00								1
	inimum System configuration is One (1) DS1, One (1) D4 Channel E						CIII									
	iples of this configuration functioning as one are considered Add															-
wuit		i aitei t	ne mi	illilulli system comi	guration is t	ountea.										
	NRC-Conversion (Currently Combined) with or w/o BST Allowed						.=									
	Changes	<u> </u>	L	UEPMG	USAC4	0.00	153.24	8.37								
	em Additions at End User Locations Where 4-Wire DS1 Loop with				ation Currer	itly Exists and										
New	(Not Currently Combined) in all states, except in Density Zone 1 o	Top 8	MSA	S												
	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc						.=									
	Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	379.04	253.97	69.43	8.35						
Bipo	olar 8 Zero Substitution															
	Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	CCOSF	0.00	0.00i	392.25s								
	Clear Channel Capability Format-Extended Superframe-Subsqnt															
	Activity Only			UEPMG	CCOEF	0.00	0.00i	392.25s								
Alte	rnate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF											
	Extended Superframe Format					0.00	0.00	0.00								
				UEPMG	MCOPO	0.00	0.00	0.00								
Excl	nange Ports Associated with 4-Wire DS1 Loop with Channelization	with P	ort													
	nange Ports Associated with 4-Wire DS1 Loop with Channelization nange Ports	with P	ort	UEPMG	МСОРО	0.00	0.00	0.00								
	nange Ports Associated with 4-Wire DS1 Loop with Channelization nange Ports Line Side Combination Channelized PBX Trunk Port-bus	with P	ort	UEPMG	MCOPO UEPCX	1.09	0.00	0.00	0.00	0.00						
	nange Ports Associated with 4-Wire DS1 Loop with Channelization nange Ports	with P	ort	UEPPX UEPPX UEPPX	MCOPO UEPCX UEPOX	1.09 1.09	0.00	0.00	0.00	0.00						
	nange Ports Associated with 4-Wire DS1 Loop with Channelization nange Ports Line Side Combination Channelized PBX Trunk Port-bus	with Po	ort	UEPMG	MCOPO UEPCX	1.09	0.00	0.00								
Exch	nange Ports Associated with 4-Wire DS1 Loop with Channelization nange Ports Line Side Combination Channelized PBX Trunk Port-bus Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004)	with Po	ort	UEPPX UEPPX UEPPX	MCOPO UEPCX UEPOX	1.09 1.09	0.00 0.00 0.00	0.00 0.00 0.00	0.00	0.00						
Exch	nange Ports Associated with 4-Wire DS1 Loop with Channelization nange Ports Line Side Combination Channelized PBX Trunk Port-bus Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port w/o DID	with Po	ort	UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX	UEPCX UEPOX UEP1X UEPDM	1.09 1.09 1.09 5.50	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	0.00 0.00 0.00	0.00						
Exch	nange Ports Associated with 4-Wire DS1 Loop with Channelization nange Ports Line Side Combination Channelized PBX Trunk Port-bus Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004)	with Po	ort	UEPMG UEPPX UEPPX UEPPX UEPPX	UEPCX UEPOX UEP1X	1.09 1.09 1.09	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	0.00	0.00						
Exch	nange Ports Associated with 4-Wire DS1 Loop with Channelization nange Ports Line Side Combination Channelized PBX Trunk Port-bus Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004) ure Activations - Unbundled Loop Concentration	with Po	ort	UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX	UEPCX UEPOX UEP1X UEPDM	1.09 1.09 1.09 5.50	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00						
Feat	nange Ports Associated with 4-Wire DS1 Loop with Channelization nange Ports Line Side Combination Channelized PBX Trunk Port-bus Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004) ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4	with Pe	ort	UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	UEPCX UEPOX UEP1X UEPDM 1PQWM	1.09 1.09 1.09 5.50	0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 1.96	0.00 0.00 0.00						
Feat	nange Ports Associated with 4-Wire DS1 Loop with Channelization nange Ports Line Side Combination Channelized PBX Trunk Port-bus Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004) ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Feature (Service) Activation for each Trunk Port Terminated in D4	with Po	ort	UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	UEPCX UEPOX UEP1X UEPDM 1PQWM	1.09 1.09 1.09 5.50	0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 1.96	0.00 0.00 0.00						
Exch Feat	nange Ports Associated with 4-Wire DS1 Loop with Channelization nange Ports Line Side Combination Channelized PBX Trunk Port-bus Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004) ure Activations - Unbundled Channelized DID Trunk Port (E:4/1/2004) ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Feature (Service) Activation for each Trunk Port Terminated in D4 phone Number/ Group Establishment Charges for DID Service	with Po	ort	UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	UEPCX UEPOX UEP1X UEPDM 1PQWM 1PQWU	0.00 1.09 1.09 1.09 5.50 0.4689	0.00 0.00 0.00 0.00 0.00 12.90 38.09	0.00 0.00 0.00 0.00 0.00 0.00 9.18	0.00 0.00 0.00 1.96	0.00 0.00 0.00						
Exch Feat	nange Ports Associated with 4-Wire DS1 Loop with Channelization nange Ports Line Side Combination Channelized PBX Trunk Port-bus Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004) ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Feature (Service) Activation for each Trunk Port Terminated in D4 phone Number/ Group Establishment Charges for DID Service DID Trunk Term (1 per Port) Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)	with Po	ort	UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	MCOPO UEPCX UEPOX UEP1X UEPDM 1PQWM 1PQWU NDT	0.00 1.09 1.09 1.09 5.50 0.4689 0.4689	0.00 0.00 0.00 0.00 0.00 12.90 38.09	0.00 0.00 0.00 0.00 0.00 0.00 6.80 9.18	0.00 0.00 0.00 1.96	0.00 0.00 0.00						
Feat	nange Ports Associated with 4-Wire DS1 Loop with Channelization nange Ports Line Side Combination Channelized PBX Trunk Port-bus Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Outward Channelized PBX Trunk Port w/o DID Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004) ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Feature (Service) Activation for each Trunk Port Terminated in D4 phone Number/ Group Establishment Charges for DID Service DID Trunk Term (1 per Port) Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) DID Nos-groups of 20-Valid all States	with Po	ort	UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	UEPCX UEPOX UEPOX UEPTX UEPDM 1PQWM 1PQWU NDT NDZ	0.00 1.09 1.09 1.09 5.50 0.4689 0.4689 0.000	0.00 0.00 0.00 0.00 0.00 12.90 38.09 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00 6.80 9.18 0.00 0.00 0.00	0.00 0.00 0.00 1.96	0.00 0.00 0.00						
Exch Feat	nange Ports Associated with 4-Wire DS1 Loop with Channelization nange Ports Line Side Combination Channelized PBX Trunk Port-bus Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004) ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Feature (Service) Activation for each Trunk Port Terminated in D4 phone Number/ Group Establishment Charges for DID Service DID Trunk Term (1 per Port) Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) DID Nos-groups of 20-Valid all States Non-Consecutive DID Nos-per No	with Po	ort	UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	UEPCX UEPOX UEPOX UEPDM 1PQWM 1PQWU NDT NDZ ND4 ND5	0.00 1.09 1.09 5.50 0.4689 0.4689 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 12.90 38.09 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 6.80 9.18 0.00 0.00 0.00	0.00 0.00 0.00 1.96	0.00 0.00 0.00						
Feat	nange Ports Associated with 4-Wire DS1 Loop with Channelization nange Ports Line Side Combination Channelized PBX Trunk Port-bus Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004) ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Feature (Service) Activation for each Trunk Port Terminated in D4 phone Number/ Group Establishment Charges for DID Service DID Trunk Term (1 per Port) Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) DID Nos-groups of 20-Valid all States Non-Consecutive DID Nos-per No Reserve Non-Consecutive DID Nos	with Po	ort	UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	UEPCX UEPOX UEP1X UEPDM 1PQWM 1PQWU NDT NDZ ND4 ND5 ND6	0.00 1.09 1.09 1.09 5.50 0.4689 0.4689 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 12.90 38.09 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00 6.80 9.18 0.00 0.00 0.00 0.00	0.00 0.00 0.00 1.96	0.00 0.00 0.00						
Feat Tele	nange Ports Associated with 4-Wire DS1 Loop with Channelization nange Ports Line Side Combination Channelized PBX Trunk Port-bus Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004) ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Feature (Service) Activation for each Trunk Port Terminated in D4 Phone Number/ Group Establishment Charges for DID Service DID Trunk Term (1 per Port) Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) DID Nos-groups of 20-Valid all States Non-Consecutive DID Nos-per No Reserve Non-Consecutive DID Nos Reserve DID Nos	with Po	ort	UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	UEPCX UEPOX UEPOX UEPDM 1PQWM 1PQWU NDT NDZ ND4 ND5	0.00 1.09 1.09 5.50 0.4689 0.4689 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 12.90 38.09 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 6.80 9.18 0.00 0.00 0.00	0.00 0.00 0.00 1.96	0.00 0.00 0.00						
Feat Tele	nange Ports Associated with 4-Wire DS1 Loop with Channelization nange Ports Line Side Combination Channelized PBX Trunk Port-bus Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004) ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Feature (Service) Activation for each Line Port Terminated in D4 phone Number/ Group Establishment Charges for DID Service DID Trunk Term (1 per Port) Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) DID Nos-groups of 20-Valid all States Non-Consecutive DID Nos-per No Reserve Non-Consecutive DID Nos Reserve DID Nos Number Portability	with Po	ort	UEPMG UEPPX	MCOPO UEPCX UEPOX UEP1X UEPDM 1PQWM 1PQWU NDT NDZ ND4 ND5 ND6 NDV	0.00 1.09 1.09 1.09 5.50 0.4689 0.4689 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 12.90 38.09 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 1.96	0.00 0.00 0.00						
Feat Tele	nange Ports Associated with 4-Wire DS1 Loop with Channelization nange Ports Line Side Combination Channelized PBX Trunk Port-bus Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004) ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Feature (Service) Activation for each Trunk Port Terminated in D4 phone Number/ Group Establishment Charges for DID Service DID Trunk Term (1 per Port) Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) DID Nos-groups of 20-Valid all States Non-Consecutive DID Nos-per No Reserve Non-Consecutive DID Nos Reserve DID Nos 1 Number Portability Local No Portability-1 per port	with Po	ort	UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	UEPCX UEPOX UEP1X UEPDM 1PQWM 1PQWU NDT NDZ ND4 ND5 ND6	0.00 1.09 1.09 1.09 5.50 0.4689 0.4689 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 12.90 38.09 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00 6.80 9.18 0.00 0.00 0.00 0.00	0.00 0.00 0.00 1.96	0.00 0.00 0.00						
Feat Tele Loca	nange Ports Associated with 4-Wire DS1 Loop with Channelization nange Ports Line Side Combination Channelized PBX Trunk Port-bus Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port wlo DID 2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004) ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Feature (Service) Activation for each Trunk Port Terminated in D4 Phone Number/ Group Establishment Charges for DID Service DID Trunk Term (1 per Port) Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) DID Nos-groups of 20-Valid all States Non-Consecutive DID Nos-per No Reserve Non-Consecutive DID Nos Reserve DID Nos Il Number Portability Local No Portability-1 per port TURES - Vertical and Optional	with Po	ort	UEPMG UEPPX	MCOPO UEPCX UEPOX UEP1X UEPDM 1PQWM 1PQWU NDT NDZ ND4 ND5 ND6 NDV	0.00 1.09 1.09 1.09 5.50 0.4689 0.4689 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 12.90 38.09 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 1.96	0.00 0.00 0.00						
Feat Tele Loca	nange Ports Associated with 4-Wire DS1 Loop with Channelization nange Ports Line Side Combination Channelized PBX Trunk Port-bus Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Outward Channelized PBX Trunk Port wo DID Line Side Inward Only Channelized PBX Trunk Port wo DID 2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004) ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Feature (Service) Activation for each Trunk Port Terminated in D4 phone Number/ Group Establishment Charges for DID Service DID Trunk Term (1 per Port) Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) DID Nos-groups of 20-Valid all States Non-Consecutive DID Nos-per No Reserve Non-Consecutive DID Nos Reserve Non-Consecutive DID Nos Reserve DID Nos INUMBER OF AUTOMATION OF TREATMENT OF TOTAL OF TREATMENT OF TOTAL OF	with Po	ort	UEPMG UEPPX	MCOPO UEPCX UEPOX UEP1X UEPDM 1PQWM 1PQWU NDT NDZ ND4 ND5 ND6 ND0 NDV LNPCP	0.00 1.09 1.09 1.09 5.50 0.4689 0.4689 0.00 0.00 0.00 0.00 0.00 3.15	0.00 0.00 0.00 0.00 12.90 0.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 1.96	0.00 0.00 0.00						
Feat Tele Loca FEAL Loca	nange Ports Associated with 4-Wire DS1 Loop with Channelization nange Ports Line Side Combination Channelized PBX Trunk Port-bus Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port wlo DID 2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004) ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Feature (Service) Activation for each Trunk Port Terminated in D4 Phone Number/ Group Establishment Charges for DID Service DID Trunk Term (1 per Port) Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) DID Nos-groups of 20-Valid all States Non-Consecutive DID Nos-per No Reserve Non-Consecutive DID Nos Reserve DID Nos Il Number Portability Local No Portability-1 per port TURES - Vertical and Optional		ort	UEPMG UEPPX	MCOPO UEPCX UEPOX UEP1X UEPDM 1PQWM 1PQWU NDT NDZ ND4 ND5 ND6 NDV	0.00 1.09 1.09 1.09 5.50 0.4689 0.4689 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 12.90 38.09 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 1.96	0.00 0.00 0.00						

UNDL	ED NETWORK ELEMENTS - Georgia	1	_		1	ı						0 0	Attachr			ibit: A
GORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		R	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR		I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	I Charg Manu Svc Ore
							Nonrec	urring	NRC Disc	onnect		1	OSS	Rates (\$)	l .	Dicc Ac
+ - 1		 				Rec	First	Add'l	First		SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
2 E03	ures shall apply to the Unbundled Port/Loop Combination - Cos	t Baco	1 Date	caction in the came	manner ac f	hov are applied							JOHIAN	JOHAN	JONAN	JOINT
	Office and Tandem Switching Usage and Common Transport Us												rt/l oon Com	hinotiono		+
	first and additional Port nonrecurring charges apply to Not Curr														acations A	ddition
		entry C	OIIIDII	ieu Collibos. Foi C	urrently Con	ibilied Collibos	the nonrecu	ming charge	s snan be u	nose identi	inea in the	Nomecum	ng - Currenti	y Combined	Sections. A	adition
	may apply also and are categorized accordingly.															_
	ket Rates for Unbundled Centrex Port/Loop Combination will be	negot	ated c	n an Individual Cas	e Basis, unti	I further notice.										
	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	ort/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP91		10.46										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	<u> </u>	2	UEP91		15.76										<u> </u>
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP91		32.56									<u> </u>	
UNE P	ort/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP91		12.47										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP91		17.85										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP91		33.98										
UNE L	oop Rate															T
	2W VG Loop (SL 1)-Zone 1		1	UEP91	UECS1	9.56										
	2W VG Loop (SL 1)-Zone 2		2	UEP91	UECS1	14.86										
	2W VG Loop (SL 1)-Zone 3		3	UEP91	UECS1	31.66										
	2W VG Loop (SL 2)-Zone 1		1	UEP91	UECS2	11.57										
	2W VG Loop (SL 2)-Zone 2		2	UEP91	UECS2	16.95										1
	2W VG Loop (SL 2)-Zone 3		3	UEP91	UECS2	33.08										
UNE P																†
	tes (Except NC and SC)															†
	2W VG Port (Centrex) Basic Local Area			UEP91	UEPYA	0.9019	10.05	7.36	1.37	1.28						+
1	2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term)Basic Local Area			UEP91	UEPYB	0.9019	10.05	7.36	1.37	1.28						+
	2W VG Port (Centrex ede rem) Basic Local Area			UEP91	UEPYH	0.9019	10.05	7.36	1.37	1.28						+
	2W VG Port (Centrex with Carlet ID) Note 2, 3 Basic Local Area			UEP91	UEPYM	0.9019	82.27	26.96	20.29	9.15						+
1 1	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP91	UEPYZ	0.9019	82.27	26.96	20.29	9.15						+
	2W VG Port terminated in on Megalink or equivalent-Basic Local			UEP91	UEPY9	0.9019	10.05	7.36	1.37	1.28						+
	2W VG Port Terminated in 60 Negarink of equivalent-basic Local Area			UEP91	UEPY2	0.9019	10.05	7.36	1.37	1.28						+
Coora	ia and Florida Only			OLI 31	OLI 12	0.3013	10.05	7.50	1.57	1.20						+
Georg	2W VG Port (Centrex)	-		UEP91	UEPHA	0.9019	10.05	7.36	1.37	1.28						
	2W VG Port (Centrex) 2W VG Port (Centrex 800 Term)			UEP91	UEPHB	0.9019	10.05	7.36	1.37	1.28						+
	2W VG Port (Centrex with Caller ID)1			UEP91	UEPHH	0.9019	10.05	7.36	1.37	1.28						+
 	2W VG Port (Centrex with Caller ID)1 2W VG Port (Centrex from diff SWC)2,3	 		UEP91	UEPHH	0.9019	82.27	26.96	20.29	9.15					-	+
\vdash	2W VG Port (Centrex from diff SWC)2,3 2W VG Port, Diff SWC 2,3-800 Service Term	├		UEP91	UEPHZ	0.9019	82.27	26.96		9.15						+
 		 		UEP91 UEP91	UEPH2 UEPH9	0.9019	10.05	7.36	20.29	1.28					-	+
1	2W VG Port terminated in on Megalink or equivalent	├		UEP91 UEP91	UEPH9 UEPH2		10.05			1.28						+
Local	2W VG Port Terminated on 800 Service Term Switching	 		UEP91	UEPHZ	0.9019	10.05	7.36	1.37	1.28						+
		1	-	UEP91	URECS	0.4237										+
	Centrex Intercom Funtionality, per port	1	-	UEP91	UREUS	0.4237									-	+
Local	Number Portability			115504												
F	Local No Portability (1 per port)	1	-	UEP91	LNPCC	0.35									-	+
Featur		!	-	LIEDOA	UEPVF	0.775	1								ļ	+
\vdash	All Standard Features Offered, per port	1	-	UEP91	UEPVF	0.775	0.00								-	+
+-+	All Select Features Offered, per port	1	-	UEP91		0.00	0.00								-	+
NASC	All Centrex Control Features Offered, per port	1	-	UEP91	UEPVC	0.00									-	+
NARS	III. III. I Normal Access Burkets Over Livering	!	-	LIEBOA	HADOX		0.00	0.00	0.00	0.00					ļ	+
	Unbundled Network Access Register-Combination		-	UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
\vdash	Unbundled Network Access Register-Indial	<u> </u>		UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						₩
<u> </u>	Unbundled Network Access Register-Outdial	<u> </u>		UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						₩
	laneous Terminations	ļ	L													4
2-Wire	Trunk Side	 			L		ļ									4
	Trunk Side Terms, each	<u> </u>		UEP91	CENA6	5.50	122.26	18.65	54.82	3.45						<u> </u>
Interof	fice Channel Mileage - 2-Wire															<u> </u>
	Interoffice Channel Facilities Term-VG	1	1	UEP91	M1GBC	12.87	48.46	19.48	16.58	5.00				<u> </u>	1	
	Interoffice Channel miage, per mi or fraction of mi e Activations (DS0) Centrex Loops on Channelized DS1 Service			UEP91	M1GBM	0.0057										

NROND	ED NETWORK ELEMENTS - Georgia											1 -	Attachi			bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		R	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Orde
						B	Nonre	curring	NRC Disc	onnect			OSS	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.4689			1							
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.4689										1
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.4689										1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP91	1PQWP	0.4689							-		1	1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.4689							-		1	
	Feature Activation on D-4 Channel Bank Tijle Line/Trunk Loop Slot			UEP91	1PQWQ	0.4689							-		1	
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.4689							-		1	
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex			OLI 31	II QWA	0.4003										
NOII	Conversion-Currently Combined Switch-As-Is with allowed changes,															
	per port			UEP91	USAC2		0.10	0.10								
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	317.90	37.59	48.99	5.92			-		-	-
-	New Centrex Standard Common Block New Centrex Customized Common Block		1	UEP91	M1ACC	0.00	317.90	37.59	48.99	5.92	1				-	-
				UEP91	M2CC1	0.00		37.59	40.99	5.92						
_	Secondary Block, per Block	-	1	UEP91	URECA	0.00	77.10 0.00	 	 		1	-	 		1	
4 1 1	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	0.00									
Addi	ional Non-Recurring Charges (NRC)	-	\vdash	UEP91	URETL		2.00	2.00	1		 	1	1		1	
	Unbundled Misc Rate Element, Tag Loop at End Use Premise						8.33	0.83								
	Unbundled Misc Rate Element, Tag Design Loop at End Use			UEP91	URETN		11.19	1.10								
	P CENTREX - 5ESS (Valid in All States)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95		10.46										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95		15.76										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95		32.56										
UNE	Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		12.47										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP95		17.85										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95		33.98										
UNE	Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP95	UECS1	9.56										
	2W VG Loop (SL 1)-Zone 2		2	UEP95	UECS1	14.86										
	2W VG Loop (SL 1)-Zone 3		3	UEP95	UECS1	31.66										
	2W VG Loop (SL 2)-Zone 1		1	UEP95	UECS2	11.57										
	2W VG Loop (SL 2)-Zone 2		2	UEP95	UECS2	16.95										
	2W VG Loop (SL 2)-Zone 3		3	UEP95	UECS2	33.08										
UNE	Port Rate															
All S	ates															
	2W VG Port (Centrex) Basic Local Area			UEP95	UEPYA	0.9019	10.05	7.36	1.37	1.28						
	2W VG Port (Centrex 800 Term)			UEP95	UEPYB	0.9019	10.05	7.36	1.37	1.28						
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	0.9019	10.05	7.36	1.37	1.28						
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP95	UEPYM	0.9019	82.27	26.96	20.29	9.15						
	2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area			UEP95	UEPYZ	0.9019	82.27	26.96	20.29	9.15						
	2W VG Port terminated in on Megalink or equivalent-Basic Local			UEP95	UEPY9	0.9019	10.05	7.36	1.37	1.28						
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP95	UEPY2	0.9019	10.05	7.36	1.37	1.28						
FL &	GA Only															
	2W VG Port (Centrex)			UEP95	UEPHA	0.9019	10.05	7.36	1.37	1.28						
	2W VG Port (Centrex 800 Term)			UEP95	UEPHB	0.9019	10.05	7.36		1.28						†
	2W VG Port (Centrex with Caller ID)1			UEP95	UEPHH	0.9019	10.05	7.36	1.37	1.28						—
	2W VG Port (Centrex from diff SWC)2,3			UEP95	UEPHM	0.9019	82.27	26.96	20.29	9.15			-		1	
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP95	UEPHZ	0.9019	82.27	26.96	20.29	9.15			-		l	
-+	2W VG Port terminated in on Megalink or equivalent			UEP95	UEPH9	0.9019	10.05	7.36	1.37	1.28	 		t		t	
	2W VG Port Terminated in 60 Negalitik of equivalent		1	UEP95	UEPH2	0.9019	10.05	7.36	1.37	1.28	 		<u> </u>			
Loca	Switching	1	\vdash	OLFSU	ULFIIZ	0.5019	10.03	1.30	1.3/	1.20	1		t		1	
Loca	Centrex Intercom Funtionality, per port		\vdash	UEP95	URECS	0.4237		-			-				-	+
Loca	Number Portability		1	ULF 33	UNLUS	0.4237		-	1		1				-	-
Loca		-	1	UEP95	LNPCC	0.35		-	 		-		-		-	
Featu	Local No Portability (1 per port)	-	1	UEP95	LINPUU	0.35			1				 		 	├──
reatt		-	1	LIEDOE	UEPVF	0.775		-	 		-		-		-	
-+	All Standard Features Offered, per port	-	\vdash	UEP95 UEP95	UEPVF	0.775 0.00	0.00	-	1		 	1	1		1	├
i	All Select Features Offered, per port	1	i l	UEP95 UEP95	UEPVS	0.00	0.00	i	1	İ	1	1	1		1	1

NRONDI	ED NETWORK ELEMENTS - Georgia										_		Attachr		1	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		R	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo Order vs. Electronic-	I Charge Manual Svc Orde
						_	Nonre	urring	NRC Disc	onnect		•	OSS F	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
NARS	3							7144		/	0020					00
IVAIN	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						<u> </u>
_	Unbundled Network Access Register-Combination Unbundled Network Access Register-Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00	1					1
_	Unbundled Network Access Register-India Unbundled Network Access Register-Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00	1					1
Mico	ellaneous Terminations			ULF 93	UARUX	0.00	0.00	0.00	0.00	0.00	 		-			1
	e Trunk Side				-				1		 		-			
2-7711	Trunk Side Terms, each			UEP95	CEND6	5.50	122.26	18.65	54.82	3.45	 		-			
4 18/:-				UEF95	CENDO	5.50	122.20	10.03	34.02	3.43						<u> </u>
4-7711	e Digital (1.544 Megabits)	-		UEP95	M1HD1	41.20	200.96	93.00	CF 04	2.33						
	DS1 Circuit Terms, each							93.00	65.81	2.33	ļ					
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	13.95				ļ					
Inter	office Channel Mileage - 2-Wire	<u> </u>		LIEBAS	144050			10.7-	10 =-				-		1	1
	Interoffice Channel Facilities Term	 	\sqcup	UEP95	M1GBC	12.87	48.46	19.48	16.58	5.00	ļ					ļ
	Interoffice Channel miage, per mi or fraction of mi			UEP95	M1GBM	0.0057			ļ							ļ
	re Activations (DS0) Centrex Loops on Channelized DS1 Service								ļ							ļ
D4 C	nannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.4689										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.4689										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.4689										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP95	1PQWP	0.4689										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.4689										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP95	1PQWQ	0.4689										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.4689										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP95	USAC2		0.10	0.10								
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	317.90	37.59	48.99	5.92						1
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	317.90	37.59		5.92						
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	0.00	07.00	40.00	0.02						
Δddi	ional Non-Recurring Charges (NRC)			OLI 00	ORLOR	0.00	0.00									<u> </u>
Audi	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP95	URETL		8.33	0.83								<u> </u>
	Unbundled Misc Rate Element, Tag Design Loop at End Use			UEP95	URETN		11.19	1.10								
LINE	P CENTREX - DMS100 (Valid in All States)			ULF 93	UKLIN		11.19	1.10								
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo		-		-											<u> </u>
	Port/Loop Combination Rates (Non-Design)		-		+											<u> </u>
UNL			4	UEP9D	-	10.46										<u> </u>
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		2		+	15.76										<u> </u>
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D UEP9D	+	32.56										<u> </u>
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D		32.56					ļ					
UNE	Port/Loop Combination Rates (Design)			LIEDOD		10.17					ļ					
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D		12.47					ļ					
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		17.85										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		33.98										
UNE	Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	9.56										
	2W VG Loop (SL 1)-Zone 2		2	UEP9D	UECS1	14.86										
	2W VG Loop (SL 1)-Zone 3		3	UEP9D	UECS1	31.66										
	2W VG Loop (SL 2)-Zone 1		1	UEP9D	UECS2	11.57										
	2W VG Loop (SL 2)-Zone 2		2	UEP9D	UECS2	16.95										
	2W VG Loop (SL 2)-Zone 3		3	UEP9D	UECS2	33.08										
	Port Rate															
ALL:	STATES															
	2W VG Port (Centrex) Basic Local Area			UEP9D	UEPYA	0.9019	10.05	7.36		1.28						
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	0.9019	10.05	7.36	1.37	1.28						
	2W VG Port (Centrex/EBS-PSET)3Basic Local Area			UEP9D	UEPYC	0.9019	10.05	7.36		1.28						
	2W VG Port (Centrex /EBS-M5009)3Basic Local Area			UEP9D	UEPYD	0.9019	10.05	7.36		1.28						
	2W VG Port (Centrex /EBS-M5209)3 Basic Local Area			UEP9D	UEPYE	0.9019	10.05	7.36		1.28			1		1	
	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	0.9019	10.05	7.36		1.28			1		1	
	2W VG Port (Centrex /EBS-M5312)3Basic Local Area			UEP9D	UEPYG	0.9019	10.05	7.36		1.28			1		1	1
	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	0.9019	10.05	7.36		1.28						1
				UEP9D	UEPYU	0.9019	10.05	7.36		1.28	1				1	1

DURRANDE	ED NETWORK ELEMENTS - Georgia		,		, ,						_	_	Attachr			bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		R	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Orde
					+	I	Nonrec	urring	NRC Disc	onnect		1	OSS	Rates (\$)	1	Disc Add
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	0.9019	10.05	7.36		1.28	JOHLE	JOINAIN	JOHAN	JONAN	JOHAN	JONAN
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	0.9019	10.05	7.36		1.28						
	2W VG Port (Centrex with Caller ID) Basic Local Area	-		UEP9D	UEPYH	0.9019	10.05	7.36		1.28	 		-		-	+
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4 Basic	-		OLF3D	OLFIII	0.9019	10.03	7.30	1.31	1.20	 		-		-	+
	Local Area			UEP9D	UEPYW	0.9019	10.05	7.36	1.37	1.28						
	2W VG Port (Centrex/Msq Wtq Lamp Indication)4 Basic Local Area			UEP9D	UEPYJ	0.9019	10.05	7.36		1.28						
	2W VG Port (Centrex/Msg Wtg Lamp indication)4 Basic Local Area	-		UEP9D	UEPYM	0.9019	82.27	26.96	20.29	9.15	 		-		-	
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area			UEP9D	UEPYO	0.9019	82.27	26.96		9.15						
	2W VG Port (Centrex/differ SWC /EBS-PSE1)2,3,4 Basic Local Area 2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local			UEP9D	UEPYP	0.9019	82.27	26.96	20.29	9.15						
				UEP9D		0.9019	82.27	26.96	20.29							
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area				UEPYQ					9.15						
	2W VG Port (Centrey/differ SWC /EBS-M5112)2,3,4 Basic Local	 	\vdash	UEP9D UEP9D	UEPYR	0.9019	82.27	26.96	20.29	9.15			 		 	
	2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local		$\vdash \vdash$		UEPYS	0.9019	82.27	26.96	20.29	9.15					1	├
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local		$\vdash \vdash$	UEP9D	UEPY4	0.9019	82.27	26.96	20.29	9.15					1	├
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	0.9019	82.27	26.96	20.29	9.15			-		-	
	2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local			UEP9D	UEPY6	0.9019	82.27	26.96	20.29	9.15			-		-	
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local			UEP9D	UEPY7	0.9019	82.27	26.96	20.29	9.15						
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPYZ	0.9019	82.27	26.96	20.29	9.15						
	2W VG Port terminated in on Megalink or equivalent Basic Local			UEP9D	UEPY9	0.9019	10.05	7.36		1.28						
	2W VG Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	0.9019	10.05	7.36	1.37	1.28						
FL &	GA Only															
	2W VG Port (Centrex)			UEP9D	UEPHA	0.9019	10.05	7.36		1.28						
	2W VG Port (Centrex 800 Term)			UEP9D	UEPHB	0.9019	10.05	7.36		1.28						
	2W VG Port (Centrex/EBS-PSET)4			UEP9D	UEPHC	0.9019	10.05	7.36	1.37	1.28						
	2W VG Port (Centrex /EBS-M5009)4			UEP9D	UEPHD	0.9019	10.05	7.36		1.28						
	2W VG Port (Centrex /EBS-M5209)4			UEP9D	UEPHE	0.9019	10.05	7.36		1.28						
	2W VG Port (Centrex /EBS-M5112)4			UEP9D	UEPHF	0.9019	10.05	7.36		1.28						
	2W VG Port (Centrex /EBS-M5312)4			UEP9D	UEPHG	0.9019	10.05	7.36		1.28						
	2W VG Port (Centrex /EBS-M5008)4			UEP9D	UEPHT	0.9019	10.05	7.36	1.37	1.28						
	2W VG Port (Centrex/EBS-M5208)4			UEP9D	UEPHU	0.9019	10.05	7.36	1.37	1.28						
	2W VG Port (Centrex/EBS-M5216)4			UEP9D	UEPHV	0.9019	10.05	7.36	1.37	1.28						
	2W VG Port (Centrex/EBS-M5316)4			UEP9D	UEPH3	0.9019	10.05	7.36	1.37	1.28						
	2W VG Port (Centrex with Caller ID)			UEP9D	UEPHH	0.9019	10.05	7.36	1.37	1.28						
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4			UEP9D	UEPHW	0.9019	10.05	7.36	1.37	1.28						
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPHJ	0.9019	10.05	7.36		1.28						
	2W VG Port (Centrex from diff SWC) 2,3			UEP9D	UEPHM	0.9019	82.27	26.96	20.29	9.15						
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPHO	0.9019	82.27	26.96		9.15						
	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPHP	0.9019	82.27	26.96		9.15						1
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	0.9019	82.27	26.96	20.29	9.15						
	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	0.9019	82.27	26.96	20.29	9.15						
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3,4			UEP9D	UEPHS	0.9019	82.27	26.96	20.29	9.15						
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPH4	0.9019	82.27	26.96	20.29	9.15						
	2W VG Port (Centrex/differ SWC /EBS-M5006)2,3,4			UEP9D	UEPH5	0.9019	82.27	26.96	20.29	9.15						
	2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPH6	0.9019	82.27	26.96	20.29	9.15						+
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPH7	0.9019	82.27	26.96	20.29	9.15						
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPHZ	0.9019	82.27	26.96		9.15	 		-		-	+
-	2W VG Port terminated in on Megalink or equivalent			UEP9D	UEPH9	0.9019	10.05	7.36		1.28	1				-	+
	2W VG Port Terminated in on wegalink of equivalent 2W VG Port Terminated on 800 Service Term			UEP9D	UEPH2	0.9019	10.05	7.36		1.28	 		-		-	+
Local				UEP9D	UEFFIZ	0.9019	10.05	7.30	1.37	1.20						
Local	Switching Control Intercom Funtionality, per port	 	\vdash	UEP9D	URECS	0.4237			1				 		 	
1 40-1	Centrex Intercom Funtionality, per port	 	\vdash	UEP9D	UKEUS	0.4237			+		1	-	 		1	₩
Local	Number Portability	-	\vdash	LIEDAD	LNDOO	0.05			1		1				1	├
F	Local No Portability (1 per port)		\vdash	UEP9D	LNPCC	0.35			1						1	₩
Featu				LIEDOD	LIED /E	^							-		-	↓
	All Standard Features Offered, per port	 	Ш	UEP9D	UEPVF	0.775				ļ	ļ					
_	All Select Features Offered, per port	.		UEP9D	UEPVS	0.00	0.00									↓
	All Centrex Control Features Offered, per port	 		UEP9D	UEPVC	0.00										↓
NARS					1				_							<u> </u>
	Unbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00	0.00		0.00						
	Unbundled Network Access Register-Inward	<u> </u>		UEP9D	UAR1X	0.00	0.00	0.00		0.00						
1	Unbundled Network Access Register-Outdial	l		UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00	I					1

<u>NBUN</u> DL	ED NETWORK ELEMENTS - Georgia												Attachi			bit: A
											Svc	Svc Order	Incremental	Incrementa	Incremental	Incremen
											Order	Submitted	Charge -	I Charge -	Charge -	I Charge
		Intori	700								Submitte	Manually	Manual Svc	Manual	Manual Svc	Manua
TEGORY	RATE ELEMENTS		Zon	BCS	USOC		R	ATES (\$)			d Elec	per LSR		Svc Order	Order vs.	Svc Ord
		m	е								per LSR	per Lore	Electronic-	vs.	Electronic-	vs.
											per Lor			Electronic-		Electron
													151	FIECTIONIC-	DISC ISL	Disc Ac
						Rec	Nonrec		NRC Disc			•		Rates (\$)	•	
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Ilaneous Terminations															
2-Wire	e Trunk Side															
	Trunk Side Terms, each			UEP9D	CEND6	5.50	122.26	18.65	54.82	3.45						
4-Wire	e Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP9D	M1HD1	41.20	200.96	93.00	65.81	2.33						
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	13.95									
Interd	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP9D	M1GBC	12.87	48.46	19.48	16.58	5.00						
	Interoffice Channel miage, per mi or fraction of mi			UEP9D	M1GBM	0.0057										
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.4689										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.4689										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.4689										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP9D	1PQWP	0.4689										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.4689										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.4689										
_	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.4689										
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		0.10	0.10								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	317.90	37.59	48.99	5.92						
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	317.90	37.59	48.99	5.92						
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	0.00									
Addit	ional Non-Recurring Charges (NRC)															
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Misc Rate Element, Tag Design Loop at End Use			UEP9D	URETN		11.19	1.10								
Addit	ional Non-Recurring Charges (NRC)				1											
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP9E	URETL											
	Unbundled Misc Rate Element, Tag Design Loop at End Use			UEP9E	URETN											
Note	1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	2 - Requres Interoffice Channel Mileage															
	3 - Installation is combination of Installation charge for SL2 Loop	and P	ort		1											
	4 - Requires Specific Customer Premises Equipment				1											
Note:	Rates displaying an "R" in Interim column are interim and subje	ct to ra	te true	un as set forth in	General Terms	and Conditions					1					

<u>JNBUNI</u>	DLED NETWORK ELEMENTS - Kentucky												Attachi	ment: 2	Exhi	ibit: A
ATEGO	RATE ELEMENTS	Interi m	Zone	BCS	usoc		F	RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charg Manua Svc Ord vs.
												per Lore	1c+	Add'I	Dice 1ct	Disc Ad
						Rec	Nonrec		NRC Disco					Rates (\$)		
		-	-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
The	Tone" shown in the sections for stand-alone loops or loops as	part of	a cor	nbination refers to G	eographical	v Deaveraged U	NE Zones. To	view Geogra	phically Dea	veraged UN	E Zone De	signations	by Central C	Office, refer t	o internet W	/ebsite:
	://www.interconnection.bellsouth.com/become_a_clec/html/inte					,			,,				.,	,		
PERATION	ONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
	TE: (1) CLEC should contact its contract negotiator if it prefers the EC may elect either the state specific Commission ordered rates f															charges.
	erconnection contract established in each of the 9 states.	or the s	sei vic	e ordering charges, c	or CLEC Illay	elect the region	iai service oru	ering charge,	nowever, C	LEC Can no	i obiain a i	ilixture or	ne two rega	uless II CLE	C Has a	
NO	IE: (2) Any element that can be ordered electronically will be bill															
	se elements that cannot be ordered electronically at present per					ry reflects the ch	arge that wou	ld be billed t	o a CLEC on	ce electroni	c ordering	capabilitie	s come on-l	ine for that e	element. Otl	herwise
ma	nual ordering charge, SOMAN, will be applied to a CLECs bill wh	en it su	bmits	an LSR to BellSouth		ı							1			
	OSS-Electronic Service Order Charge, Per LSR-UNE Only OSS-Manual Service Order Charge, Per LSR-UNE Only		-		SOMEC SOMAN		3.50 7.86	0.00	3.50 0.99	0.00						
NE SER	/ICE DATE ADVANCEMENT CHARGE				SOMAN		7.00	0.00	0.33	0.00						
	TE: The Expedite charge will be maintained commensurate with	BellSo	ıth's l	FCC No.1 Tariff, Secti	on 5 as app	licable.										
				UAL, UEANL, UCL,												
				UEF, UDF, UEQ,												
				UDL, UENTW, UDN,												
				UEA, UHL, ULC,												
				USL, U1T12, U1T48,												
				U1TD1, U1TD3,												
				U1TDX, U1TO3, U1TS1, U1TVX,												
				UC1BC, UC1BL,												
				UC1CC, UC1CL,												
				UC1DC, UC1DL,												
				UC1EC, UC1EL,												
				UC1FC, UC1FL,												
				UC1GC, UC1GL,												
				UC1HC, UC1HL,												
				UDL12, UDL48,												
				UDLO3, UDLSX, UE3, ULD12,												
				ULD48, ULDD1,												
				ULDD3, ULDDX,												
				ULDO3, ULDS1,												
				ULDVX, UNC1X,												
				UNC3X, UNCDX,												
				UNCNX, UNCSX,												
				UNCVX, UNLD1, UNLD3, UXTD1,												
				UXTD3, UXTS1,												
	UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
	Day			U1TUB, U1TUA	SDASP		200.00									
	ED EXCHANGE ACCESS LOOP															
2-W	/IRE ANALOG VOICE GRADE LOOP 2W Analog VG Loop-SL1-Zone 1	-	1	UEANL	UEAL2	10.56	46.66	22.57	26.65	7.65						
	2W Analog VG Loop-SL1-Zone 1	+	2	UEANL	UEAL2	15.34	46.66	22.57	26.65	7.65						
-	2W Analog VG Loop-SL1-Zone 3	+	3	UEANL	UEAL2	31.11	46.66	22.57	26.65	7.65						1
_	2W Analog VG Loop-SL1-Zone 1	1	1	UEANL	UEASL	10.56	46.66	22.57	26.65	7.65						†
	2W Analog VG Loop-SL1-Zone 2	1	2	UEANL	UEASL	15.34	46.66	22.57	26.65	7.65						
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEASL	31.11	46.66	22.57	26.65	7.65						
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83								
	Loop Testing-Basic 1st Half Hour	1	<u> </u>	UEANL	URET1		46.88	46.88								<u> </u>
	Loop Testing-Basic Add'l Half Hour	1		UEANL	URETA		24.16	24.16								<u> </u>
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL- Unbundled Voice Loop, Non-Design Voice Loop, billing for BST	+	 	UEANL	UREWO		15.78	8.94			-	<u> </u>				
	Torroundied voice Loop, Norr-Design voice Loop, billing for BST	1	l		l	1				l						
	providing make-up (Engineering Information-E.I.)			UEANL	UEANM		13.49	13.49								

DINDONDE	ED NETWORK ELEMENTS - Kentucky													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		R	RATES (\$)			Svc Order Submitte	Svc Order Submitte	Incrementa I Charge - Manual	Incrementa I Charge - Manual	l Charge - Manual	I Charge - Manual
SATEGORI	TOTAL ELEMENTO	m	Lone	300	3333			(v)			d Elec per LSR	d Manually per LSR	Svc Order vs. Electronic-		Svc Order vs. Electronic-	Svc Order vs. Electronic
						B	Nonrec	urring	NRC Disco	nnect			OSS	Rates (\$)	Dicc 1ct	Diec Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Specified Conversion Time for UVL-SL1 (per															
	LSR)			UEANL	OCOSL		23.01	23.01								
	E Unbundled COPPER LOOP															
	2W Unbundled Copper Loop-Non-Designed Zone 1	ı	1	UEQ	UEQ2X	10.58	44.97	20.89	25.64	6.65						
	2W Unbundled Copper Loop-Non-Designed-Zone 2		2	UEQ	UEQ2X	11.51	44.97	20.89	25.64	6.65						
	2W Unbundled Copper Loop-Non-Designed-Zone 3	ı	3	UEQ	UEQ2X	13.19	44.97	20.89	25.64	6.65						
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83								
	Manual Order Coordination 2W Unbundled Copper Loop-Non-			UEQ	USBMC		9.00	9.00								
	Designed (per loop) Unbundled Copper Loop, Non-Design Copper Loop, billing for BST			UEQ	USBIVIC		9.00	9.00								
	providing make-up (Engineering Information-E.I.)			UEQ	UEQMU		13,49	13.49								
	Loop Testing-Basic 1st Half Hour			UEQ	URET1		46.88	46.88			<u> </u>					
	Loop Testing-Basic 1st Half Hour			UEQ	URETA		24.16	24.16			 					
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-ND)			UEQ	UREWO		14.27	7.43								
	D EXCHANGE ACCESS LOOP	<u> </u>			525			0								
	E ANALOG VOICE GRADE LOOP															
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	10.56	46.66	22.57	26.65	7.65						
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEABS	10.56	46.66	22.57	26.65	7.65						
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	15.34	46.66	22.57	26.65	7.65						
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS	15.34	46.66	22.57	26.65	7.65						
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEALS	31.11	46.66	22.57	26.65	7.65						
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEABS	31.11	46.66	22.57	26.65	7.65						
	D EXCHANGE ACCESS LOOP															
2-WIR	E ANALOG VOICE GRADE LOOP															
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		1	UEA	UEAL2	12.67	134.89	81.87	73.65	14.88						
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2		2	UEA	UEAL2	17.45	134.89	81.87	73.65	14.88						
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA	UEAL2	33.22	134.89	81.87	73.65	14.88						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.01									
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 1		1	UEA	UEAR2	12.67	134.89	81.87	73.65	14.88						
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 2		2	UEA	UEAR2	17.45	134.89	81.87	73.65	14.88						
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 3		3	UEA	UEAR2	33.22	134.89	81.87	73.65	14.88						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.01									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.72	36.36								
	Loop Tagging-SL2 (SL2)			UEA	URETL		11.21	1.10								
	E ANALOG VOICE GRADE LOOP 4W Analog VG Loop-Zone 1		1	UEA	UEAL4	29.26	164.11	112.36	78.91	18.66						
	4W Analog VG Loop-Zone 1 4W Analog VG Loop-Zone 2		2	UEA	UEAL4	34.25	164.11	112.36	78.91	18.66						
	4W Analog VG Loop-Zone 2 4W Analog VG Loop-Zone 3	 	3	UEA	UEAL4	34.25 85.06	164.11	112.36	78.91	18.66	1					1
	Order Coordination for Specified Conversion Time (per LSR)		J	UEA	OCOSL	05.00	23.01	112.30	10.51	10.00						1
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.72	36.36			t					1
2-WIR	E ISDN DIGITAL GRADE LOOP			OLA	SILLIVO		01.12	55.56								
	2W ISDN Digital Grade Loop-Zone 1	<u> </u>	1	UDN	U1L2X	18.44	146.77	95.02	71.38	13.83						
	2W ISDN Digital Grade Loop-Zone 2	<u> </u>	2	UDN	U1L2X	25.08	146.77	95.02	71.38	13.83						
	2W ISDN Digital Grade Loop-Zone 3		3	UDN	U1L2X	42.87	146.77	95.02	71.38	13.83						
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL	,	23.01				1					
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO		91.63	44.16								
	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA	ATIBLI	LOO													
	2W Unbundled ADSL Loop including manI svc inq & facility reservation-Zone 1		1	UAL	UAL2X	10.82	141.98	79.73	69.02	11.47						
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 2		2	UAL	UAL2X	11.79	141.98	79.73	69.02	11.47						
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 3		3	UAL	UAL2X	12.87	141.98	79.73	69.02	11.47						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL	·	23.01									
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton- Zone 1		1	UAL	UAL2W	10.82	121.18	69.00	69.09	11.54						
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton- Zone 2		2	UAL	UAL2W	11.79	121.18	69.00	69.09	11.54						

ONBOND	LED NETWORK ELEMENTS - Kentucky													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	usoc		R	RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Orde vs.
		-					Nanas		NRC Disco		1		164	V441	Disc 1st	Dice Add!
		-				Rec	Nonrec				001150	SOMAN		Rates (\$)	SOMAN	001111
	OWITH A ADOL I are wis even as a facility reconsists	-					First	Add'l	First	Add'l	SOMEC	SUMAN	SOMAN	SOMAN	SUMAN	SOMAN
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-				1141 0141	40.07	404.40	69.00	69.09	11.54						
	Zone 3		3	UAL	UAL2W	12.87	121.18	69.00	69.09	11.54						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.01	40.40								
	CLEC to CLEC Conversion Charge w/o outside dispatch	<u> </u>		UAL	UREWO		86.20	40.40								
2-WII	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	IIRFF	LOOP		_											
	2W Unbundled HDSL Loop including manl svc inq & facility															
	reservation-Zone 1		1	UHL	UHL2X	8.75	151.54	89.29	69.09	11.54						
	2W Unbundled HDSL Loop including manl svc inq & facility															
	reservation-Zone 2		2	UHL	UHL2X	9.56	151.54	89.29	69.09	11.54						ļ
	2W Unbundled HDSL Loop including manl svc inq & facility															
	reservation-Zone 3	<u> </u>	3	UHL	UHL2X	10.61	151.54	89.29	69.09	11.54	ļ					
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>		UHL	OCOSL		23.01									ļ
	2W Unbundled HDSL Loop w/o manl svc inq and facility															
	reservation-Zone 1	<u> </u>	1	UHL	UHL2W	8.75	130.74	78.56	69.09	11.54	<u> </u>					<u> </u>
	2W Unbundled HDSL Loop w/o manl svc inq and facility															
	reservation-Zone 2		2	UHL	UHL2W	9.56	130.74	78.56	69.09	11.54						
	2W Unbundled HDSL Loop w/o manl svc inq and facility															
	reservation-Zone 3		3	UHL	UHL2W	10.61	130.74	78.56	69.09	11.54						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.14	40.40								
4-WII	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	4W Unbundled HDSL Loop including man! svc ing and facility															
	reservation-Zone 1		1	UHL	UHL4X	13.95	185.75	123.50	74.95	14.69						
	4W Unbundled HDSL Loop including manl svc ing and facility															1
	reservation-Zone 2	l i	2	UHL	UHL4X	15.68	185.75	123.50	74.95	14.69						
	4W Unbundled HDSL Loop including manl svc ing and facility															1
	reservation-Zone 3		3	UHL	UHL4X	16.98	185.75	123.50	74.95	14.69						
-	Order Coordination for Specified Conversion Time (per LSR)		Ŭ	UHL	OCOSL	10.00	23.01	120.00	7 1.00	1 1100						
-	4W Unbundled HDSL Loop w/o manl svc ing and facility			02	00002		20.01									
	reservation-Zone 1		1	UHL	UHL4W	13.95	164.95	114.04	77.32	15.80						
	4W Unbundled HDSL Loop w/o manl svc inq and facility		-	OTIL	OTILAVV	10.00	104.33	114.04	11.52	13.00						
	reservation-Zone 2		2	UHL	UHL4W	15.68	164.95	114.04	77.32	15.80						
-	4W Unbundled HDSL Loop w/o manl svc ing and facility			OTIL	OTILAVV	15.00	104.33	114.04	11.52	13.00						-
	reservation-Zone 3		3	UHL	UHL4W	16.98	164.95	114.04	77.32	15.80						
	Order Coordination for Specified Conversion Time (per LSR)	1	3	UHL	OCOSL	10.30	23.01	114.04	11.32	13.60		-				
-	CLEC to CLEC Conversion Charge w/o outside dispatch	1	-	UHL	UREWO		86.14	40.40				-				-
4 10/11	RE DS1 DIGITAL LOOP	1	-	UNL	UKEWU		00.14	40.40				-				-
4-1/1	4W DS1 Digital Loop-Zone 1	-	1	USL	USLXX	86.47	306.69	174.44	65.83	14.55	1			-		
	4W DS1 Digital Loop-Zone 1	-	2	USL	USLXX	114.10	306.69	174.44	65.83	14.55	1			-		
		-									-					
	4W DS1 Digital Loop-Zone 3	1	3	USL	USLXX	297.76	306.69 23.01	174.44	65.83	14.55	1					
	Order Coordination for Specified Conversion Time (per LSR)	-		USL				40.04			1					
4 1	CLEC to CLEC Conversion Charge w/o outside dispatch	<u> </u>		USL	UREWO		101.09	43.04			1					<u> </u>
4-Wil	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	<u> </u>	Ļ	1161	LIBY		/== 0:	/00 /-	== = :	10.0-	1					
	4W Unbundled Digital 19.2 Kbps	<u> </u>	1	UDL	UDL19	27.59	157.81	106.06	78.91	18.66	1					
	4W Unbundled Digital 19.2 Kbps	<u> </u>	2	UDL	UDL19	32.48	157.81	106.06	78.91	18.66	1					
	4W Unbundled Digital 19.2 Kbps	<u> </u>	3	UDL	UDL19	36.37	157.81	106.06	78.91	18.66	ļ					ļ
	4W Unbundled Digital Loop 56 Kbps-Zone 1	<u> </u>	1	UDL	UDL56	27.59	157.81	106.06	78.91	18.66	ļ					<u> </u>
	4W Unbundled Digital Loop 56 Kbps-Zone 2	<u> </u>	2	UDL	UDL56	32.48	157.81	106.06	78.91	18.66	ļ					<u> </u>
	4W Unbundled Digital Loop 56 Kbps-Zone 3	<u> </u>	3	UDL	UDL56	36.37	157.81	106.06	78.91	18.66	ļ					<u> </u>
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>		UDL	OCOSL		23.01		ļ		ļ					ļ
	4W Unbundled Digital Loop 64 Kbps-Zone 1	<u> </u>	1	UDL	UDL64	27.59	157.81	106.06	78.91	18.66						ļ
	4W Unbundled Digital Loop 64 Kbps-Zone 2		2	UDL	UDL64	32.48	157.81	106.06	78.91	18.66						
	4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL	UDL64	36.37	157.81	106.06	78.91	18.66						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.01									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	UREWO		102.13	49.75								
2-WII	RE Unbundled COPPER LOOP															
	2W Unbundled Copper Loop-Designed including manl svc inq &															
	facility reservation-Zone 1	1	1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54	1	1		1		1

<u>UNBUN</u> DI	LED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	A dd'I	Incrementa I Charge - Manual Svc Order vs. Electronic-	Increment I Charge Manual Svc Orde vs. Electronic
						Rec	Nonrec		NRC Disc		COMEC	COMAN		Rates (\$)	COMAN	COMAN
	OW Habita died Connections Decimand including months in the						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 2		2	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54						
	2W Unbundled Copper Loop-Designed including manl svc inq &			UCL	OCLFB	11.75	140.55	76.70	09.09	11.54						
	facility reservation-Zone 3		3	UCL	UCLPB	12.87	140.95	78.70	69.09	11.54						
	Order Coordination for Unbundled Copper Loops (per loop)		_	UCL	UCLMC		9.00	9.00								
	2W Unbundled Copper Loop-Designed w/o manl svc ing and															
	facility reservation-Zone 1		1	UCL	UCLPW	10.82	120.15	67.97	69.09	11.54						
	2W Unbundled Copper Loop-Designed w/o manl svc inq and		1													
	facility reservation-Zone 2		2	UCL	UCLPW	11.79	120.15	67.97	69.09	11.54						
	2W Unbundled Copper Loop-Designed w/o manl svc inq and															
	facility reservation-Zone 3		3	UCL	UCLPW	12.87	120.15	67.97	69.09	11.54						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
4	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-D)			UCL	UREWO		97.23	42.48								
4-WII	RE COPPER LOOP			1	1				 		ļ					
	4W Copper Loop-Designed including manI svc inq and facility reservation-Zone 1		1	UCL	UCL4S	16.92	170.31	108.06	74.95	14.69						
	4W Copper Loop-Designed including manl svc inq and facility			UCL	UCL4S	16.92	170.31	108.06	74.95	14.69						
	reservation-Zone 2		2	UCL	UCL4S	17.36	170.31	108.06	74.95	14.69						
	4W Copper Loop-Designed including manI svc inq and facility			OOL	00140	17.50	170.51	100.00	74.55	14.03						
	reservation-Zone 3		3	UCL	UCL4S	28.10	170.31	108.06	74.95	14.69						
	Order Coordination for Unbundled Copper Loops (per loop)		Ť	UCL	UCLMC	20:10	9.00	9.00	7 1100	100						
	4W Copper Loop-Designed w/o manl svc ing and facility						0.00	0.00								
	reservation-Zone 1		1	UCL	UCL4W	16.92	149.52	97.33	74.95	14.69						
	4W Copper Loop-Designed w/o manl svc inq and facility		1													
	reservation-Zone 2		2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69						
	4W Copper Loop-Designed w/o manI svc inq and facility															
	reservation-Zone 3		3	UCL	UCL4W	28.10	149.52	97.33	74.95	14.69						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-D)			UCL	UREWO		97.23	42.48								
OOP MOD	FICATION															
				UAL, UHL, UCL,												
	Unbundled Loop Modification, Removal of Load Coils-2W pr less			UEQ, ULS, UEA, UEANL, UEPSR.												
	than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		9.24	9.24								
	Unbundled Loop Modification Removal of Load Coils-4W less than			UEFOB	ULIVIZL		9.24	9.24								
	or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		9.24	9.24								
	or equal to Torch, per embanaica 200p			UAL, UHL, UCL,	OLIVIAL		5.24	0.24								
				UEQ, ULS, UEA,												
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,												
	per unbundled loop			UEPSB	ULMBT		10.47	10.47								
UB-LOOPS	3															
Sub-	Loop Distribution															
	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up			UEANL	USBSA		207.91	207.91								
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up	ı		UEANL	USBSB		12.50	12.50								
	Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-	- 1		UEANL	USBSC		80.87	80.87								
	Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up		L .	UEANL	USBSD		45.04	45.04	====							
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1	1	1	UEANL	USBN2	6.34	85.03	39.05		7.90						
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2 Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3	-	3	UEANL UEANL	USBN2 USBN2	9.06 14.82	85.03 85.03	39.05 39.05	59.81 59.81	7.90 7.90	1					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr		3	UEANL	USBMC USBMC	14.82	9.00	9.00	59.87	7.90	-	-				
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1		1	UEANL	USBN4	8.14	102.31	56.32	65.24	10.88						
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1 Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2	1	2	UEANL	USBN4	8.63	102.31	56.32	65.24	10.88	 		 			
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 3	1	3	UEANL	USBN4	25.60	102.31	56.32	65.24	10.88	 		 			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr		Ť	UEANL	USBMC	20.00	9.00	9.00	33. <u>L</u> 4							
	Sub-Loop 2W Intrabuilding Network Cable (INC)	ı		UEANL	USBR2	2.57	68.35	22.36	59.81	7.90						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		9.00	9.00								
	Sub-Loop 4W Intrabuilding Network Cable (INC)	I		UEANL	USBR4	4.98	76.49	30.51	65.24	10.88						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		9.00	9.00								
	Loop Testing-Basic 1st Half Hour			UEANL	URET1		46.88	46.88								

UNBUND	LED NETWORK ELEMENTS - Kentucky													ment: 2		bit: A
											Svc	Svc	Incrementa	Incrementa	Incrementa	Incrementa
											Order	Order	I Charge -	I Charge -	I Charge -	I Charge -
		Intori									Submitte	Submitte	Manual	Manual	Manual	Manual
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		F	RATES (\$)			d Elec	d	Svc Order	Svc Order	Svc Order	Svc Order
		m										Manually	vs.	vs.	vs.	vs.
											Po. 20.1			Electronic-	_	_
												per Lor			Disc 1st	Disc Add'l
						Rec	Nonred		NRC Disco					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA		24.16	24.16								
	2W Copper Unbundled Sub-Loop Distribution-Zone 1	- 1	1	UEF	UCS2X	5.45	85.03	39.05	59.81	7.90						
	2W Copper Unbundled Sub-Loop Distribution-Zone 2	- 1	2	UEF	UCS2X	7.06	85.03	39.05	59.81	7.90						
	2W Copper Unbundled Sub-Loop Distribution-Zone 3	- 1	3	UEF	UCS2X	9.67	85.03	39.05	59.81	7.90						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		9.00	9.00								
	4W Copper Unbundled Sub-Loop Distribution-Zone 1		1	UEF	UCS4X	7.09	102.31	56.32	65.24	10.88						
	4W Copper Unbundled Sub-Loop Distribution-Zone 2		2	UEF	UCS4X	8.66	102.31	56.32	65.24	10.88						
	4W Copper Unbundled Sub-Loop Distribution-Zone 3		3	UEF	UCS4X	19.40	102.31	56.32		10.88						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		9.00	9.00	1							
1	Loop Testing-Basic 1st Half Hour			UEF	URET1		46.88	46.88	1							
	Loop Testing-Basic Add'l Half Hour			UEF	URETA		24.16	24.16								
Unbu	undled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per pr			UENTW	UENPP	0.53	23.51	23.51								
Netw	vork Interface Device (NID)															
	Network Interface Device (NID)-1-2 lines			UENTW	UND12		73.53	49.47								
	Network Interface Device (NID)-1-6 lines			UENTW	UND16		115.96	91.91								
	Network Interface Device Cross Connect-2 W			UENTW	UNDC2		8.56	8.56								
	Network Interface Device Cross Connect-4W			UENTW	UNDC4		8.56	8.56	1			†		1		
UNE OTHE	R. PROVISIONING ONLY - NO RATE			02.1111	0.120.		0.00	0.00	1			†		1		
The street of th	NID-Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only-No Rate			UENTW	UENCE	0.00	0.00									
_	ONT W Circuit id Establishment, 1 Townsoning Chry-No reate			UEANL,UEF,UEQ,U	OLIVOL	0.00	0.00									
	Unbundled Contract Name, Provisioning Only-No Rate			ENTW	UNECN	0.00	0.00									
LINE OTHER	R. PROVISIONING ONLY - NO RATE			LINIVV	ONLON	0.00	0.00									
ONE OTTIE	T TO TO THE TENDER TO THE TEND			UAL,UCL,UDC,UDL,												
	Unbundled Contact Name, Provisioning Only-no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate			UEA.UDN.UCL.UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop-Superframe Format Option-no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop-Expanded Superframe Format option-no rate			USL	CCOEF	0.00	0.00		1			 		-		
HICH CARA	ACITY UNBUNDLED LOCAL LOOP			USL	CCOLI	0.00	0.00		1			 		-		
HIGH CAPA	High Capacity Unbundled Local Loop-DS3-Per mi per mo			UE3	1L5ND	9.25			1			 		-		
	High Capacity Unbundled Local Loop-DS3-Fer IIII per IIII0			UE3	UE3PX	308.31	551.38	338.08	173.00	120.42		 		-		
	High Capacity Unbundled Local Loop-DS3-Facility Term per mo			UDLSX	1L5ND	9.25	331.36	330.00	173.00	120.42		 		-		
	High Capacity Unbundled Local Loop-STS-1-Per IIII per IIIo High Capacity Unbundled Local Loop-STS-1-Facility Term per mo		-	UDLSX	UDLS1	320.51	551.38	338.08	173.00	120.42						
LOOP MAK			-	UDLOX	UDLST	320.31	331.36	330.00	173.00	120.42						
LOOP WAK			-													
	Loop Makeup-Preordering w/o Reservation, per working or spare			1.15.012	1 15 41 21 147		00.40	00.40								
	facility queried (Manual).		-	UMK	UMKLW		23.40	23.40								
	Loop Makeup-Preordering With Reservation, per spare facility			1.15.012	UMKLP		04.05	04.05								
	queried (Manual).			UMK	UMKLP		24.85	24.85				ļ				
	Loop MakeupWith or w/o Reservation, per working or spare facility			115.012	111444		0.00	0.00								
	queried (Mechanized)	ļ	!	UMK	UMKMQ		0.67	0.67	 							
	ING AND LINE SPLITTING		L.,					<u> </u>	<u> </u>							
	E 1: The Line Sharing monthly recurring rates for all installation					nianight Octobei	r 01, 2004 sha	II be billed as	s tollows:							
	E 1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co	per lo	oop no	on-designed ("UCLNE)")				ļ							
	E 1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND		<u> </u>						ļ							
	E 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND		<u> </u>						ļ							
	E 1: Above will apply to USOCS: ULSDT and ULSCT															
**NO	TE 2: The Line Sharing monthly recurring rates with USOCs ULS	DC an	d ULS	CC applies only to ci	rcuits instal	led and inservice	e on or before	October 1, 2	2003		l	1	l		l	1

0.1100.110.	ED NETWORK ELEMENTS - Kentucky													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		R	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR		I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Orde vs. Electroni
						_	Nonrec	urring	NRC Disco	nnect			OSS	Rates (\$)	Dicc 1ct	Dicc Add
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
LINE	SHARING															
SPLI	ITERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	198.83	379.05	0.00	358.55	0.00						
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	49.71	379.05	0.00	358.55	0.00						
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	16.94	377.71	0.00	357.29	0.00						
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-															
	deactivation (per LSOD)			ULS	ULSDG		173.62	0.00	100.40	0.00						
END	USER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
	Line Sharing -per Line Activation (BST Owned splitter)-OBSOLETE															
	see **NOTE 2			ULS	ULSDC	0.61	37.16	21.28	20.17	9.90						İ
	Line Share Service, TRO per line activation, BST owned splitter-CO															
	Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS	ULSDT	2.65	37.16	21.28	20.17	9.90						
	Line Share Service, TRO per line activation, BST owned splitter-CO															
	Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	5.29	37.16	21.28	20.17	9.90						1
	Line Share Service, TRO per line activation, BST owned splitter-CO															
	Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	7.94	37.16	21.28	20.17	9.90						
	Line Sharing-per Subsqnt Activity per Line Rearrangement(BST															
	Owned Splitter)			ULS	ULSDS		32.90	16.43								
	Line Sharing-per Subsqnt Activity per Line Rearrangement(DLEC															
	Owned Splitter)			ULS	ULSCS		32.90	16.43								
	Line Sharing-per Line Activation (DLEC owned Splitter)-															
	OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74						
	Line Share Service, TRO per line activation, CLEC owned splitter-															
	CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.65	47.44	19.31	20.67	12.74						
	Line Share Service, TRO per line activation, CLEC owned splitter-			<u> </u>	0.00											
	CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.29	47.44	19.31	20.67	12.74						
	Line Share Service, TRO per line activation, CLEC owned splitter-			<u> </u>	0.00											
	CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	7.94	47.44	19.31	20.67	12.74						
LINE	SPLITTING															
END	USER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting-per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
	Line Splitting-per line activation BST owned-physical			UEPSR UEPSB	UREBP	0.61	37.02	21.20	21.10	9.87						
	Line Splitting-per line activation BST owned-virtual			UEPSR UEPSB	UREBV	0.61	37.02	21.20	21.10	9.87						
	TENANCE															
	No Trouble Found-per 1/2 hour increments-Basic						80.00	55.00								
	No Trouble Found-per 1/2 hour increments-Overtime						120.00	82.50								
	No Trouble Found-per 1/2 hour increments-Premium						160.00	110.00								
	D DEDICATED TRANSPORT															
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo			U1TVX	1L5XX	0.01										
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term			U1TVX	U1TV2	29.11	47.34	31.78	22.77	8.75						
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Per mi			U1TVX	1L5XX	0.01										
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Facility			-												
	Term			U1TVX	U1TR2	29.11	47.34	31.78	22.77	8.75						
	Interoffice Channel -Dedicated Transport-4W VG-Per mi per mo			U1TVX	1L5XX	0.01										
	Interoffice Channel -Dedicated Transport-4W VG-Facility Term			U1TVX	U1TV4	25.86	47.34	31.78	22.77	8.75						
	Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo			U1TDX	1L5XX	0.0115	47.04	01.70	22.77	0.70						-
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term			U1TDX	U1TD5	20.97	47.35	31.78	22.77	8.75						
-	Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo			U1TDX	1L5XX	0.0115	47.00	31.70		0.70						
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term	1		U1TDX	U1TD6	20.97	47.35	31.78	22.77	8.75						
	Interoffice Channel-Dedicated Channel-DS1-Per mi per mo			U1TD1	1L5XX	0.23	47.00	31.70	22.11	0.70						
-	Interoffice Channel-Dedicated Channel-DS1-Fei IIII per IIII Interoffice Channel-Dedicated Tranport-DS1-Facility Term			U1TD1	U1TF1	96.04	105.52	98.46	23.09	20.49						
-	Interoffice Channel -Dedicated Transport-DS3-Per mi per mo			U1TD3	1L5XX	4.97	100.02	30.40	23.09	20.73						
-	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			U1TD3	U1TF3	1,175.15	335.40	219.24	89.57	87.75						
-	Interoffice Channel-Dedicated Transport-STS-1-Per mi per mo			U1TS1	1L5XX	4.97	333.70	210.24	03.37	01.13						
-+-	Interoffice Channel-Dedicated Transport-STS-1-Fer IIII per IIII Interoffice Channel-Dedicated Transport-STS-1-Facility Term			U1TS1	U1TFS	1,149.51	335.40	219.24	89.57	87.75						
				01101	01113	1,143.31	JJJ.40	213.24	09.37	01.13						
ARK FIRE																1
ARK FIBEI	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof				i											į.

ONBONDI	ED NETWORK ELEMENTS - Kentucky													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		R	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually	I Charge - Manual Svc Order	Incrementa I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs.	Increment I Charge Manual Svc Orde vs.
											-		Electronic-		Electronic-	
							Nonrec	urring	NRC Disco	nnect			OSS	Rates (\$)	Dicc 1ct	Dicc Add!
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	NRC Dark Fiber-Interoffice Channel			UDF, UDFCX	UDF14		732.53	192.67		241.67						
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof															
	per mo-Local Loop			UDF, UDFCX	1L5DL	47.01										
	NRC Dark Fiber-Local Loop			UDF, UDFCX	UDFL4		732.53	192.67	377.27	241.67						
	S TEN DIGIT SCREENING 8XX Access Ten Digit Screening, Per Call			OHD		0.0006478			+							
	8XX Access Ten Digit Screening, Per Call 8XX Access Ten Digit Screening, Reservation Charge Per 8XX No			OHD		0.0006478			+							
	Reserved			OHD	N8R1X		4.14	0.70								
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
	POTS Translations			OHD			8.78	1.18	7.08	0.86						
	8XX Access Ten Digit Screening, Per 8XX No. Established With			_												
	POTS Translations			OHD	N8FTX		8.78	1.18	7.08	0.86						
	8XX Access Ten Digit Screening, Customized Area of Service Per	İ		01:5	NOTOY											
	8XX No			OHD	N8FCX		4.14	2.07								
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.	İ		OHD	N8FMX		4.85	2.78								
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		4.85	0.70								
	8XX Access Ten Digit Screening, Call Handling and Destination			OTID	NOI AX		4.00	0.70	+							
	Features			OHD	N8FDX		4.14	4.14								
	8XX Access Ten Digit Screening w/8FL No. Delivery,			OHD		0.0006478										
	8XX Access Ten Digit Screening, w/POTS No. Delivery,			OHD		0.0006478										
	MATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query			OQT		0.000023										
	LIDB Validation Per Query			OQU	NDDDV	0.0137322	55.40		07.50							
SIGNALING	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		55.12		67.59						-	
SIGNALING	CCS7 Signaling Connection, Per 56 Kbps Facility			UDB	TPP++	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Term, Per STP Port			UDB	PT8SX	151.39	10.00	10.00	220							
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000656										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	20.71	43.56	43.56		22.45						
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000164										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	751.08										
	CCS7 Signaling Point Code, per Originating Point Code			UDB	CCAPO		46.02	46.02	56.43	56.43						
-	Establishment or Change, per STP affected CCS7 Signaling Point Code, per Destination Point Code			UDB	CCAPO		46.02	46.02	56.43	56.43						
	Establishment or Change, Per Stp Affected			UDB	CCAPD		46.02	46.02	56.43	56.43						
E911 SERVI				022	00/112		10.02	.0.02	50.10	00.10						
	Local Channel-Dedicated-2W VG					18.57	265.78	46.96	46.79	4.98						
	Interoffice Transport-Dedicated-2W VG Per mi			•		0.0115										
	Interoffice Transport-Dedicated-2W VG Per Facility Term					29.11	47.34	31.78		8.75						
	Local Channel-Dedicated-DS1-Zone 1	 				40.46	209.60	176.51		21.07	 	1				
	Local Channel-Dedicated-DS1-Zone 2 Local Channel-Dedicated-DS1-Zone 3	-	-			43.39 164.50	209.60	176.51 176.51	30.21 30.21	21.07		1			-	
 	Interoffice Transport-Dedicated-DS1-Zone 3	 	\vdash			0.23	209.60	170.01	3∪.∠1	21.07	 	1			-	
	Interoffice Transport-Dedicated-DS1 Per mi Interoffice Transport-Dedicated-DS1 Per Facility Term	 	\vdash			96.04	105.52	98.46	23.09	20.49	 	1			 	
	AME (CNAM) SERVICE					55.54	100.02	55.40	20.00	20.70					t e	
	CNAM For DB Owners-Service Establishment			OQV			25.34	25.34	23.30	23.30						
	CNAM For Non DB Owners-Service Establishment			OQV			25.34	25.34	23.30	23.30						
	CNAM For DB Owners-Service Provisioning With Point Code															
	Establishment Control of the Control	<u> </u>	\sqcup	OQV			1,591.54	1,177.08	431.95	317.61	ļ					
	CNAM For Non DB Owners-Service Provisioning With Point Code	1		001/			E40 40	202 74	400.00	247.04						
	Establishment CNAM for DB Owners, Per Query	 	\vdash	OQV OQV	1	0.0010348	546.40	393.74	438.93	317.61	<u> </u>	}			-	
	CNAM for Non DB Owners, Per Query	-	\vdash	OQV		0.0010348			+						-	
	CNAM (Non-Databs Owner), NRC, applies when using the	 		OQV		0.0010340			+							
	Character Based User Interface (CHUI)	1		OQV	CDDCH		595.00	595.00								
SELECTIVE	ROUTING		t d						1		1					
	Selective Routing Per Unique Line Class Code Per Request Per						93.53	93.53	15.58	15.58				1		

UNBUNDI	ED NETWORK ELEMENTS - Kentucky													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		F	RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.
							N		L NDO D'			po. 20.		Rates (\$)	Dicc 1ct	Dicc Add'l
						Rec	First	curring Add'l	NRC Disco	Add'I	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
VIRTUAL CO	DLLOCATION						FIRST	Addi	FIRST	Addi	SOMEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0309	24.68	23.68	12.14	10.95						
	COLLOCATION															
	Physical Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0333	24.68	23.68	12.14	10.95						
	TIVE CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		193,401.00	193,401.00	9,483.34	9,483.34						
	End Office Establishment			SRC	SRCEO		194.09	194.09	0.85	0.85						
	Line/Port NRC, per end user Query NRC, per query			SRC SRC	SRCLP	0.0037502	2.06	2.06								
	SOUTH AIN SMS ACCESS SERVICE			SINC		0.0037302										
	AIN SMS Access Service-Service Establishment. Per State. Initial			A1N	CAMSE		43.55	43.55	44.93	44.93	1	1				†
	AIN SMS Access Service-Port Connection-Dial/Shared Access			A1N	CAMDP		8.64	8.64	10.03	10.03						
	AIN SMS Access Service-Port Connection-ISDN Access			A1N	CAM1P		8.64	8.64	10.03	10.03						
	AIN SMS Access Service-User Identification Codes-Per User ID			A1N	CAMAU		38.65	38.65	29.88	29.88						
	AIN SMS Access Service-Security Card, Per User ID Code, Initial or															
	Replacement			A1N	CAMRC		75.08	75.08	12.93	12.93						
	AIN SMS Access Service-Storage, Per Unit (100 Kilobytes) AIN SMS Access Service-Session, Per min					0.0025 0.666			1							ļ
	AIN SMS Access Service-Session, Per min AIN SMS Access Service-Company Performed Session, Per min					0.4608										ļ
	SOUTH AIN TOOLKIT SERVICE					0.4000										
T DEEE	AIN Toolkit Service-Service Establishment Charge, Per State, Initial															
	Setup			CAM	BAPSC		43.55	43.55	44.93	44.93						
	AIN Toolkit Service-Training Session, Per Customer				BAPVX		8,436.93	8,436.93								
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN,															
	Term. Attempt				BAPTT		8.64	8.64	10.03	10.03						
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN,				DADTD		0.04	0.04	40.00	40.00						1
	Off-Hook Delay AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN,				BAPTD		8.64	8.64	10.03	10.03						
	Off-Hook Immediate				BAPTM		8.64	8.64	10.03	10.03						1
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-				5,		0.01	0.01	10.00	10.00						
	Digit PODP				BAPTO		51.01	51.01	18.50	18.50						
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN,				BAPTC		51.01	51.01	18.50	18.50						
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN,															
	Feature Code				BAPTF		51.01	51.01	18.50	18.50						
	AIN Toolkit Service-Query Charge, Per Query AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit					0.0549207										
	Subscription, Per Node, Per Query					0.0066492										
	AIN Toolkit Service-SCP Storage Charge, Per SMS Access					0.0000432										
	Account, Per 100 Kilobytes					0.07										
	AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription			CAM	BAPMS	7.87	8.64	8.64	6.08	6.08						
	AIN Toolkit Service-Special Study-Per AIN Toolkit Service			CAM	BAPLS	3.26	9.56	9.56								
	AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service					,										
	Subscription AIN Tealkit Service Call Event Special Study Per AIN Tealkit			CAM	BAPDS	4.72	8.64	8.64	6.08	6.08						<u> </u>
	AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service Subscription		1	CAM	BAPES	0.11	9.56	9.56								
ENHANCED	EXTENDED LINK (EELs)			CAIVI	DAFEO	0.11	9.00	9.36	 							
	: The monthly recurring and non-recurring charges below will a	pply a	nd the	e Switch-As-Is Chard	e will not an	ply for UNE com	binations pro	visioned as	Ordinarily C	combined' N	etwork Ele	ments.				
NOTE	: The monthly recurring and the Switch-As-Is Charge and not th	e non	-recur	ring charges below	will apply for											
EXTE	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATE	D DS	1 INTE													
	First 2W VG Loop (SL2) in Combination-Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84						
	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84						
	First 2W VG Loop (SL2) in Combination-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per mi per mo		3	UNCVX UNC1X	UEAL2 1L5XX	33.22 0.19	125.22	60.48	59.69	7.84	1					ļ
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo Interoffice Transport-Dedicated-DS1 combination-Facility Term per			UNC1X UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	1/0 Channelization System in combination Per mo		1	UNC1X	MQ1	113.33	57.26	14.74		1.67						
	VG COCI-Per mo			UNCVX	1D1VG	0.62	6.71	4.84	1.00	1.57						
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84						
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84						
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						

MRAND	LED NETWORK ELEMENTS - Kentucky				, , , , , , , , , , , , , , , , , , ,							_		ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		R	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR		I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Orde vs.
						Rec	Nonrec	urring	NRC Disco	nnect			oss	Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	VG COCI-Per mo			UNCVX	1D1VG	0.62	6.71	4.84								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS	1 INTE													
	First 4W Analog VG Loop in Combination -Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
	First 4W Analog VG Loop in Combination -Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
	First 4W Analog VG Loop in Combination -Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.19	101.01	100 =0	====							
	Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						<u> </u>
	1/0 Channel System in combination Per mo			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						-
	VG COCI in combination-per mo			UNCVX	1D1VG	0.62	6.71	4.84								
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
	Add'I 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
	Add'I VG COCI in combination-per mo			UNCVX	1D1VG	0.62	6.71	4.84								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXTE	ENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	ATED	DS1 II													
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.19		100 =0	====							
	Interoffice Transport-Dedicated-DS1-combination Facility Term Per			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
_	1/0 Channel System in combination Per mo			UNC1X UNCDX	MQ1 1D1DD	113.33 1.32	57.26 6.71	14.74 4.84	1.86	1.67						
	OCU-DP COCI (data) per mo (2.4-64kbs) Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice			UNCDX	טטוטו	1.32	6.71	4.84								+
	Transport Combination-Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
_	Transport Combination-Zone 3 Add'l OCU-DP COCI (data)-in combination per mo (2.4-64kbs)		3	UNCDX	1D1DD	1.32		4.84	59.69	7.84						
-	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC	1.32	8.98	8.98	11.17	11.17						
FXTE	ENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	ΔTFD	DS1 II				0.30	0.30	11.17	11.17						
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 1	AILD.	1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL64	32.48		60.48	59.69	7.84						
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.19										
	interoffice Transport-Dedicated-DS1 combination-Facility Term Per			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	1/0 Channel System in combination Per mo			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
	Add'I 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
	Add'I OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)		_	UNCDX	1D1DD	1.32	6.71	4.84	22.00							
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						1
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATE	D DS1	INTE													
	4W DS1 Digital Loop in Combination-Zone 1		1	UNC1X	USLXX	86.47		114.60	63.96	17.97						
	4W DS1 Digital Loop in Combination-Zone 2		2	UNC1X	USLXX	114.10		114.60	63.96	17.97						
	4W DS1 Digital Loop in Combination-Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.19										<u> </u>
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						ļ
1	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17]		
	NDED 4-WIRE D\$1 DIGITAL EXTENDED LOOP WITH DEDICATE															

	ED NETWORK ELEMENTS - Kentucky		1 1		, ,						C	C		ment: 2		ibit: A
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		R	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs.	I Charge - Manual Svc Order vs.	I Charg Manua Svc Ord vs.
												per LSR			Electronic-	Disc Ad
						Rec	Nonrec		NRC Disco					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	First DS1Loop in Combination-Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
	First DS1Loop in Combination-Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
	Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo			UNC3X	1L5XX	4.09	050 50		40.00							
	Interoffice Transport-Dedicated-DS3-Facility Term per mo			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39						
	3/1Channel System in combination per mo			UNC3X UNC1X	MQ3 UC1D1	158.20 11.80	115.48	56.53 4.84	15.12	5.30						
	DS1 COCI in combination per mo Add'I DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X UNC1X	USLXX	86.47	6.71 210.70	114.60	63.96	17.97						
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						1
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
	Additional DS1 COCI in combination per mo		Ŭ	UNC1X	UC1D1	11.80	6.71	4.84	00.00							
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC	11.00	8.98	8.98	11.17	11.17						
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD	E INTE													
	2WVG Loop in combination-Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84						
	2WVG Loop in combination-Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84						
	2WVG Loop in combination-Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						
	Interoffice Transport-2W VG-Dedicated-Per mi Per mo			UNCVX	1L5XX	0.01										
	Interoffice Transport-2W VG-Dedicated-Facility Term per mo			UNCVX	U1TV2	23.95	98.09	53.67	56.31	22.42						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	E INTE													
	4WVG Loop in combination -Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
	4WVG Loop in combination -Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
	4WVG Loop in combination -Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
	Interoffice Transport-4W VG-Dedicated-Per mi Per mo			UNCVX	1L5XX	0.01		====	50.01							
	Interoffice Transport-4W VG-Dedicated-Facility Term per mo			UNCVX	U1TV4	21.28	98.09	53.67	56.31	22.42						
	NRC Currently Combined Network Elements Switch -As-Is Charge	NTED		UNCVX	UNCCC		8.98	8.98	11.17	11.17						
	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 II DS3 Local Loop in combination-per mi per mo	NIEK	OFFICE	UNC3X	1L5ND	9.25										
	DS3 Local Loop in combination-per miliper mo			UNC3X	UE3PX	308.31	237.36	147.69	83.43	32.67						1
	Interoffice Transport-Dedicated-DS3-Per mi per mo			UNC3X	1L5XX	4.09	257.50	147.03	00.40	32.07						
+ +	Interoffice Transport-Dedicated-DS3 combination-Facility Term per			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC	000.00	8.98	8.98	11.17	11.17						
	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS	-1 IN	EROF		0.11000		0.00									
	STS-1 Local Lolp in combination-per mi per mo			UNCSX	1L5ND	9.25										
	STS-1 Local Loop in combination-Facility Term per mo			UNCSX	UDLS1	320.51	237.36	147.69	83.43	32.67						
	Interoffice Transport-Dedicated-STS-1 combination-per mi per mo			UNCSX	1L5XX	4.09										
	Interoffice Transport-Dedicated-STS-1 combination-Facility Term															
	per mo			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN	SPORT													
	First 2W ISDN Loop in Combination-Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84						
	First 2W ISDN Loop in Combination-Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84						
	First 2W ISDN Loop in Combination-Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84						
	Interoffice Transport-Dedicated-DS1 combination-per mi per mo			UNC1X	1L5XX	0.19	404.04	100.50	50.70	00.00						
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
_	1/0 Channel System in combination-per mo			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	2W ISDN COCI (BRITE)-in combination-per mo Add'I 2W ISDN Loop in same DS1Interoffice Transport Combination-			UNCNX	UC1CA	2.84	6.71	4.84								
]]	Zone 1	1	1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84						
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-		+ '	ONONA	UTLZX	10.44	125.22	00.40	33.03	7.04						
	Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84	1	1		1		
+	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-			0140147	O I LEA	25.00	120.22	00.70	33.03	7.04	 	 		1		1
	Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84	1	1		1		
	Add'l 2W ISDN COCI (BRITE)-in combination-per mo		Ť	UNCNX	UC1CA	2.84	6.71	4.84	55.55							
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC	5.	8.98	8.98	11.17	11.17						
	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATE	D ST	S-1 INT													1
	First DS1 Loop Combination-Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
EVIE	First DST Loop Combination-Zone 1			0.10												
EVIE	First DS1 Loop Combination-Zone 2 First DS1 Loop Combination-Zone 3		2	UNC1X UNC1X	USLXX	114.10 297.76	210.70 210.70	114.60 114.60	63.96 63.96	17.97 17.97						

NROND	LED NETWORK ELEMENTS - Kentucky		1	ı	, ,						_	_		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		R	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR		I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Orde vs.
						Dan	Nonrec	urring	NRC Disco	nnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport-Dedicated-STS-1 combination-Facility Term															
	per mo			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39						
	3/1 Channel System in combination per mo			UNCSX	MQ3	158.20	115.48	56.53	15.12	5.30						
	DS1 COCI in combination per mo			UNC1X	UC1D1	11.80	6.71	4.84								
	Add'l DS1Loop in the same STS-1 Interoffice Transport															
	Combination-Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
	Add'l DS1Loop in the same STS-1 Interoffice Transport															
	Combination-Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
	Add'l DS1Loop in the same STS-1 Interoffice Transport															
	Combination-Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
	DS1 COCI in combination per mo			UNC1X	UC1D1	11.80	6.71	4.84								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		8.98	8.98	11.17	11.17						
EXT	ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBI	PS INT	TEROF													
	4W 56 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
	4W 56 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
	4W 56 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
	Interoffice Transport-Dedicated-4W 56 kbps combination-Per mi per															
	mo			UNCDX	1L5XX	0.01										
	Interoffice Transport-Dedicated-4W 56 kbps combination-Facility															
	Term per mo			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
EXT	ENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBI	PS INT	FEROF	FICE TRANSPORT												
	4W 64 kbps Lcoal Loop in Combination-Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	4W 64 kbps Lcoal Loop in Combination-Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
	4W 64 kbps Lcoal Loop in Combination-Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
	Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi per															
	mo			UNCDX	1L5XX	0.01										
	Interoffice Transport-Dedicated-4W 64 kbps combination-Facility															1
	Term per mo			UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
EXT	ENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TF	RANSF	ORT v	v/ 3/1 MUX												
	First 2W VG Loop (SL2) in Combination-Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84						
	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84						
	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi			UNC1X	1L5XX	0.19										
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term															
	per mo			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Per each DS1 Channelization System Per mo			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	Per each VG COCI-Per mo per mo			UNCVX	1D1VG	0.62	6.71	4.84								
	3/1 Channel System in combination per mo			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	11.80	6.71	4.84								
	Each Add'l 2W VG Loop(SL 2) in the same DS1 Interoffice															
	Transport Combination-Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84						
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice															
	Transport Combination-Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84						
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice															
	Transport Combination-Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						
	Each Add'l VG COCI in combination-per mo			UNCVX	1D1VG	0.62	6.71	4.84								
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel															
	System per mo			UNC1X	1L5XX	0.19										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1		1											l		
	Channel System per mo			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Each Add'l DS1 COCI combination per mo			UNC1X	UC1D1	11.80	6.71	4.84								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXT	ENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTE	EROFF	ICE T													
	First 4W Analog VG Local Loop in Combination -Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
	First 4W Analog VG Local Loop in Combination -Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48		7.84						
	First 4W Analog VG Local Loop in Combination -Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per			UNC1X	1L5XX	0.19						_				

UNBUNDI	LED NETWORK ELEMENTS - Kentucky											•		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		R	RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual
												poo			Dicc 1ct	Disc Add'l
						Rec	Nonrec		NRC Disco					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						ļ
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						ļ
	Per each VG COCI in combination-per mo			UNCVX	1D1VG	0.62	6.71	4.84	1= 10	=						
	3/1 Channel System in combination per mo			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						ļ
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	11.80	6.71	4.84								
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport		-	UNCVA	UEAL4	29.20	125.22	00.46	39.09	7.04						
	Combination-Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport			ONOVA	OLAL	34.23	125.22	00.40	33.03	7.04						
	Combination-Zone 3	l	3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84	1			1	1	
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel	 	<u> </u>	J	52/KL-T	55.50	.20.22	00.40	55.53	7.04						
	System per mo	l		UNC1X	1L5XX	0.19					1			1	1	
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1				1	20			İ							1
	Channel System per mo	l		UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32	1			1	1	
	Add'I VG COCI-in combination-per mo			UNCVX	1D1VG	0.62	6.71	4.84								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 II	NTER	OFFICE	TRANSPORT w/ 3	/1 MUX											1
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per			UNC1X	1L5XX	0.19										
	First Interoffice Transport-Dedicated-DS1-combination Facility Term															
	Per mo			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						<u> </u>
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	Per each OCU-DP COCI (data) COCI per mo (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84	1= 10							_
	3/1 Channel System in combination per mo			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						_
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	11.80	6.71	4.84								<u> </u>
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1			UNCDX	LIDLEC	27.50	405.00	CO 40	50.00	7.04						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						<u> </u>
	Transport Combination-Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice			UNCDA	ODLSO	32.40	123.22	00.46	39.09	7.04						
	Transport Combination-Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
	OCU-DP COCI (data) COCI in combination per mo (2.4-64kbs)		Ŭ	UNCDX	1D1DD	1.32	6.71	4.84	00.00	7.04						
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel			ONODA	10100	1.02	0.71	4.04								
	System per mo	l		UNC1X	1L5XX	0.19					1			1	1	
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1				1	20			İ							†
	Channel System per mo			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Each Add'l DS1 COCI in the same 3/1 channel system combination						İ									
	per mo	<u></u>	L l	UNC1X	UC1D1	11.80	6.71	4.84	<u> </u>		L		<u> </u>	<u> </u>	<u> </u>	<u></u>
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	NTER	OFFICE	TRANSPORT w/ 3	/1 MUX	<u> </u>		•								
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport										1					
	Combination-Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						↓
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport				[.]		,				1			1	1	
	Combination-Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						↓
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport			LINODY	LIBLA	00.6=	405.00	00.10	50.00	701	1			1	1	
	Combination-Zone 3	<u> </u>	3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84				ļ	ļ	
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per	-	\vdash	UNC1X	1L5XX	0.19			 							
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32	1			1	1	
	Per mo Per each Channel System 1/0 in combination Per mo	-	\vdash	UNC1X UNC1X	MQ1	79.02 113.33	181.24 57.26	123.53 14.74	1.86	1.67						
	Per each OCU-DP COCI (data) in combination-per mo (2.4-64kbs)	-	\vdash	UNCIX	1D1DD	1.32	6.71	4.84	1.86	1.0/	-	-	 	-	-	
	3/1 Channel System in combination per mo		\vdash	UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice		\vdash	OINCOA	IVIŲJ	100.20	113.48	30.33	15.12	5.30						
	Transport Combination-Zone 1	l	1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84	1			1	1	
		—	+ '-	5ODA	33204	21.00	.20.22	00.40	55.55	7.04	l	+	 	-	 	-
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice															

NDUND	LED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)	Luncs		Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	A dd'I	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Orde vs.
						Rec	Nonred		NRC Disco					Rates (\$)		T =
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice		_													
	Transport Combination-Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
	Add'l OCU-DP COCI (data)-DS1 to DS0 Channel System															
	combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel				41 =>04											
_	System per mo			UNC1X	1L5XX	0.19						ļ				
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1				=	======		400 =0	====							
	Channel System per mo			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Each Add'l DS1 COCI in the same 3/1 channel system combination															
_	per mo			UNC1X	UC1D1	11.80	6.71	4.84								
	NRC Currently Combined Network Elements Switch -As-Is Charge	<u></u>		UNC1X	UNCCC		8.98	8.98	11.17	11.17		ļ				
EXIE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	I w/ 3/	11 MUX													
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-						40= 00		== ==							
	Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84						
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-		_													
	Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84						
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-					40.00	40= 00		=							
	Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi per			UNC1X	1L5XX	0.19										
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term															
	per mo			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Per each Channel System 1/0 in combination-per mo			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	Per each 2W ISDN COCI (BRITE) in combination-per mo			UNCNX	UC1CA	2.84	6.71	4.84								
	3/1 Channel System in combination per mo			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	11.80	6.71	4.84								
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-	i														
	Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84						
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-		_													
_	Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84						ļ
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-	i	_													
_	Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84						ļ
	Add'l 2W ISDN COCI (BRITE) in same 1/0 channel system															
	combination-per mo			UNCNX	UC1CA	2.84	6.71	4.84								
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel															
	System per mo			UNC1X	1L5XX	0.19										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1															
	Channel System per mo			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Each Add'l DS1 COCI in the same 3/1 channel system combination															
_	per mo			UNC1X	UC1D1	11.80	6.71	4.84								ļ
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRAN	SPORT													ļ
	First 4W DS1 Digital Lcoal Loop in Combination-Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
	First 4W DS1 Digital Lcoal Loop in Combination-Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
	First 4W DS1 Digital Lcoal Loop in Combination-Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per			UNC1X	1L5XX	0.19										
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term			11810011			404.01	/								
_	Per mo	<u> </u>		UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						<u> </u>
	3/1 Channel System in combination per mo	<u> </u>		UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						<u> </u>
+	Per each DS1 COCI combination per mo			UNC1X	UC1D1	11.80	6.71	4.84	-				-			
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel				41 =30:					l				1		
_	System per mo			UNC1X	1L5XX	0.19			-				-			
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1	1			=		404.51	100	====				l	l		
	Channel System per mo	<u> </u>		UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Each Add'l DS1 COCI in the same 3/1 channel system combination	1								1			l	l		
_	per mo		ا با	UNC1X	UC1D1	11.80	6.71	4.84								
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 1	<u> </u>	1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						<u> </u>
_	Add'l 4W DS1 Digital Local Loop in Combination-Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97			ļ	ļ		<u> </u>
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97			ļ	ļ		1
1	NRC Currently Combined Network Elements Switch -As-Is Charge	l		UNC1X	UNCCC		8.98	8.98	11.17	11.17		<u> </u>				1

UNBUND	DLED NETWORK ELEMENTS - Kentucky													ment: 2		ibit: A
CATEGOR	Y RATE ELEMENTS	Inter m	i Zone	BCS	usoc		F	RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.
												per Loix	1c+	Add'I	Disc 1st	Disc Add'l
						Rec		curring	NRC Disc					Rates (\$)		
EVE	TAIDED A MIDE SO KARDO DIOITAL EXTENDED LOOP MITH DOO	IN ITED		TRANSPORT			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
EXI	ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0	INTER	1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						+
	First 4W 56 kbps Local Loop in combination-Zone 1 First 4W 56 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						+
_	First 4W 56 kbps Local Loop in combination-Zone 3	-	3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						+
	First 4We 56 kbps Interoffice Transport-Dedicated-Per mi per mo	-	3	UNCDX	1L5XX	0.01	123.22	00.48	39.09	7.04						+
	First 4W 56 kbps Interoffice Transport-Dedicated-Facility Term per	-		UNCDA	ILJAA	0.01										+
	mo			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42						
	NRC Currently Combined Network Elements Switch -As-Is Charge		1	UNCDX	UNCCC	17.20	8.98	8.98	11.17	11.17						+
EXT	ENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0		OFFICE		0.1000		0.00	0.00								+
	First 4W 64 kbps Local Loop in combination-Zone 1		1 1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	First 4W 64 kbps Local Loop in combination-Zone 2	1	2	UNCDX	UDL64	32.48	125.22	60.48		7.84						1
	First 4W 64 kbps Local Loop in combination-Zone 3	1	3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						†
	First I4W 65 kbps Interoffice Transport-Dedicated-Per mi per mo	1		UNCDX	1L5XX	0.01			1	-						†
	First 4W 64 kbps Interoffice Transport-Dedicated-Facility Term per	1	1				İ	İ			1					1
	mo	1	1	UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42						1
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
ADDITION.	AL NETWORK ELEMENTS															
Whe	en used as a part of a currently combined facility, the non-recur	rng ch	arges (do not apply, but a S	witch As Is	charge does app	oly.									
Whe	en used as ordinarily combined network elements in All States,	he nor	-recur	ring charges apply a	nd the Switc	h As Is Charge	does not.									
Non	recurring Currently Combined Network Elements "Switch As Is"	Charg	e (One	applies to each com	bination)											
	NRC Currently Combined Network Elements Switch -As-Is Charge	-														
	2W/4W VG			UNCVX	UNCCC		8.98	8.98	11.17	11.17						
	NRC Currently Combined Network Elements Switch -As-Is Charge	-														
	56/64 kbps			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
	NRC Currently Combined Network Elements Switch -As-Is Charge	-														
	DS1			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
	NRC Currently Combined Network Elements Switch -As-Is Charge	-														
	DS3			UNC3X	UNCCC		8.98	8.98	11.17	11.17						
	NRC Currently Combined Network Elements Switch -As-Is Charge	-														
	STS1			UNCSX	UNCCC		8.98	8.98	11.17	11.17						
Opti	ional Features & Functions:		<u> </u>													
				U1TD1,												
	Clear Channel Capability Extended Frame Option-per DS1	1		ULDD1,UNC1X	CCOEF		01	OI	01	OI						
				U1TD1,	00005											
	Clear Channel Capability Super FrameOption-per DS1	1	₩	ULDD1,UNC1X	CCOSF		UI	UI	01	01	ļ					+
	Clear Channel Capability (SF/ESF) Option-Subsqnt Activity-per DS1			ULDD1, U1TD1, UNC1X, USL	NRCCC		184.91S	23.82S	1.99S	0.78S						
	DST	- '	1	U1TD3, ULDD3,	NRCCC		184.915	23.825	1.995	0.785						+
	C-bit Parity Option-Subsqnt Activity-per DS3			UE3, UNC3X	NRCC3		205.70S	7.20S	.6924S	0S						
MIII	LTIPLEXERS	+ '-	1	OLS, UNCSA	NICCO		203.703	7.203	.09243	03						+
IVIOL	DS1 to DS0 Channel System per mo	-	1	UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						+
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-		1	UNCIX	IVIQI	113.33	37.20	14.74	1.00	1.07						+
	64kbs) used for a Local Loop			UDL	1D1DD	1.32	10.07	7.08								
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-	-		ODL	10100	1.02	10.07	7.00								+
	64kbs) used for connection to a channelized DS1 Local Channel in	,														
	the same SWC as collocation	•		U1TUD	1D1DD	1.32	10.07	7.08								
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo for	1	1	002	.2.23	02	.0.07		1							
	a Local Loop		1	UDN	UC1CA	2.84	10.07	7.08				1			1	1
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo	1	1			5.	1	1.50								
	used for connection to a channelized DS1 Local Channel in the	1	1													1
	same SWC as collocation	1	1	U1TUB	UC1CA	2.84	10.07	7.08								1
	VG COCI-DS1 to DS0 Channel System-per mo used for a Local	1	1	UEA	1D1VG	0.6228	10.07	7.08	1							†
	VG COCI-DS1 to DS0 Channel System-per mo used for connection	n	1		<u> </u>			1	1							†
	to a channelized DS1 Local Channel in the same SWC as		1]					1			1	
	collocation		1	U1TUC	1D1VG	0.6228	10.07	7.08				1			1	
	DS3 to DS1 Channel System per mo	1	1	UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
			1	UNCSX	MQ3	158.20	115.48	56.53	15.12	5.30						
	STS-1 to DS1 Channel System per mo			UNCOA	IVIQO	130.20	113.40	30.33	10.12	0.00						

ONBON	DLED NETWORK ELEMENTS - Kentucky			ı										ment: 2		ibit: A
CATEGO	RY RATE ELEMENTS	Interi m	i Zone	BCS	USOC		F	RATES (\$)			Svc Order Submitte d Elec per LSR		I Charge - Manual Svc Order vs. Electronic-		Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.
			1			Dee	Nonred	curring	NRC Disco	onnect			oss	Rates (\$)		THE ARA
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	DS1 COCI (used for connection to a channelized DS1 Local															1
	Channel in the same SWC as collocation) per mo			U1TUA	UC1D1	11.80	10.07	7.08								
	DS1 COCI used with Interoffice Channel per mo			U1TD1	UC1D1	11.80	10.07	7.08								
	DS3 Interface Unit (DS1 COCI) used with Local Channel per mo			ULDD1	UC1D1	11.80	10.07	7.08								
UNBUND	LED LOCAL EXCHANGE SWITCHING(PORTS)															
Ex	change Ports															
NO	TE: Although the Port Rate includes all available features in GA, K	Y, LA	& TN,	the desired features	will need to	be ordered usin	g retail USOC	s								
2-V	VIRE VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports-2W Analog Line Port-Res.			UEPSR	UEPRL	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports-2W Analog Line Port with Caller ID-Res.			UEPSR	UEPRC	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR	UEPRO	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports-2W VG unbundled KY extended local dialing															
l	parity Port with Caller ID-Res.	L	<u> </u>	UEPSR	UEPRM	1.49	3.74	3.63	2.23	2.13	<u> </u>		<u> </u>	<u> </u>	L	<u>1</u>
	Exchange Ports-2W VG unbundled res, low usage line port with															
	Caller ID (LUM)			UEPSR	UEPAP	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports-2W Voice KY res Dialing Plan w/o Caller ID			UEPSR	UEPWE	1.49	3.74	3.63	2.23	2.13						
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPSR	UEPRT	1.49	3.74	3.63	2.23	2.13						
	Subsqnt Activity			UEPSR	USASC	0.00	0.00	0.00								
FE	ATURES															
	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00								
2-V	VIRE VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus			UEPSB	UEPBL	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports-2W VG unbundled Line Port with unbundled port		1													
	with Caller+E484 ID-Bus.			UEPSB	UEPBC	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports-2W Analog Line Port outgoing only-Bus.			UEPSB	UEPBO	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports-2W VG unbundled KY extended local dialing															
	parity Port with Caller ID-Bus.			UEPSB	UEPBM	1.49	3.74	3.63	2.23	2.13						
	Exhange Ports-2W VG unbundled incoming only port with Caller ID			UEPSB	UEPB1	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports-2W Voice KY bus Dialing Plan w/o Caller ID			UEPSB	UEPWF	1.49	3.74	3.63	2.23	2.13						
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPSB	UEPBE	1.49	3.74	3.63	2.23	2.13						
	Subsqnt Activity			UEPSB	USASC	0.00	0.00	0.00								
FE	ATURES															
	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00								
EX	CHANGE PORT RATES (DID & PBX)															
	2W VG Unbundled 2-Way PBX Trunk-Res			UEPSE	UEPRD	1.49	39.05	18.17		0.89						
	2W VG Line Side Unbundled 2-Way PBX Trunk-Bus			UEPSP	UEPPC	1.49	39.05	18.17	15.38	0.89						
	2W VG Line Side Unbundled Outward PBX Trunk-Bus			UEPSP	UEPPO	1.49	39.05	18.17		0.89						
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus			UEPSP	UEPP1	1.49	39.05	18.17		0.89						
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	1.49	39.05	18.17		0.89						
	2W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.49	39.05	18.17		0.89						
	2W Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.49		18.17		0.89						
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.49	39.05	18.17	15.38	0.89						
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.49	39.05	18.17		0.89						
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.49	39.05	18.17	15.38	0.89						
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable								1							1
	Port		<u> </u>	UEPSP	UEPXE	1.49	39.05	18.17	15.38	0.89						
	2W Voice Unbundled 2-Way PBX KY Room Area Calling Port w/o		1	UEPSP	UEPXF	1.49	39.05	18.17		0.89						1
	2W Voice Unbundled PBX KY LUD Area Calling Port		1	UEPSP	UEPXG	1.49	39.05	18.17		0.89						1
	2W Voice Unbundled PBX KY Premium Callling Port	<u> </u>		UEPSP	UEPXH	1.49	39.05	18.17		0.89						
	2W Voice Unbundled 2-Way PBX KY Area Callling Port w/o LUD	<u> </u>	1	UEPSP	UEPXJ	1.49	39.05	18.17	15.38	0.89						1
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy								1							1
	Administrative Calling Port		<u> </u>	UEPSP	UEPXL	1.49	39.05	18.17	15.38	0.89						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room	1	1										1	l		
	Calling Port			UEPSP	UEPXM	1.49	39.05	18.17	15.38	0.89						
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount		1										1	l		
	Room Calling Port	<u></u>	<u> </u>	UEPSP	UEPXO	1.49	39.05	18.17		0.89			<u> </u>			
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.49	39.05	18.17		0.89						
	Subsqnt Activity			UEPSP	USASC	0.00	0.00	0.00								

וחשטשאוי	LED NETWORK ELEMENTS - Kentucky			1		T					_		Attachi			bit: A
ATECOS	DATE EL FUENTO	Interi	7	nco	11600		_	DATES (A)			Svc Order Submitte	Svc Order Submitte	I Charge - Manual	Incrementa I Charge - Manual	I Charge - Manual	I Charge Manua
ATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		ı	RATES (\$)			d Elec per LSR	d Manually per LSR	Svc Order vs. Electronic-		Svc Order vs. Electronic-	Svc Orde vs. Electron
						Rec		curring	NRC Disco					Add'I Rates (\$)	1111-7-11-4	
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	TURES															
	All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00								
	HANGE PORT RATES (COIN) Exchange Ports-Coin Port					1.49	3.74	3.63	2.23	2.13						
	I Switching Features offered with Port					1.45	3.74	3.03	2.23	2.13						
	E: Transmission/usage charges associated with POTS circuit sw	itched	d usag	e will also apply to o	ircuit switch	ed voice and/or	circuit switch	ed data trans	mission by	B-Channels	associated	with 2-wi	e ISDN ports	s.		
NOTE	E: Access to B Channel or D Channel Packet capabilities will be	availa	ble on	ly through BFR/NBR	Process. R	ates for the pack	ket capabilitie	s will be dete	rmined via t	ne BFR/NBR	Process.		l	Ī		
	Exchange port-4W ISDN trunk port -all available features included			ĺ	UEPEX	101.60				22.67						
NBUNDLE	D LOCAL EXCHANGE SWITCHING(PORTS)															
	HANGE PORT RATES															
	DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISD												or a separa	te agreemen	t.	
Requ	lests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports a	fter th	e effec								th's discre	etion.				
-	Exchange Ports-2W DID Port Exchange Ports-DDITS Port-4W DS1 Port with DID capability	 	<u> </u>	UEPEX	UEPP2	10.51	92.18	15.82	52.16	5.30		1				1
	(E:4/1/2004)	l		UEPDD	UEPDD	74.77	164.86	77.74	60.69	3.86	1					
	Exchange Ports-2W ISDN Port (See Notes below.)	1		UEPTX, UEPSX	U1PMA	13.46	60.60	50.67	32.83	14.17						
	All Features Offered			UEPTX, UEPSX	UEPVF	0.00	0.00	0.00		14.17						
	Exchange Ports-2W ISDN PortChannel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
NOTE	E: Transmission/usage charges associated with POTS circuit sw	itched	d usag	e will also apply to o	ircuit switch	ed voice and/or	circuit switch	ed data trans	mission by	B-Channels	associated	with 2-wi	e ISDN ports	s.		
	E: Access to B Channel or D Channel Packet capabilities will be	availa	ble on	ly through BFR/NBR	Process. R	ates for the pack	ket capabilitie	s will be dete	rmined via tl	ne BFR/NBR	Process.					
	ANGE PORT RATES (continued)															
	Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator															
	Capability (E:4/1/2004)			UEPEX	UEPEX	101.60	188.36	95.15	61.92	22.67						
	Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) Physical Collocation-DS1 Cross-Connects			UEPDX UEPEX UEPDX	UEPDX PE1P1	101.60 1.48	188.36	95.15 31.98	61.92	22.67 11.57						
	Virtual collocation-DS1 Cross-Connects Virtual collocation-Special Access & UNE, cross-connect per DS1			UEPEX UEPDX	CNC1X	1.48	44.23 44.23	31.98		11.57						
	iled E911 with Locator Capability (required with UEPEX port)			UEPEX UEPDX	CNCTX	1.48	44.23	31.98	12.81	11.57						
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator															
	Capability-Initial Profile Establishment per CLEC per State			UEPEX	UEP1A	0.00	1,811.00		156.69							
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator															
	Capability-Subsqnt Profile Changes, Additions, Deletions			UEPEX	UEP1B	0.00	175.82									
New o	or Additional PRI Telephone Numbers															
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator															
	Capability 2-way Tel Nos, per No in E911 profile [New or Add'l]			UEPEX	UEP1C	0.07	0.54									
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Outdial Tel Nos, per No in E911 profile [New or Add'l]			UEPEX	UEP1D	0.07	12.71	12.71								
	Unbundled Exchange Ports, 4W ISDN DS1 Port-Inward Tel Nos-			OLFLX	OLFID	0.07	12.71	12.71								
	Inward Data Only Option [New or Add'l]			UEPDX	UEP1E	0.00	0.54									
	Exchange Ports-4W ISDN DS1 Port-Subsgnt [New] Inward Tel Nos			02.0%	022	0.00	0.01									
	[Customer Testing Purposes]			UEPEX	PR7ZT	0.00	25.41	25.41								
	AL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
	RFACE (Provsioning Only)															
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00								
	Digital Data Inward Data			UEPEX UEPDX	PR71D PR71E	0.00	0.00	0.00								
	or Additional Channel			UEPDX	PR/IE	0.00	0.00	0.00								
INCM	New or Add'I-Voice/Data "B" Channel			UEPEX	PR7BV	0.00	15.48									
	New or Add I-Voice/ Data "B" Channel			UEPEX	PR7BF	0.00	15.48									
	New or Add'l Inward Data "B" Channel		1	UEPDX	PR7BD	0.00	15.48									
	New or Add'l Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00	15.48	İ								
				UEPEX	PR7BU	0.00	15.48									
	New or Add'l Useage Sensitive Digital Data "B" Channel			OLILA			15.48									
	New or Add'l Useage Sensitive Digital Data "B" Channel New or Add'l PRI "D" Channel		<u> </u>	UEPEX	PR7EX	0.00	10.40									
CALL	New or Add'l Useage Sensitive Digital Data "B" Channel New or Add'l PRI "D" Channel - TYPES			UEPEX												
CALL	New or Add'l Useage Sensitive Digital Data "B" Channel New or Add'l PRI "D" Channel			UEPEX UEPDX	PR7C1	0.00	0.00	0.00								
CALL	New or Add'l Useage Sensitive Digital Data "B" Channel New or Add'l PRI "D" Channel TYPES Inward Outward			UEPEX UEPEX UEPDX UEPEX	PR7C1 PR7CO	0.00 0.00	0.00 0.00	0.00								
CALL	New or Add'l Useage Sensitive Digital Data "B" Channel New or Add'l PRI "D" Channel			UEPEX UEPDX	PR7C1	0.00	0.00									

UNBUND	LED NETWORK ELEMENTS - Kentucky				•							•		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		F	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR		I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.
						_	Nonrec	urring	NRC Disco	nnect		I .	OSS	Rates (\$)	Dicc 1ct	Dice Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.49	3.74	3.63								
	Unbundled Remote Call Forwarding Service, Local Calling-Res			UEPVR	UERLC	1.49	3.74	3.63								
	Unbundled Remote Call Forwarding Service, InterLATA-Res			UEPVR	UERTE	1.49	3.74	3.63								
	Unbundled Remote Call Forwarding Service, IntraLATA-Res			UEPVR	UERTR	1.49	3.74	3.63								
Non-	Recurring Unbundled Remote Call Forwarding Service -Conversion-Switch-asis			UEPVR	USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)			UEPVR	USACC		0.10	0.10								
UNB	UNDLED REMOTE CALL FORWARDING - Bus															
	Unbundled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UERAC	1.49	3.74	3.63								
	Unbundled Remote Call Forwarding Service, Local Calling-Bus			UEPVB	UERLC	1.49	3.74	3.63	ļ							
	Unbundled Remote Call Forwarding Service, InterLATA-Bus			UEPVB	UERTE	1.49	3.74	3.63								
	Unbundled Remote Call Forwarding Service, IntraLATA-Bus Unbundled Remote Call Forwarding Service Expanded and		 	UEPVB	UERTR	1.49	3.74	3.63								
	Exception Local Calling			UEPVB	UERVJ	1.49	3.74	3.63								
Non-	Recurring			02. 75	GERRIO		0.7 1	0.00	İ							
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVB	USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								
INRUNDI F	ED LOCAL SWITCHING, PORT USAGE			OLFVB	USACC		0.10	0.10								
	Office Switching (Port Usage)															
	End Office Switching Function, Per MOU					0.0011971			İ							
	End Office Trunk Port-Shared, Per MOU					0.0002112										
Tano	lem Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU					0.000194										
	Tandem Trunk Port-Shared, Per MOU					0.0002416										
	Tandem Switching Function Per MOU (Melded)					0.000094381										
	Tandem Trunk Port-Shared, Per MOU (Melded)					0.000117538										
Com	Melded Factor: 48.65% of the Tandem Rate mon Transport				_											
Com	Common Transport-Per mi, Per MOU				_	0.000003										
	Common Transport-Facilities Term Per MOU					0.0007466										
JNBUNDLE	D PORT/LOOP COMBINATIONS - COST BASED RATES					0.0007 100										
	Based Rates are applied where BellSouth is required by FCC an	d/or S	tate C	ommission rule to	orovide Unbu	ndled Local Swi	tching or Swit	ch Ports.								
Feat	ures shall apply to the Unbundled Port/Loop Combination - Cost	Base	d Rate	section in the sam	e manner as t	hey are applied	to the Stand-A	lone Unbund	lled Port sec	tion of this	exhibit.					
	Office and Tandem Switching Usage and Common Transport Us															
	first and additional Port nonrecurring charges apply to Not Curre	ently C	Combin	ned Combos. For C	urrently Comb	ined Combos th	ne nonrecurrin	g charges sh	all be those	identified in	the Nonre	curring - C	Currently Co	mbined sect	ions.	
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	<u> </u>	1	 	+											
UNE	Port/Loop Combination Rates		1		+	10.70										
	2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2	-	2	 	+	10.79 15.52										
	2W VG Loop/Port Combo-Zone 2	 	3	 	+	31.74										
UNE	Loop Rates		Ť			04										
12:32	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	9.64										
	2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX	14.37			<u> </u>							
	2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	30.59										
	re Voice Grade Line Port Rates (Res)			ļ	1		ļ									
2-Wi	2W voice unbundled port-res		<u> </u>	UEPRX	UEPRL	1.15	21.29	15.49	2.85	2.67						
2-Wi			<u> </u>	UEPRX UEPRX	UEPRC	1.15	21.29	15.49	2.85	2.67						
2-Wi	2W voice unbundled port with Caller ID-res			I UEPKX	UEPRO	1.15	21.29	15.49	2.85	2.67	-					
2-Wi	2W voice unbundled port outgoing only-res										I			1	l	
2-Wi	2W voice unbundled port outgoing only-res 2W VG unbundled KY extended local dialing parity port with Caller ID-res			UEPRX	UEPRM	1.15	21.29	15.49	2.85	2.67						
2-Wi	2W voice unbundled port outgoing only-res 2W VG unbundled KY extended local dialing parity port with Caller ID-res 2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX UEPRX	UEPAP	1.15	21.29	15.49	2.85	2.67						
2-Wi	2W voice unbundled port outgoing only-res 2W VG unbundled KY extended local dialing parity port with Caller ID-res 2W voice unbundles res, low usage line port with Caller ID (LUM) 2W Voice Unbundled KY res Dialing Plan w/o Caller ID			UEPRX UEPRX UEPRX	UEPAP UEPWE	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67						
	2W voice unbundled port outgoing only-res 2W VG unbundled KY extended local dialing parity port with Caller ID-res 2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX UEPRX	UEPAP	1.15	21.29	15.49	2.85	2.67						

ONROND	LED NETWORK ELEMENTS - Kentucky		, ,		, ,									ment: 2		ibit: A
ATEGOR	Y RATE ELEMENTS	Interi m	Zone	BCS	USOC		F	RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Orde vs.
						Rec	Nonred	curring	NRC Disco	onnect			oss	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOC	AL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPRX	LNPCX	0.35										
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPRX	USAC2		0.10	0.10	1							
	2W VG Loop/Line Port Combination -Conversion-Switch with			UEPRX	USACC		0.10	0.10								
ADL	ITIONAL NRCs			UEPRX	USAS2	0.00	0.00	0.00	+							
_	2W VG Loop/Line Port Combination-Subsqnt Activity Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRX	URETL	0.00	8.33	0.00	 							
OEE	ON PREMISES EXTENSION CHANNELS			UEPRA	UKEIL		0.33	0.63	-							
OFF	2W Analog VG Extension Loop – Non-Design		1	UEPRX	UEAEN	10.56	46.66	22.57	26.65	7.65						
	2W Analog VG Extension Loop – Non-Design		2	UEPRX	UEAEN	15.34	46.66	22.57	26.65	7.65						
1	2W Analog VG Extension Loop – Non-Design		3	UEPRX	UEAEN	31.11	46.66	22.57	26.65	7.65						
	2W Analog VG Extension Loop – Design		1	UEPRX	UEAED	12.67	134.89	81.87	73.65	14.88						1
	2W Analog VG Extension Loop – Design		2	UEPRX	UEAED	17.45	134.89	81.87	73.65	14.88						
	2W Analog VG Extension Loop – Design		3	UEPRX	UEAED	33.22	134.89	81.87	73.65	14.88						
INT	ROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRX	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRX	U1TVM	0.0095	0.00	0.00								
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															ļ
UNE	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1		1	10.79										
-	2W VG Loop/Port Combo-Zone 2		2		1	15.52 31.74										
LINE	2W VG Loop/Port Combo-Zone 3 Loop Rates		3		+	31.74			-							<u> </u>
ONL	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	9.64										-
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	14.37										
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	30.59			1							1
2-W	re Voice Grade Line Port (Bus)			-												
	2W voice unbundled port w/o Caller ID-bus			UEPBX	UEPBL	1.15	21.29	15.49	2.85	2.67						
	2W voice unbundled port with Caller + E484 ID-bus			UEPBX	UEPBC	1.15	21.29	15.49		2.67						
	2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	1.15	21.29	15.49	2.85	2.67						
	2W VG unbundled KY extended local dialing parity port with Caller															
	ID-bus			UEPBX	UEPBM	1.15	21.29	15.49		2.67						ļ
	2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UEPB1	1.15	21.29	15.49		2.67						<u> </u>
-	2W Voice Unbundled KY bus Dialing Plan w/o Caller ID			UEPBX	UEPWF	1.15 1.15	21.29 21.29	15.49	2.85 2.85	2.67						
1.00	2W voice unbundled Incoming Only Port w/o Caller ID Capability AL NUMBER PORTABILITY			UEPBX	UEPBE	1.15	21.29	15.49	2.85	2.67						
LOC	Local No Portability (1 per port)			UEPBX	LNPCX	0.35			+							-
FFA	TURES			OLI DX	LIVI OX	0.55			+							
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED					****		0.00								
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPBX	USAC2		0.10	0.10								
	2W VG Loop/Line Port Combination -Conversion-Switch with			UEPBX	USACC		0.10	0.10								
ADD	ITIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPBX	USAS2		0.00	0.00								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83								
OFF	ON PREMISES EXTENSION CHANNELS															
	2W Analog VG Extension Loop – Non-Design		1	UEPBX	UEAEN	10.56	46.66	22.57		7.65						
	2W Analog VG Extension Loop – Non-Design	 	2	UEPBX	UEAEN	15.34	46.66	22.57	26.65	7.65						├
-	2W Analog VG Extension Loop – Non-Design	1	3	UEPBX	UEAEN	31.11	46.66	22.57	26.65	7.65	1					
	2W Analog VG Extension Loop – Design 2W Analog VG Extension Loop – Design	 	1 2	UEPBX UEPBX	UEAED UEAED	12.67 17.45	134.89 134.89	81.87 81.87	73.65 73.65	14.88 14.88	-	-				
	2W Analog VG Extension Loop – Design 2W Analog VG Extension Loop – Design	1	3	UEPBX	UEAED	33.22	134.89	81.87	73.65	14.88	1	-	-			
INT	ROFFICE TRANSPORT	-	3	OLFDA	ULALD	33.22	134.09	01.07	73.05	14.00						\vdash
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPBX	U1TV2	23.95	98.09	53.67	56.31	22.42	†					
-	Interoffice Transport-Dedicated-2W VG-Par mi or Fraction mi			UEPBX	U1TVM	0.0095	0.00	0.00	55.51							\vdash
2-W	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)				1		2.20	2.30								
	Port/Loop Combination Rates															
\neg	2W VG Loop/Port Combo-Zone 1		1			10.79										

UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
											Svc	Svc	Incrementa	Incrementa	Incrementa	Incrementa
											Order	Order	I Charge -	I Charge -	I Charge -	I Charge -
		l										Submitte		Manual	Manual	Manual
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		F	RATES (\$)			d Elec	d		Svc Order		Svc Order
		m										Manually	vs.	VS.	VS.	VS.
											per LSK	_		_	Electronic-	_
												per LSK	Electronic-	Flectronic-		Disc Add'l
						B	Nonre	curring	NRC Disco	nnect		•	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop/Port Combo-Zone 2		2			15.52										
	2W VG Loop/Port Combo-Zone 3		3			31.74										
	Loop Rates															
	2W VG Loop (SL 1)-Zone 1		1	UEPRG	UEPLX	9.64										
	2W VG Loop (SL 1)-Zone 2		2	UEPRG	UEPLX	14.37										
	2W VG Loop (SL 1)-Zone 3		3	UEPRG	UEPLX	30.59										
2-Wir	e Voice Grade Line Port Rates (RES - PBX)															
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	1.15	21.29	15.49	2.85	2.67						
LOCA	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEAT	URES															
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00								
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2		8.45	1.91								
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with															
	Change			UEPRG	USACC		8.45	1.91								
	FIONAL NRCs															
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPRG	USAS2	0.00	0.00	0.00								
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.86	7.86								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRG	URETL		8.33	0.83								
	ON PREMISES EXTENSION CHANNELS															
	Local Channel VG, per Term		1	UEPRG	P2JHX	12.67	134.89	81.87	73.65	14.88						
	Local Channel VG, per Term		2	UEPRG	P2JHX	17.45	134.89	81.87	73.65	14.88						
	Local Channel VG, per Term		3	UEPRG	P2JHX	33.22	134.89	81.87	73.65	14.88						
	Non-Wire Direct Serve Channel VG		1	UEPRG	SDD2X	12.68	170.06	78.10	119.62	15.80						
	Non-Wire Direct Serve Channel VG		2	UEPRG	SDD2X	18.12	170.06	78.10	119.62	15.80						1
	Non-Wire Direct Serve Channel VG		3	UEPRG	SDD2X	29.64	170.06	78.10	119.62	15.00						

IDUNDI	ED NETWORK ELEMENTS - Kentucky				1									ment: 2		bit: A
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR		I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Orde vs.
						Rec	Nonrec	urring	NRC Disco	nnect				Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTE	ROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRG	U1TV2	23.95	98.09	53.67	56.31	22.42						
+	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRG	U1TVM	0.0095	0.00	0.00	00.01							
2-WIE	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	 	1	OLITIO	OTTVIVI	0.0000	0.00	0.00								
	Port/Loop Combination Rates	 	1													
	2W VG Loop/Port Combo-Zone 1		1			10.79										
	2W VG Loop/Port Combo-Zone 2	1	2		+	15.52			-		-	-				
_			3													
	2W VG Loop/Port Combo-Zone 3		3			31.74										
UNE	Loop Rates															
	2W VG Loop (SL 1)-Zone 1		1	UEPPX	UEPLX	9.64										
	2W VG Loop (SL 1)-Zone 2		2	UEPPX	UEPLX	14.37										
	2W VG Loop (SL 1)-Zone 3		3	UEPPX	UEPLX	30.59										
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	1.15	21.29	15.49	2.85	2.67						
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	1.15	21.29	15.49	2.85	2.67						
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	1.15	21.29	15.49	2.85	2.67						
	2W Voice Unbundled OutDial AL NAR Area Calling Port			UEPPX	UEPOA											
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.15	21.29	15.49	2.85	2.67						
	2W Voice Unbundled 2-Way Combination PBX Usage Port	-		UEPPX	UEPXA	1.15	21.29	15.49		2.67						
-	2W Voice Unbundled PBX Toll Terminal Hotel Ports	1		UEPPX	UEPXB	1.15	21.29	15.49		2.67						
_	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.15	21.29	15.49		2.67						
-	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.15	21.29	15.49		2.67						
				UEPPX	UEPAD	1.15	21.29	15.49	2.85	2.07						
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.15	21.29	15.49	2.85	2.67						
	2W Voice Unbundled 2-Way PBX KY Room Area Calling Port w/o															
	LUD			UEPPX	UEPXF	1.15	21.29	15.49	2.85	2.67						
	2W Voice Unbundled PBX KY LUD Area Calling Port			UEPPX	UEPXG	1.15	21.29	15.49	2.85	2.67						
	2W Voice Unbundled PBX KY Premium Calling Port			UEPPX	UEPXH	1.15	21.29	15.49	2.85	2.67						
	2W Voice Unbundled 2-Way KY Area Calling Port w/o LUD			UEPPX	UEPXJ	1.15	21.29	15.49	2.85	2.67						
	2W Voice Unbundled OutDial KY NAR Area Calling Port			UEPPX	UEPOK	1.15	21.29	15.49	2.85	2.67						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1.15	21.29	15.49	2.85	2.67						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.15	21.29	15.49	2.85	2.67						
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1.15	21.29	15.49	2.85	2.67						
+	2W Voice Unbundled 1-Way Outgoing PBX Measured Port	 	1	UEPPX	UEPXS	1.15	21.29	15.49		2.67						
	L NUMBER PORTABILITY	 		ULFFA	ULFAG	1.13	21.29	13.49	2.00	2.07	-		-	-		-
		!	1	LIEDDY	LNDCD	2.45	0.00	0.00	 				 	 		
	Local No Portability (1 per port)	-	1	UEPPX	LNPCP	3.15	0.00	0.00	 				 	-		
	URES	1	-	HEDDY	LIED) /E	0.00	0.00	0.00	 				-	-		
	All Features Offered	<u> </u>		UEPPX	UEPVF	0.00	0.00	0.00								1
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED				+											
-	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is 2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with			UEPPX	USAC2		8.45	1.91								
	Change TIONAL NRCs			UEPPX	USACC		8.45	1.91								
ADDI		!	-	UEPPX	110,400	0.00	0.00	0.00	 				 	 		
+	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity	!	-	UEPPA	USAS2	0.00							 	 		
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group	<u> </u>		LIEBBY	LIDET:		7.86	7.86	1				ļ	ļ		-
	Unbundled Misc Rate Element, Tag Loop at End User Premise		1	UEPPX	URETL		8.33	0.83	ļ				ļ	ļ		<u> </u>
OFF/	ON PREMISES EXTENSION CHANNELS	!	L .		 				L							
	Local Channel VG, per Term	<u> </u>	1	UEPPX	P2JHX	12.67	134.89	81.87	73.65	14.88						
	Local Channel VG, per Term		2	UEPPX	P2JHX	17.45	134.89	81.87	73.65	14.88						
	Local Channel VG, per Term		3	UEPPX	P2JHX	33.22	134.89	81.87	73.65	14.88						
	Non-Wire Direct Serve Channel VG		1	UEPPX	SDD2X	12.68	170.06	78.10		15.80						
	Non-Wire Direct Serve Channel VG		2	UEPPX	SDD2X	18.12	170.06	78.10	119.62	15.80						
	Non-Wire Direct Serve Channel VG		3	UEPPX	SDD2X	29.64	170.06	78.10	119.62	15.00						
INTE	ROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term		1 1	UEPPX	U1TV2	23.95	98.09	53.67	56.31	22.42						

1100110	LED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Add'I	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge Manua Svc Ord vs.
						Rec		curring	NRC Disco					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPPX	U1TVM	0.0095	0.00	0.00								
	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	T														
UNE	Port/Loop Combination Rates															
	2W VG Coin Port/Loop Combo – Zone 1		1			10.79										<u> </u>
	2W VG Coin Port/Loop Combo – Zone 2		2			15.52										
	2W VG Coin Port/Loop Combo – Zone 3		3			31.74										4
UNE	Loop Rates		4	LIEDCO	LIEDLY	0.04										4
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	9.64										4
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	14.37										4
2 181	2W VG Loop (SL1)-Zone 3 e Voice Grade Line Ports (COIN)	1	3	UEPCO	UEPLX	30.59			 		-	-				+
Z-VVI	2W Coin 2-Way w/o Oper Screening and w/o Blocking	1	1	UEPCO	UEPRF	1.15	21.29	15.49	2.85	2.67		-	-			+
	2W Coin 2-Way with Oper Screening and w/o Blocking 2W Coin 2-Way with Oper Screening (AL, KY)	1	1	UEPCO	UEPRE	1.15	21.29	15.49		2.67		-	-			+
	2W Coin 2-Way with Oper Screening (AL, KT) 2W Coin 2-Way with Oper Screening and Blocking: 011, 900/976,	-	1	ULFUU	OLFIL	1.15	21.29	15.49	2.03	2.07	1	1	1	1		+
1	1+DDD (AL. KY, LA. MS)			UEPCO	UEPRA	1.15	21.29	15.49	2.85	2.67						1
_	2W Coin 2-Way with Oper Screening and 011 Blocking (KY)			UEPCO	UEPKA	1.15	21.29	15.49	2.85	2.67						+
	2W Coin 2-Way with Oper Screening and 611 blocking (K1) 2W Coin 2-Way with Oper Screening & Blocking: 900/976, 1+DDD,			OLI CO	OLITICA	1.13	21.23	10.40	2.00	2.01						+
	011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.15	21.29	15.49	2.85	2.67						
	2W Coin Outward w/o Blocking and w/o Oper Screening			UEPCO	UEPRN	1.15	21.29	15.49	2.85	2.67						+
	2W Coin Outward with Oper Screening and 011 Blocking			UEPCO	UEPRJ	1.15	21.29	15.49		2.67						+
-	2W Coin Outward with Oper Screening and Blocking: 011,			OLI CO	OLI IX3	1.13	21.23	10.40	2.00	2.01						+
	900/976, 1+DDD			UEPCO	UEPRH	1.15	21.29	15.49	2.85	2.67						
-	2W Coin Outward Oper Screening & Blocking: 900/976, 1+DDD,			OLI CO	OLITAI	1.10	21.20	10.40	2.00	2.07						+
	011+, and Local			UEPCO	UEPCN	1.15	21.29	15.49	2.85	2.67						
	2W 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.15	21.29	15.49	2.85	2.67						+
	2W Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1.15	21.29	15.49	2.85	2.67						+
ADD	TIONAL UNE COIN PORT/LOOP (RC)			02. 00	02. 0.0	11.10	21120	10.10	2.00	2.01						+
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	2.57	0.00	0.00	0.00	0.00						t
LOC	AL NUMBER PORTABILITY															†
	Local No Portability (1 per port)			UEPCO	LNPCX	0.35										
NON	RECURRING CHARGES - CURRENTLY COMBINED															1
	2W VG Loop/Line Port Combination -Conversion-Switch-as-is			UEPCO	USAC2		0.10	0.10								
	2W VG Loop/Line Port Combination -Conversion-Switch with			UEPCO	USACC		0.10	0.10								
ADD	TIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPCO	USAS2		0.00	0.00								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8.33	0.83								
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT	(RES)												
UNE	Port/Loop Combination Rates				1											
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			13.90										4
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			18.68										₩
-	2W VG Loop/IO Tranport/Port Combo-Zone 3		3		+	34.45		ļ								₩
UNE	Loop Rates			LIEDED	LIEGEO	40.07										↓
-	2W VG Loop (SL2)-Zone 1		1	UEPFR UEPFR	UECF2 UECF2	12.67 17.45										4
_	2W VG Loop (SL2)-Zone 2		3	UEPFR	UECF2	33.22										+
2 14/	2W VG Loop (SL2)-Zone 3 e Voice Grade Line Port Rates (Res)		3	UEPFR	UECF2	33.22										+
2-771	2W voice unbundled port-res			UEPFR	UEPRL	1.23	128.96	64.11	61.92	9.97						+
+	2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	1.23	128.96	64.11	61.92	9.97						+
+	2W voice unbundled port with caller lib-res 2W voice unbundled port outgoing only-res			UEPFR	UEPRO	1.23	128.96	64.11	61.92	9.97			 			+
+	2W VG unbundled KY extended local dialing parity port with Caller			CLITIC	JEI NO	1.23	120.30	04.11	01.32	3.31			 			+
	ID-res			UEPFR	UEPRM	1.23	128.96	64.11	61.92	9.97						1
+	2W voice unbundles res, low usage line port with Caller ID (LUM)	1		UEPFR	UEPAP	1.23	128.96	64.11	61.92	9.97						†
	2W Voice Unbundled KY res Dialing Plan w/o Caller ID			UEPFR	UEPWE	1.23	128.96	64.11	61.92	9.97						
INTE	ROFFICE TRANSPORT				1	20	50	1								1
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR	1L5XX	0.0095										1
	URES															
	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00								
	AL NUMBER PORTABILITY															

ивоир	LED NETWORK ELEMENTS - Kentucky			T							_	_		ment: 2		ibit: A
:ATEGOR	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Orde vs.
						Rec	Nonred	curring	NRC Disco	nnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local No Portability (1 per port)			UEPFR	LNPCX	0.35										
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-			LIEDED	110400		0.00	4.07								
	Conversion-Switch-as-is 2W Loop/Dedicated IO Transport/2W Line Port Combination-			UEPFR	USAC2		9.03	1.87								
	Conversion-Switch-With-Change			UEPFR	USACC		9.03	1.87								
_	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFR	URETN		11.21	1.10								
2-WI	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT		ORLIN											
UNE	Port/Loop Combination Rates			Ì												
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			13.90										1
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			18.68										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			34.45										
UNE	Loop Rates				1											<u> </u>
	2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	12.67										
	2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2 UECF2	17.45 33.22										
2 14/	2W VG Loop (SL2)-Zone 3 re Voice Grade Line Port (Bus)		3	UEPFB	UECF2	33.22										
2-771	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	1.23	128.96	64.11	61.92	9.97						
	2W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBC	1.23	128.96	64.11	61.92	9.97						
-	2W voice unbundled port outgoing only-bus			UEPFB	UEPBO	1.23	128.96	64.11	61.92	9.97						
	2W VG unbundled KY extended local dialing parity port with Caller			02.75	02. 20	20	120.00	0	01.02	0.01						
	ID-bus			UEPFB	UEPBM	1.23	128.96	64.11	61.92	9.97						
	2W voice unbundled incoming only port with Caller ID-Bus			UEPFB	UEPB1	1.23	128.96	64.11	61.92	9.97						
	2W Voice Unbundled KY bus Dialing Plan w/o Caller ID			UEPFB	UEPWF	1.23	128.96	64.11	61.92	9.97						
LOC	AL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPFB	LNPCX	0.35										
INTE	ROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2	23.95	98.09	53.67	56.31	22.42						
EE A	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi TURES			UEPFB	1L5XX	0.0095										
FEA	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00	1							-
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLFIB	OLFVI	0.00	0.00	0.00								
	2W Loop/Dedicated IO Transport/2W Line Port Combination-				1											
	Conversion-Switch-as-is			UEPFB	USAC2		9.03	1.87								
	2W Loop/Dedicated IO Transport/2W Line Port Combination-															
	Conversion-Switch with change			UEPFB	USACC		9.03	1.87								
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFB	URETN		11.21	1.10								
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT	(PBX)												
UNE	Port/Loop Combination Rates	 	L .		1		ļ		<u> </u>							<u> </u>
	2W VG Loop/IO Tranport/Port Combo-Zone 1	ļ	1		+	13.90										
-	2W VG Loop/IO Tranport/Port Combo-Zone 2 2W VG Loop/IO Tranport/Port Combo-Zone 3	<u> </u>	3		+ +	18.68 34.45	-		1							
UNF	Loop Rates	 	3		+ +	34.45	1		1		1	1				
ONE	2W VG Loop (SL2)-Zone 1	1	1	UEPFP	UECF2	12.67			†							†
_	2W VG Loop (SL2)-Zone 2		2	UEPFP	UECF2	17.45			İ							
	2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	33.22										1
2-Wi	re Voice Grade Line Port Rates (BUS - PBX)				<u> </u>				<u> </u>							
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFP	UEPPC	1.23	164.27	78.65		8.73						
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	1.23	164.27	78.65	75.05	8.73						
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPFP	UEPP1	1.23	164.27	78.65	75.05	8.73						
-	2W Voice Unbundled PBX LD Terminal Ports 2W Voice Unbundled 2-Way Combination PBX Usage Port	-	-	UEPFP UEPFP	UEPLD UEPXA	1.23 1.23	164.27 164.27	78.65 78.65	75.05 75.05	8.73 8.73						
	2W Voice Unbundled 2-Way Combination PBX Usage Port 2W Voice Unbundled PBX Toll Terminal Hotel Ports	<u> </u>	<u> </u>	UEPFP	UEPXA	1.23	164.27	78.65	75.05 75.05	8.73						
-	2W Voice Unbundled PBX LD DDD Terminals Port	 	 	UEPFP	UEPXB	1.23	164.27	78.65	75.05	8.73	1	1				+
+	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.23	164.27	78.65	75.05	8.73						\vdash
-	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable					20	.027	. 0.00		50						
	Port	l	l	UEPFP	UEPXE	1.23	164.27	78.65	75.05	8.73						
	2W Voice Unbundled 2-Way PBX KY Room Area Calling Port w/o			UEPFP	UEPXF	1.23	164.27	78.65	75.05	8.73						
	2W Voice Unbundled PBX KY LUD Area Calling Port			UEPFP	UEPXG	1.23	164.27	78.65	75.05	8.73						

NRONDI	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
											Svc	Svc	Incrementa	Incrementa	Incrementa	Increme
											Order	Order	I Charge -	I Charge -	I Charge -	I Charg
		L									Submitte	Submitte		Manual	Manual	Manu
TEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc		R	ATES (\$)			d Elec	d		l l	1	
	TATE ELEMENTO	m		500	0000		.,	Α1 Ε0 (ψ)					Svc Order			
											per LSR	_	vs.	vs.	vs.	vs.
												per LSR	Electronic-	Electronic-	Electronic-	Electro
_		1											1ct	Vddi	Dicc 1ct	Dicc A
						Rec	Nonrec		NRC Disco					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2W Voice Unbundled PBX KY Premium Calling Port			UEPFP	UEPXH	1.23	164.27	78.65	75.05	8.73						
	2W Voice Unbundled 2-Way KY Area Calling Port w/o LUD			UEPFP	UEPXJ	1.23	164.27	78.65	75.05	8.73						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy															T
	Administrative Calling Port			UEPFP	UEPXL	1.23	164.27	78.65	75.05	8.73						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room															
	Calling Port			UEPFP	UEPXM	1.23	164.27	78.65	75.05	8.73						
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount			OLITI	OLI AWI	1.20	104.27	70.00	70.00	0.70						+
	Room Calling Port	1		UEPFP	UEPXO	1.23	164.27	78.65	75.05	8.73			1			1
-	2W Voice Unbundled 1-Way Outgoing PBX Measured Port	1	1	UEPFP	UEPXS	1.23	164.27	78.65	75.05	8.73			 	 	-	+
		1	1	UEPFP	UEPAS	1.23	104.27	78.65	75.05	8.73		1	1	1	1	+
	L NUMBER PORTABILITY	1	├		1								ļ	1	-	∔——
	Local No Portability (1 per port)	1	 	UEPFP	LNPCP	3.15	0.00	0.00	ļ					ļ	1	
INTE	ROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	1L5XX	0.0095										
FEAT	URES															
	All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00								
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-	1														+
	Conversion-Switch-as-is			UEPFP	USAC2		9.03	1.87								
-	2W Loop/Dedicated IO Transport/2W Line Port Combination-	1		OLITI	OOAOZ		3.03	1.07				 				+
	Conversion-Switch with change	1		UEPFP	USACC		9.03	1.87								
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFP	URETN		11.21	1.10								
	D PORT/LOOP COMBINATIONS - COST BASED RATES															
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
UNE	Port/Loop Combination Rates															
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1			21.30										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2			26.08										Ī
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3			41.85										
	Loop Rates															†
	2W Analog VG Loop-(SL2)-UNE Zone 1	1	1	UEPPX	UECD1	12.67										+
	2W Analog VG Loop-(SL2)-UNE Zone 2	1	2	UEPPX	UECD1	17.45						1		1		†
+	2W Analog VG Loop-(SL2)-UNE Zone 3	+	3	UEPPX	UECD1	33.22						<u> </u>	1	 	1	+
	Port Rate	1	3	ULFFA	OFCDI	33.22			-				 	 	-	+
		+	₩.	UEPPX	UEPD1	8.63	336.11	27.75	132.37	9.31		1	 	1	1	+
	Exchange Ports-2W DID Port	1		UEPPX	UEPDI	8.03	330.11	21.15	132.37	9.31		ļ				-
NONE	RECURRING CHARGES - CURRENTLY COMBINED															
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable															
	Changes			UEPPX	USA1C		7.85	1.87								
	TIONAL NRCs															
	2W DID Subsqnt Activity-Add Trunks, Per Trunk		L	UEPPX	USAS1		32.25	32.25								
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPX	URETN		11.21	1.10								T
	hone Number/Trunk Group Establisment Charges															1
1	DID Trunk Term (One Per Port)		1 1	UEPPX	NDT	0.00	0.00	0.00	İ					İ		1
	Add'l DID Nos for each Group of 20 DID Nos	1	1	UEPPX	ND4	0.00	0.00	0.00					1	1	1	
+	DID Nos, Non-consecutive DID Nos, Per No	+	1	UEPPX	ND5	0.00	0.00	0.00					1	 	1	+
+	Reserve Non-Consecutive DID Nos	1	1	UEPPX	ND6	0.00	0.00	0.00				 	1	1	1	+
		1	1						-				!	 	-	+-
	Reserve DID Nos	1	1	UEPPX	NDV	0.00	0.00	0.00	-			1	1	1	1	+
	L NUMBER PORTABILITY	1			1						L			1	1	
	Local No Portability (1 per port)	1	1 1	UEPPX	LNPCP	3.15	0.00	0.00	l	1	1	1		1	1	1

NRANDI	ED NETWORK ELEMENTS - Kentucky				1	1					_			ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		F	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR		I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Order vs.
						Rec	Nonrec	urring	NRC Disco	onnect			oss	Rates (\$)		
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIN	E SID	E POR	RT												
UNE	Port/Loop Combination Rates															
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 1		1	UEPPB UEPP	R	25.69										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 2		2	UEPPB UEPP	2	31.92										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 3		3	UEPPB UEPP	>	50.21										
	Loop Rates		3	OLFFB OLFF	`	30.21										
ONL	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB UEPPF	R USL2X	16.10										
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB UEPP		22.33										
	2W ISDN Digital Grade Loop-UNE Zone 3		3			40.63			1			†				
UNE	Port Rate		-	OLITB OLITI	(OOLZX	40.03										
	Exchange Port-2W ISDN Line Side Port			UEPPB UEPPF	R UEPPB	9.59	320.53	289.13	92.19	17.56						
	RECURRING CHARGES - CURRENTLY COMBINED			OLITB OLITI	CLITE	9.53	320.33	203.13	32.13	17.50						
INOIN	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-				+											
	Conversion			UEPPB UEPPF	USACB	0.00	22.77	17.00								
ADDI	TIONAL NRCs			OLFFB OLFFF	USACE	0.00	22.11	17.00	1		-	 				+
ADDI	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPB UEPPF	R URETN		11.21	1.10	1		-	 				+
_	Unbundled Misc Rate Element, Tag Designed Loop at End User Premise			UEPPB UEPPI			8.33	0.83								ļ
1.00	AL NUMBER PORTABILITY			UEPPB UEPPI	UKEIL		0.33	0.63	1		-	 				+
	Local No Portability (1 per port)			UEPPB UEPPF	R LNPCX	0.35	0.00	0.00	1		-	 				+
	ANNEL USER PROFILE ACCESS:			UEPPB UEPPI	R LINPUX	0.35	0.00	0.00								
Б-СП	CVS/CSD (DMS/5ESS)			UEPPB UEPPF	R U1UCA	0.00	0.00	0.00								ļ
_	CVS (EWSD)			UEPPB UEPPF		0.00	0.00	0.00								ļ
	CSD (EWSD)			UEPPB UEPPF		0.00	0.00	0.00								
D.CL	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC	MC	TAI\	UEPPB UEPPR	01000	0.00	0.00	0.00								-
D-CI1	CVS/CSD (DMS/5ESS)	,1410, (1 111	UEPPB UEPPF	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB UEPPF		0.00	0.00	0.00								
	CSD			UEPPB UEPPF		0.00	0.00	0.00								
USE	R TERMINAL PROFILE			OLITO OLITI	01001	0.00	0.00	0.00								
	User Terminal Profile (EWSD only)			UEPPB UEPPF	R U1UMA	0.00	0.00	0.00								
	ICAL FEATURES			02.1.5		0.00	0.00	0.00	1			†				
	All Vertical Features-One per Channel B User Profile			UEPPB UEPPF	R UEPVF	0.00	0.00	0.00	1			†				
INTE	ROFFICE CHANNEL MILEAGE			02.13 02.11	. 02	0.00	0.00	0.00								
	Interoffice Channel miage each, including first mi and facilities			UEPPB UEPPR	M1GNC	29.12	47.34	31.78	22.77	8.75						
	Interoffice Channel miage each, Add'l mi			UEPPB UEPPF		0.01	0.00	0.00	LL	0.70						—
4-WII	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT		02.1.5		0.01	0.00	0.00								
	JNE-P DS1 combination rates below for in this exhibit apply to the			d base in place as	of 10/2/03 unt	il 4/1/04. After 4/	1/04 these rate	es shall rever	t to tariff rate	es or a sepa	rate comm	ercial agre	ement.			
	ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital Tr															
	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 1		1	UEPPP		170.06										1
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2		2	UEPPP		197.70										1
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3		3	UEPPP		381.35										
UNE	Loop Rates								1							
	4W DS1 Digital Loop-UNE Zone 1		1	UEPPP	USL4P	86.47			1							
	4W DS1 Digital Loop-UNE Zone 2		2	UEPPP	USL4P	114.10										
	4W DS1 Digital Loop-UNE Zone 3		3	UEPPP	USL4P	297.76										
UNE	Port Rate															
	Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEPPP	UEPPP	83.59	736.16	382.74	159.48	48.82						
NON	RECURRING CHARGES - CURRENTLY COMBINED															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-															
	Conversion -Switch-as-is (E:4/1/2004)	L	<u></u>	UEPPP	USACP	0.00	81.70	61.37	<u></u>	<u> </u>	<u> </u>	<u></u>	<u> </u>	<u> </u>	<u></u>	<u></u>
ADDI	TIONAL NRCs															
	4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqt Actvy-Inward/2way															
	Tel Nos	L	<u></u>	UEPPP	PR7TF	<u> </u>	0.54		<u></u>	<u> </u>	<u> </u>	<u></u>	<u> </u>	<u> </u>	<u></u>	<u></u>
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos			UEPPP	PR7TO		12.71	12.71								
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqnt Inward Tel			UEPPP	PR7ZT		25.41	25.41					l	l		
	AL NUMBER PORTABILITY			OLITI												

MRUMD	LED NETWORK ELEMENTS - Kentucky			1	1	ı								ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		F	RATES (\$)			Svc Order Submitte d Elec per LSR	-	I Charge - Manual Svc Order vs. Electronic-		I Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Orde vs.
							Nonre	curring	NRC Disco	onnect		1	OSS	Rates (\$)	Dicc 1ct	Dicc Ada
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
	Local No Portability (1 per port)			UEPPP	LNPCN	1.75										
INTE	RFACE (Provsioning Only)															
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New	or Additional "B" Channel				55=51/		45.40									
	New or Add'I-Voice/Data B Channel			UEPPP	PR7BV PR7BF	0.00	15.48 15.48									
	New or Add'l-Digital Data B Channel New or Add'l Inward Data B Channel			UEPPP UEPPP	PR7BD	0.00	15.48									
CALL	TYPES			UEPPP	PR/DD	0.00	13.46								-	
CALI	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
_	Outward			UEPPP	PR7CO	0.00	0.00	0.00	1			1			t	1
	Two-way		<u> </u>	UEPPP	PR7CC	0.00	0.00	0.00								
Inter	office Channel Mileage					2.50	2.30	5.30	1							
	Fixed Each Including First mi			UEPPP	1LN1A	96.27	105.52	98.46	23.09	20.49						1
	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.23										
	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
	JNE-P DS1 combination rates below for in this exhibit apply to th											ercial agree	ement.			
	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effect	ctive (date o	f this amendment sh	all be provid	ed pursuant to	a separate agr	eement or tar	riff at BellSou	uth's discre	tion.					
UNE	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1		1	UEPDC		147.99										
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2		2	UEPDC		175.62										
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 3		3	UEPDC		359.28										
UNE	Loop Rates 4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	86.47										
	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	114.10										
	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	297.76										
UNE	Port Rate		Ů	02. 50	00250	201.110										
	4W DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	61.52	780.61	375.52	176.19	16.98						
NON	RECURRING CHARGES - CURRENTLY COMBINED															
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-asis (E:4/1/2004)			UEPDC	USAC4		92.84	46.70								
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-															
	Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		92.84	46.70								
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-															
400	Conversion with Change-Trunk (E:4/1/2004)			UEPDC	USAWB		92.84	46.70								-
ADDI	TIONAL NRCs 4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel															1
	Activation/Chan-2-Way Trunk			UEPDC	UDTTA		15.09	15.09								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-Way Outward Trunk			UEPDC	UDTTB		15.09	15.09								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID		<u></u>	UEPDC	UDTTC		15.09	15.09								<u> </u>
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per			1]									
	Chan-Inward Trunk with DID			UEPDC	UDTTD		15.09	15.09	ļ							
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-Way DID w User Trans			UEPDC	UDTTE		15.09	15.09								
BIPO	LAR 8 ZERO SUBSTITUTION			OLFDC	ODITE		13.09	13.09								
- D.: 0	B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	730.00s								
	B8ZS-Extended Superframe Format		<u> </u>	UEPDC	CCOEF		0.00i	730.00s								1
Alter	nate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI-Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telep	hone Number/Trunk Group Establisment Charges															
	Tel No for 2-Way Trunk Group			UEPDC	UDTGX	0.00	0.00	0.00								
	Tel No for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00	ļ	0.00								
	Tel No for 1-Way Inward Trunk Group w/o DID		l	UEPDC	UDTGZ	0.00	0.00	0.00	1		1		l	1	1	
	DID Nos for each Group of 20 DID Nos			UEPDC	ND4	0.00	0.00	0.00	1							

NROND	LED NETWORK ELEMENTS - Kentucky			T	1	ı								ment: 2		ibit: A
											Svc	Svc	Incrementa		Incrementa	
											Order	Order	I Charge -	I Charge -	I Charge -	I Charge
		Interi									Submitte	Submitte	Manual	Manual	Manual	Manua
ATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		F	RATES (\$)			d Elec	d	Svc Order	Svc Order	Svc Order	Svc Ord
											per LSR	Manually	vs.	vs.	vs.	vs.
											-	per LSR	Electronic-	Electronic-	Electronic-	Electron
												P	1c+	Addil	Dice 1ct	Dicc Ad
						Rec	Nonre		NRC Disco	nnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Nos			UEPDC	NDV	0.00	0.00	0.00								
Dedi	cated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digita	ıl Loop	with 4-Wire DDITS	Trunk Port											
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	96.04	105.52	98.46	23.09	20.49						
	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.23	0.00	0.00								
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.45	0.00	0.00								1
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00								1
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOC	0.45	0.00	0.00								1
	Local No Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00								†
	CO Termininating Point			UEPDC	CTG	0.00		0.00								†
4-WI	RE DS1 LOOP WITH CHANNELIZATION WITH PORT			V												†
	em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activ	vation	•													+
	System can have up to 24 combinations of rates depending on			mher of norts used												+
	UNE-P DS1 combination rates below for 4-Wire DS1 Loop with C					to the embedder	l baco in place	ac of 10/2/02	until 4/1/04	After 4/1/0	4 those rate	oe chall ro	ort to tariff	ratos or a so	narato agrac	omont
	uests for 4-Wire DS1 Loop with Channelization with Port after the											es silali le	vert to tarrir i	ales of a se	parate agree	ment.
	DS1 Loop	enec	live ua	le or this amendme	iit shan be pi	Ovided pursuan	l to a separate	agreement o	i tariii at be	isouili's u	Scretion.	-				+
UNE			1	UEPMG	USLDC	86.47	0.00	0.00								
-	4W DS1 Loop-UNE Zone 1	-		UEPMG	USLDC	114.10	0.00	0.00								
_	4W DS1 Loop-UNE Zone 2		2					0.00								
	4W DS1 Loop-UNE Zone 3	<u> </u>	3	UEPMG	USLDC	297.76	0.00	0.00								
UNE	DSO Channelization Capacities (D4 Channel Bank Configuration	is)														
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	111.16	0.00	0.00								
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	222.32	0.00	0.00								
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	444.64	0.00	0.00								
	144 DS0 Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	666.96	0.00	0.00								
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	889.28	0.00	0.00								
	240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM2O	1,111.60	0.00	0.00								
	288 DS0 Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	1,333.92	0.00	0.00								
	384 DS0 Channel Capacity-1 per 16 DS1s			UEPMG	VUM38	1,778.56	0.00	0.00								
	480 DS0 Channel Capacity-1 per 20 DS1s			UEPMG	VUM4O	2,223.20	0.00	0.00								Ī
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,667.84	0.00	0.00								
	672 DS0 Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	3,112.48	0.00	0.00								
Non-	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with	Chan	nelizti	on with Port - Conv	ersion Charg	e Based on a Sy	stem									1
	nimum System configuration is One (1) DS1, One (1) D4 Channel															1
	iples of this configuration functioning as one are considered Ad															
	NRC-Conversion (Currently Combined) with or w/o BST Allowed	1	1													†
	Changes			UEPMG	USAC4	0.00	94.30	4.24								
Syste	em Additions at End User Locations Where 4-Wire DS1 Loop with	h Chai	nneliza													+
	(Not Currently Combined) in all states, except in Density Zone 1				I	L LAISIS UNC										+
	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc	<u> </u>	1	A 9												+
	Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	718.89	469.86	149.83	17.77						
Dina	lar 8 Zero Substitution			ULFIVIG	V OIVID4	0.00	7 10.09	409.00	149.03	17.77						+
ыро		-	<u> </u>	UEPMG	CCOSF	0.00	0.00i	730.00s								+
	Clear Channel Capability Format, superframe-Subsqnt Activity			UEPIVIG	CCOSF	0.00	0.001	730.00s								╄
	Clear Channel Capability Format-Extended Superframe-Subsqnt															
	Activity Only		<u> </u>	UEPMG	CCOEF	0.00	0.00i	730.00s								↓
Alter	nate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	ange Ports Associated with 4-Wire DS1 Loop with Channelization	n with	Port		ļ											<u> </u>
Exch	ange Ports	<u> </u>	<u> </u>		ļ]	
	Line Side Combination Channelized PBX Trunk Port-bus			UEPPX	UEPCX	1.15	0.00	0.00	0.00	0.00						
	Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004)			UEPPX	UEPOX	1.15	0.00	0.00	0.00	0.00						
	Line Side Inward Only Channelized PBX Trunk Port w/o DID			UEPPX	UEP1X	1.15	0.00	0.00	0.00	0.00						T
	2W Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8.65	0.00	0.00	0.00	0.00						
	Unbundled Exchange Ports, 2W Channelized - Outdial -				1										Ì	1
	(Conversion from Network Access Service) (E:4/1/2004)			UEPPX	UEPCY	1.15	0.00	0.00	0.00	0.00						
					+	71.10	2:00	2.00	2.00	2.00		-				+
	Unbundled Exchange Ports, 2W Channelized - Combination															

NROND	LED NETWORK ELEMENTS - Kentucky		т—	1	I						e	e		ment: 2		ibit: A
ATEGORY	Y RATE ELEMENTS	Interi m	ⁱ Zone	BCS	usoc		F	RATES (\$)			Svc Order Submitte d Elec per LSR	_	Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Orde vs.
			┼				Nonre	curring	NRC Disco	onnect			1ct OSS	Rates (\$)	Dicc 1ct	Disc Add
			\vdash			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
	Unbundled Exchange Ports, 2W Channelized – Outdial – KY Only															
	- Calling Plan (E:4/1/2004)			UEPPX	UEPCV	1.15	0.00	0.00	0.00	0.00						
	Unbundled Exchange Ports, 2W Channelized – Two Way-KY Only – Calling Plan (E:4/1/2004)			UEPPX	UEPCW	1.15	0.00	0.00	0.00	0.00						
Feat	ure Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4		↓	UEPPX	1PQWM	0.62	25.40	13.41	4.17	4.15						
T-1	Feature (Service) Activation for each Trunk Port Terminated in D4		—	UEPPX	1PQWU	0.62	78.15	19.68	59.05	11.54						
I elej	phone Number/ Group Establishment Charges for DID Service		₩	UEPPX	NDT	0.00	0.00	0.00						1		
	DID Trunk Term (1 per Port) DID Nos-groups of 20-Valid all States		+	UEPPX	ND1 ND4	0.00	0.00	0.00								
-	Non-Consecutive DID Nos-per No		+-	UEPPX	ND5	0.00	0.00	0.00	1							
+	Reserve Non-Consecutive DID Nos		+-	UEPPX	ND6	0.00	0.00	0.00	 	 	 		 	†		+
-	Reserve DID Nos		+-	UEPPX	NDV	0.00	0.00	0.00	1							
Loca	al Number Portability		\vdash	52		3.00	3.00	5.00	1							
	Local No Portability-1 per port		† 	UEPPX	LNPCP	3.15	0.00	0.00								
FEA	TURES - Vertical and Optional															
	al Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	0.00	0.00	0.00								
	ED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE															
	ost Based Rates are applied where BellSouth is required by FCC															
	eatures shall apply to the Unbundled Port/Loop Combination - Co															
	nd Office and Tandem Switching Usage and Common Transport one first and additional Port nonrecurring charges apply to Not Cu															
	-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo		—													-
	Port/Loop Combination Rates (Non-Design)		+-													
ONE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP91		10.79										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP91		15.52										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP91		31.74										
UNE	Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP91		13.82										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP91		18.60										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP91		34.37										
UNE	Loop Rate		ــــــ													
	2W VG Loop (SL 1)-Zone 1		1	UEP91	UECS1	9.64										
	2W VG Loop (SL 1)-Zone 2		2	UEP91	UECS1	14.37										
	2W VG Loop (SL 1)-Zone 3		3	UEP91	UECS1	30.59										
	2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2		2	UEP91 UEP91	UECS2 UECS2	12.67 17.45										1
_	2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 3		3	UEP91	UECS2	33.22										-
LINE	Ports		-	UEF91	UECSZ	33.22			1							-
	States (Except NC and SC)		+-													
7 0	2W VG Port (Centrex) Basic Local Area		+	UEP91	UEPYA	1.15	21.29	15.49	2.85	2.67						
	2W VG Port (Centrex 800 Term)Basic Local Area		†	UEP91	UEPYB	1.15	21.29	15.49	2.85	2.67						
	2W VG Port (Centrex with Caller ID)Note1 Basic Local Area		1	UEP91	UEPYH	1.15	21.29	15.49		2.67						
	2W VG Port (Centrex from diff SWC) Note 2, 3 Basic Local Area			UEP91	UEPYM	1.15	21.29	15.49		2.67						
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP91	UEPYZ	1.15	21.29	15.49		2.67						
	2W VG Port terminated in on Megalink or equivalent-Basic Local			UEP91	UEPY9	1.15		15.49		2.67						
	2W VG Port Terminated on 800 Service Term-Basic Local Area		<u> </u>	UEP91	UEPY2	1.15	21.29	15.49	2.85	2.67						
AL, ł	KY, LA, MS, & TN Only		Ь—	ļ		ļ			ļ							
	2W VG Port (Centrex)		₩	UEP91	UEPQA	1.15	21.29	15.49		2.67				ļ		1
	2W VG Port (Centrex 800 Term)		₩	UEP91	UEPQB	1.15	21.29	15.49	2.85	2.67				ļ		1
	2W VG Port (Centrex with Caller ID)1		₩	UEP91	UEPQH	1.15	21.29	15.49		2.67				ļ		
	2W VG Port (Centrex from diff SWC)2,3	-	₩	UEP91	UEPQM	1.15	21.29	15.49		2.67			1	 		
1	2W VG Port, Diff SWC-2,3-800 Service Term			UEP91	UEPQZ	1.15	21.29	15.49	2.85	2.67		1	ļ			
	2M VC Port terminated in an Magalial: as assistant			LIEDO4	HEDOO	4.45	04.00	45.40	0.05	0.07						
_	2W VG Port terminated in on Megalink or equivalent 2W VG Port Terminated on 800 Service Term			UEP91 UEP91	UEPQ9 UEPQ2	1.15 1.15		15.49 15.49		2.67 2.67						

NDUNDL	ED NETWORK ELEMENTS - Kentucky		, ,											ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR		I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Orde vs.
						Rec	Nonrec	urring	NRC Disco	nnect			oss	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.8873										
	Number Portability															
	Local No Portability (1 per port)			UEP91	LNPCC	0.35										1
Featu																
	All Standard Features Offered, per port			UEP91	UEPVF	0.00										<u> </u>
	All Select Features Offered, per port		-	UEP91	UEPVS	0.00	405.66									
	All Centrex Control Features Offered, per port		-	UEP91	UEPVC	0.00										
NARS				LIEBO4	HAROY	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Combination Unbundled Network Access Register-Indial			UEP91 UEP91	UARCX UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Indial Unbundled Network Access Register-Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						+
	ellaneous Terminations			UEP91	UARUX	0.00	0.00	0.00	0.00	0.00						
	e Trunk Side				-											+
	Trunk Side Terms, each			UEP91	CENA6	10.51	92.18	15.82	52.16	5.30						+
	office Channel Mileage - 2-Wire			OLF91	CLIVAO	10.51	92.10	13.02	32.10	5.50						+
	Interoffice Channel Facilities Term-VG			UEP91	M1GBC	29.11										+
	Interoffice Channel miage, per mi or fraction of mi			UEP91	M1GBM	0.01										+
	re Activations (DS0) Centrex Loops on Channelized DS1 Service			OLI 31	IVITODIVI	0.01										+
	nannel Bank Feature Activations				+											†
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.62										+
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.62										†
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.62										†
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP91	1PQWP	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.62										1
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ	0.62										1
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.62										
Non-l	Recurring Charges (NRC) Associated with UNE-P Centrex															
	Conversion-Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP91	USAC2		0.102	0.102								
	Conversion of Existing Centrex Common Block			UEP91	USACN		18.95	8.32								
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	669.80	78.32	111.05	13.27						
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	669.80	78.32	111.05	13.27						
	Secondary Block, per Block			UEP91	M2CC1	0.00	78.32	78.32	13.27	13.27						
A 1.17	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.75									
	ional Non-Recurring Charges (NRC)			UEP91	URETL		8.33	0.83								
	Unbundled Misc Rate Element, Tag Loop at End Use Premise Unbundled Misc Rate Element, Tag Design Loop at End Use			UEP91	URETN		11.21	1.10								
LINE	P CENTREX - 5ESS (Valid in All States)			UEF91	UKETIN		11.21	1.10								+
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo								1							+
	Port/Loop Combination Rates (Non-Design)				+											+
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95	+	10.79										†
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95		15.52										+
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95	1	31.74										†
	Port/Loop Combination Rates (Design)															1
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		13.82										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP95		18.60										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95		34.37			1							
UNE	Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP95	UECS1	9.64										
	2W VG Loop (SL 1)-Zone 2		2	UEP95	UECS1	14.37										
	2W VG Loop (SL 1)-Zone 3		3	UEP95	UECS1	30.59										
	2W VG Loop (SL 2)-Zone 1		1	UEP95	UECS2	12.67]							
	2W VG Loop (SL 2)-Zone 2		2	UEP95	UECS2	17.45			ļ							<u> </u>
	2W VG Loop (SL 2)-Zone 3		3	UEP95	UECS2	33.22			ļ							
	Port Rate								ļ							
	2106		1		1 1				1		ĺ.	1	l	l		1
All St	2W VG Port (Centrex) Basic Local Area		_	UEP95	UEPYA	1.15	21.29	15.49	2.85	2.67						4

ONROND	LED NETWORK ELEMENTS - Kentucky				, ,									ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		F	RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.
					-		Monroe		NRC Disco	annoot			164	Rates (\$)	Dicc 1ct	Dicc Add'l
					<u> </u>	Rec	Nonred		First		COMEC	SOMAN			SOMAN	COMAN
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.15	First 21.29	Add'l 15.49		Add'l 2.67	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Port (Centrex with Caller ID) TBasic Local Area 2W VG Port (Centrex from diff SWC)2.3 Basic Local Area			UEP95	UEPYM	1.15	21.29	15.49		2.67						
	2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area			UEP95	UEPYZ	1.15	21.29	15.49		2.67						
	2W VG Port terminated in on Megalink or equivalent-Basic Local			UEP95	UEPY9	1.15	21.29	15.49	2.85	2.67						
	2W VG Port Terminated in 800 Service Term-Basic Local Area			UEP95	UEPY2	1.15	21.29	15.49		2.67						
AL. I	(Y, LA, MS, SC, & TN Only			02.00	022		21.20	10.10	2.00	2.07						
	2W VG Port (Centrex)			UEP95	UEPQA	1.15	21.29	15.49	2.85	2.67						
	2W VG Port (Centrex 800 Term)			UEP95	UEPQB	1.15	21.29	15.49		2.67						
	2W VG Port (Centrex with Caller ID)1			UEP95	UEPQH	1.15	21.29	15.49	2.85	2.67						
	2W VG Port (Centrex from diff SWC)2,3			UEP95	UEPQM	1.15	21.29	15.49	2.85	2.67						
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP95	UEPQZ	1.15	21.29	15.49		2.67						
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.15	21.29	15.49		2.67						
	2W VG Port Terminated on 800 Service Term			UEP95	UEPQ2	1.15	21.29	15.49	2.85	2.67						
Loca	l Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.8873										
Loca	Number Portability				111000											
	Local No Portability (1 per port)			UEP95	LNPCC	0.35										
Feat				LIEBOE	UEPVF	0.00										
	All Standard Features Offered, per port All Select Features Offered, per port			UEP95 UEP95	UEPVF	0.00	405.66		+							
	All Centrex Control Features Offered, per port			UEP95	UEPVS	0.00	405.00		-							
NAR				UEP95	UEPVC	0.00			+							
INAK	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Combination Unbundled Network Access Register-Indial			UEP95	UAR1X	0.00	0.00	0.00		0.00						
	Unbundled Network Access Register-Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
Misc	ellaneous Terminations			OLI 30	O/ II COX	0.00	0.00	0.00	0.00	0.00						
	re Trunk Side															
	Trunk Side Terms, each			UEP95	CEND6	10.51	92.18	15.82	52.16	5.30						
	re Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP95	M1HD1	74.77	164.86	77.74	60.69	3.86						
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	15.09									
Inter	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP95	M1GBC	29.11										
	Interoffice Channel miage, per mi or fraction of mi			UEP95	M1GBM	0.01										
	ure Activations (DS0) Centrex Loops on Channelized DS1 Service)														
D4 C	hannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.62										
-	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95 UEP95	1PQW6 1PQW7	0.62 0.62			+		1					
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot- Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP95 UEP95	1PQW7	0.62	-				-	-				
-	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95 UEP95	1PQWP 1PQWV	0.62	1		1	1	1	1				1
-	Feature Activation on D-4 Channel Bank Frivate Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP95	1PQWQ	0.62			 		 		 	 	 	
_	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.62			1		†					
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex			02.00		3.02			1							
	NRC Conversion Currently Combined Switch-As-Is with allowed				†				1							
	changes, per port			UEP95	USAC2		0.102	0.102	1					1	1	
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		18.95	8.32								
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	669.80	78.32								
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	669.80	78.32	111.05	13.27						
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.75	_								
Addi	tional Non-Recurring Charges (NRC)															
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP95	URETL		8.33	0.83	<u> </u>							
	Unbundled Misc Rate Element, Tag Design Loop at End Use			UEP95	URETN		11.21	1.10								
	-P CENTREX - DMS100 (Valid in All States)				<u> </u>				<u> </u>							
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo				 				ļ		ļ					
UNE	Port/Loop Combination Rates (Non-Design)			LIEDOD	 	10 =0	ļ		 							
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D	 	10.79	ļ		 							ļ
1	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D UEP9D		15.52 31.74	l		1		ļ	<u> </u>	l	l	l	

10011	LED NETWORK ELEMENTS - Kentucky												Attachi	ment: 2	Exhi	ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)	Lunc		Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Add'I	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charg Manua Svc Ord vs.
						Rec	Nonrec		NRC Disco					Rates (\$)		T
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
UNE	Port/Loop Combination Rates (Design)		1	UEP9D	-	13.82										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		2	UEP9D UEP9D	-	13.82										
_	2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D	+	34.37										┼──
UNE	Loop Rate		3	OLI 3D	+	34.37										
OITE	2W VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	9.64										_
	2W VG Loop (SL 1)-Zone 2		2	UEP9D	UECS1	14.37										
	2W VG Loop (SL 1)-Zone 3		3	UEP9D	UECS1	30.59										
	2W VG Loop (SL 2)-Zone 1		1	UEP9D	UECS2	12.67										
	2W VG Loop (SL 2)-Zone 2		2	UEP9D	UECS2	17.45										
	2W VG Loop (SL 2)-Zone 3		3	UEP9D	UECS2	33.22	,									
	Port Rate	<u> </u>			\downarrow											1
ALL S	STATES			LIEDAD	LIEDYA		04.00	45.40	0.0-	2.2						
-	2W VG Port (Centrex) Basic Local Area	 		UEP9D	UEPYA	1.15	21.29	15.49	2.85	2.67						├
-	2W VG Port (Centrex 800 Term)Basic Local Area 2W VG Port (Centrex/EBS-PSET)3Basic Local Area			UEP9D UEP9D	UEPYB UEPYC	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67						+
-	2W VG Port (Centrex/EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.15	21.29	15.49	2.85	2.67						
-	2W VG Port (Centrex /EBS-M5209)3 Basic Local Area			UEP9D	UEPYE	1.15	21.29	15.49	2.85	2.67						+
	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	1.15	21.29	15.49	2.85	2.67						†
	2W VG Port (Centrex /EBS-M5312)3Basic Local Area			UEP9D	UEPYG	1.15	21.29	15.49	2.85	2.67						
	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	1.15	21.29	15.49	2.85	2.67						†
	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area			UEP9D	UEPYU	1.15	21.29	15.49	2.85	2.67						
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	1.15	21.29	15.49	2.85	2.67						
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	1.15	21.29	15.49	2.85	2.67						
	2W VG Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.15	21.29	15.49	2.85	2.67						
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4 Basic															
	Local Area			UEP9D	UEPYW	1.15	21.29	15.49	2.85	2.67						
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4 Basic Local Area			UEP9D	UEPYJ	1.15	21.29	15.49	2.85	2.67						
-	2W VG Port (Centrex from diff SWC) 2,3-Basic Local Area			UEP9D	UEPYM UEPYO	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67						
-	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local 2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local			UEP9D UEP9D	UEPYP	1.15	21.29	15.49	2.85	2.67						+
	2W VG Port (Centrex/differ SWC /EBS-1/15009)2,3,4 Basic Local			UEP9D	UEPYQ	1.15	21.29	15.49	2.85	2.67						+
+	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local			UEP9D	UEPYR	1.15	21.29	15.49	2.85	2.67						+
+	2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local			UEP9D	UEPYS	1.15	21.29	15.49	2.85	2.67						1
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local			UEP9D	UEPY4	1.15	21.29	15.49	2.85	2.67						†
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local			UEP9D	UEPY5	1.15	21.29	15.49	2.85	2.67						
	2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local			UEP9D	UEPY6	1.15	21.29	15.49	2.85	2.67						
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local			UEP9D	UEPY7	1.15	21.29	15.49	2.85	2.67						
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPYZ	1.15	21.29	15.49	2.85	2.67						\perp
	2W VG Port terminated in on Megalink or equivalent Basic Local			UEP9D	UEPY9	1.15	21.29	15.49	2.85	2.67						
4	2W VG Port Terminated on 800 Service Term Basic Local Area	 		UEP9D	UEPY2	1.15	21.29	15.49	2.85	2.67						
AL, K	Y, LA, MS, SC, & TN Only			UEP9D	LIEDOA	4.45	04.00	45.40	0.05	0.07						
-	2W VG Port (Centrex) 2W VG Port (Centrex 800 Term)			UEP9D UEP9D	UEPQA UEPQB	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67						
-	2W VG Port (Centrex/EBS-PSET)4	<u> </u>	\vdash	UEP9D UEP9D	UEPQB	1.15	21.29	15.49	2.85	2.67	-					+
	2W VG Port (Centrex/EBS-PSE1)4 2W VG Port (Centrex /EBS-M5009)4			UEP9D	UEPQD	1.15	21.29	15.49	2.85	2.67						+
-	2W VG Port (Centrex /EBS-M5209)4			UEP9D	UEPQE	1.15	21.29	15.49	2.85	2.67						+
	2W VG Port (Centrex /EBS-M5112)4	<u> </u>		UEP9D	UEPQF	1.15	21.29	15.49	2.85	2.67						\vdash
1	2W VG Port (Centrex /EBS-M5312)4			UEP9D	UEPQG	1.15	21.29	15.49	2.85	2.67						T
	2W VG Port (Centrex /EBS-M5008)4			UEP9D	UEPQT	1.15	21.29	15.49	2.85	2.67						
	2W VG Port (Centrex/EBS-M5208)4			UEP9D	UEPQU	1.15	21.29	15.49	2.85	2.67						
	2W VG Port (Centrex/EBS-M5216)4			UEP9D	UEPQV	1.15	21.29	15.49	2.85	2.67						
	2W VG Port (Centrex/EBS-M5316)4			UEP9D	UEPQ3	1.15	21.29	15.49	2.85	2.67						
	2W VG Port (Centrex with Caller ID)			UEP9D	UEPQH	1.15	21.29	15.49	2.85	2.67						
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4	<u> </u>		UEP9D	UEPQW	1.15	21.29	15.49	2.85	2.67						
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.15	21.29	15.49	2.85	2.67						₩
+	2W VG Port (Centrex from diff SWC) 2,3	<u> </u>	\vdash	UEP9D	UEPQM	1.15	21.29	15.49	2.85	2.67						₩
1	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4 2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D UEP9D	UEPQO UEPQP	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67						

NOUNDELL	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		R	RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR		Incrementa I Charge - Manual Svc Order vs. Electronic-		Incremer I Charge Manua Svc Ord vs.
							Nonrec	urring	NRC Disco	nnect		L	164	Rates (\$)	Dice 1ct	Dicc Add
-+						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAI
2//	VVG Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.15	21.29	15.49	2.85	2.67	SOWIEC	SOWAN	SOWAN	SOWAN	JOWAN	JOINA
	/ VG Port (Centrex/differ SWC /EBS-9209)2,3,4 / VG Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.15	21.29	15.49	2.85	2.67						+
	V VG Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.15	21.29	15.49	2.85	2.67						+
	VG Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.15	21.29	15.49	2.85	2.67						
	VG Port (Centrex/differ SWC /EBS-M5208)2.3.4			UEP9D	UEPQ5	1.15	21.29	15.49		2.67						
	VG Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.15	21.29	15.49		2.67						
	VG Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.15	21.29	15.49	2.85	2.67						
	VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPQZ	1.15	21.29	15.49	2.85	2.67						1
	VG Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.15	21.29	15.49	2.85	2.67						
2W	VG Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.15	21.29	15.49	2.85	2.67						1
Local Sw	vitching															
Cei	ntrex Intercom Funtionality, per port			UEP9D	URECS	0.8873										
	umber Portability															
	cal No Portability (1 per port)			UEP9D	LNPCC	0.35										
Features																
	Standard Features Offered, per port			UEP9D	UEPVF	0.00										
	Select Features Offered, per port			UEP9D	UEPVS	0.00	405.66									
	Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00										
NARS				LIEBAR												
	bundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						-
	bundled Network Access Register-Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						-
	bundled Network Access Register-Outdial neous Terminations			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						-
	runk Side		-													+
	unk Side Terms, each			UEP9D	CEND6	10.51	92.18	15.82	52.16	5.30	 	 				+
	pigital (1.544 Megabits)			UEF9D	CENDO	10.51	92.10	13.62	32.16	5.30						+
	C1 Circuit Terms, each			UEP9D	M1HD1	74.77	164.86	77.74	60.69	3.86						+
	60 Channels Activiated per Channel			UEP9D	M1HDO	0.00	15.09	11.14	00.00	0.00						†
	ce Channel Mileage - 2-Wire			OLI OD	WITIBO	0.00	10.00									†
	eroffice Channel Facilities Term			UEP9D	M1GBC	29.11										†
	eroffice Channel miage, per mi or fraction of mi			UEP9D	M1GBM	0.01										1
	Activations (DS0) Centrex Loops on Channelized DS1 Service)				0.0.										1
	inel Bank Feature Activations															1
Fea	ature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.62										
Fea	ature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.62										1
Fea	ature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.62										
	ature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP9D	1PQWP	0.62										
	ature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.62										
	ature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.62										
	ature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.62										
	curring Charges (NRC) Associated with UNE-P Centrex															
	RC Conversion Currently Combined Switch-As-Is with allowed															
	anges, per port			UEP9D	USAC2		0.102	0.102								
	nversion of existing Centrex Common Block, each			UEP9D	USACN		18.95	8.32		40.00						
	w Centrex Standard Common Block			UEP9D	M1ACS	0.00	669.80	78.32	111.05	13.27						-
	w Centrex Customized Common Block			UEP9D	M1ACC URECA	0.00	669.80 72.75	78.32	111.05	13.27						
	R Establishment Charge, Per Occasion al Non-Recurring Charges (NRC)	 	\vdash	UEP9D	URECA	0.00	12.15		1		1	-				+
	bundled Misc Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83								+
	bundled Misc Rate Element, Tag Design Loop at End Use			UEP9D	URETN		11.21	1.10								
	ENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)			UEFBD	UKETIN		11.21	1.10	1		 	 				+
	G Loop/2-Wire Voice Grade Port (Centrex) Combo				+				 		<u> </u>					+
	t/Loop Combination Rates (Non-Design)	 			+				†				l			+
	/ VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9E	1	10.79			1	 	t	<u> </u>	1	1		
	/ VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9E		15.52			1				1			
	/ VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	<u> </u>	3	UEP9E		31.74										†
	rt/Loop Combination Rates (Design)					54										t –
I2W	V VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9E		13.82			1							t –
	/ VG Loop/2W VG Port (Centrex)Port Combo-Design	 	2	UEP9E	1	18.60			1			1	1	1		

NROND	LED NETWORK ELEMENTS - Kentucky		,		, ,									ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		F	RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-		Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Orde vs.
						Rec	Nonred	curring	NRC Disco	nnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9E		34.37										
UNE	Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP9E	UECS1	9.64										
	2W VG Loop (SL 1)-Zone 2		2	UEP9E	UECS1	14.37										
	2W VG Loop (SL 1)-Zone 3		3	UEP9E	UECS1	30.59										
	2W VG Loop (SL 2)-Zone 1		1	UEP9E	UECS2	12.67										
	2W VG Loop (SL 2)-Zone 2		2	UEP9E	UECS2	17.45										
	2W VG Loop (SL 2)-Zone 3		3	UEP9E	UECS2	33.22										
	Port Rate															
AL, F	L, KY, LA, MS, & TN only															
	2W VG Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.15	21.29	15.49		2.67						
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9E	UEPYB	1.15	21.29	15.49	2.85	2.67						
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	1.15	21.29	15.49	2.85	2.67						
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP9E	UEPYM	1.15		15.49	2.85	2.67				ļ	ļ	<u> </u>
	2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area			UEP9E	UEPYZ	1.15	21.29	15.49	2.85	2.67						
	2W VG Port terminated in on Megalink or equivalent-Basic Local			UEP9E	UEPY9	1.15	21.29	15.49	2.85	2.67						
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP9E	UEPY2	1.15	21.29	15.49	2.85	2.67						
AL, I	(Y, LA, MS, & TN Only															
	2W VG Port (Centrex)			UEP9E	UEPQA	1.15		15.49		2.67						
	2W VG Port (Centrex 800 Term)			UEP9E	UEPQB	1.15	21.29	15.49		2.67						
	2W VG Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.15	21.29	15.49		2.67						
	2W VG Port (Centrex from diff SWC)2,3			UEP9E	UEPQM	1.15	21.29	15.49		2.67						
	2W VG Port, Diff SWC 2,3 -800 Service Term			UEP9E	UEPQZ	1.15		15.49		2.67						
	2W VG Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.15	21.29	15.49		2.67						
	2W VG Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.15	21.29	15.49	2.85	2.67						
Loca	I Switching			LIEDOE	LIDEOO	0.0070										
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.8873										
LUCA	I Number Portability Local No Portability (1 per port)		1	UEP9E	LNPCC	0.35										
Feat				ULF9L	LINECC	0.33			1		 					
reali	All Standard Features Offered, per port			UEP9E	UEPVF	0.00										
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	405.66									
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00	400.00									
NAR				02.02	02. 10	0.00			1		-					
	Unbundled Network Access Register-Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						1
	Unbundled Network Access Register-Outdial			UEP9E	UAROX	0.00	0.00	0.00		0.00						
Misc	ellaneous Terminations															
2-Wi	re Trunk Side															1
	Trunk Side Terms, each			UEP9E	CEND6	10.51	92.18	15.82	52.16	5.30						
4-Wi	re Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP9E	M1HD1	74.77	164.86	77.74	60.69	3.86						
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	15.09									
Inter	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP9E	M1GBC	29.11										
	Interoffice Channel miage, per mi or fraction of mi			UEP9E	M1GBM	0.01										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	!														
D4 C	hannel Bank Feature Activations		$oxed{oxed}$		1											
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.62			ļ							
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.62			ļ		ļ			ļ	ļ	<u> </u>
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot		\sqcup	UEP9E	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC		1	UEP9E	1PQWP	0.62			ļ		ļ					1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.62			ļ							
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot		 	UEP9E	1PQWQ	0.62			 						-	
p	Feature Activation on D-4 Channel Bank WATS Loop Slot		1	UEP9E	1PQWA	0.62			 		ļ			-	1	₩
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex		1		+				<u> </u>						-	├
	NRC Conversion Currently Combined Switch-As-Is with allowed		1	UEP9E	LICACO		0.102	0.400						l	l	1
	changes, per port		1 1	UEP9E	USAC2		0.102	0.102		l	1	1	l	1		1

<u>NROND</u>	ED NETWORK ELEMENTS - Kentucky												Attachi	ment: 2	Exhi	ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Add'I	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge Manua Svc Ord vs.
						Rec	Nonrec		NRC Disco					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	669.80	78.32	111.05	13.27						
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	669.80	78.32	111.05	13.27						
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.75									
Addi	ional Non-Recurring Charges (NRC)															
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP9E	URETL		8.33	0.83								
	Unbundled Misc Rate Element, Tag Design Loop at End Use			UEP9E	URETN		11.21	1.10								
	P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
_	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	1	1	UEP93	+	10.79										├
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	1	2	UEP93	+	15.52			1							├
1	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	1	3	UEP93	+	31.74										
UNE	Port/Loop Combination Rates (Design)	1	\perp	LIEDOS	+	40.00			1							├
-	2W VG Loop/2W VG Port (Centrex) Port Combo-Design	+	1	UEP93	+	13.82			1	ļ	!					├
_	2W VG Loop/2W VG Port (Centrex)Port Combo-Design	-	2	UEP93		18.60										
LINE	2W VG Loop/2W VG Port (Centrex)Port Combo-Design	-	3	UEP93	+	34.37										
UNE	Loop Rate	-	4	LIEDOS	LIECC4	0.04										
	2W VG Loop (SL 1)-Zone 1	-	1	UEP93	UECS1	9.64										
_	2W VG Loop (SL 1)-Zone 2	-	2	UEP93	UECS1	14.37										
	2W VG Loop (SL 1)-Zone 3	-	3	UEP93	UECS1 UECS2	30.59 12.67										
	2W VG Loop (SL 2)-Zone 1	-		UEP93												
_	2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 3	-	2	UEP93 UEP93	UECS2	17.45 33.22										
LINE	Port Rate	-	3	UEP93	UECSZ	33.22										
	2 1 2112	-	1													
AL, r	Y, LA, MS, & TN only 2W VG Port (Centrex) Basic Local Area	-	1	UEP93	UEPYA	1.15	21.29	15.49	2.85	2.67						
-	2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term)Basic Local Area	+	+ +	UEP93	UEPYB	1.15	21.29	15.49	2.85	2.67	 	-				-
-	2W VG Port (Centrex 600 Term)Basic Local Area 2W VG Port (Centrex with Caller ID)1Basic Local Area	+	+ +	UEP93	UEPYH	1.15	21.29	15.49	2.85	2.67	 	-				-
-	2W VG Port (Centrex with Caller ID) IBasic Local Area 2W VG Port (Centrex from diff SWC)2,3 Basic Local Area	+	1	UEP93	UEPYM	1.15	21.29	15.49	2.85	2.67						-
-	2W VG Port, Diff SWC-2,3-800 Service Term-Basic Local Area	+	1	UEP93	UEPYZ	1.15	21.29	15.49		2.67						-
_	2W VG Port terminated in on Megalink or equivalent-Basic Local	+	+ +	UEP93	UEPY9	1.15	21.29	15.49		2.67						
	2W VG Port Terminated in 6th Megalifik of equivalent-basic Local Area	+		UEP93	UEPY2	1.15	21.29	15.49		2.67						
-	2W VG Port (Centrex)	+	1	UEP93	UEPQA	1.15	21.29	15.49		2.67						-
_	2W VG Port (Centrex 800 Term)	+	+ +	UEP93	UEPQB	1.15	21.29	15.49		2.67						
_	2W VG Port (Centrex with Caller ID)1		1 1	UEP93	UEPQH	1.15	21.29	15.49	2.85	2.67						
	2W VG Port (Centrex from diff SWC)2,3	1		UEP93	UEPQM	1.15	21.29	15.49		2.67						
-	2W VG Port, Diff SWC-2,3 -800 Service Term	+		UEP93	UEPQZ	1.15	21.29	15.49		2.67	-					1
+	2W VG Port terminated in on Megalink or equivalent	+	1 - 1	UEP93	UEPQ9	1.15	21.29	15.49	2.85	2.67	 					
	2W VG Port Terminated in 60 Megalink of equivalent	+	\vdash	UEP93	UEPQ2	1.15	21.29	15.49	2.85	2.67						
Loca	Switching	+	1 1	02.00	52. Q2	0	220	.0.40	2.00	2.07						t -
_000	Centrex Intercom Funtionality, per port	+	1 1	UEP93	URECS	0.8873			1							1
Loca	Number Portability	†	1 1	02.00	3230	0.0070			1							t t
	Local No Portability (1 per port)	†	1 1	UEP93	LNPCC	0.35			1							t t
Featu						0.00										-
	All Standard Features Offered, per port			UEP93	UEPVF	0.00										1
	All Centrex Control Features Offered, per port			UEP93	UEPVC	0.00										
NAR																
	Unbundled Network Access Register-Combination	1		UEP93	UARCX	0.00	0.00	0.00	0.00	0.00						1
	Unbundled Network Access Register-Indial	1		UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Outdial	1	1 1	UEP93	UAROX	0.00	0.00	0.00	0.00	0.00						
Misc	ellaneous Terminations															
2-Wii	e Trunk Side															
	Trunk Side Terms, each	1		UEP93	CEND6	10.51	92.18	15.82	52.16	5.30						
	e Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP93	M1HD1	74.77	164.86	77.74	60.69	3.86						
	DS0 Channels Activated, Per Channel	L		UEP93	M1HDO	0.00	15.09									
Inter	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP93	M1GBC	29.11										
_	Interoffice Channel miage, per mi or fraction of mi			UEP93	M1GBM	0.01										

UNBUND	LED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
											Svc	Svc				Incrementa
											Order	Order	I Charge -			
CATEGOR	RATE ELEMENTS	Interi	Zone	BCS	USOC		-	RATES (\$)				Submitte		Manual	Manual	Manual
CATEGOR	RATE ELEMENTS	m	Zone	всэ	USUC		r	(A) E3 (A)			d Elec	d		Svc Order	Svc Order	Svc Order
											per LSR	Manually	vs.	vs.	vs.	vs.
												per LSR	Electronic-	Electronic-	Electronic-	
—					-	ı	Nonrec		NRC Disco	nnoot			164	Rates (\$)	Dicc 1ct	Dice Vdd'I
-			1		+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Foot	Lure Activations (DS0) Centrex Loops on Channelized DS1 Service		+ +		+		FIISL	Add I	FIISL	Auu i	SOWIEC	SUMAN	SUMAN	SUMAN	SOWAN	SOWAN
	hannel Bank Feature Activations		+ +		+						 			-		
D4 C	Feature Activation on D-4 Channel Bank Centrex Loop Slot		+	UEP93	1PQWS	0.62						-				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		+	UEP93	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot		+	UEP93	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC		+	UEP93	1PQW7	0.62										
			+		1PQWP											
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		1	UEP93 UEP93	1PQWV	0.62 0.62										
-	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot		1	UEP93	1PQWQ	0.62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot		1	UEP93	TPQWA	0.62										
Non	Recurring Charges (NRC) Associated with UNE-P Centrex		-													
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP93	USAC2		0.102	0.102								
	Conversion of Existing Centrex Common Block, each			UEP93	USACN	2.22	18.95	8.32		10.00						
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	669.80	78.32	111.05	13.27						
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	669.80	78.32	111.05	13.27						
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.75									
Add	tional Non-Recurring Charges (NRC)				ļ <u>.</u>											
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP93	URETL		8.33	0.83								Ļ
	Unbundled Misc Rate Element, Tag Design Loop at End Use			UEP93	URETN		11.21	1.10								Ļ
	1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	2 - Requres Interoffice Channel Mileage															<u> </u>
	3 - Installation is combination of Installation charge for SL2 Loop	p and	l Port													
	4 - Requires Specific Customer Premises Equipment															
Note	: Rates displaying an "R" in Interim column are interim and subje	ect to	rate tru	ue-up as set forth it	n General Ter	ms and Conditio	ns.									

Version 3Q03: 11/12/2003 Page 130 of 295

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
											Svc	Svc	Incrementa		Incremental	
											Order	Order	I Charge -	I Charge -	Charge -	Charge -
		Interi	Zon								Submitte	Submitte	Manual	Manual	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	m	е	BCS	USOC		RATE	S (\$)			d Elec	d	Svc Order	Svc Order	Order vs.	Order vs.
											per LSR	Manually	vs.	vs.	Electronic-	Electronic-
												per LSR	Electronic-	Electronic-	Disc 1st	Disc Add'l
1						1	Nonrecu	. rrina	NDC D	sconnec			164	Rates (\$)		
						Rec	First	Add'l	First			SOMAN			SOMAN	SOMAN
							FIISL	Auu i	FIISL	Add I	SOMEC	SOWAN	SUMAN	SUMAN	SOWAN	SOWAN
The "	I Zone" shown in the sections for stand-alone loops or loops as part o	a cor	nhina	tion refers to Geograp	hically Deav	eraged LINE Zone	es To view G	eographic	ally Deav	eraned I	NF Zone I)esignation	ns by Centra	Office refe	r to internet	Wehsite:
	/www.interconnection.bellsouth.com/become_a_clec/html/interconne			non refers to Geograp	mouny Dea	rerugeu ont zon		,cog.upino	uny Douv	c.ugcu c	THE LONG E	, coignation	io by ocitina	· Omoc, reic	to internet	rreporte.
OPERATION	AL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NOTE	:: (1) CLEC snould contact its contract negotiator if it prefers the "stat															cnarges.
	may elect either the state specific Commission ordered rates for the	servic	e orde	ering charges, or CLEO	C may elect	the regional servi	ce ordering c	harge, hov	vever, CL	EC can n	ot obtain a	a mixture o	of the two req	gardless if C	LEC has a	
interd	connection contract established in each of the 9 states.															
	: (2) Any element that can be ordered electronically will be billed acc															
	elements that cannot be ordered electronically at present per the LOI				ategory refle	ects the charge th	at would be b	illed to a C	CLEC onc	e electro	nic orderir	ig capabili	ties come or	n-line for tha	t element. O	therwise,
the m	anual ordering charge, SOMAN, will be applied to a CLECs bill when	it sub	mits a	n LSR to BellSouth.		1							1			
\vdash	OSS-Electronic Service Order Charge, Per LSR-UNE Only				SOMEC		3.50	0.00	3.50	0.00				-	-	
LINE CERVICA	OSS-Manual Service Order Charge, Per LSR-UNE Only				SOMAN	 	15.20	0.00	15.20	0.00			1		!	
	E DATE ADVANCEMENT CHARGE			a 4 Tariff Castian Fa												
NOTE	: The Expedite charge will be maintained commensurate with BellSon	utn'S l	-CC N	OAL, OLANE, OCE.	s applicable			1					ļ	-	 	-
				UEF, UDF, UEQ, UDL,	1						1	1			I	
				UENTW, UDN, UEA,												
				UHL, ULC, USL,												
				U1T12, U1T48,												
				U1TD1, U1TD3,												
				U1TDX, U1TO3,												
				U1TS1, U1TVX,												
				UC1BC, UC1BL,												
				UC1CC, UC1CL,												
				UC1DC, UC1DL,												
				UC1EC, UC1EL,												
				UC1FC, UC1FL,												
				UC1GC, UC1GL,												
				UC1HC, UC1HL,												
				UDL12, UDL48,												
				UDLO3, UDLSX, UE3,												
				ULD12, ULD48,												
				ULDD1, ULDD3,												
				ULDDX, ULDO3,												
				ULDS1, ULDVX.												
				UNC1X, UNC3X,												
				UNCDX, UNCNX,												
				UNCSX, UNCVX,												
				UNLD1, UNLD3,												
				UXTD1, UXTD3.												
				UXTS1, U1TUC,												
				U1TUD, U1TUB,												
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			U1TUA	SDASP		200.00									
UNBUNDI FI	D EXCHANGE ACCESS LOOP			01100	ODAOI	+	200.00				 	 	 	-	t	
	RE ANALOG VOICE GRADE LOOP					t							1	 	<u> </u>	
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEAL2	12.90	36.54	16.87							1	
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEAL2	23.33	36.54	16.87					1			
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEAL2	48.43	36.54	16.87								
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEASL	12.90	36.54	16.87					İ	1	1	
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEASL	23.33	36.54	16.87					İ	1	1	
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEASL	48.43	36.54	16.87					İ	1	1	
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83								
	Loop Testing-Basic 1st Half Hour			UEANL	URET1		33.17	33.17								
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA		19.28	19.28					İ			
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1)			UEANL	UREWO	†	15.75	8.93					İ	1	1	
<u> </u>	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST			02,112	3	†	.5.70	5.50					1		1	
	providing make-up (Engineering Information-E.I.)			UEANL	UEANM		13.04	13.04								
 	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC	 	7.92	7.92					1	 	<u> </u>	
 	Order Coordination for Specified Conversion Time for UVL-SL1 (per			UEANL	OCOSL	 	17.56	17.56					†	1	1	
2-WIE	RE Unbundled COPPER LOOP			OLANE	CCCCL		17.50	17.50					 			
Z-441L	C Unbandied OUI I EN LOUI					1			1		l		1		<u> </u>	

ONBONDLE	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incrementa		Incremental Charge -	
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RATE	S (\$)			Submitte d Elec			Manual Svc Order vs.	Manual Svo Order vs. Electronic-	Manual Sv Order vs.
												per LSR	Electronic-		Disc 1st	Disc Add'
						_ 1	Nonrecu	ırring	NRC Di	sconnec			OSS	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Unbundled Copper Loop-Non-Designed Zone 1	ı	1	UEQ	UEQ2X	12.40	35.27	15.60								
	2W Unbundled Copper Loop-Non-Designed-Zone 2		2	UEQ	UEQ2X	14.32	35.27	15.60								
	2W Unbundled Copper Loop-Non-Designed-Zone 3	- 1	3	UEQ	UEQ2X	16.87	35.27	15.60								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83								
	Manual Order Coordination 2W Unbundled Copper Loop-Non-Designed (per loop)			UEQ	USBMC		7.92	7.92								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information-E.I.)			UEQ	UEQMU		13.04	13.04								
	Loop Testing-Basic 1st Half Hour			UEQ	URET1		33.17	33.17								1
	Loop Testing-Basic Add'l Half Hour			UEQ	URETA		19.28	19.28								
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-ND)			UEQ	UREWO		14.25	7.42								
	EXCHANGE ACCESS LOOP															
2-WIR	E ANALOG VOICE GRADE LOOP															
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	12.90	36.54	16.87	0.00	0.00						
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEABS	12.90	36.54	16.87	0.00	0.00						
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	23.33	36.54	16.87	0.00	0.00						
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS	23.33	36.54	16.87	0.00	0.00						
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEALS	48.43	36.54	16.87	0.00	0.00						
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEABS	48.43	36.54	16.87	0.00	0.00						
	EXCHANGE ACCESS LOOP E ANALOG VOICE GRADE LOOP															1
Z-WIR	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		1	UEA	UEAL2	14.93	102.10	65.72								
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		2	UEA	UEAL2	25.35	102.10	65.72								
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA	UEAL2	50.46	102.10	65.72								
	Order Coordination for Specified Conversion Time (per LSR)		Ŭ	UEA	OCOSL	00.40	17.56	00.72								
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 1		1	UEA	UEAR2	14.93	102.10	65.72								
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 2		2	UEA	UEAR2	25.35	102.10	65.72								
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 3		3	UEA	UEAR2	50.46	102.10	65.72								
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		17.56									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.59	36.30								
	Loop Tagging-SL2 (SL2)			UEA	URETL		11.20	1.10								
	E ANALOG VOICE GRADE LOOP															
	4W Analog VG Loop-Zone 1		1	UEA	UEAL4	30.81	127.40	91.02								
	4W Analog VG Loop-Zone 2		2	UEA	UEAL4	38.32	127.40	91.02								
	4W Analog VG Loop-Zone 3		3	UEA	UEAL4	60.39	127.40	91.02								
	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge w/o outside dispatch			UEA UEA	OCOSL UREWO		17.56 87.59	36.30								
2-WID	E ISDN DIGITAL GRADE LOOP			UEA	UREWU		67.59	30.30					-			1
	2W ISDN Digital Grade Loop-Zone 1		1	UDN	U1L2X	22.09	113.34	76.96								
	2W ISDN Digital Grade Loop-Zone 2		2	UDN	U1L2X	35.28	113.34	76.96								
	2W ISDN Digital Grade Loop-Zone 3		3	UDN	U1L2X	65.18	113.34	76.96								
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		17.56									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO		91.49	44.09								
	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBL	E LOC)P													
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-		1	UAL	UAL2X	12.29	117.08	68.36								
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-		2	UAL	UAL2X	14.09	117.08	68.36								
	Zone 2 2W Unbundled ADSL Loop including manl svc inq & facility reservation-			UAL	UALZX	14.09	117.08	08.36	1			-				_
	Zone 3		3	UAL	UAL2X	15.75	117.08	68.36								
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL	40.00	17.56	50.00	 						ļ	<u> </u>
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 1		1	UAL	UAL2W	12.29 14.09	92.83	56.02	 						ļ	<u> </u>
	2W Unbundled ADSL Loop w/o manl svc ing & facility reservation-Zone 2		2	UAL UAL	UAL2W UAL2W	14.09 15.75	92.83 92.83	56.02 56.02	-			1	-		1	!
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UAL	OCOSL	15.75	17.56	56.02				1				<u> </u>
	CLEC to CLEC Conversion Charge w/o outside dispatch		\vdash	UAL	UREWO	 	86.07	40.34				1			1	1
2 WID	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE	LOOF	,	UAL	OILLANO		00.07	+0.54				 	-		1	
				l .	1											1
Z-WIR	2W Unbundled HDSL Loop including manl svc ing & facility reservation-					1										

UNBUNDLI	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
											Svc	Svc	Incrementa	Incrementa	Incremental	Incrementa
											Order	Order	I Charge -	I Charge -	Charge -	Charge -
											Submitte			Manual	Manual Svc	_
CATEGORY	RATE ELEMENTS		Zon	BCS	USOC		RATE	S (\$)			d Elec	d	Svc Order	Svc Order	Order vs.	Order vs.
0711200111	10.112 ====11.11.0	m	е		5555			(4)								
											per LSR		vs.	vs.	Electronic-	
												per LSR	Electronic-		Disc 1st	Disc Add'l
							Nonrecu	ırrina	NRC D	Disconnec		l .	OSS	Rates (\$)	1	
						Rec	First	Add'l	First			SOMAN			SOMAN	SOMAN
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-						101	7144	1	7100.	0020			00		
	Zone 2		2	UHL	UHL2X	11.52	125.50	76.77								
	2W Unbundled HDSL Loop including manl svc ing & facility reservation-			OTIL	OTILEX	11.02	120.00	70.77								+
	Zone 3		3	UHL	UHL2X	12.74	125.50	76.77								
	Order Coordination for Specified Conversion Time (per LSR)		ľ	UHL	OCOSL	12.7 1	17.56								1	+
 	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-			OTIL	OCCOL		17.50			1						+
	Zone 1		1	UHL	UHL2W	9.79	101.24	64.43								
	2W Unbundled HDSL Loop w/o manl svc ing and facility reservation-		-	OTIL	OFFICEVV	5.75	101.24	04.40								+
	Zone 2		2	UHL	UHL2W	11.52	101.24	64.43								
	2W Unbundled HDSL Loop w/o manl svc ing and facility reservation-			OTIL	OFFICEVV	11.02	101.24	04.40								+
	Zone 3		3	UHL	UHL2W	12.74	101.24	64.43		1			l	1		1
 	Order Coordination for Specified Conversion Time (per LSR)	-	J	UHL	OCOSL	12.74	17.56	04.43	1	1	1	1	1		 	+
 	CLEC to CLEC Conversion Charge w/o outside dispatch		-	UHL	UREWO		86.00	40.34	<u> </u>	+			 		 	+
4 18/15	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE	100	,	UHL	UKEWU		80.00	40.34	<u> </u>	+			 		 	+
4-WIR		LOU	_		+				<u> </u>	+			 		 	+
	4W Unbundled HDSL Loop including manl svc inq and facility				11111 437	40.04	450.00	404.54								1
 	reservation-Zone 1	-	1	UHL	UHL4X	16.24	153.26	104.54		1	1		 		1	+
	4W Unbundled HDSL Loop including manl svc inq and facility		_		1 11 11 437	40.05	450.00	404.54								
	reservation-Zone 2		2	UHL	UHL4X	16.65	153.26	104.54		<u> </u>						
	4W Unbundled HDSL Loop including manl svc inq and facility		_													
	reservation-Zone 3		3	UHL	UHL4X	17.34	153.26	104.54								
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56									
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-															
	Zone 1		1	UHL	UHL4W	16.24	129.00	92.20								
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-															
	Zone 2		2	UHL	UHL4W	16.65	129.00	92.20								
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-															
	Zone 3		3	UHL	UHL4W	17.34	129.00	92.20								
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.00	40.34								
4-WIR	E DS1 DIGITAL LOOP															
	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	85.70	245.16	152.98								
	4W DS1 Digital Loop-Zone 2		2	USL	USLXX	194.96	245.16	152.98								
	4W DS1 Digital Loop-Zone 3		3	USL	USLXX	491.94	245.16	152.98								
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		17.56									
	CLEC to CLEC Conversion Charge w/o outside dispatch			USL	UREWO		100.93	42.98								
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	30.99	121.86	85.48								
	4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	36.78	121.86	85.48								
	4W Unbundled Digital 19.2 Kbps		3	UDL	UDL19	38.92	121.86	85.48								
	4W Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	30.99	121.86	85.48								
	4W Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	36.78	121.86	85.48								
	4W Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL	UDL56	38.92	121.86	85.48					İ			1
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		17.56									1
	4W Unbundled Digital Loop 64 Kbps-Zone 1		1	UDL	UDL64	30.99	121.86	85.48								1
	4W Unbundled Digital Loop 64 Kbps-Zone 2		2	UDL	UDL64	36.78	121.86	85.48								1
	4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL	UDL64	38.92	121.86	85.48						Ì		1
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		17.56							Ì		1
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	UREWO		101.97	49.67		1			İ		1	1
2-WIR	E Unbundled COPPER LOOP									†			i		1	1
	2W Unbundled Copper Loop-Designed including manl svc ing & facility				1					†			i		1	1
	reservation-Zone 1		1	UCL	UCLPB	12.29	116.18	67.46					1			1
 	2W Unbundled Copper Loop-Designed including manl svc ing & facility	-	+-	301	556.5	12.23	110.10	37.40	1	1			l		t	
	reservation-Zone 2		2	UCL	UCLPB	14.09	116.18	67.46					1			1
 	2W Unbundled Copper Loop-Designed including manl svc ing & facility		Ė		002.0	00		37.10	†	1	†		 	1		
	reservation-Zone 3		3	UCL	UCLPB	15.75	116.18	67.46	1	1			İ	1	1	1
	Order Coordination for Unbundled Copper Loops (per loop)		-	UCL	UCLMC	10.73	7.92	7.92	 	+	 		 	 	1	+
 	2W Unbundled Copper Loop-Designed w/o manl svc ing and facility			UOL	OCLIVIC		1.52	1.32	 	 	 		 			+
	reservation-Zone 1		1	UCL	UCLPW	12.29	91.92	55.12		1				l		1

NURONDL	ED NETWORK ELEMENTS - Louisiana	_	_				·			·			Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RATE	S (\$)			Svc Order Submitte d Elec	d	Incrementa I Charge - Manual Svc Order	Incrementa I Charge - Manual Svc Order	Incremental Charge - Manual Svc Order vs.	Charge - Charge - Manual So Order vs
											per LSR	Manually per LSR	1c+	Addil	Electronic- Disc 1st	Electronic Disc Add
						Rec	Nonrecu			isconnec				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 2		2	UCL	UCLPW	14.09	91.92	55.12								
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility															
	reservation-Zone 3		3	UCL	UCLPW	15.75	91.92	55.12								
	Order Coordination for Unbundled Copper Loops (per loop)		<u> </u>	UCL	UCLMC		7.92	7.92								
4 14/15	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Des) RE COPPER LOOP			UCL	UREWO		91.92	42.47								
4-4416	4W Copper Loop-Designed including manl svc ing and facility		<u> </u>							-						
	reservation-Zone 1		1	UCL	UCL4S	22.27	139.69	90.96								
	4W Copper Loop-Designed including man! svc inq and facility reservation-Zone 2		2	UCL	UCL4S	18.95	139.69	90.96								
	4W Copper Loop-Designed including manl svc inq and facility															
	reservation-Zone 3		3	UCL	UCL4S	10.99	139.69	90.96		ļ						ļ
	Order Coordination for Unbundled Copper Loops (per loop)		<u> </u>	UCL	UCLMC		7.92	7.92								
	4W Copper Loop-Designed w/o manl svc inq and facility reservation- Zone 1		1	UCL	UCL4W	22.27	115.43	78.63							1	
	4W Copper Loop-Designed w/o manl svc inq and facility reservation- Zone 2		2	UCL	UCL4W	18.95	115.43	78.63								
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-															
	Zone 3		3	UCL	UCL4W	10.99	115.43	78.63								
	Order Coordination for Unbundled Copper Loops (per loop)		-	UCL	UCLMC		7.92	7.92								
OOP MODIF	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Des)		-	UCL	UREWO		91.92	42.47								
OOF WOODII	TICATION		<u> </u>	UAL, UHL, UCL, UEQ,												
	Unbundled Loop Modification, Removal of Load Coils-2W pr less than or equal to 18k ft, per Unbundled Loop			ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00								
	Unbundled Loop Modification Removal of Load Coils-4W less than or															
	equal to 18K ft, per Unbundled Loop		<u> </u>	UHL, UCL, UEA	ULM4L		0.00	0.00								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		12.15	12.15								
UB-LOOPS																
Sub-l	_oop Distribution															
	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up		<u> </u>	UEANL	USBSA		144.09	144.09								
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up		<u> </u>	UEANL	USBSB		10.99	10.99								
	Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up	+		UEANL UEANL	USBSC USBSD		86.16 27.13	86.16 27.13								
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1	÷	1	UEANL	USBN2	7.57	63.89	30.06								
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2	÷	2	UEANL	USBN2	12.75	63.89	30.06								
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3	i	3	UEANL	USBN2	21.45	63.89	30.06								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC	-	7.92	7.92								
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1		1	UEANL	USBN4	11.76	76.75	42.92								
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2		2	UEANL	USBN4	16.84	76.75	42.92								
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 3		3	UEANL	USBN4	19.27	76.75	42.92								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		7.92	7.92								
	Sub-Loop 2W Intrabuilding Network Cable (INC)		<u> </u>	UEANL	USBR2	2.91	51.48	17.65		ļ		ļ				
				UEANL	USBMC		7.92 57.54	7.92 23.71		 	ļ	ļ			!	1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr	_	-	LIEANII	LICDD 4			1 /3 /1			1					1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr Sub-Loop 4W Intrabuilding Network Cable (INC)	ı		UEANL	USBR4	6.58										
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr Sub-Loop 4W Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pr	I		UEANL	USBMC	6.58	7.92	7.92								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr Sub-Loop 4W Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pr Loop Testing-Basic 1st Half Hour	ı		UEANL UEANL	USBMC URET1	6.58	7.92 33.17	7.92 33.17								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr Sub-Loop 4W Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pr Loop Testing-Basic 1st Half Hour Loop Testing-Basic Add'l Half Hour		1	UEANL	USBMC URET1 URETA		7.92	7.92								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr Sub-Loop 4W Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pr Loop Testing-Basic 1st Half Hour Loop Testing-Basic Add'l Half Hour 2W Copper Unbundled Sub-Loop Distribution-Zone 1	 	1 2	UEANL UEANL UEANL	USBMC URET1 URETA UCS2X	6.58 6.26 10.07	7.92 33.17 19.28	7.92 33.17 19.28								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr Sub-Loop 4W Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pr Loop Testing-Basic 1st Half Hour Loop Testing-Basic Add'l Half Hour			UEANL UEANL UEANL UEF	USBMC URET1 URETA	6.26	7.92 33.17 19.28 63.89	7.92 33.17 19.28 30.06								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr Sub-Loop 4W Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pr Loop Testing-Basic 1st Half Hour Loop Testing-Basic Add'l Half Hour 2W Copper Unbundled Sub-Loop Distribution-Zone 1 2W Copper Unbundled Sub-Loop Distribution-Zone 2 2W Copper Unbundled Sub-Loop Distribution-Zone 3 Order Coordination for Unbundled Sub-Loops, per sub-loop pr	i	2	UEANL UEANL UEANL UEF UEF UEF UEF	USBMC URET1 URETA UCS2X UCS2X UCS2X USBMC	6.26 10.07 12.70	7.92 33.17 19.28 63.89 63.89	7.92 33.17 19.28 30.06 30.06 30.06 7.92								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr Sub-Loop 4W Intrabuilding Network Cable (INC) Order Coordination for Unbundled Sub-Loops, per sub-loop pr Loop Testing-Basic 1st Half Hour Loop Testing-Basic Add'l Half Hour 2W Copper Unbundled Sub-Loop Distribution-Zone 1 2W Copper Unbundled Sub-Loop Distribution-Zone 2 2W Copper Unbundled Sub-Loop Distribution-Zone 3	i	2	UEANL UEANL UEANL UEF UEF UEF	USBMC URET1 URETA UCS2X UCS2X UCS2X	6.26 10.07	7.92 33.17 19.28 63.89 63.89 63.89	7.92 33.17 19.28 30.06 30.06 30.06								

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RATE	S (\$)			Svc Order Submitte d Elec per LSR	d Manually	Incrementa I Charge - Manual Svc Order vs.		Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs.
						Rec	Nonrecu			sconnec				Rates (\$)		
	Outro Ourolliustius football outliet Outro ouron belonger			UEF	USBMC		First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr Loop Testing-Basic 1st Half Hour		-	UEF	URET1		7.92 33.17	7.92 33.17								
	Loop Testing-Basic 1st Half Hour			UEF	URETA		19.28	19.28								
	ndled Network Terminating Wire (UNTW)			OLI	ORLIN		10.20	10.20								
	Unbundled Network Terminating Wire (UNTW) per pr			UENTW	UENPP	0.3454	14.72	14.72								
Netwo	rk Interface Device (NID)															
	Network Interface Device (NID)-1-2 lines			UENTW	UND12		42.26	27.83								
	Network Interface Device (NID)-1-6 lines			UENTW	UND16		62.86	48.43								
	Network Interface Device Cross Connect-2 W	<u> </u>	<u> </u>	UENTW	UNDC2		5.73	5.73	<u> </u>							
	Network Interface Device Cross Connect-4W PROVISIONING ONLY - NO RATE		1	UENTW	UNDC4		5.73	5.73	1							-
	NID-Dispatch and Service Order for NID installation	-	1	UENTW	UNDBX	0.00	0.00		 		1					+
	UNTW Circuit Id Establishment, Provisioning Only-No Rate		!	UENTW	UENCE	0.00	0.00		 		 			-	-	
	Unbundled Contract Name, Provisioning Only-No Rate		1	UEANL,UEF,UEQ,UE	UNECN	0.00	0.00									t e
	PROVISIONING ONLY - NO RATE		L													
				UAL,UCL,UDC,UDL,U												
	Unbundled Contact Name, Provisioning Only-no rate		<u> </u>	DN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop-Superframe Format Option-no rate			USL USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop-Expanded Superframe Format option-no rate ITY UNBUNDLED LOCAL LOOP			USL	CCOEF	0.00	0.00							-		-
	High Capacity Unbundled Local Loop-DS3-Per mi per mo			UE3	1L5ND	10.04										
	High Capacity Unbundled Local Loop-DS3-Facility Term per mo			UE3	UE3PX	362.34	438.46	256.30								
	High Capacity Unbundled Local Loop-STS-1-Per mi per mo			UDLSX	1L5ND	10.04										
	High Capacity Unbundled Local Loop-STS-1-Facility Term per mo			UDLSX	UDLS1	374.56	438.46	256.30								
LOOP MAKE-																
	Loop Makeup-Preordering w/o Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		23.29	23.29								
	Loop Makeup-Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		24.70	24.70								
	Loop MakeupWith or w/o Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.19	0.19								
LINE SHARIN	G AND LINE SPLITTING															
	1: The Line Sharing monthly recurring rates for all installations com				ugh midnig	ht October 01, 20	04 shall be bil	led as foll	ows:							
	1: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled copper le	oop n	on-de	signed ("UCLND")												
	1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND															
	1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND 1: Above will apply to USOCS: ULSDT and ULSCT															
	E 2: The Line Sharing monthly recurring rates with USOCs ULSDC ar	d III 9	SCC a	nnlies only to circuits	installed an	d inservice on or	hefore Octob	er 1 2003								
	SHARING	lu oli	1	pplies only to circuits	motaneu an	d miservice on or	berore Octob	61 1, 2003								
	TERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	187.17	183.33	0.00								
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	46.79	183.33	0.00								
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	15.59	183.33	0.00								
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation		1													
<u> </u>	(per LSOD)	<u> </u>	<u> </u>	ULS	ULSDG		83.98	0.00	1		ļ					ļ
END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing -per Line Activation (BST Owned splitter)-OBSOLETE see	-	1						1		1					-
	Line Sharing -per Line Activation (BST Owned splitter)-OBSOLETE see **NOTE 2	1	1	ULS	ULSDC	0.61	17.97	10.29								
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS	ULSDT	3.10	17.97	10.29								
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	6.20	17.97	10.29								
	Line Share Service, TRO per line activation, BST owned splitter-CO															
	Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005) Line Sharing-per Subsqnt Activity per Line Rearrangement(BST Owned			ULS	ULSDT	9.30	17.97	10.29						 		
	Splitter) Line Sharing-per Subsqnt Activity per Line Rearrangement(DLEC			ULS	ULSDS		15.91	7.95	<u> </u>							
	Owned Splitter)			ULS	ULSCS		15.91	7.95								

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RATE	S (\$)				d Manually	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs.
						Rec	Nonrecu			sconnec				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
i	Line Sharing-per Line Activation (DLEC owned Splitter)-OBSOLETE see **NOTE 2			111.0	111.000	0.61	47.44	40.04								
	Line Share Service, TRO per line activation, CLEC owned splitter-CO			ULS	ULSCC	0.61	47.44	19.31								
	Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003) Line Share Service, 1RO per line activation, CLEC owned splitter-CO			ULS	ULSCT	3.10	47.44	19.31								
ı	Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	6.20	47.44	19.31								
	Line Share Service, TRO per line activation, CLEC owned splitter-CO															
	Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	9.30	47.44	19.31								
	SPLITTING															
END (USER ORDERING-CENTRAL OFFICE BASED															
+-	Line Splitting-per line activation DLEC owned splitter	 	 	UEPSR UEPSB	UREOS	0.61	47.07	10.00	1		1	-			1	
-+-	Line Splitting-per line activation BST owned-physical Line Splitting-per line activation BST owned-virtual		 	UEPSR UEPSB UEPSR UEPSB	UREBP UREBV	0.61 0.61	17.97 17.97	10.29 10.29	 						-	-
MAIN	TENANCE	 	H	UEFOR UEFOB	OKEBV	10.0	17.97	10.29	 		-	-			-	1
WAIN	No Trouble Found-per 1/2 hour increments-Basic						80.00	55.00								
- 	No Trouble Found-per 1/2 hour increments-Dasic						120.00	82.50								
	No Trouble Found-per 1/2 hour increments-Premium						160.00	110.00								
UNBUNDLED	DEDICATED TRANSPORT															
INTER	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo			U1TVX	1L5XX	0.013										
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term			U1TVX	U1TV2	22.60	39.36	26.62								
	Interoffice Channel -Dedicated Transpor t-2W VG Rev Bat-Per mi per mo			U1TVX	1L5XX	0.013										
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Facility Term			U1TVX	U1TR2	22.60	39.36	26.62								
	Interoffice Channel -Dedicated Transport-4W VG-Per mi per mo			U1TVX	1L5XX	0.013										
	Interoffice Channel -Dedicated Transport-4W VG-Facility Term			U1TVX	U1TV4	19.81	39.36	26.62								
	Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo			U1TDX	1L5XX	0.013	00.07	26.62								
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo			U1TDX U1TDX	U1TD5 1L5XX	15.61 0.013	39.37	26.62	-						-	
+-	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term			U1TDX	U1TD6	15.61	39.37	26.62							-	
	Interoffice Channel-Dedicated Channel-DS1-Per mi per mo			U1TD1	1L5XX	0.2652	33.31	20.02								
- 	Interoffice Channel-Dedicated Tranport-DS1-Facility Term			U1TD1	U1TF1	70.47	86.69	79.44								
	Interoffice Channel -Dedicated Transport-DS3-Per mi per mo			U1TD3	1L5XX	6.04										
<i>i</i> 1	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			U1TD3	U1TF3	850.45	270.69	158.05								
	Interoffice Channel-Dedicated Transport-STS-1-Per mi per mo			U1TS1	1L5XX	6.04										
	Interoffice Channel-Dedicated Transport-STS-1-Facility Term			U1TS1	U1TFS	830.19	270.69	158.05								
DARK FIBER																
1	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-															
	Interoffice Channel		 	UDF, UDFCX	1L5DF	25.28	000.00	400.00	 						-	
+-	NRC Dark Fiber-Interoffice Channel	 	 	UDF, UDFCX	UDF14		620.60	133.88	1		1	-			1	
i	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo- Local Loop	1		UDF, UDFCX	1L5DL	52.23		1	1			1				
\leftarrow	NRC Dark Fiber-Local Loop			UDF, UDFCX	UDFL4	32.23	620.60	133.88	-						 	+
8XX ACCESS	S TEN DIGIT SCREENING			35., 35i OA	COILT		320.00	. 50.00	1						t	
	8XX Access Ten Digit Screening, Per Call			OHD		0.0006387			1							
ı İ	8XX Access Ten Digit Screening, Reservation Charge Per 8XX No			OHD	N8R1X	İ	2.51	0.43								
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			5.77	0.78								
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS		1	¥7.0=												
ı l	Translations			OHD	N8FTX		5.77	0.78	1			1			I	
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX			OHD	N8FCX		2.51	1.26	<u></u>							
1	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per															
ullet	CXR Requested Per 8XX No.			OHD	N8FMX		2.93	1.68	ļ							
ullet	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		2.93	0.43	ļ							
\longrightarrow	8XX Access Ten Digit Screening, Call Handling and Destination		igspace	OHD	N8FDX		2.51		ļ						1	
ı I	8XX Access Ten Digit Screening, w/8XX No. Delivery, per query		 	OHD		0.0006387			 						-	
	8XX Access Ten Digit Screening, w/POTS No. Delivery, per query	ı	1	OHD	1	0.0006387		ı	1	1		l			1	1
LINE INCORE																
LINE INFORM	MATION DATA BASE ACCESS (LIDB) LIDB Common Transport Per Query			OQT		0.0000221										

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
											Svc	Svc	Incrementa	Incrementa	Incremental	Incrementa
											Order	Order	I Charge -	I Charge -	Charge -	Charge -
		Intori	Zan								Submitte	Submitte		Manual	Manual Svo	Manual Svo
CATEGORY	RATE ELEMENTS		Zon	BCS	USOC		RATE	S (\$)			d Elec	d	Svc Order	Svc Order	Order vs.	Order vs.
		m	е					,				Manually	vs.	vs.	Electronic-	
											per Lon					
												per LSK	Electronic-		Disc 1st	Disc Add'l
			1				Nonrecu	rrina	NRC Di	sconnec			OSS	Rates (\$)		
			1			Rec	First	Add'l	First			SOMAN			SOMAN	SOMAN
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		33.33									
SIGNALING (1	,												
1	CCS7 Signaling Term, Per STP Port		1	UDB	PT8SX	147.60										1
	CCS7 Signaling Usage, Per TCAP Message		1	UDB		0.000064										
h + +	CCS7 Signaling Connection, Per link (A link)		1	UDB	TPP++	15.77	34.50	34.50								1
	CCS7 Signaling Connection, Per link (Hink) (also known as D link)		1	UDB	TPP++	15.77	34.50	34.50								
	CCS7 Signaling Usage, Per ISUP Message		1	UDB	11177	0.000016	34.30	34.30								
	CCS7 Signaling Usage Surrogate, per link per LATA		+	UDB	STU56	732.10						-				-
	CCS7 Signaling Point Code, per Originating Point Code Establishment		1	ODB	31030	732.10										
				1100	00450		00.47	00.47								
 	or Change, per STP affected	-	+	UDB	CCAPO		28.17	28.17					 		1	1
	CCS7 Signaling Point Code, per Destination Point Code Establishment	1	1	LIDD	00485		00 :-	00.4-					l			1
E044 655005	or Change, Per Stp Affected	-	<u> </u>	UDB	CCAPD		28.17	28.17								
E911 SERVIC		<u> </u>	1		ļ	10					ļ		ļ			
igsquare	Local Channel-Dedicated-2W VG-Zone 1		1		ļ	18.32	187.51	32.21					ļ		ļ	
$\sqcup \sqcup \sqcup$	Local Channel-Dedicated-2W VG-Zone 2					18.32	187.51	32.21								
	Local Channel-Dedicated-2W VG-Zone 3					18.32	187.51	32.21					ļ			
	Interoffice Transport-Dedicated-2W VG Per mi					0.013										
	Interoffice Transport-Dedicated-2W VG Per Facility Term					22.60	39.36	26.62								
	Local Channel-Dedicated-DS1-Zone 1					39.18	172.34	149.27								
	Local Channel-Dedicated-DS1-Zone 2					121.58	172.34	149.27								
	Local Channel-Dedicated-DS1-Zone 3					70.02	172.34	149.27								
	Interoffice Transport-Dedicated-DS1 Per mi					0.2652										
	Interoffice Transport-Dedicated-DS1 Per Facility Term					70.47	86.69	79.44								
	ME (CNAM) SERVICE															
	CNAM For DB Owners-Service Establishment			OQV			22.29									
	CNAM For Non DB Owners-Service Establishment			OQV			22.29									
	CNAM For DB Owners-Service Provisioning With Point Code			OQV			962.22	711.64								
	CNAM For Non DB Owners-Service Provisioning With Point Code		1													
	Establishment			OQV			332.43	238.05								
	CNAM for DB Owners, Per Query		1	OQV		0.0010217	002.10	200.00								
	CNAM for Non DB Owners, Per Query		1	OQV		0.0010217										
SELECTIVE R			+	OUV		0.0010217										
	Selective Routing Per Unique Line Class Code Per Request Per Switch		1				82.25	82.25				-				-
VIRTUAL COL			1				02.23	02.23								
			1	UEPSR UEPSB	VE1LS	0.0296	44.04	11.46	0.00	0.00						
	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting		 	UEPSR UEPSB	VEILS	0.0296	11.94	11.46	0.00	0.00						
PHYSICAL CO			 	LIEDOD LIEDOD	DEALC	0.0040	44.04	44.40	0.00	0.00						
	Physical Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0318	11.94	11.46	0.00	0.00						
	VE CARRIER ROUTING	-	1	HEDID	CDCEC		400 000 00								1	1
\vdash	Regional Service Establishment	-	1	UEBIB	SRCEC		100,209.33	40100							1	1
	End Office Establishment		1	UEBIB	SRCEO		164.29	164.29					ļ			
	Query NRC, per query		1	UEBIB		0.0030293							ļ			
	OUTH AIN SMS ACCESS SERVICE	<u> </u>	1													
	AIN SMS Access Service-Service Establishment, Per State, Initial Setup			A1N	CAMSE		38.30	38.30								1
	AIN SMS Access Service-Port Connection-Dial/Shared Access			A1N	CAMDP		7.60	7.60								1
	AIN SMS Access Service-Port Connection-ISDN Access			A1N	CAM1P		7.60	7.60								
	AIN SMS Access Service-User Identification Codes-Per User ID Code			A1N	CAMAU		33.99	33.99								
	AIN SMS Access Service-Security Card, Per User ID Code, Initial or															
	Replacement		<u>L</u>	A1N	CAMRC		41.39	41.39			L	<u> </u>	<u> </u>			<u> </u>
	AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)					0.0022										
	AIN SMS Access Service-Session, Per min					0.5795										
	AIN SMS Access Service-Company Performed Session, Per min					0.8104										
	OUTH AIN TOOLKIT SERVICE				i i										1	
	AIN Toolkit Service-Service Establishment Charge, Per State, Initial			CAM	BAPSC		38.30	38.30					İ		İ	1
	AIN Toolkit Service-Training Session, Per Customer		1	-	BAPVX		4,175.10						İ		İ	
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term.		T				,	,					i		Ì	1
	Attempt				BAPTT		7.60	7.60					1			
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-		1				7.50	7.00				1	 		1	I
	Hook Delay	1	1	l	BAPTD		7.60	7.60	1		l	I		l	1	1

ONRONDE	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
											Svc	Svc	Incrementa	Incrementa	Incremental	Incrementa
											Order	Order	I Charge -	I Charge -	Charge -	Charge -
			l_								Submitte			Manual	Manual Svo	_
CATEGORY	RATE ELEMENTS		Zon	BCS	USOC		RATE	S (\$)			d Elec	d	Svc Order	Svc Order	Order vs.	Order vs.
	1	m	е					- (+)				Manually	vs.		Electronic-	
											per LSK			vs.		
												per LSR	Electronic-		Disc 1st	Disc Add'l
					+		Nonrecu	ırrina	NRC D	isconnec		1	OSS	Rates (\$)	l	
-					+	Rec	First	Add'l	First			SOMAN			SOMAN	SOMAN
-	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-				+		11100	Addi	1 11 01	Auu	COMILO	COMPAN	COMPAR	COMPAR	COMPAN	COMPAN
	Hook Immediate				BAPTM		7.60	7.60								
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-Digit				D/ ti Tivi		7.00	7.00								+
	PODP				BAPTO		33.47	33.47								
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		33.47	33.47								+
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, CBP				DAFTC		33.47	33.47								+
	Code				BAPTF		33.47	33.47								
	AIN Toolkit Service-Query Charge, Per Query				DAFIF	0.0536446	33.41	33.47								
	AIN Toolkit Service-Query Charge, Per Query AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription,					0.0536446										
	Per Node. Per Query					0.006569										
						0.006569										
	AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account, Per				1	0.00							l			1
	100 Kilobytes		 	CAM	BAPMS	0.06 10.90	7.60	7.60					1		1	+
	AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription											ļ				
	AIN Toolkit Service-Special Study-Per AIN Toolkit Service Subscription			CAM	BAPLS	2.80	8.41	8.41								
	AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service												1			1
	Subscription			CAM	BAPDS	8.20	7.60	7.60								
	AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service															
	Subscription			CAM	BAPES	0.09	8.41	8.41								
	EXTENDED LINK (EELs)															
	: The monthly recurring and non-recurring charges below will apply a															
	: The monthly recurring and the Switch-As-Is Charge and not the non				ply for UNE	combinations pro	visioned as '	Currently (Combine	d' Netwo	k Element	s.				
EXTE	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS	1 INT	EROF													
	First 2W VG Loop (SL2) in Combination-Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09								
	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09								
	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09								
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX	0.2652										
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	70.47	143.58	103.88								
	1/0 Channelization System in combination Per mo			UNC1X	MQ1	105.09	59.97	12.96								
	VG COCI-Per mo			UNCVX	1D1VG	0.6497	5.91	4.26								
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09								
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09								
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09								
	VG COCI-Per mo			UNCVX	1D1VG	0.6497	5.91	4.26								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.43	5.43								
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS	1 INT	EROF	FICE TRANSPORT												
	First 4W Analog VG Loop in Combination -Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09								
	First 4W Analog VG Loop in Combination -Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09								
	First 4W Analog VG Loop in Combination -Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09								1
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo		Ť	UNC1X	1L5XX	0.2652							i		İ	1
	Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	70.47	143.58	103.88								
	1/0 Channel System in combination Per mo			UNC1X	MQ1	105.09	59.97	12.96								1
	VG COCI in combination-per mo			UNCVX	1D1VG	0.6497	5.91	4.26								1
	Add'I 4W Analog VG Loop in same DS1 Interoffice Transport			ONOVA	IDIVO	0.0401	0.01	7.20								+
	Combination-Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09								
 	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport		+	511077	OLALT	30.01	37.21	-10.05		1			 		1	+
	Combination-Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09								
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport			OINCVA	UL'AL4	30.32	94.21	45.09		1		1	 		}	+
	Combination-Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09					1			1
	Add'l VG COCI in combination-per mo		3	UNCVX	1D1VG	0.6497	5.91	45.09		1		-			-	+
			!	UNC1X		0.0497		5.43		1		-			-	+
EVE	NRC Currently Combined Network Elements Switch -As-Is Charge	DC4	NITE		UNCCC	 	5.43	5.43		1		1	 		1	+
EXIE	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED	וצע	NIE			00.00	0101	45.00		1		1	 		1	+
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09		1			ļ			
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09		1						
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09		1						
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.2652		L.,		1			ļ		ļ	↓
	Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	70.47	143.58	103.88								1
	1/0 Channel System in combination Per mo		l	UNC1X	MQ1	105.09	59.97	12.96					ĺ		1	
	OCU-DP COCI (data) per mo (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RATE	S (\$)			Svc Order Submitte d Elec per LSR	d Manually	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	Charge - Manual Svo Order vs. Electronic-	Order vs.
							Names		L NDC D	sconnec			164	Rates (\$)		
						Rec	Nonrecu					001441			0011411	0011411
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport		-				First	Add'l	FIRST	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Combination-Zone 1		4	UNCDX	UDL56	30.99	94.21	45.09								
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport		-	UNCDA	ODL30	30.55	34.21	45.03	1							+
	Combination-Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09								
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport		+-	ONODA	ODLOG	00.70	04.21	10.00								+
	Combination-Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09								
	Add'l OCU-DP COCI (data)-in combination per mo (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								1
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.43	5.43								1
EXTE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED	DS1	INTER	OFFICE TRANSPORT												
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09								
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09								
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09								
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.2652					<u> </u>					
	interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	70.47	143.58	103.88		ļ	ļ					
	1/0 Channel System in combination Per mo			UNC1X	MQ1	105.09	59.97	12.96		ļ	ļ				ļ	
	OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26							1	—
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport			LINCDV	LIDLCA	20.00	04.04	45.00								
	Combination-Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09								
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport		2	LINCDY	LIDLCA	20.70	94.21	45.09								
	Combination-Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09	-		-					+
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09								
	Add'l OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)		3	UNCDX	1D1DD	1.38	5.91	43.09								+
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC	1.30	5.43	5.43								+
FXTF	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS	INTE	ROFE		0.1000		0.10	0.10								+
	4W DS1 Digital Loop in Combination-Zone 1		1	UNC1X	USLXX	85.70	169,22	100.89								1
	4W DS1 Digital Loop in Combination-Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89								1
	4W DS1 Digital Loop in Combination-Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89								1
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.2652										1
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	70.47	143.58	103.88								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.43	5.43								
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS:	INTE	ROF													
	First DS1Loop in Combination-Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89								_
	First DS1Loop in Combination-Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89								_
	First DS1Loop in Combination-Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89		ļ	<u> </u>					
	Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo			UNC3X	1L5XX	6.04	000.00	404.40							1	4
-	Interoffice Transport-Dedicated-DS3-Facility Term per mo			UNC3X	U1TF3	850.45	296.68	121.16	1	 	1				1	+
	3/1Channel System in combination per mo DS1 COCI in combination per mo		1	UNC3X UNC1X	MQ3 UC1D1	201.48 11.78	107.05 5.91	91.25 4.26	1	 	 	-	-		1	+
+	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89		 					1	+
 	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		2	UNC1X	USLXX	194.96	169.22	100.89		-	 				1	+
-	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89		l					1	
	Additional DS1 COCI in combination per mo		Ť	UNC1X	UC1D1	11.78	5.91	4.26		l					1	
1	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		5.43	5.43								
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRAD	E INT	EROF				20	50								1
	2WVG Loop in combination-Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09								1
	2WVG Loop in combination-Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09								
	2WVG Loop in combination-Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09								
	Interoffice Transport-2W VG-Dedicated-Per mi Per mo			UNCVX	1L5XX	0.013	· · · · · · · · · · · · · · · · · · ·									
	Interoffice Transport-2W VG-Dedicated-Facility Term per mo			UNCVX	U1TV2	22.60	72.60	41.75								
	NRC Currently Combined Network Elements Switch -As-Is Charge		<u> </u>	UNCVX	UNCCC		5.43	5.43								
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRAD	E INT	EROF					,								
	4WVG Loop in combination -Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09		ļ						
	4WVG Loop in combination -Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09	1	 	<u> </u>				ļ	
	4WVG Loop in combination -Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09	1	 	1		-		1	+
	Interoffice Transport-4W VG-Dedicated-Per mi Per mo		1	UNCVX	1L5XX U1TV4	0.013 19.81	72.60	41.75	-	 	 	-	-		1	+
1							// n()	41./5				1	i		1	1
	Interoffice Transport-4W VG-Dedicated-Facility Term per mo NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC	10.01	5.43	5.43								

<u>UNBUND</u> L	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RATE	:S (\$)			Svc Order Submitte d Elec per LSR	d Manually	Incrementa I Charge - Manual Svc Order vs.	I Charge - Manual Svc Order vs.	Charge - Manual Svo Order vs. Electronic-	Order vs. Electronic
												per LSR	Electronic-	٨٨٨١	Disc 1st	Disc Add'
						Rec	Nonrecu	ırring		sconnec				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS3 Local Loop in combination-per mi per mo			UNC3X	1L5ND	10.04										
	DS3 Local Loop in combination-Facility Term per mo			UNC3X	UE3PX	362.34	188.45	125.51								
	Interoffice Transport-Dedicated-DS3-Per mi per mo			UNC3X	1L5XX	6.04										
	Interoffice Transport-Dedicated-DS3 combination-Facility Term per mo			UNC3X	U1TF3	850.45	296.68	121.16								
EVTE	NRC Currently Combined Network Elements Switch -As-Is Charge	EDO		UNC3X	UNCCC		5.43	5.43	1							
EXIE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INT STS-1 Local Lolp in combination-per mi per mo	ERU	FICE	UNCSX	1L5ND	10.04								-		
	STS-1 Local Loop in combination-per fin per mo			UNCSX	UDLS1	374.56	188.45	125.51						-		
	Interoffice Transport-Dedicated-STS-1 combination-per mi per mo			UNCSX	1L5XX	6.04	100.43	120.01								
	Interoffice Transport-Dedicated-STS-1 combination-Facility Term per mo			UNCSX	U1TFS	830.19	296.68	121.16								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC	000.10	5.43	5.43								
EXTE	NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRAN	SPOR	T	5.156/	0000		5.⊣5	0.40								
	First 2W ISDN Loop in Combination-Zone 1	,. U 11	1	UNCNX	U1L2X	22.09	94.21	45.09								
	First 2W ISDN Loop in Combination-Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09								
	First 2W ISDN Loop in Combination-Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09								
	Interoffice Transport-Dedicated-DS1 combination-per mi per mo			UNC1X	1L5XX	0.2652										
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	70.47	143.58	103.88								
	1/0 Channel System in combination-per mo			UNC1X	MQ1	105.09	59.97	12.96								
	2W ISDN COCI (BRITE)-in combination-per mo			UNCNX	UC1CA	2.96	5.91	4.26								
	Add'I 2W ISDN Loop in same DS1Interoffice Transport Combination- Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09								
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination- Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09								
	Add'I 2W ISDN Loop in same DS1Interoffice Transport Combination- Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09								
	Add'l 2W ISDN COCI (BRITE)-in combination-per mo			UNCNX	UC1CA	2.96	5.91	4.26								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.43	5.43								
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	3-1 IN	TERO													
	First DS1 Loop Combination-Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89								
	First DS1 Loop Combination-Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89								
	First DS1 Loop Combination-Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89								
	Interoffice Transport-Dedicated-STS-1 combination-Per mi Per mo			UNCSX	1L5XX	6.04	200.00	404.40								
	Interoffice Transport-Dedicated-STS-1 combination-Facility Term per mo 3/1 Channel System in combination per mo			UNCSX	U1TFS MQ3	830.19 201.48	296.68 107.05	121.16 91.25								
				UNC1X	UC1D1	11.78	5.91	4.26								
	DS1 COCI in combination per mo Add'I DS1Loop in the same STS-1 Interoffice Transport Combination-			UNCIA	OCIDI	11.70	5.91	4.20	1							
	Zone 1 Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-		1	UNC1X	USLXX	85.70	169.22	100.89								
	Zone 2 Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-		2	UNC1X	USLXX	194.96	169.22	100.89								
	Zone 3		3	UNC1X UNC1X	USLXX	491.94 11.78	169.22 5.91	100.89 4.26								
	DS1 COCI in combination per mo NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UC1D1 UNCCC	11.70	5.43	5.43								
FYTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS IN	EROE	FICE		UNCCC		3.43	3.43	1							
LAIL	4W 56 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09						-	1	
	4W 56 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09			<u> </u>			†	1	1
	4W 56 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09					1	<u> </u>		1
	Interoffice Transport-Dedicated-4W 56 kbps combination-Per mi per mo		Ť	UNCDX	1L5XX	0.013	021	.0.00								1
	Interoffice Transport-Dedicated-4W 56 kbps combination-Facility Term per mo			UNCDX	U1TD5	15.61	72.60	41.75								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.43	5.43					İ	İ	1	
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS IN	EROF	FICE		1		20	50								
	4W 64 kbps Lcoal Loop in Combination-Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09								
	4W 64 kbps Lcoal Loop in Combination-Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09								İ
	4W 64 kbps Lcoal Loop in Combination-Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09								
	Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi per mo			UNCDX	1L5XX	0.013										
	Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term															
	per mo			UNCDX	U1TD6	15.61	72.60	41.75								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.43	5.43							1	

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RATE	,,,			Svc Order Submitte d Elec per LSR	d Manually	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs.
						Rec	Nonrecu			sconnec				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
EXTE	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TRANSF	PORT	w/ 3/1	MUX												
	First 2W VG Loop (SL2) in Combination-Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09								
	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09								
	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09								
	First Interoffice Transport-Dedicated-DS1 combination-Per mi		Ů	UNC1X	1L5XX	0.2652	0	10.00	1							
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term per			ONOTA	ILOXX	0.2002										
	mo			UNC1X	U1TF1	70.47	143.58	103.88								
	IIIU															
	Per each DS1 Channelization System Per mo			UNC1X	MQ1	105.09	59.97	12.96								
	Per each VG COCI-Per mo per mo			UNCVX	1D1VG	0.6497	5.91	4.26								
	3/1 Channel System in combination per mo			UNC3X	MQ3	201.48	107.05	91.25								
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	11.78	5.91	4.26	<u> </u>				<u> </u>	ļ		
	Each Add'l 2W VG Loop(SL 2) in the same DS1 Interoffice Transport	l -				T			1				i	i		
	Combination-Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09					1	1		
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport								[
	Combination-Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09					1	1		
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport		Ī		1								i	i	Ì	İ
	Combination-Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09								
	Each Add'l VG COCI in combination-per mo		J	UNCVX	1D1VG	0.6497	5.91	4.26			1					
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System			UNCVA	IDIVG	0.0497	3.91	4.20			-					
	•				41 = 104											
	per mo			UNC1X	1L5XX	0.2652										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel															
	System per mo			UNC1X	U1TF1	70.47	143.58	103.88								
	Each Add'l DS1 COCI combination per mo			UNC1X	UC1D1	11.78	5.91	4.26								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.43	5.43								
EXTE	NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTEROF	FICE T	RANS	SPORT w/ 3/1 MUX												
	First 4W Analog VG Local Loop in Combination -Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09								
	First 4W Analog VG Local Loop in Combination -Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09								
	First 4W Analog VG Local Loop in Combination -Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09	1							
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo		-	UNC1X	1L5XX	0.2652	04.21	40.00								
							440.50	103.88	<u> </u>		 					
	First Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	70.47	143.58									
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	105.09	59.97	12.96								
	Per each VG COCI in combination-per mo			UNCVX	1D1VG	0.6497	5.91	4.26								
	3/1 Channel System in combination per mo			UNC3X	MQ3	201.48	107.05	91.25								
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	11.78	5.91	4.26								
T	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport								1							
	Combination-Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09					1	1		
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport					İ										
	Combination-Zone 2	l	2	UNCVX	UEAL4	38.32	94.21	45.09	1				I	I		
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport		T -		1				1				i e	i e	1	1
	Combination-Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09					1	1		
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System		٦	ONOVA	ULAL4	00.39	3 4 .∠1	+5.09	 				l .	1	1	1
				UNC1X	1L5XX	0.2652							1	1		
	per mo	-		UNCIA	ILOAA	0.2052			 				!	!	 	
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel			LINIO			=-	400.0-					1	1		
	System per mo			UNC1X	U1TF1	70.47	143.58	103.88	ļ		ļ					
	Add'l VG COCI-in combination-per mo	<u> </u>		UNCVX	1D1VG	0.6497	5.91	4.26	<u> </u>							
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.43	5.43								
EXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTER	OFFIC	E TR													
]	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09								
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09	[
1	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09					1	1		
<u> </u>	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.2652			1				İ	İ	İ	Ì
— †	First Interoffice Transport-Dedicated-DS1-combination Facility Term Per			UNC1X	U1TF1	70.47	143.58	103.88	1				1	1	1	1
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	105.09	59.97	12.96	 				l .	1	1	1
	Per each OCU-DP COCI (data) COCI per mo (2.4-64kbs)	<u> </u>	-	UNCDX	1D1DD				 			-	 	 	1	1
		-				1.38	5.91	4.26	 				!	!	 	
	3/1 Channel System in combination per mo			UNC3X	MQ3	201.48	107.05	91.25	<u> </u>				ļ	ļ		
	Per each DS1 COCI in combination per mo	<u> </u>		UNC1X	UC1D1	11.78	5.91	4.26	ļ		ļ		ļ	ļ		
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport			UNCDX	UDL56		94.21	45.09	1				I	I		
	Combination-Zone 1					30.99										

UNBUNDLI	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
											Svc	Svc	Incrementa	Incrementa	Incremental	Incrementa
											Order	Order	I Charge -	I Charge -	Charge -	Charge -
											Submitte			Manual	Manual Svc	_
CATEGORY	RATE ELEMENTS	Interi	Zon	BCS	USOC		RATE	S (\$)								
DATEGORI	KATE EELIMENTO	m	е	500	0000		MAIL	.U (4)			d Elec	d	Svc Order	Svc Order	Order vs.	Order vs.
											per LSR	Manually	vs.	vs.	Electronic-	Electronic
												per LSR	Electronic-	Electronic-	Disc 1st	Disc Add'
													104			
						Rec	Nonrecu			isconnec				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport															
	Combination-Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09								
	Add'I 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport															
	Combination-Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09								
	OCU-DP COCI (data) COCI in combination per mo (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System															
	per mo			UNC1X	1L5XX	0.2652										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel		-	ONCIA	TLOAK	0.2002		 		1						
	,			LINICAV	LIATEA	70.47	440.50	400.00								
	System per mo			UNC1X	U1TF1	70.47	143.58	103.88								
	Each Add'l DS1 COCI in the same 3/1 channel system combination per			UNC1X	UC1D1	11.78	5.91	4.26								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.43	5.43								
EXTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTER	OFFIC	E TR	ANSPORT w/ 3/1 MUX												
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport															
ı	Combination-Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09	1	1	ĺ]]	1	
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport									1				İ		
	Combination-Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09						l	1	
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport			ONOBA	ODLOT	30.70	34.21	45.05		+						
			3	UNCDX	UDL64	20.00	94.21	45.00								
	Combination-Zone 3		3			38.92	94.21	45.09								
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.2652										
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per			UNC1X	U1TF1	70.47	143.58	103.88								
	Per each Channel System 1/0 in combination Per mo			UNC1X	MQ1	105.09	59.97	12.96								
	Per each OCU-DP COCI (data) in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
	3/1 Channel System in combination per mo			UNC3X	MQ3	201.48	107.05	91.25								
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	11.78	5.91	4.26								
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport															
	Combination-Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09								
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport			ONOBA	ODLOT	30.33	34.21	45.05		+						
			_	LINCDY	LIDLCA	20.70	04.04	45.00								
	Combination-Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09								
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport															
	Combination-Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09								
	Add'l OCU-DP COCI (data)-DS1 to DS0 Channel System combination-															
	per mo (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System															
	per mo			UNC1X	1L5XX	0.2652										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel									1						
	System per mo			UNC1X	U1TF1	70.47	143.58	103.88								
	Each Add'l DS1 COCI in the same 3/1 channel system combination per			UNC1X	UC1D1	11.78	5.91	4.26		+						
				UNC1X UNC1X	UNCCC	11.70	5.43	5.43			ļ					
EVE	NRC Currently Combined Network Elements Switch -As-Is Charge	/4 8811		UNCIX	UNCCC		5.43	5.43								ļ
EXIE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3	/1 MIU														
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09								
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09								
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09								
	First Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX	0.2652										
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term per			UNC1X	U1TF1	70.47	143.58	103.88								
	Per each Channel System 1/0 in combination-per mo			UNC1X	MQ1	105.09	59.97	12.96		1				İ		
	Per each 2W ISDN COCI (BRITE) in combination-per mo		1	UNCNX	UC1CA	2.96	5.91	4.26								
	3/1 Channel System in combination per mo		1	UNC3X	MQ3	201.48	107.05	91.25	1	1						!
	Per each DS1 COCI in combination per mo		1	UNC1X	UC1D1	11.78	5.91	4.26	1	1			 	 	 	1
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-		1	OINCIA	OCIDI	11.78	5.91	4.20		1			-	 	 	1
	·		١.	LINION	1141.637			/= a-	1	1	ĺ]]	1	
	Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09	<u> </u>	1					ļ	
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-								1	1	ĺ]]	1	
	Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09	<u></u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	L		<u> </u>
	Add'I 2W ISDN Loop in same DS1Interoffice Transport Combination-						-									
	Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09						l	1	
								1			i		i			
	Add'I 2W ISDN COCI (BRITE) in same 1/0 channel system combination-					l l										
_	Add'I 2W ISDN COCI (BRITE) in same 1/0 channel system combination- per mo			UNCNX	UC1CA	2.96	5.91	4.26								
				UNCNX	UC1CA	2.96	5.91	4.26								

INBUNDL	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
											Svc	Svc			Incremental	
											Order	Order	I Charge -	I Charge -	Charge -	Charge
ATECORY	DATE ELEMENTO	Interi	Zon	BCS	USOC		DATE	C (6)			Submitte	1	Manual	Manual	Manual Svo	
ATEGORY	RATE ELEMENTS	m	е	всэ	USUC		RATE	:5 (\$)			d Elec	d	Svc Order	Svc Order	Order vs.	Order vs.
			_								per LSR	Manually	vs.	vs.	Electronic-	Electronic
												per LSR	Electronic-	Electronic-	Disc 1st	Disc Add
													1c+	۸ddil		
						Rec	Nonrecu	ırring	NRC D	isconnec				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel															
	System per mo			UNC1X	U1TF1	70.47	143.58	103.88								
	Each Add'l DS1 COCI in the same 3/1 channel system combination per			UNC1X	UC1D1	11.78	5.91	4.26								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.43		1							
EVTE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE TRAN	SDOD	T w/ 2		011000		0.40	0.40								
LAIL	First 4W DS1 Digital Loop in Combination-Zone 1	SFOR	1 4/ 3		USLXX	85.70	169.22	100.89			1	1	1			1
			1	UNC1X												
	First 4W DS1 Digital Lcoal Loop in Combination-Zone 2		2	UNC1X	USLXX	194.96	169.22									
	First 4W DS1 Digital Lcoal Loop in Combination-Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89								
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.2652										
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per				-		1		1							
	mo	l		UNC1X	U1TF1	70.47	143.58	103.88	1					l	1	
	3/1 Channel System in combination per mo			UNC3X	MQ3	201.48	107.05									
	Per each DS1 COCI combination per mo		\vdash	UNC1X	UC1D1	11.78	5.91		1				1	1	1	
-	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System		1	SITOIX	OOIDI	11.70	0.01	7.20								
	· · · · · · · · · · · · · · · · · · ·	l		LINICAV	11.5	0.2652	1	1	1					l	1	
-	per mo	<u> </u>	\vdash	UNC1X	1L5XX	0.2652		1	!	 	1	1	1	1	1	1
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel	l						1	1					l	1	
	System per mo			UNC1X	U1TF1	70.47	143.58									
	Each Add'l DS1 COCI in the same 3/1 channel system combination per			UNC1X	UC1D1	11.78	5.91	4.26								
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89								
	Add'I 4W DS1 Digital Local Loop in Combination-Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89								
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89								
	NRC Currently Combined Network Elements Switch -As-Is Charge		Ŭ	UNC1X	UNCCC	401.04	5.43		1							
EVTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTERC	EEIC	TDA		ONCOC		0.40	5.45			 	 				
EVIE		PEFICI	LIKA		LIDLEC	30.99	94.21	45.09								
	First 4W 56 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL56											
	First 4W 56 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09								
	First 4W 56 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09								
	First 4We 56 kbps Interoffice Transport-Dedicated-Per mi per mo			UNCDX	1L5XX	0.013										
	First 4W 56 kbps Interoffice Transport-Dedicated-Facility Term per mo			UNCDX	U1TD5	15.61	72.60	41.75								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.43	5.43								
FXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTERC	FFIC	FTRA	NSPORT												
	First 4W 64 kbps Local Loop in combination-Zone 1	1	1	UNCDX	UDL64	30.99	94.21	45.09								
	First 4W 64 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09								
			3		UDL64	38.92	94.21					-				-
	First 4W 64 kbps Local Loop in combination-Zone 3		3	UNCDX			94.21	45.09			ļ	ļ				ļ
	First I4W 65 kbps Interoffice Transport-Dedicated-Per mi per mo	<u> </u>	\sqcup	UNCDX	1L5XX	0.013			 		ļ	ļ				ļ
	First 4W 64 kbps Interoffice Transport-Dedicated-Facility Term per mo			UNCDX	U1TD6	15.61	72.60		<u> </u>							
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.43	5.43								
	NETWORK ELEMENTS															
When	used as a part of a currently combined facility, the non-recurrng cha	arges	do no	t apply, but a Switch	As is charge	does apply.										
	used as ordinarily combined network elements in All States, the non						ot.									
	ecurring Currently Combined Network Elements "Switch As Is" Charge								†				1	i	1	
- Itomi	NRC Currently Combined Network Elements Switch -As-Is Charge-	1	, арр.	ies to each combination	,				1							
	2W/4W VG			UNCVX	UNCCC		5.43	5.43						1		
_		<u> </u>	\vdash	UNCVA	UNCCC	-	5.43	5.43	!	 	1	ļ	1	1	1	1
	NRC Currently Combined Network Elements Switch -As-Is Charge-56/64						_							1		
	kbps			UNCDX	UNCCC		5.43	5.43			1	1				
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS1			UNC1X	UNCCC		5.43	5.43								
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS3			UNC3X	UNCCC		5.43	5.43								
	NRC Currently Combined Network Elements Switch -As-Is Charge-STS1			UNCSX	UNCCC		5.43	5.43	ľ							
Optio	nal Features & Functions:								1	1						1
1.2.2	* ** ** ** *		\vdash	U1TD1,			1		1				1	t	1	
	Clear Channel Capability Extended Frame Option-per DS1	1		ULDD1,UNC1X	CCOEF		OI.	OI	OI	οı				1		
-	Ordar Orlantici Capability Exteriologi Harrie Optioniper DOT	-	\vdash		COOLI	 	01	JI.	JI.	Ji	 	 	1	1	1	
1	01011017-0	١.		U1TD1,	00005		اما	0.1		01				l	1	
	Clear Channel Capability Super FrameOption-per DS1	\perp		ULDD1,UNC1X	CCOSF		OI	OI	01	ΟI			1		1	
				ULDD1, U1TD1,										1		
	Clear Channel Capability (SF/ESF) Option-Subsqnt Activity-per DS1		L	UNC1X, USL	NRCCC	<u> </u>	184.65S	23.79S	1.97S	0.77S	<u></u>	<u></u>	<u> </u>	<u> </u>	<u> </u>	<u></u>
				U1TD3, ULDD3, UE3,												
	C-bit Parity Option-Subsqnt Activity-per DS3	i		UNC3X	NRCC3		218.78S	7.66S	.7263S	0S				1		
МП	IPLEXERS	Ė					,	1		1		1				1
1.00	DS1 to DS0 Channel System per mo			UNC1X	MQ1	105.09	59.97	12.96	1	.						

UNBUNDL	ED NETWORK ELEMENTS - Louisiana				1	ı								ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RATE					d Manually	Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs.
						Rec	Nonrecu			sconnec				Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)															
	used for a Local Loop			UDL	1D1DD	1.38	6.39	4.58								
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)															
	used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.38	6.39	4.58								
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo for a			UTTUD	10100	1.30	6.39	4.36								1
	Local Loop			UDN	UC1CA	2.96	6.39	4.58								
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	2.96	6.39	4.58								
	VG COCI-DS1 to DS0 Channel System-per mo used for a Local Loop			UEA	1D1VG	0.6497	6.39	4.58								
	VG COCI-DS1 to DS0 Channel System-per mo used for connection to a															
	channelized DS1 Local Channel in the same SWC as collocation		\sqcup	U1TUC	1D1VG	0.6497	6.39	4.58	1	ļ	ļ				1	
	DS3 to DS1 Channel System per mo	1	\vdash	UNC3X	MQ3	201.48	107.05	91.25	1		1		-		-	
 	STS-1 to DS1 Channel System per mo DS1 COCI used with Loop per mo	<u> </u>	\vdash	UNCSX	MQ3 UC1D1	201.48 11.78	107.05 6.39	91.25 4.58	-							
 	DS1 COCI used with Loop per mo DS1 COCI (used for connection to a channelized DS1 Local Channel in	1	+	USL	OCIDI	11./8	0.39	4.08	1				-			-
	the same SWC as collocation) per mo			U1TUA	UC1D1	11.78	6.39	4.58								
	DS1 COCI used with Interoffice Channel per mo			U1TD1	UC1D1	11.78	6.39	4.58								
	DS3 Interface Unit (DS1 COCI) used with Local Channel per mo			ULDD1	UC1D1	11.78	6.39	4.58								
UNBUNDLED	LOCAL EXCHANGE SWITCHING(PORTS)															
	nge Ports															
	Although the Port Rate includes all available features in GA, KY, LA	& TN,	the d	esired features will n	eed to be ord	lered using retail	USOCs									<u> </u>
2-WIR	E VOICE GRADE LINE PORT RATES (RES) Exchange Ports-2W Analog Line Port-Res.			UEPSR	UEPRL	1.52	2.31	2.21								ļ
-	Exchange Ports-2W Analog Line Port-Res. Exchange Ports-2W Analog Line Port with Caller ID-Res.			UEPSR	UEPRC	1.52	2.31	2.21					-		1	
	Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR	UEPRO	1.52	2.31	2.21	1							
	Exchange Ports-2W VG unbundled LA extended local dialing parity Port			02. 0.0	020	02	2.0.									
	with Caller ID-Res.			UEPSR	UEPAS	1.52	2.31	2.21								
	Exchange Ports-2W VG unbundled LA Area Plus with Caller ID-Res			UEPSR	UEPAG	1.52	2.31	2.21								
	Exchange Ports-2W VG unbundled res, low usage line port with Caller															
	ID (LUM)			UEPSR	UEPAP	1.52	2.31	2.21								
	Exchange Ports-2W VG LA res Dialing Plan w/o Caller ID			UEPSR	UEPWG	1.52	2.31	2.21								
	Exchange Ports-2W VG LA res Area Plus w/o Caller ID			UEPSR	UEPRQ UEPRT	1.52	2.31	2.21								
-	2W voice unbundled Low Usage Line Port w/o Caller ID Capability Subsqnt Activity			UEPSR UEPSR	USASC	1.52 0.00	2.31 0.00	2.21 0.00					-		1	
FEAT				ULFOR	USAGO	0.00	0.00	0.00								
,	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00								
2-WIR	E VOICE GRADE LINE PORT RATES (BUS)								1							1
	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus			UEPSB	UEPBL	1.52	2.31	2.21								
	Exchange Ports-2W VG unbundled Line Port with unbundled port with		l I		I	. 1	_			1		1				
	Caller+E484 ID-Bus.		\sqcup	UEPSB	UEPBC	1.52	2.31	2.21	1	ļ	ļ				1	<u> </u>
	Exchange Ports-2W Analog Line Port outgoing only-Bus.	1	\vdash	UEPSB	UEPBO	1.52	2.31	2.21	1		1		-		-	
	Exchange Ports-2W VG unbundled LA extended local dialing parity Port with Caller ID-Bus.			UEPSB	UEPAX	1.52	2.31	2.21		1						
 	Exhange Ports-2W VG unbundled incoming only port with Caller ID-Bus			UEPSB	UEPB1	1.52	2.31	2.21								
1	Exchange Ports-2W VG unbundled LA Bus Area Calling Port with Caller			02. 02	02. 21	02	2.01									†
[ID-Bus (BUC)			UEPSB	UEPAA	1.52	2.31	2.21	<u> </u>	<u> </u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	Exchange Ports-2W Voice LA bus Dialing Plan w/o Caller ID			UEPSB	UEPWH	1.52	2.31	2.21								
	Exchange Ports-2W Voice LA bus Area Calling Port w/o Caller ID			UEPSB	UEPBA	1.52	2.31	2.21								ļ
	2W voice unbundled Incoming Only Port w/o Caller ID Capability	<u> </u>	$\vdash \vdash$	UEPSB	UEPBE	1.52	2.31	2.21	1		<u> </u>		<u> </u>		<u> </u>	<u> </u>
 ,-	Subsqnt Activity	1	1	UEPSB	USASC	0.00	0.00	0.00								
FEAT	All Available Vertical Features		\vdash	UEPSB	UEPVF	0.00	0.00	0.00	1	<u> </u>	1		 		 	
EXCH	ANGE PORT RATES (DID & PBX)	-	\vdash	ULFOD	OLFVF	0.00	0.00	0.00	1		1		 		 	
EXOII	2W VG Unbundled 2-Way PBX Trunk-Res			UEPSE	UEPRD	1.52	30.37	14.42								
	2W VG Line Side Unbundled 2-Way PBX Trunk-Bus	1		UEPSP	UEPPC	1.52	30.37	14.42								1
	2W VG Line Side Unbundled Outward PBX Trunk-Bus			UEPSP	UEPPO	1.52	30.37	14.42								
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus			UEPSP	UEPP1	1.52	30.37	14.42								

DIADOIADE	ED NETWORK ELEMENTS - Louisiana			T	1									ment: 2	Exhil	
			1		l						Svc	Svc			Incremental	Increment
											Order	Order	I Charge -	I Charge -	Charge -	Charge -
		Interi	Zon								Submitte	Submitte	Manual	Manual	Manual Svc	Manual S
ATEGORY	RATE ELEMENTS			BCS	USOC		RATE	S (\$)			d Elec	d	Svc Order	Svc Order	Order vs.	Order vs.
		m	е								per LSR		vs.	vs.	Electronic-	Electronic
											per Lak		_			
												per LSR	Electronic-		Disc 1st	Disc Add
			1				Nonrecu	ırrina	NRC D	isconnec	1	1	OSS	Rates (\$)		
						Rec	First	Add'l		Add'l		SOMAN			SOMAN	SOMAN
	2W Analog Long Distance Terminal PBX Trunk-Bus		1	UEPSP	UEPLD	1.52	30.37	14.42	FIISL	Auu	SOWIEC	SOWAN	JOWAN	SOWAN	JOWAN	SOWAN
											<u> </u>					
	2W Voice Unbundled 2-Way PBX LA Calling Port			UEPSP	UEPL2	1.52	30.37	14.42								
	2W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.52	30.37	14.42								
	2W Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.52	30.37	14.42								
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.52	30.37	14.42								
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.52	30.37	14.42								
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.52	30.37	14.42								
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.52	30.37	14.42			1					
	2W Voice Unbundled 2-Way PBX LA Local Optional Callling Port			UEPSP	UEPXK	1.52	30.37	14.42			1					
				UEPSF	UEFAR	1.32	30.37	14.42			<u> </u>					
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative															
	Calling Port		<u> </u>	UEPSP	UEPXL	1.52	30.37	14.42			ļ					
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling		1					1			1					
	Port		1	UEPSP	UEPXM	1.52	30.37	14.42			1					
-	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount		t	T	T	52		1		1	1	1	i e	1	1	
	Room Calling Port		1	UEPSP	UEPXO	1.52	30.37	14.42	1	1	1		1]		
-			<u> </u>	UEFOF	UEFAU	1.52	30.37	14.42	 	+	 	 		 	 	\vdash
	2W Voice Unbundled 1-Way Outgoing PBX LA Local Discount Calling		1		l				1	1	1		1]		
	Port			UEPSP	UEPXP	1.52	30.37	14.42								
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.52	30.37	14.42								
	Subsqnt Activity			UEPSP	USASC	0.00	0.00	0.00								
FEAT	URES															
1	All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00			1					
EVCL	ANGE PORT RATES (COIN)			OLI OI OLI OL	OLI VI	0.00	0.00	0.00			1					
EXCH						4.50	0.01									
	Exchange Ports-Coin Port : Transmission/usage charges associated with POTS circuit switched					1.52	2.31	2.21								
UNDLED	: Access to B Channel or D Channel Packet capabilities will be availa LOCAL EXCHANGE SWITCHING(PORTS)	D.O O.														
BUNDLED	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES		io evi	hibit annly to the embe	added been	n place so of 10/	2/02m4il 4/4/6	A After 4	/1/04 that	no rotos s	hall revert	to toriff not		rata agraem	ont.	
EXCH The D	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Por	t in th											es or a sepa	rate agreeme	ent.	
EXCH The D	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Por sets for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the	t in th		date of this amendmer	nt shall be pr	ovided pursuant	to a separate	agreemen	t or tariff				es or a sepa	rate agreeme	ent.	
EXCH The D	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Porests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the Exchange Ports-2W DID Port	t in th						agreemen	t or tariff				es or a sepa	rate agreeme	ent.	
EXCH The D	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Porests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the Exchange Ports-2W DID Port Exchange Ports-DDITS Port-4W DS1 Port with DID capability	t in th		date of this amendmer UEPEX	t shall be pr UEPP2	ovided pursuant 8.29	to a separate 115.85	agreemen 18.20	t or tariff				es or a sepa	rate agreeme	ent.	
EXCH The D	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES SI Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Porests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the Exchange Ports-2W DID Port Exchange Ports-DDITS Port-4W DS1 Port with DID capability (E:4/1/2004)	t in th		date of this amendmen UEPEX UEPDD	UEPDD	ovided pursuant	to a separate	agreemen	t or tariff				es or a sepa	rate agreeme	ent.	
EXCH The D	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES SI Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Porests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the Exchange Ports-2W DID Port Exchange Ports-DDITS Port-4W DS1 Port with DID capability (E:4/1/2004)	t in th		date of this amendmen UEPEX UEPDD	t shall be pr UEPP2	ovided pursuant 8.29	to a separate 115.85	18.20 92.92	t or tariff				es or a sepa	rate agreeme	ent.	
BUNDLED EXCH The D	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Por sets for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the [Exchange Ports-2W DID Port Exchange Ports-DDITS Port-4W DS1 Port with DID capability (E:4/1/2004) [Exchange Ports-2W ISDN Port (See Notes below.)	t in th		date of this amendmer UEPEX UEPDD UEPTX, UEPSX	UEPDD U1PMA	68.47 10.07	115.85 196.18 70.76	92.92 51.46	t or tariff				es or a sepa	rate agreeme	ent.	
EXCH The D	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Por sets for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the Exchange Ports-2W DID Port Exchange Ports-DDITS Port-4W DS1 Port with DID capability (E:4/1/2004) All Features Offered	t in th		UEPEX UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX	UEPDD UEPVF	68.47 10.07 0.00	115.85 196.18 70.76 0.00	92.92 51.46	t or tariff				es or a sepa	rate agreeme	ent.	
BUNDLED EXCH The D Reque	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES SI Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Porests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the Exchange Ports-2W DID Port Exchange Ports-DDITS Port-4W DS1 Port with DID capability (E:4/1/2004) Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN PortChannel Profiles	t in th	ctive	UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX	UEPPD UEPDD U1PMA UEPVF U1UMA	68.47 10.07 0.00 0.00	115.85 196.18 70.76 0.00 0.00	92.92 51.46 0.00	t or tariff	f at BellSo	outh's disc	cretion.			ent.	
BUNDLED EXCH The D Requi	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES 51 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Por sets for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after th Exchange Ports-2W DID Port Exchange Ports-DDITS Port-4W DS1 Port with DID capability (E:4/1/2004) Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN PortChannel Profiles : Transmission/usage charges associated with POTS circuit switched	t in the effec	ctive (UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX I also apply to circuit s	UEPP2 UEPDD U1PMA UEPVF U1UMA Switched voice	68.47 10.07 0.00 0.00 ce and/or circuit	115.85 196.18 70.76 0.00 0.00 switched data	92.92 51.46 0.00 0.00 a transmiss	t or tariff	f at BellSo	outh's disc	cretion.			ent.	
BUNDLED EXCH The D Reque	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES 51 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Por sets for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after th Exchange Ports-2W DID Port Exchange Ports-DDITS Port-4W DS1 Port with DID capability (E:4:/1/2004) Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN PortChannel Profiles : Transmission/usage charges associated with POTS circuit switched: Access to B Channel or D Channel Packet capabilities will be availa	t in the effec	ctive (UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX I also apply to circuit s	UEPP2 UEPDD U1PMA UEPVF U1UMA Switched voice	68.47 10.07 0.00 0.00 ce and/or circuit	115.85 196.18 70.76 0.00 0.00 switched data	92.92 51.46 0.00 0.00 a transmiss	t or tariff	f at BellSo	outh's disc	cretion.			ent.	
BUNDLED EXCH The D Reque	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES 51 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Porests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the Exchange Ports-2W DID Port Exchange Ports-DDITS Port-4W DS1 Port with DID capability (E:4/1/2004) Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN PortChannel Profiles : Transmission/usage charges associated with POTS circuit switched: - Access to B Channel or D Channel Packet capabilities will be availa ANGE PORT RATES (continued)	t in the effec	ctive (UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX I also apply to circuit s	UEPP2 UEPDD U1PMA UEPVF U1UMA Switched voice	68.47 10.07 0.00 0.00 ce and/or circuit	115.85 196.18 70.76 0.00 0.00 switched data	92.92 51.46 0.00 0.00 a transmiss	t or tariff	f at BellSo	outh's disc	cretion.			ent.	
BUNDLED EXCH The D Reque	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES SI Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Porests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the Exchange Ports-2W DID Port Exchange Ports-DDITS Port-4W DS1 Port with DID capability (E:4/1/2004) Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN PortChannel Profiles : Transmission/usage charges associated with POTS circuit switched: : Access to B Channel or D Channel Packet capabilities will be availa ANGE PORT RATES (continued) [Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator	t in the effec	ctive (date of this amendmer UEPEX UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX I also apply to circuit soough BFR/NBR Proces	UEPPD UEPDD UIPMA UEPVF U1UMA Switched voi	68.47 10.07 0.00 0.00 ce and/or circuit r the packet capa	115.85 196.18 70.76 0.00 0.00 switched data	92.92 51.46 0.00 0.00 a transmiss e determin	t or tariff	f at BellSo	outh's disc	cretion.			ent.	
BUNDLED EXCH The D Reque	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES 51 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Por sets for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after th Exchange Ports-2W DID Port Exchange Ports-DDITS Port-4W DS1 Port with DID capability (E:4/1/2004) Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN PortChannel Profiles : Transmission/usage charges associated with POTS circuit switched: Access to B Channel or D Channel Packet capabilities will be availa ANGE PORT RATES (continued) Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator (Capability (E:4/1/2004)	t in the effec	ctive (UEPEX UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX I also apply to circuit s rough BFR/NBR Proce	UEPDD UIPMA UEPVF U1UMA Switched voi. ss. Rates fo	68.47 10.07 0.00 0.00 ce and/or circuit r the packet capa	196.18 196.18 70.76 0.00 0.00 switched data abilities will b	92.92 51.46 0.00 0.00 a transmiss e determin	t or tariff	f at BellSo	outh's disc	cretion.			ent.	
BUNDLED EXCH The D Requi	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES 51 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Porsets for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the Exchange Ports-2W DID Port Exchange Ports-2W DID Port Exchange Ports-DDITS Port-4W DS1 Port with DID capability (E:4/1/2004) Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN PortChannel Profiles : Transmission/usage charges associated with POTS circuit switched: Access to B Channel or D Channel Packet capabilities will be availa ANGE PORT RATES (continued) Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004) Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)	t in the effec	ctive (date of this amendmen UEPEX UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX I also apply to circuit soough BFR/NBR Proce UEPEX UEPEX UEPDX	UEPDD UEPDD U1PMA UEPVF U1UMA Switched voices. Rates fo UEPEX UEPDX	8.29 68.47 10.07 0.00 0.00 0.00 ee and/or circuit r the packet capa	115.85 196.18 70.76 0.00 0.00 switched data	92.92 51.46 0.00 0.00 a transmiss e determin	t or tariff	f at BellSo	outh's disc	cretion.			ent.	
BUNDLED EXCH The D Requi	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES 51 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Por sets for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after th Exchange Ports-2W DID Port Exchange Ports-DDITS Port-4W DS1 Port with DID capability (E:4/1/2004) Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN PortChannel Profiles : Transmission/usage charges associated with POTS circuit switched: Access to B Channel or D Channel Packet capabilities will be availa ANGE PORT RATES (continued) Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator (Capability (E:4/1/2004)	t in the effec	ctive (UEPEX UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX I also apply to circuit s rough BFR/NBR Proce	UEPDD UIPMA UEPVF U1UMA Switched voi. ss. Rates fo	68.47 10.07 0.00 0.00 ce and/or circuit r the packet capa	196.18 196.18 70.76 0.00 0.00 switched data abilities will b	92.92 51.46 0.00 0.00 a transmiss e determin	t or tariff	f at BellSo	outh's disc	cretion.			ent.	
BUNDLED EXCH The D Requi	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES SI Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Porests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the Exchange Ports-2W DID Port Exchange Ports-DDITS Port-4W DS1 Port with DID capability (E:4/1/2004) Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN PortChannel Profiles Transmission/usage charges associated with POTS circuit switched Access to B Channel or D Channel Packet capabilities will be availa ANGE PORT RATES (continued) Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004) Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) Physical Collocation-DS1 Cross-Connects	t in the effec	ctive (date of this amendmer UEPEX UEPDX UEPDX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX I also apply to circuit s rough BFR/NBR Proce UEPEX UEPDX UEPDX UEPDX	UEPEX UEPDX UEPEX UEPDD U1PMA UEPVF U1UMA UEPVF U1UMA UEPEX UEPEX UEPEX UEPDX PE1P1	68.47 10.07 0.00 0.00 0.00 0.00 0.00 0.00 0.	to a separate 115.85 196.18 70.76 0.00 0.00 switched data abilities will b	92.92 51.46 0.00 0.00 0 transmiss e determin 98.62 98.62 15.47	t or tariff	f at BellSo	outh's disc	cretion.			ent.	
BUNDLED EXCH THE D Requi	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES 51 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Porests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the Exchange Ports-2W DID Port Exchange Ports-DDITS Port-4W DS1 Port with DID capability (E:4/1/2004) Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN PortChannel Profiles : Transmission/usage charges associated with POTS circuit switched: Access to B Channel or D Channel Packet capabilities will be availa ANGE PORT RATES (continued) Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004) Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) Physical Collocation-DS1 Cross-Connects Virtual collocation-DS1 Cross-Connects	t in the effec	ctive (date of this amendmen UEPEX UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX I also apply to circuit soough BFR/NBR Proce UEPEX UEPEX UEPDX	UEPDD UEPDD U1PMA UEPVF U1UMA Switched voices. Rates fo UEPEX UEPDX	8.29 68.47 10.07 0.00 0.00 0.00 ee and/or circuit r the packet capa	to a separate 115.85 196.18 70.76 0.00 0.00 switched data abilities will b	92.92 51.46 0.00 0.00 a transmiss e determin 98.62 98.62	t or tariff	f at BellSo	outh's disc	cretion.			ent.	
BUNDLED EXCH The D Requi	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES 51 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Por sets for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after th Exchange Ports-2W DID Port Exchange Ports-DDITS Port-4W DS1 Port with DID capability (E:4/1/2004) Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN PortChannel Profiles : Transmission/usage charges associated with POTS circuit switched: : Access to B Channel or D Channel Packet capabilities will be availa ANGE PORT RATES (continued) Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004) Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) Physical Collocation-DS1 Cross-Connects Virtual collocation-Special Access & UNE, cross-connect per DS1 ed E911 with Locator Capability (required with UEPEX port)	t in the effec	ctive (date of this amendmer UEPEX UEPDX UEPDX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX I also apply to circuit s rough BFR/NBR Proce UEPEX UEPDX UEPDX UEPDX	UEPEX UEPDX UEPEX UEPDD U1PMA UEPVF U1UMA UEPVF U1UMA UEPEX UEPEX UEPEX UEPDX PE1P1	68.47 10.07 0.00 0.00 0.00 0.00 0.00 0.00 0.	to a separate 115.85 196.18 70.76 0.00 0.00 switched data abilities will b	92.92 51.46 0.00 0.00 0 transmiss e determin 98.62 98.62 15.47	t or tariff	f at BellSo	outh's disc	cretion.			ent.	
BUNDLED EXCH THE D Requi	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES 51 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Porests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the Exchange Ports-2W DID Port Exchange Ports-2W DID Port Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN PortChannel Profiles Transmission/usage charges associated with POTS circuit switched ACOSE TORT RATES (continued) Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004) Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004) Physical Collocation-DS1 Cross-Connects Virtual collocation-Special Access & UNE, cross-connect per DS1 det E911 with Locator Capability (required with UEPEX port) [Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability	t in the effec	ctive (date of this amendmen UEPEX UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX I also apply to circuit soough BFR/NBR Proce UEPEX UEPEX UEPDX UEPEX UEPDX UEPEX UEPDX UEPEX UEPDX UEPEX UEPDX UEPEX UEPDX	UEPEX UEPDX PE1P1 UEPDD U1PMA Switched voi ss. Rates fo UEPEX UEPDX PE1P1 CNC1X	94.82 94.82 1.04 1.04	to a separate 115.85 196.18 70.76 0.00 0.00 switched data abilities will b 197.92 197.92 21.39 21.39	92.92 51.46 0.00 0.00 0 transmiss e determin 98.62 98.62 15.47	t or tariff	f at BellSo	outh's disc	cretion.			ent.	
BUNDLED EXCH THE D Requi	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES SI Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Porests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the Exchange Ports-2W DID Port Exchange Ports-DDITS Port-4W DS1 Port with DID capability (E:4/1/2004) Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN PortChannel Profiles : Transmission/usage charges associated with POTS circuit switched: : Access to B Channel or D Channel Packet capabilities will be availa ANGE PORT RATES (continued) Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004) Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) Physical Collocation-DS1 Cross-Connects Virtual collocation-DS1 Cross-Connects Virtual collocation-Special Access & UNE, cross-connect per DS1 ed E911 with Locator Capability (required with UEPEX port) Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Initial Profile Establishment per CLEC per State	t in the effec	ctive (date of this amendmer UEPEX UEPDX UEPDX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX I also apply to circuit s rough BFR/NBR Proce UEPEX UEPDX UEPDX UEPDX	UEPEX UEPDX UEPEX UEPDD U1PMA UEPVF U1UMA UEPVF U1UMA UEPEX UEPEX UEPEX UEPDX PE1P1	68.47 10.07 0.00 0.00 0.00 0.00 0.00 0.00 0.	to a separate 115.85 196.18 70.76 0.00 0.00 switched data abilities will b	92.92 51.46 0.00 0.00 0 transmiss e determin 98.62 98.62 15.47	t or tariff	f at BellSo	outh's disc	cretion.			ent.	
BUNDLED EXCH THE D Requi	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES 51 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Porsets for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the Exchange Ports-2W DID Port Exchange Ports-DDITS Port-4W DS1 Port with DID capability (E:4/1/2004) Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN PortChannel Profiles : Transmission/usage charges associated with POTS circuit switched: Access to B Channel or D Channel Packet capabilities will be availa ANGE PORT RATES (continued) Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004) Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) Physical Collocation-DS1 Cross-Connects Virtual collocation-Special Access & UNE, cross-connect per DS1 ed E911 with Locator Capability (required with UEPEX port) Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Initial Profile Establishment per CLEC per State Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Initial Profile Establishment per CLEC per State	t in the effec	ctive (UEPEX UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPEX UEPEX UEPDX UEPEX UEPDX UEPEX UEPDX UEPEX UEPDX UEPEX UEPDX UEPEX UEPDX	UEPDA UEPDD U1PMA UEPVF U1UMA Switched voi SS. Rates fo UEPEX UEPDX PE1P1 CNC1X	94.82 94.82 0.00 0.00	to a separate 115.85 196.18 70.76 0.00 0.00 switched data abilities will b 197.92 197.92 21.39 21.39 1,792.00	92.92 51.46 0.00 0.00 0 transmiss e determin 98.62 98.62 15.47	t or tariff	f at BellSo	outh's disc	cretion.			ent.	
NOTE EXCH NOTE EXCH Detail	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES 51 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Porests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the Exchange Ports-2W DID Port Exchange Ports-2W DID Port Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN PortChannel Profiles : Transmission/usage charges associated with POTS circuit switched Exchange Ports-2W ISDN PortChannel Profiles : Transmission/usage charges associated with POTS circuit switched ANGE PORT RATES (continued) Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004) Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) Physical Collocation-DS1 Cross-Connects Virtual collocation-Special Access & UNE, cross-connect per DS1 ed E911 with Locator Capability (required with UEPEX port) Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Initial Profile Establishment per CLEC per State Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes, Additions, Deletions	t in the effec	ctive (date of this amendmen UEPEX UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX I also apply to circuit soough BFR/NBR Proce UEPEX UEPEX UEPDX UEPEX UEPDX UEPEX UEPDX UEPEX UEPDX UEPEX UEPDX UEPEX UEPDX	UEPEX UEPDX PE1P1 UEPDD U1PMA Switched voi ss. Rates fo UEPEX UEPDX PE1P1 CNC1X	94.82 94.82 1.04 1.04	to a separate 115.85 196.18 70.76 0.00 0.00 switched data abilities will b 197.92 197.92 21.39 21.39	92.92 51.46 0.00 0.00 0 transmiss e determin 98.62 98.62 15.47	t or tariff	f at BellSo	outh's disc	cretion.			ent.	
NOTE EXCH NOTE EXCH Detail	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES SI Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Porests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the Exchange Ports-2W DID Port Exchange Ports-DDITS Port-4W DS1 Port with DID capability (E:4/1/2004) Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN PortChannel Profiles : Transmission/usage charges associated with POTS circuit switched: : Access to B Channel or D Channel Packet capabilities will be availa ANGE PORT RATES (continued) Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004) Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) Physical Collocation-DS1 Cross-Connects Virtual collocation-DS1 Cross-Connects Virtual collocation-Special Access & UNE, cross-connect per DS1 ed E911 with Locator Capability (required with UEPEX port) Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability- Initial Profile Establishment per CLEC per State Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability- Subsqnt Profile Changes, Additions, Deletions	t in the effec	ctive (UEPEX UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPEX UEPEX UEPDX UEPEX UEPDX UEPEX UEPDX UEPEX UEPDX UEPEX UEPDX UEPEX UEPDX	UEPDA UEPDD U1PMA UEPVF U1UMA Switched voi SS. Rates fo UEPEX UEPDX PE1P1 CNC1X	94.82 94.82 0.00 0.00	to a separate 115.85 196.18 70.76 0.00 0.00 switched data abilities will b 197.92 197.92 21.39 21.39 1,792.00	92.92 51.46 0.00 0.00 0 transmiss e determin 98.62 98.62 15.47	t or tariff	f at BellSo	outh's disc	cretion.			ent.	
BUNDLED EXCH The D Requi	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES 51 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Porests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the Exchange Ports-2W DID Port Exchange Ports-DDITS Port-4W DS1 Port with DID capability (fc:4/1/2004) Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN PortChannel Profiles : Transmission/usage charges associated with POTS circuit switched: Access to B Channel or D Channel Packet capabilities will be availa ANGE PORT RATES (continued) Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004) Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) Physical Collocation-DS1 Cross-Connects Virtual collocation-Special Access & UNE, cross-connect per DS1 ed E911 with Locator Capability (required with UEPEX port) Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability- Initial Profile Establishment per CLEC per State Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability- Subsqnt Profile Changes, Additions, Deletions or Additional PRI Telephone Numbers Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability- Inbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability- Inbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability- Inbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability- Inbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability- Inbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability- Inbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability- Inbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability- Inbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability- Inbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability- Inbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability- Inbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability- Inbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability- Inbundled Exchange Ports, 4W ISDN DS1 Po	t in the effec	ctive (UEPEX UEPDX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX	UEPPX UEPDX UEPDX UEPDX UEPVF U1UMA Switched voi ss. Rates fo UEPEX UEPDX UEPDX UEPDX UEPDX UEPDX UEPDX UEPDX UEPDX UEPDA UEP1A	94.82 94.82 9.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	to a separate 115.85 196.18 70.76 0.00 0.00 switched data abilities will b 197.92 197.92 21.39 21.39 1,792.00	92.92 51.46 0.00 0.00 0 transmiss e determin 98.62 98.62 15.47	t or tariff	f at BellSo	outh's disc	cretion.			ent.	
BUNDLED EXCH The D Requi	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES 51 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Porests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the Exchange Ports-2W DID Port Exchange Ports-2W DID Port Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN PortChannel Profiles Exchange Ports-2W ISDN PortChannel Profiles Transmission/usage charges associated with POTS circuit switched Access to B Channel or D Channel Packet capabilities will be availa ANGE PORT RATES (continued) Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004) Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) Physical Collocation-DS1 Cross-Connects Virtual collocation-Special Access & UNE, cross-connect per DS1 ed E911 with Locator Capability (required with UEPEX port) Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Initial Profile Establishment per CLEC per State Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes, Additions, Deletions or Additional PRI Telephone Numbers Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes, Additions, Deletions or Additional PRI Telephone Numbers Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes Ports, 4W ISDN DS1 Port-E911 Locator Ca	t in the effec	ctive (UEPEX UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPEX UEPEX UEPDX UEPEX UEPDX UEPEX UEPDX UEPEX UEPDX UEPEX UEPDX UEPEX UEPDX	UEPDA UEPDD U1PMA UEPVF U1UMA Switched voi SS. Rates fo UEPEX UEPDX PE1P1 CNC1X	94.82 94.82 0.00 0.00	to a separate 115.85 196.18 70.76 0.00 0.00 switched data abilities will b 197.92 197.92 21.39 21.39 1,792.00	92.92 51.46 0.00 0.00 0 transmiss e determin 98.62 98.62 15.47	t or tariff	f at BellSo	outh's disc	cretion.			ent.	
BUNDLED EXCH The D Requi	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES 51 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Porests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the Exchange Ports-2W DID Port Exchange Ports-2W DID Port Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN PortChannel Profiles Exchange Ports-2W ISDN PortChannel Profiles Transmission/usage charges associated with POTS circuit switched Access to B Channel or D Channel Packet capabilities will be availa ANGE PORT RATES (continued) Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004) Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) Physical Collocation-DS1 Cross-Connects Virtual collocation-Special Access & UNE, cross-connect per DS1 ed E911 with Locator Capability (required with UEPEX port) Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Initial Profile Establishment per CLEC per State Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes, Additions, Deletions or Additional PRI Telephone Numbers Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes, Additions, Deletions or Additional PRI Telephone Numbers Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes Ports, 4W ISDN DS1 Port-E911 Locator Ca	t in the effec	ctive (UEPEX UEPDX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX	UEPPX UEPDX UEPDX UEPDX UEPVF U1UMA Switched voi ss. Rates fo UEPEX UEPDX UEPDX UEPDX UEPDX UEPDX UEPDX UEPDX UEPDX UEPDA UEP1A	94.82 94.82 9.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	to a separate 115.85 196.18 70.76 0.00 0.00 switched data abilities will b 197.92 197.92 21.39 21.39 1,792.00	92.92 51.46 0.00 0.00 0 transmiss e determin 98.62 98.62 15.47	t or tariff	f at BellSo	outh's disc	cretion.			ent.	
NOTE EXCH NOTE EXCH Detail	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES SI Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Porests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the Exchange Ports-ZW DID Port Exchange Ports-ZW DID Port Exchange Ports-DDITS Port-4W DS1 Port with DID capability (E:4/1/2004) Exchange Ports-ZW ISDN Port (See Notes below.) All Features Offered Exchange Ports-ZW ISDN PortChannel Profiles : Transmission/usage charges associated with POTS circuit switched: Access to B Channel or D Channel Packet capabilities will be availa ANGE PORT RATES (continued) Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004) Physical Collocation-DS1 Cross-Connects Virtual collocation-DS1 Cross-Connects Virtual collocation-DS5 Cross-Connects Virtual collocation-Special Access & UNE, cross-connect per DS1 ed E911 with Locator Capability (required with UEPEX port) Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability- Initial Profile Establishment per CLEC per State Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability- Subsqnt Profile Changes, Additions, Deletions or Additional PRI Telephone Numbers Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability- Subsqnt Profile Changes, Additions, Deletions or Additional PRI Telephone Numbers Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability- Love Profile Changes (W ISDN DS1 Port-E911 Locator Capability- Love Profile Changes (W ISDN DS1 Port-E911 Locator Capability- Love Profile Changes (W ISDN DS1 Port-E911 Locator Capability- Love Profile Changes (W ISDN DS1 Port-E911 Locator Capability- Love Profile Changes (W ISDN DS1 Port-E911 Locator Capability- Love Profile Changes (W ISDN DS1 Port-E911 Locator Capability- Love Profile Changes (W ISDN DS1 Port-E911 Locator Capability- Love Profile Changes (W ISDN DS1 Port-E911 Locator Capability- Love Profile Changes (W ISDN DS1 Port-E911 Locator Capability- Love Profile Changes (W ISDN DS1 Port-E911 Locator Capability- Love Profile Chan	t in the effec	ctive (date of this amendmen UEPEX UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX Islo apply to circuit soough BFR/NBR Proces UEPEX UEPDX UEPDX UEPDX UEPDX UEPEX UEPDX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX	UEPEX UEP1A UEP1C	94.82 94.82 1.04 0.00 0.00	to a separate 115.85 196.18 70.76 0.00 0.00 switched data abilities will b 197.92 21.39 21.39 1,792.00 174.03	92.92 51.46 0.00 0.00 a transmiss e determin 98.62 15.47	t or tariff	f at BellSo	outh's disc	cretion.			ent.	
BUNDLED EXCH The D Requi	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES 51 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Porests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the Exchange Ports-2W DID Port Exchange Ports-DDITS Port-4W DS1 Port with DID capability (fc:4/1/2004) Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN PortChannel Profiles : Transmission/usage charges associated with POTS circuit switched: Access to B Channel or D Channel Packet capabilities will be availa ANGE PORT RATES (continued) Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004) Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) Physical Collocation-DS1 Cross-Connects Virtual collocation-DS1 Cross-Connects Virtual collocation-Special Access & UNE, cross-connect per DS1 ed E911 with Locator Capability (required with UEPEX port) Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Initial Profile Establishment per CLEC per State Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Initial Profile Changes, Additions, Deletions or Additional PRI Telephone Numbers Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability- Capability Porfile Changes, Ports, 4W ISDN DS1 Port-E911 Locator Capability- Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability- Lowy Tel Nos, per No in E911 profile [New or Add'I] Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability- Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability- Lowy Tel Nos, per No in E911 profile [New or Add'I] Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability- Lowy Tel Nos, per No in E911 profile [New or Add'I]	t in the effec	ctive (UEPEX UEPDX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX	UEPPX UEPDX UEPDX UEPDX UEPVF U1UMA Switched voi ss. Rates fo UEPEX UEPDX UEPDX UEPDX UEPDX UEPDX UEPDX UEPDX UEPDX UEPDA UEP1A	94.82 94.82 9.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	to a separate 115.85 196.18 70.76 0.00 0.00 switched data abilities will b 197.92 197.92 21.39 21.39 1,792.00	92.92 51.46 0.00 0.00 0 transmiss e determin 98.62 98.62 15.47	t or tariff	f at BellSo	outh's disc	cretion.			ent.	
BUNDLED EXCH The D Requi	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES 51 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Porests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the Exchange Ports-2W DID Port Exchange Ports-2W DID Port Exchange Ports-2W ISDN Port-4W DS1 Port with DID capability (E:4/1/2004) Exchange Ports-2W ISDN PortChannel Profiles Exchange Ports-2W ISDN PortChannel Profiles Exchange Ports-2W ISDN PortChannel Profiles Transmission/usage charges associated with POTS circuit switched Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004) Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004) Physical Collocation-DS1 Cross-Connects Virtual collocation-Special Access & UNE, cross-connect per DS1 ed E911 with Locator Capability (required with UEPEX port) Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Initial Profile Establishment per CLEC per State Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes, Additions, Deletions or Additional PRI Telephone Numbers Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-2-way Tel Nos, per No in E911 profile [New or Add'1] Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-2-way Tel Nos, per No in E911 profile [New or Add'1] Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-2-way Tel Nos, per No in E911 profile [New or Add'1] Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-2-way Tel Nos, per No in E911 profile [New or Add'1] Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-2-way Tel Nos, per No in E911 profile [New or Add'1] Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-2-way Tel Nos, per No in E911 profile [New or Add'1]	t in the effec	ctive (date of this amendmen UEPEX UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX I also apply to circuit s rough BFR/NBR Proce UEPEX UEPDX UEPEX UEPDX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX	UEPEX UEP1A UEP1A UEP1C UEP1D UTPMA UEPVF UTUMA Switched voices. Rates for	94.82 94.82 94.82 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0	to a separate 115.85 196.18 70.76 0.00 0.00 switched data abilities will be 197.92 197.92 21.39 21.39 1,792.00 174.03 0.48 11.18	92.92 51.46 0.00 0.00 a transmiss e determin 98.62 15.47	t or tariff	f at BellSo	outh's disc	cretion.			ent.	
BUNDLED EXCH The D Requi	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES SI Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Porests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the Exchange Ports-2W DID Port Exchange Ports-DDITS Port-4W DS1 Port with DID capability (E:4/1/2004) Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN PortChannel Profiles : Transmission/usage charges associated with POTS circuit switched: Access to B Channel or D Channel Packet capabilities will be availa ANGE PORT RATES (continued) Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004) Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) Physical Collocation-DS1 Cross-Connects Virtual collocation-DS1 Cross-Connects Virtual collocation-Special Access & UNE, cross-connect per DS1 ed E911 with Locator Capability (required with UEPEX port) Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Initial Profile Establishment per CLEC per State Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes, Additions, Deletions or Additional PRI Telephone Numbers Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes, Additions, Deletions or Additional PRI Telephone Numbers Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Sway Tel Nos, per No in E911 profile [New or Add'i] Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Outdial Tel Nos, per No in E911 profile [New or Add'i] Unbundled Exchange Ports, 4W ISDN DS1 Port-Inward Tel Nos-Inward Data Only Option [New or Add'i]	t in the effec	ctive (date of this amendmen UEPEX UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX Islo apply to circuit soough BFR/NBR Proces UEPEX UEPDX UEPDX UEPDX UEPDX UEPEX UEPDX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX	UEPEX UEP1A UEP1C	94.82 94.82 1.04 0.00 0.00	to a separate 115.85 196.18 70.76 0.00 0.00 switched data abilities will b 197.92 21.39 21.39 1,792.00 174.03	92.92 51.46 0.00 0.00 a transmiss e determin 98.62 15.47	t or tariff	f at BellSo	outh's disc	cretion.			ent.	
BUNDLED EXCH The D Requi	ANGE PORT RATES Transmission/usage charges associated with POTS circuit switched: ACSES TO B Channel or D Channel Packet capability (E:4/1/2004) Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN PortChannel Profiles : Transmission/usage charges associated with POTS circuit switched: Access to B Channel or D Channel Packet capabilities will be availa ANGE PORT RATES (continued) Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004) Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004) Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) Physical Collocation-DS1 Cross-Connects Virtual collocation-DS1 Cross-Connects Virtual collocation-Special Access & UNE, cross-connect per DS1 ed E911 with Locator Capability (required with UEPEX port) Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability- Initial Profile Establishment per CLEC per State Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability- Subsqnt Profile Changes, Additions, Deletions or Additional PRI Telephone Numbers Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability- Ortal Tollocation Capability (Rew or Add'I) Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability- Outdial Tel Nos, per No in E911 profile [New or Add'I] Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability- Outdial Tel Nos, per No in E911 profile [New or Add'I] Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability- Outdial Tel Nos, per No in E911 profile [New or Add'I] Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability- Outdial Tel Nos, per No in E911 profile [New or Add'I] Exchange Ports-4WI ISDN DS1 Port-Subsqnt [New] Inward Tel Nos-Inward Data Only Option [New or Add'I] Exchange Ports-4WI ISDN DS1 Port-Subsqnt [New] Inward Tel Nos-	t in the effec	ctive (date of this amendmen UEPEX UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX ISO apply to circuit soough BFR/NBR Proces UEPEX UEPDX UEPDX UEPEX UEPDX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX	UEPEX UEP1A UEP1B UEP1C UEP1C UEP1C UEPP2 UEPDD U1PMA U1PMA Switched voir ss. Rates for UEPEX UEPDX PE1P1 CNC1X UEP1A UEP1B	94.82 94.82 1.04 0.00 0.00 0.00 0.00 0.00 0.00 0.00	to a separate 115.85 196.18 70.76 0.00 0.00 switched data abilities will be 197.92 21.39 21.39 1,792.00 174.03 0.48 11.18 0.48	92.92 51.46 0.00 0.00 3 transmiss e determin 98.62 15.47	t or tariff	f at BellSo	outh's disc	cretion.			ent.	
BUNDLED EXCH The D Requi	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES 51 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Porests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the Exchange Ports-2W DID Port Exchange Ports-2W DID Port Exchange Ports-DDITS Port-4W DS1 Port with DID capability (E:4/1/2004) Exchange Ports-2W ISDN PortChannel Profiles Exchange Ports-2W ISDN PortChannel Profiles Exchange Ports-2W ISDN PortChannel Profiles Transmission/usage charges associated with POTS circuit switched Exchange Ports-2W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004) Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004) Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) Physical Collocation-DS1 Cross-Connects Virtual collocation-Special Access & UNE, cross-connect per DS1 ed E911 with Locator Capability (required with UEPEX port) Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Initial Profile Establishment per CLEC per State Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes, Additions, Deletions or Additional PRI Telephone Numbers Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-2-way Tel Nos, per No in E911 profile [New or Add'1] Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Outdial Tel Nos, per No in E911 profile [New or Add'1] Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Outdial Tel Nos, per No in E911 profile [New or Add'1] Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Duttial Tel Nos, per No in E911 profile [New or Add'1] Exchange Ports-4W ISDN DS1 Port-Subsqnt [New] Inward Tel Nos-Inward Data Only Option [New or Add'1] Exchange Ports-4W ISDN DS1 Port-Subsqnt [New] Inward Tel Nos [Customer Testing Purposes]	t in the effec	ctive (date of this amendmen UEPEX UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX I also apply to circuit s rough BFR/NBR Proce UEPEX UEPDX UEPEX UEPDX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX	UEPEX UEP1A UEP1A UEP1C UEP1D UTPMA UEPVF UTUMA Switched voices. Rates for	94.82 94.82 94.82 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0	to a separate 115.85 196.18 70.76 0.00 0.00 switched data abilities will be 197.92 197.92 21.39 21.39 1,792.00 174.03 0.48 11.18	92.92 51.46 0.00 0.00 a transmiss e determin 98.62 15.47	t or tariff	f at BellSo	outh's disc	cretion.			ent.	
BUNDLED EXCH The D Requi	ANGE PORT RATES Transmission/usage charges associated with POTS circuit switched: ACSES TO B Channel or D Channel Packet capability (E:4/1/2004) Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN Port (See Notes below.) All Features Offered Exchange Ports-2W ISDN PortChannel Profiles : Transmission/usage charges associated with POTS circuit switched: Access to B Channel or D Channel Packet capabilities will be availa ANGE PORT RATES (continued) Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004) Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004) Exchange Ports-4W ISDN DS1 Port (E:4/1/2004) Physical Collocation-DS1 Cross-Connects Virtual collocation-DS1 Cross-Connects Virtual collocation-Special Access & UNE, cross-connect per DS1 ed E911 with Locator Capability (required with UEPEX port) Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability- Initial Profile Establishment per CLEC per State Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability- Subsqnt Profile Changes, Additions, Deletions or Additional PRI Telephone Numbers Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability- Ortal Tollocation Capability (Rew or Add'I) Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability- Outdial Tel Nos, per No in E911 profile [New or Add'I] Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability- Outdial Tel Nos, per No in E911 profile [New or Add'I] Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability- Outdial Tel Nos, per No in E911 profile [New or Add'I] Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability- Outdial Tel Nos, per No in E911 profile [New or Add'I] Exchange Ports-4WI ISDN DS1 Port-Subsqnt [New] Inward Tel Nos-Inward Data Only Option [New or Add'I] Exchange Ports-4WI ISDN DS1 Port-Subsqnt [New] Inward Tel Nos-	t in the effec	ctive (date of this amendmen UEPEX UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX ISO apply to circuit soough BFR/NBR Proces UEPEX UEPDX UEPDX UEPEX UEPDX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX	UEPEX UEP1A UEP1B UEP1C UEP1C UEP1C UEPP2 UEPDD U1PMA U1PMA Switched voir ss. Rates for UEPEX UEPDX PE1P1 CNC1X UEP1A UEP1B	94.82 94.82 1.04 0.00 0.00 0.00 0.00 0.00 0.00 0.00	to a separate 115.85 196.18 70.76 0.00 0.00 switched data abilities will be 197.92 21.39 21.39 1,792.00 174.03 0.48 11.18 0.48	92.92 51.46 0.00 0.00 3 transmiss e determin 98.62 15.47	t or tariff	f at BellSo	outh's disc	cretion.			ent.	

UNBUNDL	ED NETWORK ELEMENTS - Louisiana													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RATE	S (\$)			Svc Order Submitte d Elec	d	Svc Order	I Charge - Manual Svc Order	Charge - Manual Svo Order vs.	Charge - Manual Svo Order vs.
											per LSR	_	Electronic-		Electronic- Disc 1st	Electronic- Disc Add'l
							Nonrecu	rring	NRC Di	sconnec			OSS	Rates (\$)	I.	I.
						Rec	First	Add'l				SOMAN			SOMAN	SOMAN
INTE	RFACE (Provsioning Only)								1							
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00								
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00								
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00								
New	or Additional Channel															
	New or Add'I-Voice/Data "B" Channel			UEPEX	PR7BV	0.00	14.11									
	New or Add'l-Digital Data "B" Channel	<u> </u>		UEPEX	PR7BF	0.00	14.11									
	New or Add'l Inward Data "B" Channel New or Add'l Useage Sensitive Voice Data "B" Channel	-		UEPDX UEPEX	PR7BD PR7BS	0.00	14.11 14.11		1							
-	New or Add'l Useage Sensitive Voice Data B Channel New or Add'l Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00	14.11							-		
_	New or Add'l PRI "D" Channel			UEPEX	PR7EX	0.00	14.11					 			1	
CALI	TYPES	<u> </u>		OLI LX	TRILA	0.00	17.11	1			1	1		†		
Ų, .LL	Inward	t		UEPEX UEPDX	PR7C1	0.00	0.00	0.00								
	Outward			UEPEX	PR7CO	0.00	0.00	0.00	1							
	Two-way	i –		UEPEX	PR7CC	0.00	0.00	0.00				1				
UNBU	JNDLED PORT with REMOTE CALL FORWARDING CAPABILITY															
UNBU	JNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.52	2.31	2.21								
	Unbundled Remote Call Forwarding Service, Local Calling-Res			UEPVR	UERLC	1.52	2.31	2.21								
	Unbundled Remote Call Forwarding Service, InterLATA-Res			UEPVR	UERTE	1.52	2.31	2.21								
	Unbundled Remote Call Forwarding Service, IntraLATA-Res			UEPVR	UERTR	1.52	2.31	2.21								
Non-	Recurring															
	Unbundled Remote Call Forwarding Service -Conversion-Switch-as-is			UEPVR	USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service -Conversion with allowed															
LINE	change (PIC and LPIC)			UEPVR	USACC		0.10	0.10								
UNBU	JNDLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UERAC	1.52	2.31	2.21								
	Unbundled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UERLC	1.52	2.31	2.21								
	Unbundled Remote Call Forwarding Service, Local Calling-Bus			UEPVB	UERTE	1.52	2.31	2.21								
	Unbundled Remote Call Forwarding Service, IntraLATA-Bus			UEPVB	UERTR	1.52	2.31	2.21								
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UERVJ	1.52	2.31	2.21								
Non-	Recurring			02. 15	02.110	1.02	2.01									
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVB	USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								
UNBUNDLE	LOCAL SWITCHING, PORT USAGE															
End (Office Switching (Port Usage)															
	End Office Switching Function, Per MOU					0.001868										
	End Office Trunk Port-Shared, Per MOU					0.00018										
Tand	em Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU					0.0001067										
	Tandem Trunk Port-Shared, Per MOU					0.000222										
	Tandem Switching Function Per MOU (Melded)	<u> </u>	-			0.000035296						1			1	
	Tandem Trunk Port-Shared, Per MOU (Melded) Melded Factor: 33.08% of the Tandem Rate	1				0.000073438		-	 		-	-		-		
Com	non Transport	1						1	1		1	1		-		}
COIIII	Common Transport-Per mi, Per MOU	<u> </u>				0.0000032									1	
	Common Transport-Facilities Term Per MOU	1				0.0003748										
UNBUNDLE	D PORT/LOOP COMBINATIONS - COST BASED RATES	t				2.3000.40										
	Based Rates are applied where BellSouth is required by FCC and/or S	State C	ommi	ssion rule to provide	Jnbundled I	ocal Switching	or Switch Port	s.			1					
	ires shall apply to the Unbundled Port/Loop Combination - Cost Base								Port secti	on of thi	s exhibit.					
End (Office and Tandem Switching Usage and Common Transport Usage ra	ites in	the P	ort section of this exh	ibit shall ap	ply to all combin	ations of loop	/port netw	ork eleme	ents exce	pt for UN					
	irst and additional Port nonrecurring charges apply to Not Currently	Combi	ned C	ombos. For Currently	Combined C	combos the nonr	ecurring charg	ges shall b	e those ic	dentified	in the Nor	nrecurring	- Currently C	combined se	ctions.	
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			13.13										
	2W VG Loop/Port Combo-Zone 2	<u> </u>	2			23.75								1		
	2W VG Loop/Port Combo-Zone 3	1	3			49.62		1	1		1	1		1	1	1

ONRONDLE	D NETWORK ELEMENTS - Louisiana													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RATE	S (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually	Incrementa I Charge - Manual Svc Order vs.			Incrementa Charge - Manual Sv Order vs.
											p =	-	Electronic-	Electronic-		Disc Add'
						Dee	Nonrecu	rring	NRC Di	sconnec	1		oss	Rates (\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
UNE Loc	op Rates															
	W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	11.77										
	W VG Loop (SL1)-Zone 2	1	2	UEPRX	UEPLX	22.39										
	W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	48.26			+							
	Voice Grade Line Port Rates (Res)		Ŭ	OLITO	OLI EX	40.20			+							
	W voice unbundled port-res			UEPRX	UEPRL	1.36	38.85	19.08								
	W voice unbundled port-res			UEPRX	UEPRC	1.36	38.85	19.08				-				
														1		
	W voice unbundled port outgoing only-res			UEPRX	UEPRO	1.36	38.85	19.08								
	W VG unbundled LA extended local dialing parity port with Caller ID-			UEPRX	UEPAS	1.36	38.85	19.08								
	W voice unbundled LA Area Plus with Caller ID-res (RUL)			UEPRX	UEPAG	1.36	38.85	19.08								
	W voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.36	38.85	19.08								
	W Voice Unbundled LA res Dialing Plan w/o Caller ID]	UEPRX	UEPWG	1.36	38.85	19.08								
21	W voice unbundled LA Area Plus Port w/o Caller ID Capability			UEPRX	UEPRQ	1.36	38.85	19.08								
	W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPRX	UEPRT	1.36	38.85	19.08					1			
FEATUR				-												
	NI Features Offered	1	\vdash	UEPRX	UEPVF	0.00	0.00	0.00					i e	1	1	
	NUMBER PORTABILITY	1		OLITO	OLI VI	0.00	0.00	0.00								
	ocal No Portability (1 per port)			UEPRX	LNPCX	0.35			+		-					-
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEFRA	LINECX	0.33								1		
	W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPRX	USAC2		0.10	0.10								
	W VG Loop/Line Port Combination -Conversion-Switch with change			UEPRX	USACC		0.10	0.10								
ADDITIO	ONAL NRCs															
21	W VG Loop/Line Port Combination-Subsqnt Activity			UEPRX	USAS2	0.00	0.00	0.00								
U	Inbundled Misc Rate Element, Tag Loop at End User Premise			UEPRX	URETL		8.33	0.83								
OFF/ON	I PREMISES EXTENSION CHANNELS															
21	W Analog VG Extension Loop – Non-Design		1	UEPRX	UEAEN	12.90	36.54	16.87								
	W Analog VG Extension Loop – Non-Design		2	UEPRX	UEAEN	23.33	36.54	16.87								
	W Analog VG Extension Loop – Non-Design		3	UEPRX	UEAEN	48.43	36.54	16.87	+							
	W Analog VG Extension Loop – Norr-Design		1	UEPRX	UEAED	14.93	102.10	65.72			1			1		1
			'		UEAED				+		-					
	W Analog VG Extension Loop – Design		2	UEPRX		25.35	102.10	65.72						1		<u> </u>
	W Analog VG Extension Loop – Design		3	UEPRX	UEAED	50.46	102.10	65.72			ļ					ļ
	OFFICE TRANSPORT															
	nteroffice Transport-Dedicated-2W VG-Facility Term			UEPRX	U1TV2	22.60	39.36	26.62								
	nteroffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRX	U1TVM	0.013	0.00	0.00								
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE Por	ort/Loop Combination Rates	L	$oxed{oxed}$													
	W VG Loop/Port Combo-Zone 1		1			13.13										
	W VG Loop/Port Combo-Zone 2		2			23.75								1	1	
	W VG Loop/Port Combo-Zone 3		3			49.62							İ	İ	İ	
	op Rates	t	m		1	2							i	İ	Ì	
	W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	11.77			1		1	1	 	1	1	†
	W VG Loop (SL1)-Zone 2	†	2	UEPBX	UEPLX	22.39			+		 		 	 	 	
	W VG Loop (SL1)-Zone 3	!	3	UEPBX	UEPLX	48.26			1		1		 	}	}	1
		1	J	UEFDA	UEPLX	40.20			1				!	 	 	
	Voice Grade Line Port (Bus)	<u> </u>	\vdash	HESSY	LIESS:				-				1	1	1	
	W voice unbundled port w/o Caller ID-bus	<u> </u>	\sqcup	UEPBX	UEPBL	1.36	38.85	19.08	ļ		ļ		ļ	ļ		ļ
	W voice unbundled port with Caller + E484 ID-bus			UEPBX	UEPBC	1.36	38.85	19.08								
	W voice unbundled port outgoing only-bus			UEPBX	UEPBO	1.36	38.85	19.08								
	W VG unbundled LA extended local dialing parity port with Caller ID-			UEPBX	UEPAX	1.36	38.85	19.08								
21	W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UEPB1	1.36	38.85	19.08								
21	W voice unbundled LA Bus Area Calling Port with Caller ID (BUC)			UEPBX	UEPAA	1.36	38.85	19.08								
	W Voice Unbundled LA bus Dialing Plan w/o Caller ID			UEPBX	UEPWH	1.36	38.85	19.08						1	1	
	W voice unbundled LA bus Area Calling Port w/o Caller ID Capability		\vdash	UEPBX	UEPBA	1.36	38.85	19.08						1		
	W voice unbundled Incoming Only Port w/o Caller ID Capability	 	\vdash	UEPBX	UEPBE	1.36	38.85	19.08	+		 		 	1	<u> </u>	
	NUMBER PORTABILITY	!	\vdash	OLFDA	OLFBL	1.30	30.03	13.00	1		1		 	}	}	1
		1	\vdash	HEDDY	LNDOV	0.0=			1				!	 	 	
	ocal No Portability (1 per port)	<u> </u>	\vdash	UEPBX	LNPCX	0.35			1		<u> </u>		ļ	1	ļ	
FEATUR		<u> </u>	\sqcup		<u> </u>				ļ		ļ		ļ	ļ		ļ
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00								<u> </u>
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
21	W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPBX	USAC2		0.10	0.10						1		

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	i Zon e	BCS	USOC		RATE	S (\$)			d Elec	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order	Svc Order vs.	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						_	Nonrecu	irring	NRC D	sconnec			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPBX	USACC		0.10	0.10								
ADDI	TIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPBX	USAS2		0.00	0.00								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83								
OFF/	ON PREMISES EXTENSION CHANNELS															
	2W Analog VG Extension Loop – Non-Design		1	UEPBX	UEAEN	12.90	36.54	16.87								
	2W Analog VG Extension Loop – Non-Design		2	UEPBX	UEAEN	23.33	36.54	16.87								
	2W Analog VG Extension Loop – Non-Design		3	UEPBX	UEAEN	48.43	36.54	16.87								
	2W Analog VG Extension Loop – Design		1	UEPBX	UEAED	14.93	102.10	65.72								
	2W Analog VG Extension Loop – Design		2	UEPBX	UEAED	25.35	102.10	65.72								
	2W Analog VG Extension Loop – Design		3	UEPBX	UEAED	50.46	102.10	65.72								
INTE	ROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPBX	U1TV2	22.60	39.36	26.62								
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPBX	U1TVM	0.013	0.00	0.00								
2-WIF	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			13.13										
	2W VG Loop/Port Combo-Zone 2		2			23.75										
	2W VG Loop/Port Combo-Zone 3		3			49.62										
UNE	Loop Rates															
	2W VG Loop (SL 1)-Zone 1		1	UEPRG	UEPLX	11.77										
	2W VG Loop (SL 1)-Zone 2		2	UEPRG	UEPLX	22.39										
	2W VG Loop (SL 1)-Zone 3		3	UEPRG	UEPLX	48.26										
2-Wir	e Voice Grade Line Port Rates (RES - PBX)															
1	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	1.36	66.91	31.29								

<u>UNBUN</u> DL	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RATE	S (\$)			Svc Order Submitte d Elec per LSR	d Manually	Svc Order vs.	I Charge - Manual Svc Order vs.	Charge - Manual Svo Order vs. Electronic-	Order vs. Electronic-
												per LSR	Electronic-		Disc 1st	Disc Add'l
						Rec	Nonrecu	rring	NRC Di	sconnec			OSS	Rates (\$)		L.
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOC	AL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEAT	TURES															
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2		7.68	1.85								
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-is 2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with			UEPRG	USACZ		7.68	1.85							-	
ADDI	TIONAL NRCs			ULFRG	USACC		7.00	1.00								
ADD.	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPRG	USAS2	0.00	0.00	0.00								
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group			02.110	00/102	0.00	7.11	7.11								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRG	URETL		8.33	0.83			1					
OFF/	ON PREMISES EXTENSION CHANNELS			-	1											
	Local Channel VG, per Term		1	UEPRG	P2JHX	14.93	102.10	65.72								
	Local Channel VG, per Term		2	UEPRG	P2JHX	25.35	102.10	65.72								
	Local Channel VG, per Term		3	UEPRG	P2JHX	50.46	102.10	65.72								
INTE	ROFFICE TRANSPORT				<u> </u>											
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRG	U1TV2	22.60	39.36	26.62								
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRG	U1TVM	0.013	0.00	0.00								
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE	Port/Loop Combination Rates	-	4			40.40										
	2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2		2			13.13 23.75										
	2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3		3			49.62										
UNF	Loop Rates		3		1	43.02										
OILE	2W VG Loop (SL 1)-Zone 1		1	UEPPX	UEPLX	11.77										
	2W VG Loop (SL 1)-Zone 2		2	UEPPX	UEPLX	22.39										
	2W VG Loop (SL 1)-Zone 3		3	UEPPX	UEPLX	48.26										
2-Wii	re Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	1.36	66.91	31.29								
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	1.36	66.91	31.29								
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	1.36	66.91	31.29								
	2W Voice Unbundled 2-Way Combination PBX LA Calling Port			UEPPX	UEPL2	1.36	66.91	31.29								
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.36	66.91	31.29								
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.36	66.91	31.29								
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.36	66.91	31.29								
	2W Voice Unbundled PBX LD DDD Terminals Port 2W Voice Unbundled PBX LD Terminal Switchboard Port	<u> </u>	-	UEPPX UEPPX	UEPXC UEPXD	1.36 1.36	66.91 66.91	31.29 31.29			-	-			<u> </u>	-
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port	<u> </u>	-	UEPPX	UEPXD	1.36	66.91	31.29	-			-			-	-
	2W Voice Unbundled 2-Way PBX LA Local Optional Calling Port			UEPPX	UEPXK	1.36	66.91	31.29							-	1
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1.36	66.91	31.29								
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.36	66.91	31.29								
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1.36	66.91	31.29								
	2W Voice Unbundled 1-Way Outgoing PBX LA Local Discount Calling Port			UEPPX	UEPXP	1.36	66.91	31.29								
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.36	66.91	31.29								
LOC	AL NUMBER PORTABILITY	<u> </u>										ļ				
FF 43	Local No Portability (1 per port)	<u> </u>	-	UEPPX	LNPCP	3.15	0.00	0.00	1			ļ	ļ	ļ		
FEA	All Features Offered	<u> </u>	-	UEPPX	UEPVF	0.00	0.00	0.00			-	-			<u> </u>	-
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	<u> </u>	-	UEPPA	UEPVF	0.00	0.00	0.00			-	-			<u> </u>	
NON	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is	-		UEPPX	USAC2		7.68	1.85				1				
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-is 2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with			UEPPX	USACC		7.68	1.85								
ΔΠΠΙ	TIONAL NRCs			ULFFA	USACC		1.00	1.03				<u> </u>				
וטטא	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPPX	USAS2	0.00	0.00	0.00				1				
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group			SELLY	23/102	5.50	7.11	7.11			1	1	1	1	†	1
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPX	URETL		8.33	0.83				1	1	1	1	1

<u>JNBUND</u> LI	ED NETWORK ELEMENTS - Louisiana													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RATE	S (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually	Incrementa I Charge - Manual Svc Order			Charge - Charge - Manual Sv Order vs.
												per LSR		Electronic-	Disc 1st	Disc Add'
						D	Nonrecu	ırring	NRC Di	sconnec	1		oss	Rates (\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
OFF/C	ON PREMISES EXTENSION CHANNELS															
	Local Channel VG, per Term		1	UEPPX	P2JHX	14.93	102.10	65.72								
	Local Channel VG, per Term		2	UEPPX	P2JHX	25.35	102.10	65.72								
	Local Channel VG, per Term		3	UEPPX	P2JHX	50.46	102.10	65.72								
INTER	ROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPPX	U1TV2	22.60	39.36	26.62								
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPPX	U1TVM	0.013	0.00	0.00								
	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
UNE F	Port/Loop Combination Rates															
	2W VG Coin Port/Loop Combo – Zone 1		1			13.13										
	2W VG Coin Port/Loop Combo – Zone 2		2			23.75										
	2W VG Coin Port/Loop Combo – Zone 3		3			49.62										
	oop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	11.77										
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	22.39										
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	48.26										
2-Wire	e Voice Grade Line Ports (COIN)															
	2W Coin 2-Way w/o Oper Screening and w/o Blocking			UEPCO	UEPRF	1.36	38.85	19.08								
	2W Coin 2-Way with Oper Screening and Blocking: 011, 900/976,			UEPCO	UEPRA	1.36	38.85	19.08								
	2W Coin 2-Way with Oper Screening and 011 Blocking			UEPCO	UEPRB	1.36	38.85	19.08								
	2W Coin 2-Way with Oper Screening & Blocking: 900/976, 1+DDD,															
	011+, & Local			UEPCO	UEPCD	1.36	38.85	19.08								
	2W Coin Outward w/o Blocking and w/o Oper Screening			UEPCO	UEPRN	1.36	38.85	19.08								
	2W Coin Outward with Oper Screening and 011 Blocking			UEPCO	UEPLA	1.36	38.85	19.08								
	2W Coin Outward with Oper Screening and Blocking: 011, 900/976,			UEPCO	UEPRH	1.36	38.85	19.08								
	2W Coin Outward Oper Screening & Blocking: 900/976, 1+DDD, 011+,															
	and Local			UEPCO	UEPCN	1.36	38.85	19.08								
	2W Coin 2-Way Smartline with 900/976			UEPCO	UEPNA	1.36	38.85	19.08								
	2W Coin Outward Smartline with 900/976			UEPCO	UEPCB	1.36	38.85	19.08								
ADDIT	TIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.81	0.00	0.00	0.00	0.00						
LOCA	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPCO	LNPCX	0.35										
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination -Conversion-Switch-as-is			UEPCO	USAC2		0.10	0.10								
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPCO	USACC		0.10	0.10								
ADDIT	TIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPCO	USAS2		0.00	0.00								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8.33	0.83								
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE	PORT	(RES	<u>) </u>												
UNE F	Port/Loop Combination Rates					40.45						ļ				
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			16.45										
	2W VG Loop/IO Tranport/Port Combo-Zone 2	<u> </u>	2			26.87		<u> </u>			<u> </u>		-	-	1	<u> </u>
	2W VG Loop/IO Tranport/Port Combo-Zone 3	<u> </u>	3			51.98		<u> </u>			<u> </u>		-	-	1	<u> </u>
	Loop Rates	-	-	HEDED	LIFOTO	44.00		 	-		 	!	1	1	1	
	2W VG Loop (SL2)-Zone 1	-	1	UEPFR	UECF2	14.93		 	1		 	 	1	1	1	
	2W VG Loop (SL2)-Zone 2	<u> </u>	2	UEPFR	UECF2	25.35		<u> </u>			<u> </u>		-	-	1	<u> </u>
2 /8/:	2W VG Loop (SL2)-Zone 3 e Voice Grade Line Port Rates (Res)	-	3	UEPFR	UECF2	50.46		 	1		 	 	1	1	1	
∠-vvire	` '	<u> </u>	1	UEPFR	UEPRL	1.52	104.41	67.93			1		 	 	1	
_	2W voice unbundled port-res 2W voice unbundled port with Caller ID-res	-	<u> </u>	UEPFR	UEPRC	1.52	104.41	67.93	-		-	-			}	
-	2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res	 	1	UEPFR	UEPRO	1.52	104.41	67.93			1	†	 	 	ł	1
_	2W VG unbundled LA extended local dialing parity port with Caller ID-	-	<u> </u>	UEPFR	UEPAS	1.52	104.41	67.93			-	-			}	
_	2W voice unbundled LA Area Plus with Caller ID-res (RUL)	-	<u> </u>	UEPFR	UEPAG	1.52	104.41	67.93			-	-			}	
	2W voice unbundles res, low usage line port with Caller ID (LUM)	1	1	UEPFR	UEPAP	1.52	104.41	67.93			1	 	1	1	1	<u> </u>
	2W Voice Unbundles res, low usage line port with Caller ID (LUM) 2W Voice Unbundled LA res Dialing Plan w/o Caller ID	-	<u> </u>	UEPFR	UEPWG	1.52	104.41	67.93			-	-			}	
II.	1217 YOUGO OTIDUTUICU LA TOS DIGITIU FIGIT W/U CATRE ID		1	UEFFR	ULPWG	1.32	104.41	01.93	1		ļ				.	
INTER																
INTER	OFFICE TRANSPORT Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	22.60	39.36	26.62								

<u>UNBUNDL</u>	ED NETWORK ELEMENTS - Louisiana													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RATE	S (\$)			Svc Order Submitte d Elec per LSR	d Manually	Svc Order vs.	I Charge - Manual Svc Order vs.	Charge - Manual Svo Order vs. Electronic-	Order vs.
												per Lak	Electronic-		DISC ISL	DISC Add
						Rec	Nonrecu	ırring		sconnec				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FEAT	URES															
	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00								
LOCA	L NUMBER PORTABILITY			LIEBER	LUBOY											
NON	Local No Portability (1 per port)			UEPFR	LNPCX	0.35										
NONI	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion- Switch-as-is			UEPFR	USAC2		8.24	1.81								
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch-With-Change			UEPFR	USACC		8.24	1.81								
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFR	URETN		11.20	1.10								
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE	PORT	(BOS)												
UNE	Port/Loop Combination Rates 2W VG Loop/IO Tranport/Port Combo-Zone 1		4		1	16.45			1	 					1	-
	2W VG Loop/IO Tranport/Port Combo-Zone 1 2W VG Loop/IO Tranport/Port Combo-Zone 2		2		+	16.45 26.87			-	 	-					
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			51.98										
UNF	Loop Rates		3		1	31.30			1	 				-	1	
0.112	2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	14.93			1							
	2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2	25.35										
	2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	50.46										
2-Wir	e Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	1.52	104.41	67.93								
	2W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBC	1.52	104.41	67.93								
	2W voice unbundled port outgoing only-bus			UEPFB	UEPBO	1.52	104.41	67.93								
	2W VG unbundled LA extended local dialing parity port with Caller ID-			UEPFB	UEPAX	1.52	104.41	67.93								
	2W voice unbundled incoming only port with Caller ID-Bus			UEPFB	UEPB1	1.52	104.41	67.93								
	2W voice unbundled LA Bus Area Calling Port with Caller ID (BUC)			UEPFB	UEPAA	1.52	104.41	67.93								
1.00	2W Voice Unbundled LA bus Dialing Plan w/o Caller ID L NUMBER PORTABILITY			UEPFB	UEPWH	1.52	104.41	67.93								
LUCA	Local No Portability (1 per port)			UEPFB	LNPCX	0.35										-
INTE	ROFFICE TRANSPORT			OLITB	LIVIOX	0.55										
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2	22.60	39.36	26.62								
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX	0.013	00.00	20.02								
FEAT	URES			-												
	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch-as-is			UEPFB	USAC2		8.24	1.81								
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-			====						l						
_	Switch with change			UEPFB	USACC		8.24	1.81	1	 		ļ			ļ	<u> </u>
2 18/11	Unbundled Misc Rate Element, Tag Designed Loop at End User RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE	DODT	/DDV	UEPFB	URETN		11.20	1.10	1	-	-			-		1
	Port/Loop Combination Rates	PURI	(FBX	,	+			1	1	 	-			-		}
ONE	2W VG Loop/IO Tranport/Port Combo-Zone 1		1		1	16.45				 					1	
_	2W VG Loop/IO Tranport/Port Combo-Zone 2		2		+	26.87			1		-					
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			51.98			t							
UNE	Loop Rates		Ť			200			1							
	2W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2	14.93										
	2W VG Loop (SL2)-Zone 2		2	UEPFP	UECF2	25.35										
	2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	50.46										
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)				1											
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus		.	UEPFP	UEPPC	1.52	132.47	82.14	1							<u> </u>
_	Line Side Unbundled Outward PBX Trunk Port-Bus		-	UEPFP	UEPPO	1.52	132.47	82.14		ļ						1
	Line Side Unbundled Incoming PBX Trunk Port-Bus		-	UEPFP UEPFP	UEPP1 UEPL2	1.52 1.52	132.47 132.47	82.14	1	 					1	1
	2W Voice Unbundled 2-Way Combination PBX LA Calling Port 2W Voice Unbundled PBX LD Terminal Ports		-	UEPFP	UEPL2 UEPLD	1.52	132.47	82.14 82.14	1	 					-	
-	2W Voice Unbundled PBX LD Terminal Ports 2W Voice Unbundled 2-Way Combination PBX Usage Port		-	UEPFP	UEPLD	1.52	132.47	82.14 82.14		-	1	1		 		1
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.52	132.47	82.14			-					
-	2W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.52	132.47	82.14	1	 				-	1	\vdash
	2W Voice Unbundled PBX LD Terminal Switchboard Port		-	UEPFP	UEPXD	1.52	132.47	82.14	1	l	 	-	-	 	1	1

<u> NROND</u> FF	ED NETWORK ELEMENTS - Louisiana													ment: 2	Exhil	
											Svc	Svc	Incrementa	Incrementa	Incremental	Incremen
											Order	Order	I Charge -	I Charge -	Charge -	Charge
		l	.1_ 1									Submitte		Manual	Manual Svc	
ATEGORY	RATE ELEMENTS		Zon	BCS	USOC		RATE	S (\$)			d Elec	d	Svc Order	Svc Order	Order vs.	Order vs
		m	е	200	0000			(4)								
											per LSR	Manually	vs.	vs.		
												per LSR	Electronic-		Disc 1st	Disc Add
			1		-	1	Managa		NDC D				164	Rates (\$)		
						Rec	Nonrecu			sconnec						
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.52	132.47									
	2W Voice Unbundled 2-Way PBX LA Local Optional Calling Port			UEPFP	UEPXK	1.52	132.47	82.14								
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative															
	Calling Port			UEPFP	UEPXL	1.52	132.47	82.14								
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling															
	Port			UEPFP	UEPXM	1.52	132.47	82.14								
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount															
	Room Calling Port			UEPFP	UEPXO	1.52	132.47	82.14								
	2W Voice Unbundled 1-Way Outgoing PBX LA Local Discount Calling		1 1													
	Port			UEPFP	UEPXP	1.52	132.47	82.14								
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port		1	UEPFP	UEPXS	1.52	132.47	82.14								
	L NUMBER PORTABILITY	_	1	UEFFF	UEFAS	1.32	132.47	02.14								
		-	1	LIEDED	LNPCP	0.45	0.00	0.00						1		
	Local No Portability (1 per port)		1	UEPFP	LNPCP	3.15	0.00	0.00								
	OFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2	22.60	39.36	26.62								
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	1L5XX	0.013										
FEAT																
	All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00								
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch-as-is			UEPFP	USAC2		8.24	1.81								
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-		1 1	02	00/102		0.2.									
	Switch with change			UEPFP	USACC		8.24	1.81								
	Unbundled Misc Rate Element, Tag Designed Loop at End User		1	UEPFP	URETN		11.20							1		
	PORT/LOOP COMBINATIONS - COST BASED RATES	_	1	ULFIF	UKLIN		11.20	1.10								
			1		-											
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT															
	ort/Loop Combination Rates		١.,			22.22										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1			23.20										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2			33.62										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3			58.73										
	oop Rates															
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD1	14.93	-									
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD1	25.35										
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1	50.46										
	ort Rate													1		
	Exchange Ports-2W DID Port			UEPPX	UEPD1	8.27	217.95	83.92								
	ECURRING CHARGES - CURRENTLY COMBINED	 	1 1	02	1 02. 21	3.27	200	55.5 <u>Z</u>						1		
	2W VG Loop/2W DID Trunk Port Combination -Switch-as-is	 	+	UEPPX	USAC1	1	7.10	1.81						1		
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable		+ +	UEPPX	USA1C		7.10							1		
	TONAL NRCs	_	1	ULFFX	USATO		7.10	1.01								
	2W DID Subsqnt Activity-Add Trunks, Per Trunk	-	1	UEPPX	USAS1	 	26.01	26.01						-		
		-	₩											1		
	Unbundled Misc Rate Element, Tag Designed Loop at End User	—	$\vdash \vdash$	UEPPX	URETN		11.20	1.10								
	none Number/Trunk Group Establisment Charges															
	DID Trunk Term (One Per Port)			UEPPX	NDT	0.00	0.00									
	Add'l DID Nos for each Group of 20 DID Nos		<u> </u>	UEPPX	ND4	0.00	0.00									
	DID Nos, Non-consecutive DID Nos , Per No			UEPPX	ND5	0.00	0.00									
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00								
	L NUMBER PORTABILITY		1 1		1							İ				
	Local No Portability (1 per port)		1 1	UEPPX	LNPCP	3.15	0.00	0.00				 		 		—

<u>UNBUNDLI</u>	ED NETWORK ELEMENTS - Louisiana													Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	В	cs	usoc		RATE	S (\$)			Svc Order Submitte d Elec per LSR	d Manually	Incrementa I Charge - Manual Svc Order vs.		Incremental Charge - Manual Svo Order vs. Electronic-	Incrementa Charge - Manual Sv Order vs.
										NDO D					Rates (\$)		
							Rec	Nonrecu			sconnec						
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SID	E POR	RT														
UNE F	Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone		1	02: . 0	UEPPR		27.48										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone		2	UEPPB	UEPPR		40.34										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone		3	UEPPB	UEPPR		70.99										
UNE L	Loop Rates					1101.01	10.00										
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB	UEPPR	USL2X	19.09										
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB	UEPPR	USL2X	31.95										
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB	UEPPR	USL2X	62.60										
UNE F	Port Rate																
	Exchange Port-2W ISDN Line Side Port			UEPPB	UEPPR	UEPPB	8.39	184.10	128.42								
NONR	ECURRING CHARGES - CURRENTLY COMBINED																
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-					1								l			
	Conversion		<u></u>	UEPPB	UEPPR	USACB	0.00	37.40	26.23					<u> </u>			<u> </u>
ADDIT	TIONAL NRCs																
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPB	UEPPR	URETN		11.20	1.10								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPB	UEPPR	URETL		8.33	0.83								
LOCA	L NUMBER PORTABILITY																
	Local No Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CH/	ANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CH/	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, &	k TN)															
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USFR	TERMINAL PROFILE			02	02	0.00.	0.00	0.00	0.00						-		
OOLK	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERT	ICAL FEATURES			OLITE	OLITIK	OTOWIN	0.00	0.00	0.00								
VEIXI	All Vertical Features-One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00								
INTER	ROFFICE CHANNEL MILEAGE			ULFFB	OLFFR	OLFVI	0.00	0.00	0.00								
INTER	Interoffice Channel miage each, including first mi and facilities Term			LIEDDD	UEPPR	M1GNC	22.613	39.36	26.62	-							
	Interoffice Channel miage each, Including first fill and facilities ferm			UEPPB	UEPPR	M1GNM	0.013	0.00	0.00	-							
4 14/10	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT			UEFFB	UEFFR	IVITGINIVI	0.013	0.00	0.00	-							
	NE-P DS1 combination rates below for in this exhibit apply to the em	20442	d bor	oo in nloos	oo of 10/2/0	2	After 4/1/04 the	oo rotoo oboll	rovert to t	oriff rotos		oroto com	moroial ag	l roomont	-		
	ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital Trunk P																
	Port/Loop Combination Rates	ort art	erun	e enective (iate of this	amenument	Shall be provide	u pursuant to	a separate	agreeme	int or tari	II at bello	Juin's disc	retion.			
UNE F	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 1		1	HE	PPP		180.52			-							
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2		2		PPP		289.78										
										-							
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3		3	UE	PPP	-	586.76			-						-	
UNE L	LOOP Rates		-		חחח	LICI 4D	05.70			1				1	1	1	}
	4W DS1 Digital Loop-UNE Zone 1		1		PPP	USL4P	85.70							1	1	1	1
	4W DS1 Digital Loop-UNE Zone 2		2		PPP	USL4P	194.96								1	1	1
	4W DS1 Digital Loop-UNE Zone 3		3	UE	PPP	USL4P	491.94							ļ		1	
UNE F	Port Rate		<u> </u>			LIEBBE			0=4.67	1				ļ			1
	Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UE	PPP	UEPPP	94.82	443.08	251.60								
NONR	ECURRING CHARGES - CURRENTLY COMBINED									ļ							
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-								_					1			
	Conversion -Switch-as-is (E:4/1/2004)			UE	PPP	USACP	0.00	115.63	76.29	1				ļ			ļ
ADDIT	TIONAL NRCs																
	4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqt Actvy-Inward/two way Tel													1			
	Nos				PPP	PR7TF		0.48						ļ			
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos				PPP	PR7TO		11.18	11.18								
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqnt Inward Tel Nos			UE	PPP	PR7ZT		22.35	22.35								
LOCA	L NUMBER PORTABILITY																
	Local No Portability (1 per port)			UE	PPP	LNPCN	1.75										
	RFACE (Provsioning Only)																
INTER	AFACE (Flovsioling Only)																

UNBUNDL	ED NETWORK ELEMENTS - Louisiana					1.								ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RATE	:S (\$)			Svc Order Submitte d Elec per LSR	d Manually	Svc Order vs.	I Charge - Manual Svc Order vs.	Charge - Manual Svo Order vs. Electronic-	Charge - Manual So Order vs. Electronic
												per LSR	Electronic-		Disc 1st	Disc Add
						Rec	Nonrecu	ırring	NRC Di	sconnec	1		oss	Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New	or Additional "B" Channel															
	New or Add'I-Voice/Data B Channel			UEPPP	PR7BV	0.00	14.11									
	New or Add'I-Digital Data B Channel New or Add'I Inward Data B Channel			UEPPP UEPPP	PR7BF PR7BD	0.00	14.11 14.11									
CALL	TYPES			UEPPP	PR/BD	0.00	14.11							-		
CALL	Inward			UEPPP	PR7C1	0.00	0.00	0.00								1
	Outward			UEPPP	PR7CO	0.00	0.00	0.00								+
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								1
Interd	office Channel Mileage		1	<u> </u>		5.00	2.00	0.00	t							
	Fixed Each Including First mi		l	UEPPP	1LN1A	70.7352	86.69	79.44	1							1
İ	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.2652					İ					
4-WIF	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
	JNE-P DS1 combination rates below for in this exhibit apply to the em											mercial ag	reement.			
	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective	date o	f this	amendment shall be	provided pur	rsuant to a separ	ate agreement	or tariff at	t BellSout	h's disc	retion.					
UNE	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1		1	UEPDC		154.17										
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2		2			263.43										
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 3		3	UEPDC		560.41										
UNE	Loop Rates		1	UEPDC	USLDC	85.70	-									+
	4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2		2		USLDC	194.96	-									
	4W DS1 Digital Loop-UNE Zone 3		3		USLDC	491.94										1
UNE	Port Rate		-	OLI DO	OOLDO	431.34										
ONE	4W DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	68.47	441.34	245.90								
NONE	RECURRING CHARGES - CURRENTLY COMBINED			02.50	022	00.11		210.00								
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is (E:4/1/2004)			UEPDC	USAC4		125.75	65.08								
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		125.75	65.08								
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with Change-Trunk (E:4/1/2004)			UEPDC	USAWB		125.75	65.08								
ADDI	TIONAL NRCs															
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan-2-Way Trunk			UEPDC	UDTTA		14.06	14.06								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan- 1-Way Outward Trunk			UEPDC	UDTTB		14.06	14.06								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan		I	02.100	00110		14.00	14.00								
	Inward Trunk w/out DID 4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-			UEPDC	UDTTC		14.06	14.06								
	Inward Trunk with DID 4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan- Inward Trunk with DID 4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-			UEPDC	UDTTD		14.06	14.06								
	Way DID w User Trans			UEPDC	UDTTE		14.06	14.06								
BIPO	LAR 8 ZERO SUBSTITUTION	<u> </u>	├	LIEDDO	CCOSF	1	0.00:	COE 00:	1	 	1	ļ			1	1
	B8ZS -Superframe Format B8ZS-Extended Superframe Format		 	UEPDC UEPDC	CCOSF	-	0.00i 0.00i	605.00s 605.00s	1	 	 	-			-	
Alton	nate Mark Inversion	<u> </u>	1	UEPDC	CCUEF	-	0.001	000.008	-	 	1	-				1
Aiteii	AMI -Superframe Format			UEPDC	MCOSF	<u> </u>	0.00	0.00	1	-	 	<u> </u>			1	
	AMI-Extended SuperFrame Format		 	UEPDC	MCOPO	1	0.00	0.00	1		1	1		†		1
Telep	hone Number/Trunk Group Establisment Charges		1	550			5.50	0.00		 						
	Tel No for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
İ	Tel No for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
	Tel No for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00										
	DID Nos for each Group of 20 DID Nos			UEPDC	ND4	0.00										
	1 · · · · · · · · · · · · · · · · ·			UEPDC	ND5	0.00	1	1	1	ı —	1	1		1	1	1
	DID Nos, Non-consecutive DID Nos , Per No															
	DID Nos, Non-consecutive DID Nos , Per No Reserve Non-Consecutive DID Nos. Reserve DID Nos			UEPDC UEPDC UEPDC	ND6 NDV	0.00	0.00	0.00								

UNBUNDLE	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
											Svc	Svc	Incrementa	Incrementa	Incremental	Incrementa
											Order	Order	I Charge -	I Charge -	Charge -	Charge -
		n4a=:	Zon								Submitte		Manual	Manual	Manual Svo	
ATEGORY	RATE ELEMENTS			BCS	USOC		RATE	S (\$)			d Elec	d	Svc Order	Svc Order	Order vs.	Order vs.
		m	е									Manually		vs.	Electronic-	
											per Lor	-	Electronic-			Disc Add'
												per LSK			DISC ISL	DISC Add
						Б	Nonrecu	ırring	NRC Di	sconnec		•	oss	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	70.47	86.69	79.44								
	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.2652	0.00	0.00								
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.2652	0.00	0.00								
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOC	0.2652	0.00	0.00								
	Local No Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	CO Termininating Point			UEPDC	CTG	0.00										
4-WIRI	E DS1 LOOP WITH CHANNELIZATION WITH PORT															
Systen	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations	i														
Each S	System can have up to 24 combinations of rates depending on type ar	nd nu	ımber	of ports used												
	NE-P DS1 combination rates below for 4-Wire DS1 Loop with Channel				apply to the	embedded base i	n place as of	10/2/03 unt	il 4/1/04.	After 4/1	04 these r	ates shall i	evert to tarif	f rates or a	separate agre	ement.
	sts for 4-Wire DS1 Loop with Channelization with Port after the effect	ive d	ate of	this amendment shal	l be provided	pursuant to a s	eparate agreer	ment or tar	iff at Bell	South's	discretion					
UNE D	\$1 Loop															
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	85.70	0.00	0.00								
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	194.96	0.00	0.00								
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	491.94	0.00	0.00								
UNE D	SO Channelization Capacities (D4 Channel Bank Configurations)															
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	97.35	0.00	0.00								
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	194.70	0.00	0.00								
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	389.40	0.00	0.00								
	144 DS0 Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	584.10	0.00	0.00								
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	778.80	0.00	0.00								
	240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM2O	973.50	0.00	0.00								
	288 DS0 Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	1,168.20	0.00	0.00								
	384 DS0 Channel Capacity-1 per 16 DS1s			UEPMG	VUM38	1,557.60	0.00	0.00								
	480 DS0 Channel Capacity-1 per 20 DS1s			UEPMG	VUM4O	1,947.00	0.00	0.00								
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,336.40	0.00	0.00								
	672 DS0 Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	2,725.80	0.00	0.00								
	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with Change	elizt	ion w													
	mum System configuration is One (1) DS1, One (1) D4 Channel Bank,															
	les of this configuration functioning as one are considered Add'l afte															
	NRC-Conversion (Currently Combined) with or w/o BST Allowed		1	UEPMG	USAC4	0.00	146.13	8.12								1
	n Additions at End User Locations Where 4-Wire DS1 Loop with Chan	neliz	ation													
	Not Currently Combined) in all states, except in Density Zone 1 of Top				T											
11011	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea	-	1													
	Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	715.54	467.54								
	r 8 Zero Substitution															1
	Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	CCOSF	0.00	0.00i	605.00s					i		1	
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity															1
	Only			UEPMG	CCOEF	0.00	0.00i	605.00s								
	ate Mark Inversion (AMI)					****										
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								1
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	nge Ports Associated with 4-Wire DS1 Loop with Channelization with	Port		02.10		0.00	0.00	0.00								
	nge Ports				+											
	Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004)		1	UEPPX	UEPCX	1.52	0.00	0.00	0.00	0.00			l		1	1
	Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004)		1	UEPPX	UEPOX	1.52	0.00	0.00	0.00	0.00			 	 	1	1
	Line Side Inward Only Channelized PBX Trunk Port w/o DID		1	UEPPX	UEP1X	1.52	0.00	0.00	0.00	0.00			l		1	1
	2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004)			UEPPX	UEPDM	8.29	0.00	0.00	0.00	0.00			i		1	1
	Unbundled Exchange Ports, 2W Channelized – Outdial – (AL, KY, LA,		1	32117	0 E I D I VI	5.29	0.00	0.00	5.00	5.00			l		1	1
	MS, & TN)(Conversion from Network Access Service) (E:4/1/2004)			UEPPX	UEPCY	1.52	0.00	0.00	0.00	0.00			1			
	Unbundled Exchange Ports, 2W Channelized – Combination (AL, KY,		1	32117	52.0.	1.02	0.00	0.00	5.00	5.00			l		1	1
	LA, MS, & TN) (Conversion from Network Access Service) (E:4/1/2004)			UEPPX	UEPCT	1.52	0.00	0.00	0.00	0.00						
	Unbundled Exchange Ports, 2W Channelized – Outdial – LA Only –		1	32117	52.0.	1.02	0.00	0.00	5.00	5.00			l		1	1
	Calling Plan (E:4/1/2004)		1	UEPPX	UEPC2	1.52	0.00	0.00	0.00	0.00	1		l	1		1
			+	OLI I A	021 02	1.02	0.00	0.00	0.00	0.00	 		-	!	1	+
	Unbundled Exchange Ports, 2W Channelized – Two Way-LA Only –															
	Unbundled Exchange Ports, 2W Channelized – Two Way-LA Only – Calling Plan (E:4/1/2004)			UEPPX	UEPC3	1.52	0.00	0.00	0.00	0.00						

l i	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RATE	, ,			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo Order vs. Electronic-	Charge -
						Rec	Nonrecu			sconnec				Rates (\$)		
igsquare							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.6497	25.36	13.40								
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQWU	0.6497	78.05	18.40								
	hone Number/ Group Establishment Charges for DID Service DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	DID Nos-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Nos-per No			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00								
Local	Number Portability															
	Local No Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	URES - Vertical and Optional															
	Switching Features Offered with Line Side Ports Only								1]	
	All Features Available			UEPPX	UEPVF	0.00	0.00	0.00	<u> </u>						1	
	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES		<u> </u>	l	<u> </u>											
	st Based Rates are applied where BellSouth is required by FCC and/o								I Dood oo		L * L * L * L * L * L * L * L *					
	tures shall apply to the Unbundled Port/Loop Combination - Cost Ba															
	d Office and Tandem Switching Usage and Common Transport Usage first and additional Port nonrecurring charges apply to Not Currentl														d coations	Additional
		y Con	bined	Combos. For Curre	entiy Combin	ea Combos, the r	ionrecurring o	narges sn	all be tho	se identi	nea in the	Nonrecurr	ing - Curren	tiy Combine	a sections.	Additional
	may apply also and are categorized accordingly. Irket Rates for Unbundled Centrex Port/Loop Combination will be neg	otiata	d on	an Individual Casa Br	neie until fur	thor notice			1				1	ı	1	1
	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)	Juliale	U	I IIIUIVIUUAI Case Ba	1515, UIIIII IUI	ther notice.										
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP91		13.13										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP91		23.75										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP91		49.62										
	Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP91		16.29										
-	014/1/01 1014/1/0 Post 100-11- 100-11- Post 100-11-		2	UEP91		26.71										
l I i	2W VG Loop/2W VG Port (Centrex)Port Combo-Design			OLISI												
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP91		48.26										
UNE L	2W VG Loop/2W VG Port (Centrex)Port Combo-Design oop Rate		3	UEP91												
UNE L	2W VG Loop/2W VG Port (Centrex)Port Combo-Design oop Rate 2W VG Loop (SL 1)-Zone 1		1	UEP91 UEP91	UECS1	11.77										
UNE L	2W VG Loop/2W VG Port (Centrex)Port Combo-Design .oop Rate 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2		1 2	UEP91 UEP91 UEP91	UECS1	11.77 22.39										
UNE L	2W VG Loop/2W VG Port (Centrex)Port Combo-Design .oop Rate 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3		1 2 3	UEP91 UEP91 UEP91 UEP91	UECS1 UECS1	11.77 22.39 48.26										
UNE L	2W VG Loop/2W VG Port (Centrex)Port Combo-Design oop Rate 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3 2W VG Loop (SL 2)-Zone 1		1 2 3 1	UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2	11.77 22.39 48.26 14.93										
UNE L	2W VG Loop/2W VG Port (Centrex)Port Combo-Design .oop Rate 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2		1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2	11.77 22.39 48.26 14.93 25.35										
UNE L	2W VG Loop/2W VG Port (Centrex)Port Combo-Design .oop Rate 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 2		1 2 3 1	UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2	11.77 22.39 48.26 14.93										
UNE L	2W VG Loop/2W VG Port (Centrex)Port Combo-Design .oop Rate 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 3 2W VG Loop (SL 2)-Zone 3		1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2	11.77 22.39 48.26 14.93 25.35										
UNE L	2W VG Loop/2W VG Port (Centrex)Port Combo-Design .oop Rate 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 3 Ports ates (Except NC and SC)		1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2	11.77 22.39 48.26 14.93 25.35 50.46	28 95	10.00								
UNE L	2W VG Loop/2W VG Port (Centrex)Port Combo-Design .oop Rate 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 2)-Zone 3 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 3 2orts ates (Except NC and SC) 2W VG Port (Centrex) Basic Local Area		1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2	11.77 22.39 48.26 14.93 25.35 50.46	38.85	19.08								
UNE L	2W VG Loop/2W VG Port (Centrex)Port Combo-Design .oop Rate 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 3 Ports ates (Except NC and SC) 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term)Basic Local Area		1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2	11.77 22.39 48.26 14.93 25.35 50.46	38.85	19.08								
UNE L	2W VG Loop/2W VG Port (Centrex)Port Combo-Design .oop Rate 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 3 Ports ates (Except NC and SC) 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term)Basic Local Area 2W VG Port (Centrex with Caller ID)Note1 Basic Local Area		1 2 3 1 2	UEP91	UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECYA UEPYA UEPYB UEPYH	11.77 22.39 48.26 14.93 25.35 50.46 1.36 1.36	38.85 38.85	19.08 19.08								
UNE L UNE L UNE R UNE P All Sta	2W VG Loop/2W VG Port (Centrex)Port Combo-Design .oop Rate 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 2)-Zone 3 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 3 2w VG Loop (SL 2)-Zone 3 2w VG Loop (SL 2)-Zone 3 2w VG Loop (SL 2)-Zone 3 2w VG Port (Centrex 800 Term)Basic Local Area 2W VG Port (Centrex with Caller ID)Note1 Basic Local Area 2W VG Port (Centrex from diff SWC) Note 2, 3 Basic Local Area		1 2 3 1 2	UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYB UEPYH UEPYM	11.77 22.39 48.26 14.93 25.35 50.46 1.36 1.36 1.36	38.85 38.85 104.41	19.08 19.08 67.93								
UNE L	2W VG Loop/2W VG Port (Centrex)Port Combo-Design .oop Rate 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 3 Ports ates (Except NC and SC) 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term)Basic Local Area 2W VG Port (Centrex with Caller ID)Note1 Basic Local Area		1 2 3 1 2	UEP91	UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECYA UEPYA UEPYB UEPYH	11.77 22.39 48.26 14.93 25.35 50.46 1.36 1.36	38.85 38.85	19.08 19.08								
UNE L	2W VG Loop/2W VG Port (Centrex)Port Combo-Design .oop Rate 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 3 2W VG Loop (SL 2)-Zone 3 2orts ates (Except NC and SC) 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term)Basic Local Area 2W VG Port (Centrex with Caller ID)Note1 Basic Local Area 2W VG Port (Centrex from diff SWC) Note 2, 3 Basic Local Area 2W VG Port, Diff SWC-800 Service Term-Basic Local Area		1 2 3 1 2	UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYB UEPYH UEPYH UEPYM UEPYZ	11.77 22.39 48.26 14.93 25.35 50.46 1.36 1.36 1.36	38.85 38.85 104.41 104.41	19.08 19.08 67.93 67.93								
UNE L	2W VG Loop/2W VG Port (Centrex)Port Combo-Design .oop Rate 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 2)-Zone 3 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 3 Ports ates (Except NC and SC) 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term)Basic Local Area 2W VG Port (Centrex from diff SWC) Note 2, 3 Basic Local Area 2W VG Port (Diff SWC-800 Service Term-Basic Local Area 2W VG Port (Port Form)Basic Local Area		1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYB UEPYH UEPYH UEPYZ UEPY9	11.77 22.39 48.26 14.93 25.35 50.46 1.36 1.36 1.36 1.36 1.36	38.85 38.85 104.41 104.41 38.85	19.08 19.08 67.93 67.93 19.08								
UNE P All Sta	2W VG Loop/2W VG Port (Centrex)Port Combo-Design .oop Rate 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 2)-Zone 3 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 3 2W VG Loop (SL 2)-Zone 3 2D VG Loop (SL 2)-Zone 3 2D VG Loop (SL 2)-Zone 3 2D VG Loop (SL 2)-Zone 3 2D VG Loop (SL 2)-Zone 3 2D VG Port (Centrex V Basic Local Area 2W VG Port (Centrex 800 Term)Basic Local Area 2W VG Port (Centrex with Caller ID)Note1 Basic Local Area 2W VG Port (Centrex from diff SWC) Note 2, 3 Basic Local Area 2W VG Port (Centrex from diff SWC) Note 2, 3 Basic Local Area 2W VG Port (Terminated in on Megalink or equivalent-Basic Local Area 2W VG Port Terminated on 800 Service Term-Basic Local Area 2W VG Port Terminated on 800 Service Term-Basic Local Area Y, LA, MS, & TN Only 2W VG Port (Centrex)		1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYB UEPYH UEPYM UEPYZ UEPY9 UEPY2 UEPY9	11.77 22.39 48.26 14.93 25.35 50.46 1.36 1.36 1.36 1.36 1.36	38.85 38.85 104.41 104.41 38.85 38.85 38.85	19.08 19.08 67.93 67.93 19.08 19.08								
UNE L UNE L UNE P All Sta	2W VG Loop/2W VG Port (Centrex)Port Combo-Design .oop Rate 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 3		1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECPYA UEPYA UEPYB UEPYH UEPYM UEPYZ UEPY9 UEPY2 UEPQA UEPQA	11.77 22.39 48.26 14.93 25.35 50.46 1.36 1.36 1.36 1.36 1.36 1.36 1.36	38.85 38.85 104.41 104.41 38.85 38.85 38.85	19.08 19.08 67.93 67.93 19.08 19.08								
UNE L UNE P AII Sta	2W VG Loop/2W VG Port (Centrex)Port Combo-Design .oop Rate 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 3 2w VG Loop (SL 2)-Zone 3 2w VG Port (Centrex 800 Term)Basic Local Area 2W VG Port (Centrex with Caller ID)Note1 Basic Local Area 2W VG Port (Centrex from diff SWC) Note 2, 3 Basic Local Area 2W VG Port (Centrex from diff SWC) Note 2, 3 Basic Local Area 2W VG Port (Terminated in on Megalink or equivalent-Basic Local Area 2W VG Port Terminated on 800 Service Term-Basic Local Area 2W VG Port Terminated on 800 Service Term-Basic Local Area 2W VG Port Terminated on 800 Service Term-Basic Local Area 2Y VG Port Centrex With Caller ID)1		1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECYA UEPYA UEPYH UEPYH UEPYH UEPYH UEPYZ UEPY2 UEPY2 UEPQA UEPQB	11.77 22.39 48.26 14.93 25.35 50.46 1.36 1.36 1.36 1.36 1.36 1.36 1.36	38.85 38.85 104.41 104.41 38.85 38.85 38.85 38.85	19.08 19.08 67.93 67.93 19.08 19.08 19.08 19.08 19.08								
UNE P All Sta	2W VG Loop/2W VG Port (Centrex)Port Combo-Design .oop Rate 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 3 2W VG Loop (SL 2)-Zone 3 2orts ates (Except NC and SC) 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term)Basic Local Area 2W VG Port (Centrex from diff SWC) Note 2, 3 Basic Local Area 2W VG Port (Terminated in on Megalink or equivalent-Basic Local Area 2W VG Port Terminated on 800 Service Term-Basic Local Area 2W VG Port Terminated on 800 Service Term-Basic Local Area 2W VG Port Terminated on 800 Service Term-Basic Local Area 2W VG Port Centrex 800 Term) 2W VG Port (Centrex 800 Term) 2W VG Port (Centrex with Caller ID)1 2W VG Port (Centrex with Caller ID)1 2W VG Port (Centrex with Caller ID)1 2W VG Port (Centrex from diff SWC)2,3		1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2 UECYA UEPYA UEPYB UEPYH UEPYM UEPYZ UEPY9 UEPYZ UEPY2 UEPQA UEPQA UEPQA UEPQH UEPQH UEPQM	11.77 22.39 48.26 14.93 25.35 50.46 1.36 1.36 1.36 1.36 1.36 1.36 1.36 1.3	38.85 38.85 104.41 104.41 38.85 38.85 38.85 38.85 38.85 104.41	19.08 19.08 67.93 67.93 19.08 19.08 19.08 19.08 19.08 67.93								
UNE L UNE P AII Sta	2W VG Loop/2W VG Port (Centrex)Port Combo-Design oop Rate 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 3 Orts ates (Except NC and SC) 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex with Caller ID)Note1 Basic Local Area 2W VG Port (Centrex with Caller ID)Note1 Basic Local Area 2W VG Port (Centrex with Caller ID)Note2, 3 Basic Local Area 2W VG Port (Tenniander of Insertion Companies Compan		1 2 3 1 2	UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYB UEPYH UEPYM UEPYZ UEPY9 UEPY2 UEPQA UEPQB UEPQH UEPQM UEPQM UEPQM UEPQM UEPQM	11.77 22.39 48.26 14.93 25.35 50.46 1.36 1.36 1.36 1.36 1.36 1.36 1.36 1.	38.85 104.41 104.41 38.85 38.85 38.85 38.85 38.85 104.41	19.08 19.08 67.93 67.93 19.08 19.08 19.08 19.08 67.93 67.93								
UNE L UNE P UNE P All Sta	2W VG Loop/2W VG Port (Centrex)Port Combo-Design .oop Rate 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 3 2w VG Loop (SL 2)-Zone 3 2w VG Port (Centrex Basic Local Area 2W VG Port (Centrex With Caller ID)Note1 Basic Local Area 2W VG Port (Centrex with Caller ID)Note1 Basic Local Area 2W VG Port (Centrex from diff SWC) Note 2, 3 Basic Local Area 2W VG Port (Sentrex With Caller ID)Note1 Basic Local Area 2W VG Port Centrex from diff SWC) Note 2, 3 Basic Local Area 2W VG Port Centrex from diff SWC) Note 2, 3 Basic Local Area 2W VG Port Centrex from diff SWC) or equivalent-Basic Local Area 2W VG Port terminated in on Megalink or equivalent 2W VG Port (Centrex 800 Term) 2W VG Port (Centrex from diff SWC)2,3 2W VG Port (Centrex from diff SWC)2,3 2W VG Port (Centrex from diff SWC)2,3 2W VG Port (Centrex from diff SWC)2,3 2W VG Port (Centrex from diff SWC)2,3 2W VG Port (Terminated in on Megalink or equivalent		1 2 3 1 2	UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECYA UEPYA UEPYH UEPYH UEPYM UEPYY UEPY9 UEPY9 UEPQA UEPQB UEPQH UEPQM UEPQM UEPQM UEPQM UEPQM UEPQM UEPQM UEPQM UEPQM UEPQM UEPQM UEPQM UEPQM UEPQM UEPQM UEPQM UEPQM UEPQM	11.77 22.39 48.26 14.93 25.35 50.46 1.36 1.36 1.36 1.36 1.36 1.36 1.36 1.	38.85 38.85 104.41 104.41 38.85 38.85 38.85 38.85 104.41 104.41 38.85	19.08 19.08 67.93 67.93 19.08 19.08 19.08 19.08 67.93 67.93 19.08								
UNE L UNE P All Sta	2W VG Loop/2W VG Port (Centrex)Port Combo-Design .oop Rate 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 3 2orts ates (Except NC and SC) 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term)Basic Local Area 2W VG Port (Centrex with Caller ID)Note1 Basic Local Area 2W VG Port (Centrex from diff SWC) Note 2, 3 Basic Local Area 2W VG Port (Terminated in on Megalink or equivalent-Basic Local Area 2W VG Port Terminated on 800 Service Term-Basic Local Area 2W VG Port Terminated on 800 Service Term-Basic Local Area Y, LA, MS, & TN Only 2W VG Port (Centrex Not Term) 2W VG Port (Centrex Not Term) 2W VG Port (Centrex Not Ce		1 2 3 1 2	UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYB UEPYH UEPYM UEPYZ UEPY9 UEPY2 UEPQA UEPQB UEPQH UEPQM UEPQM UEPQM UEPQM UEPQM	11.77 22.39 48.26 14.93 25.35 50.46 1.36 1.36 1.36 1.36 1.36 1.36 1.36 1.	38.85 104.41 104.41 38.85 38.85 38.85 38.85 38.85 104.41	19.08 19.08 67.93 67.93 19.08 19.08 19.08 19.08 67.93 67.93								
UNE L UNE P All Sta	2W VG Loop/2W VG Port (Centrex)Port Combo-Design oop Rate 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 3 Orts ates (Except NC and SC) 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex with Caller ID)Note1 Basic Local Area 2W VG Port (Centrex with Caller ID)Note1 Basic Local Area 2W VG Port, Diff SWC-800 Service Term-Basic Local Area 2W VG Port terminated in on Megalink or equivalent-Basic Local Area 2W VG Port Centrex with Caller ID)Note1 Sexic Local Area 2W VG Port (SWC-800 Service Term-Basic Local Area 2W VG Port Terminated on 800 Service Term-Basic Local Area Y, LA, MS, & TN Only 2W VG Port (Centrex with Caller ID)1 2W VG Port (Centrex with Caller ID)1 2W VG Port (Centrex with Caller ID)1 2W VG Port (Centrex from diff SWC)2.3 2W VG Port, Diff SWC-2,3-800 Service Term 2W VG Port Terminated on 800 Service Term 2W VG Port Terminated on 800 Service Term		1 2 3 1 2	UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UEPYA UEPYB UEPYH UEPYM UEPYZ UEPY9 UEPY2 UEPQB UEPQB UEPQB UEPQM UEPQZ UEPQ9 UEPQ2	11.77 22.39 48.26 14.93 25.35 50.46 1.36 1.36 1.36 1.36 1.36 1.36 1.36 1.	38.85 38.85 104.41 104.41 38.85 38.85 38.85 38.85 104.41 104.41 38.85	19.08 19.08 67.93 67.93 19.08 19.08 19.08 19.08 67.93 67.93 19.08								
UNE L UNE L UNE R All Sta	2W VG Loop/2W VG Port (Centrex)Port Combo-Design .oop Rate 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 2 2W VG Port (Centrex SO Term)Basic Local Area 2W VG Port (Centrex 800 Term)Basic Local Area 2W VG Port (Centrex from diff SWC) Note 2, 3 Basic Local Area 2W VG Port (Sentrex SO Term)Basic Local Area 2W VG Port (Sentrex SO Term)Basic Local Area 2W VG Port (Centrex From diff SWC) Note 2, 3 Basic Local Area 2W VG Port (Sentrex SO Term)Basic Local Area 2W VG Port (Sentrex SO Term)Basic Local Area 2W VG Port (Centrex SO Term)Basic Local Area 2W VG Port (Local Term)Basic Local Area 2W VG Port (Local Term)Basic Local Area 2W VG Port (Local Term)Basic Local Area 2W VG Port (Local Term)Basic Local Area 2W VG Port (Local Term)Basic Local Area 2W VG Port (Local Term)Basic Local Area 2W VG Port (Local Term)Basic Local Area 2W VG Port (Local Term)Basic Local Area 2W VG Port (Local Term)Basic Local Area 2W VG Port (Local Term)Basic Local Area		1 2 3 1 2	UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECYA UEPYA UEPYH UEPYH UEPYM UEPYY UEPY9 UEPY9 UEPQA UEPQB UEPQH UEPQM UEPQM UEPQM UEPQM UEPQM UEPQM UEPQM UEPQM UEPQM UEPQM UEPQM UEPQM UEPQM UEPQM UEPQM UEPQM UEPQM UEPQM	11.77 22.39 48.26 14.93 25.35 50.46 1.36 1.36 1.36 1.36 1.36 1.36 1.36 1.	38.85 38.85 104.41 104.41 38.85 38.85 38.85 38.85 104.41 104.41 38.85	19.08 19.08 67.93 67.93 19.08 19.08 19.08 19.08 67.93 67.93 19.08								
UNE L UNE P AII Sta	2W VG Loop/2W VG Port (Centrex)Port Combo-Design oop Rate 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 3 Orts ates (Except NC and SC) 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex with Caller ID)Note1 Basic Local Area 2W VG Port (Centrex with Caller ID)Note1 Basic Local Area 2W VG Port, Diff SWC-800 Service Term-Basic Local Area 2W VG Port terminated in on Megalink or equivalent-Basic Local Area 2W VG Port Centrex with Caller ID)Note1 Sexic Local Area 2W VG Port (SWC-800 Service Term-Basic Local Area 2W VG Port Terminated on 800 Service Term-Basic Local Area Y, LA, MS, & TN Only 2W VG Port (Centrex with Caller ID)1 2W VG Port (Centrex with Caller ID)1 2W VG Port (Centrex with Caller ID)1 2W VG Port (Centrex from diff SWC)2.3 2W VG Port, Diff SWC-2,3-800 Service Term 2W VG Port Terminated on 800 Service Term 2W VG Port Terminated on 800 Service Term		1 2 3 1 2	UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UEPYA UEPYB UEPYH UEPYM UEPYZ UEPY9 UEPY2 UEPQB UEPQB UEPQB UEPQM UEPQZ UEPQ9 UEPQ2	11.77 22.39 48.26 14.93 25.35 50.46 1.36 1.36 1.36 1.36 1.36 1.36 1.36 1.	38.85 38.85 104.41 104.41 38.85 38.85 38.85 38.85 104.41 104.41 38.85	19.08 19.08 67.93 67.93 19.08 19.08 19.08 19.08 67.93 67.93 19.08								

ONBONDL	ED NETWORK ELEMENTS - Louisiana													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi		BCS	USOC		RATE	S (\$)			Svc Order Submitte d Elec	Svc Order Submitte d	Incrementa I Charge - Manual Svc Order	Incrementa I Charge - Manual Svc Order	Incremental Charge - Manual Svo Order vs.	Incrementa Charge - Manual Sv Order vs.
		m	е					.,			per LSR	Manually	vs. Electronic-	vs. Electronic-	Electronic-	
							Nonrecu	ırrina	NRC Di	sconnec	1		OSS	Rates (\$)	I.	
						Rec	First	Add'l				SOMAN			SOMAN	SOMAN
	All Standard Features Offered, per port			UEP91	UEPVF	0.00										1
	All Select Features Offered, per port			UEP91	UEPVS	0.00	412.25									1
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00										
NARS																
	Unbundled Network Access Register-Combination			UEP91	UARCX	0.00	0.00	0.00		0.00						
	Unbundled Network Access Register-Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
	Ilaneous Terminations															
2-Wire	e Trunk Side															
	Trunk Side Terms, each			UEP91	CENA6	8.29	115.85	18.20								
Interd	ffice Channel Mileage - 2-Wire			LIEBO.							ļ				ļ	
	Interoffice Channel Facilities Term-VG			UEP91	M1GBC	22.60	39.36	26.62			ļ				ļ	
	Interoffice Channel miage, per mi or fraction of mi			UEP91	M1GBM	0.013			1		<u> </u>	ļ			ļ	
	re Activations (DS0) Centrex Loops on Channelized DS1 Service															-
D4 Cr	Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.6497					-			 	<u> </u>	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQWS	0.6497										
-	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW6	0.6497										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot-			UEP91	1PQWP	0.6497										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-ulli WC			UEP91	1PQWV	0.6497										
-	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ	0.6497			1							+
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.6497										+
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex			OLI 31	II QWA	0.0437			+							+
140111	Conversion-Currently Combined Switch-As-Is with allowed changes, per				+											+
	port			UEP91	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block			UEP91	USACN	0.00	36.66	16.10								
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	680.40	10.10								
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	680.40									
	Secondary Block, per Block			UEP91	M2CC1	0.00	79.31									
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	73.93									
Addit	ional Non-Recurring Charges (NRC)															
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP91	URETL		8.33	0.83								
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP91	URETN		11.20	1.10								
UNE-I	P CENTREX - 5ESS (Valid in All States)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95		13.13										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95		23.75										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95		49.62										
UNE	Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		16.29										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP95		26.71										
LINE I	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95		51.82										-
UNE	2W VG Loop (SL 1)-Zone 1		1	UEP95	UECS1	11.77										
	2W VG Loop (SL 1)-Zone 1		2	UEP95 UEP95	UECS1	22.39										
	2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3		3	UEP95 UEP95	UECS1	48.26					1				1	+
	2W VG Loop (SL 1)-2016 3		1	UEP95	UECS2	14.93					 		 	 	 	+
	2W VG Loop (SL 2)-Zone 2		2	UEP95	UECS2	25.35										+
	2W VG Loop (SL 2)-Zone 3		3	UEP95	UECS2	50.46		1			1			<u> </u>	1	
UNF I	Port Rate		Ť	321 00	02002	5570									1	†
All St					1										İ	
7 50	2W VG Port (Centrex) Basic Local Area			UEP95	UEPYA	1.36	38.85	19.08							1	T
	2W VG Port (Centrex 800 Term)			UEP95	UEPYB	1.36	38.85	19.08					İ	İ	i e	1
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.36	38.85	19.08			1		İ	1	İ	1
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP95	UEPYM	1.36	104.41	67.93							İ	
	2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area			UEP95	UEPYZ	1.36	104.41	67.93							İ	
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP95	UEPY9	1.36	38.85	19.08			1		İ	1	İ	
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP95	UEPY2	1.36	38.85	19.08			1	1	i	1	1	1

NBUNDL	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
											Svc	Svc	Incrementa	Incrementa	Incremental	Increment
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RATE	ES (\$)			d Elec	Order Submitte d Manually	I Charge - Manual Svc Order vs.	I Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs. Electronic-	Order vs
											per Loix	,	-	Electronic-	Disc 1st	Disc Add
						Rec	Nonrecu	ırring	NRC Di	sconnec			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
AL, K	Y, LA, MS, SC, & TN Only															
	2W VG Port (Centrex)			UEP95	UEPQA	1.36	38.85									
	2W VG Port (Centrex 800 Term)			UEP95	UEPQB	1.36	38.85									
	2W VG Port (Centrex with Caller ID)1			UEP95	UEPQH	1.36	38.85									
	2W VG Port (Centrex from diff SWC)2,3			UEP95	UEPQM	1.36	104.41									
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP95	UEPQZ	1.36	104.41									
	2W VG Port terminated in on Megalink or equivalent	1		UEP95	UEPQ9	1.36	38.85									1
	2W VG Port Terminated on 800 Service Term			UEP95	UEPQ2	1.36	38.85	19.08								
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.8577										
Local	Number Portability															
	Local No Portability (1 per port)			UEP95	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP95	UEPVF	0.00										İ
	All Select Features Offered, per port			UEP95	UEPVS	0.00	412.25									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00										
NARS																
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00		0.00	0.00						
	Unbundled Network Access Register-Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
	Ilaneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terms, each			UEP95	CEND6	8.29	115.85	18.20								
4-Wire	e Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP95	M1HD1	68.47	196.18	92.92								
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.06									
Interd	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP95	M1GBC	22.60	39.36	26.62								
	Interoffice Channel miage, per mi or fraction of mi			UEP95	M1GBM	0.013										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.6497										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.6497	<u> </u>									
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.6497										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP95	1PQWP	0.6497										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.6497										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP95	1PQWQ	0.6497										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.6497										
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex						<u> </u>									
	NRC Conversion Currently Combined Switch-As-Is with allowed											1	I	l		
	changes, per port	1		UEP95	USAC2		0.10									<u> </u>
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		36.66									
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	680.40									
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	680.40									
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	73.93									

UNBUNDL	ED NETWORK ELEMENTS - Louisiana													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RATE	S (\$)			Svc Order Submitte d Elec per LSR	d Manually	Incrementa I Charge - Manual Svc Order vs.	I Charge - Manual Svc Order vs.	Charge - Manual Svo Order vs. Electronic-	Order vs. Electronic
												per LSR		Electronic-	Disc 1st	Disc Add'
						Rec	Nonrecu	ırring	NRC Di	sconnec	1		oss	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Addit	ional Non-Recurring Charges (NRC)															
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP95	URETL		8.33	0.83								
III.	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP95	URETN		11.20	1.10								
	P CENTREX - DMS100 (Valid in All States)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)				+											
ONL	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D	-	13.13										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D		23.75										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D		49.62										
UNE	Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D		16.29										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		26.71										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		51.82										
UNE	Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	11.77										
	2W VG Loop (SL 1)-Zone 2	1	2	UEP9D	UECS1	22.39					1					1
	2W VG Loop (SL 1)-Zone 3		3	UEP9D	UECS1	48.26 14.93										
	2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2		1 2	UEP9D UEP9D	UECS2 UECS2	14.93 25.35										
	2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 3		3	UEP9D	UECS2	50.46										1
LINE	Port Rate		3	UEP9D	UECSZ	50.46										
	STATES															1
ALL	2W VG Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.36	38.85	19.08								
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	1.36	38.85	19.08								
	2W VG Port (Centrex/EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.36	38.85	19.08								
	2W VG Port (Centrex /EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.36	38.85	19.08								
	2W VG Port (Centrex /EBS-M5209)3 Basic Local Area			UEP9D	UEPYE	1.36	38.85	19.08								
	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	1.36	38.85	19.08								
	2W VG Port (Centrex /EBS-M5312)3Basic Local Area			UEP9D	UEPYG	1.36	38.85	19.08								
	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	1.36	38.85	19.08								
	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area			UEP9D	UEPYU	1.36	38.85	19.08								
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D UEP9D	UEPYV UEPY3	1.36	38.85 38.85	19.08								
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area 2W VG Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.36 1.36	38.85	19.08 19.08			-					
	2W VG Port (Centrex With Caller ID/ Basic Local Area 2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4 Basic Local			UEP9D	UEPYW	1.36	38.85	19.08								
	2W VG Port (Centrex/Caller ID/Wisg Vtg Lamp Indication)4 Basic Local Area			UEP9D	UEPYJ	1.36	38.85	19.08								
	2W VG Port (Centrex/mag Vitg Earn) indication) Page 2004 / Tea			UEP9D	UEPYM	1.36	104.41	67.93								
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area			UEP9D	UEPYO	1.36	104.41	67.93								
	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	1.36	104.41	67.93			İ					
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area			UEP9D	UEPYQ	1.36	104.41	67.93								
	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	1.36	104.41	67.93								
	2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area			UEP9D	UEPYS	1.36	104.41	67.93								
ļļ_	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	1.36	104.41	67.93								
L	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.36	104.41	67.93				ļ				ļ
ļ	2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area			UEP9D	UEPY6	1.36	104.41	67.93	1		1	ļ		1	1	1
 	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area 2W VG Port, Diff SWC-800 Service Term 2,3	1	1	UEP9D UEP9D	UEPY7 UEPYZ	1.36 1.36	104.41 104.41	67.93 67.93	1		 	<u> </u>			-	
 	2W VG Port, Diff SWC-800 Service Term 2,3 2W VG Port terminated in on Megalink or equivalent Basic Local Area	<u> </u>	<u> </u>	UEP9D UEP9D	UEPY2	1.36	38.85	19.08	-		1	-				-
H	2W VG Port Terminated in on Megallink of equivalent Basic Local Area			UEP9D	UEPY2	1.36	38.85	19.08	1		1	1		1	1	1
AI.K	Y, LA, MS, SC, & TN Only		1	OLI OD	OLI IZ	1.50	00.00	15.00	 			†			1	l
, N	2W VG Port (Centrex)		 	UEP9D	UEPQA	1.36	38.85	19.08	1							
	2W VG Port (Centrex 800 Term)			UEP9D	UEPQB	1.36	38.85	19.08	1			1				
	2W VG Port (Centrex/EBS-PSET)4		1	UEP9D	UEPQC	1.36	38.85	19.08								
	2W VG Port (Centrex /EBS-M5009)4			UEP9D	UEPQD	1.36	38.85	19.08								
	2W VG Port (Centrex /EBS-M5209)4			UEP9D	UEPQE	1.36	38.85	19.08								
	2W VG Port (Centrex /EBS-M5112)4			UEP9D	UEPQF	1.36	38.85	19.08								
	2W VG Port (Centrex /EBS-M5312)4			UEP9D	UEPQG	1.36	38.85	19.08								
	2W VG Port (Centrex /EBS-M5008)4			UEP9D	UEPQT	1.36	38.85	19.08								
. 1	2W VG Port (Centrex/EBS-M5208)4	1	1	UEP9D	UEPQU	1.36	38.85	19.08			<u> </u>			1]	<u> </u>

JURONDLI	D NETWORK ELEMENTS - Louisiana													ment: 2		ibit: A
											Svc	Svc	Incrementa	Incrementa	Incremental	Incrementa
											Order	Order	I Charge -	I Charge -	Charge -	Charge -
		Interi	Zon								Submitte	Submitte	Manual	Manual	Manual Svo	Manual S
CATEGORY	RATE ELEMENTS	m	е	BCS	USOC		RATE	S (\$)			d Elec	d	Svc Order	Svc Order	Order vs.	Order vs.
			٠								per LSR	Manually	vs.	vs.	Electronic-	Electronic
											-	per LSR	Electronic-	Electronic-	Disc 1st	Disc Add'l
		1				1								Rates (\$)		
						Rec	Nonrecu			sconnec						
	SW 10 B + 10 + 15B0 MED (8) 4			LIEBAR			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Port (Centrex/EBS-M5216)4			UEP9D	UEPQV	1.36	38.85	19.08								
	2W VG Port (Centrex/EBS-M5316)4			UEP9D	UEPQ3	1.36	38.85	19.08								
	2W VG Port (Centrex with Caller ID)			UEP9D	UEPQH	1.36	38.85	19.08								
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4			UEP9D	UEPQW	1.36	38.85	19.08								
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4		_	UEP9D	UEPQJ	1.36	38.85	19.08			<u> </u>	ļ				
	2W VG Port (Centrex from diff SWC) 2,3	+	-	UEP9D	UEPQM	1.36	104.41	67.93								
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO UEPQP	1.36	104.41	67.93								
	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4		_	UEP9D		1.36	104.41	67.93			<u> </u>	ļ				
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.36	104.41	67.93								
	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4	1	1	UEP9D	UEPQR	1.36	104.41	67.93	1		 	 	1	{	 	ļ
	2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS UEPQ4	1.36	104.41	67.93	1		-			 	<u> </u>	<u> </u>
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4	1	 	UEP9D UEP9D	UEPQ4 UEPQ5	1.36	104.41 104.41	67.93 67.93	1		 	 	1	{	 	
	2W VG Port (Centrex/differ SWC /EBS-M5208)2,3,4 2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4	1	 	UEP9D UEP9D	UEPQ5 UEPQ6	1.36	104.41		1		 	 	1	{	 	
		+	-			1.36		67.93								
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D UEP9D	UEPQ7	1.36	104.41	67.93	1		-			 	<u> </u>	<u> </u>
	2W VG Port, Diff SWC-800 Service Term 2,3	1	\vdash	UEP9D UEP9D	UEPQZ UEPQ9	1.36 1.36	104.41 38.85	67.93 19.08	1		 		-	1	<u> </u>	
	2W VG Port terminated in on Megalink or equivalent 2W VG Port Terminated on 800 Service Term	+	-	UEP9D	UEPQ9	1.36	38.85	19.08								
11	Switching	+	-	UEP9D	UEPQZ	1.30	38.85	19.08								
Local	Centrex Intercom Funtionality, per port	-		UEP9D	URECS	0.8577										1
Local	Number Portability	-		UEP9D	URECS	0.8577										
Local	Local No Portability (1 per port)	-		UEP9D	LNPCC	0.35					1	 			1	1
Featu		+	1	UEF9D	LINFCC	0.33			-		<u> </u>					
reatu	All Standard Features Offered, per port	-		UEP9D	UEPVF	0.00					1	 			1	1
	All Select Features Offered, per port	-		UEP9D	UEPVS	0.00	412.25				1	 			1	1
	All Centrex Control Features Offered, per port	+		UEP9D	UEPVC	0.00	412.25		1							1
NARS	All Certifex Control Features Offered, per port			OLF9D	OLFVC	0.00										
NANS	Unbundled Network Access Register-Combination	+		UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						1
	Unbundled Network Access Register-Combination Unbundled Network Access Register-Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Outdial	+		UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						1
Misce	Ilaneous Terminations			OLI 3D	UARUX	0.00	0.00	0.00	0.00	0.00						
	Trunk Side															1
2 *****	Trunk Side Terms, each			UEP9D	CEND6	8.29	115.85	18.20								
4-Wire	Digital (1.544 Megabits)	1		02.05	OZINDO	0.20	1.10.00	10.20	1			†			1	1
	DS1 Circuit Terms, each			UEP9D	M1HD1	68.47	196.18	98.62								
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.06	00.02								
Intero	ffice Channel Mileage - 2-Wire	1				5.50	50				†		i	İ	1	
1	Interoffice Channel Facilities Term	1		UEP9D	M1GBC	22.60	39.36	26.62			†		i	İ	1	
	Interoffice Channel miage, per mi or fraction of mi			UEP9D	M1GBM	0.013					1		İ	İ	İ	
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service										İ				1	
	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.6497										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.6497										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.6497										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP9D	1PQWP	0.6497										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.6497										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.6497										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.6497										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed	1		<u> </u>				l			1		l			
	changes, per port			UEP9D	USAC2		0.10	0.10							ļ	
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		36.66	16.10								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	680.40									
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	680.40									
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	73.93									
Additi	onal Non-Recurring Charges (NRC)															
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN		11.20	1.10								
LIMIT	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)			-				I			1			1		1

UNBUNDLE	D NETWORK ELEMENTS - Louisiana														ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi	Zon		BCS	USOC		RATE	S (\$)			Svc Order Submitte		Incrementa I Charge - Manual	I Charge - Manual	Charge - Manual Svo	
SATEGORT	RATE ELEMENTS	m	е		ьсэ	0300		KATE	၁ (ఫ)			d Elec per LSR		Svc Order vs. Electronic-	Svc Order vs. Electronic-	Order vs. Electronic- Disc 1st	Order vs. Electronic Disc Add'
						+		Nonrecu	rring	NPC Di	sconnec			164	Rates (\$)		1
				-		+	Rec	First	Add'l				SOMAN			SOMAN	SOMAN
2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo					+		11131	Addi	11131	Auu	JONILO	JOHIAN	JONAN	JOHIAN	JOINAIN	JONAN
	Port/Loop Combination Rates (Non-Design)					1							†				1
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	-	UEP9E	+	13.13			+							1
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2		UEP9E	+	23.75										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3		UEP9E	1	49.62						†				1
	Port/Loop Combination Rates (Design)		Ŭ		OLI OL	1	40.02										1
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1		UEP9E	1	16.29										1
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2		UEP9E	1	26.71						†				1
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3		UEP9E	+	51.82										
	oop Rate		_		OLI OL	+	01.02										
	2W VG Loop (SL 1)-Zone 1		1		UEP9E	UECS1	11.77						 				1
	2W VG Loop (SL 1)-Zone 2	+	2	1	UEP9E	UECS1	22.39							1	 		
	2W VG Loop (SL 1)-Zone 3	1	3		UEP9E	UECS1	48.26								1	<u> </u>	
	2W VG Loop (SL 2)-Zone 1	1	1	1	UEP9E	UECS2	14.93								1	<u> </u>	
	2W VG Loop (SL 2)-Zone 2	1	2	1	UEP9E	UECS2	25.35								1	<u> </u>	
	2W VG Loop (SL 2)-Zone 3		3		UEP9E	UECS2	50.46						 				1
	Port Rate		Ŭ		OLI OL	02002	00.40						 				1
	., KY, LA, MS, & TN only			-		+				+							1
ΑΕ, ΤΕ	2W VG Port (Centrex) Basic Local Area				UEP9E	UEPYA	1.36	38.85	19.08								
_	2W VG Port (Centrex 800 Term)Basic Local Area				UEP9E	UEPYB	1.36	38.85	19.08								
	2W VG Port (Centrex odd Feffin)Basic Local Area 2W VG Port (Centrex with Caller ID)1Basic Local Area				UEP9E	UEPYH	1.36	38.85	19.08								
-	2W VG Port (Centrex with Carlet ID) Thasic Local Area 2W VG Port (Centrex from diff SWC)2,3 Basic Local Area				UEP9E	UEPYM	1.36	104.41	67.93								
	2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area	+			UEP9E	UEPYZ	1.36	104.41	67.93				 		-		+
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area				UEP9E	UEPY9	1.36	38.85	19.08								
	2W VG Port Terminated in 601 Megalifik of equivalent-basic Local Area				UEP9E	UEPY2	1.36	38.85	19.08								
	Y, LA, MS, & TN Only	+		1	UEF9E	UEP 12	1.30	30.03	19.00	1							1
	2W VG Port (Centrex)				UEP9E	UEPQA	1.36	38.85	19.08								
	2W VG Port (Centrex) 2W VG Port (Centrex 800 Term)				UEP9E	UEPQB	1.36	38.85	19.08								
	2W VG Port (Centrex with Caller ID)1	+			UEP9E	UEPQH	1.36	38.85	19.08				 		-		+
	2W VG Port (Centrex with caller ID)1 2W VG Port (Centrex from diff SWC)2,3				UEP9E	UEPQM	1.36	104.41	67.93								
	2W VG Port, Diff SWC 2,3 -800 Service Term				UEP9E	UEPQZ	1.36	104.41	67.93								
	2W VG Port terminated in on Megalink or equivalent			-	UEP9E	UEPQ9	1.36	38.85	19.08								1
	2W VG Port Terminated in 601 Megalifik of equivalent				UEP9E	UEPQ2	1.36	38.85	19.08								
	Switching				OLI 3L	OLI Q2	1.50	30.03	13.00								
Local	Centrex Intercom Funtionality, per port				UEP9E	URECS	0.8577										
Local	Number Portability				OLI 3L	OKLOO	0.0377										
LUCAI	Local No Portability (1 per port)	+-	\vdash	 	UEP9E	LNPCC	0.35			1				 	1	1	
Featur		+	 	1	JLI JL	LIVI- OO	0.35						†	1	1	ł	1
	All Standard Features Offered, per port	+-	\vdash	 	UEP9E	UEPVF	0.00							 	1	†	
	All Select Features Offered, per port	+-	\vdash	 	UEP9E	UEPVS	0.00	412.25		1				 	1	1	
	All Centrex Control Features Offered, per port	+-	\vdash	 	UEP9E	UEPVC	0.00	+12.25		1				 	1	1	
NARS		+-	\vdash	 	JLI JL	OLF VO	0.00			1				 	1	1	
	Unbundled Network Access Register-Combination	+	 	1	UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00		†	1	1	ł	1
	Unbundled Network Access Register-Combination Unbundled Network Access Register-Indial	+	 	1	UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00		†	1	1	ł	1
	Unbundled Network Access Register-Indial Unbundled Network Access Register-Outdial	+	 	1	UEP9E	UAROX	0.00	0.00	0.00		0.00		†	1	1	ł	1
	Ilaneous Terminations	+-	\vdash	 	OLF 3L	UANUA	0.00	0.00	0.00	0.00	0.00			 	1	†	
	Trunk Side	+-	\vdash	 		+ +				1				 	1	1	
	Trunk Side Terms, each	1	!	1	UEP9E	CEND6	8.29	115.85	18.20	1				1	1	†	1
	Digital (1.544 Megabits)	+-	\vdash	 	OLI OL	CLIVEO	0.29	115.65	10.20					 	1	†	
	DS1 Circuit Terms, each	+-	\vdash	 	UEP9E	M1HD1	68.47	196.18	92.92	1				 	1	1	
	DS0 Channel Activated Per Channel	1		+	UEP9E	M1HD0	0.00	14.06	32.32	1			 	 		 	
	ffice Channel Mileage - 2-Wire	1	 	1	JL1 JL	WILLIEU	0.00	14.00							1	<u> </u>	
	Interoffice Channel Facilities Term	1	!	1	UEP9E	M1GBC	22.60	39.36	26.62	1				1	1	†	1
	Interoffice Channel miage, per mi or fraction of mi	+-	\vdash	 	UEP9E	M1GBC	0.013	55.50	20.02	1				 	1	1	
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	1	!	1	OLI OL	IVITODIVI	0.013			1				1	1	†	
ir eatur	annel Bank Feature Activations	+	 	1		+ +				1			†	1	1	ł	
						1			1	1		1	1	ĺ	1	1	
		+			LIEDOE	1P()\/\c	0.6407										
	Feature Activations Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot Feature Activation on D-4 Channel Bank FX line Side Loop Slot				UEP9E UEP9E	1PQWS 1PQW6	0.6497 0.6497										

						·					Svc	Svc	Incrementa	Incrementa	l	
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RATE	S (\$)			Order Submitte d Elec	Order Submitte d	I Charge - Manual Svc Order	I Charge - Manual Svc Order	Charge - Manual Svc Order vs.	Order vs.
											per LSR		vs. Electronic-		Electronic- Disc 1st	Electronic Disc Add
					1	_	Nonrecu	rring	NRC Di	sconnec		l	OSS	Rates (\$)		
						Rec	First	Add'l				SOMAN			SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP9E	1PQWP	0.6497										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.6497										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9E	1PQWQ	0.6497										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.6497										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9E	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		36.66	16.10								
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	680.40									
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	680.40									
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	73.93									
Additi	onal Non-Recurring Charges (NRC)															
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP9E	URETL		8.33	0.83								
1 1	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP9E	URETN		11.20	1.10								
	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	ort/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP93		13.13										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP93		23.75										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP93		49.62										
	ort/Loop Combination Rates (Design)		_													
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP93		16.29										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design	1	2	UEP93	+ +	26.71									 	†
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design	1	3	UEP93	+ +	51.82									 	†
	oop Rate	1		02.00	+ +	01.02									 	†
	2W VG Loop (SL 1)-Zone 1		1	UEP93	UECS1	11.77										
	2W VG Loop (SL 1)-Zone 2		2	UEP93	UECS1	22.36										
	2W VG Loop (SL 1)-Zone 3	1	3	UEP93	UECS1	48.26									 	†
	2W VG Loop (SL 2)-Zone 1		1	UEP93	UECS2	14.93										
	2W VG Loop (SL 2)-Zone 2	1	2	UEP93	UECS2	25.35									 	
	2W VG Loop (SL 2)-Zone 3	1	3	UEP93	UECS2	50.46									 	†
	ort Rate	1	Ŭ	021 00	OLOGE	00.40									 	
	/, LA, MS, & TN only	1			+ +										 	
	2W VG Port (Centrex) Basic Local Area	1		UEP93	UEPYA	1.36	38.85	19.08							 	
	2W VG Port (Centrex 800 Term)Basic Local Area	1		UEP93	UEPYB	1.36	38.85	19.08							 	†
	2W VG Port (Centrex with Caller ID)1Basic Local Area	1		UEP93	UEPYH	1.36	38.85	19.08							 	†
	2W VG Port (Centrex with Carlet ID) Thasic Local Area 2W VG Port (Centrex from diff SWC)2,3 Basic Local Area	1		UEP93	UEPYM	1.36	104.41	67.93					1	 	 	
	2W VG Port, Diff SWC-2,3-800 Service Term-Basic Local Area	1		UEP93	UEPYZ	1.36	104.41	67.93							 	
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area	+		UEP93	UEPY9	1.36	38.85	19.08						l	 	1
	2W VG Port Terminated in 601 Megalifik of equivalent-basic Local Area	+		UEP93	UEPY2	1.36	38.85	19.08							 	1
	2W VG Port (Centrex)	+		UEP93	UEPQA	1.36	38.85	19.08						l	 	
	2W VG Port (Centrex) 2W VG Port (Centrex 800 Term)	+		UEP93	UEPQB	1.36	38.85	19.08						l	 	1
	2W VG Port (Centrex ood Term) 2W VG Port (Centrex with Caller ID)1	1		UEP93	UEPQH	1.36	38.85	19.08								
	2W VG Port (Centrex with Carler ID)1 2W VG Port (Centrex from diff SWC)2,3	1		UEP93	UEPQM	1.36	104.41	67.93	1				1	1	 	1
	2W VG Port, Diff SWC-2,3 -800 Service Term	1		UEP93	UEPQZ	1.36	104.41	67.93	1					1	 	1
	2W VG Port terminated in on Megalink or equivalent	1		UEP93	UEPQ2	1.36	38.85	19.08	1				1	1	 	1
	2W VG Port Terminated in on Megalink or equivalent 2W VG Port Terminated on 800 Service Term	1		UEP93	UEPQ9	1.36	38.85	19.08	1				1	1	 	1
	Switching	 	1	OLF33	ULFQZ	1.30	30.05	19.08					-	 	 	-
	Centrex Intercom Funtionality, per port	1	1	UEP93	URECS	0.8577			1				-	-	 	1
	Number Portability	1		JL1 33	UNLUG	0.0311			1				1	1	 	1
	Local No Portability (1 per port)	1		UEP93	LNPCC	0.35			1				1	1	 	1
Featur		1		OLF33	LINFUU	0.35			1				1	1	 	1
	All Standard Features Offered, per port	+	1	UEP93	UEPVF	0.00	73.93	27.14					-		₩	
		-	-		UEPVF	0.00	73.93	27.14	1					 	 	
	All Centrex Control Features Offered, per port	-	-	UEP93	UEPVC	0.00	73.93	∠1.14	1					 	 	
NARS	Habitan diad Nationals Access Depicter Over Conference	-	-	LIEDOS	LIABOY	0.00	2.00	0.00	0.00	0.00		 	-	1	 	
	Unbundled Network Access Register-Combination	1		 UEP93	UARCX	0.00	0.00	0.00	0.00	0.00		ļ	 	ļ	↓	
	Habitanian National Assess Desister 1: 27-1															
	Unbundled Network Access Register-Indial Unbundled Network Access Register-Outdial			UEP93 UEP93	UAR1X UAROX	0.00	0.00	0.00	0.00	0.00						

UNBUNDL	.ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
											Svc	Svc	Incrementa	Incrementa	Incrementa	Incremental
											Order	Order	I Charge -	I Charge -	Charge -	Charge -
		l	. _									Submitte		Manual		Manual Svc
CATEGORY	RATE ELEMENTS	Interi		BCS	USOC		RATES	S (\$)			d Elec	d	Svc Order		Order vs.	
0,11200111		m	е	200	3333			- (4)								Electronic-
											per LSR	Manually		vs.		
												per LSR	Electronic-		Disc 1st	Disc Add'l
			1				Nonrecu	rrina	NRC Di	sconnec		1	OSS	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wir	e Trunk Side															
	Trunk Side Terms, each			UEP93	CEND6	8.27	115.85	18.20								
4-Wir	e Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP93	M1HD1	68.47	196.18	92.92								
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.06									
Intere	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP93	M1GBC	22.60	39.36	26.62								
	Interoffice Channel miage, per mi or fraction of mi			UEP93	M1GBM	0.013										
Featu	ire Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 C	hannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.6497										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.6497										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.6497										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP93	1PQWP	0.6497										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.6497										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.6497										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.6497										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex															
1	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP93	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		36.66	16.10								
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	680.40									
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	680.40									
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	73.93									
Addi	tional Non-Recurring Charges (NRC)															
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP93	URETL		8.33	0.83								
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP93	URETN		11.20	1.10								
	1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
Note	2 - Requres Interoffice Channel Mileage															
Note	3 - Installation is combination of Installation charge for SL2 Loop and	Port														
	4 - Requires Specific Customer Premises Equipment															
Note	Rates displaying an "R" in Interim column are interim and subject to	rate t	rue-u	as set forth in Gen	eral Terms an	d Conditions.										

JNBUN	DLED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exh	ibit: A
											Svc	Svc		Incrementa		Increment
											Order	Order	I Charge -	I Charge -	al Charge -	Charge -
			l_								Submitte	Submitte		Manual	Manual	Manual S
ATEGO	RY RATE ELEMENTS	Interi	Zon	BCS	USOC		RA ⁻	TES (\$)								l l
AILOO	KATE EEEMENTO	m	е	500	0000		IVA.	i Ευ (ψ)			d Elec	d	Svc Order	Svc Order	Svc Order	Order vs
											per LSR	Manually	vs.	vs.	vs.	Electronic
												per LSR	Electronic-	Electronic-	Electronic-	Disc Add
							Nonrec		NRC Disc		<u> </u>		104	Addil	Dicc 1ct	l
-			-			Rec					001150	001111	088	Rates (\$)	001111	001111
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Ļ	<u> </u>	<u>. </u>	ļ., ., <u>.</u> .				L	L	<u> </u>	L	L		L.,	<u> </u>
	e "Zone" shown in the sections for stand-alone loops or loops as part o			tion refers to Geograp	hically Deav	eraged UNE Zon	es. To view	Geographic	cally Deaver	raged UN	E Zone Des	signations	by Central C	Office, refer t	o internet V	Vebsite:
	p://www.interconnection.bellsouth.com/become_a_clec/html/interconne															
OPERAT	ONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" TE: (1) CLEC should contact its contract negotiator if it prefers the "sta															
																cnarges.
	EC may elect either the state specific Commission ordered rates for the	service	e orde	ring charges, or CLE	may elect	the regional servi	ce ordering	charge, hov	wever, CLE	C can not	obtain a n	nixture of t	he two rega	rdless if CLE	C has a	
int	erconnection contract established in each of the 9 states.															
	TE: (2) Any element that can be ordered electronically will be billed ac															
the	se elements that cannot be ordered electronically at present per the LC	H, the	listed	SOMEC rate in this ca	ategory refle	cts the charge th	at would be	billed to a (CLEC once	electroni	c ordering	capabilitie	es come on-l	ine for that e	element. Ot	herwise, th
ma	nual ordering charge, SOMAN, will be applied to a CLECs bill when it s	ubmits	an L	SR to BellSouth.												
	OSS-Electronic Service Order Charge, Per LSR-UNE Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS-Manual Service Order Charge, Per LSR-UNE Only		1		SOMAN		15.75	0.00	1.97	0.00						
INF SER	VICE DATE ADVANCEMENT CHARGE	1	!		J J J J J J J J J J J J J J J J J J J		10.70	0.00	1.07	0.00	1		 	 	1	1
	TE: The Expedite charge will be maintained commensurate with BellSo	uth's E	CC N	o 1 Tariff Section 5 a	s annlicable						1					1
INC	TE. The Expedite charge will be maintained commensurate with bense	uui s r	-CC N	UAL. UEANL. UCL.	s applicable						<u> </u>					<u> </u>
				UEF. UDF. UEQ.												
				UDL, UENTW, UDN,												
				UEA. UHL. ULC. USL.												
				U1T12, U1T48,												
				U1TD1, U1TD3,												
				U1TDX, U1TO3,												
				U1TS1, U1TVX,												
				UC1BC, UC1BL,												
				UC1CC, UC1CL,												
				UC1DC, UC1DL,												
				UC1EC, UC1EL,												
				UC1FC, UC1FL,												
				UC1GC, UC1GL,												
				UC1HC, UC1HL,												
				UDL12. UDL48.												
				- ,,												
				UDLO3, UDLSX, UE3,												
				ULD12, ULD48,												
				ULDD1, ULDD3,												
				ULDDX, ULDO3,												
				ULDS1, ULDVX,												
				UNC1X, UNC3X,												
				UNCDX, UNCNX,												
				UNCSX, UNCVX,												
				UNLD1, UNLD3,												
				UXTD1, UXTD3,												
				UXTS1, U1TUC,												
				U1TUD, U1TUB,												
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			U1TUA	SDASP		200.00									
	LED EXCHANGE ACCESS LOOP		<u> </u>													ļ
2-1	VIRE ANALOG VOICE GRADE LOOP															<u> </u>
$__ \bot $	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEAL2	12.03	37.92	17.55	23.48	5.25						
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEAL2	16.87	37.92	17.55	23.48	5.25					1	
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEAL2	25.68	37.92	17.55	23.48	5.25						
	2W Analog VG Loop-SL1-Zone 4		4	UEANL	UEAL2	43.85	37.92	17.55	23.48	5.25				i		l
	2W Analog VG Loop-SL1-Zone 1	1	1	UEANL	UEASL	12.03	37.92	17.55	23.48	5.25	1		 	 	1	1
	2W Analog VG Loop-SL1-Zone 2	1	2	UEANL	UEASL	16.87	37.92	17.55	23.48	5.25	+		 	 	 	
	2W Analog VG Loop-SL1-Zone 2 2W Analog VG Loop-SL1-Zone 3	1	3	UEANL	UEASL	25.68	37.92	17.55	23.48	5.25	1		 	 	1	1
		1									1		 	 	 	
	2W Analog VG Loop-SL1-Zone 4	ļ	4	UEANL	UEASL	43.85	37.92	17.55	23.48	5.25	ļ					
	Unbundled Misc Rate Element, Tag Loop at End User Premise		<u> </u>	UEANL	URETL		8.33	0.83			ļ				ļ	ļ
	Loop Testing-Basic 1st Half Hour			UEANL	URET1		34.36	34.36								
	Loop Testing-Basic Add'l Half Hour		L	UEANL	URETA		19.97	19.97								
	CLEC to CLEC Conversion Charge w/o Outside Dispatch			UEANL	UREWO		15.75	8.92								
$\neg \vdash$	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
		1	1	UEANL	UEANM	1	13.51	13.51	l	ı	1	1			l	
	providing make-up (Engineering Information-E.I.)															

NDUNDL	ED NETWORK ELEMENTS - Mississippi	1		ı	1	1								ment: 2		ibit: A
											Svc	Svc		Incrementa		Increment
											Order	Order	I Charge -	I Charge -	al Charge -	Charge -
		Interi	Zon								Submitte	Submitte	Manual	Manual	Manual	Manual Sv
ATEGORY	RATE ELEMENTS	m	e	BCS	USOC		RA	TES (\$)			d Elec	d	Svc Order	Svc Order	Svc Order	Order vs.
			ľ								per LSR	Manually	vs.	vs.	vs.	Electronic
												per LSR	Electronic-	Electronic-	Electronic-	Disc Add'
												•	1c+	Add'I	Dicc 1ct	
			<u> </u>			Rec	Nonrec		NRC Disc					Rates (\$)		
					00001		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Specified Conversion Time for UVL-SL1 (per			UEANL	OCOSL		18.19	18.19								
2-WIR	E Unbundled COPPER LOOP			LIEO	LIEGOV	44.04	00.50	40.40	00.00	4.40						
	2W Unbundled Copper Loop-Non-Designed Zone 1	-	1	UEQ UEQ	UEQ2X UEQ2X	11.01 11.51	36.53	16.16	22.66	4.42 4.42						
_	2W Unbundled Copper Loop-Non-Designed-Zone 2		2		UEQ2X		36.53	16.16	22.66							
	2W Unbundled Copper Loop-Non-Designed-Zone 3	-	3	UEQ UEQ	UEQ2X UEQ2X	11.57 13.10	36.53 36.53	16.16 16.16	22.66	4.42 4.42						
	2W Unbundled Copper Loop-Non-Designed-Zone 4 Unbundled Misc Rate Element, Tag Loop at End User Premise	_ '	4	UEQ	URETL	13.10	8.33	0.83	22.66	4.42						
_	Manual Order Coordination 2W Unbundled Copper Loop-Non-Designed		-	UEQ	UREIL		8.33	0.83								
	(per loop)			UEQ	USBMC		8.20	8.20								
	d17		-	UEQ	USBIVIC		8.20	8.20	ļ							
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST		1	UEQ	UEQMU		12.54	12.54				1				
_	providing make-up (Engineering Information-E.I.) Loop Testing-Basic 1st Half Hour	1	<u> </u>	UEQ	URET1		13.51 34.36	13.51 34.36	-		 	 	-	 	 	-
	Loop Testing-Basic 1st Hair Hour Loop Testing-Basic Add'l Half Hour	<u> </u>	 	UEQ	URETA		19.97	19.97				-	 			
-	CLEC to CLEC Conversion Charge w/o Outside Dispatch	!	 	UEQ	UREWO		19.97	7.42	1			 	1		1	
IDUMDI EI	D EXCHANGE ACCESS LOOP			UEQ	UKEWU		14.24	1.42	-							
	E ANALOG VOICE GRADE LOOP								-							
Z-VVIR	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	12.03	37.92	17.55	23.48	5.25				-		ļ
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEABS	12.03	37.92	17.55	23.48	5.25						
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	16.87	37.92	17.55	23.48	5.25						
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS	16.87	37.92	17.55	23.48	5.25						-
-	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEALS	25.68	37.92	17.55	23.48	5.25				-		ļ
_	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEABS	25.68	37.92	17.55	23.48	5.25						1
	2W Analog VG Loop-SL1-Line Splitting-Zone 4		4	UEPSR UEPSB	UEALS	43.85	37.92	17.55	23.48	5.25						
-	2W Analog VG Loop-SL1-Line Splitting-Zone 4		4	UEPSR UEPSB	UEABS	43.85	37.92	17.55	23.48	5.25				-		ļ
IDIINDI EI	D EXCHANGE ACCESS LOOP		4	OLF SK OLF SB	ULADS	45.05	31.32	17.55	23.40	3.23						1
	E ANALOG VOICE GRADE LOOP		-						1							
Z-VVIIN	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		1	UEA	UEAL2	13.89	105.96	68.28	52.82	10.37						
-	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2		2	UEA	UEAL2	18.75	105.96	68.28	52.82	10.37				-		ļ
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA	UEAL2	27.55	105.96	68.28	52.82	10.37						
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		4	UEA	UEAL2	45.72	105.96	68.28	52.82	10.37						1
	Order Coordination for Specified Conversion Time (per LSR)		4	UEA	OCOSL	45.72	18.19	00.20	32.02	10.37						
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 1		1	UEA	UEAR2	13.89	105.96	68.28	52.82	10.37						
+	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 1	 	2	UEA	UEAR2	18.75	105.96	68.28	52.82	10.37	 	1	ł	-	1	
+	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 3	 	3	UEA	UEAR2	27.55	105.96	68.28	52.82	10.37	 	1	ł	-	1	
-	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 4	 	4	UEA	UEAR2	45.72	105.96	68.28	52.82	10.37		 	1	-	1	
	Order Coordination for Specified Conversion Time (per LSR)	I	Ť	UEA	OCOSL	70.72	18.19	00.20	52.02	10.37	 	 	 	1	 	-
	CLEC to CLEC Conversion Charge w/o outside dispatch	1		UEA	UREWO		87.56	36.29			†	1	1	i	1	†
	Loop Tagging-SL2 (SL2)			UEA	URETL		11.19	1.10								
4-WIR	E ANALOG VOICE GRADE LOOP			OLA	OILLIE		11.10	1.10								
	4W Analog VG Loop-Zone 1		1	UEA	UEAL4	27.47	132.27	94.59	60.68	14.64				1		1
	4W Analog VG Loop-Zone 2		2	UEA	UEAL4	38.26	132.27	94.59	60.68	14.64				1		1
	4W Analog VG Loop-Zone 3	-	3	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64		1	1			
-	4W Analog VG Loop-Zone 4	 	4	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64		1	†		1	
	Order Coordination for Specified Conversion Time (per LSR)	1	†	UEA	OCOSL	55.00	18.19	000	55.00		†	1	1	i	1	†
	CLEC to CLEC Conversion Charge w/o outside dispatch	-	†	UEA	UREWO		87.56	36.29				1	1			
2-WIR	E ISDN DIGITAL GRADE LOOP	-	†	OL/ C	SILLIVO		57.50	55.25				1	1			
2	2W ISDN Digital Grade Loop-Zone 1	-	1	UDN	U1L2X	21.01	117.61	79.92	52.82	10.37		1	1			
-	2W ISDN Digital Grade Loop-Zone 2	 	2	UDN	U1L2X	27.59	117.61	79.92	52.82	10.37	-	1	†		1	
	2W ISDN Digital Grade Loop-Zone 3	1	3	UDN	U1L2X	37.34	117.61	79.92	52.82	10.37	†	1	1	i	1	†
_	2W ISDN Digital Grade Loop-Zone 4	-	4	UDN	U1L2X	59.18	117.61	79.92	52.82	10.37		1	1			
_	Order Coordination For Specified Conversion Time (per LSR)	t	+-	UDN	OCOSL	55.10	18.19	70.02	52.02	.0.01		1	1			
	CLEC to CLEC Conversion Charge w/o outside dispatch		 	UDN	UREWO		91.46	44.07	†		 	1	1	1	1	

ומאחמאר	LED NETWORK ELEMENTS - Mississippi			1	1	1								ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	Charge - Manual Sv Order vs. Electronic
						_	Nonrec	urrina	NRC Disc	onnect			OSS	Rates (\$)	Dicc 1ct	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
2-WIF	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIE	LE LOO	P													
	2W Unbundled ADSL Loop including manl svc ing & facility reservation															
	Zone 1		1	UAL	UAL2X	11.11	121.27	70.81	50.38	7.93						
	2W Unbundled ADSL Loop including manl svc inq & facility reservation	-														
	Zone 2		2	UAL	UAL2X	11.47	121.27	70.81	50.38	7.93						
	2W Unbundled ADSL Loop including manl svc inq & facility reservation	-														
	Zone 3		3	UAL	UAL2X	11.74	121.27	70.81	50.38	7.93						
	2W Unbundled ADSL Loop including manl svc inq & facility reservation	-														
	Zone 4		4	UAL	UAL2X	12.69	121.27	70.81	50.38	7.93						
	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UAL	OCOSL		18.19				ļ	ļ				ļ
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone		1	UAL	UAL2W	11.11	96.15	58.03	50.38	7.93						
_	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone		2	UAL	UAL2W	11.47	96.15	58.03	50.38	7.93	<u> </u>					<u> </u>
	2W Unbundled ADSL Loop w/o manl svc ing & facility reservaton-Zone		3	UAL UAL	UAL2W UAL2W	11.74 12.69	96.15 96.15	58.03	50.38	7.93						
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone	4	4			12.69		58.03	50.38	7.93						
	Order Coordination for Specified Conversion Time (per LSR)		-	UAL UAL	OCOSL UREWO		18.19 86.04	40.33								ļ
2 14/15	CLEC to CLEC Conversion Charge w/o outside dispatch RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBL	FLOOR		UAL	UREWU		86.04	40.33								
2-771	2W Unbundled HDSL Loop including man! svc ing & facility reservation				-											1
	Zone 1	-	1	UHL	UHL2X	8.75	129.98	79.52	50.38	7.93						
	2W Unbundled HDSL Loop including man! svc ing & facility reservation			OLIC	UTILZX	0.73	129.90	19.52	30.36	1.93						
	Zone 2	-	2	UHL	UHL2X	9.22	129.98	79.52	50.38	7.93						
_	2W Unbundled HDSL Loop including manl svc inq & facility reservation			UNL	UHLZA	9.22	129.90	79.52	50.56	7.93						1
	Zone 3	-	3	UHL	UHL2X	9.87	129.98	79.52	50.38	7.93						
	2W Unbundled HDSL Loop including manl svc inq & facility reservation	_	3	OTIL	OTILEX	3.07	123.30	13.52	30.30	7.55						
	Zone 4	'	4	UHL	UHL2X	10.46	129.98	79.52	50.38	7.93						
	Order Coordination for Specified Conversion Time (per LSR)		_	UHL	OCOSL	10.40	18.19	70.02	00.00	7.00						
	2W Unbundled HDSL Loop w/o manl svc ing and facility reservation-			0.12	00002		10.10									
	Zone 1		1	UHL	UHL2W	8.75	104.86	66.74	50.38	7.93						
	2W Unbundled HDSL Loop w/o manl svc ing and facility reservation-															
	Zone 2		2	UHL	UHL2W	9.22	104.86	66.74	50.38	7.93						
	2W Unbundled HDSL Loop w/o manl svc ing and facility reservation-															
	Zone 3		3	UHL	UHL2W	9.87	104.86	66.74	50.38	7.93						
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-															
	Zone 4		4	UHL	UHL2W	10.46	104.86	66.74	50.38	7.93						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		85.98	40.33								
4-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBL	E LOOP	1													
	4W Unbundled HDSL Loop including manl svc inq and facility		١.													
	reservation-Zone 1		1	UHL	UHL4X	13.78	158.74	108.28	56.72	10.68	ļ	ļ				ļ
	4W Unbundled HDSL Loop including manl svc inq and facility				100 457	40.10	450 - :	400.00	50.70	40.00						
_	reservation-Zone 2	+	2	UHL	UHL4X	13.43	158.74	108.28	56.72	10.68	1	!				
	4W Unbundled HDSL Loop including man! svc inq and facility		3	UHL	UHL4X	15.50	150 74	100.00	EG 70	10.68						
-	reservation-Zone 3 4W Unbundled HDSL Loop including manl svc ing and facility		3	UHL	UHL4X	15.59	158.74	108.28	56.72	10.68	 	1			-	1
	reservation-Zone 4		4	UHL	UHL4X	14.46	158.74	108.28	56.72	10.68			1	1		
-	Order Coordination for Specified Conversion Time (per LSR)		4	UHL	OCOSL	14.40	18.19	100.28	30.12	10.08	 					1
	4W Unbundled HDSL Loop w/o manl svc ing and facility reservation-	+	1	OTIL	OCCOL		10.19				<u> </u>	1				
	Zone 1		1	UHL	UHL4W	13.78	133.62	95.50	56.72	10.68			1	1		
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-	+	Ė	JIIL.	J. 1L-777	10.70	.00.02	30.00	30.12	. 0.00		1	1	1		1
	Zone 2		2	UHL	UHL4W	13.43	133.62	95.50	56.72	10.68			1	1		
	4W Unbundled HDSL Loop w/o manl svc ing and facility reservation-		<u> </u>	SIL	J. 1L-111	10.40	.00.02	30.00	30.12	. 0.00						
	Zone 3		3	UHL	UHL4W	15.59	133.62	95.50	56.72	10.68			1	1		1
	4W Unbundled HDSL Loop w/o manl svc ing and facility reservation-		Ť	1	1	15.50			742	2.20						
	Zone 4		4	UHL	UHL4W	14.46	133.62	95.50	56.72	10.68			1	1		1
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		85.98	40.33								ì

JNRUND	LED NETWORK ELEMENTS - Mississippi					T								ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs.	al Charge - Manual Svc Order vs.	Incrementa Charge - Manual Sv Order vs. Electronic
												per LSR	Electronic-	Electronic-	Electronic-	Disc Add'l
						Boo	Nonrec	urring	NRC Disc	onnect			OSS	Rates (\$)	Dice 1ct	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-WII	RE DS1 DIGITAL LOOP															
	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	79.08	253.93	158.45	46.10	12.07						
	4W DS1 Digital Loop-Zone 2		2	USL	USLXX	129.38	253.93	158.45	46.10	12.07						
	4W DS1 Digital Loop-Zone 3		3	USL	USLXX	206.74	253.93	158.45	46.10	12.07						
	4W DS1 Digital Loop-Zone 4		4	USL USL	USLXX	458.46	253.93 18.19	158.45	46.10	12.07						
	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge w/o outside dispatch			USL	UREWO		100.90	42.96	1		1			-	-	
4-WII	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			USL	UKLWO		100.90	42.30								
7-1111	4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.44	126.53	88.85	60.68	14.64						
	4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	34.55	126.53	88.85	60.68	14.64						
	4W Unbundled Digital 19.2 Kbps		3	UDL	UDL19	40.76	126.53	88.85	60.68	14.64						
	4W Unbundled Digital 19.2 Kbps		4	UDL	UDL19	32.25	126.53	88.85	60.68	14.64						
	4W Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	27.44	126.53	88.85	60.68	14.64						
	4W Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	34.55	126.53	88.85	60.68	14.64						
	4W Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL	UDL56	40.76	126.53	88.85	60.68	14.64						
	4W Unbundled Digital Loop 56 Kbps-Zone 4		4	UDL	UDL56	32.25	126.53	88.85	60.68	14.64						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.19									
	4W Unbundled Digital Loop 64 Kbps-Zone 1		1	UDL	UDL64	27.44	126.53	88.85	60.68	14.64						
	4W Unbundled Digital Loop 64 Kbps-Zone 2		2	UDL	UDL64	34.55	126.53	88.85	60.68	14.64						
	4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL	UDL64	40.76	126.53	88.85	60.68	14.64						
	4W Unbundled Digital Loop 64 Kbps-Zone 4		4	UDL UDL	UDL64	32.25	126.53	88.85	60.68	14.64						
	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	OCOSL UREWO		18.19 101.94	49.66								
2-WII	RE Unbundled COPPER LOOP			UDL	UKEWU		101.94	49.00	1		1			-	-	
2-9911	2W Unbundled Copper Loop-Designed including manl svc inq & facility															
	reservation-Zone 1		1	UCL	UCLPB	11.11	120.34	69.87	50.38	7.93						
	2W Unbundled Copper Loop-Designed including manl svc inq & facility		Ė		002.2		120.01	00.07	00.00	7.00						
	reservation-Zone 2		2	UCL	UCLPB	11.47	120.34	69.87	50.38	7.93						
	2W Unbundled Copper Loop-Designed including manl svc inq & facility															
	reservation-Zone 3		3	UCL	UCLPB	11.74	120.34	69.87	50.38	7.93						
	2W Unbundled Copper Loop-Designed including manl svc inq & facility															
	reservation-Zone 4		4	UCL	UCLPB	12.69	120.34	69.87	50.38	7.93						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility		١.						=							
	reservation-Zone 1		1	UCL	UCLPW	11.11	95.21	57.09	50.38	7.93						
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility		2	UCL	UCLPW	11.47	05.24	57.09	50.39	7.93						
	reservation-Zone 2 2W Unbundled Copper Loop-Designed w/o manl svc inq and facility			UCL	UCLPVV	11.47	95.21	57.09	50.38	7.93	 	-				
	reservation-Zone 3		3	UCL	UCLPW	11.74	95.21	57.09	50.38	7.93						
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility			301	COLI VV	11.74	33.21	37.09	30.30	1.00						
	reservation-Zone 4		4	UCL	UCLPW	12.69	95.21	57.09	50.38	7.93						
	Order Coordination for Unbundled Copper Loops (per loop)		Ė	UCL	UCLMC	.2.33	8.20	8.20								
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Des)			UCL	UREWO		95.21	42.40								
4-WII	RE COPPER LOOP															
	4W Copper Loop-Designed including manl svc inq and facility															
	reservation-Zone 1		1	UCL	UCL4S	17.30	144.68	94.22	56.72	10.68	ļ					
	4W Copper Loop-Designed including manl svc inq and facility				1											
_	reservation-Zone 2		2	UCL	UCL4S	18.84	144.68	94.22	56.72	10.68	ļ					
	4W Copper Loop-Designed including manl svc inq and facility		_	1.0.	116: 46		4			40.0-						
	reservation-Zone 3		3	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68	ļ					
	4W Copper Loop-Designed including man! svc inq and facility		4	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						
+	reservation-Zone 4		4	UCL	UCL4S UCLMC	21.33	144.68 8.20	94.22 8.20	b./2	10.68	 	-		-	-	
+	Order Coordination for Unbundled Copper Loops (per loop) 4W Copper Loop-Designed w/o manl svc inq and facility reservation-		-	UCL	UCLIVIC		δ.∠0	8.20	 		 	-		-	-	
	Zone 1		1	UCL	UCL4W	17.30	119.56	81.44	56.72	10.68						
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-			UCL	UCLAVV	17.30	113.30	01.44	30.72	10.00						
	Zone 2		2	UCL	UCL4W	18.84	119.56	81.44	56.72	10.68						
-	4W Copper Loop-Designed w/o manl svc inq and facility reservation-		t		332.77	.5.04		3	33.72							
1	Zone 3	1	3	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68	1		İ			1

UNBU	JNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exh	ibit: A
		22.22.E.E.										Svc	Svc		Incrementa	Increment	
												Order	Order	I Charge -	I Charge -	al Charge -	Charge -
			Intori	700								Submitte	Submitte	Manual	Manual	Manual	Manual Sv
CATEG	GORY	RATE ELEMENTS	Interi		BCS	USOC		RA	TES (\$)			d Elec	d	Svc Order	Svc Order	Svc Order	Order vs.
			m	е					.,,				Manually	VS.	vs.	VS.	Electronic
												per Lon	per LSR	-			
													per LSK	Electronic-		Dies 4st	DISC Add I
							_	Nonrec	urring	NRC Disc	onnect		1	OSS	Rates (\$)	11166 164	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4W Copper Loop-Designed w/o manl svc ing and facility reservation-															
		Zone 4		4	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						
		Order Coordination for Unbundled Copper Loops (per loop)		<u> </u>	UCL	UCLMC	21.00	8.20	8.20	00.72	10.00	1	†				
		CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Des)			UCL	UREWO		95.21	42.40			1	†				
LOOP	MODI	FICATION				ONETTO		00.21	.20			1	†				
1001	WICDI	TOATION			UAL, UHL, UCL,							-					
					UEQ, ULS, UEA,												
		Unbundled Loop Modification, Removal of Load Coils-2W pr less than or			UEANL, UEPSR,												
						LILMOL		20.57	20.57								
		equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		32.57	32.57				ļ				
		Unbundled Loop Modification Removal of Load Coils-4W less than or															
		equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		32.57	32.57								
			l	1	UAL, UHL, UCL,					I		1			1	I	
			l	1	UEQ, ULS, UEA,					I		1			1	I	
		Unbundled Loop Modification Removal of Bridged Tap Removal, per			UEANL, UEPSR,												
		unbundled loop		<u> </u>	UEPSB	ULMBT		32.59	32.59			<u> </u>					
SUB-LO	OOPS																
	Sub-L	oop Distribution															
		Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up			UEANL	USBSA		259.69									
		Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up	-		UEANL	USBSB		22.77									
		Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up			UEANL	USBSC		178.47									
		Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up	Ť	1	UEANL	USBSD		56.39									
		Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1	ΙĖ	1	UEANL	USBN2	7.15	66.18	31.14	45.36	6.71	1	†				
		Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2	H	2	UEANL	USBN2	9.51	66.18	31.14	45.36	6.71	1					
		Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3	H	3	UEANL	USBN2	12.45	66.18	31.14	45.36	6.71	1	1				
		Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3	-	4	UEANL	USBN2	18.26	66.18	31.14	45.36	6.71	-	 				
				4	UEANL	USBMC	10.20	8.20	8.20	45.36	0.71						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pr		1			7.00			54.07	0.05						1
		Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1			UEANL	USBN4	7.30	79.49	44.45		9.35						
		Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2		2	UEANL	USBN4	13.92	79.49	44.45	51.27	9.35						
		Sub-Loop Distribution Per 4W Analog VG Loop -Zone 3		3	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
		Sub-Loop Distribution Per 4W Analog VG Loop -Zone 4		4	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		8.20	8.20								
		Sub-Loop 2W Intrabuilding Network Cable (INC)	- 1		UEANL	USBR2	2.29	53.32	18.28	45.36	6.71						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		8.20	8.20								
		Sub-Loop 4W Intrabuilding Network Cable (INC)			UEANL	USBR4	4.40	59.60	24.55	51.27	9.35						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		8.20	8.20								
ı		Loop Testing-Basic 1st Half Hour			UEANL	URET1	İ	34.36	34.36								
		Loop Testing-Basic Add'l Half Hour			UEANL	URETA		19.97	19.97								
1		2W Copper Unbundled Sub-Loop Distribution-Zone 1		1	UEF	UCS2X	6.06	66.18	31.14	45.36	6.71					İ	İ
i		2W Copper Unbundled Sub-Loop Distribution-Zone 2	Ť	2	UEF	UCS2X	7.09	66.18	31.14	45.36	6.71	1			1	i	l
i i		2W Copper Unbundled Sub-Loop Distribution-Zone 3	Ė	3	UEF	UCS2X	8.16	66.18	31.14	45.36	6.71	1			1	i	1
		2W Copper Unbundled Sub-Loop Distribution-Zone 4	<u> </u>	4	UEF	UCS2X	9.90	66.18	31.14	45.36	6.71	1	1		1	 	1
		Order Coordination for Unbundled Sub-Loops, per sub-loop pr		Ť	UEF	USBMC	3.30	8.20	8.20	-40.00	0.71	†	 		 	l	
		4W Copper Unbundled Sub-Loop Distribution-Zone 1		1	UEF	UCS4X	5.10	79.49	44.45	51.27	9.35	1				1	†
		4W Copper Unbundled Sub-Loop Distribution-Zone 1	H	2	UEF	UCS4X	9.11	79.49	44.45	51.27	9.35	1	1		1	 	1
			H										 		-	ļ	1
		4W Copper Unbundled Sub-Loop Distribution-Zone 3	╙	3	UEF	UCS4X	14.00	79.49	44.45		9.35		1		 	 	
		4W Copper Unbundled Sub-Loop Distribution-Zone 4		4	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35	<u> </u>				1	1
		Order Coordination for Unbundled Sub-Loops, per sub-loop pr	<u> </u>	<u> </u>	UEF	USBMC		8.20	8.20	ļ		ļ	ļ			ļ	ļ
		Loop Testing-Basic 1st Half Hour		<u> </u>	UEF	URET1		34.36	34.36								
		Loop Testing-Basic Add'l Half Hour		<u> </u>	UEF	URETA		19.97	19.97								
U	Unbur	ndled Network Terminating Wire (UNTW)										1					
		Unbundled Network Terminating Wire (UNTW) per pr			UENTW	UENPP	0.3366	30.55									
1	Netwo	rk Interface Device (NID)															
ı		Network Interface Device (NID)-1-2 lines			UENTW	UND12	İ	43.84	28.90								
		Network Interface Device (NID)-1-6 lines			UENTW	UND16		65.30	50.36								
		Network Interface Device Cross Connect-2 W			UENTW	UNDC2		5.94	5.94	İ							İ
\rightarrow		Network Interface Device Cross Connect-4W			UENTW	UNDC4	İ	5.94	5.94	İ						İ	1
UNF O	THFR	, PROVISIONING ONLY - NO RATE			02	0.1201		3.54	0.04	l		1				i	İ
J.12 U		NID-Dispatch and Service Order for NID installation	-	+	UENTW	UNDBX	0.00	0.00		 		 			l	1	
		UNTW Circuit Id Establishment, Provisioning Only-No Rate		1	UENTW	UENCE	0.00	0.00		!					ļ		!

UNBUNDL	LED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
											Svc	Svc	Incrementa	Incrementa	Increment	Increment
											Order	Order	I Charge -	I Charge -	al Charge -	Charge
		Interi	Zon								Submitte	Submitte	Manual	Manual	Manual	Manual S
ATEGORY	RATE ELEMENTS	m		BCS	USOC		RA	TES (\$)			d Elec	d	Svc Order	Svc Order	Svc Order	Order vs.
		m	е									Manually		vs.	vs.	Electronic
											P	per LSR		Electronic-	Flectronic-	Disc Add
												po. zo.t	1c+	A dd'I	Disc 1st	2.007.00
						Rec	Nonrec		NRC Disc					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Contract Name, Provisioning Only-No Rate			UEANL,UEF,UEQ,UE	UNECN	0.00	0.00									
JNE OTHER	R, PROVISIONING ONLY - NO RATE															
				UAL,UCL,UDC,UDL,U												
	Unbundled Contact Name, Provisioning Only-no rate			DN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate			UEA,UDN,UCL,UDC		0.00	0.00									
	Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop-Superframe Format Option-no rate		<u> </u>	USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop-Expanded Superframe Format option-no rate		<u> </u>	USL	CCOEF	0.00	0.00									
IGH CAPA	CITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop-DS3-Per mi per mo			UE3	1L5ND	11.20										
	High Capacity Unbundled Local Loop-DS3-Facility Term per mo		<u> </u>	UE3	UE3PX	326.15	454.13	265.47	123.23	86.19		1				ļ
	High Capacity Unbundled Local Loop-STS-1-Per mi per mo		<u> </u>	UDLSX	1L5ND	11.20			16							
	High Capacity Unbundled Local Loop-STS-1-Facility Term per mo		<u> </u>	UDLSX	UDLS1	338.55	454.13	265.47	123.23	86.19	ļ	ļ		ļ		
OOP MAKE																
	Loop Makeup-Preordering w/o Reservation, per working or spare facility															
	queried (Manual).			UMK	UMKLW		24.12	24.12								
	Loop Makeup-Preordering With Reservation, per spare facility queried															
	(Manual).			UMK	UMKLP		25.58	25.58								
	Loop MakeupWith or w/o Reservation, per working or spare facility															
	queried (Mechanized)			UMK	UMKMQ		0.6652	0.6652								
	NG AND LINE SPLITTING															
	1: The Line Sharing monthly recurring rates for all installations com				ugh midnig	ht October 01, 20	04 shall be b	illed as foll	lows:							
	1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled copper lo	oop no	on-des	signed ("UCLND")												
	1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND															
	1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND															
	1: Above will apply to USOCS: ULSDT and ULSCT		<u> </u>													
	E 2: The Line Sharing monthly recurring rates with USOCs ULSDC an	d ULS	CC a	oplies only to circuits	installed an	d inservice on or	before Octo	ber 1, 2003								
	SHARING															
SPLII	TERS-CENTRAL OFFICE BASED			111.0	III OD A	400.07	100.00	0.00	470.44	0.00						
	Line Sharing Splitter, per System 96 Line Capacity		<u> </u>	ULS	ULSDA	186.67	189.89	0.00	178.41	0.00						
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	46.67	189.89	0.00	178.41	0.00						
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	15.55	189.89	0.00	178.41	0.00						
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation								40.00							
	(per LSOD)		<u> </u>	ULS	ULSDG		86.98	0.00	49.96	0.00						
END (JSER ORDERING-CENTRAL OFFICE BASED LINE SHARING		<u> </u>													
	Line Sharing -per Line Activation (BST Owned splitter)-OBSOLETE see															
	**NOTE 2		<u> </u>	ULS	ULSDC	0.61	18.62	10.66	10.04	4.93						
	Line Share Service, TRO per line activation, BST owned splitter-CO															
	Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS	ULSDT	2.75	18.62	10.66	10.04	4.93						
	Line Share Service, TRO per line activation, BST owned splitter-CO				LUODT	5.54	40.00	40.00	40.04	4.00						
	Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter-CO		-	ULS	ULSDT	5.51	18.62	10.66	10.04	4.93						
	Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	8.26	18.62	10.66	10.04	4.93						
	Line Sharing-per Subsqnt Activity per Line Rearrangement(BST Owned			ULS	OLSDI	0.20	10.02	10.00	10.04	4.93		1				
	Splitter)			ULS	ULSDS		16.48	8.24								
				ULS	ULSDS		10.40	0.24				1				
				ULS	ULSCS		16.48	8.24								
	Line Sharing-per Subsqnt Activity per Line Rearrangement(DLEC				ULGUG		10.40	0.24				-	ļ			
	Owned Splitter)		<u> </u>	020					20.67	12.74						
	Owned Splitter) Line Sharing-per Line Activation (DLEC owned Splitter)-OBSOLETE see				III SCC	0.61	17 11			12.74						
	Owned Splitter) Line Sharing-per Line Activation (DLEC owned Splitter)-OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.07							
	Owned Splitter) Line Sharing-per Line Activation (DLEC owned Splitter)-OBSOLETE see **NOTE 2 Line Share Service, TRO per line activation, CLEC owned splitter-CO			ULS						12 7/						
	Owned Splitter) Line Sharing-per Line Activation (DLEC owned Splitter)-OBSOLETE see **NOTE 2 Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)				ULSCC	0.61 2.75	47.44 47.44	19.31	20.67	12.74						
	Owned Splitter) Line Sharing-per Line Activation (DLEC owned Splitter)-OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, CLEC owned splitter-CO			ULS ULS	ULSCT	2.75	47.44	19.31	20.67							
	Owned Splitter) Line Sharing-per Line Activation (DLEC owned Splitter)-OBSOLETE see **NOTE 2 Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)			ULS						12.74 12.74						
	Owned Splitter) Line Sharing-per Line Activation (DLEC owned Splitter)-OBSOLETE see "*NOTE 2 Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, CLEC owned splitter-CO			ULS ULS ULS	ULSCT	2.75 5.51	47.44 47.44	19.31 19.31	20.67	12.74						
I INF	Owned Splitter) Line Sharing-per Line Activation (DLEC owned Splitter)-OBSOLETE see **NOTE 2 Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS ULS	ULSCT	2.75	47.44	19.31	20.67							
	Owned Splitter) Line Sharing-per Line Activation (DLEC owned Splitter)-OBSOLETE see "MOTE 2 Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005) SPLITTING			ULS ULS ULS	ULSCT	2.75 5.51	47.44 47.44	19.31 19.31	20.67	12.74						
	Owned Splitter) Line Sharing-per Line Activation (DLEC owned Splitter)-OBSOLETE see **NOTE 2 Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005) SPLITTING JSER ORDERING-CENTRAL OFFICE BASED			ULS ULS ULS	ULSCT ULSCT ULSCT	2.75 5.51 8.26	47.44 47.44	19.31 19.31	20.67	12.74						
	Owned Splitter) Line Sharing-per Line Activation (DLEC owned Splitter)-OBSOLETE see "MOTE 2 Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005) SPLITTING			ULS ULS ULS	ULSCT	2.75 5.51	47.44 47.44	19.31 19.31	20.67	12.74						

UNBL	JNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exh	ibit: A
CATEG		RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually	Incrementa I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs.	Incremental Charge - Manual Svo Order vs. Electronic-
													per LSR			Electronic-	Disc Add'l
							Б	Nonrec	urring	NRC Disc	onnect			OSS	Rates (\$)	Dicc 1ct	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
	MAINT	ENANCE															
		No Trouble Found-per 1/2 hour increments-Basic						80.00	55.00								
		No Trouble Found-per 1/2 hour increments-Overtime						120.00	82.50								
		No Trouble Found-per 1/2 hour increments-Premium						160.00	110.00								
		DEDICATED TRANSPORT		<u> </u>													
		OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo		<u> </u>	U1TVX	1L5XX	0.0098			1=00							
		Interoffice Channel-Dedicated Transport-2W VG-Facility Term		<u> </u>	U1TVX	U1TV2	22.52	40.77	27.57	17.26	7.11						
		Interoffice Channel -Dedicated Transpor t-2W VG Rev Bat-Per mi per			U1TVX	1L5XX	0.0098			4=00							
		Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Facility Term		<u> </u>	U1TVX	U1TR2	22.52	40.77	27.57	17.26	7.11						
		Interoffice Channel -Dedicated Transport-4W VG-Per mi per mo		 	U1TVX U1TVX	1L5XX U1TV4	0.0098 19.79	40.77	27.57	17.00	7.11	1					-
		Interoffice Channel -Dedicated Transport-4W VG-Facility Term Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo		 	U1TDX	1L5XX	0.0098	40.77	27.57	17.26	7.11	1					-
		Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo Interoffice Channel-Dedicated Transport-56 kbps-Facility Term		 	U1TDX	U1TD5	15.68	40.78	27.57	17.26	7.11	<u> </u>		-			
-		Interoffice Channel-Dedicated Transport-56 kbps-Pacifity Term		1	U1TDX	1L5XX	0.0098	40.70	21.31	17.20	7.11	1				1	1
		Interoffice Channel-Dedicated Transport-64 kbps-Facility Term		 	U1TDX	U1TD6	15.68	40.78	27.57	17.26	7.11	1					†
		Interoffice Channel-Dedicated Channel-DS1-Per mi per mo			U1TD1	1L5XX	0.201	40.70	21.01	17.20	7.11						
		Interoffice Channel-Dedicated Tranport-DS1-Facility Term			U1TD1	U1TF1	57.33	89.79	82.28	16.86	14.90						
		Interoffice Channel -Dedicated Transport-DS3-Per mi per mo			U1TD3	1L5XX	4.76	000	02.20	10.00	1 1.00						
		Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			U1TD3	U1TF3	641.90	280.37	163.70	62.08	60.29						
		Interoffice Channel-Dedicated Transport-STS-1-Per mi per mo			U1TS1	1L5XX	4.76										
		Interoffice Channel-Dedicated Transport-STS-1-Facility Term			U1TS1	U1TFS	644.21	280.37	163.70	62.08	60.29						
DARK	FIBER																
		Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-															
		Interoffice Channel			UDF, UDFCX	1L5DF	28.27										
		NRC Dark Fiber-Interoffice Channel			UDF, UDFCX	UDF14		642.79	138.67	326.97	203.85						
		Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-															
		Local Loop		<u> </u>	UDF, UDFCX	1L5DL	59.95										
		NRC Dark Fiber-Local Loop			UDF, UDFCX	UDFL4		642.79	138.67	326.97	203.85						
8XX A		TEN DIGIT SCREENING		<u> </u>													
		8XX Access Ten Digit Screening, Per Call		-	OHD		0.0006216										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX No			OUD	Nonav		0.00	0.44								
		Reserved		<u> </u>	OHD	N8R1X		2.60	0.44								
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS			OLID			F 07	0.81	4.00	0.54						
		Translations 8XX Access Ten Digit Screening, Per 8XX No. Established With POTS			OHD			5.97	0.81	4.60	0.54						
		Translations			OHD	N8FTX		5.97	0.81	4.60	0.54						
		8XX Access Ten Digit Screening, Customized Area of Service Per 8XX		-	OHD	N8FCX		2.60	1.30		0.54						
		8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per		-	SIID	1401 07		2.00	1.50	 	 	 		 	 		1
		CXR Requested Per 8XX No.	l	1	OHD	N8FMX		3.04	1.74					1	1		
		8XX Access Ten Digit Screening, Change Charge Per Request		t	OHD	N8FAX		3.04	0.44								
		8XX Access Ten Digit Screening, Call Handling and Destination			OHD	N8FDX		2.60									
		8XX Access Ten Digit Screening, w/8FL No. Delivery, per query			OHD		0.0006216										
		8XX Access Ten Digit Screening, w/POTS No. Delivery, per query			OHD		0.0006216										
LINE II		NATION DATA BASE ACCESS (LIDB)															
		LIDB Common Transport Per Query			OQT		0.0000197										
		LIDB Validation Per Query			OQU		0.0137053										
		LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		34.52	34.52	42.33	42.33						
SIGNA		CCS7)															
		CCS7 Signaling Term, Per STP Port			UDB	PT8SX	132.21										
		CCS7 Signaling Usage, Per TCAP Message		<u> </u>	UDB		0.0000597				4	ļ					ļ
		CCS7 Signaling Connection, Per link (A link)		<u> </u>	UDB	TPP++	16.55	35.74	35.74	16.53	16.53	ļ					ļ
		CCS7 Signaling Connection, Per link (B link) (also known as D link)		<u> </u>	UDB	TPP++	16.55	35.74	35.74	16.53	16.53	ļ					ļ
		CCS7 Signaling Usage, Per ISUP Message		<u> </u>	UDB	07::	0.0000149			<u> </u>	 	<u> </u>					ļ
\longrightarrow		CCS7 Signaling Usage Surrogate, per link per LATA		1	UDB	STU56	683.55			 	 	 					1
		CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected	l	1	UDB	CCAPO		29.18	29.18	35.78	35.78			1	1		
				ļ	UDB	CCAPO		29.18	29.18	35.78	35.78	.		 	 	1	1
EQ11 C	SERVIC	E					U										

UNBUNDL	ED NETWORK ELEMENTS - Mississippi			T										ment: 2		ibit: A
CATEGORY		Interi m	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitte d Elec per LSR		I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						B	Nonrec	urring	NRC Disc	onnect			OSS	Rates (\$)	Dice 1c+	L
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
	Interoffice Transport-Dedicated-2W VG Per mi					0.0098										
	Interoffice Transport-Dedicated-2W VG Per Facility Term					22.52	40.77	27.57	17.26	7.11						
	Local Channel-Dedicated-DS1-Zone 1					36.83	178.50	154.61	22.89	15.74						
	Local Channel-Dedicated-DS1-Zone 2					35.99	178.50	154.61	22.89	15.74						
	Local Channel-Dedicated-DS1-Zone 3					221.63	178.50	154.61	22.89	15.74						
	Local Channel-Dedicated-DS1-Zone 4					221.63	178.50	154.61	22.89	15.74						
	Interoffice Transport-Dedicated-DS1 Per mi					0.2010										
	Interoffice Transport-Dedicated-DS1 Per Facility Term					57.33	89.79	82.28	16.86	14.90						
CALLING N	AME (CNAM) SERVICE	<u> </u>		001/					04.00	04.00						
	CNAM For DB Owners-Service Establishment			OQV			23.09	23.09	21.23	21.23						
	CNAM For Non DB Owners-Service Establishment CNAM For DB Owners-Service Provisioning With Point Code	 	 	OQV	 		23.09	23.09	21.23	21.23	 	 		-	-	1
	Establishment		l	OQV			996.62	737.08	270.49	198.89					1	
	CNAM For Non DB Owners-Service Provisioning With Point Code			UQV	 	+	330.02	131.00	210.49	130.09						1
	Establishment			OQV]		344.32	246.56	276.85	198.89						
	CNAM for DB Owners, Per Query			OQV	 	0.0010231	J77.JZ	240.00	210.00	130.03						1
	CNAM for Non DB Owners, Per Query			OQV		0.0010231										
SELECTIVE				7												
	Selective Routing Per Unique Line Class Code Per Request Per Switch						85.19	85.19	14.19	14.19						
VIRTUAL CO	DLLOCATION															
	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0268	12.37	11.87	6.04	5.45						
PHYSICAL (COLLOCATION															
	Physical Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0288	12.37	11.87	6.04	5.45						
AIN SELECT	TIVE CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		101,685.12		8,640.51							
	End Office Establishment			SRC	SRCEO		167.49	167.49	1.71	1.71						
	Query NRC, per query			SRC		0.0030502										
AIN - BELLS	SOUTH AIN SMS ACCESS SERVICE	<u> </u>		A4A1	041405		00.07	00.07	40.00	40.00						
	AIN SMS Access Service-Service Establishment, Per State, Initial Setup			A1N	CAMSE CAMDP	-	39.67	39.67	40.92	40.92						
	AIN SMS Access Service-Port Connection-Dial/Shared Access AIN SMS Access Service-Port Connection-ISDN Access			A1N A1N	CAM1P		7.87 7.87	7.87 7.87	9.14 9.14	9.14 9.14						
-	AIN SMS Access Service-Port Conflection-ISDN Access AIN SMS Access Service-User Identification Codes-Per User ID Code			A1N	CAMAU		35.21	35.21	27.21	27.21						
	AIN SMS Access Service-Oser Identification Codes Per Oser ID Code AIN SMS Access Service-Security Card, Per User ID Code, Initial or			Ally	CAIVIAU		33.21	33.21	21.21	21.21						
	Replacement			A1N	CAMRC		42.13	42.13	11.78	11.78						
	AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)			7	G/ 4111 CO	0.0021	12.10	.20								
	AIN SMS Access Service-Session, Per min					0.5649										
	AIN SMS Access Service-Company Performed Session, Per min					0.8393										
AIN - BELLS	SOUTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service-Service Establishment Charge, Per State, Initial			CAM	BAPSC		39.67	39.67	40.92	40.92						
	AIN Toolkit Service-Training Session, Per Customer				BAPVX		4,226.54	4,226.54								
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term.															
	Attempt				BAPTT		7.87	7.87	9.14	9.14						
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-															
	Hook Delay				BAPTD		7.87	7.87	9.14	9.14						
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-															
	Hook Immediate				BAPTM	-	7.87	7.87	9.14	9.14						
	AlN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP		l		BAPTO		34.67	34.67	14.44	14.44					1	
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, CDP		-		BAPTC		34.67	34.67	14.44	14.44						
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, CDP AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Feature		-		DAI: 10	+	34.07	34.07	14.44	14.44	1	1				1
	Code	1			BAPTF	l	34.67	34.67	14.44	14.44				1		
	AIN Toolkit Service-Query Charge, Per Query				2, 11	0.0535577	54.07	54.07	17.77	. 4.44						
	AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription,	1			 	0.0000011					1	1	1	<u> </u>		
	Per Node, Per Query		l			0.0063509									1	
	AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account, Per				1											
1	100 Kilobytes		L		<u> </u>	0.06					<u></u>	<u></u>	<u> </u>	<u> </u>	<u> </u>	
														T		
	AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription AIN Toolkit Service-Special Study-Per AIN Toolkit Service Subscription	<u>L</u>		CAM CAM	BAPMS BAPLS	11.11 2.71	7.87	7.87 8.71	5.54	5.54	<u> </u>					

ONRONE	LED NETWORK ELEMENTS - Mississippi													ment: 2		ibit: A
CATEGOR	Y RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs.	al Charge - Manual Svc Order vs.	Charge - Manual Sv Order vs. Electronic
												per LSR			Electronic-	Disc Add'
						.	Nonrec	urring	NRC Disc	onnect		l	OSS	Rates (\$)	Dicc 1ct	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
	AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service															
	Subscription			CAM	BAPDS	8.48	7.87	7.87	5.54	5.54						
	AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service															
	Subscription			CAM	BAPES	0.09	8.71	8.71								
	D EXTENDED LINK (EELs)		Cont	tak As Is Channa will		- LINE			limanilu. Cam	alaine and Al	atura da Elar					
	E: The monthly recurring and non-recurring charges below will apply E: The monthly recurring and the Switch-As-Is Charge and not the nor											ments.				
FYT	ENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED D	1-recur	POF	FICE TRANSPORT	DIY IOI UNE	Combinations pro	ovisioneu as	Currently	Combined	Network	Elements.					
LAI	First 2W VG Loop (SL2) in Combination-Zone 1)	1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37						1
	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37						
	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37						
	First 2W VG Loop (SL2) in Combination-Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37	Ì					
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX	0.1813										
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	1/0 Channelization System in combination Per mo			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	VG COCI-Per mo	ļ	<u> </u>	UNCVX	1D1VG	0.5737	6.62	4.74	F0.0-	40.0-	<u> </u>					1
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37						
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2		3	UNCVX	UEAL2 UEAL2	18.75	105.96	68.28	52.82	10.37						
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 3 Each Add'l 2W VG Loop (SL 2) in Combination-Zone 4	<u> </u>	4	UNCVX	UEAL2	27.55 45.72	105.96 105.96	68.28 68.28	52.82 52.82	10.37 10.37	-					
	VG COCI-Per mo		4	UNCVX	1D1VG	0.5737	6.62	4.74		10.37						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC	0.3737	5.63	5.63	7.20	7.20						
EXT	ENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED D	S1 INTE	ROF		0.1000		0.00	0.00	7.20	7.20						
	First 4W Analog VG Loop in Combination -Zone 1	<u> </u>	1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
	First 4W Analog VG Loop in Combination -Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
	First 4W Analog VG Loop in Combination -Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	First 4W Analog VG Loop in Combination -Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1813										
	Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	1/0 Channel System in combination Per mo			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	VG COCI in combination-per mo Add'I 4W Analog VG Loop in same DS1 Interoffice Transport			UNCVX	1D1VG	0.5737	6.62	4.74								
	Combination-Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
	Add'I 4W Analog VG Loop in same DS1 Interoffice Transport		-	ONOVA	OLAL	21.41	132.21	34.33	00.00	14.04						
	Combination-Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
	Add'I 4W Analog VG Loop in same DS1 Interoffice Transport															
	Combination-Zone 3	L	3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport															
	Combination-Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64	ļ					
	Add'l VG COCI in combination-per mo	ļ		UNCVX	1D1VG	0.5737	6.62	4.74								
FVT	NRC Currently Combined Network Elements Switch -As-Is Charge	DC4 '	NTES	UNC1X	UNCCC		5.63	5.63	7.20	7.20	1					
EXT	ENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED First 4W 56Kbps Digital Grade Loop in Combination-Zone 1	ו 13ע ע	NIER	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64	}	-		1	1	1
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 1 First 4W 56Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 2 First 4W 56Kbps Digital Grade Loop in Combination-Zone 3	-	3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64	1			1	1	1
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo		Ė	UNC1X	1L5XX	0.1813	.20.00	55.00	55.50							
	Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	1/0 Channel System in combination Per mo			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	OCU-DP COCI (data) per mo (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
	Add'I 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport				l		_			l		1				
	Combination-Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport	1	_	LINODY	LIBLES	0.15-	400.50	00.0-	00.00	4401		1				
	Combination-Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64	}	-		1	1	}
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3	1	3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64		1				
-+	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport		J	UNCDA	UDLOB	40.76	120.53	00.83	80.00	14.04						
	Combination-Zone 4	1	4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64		1				
	Add'l OCU-DP COCI (data)-in combination per mo (2.4-64kbs)	 	_	UNCDX	1D1DD	1.22	6.62	4.74		0.00	+		 	1	1	

NROND	LED NETWORK ELEMENTS - Mississippi												Attachi	ment: 2	Exh	ibit: A
ATEGORY		Interi m	Zon e	BCS	USOC			ΓES (\$)	Lung		Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-		Increment Charge - Manual Sv Order vs. Electronic Disc Add
-						Rec	Nonrec		NRC Disc		COMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
-	NIDO Comentio Carelina di Nationali Flamenta Costale Anila Channa			UNC1X	UNCCC		First	Add'l 5.63	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
EVT	NRC Currently Combined Network Elements Switch -As-Is Charge NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED	DC4 II	NTED		UNCCC		5.63	5.03	7.20	7.20	-					
EXIE		ווופט	NIEK	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 1		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 2 First 4W 64Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64	-	 				
_	First 4W 64Kbps Digital Grade Loop in Combination-Zone 3 First 4W 64Kbps Digital Grade Loop in Combination-Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64	-	 				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo		4	UNC1X	1L5XX	0.1813	120.55	00.00	00.08	14.04	1					
_	interoffice Transport-Dedicated-DS1 combination-Fer fill Fer file interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90	-	 				
	1/0 Channel System in combination Per mo			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
_	OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport			UNCDA	10100	1.22	0.02	4.74	0.00	0.00	1					
	Combination-Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport		-	UNCDA	UDLU4	21.44	120.33	00.00	00.00	14.04	1	 				
	Combination-Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport			UNCDA	UDL04	34.33	120.55	00.00	00.08	14.04	-	 				ļ
	Combination-Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
+-	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport		3	UNCDA	UDL64	40.76	120.55	00.00	60.06	14.04	-	 				
	Combination-Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
	Add'l OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)		4	UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00	-					
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC	1.22	5.63	5.63	7.20	7.20						
EVT	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS	INTE	BOEE		UNCCC		5.03	5.63	7.20	7.20						
EXIE		INIE	KUFF	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
-	4W DS1 Digital Loop in Combination-Zone 1 4W DS1 Digital Loop in Combination-Zone 2		2	UNC1X UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
	4W DS1 Digital Loop in Combination-Zone 2		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07	-	 				
+	4W DS1 Digital Loop in Combination-Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07	-	 				
_	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo		4	UNC1X UNC1X	1L5XX	0.1813	253.93	158.45	46.10	12.07						
+	Interoffice Transport-Dedicated-DS1 combination-Fer file Fer file Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90	-	 				
+-	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC	31.72	5.63	5.63	7.20	7.20	-	 				
EYTI	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS	RINTE	POFE		UNCCC		5.05	5.05	7.20	1.20						
LAIL	First DS1Loop in Combination-Zone 1	HIVIE	1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
_	First DS1Loop in Combination-Zone 1		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07	1					
	First DS1Loop in Combination-Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
_	First DS1Loop in Combination-Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07	1					
_	Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo		4	UNC3X	1L5XX	4.29	233.93	130.43	40.10	12.01						
	Interoffice Transport-Dedicated-DGS combination of min of min			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29	1					
_	3/1Channel System in combination per mo			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82	1					
	DS1 COCI in combination per mo			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07	1					
_	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07	1					
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07	1					
	Additional DS1 COCI in combination per mo		4	UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC	2.02	5.63	5.63	7.20	7.20						
EYTI	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRAD	E INT	FROE		ONCCC		3.03	3.03	7.20	1.20	1					
LAIL	2WVG Loop in combination-Zone 1	/L 11411	1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37						
_	2WVG Loop in combination-Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37	-					
_	2WVG Loop in combination-Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37	-					
	2WVG Loop in combination-Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37						
_	Interoffice Transport-2W VG-Dedicated-Per mi Per mo		_	UNCVX	1L5XX	0.00088	100.00	00.20	02.02	10.07	-					
-	Interoffice Transport-2W VG-Dedicated-Facility Term per mo			UNCVX	U1TV2	20.32	40.77	27.57	17.26	7.11	 	1				
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC	20.02	5.63	5.63	7.20	7.11						1
FXTF	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRAD	E INT	EROF		3300	+	0.00	0.00	7.20	7.20	1			1		
EXIL	4WVG Loop in combination -Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64	 	1				1
	4WVG Loop in combination -Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64	<u> </u>					
+	= ==== =======================										1	1		ļ		1
#	4WVG Loop in combination -Zone 3		.3	UNCVX	LIFAL4	50 03 1	132 27 1	94 50		74 6/						
	4WVG Loop in combination -Zone 3		3	UNCVX	UEAL4	50.03 50.03	132.27 132.27	94.59	60.68 60.68	14.64 14.64						
	4WVG Loop in combination -Zone 4		3	UNCVX	UEAL4	50.03	132.27 132.27	94.59	60.68	14.64						

<u>UNBUND</u>	LED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exh	ibit: A
CATEGOR	Y RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
			<u> </u>				Managa		NDC Dies				164	Rates (\$)	Dicc 1ct	
						Rec	Nonrec		NRC Disc							
EVE	TAIDED DOG DIGITAL EXTENDED LOOD WITH DEDIGATED DOG INTER	05510		NORORT			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
EXII	ENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTER	OFFIC	E IK/		41.5115	44.00										
	DS3 Local Loop in combination-per mi per mo			UNC3X	1L5ND	11.20	454.40	005.47	400.00	00.40						
	DS3 Local Loop in combination-Facility Term per mo			UNC3X	UE3PX	252.17	454.13	265.47	123.23	86.19						
	Interoffice Transport-Dedicated-DS3-Per mi per mo			UNC3X	1L5XX	4.29		400 =0								
	Interoffice Transport-Dedicated-DS3 combination-Facility Term per mo			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29						
EVE	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		5.63	5.63	7.20	7.20						
EXII	ENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	EROF	FICE		41.51.5	11.00										
	STS-1 Local Lolp in combination-per mi per mo		<u> </u>	UNCSX	1L5ND	11.20			100.00	00.10						
	STS-1 Local Loop in combination-Facility Term per mo		<u> </u>	UNCSX	UDLS1	264.35	454.13	265.47	123.23	86.19						
	Interoffice Transport-Dedicated-STS-1 combination-per mi per mo			UNCSX	1L5XX	4.29										
	Interoffice Transport-Dedicated-STS-1 combination-Facility Term per mo		<u> </u>	UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29			ļ	ļ		
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		5.63	5.63	7.20	7.20]	<u> </u>		
EXT	ENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRAN	SPOR	T]	<u> </u>		
	First 2W ISDN Loop in Combination-Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37						
	First 2W ISDN Loop in Combination-Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						
	First 2W ISDN Loop in Combination-Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						
	First 2W ISDN Loop in Combination-Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37						
	Interoffice Transport-Dedicated-DS1 combination-per mi per mo			UNC1X	1L5XX	0.1813										
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	1/0 Channel System in combination-per mo			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	2W ISDN COCI (BRITE)-in combination-per mo			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						
	Add'I 2W ISDN Loop in same DS1Interoffice Transport Combination-															
	Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37						
	Add'I 2W ISDN Loop in same DS1Interoffice Transport Combination-															
	Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-															
	Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						
	Add'I 2W ISDN Loop in same DS1Interoffice Transport Combination-		Ť													
	Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37						
	Add'I 2W ISDN COCI (BRITE)-in combination-per mo		<u> </u>	UNCNX	UC1CA	2.62	6.62	4.74		0.00	1				1	1
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC	2.02	5.63	5.63	7.20	7.20					1	1
FXTI	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 IN	TERO		011000		0.00	0.00	7.20	7.20	1				1	1
EX.I.	First DS1 Loop Combination-Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07	-					
	First DS1 Loop Combination-Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07	-					
	First DS1 Loop Combination-Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07	-					
	First DS1 Loop Combination-Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07	-					
	Interoffice Transport-Dedicated-STS-1 combination-Per mi Per mo		4	UNCSX	1L5XX	4.29	233.93	130.43	40.10	12.07	1					
	Interoffice Transport-Dedicated-STS-1 combination-Fer fill Fer file Interoffice Transport-Dedicated-STS-1 combination-Facility Term per mo			UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29	-				-	-
	3/1 Channel System in combination per mo		├	UNCSX	MQ3	170.63	179.17	94.52	34.30	32.82	 		 	-		
	DS1 COCI in combination per mo		1	UNC1X	UC1D1	2.62	6.62	4.74		0.00	1			1	-	1
			├	UNCIA	OCIDI	2.02	0.02	4.74	0.00	0.00	 		 	-		
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination- Zone 1	l	1	UNC1X	USLXX	79.08	253.93	150 45	46.10	12.07	1			l		
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-			UNCIA	USLAA	79.08	200.93	158.45	40.10	12.07	 		-		 	-
		l	2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07	1			l		
	Zone 2			UNCIA	USLAA	129.38	∠53.93	108.45	46.10	12.07	1		 	 	1	1
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-		_	LINGAY	110/30/	000 7:	050.00	450 45	40.40	40.0-				1		
	Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07	1		 	1	-	1
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-		Ι.	LINGAY	1101307	450 10	050.00	450 15	40.45	40.67	1		1	l		
	Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07					ļ	
	DS1 COCI in combination per mo		<u> </u>	UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		5.63	5.63	7.20	7.20					ļ	
EXT	ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS IN	EKOF			110: =0		400 =-		60.00	410.				ļ		-
	4W 56 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64					ļ	1
	4W 56 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
	4W 56 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
	4W 56 kbps Local Loop in combination-Zone 4		4		UDL56	32.25	126.53	88.85	60.68	14.64						
	Interoffice Transport-Dedicated-4W 56 kbps combination-Per mi per mo		<u> </u>	UNCDX	1L5XX	0.0098										
	Interoffice Transport-Dedicated-4W 56 kbps combination-Facility Term	l	1	1							1			l		
	per mo			UNCDX	U1TD5	22.52	40.78	27.57	17.26	7.11	<u> </u>					
	NRC Currently Combined Network Elements Switch -As-Is Charge		1	UNCDX	UNCCC		5.63	5.63	7.20	7.20			l			

UNBUNDI	LED NETWORK ELEMENTS - Mississippi													ment: 2		ibit: A
											Svc	Svc		Incrementa		
											Order	Order	I Charge -	I Charge -	al Charge -	Charge -
		Interi	Zon								Submitte	Submitte	Manual	Manual	Manual	Manual Sv
CATEGORY	RATE ELEMENTS	m	е	BCS	USOC		RA	TES (\$)			d Elec	d	Svc Order	Svc Order	Svc Order	Order vs.
		""	e									Manually	vs.	vs.	vs.	Electronic
												per LSR	Flectronic-	Electronic-	Electronic-	Disc Add'
												po. 2011			Disc 1st	2.007.444
						Rec	Nonrec		NRC Disc					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS IN	TEROF	FICE													
	4W 64 kbps Lcoal Loop in Combination-Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	4W 64 kbps Lcoal Loop in Combination-Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	4W 64 kbps Lcoal Loop in Combination-Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
	4W 64 kbps Lcoal Loop in Combination-Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
	Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi per mo			UNCDX	1L5XX	0.0098										
	Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term															
	per mo			UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11						
	NRC Currently Combined Network Elements Switch -As-Is Charge		L	UNCDX	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TRANSI	PORT														
	First 2W VG Loop (SL2) in Combination-Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37	1					1
	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37	ļ					
	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37	ļ					
	First 2W VG Loop (SL2) in Combination-Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi			UNC1X	1L5XX	0.1813										
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term per			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Per each DS1 Channelization System Per mo			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	Per each VG COCI-Per mo per mo			UNCVX	1D1VG	0.5737	6.62	4.74								
	3/1 Channel System in combination per mo			UNC3X	MQ3	170.63	179.17	94.52		32.82						
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Each Add'l 2W VG Loop(SL 2) in the same DS1 Interoffice Transport		١.													
	Combination-Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37						
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport		_													
	Combination-Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37						
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport		_						=====							
	Combination-Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37						
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport		4			4.5.50			=====							
	Combination-Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37		ļ				
	Each Add'l VG COCI in combination-per mo				1D1VG	0.5737	6.62	4.74								
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System			UNC1X	1L5XX	0.1813										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel			UNC1X	U1TF1	54.70	00.70	00.00	40.00	44.00						
	System per mo					51.72	89.79	82.28	16.86	14.90						
	Each Add'l DS1 COCI combination per mo			UNC1X	UC1D1	2.62	6.62	4.74		0.00						
EVE	NRC Currently Combined Network Elements Switch -As-Is Charge ENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTEROF	105.5	D 4 5 1	UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXIE		FICE I	KAN		LIEALA	07.47	400.07	04.50	00.00	44.04						
	First 4W Analog VG Local Loop in Combination -Zone 1		1	UNCVX	UEAL4 UEAL4	27.47 38.26	132.27 132.27	94.59 94.59		14.64 14.64	-					
	First 4W Analog VG Local Loop in Combination -Zone 2		2													
	First 4W Analog VG Local Loop in Combination -Zone 3 First 4W Analog VG Local Loop in Combination -Zone 4		4	UNCVX	UEAL4 UEAL4	50.03 50.03	132.27 132.27	94.59 94.59	60.68 60.68	14.64 14.64	1					1
			4				132.27	94.59	80.00	14.04	1					1
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo First Interoffice Transport-Dedicated-DS1-Facility Term Per mo		├	UNC1X UNC1X	1L5XX U1TF1	0.1813 51.72	89.79	82.28	16.86	14.90	<u> </u>	-				
	Per each 1/0 Channel System in combination Per mo		├	UNC1X UNC1X	MQ1	102.85	91.57	62.94		10.10	 	-				
	Per each VG COCI in combination-per mo		├	UNCVX	1D1VG	0.5737	6.62	4.74		10.10	 	-				
	3/1 Channel System in combination per mo		├	UNC3X	MQ3	170.63	179.17	94.52	34.30	34.30	<u> </u>	-				
- 	Per each DS1 COCI in combination per mo		1	UNC1X	UC1D1	2.62	6.62	4.74		0.00	1	 			-	1
-	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport		1	DINCIA	וטוטט	2.02	0.02	4.14	0.00	0.00	1	1			+	1
1	Combination-Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64	1			1		
-	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport		<u> </u>	OINCVA	ULAL4	21.41	132.21	34.09	00.00	14.04	1	1			+	1
	Combination-Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
- 	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport	—	۲	014047	JEALT	30.20	102.21	34.33	50.00	17.04	 				 	1
1	Combination-Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64	1			1		
-	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport		-	OINOVA	OLAL4	30.03	102.21	34.33	00.00	17.04	 	1				
1	Combination-Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64	1			1		
-	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System		∺	UNC1X	1L5XX	0.1813	102.21	34.33	00.00	17.04	1					
- 	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel	—	╁	514017	120///	0.1013					 				-	1
	System per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Add'l VG COCI-in combination-per mo	—	╁	UNCVX	1D1VG	0.5737	6.62	4.74		14.30	 				 	1
	NRC Currently Combined Network Elements Switch -As-Is Charge		1	UNC1X	UNCCC	0.5737	5.63	5.63		7.20	1	1			+	1
									1.40			1			1	1

JNBUNDL	LED NETWORK ELEMENTS - Mississippi													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	всѕ	USOC		RA	TES (\$)			Svc Order Submitte d Elec	Svc Order Submitte d Manually	Incrementa I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs.	al Charge - Manual Svc Order	Incrementa Charge - Manual Sv Order vs. Electronic
											per Lok	per LSR	Electronic-	Electronic-	vs. Electronic-	
							Nonrec	urrina	NRC Disc	onnect			OSS	Rates (\$)	Dicc 1ct	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64	COMILO	COMPAR	COMPAR	COMPAR	COMPAN	COMPAR
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64		†		-	1	-
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 3		3		UDL56	40.76	126.53	88.85	60.68	14.64						
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 4		4		UDL56	32.25	126.53	88.85	60.68	14.64						
-	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo		l i	UNC1X	1L5XX	0.1813	120.00	00.00	00.00			†		-	1	†
	First Interoffice Transport-Dedicated-DS1-combination Facility Term Per			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		†		-	1	†
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		†		-	1	†
	Per each OCU-DP COCI (data) COCI per mo (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74		0.00						
-	3/1 Channel System in combination per mo		1	UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
-	Per each DS1 COCI in combination per mo		1	UNC1X	UC1D1	2.62	6.62	4.74		0.00						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport		-	UNCIX	OCIDI	2.02	0.02	4.74	0.00	0.00	+	1		1	1	1
	Combination-Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						
	OCU-DP COCI (data) COCI in combination per mo (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74		0.00						
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System			UNC1X	1L5XX	0.1813										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Each Add'l DS1 COCI in the same 3/1 channel system combination per			UNC1X	UC1D1	2.62	6.62	4.74		0.00	1					
	NRC Currently Combined Network Elements Switch -As-Is Charge		1	UNC1X	UNCCC	2.02	5.63	5.63		7.20						
EVTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTER	OEEIC	E TD				3.03	3.03	7.20	7.20						
EVIE	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport	OFFIC	LIK	ANSPORT W/ 3/1 W/ 3/	.				1							
	Combination-Zone 1 First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	Combination-Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 4		4		UDL64	32.25	126.53	88.85	60.68	14.64						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1813										
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Per each Channel System 1/0 in combination Per mo			UNC1X	MQ1	102.85	91.57	62.94		10.10						
	Per each OCU-DP COCI (data) in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
	3/1 Channel System in combination per mo			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85		14.64						
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 4		4		UDL64	32.25	126.53	88.85	60.68	14.64						
	Add'l OCU-DP COCI (data)-DS1 to DS0 Channel System combination-		Ė									1		1	1	1
	per mo (2.4-64kbs) Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System			UNCDX UNC1X	1D1DD 1L5XX	1.22 0.1813	6.62	4.74	0.00	0.00						
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
-	Each Add'l DS1 COCI in the same 3/1 channel system combination per		1	UNC1X	UC1D1	2.62	6.62	4.74		0.00	<u> </u>		 	-		
-	NRC Currently Combined Network Elements Switch -As-Is Charge		1	UNC1X	UNCCC	2.02	5.63	5.63	7.20	7.20	<u> </u>		 	-		
FXTF	ENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3	/1 MII	X	0.101/	5000		0.00	0.00	1.20	7.20	<u> </u>		 	-		
LAIL	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37				<u> </u>		1
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2		2		U1L2X	27.59	117.61	79.92		10.37	1			t		
			3		U1L2X	37.34	117.61	79.92		10.37	<u> </u>	1	l	-	-	†
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3															

JNBUNDL	ED NETWORK ELEMENTS - Mississippi													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitte d Elec	Svc Order Submitte d Manually	Incrementa I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs.	Charge - Manual Sv
											per LSK	per LSR				Disc Add'
							Manne		NRC Disc			p =		Rates (\$)	Disc 1st	
						Rec	Nonrec First	urring Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
	First Interoffice Transport-Dedicated-DS1 combination-Per mi per mo		<u> </u>	UNC1X	1L5XX	0.1813	FIISL	Auu i	FIISL	Add I	SOWIEC	SOWAN	SOWAN	SOWAN	SUMAN	SOWAN
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term per			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						1
	Per each Channel System 1/0 in combination-per mo			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						†
	Per each 2W ISDN COCI (BRITE) in combination-per mo			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						1
	3/1 Channel System in combination per mo			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-		١.													
	Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37						
	Add'I 2W ISDN Loop in same DS1Interoffice Transport Combination- Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						
	Add'I 2W ISDN Loop in same DS1Interoffice Transport Combination-			UNCINA	UILZX	27.59	117.01	19.92	52.62	10.37						+
	Zone 3	İ	3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						
	Add'I 2W ISDN Loop in same DS1Interoffice Transport Combination-		Ť	5.15.51	0.22	304		. 0.02	52.52							†
	Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37						
	Add'I 2W ISDN COCI (BRITE) in same 1/0 channel system combination-															1
	per mo			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System															
	per mo			UNC1X	1L5XX	0.1813										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel															
	System per mo		-	UNC1X	U1TF1	51.72	89.79	82.28		14.90						
	Each Add'l DS1 COCI in the same 3/1 channel system combination per		<u> </u>	UNC1X	UC1D1	2.62	6.62	4.74		0.00						
EVTE	NRC Currently Combined Network Elements Switch -As-Is Charge IDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE TRAN	EDOD.	T/ 3	UNC1X	UNCCC		5.63	5.63	7.20	7.20						
	First 4W DS1 Digital Looal Loop in Combination-Zone 1	SPUR	1 W/ 3	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07	1					+
	First 4W DS1 Digital Lcoal Loop in Combination-Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						+
	First 4W DS1 Digital Lcoal Loop in Combination-Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45		12.07						
	First 4W DS1 Digital Local Loop in Combination-Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45		12.07						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1813										
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	3/1 Channel System in combination per mo			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
	Per each DS1 COCI combination per mo			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System			UNC1X	1L5XX	0.1813										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel					= 4 = 0			40.00							
	System per mo		<u> </u>	UNC1X UNC1X	U1TF1 UC1D1	51.72	89.79	82.28	16.86	14.90 0.00						
	Each Add'l DS1 COCI in the same 3/1 channel system combination per Add'l 4W DS1 Digital Local Loop in Combination-Zone 1		1	UNC1X UNC1X	USLXX	2.62 79.08	6.62 253.93	4.74 158.45	0.00 46.10	12.07	1					+
-	Add'l 4W DS1 Digital Local Loop in Combination-Zone 1 Add'l 4W DS1 Digital Local Loop in Combination-Zone 2	 	2	UNC1X UNC1X	USLXX	129.38	253.93	158.45		12.07	 	-				+
-	Add'l 4W DS1 Digital Local Loop in Combination-Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45		12.07						+
	Add'I 4W DS1 Digital Local Loop in Combination-Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45		12.07						†
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						1
EXTE	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTERC	OFFICE	TRA													
	First 4W 56 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
	First 4W 56 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
	First 4W 56 kbps Local Loop in combination-Zone 3	<u> </u>	3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						↓
	First 4W 56 kbps Local Loop in combination-Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64	ļ					
-	First 4W 56 kbps Interoffice Transport-Dedicated-Per mi per mo	 	1	UNCDX	1L5XX	0.0098	40.70	27.57	47.00	7 4 4	<u> </u>	1				+
	First 4W 56 kbps Interoffice Transport-Dedicated-Facility Term per mo NRC Currently Combined Network Elements Switch -As-Is Charge	 	1	UNCDX	U1TD5 UNCCC	22.52	40.78 5.63	5.63	17.26 7.20	7.11 7.20	 	-				+
FYTE	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTERC	FFICE	TRA		UNCCC		5.03	5.03	1.20	1.20	1	1				+
	First 4W 64 kbps Local Loop in combination-Zone 1)JL	1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	First 4W 64 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						†
	First 4W 64 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						1
	First 4W 64 kbps Local Loop in combination-Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
	First I4W 65 kbps Interoffice Transport-Dedicated-Per mi per mo			UNCDX	1L5XX	0.0098										
	First 4W 64 kbps Interoffice Transport-Dedicated-Facility Term per mo			UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
TAMOUTION	NETWORK ELEMENTS	l	1	1												↓
	used as a part of a currently combined facility, the non-recurrng cha															

DIADOIAD	LED NETWORK ELEMENTS - Mississippi												Attachi	nent: 2	Exn	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			TES (\$)	Lungs		Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	٨٩٩١	Increment al Charge - Manual Svc Order vs. Electronic-	Charge Manual S Order vs Electroni
			-			Rec	Nonrec	Add'l	NRC Disc	Add'l	COMEC	SOMAN		Rates (\$) SOMAN	COMAN	SOMAN
Nonr	Lecurring Currently Combined Network Elements "Switch As Is" Charge	0 (Ono	annli	os to oach combinatio	n)		First	Addi	FIFSt	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SOMAN	SUMAN
NOIII	NRC Currently Combined Network Elements Switch -As-Is Charge-	e (One	арріі	es to each combination	,,,,											+
	2W/4W VG			UNCVX	UNCCC		5.63	5.63	7.20	7.20						
	NRC Currently Combined Network Elements Switch -As-Is Charge-56/64															
	kbps			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS1			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS3			UNC3X	UNCCC		5.63	5.63	7.20	7.20						
	NRC Currently Combined Network Elements Switch -As-Is Charge-STS1			UNCSX	UNCCC		5.63	5.63	7.20	7.20						
Optio	onal Features & Functions:		-													
	Olare Olare de Orași III. Esta de l'Esta de Orași e a a POA	١,		U1TD1,	00055		0.1	OI	OI	01						
	Clear Channel Capability Extended Frame Option-per DS1	<u> </u>	<u> </u>	ULDD1,UNC1X U1TD1,	CCOEF		OI .	UI .	UI	UI	-					
	Clear Channel Capability Super FrameOption-per DS1	١.,		ULDD1,UNC1X	CCOSF		OΙ	OI	OI	OI						
	Clear Chairner Capability Super Frame-Option-per DST	'		ULDD1, U1TD1,	CCOSI		OI	UI	UI	UI						
	Clear Channel Capability (SF/ESF) Option-Subsqnt Activity-per DS1	l i		UNC1X, USL	NRCCC		184.6S	23.78S	1.96S	0.76S						
	Occir Orientici Capability (C172C1) Option Cabbqlit 76thity per BC1			U1TD3, ULDD3, UE3,	HILOGO		104.00	20.700	1.000	0.700						
	C-bit Parity Option-Subsqnt Activity-per DS3	i		UNC3X	NRCC3		218.72S	7.66S	.7201S	0S						
MUL	TIPLEXERS															
	DS1 to DS0 Channel System per mo			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						1
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)															
	used for a Local Loop			UDL	1D1DD	1.22	6.62	4.74								
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)															
	used for connection to a channelized DS1 Local Channel in the same															
	SWC as collocation		<u> </u>	U1TUD	1D1DD	1.22	6.62	4.74								
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo for a			LIBN	110404	0.00	0.00	4.74								
	Local Loop 2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo used for		<u> </u>	UDN	UC1CA	2.62	6.62	4.74			-					
	connection to a channelized DS1 Local Channel in the same SWC as															
	collocation			U1TUB	UC1CA	2.62	6.62	4.74								
	VG COCI-DS1 to DS0 Channel System-per mo used for a Local Loop			UEA	1D1VG	0.5737	6.62	4.74								
	VG COCI-DS1 to DS0 Channel System-per mo used for connection to a			OZ/	.5.10	0.0.0	0.02									
	channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0.5737	6.62	4.74								
	DS3 to DS1 Channel System per mo			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
	STS-1 to DS1 Channel System per mo			UNCSX	MQ3	170.63	179.17	94.52	34.30	32.82						
	DS1 COCI used with Loop per mo			USL	UC1D1	12.96	6.62	4.74								
	DS1 COCI (used for connection to a channelized DS1 Local Channel in															
	the same SWC as collocation) per mo		<u> </u>	U1TUA	UC1D1	12.96	6.62	4.74								
_	DS1 COCI used with Interoffice Channel per mo DS3 Interface Unit (DS1 COCI) used with Local Channel per mo	<u> </u>	├	U1TD1 ULDD1	UC1D1 UC1D1	12.96	6.62	4.74 4.74		 	}					₩
NIDLINIDI E	ED LOCAL EXCHANGE SWITCHING(PORTS)		-	OLDDT	OCIDI	12.96	6.62	4.74								
	ange Ports	 	 							 	1	-				
	ange Ports RE VOICE GRADE LINE PORT RATES (RES)	 	1					1	1	1	1	-				
2-4411	Exchange Ports-2W Analog Line Port-Res.		-	UEPSR	UEPRL	1.41	2.39	2.29	1.42	1.33	 	 				†
	Exchange Ports-2W Analog Line Port with Caller ID-Res.		 	UEPSR	UEPRC	1.41	2.39	2.29	1.42	1.33						
-	Exchange Ports-2W Analog Line Port outgoing only-Res.		t	UEPSR	UEPRO	1.41	2.39	2.29	1.42	1.33						
	Exchange Ports-2W VG unbundled MS extended local dialing parity		i –	-					<u> </u>	1						1
	Port with Caller ID-Res.	L	L	UEPSR	UEPAT	1.41	2.39	2.29	1.42	1.33	<u></u>	<u></u>				<u>L</u>
	Exchange Ports-2W VG unbundled res, low usage line port with Caller															
	ID (LUM)			UEPSR	UEPAP	1.41	2.39	2.29	1.42	1.33						
	Exchange Ports-2W Voice MS res Dialing Plan w/o Caller ID			UEPSR	UEPWJ	1.41	2.39	2.29	1.42	1.33						
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability		<u> </u>	UEPSR	UEPRT	1.41	2.39	2.29	1.42	1.33						<u> </u>
	Subsqnt Activity	<u> </u>	<u> </u>	UEPSR	USASC	0.00	0.00	0.00		ļ	ļ					
FEAT	TURES		 	LIEDOD	HED.	0.50	0.00	0.00		ļ	1	-				
2 /4//	All Available Vertical Features	<u> </u>	├	UEPSR	UEPVF	2.56	0.00	0.00		 	}					₩
2-1/1	RE VOICE GRADE LINE PORT RATES (BUS) Exchange Ports-2W Analog Line Port w/o Caller ID-Bus	 	1	UEPSB	UEPBL	1.41	2.39	2.29	1.42	1.33	1					
-+	Exchange Ports-2W Analog Line Port W/o Caller ID-Bus Exchange Ports-2W VG unbundled Line Port with unbundled port with	 	1	UEPOB	UEPBL	1.41	2.39	2.29	1.42	1.33	}	-				┼──
	Caller+E484 ID-Bus.	l		UEPSB	UEPBC	1.41	2.39	2.29	1.42	1.33						
	Exchange Ports-2W Analog Line Port outgoing only-Bus.		-	UEPSB	UEPBO	1.41	2.39	2.29	1.42	1.33	t					

UNBUNDI	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exh	ibit: A
											Svc	Svc	Incrementa	Incrementa	Increment	Incrementa
											Order	Order	I Charge -	I Charge -	al Charge -	Charge -
		Interi	700								Submitte	Submitte	Manual	Manual		Manual Svo
CATEGORY	RATE ELEMENTS			BCS	USOC		RA	TES (\$)			d Elec	d	Svc Order	Svc Order	Svc Order	Order vs.
		m	е									Manually	vs.	vs.	vs.	Electronic-
											po. 20.1	,	Electronic-	_	_	
												per LOIX	1c+	Vqqi	Disc 1st	DISC Add I
						Rec	Nonrec		NRC Disc					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports-2W VG unbundled MS extended local dialing parity															
	Port with Caller ID-Bus.			UEPSB	UEPAY	1.41	2.39	2.29	1.42	1.33						
	Exhange Ports-2W VG unbundled incoming only port with Caller ID-Bus			UEPSB	UEPB1	1.41	2.39	2.29	1.42	1.33						
	Exchange Ports-2W Voice MS bus Dialing Plan w/o Caller ID			UEPSB	UEPWK	1.41	2.39	2.29	1.42	1.33						
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPSB	UEPBE	1.41	2.39	2.29	1.42	1.33						
	Subsqnt Activity			UEPSB	USASC	0.00	0.00	0.00								
FEAT	URES															
	All Available Vertical Features			UEPSB	UEPVF	2.56	0.00	0.00								
EXCH	IANGE PORT RATES (DID & PBX)															
	2W VG Unbundled 2-Way PBX Trunk-Res			UEPSE	UEPRD	1.41	31.45	14.93	14.38	0.92						
	2W VG Line Side Unbundled 2-Way PBX Trunk-Bus			UEPSP	UEPPC	1.41	31.45	14.93	14.38	0.92						
	2W VG Line Side Unbundled Outward PBX Trunk-Bus			UEPSP	UEPPO	1.41	31.45	14.93	14.38	0.92						
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus			UEPSP	UEPP1	1.41	31.45	14.93	14.38	0.92						
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	1.41	31.45	14.93	14.38	0.92						
	2W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.41	31.45	14.93	14.38	0.92						
	2W Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.41	31.45	14.93	14.38	0.92						
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.41	31.45	14.93	14.38	0.92						
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.41	31.45	14.93	14.38	0.92						
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.41	31.45	14.93	14.38	0.92						
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.41	31.45	14.93	14.38	0.92						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPSP	UEPXL	1.41	31.45	14.93	14.38	0.92						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling															
	Port			UEPSP	UEPXM	1.41	31.45	14.93	14.38	0.92						
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount															
	Room Calling Port			UEPSP	UEPXO	1.41	31.45	14.93	14.38	0.92						
	2W Voice Unbundled 2-Way PBX MS Local Economy Calling Port			UEPSP	UEPXQ	1.41	31.45	14.93	14.38	0.92						
	2W Voice Unbundled 2-Way PBX MS Local Optional Calling Port			UEPSP	UEPXR	1.41	31.45	14.93	14.38	0.92						
	2W Voice Unbundled PBX Port, MS only			UEPSP	UEPA5	1.41	31.45	14.93	14.38	0.92						
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.41	31.45	14.93	14.38	0.92						
	Subsqnt Activity			UEPSP	USASC	0.00	0.00	0.00								

Version 3Q03: 11/12/2003 Page 179 of 295

EXCHANGE PORT Exchange P NOTE: Transmiss NOTE: Access to BUNDLED LOCAL EX EXCHANGE PORT The DS1 Port rate Requests for 4-Wi Exchange P (E:4/1/2004) Exchange P All Features Exchange P NOTE: Transmiss NOTE: Access to EXCHANGE PORT Exchange P Capability (E Exchange P Capability (E Exchange P Physical Co Virtual Colio Detailed E911 with Unbundled Initial Profile Unbundled Subsqnt Pr New or Additional Unbundled Qutdial Tel I Unbundled Qutdial Tel I Unbundled Qutdial Tel I Unbundled Data Only C Exchange P Exchange P New or Additional Unbundled Qutdial Tel I Unbundled Qutdial Tel I Unbundled Data Only C Exchange P (Eustomer T LOCAL NUMBER	rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN P -Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after te Ports-2W DID Port te Ports-DDITS Port-4W DS1 Port with DID capability	lable or	e ge will half the	UEPSP UEPSE	USOC	- Rec	RA Nonrec First	TES (\$)	NRC Disc	onnect	Svc Order Submitte d Elec per LSR	d Manually	I Charge - Manual Svc Order	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	Increment Charge Manual S Order vs
FEATURES All Available EXCHANGE PORT Exchange P NOTE: Transmiss NOTE: Access to BUNDLED LOCAL EX EXCHANGE PORT The DS1 Port rate Requests for 4-Wi Exchange P Exchange P Exchange P All Features Exchange P NOTE: Transmiss NOTE: Access to EXCHANGE PORT Exchange P NOTE: Transmiss NOTE: Access to EXCHANGE PORT Exchange P Capability (E Exchange P Capability (E Exchange P Physical Co Virtual Collo Detailed E911 with Unbundled Initial Profile Unbundled Subsqnt Profile Unbundled 2-way Tel N Unbundled Qutdial Tel Unbundled Outdial Tel Unbundled Outdial Tel Unbundled Outdial Tel Unbundled Coutdial Te	able Vertical Features DRT RATES (COIN) 10 Ports-Coin Port 11 Ports-Coin Port 12 Ports-Coin Port 13 EXCHANGE SWITCHING(PORTS) DRT RATES 14 Es below for 4-Wire DDITS Trunk Port and 4-Wire ISDN P 15 Ports-2W DID Port 16 Ports-2W DID Port 17 Ports-2W DDITS Port-4W DS1 Port with DID capability 18 Ports-2W ISDN Port (See Notes below.) 18 Ports-2W ISDN Port (See Notes below.) 19 Ports-2W ISDN Port (See Notes below.) 19 Ports-2W ISDN Port (See Notes below.)	ed usagiable or	e ge will half the	UEPSP UEPSE			Nonrec	urring		onnect		Manually	vs.	vs.	vs.	
All Available EXCHANGE PORT [Exchange P NOTE: Transmiss NOTE: Access to BUNDLED LOCAL EX EXCHANGE PORT The DS1 Port rate Requests for 4-Wi Exchange P (E:-4/1/2004) Exchange P All Features Exchange P All Features Exchange P All Features Exchange P Capability (E Exchange P Capability (E Exchange P Capability (E Exchange P Capability (E Exchange P Capability (E Exchange P Physical Co Virtual Collo Detailed E911 with Unbundled Initial Profile Unbundled Subsqnt Pro New or Additional Unbundled 2-way Tel N Unbundled Outdial Tel Unbundled Outdial Tel Unbundled Data Only C Exchange P [Customer T LOCAL NUMBER LOCAL NUMBER LOCAL NUMBER LOCAL NUMBER	DRT RATES (COIN) ILE PORTS-COIN PORT ILE PORTS-COIN PORT ILE SUBJECT OF COINT OF	lable or	nly thi	also apply to circuit	UEPVF					onnect			1c+	٨٩٩١	Disc 1st	Electronic Disc Add
All Available EXCHANGE PORT [Exchange P NOTE: Transmiss NOTE: Access to BUNDLED LOCAL EX EXCHANGE PORT The DS1 Port rate Requests for 4-Wi Exchange P (E:-4/1/2004) Exchange P All Features Exchange P All Features Exchange P All Features Exchange P Capability (E Exchange P Capability (E Exchange P Capability (E Exchange P Capability (E Exchange P Capability (E Exchange P Physical Co Virtual Collo Detailed E911 with Unbundled Initial Profile Unbundled Subsqnt Pro New or Additional Unbundled 2-way Tel N Unbundled Outdial Tel Unbundled Outdial Tel Unbundled Data Only C Exchange P [Customer T LOCAL NUMBER LOCAL NUMBER LOCAL NUMBER LOCAL NUMBER	DRT RATES (COIN) ILE PORTS-COIN PORT ILE PORTS-COIN PORT ILE SUBJECT OF COINT OF	lable or	nly thi	also apply to circuit	UEPVF		First	I'bbA						Rates (\$)		
All Available EXCHANGE PORT [Exchange P NOTE: Transmiss NOTE: Access to BUNDLED LOCAL EX EXCHANGE PORT The DS1 Port rate Requests for 4-Wi Exchange P (E:-4/1/2004) Exchange P All Features Exchange P All Features Exchange P All Features Exchange P Capability (E Exchange P Capability (E Exchange P Capability (E Exchange P Capability (E Exchange P Capability (E Exchange P Physical Co Virtual Collo Detailed E911 with Unbundled Initial Profile Unbundled Subsqnt Pro New or Additional Unbundled 2-way Tel N Unbundled Outdial Tel Unbundled Outdial Tel Unbundled Data Only C Exchange P [Customer T LOCAL NUMBER LOCAL NUMBER LOCAL NUMBER LOCAL NUMBER	DRT RATES (COIN) ILE PORTS-COIN PORT ILE PORTS-COIN PORT ILE SUBJECT OF COINT OF	lable or	nly thi	also apply to circuit	UEPVF	2.56			First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
EXCHANGE PORT Exchange P NOTE: Transmiss NOTE: Access to BUNDLED LOCAL EX EXCHANGE PORT The DS1 Port rate Requests for 4-Wi Exchange P Exchange P Exchange P All Features Exchange P All Features Exchange P NOTE: Transmiss NOTE: Transmiss NOTE: Access to EXCHANGE PORT Exchange P All Features Locability (Exchange P Capability (Exchange P Physical Co Virtual Collo Detailed E911 with Unbundled Initial Profile Unbundled Subsqnt Pro New or Additional Unbundled	DRT RATES (COIN) ILE PORTS-COIN PORT ILE PORTS-COIN PORT ILE SUBJECT OF COINT OF	lable or	nly thi	also apply to circuit	UEPVF	2.56								1		
Exchange P	pe Ports-Coin Port inssion/usage charges associated with POTS circuit switch is to B Channel or D Channel Packet capabilities will be avai EXCHANGE SWITCHING(PORTS) DRT RATES ates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN P -Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after pe Ports-2W DID Port pe Ports-DDITS Port-4W DS1 Port with DID capability 104) pe Ports-2W ISDN Port (See Notes below.) 105 per Dotts-2W ISDN Port (See Notes below.) 106 per Dotts-2W ISDN Port (See Notes below.) 107 per Dotts-2W ISDN Port (See Notes below.) 108 per Dotts-2W ISDN Port (See Notes below.) 109 per Dotts-2W ISDN Port (See Notes below.) 109 per Dotts-2W ISDN Port (See Notes below.) 109 per Dotts-2W ISDN Port (See Notes below.) 109 per Dotts-2W ISDN Port (See Notes below.) 109 per Dotts-2W ISDN Port (See Notes below.) 109 per Dotts-2W ISDN Port (See Notes below.) 109 per Dotts-2W ISDN Port (See Notes below.) 109 per Dotts-2W ISDN Port (See Notes below.) 109 per Dotts-2W ISDN Port (See Notes below.)	lable or	nly thi				0.00	0.00						1	<u> </u>	
NOTE: Transmiss NOTE: Access to BRUNDLED LOCAL EX EXCHANGE PORT The DS1 Port rate Requests for 4-Wi Exchange P Exchange P Exchange P All Features Exchange P All Features Exchange P All Features Exchange P Capability (E Exchange P Capability (E Exchange P Capability (E Exchange P Capability (E Exchange P Capability (E Exchange P Physical Co Virtual Collo Detailed E911 with Unbundled Initial Profile Unbundled Subsqnt Pro New or Additional Unbundled 2-way Tel N Unbundled Outdial Tel Unbundled Outdial Tel Unbundled Data Only C Exchange P [Customer T LOCAL NUMBER LOCAL NUMBER LOCAL NUMBER	nission/usage charges associated with POTS circuit switch to B Channel or D Channel Packet capabilities will be avai EXCHANGE SWITCHING(PORTS) DRT RATES rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN P -Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the Ports-2W DID Port the Ports-DDITS Port-4W DS1 Port with DID capability 104) the Ports-2W ISDN Port (See Notes below.) 105 106 107 108 109 109 109 109 109 109 109 109 109 109	lable or	nly thi													
NOTE: Access to BUNDLED LOCAL EX EXCHANGE PORT The DS1 Port rate Requests for 4-Wi Exchange P (E:4/1/2004) Exchange P (E:4/1/2004) Exchange P AII Features Exchange P AII Features Exchange P NOTE: Transmiss NOTE: Access to EXCHANGE PORT Exchange P Capability (E Exchange P Physical Co Virtual Collo Detailed E911 with Unbundled Initial Profile Unbundled Subsqnt Profile Unbundled Q-way Tel N Unbundled Q-way Tel N Unbundled Unbundled Unbundled Data Only C Exchange P (Customer T LOCAL NUMBER LOCAL NU	to B Channel or D Channel Packet capabilities will be avail EXCHANGE SWITCHING(PORTS) DAT RATES Tates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN P-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the Ports-2W DID Port the Ports-2W DID Port the Ports-DDITS Port-4W DS1 Port with DID capability 104) 104) 105 pe Ports-2W ISDN Port (See Notes below.) 106 period of the Ports-2W ISDN Port (See Notes below.) 107 period of the Ports-2W ISDN Port (See Notes below.) 108 period of the Ports-2W ISDN Port (See Notes below.) 109 period of the Ports-2W ISDN Port (See Notes below.)	lable or	nly thi			1.41	2.39	2.29	1.42	1.33				1		
BUNDLED LOCAL EX EXCHANGE PORT The DS1 Port rate Requests for 4-Wi Exchange P Exchange P Exchange P Exchange P All Features Exchange P NOTE: Transmiss NOTE: Access to EXCHANGE PORT Exchange P Capability (E Exchange P Capability (E Exchange P Capability (E Exchange P Interpretable Color of the Color of	EXCHANGE SWITCHING(PORTS) DRT RATES ates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN P -Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the Ports-2W DID Port the Ports-DDITS Port-4W DS1 Port with DID capability the Ports-2W ISDN Port (See Notes below.) per Ports-2W ISDN Port (See Notes below.)	ort in th	nis ext	rough BFR/NBR Proce								with 2-wir	e ISDN ports	š.	<u> </u>	
EXCHANGE PORT The DS1 Port rate Requests for 4-Wi Exchange P Exchange P (E:4/1/2004) Exchange P All Features Exchange P All Features Exchange P Capability (Exchange P Capability (Exchange P) Capability (Exchange P) Capability (Exchange P) Capability (Exchange P) Physical Co Virtual Collo Detailed E911 with Unbundled Initial Profile Unbundled 2-way Tel N Unbundled 2-way Tel N Unbundled Outdial Tell Unbundled Data Only C Exchange P [Customer T LOCAL NUMBER Local No Po	DRT RATES ates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN P -Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the Ports-2W DID Port the Ports-DDITS Port-4W DS1 Port with DID capability 104) the Ports-2W ISDN Port (See Notes below.) tres Offered				ess. Rates fo	r the packet cap	abilities will	be determin	ed via the E	BFR/NBR	Process.				<u> </u>	
The DS1 Port rate Requests for 4-Wi Exchange P Exchange P (E:4/1/2004) Exchange P All Features Exchange P All Features Exchange P NOTE: Transmiss NOTE: Access to EXCHANGE POR1 Exchange P Capability (E Exchange P Physical Co Virtual Collo Detailed E911 with Unbundled Unbundled Subsqnt Pro New or Additional Unbundled 2-way Tel N Unbundled Unbundled Unbundled Unbundled Unbundled Exchange P Unbundled Unbundled Unbundled Unbundled Lotal Only C Exchange P [Customer T LOCAL NUMBER LOCAL NUMBER	rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN P -Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after ie Ports-2W DID Port ie Ports-DDITS Port-4W DS1 Port with DID capability 104) ie Ports-2W ISDN Port (See Notes below.) ires Offered														<u> </u>	
Requests for 4-Wi Exchange P Exchange P (E:4/1/2004) Exchange P All Features Exchange P NOTE: Transmiss NOTE: Transmiss Exchange P Capability (E Exchange P Physical Co Virtual Collo Detailed E911 witil Unbundled Initial Profile Unbundled Subsqnt Pro New or Additional Unbundled 2-way Tel N Unbundled Data Only C Exchange P (Customer T I COCAL NUMBER Local NO Po	-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the Ports-2W DID Port the Ports-DDITS Port-4W DS1 Port with DID capability 004) the Ports-2W ISDN Port (See Notes below.) tres Offered															
Exchange P Exchange P Exchange P (E:4/1/2004) Exchange P All Features Exchange P NOTE: Transmiss NOTE: Transmiss NOTE: Access to EXCHANGE PORT Exchange P Capability (E Exchange P Physical Co Virtual Collo Detailed E911 witl Unbundled Initial Profile Unbundled 2-way Tel N Unbundled 2-way Tel N Unbundled Outdial Tell Unbundled Data Only C Exchange P [Customer T LOCAL NUMBER LOCAL NUMBER LOCAL NO PO INTERFACE (Prov	pe Ports-2W DID Port pe Ports-DDITS Port-4W DS1 Port with DID capability 004) pe Ports-2W ISDN Port (See Notes below.) pe Softered	the effe											or a separat	te agreemen	t.	
Exchange P (E:4/1/2004) Exchange P All Features Exchange P NOTE: Transmiss NOTE: Access to EXCHANGE PORI Exchange P Capability (E Exchange P Physical Co Virtual Collo Detailed E911 with Unbundled Initial Profile Unbundled Subsqnt Prc New or Additional Unbundled 2-way Tel N Unbundled Qutdial Tel Unbundled Data Only C Exchange P [Customer T LOCAL NUMBER LOCAI NO PO	e Ports-DDITS Port-4W DS1 Port with DID capability)04) pe Ports-2W ISDN Port (See Notes below.) ures Offered		ctive (h's discre	tion.	<u> </u>	ļ		<u> </u>
(E:4/1/2004) Exchange P All Features Exchange P NOTE: Transmiss NOTE: Access to EXCHANGE PORT Exchange P Capability (E Exchange P Physical Co Virtual Collo Detailed E911 with Unbundled Initial Profile Unbundled Subsqnt Pro New or Additional Unbundled 2-way Tel N Unbundled Outdial Tel Unbundled Data Only C Exchange P [Customer T I COCAL NUMBER Local No Po	004) ge Ports-2W ISDN Port (See Notes below.) gres Offered			UEPEX	UEPP2	8.25	120.00	18.85	61.77	3.88			ļ!		<u> </u>	
Exchange P All Features Exchange P NOTE: Transmiss NOTE: Access to EXCHANGE PORT Exchange P Exchange P Capability (E Exchange P Physical Co Virtual Collo Detailed E911 with Unbundled Initial Profile Unbundled 2-way Tel N Unbundled 2-way Tel N Unbundled Outdial Tell Unbundled Data Only C Exchange P [Customer T LOCAL NUMBER Local No Po	e Ports-2W ISDN Port (See Notes below.) ures Offered	1												1 '	1 '	
All Features Exchange P NOTE: Transmiss NOTE: Access to EXCHANGE PORI Exchange P Capability (E Exchange P Physical Co Virtual Collo Detailed E911 with Unbundled Initial Profile Unbundled 2-way Tel N Unbundled 2-way Tel N Unbundled Outdial Tel Unbundled Data Only C Exchange P [Customer T LOCAL NUMBER Local No Po	ires Offered		1	UEPDD	UEPDD	58.41	203.19	96.25	74.86	2.54		 '	 '	 '	 '	
Exchange P NOTE: Transmiss NOTE: Access to EXCHANGE PORT Exchange P Capability (E Exchange P Physical Co Virtual Collo Detailed E911 with Unbundled Initial Profile Unbundled Subsqnt Pro New or Additional Unbundled				UEPTX, UEPSX	U1PMA	13.69	73.19	53.30	47.90	10.76			ļ!		<u> </u>	
NOTE: Transmiss NOTE: Access to EXCHANGE PORT Exchange P Capability (E Exchange P Physical Co Virtual Collo Detailed E911 witi Unbundled Initial Profile Unbundled Subsqnt Pro New or Additional Unbundled 2-way Tel N Unbundled Outdial Tell Unbundled Data Only C Exchange P [Customer T LOCAL NUMBER Local No Po	je Ports-2W ISDN PortChannel Profiles			UEPTX, UEPSX	UEPVF	2.56	0.00	0.00					ļ!		<u> </u>	
NOTE: Access to EXCHANGE PORT Exchange P Capability (E Exchange P Physical Co Virtual Collo Detailed E911 with Unbundled Initial Profile Unbundled Subsqnt Pre New or Additional Unbundled 2-way Tel N Unbundled Outdial Tell Unbundled Data Only C Exchange P [Customer T LOCAL NUMBER LOCAL NUMBER				UEPTX, UEPSX	U1UMA	0.00	0.00	0.00					<u> </u>	<u> </u>	<u> </u>	
EXCHANGE PORT Exchange P Capability (E Exchange P Physical Co Virtual Collo Detailed E911 with Unbundled Initial Profile Unbundled Subsqnt Pro New or Additional 2-way Tel N Unbundled 2-way Tel N Unbundled Data Only C Exchange P [Customer T LOCAL NUMBER LOCAI NUMBER	nission/usage charges associated with POTS circuit switch											with 2-wir	e ISDN ports	š.	<u> </u>	
Exchange P Capability (E Exchange P Physical Co Virtual Collo Detailed E911 with Unbundled Initial Profile Unbundled Subsqnt Pro New or Additional Unbundled 2-way Tel N Unbundled Outdial Tel Unbundled Data Only C Exchange P [Customer T LOCAL NUMBER Local No Po	to B Channel or D Channel Packet capabilities will be available	lable or	nly th	rough BFR/NBR Proce	ess. Rates fo	r the packet cap	abilities will	be determin	ed via the E	BFR/NBR	Process.	L	<u> </u>	ļ		
Capability (E Exchange P Physical Co Virtual Collo Detailed E911 with Unbundled Initial Profile Unbundled Subsqnt Pre New or Additional Unbundled 2-way Tel N Unbundled Outdial Tell Unbundled Data Only C Exchange P [Customer T LOCAL NUMBER Local No Po												L	<u> </u>	ļ		
Exchange P Physical Co Virtual Collo Detailed E911 with Unbundled Initial Profile Unbundled Subsqnt Pro New or Additional Unbundled 2-way Tel N Unbundled Outdial Tel Unbundled Data Only C Exchange P [Customer T LOCAL NUMBER Local No Po	e Ports-4W ISDN DS1 Port with Detailed E911 Locator											1	ļ l	1	'	Ì
Physical Co Virtual Collo Detailed E911 with Unbundled Initial Profile Unbundled Subsqnt Pro New or Additional Unbundled 2-way Tel N Unbundled Outdial Tel I Unbundled Data Only C Exchange P [Customer T LOCAL NUMBER Local No Po	ty (E:4/1/2004)			UEPEX	UEPEX	84.63	205.00	102.14	81.65	20.69		L	<u> </u>	ļ		
Virtual Collo Detailed E911 with Unbundled Initial Profile Unbundled Subsynt Pro New or Additional Unbundled 2-way Tel N Unbundled Outdial Tel Unbundled Data Only C Exchange P [Customer T LOCAL NUMBER Local No Po	e Ports-4W ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	84.63	205.00	102.14	81.65	20.69		L	ļ!	L		
Detailed E911 with Unbundled Initial Profile Unbundled Subsqnt Pro New or Additional Unbundled 2-way Tel N Unbundled Outdial Tel Unbundled Data Only C Exchange P [Customer T LOCAL NUMBER Local No Po	Collocation-DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.14	22.16	16.02	6.60	5.97		L	<u> </u>	ļ		
Unbundled Initial Profile Unbundled Subsqnt Profile Unbundled 2-way Tel N Unbundled Outdial Tel I Unbundled Outdial Tel I Unbundled Data Only C Exchange P [Customer T LOCAL NUMBER Local No Pol INTERFACE (Prov	ollocation-Special Access & UNE, cross-connect per DS1			UEPEX UEPDX	CNC1X	1.14	22.16	16.02	6.60	5.97		L	<u> </u>	ļ		
Initial Profile Unbundled Subsqnt Pro New or Additional Unbundled 2-way Tel N Unbundled Outdial Tel I Unbundled Data Only C Exchange P [Customer T LOCAL NUMBER Local No Po	with Locator Capability (required with UEPEX port)															
Unbundled Subsgapt Pre New or Additional Unbundled 2-way Tel N Unbundled Outdial Tell Unbundled Data Only C Exchange P [Customer T LOCAL NUMBER Local No Po	led Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability	y-										1	ļ l	1 '		
Subsqnt Pro New or Additional Unbundled 2-way Tel N Unbundled Outdial Tel Unbundled Data Only C Exchange P [Customer T LOCAL NUMBER Local No Po	ofile Establishment per CLEC per State			UEPEX	UEP1A	0.00	1,814.00		156.15				ļ!		<u> </u>	
New or Additional Unbundled 2-way Tel N Unbundled Outdial Tel I Unbundled Data Only C Exchange P [Customer T LOCAL NUMBER Local No Po	led Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capabilit	y-										1	ļ l	1	'	
Unbundled 2-way Tel N Unbundled Outdial Tel I Unbundled Data Only C Exchange P [Customer T LOCAL NUMBER Local No Po	Profile Changes, Additions, Deletions			UEPEX	UEP1B	0.00	176.15									
2-way Tel N Unbundled Outdial Tel I Unbundled Data Only C Exchange P [Customer T LOCAL NUMBER Local No Po	onal PRI Telephone Numbers												ļ!		<u> </u>	
Unbundled Outdial Tel I Unbundled Data Only C Exchange P [Customer T LOCAL NUMBER Local No Po	led Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capabilit	У										1	ļ l	1 '		
Outdial Tel I Unbundled Data Only C Exchange P [Customer T LOCAL NUMBER Local No Po INTERFACE (Prov	el Nos, per No in E911 profile [New or Add'l]			UEPEX	UEP1C	0.0701	0.49						ļ!		<u> </u>	
Unbundled Data Only C Exchange P [Customer T LOCAL NUMBER Local No Po INTERFACE (Prov	led Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capabilit	:y-		HEDEV	LIEDAD	0.0704	44.50	44.50				1	ļ l	1 '		
Data Only C Exchange P [Customer T LOCAL NUMBER Local No Po INTERFACE (Prov	Tel Nos, per No in E911 profile [New or Add'l]			UEPEX	UEP1D	0.0701	11.58	11.58				<u> </u>	ļ			<u> </u>
Exchange P [Customer T LOCAL NUMBER Local No Po INTERFACE (Prov	led Exchange Ports, 4W ISDN DS1 Port-Inward Tel Nos-Inward	1		LIEBBY										1 '	1 '	
[Customer T LOCAL NUMBER Local No Po INTERFACE (Prov	ly Option [New or Add'l]		1	UEPDX	UEP1E	0.00	0.49					 _	ullet		—	├
LOCAL NUMBER Local No Po INTERFACE (Prov	pe Ports-4W ISDN DS1 Port-Subsqnt [New] Inward Tel Nos	1		HEBEY	DD 777	0.00	00.4-	00.15						1 '	1 '	
Local No Po	er Testing Purposes]	-	-	UEPEX	PR7ZT	0.00	23.15	23.15				 	ļ	 	├ ───	├
INTERFACE (Prov			1	HEDEV HEDDY	LNDCh	4 75						 _	ullet		—	├
	Portability (1 per port)	-	-	UEPEX UEPDX	LNPCN	1.75						 	ļ	 	├ ───	├
i ivoice/Data		-	-	HEBEY	DD7417	0.00	2.22	2.00				 	ļ	 	├ ───	├
			1	UEPEX	PR71V	0.00	0.00	0.00					igwdapprox igwedge		—	├
Digital Data		-	1	UEPEX	PR71D	0.00	0.00	0.00			 		ļ	 	├ ──	├ ──
Inward Data			1	UEPDX	PR71E	0.00	0.00	0.00					igwdapprox igwedge		—	├
New or Additional			1	HEDEV	DD3D);	0.00	44.51					 _	ullet		—	├
		-	-	UEPEX	PR7BV	0.00	14.61					 	ļ	 	├ ───	
	Add'I-Voice/Data "B" Channel	-	1	UEPEX	PR7BF	0.00	14.61	 				 	\vdash	 		
	Add'I-Digital Data "B" Channel	-	1	UEPDX	PR7BD	0.00	14.61	ļ			 		ļ	 	├ ──	├
	Add'I-Digital Data "B" Channel Add'I Inward Data "B" Channel		1	UEPEX	PR7BS	0.00	14.61					 '	ļ!		└──	<u> </u>
	Add'I-Digital Data "B" Channel Add'I Inward Data "B" Channel Add'I Useage Sensitive Voice Data "B" Channel		1	UEPEX	PR7BU	0.00	14.61						 '		└── '	—
	Add'l-Digital Data "B" Channel Add'l Inward Data "B" Channel Add'l Useage Sensitive Voice Data "B" Channel Add'l Useage Sensitive Digital Data "B" Channel	1		UEPEX	PR7EX	0.00	14.61						 		└─ ─'	
CALL TYPES	Add'I-Digital Data "B" Channel Add'I Inward Data "B" Channel Add'I Useage Sensitive Voice Data "B" Channel	-1		HEDEY HESSH	DD=0:	2.7-							 		└─ ─'	
Inward	Add'l-Digital Data "B" Channel Add'l Inward Data "B" Channel Add'l Useage Sensitive Voice Data "B" Channel Add'l Useage Sensitive Digital Data "B" Channel		1	UEPEX UEPDX	PR7C1	0.00	0.00	0.00				 '	ļ!		└──	<u> </u>
Outward Two-way	Add'l-Digital Data "B" Channel Add'l Inward Data "B" Channel Add'l Useage Sensitive Voice Data "B" Channel Add'l Useage Sensitive Digital Data "B" Channel Add'l Useage Sensitive Digital Data "B" Channel Add'l PRI "D" Channel			UEPEX	PR7CO	0.00	0.00	0.00					1		1 '	<u></u>

UNBUNI	DLED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
CATEGO		Interi m	Zon e	BCS	USOC		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs.	
			-				Nonroo		NRC Disc	onnoot			164	Rates (\$)	Dicc 1ct	
			-			Rec	Nonrec				COMEC	SOMAN			SOMAN	SOMAN
LIM	L BUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY						First	Add'l	First	Add'l	SOWIEC	SUMAN	SOMAN	SOMAN	SUMAN	SOWAN
	BUNDLED REMOTE CALL FORWARDING CAPABILITY BUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE				+				1					-		
UN	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.41	2.39	2.29	1.42	1.33						
	Unbundled Remote Call Forwarding Service, Local Calling, Res	1	-	UEPVR	UERLC	1.41	2.39	2.29		1.33						
	Unbundled Remote Call Forwarding Service, InterLATA-Res			UEPVR	UERTE	1.41	2.39	2.29		1.33						
	Unbundled Remote Call Forwarding Service, IntelEATA-Res			UEPVR	UERTR	1.41	2.39	2.29		1.33						
Noi	n-Recurring			02. ***	OZ.K.IK		2.00	2.20		1.00						
1	Unbundled Remote Call Forwarding Service -Conversion-Switch-as-is			UEPVR	USAC2		0.0988	0.0988								
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)			UEPVR	USACC		0.0988	0.0988								
HIM	BUNDLED REMOTE CALL FORWARDING - Bus			OLFVI	USACC		0.0300	0.0500			 			-		
JIN	Unbundled Remote Call Forwarding Service, Area Calling-Bus		1	UEPVB	UERAC	1.41	2.39	2.29	1.42	1.33						
	Unbundled Remote Call Forwarding Service, Local Calling-Bus		1	UEPVB	UERLC	1.41	2.39	2.29		1.33	1	<u> </u>		<u> </u>		1
	Unbundled Remote Call Forwarding Service, InterLATA-Bus		1	UEPVB	UERTE	1.41	2.39	2.29		1.33	1		1	<u> </u>		1
	Unbundled Remote Call Forwarding Service, IntraLATA-Bus		1	UEPVB	UERTR	1.41	2.39	2.29		1.33						
	Unbundled Remote Call Forwarding Service Expanded and Exception			7			50	0		50						
	Local Calling			UEPVB	UERVJ	1.41	2.39	2.29	1.42	1.33						
Noi	n-Recurring															
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVB	USAC2		0.0988	0.0988								
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)			UEPVB	USACC		0.0988	0.0988								
UNBUNDI	ED LOCAL SWITCHING, PORT USAGE			OLI VB	00/100		0.0000	0.0000								
	d Office Switching (Port Usage)															
	End Office Switching Function, Per MOU					0.0010269										
	End Office Trunk Port-Shared, Per MOU					0.000161										
Tar	ndem Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU					0.0001723										
	Tandem Trunk Port-Shared, Per MOU					0.0001828										
	Tandem Switching Function Per MOU (Melded)					0.000063441										
	Tandem Trunk Port-Shared, Per MOU (Melded)					0.000067307										
	Melded Factor: 36.82% of the Tandem Rate															
Coi	mmon Transport					0.0000000										
	Common Transport-Per mi, Per MOU					0.0000026 0.0004541										
LINIDLINIDI	Common Transport-Facilities Term Per MOU LED PORT/LOOP COMBINATIONS - COST BASED RATES		-			0.0004541										
	st Based Rates are applied where BellSouth is required by FCC and/or S	State C	omm	ission rulo to provid	o Unbundlad I	ocal Switching	or Switch Do	rte	1					-		
Fas	st based Rates are applied where bellsouth is required by FCC and/or status shall apply to the Unbundled Port/Loop Combination - Cost Base	nate C	Sect	ion in the same man	ner as they are	annlied to the	Stand-Alone	Inhundled	Port section	of this	exhibit	-		 		
	d Office and Tandem Switching Usage and Common Transport Usage ra											Coin Port/I	oop Combi	nations.		
	e first and additional Port nonrecurring charges apply to Not Currently														ions.	
	/IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)						J						I			
	E Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			12.22										
	2W VG Loop/Port Combo-Zone 2		2			17.13										
	2W VG Loop/Port Combo-Zone 3		3			26.26										
	2W VG Loop/Port Combo-Zone 4		4			44.91										
UN	E Loop Rates	<u> </u>	<u> </u>													
\vdash	2W VG Loop (SL1)-Zone 1	<u> </u>	1	UEPRX	UEPLX	10.98					<u> </u>					
	2W VG Loop (SL1)-Zone 2	 	2	UEPRX UEPRX	UEPLX	15.91			ļ		1					1
\vdash	2W VG Loop (SL1)-Zone 3	1	3		UEPLX	25.04					1	1		-		ļ
2 14	2W VG Loop (SL1)-Zone 4 /ire Voice Grade Line Port Rates (Res)	 	4	UEPRX	UEPLX	43.68			 		 			-		
Z-V\	2W voice unbundled port-res		1	UEPRX	UEPRL	1.23	40.31	19.84	24.90	6.58	1					1
\vdash	2W voice unbundled port-res 2W voice unbundled port with Caller ID-res		1	UEPRX	UEPRC	1.23	40.31	19.84	24.90	6.58	1					1
	2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res		1	UEPRX	UEPRO	1.23	40.31	19.84	24.90	6.58						
	2W VG unbundled MS extended local dialing parity port with Caller ID-			UEPRX	UEPAT	1.23	40.31	19.84	24.90	6.58						
											t	 		l		1
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.23	40.31	19.84	24.90	6.58	l l					
				UEPRX UEPRX	UEPAP	1.23 1.23	40.31	19.84 19.84	24.90	6.58						
	2W voice unbundles res, low usage line port with Caller ID (LUM)								24.90							

JNBUNDL	ED NETWORK ELEMENTS - Mississippi													ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs.	Charge - Manual Sv Order vs. Electronic
												per LSR		Electronic-	Disc 1st	DISC Add
						Rec	Nonrec		NRC Disc					Rates (\$)		
	All Features Offered		-	UEPRX	UEPVF	2.56	First 0.00	Add'I 0.00	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCA	L NUMBER PORTABILITY		-	UEPRX	UEPVF	2.56	0.00	0.00			1					
LOCA	Local No Portability (1 per port)			UEPRX	LNPCX	0.35			1							
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			02.100	2.1.07	0.00										
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPRX	USAC2		0.0988	0.0988								
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPRX	USACC		0.0988	0.0988								
	2W VG Loop/Line Port Combination -Conversion-Subsqnt Database															
	Update						0.00	0.00								
ADDII	TONAL NRCs			HEDDY	110400	0.00	0.00	0.00								
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPRX UEPRX	USAS2 URETL	0.00	0.00 8.33	0.00								
OFF/C	Unbundled Misc Rate Element, Tag Loop at End User Premise N PREMISES EXTENSION CHANNELS	 	╁	UEFRA	UKEIL	 	0.33	0.63	+		+			 		
3.170	2W Analog VG Extension Loop – Non-Design	!	1	UEPRX	UEAEN	12.03	37.92	17.55	23.48	5.25	1					
1	2W Analog VG Extension Loop – Non-Design	<u> </u>	2	UEPRX	UEAEN	16.87	37.92	17.55	23.48	5.25	1					
	2W Analog VG Extension Loop – Non-Design	1	3	UEPRX	UEAEN	25.68	37.92	17.55	23.48	5.25	1					
	2W Analog VG Extension Loop – Non-Design		4	UEPRX	UEAEN	43.85	37.92	17.55	23.48	5.25						
	2W Analog VG Extension Loop – Design		1	UEPRX	UEAED	13.89	105.96	68.28	52.82	10.37						
	2W Analog VG Extension Loop – Design		2		UEAED	18.75	105.96	68.28		10.37						
	2W Analog VG Extension Loop – Design		3	UEPRX	UEAED	27.55	105.96	68.28	52.82	10.37						
INITED	2W Analog VG Extension Loop – Design OFFICE TRANSPORT		4	UEPRX	UEAED	45.72	105.96	68.28	52.82	10.37						
INTER	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRX	U1TV2	20.32	40.77	27.57	17.26	7.11						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi		-	UEPRX	U1TVM	0.0088	0.00	0.00		7.11	1					
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			OLITOX	OTTVIVI	0.0000	0.00	0.00								
	ort/Loop Combination Rates				1											
	2W VG Loop/Port Combo-Zone 1		1			12.22										
	2W VG Loop/Port Combo-Zone 2		2			17.13										
	2W VG Loop/Port Combo-Zone 3		3			26.26										
UNE L	oop Rates		<u> </u>	LIEBBY	HEBLY	40.00										
-	2W VG Loop (SL1)-Zone 1		2	UEPBX UEPBX	UEPLX	10.98 15.91					-					1
-	2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	25.04			+					-		1
	2W VG Loop (SL1)-Zone 4		4		UEPLX	43.68			1							
2-Wire	Voice Grade Line Port (Bus)		 	OLI DX	OLI EX	40.00										
	2W voice unbundled port w/o Caller ID-bus			UEPBX	UEPBL	1.23	40.31	19.84	24.90	6.58						
	2W voice unbundled port with Caller + E484 ID-bus			UEPBX	UEPBC	1.23	40.31	19.84	24.90	6.58						
	2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	1.23	40.31	19.84		6.58						
	2W VG unbundled MS extended local dialing parity port with Caller ID-			UEPBX	UEPAY	1.23	40.31	19.84	24.90	6.58						
	2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UEPB1	1.23	40.31	19.84	24.90	6.58						
	2W Voice Unbundled MS bus Dialing Plan w/o Caller ID 2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPBX UEPBX	UEPWK UEPBE	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58						
LOCA	L NUMBER PORTABILITY		1	UEPBA	UEFBE	1.23	40.31	19.04	24.90	0.36						
LOOA	Local No Portability (1 per port)			UEPBX	LNPCX	0.35					1					
FEAT									1							
	All Features Offered			UEPBX	UEPVF	2.56	0.00	0.00								
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPBX	USAC2		0.0988	0.0988								
	2W VG Loop/Line Port Combination -Conversion-Switch with change	<u> </u>	<u> </u>	UEPBX	USACC		0.0988	0.0988	1		1					ļ
	2W VG Loop/Line Port Combination -Conversion-Subsqnt Database	1	1				0.00	0.00		1						
ADDIT	Update TONAL NRCs	 	-		+		0.00	0.00	-		-					-
ADDII	2W VG Loop/Line Port Combination-Subsqnt Activity	 	╁	UEPBX	USAS2	 	0.00	0.00	+		+			 		
	Unbundled Misc Rate Element, Tag Loop at End User Premise	1	1	UEPBX	URETL		8.33	0.83	 		1					
OFF/C	N PREMISES EXTENSION CHANNELS	<u> </u>					0.00	0.00	1		1					
	2W Analog VG Extension Loop – Non-Design		1	UEPBX	UEAEN	12.03	37.92	17.55		5.25	1					
			2	UEPBX	UEAEN	16.87	37.92	17.55	23.48	5.25						
	2W Analog VG Extension Loop – Non-Design															
	zw Analog VG Extension Loop – Non-Design 2W Analog VG Extension Loop – Non-Design 2W Analog VG Extension Loop – Non-Design		3		UEAEN UEAEN	25.68 43.85	37.92 37.92	17.55 17.55	23.48	5.25 5.25						

NRONDI	ED NETWORK ELEMENTS - Mississippi					ı						_		ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs.	Charge - Manual So Order vs Electronic
												per LSR		Electronic-	Electronic-	Disc Add'
						Rec	Nonrec		NRC Disc	onnect		•		Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Analog VG Extension Loop – Design		2	UEPBX	UEAED	18.75	105.96	68.28	52.82	10.37						
	2W Analog VG Extension Loop – Design	-	3	UEPBX UEPBX	UEAED UEAED	27.55 45.72	105.96 105.96	68.28 68.28	52.82	10.37 10.37	-					
INTER	2W Analog VG Extension Loop – Design	-	4	UEPDA	UEAED	45.72	105.96	00.20	52.82	10.37						-
1141121	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPBX	U1TV2	20.32	40.77	27.57	17.26	7.11						-
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPBX	U1TVM	0.0088	0.00	0.00								1
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															1
UNE I	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			12.22										
	2W VG Loop/Port Combo-Zone 2	_	2			17.13										
	2W VG Loop/Port Combo-Zone 3	+	3			26.26					1					
	2W VG Loop/Port Combo-Zone 4 oop Rates	+	4	 	+	44.91					1					
JINE I	2W VG Loop (SL 1)-Zone 1	+	1	UEPRG	UEPLX	10.98					+	1				
<u> </u>	2W VG Loop (SL 1)-Zone 2	+	2	UEPRG	UEPLX	15.91					1					
	2W VG Loop (SL 1)-Zone 3		3	UEPRG	UEPLX	25.04										
	2W VG Loop (SL 1)-Zone 4		4	UEPRG	UEPLX	43.68										
2-Wire	Voice Grade Line Port Rates (RES - PBX)															
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	1.23	69.37	32.48	37.86	6.17						
LOCA	L NUMBER PORTABILITY															
FFAT	Local No Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEAT	URES All Features Offered	+	-	UEPRG	UEPVF	2.56	0.00	0.00	+		1					
NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		-	OLFRG	OLFVI	2.30	0.00	0.00	1							
110111	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2		7.96	1.91								
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with			UEPRG	USACC		7.96	1.91	1							1
	2W VG Loop/Line Port Combination -Conversion-Subsqnt Database Update						0.00	0.00								
ADDI	TONAL NRCs															1
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPRG	USAS2	0.00	0.00	0.00								
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.36	7.36								
	Unbundled Misc Rate Element, Tag Loop at End User Premise	_		UEPRG	URETL		8.33	0.83								
OFF/C	DN PREMISES EXTENSION CHANNELS Local Channel VG, per Term		1	UEPRG	P2JHX	13.89	105.96	68.28	52.82	10.37						
_	Local Channel VG, per Term	-	2	UEPRG	P2JHX P2JHX	13.89	105.96	68.28	52.82	10.37						
-	Local Channel VG, per Term		3	UEPRG	P2JHX	27.55	105.96	68.28		10.37						
	Local Channel VG, per Term		4		P2JHX	45.72	105.96	68.28		10.37						
INTER	OFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRG	U1TV2	20.32	40.77	27.57	17.26	7.11						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRG	U1TVM	0.0088	0.00	0.00								
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE	Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1	-	1			12.22					-					
	2W VG Loop/Port Combo-Zone 1	-	2			17.13			+							-
	2W VG Loop/Port Combo-Zone 3	+	3			26.26			1							
	2W VG Loop/Port Combo-Zone 4		4			44.91										-
UNE I	oop Rates															
	2W VG Loop (SL 1)-Zone 1		1	UEPPX	UEPLX	10.98										1
	2W VG Loop (SL 1)-Zone 2		2	UEPPX	UEPLX	15.91										
	2W VG Loop (SL 1)-Zone 3		3	UEPPX	UEPLX	25.04										
0 147	2W VG Loop (SL 1)-Zone 4		4	UEPPX	UEPLX	43.68					-					₩
2-Wire	voice Grade Line Port Rates (BUS - PBX) Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus	+	<u> </u>	UEPPX	UEPPC	4.00	69.37	32.48	37.86	6.17	+		-			
	Line Side Unbundled Combination 2-way PBX Trunk Port-Bus Line Side Unbundled Outward PBX Trunk Port-Bus	+		UEPPX	UEPPO	1.23 1.23	69.37	32.48		6.17	-					
	Line Side Unbundled Incoming PBX Trunk Port-Bus	+		UEPPX	UEPP1	1.23	69.37	32.48		6.17	1					
+	2W Voice Unbundled PBX LD Terminal Ports	1		UEPPX	UEPLD	1.23	69.37	32.48		6.17	1	1				†
	2W Voice Unbundled 2-Way Combination PBX Usage Port	1		UEPPX	UEPXA	1.23	69.37	32.48	37.86	6.17						
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.23	69.37	32.48	37.86	6.17						
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.23	69.37	32.48	37.86	6.17						

NECKEL	ED NETWORK ELEMENTS - Mississippi													ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually	I Charge - Manual Svc Order	Incrementa I Charge - Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs.	Increment Charge - Manual S Order vs Electronic
												per LSR		Electronic-	Electronic-	Disc Add
						Dee	Nonrec	urring	NRC Disc	onnect			oss	Rates (\$)	11166 164	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.23	69.37	32.48	37.86	6.17						
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.23	69.37	32.48	37.86	6.17						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1.23	69.37	32.48	37.86	6.17						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.23	69.37	32.48	37.86	6.17						
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1.23	69.37	32.48	37.86	6.17						
-	2W Voice Unbundled 2-Way PBX MS Local Economy Calling Port			UEPPX	UEPXQ	1.23	69.37	32.48	37.86	6.17	-	 		-		
	2W Voice Unbundled 2-Way PBX MS Local Detional Calling Port			UEPPX	UEPXR	1.23	69.37	32.48	37.86	6.17						
_																
-	2W Voice Unbundled 1-Way Outgoing PBX Measured Port MS PBX 2-Way Combo Local Opt 2 Calling Port		1	UEPPX	UEPXS	1.23	69.37	32.48	37.86	6.17 6.17	 	-		!		
1.004				UEPPX	UEPA5	1.23	69.37	32.48	37.86	6.17		ļ				
LOCA	NUMBER PORTABILITY			HEDDY	LNPCP	0.1=	0.00	0.00	ļ				ļ	-		<u> </u>
FFATI	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEAT				LIEDDY	LIEDVE	0.50	0.00	0.00								
	All Features Offered			UEPPX	UEPVF	2.56	0.00	0.00								
	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			LIEDDY	110 4 00		7.00	1.01				ļ				
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPPX	USAC2		7.96	1.91				ļ				
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with 2W VG Loop/Line Port Combination -Conversion-Subsqnt Database			UEPPX	USACC		7.96	1.91								
	Update						0.00	0.00								
	IONAL NRCs															
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPPX	USAS2	0.00	0.00	0.00								
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.36	7.36								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPX	URETL		8.33	0.83								
OFF/O	N PREMISES EXTENSION CHANNELS															
	Local Channel VG, per Term		1	UEPPX	P2JHX	13.89	105.96	68.28	52.82	10.37						
	Local Channel VG, per Term		2	UEPPX	P2JHX	18.75	105.96	68.28	52.82	10.37						
	Local Channel VG, per Term		3	UEPPX	P2JHX	27.55	105.96	68.28	52.82	10.37						
	Local Channel VG, per Term		4	UEPPX	P2JHX	45.72	105.96	68.28	52.82	10.37						
	OFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPPX	U1TV2	20.32	40.77	27.57	17.26	7.11						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPPX	U1TVM	0.0088	0.00	0.00								
2-WIR	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
	ort/Loop Combination Rates															
	2W VG Coin Port/Loop Combo – Zone 1		1			12.22										
	2W VG Coin Port/Loop Combo – Zone 2		2			17.13										
	2W VG Coin Port/Loop Combo – Zone 3		3			26.26										
	2W VG Coin Port/Loop Combo – Zone 4		4			44.91										
	oop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	10.98										
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	15.91										
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	25.04										
	2W VG Loop (SL1)-Zone 4		4	UEPCO	UEPLX	43.68										
	Voice Grade Line Ports (COIN)															
	2W Coin 2-Way w/o Oper Screening and w/o Blocking			UEPCO	UEPRF	1.23	40.31	19.84	24.90	6.58						
	2W Coin 2-Way w/o Oper Screening and w/o Blocking; with Dialing															
	Parity (Note 3) (MS)			UEPCO	UEPMC	1.23	40.31	19.84	24.90	6.58						
	2W Coin 2-Way with Oper Screening and Blocking: 011, 900/976,			UEPCO	UEPRA	1.23	40.31	19.84	24.90	6.58						
	2W Coin 2-W with Oper Screening and Blocking: 011, 900/976, 1+DDD; with Dialing Parity (MS)			UEPCO	UEPMA	1.23	40.31	19.84	24.90	6.58						
+	2W Coin 2-Way with Oper Screening and 011 Blocking		\vdash	UEPCO	UEPRB	1.23	40.31	19.84	24.90	6.58	 		 	t		
	2W Coin 2-Way with Oper Screening and 011 Blocking; with Dialing															
+	Parity (MS) 2W Coin 2-Way with Oper Screening & Blocking: 900/976, 1+DDD,			UEPCO	UEPMB	1.23	40.31	19.84	24.90	6.58						
	011+, & Local 2W Coin 2-W Oper Screening: 900 Block: 900/976, 1+DDD, 011+, Local;			UEPCO	UEPCD	1.23	40.31	19.84	24.90	6.58				-		-
	with Dialing Parity (MS) 2W Coin Outward w/o Blocking and w/o Oper Screening			UEPCO UEPCO	UEPCJ UEPRN	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58						

NRONDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2		bit: A
											Svc	Svc	Incrementa	Incrementa	Increment	Incremen
											Order	Order	I Charge -	I Charge -	al Charge -	Charge
			-								Submitte	Submitte		Manual	Manual	Manual S
TEGORY	RATE ELEMENTS	Interi	Zon	BCS	USOC		RA	TES (\$)			d Elec	d	Svc Order			Order v
		m	е					(+/						l l		
											per LSR	Manually	vs.	vs.	vs.	Electroni
												per LSR	Electronic-	Electronic-	Electronic-	Disc Add
					_		Nonrec	urrina	NRC Disc	onnoot			1c+	Rates (\$)	Dicc 1ct	<u> </u>
_					_	Rec				Add'l	COMEC	SOMAN			SOMAN	COMAN
							First	Add'l	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2W Coin Outward w/o Blocking and w/o Oper Screening; With Dailing															
	Parity (MS)			UEPCO	UEPME	1.23	40.31	19.84	24.90	6.58						
	2W Coin Outward with Oper Screening and 011 Blocking			UEPCO	UEPRJ	1.23	40.31	19.84	24.90	6.58						
	2W Coin Outward with Oper Screening and 011 Blocking; with Dialing															
	Parity (MS)			UEPCO	UEPMD	1.23	40.31	19.84	24.90	6.58						
	2W Coin Outward with Oper Screening and Blocking: 011, 900/976,			UEPCO	UEPRH	1.23	40.31	19.84	24.90	6.58						
	2W Coin Outward Oper Screening & Blocking: 900/976, 1+DDD, 011+,															
	and Local			UEPCO	UEPCN	1.23	40.31	19.84	24.90	6.58			1		1	l
	2W Coin Out Oper Screen & Block: 900/976, 1+DDD, 011+, and Local;												1		1	
	with Dialing Parity (MS)			UEPCO	UEPCS	1.23	40.31	19.84	24.90	6.58			I		I	1
	2W 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.23	40.31	19.84	24.90	6.58						
	2W Coin Outward Smartline with 900/976			UEPCO	UEPCR	1.23	40.31	19.84	24.90	6.58						
	FIONAL UNE COIN PORT/LOOP (RC)		_	OLI CO	OLI OK	1.23	40.51	13.04	24.30	0.00						
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	4.62	0.00	0.00	0.00	0.00				1		
				UEPCO	URECU	4.02	0.00	0.00	0.00	0.00	ļ			1		
LOCA	L NUMBER PORTABILITY				111501/											
	Local No Portability (1 per port)			UEPCO	LNPCX	0.35										
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination -Conversion-Switch-as-is			UEPCO	USAC2		0.0988	0.0988								
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPCO	USACC		0.0988	0.0988								
	FIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPCO	USAS2		0.00	0.00								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8.33	0.83								
2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE	PORT	(RES	3)												
UNE F	Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			15.16										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			20.02										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			28.82										
	2W VG Loop/IO Tranport/Port Combo-Zone 4		4			46.99										
	Loop Rates		_			40.55										
	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	13.89								1		
		1				13.89			1				!	 	!	-
	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2						-		1	1	1	l
	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	27.55										
	2W VG Loop (SL2)-Zone 4		4	UEPFR	UECF2	45.72										
2-Wire	e Voice Grade Line Port Rates (Res)															
	2W voice unbundled port-res			UEPFR	UEPRL	1.27	108.35	70.57	54.24	11.70						
	2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	1.27	108.35	70.57	54.24	11.70						
	2W voice unbundled port outgoing only-res			UEPFR	UEPRO	1.27	108.35	70.57	54.24	11.70						
	2W VG unbundled MS extended local dialing parity port with Caller ID-			UEPFR	UEPAT	1.27	108.35	70.57	54.24	11.70						
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.27	108.35	70.57	54.24	11.70						
	2W Voice Unbundled MS res Dialing Plan w/o Caller ID			UEPFR	UEPWJ	1.27	108.35	70.57	54.24	11.70			1		1	
INTER	ROFFICE TRANSPORT	1												1		
1	Interoffice Transport-Dedicated-2W VG-Facility Term		1	UEPFR	U1TV2	20.32	40.77	27.57	17.26	7.11				İ		
+	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi	1	1	UEPFR	1L5XX	0.0088	.0.77	27.57	20					1		1
FEAT		1	 	OLI I IX	120/01	0.0000							1	 	1	-
LAI	All Features Offered		-	UEPFR	UEPVF	2.56	0.00	0.00					1	†	1	
1.004	IL NUMBER PORTABILITY	!	 	UEFFR	UEFVF	∠.56	0.00	0.00	-		-		-	1	-	-
ILUCA	Local No Portability (1 per port)	1	1	UEPFR	LNPCX	0.35					ļ			1		l

NRANDL	ED NETWORK ELEMENTS - Mississippi													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Increment al Charge - Manual Svc Order vs. Electronic-	Increment Charge Manual S Order vs Electronic Disc Add
						Dee	Nonrec	urring	NRC Disc	onnect			oss	Rates (\$)	111127-111-2	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion- Switch-as-is			UEPFR	USAC2		16.94	3.72								
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion- Switch-With-Change			UEPFR	USACC		16.94	3.72								
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFR	URETN	+	11.19	1.10								
2-WID	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE	PORT	(BUS)		OKLIN		11.13	1.10			-					-
	ort/Loop Combination Rates	IOKI	(500)		+	+										
ONLI	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			15.16					1					
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2		+	20.02					-					+
	2W VG Loop/IO Tranport/Port Combo-Zone 2 2W VG Loop/IO Tranport/Port Combo-Zone 3		3		+	28.82					-					+
											-					
LINIE :	2W VG Loop/IO Tranport/Port Combo-Zone 4		4		1 1	46.99					1			ļ		
UNE	oop Rates			HEDED	LIEGEO	40.00										
	2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	13.89										
	2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2	18.75										
	2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	27.55										
	2W VG Loop (SL2)-Zone 4		4	UEPFB	UECF2	45.72										
2-Wire	Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	1.27	108.35	70.57	54.24	11.70						
	2W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBC	1.27	108.35	70.57	54.24	11.70						
	2W voice unbundled port outgoing only-bus			UEPFB	UEPBO	1.27	108.35	70.57	54.24	11.70						
	2W VG unbundled MS extended local dialing parity port with Caller ID-			UEPFB	UEPAY	1.27	108.35	70.57	54.24	11.70						
	2W voice unbundled incoming only port with Caller ID-Bus			UEPFB	UEPB1	1.27	108.35	70.57	54.24	11.70						
	2W Voice Unbundled MS bus Dialing Plan w/o Caller ID			UEPFB	UEPWK	1.27	108.35	70.57	54.24	11.70						
LOCA	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPFB	LNPCX	0.35										
INTER	OFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2	20.32	40.77	27.57	17.26	7.11						Ĭ
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX	0.0088										1
FEAT	JRES															
	All Features Offered			UEPFB	UEPVF	2.56	0.00	0.00								
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															1
	Switch-as-is			UEPFB	USAC2		16.94	3.72								
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch with change			UEPFB	USACC		16.94	3.72								
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFB	URETN		11.19	1.10								
2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE	PORT	(PBX)	_												
	ort/Loop Combination Rates		Ìί													
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			15.16										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			20.02										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			28.82										
	2W VG Loop/IO Tranport/Port Combo-Zone 4		4		+	46.99					1					
UNF I	oop Rates															1
	2W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2	13.89										1
	2W VG Loop (SL2)-Zone 2		2	UEPFP	UECF2	18.75										1
	2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	27.55										1
	2W VG Loop (SL2)-Zone 4		4	UEPFP	UECF2	45.72					1					
2-Wire	Voice Grade Line Port Rates (BUS - PBX)		-	Q=111	52012	70.72					<u> </u>			1		
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFP	UEPPC	1.27	137.41	80.14	67.20	11.29	<u> </u>			l		†
_	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	1.27	137.41	80.14	67.20	11.29	<u> </u>			l		
	Line Side Unbundled Incoming PBX Trunk Port-Bus		H	UEPFP	UEPP1	1.27	137.41	80.14	67.20	11.29	†			 		
	2W Voice Unbundled PBX LD Terminal Ports		\vdash	UEPFP	UEPLD	1.27	137.41	80.14	67.20	11.29	1			l		
	2W Voice Unbundled 2-Way Combination PBX Usage Port	—	H	UEPFP	UEPXA	1.27	137.41	80.14	67.20	11.29	 					
_	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.27	137.41	80.14	67.20	11.29	1					
	ZTT TOIGE CHEMINICAL DA TOIL TEIRIIIM FIDIEI FUNS															+
	2W Voice Unbundled PRX LD DDD Terminals Port]]	LIEDED	HEDY∩	1 27	127 //1	2∩ 1 <i>/</i>	67 20	11 20						
	2W Voice Unbundled PBX LD DDD Terminals Port 2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP UEPFP	UEPXC UEPXD	1.27 1.27	137.41 137.41	80.14 80.14	67.20 67.20	11.29 11.29						-

NBUNDL	ED NETWORK ELEMENTS - Mississippi													ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	Charge - Manual Sv Order vs. Electronic
							N		NDO D'			p =		Rates (\$)	Disc 1st	
_						Rec	Nonrec		NRC Disc		COMEC	SOMAN			SOMAN	SOMAN
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy						First	Add'l	First	Add'l	SOWIEC	SOWAN	SUMAN	SOMAN	SOWAN	SUMAN
	Administrative Calling Port			UEPFP	UEPXL	1.27	137.41	80.14	67.20	11.29						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling			OLITI	OLI AL	1.27	107.41	00.14	07.20	11.20						
	Port			UEPFP	UEPXM	1.27	137.41	80.14	67.20	11.29						
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount															
	Room Calling Port			UEPFP	UEPXO	1.27	137.41	80.14	67.20	11.29						
	2W Voice Unbundled 2-Way PBX MS Local Economy Calling Port			UEPFP	UEPXQ	1.27	137.41	80.14	67.20	11.29						
	2W Voice Unbundled 2-Way PBX MS Local Optional Calling Port			UEPFP	UEPXR	1.27	137.41	80.14	67.20	11.29						
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.27	137.41	80.14	67.20	11.29						
1.004	MS PBX 2-Way Combo Local Opt 2 Calling Port		-	UEPFP	UEPA5	1.27	137.41	80.14	67.20	11.29						
LUCA	L NUMBER PORTABILITY Local No Portability (1 per port)		<u> </u>	UEPFP	LNPCP	3.15	0.00	0.00	-		1	-				1
INTER	ROFFICE TRANSPORT		1	ULFFF	LINEUE	3.15	0.00	0.00	}		}	-		 	-	1
IIII	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2	20.32	40.77	27.57	17.26	7.11						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	1L5XX	0.0088		27.07	20							
FEAT	URES			02	120701	0.0000										
	All Features Offered			UEPFP	UEPVF	2.56	0.00	0.00								
NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch-as-is			UEPFP	USAC2		16.94	3.72								
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch with change			UEPFP	USACC		16.94	3.72								
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFP	URETN		11.19	1.10								
	D PORT/LOOP COMBINATIONS - COST BASED RATES															
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT															
UNE	Port/Loop Combination Rates 2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1			21.32					-					
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		2			26.16										
	2W VG Loop/2W DID Trunk Port Combo-ONE Zone 2 2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3			34.98										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 4		4			53.15										
UNE I	Loop Rates		Ė			30.10										
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD1	13.89										
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD1	18.75										
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1	27.55										
	2W Analog VG Loop-(SL2)-UNE Zone 4		4	UEPPX	UECD1	45.72										
UNE F	Port Rate															
	Exchange Ports-2W DID Port			UEPPX	UEPD1	7.43	225.96	87.13	114.59	14.25						
NONE	ECURRING CHARGES - CURRENTLY COMBINED			LIEBBY .	110101											
	2W VG Loop/2W DID Trunk Port Combination -Switch-as-is			UEPPX	USAC1		7.35	1.88								
ADDI	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable FIONAL NRCs			UEPPX	USA1C		7.35	1.88			-					-
ADDI	2W DID Subsqnt Activity-Add Trunks, Per Trunk			UEPPX	USAS1		26.94	26.94								
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPX	URETN		11.19	1.10	1							
Telen	hone Number/Trunk Group Establisment Charges		1	OLITA	ORETIV		11.10	1.10								
. 0.00	DID Trunk Term (One Per Port)			UEPPX	NDT	0.00	0.00	0.00								
	Add'l DID Nos for each Group of 20 DID Nos		1	UEPPX	ND4	0.00	0.00	0.00								
	DID Nos, Non-consecutive DID Nos , Per No			UEPPX	ND5	0.00	0.00	0.00			Ì					Ì
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00								
LOCA	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00			ļ					1
	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SID	E POF	₹T													ļ
UNE	Port/Loop Combination Rates			HEDDD HEDDS		20.52					<u> </u>					ļ
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone		2	UEPPB UEPPR UEPPB UEPPR		28.59			1		1	1				}
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone		3	UEPPB UEPPR UEPPB UEPPR		35.00 45.18			 		 	-		-	-	
	12\M ISDN Digital Grade Loop/2\M ISDN Digital Line Side Dow LINE Zoon															1
_	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone			UEPPB UEPPR							1	†				
UNF	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone .oop Rates		4	UEPPB UEPPR		67.61										

JNBUNDL	ED NETWORK ELEMENTS - Mississippi														ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	i Zon e	В	cs	usoc			TES (\$)	Lung		Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic- Add! Rates (\$)	Increment al Charge - Manual Svc Order vs. Electronic-	Electron
							Rec	Nonrec		NRC Disc		001150	001111			001111	001141
	and a second a second and cond and a second and a second and a second and a second and a second and a second and a second and a second and a second and a second and a second and a second and a second and a second a second and a second and a second and		_			1101 01/	0.4.0=	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB	UEPPR	USL2X	24.67					<u> </u>					
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB	UEPPR	USL2X	34.85										
	2W ISDN Digital Grade Loop-UNE Zone 4		4	UEPPB	UEPPR	USL2X	57.28										
UNE	Port Rate																<u> </u>
	Exchange Port-2W ISDN Line Side Port			UEPPB	UEPPR	UEPPB	10.33	190.80	133.22	100.72	21.13						
NONE	RECURRING CHARGES - CURRENTLY COMBINED																
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-																
	Conversion			UEPPB	UEPPR	USACB	0.00	38.73	27.17								
ADDI	TIONAL NRCs		1			1						ļ					
	Unbundled Misc Rate Element, Tag Designed Loop at End User		1	UEPPB	UEPPR	URETN		11.19	1.10			ļ					<u> </u>
	Unbundled Misc Rate Element, Tag Loop at End User Premise		1	UEPPB	UEPPR	URETL		8.33	0.83			ļ					<u> </u>
LOCA	L NUMBER PORTABILITY		1	L								ļ					<u> </u>
	Local No Portability (1 per port)		1	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00			1		ļ]		1
B-CH/	ANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CH/	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS,	& TN)															
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USER	TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERT	ICAL FEATURES																
	All Vertical Features-One per Channel B User Profile			UEPPB	UEPPR	UEPVF	2.56	0.00	0.00								
INTER	ROFFICE CHANNEL MILEAGE																
	Interoffice Channel miage each, including first mi and facilities Term			UEPPB	UEPPR	M1GNC	22.5298	40.77	27.57	17.26	7.11						
	Interoffice Channel miage each, Add'l mi			UEPPB	UEPPR	M1GNM	0.0098	0.00	0.00								
4-WIR	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT	Г															
	INE-P DS1 combination rates below for in this exhibit apply to the em																
Requ	ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital Trunk F	ort af	ter the	e effective c	late of this	amendment	shall be provided	d pursuant to	a separate	e agreement	t or tariff	at BellSou	th's discre	etion.			
UNE F	Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 1		1	UEI	PPP		155.43										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2		2	UEI	PPP		205.74										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3		3	UEI	PPP		283.10										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 4		4	UEI	PPP		534.81										
UNE I	Loop Rates																
	4W DS1 Digital Loop-UNE Zone 1		1	UEI	PPP	USL4P	79.08										
	4W DS1 Digital Loop-UNE Zone 2		2		PPP	USL4P	129.38										
	4W DS1 Digital Loop-UNE Zone 3		3	UEI		USL4P	206.74										
	4W DS1 Digital Loop-UNE Zone 4		4	UEI	PPP	USL4P	458.46										
UNE I	Port Rate																T
	Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEI	PPP	UEPPP	76.35	458.93	260.59	127.75	32.76						
NONE	RECURRING CHARGES - CURRENTLY COMBINED																1
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-																
	Conversion -Switch-as-is (E:4/1/2004)			UEI	PPP	USACP	0.00	119.76	79.01					1			
ADDI	TIONAL NRCs																
	4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqt Actvy-Inward/2way Tel		1				İ										
	Nos			UEI	PPP	PR7TF		0.49				1		l			
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos			UEI	PPP	PR7TO		11.58	11.58					İ			
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqnt Inward Tel Nos			UEI	PPP	PR7ZT		23.15	23.15					İ			
			1			1						1					1
LOCA	L NUMBER PORTABILITY									1							

<u>INBUNDL</u>	ED NETWORK ELEMENTS - Mississippi												Attach			ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	٨٩٩١	Increment al Charge - Manual Svc Order vs. Electronic-	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonred		NRC Disc					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTER	FACE (Provsioning Only)			UEPPP	PR71V	0.00	0.00	0.00								
	Voice/Data Digital Data			UEPPP	PR71V PR71D	0.00	0.00	0.00								
_	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New c	r Additional "B" Channel			OLFFF	FR/IL	0.00	0.00	0.00								
INCW	New or Add'I-Voice/Data B Channel			UEPPP	PR7BV	0.00	14.61									
	New or Add'l-Digital Data B Channel			UEPPP	PR7BF	0.00	14.61									
	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	14.61									
CALL	TYPES															
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
1	Outward			UEPPP	PR7CO	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Intero	ffice Channel Mileage															
	Fixed Each Including First mi			UEPPP	1LN1A	57.53	89.79	82.28	16.66	14.90						
	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.20										
	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
The U	NE-P DS1 combination rates below for in this exhibit apply to the em	bedde	d bas	se in place as of 10	/2/03 until 4/1/0	4. After 4/1/04 the	ese rates sha	Il revert to	tariff rates o	or a separ	ate comme	ercial agre	ement.			
Reque	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective	date o	f this	amendment shall	be provided pu	rsuant to a separa	ate agreeme	nt or tariff a	t BellSouth	's discret	ion.					
UNE F	ort/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1		1	UEPDC		131.78										
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2		2	UEPDC		182.07										
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 3		3	UEPDC		259.44										
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 4		4	UEPDC		511.15										
UNE L	oop Rates															
	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	79.08										
	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	129.38										
	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	206.74										
	4W DS1 Digital Loop-UNE Zone 4		4	UEPDC	USLDC	458.46										
UNE F	ort Rate															
	4W DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	52.70	457.12	254.70	120.96	14.61						
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is (E:4/1/2004)			UEPDC	USAC4		130.24	67.41								
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		130.24	67.41								
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion															
	with Change-Trunk (E:4/1/2004)			UEPDC	USAWB		130.24	67.41								
ADDII	TONAL NRCs															
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel			LIEDDO	LIDTTA		44.50	44.50								
	Activation/Chan-2-Way Trunk 4W DS1 Loop/4W DDITS Trunk Port-Subsent Channel Activation/Chan-			UEPDC	UDTTA		14.56	14.56								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqrt Channel Activation/Chan- 1-Way Outward Trunk 4W DS1 Loop/4W DDITS Trunk Port-Subsqrt Channel Activation/Chan			UEPDC	UDTTB		14.56	14.56								
	4W DST Loop/4W DDTS Trunk Port-Subsqrt Chamler Activation Per Chan- linward Trunk w/out DID 4W DST Loop/4W DDTS Trunk Port-Subsqrt Chan Activation Per Chan-			UEPDC	UDTTC		14.56	14.56								
	Trunk with DID 4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Fer Chanlemard Trunk with DID 4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-			UEPDC	UDTTD		14.56	14.56								
BIBOI	Way DID w User Trans AR 8 ZERO SUBSTITUTION			UEPDC	UDTTE		14.56	14.56								
Dii OL	B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	600.00s								
-	B8ZS-Extended Superframe Format		\vdash	UEPDC	CCOSF	1	0.00i	600.00s					 			
Altern	ate Mark Inversion		1	OLI DO	COOLI		0.001	000.003								
Aiteili	AMI -Superframe Format			UEPDC	MCOSF	1	0.00	0.00		 						
	AMI-Supername Format AMI-Extended SuperFrame Format		1	UEPDC	MCOPO		0.00	0.00	 	 			1			1
			-	OLFDO	IVICOFO		0.00	0.00	 	 		-	 			
Toloni	none Number/Trunk Group Establisment Charges		I													1
Telepl	Tel No for 2-Way Trunk Group			HEDDO	HDTGV	0.00										
Telepi	Tel No for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
Telepl				UEPDC UEPDC UEPDC	UDTGX UDTGY UDTGZ	0.00 0.00 0.00										

NDUNUL	ED NETWORK ELEMENTS - Mississippi				1	_								ment: 2		ibit: A
TEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		R.	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually	Incrementa I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs.	Charge Manual S Order vs Electroni
													Electronic-	Electronic-		Disc Add
						Rec		curring	NRC Disc					Rates (\$)	1111274 1124	
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DID Nos, Non-consecutive DID Nos , Per No			UEPDC	ND5	0.00										
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00									
	Reserve DID Nos			UEPDC	NDV	0.00	0.00	0.00								
Dedic	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digit	al Loo	p with													
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	57.33	89.79		16.86	14.90						
	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.20	0.00									
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO2	0.00	0.00									
	Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.20	0.00									
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00		0.00							
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOC	0.20	0.00						ļ		ļ	
	Local No Portability, per DS0 Activated		<u> </u>	UEPDC	LNPCP	3.15	0.00	0.00	0.00		1		ļ		ļ	ļ
	CO Termininating Point			UEPDC	CTG	0.00	1	1			ļ					<u> </u>
	E DS1 LOOP WITH CHANNELIZATION WITH PORT					ļ		1			ļ					
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activation															
Each	System can have up to 24 combinations of rates depending on type	and nu	mber	of ports used												
	NE-P DS1 combination rates below for 4-Wire DS1 Loop with Channe											es shall rev	vert to tariff r	ates or a se	parate agree	ement.
	ests for 4-Wire DS1 Loop with Channelization with Port after the effec	tive da	ate of	this amendment shall	I be provided	d pursuant to a s	separate agre	ement or ta	riff at BellSo	outh's di	scretion.					
UNE I	OS1 Loop															
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	79.08	0.00									
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	129.38	0.00	0.00								
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	206.74	0.00	0.00								
	4W DS1 Loop-UNE Zone 4		4	UEPMG	USLDC	458.46	0.00	0.00								
UNE D	OSO Channelization Capacities (D4 Channel Bank Configurations)															
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	95.06	0.00	0.00								
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	190.12	0.00	0.00								
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	380.24	0.00	0.00								
	144 DS0 Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	570.36	0.00	0.00								
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	760.48	0.00	0.00								
	240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM2O	950.60	0.00	0.00								
	288 DS0 Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	1,140.72	0.00	0.00								
	384 DS0 Channel Capacity-1 per 16 DS1s			UEPMG	VUM38	1,520.96	0.00	0.00								
	480 DS0 Channel Capacity-1 per 20 DS1s			UEPMG	VUM4O	1,901.20	0.00									
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,281,44	0.00	0.00								
	672 DS0 Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	2,661,68	0.00									
Non-F	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Char	nelizti	ion w			, , , , , ,		-								
	imum System configuration is One (1) DS1, One (1) D4 Channel Bank							1			1					
	ples of this configuration functioning as one are considered Add'l aff						1	1	1			†				
mann	NRC-Conversion (Currently Combined) with or w/o BST Allowed		T	UEPMG	USAC4	0.00	151.35	8.41								
Syste	m Additions at End User Locations Where 4-Wire DS1 Loop with Cha	nneliz	ation				101.00	0.41								
	Not Currently Combined) in all states, except in Density Zone 1 of To			With Fort Combinatio	Touriently i	LAISIS and										
146M (1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea	POWIG	, A 3		1	 	1	†			 		 		 	1
	Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	715.15	327.39	148.05	17.56						
Pinol	ar 8 Zero Substitution			ULFIVIG	VOIVID4	0.00	713.13	321.39	140.03	17.30		 				
Біроі	Clear Channel Capability Format, superframe-Subsqnt Activity Only	-		UEPMG	CCOSF	0.00	0.00i	600.00s								
		-	-	UEFIVIG	CCOSF	0.00	0.001	600.008								
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity			LIEDMO	CCOFF	0.00	0.00:	000 00-								
A 14	Only	-		UEPMG	CCOEF	0.00	0.001	600.00s								
Aitern	nate Mark Inversion (AMI)			LIEDMO	MOOOF	0.00	0.00	0.00				ļ				
	Superframe Format			UEPMG	MCOSF	0.00	0.00					ļ				
	Extended Superframe Format		1-	UEPMG	MCOPO	0.00	0.00	0.00			1				1	
F		Port	1			1	1	1								-
	ange Ports Associated with 4-Wire DS1 Loop with Channelization wit				1	1	1	1				ļ				<u> </u>
	ange Ports		1	LIEDD\/	UEDO::	,										
	line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004)			UEPPX	UEPCX	1.23	0.00		0.00	0.00						
	Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004)			UEPPX	UEPOX	1.23	0.00	0.00	0.00	0.00						
	inge Ports Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port w/o DID			UEPPX UEPPX	UEPOX UEP1X	1.23 1.23	0.00	0.00	0.00	0.00						
	Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004)			UEPPX	UEPOX	1.23	0.00	0.00	0.00	0.00						
	Inge Ports Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004) Unbundled Exchange Ports, 2W Channelized – Outdial – (AL, KY, LA, MS, & TN)(Conversion from Network Access Service) (E:4/1/2004)			UEPPX UEPPX	UEPOX UEP1X	1.23 1.23	0.00	0.00 0.00 0.00	0.00	0.00						
	Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004) Unbundled Exchange Ports, 2W Channelized – Outdial – (AL, KY, LA,			UEPPX UEPPX UEPPX	UEPOX UEP1X UEPDM	1.23 1.23 7.40	0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00						

UNBUND	LED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exh	ibit: A
											Svc	Svc		Incrementa		
											Order	Order	I Charge -	I Charge -	al Charge -	Charge -
		Interi	Zon								Submitte	Submitte	Manual	Manual	Manual	Manual Sv
CATEGOR	Y RATE ELEMENTS	m	е	BCS	USOC		RA	TES (\$)			d Elec	d	Svc Order	Svc Order	Svc Order	Order vs.
			ľ								per LSR	Manually	vs.	vs.	vs.	Electronic
												per LSR	Electronic-	Electronic-	Electronic-	Disc Add
									L NDO B'				1c+	Addil	Dicc 1ct	
						Rec	Nonrec		NRC Disc					Rates (\$)		
	Unit of the LE of the Company of the Land Comp						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Exchange Ports, 2W Channelized – Outdial– MS Only –			UEPPX	UEPC4	4.00	0.00	0.00	0.00	0.00						
	Calling Plan (E:4/1/2004) Unbundled Exchange Ports, 2W Channelized – Two Way-MS Only –			UEPPX	UEPC4	1.23	0.00	0.00	0.00	0.00						
	Calling Plan (E:4/1/2004)			UEPPX	UEPC7	1.23	0.00	0.00	0.00	0.00						
Foot	ure Activations - Unbundled Loop Concentration			UEFFX	UEPCI	1.23	0.00	0.00	0.00	0.00						
reat	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.61	25.36	13.39	4.29	4.26						1
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQWU	0.61	78.03	18.39		11.85						
Tele	phone Number/ Group Establishment Charges for DID Service			OLITA	11 0000	0.01	70.00	10.00	00.00	11.00						
100	DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	DID Nos-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00								
- 1	Non-Consecutive DID Nos-per No			UEPPX	ND5	0.00	0.00	0.00								1
	Reserve Non-Consecutive DID Nos	-	1	UEPPX	ND6	0.00	0.00	0.00					 			
	Reserve DID Nos	 	1	UEPPX	NDV	0.00	0.00	0.00			<u> </u>		1	<u> </u>	1	
Loca	I Number Portability	 	1			0.00	0.00	0.00	 		<u> </u>		1	<u> </u>	1	
	Local No Portability-1 per port	 	1	UEPPX	LNPCP	3.15	0.00	0.00	 		<u> </u>		1	<u> </u>	1	
FFΔ	TURES - Vertical and Optional			OLITA	2111 01	0.10	0.00	0.00	1		<u> </u>	†	-	1	1	
	Switching Features Offered with Line Side Ports Only															1
2000	All Features Available			UEPPX	UEPVF	2.56	0.00	0.00								
LINBUNDI E	ED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES			OLITA	OLI VI	2.00	0.00	0.00								
	ost Based Rates are applied where BellSouth is required by FCC and/o	r State	Com	mission rule to provi	de Unbundle	d Local Switching	a or Switch	Porte								
	eatures shall apply to the Unbundled Port/Loop Combination - Cost Ba								ed Port sect	tion of th	is avhihit					
2. Te	nd Office and Tandem Switching Usage and Common Transport Usage	ratos	in the	Dort coction of this	ovhibit chall	annly to all comb	inations of I	con/port n	otwork olom	onte over	opt for IIN	E Coin Bo	rt/Loon Com	hinations	1	1
4 T	ne first and additional Port nonrecurring charges apply to Not Currently	v Com	hiner	Combos For Curre	ntly Combin	ed Combos the n	onrecurring	charges s	hall he thes	e identifi	ed in the N	onrecurrin	a - Currently	Combined	sections A	Additional
	s may apply also and are categorized accordingly.	,			,	ou oo		oa. 900 o.	2000				.9 • • • • • • • • • • • • • • • • • • •	,		
	arket Rates for Unbundled Centrex Port/Loop Combination will be neg	ntiate	d on	an Individual Case Ra	esis until fur	ther notice			1					1	1	1
	-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)	l	1	I III III III III III III III III III	1010, until rui	ther notice.										
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo															1
	Port/Loop Combination Rates (Non-Design)															
10.12	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP91		12.22										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP91		17.13										1
h	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP91		26.26										1
 	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		4			44.91										1
LINE	Port/Loop Combination Rates (Design)		_	OLI 01		44.01										1
- ONE	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP91		15.12										1
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP91		19.98										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP91	+	28.78										
	2W VG Loop/2W VG Fort (Centrex) Fort Combo-Design		4	UEP91		46.95										
LINE	Loop Rate		7	ULF91		40.53			1							1
ONE	2W VG Loop (SL 1)-Zone 1		1	UEP91	UECS1	10.98										
	2W VG Loop (SL 1)-Zone 2		2	UEP91	UECS1	15.91										
	2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3		3	UEP91	UECS1	25.04			1		1		-			+
	2W VG Loop (SL 1)-Zone 3 2W VG Loop (SL 1)-Zone 4	 	4	UEP91 UEP91	UECS1	43.68			 		<u> </u>	-	 	1		
\vdash	2W VG Loop (SL 1)-Zone 4 2W VG Loop (SL 2)-Zone 1	-	1	UEP91	UECS1	13.89			 		1	1		1	1	<u> </u>
	2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2	 	2	UEP91 UEP91	UECS2	13.89			 		<u> </u>	-	 	1		
-	2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 3		3	UEP91 UEP91	UECS2	18.75 27.55			<u> </u>		1		 	1	1	
			4		UECS2	45.72			<u> </u>		1		 	1	1	
LINE	2W VG Loop (SL 2)-Zone 4		4	UEP91	UEC52	45.72			 		 	-		 	 	-
	Ports states (Except NC and SC)		1		+	 			 		 	-		 	 	-
All S			1	UEP91	UEPYA	1.23	40.31	19.84	24.90	6.58	 	-		 	 	-
	2W VG Port (Centrex) Basic Local Area		1	UEP91 UEP91	UEPYA	1.23	40.31	19.84	24.90		1		 	1	1	
	2W VG Port (Centrex 800 Term)Basic Local Area		1							6.58			 	1	1	
	2W VG Port (Centrex with Caller ID)Note1 Basic Local Area	-	1	UEP91	UEPYH	1.23	40.31	19.84	24.90	6.58	1	1	1	1	1	<u> </u>
L	2W VG Port (Centrex from diff SWC) Note 2, 3 Basic Local Area	 	1	UEP91	UEPYM	1.23	108.35	70.57	54.24	11.70	1	 	1	1	1	1
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP91	UEPYZ	1.23	108.35	70.57	54.24	11.70			1	1	1	<u> </u>
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area	<u> </u>	ļ	UEP91 UEP91	UEPY9	1.23	40.31	19.84	24.90	6.58				-	1	ļ
		1		LIED04	1.166 - 1.15										1	
	2W VG Port Terminated on 800 Service Term-Basic Local Area		1	UEF91	UEPY2	1.23	40.31	19.84	24.90	6.58						
AL, I	KY, LA, MS, & TN Only															
AL, I	XY, LA, MS, & TN Only 2W VG Port (Centrex)			UEP91	UEPQA	1.23	40.31	19.84	24.90	6.58						
AL, I	KY, LA, MS, & TN Only								24.90 24.90							

<u> </u>	LED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exh	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc			TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Svc Order vs. Electronic-	٨٩٩٩	Increment al Charge - Manual Svc Order vs. Electronic-	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		NRC Disc					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Port (Centrex from diff SWC)2,3			UEP91	UEPQM	1.23	108.35	70.57	54.24	11.70						
	2W VG Port, Diff SWC-2,3-800 Service Term			UEP91	UEPQZ	1.23	108.35	70.57	54.24	11.70						
	2W VG Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.23	40.31	19.84	24.90	6.58						
	2W VG Port Terminated on 800 Service Term			UEP91	UEPQ2	1.23	40.31	19.84	24.90	6.58						
Loca	Switching															ļ
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.7947										
Loca	Number Portability			LIEDA	LLIDOO											
	Local No Portability (1 per port)			UEP91	LNPCC	0.35										
Featu				LIEBO												<u> </u>
	All Standard Features Offered, per port		-	UEP91	UEPVF	2.56	404.00				1	!	1			├
-	All Select Features Offered, per port		-	UEP91	UEPVS UEPVC	0.00	404.98				1	 	1			
NARS	All Centrex Control Features Offered, per port		-	UEP91	UEPVC	2.56					1	!	1			
NAK				LIEDOA	LIADOV	0.00	0.00	0.00	0.00	0.00	1					
	Unbundled Network Access Register-Combination Unbundled Network Access Register-Indial			UEP91 UEP91	UARCX UAR1X	0.00	0.00	0.00	0.00	0.00			-			
				UEP91 UEP91		0.00	0.00	0.00	0.00	0.00						
Mina	Unbundled Network Access Register-Outdial ellaneous Terminations	-		UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
Z-VVII	re Trunk Side			UEP91	CENA6	8.25	120.00	18.85	61.77	3.88						
Inter	Trunk Side Terms, each	-		UEF91	CEINAG	0.20	120.00	10.00	61.77	3.00						
interd	office Channel Mileage - 2-Wire Interoffice Channel Facilities Term-VG	-		UEP91	M1GBC	22.52	40.77	27.57	17.26	7.11						
+	Interoffice Channel mage, per mi or fraction of mi			UEP91	M1GBC M1GBM	0.0098	40.77	21.51	17.26	7.11						-
Foots	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	-		UEF91	IVITGDIVI	0.0096										
	hannel Bank Feature Activations				+				-		 	 				
D4 C	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.57					1					-
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.57					1					
_	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP91	1PQWP	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.57										
_	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ	0.57										
_	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.57					†	†				
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex			02.0.		0.01										—
	Conversion-Currently Combined Switch-As-Is with allowed changes, per				+											
	port			UEP91	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block			UEP91	USACN		37.97	16.68								<u> </u>
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	666.32									†
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	666.32									
	Secondary Block, per Block			UEP91	M2CC1	0.00	77.91									
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.63									
Addi ⁴	tional Non-Recurring Charges (NRC)															
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP91	URETL		8.33	0.83								
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP91	URETN		11.19	1.10								
UNE-	P CENTREX - 5ESS (Valid in All States)															
2-Wir	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95		12.22										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95		17.13										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95		26.26										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		4	UEP95		44.91										
UNE	Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		15.12										<u> </u>
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP95		19.98										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95		28.78										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		4	UEP95		46.95										<u> </u>
UNE	Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP95	UECS1	10.98										<u> </u>
	2W VG Loop (SL 1)-Zone 2		2	UEP95	UECS1	15.91										<u> </u>
	2W VG Loop (SL 1)-Zone 3		3	UEP95	UECS1	25.04										<u> </u>
	2W VG Loop (SL 1)-Zone 4	1	4	UEP95	UECS1	43.68			1		1	1	I	1		1

NBUNDL	ED NETWORK ELEMENTS - Mississippi			T										ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs.	al Charge - Manual Svc Order vs.	Charge - Manual Sv Order vs. Electronic
												per LSR		Electronic-	Disc 1st	Disc Add
						Rec	Nonrec		NRC Disc					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop (SL 2)-Zone 1		1	UEP95	UECS2	13.89										
	2W VG Loop (SL 2)-Zone 2		2	UEP95	UECS2	18.75										
	2W VG Loop (SL 2)-Zone 3		3	UEP95	UECS2	27.55										
	2W VG Loop (SL 2)-Zone 4		4	UEP95	UECS2	45.72										
All Sta	ort Rate		-													
	2W VG Port (Centrex) Basic Local Area			UEP95	UEPYA	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex 800 Term)			UEP95	UEPYB	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP95	UEPYM	1.23	108.35	70.57	54.24	11.70						
	2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area			UEP95	UEPYZ	1.23	108.35	70.57	54.24	11.70						
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area		†	UEP95	UEPY9	1.23	40.31	19.84	24.90	6.58	1					
	2W VG Port Terminated on 800 Service Term-Basic Local Area		l -	UEP95	UEPY2	1.23	40.31	19.84	24.90	6.58						
	, LA, MS, SC, & TN Only															
	2W VG Port (Centrex)			UEP95	UEPQA	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex 800 Term)			UEP95	UEPQB	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex with Caller ID)1			UEP95	UEPQH	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex from diff SWC)2,3			UEP95	UEPQM	1.23	108.35	70.57	54.24	11.70						
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP95	UEPQZ	1.23	108.35	70.57	54.24	11.70						
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.23	40.31	19.84		6.58						
	2W VG Port Terminated on 800 Service Term			UEP95	UEPQ2	1.23	40.31	19.84	24.90	6.58						
	Switching															
	Centrex Intercom Funtionality, per port		-	UEP95	URECS	0.7947										
	Number Portability		<u> </u>	LIEDOE	LNDOO	0.05										
Featur	Local No Portability (1 per port)		-	UEP95	LNPCC	0.35										
	All Standard Features Offered, per port			UEP95	UEPVF	2.56			1							
	All Select Features Offered, per port	-	-	UEP95	UEPVS	0.00	404.98				1					
	All Centrex Control Features Offered, per port			UEP95	UEPVC	2.56	404.30		1							
NARS	The contract Contract Contract Contract, per per			02.00	02. 10	2.00										
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Indial			UEP95	UAR1X	0.00	0.00	0.00		0.00						
	Unbundled Network Access Register-Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
	laneous Terminations															
	Trunk Side															
	Trunk Side Terms, each			UEP95	CEND6	8.25	120.00	18.85	61.77	3.88						
	Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP95	M1HD1	58.41	203.19	96.25	74.86	2.54						
	DS0 Channels Activated, each		<u> </u>	UEP95	M1HDO	0.00	14.56									
	fice Channel Mileage - 2-Wire			LIEBAE					17.00							
	Interoffice Channel Facilities Term		<u> </u>	UEP95	M1GBC	22.52	40.77	27.57	17.26	7.11						
	Interoffice Channel miage, per mi or fraction of mi e Activations (DS0) Centrex Loops on Channelized DS1 Service		<u> </u>	UEP95	M1GBM	0.0098										
	annel Bank Feature Activations		-													
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	-	-	UEP95	1PQWS	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	-	-	UEP95	1PQW6	0.57					1					
_	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.57			1							
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP95	1PQWP	0.57			1							
-	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot		t	UEP95	1PQWQ	0.57										
	Feature Activation on D-4 Channel Bank WATS Loop Slot		l -	UEP95	1PQWA	0.57										
	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port		1	UEP95	USAC2		0.10	0.10							1	
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		37.97	16.68								
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	666.32									
				LIEDOE	111100		000.00								i —	1
	New Centrex Customized Common Block NAR Establishment Charge, Per Occasion			UEP95 UEP95	M1ACC URECA	0.00	666.32 72.63									

INBUNDI	LED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exh	ibit: A
ATEGORY		Interi m	Zon e	BCS	USOC		RA	TES (\$)			Svc Order Submitte d Elec	Svc Order Submitte d Manually	I Charge - Manual Svc Order	Incrementa I Charge - Manual Svc Order vs.	al Charge - Manual	Increment Charge - Manual Sy Order vs. Electronic
											per LSK	per LSR	Electronic-	Electronic-		
						Rec	Nonrec		NRC Disc					Rates (\$)		
_	Habita diad Mice Data Flament Too Lane at Find Has Describe			UEP95	URETL		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Misc Rate Element, Tag Loop at End Use Premise Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP95 UEP95	URETN	-	8.33 11.19	0.83								
IINE.	P CENTREX - DMS100 (Valid in All States)			UEF95	UKETIN		11.19	1.10								
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo															-
	Port/Loop Combination Rates (Non-Design)												-			+
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D		12.22							-			+
_	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D		17.13							-			+
-	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	<u> </u>	3	UEP9D	+	26.26							-			┼──
-	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	1	4	UEP9D	+	44.91								-	-	+
LINE	Port/Loop Combination Rates (Design)	1	+	OLFSD	+	44.91						-	1		1	
JINE	2W VG Loop/2W VG Port (Centrex) Port Combo-Design	1	1	UEP9D	+	15.12						 	1			
-	2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		19.98										+
_	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		28.78										+
_	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		4	UEP9D		46.95										+
LINE			4	UEP9D		46.93										+
UNE	Loop Rate 2W VG Loop (SL 1)-Zone 1		4	UEP9D	UECS1	10.98										+
			1	UEP9D UEP9D												
_	2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3		2	UEP9D UEP9D	UECS1	15.91 25.04										
	(-)		3	UEP9D UEP9D	UECS1	25.04 43.68										
-	2W VG Loop (SL 1)-Zone 4			UEP9D												
-	2W VG Loop (SL 2)-Zone 1		1		UECS2	13.89										
-	2W VG Loop (SL 2)-Zone 2		2	UEP9D	UECS2	18.75										
_	2W VG Loop (SL 2)-Zone 3		3	UEP9D	UECS2	27.55										
	2W VG Loop (SL 2)-Zone 4		4	UEP9D	UECS2	45.72										
	Port Rate															
ALL 3	STATES			LIEDOD	LIEDVA	4.00	10.01	40.04	04.00	0.50						
	2W VG Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex/EBS-PSET)3Basic Local Area	<u> </u>		UEP9D	UEPYC	1.23	40.31	19.84	24.90	6.58			1			₩
	2W VG Port (Centrex /EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex /EBS-M5209)3 Basic Local Area			UEP9D	UEPYE	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex /EBS-M5312)3Basic Local Area			UEP9D	UEPYG	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area			UEP9D	UEPYU	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	1.23	40.31	19.84	24.90	6.58						
_	2W VG Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4 Basic Local															
	Area	1	!	UEP9D	UEPYW	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4 Basic Local Area	1	!	UEP9D	UEPYJ	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex from diff SWC) 2,3-Basic Local Area	1	!	UEP9D	UEPYM	1.23	108.35	70.57	54.24	11.70						
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area	ļ		UEP9D	UEPYO	1.23	108.35	70.57	54.24	11.70						
_	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area	ļ		UEP9D	UEPYP	1.23	108.35	70.57	54.24	11.70						
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area	<u> </u>		UEP9D	UEPYQ	1.23	108.35	70.57	54.24	11.70						<u> </u>
	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area	<u> </u>		UEP9D	UEPYR	1.23	108.35	70.57	54.24	11.70						<u> </u>
	2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area			UEP9D	UEPYS	1.23	108.35	70.57	54.24	11.70						<u> </u>
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area	1		UEP9D	UEPY4	1.23	108.35	70.57	54.24	11.70		l				

IBUNDL	.ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exh	ibit: A
											Svc	Svc	Incrementa	Incrementa	Increment	Incremer
											Order	Order	I Charge -	I Charge -	al Charge -	Charge
													_	_	_	_
TEGORY	RATE ELEMENTS	Interi	Zon	BCS	USOC		D.4.	TEC (6)			Submitte	Submitte	Manual	Manual	Manual	Manual
LEGURT	RAIE ELEMENIS	m	е	BUS	0500		KA	TES (\$)			d Elec	d	Svc Order	Svc Order	Svc Order	Order v
			ľ								per LSR	Manually	vs.	vs.	vs.	Electron
												ner I SR	Electronic-	Flectronic-	Flectronic-	Disc Ad
												por Lore	4-4	A -1 -111	Dies 4st	Disc Au
						_	Nonrec	urrina	NRC Disc	onnect			OSS	Rates (\$)		
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMA
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.23	108.35	70.57	54.24	11.70	0020			00	00	
-	2W VG Port (Centrex/differ SWC /EBS-M5216)2.3.4 Basic Local Area	1		UEP9D	UEPY6	1.23	108.35	70.57	54.24	11.70		 				
		<u> </u>														
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	1.23	108.35	70.57	54.24	11.70						
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPYZ	1.23	108.35	70.57	54.24	11.70						
	2W VG Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.23	40.31	19.84	24.90	6.58						
	2W VG Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.23	40.31	19.84	24.90	6.58						
AL. K	Y, LA, MS, SC, & TN Only															
- 1-, 11	2W VG Port (Centrex)			UEP9D	UEPQA	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex 800 Term)	1	-	UEP9D	UEPQB	1.23	40.31	19.84	24.90	6.58						
-		1	1										-	 	 	
	2W VG Port (Centrex/EBS-PSET)4	1	<u> </u>	UEP9D	UEPQC	1.23	40.31	19.84	24.90	6.58		<u> </u>	 	ļ	.	<u> </u>
	2W VG Port (Centrex /EBS-M5009)4		<u> </u>	UEP9D	UEPQD	1.23	40.31	19.84	24.90	6.58			ļ			<u> </u>
	2W VG Port (Centrex /EBS-M5209)4	Ш_	<u></u>	UEP9D	UEPQE	1.23	40.31	19.84	24.90	6.58	<u></u>	<u> </u>	<u> </u>	L		<u></u>
	2W VG Port (Centrex /EBS-M5112)4			UEP9D	UEPQF	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex /EBS-M5312)4			UEP9D	UEPQG	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex /EBS-M5008)4			UEP9D	UEPQT	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex/EBS-M5208)4	1		UEP9D	UEPQU	1.23	40.31	19.84	24.90	6.58						
-		1	_													
	2W VG Port (Centrex/EBS-M5216)4			UEP9D	UEPQV	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex/EBS-M5316)4			UEP9D	UEPQ3	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex with Caller ID)			UEP9D	UEPQH	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex/Caller ID/Msq Wtg Lamp Indication)4			UEP9D	UEPQW	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex/Msq Wtg Lamp Indication)4			UEP9D	UEPQJ	1,23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex from diff SWC) 2,3	1		UEP9D	UEPQM	1.23	108.35	70.57	54.24	11.70						
-	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4	1		UEP9D	UEPQO	1.23	108.35	70.57	54.24	11.70		 				
		<u> </u>														
	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.23	108.35	70.57	54.24	11.70						
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.23	108.35	70.57	54.24	11.70						
	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.23	108.35	70.57	54.24	11.70						
	2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.23	108.35	70.57	54.24	11.70						
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.23	108.35	70.57	54.24	11.70						
	2W VG Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.23	108.35	70.57	54.24	11.70						
+	2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4	1	-	UEP9D	UEPQ6	1.23	108.35	70.57	54.24	11.70						
		1	_													
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.23	108.35	70.57	54.24	11.70						
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPQZ	1.23	108.35	70.57	54.24	11.70						
	2W VG Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.23	40.31	19.84	24.90	6.58						
	2W VG Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.23	40.31	19.84	24.90	6.58			1			
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7947										
Local	Number Portability	1		OLI OD	CINEGO	0.7047										
LUCAI	Local No Portability (1 per port)	1	1	UEP9D	LNPCC	0.35							 			1
Fe -1		1	├	UEP9D	LINPUU	0.35			+		-	1	 	1	1	1
Featu		!	↓									ļ				ļ
1	All Standard Features Offered, per port		<u> </u>	UEP9D	UEPVF	2.56]		1	<u> </u>
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	404.98									
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.56							1			
NARS													İ	İ	İ	
1	Unbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
1	Unbundled Network Access Register-Inward		1	UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00			 	 	 	t
+	Unbundled Network Access Register-Inward	1	1	UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00		1	-	-	-	1
84.			-	UEP9D	UARUX	0.00	0.00	0.00	0.00	0.00		 	-			1
	Ilaneous Terminations		<u> </u>		ļ								ļ			<u> </u>
2-Wire	e Trunk Side		<u></u>													
	Trunk Side Terms, each			UEP9D	CEND6	8.25	120.00	18.85	61.77	3.88			1		1	
4-Wire	e Digital (1.544 Megabits)				1				1				İ	İ	İ	
1	DS1 Circuit Terms, each	1	t	UEP9D	M1HD1	58.41	203.19	96.25	74.86	2.54			1	i e	i e	1
	DS0 Channels Activiated per Channel		1	UEP9D	M1HDO	0.00	14.56	30.23	74.00	2.04						
last		1	├	UEP9D	INITIDO	0.00	14.50		+		-	1	 	1	1	!
intero	ffice Channel Mileage - 2-Wire	!	↓		1				.			ļ				ļ
	Interoffice Channel Facilities Term			UEP9D	M1GBC	22.52	40.77	27.57	17.26	7.11						
	Interoffice Channel miage, per mi or fraction of mi			UEP9D	M1GBM	0.0098						1	1			

<u>Jnbundi</u>	LED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exh	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs.	al Charge - Manual Svc Order vs.	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
							N		NRC Disc			po. 2011		Rates (\$)	Disc 1st	2.007.444
					-	Rec	Nonred First	arring Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service						гизс	Auu i	FIISL	Auu i	JOINILO	JOWAN	JOWAN	JOWAN	SOWAN	JOWAN
	hannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.57										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP9D	1PQWP	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.57										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.57										
Non-l	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed	1	1	UEP9D	110,400		0.40	0.40		1						
-	changes, per port Conversion of existing Centrex Common Block, each	 	-	UEP9D UEP9D	USAC2 USACN		0.10 37.97	0.10 16.68		1	1	1			1	<u> </u>
	New Centrex Standard Common Block	1	-	UEP9D UEP9D	M1ACS	0.00	666.32	10.68	1	 	 	-			-	
-	New Centrex Standard Common Block	+		UEP9D	M1ACC	0.00	666.32			1	1					1
	NAR Establishment Charge, Per Occasion	1		UEP9D	URECA	0.00	72.63	-	+	 	+		 		 	
Addit	tional Non-Recurring Charges (NRC)	+		OLI 3D	OKLOA	0.00	72.00				1					
7.00.0	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN		11.19	1.10								
UNE-	P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
2-Wir	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9E		12.22										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9E		17.13										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9E		26.26										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		4	UEP9E		44.91										
UNE	Port/Loop Combination Rates (Design)		_	UEP9E		45.40				ļ						
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9E UEP9E		15.12 19.98			-							1
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9E		28.78		-								
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design	+	4	UEP9E		46.95				1	1					1
LINE	Loop Rate		-	OLF3L		40.55										
0.42	2W VG Loop (SL 1)-Zone 1	+	1	UEP9E	UECS1	10.98					1					
	2W VG Loop (SL 1)-Zone 2		2	UEP9E	UECS1	15.91										
	2W VG Loop (SL 1)-Zone 3		3	UEP9E	UECS1	25.04										
	2W VG Loop (SL 1)-Zone 4		4	UEP9E	UECS1	43.68										
	2W VG Loop (SL 2)-Zone 1		1	UEP9E	UECS2	13.89										
	2W VG Loop (SL 2)-Zone 2		2	UEP9E	UECS2	18.75										
	2W VG Loop (SL 2)-Zone 3		3	UEP9E	UECS2	27.55										
	2W VG Loop (SL 2)-Zone 4	<u> </u>	4	UEP9E	UECS2	45.72			1	!	1					ļ
	Port Rate	1		ļ					1	 						<u> </u>
AL, F	L, KY, LA, MS, & TN only		-	UEP9E	HEDVA	4.00	40.01	40.04	04.00	0.50	1					
	2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term)Basic Local Area	1		UEP9E UEP9E	UEPYA UEPYB	1.23 1.23	40.31 40.31	19.84 19.84		6.58 6.58	1	-			1	
_	2W VG Port (Centrex 800 Term)Basic Local Area 2W VG Port (Centrex with Caller ID)1Basic Local Area	 	-	UEP9E UEP9E	UEPYB	1.23	40.31	19.84		6.58	1					_
-	2W VG Port (Centrex with Caller ID) Basic Local Area 2W VG Port (Centrex from diff SWC)2,3 Basic Local Area	1		UEP9E	UEPYH	1.23	108.35	70.57		11.70					1	
	2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area	1		UEP9E	UEPYZ	1.23	108.35	70.57	54.24	11.70		1				1
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area	1		UEP9E	UEPY9	1.23	40.31	19.84		6.58						
	2W VG Port Terminated on 800 Service Term-Basic Local Area	1		UEP9E	UEPY2	1.23	40.31	19.84		6.58		İ				
AL, K	Y, LA, MS, & TN Only			İ												
	2W VG Port (Centrex)			UEP9E	UEPQA	1.23	40.31	19.84		6.58						
	2W VG Port (Centrex 800 Term)			UEP9E	UEPQB	1.23	40.31	19.84								
	2W VG Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.23	40.31	19.84		6.58						
	2W VG Port (Centrex from diff SWC)2,3			UEP9E	UEPQM	1.23	108.35	70.57	54.24		<u> </u>				ļ	
	2W VG Port, Diff SWC 2,3 -800 Service Term			UEP9E	UEPQZ	1.23	108.35	70.57	54.24	11.70						ļ
	2W VG Port terminated in on Megalink or equivalent	1		UEP9E	UEPQ9	1.23	40.31	19.84		6.58						<u> </u>
1	2W VG Port Terminated on 800 Service Term	1		UEP9E	UEPQ2	1.23	40.31	19.84	24.90	6.58						<u> </u>
Local	Switching Centrex Intercom Funtionality, per port			UEP9E	URECS	0.7947				ļ	 				ļ	<u> </u>

NROND	LED NETWORK ELEMENTS - Mississippi	,		,										ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs.	Charge - Manual So Order vs Electronic
		-				1	Nonrec	urring	NRC Disc	onnect			164	Rates (\$)	Dicc 1ct	ь
						Rec	First	Add'l	First	Add'l	COMEC	SOMAN			SOMAN	SOMAN
Loca	I Number Portability						гизс	Auu i	FIISL	Auu i	JOINIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
Loca	Local No Portability (1 per port)	+		UEP9E	LNPCC	0.35					1					
Featu				OLI SE	LIVI OO	0.00										+
· out	All Standard Features Offered, per port			UEP9E	UEPVF	2.56										t
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	404.98									
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	2.56										
NARS	S															1
	Unbundled Network Access Register-Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						1
	Unbundled Network Access Register-Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						
	ellaneous Terminations															
2-Wir	re Trunk Side															
	Trunk Side Terms, each			UEP9E	CEND6	8.25	120.00	18.85	61.77	3.88						
4-Wir	re Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP9E	M1HD1	58.41	203.19	96.25	74.86	2.54	<u> </u>	<u> </u>				<u> </u>
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	14.56									
Inter	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP9E	M1GBC	22.52	40.77	27.57	17.26	7.11						
	Interoffice Channel miage, per mi or fraction of mi			UEP9E	M1GBM	0.0098										
	ire Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 C	hannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.57										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP9E	1PQWP	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		<u> </u>	UEP9E	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot		<u> </u>	UEP9E	1PQWQ	0.57										
N1	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.57										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex		<u> </u>													
	NRC Conversion Currently Combined Switch-As-Is with allowed			UEP9E	USAC2		0.10	0.10								
	changes, per port Conversion of Existing Centrex Common Block, each			UEP9E UEP9E	USACZ		37.97	16.68								
	New Centrex Standard Common Block	-	-	UEP9E UEP9E	M1ACS	0.00	666.32	10.08								
_	New Centrex Standard Common Block	-		UEP9E	M1ACC	0.00	666.32					 				
-	NAR Establishment Charge, Per Occasion	-		UEP9E	URECA	0.00	72.63				 	1	-	-	-	
۸ddi	tional Non-Recurring Charges (NRC)			OLF9L	UNLUA	0.00	72.03				1	1				
Audi	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP9E	URETL		8.33	0.83			+	 				
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP9E	URETN		11.19	1.10			+	 				
UNE-	P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)			02.02	0.1.2			0								
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP93		12.22										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP93		17.13										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP93		26.26										1
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	1	4	UEP93		44.91					1					1
UNE	Port/Loop Combination Rates (Design)	1										Ì				1
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP93		15.12										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP93		19.98										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP93		28.78										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		4	UEP93		46.95										
UNE	Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP93	UECS1	10.98										
	2W VG Loop (SL 1)-Zone 2		2	UEP93	UECS1	15.91										
	2W VG Loop (SL 1)-Zone 3		3	UEP93	UECS1	25.04										
	2W VG Loop (SL 1)-Zone 4		4	UEP93	UECS1	43.68										
	2W VG Loop (SL 2)-Zone 1		1	UEP93	UECS2	13.89										
	2W VG Loop (SL 2)-Zone 2		2	UEP93	UECS2	18.75										
	2W VG Loop (SL 2)-Zone 3		3	UEP93	UECS2	27.55										
	2W VG Loop (SL 2)-Zone 4		4	UEP93	UECS2	45.72										

וטאוטפי	LED NETWORK ELEMENTS - Mississippi		1	ı	-						•	_		ment: 2		ibit: A
regory	RATE ELEMENTS	Interi m	Zon	BCS	usoc		RA	TES (\$)			Svc Order Submitte d Elec	Svc Order Submitte d	I Charge -	Incrementa I Charge - Manual Svc Order	al Charge - Manual	Incremen Charge Manual S Order vs
											per LSR	Manually per LSR	vs. Electronic-	vs. Electronic-	vs. Electronic-	Electron Disc Add
						D	Nonrec	urring	NRC Disc	onnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
UNE	Port Rate															
AL, K	(Y, LA, MS, & TN only															
	2W VG Port (Centrex) Basic Local Area			UEP93	UEPYA	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP93	UEPYB	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP93	UEPYM	1.23	108.35	70.57	54.24	11.70						
	2W VG Port, Diff SWC-2,3-800 Service Term-Basic Local Area			UEP93	UEPYZ	1.23	108.35	70.57	54.24	11.70						
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP93	UEPY9	1.23	40.31	19.84	24.90	6.58						
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP93	UEPY2	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex)			UEP93	UEPQA	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex 800 Term)			UEP93	UEPQB	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex with Caller ID)1			UEP93	UEPQH	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex from diff SWC)2,3			UEP93	UEPQM	1.23	108.35	70.57	54.24	11.70						
-	2W VG Port, Diff SWC-2,3 -800 Service Term	-		UEP93	UEPQZ	1.23	108.35	70.57	54.24	11.70						
	2W VG Port terminated in on Megalink or equivalent	-		UEP93	UEPQ9	1.23	40.31	19.84	24.90	6.58						
	2W VG Port Terminated on 800 Service Term	-		UEP93	UEPQ2	1.23	40.31	19.84	24.90	6.58						
Loca	Switching Centrex Intercom Funtionality, per port	-		UEP93	URECS	0.7947										
Loca	I Number Portability	_	-	UEP93	URECS	0.7947										
Loca	Local No Portability (1 per port)	_	-	UEP93	LNPCC	0.35										
Featu		-		UEP93	LINPCC	0.35										
геан	All Standard Features Offered, per port	-	-	UEP93	UEPVF	2.56			1							
-	All Centrex Control Features Offered, per port	-	-	UEP93	UEPVC	2.56			1							
NARS		_		OLI 33	OLI VO	2.50			1							
147414	Unbundled Network Access Register-Combination			UEP93	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Indial			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00			-	1		
	Unbundled Network Access Register-Outdial			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00						
Misc	ellaneous Terminations			02.00	0/4/0//	0.00	0.00	0.00	0.00	0.00						
	e Trunk Side															
	Trunk Side Terms, each			UEP93	CEND6	8.25	120.00	18.85	61.77	3.88						
4-Wir	re Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP93	M1HD1	58.41	203.19	96.25	74.86	2.54						
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.56									
Inter	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP93	M1GBC	22.52	40.77	27.57	17.26	7.11						
	Interoffice Channel miage, per mi or fraction of mi			UEP93	M1GBM	0.0098										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 C	hannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.57										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP93	1PQWP	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot		1	UEP93	1PQWQ	0.57										.
4	Feature Activation on D-4 Channel Bank WATS Loop Slot		ļ	UEP93	1PQWA	0.57						ļ				
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex		ļ		_							ļ				
1	NRC Conversion Currently Combined Switch-As-Is with allowed	1		LIEBAG							1	1				
	changes, per port		ļ	UEP93	USAC2		0.10	0.10	1	ļ		ļ			1	
	Conversion of Existing Centrex Common Block, each		1	UEP93	USACN	0.00	37.97	16.68				ļ	-			
	New Centrex Standard Common Block		1	UEP93	M1ACS	0.00	666.32			ļ		<u> </u>				<u> </u>
_	New Centrex Customized Common Block		<u> </u>	UEP93	M1ACC	0.00	666.32		1	ļ		ļ	-	.	ļ	
1	NAR Establishment Charge, Per Occasion	1	1	UEP93	URECA	0.00	72.63		1	ı	1		1	1	1	1

UNE	UNDL	ED NETWORK ELEMENTS - Mississippi												Attachi	ment: 2	Exhi	ibit: A
												Svc	Svc	Incrementa	Incrementa	Increment	Incremental
												Order	Order	I Charge -	I Charge -	al Charge -	Charge -
			Interi	Zon								Submitte	Submitte	Manual	Manual	Manual	Manual Svc
CAT	EGORY	RATE ELEMENTS	m		BCS	USOC		RAT	TES (\$)			d Elec	d	Svc Order	Svc Order	Svc Order	Order vs.
			l	"								per LSR	Manually	vs.	vs.	vs.	Electronic-
													per LSR	Electronic-	Electronic-	Electronic-	Disc Add'l
														1c+	۸ddil	Dice 1ct	
							Rec	Nonrecu	urring	NRC Discor	nect			oss	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additi	onal Non-Recurring Charges (NRC)															
		Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP93	URETL		8.33	0.83								
		Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP93	URETN		11.19	1.10								
	Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	Note :	2 - Requres Interoffice Channel Mileage															
	Note 3	- Installation is combination of Installation charge for SL2 Loop and	d Port														
	Note 4	- Requires Specific Customer Premises Equipment															
	Note:	Rates displaying an "R" in Interim column are interim and subject to	rate t	rue-u	p as set forth in Gene	ral Terms an	d Conditions.										

Version 3Q03: 11/12/2003 Page 199 of 295

JNBUNDL	ED NETWORK ELEMENTS - North Carolina													ment: 2	Exhil	
											Svc	Svc Order	Incrementa		Incremental	Incrementa
											Order	Submitte	I Charge -	I Charge -	Charge -	I Charge -
		Interi	Zon								Submitte	d	Manual	Manual	Manual Svc	Manual
CATEGORY	RATE ELEMENTS	m		BCS	USOC		RA	TES (\$)			d Elec	Manually	Svc Order	Svc Order	Order vs.	Svc Order
			_								per LSR	per LSR	vs.	vs.	Electronic-	vs.
													Electronic-	Electronic-	Disc 1st	Electronic
							Manne		NDC D	sconnect			100	Addil Datas (ft)		Disc Add'
						Rec	Nonrec					SOMAN		Rates (\$)	COMAN	COMAN
							First	Add'l	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The "	Zone" shown in the sections for stand-alone loops or loops as part of	of a co	mhin	tion refers to Googra	nhically Dos	woraged LINE 7	onos To vio	v Goographic	ally Doay	oraged II	NE Zono D	ocianation	e by Control	Office refer	to internet V	Voheito:
	www.interconnection.bellsouth.com/become a clec/html/interconne			ation refers to Geogra	princally Dea	iveraged ONL 2	ones. To viev	w Geographic	ally Deav	erageu o	NE ZONE D	esignation	S by Cellilai	Office, refer	to internet v	vensile.
PERATION	AL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"													I		
NOTE	(1) CLEC snould contact its contract negotiator if it prefers the "sta	te spe	CITIC"	OSS charges as orde	rea by the S	tate Commissio	ns. The USS	cnarges curr	entry con	ainea in	tnis exnib	it are the B	elisoutn "re	gionai" serv	ce oraering	cnarges.
	may elect either the state specific Commission ordered rates for the															-
NOTE	onnection contract established in each of the 9 states.	corain	g to t	ne SOMEC rate listed	ın tnıs cateç	jory. Piease rei	er to Bellsou	tn s Locai Ord	aering mai	ιαροοκ (LUH) το αε	termine ir a	a product ca	n pe oraered	a electronica	iy. For
those	elements that cannot be ordered electronically at present per the LC	H, the	listed	SOMEC rate in this	category refl	ects the charge	that would b	e billed to a C	CLEC onc	e electro	nic orderin	g capabilit	ies come on	-line for that	element. Ot	herwise,
	anual ordering charge, SOMAN, will be applied to a CLECs bill when															
NOTE	: (3) OSS - Manual Service Order Charge, Per Element - UNE Only **I	Please	see a	pplicable rate elemen	t for SOMAN	l charge**										
	OSS-Electronic Service Order Charge, Per LSR-UNE Only				SOMEC		3.50	0.00	3.50	0.00						
NE SERVI	CE DATE ADVANCEMENT CHARGE															
NOTE	The Expedite charge will be maintained commensurate with BellSo	outh's	FCC I	No.1 Tariff, Section 5	as applicable	e.										
				UAL, UEANL, UCL.												
				UEF, UDF, UEQ,												
				UDL, UENTW, UDN,												
				UEA, UHL, ULC,												
				USL, U1T12, U1T48,												
				U1TD1, U1TD3,												
				U1TDX, U1TO3,												
				U1TS1, U1TVX,												
				UC1BC, UC1BL,												
				UC1CC, UC1CL,												
				UC1DC, UC1DL,												
				UC1EC, UC1EL,												
				UC1FC, UC1FL,												
				UC1GC, UC1GL,												
				UC1HC, UC1HL,												
				UDL12, UDL48,												
				UDLO3, UDLSX,												
				UE3, ULD12, ULD48,												
				ULDD1, ULDD3,												
				ULDDX, ULDO3,												
				ULDS1, ULDVX,												
				UNC1X, UNC3X,												
				UNCDX, UNCNX,												
				UNCSX, UNCVX,												
				UNLD1, UNLD3,												
				UXTD1, UXTD3,												
				UXTS1, U1TUC,												
				U1TUD, U1TUB,												
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			U1TUA	SDASP		200.00									
	D EXCHANGE ACCESS LOOP															
2-WIR	E ANALOG VOICE GRADE LOOP															
	2W Analog VG Loop-SL1-Zone 1	<u> </u>	1	UEANL	UEAL2	12.11	57.99	42.37					26.94	12.76	0.00	0.0
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEAL2	21.24	57.99	42.37					26.94	12.76	0.00	0.0
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEAL2	33.65	57.99	42.37					26.94	12.76	0.00	0.0
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEASL	12.11	57.99	42.37					26.94	12.76	0.00	0.0
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEASL	21.24	57.99	42.37					26.94	12.76	0.00	0.0
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEASL	33.65	57.99	42.37					26.94	12.76	0.00	0.0
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83					26.94	12.76	0.00	0.0
	Loop Testing-Basic 1st Half Hour			UEANL	URET1		76.24	76.24					26.94	12.76	0.00	0.0
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA		39.51	39.51					26.94	12.76	0.00	0.0
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1)			UEANL	UREWO		15.76	8.93					26.94	12.76	0.00	0.0
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
	providing make-up (Engineering Information-E.I.)	l		UEANL	UEANM		28.74	28.74				ĺ	1			
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		61.38	61.38								
	Order Coordination for Specified Conversion Time for UVL-SL1 (per			UEANL	OCOSL		45.34	45.34								

UNBUNDL	ED NETWORK ELEMENTS - North Carolina													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			TES (\$)			Svc Order Submitte d Elec per LSR	Submitte d Manually	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge -
						Rec	Nonrec		NRC Dis					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIR	E Unbundled COPPER LOOP															
	2W Unbundled Copper Loop-Non-Designed Zone 1		1	UEQ	UEQ2X	10.16	35.27	15.60					26.94	12.76	0.00	
	2W Unbundled Copper Loop-Non-Designed-Zone 2		2	UEQ	UEQ2X	17.55	35.27	15.60					26.94	12.76	0.00	0.00
	2W Unbundled Copper Loop-Non-Designed-Zone 3		3	UEQ	UEQ2X	27.58	35.27	15.60					26.94	12.76	0.00	0.00
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83					26.94	12.76	0.00	0.00
	Manual Order Coordination 2W Unbundled Copper Loop-Non-Designed			LIEO	1100140		04.00	04.00								
	(per loop)			UEQ	USBMC		61.38	61.38								ļ
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST			LIEO	11501411		00.74	00.74					00.04	40.70	0.00	0.00
	providing make-up (Engineering Information-E.I.)			UEQ	UEQMU		28.74	28.74					26.94	12.76	0.00	0.00
\vdash	Loop Testing-Basic 1st Half Hour Loop Testing-Basic Add'l Half Hour			UEQ UEQ	URET1 URETA		76.24	76.24 39.51	1		1	1	26.94 26.94	12.76	0.00	
$\vdash \vdash \vdash$	Loop Testing-Basic Add'l Half Hour CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-ND)			UEQ	UREWO		39.51 14.26	39.51 7.42	-		 	 	26.94	12.76 12.76	0.00	0.00
IINDIINDI E	D EXCHANGE ACCESS LOOP			UEQ	UKEWU		14.26	7.42			-		∠6.94	12.76	0.00	0.00
	E ANALOG VOICE GRADE LOOP				-				-		-		-	-	-	
Z-VVIR	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	12.11	57.99	42.37	0.00	0.00	}	1	26.94	12.76	1	
	2W Analog VG Loop-SL1-Line Splitting-Zone 1 2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEABS	12.11	57.99	42.37	0.00	0.00	1	1	26.94	12.76	1	
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	21.24	57.99	42.37	0.00	0.00		1	26.94	12.76		
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS	21.24	57.99	42.37	0.00	0.00		1	26.94	12.76		
 	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEALS	33.65	57.99	42.37	0.00	0.00		<u> </u>	26.94	12.76		
 	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEABS	33.65	57.99	42.37	0.00	0.00		<u> </u>	26.94	12.76		
UNBUNDI E	D EXCHANGE ACCESS LOOP		3	OLI OK OLI OD	OLADO	33.03	37.99	42.01	0.00	0.00		1	20.34	12.70		+
	E ANALOG VOICE GRADE LOOP															
2 ****	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		1	UEA	UEAL2	14.97	142.97	106.56				1	26.94	12.76	0.00	0.00
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2		2	UEA	UEAL2	25.93	142.97	106.56					26.94	12.76	0.00	
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA	UEAL2	40.81	142.97	106.56					26.94	12.76	0.00	
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	10.01	45.34	100.00					20.01	12.70	0.00	0.00
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 1		1	UEA	UEAR2	14.97	142.97	106.56					26.94	12.76	0.00	0.00
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 2		2	UEA	UEAR2	25.93	142.97	106.56					26.94	12.76	0.00	0.00
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 3		3	UEA	UEAR2	40.81	142.97	106.56					26.94	12.76	0.00	
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.34									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.64	36.33					26.94	12.76	0.00	0.00
	Loop Tagging-SL2 (SL2)			UEA	URETL		11.20	1.10					26.94	12.76	0.00	0.00
4-WIR	E ANALOG VOICE GRADE LOOP															
	4W Analog VG Loop-Zone 1		1	UEA	UEAL4	21.32	288.47	237.45					26.94	12.76	0.00	0.00
	4W Analog VG Loop-Zone 2		2	UEA	UEAL4	36.27	288.47	237.45					26.94	12.76	0.00	0.00
	4W Analog VG Loop-Zone 3		3	UEA	UEAL4	56.57	288.47	237.45					26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.34									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.64	36.33					26.94	12.76	0.00	0.00
2-WIR	E ISDN DIGITAL GRADE LOOP															
	2W ISDN Digital Grade Loop-Zone 1		1	UDN	U1L2X	19.42	325.91	251.31					26.94	12.76	0.00	0.00
	2W ISDN Digital Grade Loop-Zone 2		2	UDN	U1L2X	32.88	325.91	251.31					26.94	12.76	0.00	0.00
	2W ISDN Digital Grade Loop-Zone 3		3	UDN	U1L2X	51.14	325.91	251.31					26.94	12.76	0.00	0.00
igwdows	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		45.34				ļ	ļ			<u> </u>	
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO		91.55	44.12	ļ		1	ļ	26.94	12.76	0.00	0.00
2-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBI	E LOC)P													ļ
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-		,		114: 61/			,								
	Zone 1		1	UAL	UAL2X	11.00	264.71	145.60			ļ	1	26.94	12.76	0.00	0.00
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-				1141.00	40.00	004 =:	445.00			1		00.01	40 =0	0.00	0.00
\vdash	Zone 2		2	UAL	UAL2X	18.39	264.71	145.60			ļ		26.94	12.76	0.00	0.00
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-		_	1141	1141.037	20.40	00471	445.00					20.01	10.70	0.00	0.00
	Zone 3		3	UAL	UAL2X	28.42	264.71	145.60	!		 	1	26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)		ـــــــــــــــــــــــــــــــــــــــ	UAL	OCOSL	11.00	45.34	411.00			ļ		20.01	10 70	0.00	0.00
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone		1	UAL UAL	UAL2W UAL2W	11.00	190.25	114.82	1		1	1	26.94	12.76	0.00	0.00
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservator-Zone		2			18.39	190.25	114.82	!		 	1	26.94	12.76	0.00	
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone		3	UAL UAL	UAL2W OCOSL	28.42	190.25	114.82	!		 	1	26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			UAL			45.34	40.20			-		26.04	10.70	0.00	0.00
0.1675	CLEC to CLEC Conversion Charge w/o outside dispatch E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE	100	,—	UAL	UREWO		86.12	40.36	!		 	 	26.94	12.76	0.00	0.00
		こしいいけ			1				i	ì	1	1	1			1

INDUNDE	ED NETWORK ELEMENTS - North Carolina				•		1				_		Attach			bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	us	ос			ΓES (\$)		Svc Order Submitte d Elec per LSR	Submitte d Manually	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	Increme I Charg Manu Svc Or vs. Electro
							Rec	Nonrec		NRC Disconne				Rates (\$)		
								First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2W Unbundled HDSL Loop including manl svc inq & facility reservation- Zone 1		1	UHL		L2X	9.01	284.74	163.54				26.94	12.76	0.00	0
-	2W Unbundled HDSL Loop including manl svc inq & facility reservation-		<u> </u>	UnL	Uni	LZA	9.01	204.74	103.34				20.94	12.70	0.00	-
	Zone 2		2	UHL	UHI	L2X	14.87	284.74	163.54				26.94	12.76	0.00	0
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-															
	Zone 3		3	UHL	UHI		22.82	284.74	163.54				26.94	12.76	0.00	(
	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UHL	OCC	OSL		45.34								
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation- Zone 1		1	UHL	UHL	2///	9.01	207.48	132.05				26.94	12.76	0.00	
-	2W Unbundled HDSL Loop w/o manl svc ing and facility reservation-		+-	OFIL	OTIL	_2 V V	9.01	207.40	132.03			-	20.94	12.70	0.00	<u> </u>
	Zone 2		2	UHL	UHL	_2W	14.87	207.48	132.05				26.94	12.76	0.00	
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-															
	Zone 3		3	UHL		L2W	22.82	207.48	132.05				26.94	12.76	0.00	
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCC			45.34								
4 14/15	CLEC to CLEC Conversion Charge w/o outside dispatch		<u></u>	UHL	URE	WO		86.06	40.36				26.94	12.76	0.00	
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE	LOOF	1													
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 1		1	UHL	l un	L4X	10.62	341.65	220.45				26.94	12.76	0.00	
	4W Unbundled HDSL Loop including manl svc ing and facility		† †	OFFE	011	L-1/(10.02	041.00	220.40				20.54	12.70	0.00	
	reservation-Zone 2		2	UHL	UHI	L4X	17.67	341.65	220.45				26.94	12.76	0.00	
	4W Unbundled HDSL Loop including manl svc inq and facility															
	reservation-Zone 3		3	UHL		L4X	27.24	341.65	220.45				26.94	12.76	0.00	
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCC	OSL		45.34								
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-		١.				40.00									
-	Zone 1 4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-		1	UHL	UHL	_4W	10.62	264.39	188.96				26.94	12.76	0.00	
	Zone 2		2	UHL	ПЫ	_4W	17.67	264.39	188.96				26.94	12.76	0.00	
	4W Unbundled HDSL Loop w/o manl svc ing and facility reservation-		1-	OTIL	0116	-7**	17.07	204.00	100.00				20.54	12.70	0.00	
	Zone 3		3	UHL	UHL	_4W	27.24	264.39	188.96				26.94	12.76	0.00	
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCO	OSL		45.34								
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	URE	WO		86.06	40.36				26.94	12.76	0.00	
4-WIR	E DS1 DIGITAL LOOP		<u> </u>													
	4W DS1 Digital Loop-Zone 1		1	USL		LXX	47.60	714.84	421.47				42.19	12.76	0.00	
-	4W DS1 Digital Loop-Zone 2 4W DS1 Digital Loop-Zone 3		3	USL		LXX LXX	84.36 134.29	714.84 714.84	421.47 421.47				42.19 42.19	12.76 12.76	0.00	
_	Order Coordination for Specified Conversion Time (per LSR)		3	USL	OCC		134.29	48.31	421.47			-	42.19	12.70	0.00	
	CLEC to CLEC Conversion Charge w/o outside dispatch			USL	URE			100.99	43.00				26.94	12.76	0.00	
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4W Unbundled Digital 19.2 Kbps		1	UDL		L19	25.32	489.04	337.51				26.94	12.76	0.00	
	4W Unbundled Digital 19.2 Kbps		2	UDL		L19	43.11	489.04	337.51				26.94	12.76	0.00	
	4W Unbundled Digital 19.2 Kbps		3	UDL		L19	67.26	489.04	337.51				26.94	12.76	0.00	
	4W Unbundled Digital Loop 56 Kbps-Zone 1		2	UDL	UD		25.32 43.11	489.04 489.04	337.51 337.51				26.94	12.76	0.00	
-	4W Unbundled Digital Loop 56 Kbps-Zone 2 4W Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL	UD		67.26	489.04	337.51				26.94 26.94	12.76 12.76	0.00	
-	Order Coordination for Specified Conversion Time (per LSR)		3	UDL	OCC		07.20	45.34	337.31				20.94	12.70	0.00	
	4W Unbundled Digital Loop 64 Kbps-Zone 1		1	UDL		L64	25.32	489.04	337.51				26.94	12.76	0.00	
	4W Unbundled Digital Loop 64 Kbps-Zone 2		2	UDL	UD	L64	43.11	489.04	337.51				26.94	12.76	0.00	
	4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL		L64	67.26	489.04	337.51				26.94	12.76	0.00	
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCC			45.34								
0.14/15	CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	URE	WO		102.03	49.70				26.94	12.76	0.00	
2-WIR	E Unbundled COPPER LOOP 2W Unbundled Copper Loop-Designed including man! svc inq & facility	<u> </u>	├	1							+	-			 	
	reservation-Zone 1	l	1	UCL	LICI	LPB	13.26	262.86	143.75		1		26.94	12.76	0.00	1
	2W Unbundled Copper Loop-Designed including man! svc ing & facility		ΙĖ	302	001		10.20	202.00	140.70	-	+	1	20.04	12.70	5.00	
	reservation-Zone 2	1	2	UCL	UCI	LPB	22.39	262.86	143.75		1		26.94	12.76	0.00	1
_	2W Unbundled Copper Loop-Designed including manl svc inq & facility															
	211 Oribunated Copper Loop-Designed including main svc inq & facility		3	UCL		LPB	34.80	262.86	143.75				26.94		0.00	

NRANDI	LED NETWORK ELEMENTS - North Carolina			1		1					1-		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			TES (\$)		Svc Order Submitte d Elec per LSR	Submitte d Manually	Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	I Charge -
						Rec	Nonrec		NRC Disconne				Rates (\$)		
							First	Add'l	First Add	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Unbundled Copper Loop-Designed w/o man! svc inq and facility reservation-Zone 1 2W Unbundled Copper Loop-Designed w/o man! svc inq and facility		1	UCL	UCLPW	13.26	188.39	112.96				26.94	12.76	0.00	0.00
	reservation-Zone 2		2	UCL	UCLPW	22.39	188.39	112.96				26.94	12.76	0.00	0.00
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 3		3	UCL	UCLPW	34.80	188.39	112.96				26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38							
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Des)			UCL	UREWO		97.14	42.44				26.94	12.76	0.00	0.00
4-WIR	RE COPPER LOOP 4W Copper Loop including man! svc ing and facility reservation-Zone 1		1	UCL	UCL4S	17.36	311.03	191.93				26.94	12.76	0.00	0.00
	4W Copper Loop including manifesting and facility reservation-Zone 2		2	UCL	UCL4S	29.61	311.03	191.93				26.94	12.76	0.00	0.00
-+-	4W Copper Loop including mail svc inq and facility reservation-Zone 3		3	UCL	UCL4S	46.26	311.03	191.93				26.94	12.76	0.00	0.00
\dashv	Order Coordination for Unbundled Copper Loops (per loop)		Ť	UCL	UCLMC	70.20	61.38	61.38				20.04	12.70	0.00	0.00
	4W Copper Loop w/o manl svc inq and facility reservation-Zone 1		1	UCL	UCL4W	17.36	236.57	161.14				26.94	12.76	0.00	0.00
	4W Copper Loop w/o manl svc inq and facility reservation-Zone 2		2	UCL	UCL4W	29.61	236.57	161.14				26.94	12.76	0.00	0.00
	4W Copper Loop w/o manl svc inq and facility reservation-Zone 3		3	UCL	UCL4W	46.26	236.57	161.14				26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38							
LOOP MOD	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Des)			UCL	UREWO		97.14	42.44							
	Unbundled Loop Modification, Removal of Load Coils-2W pr less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils-4W less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L ULM4L		21.24	21.24				26.94 26.94	12.76 12.76	0.00	0.00
SUB-LOOPS	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		24.84	24.84				26.94	12.76	0.00	0.00
	Loop Distribution		1												
	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up	Т		UEANL	USBSA		373.57					26.94	12.76	0.00	0.00
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up			UEANL	USBSB		33.78					26.94	12.76	0.00	0.00
	Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up			UEANL	USBSC		234.76					26.94	12.76	0.00	0.00
	Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up			UEANL	USBSD		81.05					26.94	12.76	0.00	0.00
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1		1	UEANL	USBN2	7.31	126.03	54.54				26.94	12.76	0.00	0.00
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2 Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3	1	3	UEANL UEANL	USBN2 USBN2	11.93 18.20	126.03 126.03	54.54 54.54				26.94 26.94	12.76 12.76	0.00	0.00
_	Order Coordination for Unbundled Sub-Loops, per sub-loop pr	-	3	UEANL	USBMC	10.20	61.38	61.38	+	+		20.94	12.70	0.00	0.00
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1		1	UEANL	USBN4	8.44	156.52	79.66		+		26.94	12.76	0.00	0.00
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2		2	UEANL	USBN4	13.81	156.52	79.66	t			26.94	12.76	0.00	0.00
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 3		3	UEANL	USBN4	21.10	156.52	79.66				26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		61.38	61.38							
	Sub-Loop 2W Intrabuilding Network Cable (INC)			UEANL	USBR2	2.79	114.05	37.20				26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		61.38	61.38							
	Sub-Loop 4W Intrabuilding Network Cable (INC)			UEANL	USBR4	3.74	127.67	50.82				26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr Loop Testing-Basic 1st Half Hour		1	UEANL UEANL	USBMC URET1		61.38 76.24	61.38 76.24							
	Loop Testing-Basic 1st Half Hour		1	UEANL	URETA		39.51	39.51	-	-					
+-	2W Copper Unbundled Sub-Loop Distribution-Zone 1	<u> </u>	1	UEF	UCS2X	6.10	137.10	60.24	 	-	1	26.94	12.76	0.00	0.00
	2W Copper Unbundled Sub-Loop Distribution-Zone 1	ΙĖ	2	UEF	UCS2X	9.70	137.10	60.24				26.94	12.76	0.00	0.00
-		l i	3	UEF	UCS2X	14.59	137.10	60.24			Ì	26.94	12.76	0.00	0.00
+	2W Copper Unbundled Sub-Loop Distribution-Zone 3						61.38	61.38			1				
		-		UEF	USBMC		01.30	01.50				1			
	2W Copper Unbundled Sub-Loop Distribution-Zone 3		1	UEF UEF	UCS4X	6.58	162.24	85.38				26.94	12.76	0.00	
	2W Copper Unbundled Sub-Loop Distribution-Zone 3 Order Coordination for Unbundled Sub-Loops, per sub-loop pr 4W Copper Unbundled Sub-Loop Distribution-Zone 1 4W Copper Unbundled Sub-Loop Distribution-Zone 2	I	1 2	UEF UEF UEF	UCS4X UCS4X	10.51	162.24 162.24	85.38 85.38				26.94	12.76	0.00	0.00
	2W Copper Unbundled Sub-Loop Distribution-Zone 3 Order Coordination for Unbundled Sub-Loops, per sub-loop pr 4W Copper Unbundled Sub-Loop Distribution-Zone 1 4W Copper Unbundled Sub-Loop Distribution-Zone 2 4W Copper Unbundled Sub-Loop Distribution-Zone 3		1	UEF UEF UEF UEF	UCS4X UCS4X UCS4X		162.24 162.24 162.24	85.38 85.38 85.38							0.00
	2W Copper Unbundled Sub-Loop Distribution-Zone 3 Order Coordination for Unbundled Sub-Loops, per sub-loop pr 4W Copper Unbundled Sub-Loop Distribution-Zone 1 4W Copper Unbundled Sub-Loop Distribution-Zone 2	1 1	1 2	UEF UEF UEF	UCS4X UCS4X	10.51	162.24 162.24	85.38 85.38				26.94	12.76	0.00	

	LED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
CATEGORY		Interi m	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Submitte d Manually	Incrementa I Charge - Manual Svc Order vs.		Incremental Charge - Manual Svo Order vs. Electronic-	Increment I Charge
								_					1c+	Addil	D130 131	Dice Add
						Rec	Nonrec			sconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Unbu	ndled Network Terminating Wire (UNTW)					0.40=4	21.22							40.00		
N1-4	Unbundled Network Terminating Wire (UNTW) per pr			UENTW	UENPP	0.4351	64.98						26.94	12.76	0.00	0.00
Netwo	ork Interface Device (NID)			LIENETA/	LINIDAO		00.07	50.00					26.94	40.70	0.00	0.00
	Network Interface Device (NID)-1-2 lines Network Interface Device (NID)-1-6 lines			UENTW UENTW	UND12 UND16		86.37 127.93	56.69 98.21				-	26.94	12.76 12.76	0.00	0.00
	Network Interface Device (NID)-1-6 lines Network Interface Device Cross Connect-2 W	<u> </u>		UENTW	UNDC2		11.68	11.68		1			26.94	12.76	0.00	0.00
				UENTW	UNDC2		11.68	11.68					26.94	12.76	0.00	0.00
INE OTHER	Network Interface Device Cross Connect-4W R. PROVISIONING ONLY - NO RATE	'		UENTW	UNDC4		11.08	11.08				-	26.94	12.76	0.00	0.00
UNE OTHER	NID-Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00			1						
	UNTW Circuit Id Establishment, Provisioning Only-No Rate			UENTW	UENCE	0.00	0.00			1						
	Unbundled Contract Name, Provisioning Only-No Rate			UEANL,UEF,UEQ,UE	UNECN	0.00	0.00									
INE OTUE	R, PROVISIONING ONLY - NO RATE	-	-	ULANL,UEF,UEQ,UE	UNEUN	0.00	0.00			1			-	-	 	-
ONE OTHER	A, I ROVIDIONING UNLI - NO RATE	-	-	UAL,UCL,UDC,UDL,						1			-	-	 	-
	Unbundled Contact Name, Provisioning Only-no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate	1	-	UEA,UDN,UCL,UDC	USBFQ	0.00	0.00			1		1			1	
-	Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate	 	1	UEA,USL,UCL,UDL	USBFR	0.00	0.00			1		1	1	1	 	†
	Unbundled DS1 Loop-Superframe Format Option-no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop-Expanded Superframe Format option-no rate			USL	CCOEF	0.00	0.00									
HIGH CAPA	CITY UNBUNDLED LOCAL LOOP			USL	CCOLI	0.00	0.00									
IIGH CAFA	High Capacity Unbundled Local Loop-DS3-Per mi per mo			UE3	1L5ND	13.33										
	High Capacity Unbundled Local Loop-DS3-Facility Term per mo			UE3	UE3PX	450.69	1,071.00	646.12					53.48	53.48		
-	High Capacity Unbundled Local Loop-STS-1-Per mi per mo			UDLSX	1L5ND	13.33	1,071.00	040.12					33.46	33.40		
	High Capacity Unbundled Local Loop-STS-1-Fei Hill per High High Capacity Unbundled Local Loop-STS-1-Facility Term per mo			UDLSX	UDLS1	464.26	1,071.00	646.12					53.48	53.48		
LOOP MAK				UDLOX	ODLST	404.20	1,071.00	040.12					33.46	33.40		
- Innara	Loop Makeup-Preordering w/o Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		55.44	55.44					19.99	19.99	19.99	19.99
	Loop Makeup-Preordering With Reservation, per spare facility queried			O.V.II.C	0.0		00.11	00.11					10.00	10.00	.0.00	10.0
	(Manual).			UMK	UMKLP	1	55.73	55.73					19.99	19.99	19.99	19.99
	Loop MakeupWith or w/o Reservation, per working or spare facility				• • • • • • • • • • • • • • • • • • • •											
	gueried (Mechanized)			UMK	UMKMQ	1	0.6960821	0.6960821								
LINE SHAR	ING AND LINE SPLITTING															
	1: The Line Sharing monthly recurring rates for all installations co	mplete	d fron	October 02, 2003 thr	ough midnig	tht October 01,	2004 shall be	billed as foll	ows:							
NOTE	1: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled copper	loop n	on-de	signed ("UCLND")												
NOTE	1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND															
NOTE	1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND					1										
	1: Above will apply to USOCS: ULSDT and ULSCT															
	FE 2: The Line Sharing monthly recurring rates with USOCs ULSDC a	nd UI	SCC a	pplies only to circuits	s installed ar	ad inconvice on	ar hafara Oat	ober 1, 2003								
		0 =				u mservice on	or belore oct									
LINE	SHARING			, , , , , , , , , , , , , , , , , , , ,		iu ilisei vice oli	or before Oct									
LINE	ITERS-CENTRAL OFFICE BASED															
LINE	TERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	181.18	631.54	0.00					26.94	12.76		
LINE	TERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity			ULS ULS	ULSDA ULSDB	181.18 38.99	631.54 631.54	0.00					26.94	12.76		
LINE	ITERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSDA	181.18	631.54									
LINE	ITERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation			ULS ULS ULS	ULSDA ULSDB ULSD8	181.18 38.99	631.54 631.54 424.61	0.00					26.94 26.94	12.76 12.76		
LINE SPLIT	ITERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD)			ULS ULS	ULSDA ULSDB	181.18 38.99	631.54 631.54	0.00					26.94	12.76		
LINE SPLIT	ITERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per LSOD) USER ORDERING-CENTRAL OFFICE BASED LINE SHARING			ULS ULS ULS	ULSDA ULSDB ULSD8	181.18 38.99	631.54 631.54 424.61	0.00					26.94 26.94	12.76 12.76		
LINE SPLIT	ITERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation ((per LSOD) USER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing-per Line Activation (BST Owned splitter)-OBSOLETE see			ULS ULS ULS ULS	ULSDA ULSDB ULSD8 ULSDG	181.18 38.99 12.73	631.54 631.54 424.61 146.32	0.00 0.00 31.27					26.94 26.94 26.94	12.76 12.76 12.76		
LINE SPLIT	ITERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per LSOD) USER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing-per Line Activation (BST Owned splitter)-OBSOLETE see "NOTE 2			ULS ULS ULS	ULSDA ULSDB ULSD8	181.18 38.99	631.54 631.54 424.61	0.00					26.94 26.94	12.76 12.76		
LINE SPLIT	ITERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per LSOD) USER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing-per Line Activation (BST Owned splitter)-OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, BST owned splitter-CO			ULS ULS ULS ULS ULS	ULSDA ULSDB ULSDB ULSDG	181.18 38.99 12.73	631.54 631.54 424.61 146.32	0.00 0.00 31.27 28.77					26.94 26.94 26.94	12.76 12.76 12.76		
LINE SPLIT	ITERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per LSOD) USER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing-per Line Activation (BST Owned splitter)-OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, BST owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS ULS ULS ULS	ULSDA ULSDB ULSD8 ULSDG	181.18 38.99 12.73	631.54 631.54 424.61 146.32	0.00 0.00 31.27					26.94 26.94 26.94	12.76 12.76 12.76		
LINE SPLIT	ITERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per LSOD) USER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing-per Line Activation (BST Owned splitter)-OBSOLETE see **NOTE 2 Line Share Service, TRO per line activation, BST owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter-CO			ULS ULS ULS ULS ULS	ULSDA ULSDB ULSD8 ULSDG ULSDC ULSDC	181.18 38.99 12.73 0.61	631.54 631.54 424.61 146.32 54.71	0.00 0.00 31.27 28.77 28.77					26.94 26.94 26.94	12.76 12.76 12.76		
LINE SPLIT	ITERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per LSOD) USER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing-per Line Activation (BST Owned splitter)-OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, BST owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)			ULS ULS ULS ULS ULS	ULSDA ULSDB ULSDB ULSDG	181.18 38.99 12.73	631.54 631.54 424.61 146.32	0.00 0.00 31.27 28.77					26.94 26.94 26.94	12.76 12.76 12.76		
LINE SPLIT	ITERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per LSOD) USER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing-per Line Activation (BST Owned splitter)-OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, BST owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter-CO			ULS ULS ULS ULS ULS ULS ULS	ULSDA ULSDB ULSDB ULSDG ULSDC ULSDC ULSDT	181.18 38.99 12.73 0.61 3.49	631.54 631.54 424.61 146.32 54.71 54.71	0.00 0.00 31.27 28.77 28.77					26.94 26.94 26.94	12.76 12.76 12.76		
SPLIT	ITERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per LSOD) USER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing-per Line Activation (BST Owned splitter)-OBSOLETE see **NOTE 2 Line Share Service, TRO per line activation, BST owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2004)			ULS ULS ULS ULS ULS	ULSDA ULSDB ULSD8 ULSDG ULSDC ULSDC	181.18 38.99 12.73 0.61	631.54 631.54 424.61 146.32 54.71	0.00 0.00 31.27 28.77 28.77					26.94 26.94 26.94	12.76 12.76 12.76		
LINE SPLIT	Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per LSOD) USER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing-per Line Activation (BST Owned splitter)-OBSOLETE see **NOTE 2 Line Share Service, TRO per line activation, BST owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005) Line Sharing-per Subsqni Activity per Line Rearrangement(BST Owned			ULS ULS ULS ULS ULS ULS ULS ULS	ULSDA ULSDB ULSDB ULSDG ULSDC ULSDC ULSDT ULSDT	181.18 38.99 12.73 0.61 3.49	631.54 631.54 424.61 146.32 54.71 54.71 54.71	0.00 0.00 31.27 28.77 28.77 28.77					26.94 26.94 26.94	12.76 12.76 12.76		
LINE SPLIT	ITERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (ger LSOD) USER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing-per Line Activation (BST Owned splitter)-OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, BST owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2004) Line Sharing-per Subsqnt Activity per Line Rearrangement(BST Owned Splitter			ULS ULS ULS ULS ULS ULS ULS	ULSDA ULSDB ULSDB ULSDG ULSDC ULSDC ULSDT	181.18 38.99 12.73 0.61 3.49	631.54 631.54 424.61 146.32 54.71 54.71	0.00 0.00 31.27 28.77 28.77					26.94 26.94 26.94	12.76 12.76 12.76		
LINE SPLIT	ILINE Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) USER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing-per Line Activation (BST Owned splitter)-OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, BST owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005) Line Sharing-per Subsqnt Activity per Line Rearrangement(BST Owned Splitter Line Sharing-per Subsqnt Activity per Line Rearrangement(DLEC			ULS ULS ULS ULS ULS ULS ULS ULS ULS ULS	ULSDA ULSDB ULSDG ULSDC ULSDT ULSDT ULSDT ULSDT	181.18 38.99 12.73 0.61 3.49	631.54 631.54 424.61 146.32 54.71 54.71 54.71 54.71	0.00 0.00 31.27 28.77 28.77 28.77 28.77					26.94 26.94 26.94 26.94	12.76 12.76 12.76 12.76		
LINE SPLIT	ITERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (ger LSOD) USER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing-per Line Activation (BST Owned splitter)-OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, BST owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2004) Line Sharing-per Subsqnt Activity per Line Rearrangement(BST Owned Splitter			ULS ULS ULS ULS ULS ULS ULS ULS	ULSDA ULSDB ULSDB ULSDG ULSDC ULSDC ULSDT ULSDT	181.18 38.99 12.73 0.61 3.49	631.54 631.54 424.61 146.32 54.71 54.71 54.71	0.00 0.00 31.27 28.77 28.77 28.77					26.94 26.94 26.94	12.76 12.76 12.76		

													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			TES (\$)		Svc Order Submitte d Elec per LSR	Submitte d Manually	Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order
						Rec	Nonrec		NRC Disconnec				Rates (\$)		
	11 - 01 - 0 - 1 - TDO - 1 - TDO - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -						First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
.	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS	ULSCT	3.49	47.44	19.31							
	Line Share Service, TRO per line activation, CLEC owned splitter-CO			ULS	ULSCI	3.49	47.44	19.51							+
.	Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	6.99	47.44	19.31							
	Line Share Service, TRO per line activation, CLEC owned splitter-CO														1
	Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	10.48	47.44	19.31							
	SPLITTING														
END	JSER ORDERING-CENTRAL OFFICE BASED			UEPSR UEPSB	UREOS	0.04									
	Line Splitting-per line activation DLEC owned splitter Line Splitting-per line activation BST owned-physical			UEPSR UEPSB	UREBP	0.61 0.61	56.92	28.59				26.94	12.76		+
	Line Splitting-per line activation BST owned-physical Line Splitting-per line activation BST owned-virtual			UEPSR UEPSB	UREBV	0.61	56.92	28.59				26.94	12.76		+
MAIN	TENANCE			OLI OK OLI OB	OKEBY	0.01	00.02	20.00				20.04	12.70		†
	No Trouble Found-per 1/2 hour increments-Basic						80.00	55.00							1
	No Trouble Found-per 1/2 hour increments-Overtime						120.00	82.50							
	No Trouble Found-per 1/2 hour increments-Premium						160.00	110.00							
	D DEDICATED TRANSPORT														
INTER	ROFFICE CHANNEL - DEDICATED TRANSPORT														↓
	Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo			U1TVX	1L5XX	0.0125	407.40								
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Per mi per mo	1		U1TVX U1TVX	U1TV2 1L5XX	18.00 0.0125	137.48	52.58				38.07	38.07		+
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Per mi per mo Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Facility Term			U1TVX	U1TR2	18.00	137.48	52.58				38.07	38.07		
	Interoffice Channel -Dedicated Transport-2W VG-Per mi per mo			U1TVX	1L5XX	0.0125	137.40	32.30				36.07	30.07		+
	Interoffice Channel -Dedicated Transport-4W VG-Facility Term			U1TVX	U1TV4	22.16	106.11	65.95				22.32	22.32		+
	Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo			U1TDX	1L5XX	0.0282									
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term			U1TDX	U1TD5	17.40	137.48	52.58				38.07	38.07		1
	Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo			U1TDX	1L5XX	0.0282									<u> </u>
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term			U1TDX	U1TD6	17.40	137.48	52.58				38.07	38.07		
	Interoffice Channel-Dedicated Channel-DS1-Per mi per mo			U1TD1	1L5XX	0.5753	0.17.17								
	Interoffice Channel-Dedicated Tranport-DS1-Facility Term Interoffice Channel -Dedicated Transport-DS3-Per mi per mo			U1TD1 U1TD3	U1TF1 1L5XX	71.29 12.98	217.17	163.75				38.07	38.07		+
	Interoffice Channel-Dedicated Transport-DS3-Per mi per mo			U1TD3	U1TF3	720.38	794.94	579.55				91.26	91.26		+
	Interoffice Channel-Dedicated Transport-STS-1-Per mi per mo			U1TS1	1L5XX	6.14	734.34	379.33				91.20	91.20		+
	Interoffice Channel-Dedicated Transport-STS-1-Facility Term			U1TS1	U1TFS	790.37	642.23	408.89				53.48	53.48		1
DARK FIBE															
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per														
	mo-Interoffice Channel			UDF, UDFCX	1L5DF	27.71									
	NRC Dark Fiber-Interoffice Channel			UDF, UDFCX	UDF14		1,807.00	562.96							
.	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-Local Loop			UDF. UDFCX	1L5DL	64.04									
	NRC Dark Fiber-Local Loop			UDF, UDFCX	UDFL4	64.04	1,347.00	279.87				-	-	-	+
8XX ACCES	S TEN DIGIT SCREENING			ODI, ODI OX	ODI L4		1,547.00	213.01							+
	8XX Access Ten Digit Screening, Per Call			OHD		0.0005				1		†	†	t	†
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX No													1	1
	Reserved			OHD	N8R1X		7.05	0.96				26.94			<u> </u>
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS			-											
	Translations			OHD			23.82	2.73				41.35			
.	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS	1		OLID	NOCTY		00.00	0 =0				44.0-			
	Translations	-		OHD OHD	N8FTX N8FCX		23.82 5.63	2.73 2.82		+	1	41.35	-	1	+
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX 8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per	 		OUD	INOFUA		5.03	2.82		+	1	 	 	 	+
. [CXR Requested Per 8XX No.			OHD	N8FMX		6.59	3.77							
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		8.01	0.96		1		26.94			†
	8XX Access Ten Digit Screening, Call Handling and Destination			OHD	N8FDX		5.63								
LINE INFOR	MATION DATA BASE ACCESS (LIDB)														
	LIDB Common Transport Per Query			OQT		0.00003									
. 1	LIDB Validation Per Query			OQU	NDE TO	0.0134				1					↓
		1	1	OQT. OQU	NRBPX		62.26		1	1		26.94	26.94	1	1
SIGNALING	LIDB Originating Point Code Establishment or Change	1	_												

ONROND	ED NETWORK ELEMENTS - North Carolina					1								ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			TES (\$)			Svc Order Submitte d Elec per LSR	Manually	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic- Add! Rates (\$)	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	I Charge
						Rec		curring	NRC Dis							
							First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	18.22	278.02	278.02					41.35	41.35		
	CCS7 Signaling Term, Per STP Port			UDB	PT8SX	132.83										
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.00004										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.00009										
	CCS7 Signaling Usage Surrogate, per link per LATA CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB UDB	STU56 CCAPO	338.98	40.00	40.00					19.99	19.99		
	CCS7 Signaling Point Code, per Destination Point Code Establishment															
	or Change, Per Stp Affected			UDB	CCAPD		8.00	8.00					19.99	19.99		
E911 SERVI	CE															
	Local Channel-Dedicated-2W VG-Zone 1		1			11.24	553.80	89.69					42.17	12.76		
	Local Channel-Dedicated-2W VG-Zone 2		2			19.91	553.80	89.69					42.17	12.76		
	Local Channel-Dedicated-2W VG-Zone 3		3			31.70	553.80	89.69					42.17	12.76		
	Interoffice Transport-Dedicated-2W VG Per mi					0.0282										
	Interoffice Transport-Dedicated-2W VG Per Facility Term					18.00	137.48	52.58					38.07	38.07		
	Local Channel-Dedicated-DS1-Zone 1		1			27.05	534.48	462.69	1				86.15	1.77		1
	Local Channel-Dedicated-DS1-Zone 2		2			47.94	534.48	462.69	1				86.15	1.77		1
	Local Channel-Dedicated-DS1-Zone 3		3			76.32	534.48	462.69					86.15	1.77		
	Interoffice Transport-Dedicated-DS1 Per mi					0.5753			1							1
	Interoffice Transport-Dedicated-DS1 Per Facility Term					71.29	217.17	163.75	1				38.07	38.07		1
CALLING N	AME (CNAM) SERVICE								1							1
	CNAM For DB Owners-Service Establishment			OQV			75.62		1							1
	CNAM For Non DB Owners-Service Establishment			OQV			75.62		1							1
	CNAM For DB Owners-Service Provisioning With Point Code															
	Establishment (Initial)			OQV			2,354.00	2,354.00								
	CNAM For DB Owners-Service Provisioning With Point Code						_,		1							i e
	Establishment (Subsqnt)			OQV			1,739.00	1,739.00								
	CNAM For Non DB Owners-Service Provisioning With Point Code							,	1							i e
	Establishment (Initial)			OQV			1,072.00	1,072.00								
	CNAM For Non DB Owners-Service Provisioning With Point Code							,	1							1
	Establishment (Subsqnt)			OQV			768.44	768.44								
	CNAM for DB & Non DB Owners, Per Query			OQV		0.0009592			1							1
SELECTIVE																i e
	Selective Routing Per Unique Line Class Code Per Request Per Switch						188.59		1				26.94	12.76		1
VIRTUAL C	DLLOCATION															
	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0287	33.96	32.08	0.00	0.00			19.99	19.99		1
PHYSICAL (COLLOCATION															1
	Physical Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0309	33.53	31.65	0.00	0.00			19.99	19.99		1
AIN SELEC	TIVÉ CARRIER ROUTING															1
	Regional Service Establishment			SRC	SRCEC		215,597.00		1							1
	End Office Establishment			SRC	SRCEO		347.27									
	Query NRC, per query			SRC		0.0053758										
AIN - BELLS	SOUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service-Service Establishment, Per State, Initial Setup			A1N	CAMSE		294.77									
	AIN SMS Access Service-Port Connection-Dial/Shared Access			A1N	CAMDP		86.94									
	AIN SMS Access Service-Port Connection-ISDN Access			A1N	CAM1P		86.94									
	AIN SMS Access Service-User Identification Codes-Per User ID Code			A1N	CAMAU		200.83									
	AIN SMS Access Service-Security Card, Per User ID Code, Initial or															
	Replacement	<u>L</u>	<u>L</u>	A1N	CAMRC		172.05	<u> </u>	<u> </u>		<u> </u>	<u></u>	<u> </u>	<u> </u>	<u> </u>	<u></u>
	AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)					0.0023										
	AIN SMS Access Service-Session, Per min					0.0791										
	AIN SMS Access Service-Company Performed Session, Per min					2.08										
AIN - BELLS	SOUTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service-Service Establishment Charge, Per State, Initial			CAM	BAPSC		290.05									
	AIN Toolkit Service-Training Session, Per Customer				BAPVX		8,363.00									
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT		72.76									
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-		1													1
	Hook Delay		l	1	BAPTD		72.76	l			1	I	1		1	

ONROND	LED NETWORK ELEMENTS - North Carolina			1	1	ı								ment: 2		ibit: A
											Svc				Incremental	
											Order	Submitte	I Charge -	I Charge -	Charge -	I Charge
		Interi	Zon								Submitte	d	Manual	Manual	Manual Svo	Manual
CATEGOR	Y RATE ELEMENTS	m	2011	BCS	USOC		RA	TES (\$)			d Elec	Manually	Svc Order	Svc Order	Order vs.	Svc Orde
		""	е								per LSR		vs.	vs.	Electronic-	vs.
											p	p	Electronic-		Disc 1st	Electronic
													164	Add'I	D130 131	Disc Add'
						Rec	Nonrec	urring	NRC Dis	sconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-															Ī
	Hook Immediate				BAPTM		72.76									
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-															1
	Digit PODP				BAPTO		149.95									
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		149.95									1
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN,															1
	Feature Code				BAPTF		149.95									
	AIN Toolkit Service-Query Charge, Per Query					0.02										†
	AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription,															†
	Per Node, Per Query					0.005										
	AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account, Per					0.000										1
	100 Kilobytes					1.45										
	AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription			CAM	BAPMS	15.98	71.80									†
	AIN Toolkit Service-Special Study-Per AIN Toolkit Service Subscription			CAM	BAPLS	0.08	47.20									+
	AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service			O/ WI	D/ II LO	0.00	47.20									+
	Subscription			CAM	BAPDS	15.90	71.80									
	AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service			OAW	DAI DO	13.30	71.00									+
	Subscription			CAM	BAPES	0.003	47.20									
ENILLANCE	D EXTENDED LINK (EELs)			CAW	DAFLO	0.003	47.20									+
				itala Aa la Channa	ill mat ammin fo		41		in anilu Ca		Nationalis E					+
	E: The monthly recurring and non-recurring charges below will apply															+
	E: The monthly recurring and the Switch-As-Is Charge and not the no				apply for UNE	combinations	provisioned a	s Currently	Compined	Networ	K Element	5.				
EXII	ENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED D	51 IN I	EROI 1		UEAL2	44.07	142.97	100 50					38.07	00.07		
	First 2W VG Loop (SL2) in Combination-Zone 1		2	UNCVX	UEAL2	14.97 25.93	142.97	106.56						38.07 38.07		4
	First 2W VG Loop (SL2) in Combination-Zone 2			UNCVX				106.56					38.07			+
	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		+
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX	0.5753	047.47	100.75					00.07	00.07		+
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	1/0 Channelization System in combination Per mo			UNC1X	MQ1	146.69	197.78	140.06								
	VG COCI-Per mo			UNCVX	1D1VG	1.27	13.09	9.38								
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56					38.07	38.07		
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56					38.07	38.07		4
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		1
	VG COCI-Per mo			UNCVX	1D1VG	1.27	13.09	9.38								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXT	ENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED D	S1 INT														
	First 4W Analog VG Loop in Combination -Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
	First 4W Analog VG Loop in Combination -Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
	First 4W Analog VG Loop in Combination -Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.5753										
	Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	1/0 Channel System in combination Per mo			UNC1X	MQ1	146.69	197.78	140.06								
	VG COCI in combination-per mo			UNCVX	1D1VG	1.27	13.09	9.38								
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport															Ī
	Combination-Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
	Add'I 4W Analog VG Loop in same DS1 Interoffice Transport															Ī
	Combination-Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
	Add'I 4W Analog VG Loop in same DS1 Interoffice Transport															1
	Combination-Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
	Add'I VG COCI in combination-per mo			UNCVX	1D1VG	1.27	13.09	9.38								†
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC	i	21.75	21.75	32.28	10.96			38.07	38.07	İ	1
EXT	ENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATE	D DS1	INTF				0						22.37		İ	1
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07	i	1
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 2	-	2	UNCDX	UDL56	43.11	489.04	337.51					38.07	38.07	l	1
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 3	-	3	UNCDX	UDL56	67.26	489.04	337.51					38.07	38.07	l	1
		-	Ť	UNC1X	1L5XX	0.5753	.00.04	337.101				1	55.57	33.07	 	†
-	Unteroffice Transport-Dedicated-DS1 combination-Per mi Per mo															1
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo						217 17	163 75					38.07	38.07		
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo 1/0 Channel System in combination Per mo			UNC1X UNC1X	U1TF1 MQ1	71.29 146.69	217.17 197.78	163.75 140.06					38.07	38.07		-

	ED NETWORK ELEMENTS - North Carolina			1		ı						la - :		ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			TES (\$)			Svc Order Submitte d Elec per LSR	Submitte d Manually	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic- Add!! Rates (\$)	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge Manual Svc Orde
						Rec	Nonrec			connect						
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
_	Add1 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1 Add1 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport		1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		
	Combination-Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51					38.07	38.07		
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51					38.07	38.07		
_	Add'l OCU-DP COCI (data)-in combination per mo (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28		10.00						
EVTE	NRC Currently Combined Network Elements Switch -As-Is Charge NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATE	D DC4	INITE	UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXIE	First 4W 64Kbps Digital Grade Loop in Combination-Zone 1	ופט ט	1	UNCDX	UDL64	25.32	489.04	337.51					38.07	38.07		
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 1 First 4W 64Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07		
+	First 4W 64Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51	1				38.07	38.07		
\neg	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo		٦	UNC1X	1L5XX	0.5753	700.04	307.01	1		1		55.57	55.57		1
	interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	1/0 Channel System in combination Per mo			UNC1X	MQ1	146.69	197.78	140.06								
	OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								
	Add'I 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51					38.07	38.07		
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07		
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07		
	Add'l OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28	22.20	40.00			20.07	20.07		
EVTE	NRC Currently Combined Network Elements Switch -As-Is Charge NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS	A INITE		UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXIE	4W DS1 Digital Loop in Combination-Zone 1	T INIT	1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
_	4W DS1 Digital Loop in Combination-Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
	4W DS1 Digital Loop in Combination-Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.5753										
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS	3 INTE	ROF													
	First DS1Loop in Combination-Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	First DS1Loop in Combination-Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
'	First DS1Loop in Combination-Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
	Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo			UNC3X UNC3X	1L5XX U1TF3	12.98 720.38	794.94	579.55					38.07	38.07		
	Interoffice Transport-Dedicated-DS3-Facility Term per mo 3/1Channel System in combination per mo	-		UNC3X	MQ3	233.10	403.97	234.40					36.07	36.07		
+	DS1 COCI in combination per mo			UNC1X	UC1D1	16.07	13.09	9.38								
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
	Additoinal DS1 COCI in combination per mo			UNC1X	UC1D1	16.07	13.09	9.38								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRA	DE INT														
	2WVG Loop in combination-Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56							ļ	
	2WVG Loop in combination-Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56	ļ							
	2WVG Loop in combination-Zone 3	-	3	UNCVX	UEAL2	40.81	142.97	106.56	ļ							
-	Interoffice Transport-2W VG-Dedicated-Per mi Per mo Interoffice Transport-2W VG-Dedicated-Facility Term per mo	-	-	UNCVX	1L5XX U1TV2	0.0282 18.00	137.48	52.58	1		1		38.07	38.07	 	1
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC	18.00	21.75	21.75	32.28	10.96	-		38.07	38.07	1	1
FYTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRA	DF INT	FRO		UNCCC		21.15	21.15	32.20	10.90	-		30.07	30.07		
LAIL	4WVG Loop in combination -Zone 1	JE 1141	1	UNCVX	UEAL4	21.32	288.47	237.45	 					 	 	1
+	4WVG Loop in combination -Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45								
1	4WVG Loop in combination -Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45								
															-	
+	Interoffice Transport-4W VG-Dedicated-Per mi Per mo			UNCVX	1L5XX	0.0282										
				UNCVX UNCVX UNCVX	1L5XX U1TV4 UNCCC	0.0282 22.16	106.11 21.75	65.95 21.75	32.28	10.96			38.07 38.07	38.07 38.07		

NDUNDL	ED NETWORK ELEMENTS - North Carolina			Г	, ,							la :		ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			TES (\$)			Svc Order Submitte d Elec per LSR	Submitte d Manually	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Orde
						Rec	Nonrec			sconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS3 Local Loop in combination-per mi per mo			UNC3X	1L5ND	13.33										
	DS3 Local Loop in combination-Facility Term per mo		<u> </u>	UNC3X	UE3PX	450.69	1,071.00	646.12								
	Interoffice Transport-Dedicated-DS3-Per mi per mo		-	UNC3X	1L5XX	12.98	704.04	570.55					00.07	00.07		
	Interoffice Transport-Dedicated-DS3 combination-Facility Term per mo		<u> </u>	UNC3X	U1TF3	720.38	794.94	579.55	00.00	40.00			38.07	38.07		
EVTE	NRC Currently Combined Network Elements Switch -As-Is Charge NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	ITERO		UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		1
EXIE	STS-1 Local Lolp in combination-per mi per mo	ILEKO	FFICE	UNCSX	1L5ND	13.33										
	STS-1 Local Loop in combination-per miliper mo			UNCSX	UDLS1	464.26	1,071.00	646.12								
	Interoffice Transport-Dedicated-STS-1 combination-per mi per mo			UNCSX	1L5XX	6.14	1,071.00	040.12								
	Interoffice Transport-Dedicated-STS-1 combination-Facility Term per mo			UNCSX	U1TFS	790.37	642.23	408.89					38.07	38.07		
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC	100.01	21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRA	NSPOR	RT	5557.	2333		23			. 5.00			30.07	00.01		1
	First 2W ISDN Loop in Combination-Zone 1	<u> </u>	1	UNCNX	U1L2X	19.42	325.91	251.31					38.07	38.07	1	†
	First 2W ISDN Loop in Combination-Zone 2		2	UNCNX	U1L2X	32.88	325.91	251.31					38.07	38.07		
	First 2W ISDN Loop in Combination-Zone 3		3	UNCNX	U1L2X	51.14	325.91	251.31					38.07	38.07		
	Interoffice Transport-Dedicated-DS1 combination-per mi per mo			UNC1X	1L5XX	0.5753										
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	1/0 Channel System in combination-per mo			UNC1X	MQ1	146.69	197.78	140.06								
	2W ISDN COCI (BRITE)-in combination-per mo			UNCNX	UC1CA	3.59	15.76	11.28								
	Add'I 2W ISDN Loop in same DS1Interoffice Transport Combination- Zone 1		1	UNCNX	U1L2X	19.42	325.91	251.31					38.07	38.07		
	Add'I 2W ISDN Loop in same DS1Interoffice Transport Combination- Zone 2		2	UNCNX	U1L2X	32.88	325.91	251.31					38.07	38.07		
	Add'I 2W ISDN Loop in same DS1Interoffice Transport Combination- Zone 3		3	UNCNX	U1L2X	51.14	325.91	251.31					38.07	38.07		
	Add'I 2W ISDN COCI (BRITE)-in combination-per mo			UNCNX	UC1CA	3.59	15.76	11.28								
	NRC Currently Combined Network Elements Switch -As-Is Charge		<u> </u>	UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXIE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED ST First DS1 Loop Combination-Zone 1	5-1 IN	TERU	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	First DS1 Loop Combination-Zone 1		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
	First DS1 Loop Combination-Zone 2 First DS1 Loop Combination-Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		1
	Interoffice Transport-Dedicated-STS-1 combination-Per mi Per mo		3	UNCSX	1L5XX	6.14	7 14.04	421.47					36.07	36.07		
	Interoffice Transport-Dedicated-STS-1 combination-Facility Term per mo			UNCSX	U1TFS	790.37	642.23	408.89					38.07	38.07		1
	3/1 Channel System in combination per mo			UNCSX	MQ3	233.10	403.97	234.40					00.07	00.01		
	DS1 COCI in combination per mo			UNC1X	UC1D1	16.07	13.09	9.38								
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination- Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination- Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination- Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
	DS1 COCI in combination per mo		Ť	UNC1X	UC1D1	16.07	13.09	9.38							İ	
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS IN	ITERO	FFICE	TRANSPORT												
	4W 56 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51								<u></u>
	4W 56 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								
	4W 56 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
	Interoffice Transport-Dedicated-4W 56 kbps combination-Per mi per mo Interoffice Transport-Dedicated-4W 56 kbps combination-Facility Term			UNCDX	1L5XX	0.0282										
	per mo		<u> </u>	UNCDX	U1TD5	17.40	137.48	52.58					38.07	38.07		ļ
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		<u> </u>
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS IN	ITERO	_		ļ <u>.</u>			_							ļ	<u> </u>
	4W 64 kbps Lcoal Loop in Combination-Zone 1	<u> </u>	1	UNCDX	UDL64	25.32	489.04	337.51						ļ	ļ	
	4W 64 kbps Lcoal Loop in Combination-Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51							ļ	ļ
	4W 64 kbps Lcoal Loop in Combination-Zone 3	<u> </u>	3	UNCDX	UDL64	67.26	489.04	337.51								<u> </u>
	Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi per mo Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term	<u> </u>	<u> </u>	UNCDX	1L5XX	0.0282			ļ						 	
	unteratrice uranepart-Hadicated-AW 64 khne combination-Facility Term	1	1	I					I		1	l	l		I	
	per mo			UNCDX	U1TD6	17.40	137.48	52.58					38.07	38.07		

			_										Attach			bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			TES (\$)			Svc Order Submitte d Elec per LSR	Submitte d Manually	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge - Manual Svc Order
						Rec	Nonrec		NRC Dis					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
EXTEN	IDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TRANS	PORT	w/ 3/													
	First 2W VG Loop (SL2) in Combination-Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56					38.07	38.07		
	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56					38.07	38.07		
	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		
	First Interoffice Transport-Dedicated-DS1 combination-Per mi			UNC1X	1L5XX	0.5753										
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term per			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Per each DS1 Channelization System Per mo			UNC1X	MQ1	146.69	197.78	140.06								
	Per each VG COCI-Per mo per mo			UNCVX	1D1VG	1.27	13.09	9.38								
	3/1 Channel System in combination per mo			UNC3X	MQ3	233.10	403.97	234.40								
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	16.07	13.09	9.38								
	Each Add'l 2W VG Loop(SL 2) in the same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56					38.07	38.07		
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56					38.07	38.07		
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		
	Each Add'I VG COCI in combination-per mo			UNCVX	1D1VG	1.27	13.09	9.38								
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System			UNC1X	1L5XX	0.5753										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel															
	System per mo			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Each Add'l DS1 COCI combination per mo			UNC1X	UC1D1	16.07	13.09	9.38								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	IDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTEROF	FICE 1	ran													
	First 4W Analog VG Local Loop in Combination -Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
	First 4W Analog VG Local Loop in Combination -Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
	First 4W Analog VG Local Loop in Combination -Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.5753	047.47	100.75					00.07	00.07		
	First Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X UNC1X	U1TF1 MQ1	71.29 146.69	217.17 197.78	163.75 140.06					38.07	38.07		
	Per each 1/0 Channel System in combination Per mo Per each VG COCI in combination-per mo			UNCVX	1D1VG	1.27	13.09	9.38								
	3/1 Channel System in combination per mo			UNC3X	MQ3	233.10	403.97	234.40								
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	16.07	13.09	9.38								
	Add'I 4W Analog VG Loop in same DS1 Interoffice Transport			ONOTA	OCIDI	10.07	13.03	3.30								
(Combination-Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
(Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
	Add'I 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.5753										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Add'I VG COCI-in combination-per mo			UNCVX	1D1VG	1.27	13.09	9.38								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	IDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTER	OFFIC														
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51					38.07	38.07		
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51					38.07	38.07		<u> </u>
4	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.5753										
	First Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	146.69	197.78	140.06								<u> </u>
	Per each OCU-DP COCI (data) COCI per mo (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28							ļ	ļ
	3/1 Channel System in combination per mo			UNC3X	MQ3	233.10	403.97	234.40								ļ
	Per each DS1 COCI in combination per mo Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		-	UNC1X	UC1D1	16.07	13.09	9.38					00.0-	22.2-		
			1	UNCDX	UDL56	25.32	489.04	337.51	1	l	1	l	38.07	38.07		1

UNDUND	ED NETWORK ELEMENTS - North Carolina			ı	1							_		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			TES (\$)			Svc Order Submitte d Elec per LSR	Submitte d Manually	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge
						Rec	Nonrec			sconnect				Rates (\$)		
						Neo	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport		_													
	Combination-Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51					38.07	38.07		
	OCU-DP COCI (data) COCI in combination per mo (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System			LINICAV	41 EVV	0.5750										
	per mo Each Add'I DS1 Interoffice Channel Facility Term in same 3/1 Channel			UNC1X	1L5XX	0.5753					1					
	System per mo			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Each Add'l DS1 COCI in the same 3/1 channel system combination per			UNC1X	UC1D1	16.07	13.09	9.38				<u> </u>	30.07	30.07		
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC	10.07	21.75	21.75	32.28	10.96		1	38.07	38.07		
FXTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTER	OFFIC	F TR				20	2	02.20	10.00			00.01	00.01		
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport	10	<u> </u>									İ				
	Combination-Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51	1	1			38.07	38.07	1	
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport															
	Combination-Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07		
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport		1						1	1						
	Combination-Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07		
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.5753										
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per		<u> </u>	UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Per each Channel System 1/0 in combination Per mo		-	UNC1X	MQ1	146.69	197.78	140.06								
	Per each OCU-DP COCI (data) in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								
	3/1 Channel System in combination per mo		-	UNC3X UNC1X	MQ3 UC1D1	233.10 16.07	403.97 13.09	234.40 9.38				ļ				
	Per each DS1 COCI in combination per mo Add'I 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport			UNCIX	OCIDI	16.07	13.09	9.38	-							
	Combination-Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51					38.07	38.07		
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport		-	ONODA	ODLO4	25.52	403.04	337.31					30.07	30.07		
	Combination-Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07		
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport		_	0.1027	02201		100.01	007.01					00.01	00.01		
	Combination-Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07		
	Add'l OCU-DP COCI (data)-DS1 to DS0 Channel System combination-															
	per mo (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System															
	per mo			UNC1X	1L5XX	0.5753										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel															
	System per mo		<u> </u>	UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Each Add'l DS1 COCI in the same 3/1 channel system combination per			UNC1X	UC1D1	16.07	13.09	9.38		40.00						
EVE	NRC Currently Combined Network Elements Switch -As-Is Charge	0/4 841		UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXIE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT w/ First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1	3/1 MU		UNCNX	U1L2X	19.42	325.91	251.31					38.07	38.07		
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2		2	UNCNX	U1L2X	32.88	325.91	251.31	1	-	1	1	38.07	38.07		1
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3		3	UNCNX	U1L2X	51.14	325.91	251.31	 	 	1	 	38.07	38.07	 	
	First Interoffice Transport-Dedicated-DS1 combination-Per mi per mo		Ť	UNC1X	1L5XX	0.5753	020.91	201.01					55.07	55.07		
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term per		1	0.10.71	120,01	3.3.00										
	mo		1	UNC1X	U1TF1	71.29	217.17	163.75	1	1			38.07	38.07	1	
	Per each Channel System 1/0 in combination-per mo			UNC1X	MQ1	146.69	197.78	140.06								
	Per each 2W ISDN COCI (BRITE) in combination-per mo			UNCNX	UC1CA	3.59	15.76	11.28								
	3/1 Channel System in combination per mo			UNC3X	MQ3	233.10	403.97	234.40								
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	16.07	13.09	9.38								
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-		١.													
	Zone 1		1	UNCNX	U1L2X	19.42	325.91	251.31	<u> </u>	<u> </u>	<u> </u>	<u> </u>	38.07	38.07		
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-		2	LINIONIV	LIALOV	22.22	205.04	054.04	1	1			20.27	20.07	1	
	Zone 2 Add'I 2W ISDN Loop in same DS1Interoffice Transport Combination-	-	2	UNCNX	U1L2X	32.88	325.91	251.31	 		1	 	38.07	38.07		
	Zone 3		3	UNCNX	U1L2X	51.14	325.91	251.31					38.07	38.07		
-	Add'I 2W ISDN COCI (BRITE) in same 1/0 channel system combination-		3	UNCINA	UILZA	51.14	323.91	231.31	}		 		30.07	30.07		
	per mo		1	UNCNX	UC1CA	3.59	15.76	11.28		1						
-	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System		 	0140147	JOIOA	3.39	15.70	11.20	1		1	1			 	1
	per mo		1	UNC1X	1L5XX	0.5753				1						
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel		1			2.2.20									1	
1	System per mo	1	1	UNC1X	U1TF1	71.29	217.17	163.75	1	1	1	1	38.07	38.07	1	

JURUNDI	ED NETWORK ELEMENTS - North Carolina				1	1							Attach			bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC		R <i>A</i>	ATES (\$)			Svc Order Submitte d Elec per LSR	Submitte d Manually	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge Manual Svc Orde
			-				Nonro	curring	NDC Di	sconnect			1c+	Rates (\$)		Dicc Add
						Rec	First	Add'l	First			SOMAN		SOMAN	SOMAN	SOMAN
	Each Add'l DS1 COCI in the same 3/1 channel system combination per		-	UNC1X	UC1D1	16.07	13.09	9.38	FIRST	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC	10.07	21.75	21.75	32.28	10.96			38.07	38.07		
FXTE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE TRAI	ISPOR	PT w/		ONCCC		21.75	21.75	32.20	10.30			30.07	30.07		
- LXIL	First 4W DS1 Digital Lcoal Loop in Combination-Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	First 4W DS1 Digital Lcoal Loop in Combination-Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
	First 4W DS1 Digital Lcoal Loop in Combination-Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.5753										
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per															
	mo			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
,	3/1 Channel System in combination per mo			UNC3X	MQ3	233.10	403.97	234.40								
	Per each DS1 COCI combination per mo			UNC1X	UC1D1	16.07	13.09	9.38								
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System		1]]]	
	per mo			UNC1X	1L5XX	0.5753										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel															
	System per mo		<u> </u>	UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07	ļ	ļ
	Each Add'l DS1 COCI in the same 3/1 channel system combination per		<u> </u>	UNC1X	UC1D1	16.07	13.09	9.38								
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 2		2	UNC1X	USLXX	84.36 134.29	714.84	421.47					38.07	38.07		
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47	00.00	10.96			38.07	38.07		
EVTE	NRC Currently Combined Network Elements Switch -As-Is Charge	OFFIC		UNC1X	UNCCC		21.75	21.75	32.28	10.96		-	38.07	38.07		
EXIE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTER First 4W 56 kbps Local Loop in combination-Zone 1	OFFIC	1	UNCDX	UDL56	25.32	489.04	337.51								
	First 4W 56 kbps Local Loop in combination-Zone 1 First 4W 56 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51				-				
_	First 4W 56 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
	First 4We 56 kbps Interoffice Transport-Dedicated-Per mi per mo		3	UNCDX	1L5XX	0.0282	409.04	337.31								
	First 4W 56 kbps Interoffice Transport-Dedicated-Facility Term per mo			UNCDX	U1TD5	17.40	137.48	52.58					38.07	38.07		
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC	17.40	21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTER	OFFIC	E TRA		0.1000		2	20	OZ.ZO	10.00			00.01	00.01		
	First 4W 64 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51								
	First 4W 64 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51								
	First 4W 64 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51								
	First I4W 65 kbps Interoffice Transport-Dedicated-Per mi per mo			UNCDX	1L5XX	0.0282										
	First 4W 64 kbps Interoffice Transport-Dedicated-Facility Term per mo			UNCDX	U1TD6	17.40	137.48	52.58					38.07	38.07		
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	L NETWORK ELEMENTS															
	used as a part of a currently combined facility, the non-recurring ch															
	used as ordinarily combined network elements in All States, the no					Is Charge does	not.									
Nonre	curring Currently Combined Network Elements "Switch As Is" Charge	e (One	e appl	ies to each combinat	ion)				ļ							ļ
['	NRC Currently Combined Network Elements Switch -As-Is Charge-		1	LINOVA	LINIOOC		04 ==	04	00.00	40.00			00.01	40.70	1	
	2W/4W VG		1	UNCVX	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76	-	<u> </u>
	NRC Currently Combined Network Elements Switch -As-Is Charge-		1	UNCDX	UNCCC		21.75	04.75	20.00	10.96			26.94	10.70	1	
	56/64 kbps NRC Currently Combined Network Elements Switch -As-Is Charge-DS1		 	UNCDX UNC1X	UNCCC		21.75	21.75 21.75	32.28 32.28	10.96			26.94	12.76 12.76		1
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS1 NRC Currently Combined Network Elements Switch -As-Is Charge-DS3		1	UNC3X	UNCCC		21.75	21.75	32.28	10.96		1	26.94	12.76	1	1
	NRC Currently Combined Network Elements Switch -As-Is Charge-		1	UNCSX	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76	1	
Ontio	nal Features & Functions:		 	01100/	0.1000		21.73	21.73	02.20	10.00	1	1	20.04	12.10	 	
351101			t	U1TD1,			1	1							1	
	Clear Channel Capability Extended Frame Option-per DS1	- 1		ULDD1,UNC1X	CCOEF		OI	01	01	01						
	Clear Channel Capability Super FrameOption-per DS1	ı		U1TD1, ULDD1,UNC1X	CCOSF		OI	OI	01	OI						
	Clear Channel Capability (SF/ESF) Option-Subsqnt Activity-per DS1	ı		ULDD1, U1TD1, UNC1X, USL	NRCCC		184.76S	23.8S	1.99S	0.78S			26.94	12.76		
	1 7 (2 / .			U1TD3, ULDD3, UE3,												
	C-bit Parity Option-Subsqnt Activity-per DS3	i	<u>L</u>	UNC3X	NRCC3		218.92S	7.66S	.7576S	0S	<u> </u>	<u> </u>	26.94	12.76	<u> </u>	<u> </u>
									T							
MULT	IPLEXERS															
MULT	IPLEXERS DS1 to DS0 Channel System per mo OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)			UNC1X	MQ1	146.69	197.78	140.06					26.94	12.76		

UNBUNI	DLED NETWORK ELEMENTS - North Carolina											Attach	ment: 2	Exhil	bit: A
										Svc	Svc Order	Incrementa	Incrementa	Incremental	Incrementa
CATEGOR	Y RATE ELEMENTS	Interi m	Zon e	BCS	USOC		RA	TES (\$)		Order Submitte d Elec	Submitte	I Charge - Manual Svc Order vs.	I Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.
												Electronic-	Electronic-	Disc 1st	Electronic-
					-	1	Nonrec	urring	NRC Disconr	ect		OSS	Rates (\$)	1	Dicc Add'l
						Rec	First	Add'l	First Ad		SOMAN		SOMAN	SOMAN	SOMAN
+	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)						11130	Addi	THOU AU	ii comeo	COMPAR	COMPAR	COMPAR	COMPAN	COMPAR
	used for connection to a channelized DS1 Local Channel in the same														
	SWC as collocation			U1TUD	1D1DD	2.00	13.09	9.38							
-	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo for a			01100	10100	2.00	10.00	0.00		-	+				
	Local Loop			UDN	UC1CA	3.59	13.09	9.38							
+	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo used for			ODIV	0010/1	0.00	10.00	0.00							1
	connection to a channelized DS1 Local Channel in the same SWC as														
	collocation			U1TUB	UC1CA	3.59	13.09	9.38							
+				UEA	1D1VG	1.27	13.09	9.38							1
	VG COCI-DS1 to DS0 Channel System-per mo used for a Local Loop VG COCI-DS1 to DS0 Channel System-per mo used for connection to a	†													
	channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	1.27	13.09	9.38							
	DS3 to DS1 Channel System per mo			UNC3X	MQ3	233.10	403.97	234.40				26.94	12.76		
	STS-1 to DS1 Channel System per mo			UNCSX	MQ3	233.10	403.97	234.40				26.94	12.76		
	DS1 COCI used with Loop per mo			USL	UC1D1	16.07	13.09	9.38							
	DS1 COCI (used for connection to a channelized DS1 Local Channel in														
	the same SWC as collocation) per mo			U1TUA	UC1D1	16.07	13.09	9.38							
	DS1 COCI used with Interoffice Channel per mo			U1TD1	UC1D1	16.07	13.09	9.38							
	DS3 Interface Unit (DS1 COCI) used with Local Channel per mo			ULDD1	UC1D1	16.07	13.09	9.38							
UNBUNDL	ED LOCAL EXCHANGE SWITCHING(PORTS)														
Exc	hange Ports														
2-W	IRE VOICE GRADE LINE PORT RATES (RES)														
	Exchange Ports-2W Analog Line Port-Res.			UEPSR	UEPRL	2.19	21.60	21.60				26.94	12.76		
	Exchange Ports-2W Analog Line Port with Caller ID-Res.			UEPSR	UEPRC	2.19	21.60	21.60				26.94	12.76		
	Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR	UEPRO	2.19	21.60	21.60				26.94	12.76		
	Exchange Ports-2W VG unbundled res, low usage line port with Caller														
	ID (LUM)			UEPSR	UEPAP	2.19	21.60	21.60				26.94	12.76		
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPSR	UEPRT	2.19	21.60	21.60				26.94	12.76		
	2W VG Unbundled Port w/o Caller ID capability, NC			UEPSR	UEPRZ	2.19	21.60	21.60							
	2W VG Unbundled Port with Caller ID capability, NC			UEPSR	UEPRY	2.19	21.60	21.60							1
	Subsqnt Activity			UEPSR	USASC	0.00	0.00	0.00				26.94	12.76		1

INROND	ED NETWORK ELEMENTS - North Carolina												ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			TES (\$)		Svc Order Submitte d Elec per LSR	Submitte d Manually	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charg
						Rec	Nonrec		NRC Disconne				Rates (\$)		
						1100	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
FEAT															
	All Available Vertical Features			UEPSR	UEPVF	3.40	0.00	0.00				26.94	12.76		
2-WIR	E VOICE GRADE LINE PORT RATES (BUS)														
	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus			UEPSB	UEPBL	2.19	21.60	21.60				26.94	12.76		
	Exchange Ports-2W VG unbundled Line Port with unbundled port with			LIEDOD	LIEDDO	0.40	04.00	04.00				00.04	40.70		
	Caller+E484 ID-Bus. Exchange Ports-2W Analog Line Port outgoing only-Bus.		-	UEPSB UEPSB	UEPBC UEPBO	2.19 2.19	21.60 21.60	21.60 21.60	-	_		26.94 26.94	12.76 12.76		
	Exhange Ports-2W VG unbundled incoming only port with Caller ID-		-	UEPSB	UEPBO UEPB1	2.19	21.60	21.60	-	_		26.94	12.76		
	2W voice unbundled Incoming Only Port w/o Caller ID Capability	-		UEPSB	UEPBE	2.19	21.60	21.60		_	-	26.94	12.76		+
	Subsqnt Activity		1	UEPSB	USASC	0.00	0.00	0.00	 	+	+	20.94	12.70	-	+
FEAT			 	ULFOD	USASC	0.00	0.00	0.00	 	+	1		-		
I LAI	All Available Vertical Features	-	1	UEPSB	UEPVF	3.40	0.00	0.00		+	<u> </u>	26.94	12.76		
EXCH	ANGE PORT RATES (DID & PBX)	-	1	OLI OD	OL: VI	0.40	0.00	0.00		+	<u> </u>	20.04	12.70		
	2W VG Unbundled 2-Way PBX Trunk-Res		†	UEPSE	UEPRD	2.18	21.60	21.60		1		26.94	12.76		
1	2W VG Line Side Unbundled 2-Way PBX Trunk-Bus		t	UEPSP	UEPPC	2.18	21.60	21.60		1		26.94	12.76		1
	2W VG Line Side Unbundled Outward PBX Trunk-Bus			UEPSP	UEPPO	2.18	21.60	21.60				26.94	12.76		
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus			UEPSP	UEPP1	2.18	21.60	21.60				26.94	12.76		†
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	2.18	21.60	21.60				26.94	12.76		
	2W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2.18	21.60	21.60				26.94	12.76		1
	2W Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.18	21.60	21.60				26.94	12.76		
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2.18	21.60	21.60				26.94	12.76		
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2.18	21.60	21.60				26.94	12.76		
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	2.18	21.60	21.60				26.94	12.76		
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	2.18	21.60	21.60				26.94	12.76		1
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy														1
	Administrative Calling Port			UEPSP	UEPXL	2.18	21.60	21.60				26.94	12.76		
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room														
	Calling Port			UEPSP	UEPXM	2.18	21.60	21.60				26.94	12.76		
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount														
	Room Calling Port			UEPSP	UEPXO	2.18	21.60	21.60				26.94	12.76		
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	2.18	21.60	21.60				26.94	12.76		
	Subsqnt Activity			UEPSP	USASC	0.00	0.00	0.00				26.94	12.76		
FEAT															
	All Available Vertical Features			UEPSP UEPSE	UEPVF	3.40	0.00	0.00				26.94	12.76		ļ
EXCH	ANGE PORT RATES (COIN)		<u> </u>			0.50	04.65	04.00	\vdash			00.01	40.70		
NOTE	Exchange Ports-Coin Port			l alaa ammin ta a'aaa'	and tale and the	2.59	21.60	21.60	ion bu D Ch	1	and coulded a Comm	26.94	12.76	-	
	 Transmission/usage charges associated with POTS circuit switcher Access to B Channel or D Channel Packet capabilities will be avail 											וסם אחפו au	15.		
	: Access to B Channel or D Channel Packet capabilities will be avail D LOCAL EXCHANGE SWITCHING(PORTS)	able o	niy tn	rough BFR/NBR Proc	ess. Rates i	or the packet ca	ipabilities wil	i be determin	led via the BFR/N	BR Process	j.				+
	ANGE PORT RATES		1		+				 	+	+	-	-	-	+
	S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Po	rt in th	nie av	hihit annly to the emi	haddad hasa	in place as of 1	0/2/03 until //	/1/0/ After /	/1/0/ these rates	shall revert	to tariff rate	e or a consi	rate agreeme	nt	+
	ests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after t											o or a separ	are agreeine		
oqui	Exchange Ports-2W DID Port	5116	J 7 G	UEPEX	UEPP2	12.36	81.84	81.84				26.94	12.76	1	
1	Exchange Ports-DDITS Port-4W DS1 Port with DID capability		†	UEPDD	UEPDD	123.65	116.59	69.92		1		26.94	12.76		
	Exchange Ports-2W ISDN Port (See Notes below.)		t	UEPTX, UEPSX	U1PMA	24.50	62.29	62.29		1		55.30	55.30		1
	All Features Offered		1	UEPTX, UEPSX	UEPVF	3.40	0.00	0.00	1 1	+	†	55.00	55.00		t
	Exchange Ports-2W ISDN PortChannel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00	† †			İ			t
NOTE	: Transmission/usage charges associated with POTS circuit switcher	d usa	ge wil						sion by B-Channe	els associat	ed with 2-w	rire ISDN por	rts.		†
NOTE	: Access to B Channel or D Channel Packet capabilities will be avail														
	ANGE PORT RATES (continued)		L												
	Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator														
	Capability (E:4/1/2004)		L	UEPEX	UEPEX	179.75	241.63	241.63	<u> </u>		<u> </u>	53.89	53.89	<u></u>	<u> </u>
	Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	179.75	241.63	241.63				53.89	53.89		
	Physical Collocation-DS1 Cross-Connects			UEPEX UEPDX	PE1P1	2.34	71.02	51.08				26.94	12.76		
	Virtual collocation-Special Access & UNE, cross-connect per DS1			UEPEX UEPDX	CNC1X	0.97	71.02	51.08	1		1 -	26.94	12.76		1

NEONDI	ED NETWORK ELEMENTS - North Carolina											1-		ment: 2	1	ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			ATES (\$)			Svc Order Submitte d Elec per LSR	Manually	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo Order vs. Electronic-	I Charg
						Rec	Nonre	curring	NRC Disc					Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
Detail	ed E911 with Locator Capability (required with UEPEX port)								i i							
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator								i i							
	Capability-Initial Profile Establishment per CLEC per State			UEPEX	UEP1A	0.00	1,802.00						26.94	12.76		
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator															1
	Capability-Subsont Profile Changes, Additions, Deletions			UEPEX	UEP1B	0.00	174.99						26.94	12.76		
New o	or Additional PRI Telephone Numbers			<u> </u>		0.00			t t							†
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator								t t							†
	Capability 2-way Tel Nos, per No in E911 profile [New or Add'l]			UEPEX	UEP1C		1.17	1.17					26.94	12.76		
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator			<u> </u>					t t							†
	Capability-Outdial Tel Nos, per No in E911 profile [New or Add'l]			UEPEX	UEP1D		28.17	28.17					26.94	12.76		
_	Unbundled Exchange Ports, 4W ISDN DS1 Port-Inward Tel Nos-Inward				1									1	Ì	†
	Data Only Option [New or Add'l]			UEPDX	UEP1E	0.00	1.17	1.17					26.94	12.76		1
	Exchange Ports-4W ISDN DS1 Port-Subsqnt [New] Inward Tel Nos			*=:=::		2.00								, 0		†
	[Customer Testing Purposes]			UEPEX	PR7ZT	0.00	56.33	56.33					26.94	12.76		
LOCA	L NUMBER PORTABILITY			52. LX		5.50	55.55	00.00	 			1	20.04	12.70	1	†
	Local No Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75		 	 				1	 	 	+
INTE	RFACE (Provsioning Only)			OLI LX OLI DX	LIVI OIV	1.70			l							+
	Voice/Data	-		UEPEX	PR71V	0.00	0.00	0.00	 				26.94	12.76		+
	Digital Data		1	UEPEX	PR71D	0.00	0.00	0.00	+ +				26.94	12.76		+
-	Inward Data		-	UEPDX	PR71E	0.00	0.00	0.00	+ +			-	26.94	12.76		+
Nous	or Additional Channel	-	-	UEPDA	PR/IE	0.00	0.00	0.00					20.94	12.70		+
New C	New or Add'I-Voice/Data "B" Channel	-	-	UEPEX	PR7BV	0.00	36.92						26.94	12.76		+
_	New or Add'I-Digital Data "B" Channel	-	-	UEPEX	PR7BF	0.00	36.92						26.94	12.76		+
-		-	1		PR7BD				 							+
-	New or Add'l Inward Data "B" Channel	-	1	UEPDX		0.00	36.92		 				26.94	12.76		+
	New or Add'l Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00			-				26.94	12.76		
	New or Add'l Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00	00.00		-				26.94	12.76		
	New or Add'l PRI "D" Channel			UEPEX	PR7EX	0.00	36.92						26.94	12.76		
CALL	TYPES				55501				-					40.70		
	Inward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00	-				26.94	12.76		
	Outward			UEPEX	PR7CO	0.00	0.00	0.00					26.94	12.76		
	Two-way			UEPEX	PR7CC	0.00	0.00	0.00					26.94	12.76		
	NDLED PORT with REMOTE CALL FORWARDING CAPABILITY															
UNBL	NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service, Local Calling-Res			UEPVR	UERLC	2.19	21.60	21.60					26.94	12.76		1
	Unbundled Remote Call Forwarding Service, InterLATA-Res			UEPVR	UERTE	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service, IntraLATA-Res			UEPVR	UERTR	2.19	21.60	21.60					26.94	12.76		1
Non-l	Recurring															
	Unbundled Remote Call Forwarding Service -Conversion-Switch-as-is			UEPVR	USAC2		2.77	0.40					26.94	12.76		
	Unbundled Remote Call Forwarding Service -Conversion with allowed				1									l		1
	change (PIC and LPIC)			UEPVR	USACC	<u> </u>	2.77	0.40	L l		L	<u> </u>	<u> </u>	<u> </u>		<u></u>
UNBU	NDLED REMOTE CALL FORWARDING - Bus															
	Unbundled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UERAC	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service, Local Calling-Bus			UEPVB	UERLC	2.19	21.60	21.60					26.94	12.76		T
1	Unbundled Remote Call Forwarding Service, InterLATA-Bus			UEPVB	UERTE	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service, IntraLATA-Bus			UEPVB	UERTR	2.19	21.60	21.60					26.94	12.76		T
T i	Unbundled Remote Call Forwarding Service Expanded and Exception															1
1	Local Calling			UEPVB	UERVJ	2.19	21.60	21.60					26.94	12.76		1
Non-F	Recurring															1
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVB	USAC2		2.77	0.40					26.94	12.76		1
	Unbundled Remote Call Forwarding Service -Conversion with allowed							1						i	Ì	1
	change (PIC and LPIC)			UEPVB	USACC		2.77	0.40						1		
BUNDI F	D LOCAL SWITCHING, PORT USAGE			*=: :=				2.10						i		†
	Office Switching (Port Usage)				1	-		1	1				t	 	1	t -
	End Office Switching Function, Per MOU					0.0015		1						i		†
-	End Office Trunk Port-Shared, Per MOU				1	0.00013			 				1		<u> </u>	+
Tanda	em Switching (Port Usage) (Local or Access Tandem)				1	3.00020			 				1		<u> </u>	†
ranu	Tandem Switching Function Per MOU					0.0006		-	 					 	 	+
	Tandem Trunk Port-Shared, Per MOU	1	1			0.0008					 		 	-	1	+

ONBONDE	ED NETWORK ELEMENTS - North Carolina				1	1						T-		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Submitte d Manually	Manual Svc Order vs.	I Charge - Manual Svc Order vs.	Charge - Manual Svo Order vs. Electronic-	I Charge - Manual Svc Order vs.
														Electronic-	Disc 1st	Electronic-
						Rec	Nonre		NRC Dis					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Tandem Switching Function Per MOU (Melded)	1				0.00024618										
	Tandem Trunk Port-Shared, Per MOU (Melded) Melded Factor: 41.03% of the Tandem Rate	1				0.00012309										
Comm	non Transport	1														
00	Common Transport-Per mi, Per MOU	1				0.00001									1	
	Common Transport-Facilities Term Per MOU					0.00034										
UNBUNDLE	D PORT/LOOP COMBINATIONS - COST BASED RATES															
	Based Rates are applied where BellSouth is required by FCC and/or															
	res shall apply to the Unbundled Port/Loop Combination - Cost Bas															
	office and Tandem Switching Usage and Common Transport Usage														l <u>. </u>	
	rst and additional Port nonrecurring charges apply to Not Currently	Combi	ned C	ombos. For Currentl	y Combined	Combos the no	onrecurring c	narges shall b	e those id	entified	in the Non	recurring -	Currently C	ombined se	ctions.	
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates								 							
UNEF	2W VG Loop/Port Combo-Zone 1	1	1			13.03			1		1	1			1	1
	2W VG Loop/Port Combo-Zone 2	1	2			21.33			1		-				†	
	2W VG Loop/Port Combo-Zone 3		3			32.61									1	
UNE L	oop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	10.75										
	2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX	19.05										
	2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	30.33										
2-Wire	e Voice Grade Line Port Rates (Res)															
	2W voice unbundled port-res	<u> </u>		UEPRX	UEPRL	2.28	79.59	63.97					40.18	9.45		
	2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res	 		UEPRX UEPRX	UEPRC UEPRO	2.28 2.28	79.59 79.59	63.97 63.97					40.18 40.18	9.45 9.45		
	2W voice unbundles res, low usage line port with Caller ID (LUM)	1		UEPRX	UEPAP	2.28	79.59	63.97					40.18	9.45		
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability	1		UEPRX	UEPRT	2.28	79.59	63.97					40.18	9.45		
	2W VG Unbundled Port w/o Caller ID capability, NC			UEPRX	UEPRZ	2.28	79.59	63.97								
	2W VG Unbundled Port w/o Caller ID capability, NC			UEPRX	UEPRY	2.28	79.59	63.97								
FEAT																
	All Features Offered	<u> </u>		UEPRX	UEPVF	3.40	0.00	0.00					40.18	9.45		
LOCA	L NUMBER PORTABILITY	1		HERRY	LUBOY											
NONE	Local No Portability (1 per port) ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1		UEPRX	LNPCX	0.35										
NONK	2W VG Loop/Line Port Combination-Conversion-Switch-as-is	1		UEPRX	USAC2		2.77	0.40	1				40.18	9.45		-
	2W VG Loop/Line Port Combination -Conversion-Switch with change	1		UEPRX	USACC		2.77	0.40					40.18	9.45		
	2W VG Loop/Line Port Combination -Conversion-Subsqnt Database	1		OLITOR	00/100		2.77	0.40					40.10	0.40		
	Update						1.42						10.27			
ADDIT	TONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPRX	USAS2	0.00	0.00	0.00					40.18	9.45		
	Unbundled Misc Rate Element, Tag Loop at End User Premise	<u> </u>	-	UEPRX	URETL		8.33	0.83	ļļ				26.94	12.76	0.00	0.00
OFF/C	ON PREMISES EXTENSION CHANNELS	-	4	UEPRX	LIEAEN	40.44	F7.00	40.07	1		1		00.01	40.70	0.00	0.00
	2W Analog VG Extension Loop – Non-Design 2W Analog VG Extension Loop – Non-Design		2	UEPRX	UEAEN UEAEN	12.11 21.24	57.99 57.99	42.37 42.37	 		-		26.94 26.94	12.76 12.76	0.00	0.00
	2W Analog VG Extension Loop – Non-Design	+	3	UEPRX	UEAEN	33.65	57.99	42.37	 				26.94	12.76	0.00	0.00
	2W Analog VG Extension Loop – Nort-Design	1	1	UEPRX	UEAED	14.97	142.97	106.56	1		1		26.94	12.76	0.00	0.00
	2W Analog VG Extension Loop – Design		2	UEPRX	UEAED	25.93	142.97	106.56					26.94	12.76		0.00
	2W Analog VG Extension Loop – Design	L	3	UEPRX	UEAED	40.81	142.97	106.56					26.94	12.76		0.00
INTER	OFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRX	U1TV2	18.00	137.48	52.58					38.07	38.07		
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi	<u> </u>	-	UEPRX	U1TVM	0.0125	0.00	0.00	ļļ							
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	<u> </u>	<u> </u>			.									ļ	
UNE P	Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1	-	1		1	13.03			1		1				1	-
	2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2	+	2			21.33			1		-				-	
	2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3	+	3			32.61			 		-				 	-
	oop Rates	1				52.01			1		1				1	1
	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	10.75			İ							
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	19.05			i i							
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	30.33			1							

NDUNUL	ED NETWORK ELEMENTS - North Carolina									- 1				ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Orde
						Rec	Nonrec	urring	NRC Disco					Rates (\$)		
						Rec	First	Add'l	First A	\dd'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire	Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus			UEPBX	UEPBL	2.28	79.59	63.97					40.18	9.45		
	2W voice unbundled port with Caller + E484 ID-bus			UEPBX	UEPBC	2.28	79.59	63.97					40.18	9.45		
	2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	2.28	79.59	63.97					40.18	9.45		
	2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UEPB1	2.28	79.59	63.97					40.18	9.45		
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPBX	UEPBE	2.28	79.59	63.97	.				40.18	9.45		ļ
LOCA	NUMBER PORTABILITY			HEDDY	LNIBOV	0.05			.							ļ
FEAT	Local No Portability (1 per port)			UEPBX	LNPCX	0.35			.							ļ
FEAT				HEDDY	LIED\ /E	0.40	0.00	0.00					40.40	0.45		
	All Features Offered			UEPBX	UEPVF	3.40	0.00	0.00	-				40.18	9.45		
NONK	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPBX	USAC2		2.77	0.40	-				40.18	9.45		
+	2W VG Loop/Line Port Combination-Conversion-Switch-as-is 2W VG Loop/Line Port Combination -Conversion-Switch with change	1	-	UEPBX	USACZ		2.77	0.40	\vdash				40.18	9.45	-	-
+ +	2W VG Loop/Line Port Combination -Conversion-Switch with Change	+		OLFBA	USACC		2.11	0.40	+ +				40.10	9.45		
	Update						1.42		1 1				10.27			
ADDIT	IONAL NRCs				+		1.72		 				10.27			
ADDII	2W VG Loop/Line Port Combination-Subsent Activity			UEPBX	USAS2		0.00	0.00	t				40.18	9.45		
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83	t				26.94	12.76	0.00	0.0
OFF/C	N PREMISES EXTENSION CHANNELS															<u> </u>
	2W Analog VG Extension Loop - Non-Design		1	UEPBX	UEAEN	12.11	57.99	42.37					26.94	12.76	0.00	0.0
	2W Analog VG Extension Loop – Non-Design		2	UEPBX	UEAEN	21.24	57.99	42.37					26.94	12.76	0.00	0.0
	2W Analog VG Extension Loop – Non-Design		3	UEPBX	UEAEN	33.65	57.99	42.37					26.94	12.76	0.00	0.0
	2W Analog VG Extension Loop – Design		1	UEPBX	UEAED	14.97	142.97	106.56					26.94	12.76	0.00	0.0
	2W Analog VG Extension Loop – Design		2	UEPBX	UEAED	25.93	142.97	106.56					26.94	12.76	0.00	0.0
	2W Analog VG Extension Loop – Design		3	UEPBX	UEAED	40.81	142.97	106.56					26.94	12.76	0.00	0.0
INTER	OFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPBX	U1TV2	18.00	137.48	52.58					38.07	38.07		
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPBX	U1TVM	0.0125	0.00	0.00								
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															ļ
UNE P	ort/Loop Combination Rates															
_	2W VG Loop/Port Combo-Zone 1		1			13.03										<u> </u>
	2W VG Loop/Port Combo-Zone 2		2			21.33			L							<u> </u>
	2W VG Loop/Port Combo-Zone 3		3			32.61										
UNE L	oop Rates		1	LIEDDO	UEPLX	10.75			-							
	2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2		2	UEPRG UEPRG	UEPLX	19.05			-							
	2W VG Loop (SL 1)-Zone 3	+	3	UEPRG	UEPLX	30.33			+ +							
	Voice Grade Line Port Rates (RES - PBX)		-	OLITIO	OLITEX	30.33			 							-
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	2.28	164.57	128.16	 				40.18	9.45		
LOCA	NUMBER PORTABILITY															†
	Local No Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEAT																
	All Features Offered			UEPRG	UEPVF	3.40	0.00	0.00					40.18	9.45		
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2		2.77	0.40					40.18	9.45		
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch w			UEPRG	USACC		2.77	0.40					40.18	9.45		
	2W VG Loop/Line Port Combination -Conversion-Subsqnt Database															
	Update						1.42						10.27			
ADDIT	IONAL NRCs				1				oxdot						ļ	1
\perp	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity	1		UEPRG	USAS2	0.00	0.00	0.00	\vdash				40.18	9.45		↓
10	Unbundled Misc Rate Element, Tag Loop at End User Premise	1		UEPRG	URETL		8.33	0.83	\vdash				26.94	12.76	0.00	0.
OFF/C	N PREMISES EXTENSION CHANNELS		L,	LIEDDO	DO II IV	44.00	140.07	400 = 2					00.01	40 =0	0.00	<u> </u>
+	Local Channel VG, per Term	1	1	UEPRG UEPRG	P2JHX	14.97	142.97	106.56	 				26.94	12.76	0.00	0.
	Local Channel VG, per Term	1	3	UEPRG	P2JHX P2JHX	25.93 40.81	142.97 142.97	106.56 106.56	+ +				26.94 26.94	12.76 12.76	0.00	0.
+	Local Channel VG, per Term Non-Wire Direct Serve Channel VG	1	1	UEPRG	SDD2X	40.81 14.62	142.97 252.06	106.56					26.94	12.76	0.00	
-	Non-Wire Direct Serve Channel VG Non-Wire Direct Serve Channel VG	+	2	UEPRG	SDD2X SDD2X	23.86	126.03	109.08 54.54	+ +				26.94	12.76	0.00	
+	Non-Wire Direct Serve Channel VG Non-Wire Direct Serve Channel VG	1	3	UEPRG	SDD2X SDD2X	36.40	126.03	54.54	++				26.94	12.76	0.00	
	OFFICE TRANSPORT		J	ULFRG	SUUZA	30.40	120.03	54.54					20.94	12.70	0.00	0.0

ONRONDE	ED NETWORK ELEMENTS - North Carolina											1-		ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc			TES (\$)			Svc Order Submitte d Elec per LSR	Submitte d Manually	Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	I Charge -
						Rec	Nonrec		NRC Dis					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRG	U1TV2	18.00	137.48	52.58					38.07	38.07		
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRG	U1TVM	0.0125	0.00	0.00								
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE	Port/Loop Combination Rates		4			13.03						-				
	2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2		2		+	21.33										-
	2W VG Loop/Port Combo-Zone 2		3		+	32.61										
UNF	oop Rates		3		+	32.01										
O.V.E.	2W VG Loop (SL 1)-Zone 1		1	UEPPX	UEPLX	10.75										
	2W VG Loop (SL 1)-Zone 2		2	UEPPX	UEPLX	19.05										
	2W VG Loop (SL 1)-Zone 3		3	UEPPX	UEPLX	30.33										
2-Wire	Voice Grade Line Port Rates (BUS - PBX)	i –	Ť								1				İ	1
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus	1		UEPPX	UEPPC	2.28	164.57	128.16					40.18	9.45		
	Line Side Unbundled Outward PBX Trunk Port-Bus	1		UEPPX	UEPPO	2.28	164.57	128.16					40.18	9.45		
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	2.28	164.57	128.16					40.18	9.45		
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	2.28	164.57	128.16					40.18	9.45		
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	2.28	164.57	128.16					40.18	9.45		
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	2.28	164.57	128.16					40.18	9.45		
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2.28	164.57	128.16					40.18	9.45		
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2.28	164.57	128.16					40.18	9.45		
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	2.28	164.57	128.16					40.18	9.45		
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	2.28	164.57	128.16					40.18	9.45		
-	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room			ULFFX	ULFAL	2.20	104.57	120.10			+	-	40.10	9.43		
	Calling Port			UEPPX	UEPXM	2.28	164.57	128.16					40.18	9.45		
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount			UEPFX	UEPAIVI	2.20	164.57	120.10					40.16	9.45		
	Room Calling Port			UEPPX	UEPXO	2.28	164.57	128.16					40.18	9.45		
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2.28	164.57	128.16					40.18	9.45		
LOCA	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00					40.18	9.45		
FEAT	JRES															
	All Features Offered			UEPPX	UEPVF	3.40	0.00	0.00					40.18	9.45		
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPPX	USAC2		2.77	0.40					40.18	9.45		
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch w			UEPPX	USACC		2.77	0.40					40.18	9.45		
	2W VG Loop/Line Port Combination -Conversion-Subsqnt Database															
	Update						1.42						10.27			
ADDIT	TONAL NRCs															
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity	<u> </u>		UEPPX	USAS2	0.00	0.00	0.00			ļ		40.18	9.45	ļ	
	Unbundled Misc Rate Element, Tag Loop at End User Premise	<u> </u>		UEPPX	URETL		8.33	0.83	-				26.94	12.76	0.00	0.0
OFF/C	N PREMISES EXTENSION CHANNELS	<u> </u>	<u> </u>	HEDDY	DO II IV	11.0-	440.07	400.50			ļ		00.01	10.70	0.00	
	Local Channel VG, per Term Local Channel VG, per Term	1	2	UEPPX UEPPX	P2JHX P2JHX	14.97 25.93	142.97 142.97	106.56 106.56	1		1		26.94 26.94	12.76 12.76	0.00	0.0
	Local Channel VG, per Term Local Channel VG, per Term	1	3	UEPPX	P2JHX P2JHX	25.93 40.81	142.97	106.56			<u> </u>		26.94	12.76	0.00	0.0
	Non-Wire Direct Serve Channel VG	1	1	UEPPX	SDD2X	14.62	252.06	109.08			 		26.94	12.76	0.00	0.0
	Non-Wire Direct Serve Channel VG Non-Wire Direct Serve Channel VG	1	2	UEPPX	SDD2X SDD2X	23.86	126.03	54.54			1	1	26.94	12.76	0.00	0.0
	Non-Wire Direct Serve Channel VG		3	UEPPX	SDD2X SDD2X	36.40	126.03	54.54			 		26.94	12.76	0.00	0.0
INTER	OFFICE TRANSPORT	<u> </u>		GLITA	CODEN	30.40	120.03	54.54	+		1		20.34	12.70	0.00	0.0
	Interoffice Transport-Dedicated-2W VG-Facility Term	†		UEPPX	U1TV2	18.00	137.48	52.58					38.07	38.07	1	
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi	1		UEPPX	U1TVM	0.0125	0.00	0.00							1	
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT	i –						2.30			1				İ	1
	ort/Loop Combination Rates	1			1											
	2W VG Coin Port/Loop Combo – Zone 1	1	1		1	13.03										
	2W VG Coin Port/Loop Combo – Zone 2	1	2		1	21.33										
	2W VG Coin Port/Loop Combo – Zone 3		3			32.61										
	oop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	10.75										
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	19.05										
	2W VG Loop (SL1)-Zone 3	1	3	UEPCO	UEPLX	30.33		<u> </u>		i	1			l		1

NROND	LED NETWORK ELEMENTS - North Carolina													ment: 2	Exhil	
TEGOR	Y RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Submitte d	Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge Manua Svc Ord vs. Electron
						I	Nonre	curring	NRC Dis	connect			1ct OSS	Rates (\$)	l	Dicc Ad
						Rec	First	Add'I	First			SOMAN	SOMAN		SOMAN	SOMA
2-Wii	re Voice Grade Line Ports (COIN)		1				11100	Auu	1 11 00	Auu	COMILO	COMPAN	COMPAN	COMPAN	COMPAR	COMIA
	2W Coin 2-Way w/o Oper Screening and w/o Blocking (NC)			UEPCO	UEPND	2.28	79.59	63.97					40.18	9.45		
	2W Coin 2-Way with Oper Screening (NC)		1	UEPCO	UEPNC	2.28	79.59	63.97				-	40.18	9.45		
_	2W Coin 2-Way with Oper Screening (NO)			UEPCO	UEPRP	2.28	79.59	63.97					40.18	9.45		
_	2W Coin 2-Way with Oper Screening and 011 Blocking (NC)			UEPCO	UEPNB	2.28	79.59	63.97					40.18	9.45		
	2W Coin 2-Way with Oper Screening and 011 Blocking (NC) 2W Coin 2-Way with Oper Screening: 900 Blocking: 900/976, 1+DDD,		1	ULFCO	OLFIND	2.20	19.59	03.91					40.10	9.43		
	011+, and Local			UEPCO	UEPCA	2.28	79.59	63.97					40.18	9.45		
-	2W Coin Outward with Oper Screening and 011 Blocking (NC)	1	\vdash	UEPCO	UEPNE	2.28	79.59	63.97				-	40.18	9.45		<u> </u>
+	2W Coin Outward with Oper Screening and 011 Blocking (NC) 2W Coin Outward with Oper Screening and Blocking: 900/976, 1+DDD,	1	\vdash	UEFCO	UEFINE	2.28	19.59	65.97					40.18	9.45		-
1				UEPCO	UEPCL	2.28	79.59	63.97					40.18	9.45		İ
-	011+, and Local (NC)		1													
	2W 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2.28	79.59	63.97				ļ	40.18	9.45		
-	2W Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	2.28	79.59	63.97					40.18	9.45		
ADDI	TIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.70	0.00	0.00	0.00	0.00			40.18	9.45		
LOC	AL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPCO	LNPCX	0.35										
NON	RECURRING CHARGES - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination -Conversion-Switch-as-is			UEPCO	USAC2		2.77	0.40					40.18	9.45		
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPCO	USACC		2.77	0.40					40.18	9.45		
	2W VG Loop/Line Port Combination -Conversion-Subsqnt Database															
	Update						1.42									
ADDI	TIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPCO	USAS2		0.00	0.00					40.18	9.45		
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8.33	0.83					26.94	12.76	0.00	
2-WII	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE	PORT	(RES	i)												
UNE	Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			17.16										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			28.12										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			43.00										
UNE	Loop Rates	1														
1	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	14.97		İ					İ	İ	İ	
1	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	25.93							İ			
	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	40.81							i			
2-Wii	re Voice Grade Line Port Rates (Res)	1	Ť	02	020.2	.0.01						†	 	l	1	l
 	2W voice unbundled port-res	1		UEPFR	UEPRL	2.19	225.00	225.00				†	40.18	9.45	1	l
1	2W voice unbundled port with Caller ID-res	1		UEPFR	UEPRC	2.19	225.00	225.00	 			†	40.18	9.45	1	l
1	2W voice unbundled port outgoing only-res	1		UEPFR	UEPRO	2.19	225.00	225.00				1	40.18	9.45		1
+	2W voice unbundled port outgoing only-res 2W voice unbundles res, low usage line port with Caller ID (LUM)	1	\vdash	UEPFR	UEPAP	2.19	225.00	225.00					40.18	9.45		
INTE	ROFFICE TRANSPORT	1	\vdash	OLITIK	OLI AF	2.13	225.00	220.00	 			 	70.10	3.43	-	l
1141 E	Interoffice Transport-Dedicated-2W VG-Facility Term	1	\vdash	UEPFR	U1TV2	18.00	140.00	71.00	 			 	1		-	l
+	Interoffice Transport-Dedicated-2W VG-Pacinity Term Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi	 		UEPFR	1L5XX	0.0125	140.00	71.00	-				-	-	-	-
EE AT	Interoffice Transport-Dedicated-2VV VG-Per mi or Fraction mi	1	\vdash	UEPFK	ILOXX	0.0125						-		-		<u> </u>
FEA	0.1=0	1	1	UEPFR	UEPVF	0.40	0.00	0.00				1	40.10	0.45		
1.00	All Features Offered	<u> </u>	\vdash	UEPFK	UEPVF	3.40	0.00	0.00					40.18	9.45	1	.
LUC	AL NUMBER PORTABILITY	1	1													
1	Local No Portability (1 per port)			UEPFR	LNPCX	0.35										

BUND	DLED NETWORK ELEMENTS - North Carolina					1								ment: 2		bit: A
'EGOR'	Y RATE ELEMENTS	Interi m	Zon e	BCS	USOC			ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge
						Rec		curring	NRC Disco					Rates (\$)		
						Nec	First	Add'l	First /	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
NON	IRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-	-														
	Switch-as-is			UEPFR	USAC2		9.03	1.87					40.18	9.45		
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion	1														
	Switch-With-Change			UEPFR	USACC		9.03	1.87					40.18	9.45		
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFR	URETN		11.20	1.10					26.94	12.76	0.00	0
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE	POR	T (BUS	5)												
UNE	Port/Loop Combination Rates		1			47.40										<u> </u>
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			17.16 28.12										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			43.00			-							1
LINE	2W VG Loop/IO Tranport/Port Combo-Zone 3		3		-	43.00	-	-	-				-	-	-	
UNE	2W VG Loop (SL2)-Zone 1	-	1	UEPFB	UECF2	14.97		1	+				-		 	
+	2W VG Loop (SL2)-Zone 1 2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2	25.93	1						-		 	1
+	2W VG Loop (SL2)-Zone 2		3	UEPFB	UECF2	40.81	1	1							t	
2-Wi	ire Voice Grade Line Port (Bus)	_	1	ULFID	OLOI Z	40.01		1	 				t	 	1	
2-771	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	2.19	225.00	225.00					40.18	9.45		
	2W voice unbundled port with Caller + E484 ID-bus		1	UEPFB	UEPBC	2.19	225.00	225.00	 				40.18	9.45		
	2W voice unbundled port with statist 1 2464 is say			UEPFB	UEPBO	2.19	225.00	225.00	 				40.18	9.45		
+	2W voice unbundled incoming only port with Caller ID-Bus			UEPFB	UEPB1	2.19	225.00	225.00					40.18	9.45		
LOC	CAL NUMBER PORTABILITY			OLITE	OLI DI	2.10	220.00	220.00	t				70.10	3.40		
	Local No Portability (1 per port)			UEPFB	LNPCX	0.35										
INTE	EROFFICE TRANSPORT			*		0.00										
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2	18.00	140.00	71.00								
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX	0.0125										
FEA	TURES															
	All Features Offered			UEPFB	UEPVF	3.40	0.00	0.00					40.18	9.45		
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion- Switch-as-is			UEPFB	USAC2		9.03	1.87					40.18	9.45		
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion	1														
	Switch with change			UEPFB	USACC		9.03	1.87					40.18	9.45		
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFB	URETN		11.20	1.10					26.94	12.76	0.00	(
	IRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE	POR	I (PBX	.)												
UNE	Port/Loop Combination Rates 2W VG Loop/IO Tranport/Port Combo-Zone 1		1			17.16										
	2W VG Loop/IO Tranport/Port Combo-Zone 1		2			28.12			 							
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			43.00										
UNE	Loop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2	14.97										
	2W VG Loop (SL2)-Zone 2		2	UEPFP	UECF2	25.93										
	2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	40.81										
2-Wi	ire Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFP	UEPPC	2.18	225.00	225.00					40.18	9.45		
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	2.18	225.00	225.00					40.18	9.45		
	Line Side Unbundled Incoming PBX Trunk Port-Bus		1	UEPFP	UEPP1	2.18	225.00	225.00					40.18	9.45		
-	2W Voice Unbundled PBX LD Terminal Ports		\vdash	UEPFP	UEPLD	2.18	225.00	225.00	\vdash				40.18	9.45	-	
-	2W Voice Unbundled 2-Way Combination PBX Usage Port 2W Voice Unbundled PBX Toll Terminal Hotel Ports	-	+	UEPFP UEPFP	UEPXA UEPXB	2.18 2.18	225.00 225.00	225.00 225.00	 				40.18 40.18	9.45 9.45	 	
+	2W Voice Unbundled PBX LD DDD Terminals Port		\vdash	UEPFP	UEPXB	2.18	225.00	225.00	-				40.18	9.45	-	
+	2W Voice Unbundled PBX LD DDD Terminals Port 2W Voice Unbundled PBX LD Terminal Switchboard Port		+	UEPFP	UEPXD	2.18	225.00	225.00					40.18	9.45	t	
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		\vdash	UEPFP	UEPXE	2.18	225.00	225.00					40.18	9.45	I	1
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	2.18	225.00	225.00					40.18	9.45		
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	2.18	225.00	225.00					40.18	9.45		
1	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXO	2.18	225.00	225.00					40.18	9.45		

ADOIAD	DLED NETWORK ELEMENTS - North Carolina													ment: 2		bit: A
											Svc	Svc Order	Incrementa	Incrementa	Incremental	Increme
											Order	Submitte	I Charge -	I Charge -	Charge -	I Charg
											Submitte	d	Manual	Manual	Manual Svc	
TEGOR	RY RATE ELEMENTS		Zon	BCS	USOC		RA	TES (\$)			d Elec			Svc Order	Order vs.	Svc Ord
		m	е		0000			0 (4)				Manually				
											per LSR	per LSR	vs.	vs.	Electronic-	vs.
													Electronic-	Electronic-	Disc 1st	Electron
-							N		NDO D'				164	Add'I	l .	Dicc Ac
						Rec	Nonrec		NRC Dis					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
LOC	CAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00					40.18	9.45		
INTE	EROFFICE TRANSPORT								i i							
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2	18.00	140.00	71.00	i i							
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	1L5XX	0.0125			1							
EΕΛ	ATURES			OLI III	120701	0.0120			 							+
1120	All Features Offered		1	UEPFP	UEPVF	3.40	0.00	0.00	 				40.18	9.45		+
NON	NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED		1	UEFFF	UEFVF	3.40	0.00	0.00	 		ļ		40.10	9.43		
NON									.			ļ				-
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conve	rsion-	1								ĺ				1	1
	Switch-as-is			UEPFP	USAC2		9.03	1.87					40.18	9.45]	1
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conve	rsion-												1	l	
	Switch with change		1	UEPFP	USACC		9.03	1.87			ĺ		40.18		1	1
T)	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFP	URETN		11.20	1.10					26.94	12.76	0.00	
BUNDL	ED PORT/LOOP COMBINATIONS - COST BASED RATES								i i							
	IRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT							1							
	E Port/Loop Combination Rates								 							+
UNL	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1	-	1			20.97			1			1	1			+
			1						 							
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2			27.80										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3			37.08										
UNE	Loop Rates															
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD1	8.85										
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD1	15.68			i i							
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1	24.96			i i							†
UNE	Port Rate								t							
	Exchange Ports-2W DID Port			UEPPX	UEPD1	12.12	224.81	188.40	 				40.18	9.45		
NON	NRECURRING CHARGES - CURRENTLY COMBINED		1	OLITA	OLIDI	12.12	224.01	100.40	 				40.10	3.43		+
NON			_	UEPPX	USAC1		13.26	8.39	 				53.89	44.04		+
	2W VG Loop/2W DID Trunk Port Combination -Switch-as-is			UEPPX	USACT		13.20	8.39					53.89	11.34		
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable															
	Changes			UEPPX	USA1C		13.26	8.39					53.89	11.34		
ADD	DITIONAL NRCs															
	2W DID Subsqnt Activity-Add Trunks, Per Trunk			UEPPX	USAS1		53.49						40.18	9.45		
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPX	URETN		11.20	1.10					26.94	12.76	0.00	
Tele	ephone Number/Trunk Group Establisment Charges															
	DID Trunk Term (One Per Port)			UEPPX	NDT	0.00	0.00	0.00	1							
-	DID Nos, Establish Trunk Group and Provide First Group of 20 DID	Nos		UEPPX	NDZ	0.00	0.00	0.00	 							†
	Add'l DID Nos for each Group of 20 DID Nos	1405	1	UEPPX	ND4	0.00	0.00	0.00	 		-	 	1	†		+
_			1	UEPPX	ND4 ND5	0.00	0.00	0.00			<u> </u>		-	1	-	+
_	DID Nos, Non-consecutive DID Nos , Per No															
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00								
LOC	CAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
2-WI	IRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIN	E SIDE PO	RT					•								
UNE	Port/Loop Combination Rates													1	İ	
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE 2	Zone	1	UEPPB UEPPR		38.84								Ì	i	
+	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE 2		2	UEPPB UEPPR		50.01			 				1		1	
+	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE 2		3		1	65.18			 			1		1		+
LINE		-UITE	J	ULPPD UEPPR	-	00.18			 			 		 	 	+
UNE	Loop Rates		١.,		1101.01									ļ		1
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB UEPPR	USL2X	14.47						1		1		1
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB UEPPR	USL2X	25.64						<u> </u>				
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB UEPPR	USL2X	40.81									1	
UNE	Port Rate															
	Exchange Port-2W ISDN Line Side Port			UEPPB UEPPR				302.77					19.99			

UNBUND	LED NETWORK ELEMENTS - North Carolina					T								ment: 2	Exhil	
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			TES (\$)			Svc Order Submitte d Elec per LSR	Submitte d Manually	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa I Charge - Manual Svc Order vs. Electronic
						Rec	Nonrec		NRC Dis					Rates (\$)		
					1	1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NONE	RECURRING CHARGES - CURRENTLY COMBINED															
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination- Conversion			UEPPB UEPPR	USACB	0.00	174.35	174.35								
ADDI	TIONAL NRCs			UEPPB UEPPK	USACB	0.00	174.33	174.33	-							
ADDI	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPB UEPPR	URETN		11.20	1.10								
	Unbundled Misc Rate Element, Tag Designed Loop at End Oser Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPB UEPPR	URETL		8.33	0.83					26.94	12.76	0.00	0.00
LOCA	AL NUMBER PORTABILITY			OZITE OZITI	ORLETE		0.00	0.00					20.0 .	12.70	0.00	0.00
	Local No Portability (1 per port)			UEPPB UEPPR	LNPCX	0.35	0.00	0.00								
B-CH	ANNEL USER PROFILE ACCESS:															
	CVS/CSD (DMS/5ESS)			UEPPB UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB UEPPR	U1UCC	0.00	0.00	0.00								
	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS,	& TN)			1											
USER	R TERMINAL PROFILE				L											
VEDT	User Terminal Profile (EWSD only)			UEPPB UEPPR	U1UMA	0.00	0.00	0.00								
VERI	ICAL FEATURES All Vertical Features-One per Channel B User Profile	-	-	UEPPB UEPPR	UEPVF	3.40	0.00	0.00								
INTE	ROFFICE CHANNEL MILEAGE			UEPPB UEPPR	UEPVF	3.40	0.00	0.00								
INTE	Interoffice Channel miage each, including first mi and facilities Term	1	-	UEPPB UEPPR	M1GNC	18.0282	137.48	52.58	+				19.99	19.99		
	Interoffice Channel miage each, Add'l mi		1	UEPPB UEPPR	M1GNM	0.0282	0.00	0.00					10.00	10.00		
4-WIF	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK POR	T		OLITB OLITR	WITCHWI	0.0202	0.00	0.00								
	JNE-P DS1 combination rates below for in this exhibit apply to the er		ed ba	se in place as of 10/2	/03 until 4/1/	04. After 4/1/04	these rates sh	all revert to t	ariff rates	or a sep	arate comi	mercial agre	ement.			
	ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital Trunk															
UNE	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 1		1	UEPPP		226.55										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2		2	UEPPP		263.28										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3		3	UEPPP		313.15										
UNE	Loop Rates		L.		1101.45											
	4W DS1 Digital Loop-UNE Zone 1	<u> </u>	1	UEPPP	USL4P	47.54										
	4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 3		2	UEPPP UEPPP	USL4P USL4P	84.27 134.14										
LINE	Port Rate		3	UEPPP	USL4P	134.14						-				
UNE	Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEPPP	UEPPP	179.01	956.47	663.10	-				19.99	19.99		
NONE	RECURRING CHARGES - CURRENTLY COMBINED			OLITI	OLITI	173.01	330.47	000.10					13.33	13.33		
- Itolii	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-				1				+							
	Conversion -Switch-as-is (E:4/1/2004)			UEPPP	USACP	0.00	481.51	481.51								
ADDI	TIONAL NRCs			<u> </u>		0.00										
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Subsqnt Inward/2-Way						İ									
1 1	Tel Nos-(NC Only)			UEPPP	PR7TG		1.17	1.17								
	4W DS1 Loop/4W ISDN Digital Trunk Port-Subsqnt Activity Outward tel							·								
			1	UEPPP	PR7TP		28.17	28.17								
	nos. (NC only)		-					56.33	i l							
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqnt Inward Tel Nos			UEPPP	PR7ZT		56.33	30.33								
LOCA	4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqnt Inward Tel Nos			UEPPP		4 75	56.33	30.33								
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqnt Inward Tel Nos AL NUMBER PORTABILITY Local No Portability (1 per port)				PR7ZT LNPCN	1.75	56.33	30.33								
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqnt Inward Tel Nos L NUMBER PORTABILITY Local No Portability (1 per port) RFACE (Provsioning Only)			UEPPP	LNPCN											
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqnt Inward Tel Nos L NUMBER PORTABILITY Local No Portability (1 per port) RFACE (Provsioning Only) Voice/Data			UEPPP UEPPP UEPPP	LNPCN PR71V	0.00	0.00	0.00								
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqnt Inward Tel Nos AL NUMBER PORTABILITY [Local No Portability (1 per port) RFACE (Provsioning Only) [Voice/Data Digital Data			UEPPP UEPPP UEPPP UEPPP	LNPCN PR71V PR71D		0.00	0.00								
INTE	4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqnt Inward Tel Nos L NUMBER PORTABILITY Local No Portability (1 per port) RFACE (Provsioning Only) Voice/Data			UEPPP UEPPP UEPPP	LNPCN PR71V	0.00 0.00	0.00	0.00								
INTE	4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqnt Inward Tel Nos L NUMBER PORTABILITY Local No Portability (1 per port) RFACE (Provsioning Only) Voice/Data Digital Data Inward Data			UEPPP UEPPP UEPPP UEPPP	LNPCN PR71V PR71D	0.00 0.00	0.00	0.00					19.99	19.99		
INTE	4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqnt Inward Tel Nos L NUMBER PORTABILITY Local No Portability (1 per port) RFACE (Provsioning Only) Voice/Data Digital Data Inward Data or Additional "B" Channel New or Add'l-Voice/Data B Channel New or Add'l-Voice/Data B Channel			UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP	PR71V PR71D PR71E PR7BV PR7BF	0.00 0.00 0.00	0.00 0.00 0.00	0.00					19.99	19.99		
INTEI	4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqnt Inward Tel Nos L NUMBER PORTABILITY Local No Portability (1 per port) RFACE (Provsioning Only) Voice/Data Digital Data Inward Data or Additional "B" Channel New or Add'l-Voice/Data B Channel New or Add'l-Digital Data B Channel New or Add'l Inward Data B Channel New or Add'l Inward Data B Channel			UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP	PR71V PR71D PR71E PR7BV	0.00 0.00 0.00	0.00 0.00 0.00 36.92	0.00								
INTEI	4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqnt Inward Tel Nos L NUMBER PORTABILITY Local No Portability (1 per port) RFACE (Provsioning Only) Voice/Data Digital Data Inward Data or Additional "B" Channel New or Add'l-Voice/Data B Channel New or Add'l-Digital Data B Channel New or Add'l Inward Data B Channel New or Add'l Inward Data B Channel TYPES			UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP	PR71V PR71D PR71E PR7BV PR7BF PR7BD	0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 36.92 36.92 36.92	0.00 0.00 0.00					19.99	19.99		
INTEI	4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqnt Inward Tel Nos L NUMBER PORTABILITY Local No Portability (1 per port) RFACE (Provsioning Only) Voice/Data Digital Data Inward Data Inward Data New or Add'I-Voice/Data B Channel New or Add'I-Digital Data B Channel New or Add'I Inward Data B Channel New or Add'I Inward Data B Channel TYPES Inward			UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP	PR71V PR71D PR71E PR78V PR7BD PR7C1	0.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 36.92 36.92 36.92	0.00 0.00 0.00					19.99	19.99		
INTEI	4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqnt Inward Tel Nos L NUMBER PORTABILITY Local No Portability (1 per port) RFACE (Provsioning Only) Voice/Data Digital Data Inward Data or Additional "B" Channel New or Add'l-Voice/Data B Channel New or Add'l-Digital Data B Channel New or Add'l Inward Data B Channel New or Add'l Inward Data B Channel TYPES			UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP	PR71V PR71D PR71E PR7BV PR7BF PR7BD	0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 36.92 36.92 36.92	0.00 0.00 0.00					19.99	19.99		

RON	IDL	ED NETWORK ELEMENTS - North Carolina													ment: 2		ibit: A
EGO	DRY	RATE ELEMENTS	Interi m	Zon e	BCS	USOC			ATES (\$)			Svc Order Submitte d Elec per LSR	Submitte d Manually	Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic- Add! Rates (\$)	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge Manual Svc Orde
							Rec		curring		sconnect						
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Inte		fice Channel Mileage															
		Fixed Each Including First mi			UEPPP	1LN1A	71.8653	217.17	163.75	0.00				19.99	19.99		
		Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.5753										
		DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
		IE-P DS1 combination rates below for in this exhibit apply to the en											mercial agr	eement.			
		sts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective	date o	of this	amendment shall b	e provided pu	irsuant to a sep	arate agreen	nent or tariff at	BellSout	h's discr	etion.					<u> </u>
UN		ort/Loop Combination Rates		L	LIEBBO		171.00										<u> </u>
_	- 4	W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1		1	UEPDC		171.06										<u> </u>
_		4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2		2	UEPDC		207.79										<u> </u>
		4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 3		3	UEPDC	+	257.66				<u> </u>					-	
UN		pop Rates		\vdash	LIEBBO	110: 50					<u> </u>					-	
		W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	47.54							-	-	-	
		W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	84.27							-	-	-	
		4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	134.14				<u> </u>					-	
UN		ort Rate		 	UEPDC	UDD1T	123.52	831.43	491.39		-			19.99	19.99	1	╀
		4W DDITS Digital Trunk Port (E:4/1/2004) ECURRING CHARGES - CURRENTLY COMBINED		1	UEPDC	UDD11	123.52	831.43	491.39					19.99	19.99		
NO																	+
		4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is (E:4/1/2004)			UEPDC	USAC4		490.38	490.38								
		4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion															
		with DS1 Changes (E:4/1/2004) 4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion			UEPDC	USAWA		490.38	490.38								
		with Change-Trunk (E:4/1/2004)			UEPDC	USAWB		490.38	490.38								
AD	DDIT	ONAL NRCs															
	4	W DS1 Loop/4W DDITS Trunk Port-Subsqnt Service Activity Per															
		Service Order			UEPDC	USAS4		127.63	127.63								
		4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel															
		Activation/Chan-2-Way Trunk			UEPDC	UDTTA		28.81	28.81								
		4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-I-Way Outward Trunk			UEPDC	UDTTB		28.81	28.81								
	4	W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan															
-		nward Trunk w/out DID 4W DS1 Loop/4W DDITS Trunk Port-Subsgnt Chan Activation Per Chan			UEPDC	UDTTC		28.81	28.81					19.99	19.99		-
		nward Trunk with DID			UEPDC	UDTTD		28.81	28.81					19.99	19.99		
+		4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-			ULFDC	ODITO		20.01	20.01				-	19.99	19.99	-	+
		Way DID w User Trans			UEPDC	UDTTE		28.81	28.81								
BIE		AR 8 ZERO SUBSTITUTION			02. 20	052		20.01	20.01								
T		38ZS -Superframe Format			UEPDC	CCOSF		0.00i	615.00s								†
1		38ZS-Extended Superframe Format			UEPDC	CCOEF		0.00i	615.00s								†
Alt		ate Mark Inversion															1
		AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	/	AMI-Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								1
Tel	leph	one Number/Trunk Group Establisment Charges															1
	Ė	Tel No for 2-Way Trunk Group			UEPDC	UDTGX	0.00							19.99	19.99		1
1		Tel No for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00							19.99	19.99		
		Tel No for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00							19.99	19.99		
	[DID Nos, Establish Trunk Group and Provide First Group of 20 DID Nos			UEPDC	NDZ	0.00	0.00	0.00								
		DID Nos for each Group of 20 DID Nos			UEPDC	ND4	0.00										
		DID Nos, Non-consecutive DID Nos , Per No			UEPDC	ND5	0.00										
		Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
		Reserve DID Nos			UEPDC	NDV	0.00	0.00	0.00								
Dec		ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digit	al Loc	p with													
		nteroffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	71.29	217.17	163.75	0.00	0.00			19.99	19.99		1
		nteroffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.5753	0.00	0.00								1
		nteroffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO2	0.00	0.00	0.00							1	<u> </u>
		nteroffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.5753	0.00	0.00								4
		nteroffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00	0.00				1	1	1	<u> </u>
		nteroffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOC	0.5753	0.00	0.00								
		Local No Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00	1	1	1	1	1	1	

	ED NETWORK ELEMENTS - North Carolina		,	1										ment: 2	Exhil	
CATEGORY	RATE ELEMENTS	Interi m	Zon	BCS	USOC		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Submitte d Manually	Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Increment I Charge Manual Svc Orde vs. Electronic
						Rec		curring	NRC Dis					Rates (\$)		
	007		<u> </u>	LIEBBO	070		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4 WID	CO Termininating Point E DS1 LOOP WITH CHANNELIZATION WITH PORT		1	UEPDC	CTG	0.00										
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activation	ne	1													
	System can have up to 24 combinations of rates depending on type		umbe	r of ports used												
	NE-P DS1 combination rates below for 4-Wire DS1 Loop with Chann				apply to the	embedded bas	se in place as	of 10/2/03 unt	il 4/1/04.	After 4/1/	04 these ra	ates shall re	evert to tariff	rates or a s	eparate agree	ement.
	sts for 4-Wire DS1 Loop with Channelization with Port after the effe	ctive d	late c	of this amendment sha	all be provide	ed pursuant to	a separate ag	reement or tar	iff at BellS	South's	discretion.					
UNE D	S1 Loop															
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	47.54	0.00	0.00								
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	84.27	0.00	0.00								
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	134.14	0.00	0.00								
UNE	SO Channelization Capacities (D4 Channel Bank Configurations) 24 DSO Channel Capacity-1 per DS1		1	UEPMG	VUM24	123.06	0.00	0.00					19.99	19.99		
	48 DSO Channel Capacity-1 per DS1 48 DSO Channel Capacity-1 per 2 DS1s	 	+	UEPMG	VUM48	246.12	0.00	0.00			1		19.99	19.99		
	96 DSO Channel Capacity -1per 4 DS1s		1	UEPMG	VUM96	492.24	0.00	0.00					19.99	19.99		
	144 DS0 Channel Capacity-1 per 6 DS1s		1	UEPMG	VUM14	738.36	0.00	0.00					19.99	19.99		
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	984.48	0.00	0.00					19.99	19.99		
	240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM2O	1,230.60	0.00	0.00					19.99	19.99		
	288 DS0 Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	1,476.72	0.00	0.00					19.99	19.99		
	384 DS0 Channel Capacity-1 per 16 DS1s			UEPMG	VUM38	1,968.96	0.00	0.00					19.99	19.99		
	480 DS0 Channel Capacity-1 per 20 DS1s		1	UEPMG	VUM4O	2,461.20	0.00	0.00					19.99	19.99		
	576 DS0 Channel Capacity -1 per 24 DS1s 672 DS0 Channel Capacity-1 per 28 DS1s		1	UEPMG UEPMG	VUM57 VUM67	2,953.44 3,445.68	0.00	0.00					19.99 19.99	19.99 19.99		
Non-F	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with Cha	nnelizt	tion \					0.00					19.99	19.99		
	mum System configuration is One (1) DS1, One (1) D4 Channel Ban						Ì									
lMultir	les of this configuration functioning as one are considered Add'l af	ter the	: mini	mum system confiqu	ration is cou	nted.										
Multip	les of this configuration functioning as one are considered Add'l af NRC-Conversion (Currently Combined) with or w/o BST Allowed	ter the	mini	UEPMG	USAC4	0.00	330.61	16.64					19.99	19.99		
Syste	NRC-Conversion (Currently Combined) with or w/o BST Allowed n Additions at End User Locations Where 4-Wire DS1 Loop with Cha	anneliz	zatio	UEPMG n with Port Combinati	USAC4	0.00	330.61	16.64					19.99	19.99		
Syste	NRC-Conversion (Currently Combined) with or w/o BST Allowed in Additions at End User Locations Where 4-Wire DS1 Loop with Characteristics (Company In all states, except in Density Zone 1 of To	anneliz	zatio	UEPMG n with Port Combinati	USAC4	0.00	330.61	16.64					19.99	19.99		
Syste	NRC-Conversion (Currently Combined) with or w/o BST Allowed in Additions at End User Locations Where 4-Wire DS1 Loop with Cha Not Currently Combined) in all states, except in Density Zone 1 of To 1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea	anneliz	zatio	UEPMG n with Port Combinati	USAC4 on Currently	Exists and			140.00							
System New (NRC-Conversion (Currently Combined) with or w/o BST Allowed in Additions at End User Locations Where 4-Wire DS1 Loop with Cha- bot Currently Combined) in all states, except in Density Zone 1 of To 1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004)	anneliz	zatio	UEPMG n with Port Combinati	USAC4	0.00	330.61 743.74	16.64 326.22	149.02	17.68			19.99	19.99		
System New (NRC-Conversion (Currently Combined) with or w/o BST Allowed in Additions at End User Locations Where 4-Wire DS1 Loop with Chavior Currently Combined) in all states, except in Density Zone 1 of To 1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) in 8 Zero Substitution	anneliz	zatio	UEPMG n with Port Combinati	USAC4 on Currently VUMD4	0.00 Exists and	743.74	326.22	149.02	17.68						
System New (NRC-Conversion (Currently Combined) with or w/o BST Allowed Indultions at End User Locations Where 4-Wire DS1 Loop with Chick Office Court	anneliz	zatio	UEPMG n with Port Combinati	USAC4 on Currently	0.00 Exists and			149.02	17.68						
System New (NRC-Conversion (Currently Combined) with or w/o BST Allowed in Additions at End User Locations Where 4-Wire DS1 Loop with Cha- Not Currently Combined) in all states, except in Density Zone 1 of To 1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) in	anneliz	zatio	UEPMG UEPMG UEPMG UEPMG	USAC4 on Currently VUMD4 CCOSF	0.00 Exists and 0.00	743.74 0.00i	326.22 615.00s	149.02	17.68						
Syste New (NRC-Conversion (Currently Combined) with or w/o BST Allowed n Additions at End User Locations Where 4-Wire DS1 Loop with Cha- Not Currently Combined) in all states, except in Density Zone 1 of To 1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) r 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only	anneliz	zatio	UEPMG n with Port Combinati	USAC4 on Currently VUMD4	0.00 Exists and 0.00	743.74	326.22	149.02	17.68						
Syste New (NRC-Conversion (Currently Combined) with or w/o BST Allowed in Additions at End User Locations Where 4-Wire DS1 Loop with Cha- Not Currently Combined) in all states, except in Density Zone 1 of To 1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) in	anneliz	zatio	UEPMG UEPMG UEPMG UEPMG	VUMD4 CCOSF CCOEF	0.00 Exists and 0.00	743.74 0.00i	326.22 615.00s	149.02	17.68						
System New (I	NRC-Conversion (Currently Combined) with or w/o BST Allowed n Additions at End User Locations Where 4-Wire DS1 Loop with Chr. Not Currently Combined) in all states, except in Density Zone 1 of To 1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) r 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format	anneliz pp 8 M	zation SA's	UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG	VUMD4 CCOSF CCOEF	0.00 Exists and 0.00 0.00	743.74 0.00i 0.00i	326.22 615.00s 615.00s	149.02	17.68						
System New (I	NRC-Conversion (Currently Combined) with or w/o BST Allowed n Additions at End User Locations Where 4-Wire DS1 Loop with Cha- Not Currently Combined) in all states, except in Density Zone 1 of To 1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) r 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelization with	anneliz pp 8 M	zation SA's	UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG	VUMD4 CCOSF CCOEF	0.00 Exists and 0.00 0.00 0.00 0.00	743.74 0.00i 0.00i	326.22 615.00s 615.00s	149.02	17.68						
System New (I	NRC-Conversion (Currently Combined) with or w/o BST Allowed In Additions at End User Locations Where 4-Wire DS1 Loop with Chis Not Currently Combined) in all states, except in Density Zone 1 of Tc 1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) in 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only atte Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format	anneliz pp 8 M	zation SA's	UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG	VUMD4 CCOSF CCOEF MCOSF MCOPO	0.00 Exists and 0.00 0.00 0.00 0.00 0.00	743.74 0.00i 0.00i 0.00 0.00	326.22 615.00s 615.00s 0.00 0.00					19.99	19.99		
System New (I	NRC-Conversion (Currently Combined) with or w/o BST Allowed in Additions at End User Locations Where 4-Wire DS1 Loop with Cha- bot Currently Combined) in all states, except in Density Zone 1 of To 1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) in a Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format inge Ports Associated with 4-Wire DS1 Loop with Channelization withinge Ports Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004)	anneliz pp 8 M	zation SA's	UEPMG	VUMD4 CCOSF MCOSF MCOPO UEPCX	0.00 Exists and 0.00 0.00 0.00 0.00 2.228	743.74 0.00i 0.00i 0.00 0.00	326.22 615.00s 615.00s 0.00 0.00	0.00	0.00			19.99	19.99		
System New (I	NRC-Conversion (Currently Combined) with or w/o BST Allowed n Additions at End User Locations Where 4-Wire DS1 Loop with Cha- Not Currently Combined) in all states, except in Density Zone 1 of To 1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) r 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Inge Ports Associated with 4-Wire DS1 Loop with Channelization with nge Ports Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004)	anneliz pp 8 M	zation SA's	UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMC UEPMC UEPMC UEPMC UEPMC	VUMD4 CCOSF MCOSF MCOPO UEPCX UEPOX	0.00 Exists and 0.00 0.00 0.00 0.00 0.00 2.228 2.28	743.74 0.00i 0.00i 0.00 0.00 0.00	326.22 615.00s 615.00s 0.00 0.00	0.00	0.00			19.99 40.18 40.18	19.99 9.45 9.45		
System New (I	NRC-Conversion (Currently Combined) with or w/o BST Allowed hold diditions at End User Locations Where 4-Wire DS1 Loop with Chivot Currently Combined) in all states, except in Density Zone 1 of Tc 1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) re 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only attem Mark Inversion (AMI) Superframe Format Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelization with nge Ports Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port w/o DID	anneliz pp 8 M	zation SA's	UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX	USAC4 on Currently VUMD4 CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEP1X	0.00 Exists and 0.00 0.00 0.00 0.00 2.28 2.28 2.28	743.74 0.00i 0.00i 0.00 0.00 0.00 0.00 0.00	326.22 615.00s 615.00s 0.00 0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00			19.99 40.18 40.18 40.18	19.99 9.45 9.45 9.45		
Syste New (Bipola Altern Excha	NRC-Conversion (Currently Combined) with or w/o BST Allowed In Additions at End User Locations Where 4-Wire DS1 Loop with Child Not Currently Combined) in all states, except in Density Zone 1 of TC 1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) in all states, except in Density Zone 1 of TC 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only atte Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Inge Ports Associated with 4-Wire DS1 Loop with Channelization with Inge Ports Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port-bus (Din Cit/1/2004) Utine Side Inward Only Channelized PBX Trunk Port wo DID 2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004)	anneliz pp 8 M	zation SA's	UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMC UEPMC UEPMC UEPMC UEPMC	VUMD4 CCOSF MCOSF MCOPO UEPCX UEPOX	0.00 Exists and 0.00 0.00 0.00 0.00 0.00 2.228 2.28	743.74 0.00i 0.00i 0.00 0.00 0.00	326.22 615.00s 615.00s 0.00 0.00	0.00	0.00			19.99 40.18 40.18	19.99 9.45 9.45		
Syste New (i Bipola Altern Excha	NRC-Conversion (Currently Combined) with or w/o BST Allowed in Additions at End User Locations Where 4-Wire DS1 Loop with Cha- bot Currently Combined) in all states, except in Density Zone 1 of To 1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) in a Recomplete of the Recomplete of To 1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) in a Recomplete of Tolera Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format inge Ports Associated with 4-Wire DS1 Loop with Channelization with inge Ports Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Channelized PBX Trunk Port wo DID 2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004) e Activations - Unbundled Loop Concentration	anneliz pp 8 M	zation SA's	UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMC UEPMC UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	USAC4 on Currently VUMD4 CCOSF MCOSF MCOPO UEPCX UEPOX UEPDM	0.00 Exists and 0.00 0.00 0.00 0.00 2.28 2.28 2.28 13.26	743.74 0.00i 0.00i 0.00 0.00 0.00 0.00 0.00 0.00	326.22 615.00s 615.00s 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00			40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45 9.45		
Syste New (i Bipola Altern Excha	NRC-Conversion (Currently Combined) with or w/o BST Allowed In Additions at End User Locations Where 4-Wire DS1 Loop with Child Not Currently Combined) in all states, except in Density Zone 1 of TC 1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) in all states, except in Density Zone 1 of TC 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only atte Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Inge Ports Associated with 4-Wire DS1 Loop with Channelization with Inge Ports Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port-bus (Din Cit/1/2004) Utine Side Inward Only Channelized PBX Trunk Port wo DID 2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004)	anneliz pp 8 M	zation SA's	UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX	USAC4 on Currently VUMD4 CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEP1X	0.00 Exists and 0.00 0.00 0.00 0.00 2.28 2.28 2.28	743.74 0.00i 0.00i 0.00 0.00 0.00 0.00 0.00	326.22 615.00s 615.00s 0.00 0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00			19.99 40.18 40.18 40.18	19.99 9.45 9.45 9.45		
Systement System	NRC-Conversion (Currently Combined) with or w/o BST Allowed hold to the state of th	anneliz pp 8 M	zation SA's	UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPPMC UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	USAC4 on Currently VUMD4 CCOSF CCOEF MCOSF MCOPO UEPCX UEPDX UEPDM 1PQWM	0.00 Exists and 0.00 0.00 0.00 0.00 0.00 2.28 2.28 2.2	743.74 0.00i 0.00i 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	326.22 615.00s 615.00s 0.00 0.00 0.00 0.00 0.00 13.34	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 4.12			19.99 40.18 40.18 40.18 40.18	19.99 9.45 9.45 9.45 9.45 9.45		
Systement System	NRC-Conversion (Currently Combined) with or w/o BST Allowed Indultions at End User Locations Where 4-Wire DS1 Loop with Chivot Currently Combined) in all states, except in Density Zone 1 of Tc 1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) in all states, except in Density Zone 1 of Tc 1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) Tea Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format Inge Ports Associated with 4-Wire DS1 Loop with Channelization with Inge Ports Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004) e Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank Ione Number/ Group Establishment Charges for DID Service DID Trunk Term (1 per Port)	anneliz pp 8 M	zation SA's	UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	USAC4 on Currently VUMD4 CCOSF CCOEF MCOSF MCOPO UEPCX UEPDX UEPDM 1PQWM 1PQWU NDT	0.00 Exists and 0.00 0.00 0.00 0.00 0.00 2.28 2.28 2.2	743.74 0.00i 0.00i 0.00 0.00 0.00 0.00 0.00 0.00 25.27 77.75	326.22 615.00s 615.00s 0.00 0.00 0.00 0.00 0.00 13.34 18.33	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 4.12			19.99 40.18 40.18 40.18 40.18	19.99 9.45 9.45 9.45 9.45 9.45		
Systement System	NRC-Conversion (Currently Combined) with or w/o BST Allowed In Additions at End User Locations Where 4-Wire DS1 Loop with Chi Not Currently Combined) in all states, except in Density Zone 1 of Tc 1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) re 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelization with nge Ports Associated with 4-Wire DS1 Loop with Channelization with nge Ports Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Outward Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004) e Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Sent Port Mire Trunk Term (1 per Port) Estab Trik Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)	anneliz pp 8 M	zation SA's	UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	USAC4 on Currently VUMD4 CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEPDM 1PQWM 1PQWU NDT NDZ	0.00 Exists and 0.00 0.00 0.00 0.00 2.28 2.28 2.28 13.26 0.65 0.00 0.00 0.00	743.74 0.00i 0.00i 0.00	326.22 615.00s 615.00s 0.00 0.00 0.00 0.00 0.00 13.34 18.33 0.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 4.12			19.99 40.18 40.18 40.18 40.18	19.99 9.45 9.45 9.45 9.45 9.45		
Systement System	NRC-Conversion (Currently Combined) with or w/o BST Allowed in Additions at End User Locations Where 4-Wire DS1 Loop with Chance (Converted to the Converted to	anneliz pp 8 M	zation SA's	UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPPX	USAC4 on Currently VUMD4 CCOSF CCOEF MCOSF MCOPO UEPCX UEPDX UEP1X UEPDM 1PQWM 1PQWU NDT NDZ ND4	0.00 Exists and 0.00 0.00 0.00 0.00 0.00 2.28 2.28 2.2	743.74 0.00i 0.00i 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	326.22 615.00s 615.00s 0.00 0.00 0.00 0.00 13.34 18.33 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 4.12			19.99 40.18 40.18 40.18 40.18	19.99 9.45 9.45 9.45 9.45 9.45		
Systement System	NRC-Conversion (Currently Combined) with or w/o BST Allowed Industrial Currently Combined In all States, except in Density Zone 1 of To 1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) rs 2 Erosubstitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only Superframe Format Extended Superframe Format Rege Ports Associated with 4-Wire DS1 Loop with Channelization with ge Ports Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004) e Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank rone Number/ Group Establishment Charges for DID Service DID Trunk Term (1 per Port) Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) DID Nos-groups of 20-Valid all States Non-Consecutive DID Nos-per No	anneliz pp 8 M	zation SA's	UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPPX	USAC4 on Currently VUMD4 CCOSF CCOEF MCOSF MCOPO UEPCX UEPDX UEPDM 1PQWM 1PQWU NDT NDZ ND4 ND5	0.00 Exists and 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0	743.74 0.00i 0.00i 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	326.22 615.00s 615.00s 0.00 0.00 0.00 0.00 0.00 13.34 18.33 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 4.12			19.99 40.18 40.18 40.18 40.18	19.99 9.45 9.45 9.45 9.45 9.45		
Systement System	NRC-Conversion (Currently Combined) with or w/o BST Allowed Induitions at End User Locations Where 4-Wire DS1 Loop with Chivot Currently Combined) in all states, except in Density Zone 1 of Tc 1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) in all states, except in Density Zone 1 of Tc 1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) in 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format Inge Ports Associated with 4-Wire DS1 Loop with Channelization with Inge Ports Associated with 4-Wire DS1 Loop with Channelization with Inge Ports Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Outward Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004) Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service)	anneliz pp 8 M	zation SA's	UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPPX	USAC4 on Currently VUMD4 CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEPDM 1PQWM 1PQWU NDT NDZ ND4 ND5 ND6	0.00 Exists and 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0	743.74 0.00i 0.00i 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	326.22 615.00s 615.00s 0.00 0.00 0.00 0.00 13.34 18.33 0.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 4.12			19.99 40.18 40.18 40.18 40.18	19.99 9.45 9.45 9.45 9.45 9.45		
Systement System	NRC-Conversion (Currently Combined) with or w/o BST Allowed in Additions at End User Locations Where 4-Wire DS1 Loop with Chro to Currently Combined) in all states, except in Density Zone 1 of Tc 1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) if a Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format mage Ports Associated with 4-Wire DS1 Loop with Channelization with inge Ports Associated with 4-Wire DS1 Loop with Channelization with inge Ports Associated PBX Trunk Port-bus (E:4/1/2004) Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Unloard Only Channelized PBX Trunk Port wo DID 2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004) e Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Foot Port Port Estab Trik Gra and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) DID Trunk Term (1 per Port) Estab Trik Gra and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) DID Nos-groups of 20-Valid all States Non-Consecutive DID Nos-per No Reserve Non-Consecutive DID Nos Reserve Non-Consecutive DID Nos Reserve Non-Consecutive DID Nos Reserve Non-Consecutive DID Nos Reserve Non-Consecutive DID Nos Reserve Non-Consecutive DID Nos Reserve Non-Consecutive DID Nos Reserve Non-Consecutive DID Nos Reserve Non-Consecutive DID Nos Reserve Non-Consecutive DID Nos Reserve Non-Consecutive DID Nos Reserve Non-Consecutive DID	anneliz pp 8 M	zation SA's	UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPPX	USAC4 on Currently VUMD4 CCOSF CCOEF MCOSF MCOPO UEPCX UEPDX UEPDM 1PQWM 1PQWU NDT NDZ ND4 ND5	0.00 Exists and 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0	743.74 0.00i 0.00i 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	326.22 615.00s 615.00s 0.00 0.00 0.00 0.00 0.00 13.34 18.33 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 4.12			19.99 40.18 40.18 40.18 40.18	19.99 9.45 9.45 9.45 9.45 9.45		
System New (Bipola Altern Excha Excha Featu	NRC-Conversion (Currently Combined) with or w/o BST Allowed Industrial Currently Combined In all states, except in Density Zone 1 of To 1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) re 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only Superframe Format Extended Superframe Format Rege Ports Associated with 4-Wire DS1 Loop with Channelization with tige Ports Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004) e Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank rone Number/ Group Establishment Charges for DID Service DID Trunk Term (1 per Port) Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) DID Nos-groups of 20-Valid all States Non-Consecutive DID Nos-per No Reserve Non-Consecutive DID Nos Reserve DID Nos Number Portability	anneliz pp 8 M	zation SA's	UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMS UEPPX	USAC4 on Currently VUMD4 CCOSF CCOEF MCOSF MCOPO UEPCX UEPDX UEPDM 1PQWM 1PQWU NDT NDZ ND4 ND5 ND6 NDV	0.00 Exists and 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0	743.74 0.00i 0.00i 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	326.22 615.00s 615.00s 0.00 0.00 0.00 0.00 0.00 13.34 18.33 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 4.12			19.99 40.18 40.18 40.18 40.18	19.99 9.45 9.45 9.45 9.45 9.45		
System New () Bipola Altern Excha Excha Featu Telepi Local	NRC-Conversion (Currently Combined) with or w/o BST Allowed in Additions at End User Locations Where 4-Wire DS1 Loop with Chro to Currently Combined) in all states, except in Density Zone 1 of Tc 1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) if a Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format mage Ports Associated with 4-Wire DS1 Loop with Channelization with inge Ports Associated with 4-Wire DS1 Loop with Channelization with inge Ports Associated PBX Trunk Port-bus (E:4/1/2004) Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Unloard Only Channelized PBX Trunk Port wo DID 2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004) e Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Foot Port Port Estab Trik Gra and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) DID Trunk Term (1 per Port) Estab Trik Gra and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) DID Nos-groups of 20-Valid all States Non-Consecutive DID Nos-per No Reserve Non-Consecutive DID Nos Reserve Non-Consecutive DID Nos Reserve Non-Consecutive DID Nos Reserve Non-Consecutive DID Nos Reserve Non-Consecutive DID Nos Reserve Non-Consecutive DID Nos Reserve Non-Consecutive DID Nos Reserve Non-Consecutive DID Nos Reserve Non-Consecutive DID Nos Reserve Non-Consecutive DID Nos Reserve Non-Consecutive DID Nos Reserve Non-Consecutive DID	anneliz pp 8 M	zation SA's	UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPPX	USAC4 on Currently VUMD4 CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEPDM 1PQWM 1PQWU NDT NDZ ND4 ND5 ND6	0.00 Exists and 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0	743.74 0.00i 0.00i 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	326.22 615.00s 615.00s 0.00 0.00 0.00 0.00 13.34 18.33 0.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 4.12			19.99 40.18 40.18 40.18 40.18	19.99 9.45 9.45 9.45 9.45 9.45		
System New () Bipola Altern Excha Excha Featur Telep	NRC-Conversion (Currently Combined) with or w/o BST Allowed in Additions at End User Locations Where 4-Wire DS1 Loop with Chance to Converted the Combined of	anneliz pp 8 M	zation SA's	UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMS UEPPX	USAC4 on Currently VUMD4 CCOSF CCOEF MCOSF MCOPO UEPCX UEPDM 1PQWM 1PQWU NDT NDZ ND4 ND5 ND6 NDV LNPCP	0.00 Exists and 0.00 0.00 0.00 0.00 0.00 2.28 2.28 2.2	743.74 0.00i 0.00i 0.00	326.22 615.00s 615.00s 0.00 0.00 0.00 0.00 0.00 13.34 18.33 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 4.12			40.18 40.18 40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45 9.45 9.45		
System New () Bipola Altern Excha Excha Featu Telepi Local FEAT' Local	NRC-Conversion (Currently Combined) with or w/o BST Allowed in Additions at End User Locations Where 4-Wire DS1 Loop with Chr. Vot Currently Combined) in all states, except in Density Zone 1 of Tc 1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) in all states, except in Density Zone 1 of Tc 1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) in 8 Zero Substitution Clear Channel Capability Format, superframe-Subsqnt Activity Only Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only atte Mark Inversion (AMI) Superframe Format Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelization wit nge Ports Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Outward Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port by (E:4/1/2004) e Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Foeture (Service) Activation for each Trunk Port Terminated in D4 Bank Foeture (Service) Activation for each Trunk Port Terminated in D4 Bank Foeture (Service) Activation for each Trunk Port Terminated in D4 Bank Foeture (Service) Activation for each Trunk Port Terminated in D4 Bank Foeture (Service) Activation for each Trunk Port Terminated in D4 Bank Foeture (Service) Activation for each Trunk Port Terminated in D4 Bank Foeture (Service) Activation for each Trunk Port Terminated in D4 Bank Foeture (Service) Activation for each Trunk Port Terminated in D4 Bank Foeture (Service) Activation for each Trunk Port Terminated in D4 Bank Foeture (Service) Activation for each Trunk Port Terminated in D4 Bank Foeture (Service) Activation for each Trunk Port Terminated in D4 Bank Foeture (Service) Activation for each Trunk Port Terminated in D4 Bank Foeture (Service) Activatio	anneliz pp 8 M	zation SA's	UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMS UEPPX	USAC4 on Currently VUMD4 CCOSF CCOEF MCOSF MCOPO UEPCX UEPDX UEPDM 1PQWM 1PQWU NDT NDZ ND4 ND5 ND6 NDV	0.00 Exists and 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0	743.74 0.00i 0.00i 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	326.22 615.00s 615.00s 0.00 0.00 0.00 0.00 0.00 13.34 18.33 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 4.12			19.99 40.18 40.18 40.18 40.18	19.99 9.45 9.45 9.45 9.45 9.45		

BUND	LED NETWORK ELEMENTS - North Carolina			•	_									ment: 2		bit: A
											Svc	Svc Order	Incrementa	Incrementa	Incremental	
											Order	Submitte	I Charge -	I Charge -	Charge -	I Charge
		Interi	700								Submitte	d	Manual	Manual	Manual Svc	Manua
TEGORY	Y RATE ELEMENTS			BCS	USOC		R.A	ATES (\$)			d Elec		Svc Order	Svc Order	Order vs.	Svc Ord
		m	е					.,,			per LSR		vs.	vs.	Electronic-	vs.
											per LSK	per Lor	1			-
													Electronic-	Electronic-	Disc 1st	Electro
							Nonre	curring	NRC Disc	connect		1	088	Rates (\$)	1	Dice A
-			<u> </u>			Rec	First	Add'l				SOMAN	SOMAN		SOMAN	SOMA
1 Co	ost Based Rates are applied where BellSouth is required by FCC and/	or State	o Con	miccian rula ta nra	vide Unbund	lod Local Switch			11130	Auu	JONIEC	JONAN	JOHAN	JONAN	JOHAN	30117
	atures shall apply to the Unbundled Port/Loop Combination - Cost B								d Bort cost	tion of t	hio ovbibi		1	1		
	addres shall apply to the oribunded Fort/Loop Combination - Cost B ad Office and Tandem Switching Usage and Common Transport Usag															
3. EII	e first and additional Port nonrecurring charges apply to Not Current	e rates	hin un	Combos For Cur	s exilibit silai	nad Comboo th	IIIDIIIalions o	na characa ch	ell be thee	eiils ex	tied in the	Ne Com P	na Current	h. Combine	d coations A	ddition
		iy Con	ibilie	a Combos. For Cur	rently Combi	neu Combos, u	ie nomecum	ing charges si	ian be mos	e identi	nea in the	Nomecum	ing - Current	ily Combine	u sections. A	addition
	s may apply also and are categorized accordingly.											1		1	1	
	arket Rates for Unbundled Centrex Port/Loop Combination will be no	gotiate	ed on	an Individual Case	Basis, until fu	irther notice.										
	P CENTREX - 5ESS (Valid in All States)															
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)		<u> </u>													
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95		13.03										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95		21.33										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95		32.61										
UNE	Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		17.25										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP95		28.21										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95		43.09										
UNF	Loop Rate		Ť	02.00		10.00										†
	2W VG Loop (SL 1)-Zone 1		1	UEP95	UECS1	10.75										
	2W VG Loop (SL 1)-Zone 2		2	UEP95	UECS1	19.05										
	2W VG Loop (SL 1)-Zone 2		3	UEP95	UECS1	30.33			+			1	1	1		
				UEP95		14.97			-							
	2W VG Loop (SL 2)-Zone 1		1		UECS2				-		ļ					
	2W VG Loop (SL 2)-Zone 2		2	UEP95	UECS2	25.93										
	2W VG Loop (SL 2)-Zone 3		3	UEP95	UECS2	40.81										
	Port Rate															
All S	tates															
	2W VG Port (Centrex) Basic Local Area			UEP95	UEPYA	2.28	79.59	63.97					40.18	9.45		
	2W VG Port (Centrex 800 Term)			UEP95	UEPYB	2.28	79.59	63.97					40.18			
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	2.28	79.59	63.97					40.18	9.45		
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP95	UEPYM	2.28	164.57	128.16					40.18	9.45		
	2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area			UEP95	UEPYZ	2.28							40.18	9.45		
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP95	UEPY9	2.28	79.59	63.97					40.18	9.45		
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP95	UEPY2	2.28	79.59	63.97					40.18	9.45		
NC O	nlv															
1	2W VG Port (Centrex)		1	UEP95	UEPUA	2.28	79.59	63.97					40.18	9.45	İ	—
1	2W VG Port (Centrex 800 Term)	1		UEP95	UEPUB	2.28	79.59	63.97					40.18	9.45	Ì	
1	2W VG Port (Centrex with Caller ID)1	1	!	UEP95	UEPUH	2.28	79.59	63.97	 			1	40.18	9.45	1	
 	2W VG Port (Centrex with Galler ID)1	1		UEP95	UEPUM	2.28	164.57	128.16	+ +			t	40.18	9.45		
+	2W VG Port, Diff SWC-800 Service Term 2,3		-	UEP95	UEPUZ	2.28	164.57	128.16	+				40.18	9.45	†	
1	2W VG Port terminated in on Megalink or equivalent	1	-	UEP95	UEPU9	2.28	79.59	63.97	 		-	1	40.18	9.45	}	
1	2W VG Port Terminated in on Megalink of equivalent	1	-	UEP95	UEPU2	2.28	79.59	63.97	 		-	1	40.18		}	
1.00-		1	<u> </u>	UEP95	UEPU2	2.28	79.59	63.97	 		 	 	40.18	9.45	 	Н—
Loca	I Switching	1	 	UEP95	LIDECO	0.903		-	 				-	 	 	-
.	Centrex Intercom Funtionality, per port	1	<u> </u>	UEP95	URECS	0.903			\vdash				-	.	1	
Loca	Number Portability	1	<u> </u>	LIEBOE	LNDOG	0.00									1	Ļ—
	Local No Portability (1 per port)	ļ	<u> </u>	UEP95	LNPCC	0.35					ļ	ļ				<u> </u>
Featu			<u> </u>					1					1	ļ		<u> </u>
1	All Standard Features Offered, per port		<u> </u>	UEP95	UEPVF	3.40										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	457.83		<u> </u>							
	All Centrex Control Features Offered, per port			UEP95	UEPVC	3.40										
NARS	S															
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
1	Unbundled Network Access Register-Indial	1		UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
	Unbundled Network Access Register-Outdial		1	UEP95	UAROX	0.00	0.00		0.00	0.00	i	0.00	40.18		ì	

עאטפאנ	LED NETWORK ELEMENTS - North Carolina				1									ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc			TES (\$)			Svc Order Submitte d Elec per LSR	Submitte d Manually	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Electronic-	I Charge -
						Rec	Nonre			connect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ellaneous Terminations	1														
Z-VVII	e Trunk Side Trunk Side Terms, each	-		UEP95	CEND6	12.36										
4-Wir	e Digital (1.544 Megabits)			UEF95	CENDO	12.30									-	+
7 ***	DS1 Circuit Terms, each			UEP95	M1HD1	123.65							40.18	9.45		
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	28.81						40.18	9.45		
Interd	office Channel Mileage - 2-Wire					2.22							.,,,,,			
	Interoffice Channel Facilities Term			UEP95	M1GBC	18.00										
	Interoffice Channel miage, per mi or fraction of mi			UEP95	M1GBM	0.0282										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 CI	nannel Bank Feature Activations															<u> </u>
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.65										ļ
-	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.65			ļ		ļ					ļ
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot	1	<u> </u>	UEP95	1PQW7	0.65		-			<u> </u>					
_	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP95	1PQWP	0.65										
-	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot	-		UEP95 UEP95	1PQWV 1PQWQ	0.65 0.65										
_	Feature Activation on D-4 Channel Bank WATS Loop Slot	-		UEP95	1PQWQ	0.65										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex			OLF 93	IFQWA	0.03										
IIIOII-I	NRC Conversion Currently Combined Switch-As-Is with allowed	1														
	changes, per port			UEP95	USAC2		2.77	0.40					40.18	9.45		
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	695.11	0.10					40.18	9.45		†
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	695.11						40.18	9.45		†
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.73						40.18	9.45		
Addit	ional Non-Recurring Charges (NRC)															
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP95	URETL		8.33	0.83								
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP95	URETN		11.20	1.10								
	P CENTREX - DMS100 (Valid in All States)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	ļ														
UNE	Port/Loop Combination Rates (Non-Design)			LIEDOD		40.00										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	1	1	UEP9D UEP9D		13.03 21.33										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	-	3	UEP9D		32.61									-	
LINE	Port/Loop Combination Rates (Design)	1	3	OLFBD		32.01										
0.12	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D	1	17.25										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		28.21										1
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		43.09										
UNE	Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	10.75										
	2W VG Loop (SL 1)-Zone 2		2	UEP9D	UECS1	19.05										
	2W VG Loop (SL 1)-Zone 3		3	UEP9D	UECS1	30.33										
	2W VG Loop (SL 2)-Zone 1		1	UEP9D	UECS2	14.97										
	2W VG Loop (SL 2)-Zone 2		2	UEP9D	UECS2	25.93										ļ
	2W VG Loop (SL 2)-Zone 3		3	UEP9D	UECS2	40.81										1
	Port Rate															ļ
ALL 3	STATES 2W VG Port (Centrex) Basic Local Area	-		UEP9D	UEPYA	2.28	79.59	63.97					40.18	9.45		
-	2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term)Basic Local Area	1	 	UEP9D UEP9D	UEPYA	2.28	79.59	63.97	1		1	1	40.18	9.45	 	
+	2W VG Port (Centrex/600 Ferri) Basic Local Area			UEP9D	UEPYC	2.28	79.59	63.97	 				40.18	9.45	 	\vdash
-1	2W VG Port (Centrex/EBS-M5009)3Basic Local Area			UEP9D	UEPYD	2.28	79.59	63.97	1		1	1	40.18	9.45	I	
	2W VG Port (Centrex /EBS-M5209)3 Basic Local Area			UEP9D	UEPYE	2.28	79.59	63.97					40.18	9.45	t	
	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	2.28	79.59	63.97					40.18	9.45	1	t
	2W VG Port (Centrex /EBS-M5312)3Basic Local Area			UEP9D	UEPYG	2.28	79.59	63.97					40.18	9.45		1
	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	2.28	79.59	63.97					40.18	9.45		
1	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area			UEP9D	UEPYU	2.28	79.59	63.97					40.18	9.45		
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	2.28	79.59	63.97					40.18	9.45		
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	2.28	79.59	63.97					40.18	9.45		
T	2W VG Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	2.28	79.59	63.97					40.18	9.45		

UNBUNDL	ED NETWORK ELEMENTS - North Carolina													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zon e	BCS	usoc		RA	TES (\$)			Svc Order Submitte d Elec per LSR	Submitte d Manually	I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge Manual Svc Orde vs. Electronic
							Nonrec	urring	NRC Dis	connect			OSS	Rates (\$)	1	Dice Add
						Rec	First	Add'l	First			SOMAN		SOMAN	SOMAN	SOMAN
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4 Basic Local							,,,,,,	101	71441	0020	00				
	Area			UEP9D	UEPYW	2.28	79.59	63.97					40.18	9.45		
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4 Basic Local Area			UEP9D	UEPYJ	2.28	79.59	63.97					40.18	9.45		1
	2W VG Port (Centrex from diff SWC) 2,3-Basic Local Area			UEP9D	UEPYM	2.28	164.57	128.16					40.18	9.45		
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area			UEP9D	UEPYO	2.28	164.57	128.16					40.18	9.45		
	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	2.28	164.57	128.16					40.18	9.45		
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area			UEP9D	UEPYQ	2.28	164.57	128.16					40.18	9.45		
_	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area 2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area			UEP9D UEP9D	UEPYR	2.28 2.28	164.57 164.57	128.16 128.16					40.18 40.18	9.45 9.45		-
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPYS UEPY4	2.28	164.57	128.16					40.18	9.45		
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3,4 Basic Local Area			UEP9D	UEPY5	2.28	164.57	128.16					40.18	9.45		
	2W VG Port (Centrex/differ SWC /EBS-M5206)2, 3 Basic Local Area			UEP9D	UEPY6	2.28	164.57	128.16			<u> </u>	1	40.18	9.45	 	
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	2.28	164.57	128.16					40.18	9.45		
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPYZ	2.28	164.57	128.16					40.18	9.45		†
	2W VG Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	2.28	79.59	63.97					40.18	9.45		1
	2W VG Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	2.28	79.59	63.97					40.18	9.45		
NC Or																
	2W VG Port (Centrex)			UEP9D	UEPUA	2.28	79.59	63.97					40.18	9.45		
	2W VG Port (Centrex 800 Term)			UEP9D	UEPUB	2.28	79.59	63.97					40.18	9.45		
	2W VG Port (Centrex/EBS-PSET)4			UEP9D	UEPUC	2.28	79.59	63.97					40.18	9.45		
	2W VG Port (Centrex /EBS-M5009)4			UEP9D	UEPUD	2.28	79.59	63.97					40.18	9.45		
	2W VG Port (Centrex /EBS-M5209)4			UEP9D	UEPUE	2.28	79.59	63.97					40.18	9.45		
	2W VG Port (Centrex /EBS-M5112)4			UEP9D UEP9D	UEPUF	2.28 2.28	79.59 79.59	63.97 63.97					40.18 40.18	9.45 9.45		
-	2W VG Port (Centrex /EBS-M5312)4 2W VG Port (Centrex /EBS-M5008)4			UEP9D	UEPUT	2.28	79.59	63.97					40.18	9.45		+
	2W VG Port (Centrex/EBS-M5006)4 2W VG Port (Centrex/EBS-M5208)4			UEP9D	UEPUU	2.28	79.59	63.97					40.18	9.45		
	2W VG Port (Centrex/EBS-M5216)4			UEP9D	UEPUV	2.28	79.59	63.97					40.18	9.45		
	2W VG Port (Centrex/EBS-M5316)4			UEP9D	UEPU3	2.28	79.59	63.97					40.18	9.45		
	2W VG Port (Centrex with Caller ID)			UEP9D	UEPUH	2.28	79.59	63.97					40.18	9.45		1
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4			UEP9D	UEPUW	2.28	79.59	63.97					40.18	9.45		
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPUJ	2.28	79.59	63.97					40.18	9.45		
	2W VG Port (Centrex from diff SWC) 2,3			UEP9D	UEPUM	2.28	164.57	128.16					40.18	9.45		
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPUO	2.28	164.57	128.16					40.18	9.45		
	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPUP	2.28	164.57	128.16					40.18	9.45		
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPUQ	2.28	164.57	128.16					40.18	9.45		
	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4		 	UEP9D	UEPUR	2.28	164.57	128.16	1		1		40.18	9.45		₩
-	2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4 2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4		 	UEP9D UEP9D	UEPUS UEPU4	2.28 2.28	164.57 164.57	128.16 128.16	1		1		40.18 40.18	9.45 9.45	 	
-	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4 2W VG Port (Centrex/differ SWC /EBS-M5208)2,3,4		-	UEP9D UEP9D	UEPU4 UEPU5	2.28	164.57	128.16			-		40.18	9.45		
-	2W VG Port (Centrex/differ SWC /EBS-M5206)2,3,4		 	UEP9D	UEPU6	2.28	164.57	128.16			-		40.18	9.45		\vdash
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPU7	2.28	164.57	128.16			<u> </u>	1	40.18	9.45	 	
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPUZ	2.28	164.57	128.16					40.18	9.45		†
	2W VG Port terminated in on Megalink or equivalent			UEP9D	UEPU9	2.28	79.59	63.97					40.18	9.45		†
	2W VG Port Terminated on 800 Service Term			UEP9D	UEPU2	2.28	79.59	63.97					40.18	9.45		
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.903										
Local	Number Portability															
	Local No Portability (1 per port)		<u> </u>	UEP9D	LNPCC	0.35										1
Featu			 	LIEBAR	11557.55											
	All Standard Features Offered, per port		<u> </u>	UEP9D	UEPVF	3.40	457.00						40.40	0.45	 	
-	All Select Features Offered, per port All Centrex Control Features Offered, per port		-	UEP9D UEP9D	UEPVS UEPVC	0.00 3.40	457.83						40.18	9.45		├
NARS	An Centrex Control Features Offered, per port	-	<u> </u>	UEP9D	UEPVC	3.40						 			-	+
NAKS	Unbundled Network Access Register-Combination		-	UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00	-	0.00	40.18	9.45		
	Unbundled Network Access Register-Combination Unbundled Network Access Register-Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45	1	
	Unbundled Network Access Register-Inward Unbundled Network Access Register-Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
Misce	Ianeous Terminations			321 30	5,4(5)	0.00	0.00	0.00	5.00	5.00	1	0.00	70.10	9.70		t -
	Trunk Side		<u> </u>		1								 	l	 	
	Trunk Side Terms, each			UEP9D	CEND6	12.36							i e	i e	i e	

UNBUNDLE	NETWORK ELEMENTS - North Carolina											Attach	ment: 2	Exhib	bit: A
										Svc			Incrementa	Incremental	Incrementa
										Order	Submitte	I Charge -	I Charge -	Charge -	I Charge -
		Interi	Zon							Submitte	d	Manual	Manual	Manual Svc	Manual
CATEGORY	RATE ELEMENTS	m	_e	BCS	USOC		RA	TES (\$)		d Elec	Manually	Svc Order	Svc Order	Order vs.	Svc Order
			-							per LSR	per LSR	vs.	vs.	Electronic-	vs.
													Electronic-	Disc 1st	Electronic-
												1c+	٨٨٨١		Disc Add'l
						Rec	Nonrec		NRC Disconnec				Rates (\$)		
							First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	igital (1.544 Megabits)												ļ		
	31 Circuit Terms, each			UEP9D	M1HD1	123.65						40.18			
	0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.81					40.18	9.45		
	e Channel Mileage - 2-Wire														
	eroffice Channel Facilities Term			UEP9D	M1GBC	18.00									
	eroffice Channel miage, per mi or fraction of mi			UEP9D	M1GBM	0.0282									
	Activations (DS0) Centrex Loops on Channelized DS1 Service														
	nel Bank Feature Activations														
Fea	ature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.65									
	ature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.65									
	ature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.65									
	ature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP9D	1PQWP	0.65									
Fe	ature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.65									ĺ
Fe	ature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.65									Ī
Fea	ature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.65									ĺ
Non-Reci	urring Charges (NRC) Associated with UNE-P Centrex														ĺ
NR	RC Conversion Currently Combined Switch-As-Is with allowed														ĺ
cha	anges, per port			UEP9D	USAC2		2.77	0.40				40.18	9.45		
Ne	w Centrex Standard Common Block			UEP9D	M1ACS	0.00	695.11					40.18	9.45	1	
Ne	w Centrex Customized Common Block			UEP9D	M1ACC	0.00	695.11					40.18	9.45	1	
NA	R Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.73					40.18	9.45	1	
Addition	al Non-Recurring Charges (NRC)														ĺ
	bundled Misc Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83							
Un	bundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN	İ	11.20	1.10							ĺ
	Required Port for Centrex Control in 1AESS, 5ESS & EWSD					İ									
Note 2 -	Requres Interoffice Channel Mileage					İ									
Note 3 - I	nstallation is combination of Installation charge for SL2 Loop an	d Port													
Note 4 - F	Requires Specific Customer Premises Equipment														
Note: Ra	tes displaying an "R" in Interim column are interim and subject to	o rate t	true-u	p as set forth in Ge	neral Terms a	nd Conditions.					ĺ				1

INDUI	NUL	ED NETWORK ELEMENTS - South Carolina	1		ı	1	1					•	0		ment: 2		bit: A
			1	1			ĺ					Svc	Svc Order				
												Order	Submitte		I Charge -	Charge -	I Charge
	.nv	DATE ELEMENTO	Inter	Zon	DOC	11000			DATES (6)			Submitte	1	Manual	Manual	Manual Svc	
ATEG	JKY	RATE ELEMENTS	im	е	BCS	USOC		,	RATES (\$)			d Elec	Manually	Svc Order	Svc Order	Order vs.	Svc Ord
												per LSR	per LSR	vs.	vs.	Electronic-	vs.
														Electronic-	Electronic-	Disc 1st	Electron
	+							Nonro	curring	NRC Disc	onnoct			104	Rates (\$)		Dicc Ac
							Rec	First	Add'l	First	Add'l	COMEC	COMAN	SOMAN		SOMAN	SOMA
				-				FIISL	Add I	FIISL	Add I	SOWIEC	SOWAN	SUMAN	SOWAN	SOMAN	SOWA
	he "7	one" shown in the sections for stand-alone loops or loops as p	art o	f a co	mhination refers to (] Geographica	IIv Deaveraged I	INF Zones T	o view Geogr	anhically De	averaged I	NF Zone Γ	esignation	s by Central	Office refer	to internet V	Vehsite:
		ww.interconnection.bellsouth.com/become a clec/html/interc				ocograpino	my Deaveragea (DIAL LONCO. 1	o view ocogi	apinouny De	averagea e	IVE LONG E	coignation	o by ochara	Omoc, reici	to interriet v	TODOILO.
PFRAT	TIONA	J. SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"										1					
N	OTE:	(1) CLEC should contact its contract negotiator if it prefers the	stat	te spe	cific" USS charges a	s oraerea p	tne State Comr	nissions. Inc	USS charges	currently c	ontained in	tnis exnib	it are the E	elisoutn "re	gionai" serv	ice oraering	cnarges
С	LEC i	nay elect either the state specific Commission ordered rates fo	r the	servic	e ordering charges,	or CLEC ma	y elect the regio	nal service or	dering charge	, however,	CLEC can n	ot obtain a	mixture of	the two reg	ardless if Cl	EC has a	
in	terco	nnection contract established in each of the 9 states.															
N	OTE:	(2) Any element that can be ordered electronically will be bille	d acc	ordin	g to the SOMEC rate	listed in thi	s category. Plea	se refer to Be	IISouth's Loc	al Ordering	Handbook (LOH) to de	etermine if	a product ca	n be ordere	d electronical	lly. For
th	ose e	elements that cannot be ordered electronically at present per th	e LO	H, the	listed SOMEC rate in	n this catego	ory reflects the c	harge that wo	uld be billed	to a CLEC o	nce electro	nic orderin	g capabilit	ies come on	-line for that	element. Ot	herwise
th	e ma	nual ordering charge, SOMAN, will be applied to a CLECs bill v	when	it sub	mits an LSR to BellS	South.											
		OSS-Electronic Service Order Charge, Per LSR-UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS-Manual Service Order Charge, Per LSR-UNE Only	L			SOMAN		15.69	0.00	1.97	0.00						
	RVIC	DATE ADVANCEMENT CHARGE															
N	OTE:	The Expedite charge will be maintained commensurate with B	ellSo	uth's	FCC No.1 Tariff, Sec	tion 5 as ap	olicable.										
		<u> </u>															
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		JNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
		Day			U1TUB, U1TUA	SDASP		200.00									
		EXCHANGE ACCESS LOOP	<u> </u>	1			ļ			<u> </u>		ļ	ļ	1			<u> </u>
2.		ANALOG VOICE GRADE LOOP	<u> </u>	1				ļ				ļ					
		2W Analog VG Loop-SL1-Zone 1	<u> </u>	1	UEANL	UEAL2	14.94	37.92	17.62	23.56	5.32	ļ					
		2W Analog VG Loop-SL1-Zone 2	<u> </u>	2	UEANL	UEAL2	21.39	37.92	17.62	23.56	5.32						
		2W Analog VG Loop-SL1-Zone 3	<u> </u>	3	UEANL	UEAL2	26.72		17.62	23.56	5.32						
		2W Analog VG Loop-SL1-Zone 1	<u> </u>	1	UEANL	UEASL	14.94	37.92	17.62	23.56	5.32						
		2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEASL	21.39		17.62	23.56	5.32						
		2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEASL	26.72		17.62	23.56	5.32						
$\bot I$		Unbundled Misc Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83								
		Loop Testing-Basic 1st Half Hour			UEANL	URET1		34.23	34.23								
		Loop Testing-Basic Add'l Half Hour			UEANL	URETA		19.90	19.90								
\dashv	Į.																
#		CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-			UEANL	UREWO		15.81	8.96								
#	(UEANL	UREWO		15.81	8.96								
+		CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-			UEANL UEANL	UREWO		15.81	8.96 13.47								

JNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Inter im	Zon	BCS	USOC		R	ATES (\$)			Svc Order Submitte d Elec	Svc Order Submitte d Manually	Incrementa I Charge - Manual		Incremental Charge - Manual Svc Order vs.	Increment I Charge
											per LSR	per LSR	vs. Electronic-	vs. Electronic-	Electronic- Disc 1st	vs. Electronic
						Rec	Nonrec		NRC Disc					Rates (\$)		
	Order Consideration for Consideral Convention Time for LIVII CLA (non						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		18.13	18.13								
2-WIR	E Unbundled COPPER LOOP			OLANE	OCCOL		10.13	10.13								
	2W Unbundled Copper Loop-Non-Designed Zone 1	ı	1	UEQ	UEQ2X	12.94	36.40	16.10	22.66	4.42						
	2W Unbundled Copper Loop-Non-Designed-Zone 2	-	2	UEQ	UEQ2X	14.51	36.40	16.10	22.66	4.42						
	2W Unbundled Copper Loop-Non-Designed-Zone 3	I	3	UEQ	UEQ2X	15.02	36.40	16.10	22.66	4.42						
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83								
	Manual Order Coordination 2W Unbundled Copper Loop-Non- Designed (per loop)			UEQ	USBMC		8.17	8.17								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST			LIEO	UEQMU		12.47	12.47								
	providing make-up (Engineering Information-E.I.) Loop Testing-Basic 1st Half Hour	-	1-	UEQ UEQ	URET1		13.47 34.23	13.47 34.23			1	1				1
	Loop Testing-Basic 1st Half Hour		1	UEQ	URETA		19.90	19.90								
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-		1	UEQ	UREWO		14.30	7.45								
BUNDLED	EXCHANGE ACCESS LOOP															
	E ANALOG VOICE GRADE LOOP															
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	14.94	37.92	17.62	23.56	5.32						
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEABS	14.94	37.92	17.62	23.56	5.32						
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	21.39	37.92	17.62	23.56	5.32						
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS	21.39	37.92	17.62	23.56	5.32						
	2W Analog VG Loop-SL1-Line Splitting-Zone 3 2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB UEPSR UEPSB	UEALS UEABS	26.72 26.72	37.92 37.92	17.62 17.62	23.56 23.56	5.32 5.32						
NDI NDI EF	EXCHANGE ACCESS LOOP		3	UEPSR UEPSB	UEABS	20.72	37.92	17.02	23.56	5.32						
	E ANALOG VOICE GRADE LOOP															
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		1	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61						
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2		2	UEA	UEAL2	23.13	105.98	68.43	53.05	10.61						
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA	UEAL2	28.46	105.98	68.43	53.05	10.61						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 1		1	UEA	UEAR2	16.68	105.98	68.43	53.05	10.61						
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 2		2	UEA	UEAR2	23.13	105.98	68.43	53.05	10.61						
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 3		3	UEA	UEAR2	28.46	105.98	68.43	53.05	10.61						
	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge w/o outside dispatch		1	UEA UEA	OCOSL UREWO		18.13 87.90	36.44								
	Loop Tagging-SL2 (SL2)			UEA	URETL		11.24	1.10								
4-WIR	E ANALOG VOICE GRADE LOOP			OLA	OKETE		11.24	1.10								
	4W Analog VG Loop-Zone 1		1	UEA	UEAL4	32.59	132.38	94.83	59.35	14.61						
	4W Analog VG Loop-Zone 2		2	UEA	UEAL4	43.89	132.38	94.83	59.35	14.61						
	4W Analog VG Loop-Zone 3		3	UEA	UEAL4	43.38	132.38	94.83	59.35	14.61						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.90	36.44								
2-WIR	E ISDN DIGITAL GRADE LOOP		.		1141.614	0.5.04										
	2W ISDN Digital Grade Loop-Zone 1 2W ISDN Digital Grade Loop-Zone 2		1	UDN UDN	U1L2X U1L2X	25.21 32.76	117.58 117.58	80.03 80.03	53.05	10.61 10.61	ļ					
	2W ISDN Digital Grade Loop-Zone 2 2W ISDN Digital Grade Loop-Zone 3		3	UDN	U1L2X	37.70	117.58	80.03	53.05 53.05	10.61						
	Order Coordination For Specified Conversion Time (per LSR)		,	UDN	OCOSL	37.70	18.13	00.03	33.03	10.01						
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO		91.82	44.25								
2-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA	TIBL	E LO		0.12110		01.02	11.20								
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 1		1	UAL	UAL2X	12.19	120.84	70.56	50.37	7.93						
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 2		2	UAL	UAL2X	13.71	120.84	70.56	50.37	7.93						
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 3		3	UAL	UAL2X	14.14	120.84	70.56	50.37	7.93						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.13									
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton- Zone 1		1	UAL	UAL2W	12.19	95.81	57.82	50.37	7.93						
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton- Zone 2		2	UAL	UAL2W	13.71	95.81	57.82	50.37	7.93						

NRONDE	ED NETWORK ELEMENTS - South Carolina													ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc		R	ATES (\$)			Svc Order Submitte d Elec per LSR	Submitte d Manually	Manual Svc Order vs.	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge Manual Svc Orde
			-		-		Nonrec	curring	NRC Disc	onnect			1ct	Rates (\$)		Dicc Add
			1			Rec	First	Add'l	First	Add'l	COMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-	-			+		FIISL	Add I	FIISL	Add I	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
	Zone 3		3	UAL	UAL2W	14.14	95.81	57.82	50.37	7.93						
	Order Coordination for Specified Conversion Time (per LSR)		ľ	UAL	OCOSL	14.14	18.13	07.02	00.01	7.00						+
	CLEC to CLEC Conversion Charge w/o outside dispatch			UAL	UREWO		86.38	40.48								
2-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	IBI F	LOOP	•												1
	2W Unbundled HDSL Loop including manl svc ing & facility	<u> </u>														†
	reservation-Zone 1		1	UHL	UHL2X	9.58	129.52	79.24	50.37	7.93						
	2W Unbundled HDSL Loop including manl svc ing & facility		Ė				1_0.0_									†
	reservation-Zone 2		2	UHL	UHL2X	10.92	129.52	79.24	50.37	7.93						
	2W Unbundled HDSL Loop including manl svc ing & facility															
	reservation-Zone 3	1	3	UHL	UHL2X	11.40	129.52	79.24	50.37	7.93						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13									1
	2W Unbundled HDSL Loop w/o manl svc inq and facility															
	reservation-Zone 1		1	UHL	UHL2W	9.58	104.49	66.50	50.37	7.93						
	2W Unbundled HDSL Loop w/o manl svc inq and facility															
	reservation-Zone 2		2	UHL	UHL2W	10.92	104.49	66.50	50.37	7.93						
	2W Unbundled HDSL Loop w/o manl svc inq and facility															
	reservation-Zone 3		3	UHL	UHL2W	11.40	104.49	66.50	50.37	7.93						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.32	40.48								
4-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	IBLE	LOOP													
	4W Unbundled HDSL Loop including manl svc inq and facility															
	reservation-Zone 1		1	UHL	UHL4X	16.02	158.18	107.89	55.12	10.38						
	4W Unbundled HDSL Loop including manl svc inq and facility															
	reservation-Zone 2		2	UHL	UHL4X	14.33	158.18	107.89	55.12	10.38						
	4W Unbundled HDSL Loop including manl svc inq and facility															
	reservation-Zone 3		3	UHL	UHL4X	16.84	158.18	107.89	55.12	10.38						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13									
	4W Unbundled HDSL Loop w/o manl svc inq and facility															
	reservation-Zone 1		1	UHL	UHL4W	16.02	133.14	95.16	55.12	10.38						
	4W Unbundled HDSL Loop w/o manl svc inq and facility															
	reservation-Zone 2		2	UHL	UHL4W	14.33	133.14	95.16	55.12	10.38						
	4W Unbundled HDSL Loop w/o manl svc inq and facility															
	reservation-Zone 3		3	UHL	UHL4W	16.84	133.14	95.16	55.12	10.38						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.32	40.48								
4-WIF	RE DS1 DIGITAL LOOP															
	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	79.51	253.03	157.89	44.80	11.73						
	4W DS1 Digital Loop-Zone 2		2	USL	USLXX	136.00	253.03	157.89	44.80	11.73						
	4W DS1 Digital Loop-Zone 3		3	USL	USLXX	229.15	253.03	157.89	44.80	11.73						
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		18.13									
	CLEC to CLEC Conversion Charge w/o outside dispatch			USL	UREWO		101.30	43.13								
4-WIF	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	29.93	126.66	89.12	59.35	14.61						
	4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	33.99	126.66	89.12	59.35	14.61						
	4W Unbundled Digital 19.2 Kbps		3	UDL	UDL19	34.74	126.66	89.12	59.35	14.61						
	4W Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	29.93	126.66	89.12	59.35	14.61						
	4W Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	33.99	126.66	89.12	59.35	14.61						
	4W Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL	UDL56	34.74	126.66	89.12	59.35	14.61						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.13									1
	4W Unbundled Digital Loop 64 Kbps-Zone 1		1	UDL	UDL64	29.93	126.66	89.12	59.35	14.61						1
	4W Unbundled Digital Loop 64 Kbps-Zone 2		2	UDL	UDL64	33.99	126.66	89.12	59.35	14.61						
	4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL	UDL64	34.74	126.66	89.12	59.35	14.61						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.13									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	UREWO		102.34	49.85								
2-WIF	E Unbundled COPPER LOOP															
	2W Unbundled Copper Loop-Designed including manl svc inq &	1	1 T			-								-]	
1	facility reservation-Zone 1	1	1	UCL	UCLPB	12.19	119.91	69.62	50.37	7.93	1	1			l	1

JNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
		Inter	Zon	BCC	11600		-	ATEC (#\			Svc Order Submitte	Submitte d	Incrementa I Charge - Manual	Incrementa I Charge - Manual	Incremental Charge - Manual Svo	Increment I Charge Manual
ATEGORY	RATE ELEMENTS	im	е	BCS	USOC			ATES (\$)			d Elec per LSR	Manually per LSR	vs. Electronic-	٨٩٩١	Order vs. Electronic- Disc 1st	Svc Orde vs. Electronic
						Rec	Nonrec		NRC Disco					Rates (\$)		
	OWILL BUILD OF THE PROPERTY OF		<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 2		2	UCL	UCLPB	13.71	119.91	69.62	50.37	7.93						
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 3		3	UCL	UCLPB	14.14	119.91	69.62	50.37	7.93						
	Order Coordination for Unbundled Copper Loops (per loop)	1	3	UCL	UCLMC	14.14	8.17	8.17	30.37	1.53						
	2W Unbundled Copper Loop-Designed w/o manl svc ing and		-	OOL	OCLIVIC		0.17	0.17					-			
	facility reservation-Zone 1		1	UCL	UCLPW	12.19	94.87	56.89	50.37	7.93						
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 2		2	UCL	UCLPW	13.71	94.87	56.89	50.37	7.93						
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 3		3	UCL	UCLPW	14.14	94.87	56.89	50.37	7.93						
-	Order Coordination for Unbundled Copper Loops (per loop)	1	3	UCL	UCLMC	14.14	8.17	8.17	30.31	1.53						
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-D)	\vdash	t	UCL	UREWO		94.87	42.57								
4-WIR	E COPPER LOOP							_								
	4W Copper Loop-Designed including manl svc inq and facility															
	reservation-Zone 1	1	1	UCL	UCL4S	19.64	144.17	93.88	55.12	10.38						
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 2		2	UCL	UCL4S	20.90	144.17	93.88	55.12	10.38						
	4W Copper Loop-Designed including manl svc inq and facility		-	002	OOLTO	20.00	1-1-1.17	30.00	00.12	10.00						
	reservation-Zone 3		3	UCL	UCL4S	19.34	144.17	93.88	55.12	10.38						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	4W Copper Loop-Designed w/o manl svc inq and facility															
	reservation-Zone 1		1	UCL	UCL4W	19.64	119.13	81.15	55.12	10.38						
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 2		2	UCL	UCL4W	20.90	119.13	81.15	55.12	10.38						
	4W Copper Loop-Designed w/o manl svc inq and facility															
	reservation-Zone 3 Order Coordination for Unbundled Copper Loops (per loop)	1	3	UCL UCL	UCL4W UCLMC	19.34	119.13 8.17	81.15 8.17	55.12	10.38						
-	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-D)	1		UCL	UREWO		94.87	42.57								
OP MODI	FICATION		-	002	OKEWO		54.01	42.07					-			
	Unbundled Loop Modification, Removal of Load Coils-2W pr less			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR.												
	than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		32.46	32.46								
	Unbundled Loop Modification Removal of Load Coils-4W less than or equal to 18K ft, per Unbundled Loop			UHL. UCL. UEA	ULM4L		32.46	32.46								
				UAL, UHL, UCL, UEQ, ULS, UEA,												
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,												
	per unbundled loop			UEPSB	ULMBT		32.48	32.48								
B-LOOPS	oop Distribution	1														
Sub-L	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up	1		UEANL	USBSA		241.42	241.42								
-	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up	l i		UEANL	USBSB		22.69	22.69								
	Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set	i I		UEANL	USBSC		177.84	177.84								
	Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up	ı		UEANL	USBSD		55.58	55.58								
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1	- 1	1	UEANL	USBN2	8.87	65.94	31.03	45.35	6.71						
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2	-	2	UEANL	USBN2	12.58	65.94	31.03	45.35	6.71						
_	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3	I	3	UEANL UEANL	USBN2 USBMC	14.79	65.94 8.17	31.03	45.35	6.71			-			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1	1	1	UEANL	USBN4	14.11	79.21	8.17 44.29	49.82	9.09	1	1	1			1
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1 Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2	\vdash	2	UEANL	USBN4	19.40	79.21	44.29	49.82	9.09						
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 3		3	UEANL	USBN4	18.90	79.21	44.29	49.82	9.09						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr	L	Ľ	UEANL	USBMC		8.17	8.17								
	Sub-Loop 2W Intrabuilding Network Cable (INC)	-		UEANL	USBR2	2.41	53.13	18.21	45.35	6.71						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr	$oxed{\Box}$		UEANL	USBMC		8.17	8.17								
_	Sub-Loop 4W Intrabuilding Network Cable (INC)	I	1	UEANL	USBR4	5.36	59.38	24.47	49.82	9.09						
-	Order Coordination for Unbundled Sub-Loops, per sub-loop pr Loop Testing-Basic 1st Half Hour	1	1	UEANL UEANL	USBMC URET1		8.17 34.23	8.17 34.23			1		1			
	Loop resung-basic ist hall hour	1		UEANL	UKEII		34.23	34.23								1

CHECINDL	ED NETWORK ELEMENTS - South Carolina	1		1	1						C	C		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc			ATES (\$)			Svc Order Submitte d Elec per LSR	Manually	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	I Charge - Manual Svc Order
						Rec	Nonrec	curring	NRC Disc	onnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA		19.90	19.90								
	2W Copper Unbundled Sub-Loop Distribution-Zone 1	1	1	UEF	UCS2X	7.11	65.94	31.03	45.35	6.71						
	2W Copper Unbundled Sub-Loop Distribution-Zone 2	Ι	2	UEF	UCS2X	9.83	65.94	31.03	45.35	6.71						
	2W Copper Unbundled Sub-Loop Distribution-Zone 3	Ι	3	UEF	UCS2X	10.48	65.94	31.03	45.35	6.71						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		8.17	8.17								1
	4W Copper Unbundled Sub-Loop Distribution-Zone 1		1	UEF	UCS4X	7.85	79.21	44.29	49.82	9.09						1
	4W Copper Unbundled Sub-Loop Distribution-Zone 2		2	UEF	UCS4X	14.17	79.21	44.29	49.82	9.09						1
	4W Copper Unbundled Sub-Loop Distribution-Zone 3		3	UEF	UCS4X	12.64	79.21	44.29	49.82	9.09						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		8.17	8.17								
	Loop Testing-Basic 1st Half Hour			UEF	URET1		34.23	34.23								
	Loop Testing-Basic Add'l Half Hour			UEF	URETA		19.90	19.90								
Unbur	ndled Network Terminating Wire (UNTW)			02.	O.C.		10.00	10.00	1							t
	Unbundled Network Terminating Wire (UNTW) per pr	1		UENTW	UENPP	0.3303	30.20	30.20	 		 	-	 		1	
	ork Interface Device (NID)	1	-	OLIVIV	051411	0.5505	30.20	30.20	1				1		1	
	Network Interface Device (NID)-1-2 lines	-	_	UENTW	UND12		43.68	28.79	1		1	1				+
	Network Interface Device (NID)-1-2 lines Network Interface Device (NID)-1-6 lines	1	-	UENTW	UND12 UND16		64.42	49.53	+		1	1	-		1	+
		-		UENTW	UNDC2				-							
	Network Interface Device Cross Connect-2 W	-					5.92	5.92								-
	Network Interface Device Cross Connect-4W			UENTW	UNDC4		5.92	5.92			ļ	ļ				
UNE OTHER	, PROVISIONING ONLY - NO RATE															4
	NID-Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									4
	UNTW Circuit Id Establishment, Provisioning Only-No Rate			UENTW	UENCE	0.00	0.00									4
				UEANL,UEF,UEQ,U												
	Unbundled Contract Name, Provisioning Only-No Rate			ENTW	UNECN	0.00	0.00									<u> </u>
UNE OTHER	, PROVISIONING ONLY - NO RATE															<u> </u>
				UAL,UCL,UDC,UDL,												
	Unbundled Contact Name, Provisioning Only-no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									<u> </u>
	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									1
	Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									1
	Unbundled DS1 Loop-Superframe Format Option-no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop-Expanded Superframe Format option-no			USL	CCOEF	0.00	0.00									
	CITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop-DS3-Per mi per mo			UE3	1L5ND	12.26										
	High Capacity Unbundled Local Loop-DS3-Facility Term per mo			UE3	UE3PX	306.36	452.52	264.53	119.75	83.77						
	High Capacity Unbundled Local Loop-STS-1-Per mi per mo			UDLSX	1L5ND	12.26										
	High Capacity Unbundled Local Loop-STS-1-Facility Term per mo			UDLSX	UDLS1	313.49	452.52	264.53	119.75	83.77						ĺ
LOOP MAKE	-UP															ĺ
	Loop Makeup-Preordering w/o Reservation, per working or spare															ĺ
	facility queried (Manual).			UMK	UMKLW		24.04	24.04								
	Loop Makeup-Preordering With Reservation, per spare facility															
	queried (Manual).			UMK	UMKLP		25.49	25.49								
	Loop MakeupWith or w/o Reservation, per working or spare															
	facility queried (Mechanized)			UMK	UMKMQ		0.34	0.34								
LINE SHARIN	NG AND LINE SPLITTING															
	1: The Line Sharing monthly recurring rates for all installations	s com	plete	d from October 02. 20	003 through n	nidniaht Octobe	er 01. 2004 sha	all be billed a	s follows:							
	1: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled cop					.										
	1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND															
	1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND															
	1: Above will apply to USOCS: ULSDT and ULSCT			1					1				i		1	
	E 2: The Line Sharing monthly recurring rates with USOCs ULS	DC ar	d III	SCC applies only to	circuits instal	led and inservi	ce on or befor	e October 1	2003				1		1	1
	SHARING	ui	1						1						1	—
	TERS-CENTRAL OFFICE BASED	1	-		-				t		 	 	 		1	
	Line Sharing Splitter, per System 96 Line Capacity	1	-	ULS	ULSDA	216.22	189.21	0.00	178.38	0.00	 	 	 		1	
-	Line Sharing Splitter, per System 30 Line Capacity Line Sharing Splitter, per System 24 Line Capacity	1		ULS	ULSDB	54.05	189.21	0.00		0.00	 	-	 		1	
	Line Sharing Splitter, Per System, 8 Line Capacity	1	-	ULS	ULSD8	18.02	189.21	0.00	178.38	0.00			1		1	
		 	1	ULO	ULODO	18.02	189.21	0.00	178.38	0.00					<u> </u>	
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-	1			LILODO		00.07	0.00	40.05	0.00			İ			1
END	deactivation (per LSOD)	1	-	ULS	ULSDG		86.67	0.00	49.95	0.00	1	1	 		 	
	ISER ORDERING-CENTRAL OFFICE BASED LINE SHARING	1	ـــــ						1		 	1			!	
LIND	Line Sharing -per Line Activation (BST Owned splitter)-OBSOLETE															

UNDUNDL	ED NETWORK ELEMENTS - South Carolina													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC			ATES (\$)			Svc Order Submitte d Elec per LSR	Manually	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge Manual Svc Orde
						Rec	Nonrec		NRC Disco					Rates (\$)		T
	Line Chara Coming TDO and line activation DCT available	1					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Share Service, TRO per line activation, BST owned splitter- CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS	ULSDT	3.24	18.55	10.62	10.04	4.93						
	Line Share Service, TRO per line activation, BST owned splitter-	-		ULS	ULSDI	3.24	10.55	10.62	10.04	4.93						
	CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter-			ULS	ULSDT	6.47	18.55	10.62	10.04	4.93						
	CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	9.71	18.55	10.62	10.04	4.93						
	Line Sharing-per Subsqnt Activity per Line Rearrangement(BST Owned Splitter)			ULS	ULSDS		16.42	8.21								
	Line Sharing-per Subsqnt Activity per Line Rearrangement(DLEC															
	Owned Splitter)			ULS	ULSCS		16.42	8.21								
	Line Sharing-per Line Activation (DLEC owned Splitter)- OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74						
	Line Share Service, TRO per line activation, CLEC owned splitter- CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS	ULSCT	3.24	47.44	10.21	20.67	10.74						
	Line Share Service, TRO per line activation, CLEC owned splitter-			ULS	ULSCI	3.24	47.44	19.31	20.67	12.74						
	CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, CLEC owned splitter-			ULS	ULSCT	6.47	47.44	19.31	20.67	12.74						
	CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	9.71	47.44	19.31	20.67	12.74						
	PLITTING															
END U	SER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting-per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
	Line Splitting-per line activation BST owned-physical			UEPSR UEPSB	UREBP	0.61	37.09	21.24	20.07	9.85						
	Line Splitting-per line activation BST owned-virtual	-		UEPSR UEPSB	UREBV	0.61	37.09	21.24	20.07	9.85						
	ENANCE No Trouble Found-per 1/2 hour increments-Basic						80.00	55.00								-
	No Trouble Found-per 1/2 hour increments-Dasic						120.00	82.50								
	No Trouble Found-per 1/2 hour increments-Premium						160.00	110.00								
NBUNDLED	DEDICATED TRANSPORT						100.00	110.00								
	OFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo			U1TVX	1L5XX	0.0167										1
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term			U1TVX	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Per mi per mo			U1TVX	1L5XX	0.0167										
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Facility															
	Term			U1TVX	U1TR2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Channel -Dedicated Transport-4W VG-Per mi per mo			U1TVX	1L5XX	0.0167										
	Interoffice Channel -Dedicated Transport-4W VG-Facility Term			U1TVX	U1TV4	21.29	40.63	27.47	16.77	6.91						
	Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo			U1TDX	1L5XX	0.0167										
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term			U1TDX	U1TD5	16.76	40.63	27.47	16.77	6.91						
	Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo	-		U1TDX	1L5XX U1TD6	0.0167	40.63	27.47	16.77	6.91						
_	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term Interoffice Channel-Dedicated Channel-DS1-Per mi per mo	-		U1TDX U1TD1	1L5XX	16.76 0.3415	40.63	21.41	16.77	6.91	-					
	Interoffice Channel-Dedicated Transport-DS1-Fei IIII pei IIIo	-	-	U1TD1	U1TF1	77.14	89.47	81.99	16.39	14.48		1				
	Interoffice Channel -Dedicated Transport-DS3-1 acinty Term Interoffice Channel -Dedicated Transport-DS3-Per mi per mo			U1TD3	1L5XX	8.02	09.41	01.55	10.39	14.40						
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			U1TD3	U1TF3	880.65	279.37	163.12	60.33	58.59						
	Interoffice Channel-Dedicated Transport-STS-1-Per mi per mo			U1TS1	1L5XX	8.02	2, 0.0.	100.12	00.00	00.00						
	Interoffice Channel-Dedicated Transport-STS-1-Facility Term			U1TS1	U1TFS	880.55	279.37	163.12	60.33	58.59						
ARK FIBER																1
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof															
	per mo-Interoffice Channel			UDF, UDFCX	1L5DF	36.41										
	NRC Dark Fiber-Interoffice Channel			UDF, UDFCX	UDF14		640.51	138.17	317.76	198.11						
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof															
	per mo-Local Loop	1	<u> </u>	UDF, UDFCX	1L5DL	97.65	040.51	400.4=	047.70	400.41	1					
	NRC Dark Fiber-Local Loop TEN DIGIT SCREENING	-	!	UDF, UDFCX	UDFL4		640.51	138.17	317.76	198.11	-					
A ACCESS	8XX Access Ten Digit Screening, Per Call		1	OHD		0.0006673						1				
	8XX Access Ten Digit Screening, Per Call 8XX Access Ten Digit Screening, Reservation Charge Per 8XX No			OHD		0.0000073										
_	Reserved 8XX Access Ten Digit Screening, Per 8XX No. Established W/O	<u> </u>	<u> </u>	OHD	N8R1X		2.59	0.44				-				
	POTS Translations			OHD			5.95	0.81	4.58	0.54						

ONRONDE	ED NETWORK ELEMENTS - South Carolina													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC			ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge -
						Rec		urring	NRC Disc					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	8XX Access Ten Digit Screening, Per 8XX No. Established With															
	POTS Translations			OHD	N8FTX		5.95	0.81	4.58	0.54						
	8XX Access Ten Digit Screening, Customized Area of Service Per															
	8XX No			OHD	N8FCX		2.59	1.30								
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing			0.115												
	Per CXR Requested Per 8XX No.			OHD	N8FMX		3.03	1.74								
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		3.03	0.44								
	8XX Access Ten Digit Screening, Call Handling and Destination Features			OHD	N8FDX		2.59	2.59								
	8XX Access Ten Digit Screening, w/8XX No. Delivery		1 1	OHD	NOFDX	0.0006673	2.59	2.59								
+	8XX Access Ten Digit Screening, w/8XX No. Delivery	-	1	OHD		0.0006673										
I INF INFOR	MATION DATA BASE ACCESS (LIDB)	+	+	טווט		0.0000073			 	 				 	 	
	LIDB Common Transport Per Query	1	+	OQT		0.0000246									1	
	LIDB Validation Per Query	1	+	OQU		0.0138158										
	LIDB Originating Point Code Establishment or Change	1	\dagger	OQT, OQU	NRBPX		34.40		42.18						Ì	
SIGNALING		t		,			20									
	CCS7 Signaling Connection, Per 56 Kbps Facility			UDB	TPP++	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Term, Per STP Port			UDB	PT8SX	163.49										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000692										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Connection, Per link (B link) (also known as D			UDB	TPP++	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000173										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	791.37										
	CCS7 Signaling Point Code, per Originating Point Code															
	Establishment or Change, per STP affected			UDB	CCAPO		29.08	29.08	35.65	35.65						
	CCS7 Signaling Point Code, per Destination Point Code															
F044 0FB\//	Establishment or Change, Per Stp Affected		1 1	UDB	CCAPD		29.08	29.08	35.65	35.65						
E911 SERVI	Local Channel-Dedicated-2W VG	-	1			15.33	193.53	33.24	36.72	3.21						
	Interoffice Transport-Dedicated-2W VG Per mi		1 -			0.0167	193.33	33.24	30.72	3.21						
+	Interoffice Transport-Dedicated-2W VG Per Facility Term	-	+ -			24.30	40.63	27.47	16.77	6.91						
1	Local Channel-Dedicated-DS1-Zone 1		+ - 1			42.62	177.87	154.06	22.24	15.30						
1	Local Channel-Dedicated-DS1-Zone 2		+ - 1			70.32	177.87	154.06	22.24	15.30						
_	Local Channel-Dedicated-DS1-Zone 3	1				190.68	177.87	154.06	22.24	15.30						
+	Interoffice Transport-Dedicated-DS1 Per mi		1 1			0.3415		.000		10.00						
	Interoffice Transport-Dedicated-DS1 Per Facility Term	1				77.14	89.47	81.99	16.39	14.48						
CALLING NA	AME (CNAM) SERVICE															
	CNAM For DB Owners-Service Establishment			OQV			23.00	23.00	21.15	21.15						
	CNAM For Non DB Owners-Service Establishment	1		OQV			23.00	23.00	21.15	21.15						
	CNAM For DB Owners-Service Provisioning With Point Code															
	Establishment	L		OQV			993.09	734.47	269.53	198.18						
	CNAM For Non DB Owners-Service Provisioning With Point Code															
	Establishment			OQV			343.09	245.69	275.87	198.18						
	CNAM for DB Owners, Per Query			OQV		0.0010433										
	CNAM for Non DB Owners, Per Query	1		OQV		0.0010433									1	
SELECTIVE		╀	\vdash													
//DTIL: ::	Selective Routing Per Unique Line Class Code Per Request Per	╀	\vdash				84.89	84.89	14.14	14.14						
	DLLOCATION		1	LIEDOD LIEDOS	\/E4LC	0.0017	40.00	44.00	0.01	F 45			-			
	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting	1	\vdash	UEPSR UEPSB	VE1LS	0.0317	12.32	11.83	6.04	5.45	!		1		1	
	COLLOCATION Physical Collocation 2W Cross Connects (Loop) for Line Splitting	┼	+	UEPSR UEPSB	PE1LS	0.0341	12.32	11.83	6.04	5.45	-	_		-	1	
	Physical Collocation-2W Cross Connects (Loop) for Line Splitting TVE CARRIER ROUTING	+	+	DEPSK DEPSB	PE ILO	0.0341	12.32	11.83	0.04	5.45	-					
AIN SELECT	Regional Service Establishment	+	+	SRC	SRCEC		101,324.34	101,324.34	8,609.85	8,609.85	-					
	End Office Establishment	1	+	SRC	SRCEO		175.66	175.66	1.70	1.70	 		1		1	1
	Query NRC, per query	+	+	SRC	UNULU	0.0035036	175.00	175.00	1.70	1.70				-	 	
AIN - BEL I S	OUTH AIN SMS ACCESS SERVICE	1	+	5110		0.0000000			1	 	<u> </u>			1	1	
	AIN SMS Access Service-Service Establishment, Per State, Initial	t	\vdash													
	Setup	1		A1N	CAMSE		39.53	39.53	40.78	40.78				1		
	AIN SMS Access Service-Port Connection-Dial/Shared Access	+	-	A1N	CAMDP		7.85	7.85		9.11	1			1	1	

NRONDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
ATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC		R	ATES (\$)			Svc Order Submitte d Elec per LSR	Manually	Incrementa I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs.	Incremental Charge - Manual Svo Order vs. Electronic-	I Charg
													Electronic-	Electronic-	Disc 1st	Electron
							Nonrec	curring	NRC Disc	onnect		1	OSS	Rates (\$)	l	Dicc Ad
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMA
	AIN SMS Access Service-Port Connection-ISDN Access			A1N	CAM1P		7.85	7.85	9.11	9.11	COMILO	COMPAR	JOHNAN	COMPAR	COMPAR	COM
	AIN SMS Access Service-User Identification Codes-Per User ID			A1N	CAMAU		35.08	35.08	27.12	27.12						1
	AIN SMS Access Service-Security Card, Per User ID Code, Initial or	1														
	Replacement			A1N	CAMRC		41.98	41.98	11.74	11.74						
	AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)					0.0027										
	AIN SMS Access Service-Session, Per min					0.7121										
	AIN SMS Access Service-Company Performed Session, Per min					0.8364										
N - BELLS	OUTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service-Service Establishment Charge, Per State, Initial															
	Setup			CAM	BAPSC		39.53	39.53	40.78	40.78						
	AIN Toolkit Service-Training Session, Per Customer				BAPVX		4,211.54	4,211.54	0.00	0.00						
	AlN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN,															
	Term. Attempt				BAPTT		7.85	7.85	9.11	9.11						
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN,				DARTE		7.05	7.05	0.44	0.44						
	Off-Hook Delay	-			BAPTD		7.85	7.85	9.11	9.11						
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		7.85	7.85	9.11	9.11						
	AlN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10	,			DAFIIVI		7.00	7.00	9.11	9.11						<u> </u>
	Digit PODP	1			BAPTO		34.54	34.54	14.39	14.39						
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN,				BAPTC		34.54	34.54	14.39	14.39						+
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN,				BAFIC		34.34	34.34	14.55	14.35						
	Feature Code				BAPTF		34.54	34.54	14.39	14.39						
	AIN Toolkit Service-Query Charge, Per Query	<u> </u>			D/11 11	0.0558238	04.04	04.04	14.00	14.00						
	AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit					0.0000200						1				1
	Subscription, Per Node, Per Query					0.0069214										
	AIN Toolkit Service-SCP Storage Charge, Per SMS Access					************										
	Account, Per 100 Kilobytes					0.07										
	AIN Toolkit Service-moly report-Per AIN Toolkit Service			CAM	BAPMS	11.87	7.85	7.85	5.52	5.52						
	AIN Toolkit Service-Special Study-Per AIN Toolkit Service															
	Subscription			CAM	BAPLS	3.51	8.68	8.68								
	AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service															
	Subscription			CAM	BAPDS	8.48	7.85	7.85	5.52	5.52						
	AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit															
	Service Subscription			CAM	BAPES	0.12	8.68	8.68								
	EXTENDED LINK (EELs)	L	ليبا						<u> </u>	<u> </u>	<u> </u>					
	The monthly recurring and non-recurring charges below will a															
	: The monthly recurring and the Switch-As-Is Charge and not th					r UNE combinati	ons provisior	ied as Curre	ently Combil	nea' Networ	K Element	S.				-
EXIE	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATI First 2W VG Loop (SL2) in Combination-Zone 1	ט עב	1 INI	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61	 	-				
	First 2W VG Loop (SL2) in Combination-Zone 1	1	2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61	}	1				1
	First 2W VG Loop (SL2) in Combination-Zone 2 First 2W VG Loop (SL2) in Combination-Zone 3	1	3	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61	}	1				+
+	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo		3	UNC1X	1L5XX	0.27	100.90	00.43	33.03	10.01	 					+
+	Interoffice Transport-Dedicated-DS1 combination-Fei III per IIIo			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48	 					+
_	1/0 Channelization System in combination Per mo	1		UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81	 	<u> </u>				+
	VG COCI-Per mo			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
1	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						1
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61						1
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61						1
	VG COCI-Per mo			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00	İ					1
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT		1 INT	EROFFICE TRANS	PORT											
	First 4W Analog VG Loop in Combination -Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
	First 4W Analog VG Loop in Combination -Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
	First 4W Analog VG Loop in Combination -Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61	<u> </u>					<u> </u>
			1	UNC1X	1L5XX	0.27			1		1	1				1
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo	_	_						1							
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo Interoffice Transport-Dedicated-DS1-Facility Term Per mo 1/0 Channel System in combination Per mo			UNC1X UNC1X UNC1X	U1TF1 MQ1	61.71 107.57	89.47 91.24	81.99 62.71	16.39 10.56	14.48 9.81						

UNDUNDL	ED NETWORK ELEMENTS - South Carolina											1-		ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC			ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	I Charge
						Rec	Nonre	curring	NRC Disc					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport															
	Combination-Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport															
	Combination-Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport		3	110000	11541.4	40.00	100.00	04.00	50.05	44.04						
_	Combination-Zone 3 Add'l VG COCI in combination-per mo		3	UNCVX	UEAL4 1D1VG	43.38 0.56	132.38 6.59	94.83 4.73	59.35 0.00	14.61 0.00						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC	0.56	5.61	5.61	7.00	7.00						
FXTE	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	ΔΤΕΓ	DS1				3.01	3.01	7.00	7.00						
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.27										
	Interoffice Transport-Dedicated-DS1-combination Facility Term Per			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	1/0 Channel System in combination Per mo			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
	OCU-DP COCI (data) per mo (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice															
	Transport Combination-Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice		_													
	Transport Combination-Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
_	Add'l OCU-DP COCI (data)-in combination per mo (2.4-64kbs)		3	UNCDX	1D1DD	1.19	6.59	4.73		0.00						
	NRC Currently Combined Network Elements Switch -As-Is Charge		-	UNC1X	UNCCC	1.19	5.61	5.61	7.00	7.00						
FXTE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	ΔΤΕΓ	DS1				0.01	0.01	7.00	7.00						
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.27										
	interoffice Transport-Dedicated-DS1 combination-Facility Term Per			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	1/0 Channel System in combination Per mo			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
	OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice															
	Transport Combination-Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice		2	LINCDY	LIDI C4	33.99	126.66	89.12	59.35	44.04						
-	Transport Combination-Zone 2 Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice			UNCDX	UDL64	33.99	120.00	89.12	59.35	14.61			-			
	Transport Combination-Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
	Add'I OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)		Ŭ	UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATE	D DS	1 INTE													
	4W DS1 Digital Loop in Combination-Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
	4W DS1 Digital Loop in Combination-Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
	4W DS1 Digital Loop in Combination-Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.27										
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXIE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATE	บ บร				90.87	252.02	157.89	44.80	11.73						
	First DS1Loop in Combination-Zone 1		1	UNC1X	USLXX		253.03									
-	First DS1Loop in Combination-Zone 2 First DS1Loop in Combination-Zone 3		3	UNC1X UNC1X	USLXX	155.43 261.89	253.03 253.03	157.89 157.89	44.80 44.80	11.73 11.73						
-	Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo	<u> </u>	3	UNC3X	1L5XX	6.42	200.03	157.69	44.00	11.73	-		 			
	Interoffice Transport-Dedicated-DS3 combination-Per mile Interoffice Transport-Dedicated-DS3-Facility Term per mo	<u> </u>		UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59	-		 			
-	3/1Channel System in combination per mo			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90	<u> </u>		†	1	1	†
	DS1 COCI in combination per mo			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
	Additoinal DS1 COCI in combination per mo			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						

DIADOIADE	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
ATEGORY		Inter im	Zon e	BCS	USOC		R/	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa	Incrementa I Charge -	Incremental Charge - Manual Svo Order vs. Electronic-	I Charge
													Electronic-	Electronic-	Disc 1st	Electron
						_	Nonrec	urrina	NRC Disc	onnect			OSS	Rates (\$)		Disc Add
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAI
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		5.61	5.61	7.00	7.00						
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE G	RAD	E INT	EROFFICE TRANS	PORT											
	2WVG Loop in combination-Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						
	2WVG Loop in combination-Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61						
	2WVG Loop in combination-Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61						
	Interoffice Transport-2W VG-Dedicated-Per mi Per mo			UNCVX	1L5XX	0.0134										
	Interoffice Transport-2W VG-Dedicated-Facility Term per mo			UNCVX	U1TV2	19.44	40.63	27.47	16.77	6.91						
EVEE	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		5.61	5.61	7.00	7.00						
EXIE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE G	KAL	E INI			22.50	422.20	04.02	50.05	44.04						
	4WVG Loop in combination -Zone 1 4WVG Loop in combination -Zone 2		2	UNCVX	UEAL4 UEAL4	32.59 43.89	132.38 132.38	94.83 94.83	59.35 59.35	14.61 14.61		1				
-	4WVG Loop in combination -Zone 2		3	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
-	Interoffice Transport-4W VG-Dedicated-Per mi Per mo		J	UNCVX	1L5XX	0.0134	132.30	34.03	39.33	14.01	1		-			
	Interoffice Transport-4W VG-Dedicated-Facility Term per mo			UNCVX	U1TV4	17.03	40.63	27.47	16.77	6.91		<u> </u>				
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		5.61	5.61	7.00	7.00						
EXTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 IN	TER	OFFIC													
	DS3 Local Loop in combination-per mi per mo			UNC3X	1L5ND	12.26										
	DS3 Local Loop in combination-Facility Term per mo			UNC3X	UE3PX	306.36	452.52	264.53	119.75	83.77						
	Interoffice Transport-Dedicated-DS3-Per mi per mo			UNC3X	1L5XX	6.42										
	Interoffice Transport-Dedicated-DS3 combination-Facility Term per			UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		5.61	5.61	7.00	7.00						
EXTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-	1 INT	FERO													
	STS-1 Local Lolp in combination-per mi per mo			UNCSX	1L5ND	12.26										
	STS-1 Local Loop in combination-Facility Term per mo			UNCSX	UDLS1	313.49	452.52	264.53	119.75	83.77						
	Interoffice Transport-Dedicated-STS-1 combination-per mi per mo			UNCSX	1L5XX	6.42										
	Interoffice Transport-Dedicated-STS-1 combination-Facility Term															
	per mo			UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59						
EVEE	NRC Currently Combined Network Elements Switch -As-Is Charge		0000	UNCSX	UNCCC		5.61	5.61	7.00	7.00						
EXIE	NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE T	KAN		UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61						
_	First 2W ISDN Loop in Combination-Zone 1 First 2W ISDN Loop in Combination-Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						
	First 2W ISDN Loop in Combination-Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61		1				
	Interoffice Transport-Dedicated-DS1 combination-per mi per mo		3	UNC1X	1L5XX	0.27	117.50	00.03	33.03	10.01		1				
-	Interoffice Transport-Dedicated-DS1 combination-Facility Term per			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	1/0 Channel System in combination-per mo			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81		1				
	2W ISDN COCI (BRITE)-in combination-per mo			UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00						
	Add'l 2W ISDN Loop in same DS1Interoffice Transport					50										1
	Combination-Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61						
	Add'l 2W ISDN Loop in same DS1Interoffice Transport															
	Combination-Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						
	Add'l 2W ISDN Loop in same DS1Interoffice Transport															
	Combination-Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61						
	Add'I 2W ISDN COCI (BRITE)-in combination-per mo			UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED	STS					0.000.00		44.00							
	First DS1 Loop Combination-Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
	First DS1 Loop Combination-Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
	First DS1 Loop Combination-Zone 3		3	UNC1X	USLXX 1L5XX	261.89 6.42	253.03	157.89	44.80	11.73						
_	Interoffice Transport-Dedicated-STS-1 combination-Per mi Per mo Interoffice Transport-Dedicated-STS-1 combination-Facility Term		\vdash	UNCSX	ILOAA	6.42				-	 	-	 			-
	per mo			UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59						
	3/1 Channel System in combination per mo		\vdash	UNCSX	MQ3	144.02	178.54	94.18	33.33	31.90	 		1	l	 	
	DS1 COCI in combination per mo		\vdash	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00	 		1	l	 	
	Add'l DS1Loop in the same STS-1 Interoffice Transport			011017	00101	5.04	0.09	4.73	5.00	0.00		<u> </u>				
	Combination-Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
	Add'l DS1Loop in the same STS-1 Interoffice Transport			2.30.55	332,01	55.57		.000								
	Combination-Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
	Add'l DS1Loop in the same STS-1 Interoffice Transport										Ì					
	Combination-Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73	1			1	İ	

NBUNDL	ED NETWORK ELEMENTS - South Carolina		_										Attach	ment: 2	Exhi	bit: A
		1			1 1						Svc	Svc Order			Incremental	
											Order	Submitte		I Charge -	Charge -	I Charge
ATEGORY	RATE ELEMENTS	Inter	Zon	BCS	usoc		ь	ATES (\$)			Submitte		Manual	Manual	Manual Svc	1
ATEGORT	RATE ELEMENTS	im	е	BCS	USUC		K	ATES (\$)			d Elec	Manually	Svc Order	Svc Order	Order vs.	Svc Orde
											per LSR	per LSR	vs.	vs.	Electronic-	vs.
													Electronic-	Electronic-	Disc 1st	Electronic
													1c+	٨٩٩٩١		Dicc Add
						Rec	Nonrec		NRC Disc					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS1 COCI in combination per mo			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		5.61	5.61	7.00	7.00						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB	S IN	TERO	FICE TRANSPORT							Ĭ .					
	4W 56 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61	Ĭ .					
	4W 56 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	4W 56 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61	1					
	Interoffice Transport-Dedicated-4W 56 kbps combination-Per mi					-										
	per mo			UNCDX	1L5XX	0.0134										
	Interoffice Transport-Dedicated-4W 56 kbps combination-Facility	_	1	0.105%	120701	0.0.01					1					
	Term per mo			UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91						
-	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC	10.41	5.61	5.61	7.00	7.00	 					
	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KB) C	TERC				0.01	10.0	7.00	1.00	1	1	 	1	 	
		- O IN	LKU		UDL64	20.00	126.00	90.40	E0.05	14.04	 	 	 	 	1	
	4W 64 kbps Local Loop in Combination-Zone 1	-	1	UNCDX		29.93	126.66	89.12	59.35	14.61	ļ	1	 	-	-	
	4W 64 kbps Lcoal Loop in Combination-Zone 2	<u> </u>	2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61					1	
	4W 64 kbps Lcoal Loop in Combination-Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
	Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi															
	per mo			UNCDX	1L5XX	0.0134										
	Interoffice Transport-Dedicated-4W 64 kbps combination-Facility															
	Term per mo			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00						
EXTE	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TF	RANS	PORT	w/ 3/1 MUX												
	First 2W VG Loop (SL2) in Combination-Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61	Ĭ .					
	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61						
	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi			UNC1X	1L5XX	0.27					ì					
	First Interoffice Transport-Dedicated-DS1 combination-Facility			0.10.71	120701	0.2.										
	Term per mo			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Per each DS1 Channelization System Per mo		1	UNC1X	MQ1	107.57	91.24	62.71		9.81		-			1	
-	Per each VG COCI-Per mo per mo			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00	 					├──
-	3/1 Channel System in combination per mo	-	1	UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90	1	1			-	
-	Per each DS1 COCI in combination per mo		1	UNC1X	UC1D1	8.64		4.73	0.00	0.00	1	ļ			-	
_			1	UNCTX	OCIDI	8.04	6.59	4.73	0.00	0.00	<u> </u>					
	Each Add'l 2W VG Loop(SL 2) in the same DS1 Interoffice			11110101	11541.0	40.00	405.00	00.40	50.05	40.04						
	Transport Combination-Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						
	Each Add'I 2W VG Loop(SL2) in the same DS1 Interoffice		_													
	Transport Combination-Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61						
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice															
	Transport Combination-Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61						
	Each Add'l VG COCI in combination-per mo			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel															
	System per mo	<u></u>		UNC1X	1L5XX	0.27					<u> </u>			<u> </u>		<u> </u>
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1					<u> </u>										
	Channel System per mo			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Each Add'l DS1 COCI combination per mo			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 I		OFFIC	E TRANSPORT w/	3/1 MUX											
	First 4W Analog VG Local Loop in Combination -Zone 1	1	1 1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61	ì					
	First 4W Analog VG Local Loop in Combination -Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61	1		i	1	1	
+	First 4W Analog VG Local Loop in Combination -Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61	1	†	 	1		
-	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per		۲	UNC1X	1L5XX	0.27	102.00	54.05	55.55	14.01	 	-	 			\vdash
	First Interoffice Transport-Dedicated-DS1 Combination-Fel IIII Fel First Interoffice Transport-Dedicated-DS1-Facility Term Per mo	1		UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48	1	1	 	1	 	
+		1	\vdash	UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81	1	1	 	1	 	\vdash
	Per each 1/0 Channel System in combination Per mo	1	\vdash								 	-		-	-	
	Per each VG COCI in combination-per mo	<u> </u>	\vdash	UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00					1	
	3/1 Channel System in combination per mo	<u> </u>	ш	UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90	1		ļ	ļ		<u> </u>
	Per each DS1 COCI in combination per mo	<u> </u>	ш	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00	ļ					<u> </u>
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport	1			1				1	1	1		l	1		
	Combination-Zone 1	<u> </u>	1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61	ļ				1	<u> </u>
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport	1	1 1		1					l	1	1	1	1		1
	Combination-Zone 2	<u>L</u>	2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61		<u></u>	<u> </u>			

ONROND	LED NETWORK ELEMENTS - South Carolina													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC			ATES (\$)			Svc Order Submitte d Elec per LSR	Submitte d Manually	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	I Charge -
						Rec	Nonre	curring	NRC Disco	onnect				Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport										Ĭ .					
	Combination-Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel															1
	System per mo			UNC1X	1L5XX	0.27										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1															
	Channel System per mo			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Add'I VG COCI-in combination-per mo			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXT	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 IN	NTER	OFFIC	E TRANSPORT w/	3/1 MUX											
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per			UNC1X	1L5XX	0.27										
	First Interoffice Transport-Dedicated-DS1-combination Facility															
	Term Per mo			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48			<u> </u>			
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
	Per each OCU-DP COCI (data) COCI per mo (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
	3/1 Channel System in combination per mo			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice															
	Transport Combination-Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice															
	Transport Combination-Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice															
	Transport Combination-Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
	OCU-DP COCI (data) COCI in combination per mo (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel															
	System per mo			UNC1X	1L5XX	0.27										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1															
	Channel System per mo			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Each Add'l DS1 COCI in the same 3/1 channel system															
	combination per mo			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXT	ENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 IN	NTER	OFFIC	E TRANSPORT w/	3/1 MUX											
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport															
	Combination-Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport	1	1 T		1	·					1			<u> </u>		1
	Combination-Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport	1	1 1		1						1			<u> </u>		
	Combination-Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per			UNC1X	1L5XX	0.27										
	First Interoffice Transport-Dedicated-DS1 combination-Facility															
	Term Per mo			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Per each Channel System 1/0 in combination Per mo			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
	Per each OCU-DP COCI (data) in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
	3/1 Channel System in combination per mo			UNC3X	MQ3	144.02	178.54	94.18		31.90						
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice	1			1				l l		1			l		
_	Transport Combination-Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61				ļ		ļ
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice	1			1						1			l		
	Transport Combination-Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61	ļ		ļ	ļ		ļ
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice						,									
	Transport Combination-Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61	ļ		ļ	ļ		ļ
	Add'l OCU-DP COCI (data)-DS1 to DS0 Channel System	1			1 1		_		l l		1			l		
	combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00	ļ		ļ	ļ		ļ
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel	1			41 = 207						1			l		
	System per mo		\vdash	UNC1X	1L5XX	0.27					ļ	ļ				ļ
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1													1		
1	Channel System per mo	1	1 1	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48	1	Ì	1		1	

NRONDL	ED NETWORK ELEMENTS - South Carolina											-		ment: 2	1	bit: A
ATEGORY	RATE ELEMENTS	Inte im	Zon e	BCS	USOC			ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge Manual Svc Orde vs.
						Rec		urring	NRC Disc					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Add'l DS1 COCI in the same 3/1 channel system															
	combination per mo			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXTE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	T w/ 3	3/1 MU	X												
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-															
	Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61						
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-															
	Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-															
	Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi per															
	mo			UNC1X	1L5XX	0.27										
	First Interoffice Transport-Dedicated-DS1 combination-Facility															
	Term per mo			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Per each Channel System 1/0 in combination-per mo			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81	1					
	Per each 2W ISDN COCI (BRITE) in combination-per mo			UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00	1					
	3/1 Channel System in combination per mo			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90	1					
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	8.64	6.59	4.73		0.00						
	Add'I 2W ISDN Loop in same DS1Interoffice Transport															
	Combination-Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61						
	Add'l 2W ISDN Loop in same DS1Interoffice Transport		 	0.10.07	O I EE / C	20.21	111.00	00.00	00.00	10.01	Ì					-
	Combination-Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						
	Add'l 2W ISDN Loop in same DS1Interoffice Transport		+-	OHOHA	OILEX	02.10	117.00	00.00	00.00	10.01	<u> </u>					-
	Combination-Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61						
	Add'l 2W ISDN COCI (BRITE) in same 1/0 channel system		3	UNCINA	UILZX	31.10	117.30	80.03	33.03	10.01		-	ļ			-
				UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00						
	combination-per mo Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel		+ +	UNCINA	UCICA	2.56	0.39	4.73	0.00	0.00		-	ļ			-
	System per mo			UNC1X	1L5XX	0.27										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1			UNCTX	ILSXX	0.27					ļ					
	Channel System per mo			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48	ļ					
	Each Add'I DS1 COCI in the same 3/1 channel system							. ==								
	combination per mo			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXIE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	IKAN	ISPOR		1101101		0=0.00		44.00	44.50						
	First 4W DS1 Digital Lcoal Loop in Combination-Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
	First 4W DS1 Digital Lcoal Loop in Combination-Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
	First 4W DS1 Digital Lcoal Loop in Combination-Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						ļ
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per			UNC1X	1L5XX	0.27										
	First Interoffice Transport-Dedicated-DS1 combination-Facility															
	Term Per mo			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	3/1 Channel System in combination per mo			UNC3X	MQ3	144.02	178.54	94.18		31.90						
	Per each DS1 COCI combination per mo			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel															
	System per mo			UNC1X	1L5XX	0.27										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1															
	Channel System per mo			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Each Add'l DS1 COCI in the same 3/1 channel system															
	combination per mo			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 IN	TER	OFFICE								1		1		İ	
	First 4W 56 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61	1		1		İ	
	First 4W 56 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	First 4W 56 kbps Local Loop in combination-Zone 3	1	3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61	†		1		Ì	
-	First 4We 56 kbps Interoffice Transport-Dedicated-Per mi per mo	1	<u> </u>	UNCDX	1L5XX	0.0134	.20.00	002	30.00		†		1		Ì	†
_	First 4W 56 kbps Interoffice Transport-Dedicated-Facility Term per	†	\vdash	UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91	t		1	 	 	
	NRC Currently Combined Network Elements Switch -As-Is Charge	-	+ +	UNCDX	UNCCC	10.41	5.61	5.61	7.00	7.00	 	!	 	 	1	

UNBUNDL	ED NETWORK ELEMENTS - South Carolina													ment: 2	1	bit: A
CATEGORY		Inter im	Zon e	BCS	usoc		F	RATES (\$)			Svc Order Submitte d Elec per LSR	Manually	Incrementa I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge - Manual Svc Order vs.
														Electronic-	DISC 1St	Disc Add'l
						Rec	Nonre	curring	NRC Disc					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 IN	TERC	OFFIC													
	First 4W 64 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12		14.61						
	First 4W 64 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12		14.61						
	First 4W 64 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						ĺ
	First I4W 65 kbps Interoffice Transport-Dedicated-Per mi per mo			UNCDX	1L5XX	0.0134										ĺ
	First 4W 64 kbps Interoffice Transport-Dedicated-Facility Term per			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00						
ADDITIONA	L NETWORK ELEMENTS										1					1
When	n used as a part of a currently combined facility, the non-recurre	g cha	arges	do not apply, but a	Switch As Is	charge does ap	ply.									1
	n used as ordinarily combined network elements in All States, the															1
	ecurring Currently Combined Network Elements "Switch As Is" C															
Ì	NRC Currently Combined Network Elements Switch -As-Is Charge-	Ī														
	2W/4W VG	<u> </u>		UNCVX	UNCCC		5.61	5.61	7.00	7.00			<u></u>			<u> </u>
	NRC Currently Combined Network Elements Switch -As-Is Charge-															
	56/64 kbps	L		UNCDX	UNCCC		5.61	5.61	7.00	7.00	<u></u>	<u></u>	<u> </u>	<u></u>		<u></u>
l	NRC Currently Combined Network Elements Switch -As-Is Charge-															
	DS1	l		UNC1X	UNCCC		5.61	5.61	7.00	7.00	1			1		
	NRC Currently Combined Network Elements Switch -As-Is Charge-															
	DS3			UNC3X	UNCCC		5.61	5.61	7.00	7.00						
	NRC Currently Combined Network Elements Switch -As-Is Charge-															
	STS1			UNCSX	UNCCC		5.61	5.61	7.00	7.00						
Optio	onal Features & Functions:								1.00							
9,000				U1TD1,							1					
	Clear Channel Capability Extended Frame Option-per DS1	1		ULDD1,UNC1X	CCOEF		01	01	OI	OI						
	,			U1TD1.												
	Clear Channel Capability Super FrameOption-per DS1	1		ULDD1,UNC1X	CCOSF		οι	OI	OI	OI						
	Clear Channel Capability (SF/ESF) Option-Subsqnt Activity-per	·		ULDD1, U1TD1,	0000.		0.	0.	0.	0.	1					
	DS1	1		UNC1X, USL	NRCCC		185.26S	23.86S	1.99S	0.78S						
 	561	Ė		U1TD3, ULDD3,	1411000		100.200	20.000	1.000	0.700	 					
	C-bit Parity Option-Subsqnt Activity-per DS3			UE3, UNC3X	NRCC3		219.58S	7.69S	.7370S	0S						
MIII	TIPLEXERS	_		OLO, ONCOX	NICOOS		213.300	7.030	.73700	00	 					
WIGE	DS1 to DS0 Channel System per mo			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81	1					
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-			UNCIA	IVIQ I	107.57	31.24	02.71	10.50	9.01	1	 	ļ			
	64kbs) used for a Local Loop			UDL	1D1DD	1.19	6.59	4.73								
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-			ODL	10100	1.13	0.55	4.73			1					
	64kbs) used for connection to a channelized DS1 Local Channel in															
	the same SWC as collocation			U1TUD	1D1DD	1.19	6.59	4.73								
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo for			UTTOD	טטוטו	1.19	6.59	4.73			 					_
	a Local Loop			UDN	UC1CA	2.56	6.59	4.73								
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo	<u> </u>	<u> </u>	אוטט	UCICA	2.56	0.39	4.73	 		1	-	 		}	
	used for connection to a channelized DS1 Local Channel in the															
	used for connection to a channelized DS1 Local Channel in the same SWC as collocation	l		U1TUB	UC1CA	2.56	6.59	4.73			1			1		
	VG COCI-DS1 to DS0 Channel System-per mo used for a Local			UEA	1D1VG	0.56		4.73			ļ					-
	VG COCI-DS1 to DS0 Channel System-per mo used for a Local VG COCI-DS1 to DS0 Channel System-per mo used for		-	UEA	IDIVG	0.56	6.59	4.73								
	connection to a channelized DS1 Local Channel in the same SWC			LIATUO	454)/0	0.50	0.50	4.70								
	as collocation			U1TUC	1D1VG	0.56	6.59	4.73		04.00	ļ					-
\vdash	DS3 to DS1 Channel System per mo			UNC3X	MQ3	144.02	178.54	94.18		31.90	<u> </u>				1	
	STS-1 to DS1 Channel System per mo			UNCSX	MQ3	144.02		94.18		31.90	<u> </u>				1	
	DS1 COCI used with Loop per mo		1	USL	UC1D1	8.64	6.59	4.73	1	1			1		1	+
	DS1 COCI (used for connection to a channelized DS1 Local	l		1147711	110151						1			1		
\vdash	Channel in the same SWC as collocation) per mo		1	U1TUA	UC1D1	8.64	6.59	4.73			<u> </u>				1	
	DS1 COCI used with Interoffice Channel per mo		<u> </u>	U1TD1	UC1D1	8.64	6.59	4.73								
	DS3 Interface Unit (DS1 COCI) used with Local Channel per mo		<u> </u>	ULDD1	UC1D1	8.64	6.59	4.73	ļ		ļ				ļ	ļ
	D LOCAL EXCHANGE SWITCHING(PORTS)		<u> </u>				<u> </u>	ļ	ļ		ļ				ļ	ļ
Exch	ange Ports		L								<u> </u>		1			
2-WIF	RE VOICE GRADE LINE PORT RATES (RES)		L								<u> </u>		1			
	Exchange Ports-2W Analog Line Port-Res.			UEPSR	UEPRL	1.65		2.28		1.33						ļ
	Exchange Ports-2W Analog Line Port with Caller ID-Res.			UEPSR	UEPRC	1.65	2.38	2.28		1.33						
	Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR	UEPRO	1.65	2.38	2.28	1.42	1.33						

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhil	bit: A
											Svc	Svc Order	Incrementa	Incrementa	Incremental	Incrementa
CATEGORY	RATE ELEMENTS	Inter	Zon	BCS	usoc		R.	ATES (\$)			Order Submitte d Elec	Submitte d	I Charge - Manual Svc Order	I Charge - Manual Svc Order	Charge - Manual Svc	I Charge -
		ım	е								ner I SR	per LSR	vs.	vs.	Electronic-	vs.
											per Lor		Electronic-	-		Electronic-
													Liectronic-	Electionic-	DISC 1St	Disc Add'l
						Des	Nonrec	urring	NRC Disco	onnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports-2W VG unbundled SC extended local dialing															
	parity Port with Caller ID-Res.			UEPSR	UEPAU	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports-2W VG unbundled SC Area Calling port with															
	Caller ID-Res (LW8)			UEPSR	UEPAJ	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports-2W VG unbundled res, low usage line port with															
	Caller ID (LUM)			UEPSR	UEPAP	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports-2W VG SC res Dialing Plan w/o Caller ID			UEPSR	UEPWL	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports-2W VG SC res Area Calling Plan w/o Caller ID															
	capability			UEPSR	UEPRS	1.65	2.38	2.28	1.42	1.33						
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPSR	UEPRT	1.65	2.38	2.28	1.42	1.33						
	Subsqnt Activity			UEPSR	USASC	0.00	0.00	0.00								
FEAT	URES															
	All Available Vertical Features			UEPSR	UEPVF	3.04	0.00	0.00								
2-WIF	E VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus			UEPSB	UEPBL	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports-2W VG unbundled Line Port with unbundled port															
	with Caller+E484 ID-Bus.			UEPSB	UEPBC	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports-2W Analog Line Port outgoing only-Bus.			UEPSB	UEPBO	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports-2W VG unbundled SC extended local dialing															
	parity Port with Caller ID-Bus.			UEPSB	UEPAZ	1.65	2.38	2.28	1.42	1.33						
	Exhange Ports-2W VG unbundled incoming only port with Caller			UEPSB	UEPB1	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports-2W VG unbundled SC Bus Area Calling Port with															
	Caller ID-Bus (LMB)			UEPSB	UEPAB	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports-2W Voice SC bus Dialing Plan w/o Caller ID			UEPSB	UEPWM	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports-2W Voice SC bus Area Calling Port w/o Caller ID	<u> </u>		UEPSB	UEPBB	1.65	2.38	2.28	1.42	1.33						
	2W voice unbundled Incoming Only Port w/o Caller ID Capability	<u> </u>		UEPSB	UEPBE	1.65	2.38	2.28	1.42	1.33						
LL	Subsqnt Activity	<u> </u>	1	UEPSB	USASC	0.00	0.00	0.00								
FEAT	URES	<u> </u>	1		1											└
	All Available Vertical Features	<u> </u>		UEPSB	UEPVF	3.04	0.00	0.00								
	All Available Vertical Features				UEPVF	3.04	0.00	0.00								

JINDUNDL	ED NETWORK ELEMENTS - South Carolina			1								·	Attachi		Exhil	
CATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC		R	ATES (\$)			Svc Order Submitte d Elec per LSR	Manually	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	I Charge
						Dee	Nonrec	urring	NRC Disc	onnect		•	oss	Rates (\$)		THE AR
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
EXCH	ANGE PORT RATES (DID & PBX)															
	2W VG Unbundled 2-Way PBX Trunk-Res			UEPSE	UEPRD	1.65	31.34	14.88	13.97	0.90						
	2W VG Line Side Unbundled 2-Way PBX Trunk-Bus			UEPSP	UEPPC	1.65	31.34	14.88	13.97	0.90						
	2W VG Line Side Unbundled Outward PBX Trunk-Bus			UEPSP	UEPPO	1.65	31.34	14.88	13.97	0.90						
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus			UEPSP	UEPP1	1.65	31.34	14.88	13.97	0.90						
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	1.65	31.34	14.88	13.97	0.90						
	2W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.65	31.34	14.88	13.97	0.90						
	2W Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.65	31.34	14.88	13.97	0.90						
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.65	31.34	14.88	13.97	0.90						
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.65	31.34	14.88	13.97	0.90						
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.65	31.34	14.88	13.97	0.90						
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable	-		JL1 01	OLI AD	1.00	31.34	17.00	10.01	0.30						
	Port			UEPSP	UEPXE	1.65	31.34	14.88	13.97	0.90		1			I	
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy			021 01	JLIAL	1.03	31.34	17.00	15.51	0.90						
	Administrative Calling Port		l	UEPSP	UEPXL	1.65	31.34	14.88	13.97	0.90						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room	-		ULFOF	ULFAL	1.00	31.34	14.08	13.87	0.90	1	1			1	
				UEPSP	UEPXM	1.65	31.34	14.88	13.97	0.90						
	Calling Port			UEPSP	UEPXIVI	1.00	31.34	14.88	13.97	0.90						
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			LIEDOD	LIEDVO	4.05	04.04	44.00	40.07	0.00						
	Discount Room Calling Port			UEPSP	UEPXO	1.65	31.34	14.88	13.97	0.90						
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.65	31.34	14.88	13.97	0.90						
	2W Voice Unbundled 2-Way PBX SC Area Plus Calling Port			UEPSP	UEPXT	1.65	31.34	14.88	13.97	0.90						
	Subsqnt Activity			UEPSP	USASC	0.00	0.00	0.00								
FEAT	URES															
	All Available Vertical Features			UEPSP UEPSE	UEPVF	3.04	0.00	0.00								
	ANGE PORT RATES (COIN)															
	Exchange Ports-Coin Port					1.65	2.38	2.28	1.42	1.33						
	Switching Features offered with Port															
NOTE	: Transmission/usage charges associated with POTS circuit swi	itched	lusag	ge will also apply to	circuit switc	ned voice and/or	circuit switch	ned data trans	smission by	B-Channel	s associate	ed with 2-w	ire ISDN port	ts.		
	: Access to B Channel or D Channel Packet capabilities will be	availa	ble o	nly through BFR/NBI	R Process. F	Rates for the pac	ket capabilitie	s will be dete	ermined via	the BFR/NB	R Process					
	D LOCAL EXCHANGE SWITCHING(PORTS)															
	ANGE PORT RATES															
	S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISD												s or a separ	ate agreeme	nt.	
Reque	ests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports af	ter the	e effe									retion.				
	Exchange Ports-2W DID Port			UEPEX	UEPP2	8.86	119.57	18.78	60.03	3.77						
	Exchange Ports-DDITS Port-4W DS1 Port with DID capability	l -										1		· <u> </u>	1	
	(E:4/1/2004)			UEPDD	UEPDD	73.62	202.47	95.90	72.75	2.47						
	Exchange Ports-2W ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	13.38	72.93	53.11	47.90	10.76						
	All Features Offered			UEPTX, UEPSX	UEPVF	3.04	0.00	0.00								
	Exchange Ports-2W ISDN PortChannel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
	: Transmission/usage charges associated with POTS circuit swi												ire ISDN port	s.		
NOTE	: Access to B Channel or D Channel Packet capabilities will be	availa	ble o	nly through BFR/NBI	R Process. F	Rates for the pac	ket capabilitie	s will be dete	ermined via	the BFR/NB	R Process					
	ANGE PORT RATES (continued)					•										
	Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator															
	Capability (E:4/1/2004)			UEPEX	UEPEX	107.44	204.27	101.78	79.35	20.10						
	Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	107.44	204.27	101.78	79.35	20.10						
	Physical Collocation-DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.12	22.08	15.96	6.42	5.80						
	Virtual collocation-Special Access & UNE,cross-connect per DS1			UEPEX UEPDX	CNC1X	1.12	22.08	15.96	6.42	5.80					1	
Detail	ed E911 with Locator Capability (required with UEPEX port)	-			22.,,	2	22.50		52	5.50					1	
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator								-		†	1			1	
	Capability-Initial Profile Establishment per CLEC per State		l	UEPEX	UEP1A	0.00	1,808.00		156.43							
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator	 	<u> </u>	ULi-L∧	OLFIA	0.00	1,000.00		130.43		1				-	
	Capability-Subsqnt Profile Changes, Additions, Deletions			UEPEX	UEP1B	0.00	175.53					1			I	
1	or Additional PRI Telephone Numbers		<u> </u>	OLFEA	OLFID	0.00	170.03				-				 	
Now a	n Additional FRI Telephone Munibers								 		 					-
New o	Unbundled Eychange Ports AW ISDN DS1 Port-E011 Locator										1					1
New o	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator			HEDEV	LIED10	0.0600	0.40	0.40								
New o	Capability 2-way Tel Nos, per No in E911 profile [New or Add'l]			UEPEX	UEP1C	0.0698	0.49	0.49								
New o	Capability 2-way Tel Nos, per No in E911 profile [New or Add'l] Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator															
New o	Capability 2-way Tel Nos, per No in E911 profile [New or Add'l] Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Outdial Tel Nos, per No in E911 profile [New or Add'l]			UEPEX UEPEX	UEP1C UEP1D	0.0698 0.0698	0.49 11.54	0.49 11.54								
New o	Capability 2-way Tel Nos, per No in E911 profile [New or Add'l] Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator															

MOUNDE	ED NETWORK ELEMENTS - South Carolina	, ,		1										ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC			ATES (\$)			Svc Order Submitte d Elec per LSR	Manually	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	I Charg Manua Svc Orc
						Rec	Nonrec		NRC Disco				oss	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Exchange Ports-4W ISDN DS1 Port-Subsqnt [New] Inward Tel Nos															
	[Customer Testing Purposes]			UEPEX	PR7ZT	0.00	23.07	23.07								
	NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
INTER	FACE (Provsioning Only)															
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00								
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00								
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00								
New o	r Additional Channel															
	New or Add'I-Voice/Data "B" Channel			UEPEX	PR7BV	0.00	14.56									
	New or Add'I-Digital Data "B" Channel			UEPEX	PR7BF	0.00	14.56	<u> </u>								
	New or Add'l Inward Data "B" Channel			UEPDX	PR7BD	0.00	14.56									
	New or Add'l Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00										
	New or Add'l Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00										
	New or Add'l PRI "D" Channel			UEPEX	PR7EX	0.00	14.56				1					
CALL	TYPES										1					
	Inward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00								
	Outward	1		UEPEX	PR7CO	0.00	0.00	0.00			1					
	Two-way	1		UEPEX	PR7CC	0.00	0.00	0.00			1					
	NDLED PORT with REMOTE CALL FORWARDING CAPABILITY	1					0.00				1					
	NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE										1	-				1
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.65	2.38	2.28	1.42	1.33	1	-				1
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERLC	1.65	2.38	2.28	1.42	1.33	1					
	Unbundled Remote Call Forwarding Service, Local Calling Res			UEPVR	UERTE	1.65	2.38	2.28	1.42	1.33						
	Unbundled Remote Call Forwarding Service, IntelEATA-Res			UEPVR	UERTR	1.65	2.38	2.28	1.42	1.33						
	ecurring			UEPVK	UERIK	1.00	2.30	2.20	1.42	1.33	1	ļ				-
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-								-		1	ļ				-
	onbundled Remote Call Forwarding Service-Conversion-Switch-as-			UEPVR	USAC2		0.10	0.10								
-	IS			UEPVR	USAC2		0.10	0.10			ļ					
	Unbundled Remote Call Forwarding Service -Conversion with			LIEDVO	110400		0.40	0.40								
	allowed change (PIC and LPIC)			UEPVR	USACC		0.10	0.10								
	NDLED REMOTE CALL FORWARDING - Bus			11551/5												
	Unbundled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UERAC	1.65	2.38	2.28	1.42	1.33						
	Unbundled Remote Call Forwarding Service, Local Calling-Bus			UEPVB	UERLC	1.65	2.38	2.28	1.42	1.33						
	Unbundled Remote Call Forwarding Service, InterLATA-Bus			UEPVB	UERTE	1.65	2.38	2.28	1.42	1.33						
	Unbundled Remote Call Forwarding Service, IntraLATA-Bus			UEPVB	UERTR	1.65	2.38	2.28	1.42	1.33						
	Unbundled Remote Call Forwarding Service Expanded and															
	Exception Local Calling			UEPVB	UERVJ	1.65	2.38	2.28	1.42	1.33						
	ecurring															
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-	1 1														
	is			UEPVB	USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service -Conversion with															
	allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								
BUNDLED	LOCAL SWITCHING, PORT USAGE															
End O	ffice Switching (Port Usage)										1					
	End Office Switching Function, Per MOU					0.0010519					1					
	End Office Trunk Port-Shared, Per MOU					0.0002136					1					
	m Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU					0.0001634										t
+ +	Tandem Trunk Port-Shared, Per MOU					0.0002863										t
1 1	Tandem Switching Function Per MOU (Melded)					0.00004951					†				Ì	
	Tandem Trunk Port-Shared, Per MOU (Melded)					0.000086749					1		1		Ì	†
	Melded Factor: 30.30% of the Tandem Rate	\vdash				3.000000740					1					1
	on Transport	\vdash							1		t	 			 	
	Common Transport-Per mi, Per MOU					0.0000045					1				<u> </u>	t
	Common Transport-Facilities Term Per MOU	+				0.0004095			1		 				1	
	PORT/LOOP COMBINATIONS - COST BASED RATES	\vdash				0.000-093					 	-			 	
	ased Rates are applied where BellSouth is required by FCC and	d/or St	ato C	`ommission rulo to n	rovide Unb	Indied Local Cod	tching or S	ch Porte			 	 	 		<u> </u>	\vdash

NRONDLED NE I WORK	ELEMENTS - South Carolina													ment: 2		bit: A
TEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC		F	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	I Charge
						_	Nonre	curring	NRC Disc	onnect	1	•	oss	Rates (\$)		TIME AAA
1 1						Rec	First	Add'l	First	I'bbA	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
The first and additiona	Port nonrecurring charges apply to Not Curre	ntly (`ombi	ned Combos For Cu	rrently Com	hined Combos t										00
	LOOP WITH 2-WIRE LINE PORT (RES)								1	 	T	l		1	1	
UNE Port/Loop Combin									1		 					
2W VG Loop/Port			1			14.89					1					
2W VG Loop/Port			2			21.52			1		1		1		1	
2W VG Loop/Port			3			27.17	-				1				-	
UNE Loop Rates	Combo-Zone 3		3			27.17					 					
2W VG Loop (SL	74		1	UEPRX	UEPLX	13.76			1		<u> </u>					
2W VG Loop (SL					UEPLX	20.38			1		<u> </u>					
			2	UEPRX												ļ
2W VG Loop (SL			3	UEPRX	UEPLX	26.04										
2-Wire Voice Grade Lir				HERRY	LIEBS:				2.2-		<u> </u>		1	ļ	-	
2W voice unbund			<u> </u>	UEPRX	UEPRL	1.13	40.30	19.90	24.98	6.65	ļ	ļ		ļ		
	led port with Caller ID-res			UEPRX	UEPRC	1.13	40.30	19.90	24.98	6.65						
	led port outgoing only-res		<u> </u>	UEPRX	UEPRO	1.13	40.30	19.90	24.98	6.65	ļ		ļ	ļ		ļ
	d SC extended local dialing parity port with Caller															
ID-res			<u> </u>	UEPRX	UEPAU	1.13	40.30	19.90	24.98	6.65	ļ				1	
	led SC Area Calling port with Caller ID-res (LW8)			UEPRX	UEPAJ	1.13	40.30	19.90	24.98	6.65						
	les res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.13	37.93	16.72								
	fled SC res Dialing Plan w/o Caller ID			UEPRX	UEPWL	1.13	40.30	19.90		6.65						
	led SC Area Calling Port w/o Caller ID Capability			UEPRX	UEPRS	1.13	40.30	19.90	24.98	6.65						
	led Low Usage Line Port w/o Caller ID Capability			UEPRX	UEPRT	1.13	40.30	19.90	24.98	6.65						
FEATURES																
All Features Offe	ed			UEPRX	UEPVF	3.04	0.00	0.00								
LOCAL NUMBER PORT	ABILITY										Ĭ .					
Local No Portabil	ty (1 per port)			UEPRX	LNPCX	0.35					1					
	RGES (NRCs) - CURRENTLY COMBINED			-	_											
	Port Combination-Conversion-Switch-as-is			UEPRX	USAC2		0.10	0.10			1					
	Port Combination -Conversion-Switch with			UEPRX	USACC		0.10	0.10								
ADDITIONAL NRCs				-												
2W VG Loop/Line	Port Combination-Subsqnt Activity			UEPRX	USAS2	0.00	0.00	0.00								
	Rate Element, Tag Loop at End User Premise			UEPRX	URETL		8.33	0.83			1					
OFF/ON PREMISES EX				02.100	OILLIE		0.00	0.00			1					
	tension Loop – Non-Design		1	UEPRX	UEAEN	14.94	37.92	17.62	23.56	5.32	 					
	tension Loop – Non-Design		2	UEPRX	UEAEN	21.39	37.92	17.62	23.56	5.32	1					
	tension Loop – Non-Design		3	UEPRX	UEAEN	26.72	37.92	17.62	23.56	5.32	t		 	 	1	
	tension Loop – Non-Design		1	UEPRX	UEAED	16.68	105.98	68.43	53.05	10.61	 		 	 		-
	tension Loop – Design		2	UEPRX	UEAED	23.13	105.98	68.43	53.05	10.61	1		†	1	1	
	tension Loop – Design		3	UEPRX	UEAED	28.46	105.98	68.43	53.05	10.61	1	-	}	 	 	1
INTEROFFICE TRANSF			3	ULFIX	JLALD	20.40	100.90	00.43	55.05	10.01	1		1	-	-	1
	ort-Dedicated-2W VG-Facility Term		1	UEPRX	U1TV2	24.30	40.63	27.47	16.77	6.91	1	-	}	 	+	1
	ort-Dedicated-2W VG-Pacility Termiort-Dedicated-2W VG-Per mi or Fraction mi		1	UEPRX	U1TVM	0.0167	0.00	0.00	10.77	0.91	1		1	-	-	1
	LOOP WITH 2-WIRE LINE PORT (BUS)		1	OLFRA	UTTVIVI	0.0107	0.00	0.00	 		1	-	}	 	+	
UNE Port/Loop Combi			1				-		 		 		-		-	
2W VG Loop/Port			1			14.89	 		 		1		1	-	 	
							 		 		1		1	 	1	
2W VG Loop/Port			2			21.52	 		 		-		1	 	1	
2W VG Loop/Port	Compo-Zone 3	<u> </u>	3			27.17	 		 	ļ	 	 	1	1	1	
UNE Loop Rates	74		L _	LIEBBY	LIEDLY	10 =0					1			ļ		ļ
2W VG Loop (SL			1	UEPBX	UEPLX	13.76			<u> </u>	ļ	ļ	ļ		ļ		ļ
2W VG Loop (SL		<u> </u>	2	UEPBX	UEPLX	20.38					1					ļ
2W VG Loop (SL			3	UEPBX	UEPLX	26.04			<u> </u>	ļ	ļ	ļ		ļ		ļ
2-Wire Voice Grade Lir			<u> </u>						ļ							ļ
	led port w/o Caller ID-bus	<u> </u>	L	UEPBX	UEPBL	1.13	40.30	19.90		6.65	<u> </u>				1	<u> </u>
	led port with Caller + E484 ID-bus			UEPBX	UEPBC	1.13	40.30	19.90	24.98	6.65						
	led port outgoing only-bus			UEPBX	UEPBO	1.13	40.30	19.90	24.98	6.65						
	d SC extended local dialing parity port with Caller	l -					_			1	1	1		<u> </u>		
ID-bus				UEPBX	UEPAZ	1.13	40.30	19.90	24.98	6.65						<u> </u>
	led incoming only port with Caller ID-Bus			UEPBX	UEPB1	1.13	40.30	19.90		6.65						
	led SC Bus Area Calling Port with Caller ID			UEPBX	UEPAB	1.13	40.30	19.90	24.98	6.65						
1014/1/6-1-11-1	lled SC bus Dialing Plan w/o Caller ID			UEPBX	UEPWM	1.13	40.30	19.90	24.98	6.65	1		1			1

INRONDE	ED NETWORK ELEMENTS - South Carolina													ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC			ATES (\$)			Svc Order Submitte d Elec per LSR	Submitte d Manually	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge Manual Svc Orde
						Rec	Nonrec	urring	NRC Disco	onnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W voice unbundled SC bus Area Calling Port w/o Caller ID															
	Capability			UEPBX	UEPBB	1.13	40.30	19.90	24.98	6.65						
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPBX	UEPBE	1.13	40.30	19.90	24.98	6.65						1
LOCA	L NUMBER PORTABILITY															1
	Local No Portability (1 per port)			UEPBX	LNPCX	0.35										
FEAT	URES															1
	All Features Offered			UEPBX	UEPVF	3.04	0.00	0.00								1
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															1
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPBX	USAC2		0.10	0.10								1
	2W VG Loop/Line Port Combination -Conversion-Switch with			UEPBX	USACC		0.10	0.10								1
ADDIT	IONAL NRCs															1
	2W VG Loop/Line Port Combination-Subsent Activity			UEPBX	USAS2		0.00	0.00								
	Unbundled Misc Rate Element, Tag Loop at End User Premise	t		UEPBX	URETL		8.33	0.83	1				İ	İ	İ	
OFF/C	N PREMISES EXTENSION CHANNELS			-												
	2W Analog VG Extension Loop – Non-Design	t	1	UEPBX	UEAEN	14.94	37.92	17.62	23.56	5.32			İ	İ	İ	
	2W Analog VG Extension Loop – Non-Design		2	UEPBX	UEAEN	21.39	37.92	17.62	23.56	5.32						
	2W Analog VG Extension Loop – Non-Design		3	UEPBX	UEAEN	26.72	37.92	17.62	23.56	5.32						
	2W Analog VG Extension Loop – Design	1	1	UEPBX	UEAED	16.68	105.98	68.43	53.05	10.61						-
	2W Analog VG Extension Loop – Design	1	2	UEPBX	UEAED	23.13	105.98	68.43	53.05	10.61						-
	2W Analog VG Extension Loop – Design	1	3	UEPBX	UEAED	28.46	105.98	68.43	53.05	10.61						-
INTER	OFFICE TRANSPORT		Ŭ	OLI DX	OLALD	20.40	100.00	00.40	00.00	10.01	†					
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPBX	U1TV2	24.30	40.63	27.47	16.77	6.91	†					
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPBX	U1TVM	0.0167	0.00	0.00	10.77	0.31						
2-WID	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			OLI DX	OTTVIVI	0.0107	0.00	0.00								
	Port/Loop Combination Rates															
UNE	2W VG Loop/Port Combo-Zone 1		1		+	14.89			1		 	-				-
-	2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2		2		+	21.52			1		 	-				-
_	2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3		3			27.17										
LINE		-	3		-	21.11										
UNE	oop Rates	-	-	LIEDDO	HEDLY	10.70										
-	2W VG Loop (SL 1)-Zone 1	-	1	UEPRG	UEPLX	13.76										
	2W VG Loop (SL 1)-Zone 2		2	UEPRG	UEPLX	20.38					ļ					ļ
- 120	2W VG Loop (SL 1)-Zone 3	<u> </u>	3	UEPRG	UEPLX	26.04										
2-Wire	voice Grade Line Port Rates (RES - PBX)	<u> </u>		LIEBBO	LIEBBB				07.50							
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	1.13	69.26	32.50	37.53	6.22						
LOCA	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEAT																
	All Features Offered			UEPRG	UEPVF	3.04	0.00	0.00								
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-			UEPRG	USAC2		7.93	1.91								
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with															
	Change			UEPRG	USACC		7.93	1.91								
ADDIT	TONAL NRCs															
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPRG	USAS2	0.00	0.00	0.00								
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.34	7.34								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRG	URETL		8.33	0.83								
OFF/C	ON PREMISES EXTENSION CHANNELS															
	Local Channel VG, per Term		1	UEPRG	P2JHX	16.68	105.98	68.43	53.05	10.61						
	Local Channel VG, per Term		2	UEPRG	P2JHX	23.13	105.98	68.43	53.05	10.61						
	Local Channel VG, per Term		3	UEPRG	P2JHX	28.46	105.98	68.43	53.05	10.61						
	Non-Wire Direct Serve Channel VG		1	UEPRG	SDD2X	17.74	131.88	62.06	90.70	13.42						
	Non-Wire Direct Serve Channel VG		2	UEPRG	SDD2X	25.16	65.94	31.03	45.35	6.71						
	Non-Wire Direct Serve Channel VG		3	UEPRG	SDD2X	29.58	65.94	31.03	45.35	6.71						
INTER	OFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRG	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi		1 1	UEPRG	U1TVM	0.0167	0.00	0.00								
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	Port/Loop Combination Rates				1 1				İ				Ì	i	i	
	2W VG Loop/Port Combo-Zone 1		1		+ +	14.89			1		†		ł	1	1	

ARONDLE	D NETWORK ELEMENTS - South Carolina													ment: 2		bit: A
											Svc	Svc Order	Incrementa	Incrementa	Incremental	Increme
											Order	Submitte	I Charge -	I Charge -	Charge -	I Charge
			7								Submitte	d	Manual	Manual	Manual Svc	Manua
TEGORY	RATE ELEMENTS	Inter		BCS	USOC		R	ATES (\$)			d Elec	Manually		Svc Order	Order vs.	Svc Ord
		im	е					= (+/							Electronic-	
											per LSK	per LSR	vs.	vs.		vs.
													Electronic-	Electronic-	Disc 1st	Electronic
			+				Nonred	rurring	NRC Disc	onnect		I	100	Rates (\$)		Dice Add
						Rec	First	Add'I	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
01	MANG Lear/Dat Comba Zona 0		2			21.52	FIISL	Add I	FIISL	Auu i	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SUMAN
	W VG Loop/Port Combo-Zone 2 W VG Loop/Port Combo-Zone 3		3			27.17										
			3			27.17						ļ				
	op Rates			UEDD\/	LIEBLY.	10 =0										
	W VG Loop (SL 1)-Zone 1		1	UEPPX	UEPLX	13.76										
	W VG Loop (SL 1)-Zone 2		2	UEPPX	UEPLX	20.38										
	W VG Loop (SL 1)-Zone 3		3	UEPPX	UEPLX	26.04										
	/oice Grade Line Port Rates (BUS - PBX)															
	ine Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	1.13	69.26	32.50	37.53	6.22						
	ine Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	1.13	69.26	32.50	37.53	6.22						
	ine Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	1.13	69.26	32.50	37.53	6.22						
2\	W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.13	69.26	32.50	37.53	6.22						
	W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.13	69.26	32.50	37.53	6.22						
	W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.13	69.26	32.50	37.53	6.22						
	W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.13	69.26	32.50	37.53	6.22						
	W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.13	69.26	32.50	37.53	6.22						
	W Voice Unbundled PBX LD Terminal Switchboard IDD Capable			OLITA	OLI AD	1.10	00.20	02.00	07.00	0.22		†				
	ort			UEPPX	UEPXE	1.13	69.26	32.50	37.53	6.22						
	W Voice Unbundled 2-Way PBX Hotel/Hospital Economy		-	ULFFX	OLFAL	1.13	09.20	32.30	37.33	0.22		 	-			
				UEPPX	UEPXL	1.13	69.26	32.50	37.53	6.22						
	dministrative Calling Port			UEFFA	UEFAL	1.13	09.20	32.30	37.33	0.22						
	W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room															
	alling Port			UEPPX	UEPXM	1.13	69.26	32.50	37.53	6.22						
	W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	iscount Room Calling Port			UEPPX	UEPXO	1.13	69.26	32.50	37.53	6.22						
	W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.13	69.26	32.50	37.53	6.22						
	W Voice Unbundled 2-Way PBX SC Area Plus Calling Port			UEPPX	UEPXT	1.13	69.26	32.50	37.53	6.22						
LOCAL	NUMBER PORTABILITY															
Lo	ocal No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEATUR	RES															
Al	Il Features Offered			UEPPX	UEPVF	3.04	0.00	0.00								
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-															
Is	· · · · · · · · · · · · · · · · · · ·			UEPPX	USAC2		7.93	1.91								
21	W VG Loop/Line Port Combination (PBX)-Conversion-Switch with			OLI I X	00,102		7.00	1.01								
	hange			UEPPX	USACC		7.93	1.91								
	DNAL NRCs		-	OLITA	00/100		7.00	1.01								
	W VG Loop/Line Port Combination (PBX)-Subsgnt Activity			UEPPX	USAS2	0.00	0.00	0.00				1	1			
	BX Subsgnt Activity-Change/Rearrange Multiline Hunt Group		-	UEFFA	U3A32	0.00	7.34	7.34								
			-	LIEDDY	LIDETI											
	nbundled Misc Rate Element, Tag Loop at End User Premise		-	UEPPX	URETL		8.33	0.83				ļ				
	PREMISES EXTENSION CHANNELS															
	ocal Channel VG, per Term	-	1	UEPPX	P2JHX	16.68	105.98	68.43	53.05	10.61		ļ				
	ocal Channel VG, per Term	<u> </u>	2	UEPPX	P2JHX	23.13	105.98	68.43	53.05	10.61		ļ		ļ		
	ocal Channel VG, per Term		3	UEPPX	P2JHX	28.46	105.98	68.43	53.05	10.61						
	on-Wire Direct Serve Channel VG		1	UEPPX	SDD2X	17.74	131.88	62.06	90.70	13.42						
	on-Wire Direct Serve Channel VG		2	UEPPX	SDD2X	25.16	65.94	31.03	45.35	6.71						
	on-Wire Direct Serve Channel VG		3	UEPPX	SDD2X	29.58	65.94	31.03	45.35	6.71						
INTERO	FFICE TRANSPORT															
	teroffice Transport-Dedicated-2W VG-Facility Term			UEPPX	U1TV2	24.30	40.63	27.47	16.77	6.91						
	steroffice Transport-Dedicated-2W VG-Per mi or Fraction mi		t	UEPPX	U1TVM	0.0167	0.00	0.00			1	ì	1	1	1	1

INDUNDL	ED NETWORK ELEMENTS - South Carolina													ment: 2	1	bit: A
ATEGORY	RATE ELEMENTS	Inter im	r Zon e	BCS	USOC			ATES (\$)			Svc Order Submitte d Elec per LSR	Manually	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	I Charge Manua Svc Ord vs.
						Rec	Nonre	curring	NRC Disc	onnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT	Ī														
UNE F	Port/Loop Combination Rates															1
	2W VG Coin Port/Loop Combo – Zone 1		1			14.89										
	2W VG Coin Port/Loop Combo – Zone 2		2			21.52										
	2W VG Coin Port/Loop Combo – Zone 3		3			27.17										†
LINE	oop Rates					27.17										1
ONL	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	13.76										
-	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	20.38			-			 	ļ			-
_	2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	26.04										
			3	UEPCO	UEPLA	20.04										
Z-VVIT	e Voice Grade Line Ports (COIN)		1	LIEBOO	LIEDOD	4.40	40.00	40.00	04.00	0.05						
_	2W Coin 2-Way w/o Oper Screening and w/o Blocking (SC)		+	UEPCO	UEPSD	1.13	40.30	19.90	24.98	6.65	1	1	1	-	1	
	2W Coin 2-Way with Oper Screening and Blocking: 011, 900/976,			UESSS												1
	1+DDD (SC)			UEPCO	UEPSA	1.13	40.30	19.90	24.98	6.65						
	2W Coin 2-Way with Oper Screening and 011 Blocking (SC)		1	UEPCO	UEPSH	1.13	40.30	19.90	24.98	6.65						
	2W Coin 2-Way with Oper Screening and 011 Blocking; with				1		1			1				1		1
	Dialing Parity (SC)			UEPCO	UEPSC	1.13	40.30	19.90	24.98	6.65						
	2W Coin 2-Way with Oper Screening and: 900 Blocking: 900/976,			<u> </u>		<u> </u>										
	1+DDD, 011+, and Local (SC)			UEPCO	UEPCC	1.13	40.30	19.90	24.98	6.65						
	2W Coin 2-W Oper Screen: 900 Block: 900/976, 1+DDD, 011+,															
	Local; Enhanced Call OPT 3YV (SC)			UEPCO	UEPCE	1.13	40.30	19.90	24.98	6.65						
	2W Coin 2-W Oper Screen: 900 Block: 900/976, 1+DDD, 011+,															1
	Local; Enhanced Call OPT AP7 (SC)			UEPCO	UEPCF	1.13	40.30	19.90	24.98	6.65						
	2W Coin Outward w/o Blocking and w/o Oper Screening (SC)		+	UEPCO	UEPSG	1.13	40.30	19.90		6.65						
_	2W Coin Outward with Oper Screening and 011 Blocking (SC)		+	UEPCO	UEPSF	1.13	40.30	19.90		6.65	1	1	1			-
	2W Coin Outward with Oper Screening and Blocking: 011,		+	ULFCO	ULFSI	1.13	40.30	19.90	24.50	0.05	-					
				LIEBOO	UEDOL	4.40	40.00	40.00	04.00	0.05						
-	900/976, 1+DDD (SC)		+	UEPCO	UEPSJ	1.13	40.30	19.90	24.98	6.65						
	2W Coin Outward with Oper Screening and Blocking: 900/976,						40.00									
	1+DDD, 011+, and Local (SC)		1	UEPCO	UEPCM	1.13	40.30	19.90	24.98	6.65						
	2W Coin Out Oper Screen & Block: 900/976, 1+DDD, 011+, Local;															
	Enhanced Calling OPT 3YW (SC)			UEPCO	UEPCP	1.13	40.30	19.90	24.98	6.65						
	2W 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.13	40.30	19.90	24.98	6.65						
	2W Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1.13	40.30	19.90	24.98	6.65						
ADDI	TONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	4.05	0.00	0.00	0.00	0.00						
LOCA	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPCO	LNPCX	0.35										
NONR	ECURRING CHARGES - CURRENTLY COMBINED				1											
	2W VG Loop/Line Port Combination -Conversion-Switch-as-is		1 1	UEPCO	USAC2		0.10	0.10								1
	2W VG Loop/Line Port Combination-Conversion-Switch w change		1 1	UEPCO	USACC		0.10	0.10					1		Ì	<u> </u>
ADDI	IONAL NRCs		1 1		1				1				1	1	Ì	\vdash
	2W VG Loop/Line Port Combination-Subsqnt Activity		1 1	UEPCO	USAS2		0.00	0.00	1		1	1	t	1	1	t
+-	Unbundled Misc Rate Element, Tag Loop at End User Premise		1 -	UEPCO	URETL		8.33	0.83	1		 	 	1	 	 	\vdash
2-11/10	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	INF	POPT		OINLIL		0.33	0.03	1				1		†	\vdash
	Port/Loop Combination Rates	LINE	TOKI	(NEO)	+ +		-		 		1	1	-	-	 	-
UNE			4		+	40.00			 		<u> </u>	-	-	-	-	
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1		+	18.00			 		<u> </u>	-	-	-	-	
+	2W VG Loop/IO Tranport/Port Combo-Zone 2	-	2		+ +	24.45			1		1	 	1	 	1	├
11515	2W VG Loop/IO Tranport/Port Combo-Zone 3		3		+ +	29.78	ļ		1				-		1	₩
UNE L	oop Rates		+_+	HEDED	LIEGES	10.00							1		1	—
_	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	16.68			ļ							<u> </u>
_	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	23.13					ļ					ļ
	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	28.46										<u> </u>
2-Wire	Voice Grade Line Port Rates (Res)															<u> </u>
	2W voice unbundled port-res			UEPFR	UEPRL	1.32	108.36	70.71	1.42	1.33						
	2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	1.32	108.36	70.71	1.42	1.33						
	2W voice unbundled port outgoing only-res			UEPFR	UEPRO	1.32	108.36	70.71	1.42	1.33						
	2W VG unbundled SC extended local dialing parity port with Caller															
	ID-res			UEPFR	UEPAU	1.32	108.36	70.71	1.42	1.33				1		1
	2W voice unbundled SC Area Calling port with Caller ID-res (LW8)			UEPFR	UEPAJ	1.32	108.36	70.71	1.42	1.33						†
	2W voice unbundles res, low usage line port with Caller ID (LUM)	-	+-+	UEPFR	UEPAP	1.32	108.36	70.71	1.42	1.33	1	 	 	l	1	

IRONDLE	D NETWORK ELEMENTS - South Carolina													ment: 2		bit: A
EGORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC		R	ATES (\$)			Svc Order Submitte d Elec	Submitte d Manually	Manual Svc Order	I Charge - Manual Svc Order	Charge - Manual Svo Order vs.	I Charg Manua Svc Ord
											per LSR	per LSR	vs. Electronic-	vs. Electronic-	Electronic- Disc 1st	vs. Electron
						Rec	Nonred First		NRC Disc	onnect Add'l	COMEC	SOMAN		Rates (\$)	SOMAN	SOMAN
	W Voice Unbundled SC res Dialing Plan w/o Caller ID			UEPFR	UEPWL	1.32	108.36	Add'I 70.71	1.42	1.33	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	FFICE TRANSPORT			UEPFR	UEPVVL	1.32	106.30	70.71	1.42	1.33						
	nteroffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	19.44	40.63	27.47	16.77	6.91						
	nteroffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR	1L5XX	0.0134	10.00	2		0.01						
FEATUR																
	II Features Offered			UEPFR	UEPVF	3.04	0.00	0.00								
LOCAL	NUMBER PORTABILITY															
	ocal No Portability (1 per port)			UEPFR	LNPCX	0.35										
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	W Loop/Dedicated IO Transport/2W Line Port Combination-	_			Ι						1					
	Conversion-Switch-as-is		\sqcup	UEPFR	USAC2		8.50	1.87				ļ				
	W Loop/Dedicated IO Transport/2W Line Port Combination-															
	Conversion-Switch-With-Change			UEPFR UEPFR	USACC		8.50	1.87								
	Inbundled Misc Rate Element, Tag Designed Loop at End User VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE I	INIT	DODT		URETN		11.24	1.10								
	rt/Loop Combination Rates	LINE	PORT	(803)	-											
	W VG Loop/IO Tranport/Port Combo-Zone 1		1			18.00										
	W VG Loop/IO Tranport/Port Combo-Zone 1		2			24.45										
	W VG Loop/IO Tranport/Port Combo-Zone 3		3		+	29.78										
	op Rates		Ŭ			20.70										
	W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	16.68										
	W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2	23.13										
	W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	28.46										
2-Wire \	/oice Grade Line Port (Bus)															
	W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	1.32	108.36	70.71	1.42	1.33						
	W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBC	1.32	108.36	70.71		1.33						
	W voice unbundled port outgoing only-bus			UEPFB	UEPBO	1.32	108.36	70.71	1.42	1.33						
	W VG unbundled SC extended local dialing parity port with Caller															
	O-bus			UEPFB	UEPAZ	1.32	108.36	70.71	1.42	1.33						
	W voice unbundled incoming only port with Caller ID-Bus W voice unbundled SC Bus Area Calling Port with Caller ID			UEPFB UEPFB	UEPB1 UEPAB	1.32 1.32	108.36 108.36	70.71 70.71	1.42 1.42	1.33 1.33						
	W Voice Unbundled SC bus Area Calling Port with Caller ID W Voice Unbundled SC bus Dialing Plan w/o Caller ID			UEPFB	UEPWM	1.32	108.36	70.71	1.42	1.33			-			
	NUMBER PORTABILITY			OLFIB	OLF WIVI	1.32	100.30	70.71	1.42	1.33						
	ocal No Portability (1 per port)			UEPFB	LNPCX	0.35										
	FFICE TRANSPORT			OLITB	LIVI OX	0.00										
	nteroffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2	19.44	40.63	27.47	16.77	6.91						
	nteroffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX	0.0134										
FEATUR	RES				İ											
	II Features Offered			UEPFB	UEPVF	3.04	0.00	0.00								
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
C	W Loop/Dedicated IO Transport/2W Line Port Combination- conversion-Switch-as-is			UEPFB	USAC2		8.50	1.87								
	W Loop/Dedicated IO Transport/2W Line Port Combination-			LIEDED	110406		0.50									
	Conversion-Switch with change			UEPFB	USACC		8.50	1.87								
	Inbundled Misc Rate Element, Tag Designed Loop at End User VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE I	INIT	DODT	UEPFB (DDV)	URETN		11.24	1.10								
	rt/Loop Combination Rates	LINE	PURI	(FDA)	+ +				}		1	1	-	-		-
	W VG Loop/IO Tranport/Port Combo-Zone 1		1		+	18.00			1			1	+			
	W VG Loop/IO Tranport/Port Combo-Zone 1		2		+ +	24.45			 			 	-	 		-
	W VG Loop/IO Tranport/Port Combo-Zone 3		3		+ +	29.78										
	op Rates		Ť		† †	25.70										
	W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2	16.68						1				
2	W VG Loop (SL2)-Zone 2		2	UEPFP	UECF2	23.13										
1 2	W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	28.46										

NROND	LED NETWORK ELEMENTS - South Carolina										_			ment: 2	1	bit: A
ATEGORY	Y RATE ELEMENTS	Inte im	r Zon e	BCS	usoc			ATES (\$)			Svc Order Submitte d Elec per LSR	d Manually	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	I Charge Manual Svc Orde vs.
						Rec	Nonre	curring	NRC Disc	onnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wii	re Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFP	UEPPC	1.32	137.32	83.31	67.02	11.51						1
- 1	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	1.32	137.32	83.31	67.02	11.51						†
	Line Side Unbundled Incoming PBX Trunk Port-Bus	+-	+ +	UEPFP	UEPP1	1.32	137.32	83.31	67.02	11.51	<u> </u>					
	2W Voice Unbundled PBX LD Terminal Ports	+-	+ +	UEPFP	UEPLD	1.32	137.32	83.31	67.02	11.51	<u> </u>					
	2W Voice Unbundled 2-Way Combination PBX Usage Port	-	+ +	UEPFP	UEPXA	1.32	137.32	83.31	67.02	11.51	1		1			
		_	+	UEPFP	UEPXA						 					-
	2W Voice Unbundled PBX Toll Terminal Hotel Ports	_	1			1.32	137.32	83.31	67.02	11.51						.
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.32	137.32	83.31	67.02	11.51						
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.32	137.32	83.31	67.02	11.51						
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable	Э														
	Port			UEPFP	UEPXE	1.32	137.32	83.31	67.02	11.51						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy	T						-								
	Administrative Calling Port	- 1	1	UEPFP	UEPXL	1.32	137.32	83.31	67.02	11.51	1			1		1
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room		1 1		1		1				İ		1	İ	Ì	
	Calling Port	- 1	1	UEPFP	UEPXM	1.32	137.32	83.31	67.02	11.51	1]		1
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	+-	+ +	OLITI	OLI XIVI	1.52	107.02	00.01	07.02	11.51	<u> </u>					
				UEPFP	UEPXO	1 22	137.32	83.31	67.02	11.51						
	Discount Room Calling Port	_				1.32										
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.32	137.32	83.31		11.51						
	2W Voice Unbundled 2-Way PBX SC Area Plus Calling Port			UEPFP	UEPXT	1.32	137.32	83.31	67.02	11.51						
LOC	AL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00								
INTE	ROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2	19.44	40.63	27.47	16.77	6.91						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	1L5XX	0.0134					1					
ΕΕΛΊ	TURES	-	+ +	02	120/01	0.0101					1					
1	All Features Offered	_	+ +	UEPFP	UEPVF	3.04	0.00	0.00			1					-
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	_	+ +	ULFIF	OLFVI	3.04	0.00	0.00	-							
NON		_														
	2W Loop/Dedicated IO Transport/2W Line Port Combination-															
	Conversion-Switch-as-is			UEPFP	USAC2		8.50	1.87								
	2W Loop/Dedicated IO Transport/2W Line Port Combination-															
	Conversion-Switch with change			UEPFP	USACC		8.50	1.87								
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFP	URETN		11.24	1.10								
NBUNDLE	D PORT/LOOP COMBINATIONS - COST BASED RATES															
2-WII	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUN	K POR	Г													
UNE	Port/Loop Combination Rates															
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1			23.75										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2			30.20					1					
_	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3	+-	3		+	35.52					<u> </u>					
LINE	Loop Rates		3		1	33.32	 		 		1		 	1	}	+
UNE			+ + +	UEPPX	UECD1	40.00			 		 	-	 	-	-	
_	2W Analog VG Loop-(SL2)-UNE Zone 1	-	1			16.68	 		1		1		1	 	1	
	2W Analog VG Loop-(SL2)-UNE Zone 2	_	2	UEPPX	UECD1	23.13	1		1		1		-	ļ	1	├
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1	28.46										ļ
UNE	Port Rate															<u> </u>
	Exchange Ports-2W DID Port			UEPPX	UEPD1	7.06	225.55	87.21	113.08	14.38						
NON	RECURRING CHARGES - CURRENTLY COMBINED															
	2W VG Loop/2W DID Trunk Port Combination -Switch-as-is			UEPPX	USAC1		7.32	1.87								
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable															1
	Changes	- 1	1	UEPPX	USA1C		7.32	1.87			1			1		1
ADDI	ITIONAL NRCs	-	1 1		1				1		1		1		1	
7,00	2W DID Subsqnt Activity-Add Trunks, Per Trunk	+	+ +	UEPPX	USAS1		26.84		1		+		1	 	1	\leftarrow
	Unbundled Misc Rate Element, Tag Designed Loop at End User		+ +	UEPPX	URETN		11.24	1.10	1		 	-	1	l	1	
T_1-			+ +	UEPPA	UKETIN		11.24	1.10	 		 		 	-	-	
ı elep	phone Number/Trunk Group Establisment Charges		+	HESSY	New				.		ļ		-			
	DID Trunk Term (One Per Port)		1	UEPPX	NDT	0.00	0.00	0.00	ļ				1	ļ		<u> </u>
	DID Nos, Establish Trunk Group and Provide First Group of 20 D	ID	1 1	UEPPX	NDZ	0.00	0.00	0.00]		
	Add'l DID Nos for each Group of 20 DID Nos			UEPPX	ND4	0.00	0.00	0.00								
	DID Nos, Non-consecutive DID Nos , Per No			UEPPX	ND5	0.00	0.00	0.00						1		
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00								
-	Reserve DID Nos	-	1 1	UEPPX	NDV	0.00	0.00	0.00	1		1		1	1	1	
	AL NUMBER PORTABILITY		-	ULI I A	.,0,	0.00	0.00	0.00	1		1		+	 	+	

NRONDI	ED NETWORK ELEMENTS - South Carolina														ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Inter	Zon e	В	cs	USOC		R	ATES (\$)			Svc Order Submitte d Elec	Submitte	Manual	Incrementa I Charge - Manual Svc Order	Incremental Charge - Manual Svo Order vs.	I Charge
												per LSR	per LSR	vs. Electronic-	vs. Electronic-	Electronic- Disc 1st	vs. Electron
							Rec	Nonrec	curring	NRC Disc	onnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Local No Portability (1 per port)				PPX	LNPCP	3.15	0.00	0.00								
	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIN	E SID	E PO	RT													
UNE	Port/Loop Combination Rates																ļ
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 1		1	UEPPB	UEPPR		30.86										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE			UEPPB	UEPPK		30.00										
	Zone 2		2	UEPPB	UEPPR		38.60										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE			OLITE	OLITIK		00.00										
	Zone 3		3	UEPPB	UEPPR		44.23										
UNE	Loop Rates																
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB	UEPPR	USL2X	21.90										
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB	UEPPR	USL2X	29.64										
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB	UEPPR	USL2X	35.27										
UNE	Port Rate																
	Exchange Port-2W ISDN Line Side Port			UEPPB	UEPPR	UEPPB	8.96	190.51	133.14	100.95	21.37						
NONE	RECURRING CHARGES - CURRENTLY COMBINED																
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-																
	Conversion			UEPPB	UEPPR	USACB	0.00	38.59	27.08								
ADDI	TIONAL NRCs																
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPB	UEPPR	URETN		11.24	1.10								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPB	UEPPR	URETL		8.33	0.83								
LOCA	AL NUMBER PORTABILITY				HERRA	LNBOY											
5.00	Local No Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
в-сп	ANNEL USER PROFILE ACCESS:			LIEDDD	LIEDDD	U1UCA	0.00	0.00	0.00								
_	CVS/CSD (DMS/5ESS) CVS (EWSD)			UEPPB UEPPB	UEPPR UEPPR	U1UCB	0.00	0.00	0.00								
_	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CH	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC.	MS a	(NT S	OLITB	OLITIK	01000	0.00	0.00	0.00								
5 0	CVS/CSD (DMS/5ESS)	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	<u> </u>	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
+	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
_	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USER	R TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								1
VERT	TCAL FEATURES																
	All Vertical Features-One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3.04	0.00	0.00								
INTE	ROFFICE CHANNEL MILEAGE																
	Interoffice Channel miage each, including first mi and facilities				UEPPR	M1GNC	24.30	40.63	27.47	16.77	6.91						
	Interoffice Channel miage each, Add'l mi			UEPPB	UEPPR	M1GNM	0.0167	0.00	0.00								<u> </u>
	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK																
	JNE-P DS1 combination rates below for in this exhibit apply to the																Ь—
	ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital Tr	unk P	ort at	ter the effe	ective date	of this amer	ndment shall be	provided purs	uant to a sep	arate agreei	nent or tari	ff at BellSo	outh's disc	retion.			
UNE	Port/Loop Combination Rates 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone		4	115	PPP		176.82										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone		2		PPP		241.38										
-	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone		3		PPP	1	347.84					1	1	1		-	
UNF	Loop Rates		3	UEI	I F		341.04						<u> </u>	<u> </u>			\vdash
ONE	4W DS1 Digital Loop-UNE Zone 1		1	UF	PPP	USL4P	90.87					1	1				
-	4W DS1 Digital Loop-UNE Zone 2		2		PPP	USL4P	155.43			<u> </u>		1	1	1			
	4W DS1 Digital Loop-UNE Zone 3		3		PPP	USL4P	261.89										
UNE	Port Rate		Ť														†
	Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEI	PPP	UEPPP	85.95	457.30	259.67	124.15	31.83		1				1
NONE	RECURRING CHARGES - CURRENTLY COMBINED			1													
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination	1															
ı	Conversion -Switch-as-is (E:4/1/2004)	1	l	l ue	PPP	USACP	0.00	119.34	78.73	1			1	1		l	

	LED NETWORK ELEMENTS - South Carolina												Attachi	ment: 2	Exhil	bit: A
ATEGORY		Inter im	Zon e	BCS	usoc			ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increme
						Rec		curring	NRC Disc					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADDI	TIONAL NRCs															
	4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqt Actvy-Inward/2way															
	Tel Nos			UEPPP	PR7TF		0.49	0.49								
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos			UEPPP	PR7TO		11.54	11.54								
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqnt Inward Tel			UEPPP	PR7ZT		23.07	23.07								
LOCA	AL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPPP	LNPCN	1.75										
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New	or Additional "B" Channel															
	New or Add'I-Voice/Data B Channel			UEPPP	PR7BV	0.00	14.56									
	New or Add'I-Digital Data B Channel			UEPPP	PR7BF	0.00	14.56									
	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	14.56									
CALL	_ TYPES															
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7CO	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Interd	office Channel Mileage															
	Fixed Each Including First mi			UEPPP	1LN1A	77.4815	89.47	81.99	16.39	14.48						
	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.3415										
	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT JNE-P DS1 combination rates below for in this exhibit apply to to															
	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effe Port/Loop Combination Rates	ctive		f this amendment s	shall be provid	ded pursuant to	a separate ag	reement or tar	iff at BellSo	uth's disc	etion.					
_	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2	1	1	UEPDC	-											
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 3	+	3	UEPDC		214.33 320.78										
LINE	Loop Rates	1	3	UEFDC	+	320.76										
ONL	4W DS1 Digital Loop-UNE Zone 1	1	1	UEPDC	USLDC	90.87										
-	4W DS1 Digital Loop-UNE Zone 2	+	2	UEPDC	USLDC	155.43										
	4W DS1 Digital Loop-UNE Zone 3	1	3	UEPDC	USLDC											
LINE	Port Rate	-	3			261.90										
UNL				OLIDO	OOLDO	261.89										
							455 50	253.70	117 55	1/ 20						
NON	4W DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	261.89 58.90	455.50	253.79	117.55	14.20						
NON	4W DDITS Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED						455.50	253.79	117.55	14.20						
NONE	AW DDITS Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED AW DS1 Digital Loop/AW DDITS Trunk Port Combination-Switch-as	j-		UEPDC	UDD1T				117.55	14.20						
NON	4W DDITS Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED 4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as is (E:4/1/2004)	j-					455.50 129.78	253.79	117.55	14.20						
NONE	4W DDITS Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED 4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as is (E:4/1/2004) 4W DS1 Digital Loop/4W DDITS Trunk Port Combination-	;-		UEPDC UEPDC	UDD1T USAC4		129.78	67.17	117.55	14.20						
NONE	4W DDITS Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED 4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as is (E:4/1/2004) 4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1 Changes (E:4/1/2004)	j-		UEPDC	UDD1T				117.55	14.20						
NONI	AW DDITS Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED AW DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as is (E:4/1/2004) AW DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1 Changes (E:4/1/2004) AW DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1 Changes (E:4/1/2004) AW DS1 Digital Loop/4W DDITS Trunk Port Combination-	;-		UEPDC UEPDC UEPDC	UDD1T USAC4 USAWA		129.78 129.78	67.17 67.17	117.55	14.20						
	4W DDITS Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED 4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as is (E:4/1/2004) 4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1 Changes (E:4/1/2004) 4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with Change-Trunk (E:4/1/2004)	-		UEPDC UEPDC	UDD1T USAC4		129.78	67.17	117.55	14.20						
	4W DDITS Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED 4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as is (E:4/1/2004) 4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1 Changes (E:4/1/2004) 4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with Change-Trunk (E:4/1/2004) TIONAL NRCS	i-		UEPDC UEPDC UEPDC	UDD1T USAC4 USAWA		129.78 129.78	67.17 67.17	117.55	14.20						
	AW DDITS Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED AW DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as is (E:4/1/2004) AW DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1 Changes (E:4/1/2004) AW DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with Change-Trunk (E:4/1/2004) TIONAL NRCS AW DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel			UEPDC UEPDC UEPDC UEPDC	UDD1T USAC4 USAWA USAWB		129.78 129.78 129.78	67.17 67.17 67.17	117.55	14.20						
	AW DDITS Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED AW DS1 Digital Loop/AW DDITS Trunk Port Combination-Switch-as is (E:4/1/2004) AW DS1 Digital Loop/AW DDITS Trunk Port Combination-Conversion with DS1 Changes (E:4/1/2004) AW DS1 Digital Loop/AW DDITS Trunk Port Combination-Conversion with Change-Trunk (E:4/1/2004) AW DS1 Digital Loop/AW DDITS Trunk Port Combination-Conversion with Change-Trunk (E:4/1/2004) AU DS1 Loop/AW DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan-2-Way Trunk	:-		UEPDC UEPDC UEPDC	UDD1T USAC4 USAWA		129.78 129.78	67.17 67.17	117.55	14.20						
	AW DDITS Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED AW DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as is (E:4/1/2004) AW DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1 Changes (E:4/1/2004) AW DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with Change-Trunk (E:4/1/2004) TIONAL NRCS AW DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan-2-Way Trunk AW DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel AW DS1 Loop/4W DDITS TRUNK Port-Subsqnt Channel AW DS1 Loop/4W DD			UEPDC UEPDC UEPDC UEPDC UEPDC	USAC4 USAWA USAWB UDTTA		129.78 129.78 129.78 14.51	67.17 67.17 67.17	117.55	14.20						
	4W DDITS Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED 4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as is (E:4/1/2004) 4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1 Changes (E:4/1/2004) 4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with Change-Trunk (E:4/1/2004) TIONAL NRCS 4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan-2-Way Trunk 4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-Way Outward Trunk	:		UEPDC UEPDC UEPDC UEPDC	UDD1T USAC4 USAWA USAWB		129.78 129.78 129.78	67.17 67.17 67.17	117.55	14.20						
	AW DDITS Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED AW DS1 Digital Loop/AW DDITS Trunk Port Combination-Switch-as is (E:4/1/2004) AW DS1 Digital Loop/AW DDITS Trunk Port Combination-Conversion with DS1 Changes (E:4/1/2004) AW DS1 Digital Loop/AW DDITS Trunk Port Combination-Conversion with Change-Trunk (E:4/1/2004) AW DS1 Loop/AW DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan-2-Way Trunk AW DS1 Loop/AW DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-Way Outward Trunk AW DS1 Loop/AW DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-Way Outward Trunk AW DS1 Loop/AW DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-Way Trunk AW DS1 Loop/AW DDITS Trunk Port-Subsqnt Channel AU DS1 Loop/AW DDITS Trunk Port-Subsqnt Channel			UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USAC4 USAWA USAWB UDTTA		129.78 129.78 129.78 14.51	67.17 67.17 67.17 14.51	117.55	14.20						
	AW DDITS Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED AW DS1 Digital Loop/AW DDITS Trunk Port Combination-Switch-as is (E:4/1/2004) AW DS1 Digital Loop/AW DDITS Trunk Port Combination-Conversion with DS1 Changes (E:4/1/2004) AW DS1 Digital Loop/AW DDITS Trunk Port Combination-Conversion with Change-Trunk (E:4/1/2004) AW DS1 Digital Loop/AW DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan-2-Way Trunk AW DS1 Loop/AW DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-Way Outward Trunk AW DS1 Loop/AW DDITS Trunk Port-Subsqnt Channel Activation/Chan Inward Trunk Port-Subsqnt Channel Activation/Chan Inward Trunk Port-Subsqnt Channel Activation/Chan Inward Trunk Port-Subsqnt Channel Activation/Chan Inward Trunk Wout DID			UEPDC UEPDC UEPDC UEPDC UEPDC	USAC4 USAWA USAWB UDTTA		129.78 129.78 129.78 14.51	67.17 67.17 67.17	117.55	14.20						
	AW DDITS Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED AW DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as is (E:4/1/2004) AW DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1 Changes (E:4/1/2004) AW DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with Change-Trunk (E:4/1/2004) AW DS1 Digital Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan-2-Way Trunk AW DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan -1-Way Outward Trunk AW DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan Inward Trunk Wout DID AW DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan Inward Trunk Wout DID AW DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per			UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USAC4 USAWA USAWB UDTTA UDTTB		129.78 129.78 129.78 14.51 14.51	67.17 67.17 67.17 14.51 14.51	117.55	14.20						
	AW DDITS Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED AW DS1 Digital Loop/AW DDITS Trunk Port Combination-Switch-as is (E:4/1/2004) AW DS1 Digital Loop/AW DDITS Trunk Port Combination-Conversion with DS1 Changes (E:4/1/2004) AW DS1 Digital Loop/AW DDITS Trunk Port Combination-Conversion with Change-Trunk (E:4/1/2004) AW DS1 Digital Loop/AW DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan-1-Way Trunk AW DS1 Loop/AW DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-Way Outward Trunk AW DS1 Loop/AW DDITS Trunk Port-Subsqnt Channel Activation/Chan Inward Trunk wout DID AW DS1 Loop/AW DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID AW DS1 Loop/AW DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID AW DS1 Loop/AW DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID AW DS1 Loop/AW DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID AW DS1 Loop/AW DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID AW DS1 Loop/AW DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID AW DS1 Loop/AW DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID AW DS1 Loop/AW DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID AW DS1 Loop/AW DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID AW DS1 Loop/AW DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID AW DS1 Loop/AW DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID AW DS1 Loop/AW DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID AW DS1 Loop/AW DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID AW DS1 Loop/AW DDITS Trunk Port-Subsqnt Chan Activation Per Chan Inward Trunk with DID AW DS1 Loop/AW DDITS Trunk Port-Subsqnt Chan Activation Per Chan Inward Trunk with DID AW DS1 Loop/AW DDITS Trunk Port-Subsqnt Chan Activat			UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USAC4 USAWA USAWB UDTTA		129.78 129.78 129.78 14.51	67.17 67.17 67.17 14.51	117.55	14.20						
	AW DDITS Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED AW DS1 Digital Loop/AW DDITS Trunk Port Combination-Switch-as is (E:4/1/2004) AW DS1 Digital Loop/AW DDITS Trunk Port Combination-Conversion with DS1 Changes (E:4/1/2004) AW DS1 Digital Loop/AW DDITS Trunk Port Combination-Conversion with Change-Trunk (E:4/1/2004) AW DS1 Digital Loop/AW DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan-2-Way Trunk AW DS1 Loop/AW DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-Way Outward Trunk AW DS1 Loop/AW DDITS Trunk Port-Subsqnt Channel Activation/Chan Inward Trunk AW DS1 Loop/AW DDITS Trunk Port-Subsqnt Chan Activation Chan-Inward Trunk w/out DID AW DS1 Loop/AW DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID AW DS1 Loop/AW DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID AW DS1 Loop/AW DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID AW DS1 Loop/AW DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID AW DS1 Loop/AW DDITS Trunk Port-Subsqnt Chan AU DS1 Loop/AW DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID AW DS1 Loop/AW DDITS Trunk Port-Subsqnt Chan AU DS1 Loop/AW DDITS Trunk Port-Subsqnt Chan AU DS1 Loop/AW DDITS Trunk Port-Subsqnt Chan AU DS1 Loop/AW DDITS Trunk Port-Subsqnt Chan AU DS1 Loop/AW DDITS Trunk Port-Subsqnt Chan AU DS1 Loop/AW DDITS Trunk Port-Subsqnt Chan AU DS1 Loop/AW DDITS Trunk Port-Subsqnt Chan AU DS1 Loop/AW DDITS Trunk Port-Subsqnt Chan			UEPDC r>129.78 129.78 14.51 14.51 14.51	67.17 67.17 67.17 14.51 14.51 14.51	117.55	14.20									
ADDI	AW DDITS Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED AW DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as is (E:4/1/2004) AW DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1 Changes (E:4/1/2004) AW DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with Change-Trunk (E:4/1/2004) AW DS1 Digital Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan-2-Way Trunk AW DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-Way Qutward Trunk AW DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan Inward Trunk Wout DID AW DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID AW DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID AW DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-Way DID w User Trans			UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USAC4 USAWA USAWB UDTTA UDTTB		129.78 129.78 129.78 14.51 14.51	67.17 67.17 67.17 14.51 14.51	117.55	14.20						
ADDI	AW DDITS Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED AW DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as is (E:4/1/2004) AW DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1 Changes (E:4/1/2004) AW DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with Change-Trunk (E:4/1/2004) AW DS1 Digital Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan-2-Way Trunk AW DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-Way Outward Trunk AW DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan Inward Trunk wout DID AW DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID AW DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID AW DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID AW DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-Way DID w User Trans AR 8 ZERO SUBSTITUTION			UEPDC >129.78 129.78 14.51 14.51 14.51 14.51	67.17 67.17 67.17 14.51 14.51 14.51	117.55	14.20									
ADDI	AW DDITS Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED AW DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as is (E:4/1/2004) AW DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1 Changes (E:4/1/2004) AW DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with Change-Trunk (E:4/1/2004) AW DS1 Digital Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan-2-Way Trunk AW DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-Way Outward Trunk AW DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan Inward Trunk wout DID AW DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID AW DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID AW DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID AW DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-Way DID w User Trans ARR 8 ZERO SUBSTITUTION B82S -Superframe Format			UEPDC r>129.78 129.78 14.51 14.51 14.51 14.51 0.00i	67.17 67.17 67.17 14.51 14.51 14.51 14.51 605.00s	117.55	14.20									
ADDI	AW DDITS Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED AW DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as is (E:4/1/2004) 4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1 Changes (E:4/1/2004) 4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with Change-Trunk (E:4/1/2004) #W DS1 Digital Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-2-Way Trunk #W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-Way Outward Trunk #W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-Way Outward Trunk #W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan Inward Trunk Wout DID #W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID #W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID #W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-Way DID w User Trans LAR 8 ZERO SUBSTITUTION B8ZS-Extended Superframe Format B8ZS-Extended Superframe Format			UEPDC >129.78 129.78 14.51 14.51 14.51 14.51	67.17 67.17 67.17 14.51 14.51 14.51	117.55	14.20									
ADDI	AW DDITS Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED AW DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as is (E:4/1/2004) 4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1 Changes (E:4/1/2004) 4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with Change-Trunk (E:4/1/2004) TIONAL NRCS 4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan-2-Way Trunk 4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-Way Outward Trunk 4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-Way Outward Trunk 4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan Inward Trunk w/out DID 4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID 4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID 4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-Way DID w User Trans LAR 8 ZERO SUBSTITUTION B8ZS-Superframe Format B8ZS-Extended Superframe Format nate Mark Inversion			UEPDC >129.78 129.78 14.51 14.51 14.51 14.51 0.00i	67.17 67.17 67.17 14.51 14.51 14.51 14.51 14.51 605.00s 605.00s	117.55	14.20									
ADDI	AW DDITS Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED AW DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as is (E:4/1/2004) 4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1 Changes (E:4/1/2004) 4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with Change-Trunk (E:4/1/2004) #W DS1 Digital Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-2-Way Trunk #W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-Way Outward Trunk #W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-Way Outward Trunk #W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan Inward Trunk Wout DID #W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID #W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID #W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-Way DID w User Trans LAR 8 ZERO SUBSTITUTION B8ZS-Extended Superframe Format B8ZS-Extended Superframe Format			UEPDC r>129.78 129.78 14.51 14.51 14.51 14.51 0.00i	67.17 67.17 67.17 14.51 14.51 14.51 14.51 605.00s	117.55	14.20									

NDUNUL	ED NETWORK ELEMENTS - South Carolina		, ,			1					_	1-		ment: 2		bit: A
											Svc Order Submitte	Svc Order Submitte d	Incrementa I Charge - Manual	Incrementa I Charge - Manual	Incremental Charge - Manual Svc	I Charge
ATEGORY	RATE ELEMENTS	im	Zon e	BCS	USOC		F	RATES (\$)			d Elec	Manually per LSR	Svc Order vs. Electronic-	Svc Order vs. Electronic-	Order vs. Electronic-	Svc Ord
					_		Nonre	curring	NRC Disc	onnect			OSS	Rates (\$)		Dicc Ad
					_	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMA
	Tel No for 2-Way Trunk Group			UEPDC	UDTGX	0.00		Addi	11130	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	001117
	Tel No for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00			1			-	1		-	
	Tel No for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00			1			-	1		-	
	DID Nos, Establish Trunk Group and Provide First Group of 20 DID			UEPDC	NDZ	0.00		0.00								
-	DID Nos for each Group of 20 DID Nos			UEPDC	ND4	0.00										
	DID Nos, Non-consecutive DID Nos , Per No			UEPDC	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								†
	Reserve DID Nos			UEPDC	NDV	0.00	0.00	0.00				1				
	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digita	I Loo													
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)	3.10		UEPDC	1LNO1	77.14	89.47	81.99	16.39	14.48	 		1		1	
+	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.3415	0.00	0.00		0	†		1		1	<u> </u>
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO2	0.00	0.00	0.00			†		1		1	<u> </u>
	Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.3415	0.00	0.00			 		1		1	
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00		0.00			†		1		1	
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOC	0.3415	0.00	0.00			†		1		1	
	Local No Portability, per DS0 Activated			UEPDC	LNPCP	3.15		0.00								†
	CO Termininating Point			UEPDC	CTG	0.00										
	E DS1 LOOP WITH CHANNELIZATION WITH PORT															
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activ	ation	s													†
	System can have up to 24 combinations of rates depending on t			mber of ports use	d											†
	NE-P DS1 combination rates below for 4-Wire DS1 Loop with Ch					to the embedde	d base in plac	e as of 10/2/0	3 until 4/1/0	4. After 4/1	/04 these ra	ates shall re	evert to tariff	rates or a s	enarate agree	ement.
	sts for 4-Wire DS1 Loop with Channelization with Port after the												1		parato agro	1
	S1 Loop	000			l contraction	l l l l l l l l l l l l l l l l l l l	Т	lo agroomont	1	1	1	-	1		-	
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	90.87	0.00	0.00								
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	155.43		0.00								
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	261.89		0.00								
	SO Channelization Capacities (D4 Channel Bank Configurations	;)	Ŭ	020	00250	201.00	0.00	0.00								
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	82.78	0.00	0.00								
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	165.56		0.00								
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	331.12		0.00								
	144 DS0 Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	496.68		0.00								
-	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	662.24	0.00	0.00								
-	240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM2O	827.80	0.00	0.00								
	288 DS0 Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	993.36	0.00	0.00								
	384 DS0 Channel Capacity-1 per 16 DS1s			UEPMG	VUM38	1,324.48	0.00	0.00								
	480 DS0 Channel Capacity-1 per 20 DS1s			UEPMG	VUM4O	1,655.60	0.00	0.00								†
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	1,986.72	0.00	0.00								
	672 DS0 Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	2,317.84		0.00								
	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with	Chan	nelizt													
	mum System configuration is One (1) DS1, One (1) D4 Channel						,									
	les of this configuration functioning as one are considered Add															†
	NRC-Conversion (Currently Combined) with or w/o BST Allowed				Juliani	lo countour										
	Changes			UEPMG	USAC4	0.00	150.81	8.38								
Syster	n Additions at End User Locations Where 4-Wire DS1 Loop with	Chai	neliz					0.00								
	Not Currently Combined) in all states, except in Density Zone 1 of				IIIDIIIUUIOII GUI	Littly Exists un	Ĭ									
IVEW (I	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc	<i>,</i> 10,) O IVIC	л. э	_											
	Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	717.71	425.81	149.08	17.69						
Binola	r 8 Zero Substitution			OLI MO	VOIVID	0.00	717.71	720.01	140.00	17.00						
Dipole	Clear Channel Capability Format, superframe-Subsqnt Activity			UEPMG	CCOSF	0.00	0.00i	605.00s								
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only			UEPMG	CCOEF		0.00i	605.00s								
Altern	ate Mark Inversion (AMI)		H	021 WO	33021	5.00		200.000			1		t		t	-
	Superframe Format		\vdash	UEPMG	MCOSF	0.00	0.00	0.00			1		1	1	l	
	Extended Superframe Format			UEPMG	MCOPO	0.00		0.00	1		 	-				\vdash
	nge Ports Associated with 4-Wire DS1 Loop with Channelization	with	Port	OLI MO	1110010	3.00	0.00	5.00			1		-		-	
	nge Ports	. **!!!			+		 	 	-		 		1		t	$\vdash \!$
	Line Side Combination Channelized PBX Trunk Port-bus		H	UEPPX	UEPCX	1.13	0.00	0.00	0.00	0.00	 		1		1	\vdash
	Line Side Combination Channelized PBX Trunk Port-bus Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004)		\vdash	UEPPX	UEPOX	1.13		0.00	0.00	0.00	1	1	-	-		\vdash
	Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port w/o DID		\vdash	UEPPX	UEP0X	1.13				0.00	 	 	-	-	 	Н—
	LINE SIDE INVALID ONLY CHAINENZED FOA HUNK FULL W/U DID			ULPPA	ULPIA	1.13	0.00	0.00	0.00	0.00	1	1	1	i	1	1

NRONDL	ED NETWORK ELEMENTS - South Carolina		, ,								_			ment: 2	Exhil	
ATEGORY	RATE ELEMENTS	Inter im	r Zon e	BCS	USOC			ATES (\$)			Svc Order Submitte d Elec per LSR	d Manually	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge
						Rec	Nonred		NRC Disc					Rates (\$)		
	OWT LOCALIDATE IN LOCAL PROPERTY AND TO A POST			HEDDY	LIEDDIA		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
Footu	2W Trunk Side Unbundled Channelized DID Trunk Port		+	UEPPX	UEPDM	7.09	0.00	0.00	0.00	0.00						
reatu	re Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4	-	1	UEPPX	1PQWM	0.56	25.45	13.44	4.20	4.17						
	Feature (Service) Activation for each Trunk Port Terminated in D4		-	UEPPX	1PQWU	0.56	78.31	18.46	59.37	11.60						
Telen	hone Number/ Group Establishment Charges for DID Service			OLITA	II QWO	0.50	70.51	10.40	33.31	11.00						
ГСІСР	DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)		1 1	UEPPX	NDZ	0.00	0.00	0.00								
	DID Nos-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Nos-per No			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00								
Local	Number Portability					·										
	Local No Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	URES - Vertical and Optional	—	 													ļ
Local	Switching Features Offered with Line Side Ports Only	1	1	HERRY	1155.75											ļ
DUNDI F	All Features Available		-	UEPPX	UEPVF	3.04	0.00	0.00								
	D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE				4			Trab Banda								
	st Based Rates are applied where BellSouth is required by FCC atures shall apply to the Unbundled Port/Loop Combination - Co								and the different							
	arket Rates for Unbundled Centrex Port/Loop Combination will I	e ne	gotiate	d on an Individual	Case Basis, u	ntil further notic	e.									
	P CENTREX - 5ESS (Valid in All States)		1													
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)	-	1													
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	-	1	UEP95		14.89										
	2W VG Loop/2W VG Fort (Centrex) Fort Combo-Non-Design		2	UEP95		21.52										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95		27.17										
UNE I	Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		17.81										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP95		24.26										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95		29.59										
UNE I	Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP95	UECS1	13.76										
	2W VG Loop (SL 1)-Zone 2		2	UEP95	UECS1	20.38										
-	2W VG Loop (SL 1)-Zone 3 2W VG Loop (SL 2)-Zone 1	-	3	UEP95 UEP95	UECS1	26.04										
_	2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2		2	UEP95	UECS2 UECS2	16.68 23.13			-							
_	2W VG Loop (SL 2)-Zone 3		3	UEP95	UECS2	28.46										
LINE																
	Port Rate				02002	20.40										
	Port Rate				02002	20.40										
All St	ates			UEP95	UEPYA	1.13	40.30	19.90	24.98	6.65						
				UEP95 UEP95			40.30 40.30	19.90 19.90	24.98 24.98	6.65 6.65						
	ates 2W VG Port (Centrex) Basic Local Area				UEPYA	1.13										
	ates 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term)			UEP95	UEPYA UEPYB	1.13 1.13	40.30	19.90	24.98	6.65						
	ates 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term) 2W VG Port (Centrex with Caller ID)1Basic Local Area 2W VG Port (Centrex from diff SWC)2,3 Basic Local Area 2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area			UEP95 UEP95 UEP95 UEP95	UEPYA UEPYB UEPYH UEPYM UEPYZ	1.13 1.13 1.13	40.30 40.30	19.90 19.90	24.98 24.98	6.65 6.65						
	ates 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term) 2W VG Port (Centrex with Caller ID)1Basic Local Area 2W VG Port (Centrex from diff SWC)2,3 Basic Local Area 2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area 2W VG Port terminated in on Megalink or equivalent-Basic Local			UEP95 UEP95 UEP95 UEP95 UEP95	UEPYA UEPYB UEPYH UEPYM UEPYZ UEPY9	1.13 1.13 1.13 1.13 1.13 1.13	40.30 40.30 108.36 108.36 40.30	19.90 19.90 70.71 70.71 19.90	24.98 24.98 54.47 54.47 24.98	6.65 6.65 11.94 11.94 6.65						
All St	ates 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term) 2W VG Port (Centrex with Caller ID)1Basic Local Area 2W VG Port (Centrex from diff SWC)2,3 Basic Local Area 2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area 2W VG Port terminated in on Megalink or equivalent-Basic Local 2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP95 UEP95 UEP95 UEP95	UEPYA UEPYB UEPYH UEPYM UEPYZ	1.13 1.13 1.13 1.13 1.13	40.30 40.30 108.36 108.36	19.90 19.90 70.71 70.71	24.98 24.98 54.47 54.47	6.65 6.65 11.94 11.94						
All St	ates 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term) 2W VG Port (Centrex with Caller ID)1Basic Local Area 2W VG Port (Centrex with Caller ID)1Basic Local Area 2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area 2W VG Port terminated in on Megalink or equivalent-Basic Local 2W VG Port Terminated on 800 Service Term-Basic Local Area Y, LA, MS, SC, & TN Only			UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UEPYA UEPYB UEPYH UEPYM UEPYZ UEPY2 UEPY2	1.13 1.13 1.13 1.13 1.13 1.13 1.13	40.30 40.30 108.36 108.36 40.30	19.90 19.90 70.71 70.71 19.90 19.90	24.98 24.98 54.47 54.47 24.98 24.98	6.65 6.65 11.94 11.94 6.65 6.65						
All St	ates 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term) 2W VG Port (Centrex 800 Term) 2W VG Port (Centrex with Caller ID)1Basic Local Area 2W VG Port (Centrex from diff SWC)2,3 Basic Local Area 2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area 2W VG Port terminated in on Megalink or equivalent-Basic Local 2W VG Port Terminated on 800 Service Term-Basic Local Area 2W VG Port Terminated on 800 Service Term-Basic Local Area Y, LA, MS, SC, & TN Only 2W VG Port (Centrex)			UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UEPYA UEPYB UEPYH UEPYM UEPYZ UEPY2 UEPY2 UEPY2	1.13 1.13 1.13 1.13 1.13 1.13 1.13 1.13	40.30 40.30 108.36 108.36 40.30 40.30	19.90 19.90 70.71 70.71 19.90 19.90	24.98 24.98 54.47 54.47 24.98 24.98	6.65 6.65 11.94 11.94 6.65 6.65						
All St	ates 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term) 2W VG Port (Centrex with Caller ID)1Basic Local Area 2W VG Port (Centrex from diff SWC)2,3 Basic Local Area 2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area 2W VG Port terminated in on Megalink or equivalent-Basic Local 2W VG Port Terminated on 800 Service Term-Basic Local Area 7, LA, MS, SC, & TN Only 2W VG Port (Centrex) 2W VG Port (Centrex 800 Term)			UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UEPYA UEPYB UEPYH UEPYH UEPYZ UEPY2 UEPY2 UEPY2 UEPQA UEPQB	1.13 1.13 1.13 1.13 1.13 1.13 1.13 1.13	40.30 40.30 108.36 108.36 40.30 40.30 40.30	19.90 19.90 70.71 70.71 19.90 19.90	24.98 24.98 54.47 54.47 24.98 24.98 24.98 24.98	6.65 6.65 11.94 11.94 6.65 6.65 6.65						
All St	ates 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term) 2W VG Port (Centrex with Caller ID)1Basic Local Area 2W VG Port (Centrex with Caller ID)1Basic Local Area 2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area 2W VG Port terminated in on Megalink or equivalent-Basic Local 2W VG Port Terminated on 800 Service Term-Basic Local Area 2W VG Port (Centrex Nonly 2W VG Port (Centrex Nonly 2W VG Port (Centrex 800 Term) 2W VG Port (Centrex with Caller ID)1			UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UEPYA UEPYB UEPYH UEPYM UEPYZ UEPY9 UEPY2 UEPQA UEPQB UEPQH	1.13 1.13 1.13 1.13 1.13 1.13 1.13 1.13	40.30 40.30 108.36 108.36 40.30 40.30 40.30 40.30	19.90 19.90 70.71 70.71 19.90 19.90 19.90 19.90	24.98 24.98 54.47 54.47 24.98 24.98 24.98 24.98 24.98	6.65 6.65 11.94 11.94 6.65 6.65 6.65 6.65 6.65						
All St	ates 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term) 2W VG Port (Centrex with Caller ID)1Basic Local Area 2W VG Port (Centrex with Caller ID)1Basic Local Area 2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area 2W VG Port terminated in on Megalink or equivalent-Basic Local 2W VG Port Terminated on 800 Service Term-Basic Local Area 2W VG Port Terminated on 800 Service Term-Basic Local Area Y, LA, MS, SC, & TN Only 2W VG Port (Centrex) 2W VG Port (Centrex with Caller ID)1 2W VG Port (Centrex with Caller ID)1 2W VG Port (Centrex from diff SWC)2,3			UEP95	1.13 1.13 1.13 1.13 1.13 1.13 1.13 1.13	40.30 40.30 108.36 40.30 40.30 40.30 40.30 40.30 40.30 108.36	19.90 19.90 70.71 70.71 19.90 19.90 19.90 19.90 19.90 70.71	24.98 24.98 54.47 54.47 24.98 24.98 24.98 24.98 24.98 54.47	6.65 6.65 11.94 11.94 6.65 6.65 6.65 6.65 11.94							
All St	ates 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term) 2W VG Port (Centrex with Caller ID)1Basic Local Area 2W VG Port (Centrex with Caller ID)1Basic Local Area 2W VG Port (Centrex from diff SWC)2,3 Basic Local Area 2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area 2W VG Port terminated in on Megalink or equivalent-Basic Local 2W VG Port Terminated on 800 Service Term-Basic Local Area Y, LA, MS, SC, & TN Only 2W VG Port (Centrex W) 2W VG Port (Centrex 800 Term) 2W VG Port (Centrex with Caller ID)1 2W VG Port (Centrex from diff SWC)2,3 2W VG Port, Diff SWC-800 Service Term 2,3			UEP95	1.13 1.13 1.13 1.13 1.13 1.13 1.13 1.13	40.30 40.30 108.36 108.36 40.30 40.30 40.30 40.30 40.30 108.36	19.90 19.90 70.71 70.71 19.90 19.90 19.90 19.90 70.71 70.71	24.98 24.98 54.47 54.47 24.98 24.98 24.98 24.98 24.98 54.47	6.65 6.65 11.94 11.94 6.65 6.65 6.65 6.65 11.94							
All St	ates 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term) 2W VG Port (Centrex with Caller ID)1Basic Local Area 2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area 2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area 2W VG Port terminated in on Megalink or equivalent-Basic Local 2W VG Port Terminated on 800 Service Term-Basic Local Area 2W VG Port Terminated on 800 Service Term-Basic Local Area 2W VG Port (Centrex) 2W VG Port (Centrex 800 Term) 2W VG Port (Centrex form diff SWC)2,3 2W VG Port, Diff SWC-800 Service Term 2,3 2W VG Port, Diff SWC-800 Service Term 2,3 2W VG Port terminated in on Megalink or equivalent			UEP95 M UEPQM UEPQM UEPQM UEPQM	1.13 1.13 1.13 1.13 1.13 1.13 1.13 1.13	40.30 40.30 108.36 40.30 40.30 40.30 40.30 40.30 108.36 40.30	19.90 19.90 70.71 19.90 19.90 19.90 19.90 19.90 70.71 70.71 19.90	24.98 24.98 54.47 54.47 24.98 24.98 24.98 24.98 24.98 54.47 54.47	6.65 6.65 11.94 11.94 6.65 6.65 6.65 6.65 11.94 11.94 6.65							
All St	ates 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term) 2W VG Port (Centrex with Caller ID)1Basic Local Area 2W VG Port (Centrex with Caller ID)1Basic Local Area 2W VG Port (Centrex from diff SWC)2,3 Basic Local Area 2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area 2W VG Port terminated in on Megalink or equivalent-Basic Local 2W VG Port Terminated on 800 Service Term-Basic Local Area Y, LA, MS, SC, & TN Only 2W VG Port (Centrex W) 2W VG Port (Centrex 800 Term) 2W VG Port (Centrex with Caller ID)1 2W VG Port (Centrex from diff SWC)2,3 2W VG Port, Diff SWC-800 Service Term 2,3			UEP95	1.13 1.13 1.13 1.13 1.13 1.13 1.13 1.13	40.30 40.30 108.36 108.36 40.30 40.30 40.30 40.30 40.30 108.36	19.90 19.90 70.71 70.71 19.90 19.90 19.90 19.90 70.71 70.71	24.98 24.98 54.47 54.47 24.98 24.98 24.98 24.98 24.98 54.47	6.65 6.65 11.94 11.94 6.65 6.65 6.65 6.65 11.94							
All St	ates 2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term) 2W VG Port (Centrex with Caller ID)1Basic Local Area 2W VG Port (Centrex with Caller ID)1Basic Local Area 2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area 2W VG Port terminated in on Megalink or equivalent-Basic Local 2W VG Port Terminated on 800 Service Term-Basic Local Area 2W VG Port (Centrex) 2W VG Port (Centrex) 2W VG Port (Centrex with Caller ID)1 2W VG Port (Centrex with Caller ID)1 2W VG Port (Centrex Form diff SWC)2,3 2W VG Port (Centrex Form diff SWC)2,3 2W VG Port (Centrex Modern SWC)2,3 2W VG Port (Centrex Modern SWC)2,3 2W VG Port (Centrex Modern SWC)2,3 2W VG Port (Centrex Modern SWC)2,3 2W VG Port (Centrex Modern SWC)2,3 2W VG Port Terminated in on Megalink or equivalent 2W VG Port Terminated on 800 Service Term			UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UEPYA UEPYH UEPYH UEPYM UEPYZ UEPY9 UEPY2 UEPQA UEPQA UEPQH UEPQM UEPQM UEPQM UEPQM UEPQM UEPQM UEPQM UEPQM	1.13 1.13 1.13 1.13 1.13 1.13 1.13 1.13	40.30 40.30 108.36 40.30 40.30 40.30 40.30 40.30 108.36 40.30	19.90 19.90 70.71 19.90 19.90 19.90 19.90 19.90 70.71 70.71 19.90	24.98 24.98 54.47 54.47 24.98 24.98 24.98 24.98 24.98 54.47 54.47	6.65 6.65 11.94 11.94 6.65 6.65 6.65 6.65 11.94 11.94 6.65						

NBUNDL	ED NETWORK ELEMENTS - South Carolina				, ,						_			ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC			ATES (\$)			Svc Order Submitte d Elec per LSR	d Manually	I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	I Charge Manua Svc Ord vs.
						Rec	Nonre	curring	NRC Disco	onnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
Local	Number Portability															
	Local No Portability (1 per port)			UEP95	LNPCC	0.35										
Featur			1 1	02.00	2.11 00	0.00										1
	All Standard Features Offered, per port			UEP95	UEPVF	3.04										
_	All Select Features Offered, per port			UEP95	UEPVS	0.00	406.42									
_	All Centrex Control Features Offered, per port			UEP95	UEPVC	3.04	400.42									
NARS	All Certifiex Control Features Offered, per port		-	ULF 93	OLFVC	3.04							1			
INAKO	Unbundled Network Access Register Combination		-	UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						1
	Unbundled Network Access Register-Combination															
	Unbundled Network Access Register-Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
	Ilaneous Terminations		\vdash		1 1											<u> </u>
	Trunk Side						ļ						1			
	Trunk Side Terms, each			UEP95	CEND6	8.86	119.57	18.78	60.03	3.77]		<u> </u>
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP95	M1HD1	73.62	202.47	95.90	72.75	2.47						
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.51									
Intero	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP95	M1GBC	24.30	40.63	27.47	16.77	6.91						
	Interoffice Channel miage, per mi or fraction of mi			UEP95	M1GBM	0.0167										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service															
	annel Bank Feature Activations															
D4 011	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.56										
_	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		-	UEP95	1PQW6	0.56			-			-	ļ			
				UEP95		0.56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot				1PQW7											
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP95	1PQWP	0.56										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP95	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.56										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP95	USAC2		37.93	16.72								
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	668.70									
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	668.70									
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.89									
Additi	onal Non-Recurring Charges (NRC)															1
	Unbundled Misc Rate Element, Tag Loop at End Use Premise		\vdash	UEP95	URETL		8.33	0.83					1	1	Ì	1
\dashv	Unbundled Misc Rate Element, Tag Design Loop at End Use		 	UEP95	URETN		11.24	1.10				1	t	1	1	i
UNF-F	P CENTREX - DMS100 (Valid in All States)		+	OLI 30	OILLIN		11.24	1.10	1				1	l	1	
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo		 		+ +		1						 	1	}	1
	Port/Loop Combination Rates (Non-Design)		 		+ +		1						 	1	}	
				HEDOD	+	44.00			-		-		 	-	-	├ ──
-+-	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D	+	14.89			-				1	 	1	├
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D	1	21.52								ļ	1	Ь—
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D	\perp	27.17										!
	ort/Loop Combination Rates (Design)				1								1			<u> </u>
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D	1	17.81							1			<u> </u>
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		24.26]]		<u> </u>
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		29.59										
	oop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	13.76										
	2W VG Loop (SL 1)-Zone 2		2	UEP9D	UECS1	20.38										
	2W VG Loop (SL 1)-Zone 3		3	UEP9D	UECS1	26.04								Ì		
	2W VG Loop (SL 2)-Zone 1		1	UEP9D	UECS2	16.68	İ						1	İ	Ì	1
+	2W VG Loop (SL 2)-Zone 2		2	UEP9D	UECS2	23.13							1	 	 	
_	2W VG Loop (SL 2)-Zone 3		3	UEP9D	UECS2	28.46	l		1				1	l	1	
	Port Rate		3	OLF3D	01002	20.40	1						 	1	}	
	TATES		+-+		+				-				 	-	-	\vdash
			1		UEPYA	4.40	40.30	19.90	24.98	6.65			1	 	1	
ALL 3	OWAN COMMENT OF THE PROPERTY O															
ALL 3	2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term)Basic Local Area		<u> </u>	UEP9D UEP9D	UEPYA	1.13 1.13	40.30	19.90	24.98	6.65						

NOUNDL	ED NETWORK ELEMENTS - South Carolina										_	-		ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc		R	ATES (\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	I Charge - Manual Svc Order vs.	I Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Orde vs.
													Electronic-	Electronic-	Disc 1st	Electroni
					+		Nonrec	urring	NRC Disc	onnect			OSS	Rates (\$)	I.	Dicc Add
-						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
	2W VG Port (Centrex /EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.13	40.30	19.90	24.98	6.65	0020	00		00		
	2W VG Port (Centrex /EBS-M5209)3 Basic Local Area			UEP9D	UEPYE	1.13	40.30	19.90	24.98	6.65						
	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	1.13	40.30	19.90	24.98	6.65						1
	2W VG Port (Centrex /EBS-M5312)3Basic Local Area			UEP9D	UEPYG	1.13	40.30	19.90	24.98	6.65						
	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	1.13	40.30	19.90	24.98	6.65						
	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area			UEP9D	UEPYU	1.13	40.30	19.90	24.98	6.65						
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	1.13	40.30	19.90	24.98	6.65						
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	1.13	40.30	19.90	24.98	6.65						
	2W VG Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.13	40.30	19.90	24.98	6.65						
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4 Basic Local Area			UEP9D	UEPYW	1.13	40.30	19.90	24.98	6.65						
-	Local Area 2W VG Port (Centrex/Msg Wtg Lamp Indication)4 Basic Local Area		\vdash	UEP9D UEP9D	UEPYW	1.13	40.30	19.90	24.98	6.65	1	1				+
-	2W VG Port (Centrex/insg Wtg Lamp Indication)4 Basic Local Area		\vdash	UEP9D	UEPYM	1.13	108.36	70.71	54.47	11.94	1					\vdash
	2W VG Port (Centrex from all SWC) 2,3-basic bocal Area 2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local			UEP9D	UEPYO	1.13	108.36	70.71	54.47	11.94						
	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local			UEP9D	UEPYP	1.13	108.36	70.71	54.47	11.94						†
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local			UEP9D	UEPYQ	1.13	108.36	70.71	54.47	11.94						1
	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local			UEP9D	UEPYR	1.13	108.36	70.71	54.47	11.94						1
	2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local			UEP9D	UEPYS	1.13	108.36	70.71	54.47	11.94						1
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local			UEP9D	UEPY4	1.13	108.36	70.71	54.47	11.94						
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local			UEP9D	UEPY5	1.13	108.36	70.71	54.47	11.94						
	2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local			UEP9D	UEPY6	1.13	108.36	70.71	54.47	11.94						
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local			UEP9D	UEPY7	1.13	108.36	70.71	54.47	11.94						
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPYZ	1.13	108.36	70.71	54.47	11.94						
	2W VG Port terminated in on Megalink or equivalent Basic Local			UEP9D	UEPY9	1.13	40.30	19.90	24.98	6.65						
	2W VG Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.13	40.30	19.90	24.98	6.65						
AL, K	Y, LA, MS, SC, & TN Only			LIEBOD	UEBOA	4.40	40.00	10.00	04.00	0.05						
_	2W VG Port (Centrex) 2W VG Port (Centrex 800 Term)			UEP9D UEP9D	UEPQA UEPQB	1.13 1.13	40.30 40.30	19.90 19.90	24.98 24.98	6.65						
	2W VG Port (Centrex/800 Term) 2W VG Port (Centrex/EBS-PSET)4			UEP9D	UEPQB	1.13	40.30	19.90	24.98	6.65 6.65	-					
	2W VG Port (Centrex/EBS-M5009)4			UEP9D	UEPQD	1.13	40.30	19.90	24.98	6.65						+
	2W VG Port (Centrex / EBS-M5209)4			UEP9D	UEPQE	1.13	40.30	19.90	24.98	6.65						+
	2W VG Port (Centrex /EBS-M5112)4			UEP9D	UEPQF	1.13	40.30	19.90	24.98	6.65						
	2W VG Port (Centrex /EBS-M5312)4			UEP9D	UEPQG	1.13	40.30	19.90	24.98	6.65						
	2W VG Port (Centrex /EBS-M5008)4			UEP9D	UEPQT	1.13	40.30	19.90	24.98	6.65						1
	2W VG Port (Centrex/EBS-M5208)4			UEP9D	UEPQU	1.13	40.30	19.90	24.98	6.65						
	2W VG Port (Centrex/EBS-M5216)4			UEP9D	UEPQV	1.13	40.30	19.90	24.98	6.65						
	2W VG Port (Centrex/EBS-M5316)4			UEP9D	UEPQ3	1.13	40.30	19.90	24.98	6.65						
	2W VG Port (Centrex with Caller ID)			UEP9D	UEPQH	1.13	40.30	19.90	24.98	6.65						
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4			UEP9D	UEPQW	1.13	40.30	19.90	24.98	6.65						
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.13	40.30	19.90	24.98	6.65						
	2W VG Port (Centrex from diff SWC) 2,3			UEP9D	UEPQM	1.13	108.36	70.71	54.47	11.94						
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.13	108.36	70.71	54.47	11.94						
	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP UEPQQ	1.13	108.36	70.71	54.47	11.94						
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4 2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D UEP9D	UEPQQ	1.13 1.13	108.36 108.36	70.71 70.71	54.47 54.47	11.94 11.94	-					
	2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.13	108.36	70.71	54.47	11.94						+
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.13	108.36	70.71	54.47	11.94						+
_	2W VG Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.13	108.36	70.71	54.47	11.94						+
_	2W VG Port (Centrex/differ SWC /EBS-M5260)2,3,4		\vdash	UEP9D	UEPQ6	1.13	108.36	70.71	54.47	11.94	1			1	1	
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4		1	UEP9D	UEPQ7	1.13	108.36	70.71	54.47	11.94						t
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPQZ	1.13	108.36	70.71	54.47	11.94						†
	2W VG Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.13	40.30	19.90	24.98	6.65	Ì					
	2W VG Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.13	40.30	19.90	24.98	6.65						
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7996		_								
Local	Number Portability															
	Local No Portability (1 per port)		\coprod	UEP9D	LNPCC	0.35										
Featu	res		T	UEP9D	UEPVF						1					

IBUNDL	ED NETWORK ELEMENTS - South Carolina													ment: 2	1	ibit: A
											Svc	Svc Order	Incrementa	Incrementa	Incremental	Incremen
											Order	Submitte	I Charge -	I Charge -	Charge -	I Charge
		Intor	Zon								Submitte	d	Manual	Manual	Manual Svc	Manual
TEGORY	RATE ELEMENTS	im		BCS	USOC		R/	ATES (\$)			d Elec	Manually	Svc Order	Svc Order	Order vs.	Svc Orde
		ım	е									per LSR	vs.	vs.	Electronic-	
											po. 2011	po. 20.1	_	Electronic-		1
													104	الم	Disc 1st	Disc Ada
						Rec	Nonrec	urring	NRC Disco	onnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	406.42									
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	3.04										
NARS																
	Unbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
Misce	Ilaneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terms, each			UEP9D	CEND6	8.86	119.57	18.78	60.03	3.77						
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP9D	M1HD1	73.62	202.47	95.90	72.75	2.47						
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.51									
Intero	ffice Channel Mileage - 2-Wire										1					
	Interoffice Channel Facilities Term			UEP9D	M1GBC	24.30	40.63	27.47	16.77	6.91	1					
	Interoffice Channel miage, per mi or fraction of mi			UEP9D	M1GBM	0.0167					1					
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service										1					
D4 Ch	annel Bank Feature Activations										1					
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.56										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP9D	1PQWP	0.56										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.56										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		37.93	16.72								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	668.70									
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	668.70									1
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.89									1
Additi	onal Non-Recurring Charges (NRC)															
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Misc Rate Element, Tag Design Loop at End Use			UEP9D	URETN		11.24	1.10								1
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															1
	2 - Regures Interoffice Channel Mileage															1
	3 - Installation is combination of Installation charge for SL2 Loo	p and	Port													1
	- Requires Specific Customer Premises Equipment				1						1	1	i		İ	1

UNBL	INDLE	NETWORK ELEMENTS - Tennessee													ment: 2	Exhi	
												Svc Order		Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	SORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrecurring		Nonrecurrin	Disconnect		I.	OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		one" shown in the sections for stand-alone loops or loops as				ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	ged UNE Zon	e Designation	ons by Cent	ral Office, refe	er to internet \	Website:	
		ww.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion.ht	m				1					1	ı		
OPERA		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	- "-4-4-				- Ct-t- C	inglana Tha	200 -1			.: -:4 -u- 4	DallCaude			ahanna Ci	-C
		(1) CLEC should contact its contract negotiator if it prefers the ne state specific Commission ordered rates for the service or															
	of the 9		dering (inarges	, or CLEC may elect	the regiona	i service orderi	ng charge, no	wever, CLEC C	an not obtain	i illixture or th	e two regard	uless II CLE	C nas a miero	connection co	ilitaci establi	sneu in each
-		2) Any element that can be ordered electronically will be bill	ed acco	ordina t	o the SOMEC rate lis	sted in this o	ategory. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine	if a product	can be order	ed electronica	IIv. For those	elements
		nnot be ordered electronically at present per the LOH, the list															
		I, will be applied to a CLECs bill when it submits an LSR to B					•				<u> </u>				,-		
	NOTE:	3) OSS - Manual Service Order Charge, Per Element - UNE Or	nly **Pl	ease se	e applicable rate ele	ment for SO	MAN charge**										
		OSS-Electronic Service Order Charge, Per LSR-UNE Only				SOMEC		3.50	0.00	3.50	0.00						
UNE S		DATE ADVANCEMENT CHARGE	D-U2	10.1	ON-47-12 O												
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	ith's FC	C No.1 Tariff, Section	n 5 as appli	cable.										
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX, UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12, ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1, UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
		Day			U1TUB, U1TUA	SDASP		200.00									
UNBU		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															•
		2W Analog VG Loop-SL1-Zone 1	ļ	1	UEANL	UEAL2	13.19	31.99	20.02	10.65	1.41		1	20.35	10.54	13.32	13.32
-	1	2W Analog VG Loop-SL1-Zone 2		3	UEANL UEANL	UEAL2 UEAL2	17.23 22.53	31.99 31.99	20.02	10.65	1.41 1.41	-	1	20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
-	1	2W Analog VG Loop-SL1-Zone 3 2W Analog VG Loop-SL1-Zone 1	-	1	UEANL	UEAL2 UEASL	13.19	31.99	20.02	10.65 10.65	1.41	-	}	20.35	10.54	13.32	13.32
-	1	2W Analog VG Loop-SL1-Zone 2	 	2	UEANL	UEASL	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEASL	22.53	31.99	20.02	10.65	1.41	t e		20.35	10.54	13.32	13.32
												1					
		Unbundled Misc Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83					20.35	10.54	13.32	13.32
		Loop Testing-Basic 1st Half Hour			UEANL	URET1		78.92	78.92					20.35	10.54	13.32	13.32
<u> </u>	 	Loop Testing-Basic Add'l Half Hour			UEANL	URETA		23.33	23.33					20.35	10.54	13.32	13.32
		CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1)			UEANL	UREWO		15.80	8.95					20.35	10.54	13.32	13.32
		ULIJ	<u> </u>	<u> </u>	UEAINL	UKEWU		15.80	0.95			1	l	20.35	10.54	13.32	13.32

UNBL	INDLEI	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental			
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	_		Manual Svo
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	DISC Add I
							Rec	Nonrecurring		Nonrecurring	g Disconnect		•	oss	Rates (\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
		providing make-up (Engineering Information-E.I.)			UEANL	UEANM		28.80	28.80								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		36.52	36.52								
		Order Coordination for Specified Conversion Time for UVL-SL1															
		(per LSR)			UEANL	OCOSL		34.29	34.29								
	2-WIRE	Unbundled COPPER LOOP															
		2W Unbundled Copper Loop-Non-Designed Zone 1		1	UEQ	UEQ2X	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2W Unbundled Copper Loop-Non-Designed-Zone 2	I	2	UEQ	UEQ2X	17.23	31.99	20.02	10.65	1.41			20.35		13.32	13.32
		2W Unbundled Copper Loop-Non-Designed-Zone 3	I	3	UEQ	UEQ2X	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
1		Habitandled Man Date Floriant Tool and of Full to S	1		LIEO	LIDET		0.00	0.00					00.05	10.51	10.00	10.00
<u> </u>		Unbundled Misc Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83					20.35	10.54	13.32	13.32
1		Manual Order Coordination 2W Unbundled Copper Loop-Non-	1		UEQ	USBMC		36.52	36.52					I	1	I	
—	 	Designed (per loop) Unbundled Copper Loop, Non-Design Copper Loop, billing for	├		UEU	USBIVIC		30.52	30.52	1					+		1
1		BST providing make-up (Engineering Information-E.I.)	1		UEQ	UEQMU		28.80	28.80					20.35	10.54	13.32	13.32
		Loop Testing-Basic 1st Half Hour			UEQ	URET1		78.92	78.92	1				20.35	10.54	13.32	13.32
		Loop Testing-Basic Add'l Half Hour			UEQ	URETA		23.33	23.33					20.35		13.32	13.32
		CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-			024	O.K.E.I.K		20.00	20.00					20.00	10.01	.0.02	10.02
		ND)			UEQ	UREWO		14.29	7.44					20.35	10.54	13.32	13.32
UNBU	DLED E	XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEABS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEALS	22.53	31.99	20.02	10.65	1.41			20.35		13.32	13.32
		2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEABS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
UNBU		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-		1	UEA	UEAL2	16.56	75.00	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		Zone 1 2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-			UEA	UEALZ	10.30	75.06	40.20	20.70	17.04		1	20.33	10.54	13.32	13.32
		Zone 2		2	UEA	UEAL2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-			ULA	ULALZ	21.03	73.00	40.20	20.70	17.04			20.33	10.54	13.32	13.32
		Zone 3		3	UEA	UEAL2	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)		Ū	UEA	OCOSL	20.20	34.29	40.20	20.10	17.04			20.00	10.04	10.02	10.02
		2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 1		1	UEA	UEAR2	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 2		2	UEA	UEAR2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 3	1	3	UEA	UEAR2	28.28	75.06	48.20		17.64			20.35		13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		34.29									
		CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		75.06	36.41					20.35		13.32	13.32
		Loop Tagging-SL2 (SL2)			UEA	URETL		11.23	1.10					20.35	10.54	13.32	13.32
		ANALOG VOICE GRADE LOOP	<u> </u>			L									1		
	ļ	4W Analog VG Loop-Zone 1	ļ	1	UEA	UEAL4	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	ļ	4W Analog VG Loop-Zone 2	ļ	2	UEA	UEAL4	32.25	122.76	85.57	76.35	39.16			20.35		13.32	13.32
<u> </u>	<u> </u>	4W Analog VG Loop-Zone 3	<u> </u>	3	UEA	UEAL4	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	 	Order Coordination for Specified Conversion Time (per LSR)	 		UEA UEA	OCOSL		34.29 75.06	20.44	1	-			20.05	40.54	40.00	40.00
<u> </u>	2-WIDE	CLEC to CLEC Conversion Charge w/o outside dispatch ISDN DIGITAL GRADE LOOP	 		UEA	UREWO		75.06	36.41	1				20.35	10.54	13.32	13.32
	2-44INE	2W ISDN Digital Grade Loop-Zone 1	 	1	UDN	U1L2X	22.22	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
-	 	2W ISDN Digital Grade Loop-Zone 1 2W ISDN Digital Grade Loop-Zone 2	 	2	UDN	U1L2X	29.02	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	1	2W ISDN Digital Grade Loop-Zone 2		3	UDN	U1L2X	37.95	142.76	88.88		39.16			20.35	10.54	13.32	13.32
		Order Coordination For Specified Conversion Time (per LSR)	1		UDN	OCOSL	330	34.29	00.00	. 5.50	55.10			20.00	.0.04	.3.32	.5.52
		CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO		91.77	44.22					20.35	10.54	13.32	13.32
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP				j									
		2W Unbundled ADSL Loop including manl svc inq & facility						l i									
		reservation-Zone 1		1	UAL	UAL2X	13.82	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
		2W Unbundled ADSL Loop including manl svc inq & facility															
ı	1	reservation-Zone 2		2	UAL	UAL2X	18.05	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental		Charge -	Charge -
			-		+		Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Unbundled ADSL Loop including manl svc inq & facility															
	reservation-Zone 3		3	UAL	UAL2X	23.60	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		34.29									1
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 1		1	UAL	UAL2W	13.82	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2W Unbundled ADSL Loop w/o manl svc inq & facility		- '	UAL	UALZVV	13.02	31.99	20.02	10.65	1.41			20.33	10.54	13.32	13.32
	reservation-Zone 2	1	2	UAL	UAL2W	18.05	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2W Unbundled ADSL Loop w/o manl svc inq & facility			-												
	reservaton-Zone 3	- 1	3	UAL	UAL2W	23.60	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		34.29									1
O MIID	CLEC to CLEC Conversion Charge w/o outside dispatch E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDLE	LOOD	UAL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
Z-WIRI	2W Unbundled HDSL Loop including manl svc inq & facility	ATIBLE	LOOP		-											-
	reservation-Zone 1		1	UHL	UHL2X	10.83	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
 	2W Unbundled HDSL Loop including manl svc ing & facility	<u> </u>	+				2, 0.01	2000	754	55.14			20.00	10.04	10.02	10.02
	reservation-Zone 2		2	UHL	UHL2X	14.15	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	2W Unbundled HDSL Loop including manl svc inq & facility															
	reservation-Zone 3		3	UHL	UHL2X	18.50	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 1		1	UHL	UHL2W	10.83	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2W Unbundled HDSL Loop w/o manl svc inq and facility			OFIL	UTILZVV	10.65	31.55	20.02	10.03	1.41			20.33	10.54	13.32	13.32
	reservation-Zone 2	- 1	2	UHL	UHL2W	14.15	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2W Unbundled HDSL Loop w/o manl svc inq and facility			-												
	reservation-Zone 3	I	3	UHL	UHL2W	18.50	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									1
4 14/10	CLEC to CLEC Conversion Charge w/o outside dispatch E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDI E	LOOD	UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-99181	4W Unbundled HDSL Loop including manl svc ing and facility	TIBLE	LOOP													
	reservation-Zone 1		1	UHL	UHL4X	13.93	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	4W Unbundled HDSL Loop including manl svc inq and facility			-												
	reservation-Zone 2		2	UHL	UHL4X	18.20	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	4W Unbundled HDSL Loop including manl svc inq and facility		_													
	reservation-Zone 3		3	UHL UHL	UHL4X OCOSL	23.80	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR) 4W Unbundled HDSL Loop w/o manl svc ing and facility	1	1	UHL	OCOSL		34.29									
	reservation-Zone 1	1	1	UHL	UHL4W	13.93	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	4W Unbundled HDSL Loop w/o manl svc ing and facility															
	reservation-Zone 2	- 1	2	UHL	UHL4W	18.20	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	4W Unbundled HDSL Loop w/o manl svc inq and facility															
\vdash	reservation-Zone 3	\vdash	3	UHL	UHL4W	23.80	31.99	20.02	10.65	1.41	1		20.35	10.54	13.32	13.32
$\vdash \vdash \vdash$	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge w/o outside dispatch		+	UHL UHL	OCOSL UREWO		34.29 31.99	20.02	 		-		20.35	10.54	13.32	13.32
4-WIR	E DS1 DIGITAL LOOP	+-	+-+	Of IL	OILLAND		31.55	20.02	+		 		20.33	10.34	13.32	13.32
1 1111	4W DS1 Digital Loop-Zone 1	<u> </u>	1	USL	USLXX	57.73	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95
	4W DS1 Digital Loop-Zone 2		2	USL	USLXX	75.40	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95
	4W DS1 Digital Loop-Zone 3		3	USL	USLXX	98.59	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95
$\vdash \vdash \vdash$	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	-	USL	OCOSL		34.59	40.44	1				00.05	40.54	40.00	13.32
4-1A/ID	CLEC to CLEC Conversion Charge w/o outside dispatch E 19.2. 56 OR 64 KBPS DIGITAL GRADE LOOP	1	+	USL	UREWO		130.47	40.11	 		-		20.35	10.54	13.32	13.32
4-VVIRI	4W Unbundled Digital 19.2 Kbps	 	1	UDL	UDL19	31.10	207.01	141.38	90.70	44.18	 		20.35	10.54	13.32	13.32
 	4W Unbundled Digital 19.2 Kbps	<u> </u>	2	UDL	UDL19	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	
	4W Unbundled Digital 19.2 Kbps	L	3	UDL	UDL19	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4W Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	
	4W Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4W Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL UDL	UDL56 OCOSL	53.11	207.01 34.29	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)	1							1		1			1		1
\vdash	4W Unbundled Digital Loop 64 Kbps-Zone 1		1	UDL	UDL64	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32

UNBUN	IDLE	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fyhi	ibit: A
5.1551												Svc Order	Svc Order	Incremental	Incremental		
1]						Submitted			Charge -	Charge -	Charge -
			Inc									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														1St	Addi	DISC 1St	DISC Add 1
							n	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL	UDL64	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		34.29									
		CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	UREWO		102.28	49.82					20.35	10.54	13.32	13.32
2	2-WIRE	Unbundled COPPER LOOP															
		2W Unbundled Copper Loop-Designed including manl svc inq &															
		facility reservation-Zone 1	- 1	1	UCL	UCLPB	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2W Unbundled Copper Loop-Designed including manl svc inq &															
		facility reservation-Zone 2	- 1	2	UCL	UCLPB	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2W Unbundled Copper Loop-Designed including manl svc inq &															
		facility reservation-Zone 3	- 1	3	UCL	UCLPB	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
		2W Unbundled Copper Loop-Designed w/o manl svc inq and															
		facility reservation-Zone 1	I	1	UCL	UCLPW	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2W Unbundled Copper Loop-Designed w/o manl svc inq and															
		facility reservation-Zone 2	I	2	UCL	UCLPW	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2W Unbundled Copper Loop-Designed w/o manl svc inq and															
		facility reservation-Zone 3	I	3	UCL	UCLPW	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
		CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-															
		Des)	I		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4		COPPER LOOP															
		4W Copper Loop-Designed including manI svc inq and facility															
		reservation-Zone 1		1	UCL	UCL4S	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4W Copper Loop-Designed including manl svc inq and facility	Ι.					400 =0									40.00
-		reservation-Zone 2		2	UCL	UCL4S	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4W Copper Loop-Designed including man! svc inq and facility	١.,	3	LICI	1101.40	42.17	400.70	05.57	70.05	20.40			20.25	40.54	40.00	40.00
-		reservation-Zone 3 Order Coordination for Unbundled Copper Loops (per loop)	'	3	UCL UCL	UCL4S UCLMC	42.17	122.76	85.57	76.35	39.16	ļ		20.35	10.54	13.32	13.32
-		4W Copper Loop-Designed w/o manl svc ing and facility			UCL	UCLIVIC		36.52	36.52			ļ					
		reservation-Zone 1	١.,	1	UCL	UCL4W	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
-		4W Copper Loop-Designed w/o manI svc inq and facility	-		UCL	UCL4VV	24.70	122.76	05.57	76.33	39.16	1	1	20.33	10.54	13.32	13.32
		reservation-Zone 2	١.,	2	UCL	UCL4W	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
-		4W Copper Loop-Designed w/o manl svc inq and facility	-		OCL	UCL4VV	32.23	122.70	05.57	70.33	39.10	1	1	20.33	10.54	13.32	13.32
		reservation-Zone 3	l ,	3	UCL	UCL4W	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Copper Loops (per loop)		-	UCL	UCLMC	72.17	36.52	36.52	70.00	00.10			20.00	10.04	10.02	10.02
		CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-			001	COLIVIO		00.02	00.02								
		Des)	l ı		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
LOOP M																	
	Ť				UAL, UHL, UCL,	† †								İ	İ	1	1
			l		UEQ, ULS, UEA,									Ì	Ì	I	
		Unbundled Loop Modification, Removal of Load Coils-2W pr less	l		UEANL, UEPSR,	[1	1	1	
		than or equal to 18k ft, per Unbundled Loop	<u></u>	L_	UEPSB	ULM2L		65.40	65.40	<u> </u>		<u></u>	<u> </u>	20.35	10.54	13.32	13.32
		Unbundled Loop Modification Removal of Load Coils-4W less															
		than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		65.40	65.40					20.35	10.54	13.32	13.32
1					UAL, UHL, UCL,		·										
			l		UEQ, ULS, UEA,											1	
		Unbundled Loop Modification Removal of Bridged Tap Removal,	l		UEANL, UEPSR,									Ì	Ì	I	
		per unbundled loop		ļ	UEPSB	ULMBT		65.44	65.44					20.35	10.54	13.32	13.32
SUB-LO																	
	sub-Lo	op Distribution	ļ	\longmapsto													ļ
		0.1.1	Ι.			110501		F 1 = 0 =									
\vdash		Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up	<u> </u>	├	UEANL	USBSA		517.25	517.25	ļ		<u> </u>		20.35	10.54	13.32	13.32
\vdash		Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up			UEANL	USBSB		42.68	42.68					20.35	10.54	13.32	13.32
		Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility	l .		115.44"	HODGO		040.01	040.61					20.65	10.51	10.00	10.00
\vdash		Set-Up		+-+	UEANL	USBSC		313.01	313.01	1		1	-	20.35	10.54	13.32	13.32
		Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-	l .		UEANL	USBSD		108.06	108.06					20.35	10.54	13.32	40.00
\vdash	-	Up Sub-Loop Distribution Per 2W Analog VG Loop-Statewide		0111	UEANL	USBSD USBN2	10.02	108.06 148.84	108.06	73.14	36.65	1	1	20.35	10.54	13.32	13.32 13.32
\vdash		Order Coordination for Unbundled Sub-Loops, per sub-loop pr	 	SW	UEANL	USBMC USBMC	10.02	148.84 34.29	34.29	13.14	30.05	1		20.35	10.54	13.32	13.32
		Order Coordination for Oribundred Sub-Loops, per sub-100p pr	<u> </u>	i	UEANL	USBIVIC		34.29	34.29			1	1	<u> </u>	<u> </u>	1	1

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1		1	UEANL	USBN4	7.30	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2		2	UEANL	USBN4	9.54	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 3		3	UEANL	USBN4	12.47	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		34.29	34.29								
	Sub-Loop 2W Intrabuilding Network Cable (INC)	I		UEANL	USBR2	1.35	94.56	29.35					20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		34.29	34.29								
	Sub-Loop 4W Intrabuilding Network Cable (INC)	- 1		UEANL	USBR4	2.26	116.14	37.10					20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		34.29	34.29								
	Loop Testing-Basic 1st Half Hour			UEANL	URET1		78.92	78.92								
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA		23.33	23.33								
	2W Copper Unbundled Sub-Loop Distribution-Zone 1		1	UEF	UCS2X	5.16	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	2W Copper Unbundled Sub-Loop Distribution-Zone 2	I	2	UEF	UCS2X	6.74	110.71	37.89	94.41	13.09			20.35	10.54	13.32	
	2W Copper Unbundled Sub-Loop Distribution-Zone 3		3	UEF	UCS2X	8.81	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		34.29	34.29								
	4W Copper Unbundled Sub-Loop Distribution-Zone 1		1	UEF	UCS4X	6.52	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.32
	4W Copper Unbundled Sub-Loop Distribution-Zone 2		2	UEF	UCS4X	8.52	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.32
	4W Copper Unbundled Sub-Loop Distribution-Zone 3		3	UEF	UCS4X	11.14	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		34.29	34.29								1
	Loop Testing-Basic 1st Half Hour			UEF	URET1		78.92	78.92								1
	Loop Testing-Basic Add'l Half Hour			UEF	URETA		23.33	23.33								1
Unbur	ndled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per pr			UENTW	UENPP	0.4555	2.48	2.48					20.35	10.54	13.32	13.32
Netwo	ork Interface Device (NID)			-												
	Network Interface Device (NID)-1-2 lines			UENTW	UND12		89.69	54.56	0.6391	0.6391			20.35	10.54	13.32	13.32
	Network Interface Device (NID)-1-6 lines			UENTW	UND16		129.65	94.51	0.6522	0.6522			20.35	10.54	13.32	13.32
	Network Interface Device Cross Connect-2 W			UENTW	UNDC2		11.11	11.11	0.0022	0.0022			20.35	10.54	13.32	13.32
	Network Interface Device Cross Connect-4W			UENTW	UNDC4		11.11	11.11					20.35	10.54	13.32	13.32
UNE OTHER.	PROVISIONING ONLY - NO RATE			4												
	NID-Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									1
	UNTW Circuit Id Establishment, Provisioning Only-No Rate			UENTW	UENCE	0.00	0.00									+
	orth chear a Latabianian, Franciscus only the tate			UEANL.UEF.UEQ.U	02.102	0.00	0.00									1
	Unbundled Contract Name, Provisioning Only-No Rate			ENTW	UNECN	0.00	0.00									
LINE OTHER	PROVISIONING ONLY - NO RATE			LITTY	ONLON	0.00	0.00									+
ONE OTHER,	T ROYIGIGIANG GREET ING REATE															+
				UAL.UCL.UDC.UDL.												
	Unbundled Contact Name, Provisioning Only-no rate			UDN.UEA.UHL.ULC	UNECN	0.00	0.00									
	Orbandied Contact Name, i Tovisioning Only-no rate			ODIN,OLA,OITE,OLO	ONLON	0.00	0.00									+
	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									+
	Unbundled DS1 Loop-Superframe Format Option-no rate			USL	CCOSF	0.00	0.00									+
	Unbundled DS1 Loop-Expanded Superframe Format option-no	-	1	USL	CCOSF	0.00	0.00									+
	rate			USL	CCOEF	0.00	0.00									
HICH CARACI	ITY UNBUNDLED LOCAL LOOP			USL	CCOEF	0.00	0.00									
HIGH CAPACI	High Capacity Unbundled Local Loop-DS3-Per mi per mo		-	UE3	1L5ND	9.19										+
	High Capacity Oribundled Local Loop-D55-Pel IIII pel IIIo			UES	ILSIND	9.19										
	Uinh Consite Unbergellad Lacel Lace DC2 Facility Torse and see			UE3	UE3PX	374.24	595.37	304.50	234.83	170.16			36.84	36.84		
	High Capacity Unbundled Local Loop-DS3-Facility Term per mo			UDLSX	1L5ND		595.37	304.50	234.83	170.16			36.84	36.84		
	High Capacity Unbundled Local Loop-STS-1-Per mi per mo		1	UDLSX	ILSND	9.19										-
	High Capacity Unbundled Local Loop-STS-1-Facility Term per			UDLSX	LIDI C4	389.35	595.37	304.50	245.00	454.45			20.04	20.04		
No. co. d	Imo		<u>.</u>		UDLS1				215.82	151.15			36.84	36.84		
	1): Rates provided in TN for both electronic and manual Loop	wakeu	p are ir	iterim and subject to	retro-active	true-up adjust	ments pending	a permanent	rate ruling on t	nese rate elen	ients from t	ne renness	ee Regulator	y Authority.	 	+
LOOP MAKE-		 	1		 									1	 	+
]]	Loop Makeup-Preordering w/o Reservation, per working or spare	_	1	11847	LINALELIA		0.70	0 =0					10.00	10.00	10.00	40.00
—	facility queried (Manual).	R	1	UMK	UMKLW		0.76	0.76			ļ		19.99	19.99	19.99	19.99
]	Loop Makeup-Preordering With Reservation, per spare facility	۱ ـ	1								I			40		
\vdash	queried (Manual).	R	1	UMK	UMKLP		0.76	0.76					19.99	19.99	19.99	19.99
]]	Loop MakeupWith or w/o Reservation, per working or spare	۱ ـ	1	1,0,00										l	I	I
<u> </u>	facility queried (Mechanized)	R	1	UMK	UMKMQ		0.76	0.76								
	G AND LINE SPLITTING	<u> </u>	<u> </u>	<u> </u>	<u> </u>				l						ļ	
	1: The Line Sharing monthly recurring rates for all installation	is comi	pleted 1	rom October 02, 200	3 through m	ianight Octobe	er 01, 2004 shal	i be billed as f	ollows:			l			1	1

IINDI	INDI E	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Evh:	bit: A
UND	JNDLLL	NETWORK ELLIMENTS - Tellilessee		1 1		1	1					Svc Order	Svc Order	Incremental			
												Submitted			Charge -	Charge -	Charge -
CATE	CORV	RATE ELEMENTS	Interi	7	BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GURY	RATE ELEMENTS	m	Zone	BC2	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrecurring			g Disconnect				Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NOTE 1	: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled co	opper lo	op non	-designed ("UCLND)")											
	NOTE 1	: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND															
	NOTE 1	: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
		: Above will apply to USOCS: ULSDT and ULSCT															
		2: The Line Sharing monthly recurring rates with USOCs UL	SDC an	d ULSC	C applies only to ci	rcuits install	ed and inservi	e on or before	October 1, 20	03							
		HARING	1	1	- прринестину не оп					Ī							
		ERS-CENTRAL OFFICE BASED				1											
-	O. L.I.	Line Sharing Splitter, per System 96 Line Capacity	_		ULS	ULSDA	100.00	150.00	0.00	0.00	0.00	<u> </u>		20.35	10.54	13.32	13.32
-		Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity	-		ULS	ULSDB	25.00	150.00	0.00	0.00	0.00	1		20.35	10.54	13.32	13.32
			1		ULO	ULSDB	25.00	150.00	0.00	0.00	0.00	ļ		20.33	10.34	13.32	13.32
1		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-	1			111.000		400.00	0.00	00 7:		1	I	00.5=	40 = 1	40.00	40.00
		deactivation (per LSOD)	1	 	ULS	ULSDG		163.06	0.00	92.71	0.00	1		20.35	10.54	13.32	13.32
	END US	ER ORDERING-CENTRAL OFFICE BASED LINE SHARING				ļ	ļ					ļ			1		
		Line Sharing -per Line Activation (BST Owned splitter)-										1					
		OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	40.00	31.39	0.00	0.00			20.35	10.54	13.32	13.32
						1			<u> </u>				l			I	
		Line Share Service, TRO per line activation, BST owned splitter-															
		CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS	ULSDT	2.94	40.00	31.39	0.00	0.00						
		//															
		Line Share Service, TRO per line activation, BST owned splitter-															
		CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	5.87	40.00	31.39	0.00	0.00						
-		CO Located (30 % of OCLIND)-please see NOTE 1 (E.10/2/2004)	-		ULS	OLSDI	3.07	40.00	31.39	0.00	0.00	1					
		List Observed to TDO and Property and a DOT and a Designation															
		Line Share Service, TRO per line activation, BST owned splitter-															
		CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	8.81	40.00	31.39	0.00	0.00						
		Line Sharing-per Subsqnt Activity per Line Rearrangement(BST															
		Owned Splitter)			ULS	ULSDS		30.00	15.00					20.35	10.54	13.32	13.32
		Line Sharing-per Subsqnt Activity per Line															
		Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		30.00	15.00					20.35	10.54	13.32	13.32
		Line Sharing-per Line Activation (DLEC owned Splitter)-															
		OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	0.00	0.00			20.35	10.54	13.32	13.32
		Line Share Service, TRO per line activation, CLEC owned															
		splitter-CO Located (25% of UCLND)-please see NOTE 1															
		(E:10/2/2003)			ULS	ULSCT	2.94	47.44	19.31	0.00	0.00						
		Line Share Service, TRO per line activation, CLEC owned		1	020	02001	2.01		10.01	0.00	0.00						
		splitter-CO Located (50% of UCLND)-please see NOTE 1															
		(E:10/2/2004)			ULS	ULSCT	5.87	47.44	19.31	0.00	0.00						
			-		ULS	ULSCI	5.87	47.44	19.31	0.00	0.00	ļ					
		Line Share Service, TRO per line activation, CLEC owned					Ì				Ì	I	İ	Ì			l
1		splitter-CO Located (75% of UCLND)-please see NOTE 1	1									1	I	1	1]	1
		(E:10/2/2005)			ULS	ULSCT	8.81	47.44	19.31	0.00	0.00]	1]	
		PLITTING															
	END US	ER ORDERING-CENTRAL OFFICE BASED															
		Line Splitting-per line activation DLEC owned splitter		$ldsymbol{f eta}$	UEPSR UEPSB	UREOS	0.61										
		Line Splitting-per line activation BST owned-physical			UEPSR UEPSB	UREBP	0.61	48.96	21.39	35.06	10.79			20.35	10.54	13.32	13.32
		Line Splitting-per line activation BST owned-virtual			UEPSR UEPSB	UREBV	0.61	48.96	21.39	35.06	10.79	Ì		20.35	10.54	13.32	13.32
		ENANCE		1		1	3.3.			22.30		1	1				1
	1	No Trouble Found-per 1/2 hour increments-Basic	1	1 1		1	 	80.00	55.00	1	†	1	 	†	t		
	1	No Trouble Found-per 1/2 hour increments-Dasic	1	1		1		120.00	82.50	<u> </u>		1					
-	+ -	No Trouble Found-per 1/2 hour increments-Overtime	+	1		 	 	160.00	110.00		 	 		 	1		
LINIDII	NDI ED D	EDICATED TRANSPORT	1	1		 	-	100.00	110.00	-	-	1	-	-	-	-	-
UNDU		PFICE CHANNEL - DEDICATED TRANSPORT	1	1		1	-			-	-	 	1	ļ	-		-
<u> </u>	INTERC		1	1	LIATE OF	41.5307	0.00=:	-	-	1	1	1	1	1	1	 	1
	1	Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo	1	↓	U1TVX	1L5XX	0.0054			ļ		1	ļ				
		Interoffice Channel-Dedicated Transport-2W VG-Facility Term	1		U1TVX	U1TV2	18.58	55.39	17.37	27.96	3.51			20.35	21.09		
		Interoffice Channel -Dedicated Transpor t-2W VG Rev Bat-Per					Ì				Ì	I	l	Ì			İ
		mi per mo	<u></u>		U1TVX	1L5XX	0.0054	<u> </u>	<u></u>		<u></u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
		Interoffice Channel-Dedicated Transport-2W VG Rev Bat-															
		Facility Term			U1TVX	U1TR2	18.58	55.39	17.37	27.96	3.51	I	l	20.35	21.09		Ì
		•				1				1		1					
		Interoffice Channel -Dedicated Transport-4W VG-Per mi per mo			U1TVX	1L5XX	0.0054					1					
\vdash	1	Interoffice Channel -Dedicated Transport-4W VG-Facility Term	+	1	U1TVX	U1TV4	24.09	37.87	26.02	30.78	13.07	 	 	15.08	15.08	 	
-	1	Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo	1	1	U1TDX	1L5XX	0.0174	31.01	20.02	30.76	13.07	1	 	15.00	13.00		1
	1	interonice chaimer-bedicated transport-56 kbps-per mi per mo	<u> </u>	1	UTIDA	ILƏAA	0.0174	l	l		l .	l	l .		1	l	

														1			
UNBU	INDLE	D NETWORK ELEMENTS - Tennessee					1								ment: 2		ibit: A
													1	Incremental			
												Submitted			Charge -	Charge -	Charge -
CATE	ODV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec			Manual Svc		
CATE	JOKI	RATE ELEMENTS	m	Zone	ьсэ	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel-Dedicated Transport-56 kbps-Facility Term			U1TDX	U1TD5	17.98	55.39	17.37	27.96	3.51			20.35	21.09		
		Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo			U1TDX	1L5XX	0.0174										
		Interoffice Channel-Dedicated Transport-64 kbps-Facility Term			U1TDX	U1TD6	17.98	55.39	17.37	27.96	3.51			20.35	21.09		
		Interoffice Channel-Dedicated Channel-DS1-Per mi per mo			U1TD1	1L5XX	0.3562										
		Interoffice Channel-Dedicated Tranport-DS1-Facility Term			U1TD1	U1TF1	77.86	112.40	76.27	19.55	14.99			20.35	21.09		_
-		Interoffice Channel -Dedicated Transport-DS3-Per mi per mo		1	U1TD3	1L5XX	2.34								-		
		Interoffice Channel-Dedicated Transport-DS3-Facility Term per			U1TD3	U1TF3	848.99	395.29	176.56	109.04	105.91			36.84	36.84		
		Interoffice Channel-Dedicated Transport-STS-1-Per mi per mo			U1TS1	1L5XX	2.34	333.23	170.50	103.04	103.31	1		30.04	30.04		
		Interoffice Channel-Dedicated Transport-STS-1-Facility Term			U1TS1	U1TFS	849.30	395,29	176.56	109.04	105.91			36.84	36.84		
DARK	FIBER	Take the second of the second	1		2	1 0	3.0.00	300.20		100.04	.00.01			55.54	33.54	Ì	1
		Dark Fiber, Four Fiber Strands, Per Route mi or Fraction															
		Thereof per mo-Interoffice Channel			UDF, UDFCX	1L5DF	28.74										<u> </u>
		NRC Dark Fiber-Interoffice Channel			UDF, UDFCX	UDF14		1,121.00	153.19	580.26	357.17			20.35	10.54	13.32	13.32
		Dark Fiber, Four Fiber Strands, Per Route mi or Fraction				1									1		
		Thereof per mo-Local Loop			UDF, UDFCX	1L5DL	58.83	4 404 00	150.10	500.00	057.47			00.05	10.51	40.00	10.00
OVV A	20000	NRC Dark Fiber-Local Loop FEN DIGIT SCREENING			UDF, UDFCX	UDFL4		1,121.00	153.19	580.26	357.17			20.35	10.54	13.32	13.32
8XX A	CESSI	8XX Access Ten Digit Screening, Per Call			OHD	+	0.0005192										
		8XX Access Ten Digit Screening, Per Gair 8XX Access Ten Digit Screening, Reservation Charge Per 8XX			OHD	1	0.0003132										
		No Reserved			OHD	N8R1X		5.21	0.76					20.35	20.35	13.28	13.28
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
		POTS Translations			OHD			11.47	1.46	7.34	0.7602			20.35	20.35	13.28	13.28
		8XX Access Ten Digit Screening, Per 8XX No. Established With															
		POTS Translations			OHD	N8FTX		11.47	1.46	7.34	0.7602			20.35	20.35	13.28	13.28
		8XX Access Ten Digit Screening, Customized Area of Service															
		Per 8XX No			OHD	N8FCX		4.47	2.24					20.35	20.35	13.28	13.28
		8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		5.23	3.00					20.35	20.35	13.28	13.28
		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		5.23	0.76					20.35	20.35	13.28	
		8XX Access Ten Digit Screening, Call Handling and Destination			OHD	1401700		0.07	0.70					20.00	20.00	10.20	10.20
		Features			OHD	N8FDX		4.47						20.35	20.35	13.28	13.28
LINE II	FORMA	ATION DATA BASE ACCESS (LIDB)															
		LIDB Common Transport Per Query			OQT		0.0000354										
		LIDB Validation Per Query			OQU		0.0117403										ļ
010111		LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		49.03						20.35	20.35	13.28	13.28
SIGNA	LING (C	CS7) CCS7 Signaling Term, Per STP Port	1	1	UDB	PT8SX	138.41					1			1	-	
-	-	CCS7 Signaling Term, Per STP Port CCS7 Signaling Usage, Per TCAP Message	 	\vdash	UDB	L199Y	0.0000916					1		-		-	+
-		CCS7 Signaling Osage, Fel TCAF Message CCS7 Signaling Connection, Per link (A link)	1	1	UDB	TPP++	17.84	130.84	130.84					20.35	20.35	13.32	13.32
		CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D	<u> </u>		555		17.54	100.04	100.04					20.00	20.00	10.02	10.02
		link)			UDB	TPP++	17.84	130.84	130.84					20.35	20.35	13.32	13.32
		CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000373										
		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	352.30		•		•						
		Signaling Point Code, per Originating Point Code Establishment	1														
	10 1::::	or Change, per STP	<u> </u>	 	UDB	CCAPO		121.77	121.77			<u> </u>		20.35	20.35	13.32	13.32
CALLI	NG NAM	E (CNAM) SERVICE	 	1	OQV			43.27				1		-	1	1	
—		CNAM For DB Owners-Service Establishment CNAM For Non DB Owners-Service Establishment	 	1	OQV	 		43.27				 		-	-		
-		CNAM For DB Owners-Service Provisioning With Point Code			OQV	1		40.21						-	 	1	
1		Establishment	1		OQV			1,868.00	1,382.00								
		CNAM For Non DB Owners-Service Provisioning With Point	<u> </u>	1				.,500.00	.,502.00						1	1	
1		Code Establishment			OQV			645.50	432.23						1		
		CNAM for DB Owners, Per Query			OQV		0.0010541										
		CNAM for Non DB Owners, Per Query			OQV		0.0010541							_			
		CNAM (Non-Databs Owner), NRC, applies when using the	1	1 T											_	1	
05: 5		Character Based User Interface (CHUI)	ļ	$\sqcup \sqcup$	OQV	CDDCH								20.35	20.35	13.28	13.28
SELEC	IIVE RO	DUTING				1						1				1	

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
011201122											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Selective Routing Per Unique Line Class Code Per Request Per						4=0.00	.=								
1/12=1111	Switch						179.60	179.60					20.35	20.35		
VIRTUAL COL	LOCATION		1													
	No. 10 II N. 10 II N. 11 O II N.								40.00							
DUVELCAL CO	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.57	11.62	9.90	10.38	8.66			19.99	19.99	19.99	19.99
PHYSICAL CO	Physical Collocation-2W Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	PE1LS	0.7905	11.62	9.90	10.38	8.66			19.99	19.99	19.99	19.99
AIN CELECTIV	/E CARRIER ROUTING			UEFSK UEFSB	PEILS	0.7905	11.02	9.90	10.36	0.00			19.99	19.99	19.99	19.99
AIN SELECTI	Regional Service Establishment			SRC	SRCEC		190,638.00						20.35			
 	End Office Establishment			SRC	SRCEO		317.55	317.55	3.19	3.19			20.35	20.35	13.28	13.28
	Query NRC, per query		1	SRC	SINGLO	0.0206047	317.33	317.33	5.19	3.19			20.33	20.33	15.20	15.20
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE	-	1	51.0	 	0.0200047			 				 	t	 	
1 322200	AIN SMS Access Service-Service Establishment, Per State,	1	1 1		1				1				 	I	 	
	Initial Setup			A1N	CAMSE		135.56	135.56					20.35	20.35	13.28	13.28
							.00.00	.00.00	1				20.00	20.00	.5.20	.0.20
	AIN SMS Access Service-Port Connection-Dial/Shared Access			A1N	CAMDP		41.75	41.75					20.35	20.35	13.28	13.28
	AIN SMS Access Service-Port Connection-ISDN Access			A1N	CAM1P		41.75	41.75					20.35	20.35	13.28	13.28
	AIN SMS Access Service-User Identification Codes-Per User ID															
	Code			A1N	CAMAU		96.63	96.63					20.35	20.35	13.28	13.28
	AIN SMS Access Service-Security Card, Per User ID Code, Initial															
	or Replacement			A1N	CAMRC		113.67	113.67					20.35	20.35	13.28	13.28
	AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)					0.0024										
	AIN SMS Access Service-Session, Per min					0.0820123										
	AIN SMS Access Service-Company Performed Session, Per min					2.27										
AIN - BELLSC	UTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service-Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		132.04	132.04					20.35	20.35	13.28	13.28
	AIN Toolkit Service-Training Session, Per Customer				BAPVX		7,915.00	7,915.00					20.35	20.35	13.28	13.28
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN,															
	Term. Attempt				BAPTT		31.21	31.21					20.35	20.35	13.28	13.28
	AlN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN,				DARTE		04.04	04.04					00.05	00.05	40.00	40.00
-	Off-Hook Delay				BAPTD		31.21	31.21					20.35	20.35	13.28	13.28
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN,				DADTA		24.04	04.04					20.05	20.05	40.00	40.00
\vdash	Off-Hook Immediate AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN,		\vdash		BAPTM		31.21	31.21	 				20.35	20.35	13.28	13.28
	10-Digit PODP				BAPTO		85.24	85.24					20.35	20.35	13.28	13.28
\vdash	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN,	-	1		DAPIU		85.∠4	85.24	1		-		∠0.35	20.35	13.28	13.28
	CDP				BAPTC		85.24	85.24					20.35	20.35	13.28	13.28
 	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN,		\vdash		DAFIC		05.24	00.24	1				20.35	20.35	13.28	13.28
	Feature Code				BAPTF		85.24	85.24					20.35	20.35	13.28	13.28
	AlN Toolkit Service-Query Charge, Per Query	1	1 1			0.0211882	00.24	00.24	1		1		20.00	20.00	10.20	10.20
	AlN Toolkit Service-Type 1 Node Charge, Per AlN Toolkit								1				1	1	1	
	Subscription, Per Node, Per Query					0.0054774								1		
	AIN Toolkit Service-SCP Storage Charge, Per SMS Access															
	Account, Per 100 Kilobytes					1.50								1		
	AIN Toolkit Service-moly report-Per AIN Toolkit Service															
	Subscription	<u></u>	L l	CAM	BAPMS	17.43	33.52	33.52	<u> </u>		<u> </u>		20.35	20.35	13.28	13.28
	AIN Toolkit Service-Special Study-Per AIN Toolkit Service															
	Subscription			CAM	BAPLS	0.1321116	36.23	36.23					20.35	20.35	13.28	13.28
	AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service]]	
	Subscription			CAM	BAPDS	17.35	33.52	33.52					20.35	20.35	13.28	13.28
	AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit													1		
	Service Subscription			CAM	BAPES	0.0511435	36.23	36.23					20.35	20.35	13.28	13.28
	XTENDED LINK (EELs)	L	اليلا		L	<u> </u>	l	L	<u> </u>	l	L		ļ	ļ	ļ	
NOTE	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charge	will not app	bly for UNE cor	nbinations pro	visioned as ' (Ordinarily Com	bined' Networl	Elements.					
	The monthly recurring and the Switch-As-Is Charge and not t					UNE combinat	ions provision	ea as ' Current	try Combined' I	vetwork Eleme	nts.					
EXIE	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	בט חצי	INIEK	COFFICE TRANSPOR	K I	l			l	l						

UNRUN	DLF	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fyhi	bit: A
CIADOIA	DLLI		1									Svc Order	Svc Order	Incremental		Incremental	
												Submitted			Charge -	Charge -	Charge -
CATEGO	DV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc		
CATEGO	KI	RATE ELEMENTS	m	Zone	ьсэ	0300			KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
1				 		+		Nonrecurring		Nonrecurring	Disconnect			088	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		First 2W VG Loop (SL2) in Combination-Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86	SOWIEC	JOWAN	20.35	21.09	JOWAN	SOWAN
		First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09		
		First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09		
		That 244 VO Edop (OLE) in Combination 2010 0		<u> </u>	0110171	OLITICAL	20.20	100.70	00.47	72.04	10.00			20.00	21.00		
		Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX	0.3562										
		Interoffice Transport-Dedicated-DS1 combination-Facility Term			0110171	120701	0.0002										
		per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
		1/0 Channelization System in combination Per mo			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
		VG COCI-Per mo			UNCVX	1D1VG	0.91	5.70	4.42	0.01							
		Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09		
		Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09		
		Each Add'I 2W VG Loop (SL 2) in Combination-Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09		
		VG COCI-Per mo			UNCVX	1D1VG	0.91	5.70	4.42								
		NRC Currently Combined Network Elements Switch -As-Is															
		Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
E	XTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS	1 INTER	OFFICE TRANSPO	ŔŦ											
		First 4W Analog VG Loop in Combination -Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09		
		First 4W Analog VG Loop in Combination -Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09		
		First 4W Analog VG Loop in Combination -Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09		
		Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.3562										
		Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
		1/0 Channel System in combination Per mo			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
		VG COCI in combination-per mo			UNCVX	1D1VG	0.91	5.70	4.42								
		Add'l 4W Analog VG Loop in same DS1 Interoffice Transport															
		Combination-Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09		
		Add'l 4W Analog VG Loop in same DS1 Interoffice Transport															
		Combination-Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09		
		Add'l 4W Analog VG Loop in same DS1 Interoffice Transport															
		Combination-Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09		
		Add'I VG COCI in combination-per mo		 	UNCVX	1D1VG	0.91	5.70	4.42								
		NRC Currently Combined Network Elements Switch -As-Is															
	VTEN	Charge	OATER	DO4 1NT	UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
	XIEN	DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN I	UNCDX	UDL56	31.10	108.76	05.47	70.04	10.86			20.35	21.09		
		First 4W 56Kbps Digital Grade Loop in Combination-Zone 1 First 4W 56Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47 35.47	72.94 72.94	10.86			20.35	21.09		-
		First 4W 56Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
		I list 400 Soltaps Digital Grade Loop III Combination-Zone S		J	ONODA	ODLOG	33.11	100.70	33.47	12.34	10.00			20.55	21.03		
		Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo	1		UNC1X	1L5XX	0.3562	l									1
		Interoffice Transport-Dedicated-DS1-combination Facility Term			011017	120701	0.0002										
		Per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
		1/0 Channel System in combination Per mo			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.00	21.00		
		OCU-DP COCI (data) per mo (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
		Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice			***************************************												
		Transport Combination-Zone 1	1	1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		1
		Add'I 4W 56Kbps Digital Grade Loop in same DS1 Interoffice															
		Transport Combination-Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		1
		Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice															
		Transport Combination-Zone 3	<u> </u>	3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86	<u> </u>	<u> </u>	20.35	21.09		<u> </u>
		Add'l OCU-DP COCI (data)-in combination per mo (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
		NRC Currently Combined Network Elements Switch -As-Is							-								1
		Charge	<u> </u>		UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
E	XTEN	DED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED														
		First 4W 64Kbps Digital Grade Loop in Combination-Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
		First 4W 64Kbps Digital Grade Loop in Combination-Zone 2	<u> </u>	2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86	<u> </u>		20.35	21.09		1
		First 4W 64Kbps Digital Grade Loop in Combination-Zone 3	ļ	3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09		1
			1			1		l									1
1		Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo	1		UNC1X	1L5XX	0.3562					1	1	l	l	l	1

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted		Charge -	Charge -	Charge -
1		1									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
CATEGORI	RATE ELEMENTS	m	Zone	BC3	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1													Electronic-	Electronic-	Electronic-	Electronic-
1													1st	Add'l	Disc 1st	Disc Add'l
		<u> </u>					N.			. D'			000	D-((A)		
\vdash						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
i	interoffice Transport-Dedicated-DS1 combination-Facility Term															
	Per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	1/0 Channel System in combination Per mo			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						<u> </u>
1	OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice															
i I	Transport Combination-Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice															
i	Transport Combination-Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice	1		••												
i	Transport Combination-Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
	Add'I OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)	+	3	UNCDX	1D1DD	0.91	5.70	4.42	12.34	10.00			20.55	21.03		
	NRC Currently Combined Network Elements Switch -As-Is	1	 	UNCDA	טטוטו	0.91	5.70	4.42			 	 	1	1		
i I		1		UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		1
	Charge	ED 50:	INTER				52.73	24.62	9.12	9.12	1	1	20.35	21.09		├
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	בט טאַ	INTERC								ļ	ļ		ļ		├
$\vdash \vdash \vdash$	4W DS1 Digital Loop in Combination-Zone 1	ļ	1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88	ļ	ļ				
	4W DS1 Digital Loop in Combination-Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88						
	4W DS1 Digital Loop in Combination-Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88						
1																
i	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.3562										
	Interoffice Transport-Dedicated-DS1 combination-Facility Term															
i	Per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	NRC Currently Combined Network Elements Switch -As-Is							-								
i	Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
FXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	FD DS3	INTER				020	202	0.12	0.12			20.00	21.00		
	First DS1Loop in Combination-Zone 1	1	1 1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09		
	First DS1Loop in Combination-Zone 2	+	2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09		
	First DS1Loop in Combination-Zone 3	1	3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09		
	First D3 (Loop in Combination-Zone 3	1	3	UNCIA	USLAA	90.39	220.40	101.74	19.01	24.00			20.33	21.09		
i				LINIOOV	41.5307	0.04										
\vdash	Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo			UNC3X	1L5XX	2.34										
	Interoffice Transport-Dedicated-DS3-Facility Term per mo			UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			36.84	36.84		
	3/1Channel System in combination per mo			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77						
<u> </u>	DS1 COCI in combination per mo			UNC1X	UC1D1	17.58	5.70	4.42								
i I																
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09		
i		1														
i I	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2	:1	2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09		1
ı I	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88	l	l	20.35	21.09		1
	Additoinal DS1 COCI in combination per mo	1		UNC1X	UC1D1	17.58	5.70	4.42								
- 	NRC Currently Combined Network Elements Switch -As-Is	1	1 1		1	50					i	i	1	1		
ı I	Charge	1	1 1	UNC3X	UNCCC		52.73	24.62	9.12	9.12	l	l	20.35	21.09		1
EYTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	E GPAD	E INTER				52.13	24.02	3.12	5.12	 	 	20.33	21.09		
I I I	2WVG Loop in combination-Zone 1	_ 5.170	1 1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86	1	1	1	1	1	
\vdash	2WVG Loop in combination-zone 1 2WVG Loop in combination-Zone 2	+	2	UNCVX	UEAL2	21.63	108.76	35.47	72.94 72.94	10.86	-	-				
		+									 	 	 	 	-	
	2WVG Loop in combination-Zone 3	-	3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86	1	1				├
	Interoffice Transport-2W VG-Dedicated-Per mi Per mo	-	├	UNCVX	1L5XX	0.0174	=0.0-				1	1	22.5-			├
└──	Interoffice Transport-2W VG-Dedicated-Facility Term per mo	ļ	$\sqcup \sqcup$	UNCVX	U1TV2	21.79	79.83	44.08	69.32	31.00	ļ	ļ	20.35	21.09		
ı I	NRC Currently Combined Network Elements Switch -As-Is	1	1 1								l	l	Ì	Ì		1
	Charge			UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	E GRAD	E INTER													
	4WVG Loop in combination -Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86						
	4WVG Loop in combination -Zone 2	1	2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86						
	4WVG Loop in combination -Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86						
	Interoffice Transport-4W VG-Dedicated-Per mi Per mo			UNCVX	1L5XX	0.0174							İ	İ		
	Interoffice Transport-4W VG-Dedicated-Facility Term per mo	1	1 1	UNCVX	U1TV4	27.30	79.83	44.08	69.32	31.00			20.35	21.09		
$\overline{}$	NRC Currently Combined Network Elements Switch -As-Is	1	1 1			_::00			22.02	200						
		1	1 1					04.00	0.40	0.40	1	1			l	1
	Charge			UNCVX	UNCCC		52 /3	24 62	9 12	9 17			20.35	21 (19		
EYTE	Charge NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTER	DEEICE .	UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		

LINDLINDI	ED NETWORK ELEMENTS Terresses												A			
ONBONDE	ED NETWORK ELEMENTS - Tennessee	1									00	00		ment: 2		ibit: A
													Incremental		Incremental	
											Submitted			Charge -	Charge -	Charge -
04750000	DATE ELEMENTO	Interi	.	B00				DATEO (6)			Elec		Manual Svc	Manual Svc		
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
-			1		-	1	Nonrecurring		Nonrecurring	- Dianamant			222	Rates (\$)		<u> </u>
			1			Rec		A -1 -111			COMEC	SOMAN	SOMAN	SOMAN	COMAN	SOMAN
	DS3 Local Loop in combination-Facility Term per mo		+	UNC3X	UE3PX	373.47	First 240.23	Add'l 180.87	First 106.78	Add'l 45.24	SUMEC	SUMAN	SUMAN	SOWAN	SOMAN	SUMAN
	Interoffice Transport-Dedicated-DS3-Per mi per mo			UNC3X UNC3X	1L5XX	2.34	240.23	180.87	106.78	45.24						
	Interoffice Transport-Dedicated-DS3-Fel fill per filo Interoffice Transport-Dedicated-DS3 combination-Facility Term		+	UNCSA	ILSAA	2.34										
	per mo			UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			36.84	36.84		
	NRC Currently Combined Network Elements Switch -As-Is		+ +	UNCSA	01113	054.97	402.01	155.61	04.43	33.43	-		30.04	30.04		
	Charge			UNC3X	UNCCC		52.73	24.62	9.12	9.12			36.84	36.84		
EVTE	ENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	C-1 INT	EDOEE		UNCCC		52.73	24.02	9.12	9.12	1		30.04	30.04		
LAIL	STS-1 Local Lolp in combination-per mi per mo	3-1 1141	LKOFF	UNCSX	1L5ND	9.19			-		-					
	STS-1 Local Loop in combination-per miliper mo		+ +	UNCSX	UDLS1	394.56	240.23	180.87	106.78	45.24	-					
	Interoffice Transport-Dedicated-STS-1 combination-per mi per		+ +	UNCOX	ODLST	354.30	240.23	100.07	100.76	43.24	-					
	mo			UNCSX	1L5XX	2.34						1				
	Interoffice Transport-Dedicated-STS-1 combination-Facility Term	1	+	UNCOA	ILOAA	2.34					 			1	1	+
	per mo			UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43		1	36.84	36.84		
	NRC Currently Combined Network Elements Switch -As-Is			UNCOA	UIIFS	049.30	402.01	103.01	04.43	33.43			30.04	30.04		
	Charge			UNCSX	UNCCC		52.73	24.62	9.12	9.12		1	36.84	36.84		
EVTE	ENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TDAN	CDODT	UNCSX	UNCCC		52.73	24.02	9.12	9.12	-		30.04	30.04		
EVIE	First 2W ISDN Loop in Combination-Zone 1	IKAN	1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86	-		20.35	21.09		
	First 2W ISDN Loop in Combination-Zone 1		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09		
	First 2W ISDN Loop in Combination-Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86	-		20.35	21.09		
	I list 2VV ISDIV Loop III Combination-Zone 3		3	UNCINA	UILZA	37.93	100.70	33.47	12.54	10.00	-		20.33	21.09		
	Interoffice Transport-Dedicated-DS1 combination-per mi per mo			UNC1X	1L5XX	0.3562										
	Interoffice Transport-Dedicated-DS1 combination-per fill per fillo Interoffice Transport-Dedicated-DS1 combination-Facility Term		+ +	UNCIA	ILSAA	0.3362			-		-					
	per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	1/0 Channel System in combination-per mo			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.33	21.09		
	2W ISDN COCI (BRITE)-in combination-per mo	1		UNCNX	UC1CA	3.24	5.70	4.42	3.04	2.14	1					
	Add'l 2W ISDN Loop in same DS1Interoffice Transport		1	UNCINA	UCTOA	3.24	3.70	4.42								
	Combination-Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		
	Add'l 2W ISDN Loop in same DS1Interoffice Transport		+ ' +	ONCIVA	OTLZX	22.22	100.70	33.47	72.34	10.00			20.55	21.03		
	Combination-Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09		
	Add'I 2W ISDN Loop in same DS1Interoffice Transport		-	01101171	OILEX	20.02	100.70	00.47	72.04	10.00			20.00	21.00		
	Combination-Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09		
	Add'I 2W ISDN COCI (BRITE)-in combination-per mo		3	UNCNX	UC1CA	3.24	5.70	4.42	72.34	10.00			20.55	21.03		
	NRC Currently Combined Network Elements Switch -As-Is		+ - 1	ONCINA	OCTOA	3.24	3.70	7.72								
	Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
FYTE	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	L INTE				32.73	24.02	5.12	3.12			20.55	21.03		
LAIL	First DS1 Loop Combination-Zone 1	LDOIG	1 1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09		
	First DS1 Loop Combination-Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09		
	First DS1 Loop Combination-Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09		
	Interoffice Transport-Dedicated-STS-1 combination-Per mi Per		-	ONOTA	OOLAC	30.00	220.40	101.74	70.07	24.00			20.00	21.00		
	mo			UNCSX	1L5XX	2.34										
- 1	Interoffice Transport-Dedicated-STS-1 combination-Facility Term	1		011007	120/01	2.04										
	per mo			UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43			36.84	36.84		
	3/1 Channel System in combination per mo			UNCSX	MQ3	222.98	156.02	49.41	17.12	6.77	1		00.01	00.01		
	DS1 COCI in combination per mo		1 1	UNC1X	UC1D1	17.58	5.70	4.42	2	0						
	Add'l DS1Loop in the same STS-1 Interoffice Transport		1 1													
	Combination-Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09		
	Add'l DS1Loop in the same STS-1 Interoffice Transport		+	2		56			. 5.57	250			20.00	255		1
	Combination-Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09		
	Add'l DS1Loop in the same STS-1 Interoffice Transport															
	Combination-Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09		
	DS1 COCI in combination per mo		† Ť	UNC1X	UC1D1	17.58	5.70	4.42	. 5.57	250			20.00	255		1
	NRC Currently Combined Network Elements Switch -As-Is	İ			1		50									
	Charge			UNCSX	UNCCC		52.73	24.62	9.12	9.12			36.84	36.84		
EXTE	ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	SPS INT	EROFF													<u> </u>
	4W 56 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86				İ	İ	1
	4W 56 kbps Local Loop in combination-Zone 2	İ	2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86						<u> </u>
	4W 56 kbps Local Loop in combination-Zone 3	1	3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86				İ	İ	1
		-	1 -		1						1	l		 		
	Interoffice Transport-Dedicated-4W 56 kbps combination-Per mi				1		U.									

HINDHINDI	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Evhi	bit: A
UNBUNDL	LED NET WORK ELEMENTS - Tellilessee	1									Svc Order	Svc Order	Incremental		Incremental	
											Submitted			Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	-	Manual Svc	Manual Svc		Manual Svc
CATEGORI	KATE ELEMENTO	m	20116	Воо	0000			KATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Interoffice Transport-Dedicated-4W 56 kbps combination-Facility															
	Term per mo			UNCDX	U1TD5	21.19	79.83	44.08	69.32	31.00			20.35	21.09		
	NRC Currently Combined Network Elements Switch -As-Is															
	Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXT	ENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	BPS INT	EROFF													
	4W 64 kbps Lcoal Loop in Combination-Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86						
	4W 64 kbps Lcoal Loop in Combination-Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86						
	4W 64 kbps Lcoal Loop in Combination-Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86						
	Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi															
	per mo			UNCDX	1L5XX	0.0174										
	Interoffice Transport-Dedicated-4W 64 kbps combination-Facility										1		Ì			I
oxdot	Term per mo			UNCDX	U1TD6	21.19	79.83	44.08	69.32	31.00			20.35	21.09		1
	NRC Currently Combined Network Elements Switch -As-Is										1					I
\vdash	Charge	<u> </u>		UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		.
EXT	ENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w/													
	First 2W VG Loop (SL2) in Combination-Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09		
	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09		
	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09		
	First Interoffice Transport-Dedicated-DS1 combination-Per mi		_	UNC1X	1L5XX	0.3562										
	First Interoffice Transport-Dedicated-DS1 combination-Facility															
	Term per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	Per each DS1 Channelization System Per mo			UNC1X	MQ1 1D1VG	80.77	105.76	14.48	3.04	2.74						
	Per each VG COCI-Per mo per mo 3/1 Channel System in combination per mo			UNCVX UNC3X	MQ3	0.91 222.98	5.70 156.02	4.42 49.41	17.12	6.77			36.84	36.84		
+-	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	17.58	5.70	49.41	17.12	6.77			36.84	36.84		
	Each Add'l 2W VG Loop(SL 2) in the same DS1 Interoffice			UNCIX	OCIDI	17.58	5.70	4.42								
	Transport Combination-Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09		
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice		-	UNCVA	ULALZ	10.30	100.70	33.47	12.54	10.00			20.33	21.09		-
	Transport Combination-Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09		
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice		_	ONOVA	OLALE	21.00	100.70	00.41	72.04	10.00			20.00	21.00		
	Transport Combination-Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09		
	Each Add'l VG COCI in combination-per mo		Ŭ	UNCVX	1D1VG	0.91	5.70	4.42	72.04	10.00			20.00	21.00		
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel			0.10171	.5	0.01	0.10									
	System per mo			UNC1X	1L5XX	0.3562										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1															
	Channel System per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	Each Add'l DS1 COCI combination per mo			UNC1X	UC1D1	17.58	5.70	4.42								
	NRC Currently Combined Network Elements Switch -As-Is															
oxdot	Charge	L		UNC1X	UNCCC		52.73	24.62	9.12	9.12	<u></u>		20.35	21.09		<u> </u>
EXT	ENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR													
	First 4W Analog VG Local Loop in Combination -Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09		
	First 4W Analog VG Local Loop in Combination -Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09		
	First 4W Analog VG Local Loop in Combination -Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09		
	First Interoffice Transport-Dedicated-DS1 combination-Per mi															
oxdot	Per mo			UNC1X	1L5XX	0.3562										1
\vdash	First Interoffice Transport-Dedicated-DS1-Facility Term Per mo	ļ		UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		ļ
\vdash	Per each 1/0 Channel System in combination Per mo	ļ		UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			ļ			ļ
\vdash	Per each VG COCI in combination-per mo	ļ	1	UNCVX	1D1VG	0.91	5.70	4.42								
$\vdash \vdash$	3/1 Channel System in combination per mo	<u> </u>	1	UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			36.84	36.84		-
$\vdash \vdash \vdash$	Per each DS1 COCI in combination per mo	<u> </u>	1	UNC1X	UC1D1	17.58	5.70	4.42					1	1		-
1 1	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport			LINOVA	1	04.70	400 70	05.47	70.01	10.00	1		00.0-	04.00		I
1 1	Combination-Zone 1	ļ	1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09		-
	Addit AM Apples VO Leas is a constitution for Tolling				1		1				I		l	l	l	I
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport			LINIOVA	LIEALA	20.00	400.70	25 47	70 04				20.05	04.00		
	Combination-Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09		
	Combination-Zone 2 Add'l 4W Analog VG Loop in same DS1 Interoffice Transport															
	Combination-Zone 2		3	UNCVX	UEAL4	32.26 42.18	108.76 108.76	35.47 35.47	72.94 72.94	10.86			20.35	21.09		

CATEGORY RATE ELEMENTS More BCS USC RATE (6) Remove Control																	
ACTEORY RATE ELEMENTS Illination Done BCS WISSON PATE (6) WISSON PATE (7) WISSON PATE (8) WISSON PATE (8) WISSON PATE (8) WISSON PATE (8) WISSON PATE (8) WISSON PATE (8) WISSON PATE (8) WISSON PATE (8) WISSON PATE (8) WISSON PATE (8) WISSON W	Exhibit: A															SUNDLED NETWORK ELEMENTS - Tennessee	UNBUNDLE
ATT ELEMENTS Marco BeCS USC FATE Company C																	
## CATECORY RATE CLEMENTS m one 0.05 USO NATE (10 Mar) One 1.05 One 1.05 One 1.05 One 1.05 One		Charge -															
Part Part			1						DATES (\$)			HEOC	BC6	Zana	Interi	DATE ELEMENTS	CATECORY
Sept. Add DE Insendition Character Facility Term in some 3/1		Order vs.			per LSR	per LSR			KAIES (\$)			0300	ьсэ	Zone	m	RATE ELEMENTS	CATEGORI
Sept Add 105 Internation Channel Relaty from in parts 31		Electronic-	1														
Exhanded 10St Interestinac Channel Facility Turn in some 311	1st Disc Add'l	Disc 1st	Add'l	1st													
Column C			Rates (\$)	oss			Disconnect	Nonrecurring		Nonrecurring	_				 		
Each Act DST Interesting Columner Facility Columner Colu	IAN SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMEC	Add'l	First	Add'l	First	Rec						
More More				· ·												Each Add'l DS1 Interoffice Channel Facility Term in same 3/1	
NNC Currenty Common Name Name Seaton - As-1s NUCC S2.73 24.62 \$1.2 \$2.05 \$2.109			21.09	20.35			30.90	70.07	113.12	171.24	77.86	U1TF1	UNC1X	1			
Charge CHARGE S IDSTALL LOOP WITH DEDICATED DS1 NITEOFFICE TRANSPORT with UUX First WI SERVING Digital Grade Look Loop in Commission-Zerol 1 LINCOX UDL66 31.10 100.76 35.47 72.94 10.86 20.35 21.09									4.42	5.70	0.91	1D1VG	UNCVX				
EXTENSED AVINE 68 AVINE 50 A				i '										1		1 1	
First 6W 5950pp Digital Grade Local Loop in Combination-Zone			21.09	20.35			9.12	9.12	24.62	52.73				<u> </u>			
1		⊢—	ļ									MUX	FRANSPORT w/ 3/1	FFICE T			EXTE
First 447 9500-pg Digital Cristal Local Log in Corribmation Zone 2 UNCDX UDL66 40.61 108.76 35.47 72.94 10.86 20.35 21.09		İ	24.00	20.25			40.00	70.04	25.47	400.70	24.40	LIDLEC	LINCDY			First 4W 56Kbps Digital Grade Local Loop in Combination-Zone	
Pirst Number Commission C		⊢	21.09	20.35			10.86	72.94	35.47	108.76	31.10	UDL56	UNCDX	- ' - +	+	First 4W FCVbpa Digital Crade Lead Leap in Combination Zana	
First 449 6900pp Digital Contact Logo in Combination-Pare in 3			21.00	20.25			10.96	72.04	25 47	109.76	40.61	LIDLES	LINCDY	2		1 iist 444 Sortbps Digital Grade Local Loop iii Combination-Zone	
S First Interoffice Transport-Dedicated-DSI combination-Per mi			21.09	20.33			10.00	72.54	33.47	100.70	40.01	ODLSO	UNCDA		+	First 4W 56Khps Digital Grade Local Loop in Combination-Zone	
First Interdiffice Transport-Dedicated-OSI combination Part Part Per Per Per Per Per Per Per Per Per Per		1	21.09	20.35		1	10.86	72.94	35.47	108.76	53.11	UDL56	UNCDX	3	'	3	
Per mo			255	20.00				. 2.04	35.47	.55.76	55.11	00200	0.1027	<u> </u>	\vdash	First Interoffice Transport-Dedicated-DS1 combination-Per mi	
First Interdiffice Transport-Declicated OST-combination Facility First Interdiffice Transport Combination Per mo		1		1		1					0.3562	1L5XX	UNC1X		1 '		
Term Per mo				ſ											1 7		
Per each FOCUPP COCI (data) COCI per mo (2.4-646s)		1	21.09	20.35		<u> </u>	30.90	70.07	113.12	171.24	77.86	U1TF1	UNC1X	<u>1 </u>	<u> </u>		
31 Channel System in combination per mo				·			2.74	3.04	14.48	105.76	80.77	MQ1	UNC1X			Per each 1/0 Channel System in combination Per mo	
Per each DSI: COCI in combination per mo																	
Add1 AW 56Khps Digital Grade Loop in same DS1 Interoffice 1 UNCDX UDL56 31.10 108.76 35.47 72.94 10.86 20.35 21.09			36.84	36.84			6.77	17.12									
Transport Combination-Zone 1				L					4.42	5.70	17.58	UC1D1	UNC1X	$oxed{oxed}$	<u> </u>		
Addri 14W 98Rbps Digital Grade Loop in same DS1 Interoffice 2 UINCDX		İ		l'										1 . 1			
Transport Combination-Zone 2			21.09	20.35			10.86	72.94	35.47	108.76	31.10	UDL56	UNCDX	1	!		
Addri AW SRKPps Digital Grade Loop in same DS1 Interdifice 3 UNCDX		İ	24.00	20.25			40.00	70.04	25.47	400.70	40.04	LIDLEC	LINCDY				
Transport Combination-Zone 3 3 UNCDX UDL64 53.11 108.76 53.47 72.94 10.86 20.35 21.09		⊢	21.09	20.35			10.86	72.94	35.47	108.76	40.61	UDL56	UNCDX	-	+		
COU-DP COCI (data) COCI in combination per mo (2.4-64kbs)		İ	21.00	20.25			10.96	72.04	25.47	109.76	52 11	LIDLES	LINCDY	2			
Each AddT DST Interoffice Channel per min is same 3/1 Channel UNC1X			21.09	20.33			10.00	72.54							+		
System per mo			+	 					7.72	3.70	0.31	10100	ONODA	╆═╈	┼──┤		
Each Add/ IDST Interoffice Channel Facility Term in same 3/1		İ		1 '							0.3562	1L5XX	UNC1X				
Channel System per mo			† 1														
Combination per mo			21.09	20.35			30.90	70.07	113.12	171.24	77.86	U1TF1	UNC1X	1			
NRC Currently Combined Network Elements Switch -As-Is Charge UNC1X UNCCC 52.73 24.62 9.12 9.12 9.12 20.35 21.09				(Each Add'l DS1 COCI in the same 3/1 channel system	
Charge EXTENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX			ļ,	<u> </u>					4.42	5.70	17.58	UC1D1	UNC1X		,		
EXTENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX				·													
First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice 1 UNCDX UDL64 31.10 108.76 35.47 72.94 10.86 20.35 21.09			21.09	20.35			9.12	9.12	24.62	52.73				<u> </u>			
Transport Combination-Zone 1		├		 '								MUX	FRANSPORT w/ 3/1	FFICE T	INTERO		EXTE
First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice 2		1	04.00	00.00		1	40.00	70.01	05 17	400 =0	04.10	LIBLAS	LINODY	1 , l	1 '		
Transport Combination-Zone 2 2 UNCDX UDL64 40.61 108.76 35.47 72.94 10.86 20.35 21.09		+	21.09	20.35			10.86	72.94	35.47	108.76	31.10	UDL64	UNCDX	1	— —		
First AW 64Kbps Digital Grade Loop in a DS1 Interoffice 3 UNCDX UDL64 53.11 108.76 35.47 72.94 10.86 20.35 21.09		1	24.00	20.25			10.00	70.04	25 47	100 70	40.64	LIDLEA	LINCDV	2	'		
Transport Combination-Zone 3 3 UNCDX UDL64 53.11 108.76 35.47 72.94 10.86 20.35 21.09			21.09	∠0.35			10.86	72.94	35.47	108.76	40.61	UDL64	UNCDX	-	+		\vdash
First Interoffice Transport-Dedicated-DS1 combination-Per mi		1	21 00	20.35		1	10.86	72 94	35 47	108.76	53 11	UDI 64	UNCDX	3	'		
Per mo			21.03	20.55			10.00	12.54	33.47	100.70	55.11	UDLUT	OHODA		+		
First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo		1		1 '		1					0.3562	1L5XX	UNC1X		'		
Term Per mo												1		\vdash			
Per each Channel System 1/0 in combination Per mo		1	21.09	20.35		1	30.90	70.07	113.12	171.24	77.86	U1TF1	UNC1X		1 '		
Comparison of Combination Per mo										105.76							
3/1 Channel System in combination per mo				1						ĺ							İ
Per each DS1 COCI in combination per mo		<u> </u>		<u> </u>											'		
Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice 1 UNCDX UDL64 31.10 108.76 35.47 72.94 10.86 20.35 21.09			36.84	36.84			6.77	17.12						igsquare	₩.		
Transport Combination-Zone 1		↓		 '					4.42	5.70	17.58	UC1D1	UNC1X	\longmapsto	 '		\vdash
Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice 2		1	2. 2-							,		1,151.01	LINGSY	[, l	'		
Transport Combination-Zone 2		├	21.09	20.35			10.86	72.94	35.47	108.76	31.10	UDL64	UNCDX	1	+		
Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3 3 UNCDX UDL64 53.11 108.76 35.47 72.94 10.86 20.35 21.09		1	04.00	20.05		1	40.00	70.04	25 47	400.70	40.04	LIDLC4	LINCDY		'		
Transport Combination-Zone 3 3 UNCDX UDL64 53.11 108.76 35.47 72.94 10.86 20.35 21.09		├──	21.09	20.35			10.86	72.94	35.47	108.76	40.61	UDL64	UNCDX	2	₩		\vdash
		1	24.00	20.25			10.00	72.04	25 17	100 76	52 14	LIDI 64	LINCDY	2	'		
			21.09	20.35			10.86	12.94	33.47	100.76	55.11	UDL04	UNCDA	-	+	Add'l OCU-DP COCI (data)-DS1 to DS0 Channel System	\vdash
Audi October Coci (data)-DS i to DS Criamiei System		1		1		1			4 42	5.70	n q1	10100	UNCDX		1 '		

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fyhi	bit: A
ONDONDE	LD NETWORK ELEMENTO Termessee	1	1 1		1						Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted			Charge -		Charge -
															Charge -	
CATEGORY	RATE ELEMENTS	Interi	7000	BCS	USOC			RATES (\$)			Elec	-	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	всэ	USUC			KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
—			1		-		Nonrecurring		Monroourrin	g Disconnect		<u> </u>	000	Rates (\$)		<u> </u>
			1		-	Rec	First	Add'l	First	Add'l	COMEC	SOMAN		SOMAN	SOMAN	SOMAN
-	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel				-		FIISL	Auu i	FIISL	Auu i	SOWIEC	SUMAN	SOWAN	SOWAN	SOWAN	SUMAN
	System per mo			UNC1X	1L5XX	0.3562										i
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1			UNCIA	ILSAA	0.3362										
	Channel System per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		i
-	Each Add'l DS1 COCI in the same 3/1 channel system		+ +	ONOTA	01111	77.00	171.24	110.12	70.07	30.30			20.55	21.03		
	combination per mo			UNC1X	UC1D1	17.58	5.70	4.42								i
	NRC Currently Combined Network Elements Switch -As-Is			ONOTA	OCIDI	17.50	3.70	7.72								
	Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		i
FXTE	ENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPO	RT w/ 3/	1 MUX	ONOTA	ONCCC		32.73	24.02	3.12	3.12			20.55	21.03		
EXIL	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-	1 10, 0,	I		-											
	Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		i
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-		- 	0110117	OTLEX	22.22	100.70	00.41	72.04	10.00			20.00	21.00		
	Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09		1
 	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-	1	1 -	0.10.07	O I LEX	20.02	100.10	00.11	72.01	10.00	1		20.00	200		
	Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09		i
 	First Interoffice Transport-Dedicated-DS1 combination-Per mi			0110117	OTLEX	07.00	100.70	00.41	72.04	10.00			20.00	21.00		
	per mo			UNC1X	1L5XX	0.3562										i
h	First Interoffice Transport-Dedicated-DS1 combination-Facility	1		0.10.71	120701	0.0002					1					
	Term per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		i
 	Per each Channel System 1/0 in combination-per mo	1		UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74	1		20.00	200		
 	Per each 2W ISDN COCI (BRITE) in combination-per mo			UNCNX	UC1CA	3.24	5.70	4.42	0.04	2.77						
	3/1 Channel System in combination per mo			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			36.84	36.84		
 	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	17.58	5.70	4.42	2	0			00.01	00.01		
	Add'I 2W ISDN Loop in same DS1Interoffice Transport															
	Combination-Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		i
	Add'I 2W ISDN Loop in same DS1Interoffice Transport				1											
	Combination-Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09		i
	Add'I 2W ISDN Loop in same DS1Interoffice Transport															
	Combination-Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09		i
	Add'I 2W ISDN COCI (BRITE) in same 1/0 channel system															
	combination-per mo			UNCNX	UC1CA	3.24	5.70	4.42								i
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel															
	System per mo			UNC1X	1L5XX	0.3562										ı
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1															
	Channel System per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		ı
	Each Add'l DS1 COCI in the same 3/1 channel system															
	combination per mo			UNC1X	UC1D1	17.58	5.70	4.42								1
	NRC Currently Combined Network Elements Switch -As-Is															
	Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		 _
EXTE	ENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRAN	SPORT V													1
	First 4W DS1 Digital Lcoal Loop in Combination-Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74		24.88						
	First 4W DS1 Digital Lcoal Loop in Combination-Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88						
	First 4W DS1 Digital Lcoal Loop in Combination-Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88		<u> </u>				
	First Interoffice Transport-Dedicated-DS1 combination-Per mi								I	I			Ì			1
	Per mo	1	 	UNC1X	1L5XX	0.3562			.	.			ļ			
	First Interoffice Transport-Dedicated-DS1 combination-Facility				1				I	I				l		1
	Term Per mo	1	1	UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	3/1 Channel System in combination per mo	1	1	UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77		1	36.84	36.84		├
	Per each DS1 COCI combination per mo	1	1	UNC1X	UC1D1	17.58	5.70	4.42				1				├
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel			LINOAY	41.5007	0.0500			I	I			Ì			1
	System per mo	1	\vdash	UNC1X	1L5XX	0.3562			1	1	-	1	ļ			
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1			LINIO			.=									1
	Channel System per mo	1	1	UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90		1	20.35	21.09		
	Each Add'l DS1 COCI in the same 3/1 channel system			LINOAY	HOAR	47		4 **	I	I			Ì			1
-	combination per mo	1	1	UNC1X	UC1D1	17.58	5.70	4.42	70.65	04.00	-	1	ļ			
 	Add'l 4W DS1 Digital Local Loop in Combination-Zone 1	1	1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88	!	1	 	-	-	
\vdash	Add'l 4W DS1 Digital Local Loop in Combination-Zone 2	-	2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			1	1	1	
I I	Add'l 4W DS1 Digital Local Loop in Combination-Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88	1			l		1

UNBUND	DLED NETWORK ELEMENTS - Tennessee												Attach			bit: A
											Svc Order		Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	Y RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									,	p = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'I	Disc 1st	Disc Add'l
													130	Addi	Diac rat	Disc Add I
						B	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NRC Currently Combined Network Elements Switch -As-Is															
	Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
FX	TENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE 1							****						
	First 4W 56 kbps Local Loop in combination-Zone 1	1	1 1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86						
 	First 4W 56 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86						
	First 4W 56 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86						
-	First 4We 56 kbps Interoffice Transport-Dedicated-Per mi per	 	-	ONODA	ODLOG	33.11	100.70	33.47	12.34	10.00						
	mo			UNCDX	1L5XX	0.0174										
	First 4W 56 kbps Interoffice Transport-Dedicated-Facility Term			UNCDA	ILOAA	0.0174										
	·	1	1	LINODY	LIATES	04.40	70.00	44.00	00.00	04.00			00.0=	04.00		
\vdash	per mo		\vdash	UNCDX	U1TD5	21.19	79.83	44.08	69.32	31.00			20.35	21.09		1
	NRC Currently Combined Network Elements Switch -As-Is	1	1				==		l							
\vdash	Charge	<u> </u>		UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EX	TENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE 1													
	First 4W 64 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86						
	First 4W 64 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86						
	First 4W 64 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86						
	First I4W 65 kbps Interoffice Transport-Dedicated-Per mi per mo			UNCDX	1L5XX	0.0174										
	First 4W 64 kbps Interoffice Transport-Dedicated-Facility Term															
	per mo			UNCDX	U1TD6	21.19	79.83	44.08	69.32	31.00			20.35	21.09		
	NRC Currently Combined Network Elements Switch -As-Is															
	Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	10.54		
ADDITION	AL NETWORK ELEMENTS			CITODA	0.1000		020	202	0.12	0.12			20.00	10.01		
	nen used as a part of a currently combined facility, the non-recurr	rna cha	nh san	not apply but a Sy	witch As Is cl	narge does and	ılv									
	nen used as ordinarily combined network elements in All States, t															
No	nrecurring Currently Combined Network Elements "Switch As Is"	Charge	(One a	nnline to each comb	oination)	As is charge t	des not.									
140	NRC Currently Combined Network Elements Switch -As-Is	Charge	(One a	pplies to each come	Jillation)											
	Charge-2W/4W VG			UNCVX	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62		
	NRC Currently Combined Network Elements Switch -As-Is			UNCVA	UNCCC		32.73	24.02	9.12	9.12			55.75	24.02		
-	Charge-56/64 kbps			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	10.54		
	NRC Currently Combined Network Elements Switch -As-Is															
	Charge-DS1			UNC1X	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62		
	NRC Currently Combined Network Elements Switch -As-Is															
	Charge-DS3			UNC3X	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62		
	NRC Currently Combined Network Elements Switch -As-Is															
	Charge-STS1	<u> </u>	<u>L</u> _	UNCSX	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62		<u></u>
Op	tional Features & Functions:														-	
				U1TD1,												
	Clear Channel Capability Extended Frame Option-per DS1	- 1		ULDD1,UNC1X	CCOEF		OI	01	01	OI						
				U1TD1,												
	Clear Channel Capability Super FrameOption-per DS1	i	1	ULDD1,UNC1X	CCOSF		OI	OI	01	OI						
	Clear Channel Capability (SF/ESF) Option-Subsqnt Activity-per			ULDD1, U1TD1,												
	DS1	1	1	UNC1X, USL	NRCCC		185.16S	23.85S	2.03\$	0.79S			45.68	1.76		
		<u> </u>		U1TD3, ULDD3,										0		
	C-bit Parity Option-Subsqnt Activity-per DS3	i	1	UE3, UNC3X	NRCC3		219.46S	7.68S	.7637S	os			45.68	1.76		
MI	JLTIPLEXERS	' '	1 1	320, 0.100/									.0.00	0		
100	DS1 to DS0 Channel System per mo			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.35	9.80		
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-	 	\vdash	011017	1710(1	00.77	100.70	17.70	5.04	2.14			20.00	3.00		1
	64kbs) used for a Local Loop			UDL	1D1DD	1.82	6.07	4.66	1					9.80		
\vdash	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-	1	1	UDL	טטוטו	1.02	0.07	4.00						9.00		-
		1	1						I							
	64kbs) used for connection to a channelized DS1 Local Channel	1	1	LIATUR	40400	4.00	0.07	4.00	I							
	in the same SWC as collocation	ļ	$\sqcup \sqcup$	U1TUD	1D1DD	1.82	6.07	4.66								
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo	1	1		l	_	_	l .	I							
1 1		1		UDN	UC1CA	3.10	6.07	4.66	ļ							
	for a Local Loop							•		i			ì			l
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo															
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo used for connection to a channelized DS1 Local Channel in the															
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	3.10	6.07	4.66								
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo used for connection to a channelized DS1 Local Channel in the			U1TUB UEA	UC1CA	3.10	6.07	4.66								

<u>JNBUND</u> L	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		-
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	VG COCI-DS1 to DS0 Channel System-per mo used for															
	connection to a channelized DS1 Local Channel in the same															
	SWC as collocation			U1TUC	1D1VG	0.91	6.07	4.66	17.10							
	DS3 to DS1 Channel System per mo			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			20.35	9.80		
	STS-1 to DS1 Channel System per mo		-	UNCSX	MQ3	222.98	156.02	49.41	17.12	6.77			20.35	9.80		
	DS1 COCI used with Loop per mo			USL	UC1D1	17.58	6.07	4.66								
	DS1 COCI (used for connection to a channelized DS1 Local			1147114	110454	47.50	0.07	4.00								
	Channel in the same SWC as collocation) per mo		-	U1TUA	UC1D1	17.58	6.07	4.66								
	DS1 COCI used with Interoffice Channel per mo		-	U1TD1	UC1D1	17.58	6.07	4.66								
	POS. 1. (11 % /PO4.000) 1. % 1. 1. 1. 1. 1.															
NIDLINID: ES	DS3 Interface Unit (DS1 COCI) used with Local Channel per mo	1		ULDD1	UC1D1	17.58	6.07	4.66						1	-	₩
	D LOCAL EXCHANGE SWITCHING(PORTS)	<u> </u>												-		
	ange Ports				20											
	E: Although the Port Rate includes all available features in GA, I RE VOICE GRADE LINE PORT RATES (RES)	NT, LA	S. IN, Tr	ie desired features v	/III need to b	e oraerea usir	ig retail 0500s	1								
2-WII		-		LIEDOD	UEPRL	1.89	9.93	9.19	3.66	2.92			00.05	10.54	40.00	1.4
	Exchange Ports-2W Analog Line Port-Res.			UEPSR						2.92			20.35		13.32	
	Exchange Ports-2W Analog Line Port with Caller ID-Res.		-	UEPSR	UEPRC	1.89	9.93	9.19	3.66				20.35	10.54	13.32	1.4
	Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR	UEPRO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports-2W VG unbundled TN extended local dialing															
	parity Port with Caller ID-Res.		-	UEPSR	UEPAQ	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports-2W VG unbundled TN Area Plus with Caller ID-															l
	Res (AC7)			UEPSR	UEPAH	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports-2W VG unbundled TN Area Calling port with															
	Caller ID-Res (F2R)		-	UEPSR	UEPAK	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports-2W VG unbundled TN Area Calling port with															
	Caller ID-Res (TACER)		-	UEPSR	UEPAL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports-2W VG unbundled TN Area Calling port with			LIEDOD	LIEDAM	4.00	0.00	0.40	0.00	0.00			00.05	40.54	40.00	
	Caller ID-Res (TACSR)		-	UEPSR	UEPAM	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports-2W VG unbundled TN Area Calling port with															
	Caller ID-Res (1MF2X)			UEPSR	UEPAN	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports-2W VG unbundled TN Area Calling port with			LIEDOD	LIEDAG	4.00	0.00	0.40	0.00	2.92			00.05	40.54	40.00	l
	Caller ID-Res (2MR)		-	UEPSR	UEPAO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports-2W VG unbundled res, low usage line port with			LIEDOD	LIEDAD	4.00	0.00	0.40	0.00	0.00			00.05	40.54	40.00	
	Caller ID (LUM)	-		UEPSR	UEPAP	1.89	9.93	9.19	3.66	2.92			20.35	10.54 10.54	13.32	1.4
	Exchange Port-2W VG TN res Dialing Plan w/o Caller ID	-		UEPSR	UEPWN	1.89	9.93	9.19	3.66	2.92			20.35		13.32	1.4
	Exchange Port-2W VG TN res Area Plus w/o Caller ID	-		UEPSR	UEPRR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2W voice unbundled Low Usage Line Port w/o Caller ID			UEPSR	UEPRT	1.89	9.93	9.19	0.00	2.92			20.35	10.54	13.32	1.4
	Capability			UEPSR	USASC	0.00	0.00	0.00	3.66	2.92			20.35	10.54	13.32	1.4
	Subsqnt Activity TURES	-		UEPSR	USASC	0.00	0.00	0.00					20.35	10.54	13.32	1.4
FEAT	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.4
0.14/15	RE VOICE GRADE LINE PORT RATES (BUS)			UEPSR	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.4
2-7711				UEPSB	UEPBL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus Exchange Ports-2W VG unbundled Line Port with unbundled			UEPSB	UEPBL	1.89	9.93	9.19	3.00	2.92			20.35	10.54	13.32	1.4
	port with Caller+E484 ID-Bus.			UEPSB	UEPBC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports-2W Analog Line Port outgoing only-Bus.			UEPSB	UEPBO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports-2W Analog Line Port outgoing only-Bus. Exchange Ports-2W VG unbundled TN extended local dialing			UEPSB	UEPBU	1.89	9.93	9.19	3.00	2.92			20.35	10.54	13.32	1.4
	parity Port with Caller ID-Bus.			UEPSB	UEPAV	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exhange Ports-2W VG unbundled incoming only port with			UEFOD	UEPAV	1.09	9.93	9.19	3.00	2.92			20.33	10.54	13.32	1.4
1	Caller ID-Bus	1		UEPSB	UEPB1	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
-	Exchange Ports-2W VG unbundled TN Bus 2-Way Area Calling	1	1	ULTOD	ULFDI	1.69	9.93	9.19	3.00	2.92	1		20.35	10.34	13.32	1.4
	Port Economy Option-Bus (TACC1)	l		UEPSB	UEPAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports-2W VG unbundled TN Bus 2-Way Area Calling	 		UEPOB	UEPAC	1.89	9.93	9.19	3.06	2.92			∠∪.35	10.54	13.32	1.4
		1		UEPSB	UEPAD	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Port Standard Option-Bus (TACC2)	 		UEPOB	UEPAD	1.89	9.93	9.19	3.06	2.92			∠∪.35	10.54	13.32	1.4
	Exchange Ports-2-W VG unbundled TN Bus 2-Way Collierville &	l		UEPSB	LIEDAE	1.89	0.00	9.19	3.66	2.92			20.35	10.54	13.32	1
	Memphis Local Calling Port-Bus (B2F) Exchange Ports-2-W VG unbundled TN Bus 2-Way Collierville &	 		OEL2R	UEPAE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
																1

INRONDLE	D NETWORK ELEMENTS - Tennessee				1									ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
	Estado Parte OWAYO estado Halifa Hali						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports-2-W VG unbundled TN, bus Line Inward, Collierville & Memphis Local Calling Plan			UEPSB	UEPB3	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports-2W Voice TN bus Dialing Plan w/o Caller ID	1		UEPSB	UEPWO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W voice unbundled Incoming Only Port w/o Caller ID			02.00	02	1.00	0.00	00	0.00	2.02			20.00	.0.01	10.02	
	Capability			UEPSB	UEPBE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Subsqnt Activity			UEPSB	USASC	0.00	0.00	0.00					20.35	10.54	13.32	1.40
FEATU																
EVOLU	All Available Vertical Features ANGE PORT RATES (DID & PBX)			UEPSB	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
EXCH	2W VG Unbundled 2-Way PBX Trunk-Res			UEPSE	UEPRD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W VG Unburidied 2-Way PBX Hunk-Res 2W VG Line Side Unbundled 2-Way PBX Trunk-Bus			UEPSP	UEPPC	1.79		9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W VG Line Side Unbundled Outward PBX Trunk-Bus			UEPSP	UEPPO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus			UEPSP	UEPP1	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2W Analog TN 2-Way Calling Plan PBX Trunk-Bus			UEPSP	UEPT2	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2W TN Outward Calling Plan PBX Trunk-Bus			UEPSP	UEPTO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2W Voice Unbundled PBX LD Terminal Ports			UEPSP UEPSP	UEPLD	1.79 1.79	9.93 9.93	9.19	3.66	2.92 2.92			20.35	10.54 10.54	13.32	1.40
	2W Voice Unbundled 2-Way PBX TN Calling Port 2W Voice Unbundled 1-Way Outgoing PBX TN Calling Port			UEPSP	UEPT2 UEPTO	1.79	9.93	9.19 9.19	3.66 3.66	2.92			20.35 20.35	10.54	13.32 13.32	1.40
	2W Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-W Voice Unbundled 1-Way Out PBX Hotel/Hospital Economy Administrative Calling Port TN Calling Port			UEPSP	UEPXN	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Unbundled Exchange Ports, PBX Trunk Combination, Collierville and Memphis Local Calling Plan			UEPSP	UEPA6	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Unbundled Exchange Ports, PBX Trunk Combination, first trunk,															
	Collierville and Memphis Local Calling Plan			UEPSP UEPSP	UEPA7 UEPXS	1.79 1.79	9.93 9.93	9.19 9.19	3.66 3.66	2.92 2.92			20.35 20.35	10.54 10.54	13.32 13.32	1.4
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			ULFOF	ULFAO	1.79	9.93	9.19	3.00	2.92			20.33	10.54	13.32	1.4
	2W Voice Unbundled PBX Collierville and Memphis Calling Port			UEPSP	UEPXU	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2W Voice Unbundled 2-Way PBX TN RegionServ Calling Port			UEPSP	UEPXV	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Subsqnt Activity			UEPSP	USASC	0.00	0.00	0.00					20.35	10.54	13.32	1.4
FEATU																
EVOLU	All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.4
EXCHA	ANGE PORT RATES (COIN) Exchange Ports-Coin Port				-	2.11	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
NOTE:	Transmission/usage charges associated with POTS circuit sv	vitched	usage	will also apply to ci	rcuit switche						ated with 2-	wire ISDN r		10.54	10.02	1.40
	Access to B Channel or D Channel Packet capabilities will be															
NBUNDLED I	LOCAL EXCHANGE SWITCHING(PORTS)															
	ANGE PORT RATES															
	S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISI											ates or a sep	parate agreem	ent.		
Reque	sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports a	arter the	e errecti		UEPP2						scretion.		20.35	10.54	12.00	1.40
_	Exchange Ports-2W DID Port Exchange Ports-DDITS Port-4W DS1 Port with DID capability	<u> </u>	\vdash	UEPEX	UEPP2	8.97	47.75	47.01	9.21	8.47			20.35	10.54	13.32	1.4
	(E:4/1/2004)			UEPDD	UEPDD	35.74	75.93	38.15	8.77	8.04			20.35	10.54	13.32	1.40
	Exchange Ports-2W ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	16.26	30.23	29.49	4.10	4.10			20.35	10.54	13.32	1.40
		-	-							0	-					· · · · · ·
	All Features Offered			UEPTX, UEPSX	UEPVF	0.00	0.00	0.00								

UNBI	JNDLFI	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
3.,5												Svc Order	Svc Order	Incremental			
												Submitted			Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc		Manual Svc
CATE	SORV	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)							Manual Svc	
CAIL	JONI	RATE ELEMENTS	m	ZOITE	B03	0300			KAILS (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								NI		. N	D'				D-1 (A)	ļ.	
							Rec	Nonrecurring			g Disconnect				Rates (\$)		_
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Access to B Channel or D Channel Packet capabilities will be	availa	ole only	through BFR/NBR	Process. Ra	tes for the pac	ket capabilities	will be detern	nined via the E	BFR/NBR Proce	ess.					
	EXCHA	NGE PORT RATES (continued)															
		Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator															
		Capability (E:4/1/2004)			UEPEX	UEPEX	75.04	148.66	147.18	38.46	36.98			20.35	10.54	13.32	1.40
		Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	75.04	148.66	147.18	38.46	36.98			20.35	10.54		
		Physical Collocation-DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.51	53.27	40.16								
		Virtual collocation-Special Access & UNE, cross-connect per															
		DS1			UEPEX UEPDX	CNC1X	1.32	32.22	17.76	10.46	8.75						
	Detaile	E911 with Locator Capability (required with UEPEX port)					_										
		Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator								<u> </u>	1	1	1	1	1		1
		Capability-Initial Profile Establishment per CLEC per State			UEPEX	UEP1A	0.00	1,699.00		147.00	1			20.35	10.54		
-	+	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator	 		OLI LA	OLI IA	0.00	1,000.00		147.00	t	 	 	20.00	10.34		
		Capability-Subsqnt Profile Changes, Additions, Deletions			UEPEX	UEP1B	0.00	164.94		1				20.35	10.54		1
-	Now or	Additional PRI Telephone Numbers	1		ULFLA	ULFIB	0.00	104.94				 	-	20.33	10.54	-	-
	New or	Additional PRI Telephone Numbers	1	1													
		Halanda Bara Control (MAION) DOA Day 5044 I area															
		Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator															
		Capability 2-way Tel Nos, per No in E911 profile [New or Add'l]			UEPEX	UEP1C	0.0755	0.94						20.35	10.54		
		Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator															
		Capability-Outdial Tel Nos, per No in E911 profile [New or															
		Add'l]			UEPEX	UEP1D	0.0755	22.36	22.36					20.35	10.54		
		Unbundled Exchange Ports, 4W ISDN DS1 Port-Inward Tel Nos-	·														
		Inward Data Only Option [New or Add'l]			UEPDX	UEP1E	0.00	0.94						20.35	10.54		
		Exchange Ports-4W ISDN DS1 Port-Subsqnt [New] Inward Tel															
		Nos [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	44.71	44.70					20.35	10.54		
	LOCAL	NUMBER PORTABILITY															
		Local No Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75							20.35	10.54		
	INTERF	ACE (Provsioning Only)															
	1	Voice/Data	1		UEPEX	PR71V	0.00	0.00	0.00					20.35	10.54		
	1	Digital Data			UEPEX	PR71D	0.00	0.00	0.00					20.35	10.54		
-	+	Inward Data	 		UEPDX	PR71E	0.00	0.00	0.00					20.35	10.54		
-	Now or	Additional Channel	 		OLI DX	TINTIL	0.00	0.00	0.00					20.55	10.54		
-		New or Add'I-Voice/Data "B" Channel	 		UEPEX	PR7BV	0.00	28.39						20.35	10.54		
		New or Add'I-Digital Data "B" Channel	 	-	UEPEX	PR7BF	0.00	29.11						20.35	10.54		
	1				UEPDX	PR7BD		29.39						20.35	10.54		
	1	New or Add'l Inward Data "B" Channel					0.00										
<u> </u>	+	New or Add'l Useage Sensitive Voice Data "B" Channel	 	\vdash	UEPEX	PR7BS	0.00	29.39		 	 	 	 	20.35	10.54		
├	1	New or Add'l Useage Sensitive Digital Data "B" Channel	-		UEPEX	PR7BU	0.00	29.39		1	-	1	1	20.35	10.54	1	
		New or Add'l PRI "D" Channel	ļ		UEPEX	PR7EX	0.00	29.39			ļ		ļ	20.35	10.54		
	CALL T		ļ			55-2:					ļ		ļ		ļ		
	1	Inward	ļ		UEPEX UEPDX	PR7C1	0.00	0.00	0.00			ļ					
<u> </u>	<u> </u>	Outward	<u> </u>		UEPEX	PR7CO	0.00	0.00	0.00	ļ	ļ	ļ		ļ	ļ		
<u> </u>	<u> </u>	Two-way	<u> </u>		UEPEX	PR7CC	0.00	0.00	0.00	ļ	ļ	ļ		ļ	ļ		
		DLED PORT with REMOTE CALL FORWARDING CAPABILITY										ļ	ļ		ļ		
	UNBUN	DLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
		Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service, Local Calling-Res			UEPVR	UERLC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service, InterLATA-Res			UEPVR	UERTE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service, IntraLATA-Res			UEPVR	UERTR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Non-Re																
		Unbundled Remote Call Forwarding Service -Conversion-Switch-										1			1		
1	1	as-is	1		UEPVR	USAC2		1.03	0.29	1	1	1	l	20.35	10.54	13.32	1.40
	1	Unbundled Remote Call Forwarding Service -Conversion with			02	00/102		00	0.20	<u> </u>	1	1	1	20.00			0
		allowed change (PIC and LPIC)			UEPVR	USACC		1.03	0.29	1							1
-	LINDIA	DLED REMOTE CALL FORWARDING - Bus	1		OLI- VIX	OUACC		1.03	0.29	+	 	1	 	 	1	1	
<u> </u>	ONDUN	Unbundled Remote Call Forwarding Service, Area Calling-Bus	 	 	UEPVB	UERAC	1.89	9.93	9.19	2.00	2.92	!	-	20.35	10.54	13.32	1.40
	 	Unbundled Remote Call Forwarding Service, Area Calling-Bus Unbundled Remote Call Forwarding Service, Local Calling-Bus	 	 	UEPVB	UERLC	1.89	9.93	9.19	3.66 3.66	2.92			20.35	10.54	13.32	1.40
 	+		 	\vdash									 				
├	1	Unbundled Remote Call Forwarding Service, InterLATA-Bus	-		UEPVB	UERTE	1.89	9.93	9.19	3.66	2.92		1	20.35	10.54	13.32	1.40
	ļ	Unbundled Remote Call Forwarding Service, IntraLATA-Bus	ļ		UEPVB	UERTR	1.89	9.93	9.19	3.66	2.92		ļ	20.35	10.54	13.32	1.40
1	1	Unbundled Remote Call Forwarding Service Expanded and	1							1	1	1	l	1			İ
1	1	Exception Local Calling			UEPVB	UERVJ	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40

UNBU	NDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svo Order vs.
														Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring	Disconnect		•		Rates (\$)	•	•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Non-R	ecurring															
		Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVB	USAC2		1.03	0.29					20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service -Conversion with															
		allowed change (PIC and LPIC)			UEPVB	USACC		1.03	0.29								
UNBUN		LOCAL SWITCHING, PORT USAGE	<u> </u>														
	End O	ffice Switching (Port Usage)					0.00000.44										
	Tanda	End Office Switching Function, Per MOU					0.0008041										
	rande	m Switching (Port Usage) (Local or Access Tandem) Trandem Switching Function Per MOU					0.0009778			-							
		Tandem Switching Function Per MOU (Melded)					0.0009778										<u> </u>
		Melded Factor: 38.90% of the Tandem Rate	 	1		-	0.000380364			 		}	-	 	1		
	Comm	on Transport	 	1		-	+			 		}	-	 	1		
	COMMI	Common Transport-Per mi, Per MOU	1			1	0.0000064			1		1	1	1			
		Common Transport-Facilities Term Per MOU					0.0003871			†		1					
UNBUN	DLED	PORT/LOOP COMBINATIONS - COST BASED RATES	1			-	0.0003071			-				-			†
ONDO		ased Rates are applied where BellSouth is required by FCC ar	nd/or St	ate Cor	nmission rule to pro	vide Unbun	dled Local Swi	tching or Swite	h Ports								
		es shall apply to the Unbundled Port/Loop Combination - Cos								ed Port section	of this exhibi	t.					
		ffice and Tandem Switching Usage and Common Transport Us											rt/Loop Co	mbinations.			
		st and additional Port nonrecurring charges apply to Not Curr													ections.		
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)							g g				,,		1		
		ort/Loop Combination Rates															
		2W VG Loop/Port Combo-Zone 1		1			14.18										
		2W VG Loop/Port Combo-Zone 2		2			18.01										
		2W VG Loop/Port Combo-Zone 3		3			23.02										
	UNE L	oop Rates															
		2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	12.48										
		2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX	16.31										
		2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	21.32										
	2-Wire	Voice Grade Line Port Rates (Res)															
		2W voice unbundled port-res			UEPRX	UEPRL	1.70	22.14	15.25	8.45	3.91		15.69				
		2W voice unbundled port with Caller ID-res			UEPRX	UEPRC	1.70	22.14	15.25	8.45	3.91		15.69				
		2W voice unbundled port outgoing only-res			UEPRX	UEPRO	1.70	22.14	15.25	8.45	3.91		15.69				
		2W VG unbundled TN extended local dialing parity port with															
		Caller ID-res			UEPRX	UEPAQ	1.70	22.14	15.25	8.45	3.91		15.69				
		2W voice unbundled TN Area Plus with Caller ID-res (AC7)			UEPRX	UEPAH	1.70	22.14	15.25	8.45	3.91		15.69				
		2W voice unbundled TN Area Calling port with Caller ID-res (F2R)			UEPRX	UEPAK	1.70	22.14	15.25	8.45	3.91		15.69				
		2W voice unbundled TN Area Calling port with Caller ID-res (TACER)			UEPRX	UEPAL	1.70	22.14	15.25	8.45	3.91		15.69				
		2W voice unbundled TN Area Calling port with Caller ID-res (TACSR)			UEPRX	UEPAM	1.70	22.14	15.25	8.45	3.91		15.69				
		2W voice unbundled TN Area Calling port with Caller ID-res (1MF2X)			UEPRX	UEPAN	1.70	22.14	15.25	8.45	3.91		15.69				
		2W voice unbundled TN Area Calling port with Caller ID-res (2MR)			UEPRX	UEPAO	1.70	22.14	15.25	8.45	3.91		15.69				
		2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.70	22.14	15.25	8.45	3.91		15.69				
		2W Voice Unbundled TN res Dialing Plan w/o Caller ID			UEPRX	UEPWN	1.70	22.14	15.25	8.45	3.91		15.69				1
		2W voice unbundled TN Area Plus Port w/o Caller ID Capability			UEPRX	UEPRR	1.70	22.14	15.25	8.45	3.91		15.69				
		2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPRX	UEPRT	1.70	22.14	15.25	8.45	3.91		15.69				
	FEATL		1						-			Ì					1
		All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00				15.69				
	LOCAL	NUMBER PORTABILITY															
		Local No Portability (1 per port)			UEPRX	LNPCX	0.35		-								
	NONRI	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															<u> </u>
	1	2W VG Loop/Line Port Combination-Conversion-Switch-as-is	1	1	UEPRX	USAC2	1	1.03	0.29	1		1	15.69	1		l	1

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exh	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc			
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
CATEGORI	RATE ELEMENTS	m	Zone	B03	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrecurring			g Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop/Line Port Combination -Conversion-Switch with															
	change			UEPRX	USACC		1.03	0.29				15.69				
	2W VG Loop/Line Port Combination -Conversion-Subsqnt															
	Database Update						0.76					15.69				
ADDIT	IONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPRX	USAS2	0.00	0.00	0.00				15.69				1
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRX	URETL		8.33	0.83					20.35	10.54	13.32	13.32
OFF/C	N PREMISES EXTENSION CHANNELS		 	OLITON	OILLE		0.00	0.00					20.00	10.04	10.02	10.02
01170	2W Analog VG Extension Loop – Non-Design		1	UEPRX	UEAEN	13.19	31.99	20.02	10.65	1.41	1		20.35	10.54	13.32	13.32
	2W Analog VG Extension Loop – Non-Design 2W Analog VG Extension Loop – Non-Design	1	2	UEPRX	UEAEN	17.23	31.99	20.02	10.65	1.41		+	20.35	10.54	13.32	
		1										1				
	2W Analog VG Extension Loop – Non-Design	 	3	UEPRX	UEAEN	22.53	31.99	20.02	10.65	1.41			20.35		13.32	
	2W Analog VG Extension Loop – Design		1	UEPRX	UEAED	16.56	75.06	48.20	28.70	17.64			20.35		13.32	
	2W Analog VG Extension Loop – Design		2	UEPRX	UEAED	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	2W Analog VG Extension Loop – Design		3	UEPRX	UEAED	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
INTER	OFFICE TRANSPORT	$ldsymbol{ldsymbol{eta}}$														
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRX	U1TV2	18.58	55.39	17.37	27.96	3.51						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRX	U1TVM	0.0174	0.00	0.00								1
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
	ort/Loop Combination Rates															
0.12	2W VG Loop/Port Combo-Zone 1		1		1	14.18										
	2W VG Loop/Port Combo-Zone 2		2		1	18.01										+
	2W VG Loop/Port Combo-Zone 2		3		1	23.02					1				-	+
LINE	oop Rates		3		1	23.02										
UNEL				LIEBBY .		10.10										
	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	12.48										
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	16.31										
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	21.32										
2-Wire	Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus			UEPBX	UEPBL	1.70	22.14	15.25	8.45	3.91		15.69				
	2W voice unbundled port with Caller + E484 ID-bus			UEPBX	UEPBC	1.70	22.14	15.25	8.45	3.91		15.69				
	2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	1.70	22.14	15.25	8.45	3.91		15.69				
	2W VG unbundled TN extended local dialing parity port with															
	Caller ID-bus			UEPBX	UEPAV	1.70	22.14	15.25	8.45	3.91		15.69				
	2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UEPB1	1.70	22.14	15.25	8.45	3.91		15.69				
	2W voice unbundled TN Bus 2-Way Area Calling Port Economy															+
	Option (TACC1)			UEPBX	UEPAC	1.70	22.14	15.25	8.45	3.91		15.69				1
	2W voice unbundled TN Bus 2-Way Area Calling Port Standard	1	 	OLIDA	OLI AU	1.70	22.14	10.20	0.43	5.91	1	15.09	1	 	1	+
	Option (TACC2)			UEPBX	UEPAD	1.70	22.14	15.25	8.45	3.91		15.69				1
		1	-	UEPDA	UEPAD	1.70	22.14	15.25	0.45	3.91	1	15.69	-	1	-	+
	2W voice unbundled TN Bus 2-Way Collierville and Memphis			HEDDY	LIEBAE	4 =	00.11	45.55		0.01		45.00				1
	Local Calling Port (B2F)	 	1	UEPBX	UEPAE	1.70	22.14	15.25	8.45	3.91		15.69		 		↓
	2W Voice Unbundled TN bus Dialing Plan w/o Caller ID	!	.	UEPBX	UEPWO	1.70	22.14	15.25	8.45	3.91		15.69		ļ		
	TN Inward Collierville and Memphis Local Calling Plan (BUS)			UEPBX	UEPB2	1.70	22.14	15.25	8.45	3.91		15.69				↓
	TN 2-Way Collierville and Memphis Local Calling Plan (BUS)			UEPBX	UEPB3	1.70	22.14	15.25	8.45	3.91		15.69				1
	2W voice unbundled Incoming Only Port w/o Caller ID	1								1				1		1
	Capability	<u> </u>	L_ I	UEPBX	UEPBE	1.70	22.14	15.25	8.45	3.91	<u></u>	15.69	L	<u></u>	<u> </u>	<u>1</u>
LOCA	NUMBER PORTABILITY															
1	Local No Portability (1 per port)			UEPBX	LNPCX	0.35										
FEAT		1							İ	İ		1	İ	İ	1	1
1	All Features Offered	t		UEPBX	UEPVF	0.00	0.00	0.00				15.69	1	1	1	1
NONB	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	1		 	3.30	3.50	3.30					†	1	-	+
INCINI	2W VG Loop/Line Port Combination-Conversion-Switch-as-is	 	 	UEPBX	USAC2		1.03	0.29				15.69	t	1	t	+
	2W VG Loop/Line Port Combination -Conversion-Switch with	 	1	OLI-DA	UUAUZ		1.03	0.29				13.09	t	1	t	+
				UEPBX	116400		1.03	0.29				45.00				1
	change	1	├	UEPBA	USACC		1.03	0.29			1	15.69	1	1	1	+
	2W VG Loop/Line Port Combination -Conversion-Subsqnt															1
	Database Update	<u> </u>					0.76				ļ	15.69		ļ		4
ADDIT	IONAL NRCs	L									1	1		ļ		↓
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPBX	USAS2	0.00	0.00	0.00			<u> </u>	15.69		<u> </u>		<u> </u>
						-										
	Unbundled Misc Rate Element, Tag Loop at End User Premise		1 1	UEPBX	URETL		8.33	0.83		1			20.35	10.54	13.32	13.32

UNR	UNDI FE	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fyhi	ibit: A
2110	J.12666	- HELMONN LELMENTO - Tellifessee	1	1 1		I						Svc Order	Svc Order	Incremental		Incremental	
												Submitted					
															Charge -	Charge -	Charge -
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Elec		Manual Svc	Manual Svc		Manual Svc
CAIL	GOKI	RATE ELEMENTS	m	Zone	BC3	0300			KAILS (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			-	 		1		Nonrecurring		Nonrecurring	Disconnect			088	Rates (\$)	l .	I .
				1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	OFF/ON	PREMISES EXTENSION CHANNELS		 		+		11130	Auu i	11130	Auu i	JONILO	JONAN	JOHIAN	JONAN	JOHAN	JONIAN
		2W Analog VG Extension Loop – Non-Design		1	UEPBX	UEAEN	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2W Analog VG Extension Loop – Non-Design		2	UEPBX	UEAEN	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2W Analog VG Extension Loop – Non-Design		3	UEPBX	UEAEN	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2W Analog VG Extension Loop - Design		1	UEPBX	UEAED	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2W Analog VG Extension Loop – Design		2	UEPBX	UEAED	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2W Analog VG Extension Loop – Design		3	UEPBX	UEAED	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		OFFICE TRANSPORT															
		Interoffice Transport-Dedicated-2W VG-Facility Term		t t	UEPBX	U1TV2	18.58	55.39	17.37	27.96	3.51						
		Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPBX	U1TVM	0.0174	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
		ort/Loop Combination Rates															
		2W VG Loop/Port Combo-Zone 1		1			14.18							İ	İ	İ	
		2W VG Loop/Port Combo-Zone 2		2			18.01										
		2W VG Loop/Port Combo-Zone 3		3			23.02										
		2W VG Loop (SL 1)-Zone 1		1	UEPRG	UEPLX	12.48										
		2W VG Loop (SL 1)-Zone 2		2	UEPRG	UEPLX	16.31										
		2W VG Loop (SL 1)-Zone 3		3	UEPRG	UEPLX	21.32										
		Voice Grade Line Port Rates (RES - PBX)															
		2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	1.70	22.14	15.25	8.45	3.91		15.69				
		NUMBER PORTABILITY															
		Local No Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				15.69				
	FEATUR																
		All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				15.69				
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-															
		As-Is			UEPRG	USAC2		1.03	0.29				15.69				
		2W VG Loop/Line Port Combination (PBX)-Conversion-Switch															
		with Change			UEPRG	USACC		1.03	0.29				15.69				
		2W VG Loop/Line Port Combination -Conversion-Subsqnt															
		Database Update						0.76					15.69				
	ADDITIO	ONAL NRCs															
		2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPRG	USAS2	0.00	0.00	0.00				15.69				
		PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						14.64	14.64				15.69				
		Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRG	URETL		8.33	0.83					20.35	10.54	13.32	13.32
		I PREMISES EXTENSION CHANNELS															
		Local Channel VG, per Term		1	UEPRG	P2JHX	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		Local Channel VG, per Term		2	UEPRG	P2JHX	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		Local Channel VG, per Term		3	UEPRG	P2JHX	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
L		Non-Wire Direct Serve Channel VG		SW	UEPRG	SDD2X	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
		PFFICE TRANSPORT															
L		Interoffice Transport-Dedicated-2W VG-Facility Term		$oxed{oxed}$	UEPRG	U1TV2	18.58	55.39	17.37	27.96	3.51						
		Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRG	U1TVM	0.0174	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
<u> </u>		ort/Loop Combination Rates		\vdash													ļ
		2W VG Loop/Port Combo-Zone 1		1			14.18										
<u> </u>		2W VG Loop/Port Combo-Zone 2	1	2		1	18.01										ļ
		2W VG Loop/Port Combo-Zone 3		3			23.02										
<u> </u>		op Rates	-	\vdash	HEBBY	HEDLY	40.40									1	
<u> </u>		2W VG Loop (SL 1)-Zone 1	1	1	UEPPX	UEPLX	12.48							-	-		
<u> </u>		2W VG Loop (SL 1)-Zone 2	-	2	UEPPX	UEPLX	16.31									1	
<u> </u>		2W VG Loop (SL 1)-Zone 3	-	3	UEPPX	UEPLX	21.32									1	
		Voice Grade Line Port Rates (BUS - PBX)	-	├	HERRY	LIESSO			.=								
		Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus	-	\longmapsto	UEPPX	UEPPC	1.70	22.14	15.25	8.45	3.91		15.69			1	
		Line Side Unbundled Outward PBX Trunk Port-Bus	1	1 1	UEPPX	UEPPO	1.70	22.14	15.25	8.45	3.91		15.69			l]
			1		HEDDY	LIEDD4	4 70	00.11	45.05	0.4-	~ ~ .		45.00				
		Line Side Unbundled Incoming PBX Trunk Port-Bus 2W Voice Unbundled PBX LD Terminal Ports			UEPPX UEPPX	UEPP1 UEPLD	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91		15.69 15.69				

JNBUNI	DLE	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
CATEGOR		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2W Voice Unbundled 1-Way Outgoing PBX TN Calling Port			UEPPX	UEPTO	1.70	22.14	15.25	8.45	3.91		15.69				
		2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.70	22.14	15.25	8.45	3.91		15.69				
		2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.70	22.14	15.25	8.45	3.91		15.69				
		2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.70	22.14	15.25	8.45	3.91		15.69				
		2W Voice Unbundled PBX LD Terminal Switchboard Port 2W Voice Unbundled PBX LD Terminal Switchboard IDD			UEPPX	UEPXD	1.70	22.14	15.25	8.45	3.91		15.69				
		Capable Port			UEPPX	UEPXE	1.70	22.14	15.25	8.45	3.91		15.69				
		2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1.70	22.14	15.25	8.45	3.91		15.69				
		2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.70	22.14	15.25	8.45	3.91		15.69				
		2W Voice Unbundled 1W Out PBX Hotel/Hospital Economy Administrative Calling Port TN Calling Port			UEPPX	UEPXN	1.70	22.14	15.25	8.45	3.91		15.69				
		2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
		Discount Room Calling Port 2W Voice Unbundled 1-Way Outgoing PBX Measured Port	 	1	UEPPX UEPPX	UEPXO UEPXS	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91	 	15.69 15.69				
	-	zw voice oribunated 1-way outgoing PBX weasured Port	1	+ +	UEPPA	UEPAS	1.70	22.14	15.25	8.45	3.91		15.69				
		2W Voice Unbundled PBX Collierville and Memphis Calling Port			UEPPX	UEPXU	1.70	22.14	15.25	8.45	3.91		15.69				
		2W Voice Unbundled 2-Way PBX TN RegionServ Callling Port			UEPPX	UEPXV	1.70	22.14	15.25	8.45	3.91		15.69				
		TN PBX 2-Way Combo Each Add'l Trunk Collierville and Memphis Local Calling Plan			UEPPX	UEPA6	1.70	22.14	15.25	8.45	3.91		15.69				
		TN PBX 2-Way Combo First Trunk Collierville and Memphis			UEPPX	UEPA7	1.70		15.25	8.45	3.91		15.69				
1.0	CAL	Local Calling Plan NUMBER PORTABILITY		-	UEPPX	UEPA/	1.70	22.14	15.25	8.45	3.91	-	15.69				
		Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				15.69				
FE	EATU				OLITA	LIVI OI	0.10	0.00	0.00				10.00				
		All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00				15.69				
NO	ONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2W VG Loop/Line Port Combination (PBX)-Conversion-Switch- As-Is			UEPPX	USAC2		1.03	0.29				15.69				
		2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with Change			UEPPX	USACC		1.03	0.29				15.69				
		2W VG Loop/Line Port Combination -Conversion-Subsqnt			02.17	00/100			0.20								
		Database Update						0.76					15.69				
AL		ONAL NRCs			LIEDDY	110400	0.00	0.00	0.00				45.00				
		2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group	!	+	UEPPX	USAS2	0.00	0.00 14.64	0.00 14.64				15.69 15.69	-	-		
-					UEDDY	LIDET							15.69		40 - :	40	46
	FF/0:	Unbundled Misc Rate Element, Tag Loop at End User Premise	!	\longmapsto	UEPPX	URETL		8.33	0.83					20.35	10.54	13.32	13.32
OF		PREMISES EXTENSION CHANNELS Local Channel VG, per Term	 	1	UEPPX	P2JHX	16.56	75.06	48.20	28.70	17.64	-		20.35	10.54	13.32	13.32
-		Local Channel VG, per Term Local Channel VG, per Term	1	2	UEPPX	P2JHX P2JHX	21.63	75.06 75.06	48.20	28.70	17.64	1	1	20.35	10.54	13.32	13.32
— 		Local Channel VG, per Term	1	3	UEPPX	P2JHX	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		Non-Wire Direct Serve Channel VG		SW	UEPPX	SDD2X	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
IN		FFICE TRANSPORT	1	1 1		1											
		Interoffice Transport-Dedicated-2W VG-Facility Term			UEPPX	U1TV2	18.58	55.39	17.37	27.96	3.51						
		Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPPX	U1TVM	0.0174	0.00	0.00								
UN		rt/Loop Combination Rates															
		2W VG Coin Port/Loop Combo – Zone 1	ļ	1		++	14.18										
		2W VG Coin Port/Loop Combo – Zone 2	1	2		+	18.01										
111		2W VG Coin Port/Loop Combo – Zone 3 op Rates	 	3		+	23.02					-			-		
Ur			 	1	UEPCO	UEPLX	12.48					-			-		
		2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2	1	2	UEPCO	UEPLX	16.31	-									-
		2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3	 	3	UEPCO	UEPLX	21.32					-			 		
2-1		/oice Grade Line Ports (COIN)	1	+ - +	<u> </u>	02, 27	21.02	+				<u> </u>			 		
		2W Coin 2-Way w/o Oper Screening and w/o Blocking (TN)		1 1	UEPCO	UEPTB	1.70	22.14	15.25	8.45	3.91		15.69				
		2W Coin 2-Way with Oper Screening and Blocking: 011, 900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	1.70	22.14	15.25	8.45	3.91		15.69				

UNB	JNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
	1							Nonrecurring		Nonrecurring	Dissennest				Rates (\$)	DISC 1St	DISC Add I
				-		-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2W Coin 2-Way with Oper Screening and 011 Blocking (TN)			UEPCO	UEPTA	1.70	22.14	15.25	8.45	3.91	SOWIEC	15.69	JOWAN	JOWAN	JOWAN	JOWAN
		2W Coin 2-Way with Oper Screening: 900 Blocking: 900/976,			021 00	OLI IX	1.70	22.14	10.20	0.40	0.01		10.00				
		1+DDD, 011+, and Local (NC, TN)			UEPCO	UEPCA	1.70	22.14	15.25	8.45	3.91		15.69				İ
		2W Coin Outward with Oper Screening and 011 Blocking (TN)			UEPCO	UEPTC	1.70	22.14	15.25	8.45	3.91		15.69				
		2W Coin Outward with Oper Screening and Blocking: 900/976,															
		1+DDD, 011+, and Local (TN)			UEPCO	UEPOT	1.70	22.14	15.25	8.45	3.91		15.69				
		2W 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.88						15.69				
		2W Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1.88						15.69				ĺ
	ADDITI	ONAL UNE COIN PORT/LOOP (RC)	1		UEPCO	UEPCK	1.00						15.69				
	ווועטא	UNE Coin Port/Loop Combo Usage (Flat Rate)	1	† †	UEPCO	URECU	3.45	0.00	0.00	0.00	0.00		15.69				
	1	Local No Portability (1 per port)	1		UEPCO	LNPCX	0.35	5.55	3.30	5.50	3.30			Ì	İ		
	1	2W VG Loop/Line Port Combination -Conversion-Switch-as-is	1	1 1	UEPCO	USAC2		1.03	0.29				15.69				
		2W VG Loop/Line Port Combination -Conversion-Switch with				ĺ											
		change			UEPCO	USACC		1.03	0.29				15.69				
-	1	2W VG Loop/Line Port Combination-Subsqnt Activity	ļ	 	UEPCO	USAS2	0.00	0.00	0.00				15.69				
		Habitadad Mica Data Flamont Too Laca at Food Haar Dassies			UEPCO	URETL		8.33	0.83					20.35	10.54	13.32	13.32
	2-W/IDE	Unbundled Misc Rate Element, Tag Loop at End User Premise VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	EINEI	DOPT (P		UREIL		8.33	0.83					20.35	10.54	13.32	13.32
		ort/Loop Combination Rates	T	- OK 1 (K	E3)	1											
	ONLI	2W VG Loop/IO Tranport/Port Combo-Zone 1	1	1		 	18.45										
		2W VG Loop/IO Tranport/Port Combo-Zone 2		2		1	23.52										
		2W VG Loop/IO Tranport/Port Combo-Zone 3		3			30.17										
	UNE Lo	pop Rates															
		2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	16.56										
		2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	21.63										
	- 117	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	28.28										
	2-Wire	Voice Grade Line Port Rates (Res)		-	UEPFR	UEPRL	4.00	84.99	57.00	32.36	20.50		45.00				
		2W voice unbundled port-res 2W voice unbundled port with Caller ID-res		1	UEPFR	UEPRC	1.89	84.99	57.39 57.39	32.36	20.56 20.56		15.69 15.69				
		2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res			UEPFR	UEPRO	1.89	84.99	57.39	32.36	20.56		15.69				
		2W VG unbundled TN extended local dialing parity port with			OLITIK	OLITIO	1.00	04.00	07.00	02.00	20.00		10.00				
		Caller ID-res			UEPFR	UEPAQ	1.89	84.99	57.39	32.36	20.56		15.69				İ
		2W voice unbundled TN Area Plus with Caller ID-res (AC7)			UEPFR	UEPAH	1.89	84.99	57.39	32.36	20.56		15.69				
		2W voice unbundled TN Area Calling port with Caller ID-res															
		(F2R)	<u> </u>		UEPFR	UEPAK	1.89	84.99	57.39	32.36	20.56	<u> </u>	15.69	ļ	ļ		
		2W voice unbundled TN Area Calling port with Caller ID-res	1											1	1		1
	-	(TACER)	<u> </u>	\vdash	UEPFR	UEPAL	1.89	84.99	57.39	32.36	20.56		15.69				
		2W voice unbundled TN Area Calling port with Caller ID-res (TACSR)			UEPFR	UEPAM	1.89	84.99	57.39	32.36	20.56		15.69				1
	+	2W voice unbundled TN Area Calling port with Caller ID-res	 	+	ULFFR	ULFAIVI	1.09	04.99	57.39	32.30	20.00	1	15.69	 	 		
		(1MF2X)			UEPFR	UEPAN	1.89	84.99	57.39	32.36	20.56		15.69				1
	1	2W voice unbundled TN Area Calling port with Caller ID-res	1					225	230	5250				Ì	İ		
L	<u></u>	(2MR)	<u> </u>		UEPFR	UEPAO	1.89	84.99	57.39	32.36	20.56		15.69				<u> </u>
		2W voice unbundles res, low usage line port with Caller ID					-										
		(LUM)	ļ	$\sqcup \sqcup$	UEPFR	UEPAP	1.89	84.99	57.39	32.36	20.56		15.69	ļ	ļ		I
<u> </u>	INITES	2W Voice Unbundled TN res Dialing Plan w/o Caller ID	ļ	$\sqcup \sqcup$	UEPFR	UEPWN	1.89	84.99	57.39	32.36	20.56		15.69				↓
<u> </u>	INTER	DFFICE TRANSPORT	ļ	+	UEPFR	U1TV2	18.58	55.39	17.37	27.96	3.51	1		-	-		
-	-	Interoffice Transport-Dedicated-2W VG-Facility Term Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi	1	\vdash	UEPFR	1L5XX	0.0174	55.39	17.37	21.96	3.51	1		-	-		-
	FEATU		1	1 1	ULFIN	ILUAA	0.0174	-		1							
		All Features Offered	1	1	UEPFR	UEPVF	0.00	0.00	0.00	1			15.69	1	1		
		NUMBER PORTABILITY	1			1	2.20	2.20	2.30					Ì	İ		
		Local No Portability (1 per port)			UEPFR	LNPCX	0.35										
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2W Loop/Dedicated IO Transport/2W Line Port Combination-	1]		
		Conversion-Switch-as-is	ļ	$\sqcup \sqcup$	UEPFR	USAC2		16.94	3.72				15.69	ļ	ļ		
		2W Loop/Dedicated IO Transport/2W Line Port Combination-	1		HEDED	110400		4001	0 =0				45.00	1	1		1
Щ	1	Conversion-Switch-With-Change	<u> </u>	\Box	UEPFR	USACC		16.94	3.72			<u> </u>	15.69	l	1		

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental			
															DISC 1St	DISC Add I
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	Unbundled Misc Rate Element, Tag Designed Loop at End User						11131	Addi	11130	Addi	JOINEO	JONAN	JOHAN	JOINAN	JOHAN	JOHIAN
	Premise			UEPFR	URETN		11.23	1.10					20.35	10.54	13.32	13.32
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE PORT/LOOP Combination Rates	ELINE	PORT (E	BUS)												
UNE	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			18.45										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			23.52										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			30.17										
UNE L	oop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFB UEPFB	UECF2 UECF2	16.56										
-	2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3		2	UEPFB	UECF2	21.63 28.28										
2-Wire	Voice Grade Line Port (Bus)		3	OLFID	OLUI Z	20.20										1
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	1.89	84.99	57.39	32.36	20.56		15.69				
	2W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBC	1.89	84.99	57.39	32.36	20.56		15.69				
	2W voice unbundled port outgoing only-bus			UEPFB	UEPBO	1.89	84.99	57.39	32.36	20.56		15.69				
	2W VG unbundled TN extended local dialing parity port with			LIEDED	LIEBAY	4.00	04.00	57. 00	20.00	20.50		45.00				1
	Caller ID-bus 2W voice unbundled incoming only port with Caller ID-Bus		1	UEPFB UEPFB	UEPAV UEPB1	1.89 1.89	84.99 84.99	57.39 57.39	32.36 32.36	20.56 20.56		15.69 15.69				
	2W voice unbundled TN Bus 2-Way Area Calling Port Economy			UEPFB	UEFBI	1.09	64.99	57.39	32.36	20.56		13.69				
	Option (TACC1)			UEPFB	UEPAC	1.89	84.99	57.39	32.36	20.56		15.69				ĺ
	2W voice unbundled TN Bus 2-Way Area Calling Port Standard															
	Option (TACC2)			UEPFB	UEPAD	1.89	84.99	57.39	32.36	20.56		15.69				
	2W voice unbundled TN Bus 2-Way Collierville and Memphis															
	Local Calling Port (B2F)		1	UEPFB	UEPAE	1.89	84.99	57.39	32.36	20.56		15.69				
-	2W Voice Unbundled TN bus Dialing Plan w/o Caller ID TN Inward Collierville and Memphis Local Calling Plan (BUS)		-	UEPFB UEPFB	UEPWO UEPB2	1.89 1.89	84.99 84.99	57.39 57.39	32.36 32.36	20.56 20.56		15.69 15.69				
	TN 2-Way Collierville and Memphis Local Calling Plan (BUS)			UEPFB	UEPB3	1.89	84.99	57.39	32.36	20.56		15.69				—
LOCA	L NUMBER PORTABILITY			02.1.5	02. 20	1.00	01.00	07.00	02.00	20.00		10.00				
	Local No Portability (1 per port)			UEPFB	LNPCX	0.35										
INTER	OFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term		1	UEPFB	U1TV2	18.58	55.39	17.37	27.96	3.51						
FEAT	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi		1	UEPFB	1L5XX	0.0174										
FLAT	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00				15.69				
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			02.1.5	02	0.00	0.00	0.00				10.00				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-															
	Conversion-Switch-as-is			UEPFB	USAC2		16.94	3.72				15.69				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-															İ
	Conversion-Switch with change Unbundled Misc Rate Element, Tag Designed Loop at End User	 	\vdash	UEPFB	USACC		16.94	3.72				15.69				
	Premise			UEPFB	URETN		11.23	1.10					20.35	10.54	13.32	13.32
2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (P		O.L.		11120						20.00	10.01	10.02	10.02
UNE F	ort/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			18.45		· · · · ·								
 	2W VG Loop/IO Tranport/Port Combo-Zone 2		2		-	23.52					<u> </u>					
LINE	2W VG Loop/IO Tranport/Port Combo-Zone 3		3		-	30.17										
UNE	2W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2	16.56										
	2W VG Loop (SL2)-Zone 2		2	UEPFP	UECF2	21.63										
	2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	28.28										
2-Wire	Voice Grade Line Port Rates (BUS - PBX)				L											
L	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus	ļ	1	UEPFP UEPFP	UEPPC	1.79	106.40	63.08	42.67	18.54		15.69				
	Line Side Unbundled Outward PBX Trunk Port-Bus Line Side Unbundled Incoming PBX Trunk Port-Bus		1	UEPFP	UEPPO UEPP1	1.79 1.79	106.40 106.40	63.08 63.08	42.67 42.67	18.54 18.54	-	15.69 15.69				-
	2W Voice Unbundled PBX LD Terminal Ports	 	1	UEPFP	UEPLD	1.79	106.40	63.08	42.67	18.54		15.69		1		
	2W Voice Unbundled 1-BX ED Terminal 1 Gris 2W Voice Unbundled 2-Way Combination PBX TN Calling Port			UEPFP	UEPT2	1.79	106.40	63.08	42.67	18.54		15.69		1		
	2W Voice Unbundled 1-Way Outgoing PBX TN Calling Port			UEPFP	UEPTO	1.79	106.40	63.08	42.67	18.54		15.69				
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.79	106.40	63.08	42.67	18.54		15.69				
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.79	106.40	63.08	42.67	18.54		15.69				1

UNBUNDL	ED NETWORK ELEMENTS - Tennessee													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
					1	Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		.11
							First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.79	106.40	63.08	42.67	18.54		15.69				ļ
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.79	106.40	63.08	42.67	18.54		15.69				
	2W Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPFP	UEPXE	1.79	106.40	63.08	42.67	18.54		15.69				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDED	LIEDVI	4.70	400.40	C2 00	40.07	40.54		45.00				
	Administrative Calling Port 2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1	UEPFP	UEPXL	1.79	106.40	63.08	42.67	18.54		15.69				
	Room Calling Port			UEPFP	UEPXM	1.79	106.40	63.08	42.67	18.54		15.69				
	2W Voice Unbundled 1W Out PBX Hotel/Hospital Economy			ULFIF	OLFAIVI	1.79	100.40	03.00	42.07	10.54		13.09				
	Administrative Calling Port TN Calling Port			UEPFP	UEPXN	1.79	106.40	63.08	42.67	18.54		15.69				
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			OLITI	OLI XII	1.70	100.40	00.00	42.07	10.04		10.00				
	Discount Room Calling Port			UEPFP	UEPXO	1.79	106.40	63.08	42.67	18.54		15.69				
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.79	106.40	63.08	42.67	18.54		15.69				
1		1							į į	•				1		1
	2W Voice Unbundled PBX Collierville and Memphis Calling Port	<u> </u>		UEPFP	UEPXU	1.79	106.40	63.08	42.67	18.54		15.69				
	2W Voice Unbundled 2-Way PBX TN RegionServ Callling Port			UEPFP	UEPXV	1.79	106.40	63.08	42.67	18.54		15.69				
LOCA	AL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				15.69				
INTE	ROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2	18.58	55.39	17.37	27.96	3.51						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	1L5XX	0.0174										
FEAT	TURES			LIEBED	LIEDVE	0.00	0.00	0.00				45.00				_
NON	All Features Offered RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPFP	UEPVF	0.00	0.00	0.00				15.69				
NON	2W Loop/Dedicated IO Transport/2W Line Port Combination-				+				-							
	Conversion-Switch-as-is			UEPFP	USAC2		16.94	3.72				15.69				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-			UEPFF	USACZ		10.94	3.12				15.69				
	Conversion-Switch with change			UEPFP	USACC		16.94	3.72				15.69				
	Unbundled Misc Rate Element, Tag Designed Loop at End User			OLITI	00/100		10.54	0.72				10.00				
	Premise			UEPFP	URETN		11.23	1.10					20.35	10.54	13.32	13.32
UNBUNDLED	PORT/LOOP COMBINATIONS - COST BASED RATES															
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
UNE	Port/Loop Combination Rates															
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1			18.38										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2			19.87										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3			24.78										ļ
UNE	Loop Rates															
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD1	9.60										
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD1	11.09										
LINIE	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1	16.00			-							
UNE	Port Rate Exchange Ports-2W DID Port			UEPPX	UEPD1	8.78	45.44	29.94	8.45	3.91			30.89	7.03		
NON	RECURRING CHARGES - CURRENTLY COMBINED			ULFFX	OLFDI	0.70	43.44	29.94	0.45	3.91			30.09	7.03		
INOINI	2W VG Loop/2W DID Trunk Port Combination -Switch-as-is		1	UEPPX	USAC1		8.76	5.75					30.89	7.03		
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable			02.17	00/101		00	00					00.00	7.00		
	Changes			UEPPX	USA1C		8.76	5.75					30.89	7.03		
	Unbundled Misc Rate Element, Tag Designed Loop at End User															
l	Premise	<u></u>		UEPPX	URETN		11.23	1.10	<u> </u>		<u> </u>	<u> </u>		<u> </u>		
Telep	hone Number/Trunk Group Establisment Charges															
	DID Trunk Term (One Per Port)			UEPPX	NDT	0.00	0.00	0.00								
	Add'l DID Nos for each Group of 20 DID Nos	<u> </u>	$oxed{oxed}$	UEPPX	ND4	0.00	0.00	0.00								
	DID Nos, Non-consecutive DID Nos , Per No			UEPPX	ND5	0.00	0.00	0.00								ļ
	Reserve Non-Consecutive DID Nos	ļ	\sqcup	UEPPX	ND6	0.00	0.00	0.00	ļ					ļ		!
	Reserve DID Nos	<u> </u>	1	UEPPX	NDV	0.00	0.00	0.00	ļ							↓
LOCA	AL NUMBER PORTABILITY	<u> </u>	\vdash	HEDDY	LNDOD	0 :-	0.00	0.00								
	Local No Portability (1 per port)		I DODT	UEPPX	LNPCP	3.15	0.00	0.00	-		.	.		 	ļ	
O IVIII	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII															

UNBUN	IDLF	D NETWORK ELEMENTS - Tennessee													Attach	ment: 2	Fyhi	ibit: A
3,4531		THE TOTAL ELEMENTO TOTAL COSCO											Svc Order	Svc Order	Incremental			
														Submitted		Charge -	Charge -	Charge -
													Elec		Manual Svc	Manual Svc		Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	В	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m							***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
																	Disc 1st	Disc Add I
								Rec	Nonrecurring			g Disconnect				Rates (\$)		
								Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 1		1	UEPPB	UEPPR		32.27										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		_				0.4 =0										
		UNE Zone 2		2	UEPPB	UEPPR		34.78										ļ
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		3	HEDDD	UEPPR		44.00										
<u> </u>	INIT I -	UNE Zone 3		3	UEPPB	UEPPR		44.32										
	JNE LO	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB	UEPPR	USL2X	16.20										
-		ZW ISDN Digital Grade Loop-ONE Zone 1		<u> </u>	UEFFB	UEPPK	USLZA	10.20										-
		2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB	UEPPR	USL2X	18.71										
		2W ISDN Digital Grade Loop-UNE Zone 2		3	UEPPB	UEPPR	USL2X	28.25										
-	INF P	ort Rate		3	OLITB	OLITIK	OOLZX	20.23										+
- '		Exchange Port-2W ISDN Line Side Port	-	 	UEPPB	UEPPR	UEPPB	16.07	141.75	118.37	49.20	43.26			19.99	19.99	 	
-		ECURRING CHARGES - CURRENTLY COMBINED			OLITE	OLITIK	OLITB	10.07	141.70	110.07	40.20	40.20			10.00	10.00		+
 		2W ISDN Digital Grade Loop/2W ISDN Line Side Port					1						1	 		I	 	
		Combination-Conversion			UEPPB	UEPPR	USACB	0.00	117.23	117.23				1	19.99	19.99	1	
-	ADDITI	ONAL NRCs						0.00										
		2W ISDN Loop/2W ISDN Port Combination-Sub Actvy-Non																
		Feature/Add Trunk			UEPPB	UEPPR	USASB		212.88						19.99	19.99		
		Unbundled Misc Rate Element, Tag Designed Loop at End User																
		Premise			UEPPB	UEPPR	URETN		11.23	1.10								
		Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPB	UEPPR	URETL		8.33	0.83								
L	OCAL	NUMBER PORTABILITY																
		Local No Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
E	3-CHA	NNEL USER PROFILE ACCESS:																
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
		CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
		CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
E	3-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO	C,MS, &	TN)														
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
		CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
		CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
		FERMINAL PROFILE																
<u> </u>		User Terminal Profile (EWSD only)		<u> </u>	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
├		CAL FEATURES		-	HEDDE	HEDDO	LIEDVE	0.00	0.00	0.00						 	 	1
 		All Vertical Features-One per Channel B User Profile OFFICE CHANNEL MILEAGE		-	UEPPB	UEPPR	UEPVF	0.00	0.00	0.00						 	 	
	NIEK(Interoffice Channel miage each, including first mi and facilities		-			1					-				-	-	
		Term			LIEDDP	UEPPR	M1GNC	17.91	53.99	17.37				1	19.99	19.99	1	
		Interoffice Channel miage each, Add'l mi				UEPPR		0.173	0.00	0.00					19.99	19.99	1	
 	L-WIRE	EDS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT		OLFFB	OLFFIX	IVITGINIVI	0.173	0.00	0.00				 		t	 	
 	he UN	IE-P DS1 combination rates below for in this exhibit apply to	he emh	edded	hase in n	lace as of	10/2/03 until	4/1/04. After 4/	1/04 these rate	s shall revert t	o tariff rates o	r a senarate co	mmercial a	greement		 	 	
 	Regues	ets for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital T	runk Po	ort afte	r the effec	tive date of	of this amend	ment shall be i	provided pursu	ant to a senar	ate agreement	or tariff at Rel	South's di	scretion.		-		
		ort/Loop Combination Rates		and	01180		I III ameria		purau	a ocpai	ug. somont	ut Del				I	 	
t t		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE		t			1									t	1	
		Zone 1		1	UE	PPP		132.58								1		
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE					i e									İ	İ	
		Zone 2		2	UE	PPP		150.25						1		I	1	
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE																
		Zone 3		3	UE	PPP		173.44					<u> </u>			<u> </u>		
U	JNE Lo	pop Rates																
		4W DS1 Digital Loop-UNE Zone 1		1		PPP	USL4P	57.73										
		4W DS1 Digital Loop-UNE Zone 2		2		PPP	USL4P	75.40										
		4W DS1 Digital Loop-UNE Zone 3		3	UE	PPP	USL4P	98.59										
L	JNE Po	ort Rate																<u> </u>
		Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UE	PPP	UEPPP	74.85	415.53	366.90	89.28	77.43			19.99	19.99		<u> </u>
ı Tr	NONRE	CURRING CHARGES - CURRENTLY COMBINED																

UNB	JNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svo
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'I	Disc 1st	Disc Add'l
																Diac rat	Disc Add I
							Rec	Nonrecurring		Nonrecurring	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port															
		Combination-Conversion -Switch-as-is (E:4/1/2004)			UEPPP	USACP	0.00	328.53	328.53					19.99	19.99		
	ADDIT	ONAL NRCs															
		4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqt Actvy-Inward/two															
		way Tel Nos. (except NC)			UEPPP	PR7TF		0.94						19.99	19.99		
		4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos															
		(All States except NC)			UEPPP	PR7TO		22.36	22.36					19.99	19.99		
		4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqnt Inward															
		Tel Nos			UEPPP	PR7ZT		44.71	44.70					19.99	19.99		
	LOCAL	NUMBER PORTABILITY															
		Local No Portability (1 per port)			UEPPP	LNPCN	1.75										
	INTER	FACE (Provsioning Only)															
		Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
		Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
		Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
	New o	Additional "B" Channel			-												
		New or Add'I-Voice/Data B Channel			UEPPP	PR7BV	0.00	28.39						19.99	19.99		
		New or Add'I-Digital Data B Channel			UEPPP	PR7BF	0.00	29.11						19.99	19.99		
		New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	29.39						19.99	19.99		
	CALL	TYPES															
		Inward			UEPPP	PR7C1	0.00	0.00	0.00								
		Outward			UEPPP	PR7CO	0.00	0.00	0.00								
		Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
	Interof	fice Channel Mileage															
		Fixed Each Including First mi			UEPPP	1LN1A	76.1825	145.98	109.85	19.55				19.99	19.99		
		Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.3525										
		DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
		NE-P DS1 combination rates below for in this exhibit apply to t										mmercial a	greement.				
		sts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	ective c	date of t	his amendment sha	all be provide	d pursuant to	a separate agre	ement or tarif	f at BellSouth's	s discretion.						
	UNE P	ort/Loop Combination Rates															
		4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1		1	UEPDC		93.28							19.99	19.99		
		4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2		2	UEPDC		110.95							19.99	19.99		
	<u> </u>	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 3		3	UEPDC		134.14							19.99	19.99		
	UNE L	oop Rates															
	1	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	57.53										
	1	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	75.40										
		4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	98.59										
	UNE P	ort Rate 4W DDITS Digital Trunk Port (E:4/1/2004)	1	+	UEPDC	UDD1T	35.55	342.80	257.87	61.41	48.49	1		19.99	19.99	-	
	NOND			1	UEPDC	ווטטט	35.55	342.80	257.87	61.41	48.49			19.99	19.99		
	NONKI	ECURRING CHARGES - CURRENTLY COMBINED				-				-	-						
		4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is (E:4/1/2004)	l		UEPDC	USAC4		312.91	312.91	I	I			19.99	19.99	Ì	1
	-	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-		1	UEPDC	USAC4		312.91	312.91					19.99	19.99		
		Conversion with DS1 Changes (E:4/1/2004)	l		UEPDC	USAWA		312.91	312.91	I	I			19.99	19.99	Ì	1
	1	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-		1	UEPDC	USAWA		312.91	312.91					19.99	19.99		
		Conversion with Change-Trunk (E:4/1/2004)			UEPDC	USAWB		312.91	312.91					19.99	19.99		
	ADDIT	IONAL NRCs		1	UEPDC	USAWB		312.91	312.91					19.99	19.99		
	AUUII	4W DS1 Loop/4W DDITS Trunk Port-Subsent Service Activity	 	1		 				 	 	1			 		
		Per Service Order			UEPDC	USAS4		94.88	94.88								
	1	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsgnt Channel	1	+ +	ULFDC	03/134		34.00	₹.00	1	1	1	1		1		
		Activation/Chan-2-Way Trunk	l		UEPDC	UDTTA		108.67	108.67	1	1		1	19.99	19.99		1
	1	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel	1	+ +	UEPDC	UDITA		100.67	100.07	1	1	1	1	19.99	19.99		
		Activation/Chan-1-Way Outward Trunk	l		UEPDC	UDTTB		108.67	108.67	I	I			19.99	19.99	Ì	1
	+	4W DS1 Loop/4W DDITS Trunk Port-Subsent Channel	-	1	ULPDU	OUTE		100.07	100.07		 	-		19.99	19.99	-	
		Activation/Chan Inward Trunk w/out DID	l		UEPDC	UDTTC		108.67	108.67	I	I			19.99	19.99	Ì	1
 	+	4W DS1 Loop/4W DDITS Trunk Port-Subsent Chan Activation	-	1	UEPDU	טווט		108.801	108.07		 	-		19.99	19.99	-	
		Per Chan-Inward Trunk with DID	l		UEPDC	UDTTD		108.67	108.67	1	1			19.99	19.99		1
 	+	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan	-	1	ULPDU	טווטט		100.07	100.07		 	-		19.99	19.99	-	
		Activation/Chan-2-Way DID w User Trans	l		UEPDC	UDTTE		108.67	108.67	I	I			19.99	19.99	Ì	1
		Motivation/Onan-z-way DID w OSEL Halls	l	11	ひしてひし	ODITE		100.07	100.07	L	l	<u> </u>	1	19.99	19.99	1	

BUNDLED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
TEGORY RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremer Charge Manual S Order v
	"											Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electron Disc Ad
					Rec	Nonrecurring		Nonrecurring					Rates (\$)	•	
					Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
BIPOLAR 8 ZERO SUBSTITUTION				L											
B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	590.00s					19.99	19.99		
B8ZS-Extended Superframe Format Alternate Mark Inversion	-		UEPDC	CCOEF		0.00i	590.00s					19.99	19.99		
AMI -Superframe Format	 		UEPDC	MCOSF		0.00	0.00								
AMI-Supername Format AMI-Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telephone Number/Trunk Group Establisment Charges			OLFDC	WICOFO		0.00	0.00								
Tel No for 2-Way Trunk Group	1		UEPDC	UDTGX	0.00							19.99	19.99		
Tel No for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00							19.99	19.99		
Tel No for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00							19.99	19.99		
DID Nos for each Group of 20 DID Nos			UEPDC	ND4	0.00							19.99	19.99		
DID Nos, Non-consecutive DID Nos , Per No			UEPDC	ND5	0.00							19.99	19.99		
Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
Reserve DID Nos			UEPDC	NDV	0.00	0.00	0.00								
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digita	Loop													
Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	75.83	145.98	109.85	19.66	14.99						
Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.3525	0.00	0.00								
Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO2	0.00	0.00	0.00								
Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.3525	0.00	0.00								
Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00								
Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOC	0.3525	0.00	0.00								<u> </u>
Local No Portability, per DS0 Activated	1		UEPDC	LNPCP	3.15	0.00	0.00								<u> </u>
CO Termininating Point 4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT	-		UEPDC	CTG	0.00										ļ
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Ac				 											<u> </u>
Each System can have up to 24 combinations of rates depending or			har of parts used	-											
The UNE-P DS1 combination rates below for 4-Wire DS1 Loop with				hibit apply to	the embedder	l base in place	as of 10/2/02 i	intil 4/1/04 Af	or 4/1/04 those	ratos shall	rovert to ta	riff rates or a	congrato agre	omont	
Requests for 4-Wire DS1 Loop with Channelization with Port after the											revert to tal	ili lates of a	Separate agre	ement.	
UNE DS1 Loop	I	I	c or uno unichamen	I I I I I I I I I I I I I I I I I I I	Viaca parsaari	t to a separate	agreement or	tariir at Belloo	atir 5 disorctiv	, <u> </u>					
4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	57.73	0.00	0.00								
4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	75.40	0.00	0.00								
4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	98.59	0.00	0.00								
UNE DSO Channelization Capacities (D4 Channel Bank Configuration	ns)														
24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	131.87	0.00	0.00					19.99	19.99		
48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	263.74	0.00	0.00					19.99	19.99		
96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	527.48	0.00	0.00					19.99	19.99		
144 DS0 Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	791.42	0.00	0.00					19.99	19.99		
192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	827.76	0.00	0.00					19.99	19.99		
240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM2O	1,318.70	0.00	0.00					19.99	19.99		
288 DS0 Channel Capacity-1 per 12 DS1s	1	ļ	UEPMG	VUM28	1,582.44	0.00	0.00					19.99	19.99		ļ
384 DS0 Channel Capacity-1 per 16 DS1s	 	ļ	UEPMG	VUM38	2,109.92	0.00	0.00					19.99	19.99		<u> </u>
480 DS0 Channel Capacity-1 per 20 DS1s			UEPMG	VUM4O	2,637.40	0.00	0.00					19.99	19.99		
576 DS0 Channel Capacity -1 per 24 DS1s	1		UEPMG	VUM57	3,164.88	0.00	0.00					19.99	19.99		<u> </u>
672 DS0 Channel Capacity-1 per 28 DS1s	1 01		UEPMG	VUM67	3,692.36	0.00	0.00					19.99	19.99		ļ
Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									<u> </u>
A Minimum System configuration is One (1) DS1, One (1) D4 Channel Multiples of this configuration functioning as one are considered A															
NRC-Conversion (Currently Combined) with or w/o BST Allowed	uu i aite	i ine m	um əyətem con	III Juralion IS	counted.					1			1	1	
Changes			UEPMG	USAC4	0.00	303.61	15.74					19.99	19.99		
System Additions at End User Locations Where 4-Wire DS1 Loop w	ith Char	nelizat					13.74			 		13.33	10.05		
New (Not Currently Combined) in all states, except in Density Zone					y Exists and										l -
1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and	. 5 or	1		1											
Assoc Fea Activation (E:4/1/2004)	1		UEPMG	VUMD4	0.00	704.68	441.48	138.36	16.41	1		19.99			1
Bipolar 8 Zero Substitution	1			1	2.20										
Clear Channel Capability Format, superframe-Subsqnt Activity															
Only	<u> </u>	<u>L</u>	UEPMG	CCOSF	0.00	0.00i	590.00s			<u></u>			<u> </u>	<u> </u>	<u> </u>
Clear Channel Capability Format-Extended Superframe-															
Subsgnt Activity Only	1		UEPMG	CCOEF	0.00	0.00i	590.00s								1

UNBUND	LED NETWORK ELEMENTS - Tennessee											,		ment: 2		ibit: A
CATEGORY	7 RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
		+			+ +		Nonrecurring		Nonrecurring	Disconnect			OSS	Rates (\$)	l	I
		1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00		7.00.						00
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
Exc	hange Ports Associated with 4-Wire DS1 Loop with Channelizat	ion with	Port													
Exc	hange Ports															
	Line Side Combination Channelized PBX Trunk Port-bus															
	(E:4/1/2004)			UEPPX	UEPCX	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
	Line Side Outward Channelized PBX Trunk Port-bus			LIEBBY .		. =0										
-	(E:4/1/2004)	_		UEPPX	UEPOX	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
	Line Side Inward Only Channelized PBX Trunk Port w/o DID (E:4/1/2004)			UEPPX	UEP1X	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
+	2W Trunk Side Unbundled Channelized DID Trunk Port	-		UEPPA	UEPIA	1.70	0.00	0.00	0.00	0.00	1		30.69	7.03		
	(E:4/1/2004)			UEPPX	UEPDM	8.97	0.00	0.00	0.00	0.00			30.89	7.03		
 	Unbundled Exchange Ports, 2W Channelized – Outdial – (AL,	1		OLITA	OLI DIVI	0.01	0.00	0.00	3.00	3.00			55.03	7.00	1	1
	KY, LA, MS, & TN)(Conversion from Network Access Service)											1				
	(E:4/1/2004)			UEPPX	UEPCY	1.70	0.00	0.00	0.00	0.00		1	30.89	7.03		
	Unbundled Exchange Ports, 2W Channelized – Combination	1												1		
	(AL, KY, LA, MS, & TN) (Conversion from Network Access											1				
	Service) (E:4/1/2004)	1		UEPPX	UEPCT	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
	Unbundled Exchange Ports, 2W Channelized – Outdial – TN															
	Only – Calling Plan-Regionserv (E:4/1/2004)			UEPPX	UEPCZ	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
	Unbundled Exchange Ports, 2W Channelized – Two Way-TN															
L .	Only – Calling Plan-Regionserv (E:4/1/2004)			UEPPX	UEPC6	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
Feat	ture Activations - Unbundled Loop Concentration	_														
	Feature (Service) Activation for each Line Port Terminated in D4			UEPPX	4000444	2.02	23.94	40.04	2.02	3.80			30.89	7.00		
-	Bank (includes Q.1.4, P50.1, P.50.498) Feature (Service) Activation for each Trunk Port Terminated in	-	1	UEPPX	1PQWM	2.02	23.94	12.64	3.82	3.80			30.89	7.03		
	D4 Bank (includes Q.1.4, P50.1, P.50.498)			UEPPX	1PQWU	2.02	73.67	17.37	54.09	10.57			30.89	7.03		
Tele	ephone Number/ Group Establishment Charges for DID Service	1		OLITA	II QWO	2.02	75.07	17.57	34.03	10.57			30.03	7.03		
1.0.0	DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	DID Nos-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Nos-per No			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00								
Loc	al Number Portability															
	Local No Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	ATURES - Vertical and Optional	_														
Loc	al Switching Features Offered with Line Side Ports Only	_		UEPPX	UEPVF	0.00	0.00	0.00								
LINDI NDI E	All Features Available D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE	-	1	UEPPX	UEPVF	0.00	0.00	0.00								
	cost Based Rates are applied where BellSouth is required by FC		State C	commission rule to	provide Unbu	ndled I ocal S	witching or Sw	itch Ports			-			1	1	
	eatures shall apply to the Unbundled Port/Loop Combination -								dled Port section	on of this exhi	bit.				1	
	nd Office and Tandem Switching Usage and Common Transpor											Port/Loop C	Combinations		1	
4. T	he first and additional Port nonrecurring charges apply to Not (Currently	Combi	ned Combos. For	Currently Cor	nbined Combo	os, the nonrecu	rring charges	shall be those	identified in t	he Nonrecu	rring - Curre	ently Combine	ed sections.	Additional N	RCs may
	ly also and are categorized accordingly.															
	Market Rates for Unbundled Centrex Port/Loop Combination wil		otiated	on an Individual Ca	se Basis, unti	I further notic	e.	-								
	E-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN onl	y)				·										
	ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1	igspace		1									ļ		
UNE	E Port/Loop Combination Rates (Non-Design)		 	LIESS!	+											
 -	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	 	1	UEP91	+ +	14.18								1	ļ.	
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	1	2	UEP91 UEP91	+	18.01			1		-			 	1	ļ
LINE	E Port/Loop Combination Rates (Design)	-	3	UEP91	+ +	23.02	+									
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Design	+	1	UEP91	+ +	18.26	 							1	1	
 	2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design	+	2	UEP91	+ +	23.33			1			 		 	 	
-	2W VG Loop/2W VG Port (Centrex)Port Combo-Design	+	3	UEP91	+ +	29.98			1					 	+	<u> </u>
UNF	E Loop Rate	1	<u> </u>	OLI OI	+ + +	20.00			1						1	
10.45	2W VG Loop (SL 1)-Zone 1	1	1	UEP91	UECS1	12.48								1		
	2W VG Loop (SL 1)-Zone 2	1	2	UEP91	UECS1	16.31	†							İ		
	2W VG Loop (SL 1)-Zone 3		3	UEP91	UECS1	21.32	l		1 +		+					t

UNBUNI	DLE	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
CATEGO	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR		Charge -	Charge -	Charge -
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2W VG Loop (SL 2)-Zone 1		1	UEP91	UECS2	16.56										<u> </u>
		2W VG Loop (SL 2)-Zone 2		2	UEP91	UECS2	21.63										
		2W VG Loop (SL 2)-Zone 3		3	UEP91	UECS2	28.28										
	NE Po	es (Except NC and SC)		ļ		+											
AI		2W VG Port (Centrex) Basic Local Area		-	UEP91	UEPYA	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			
		2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 Term)Basic Local Area		-	UEP91	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2W VG Port (Centrex vith Caller ID)Note1 Basic Local Area			UEP91	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
		2V VOT OIL (Centrex with Galler ID)Note 1 Dasic Local Area			OLI 31	OLI III	1.70	22.14	10.20	0.40	3.31		30.03	7.03			
		2W VG Port (Centrex from diff SWC) Note 2, 3 Basic Local Area			UEP91	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP91	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
		2W VG Port terminated in on Megalink or equivalent-Basic Local		1 1						50	2.31			1.30			1
		Area	1		UEP91	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03		1	
						1	-				-						1
		2W VG Port Terminated on 800 Service Term-Basic Local Area	<u> </u>		UEP91	UEPY2	1.70	22.14	15.25	8.45	3.91	<u> </u>	30.89	7.03			
Al		LA, MS, & TN Only]									
		2W VG Port (Centrex)			UEP91	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2W VG Port (Centrex 800 Term)			UEP91	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2W VG Port (Centrex with Caller ID)1			UEP91	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2W VG Port (Centrex from diff SWC)2,3			UEP91	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2W VG Port, Diff SWC-2,3-800 Service Term			UEP91	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2W VG Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2W VG Port Terminated on 800 Service Term			UEP91	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
Lo		witching		1	LIEBO.												
		Centrex Intercom Funtionality, per port			UEP91	URECS	0.6381										
LC		lumber Portability Local No Portability (1 per port)		ļ	UEP91	LNPCC	0.35										<u> </u>
E,	eature			-	UEF91	LINFCC	0.33										
		All Standard Features Offered, per port		1	UEP91	UEPVF	0.00	1					30.89	7.03			1
		All Select Features Offered, per port			UEP91	UEPVS	0.00	433.78					30.89	7.03			
		All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00	400.70					30.89	7.03			
N/	ARS	The Control Co			02.0.	02.70	0.00						00.00	7.00			1
		Unbundled Network Access Register-Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			1
		Unbundled Network Access Register-Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
		Unbundled Network Access Register-Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			1
М	iscella	aneous Terminations															
2-		Trunk Side															
		Trunk Side Terms, each			UEP91	CENA6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
In	teroff	ice Channel Mileage - 2-Wire							•		•						
		Interoffice Channel Facilities Term-VG	<u> </u>	$oxed{oxed}$	UEP91	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			1
		Interoffice Channel miage, per mi or fraction of mi	<u> </u>	$\sqcup \sqcup$	UEP91	M1GBM	0.0174							ļ		ļ	!
		Activations (DS0) Centrex Loops on Channelized DS1 Service	e	$\sqcup \sqcup$		 									ļ		↓
D4	4 Cha	nnel Bank Feature Activations	<u> </u>	+	LIEDOA	400000	0.00							-		ļ	↓
		Feature Activation on D-4 Channel Bank Centrex Loop Slot	 	\vdash	UEP91	1PQWS	0.66	ł						!	1	 	1
		Easture Activation on D.4 Channel Bank EV line Cide Land Clat	1		LIED01	100006	0.00	l						I		1	
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop	├	++	UEP91	1PQW6	0.66								1	-	
		Slot	1		UEP91	1PQW7	0.66	l						I		1	
		Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff	 		OLFBI	11 02 00 /	0.06	ł						t	1	1	
		WC	1		UEP91	1PQWP	0.66	l						I		1	
		···-	1		02/01	3, 111	0.00							1		1	1
		Feature Activation on D-4 Channel Bank Private Line Loop Slot	1		UEP91	1PQWV	0.66	l						I		1	
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop				1 1	2.20	İ						1		İ	1
		Slot			UEP91	1PQWQ	0.66	l						1			
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66										
No	on-Re	curring Charges (NRC) Associated with UNE-P Centrex				<u> </u>											
		Conversion-Currently Combined Switch-As-Is with allowed														_	
		changes, per port			UEP91	USAC2		1.03	0.29				30.89	7.03			
		New Centrex Standard Common Block			UEP91	M1ACS	0.00	658.60					30.89	7.03	1		

UNBUNDI F	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fyhi	bit: A
	TO TO TO TO TO TO TO TO TO TO TO TO TO T		П		T						Svc Order	Svc Order	Incremental		Incremental	Incrementa
İ		1			1						Submitted	Submitted		Charge -	Charge -	Charge -
I											Elec	Manually			Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
I																
I													1st	Add'l	Disc 1st	Disc Add'l
							Nonrecurring		Nonrecurring	Disconnect		I.	oss	Rates (\$)	ı	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	658.60					30.89	7.03			
	Secondary Block, per Block			UEP91	M2CC1	0.00	73.55					30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP91	URECA		68.57					30.89	7.03			
Additi	ional Non-Recurring Charges (NRC)															
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP91	URETL		8.33	0.83								
	Unbundled Misc Rate Element, Tag Design Loop at End Use															
ı	Premise			UEP91	URETN		11.23	1.10								
UNE-F	P CENTREX - 5ESS (Valid in All States)															
2-Wire	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE F	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95		14.18										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95	j	18.01										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95		23.02										
UNE F	Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		18.26										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP95		23.33										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95		29.98										
UNE L	oop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP95	UECS1	12.48										
	2W VG Loop (SL 1)-Zone 2		2	UEP95	UECS1	16.31										
	2W VG Loop (SL 1)-Zone 3		3	UEP95	UECS1	21.32										
	2W VG Loop (SL 2)-Zone 1		1	UEP95	UECS2	16.56										
	2W VG Loop (SL 2)-Zone 2		2	UEP95	UECS2	21.63										
	2W VG Loop (SL 2)-Zone 3		3	UEP95	UECS2	28.28										
UNE F	Port Rate															
All Sta																
	2W VG Port (Centrex) Basic Local Area			UEP95	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex 800 Term)			UEP95	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP95	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
ı																
	2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area			UEP95	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
1	2W VG Port terminated in on Megalink or equivalent-Basic Local	l														
	Area			UEP95	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
ı		1											1			
	2W VG Port Terminated on 800 Service Term-Basic Local Area	<u> </u>	\sqcup	UEP95	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
AL, K	Y, LA, MS, SC, & TN Only															
	2W VG Port (Centrex)			UEP95	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex 800 Term)	<u> </u>	\sqcup	UEP95	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex with Caller ID)1	ļ	$\sqcup \sqcup$	UEP95	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex from diff SWC)2,3	ļ	\sqcup	UEP95	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port, Diff SWC-800 Service Term 2,3	ļ	$\sqcup \sqcup$	UEP95	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port terminated in on Megalink or equivalent	ļ	$\sqcup \sqcup$	UEP95	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port Terminated on 800 Service Term	ļ	\sqcup	UEP95	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	GA Only	1	\vdash											ļ		
Local	Switching	 	\vdash									1		ļ		
I	Centrex Intercom Funtionality, per port	 	\vdash	UEP95	URECS	0.6381						1		ļ		
· · · · ·	Number Portability		\longmapsto	LIEBOE	LNDOG	0.05						1		ļ		
Local	Land No Boot - City (Amount of)		1	UEP95	LNPCC	0.35							-			
	Local No Portability (1 per port)		+ +						ļ					1		
Local Featur	res			LIESA-	LIES: E											
	res All Standard Features Offered, per port			UEP95	UEPVF	0.00	400 ==					30.89	7.03			
	res All Standard Features Offered, per port All Select Features Offered, per port			UEP95	UEPVS	0.00	433.78					30.89	7.03			
Featu	res All Standard Features Offered, per port All Select Features Offered, per port All Centrex Control Features Offered, per port						433.78									
	All Standard Features Offered, per port All Select Features Offered, per port All Centrex Control Features Offered, per port			UEP95 UEP95	UEPVS UEPVC	0.00 0.00						30.89 30.89	7.03 7.03			
Featu	All Standard Features Offered, per port All Select Features Offered, per port All Centrex Control Features Offered, per port Blueber Seatures Offered, per port Blueber Seatures Offered, per port Blueber Seatures Offered, per port Blueber Seatures Offered, per port Blueber Seatures Offered, per port Blueber Seatures Offered, per port			UEP95 UEP95 UEP95	UEPVS UEPVC UARCX	0.00 0.00 0.00	0.00	0.00	0.00	0.00		30.89 30.89 0.00	7.03 7.03 7.03			
Featu	res All Standard Features Offered, per port All Select Features Offered, per port All Centrex Control Features Offered, per port Unbundled Network Access Register-Combination Unbundled Network Access Register-Indial			UEP95 UEP95 UEP95 UEP95	UEPVS UEPVC UARCX UAR1X	0.00 0.00 0.00 0.00	0.00	0.00	0.00	0.00		30.89 30.89 0.00 0.00	7.03 7.03 7.03 7.03			
Featur	All Standard Features Offered, per port All Select Features Offered, per port All Centrex Control Features Offered, per port Blueber Seatures Offered, per port Blueber Seatures Offered, per port Blueber Seatures Offered, per port Blueber Seatures Offered, per port Blueber Seatures Offered, per port Blueber Seatures Offered, per port			UEP95 UEP95 UEP95	UEPVS UEPVC UARCX	0.00 0.00 0.00	0.00					30.89 30.89 0.00	7.03 7.03 7.03			

NRONDI	LED NETWORK ELEMENTS - Tennessee													ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
<u> </u>		-	-		+		Nonrecurring		Nonrecurring	Disconnect			OSS	Rates (\$)		L
		+				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Trunk Side Terms, each			UEP95	CEND6	8.78	47.75	47.01	9.21	8.47	COME	30.89	7.03	COMPAR	COMPAR	COMPAR
4-W	ire Digital (1.544 Megabits)			<u> </u>	9-11-0				4.2.							
	DS1 Circuit Terms, each			UEP95	M1HD1	35.55	75.93	38.15				30.89	7.03			
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	108.67					30.89	7.03			1
Inter	roffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP95	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
	Interoffice Channel miage, per mi or fraction of mi			UEP95	M1GBM	0.0174										
	ture Activations (DS0) Centrex Loops on Channelized DS1 Servi	ce														
D4 C	Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	1		UEP95	1PQW6	0.66									[<u> </u>
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop					_										
	Slot	1		UEP95	1PQW7	0.66	ļ <u> </u>								ļ	ļ
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff															
	WC	1	1	UEP95	1PQWP	0.66			1						ļ	<u> </u>
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	1		UEP95	1PQWV	0.66										ļ
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot		1	UEP95	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot		1	UEP95	1PQWA	0.66										
Non	-Recurring Charges (NRC) Associated with UNE-P Centrex	1														ļ
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP95	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block		1	UEP95	M1ACS	0.00	658.60					30.89	7.03			
	New Centrex Customized Common Block		1	UEP95	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	68.57					30.89	7.03			
Add	litional Non-Recurring Charges (NRC)		1	LIEBOE	UDET		0.00	0.00								
	Unbundled Misc Rate Element, Tag Loop at End Use Premise		1	UEP95	URETL		8.33	0.83								
	Unbundled Misc Rate Element, Tag Design Loop at End Use															
	Premise E-P CENTREX - DMS100 (Valid in All States)	+	1	UEP95	URETN		11.23	1.10								
		-														
	ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo	-														
UNE	Port/Loop Combination Rates (Non-Design)		1	UEP9D	-	1110										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	+			-	14.18										-
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	1	3	UEP9D UEP9D	+	18.01 23.02	 								 	
LINIE		+	3	UEP9D	-	23.02										
UNE	E Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design	+	1	UEP9D	+	18.26			 						1	
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design	+	2	UEP9D UEP9D	+ +	23.33	 		1				1	1	1	
-	2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design	+	3	UEP9D	1	29.98					1	1			1	
LINE	E Loop Rate	1	3	OLFAD	1	29.98	 						1	1	1	
OINE	2W VG Loop (SL 1)-Zone 1	1	1	UEP9D	UECS1	12.48	1				 	1	1	1	l .	
	2W VG Loop (SL 1)-Zone 1	1	2	UEP9D	UECS1	16.31	1				 	1	1	1	l .	
	2W VG Loop (SL 1)-Zone 2	1	3	UEP9D	UECS1	21.32	 				-				 	
	2W VG Loop (SL 2)-Zone 1	1	1	UEP9D	UECS2	16.56			+ +					1	1	
	2W VG Loop (SL 2)-Zone 2	1	2	UEP9D	UECS2	21.63	 		+ +					1	1	
	2W VG Loop (SL 2)-Zone 3	1	3	UEP9D	UECS2	28.28			+ +						†	
UNF	E Port Rate		<u> </u>	02.02		20.20	 								†	
	STATES	1			1										1	
	2W VG Port (Centrex) Basic Local Area	1		UEP9D	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03		†	
	2W VG Port (Centrex 800 Term)Basic Local Area	1		UEP9D	UEPYB	1.70		15.25	8.45	3.91		30.89	7.03	İ	İ	
	2W VG Port (Centrex/EBS-PSET)3Basic Local Area	1		UEP9D	UEPYC	1.70		15.25	8.45	3.91		30.89	7.03		1	
	2W VG Port (Centrex /EBS-M5009)3Basic Local Area	1		UEP9D	UEPYD	1.70	22.14	15.25	8.45	3.91		30.89	7.03		1	—
	2W VG Port (Centrex /EBS-M5209)3 Basic Local Area			UEP9D	UEPYE	1.70		15.25	8.45	3.91		30.89	7.03		1	
	2W VG Port (Centrex/EBS-M5112)3 Basic Local Area	1		UEP9D	UEPYF	1.70		15.25	8.45	3.91		30.89	7.03		1	
-	2W VG Port (Centrex/EBS-M5312)3Basic Local Area	1		UEP9D	UEPYG	1.70	22.14	15.25	8.45	3.91		30.89	7.03		1	—
	2W VG Port (Centrex/EBS-M5008)3 Basic Local Area	†	1 1	UEP9D	UEPYT	1.70	22.14	15.25	8.45	3.91	†	30.89	7.03	 	1	
	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area	+	+	UEP9D	UEPYU	1.70		15.25	8.45	3.91	ł	30.89	7.03	-	 	

HINRHINDI	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Evhi	bit: A
CHECHEL	ED NETWORK ELLINENTS - Termessee				1						Svc Order	Svc Order	Incremental		Incremental	
											Submitted			Charge -	Charge -	Charge -
											Elec	1		Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				_				
0200	10112 =======	m		200	0000			(4)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrecurring		Nonrecurring	g Disconnect		•	oss	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4															
	Basic Local Area			UEP9D	UEPYW	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4 Basic Local															
	Area			UEP9D	UEPYJ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex from diff SWC) 2,3-Basic Local Area	<u> </u>		UEP9D	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local			LIEDOD	LIEDVO	4.70	00.44	45.05	0.45	0.04		00.00	7.00			
	Area			UEP9D	UEPYO	1.70	22.14	15.25	8.45	3.91	ļ	30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	1.70	22.14	15.25	8.45	3.91		30.89	7.03			İ
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local			UEF9D	UEFTF	1.70	22.14	15.25	0.40	3.91		30.69	7.03			-
	Area			UEP9D	UEPYQ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			İ
	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local			OLI 3D	OLI IQ	1.70	22.14	10.20	0.43	3.31	1	30.03	7.00			
	Area			UEP9D	UEPYR	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local			OLI OD	OLI III	1.70	22.14	10.20	0.40	0.01		00.00	7.00			
	Area			UEP9D	UEPYS	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local								00							
	Area			UEP9D	UEPY4	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local															
	Area			UEP9D	UEPY5	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local															
	Area			UEP9D	UEPY6	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local															
	Area			UEP9D	UEPY7	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port terminated in on Megalink or equivalent Basic			LIEDOD	LIEDVO	4.70	00.44	45.05	0.45	0.04		00.00	7.00			İ
	Local Area			UEP9D	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VC Port Terminated on 900 Carrian Term Regia Legal Area			UEP9D	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			İ
A1 K	2W VG Port Terminated on 800 Service Term Basic Local Area (Y, LA, MS, SC, & TN Only		-	UEP9D	UEP12	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
AL, N	2W VG Port (Centrex)		1	UEP9D	UEPQA	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			
	2W VG Port (Centrex)		1	UEP9D	UEPQB	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			
	2W VG Port (Centrex/EBS-PSET)4			UEP9D	UEPQC	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/EBS-M5009)4			UEP9D	UEPQD	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex /EBS-M5209)4			UEP9D	UEPQE	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex /EBS-M5112)4			UEP9D	UEPQF	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex /EBS-M5312)4			UEP9D	UEPQG	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex /EBS-M5008)4			UEP9D	UEPQT	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/EBS-M5208)4			UEP9D	UEPQU	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/EBS-M5216)4			UEP9D	UEPQV	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/EBS-M5316)4			UEP9D	UEPQ3	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex with Caller ID)			UEP9D	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4			UEP9D	UEPQW	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex from diff SWC) 2,3			UEP9D	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4	<u> </u>		UEP9D	UEPQO	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4	 	\vdash	UEP9D UEP9D	UEPQP UEPQQ	1.70 1.70	22.14 22.14	15.25	8.45	3.91 3.91	1	30.89 30.89	7.03 7.03			
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4	 		UEP9D UEP9D	UEPQQ	1.70	22.14	15.25 15.25	8.45 8.45	3.91		30.89	7.03	-		
1	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4 2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4	1	1 1	UEP9D UEP9D	UEPQR	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4		 	UEP9D	UEPQ3	1.70	22.14	15.25	8.45	3.91		30.89	7.03	-		
	2W VG Port (Centrex/differ SWC /EBS-W5008)2,3,4	 	1	UEP9D	UEPQ5	1.70	22.14	15.25	8.45	3.91	 	30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.70	22.14	15.25	8.45	3.91		30.89	7.03			—
İ	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03	İ		
	2W VG Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			

UNRU	NDI FI	NETWORK ELEMENTS - Tennessee												Δttach	ment: 2	Fyhi	bit: A
0.100.		THE THORK ELLINEITY TO TO THE COURT										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			1									Elec	Manually				Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (.,			per LSK	per LSK	Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Dan	Nonrecurring		Nonrecurring	Disconnect		•	oss	Rates (\$)	•	•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local S	witching															
		Centrex Intercom Funtionality, per port			UEP9D	URECS	0.6381										
	Local N	umber Portability															
		Local No Portability (1 per port)			UEP9D	LNPCC	0.35										
	Feature	s															
		All Standard Features Offered, per port			UEP9D	UEPVF	0.00						30.89	7.03			
		All Select Features Offered, per port			UEP9D	UEPVS	0.00	433.78					30.89	7.03			
		All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00						30.89	7.03			
	NARS																
		Unbundled Network Access Register-Combination			UEP9D	UARCX	0.00		0.00	0.00	0.00		0.00	7.03			
		Unbundled Network Access Register-Inward			UEP9D	UAR1X	0.00		0.00	0.00	0.00		0.00	7.03			
		Unbundled Network Access Register-Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
		aneous Terminations															
		Trunk Side															
		Trunk Side Terms, each			UEP9D	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
		Digital (1.544 Megabits)			-												
		DS1 Circuit Terms, each			UEP9D	M1HD1	35.55	75.93	38.15				30.89	7.03			
		DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	108.67					30.89	7.03			
	nteroff	ice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Term			UEP9D	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
		Interoffice Channel miage, per mi or fraction of mi			UEP9D	M1GBM	0.0174										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
	D4 Cha	nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP9D	1PQW7	0.66										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff															
		WC			UEP9D	1PQWP	0.66										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP9D	1PQWQ	0.66										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.66										
للسا		curring Charges (NRC) Associated with UNE-P Centrex	ļ	ļ										ļ	ļ	.	
		NRC Conversion Currently Combined Switch-As-Is with allowed												I		I	
		changes, per port	<u> </u>		UEP9D	USAC2		1.03	0.29	ļ			30.89	7.03		ļ	
		New Centrex Standard Common Block	ļ	ļ	UEP9D	M1ACS	0.00						30.89	7.03	ļ	.	
		New Centrex Customized Common Block	ļ	ļ	UEP9D	M1ACC	0.00	658.60					30.89	7.03	<u> </u>	.	
\longmapsto		NAR Establishment Charge, Per Occasion	1	\longmapsto	UEP9D	URECA		68.57					30.89	7.03	!		
	Additio	nal Non-Recurring Charges (NRC)	1	\longmapsto	LIEBAB	LIDET		0.0-							!		<u> </u>
\vdash		Unbundled Misc Rate Element, Tag Loop at End Use Premise	1	igspace	UEP9D	URETL		8.33	0.83						!		
		Unbundled Misc Rate Element, Tag Design Loop at End Use			=									I		I	
		Premise	1	igspace	UEP9D	URETN		11.23	1.10						!		
		CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)	 														
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	<u> </u>			1								-	ļ	-	
├ ──-!'	UNE PO	ort/Loop Combination Rates (Non-Design)	 	1	LIEBOE	1	11.70	ļ		1				-	1	-	
\vdash		2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	 	1	UEP9E	1	14.18	ļ		1				-	1	-	
		2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	 	2	UEP9E	1	18.01	ļ		 		!	1	 	 	 	
		2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	 	3	UEP9E	1	23.02	ļ		 		!	1	 	 	 	
		rt/Loop Combination Rates (Design)	<u> </u>		LIEBOE	1	10.00							-	ļ	-	
\vdash		2W VG Loop/2W VG Port (Centrex) Port Combo-Design	1	1	UEP9E		18.26	1							!		
		2W VG Loop/2W VG Port (Centrex)Port Combo-Design	<u> </u>	2	UEP9E	1	23.33							-	ļ	-	
<u> </u>		2W VG Loop/2W VG Port (Centrex)Port Combo-Design	 	3	UEP9E	1	29.98	ļ		1				-	1	-	
		op Rate	<u> </u>	\vdash	LIEBAE	LIEGO:	10.77							-	ļ	-	
\vdash		2W VG Loop (SL 1)-Zone 1	1	1	UEP9E	UECS1	12.48								!		
\vdash		2W VG Loop (SL 1)-Zone 2	1	2	UEP9E	UECS1	16.31	ļ		ļ					 		
1 1		2W VG Loop (SL 1)-Zone 3	1	3	UEP9E	UECS1	21.32			1		1	1	1	1	1	

UNBUN	IDLEI	NETWORK ELEMENTS - Tennessee				· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·			Attach	ment: 2	Exhi	ibit: A
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge -		Incremental Charge - Manual Svc Order vs.	Incrementa Charge - Manual Svo Order vs.
														Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
		2W VG Loop (SL 2)-Zone 1		1	UEP9E	UECS2	16.56	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2W VG Loop (SL 2)-Zone 2		2	UEP9E	UECS2	21.63										
		2W VG Loop (SL 2)-Zone 3		3	UEP9E	UECS2	28.28										
u		ort Rate			02.02	02002	20.20										
		KY, LA, MS, & TN only															
		2W VG Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2W VG Port (Centrex 800 Term)Basic Local Area			UEP9E	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP9E	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area			UEP9E	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2W VG Port terminated in on Megalink or equivalent-Basic Local			LIEBOE	LIEDVO	4.70	00.44	45.05	0.45	0.04		00.00	7.00			
		Area			UEP9E	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	1 1/1/	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP9E	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<u> </u>
	L, KI,	LA, MS, & TN Only 2W VG Port (Centrex)		-	UEP9E	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			-
-		2W VG Port (Centrex) 2W VG Port (Centrex 800 Term)		1	UEP9E	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2W VG Port (Centrex odo Term) 2W VG Port (Centrex with Caller ID)1		 	UEP9E	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2W VG Port (Centrex from diff SWC)2.3			UEP9E	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			•
		2W VG Port, Diff SWC 2,3 -800 Service Term			UEP9E	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2W VG Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2W VG Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
L	ocal S	witching															
		Centrex Intercom Funtionality, per port			UEP9E	URECS	0.6381										
L	ocal N	lumber Portability															
		Local No Portability (1 per port)			UEP9E	LNPCC	0.35										
-	eature	All Standard Features Offered, per port			UEP9E	UEPVF	0.00			1		1	30.89	7.03			<u> </u>
-		All Select Features Offered, per port		1	UEP9E	UEPVS	0.00	433.78		-			30.89	7.03			
		All Centrex Control Features Offered, per port		 	UEP9E	UEPVC	0.00	433.76					30.89	7.03			
N	IARS	741 Control Control Catalog Charact, per port			OLI OL	OLI VO	0.00						00.00	7.00			
		Unbundled Network Access Register-Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
		Unbundled Network Access Register-Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
		Unbundled Network Access Register-Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
		aneous Terminations															
2		Trunk Side							-								
		Trunk Side Terms, each			UEP9E	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
4	-Wire	Digital (1.544 Megabits)		\longmapsto	LIEBAE	144125						<u> </u>			ļ		
		DS1 Circuit Terms, each		├	UEP9E	M1HD1	35.55	75.93	38.15	!		}	30.89	7.03	 	1	
1.	ntoro ^{££}	DS0 Channel Activated Per Channel ice Channel Mileage - 2-Wire		╀─┼	UEP9E	M1HDO	0.00	108.67		-		-	30.89	7.03		-	
		Interoffice Channel Facilities Term		1	UEP9E	M1GBC	18.58	22.14	15.25	8.45	3.91	-	30.89	7.03	-	-	
 		Interoffice Channel miage, per mi or fraction of mi	-	+	UEP9E	M1GBM	0.0174	22.14	10.20	0.43	5.51	 	30.03	7.03	 		
F	eature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e	1 1		1	3.01.4	1		1				1	1		
		nnel Bank Feature Activations				1											
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.66										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP9E	1PQWP	0.66										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9E	1PQWQ	0.66										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66										
	lon-Re	curring Charges (NRC) Associated with UNE-P Centrex															

UNBUNDI	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
CHECHEL	TO										Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
CATEGORI	KATE ELEMENTO	m	20116	500	0000			KATES (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		1					Nonrecurring		Nonrecurring	g Disconnect			220	Rates (\$)		
		1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	NRC Conversion Currently Combined Switch-As-Is with allowed	1			1		FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	SOMAN	SOWAN	JOWAN
				UEP9E	USAC2		1.03	0.29				30.89	7.03			
	changes, per port	<u> </u>		UEP9E UEP9E		0.00		0.29								
	New Centrex Standard Common Block	 			M1ACS	0.00	658.60					30.89	7.03			
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion	1		UEP9E	URECA	0.00	68.57					30.89	7.03			
Addi	tional Non-Recurring Charges (NRC)	1			_											
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP9E	URETL		8.33	0.83								
	Unbundled Misc Rate Element, Tag Design Loop at End Use															
	Premise			UEP9E	URETN		11.23	1.10								
	P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo							-								
UNE	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP93		14.18										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP93		18.01	1				1					
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	1	3	UEP93	1	23.02										
UNF	Port/Loop Combination Rates (Design)	1			1		†			İ	İ	1	İ	İ	İ	
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design	1	1	UEP93	†	18.26	†			1	i e		İ	1	İ	
h	2W VG Loop/2W VG Port (Centrex)Port Combo-Design	1	2	UEP93		23.33	1				1	1				
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design	1	3	UEP93	+	29.98										
LINE	Loop Rate	+	-	OL1 00	+	20.00					1					
ONL	2W VG Loop (SL 1)-Zone 1	1	1	UEP93	UECS1	12.48										
-	2W VG Loop (SL 1)-Zone 2	1	2	UEP93	UECS1	16.31					1					
		1									1					
	2W VG Loop (SL 1)-Zone 3	<u> </u>	3	UEP93	UECS1	21.32										
	2W VG Loop (SL 2)-Zone 1	<u> </u>	1	UEP93	UECS2	16.56										
	2W VG Loop (SL 2)-Zone 2	 	2	UEP93	UECS2	21.63										
	2W VG Loop (SL 2)-Zone 3		3	UEP93	UECS2	28.28										
	Port Rate															
AL, I	(Y, LA, MS, & TN only															
	2W VG Port (Centrex) Basic Local Area			UEP93	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP93	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP93	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port, Diff SWC-2,3-800 Service Term-Basic Local Area			UEP93	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port terminated in on Megalink or equivalent-Basic Local															
	Area			UEP93	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1		1
							1				1					
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP93	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1		1
	2W VG Port (Centrex)	†	\vdash	UEP93	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03	t	1	
	2W VG Port (Centrex 800 Term)	1	1 1	UEP93	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1	1	
	2W VG Port (Centrex with Caller ID)1	1	1 1	UEP93	UEPQH	1.70	22.14	15.25	8.45			30.89	7.03	1	1	
	2W VG Port (Centrex with Caller ID)1 2W VG Port (Centrex from diff SWC)2,3	1	1 1	UEP93	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03	t	1	
 	2W VG Port, Diff SWC-2,3 -800 Service Term	+	1 1	UEP93	UEPQZ	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03	t	 	<u> </u>
 	2W VG Port terminated in on Megalink or equivalent	+	1 1	UEP93	UEPQ9	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03	t	1	
\vdash	2W VG Port Terminated in on weganink of equivalent	1	1 1	UEP93	UEPQ9	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03	 	 	
1		1	1	OLF93	ULFUZ	1.70	22.14	15.25	0.45	3.91	1	30.69	7.03	+	 	
Loca	Switching	1	1	UEP93	LIDECC	0.6381	+				1	-	-		-	
 	Centrex Intercom Funtionality, per port	+	+	UEP93	URECS	0.0381			1	 	 	1	 	 	 	
Loca		+	+	UEP93	LNPCC	0.05			1	 	 	1	 	 	 	
	Local No Portability (1 per port)	1	1	UEP93	LINPUC	0.35			-	1	1	1		1		+
Feat		1		LIEBOO	11551.55					1	1	1		1		├
\vdash	All Standard Features Offered, per port	1	1	UEP93	UEPVF	0.00			ļ							
	All Centrex Control Features Offered, per port			UEP93	UEPVC	0.00				1	ļ			1		
NAR											ļ					
	Unbundled Network Access Register-Combination			UEP93	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
	Unbundled Network Access Register-Indial			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
	Unbundled Network Access Register-Outdial			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
Misc	ellaneous Terminations															
	re Trunk Side				1		1				1					
	Trunk Side Terms, each	1	1 1	UEP93	CEND6	8.78	22.14	15.25	8.45	3.91	1	30.89	7.03			

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhil	bit: A
		1									Svc Order	Svc Order			Incremental	
												Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc		Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
CATEGORI	KATE EEEMENTS	m	Zone	B03	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			1			Doo	Nonrecurring		Nonrecurring	Disconnect		1	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP93	M1HD1	35.55	75.93	38.15				30.89	7.03			
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	108.67					30.89	7.03			·
Interof	fice Channel Mileage - 2-Wire															i
	Interoffice Channel Facilities Term			UEP93	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			i
	Interoffice Channel miage, per mi or fraction of mi			UEP93	M1GBM	0.0174										i
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														i
	nnel Bank Feature Activations		t t													
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		t t	UEP93	1PQWS	0.66										
			t t													
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.66										ł
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop		t t													
	Slot			UEP93	1PQW7	0.66										ł
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff		i													
	wc			UEP93	1PQWP	0.66										ł
			i	02.00		0.00										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.66										i
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop															i
	Slot			UEP93	1PQWQ	0.66										ł
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.66										i
	ecurring Charges (NRC) Associated with UNE-P Centrex															í
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP93	USAC2		1.03	0.29				30.89	7.03			ł
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	658.60					30.89	7.03			i
	New Centrex Customized Common Block		l l	UEP93	M1ACC	0.00	658.60					30.89	7.03			i
	NAR Establishment Charge, Per Occasion		i i	UEP93	URECA		68.57					30.89	7.03			·
	onal Non-Recurring Charges (NRC)		i i													
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP93	URETL		8.33	0.83								i
	Unbundled Misc Rate Element, Tag Design Loop at End Use		1 1													i
	Premise			UEP93	URETN		11.23	1.10								1
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD		l l													·
	- Requres Interoffice Channel Mileage		i i				j									1
	- Installation is combination of Installation charge for SL2 Lo	op and	Port													i
	- Requires Specific Customer Premises Equipment															i
	Rates displaying an "R" in Interim column are interim and sub	ject to	rate true	e-up as set forth in	General Term	ns and Condition	ons.									i
		•									•		•	•		

Attachment 6

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

TABLE OF CONTENTS

1.	QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR.	3
2.	ACCESS TO OPERATIONS SUPPORT SYSTEMS	3
3.	MISCELLANEOUS	5

PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

1. QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

- 1.1 BellSouth shall provide to Micro-Comm nondiscriminatory access to its
 Operations Support Systems (OSS) and the necessary information contained
 therein in order that Micro-Comm can perform the functions of pre-ordering,
 ordering, provisioning, maintenance and repair, and billing. BellSouth shall
 provide Micro-Comm with all relevant documentation (manuals, user guides,
 specifications, etc.) regarding business rules and other formatting information as
 well as practices and procedures necessary to ensure requests are efficiently
 processed. All documentation will be readily accessible at BellSouth's
 interconnection website and are incorporated herein by reference. BellSouth shall
 ensure that its OSS are designed to accommodate access requests for both current
 and projected demand of Micro-Comm and other CLECs in the aggregate.
- 1.2 BellSouth shall provision services during its regular working hours. To the extent Micro-Comm requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians or project manager to work outside of regular working hours, overtime charges shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician or project manager during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of Micro-Comm, BellSouth will not assess Micro-Comm additional charges beyond the rates and charges specified in this Agreement.

2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

- 2.1 BellSouth shall provide Micro-Comm nondiscriminatory access to its OSS and the necessary information contained therein in order that Micro-Comm can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide nondiscriminatory access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole responsibility of Micro-Comm to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for Micro-Comm's access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference.
- 2.1.1 <u>Pre-Ordering</u>. BellSouth will provide electronic access to its OSS and the information contained therein in order that Micro-Comm can perform the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record information and loop makeup information. Mechanized access is provided by

Version 3Q03: 11/12/2003

electronic interfaces whose specifications for access and use are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Micro-Comm will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. Micro-Comm shall provide to BellSouth access to customer record information, including circuit numbers associated with each telephone number where applicable. Micro-Comm shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available, Micro-Comm shall provide to BellSouth paper copies of customer record information, including circuit numbers associated with each telephone number where applicable. If BellSouth requests the information before noon, the customer record information shall be provided the same day. If BellSouth requests the information after noon, the customer record information shall be provided by noon the following day.

- 2.1.2 The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission. Micro-Comm will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the state in which the service is provided. BellSouth reserves the right to audit Micro-Comm's access to customer record information. If a BellSouth audit of Micro-Comm's access to customer record information reveals that Micro-Comm is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to Micro-Comm may take corrective action, including but not limited to suspending or terminating Micro-Comm's electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by the Proprietary and Confidential Information section in the General Terms and Conditions of this Agreement.
- 2.1.3 Ordering. BellSouth will make available to Micro-Comm electronic interfaces for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. Specifications for access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Micro-Comm will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below.
- 2.1.4 <u>Maintenance and Repair</u>. BellSouth will make available to Micro-Comm electronic interfaces for the purpose of reporting and monitoring service troubles. Specifications for access and use of BellSouth's maintenance and repair electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Micro-Comm will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. Requests for trouble repair are billed in accordance with the provisions of

Version 3Q03: 11/12/2003

this Agreement. BellSouth and Micro-Comm agree to adhere to BellSouth's Operational Understanding, as amended from time to time during this Agreement and as incorporated herein by reference. The Operational Understanding may be accessed via BellSouth's interconnection website.

- 2.1.5 <u>Billing</u>. BellSouth will provide Micro-Comm nondiscriminatory access to billing information as specified in Attachment 7 to this Agreement.
- Change Management. BellSouth and Micro-Comm agree that the collaborative change management process known as the Change Control Process (CCP) will be used to manage changes to existing interfaces, introduction of new interfaces and retirement of interfaces. BellSouth and Micro-Comm agree to comply with the provisions of the documented CCP as may be amended from time to time and incorporated herein by reference. The CCP will cover changes to BellSouth's electronic interfaces, BellSouth's testing environment, associated manual process improvements, and relevant documentation. The process will define a procedure for resolution of change management disputes. Documentation of the CCP as well as related information and processes will be clearly organized and readily accessible to Micro-Comm at BellSouth's interconnection website.
- 2.3 Rates. Charges for use of OSS shall be as set forth in this Agreement.

3. MISCELLANEOUS

- 3.1 <u>Pending Orders.</u> Orders placed in the hold or pending status by Micro-Comm will be held for a maximum of thirty (30) calendar days from the date the order is placed on hold. After such time, Micro-Comm shall be required to submit a new service request. Incorrect or invalid requests returned to Micro-Comm for correction or clarification will be held for thirty (30) calendar days. If Micro-Comm does not return a corrected request within thirty (30) calendar days, BellSouth will cancel the request.
- 3.2 Single Point of Contact. Micro-Comm will be the single point of contact with BellSouth for ordering activity for network elements and other services used by Micro-Comm to provide services to its End Users, except that BellSouth may accept a request directly from another CLEC, or BellSouth, acting with authorization of the affected End User. Micro-Comm and BellSouth shall each execute a blanket letter of authorization with respect to customer requests so that prior proof of End User authorization will not be necessary with every request (except in the case of a local service freeze). The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for requests, provided, however, that such processes shall comply with applicable state and federal law and industry and regulatory guidelines. Pursuant to a request from another carrier, BellSouth may disconnect any network element being used by Micro-Comm to provide service to that End User and may reuse such network elements or facilities to enable such other carrier to provide service to the End

User. BellSouth will notify Micro-Comm that such a request has been processed but will not be required to notify Micro-Comm in advance of such processing.

- 3.2.1 Neither BellSouth nor Micro-Comm shall prevent or delay an End User from migrating to another carrier because of unpaid bills, denied service, or contract terms.
- 3.2.2 BellSouth shall return a Firm Order Confirmation (FOC) and LSR rejection/clarification within the intervals in accordance with the Service Quality Measurement (SQM) set forth in Attachment 9 of this Agreement.
- 3.2.3 Micro-Comm shall return a FOC to BellSouth within thirty-six (36) hours after Micro-Comm's receipt from BellSouth of a valid LSR.
- 3.2.4 Micro-Comm shall provide a Reject Response to BellSouth within twenty-four (24) hours after BellSouth's submission of an LSR which is incomplete or incorrectly formatted.
- 3.3 <u>Use of Facilities</u>. When a customer of Micro-Comm elects to discontinue service and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to Micro-Comm by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received a request to establish new service or transfer of service from a customer or a customer's CLEC at the same address served by the denied facility. BellSouth will notify Micro-Comm that such a request has been processed after the disconnect order has been completed.
- 3.4 <u>Contact Numbers</u>. The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services.
- 3.5 <u>Subscription Functions</u>. In cases where BellSouth performs subscription functions for an interexchange carrier (IXC) (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will in all possible instances provide the affected IXCs with the Operating Company Number (OCN) of the local provider for the purpose of obtaining End User billing account and other End User information required under subscription requirements.
- 3.5.1 When Micro-Comm's End User, served by resale or loop and port combinations, changes its PIC or LPIC, and per BellSouth's FCC or state tariff the IXC elects to charge the End User the PIC or LPIC change charge, BellSouth will bill the PIC or LPIC change charge to Micro-Comm, which has the billing relationship with that End User, and Micro-Comm may pass such charge to the End User.
- 3.6 <u>Cancellation Charges</u>. If Micro-Comm cancels a request for network elements or resold services, any costs incurred by BellSouth in conjunction with the provisioning of that request will be recovered in accordance with BellSouth's

Version 3Q03: 11/12/2003

Private Line Tariff or BellSouth's FCC No. 1 Tariff, Section 5.4, as applicable. Notwithstanding the foregoing, if Micro-Comm places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements requested and another spare compatible facility cannot be found with the transmission characteristics of the network elements originally requested, cancellation charges described in this Section shall not apply. Where Micro-Comm places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, Micro-Comm may cancel its request for those network elements or services without incurring cancellation charges as described in this Section. In such instance, should Micro-Comm elect to cancel the entire LSR, cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.

3.7 <u>Service Date Advancement Charges (a.k.a. Expedites)</u>. For Service Date Advancement requests by Micro-Comm, Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in BellSouth's FCC No. 1 Tariff, Section 5, will apply as applicable.