Amendment to the Agreement Between

NationsLine North Carolina, Inc. NationsLine South Carolina, Inc.,
NationsLine South, Inc., NationsLine Georgia, Inc., NationsLine Florida, Inc., NationsLine
Kentucky, Inc., NationsLine Tennessee, Inc. and
BellSouth Telecommunications, Inc.
Dated April 7, 2005

Pursuant to this Amendment, (the "Amendment"), NationsLine North Carolina, Inc. NationsLine South Carolina, Inc., NationsLine South, Inc., NationsLine Georgia, Inc., NationsLine Florida, Inc., NationsLine Kentucky, Inc., NationsLine Tennessee, Inc. (NationsLine), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated April 7, 2005 ("Agreement") to be effective April 7, 2005.

WHEREAS, BellSouth and NationsLine entered into the Agreement on April 7, 2005, and;

WHEREAS, BellSouth and NationsLine desire to amend the Agreement to modify provisions pursuant to the Federal Communications Commission's (FCC) Order on Remand (Triennial Review Remand Order), WC Docket No. 04-313, released February 4, 2005 and effective March 11, 2005;

WHEREAS, the Parties desire to amend the Agreement to reflect other changes as agreed upon by the parties;

NOW, THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The Parties agree to delete Attachment 2, Network Elements and Other Services, in its entirety and replace with Attachment 2 reflected as Exhibit 1, attached hereto and by reference incorporated into this Amendment.
- 2. The Parties agree to add the rates for SS7 Interconnection to Exhibit A of Attachment 3, attached hereto as Exhibit 2 and by reference incorporated into this Amendment.
- 3. All of the other provisions of the Agreement dated April 7, 2005 shall remain unchanged and in full force and effect.
- 4. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

Version: TRRO Amendment

03/15/05

IN WITNESS WHEREOF, the Parties have executed this Amendment the day and year written below.

BellSouth Telecommunications, Inc.

NationsLine North Carolina, Inc. NationsLine South Carolina, Inc., NationsLine South, Inc., NationsLine Georgia, Inc., NationsLine Florida, Inc., NationsLine Kentucky, Inc., NationsLine Tennessee, Inc. (NationsLine),

By: /wt Z/m

Name: Kristen Rowe

Title: Director

Date: 4/27/05

By: let

Name: StephanAthanson

Title: General Gunsel

Date: 4/25/05

Version: TRRO Amendment 03/15/05

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

| 1 | INTRODUCTION | 3 |
|-----|--|----------|
| | | |
| 2 | LOOPS | 7 |
| 3 | LINE SPLITTING | 26 |
| 4 | UNBUNDLED NETWORK ELEMENT COMBINATIONS | 28 |
| 5 | DEDICATED TRANSPORT AND DARK FIBER TRANSPORT | 31 |
| 6 | AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DM | IS) 35 |
| 7 | WHITE PAGES LISTINGS | 37 |
| Rat | tesEx | khibit A |
| Rat | tes | xhibit B |

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 Introduction

- 1.1 This Attachment sets forth rates, terms and conditions for unbundled network elements (Network Elements) and combinations of Network Elements (Combinations) that BellSouth offers to NationsLine for NationsLine's provision of Telecommunications Services in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to NationsLine (Other Services). Additionally, the provision of a particular Network Element or Other Service may require NationsLine to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 The rates for each Network Element, Combinations and Other Services are set forth in Exhibits A and B. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party. If NationsLine purchases service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply. A one-month minimum billing period shall apply to all Network Elements, Combinations and Other Services.
- 1.3 NationsLine may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R § 51.309.
- 1.4 The Parties shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.5 NationsLine shall not obtain a Network Element for the exclusive provision of mobile wireless services or interexchange services.
- Conversion of Wholesale Services to Network Elements or Network Elements to Wholesale Services. Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent Network Element or Combination that is available to NationsLine pursuant to Section 251 of the Act and under this Agreement or convert a Network Element or Combination that is available to NationsLine pursuant to Section 251 of the Act and under this Agreement to an equivalent wholesale service or group of wholesale services offered by BellSouth (collectively "Conversion"). BellSouth shall charge the applicable nonrecurring switch-as-is rates for Conversions to specific Network Elements or Combinations found in Exhibit A. BellSouth shall also charge the same nonrecurring switch-as-is rates when converting from Network Elements or Combinations. Any rate change resulting from the Conversion will be effective as of the next billing cycle following

Version: ATT 2 TRRO Amendment - 2004

03/15/05

BellSouth's receipt of a complete and accurate Conversion request from NationsLine. A Conversion shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between NationsLine and BellSouth. Any change from a wholesale service/group of wholesale services to a Network Element/Combination, or from a Network Element/Combination to a wholesale service/group of wholesale services, that requires a physical rearrangement will not be considered to be a Conversion for purposes of this Agreement. BellSouth will not require physical rearrangements if the Conversion can be completed through record changes only. Orders for Conversions will be handled in accordance with the guidelines set forth in the Ordering Guidelines and Processes and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 below.

- 1.7 Except to the extent expressly provided otherwise in this Attachment, NationsLine may not maintain unbundled network elements or combinations of unbundled network elements, that are no longer offered pursuant to this Agreement (collectively "Arrangements"). In the event BellSouth determines that NationsLine has in place any Arrangements after the Effective Date of this Agreement, BellSouth may disconnect such Arrangements without notice under this Agreement to NationsLine.
- 1.8 Prior to submitting an order pursuant to this Agreement for high capacity (DS1 or above) Dedicated Transport or high capacity Loops, NationsLine shall undertake a reasonably diligent inquiry to determine whether NationsLine is entitled to unbundled access to such Network Elements in accordance with the terms of this Agreement. By submitting any such order, NationsLine self-certifies that to the best of NationsLine's knowledge, the high capacity Dedicated Transport or high capacity Loop requested is available as a Network Element pursuant to this Agreement. Upon receiving such order, BellSouth shall process the request in reliance upon NationsLine's self-certification. To the extent BellSouth believes that such request does not comply with the terms of this Agreement, BellSouth shall seek dispute resolution in accordance with the General Terms and Conditions of this Agreement.
- 1.9 NationsLine may utilize Network Elements and Other Services to provide services in accordance with this Agreement, as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- 1.10 BellSouth will perform Routine Network Modifications (RNM) in accordance with FCC 47 C.F.R. § 51.319 (a)(7) and (e)(4) for Loops and Dedicated Transport provided under this Attachment. If BellSouth has anticipated such RNM and performs them during normal operations and has recovered the costs for performing such modifications through the rates set forth in Exhibit A, then BellSouth shall perform such RNM at no additional charge. RNM shall be performed within the intervals established for the Network Element and subject to

the performance measurements and associated remedies set forth in Attachment 9 to the extent such RNM were anticipated in the setting of such intervals. If BellSouth has not anticipated a requested network modification as being a RNM and has not recovered the costs of such RNM in the rates set forth in Exhibit A, then such request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request and, upon receipt of payment from NationsLine, BellSouth shall perform the RNM.

1.11 <u>Commingling of Services</u>

- 1.11.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Combination, to one or more Telecommunications Services or facilities that NationsLine has obtained at wholesale from BellSouth, or the combining of a Network Element or Combination with one or more such wholesale Telecommunications Services or facilities. NationsLine must comply with all rates, terms or conditions applicable to such wholesale Telecommunications Services or facilities.
- 1.11.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a Combination on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for mobile wireless services and/or interexchange services.
- 1.11.3 Unless otherwise agreed to by the Parties, the Network Element portion of a commingled circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates or rates set forth in a separate agreement between the Parties.
- 1.11.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment will be billed from the same agreement or tariff as the higher bandwidth circuit. Central Office Channel Interfaces (COCI) will be billed from the same agreement or tariff as the lower bandwidth circuit.
- 1.11.5 Notwithstanding any other provision of this Agreement, BellSouth shall not be obligated to commingle or combine Network Elements or Combinations with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.
- 1.12 Terms and conditions for order cancellation charges and Service Date
 Advancement Charges will apply in accordance with Attachment 6 and are
 incorporated herein by this reference. The charges shall be as set forth in Exhibit
 A.

1.13 Ordering Guidelines and Processes

- 1.13.1 For information regarding Ordering Guidelines and Processes for various Network Elements, Combinations and Other Services, NationsLine should refer to the "Guides" section of the BellSouth Interconnection Web site, which is incorporated herein by reference, as amended from time to time. The Web site address is: http://www.interconnection.bellsouth.com/.
- 1.13.2 Additional information may also be found in the individual CLEC Information Packages, which are incorporated herein by reference, as amended from time to time, located at the "CLEC UNE Products" Web site address: http://www.interconnection.bellsouth.com/guides/html/unes.html.
- 1.13.3 The provisioning of Network Elements, Combinations and Other Services to NationsLine's Collocation Space will require cross-connections within the central office to connect the Network Element, Combinations or Other Services to the demarcation point associated with NationsLine's Collocation Space. These cross-connects are separate components that are not considered a part of the Network Element, Combinations or Other Services and, thus, have a separate charge pursuant to Attachment 4.

1.13.4 <u>Testing/Trouble Reporting.</u>

- 1.13.4.1 NationsLine will be responsible for testing and isolating troubles on Network Elements. NationsLine must test and isolate trouble to the BellSouth network before reporting the trouble to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, NationsLine will be required to provide the results of the NationsLine test which indicate a problem on the BellSouth network.
- 1.13.4.2 Once NationsLine has isolated a trouble to the BellSouth network, and has issued a trouble report to BellSouth, BellSouth will take the actions necessary to repair the Network Element when trouble is found. BellSouth will repair its network facilities to its wholesale customers in the same time frames that BellSouth repairs similar services to its retail End Users.
- 1.13.4.3 If NationsLine reports a trouble on a BellSouth Network Element and no trouble is found in BellSouth's network, BellSouth will charge NationsLine a Maintenance of Service Charge for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Network Element's working status. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.
- 1.13.4.4 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by NationsLine (e.g.,

incomplete address, incorrect contact name/number, etc.), BellSouth will bill NationsLine for each additional dispatch required to repair the Network Element due to the incorrect/incomplete information provided. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.

2 Loops

- 2.1 General. The local loop Network Element is defined as a transmission facility that BellSouth provides pursuant to this Attachment between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an End User premises (Loop). Facilities that do not terminate at a demarcation point at an End User premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute local Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers (DSLAMs)), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's premises, including inside wire owned or controlled by BellSouth. NationsLine shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.
- 2.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.2 Fiber to the Home (FTTH) loops are local loops consisting entirely of fiber optic cable, whether dark or lit, serving an End User's premises or, in the case of predominantly residential multiple dwelling units (MDUs), a fiber optic cable, whether dark or lit, that extends to the MDU minimum point of entry (MPOE). Fiber to the Curb (FTTC) loops are local loops consisting of fiber optic cable connecting to a copper distribution plant that is not more than five hundred (500) feet from the End User's premises or, in the case of predominantly residential MDUs, not more than five hundred (500) feet from the MDU's MPOE. The fiber optic cable in a FTTC loop must connect to a copper distribution plant at a serving area interface from which every other copper distribution subloop also is not more than five hundred (500) feet from the respective End User's premises.
- 2.1.2.1 In new build (Greenfield) areas, where BellSouth has only deployed FTTH/FTTC facilities, BellSouth is under no obligation to provide Loops. FTTH facilities include fiber loops deployed to the MPOE of a MDU that is predominantly residential regardless of the ownership of the inside wiring from the MPOE to each End User in the MDU.

- 2.1.2.2 In FTTH/FTTC overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to NationsLine on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64 kilobits per second (kbps) second voice grade channel over its FTTH/FTTC facilities.
- 2.1.2.3 Furthermore, in FTTH/FTTC overbuild areas where BellSouth has not yet retired copper facilities, BellSouth is not obligated to ensure that such copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by NationsLine. If a request is received by BellSouth for a copper Loop, and the copper facilities have not yet been retired, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH/FTTC overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval
- A hybrid Loop is a local Loop, composed of both fiber optic cable, usually in the feeder plant, and copper twisted wire or cable, usually in the distribution plant. BellSouth shall provide NationsLine with nondiscriminatory access to the time division multiplexing features, functions and capabilities of such hybrid Loop, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's premises.
- 2.1.4 <u>Transition for DS1 and DS3 Loops</u>
- 2.1.4.1 For purposes of this Section 2, the Transition Period for DS1 and DS3 Loops is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.
- 2.1.4.2 For purposes of this Section 2, Embedded Base means DS1 and DS3 Loops that were in service for NationsLine as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 2.1.4.3 For purposes of this Section 2, a Business Line is defined in 47 C.F.R. § 51.5.
- 2.1.4.4 BellSouth shall make available DS1 and DS3 Loops as defined in this Section 2. Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available DS1 and DS3 Loops as described in this Section 2.1.4 only for NationsLine's Embedded Base during the Transition Period:
- 2.1.4.4.1 DS1 Loops at any location within the service area of a wire center containing 60,000 or more Business Lines and four (4) or more fiber-based collocators.
- 2.1.4.4.2 DS3 Loops at any location within the service area of a wire center containing 38,000 or more Business Lines and four (4) or more fiber-based collocators.

- 2.1.4.5 During the Transition Period, the rates for NationsLine's Embedded Base of DS1 and DS3 Loops described in this Section 2.1.4 shall be as set forth in Exhibit B.
- 2.1.4.6 The Transition Period shall apply only to NationsLine's Embedded Base and NationsLine shall not add new DS1 or DS3 loops as described in this Section 2.1.4 pursuant to this Agreement.
- 2.1.4.7 Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.4.1, no future DS1 Loop unbundling will be required in that wire center.
- 2.1.4.8 Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.4.2, no future DS3 Loop unbundling will be required in that wire center.
- 2.1.4.9 At the end of the Transition Period any remaining Embedded Base will be disconnected.
- 2.1.5 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at BellSouth's Web site: http://www.interconnection.bellsouth.com. For orders of fifteen (15) or more Loops, the installation and any applicable OC as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.6 The Loop shall be provided to NationsLine in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.7.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If NationsLine wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g., UVL-SL1, UVL-SL2, and UCL-ND), NationsLine may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A.
- 2.1.7.2 For voice grade Loop orders (or orders for Loops intended to provide voice grade services), NationsLine shall have dial-tone available for that Loop forty-eight (48) hours prior to the Loop order completion due date.
- 2.1.8 Order Coordination (OC) and Order Coordination-Time Specific (OC-TS)

- 2.1.8.1 OC allows BellSouth and NationsLine to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to NationsLine's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.8.2 OC-TS allows NationsLine to order a specific time for OC to take place. BellSouth will make commercially reasonable efforts to accommodate NationsLine's specific conversion time request. However, BellSouth reserves the right to negotiate with NationsLine a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. NationsLine may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If NationsLine specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in BellSouth's Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.1.9

| | Order Coordination (OC) | Order Coordination - Time Specific (OC-TS) | Test Points | DLR | Charge for Dispatch and Testing if No Trouble Found |
|---|---|---|------------------------------------|---|---|
| SL-1 (Non- Designed) | Chargeable Option | Chargeable Option | Not available | Chargeable Option – ordered as Engineering Information Document | Charged for Dispatch inside and outside Central Office |
| UCL-ND (Non- Designed) | Chargeable Option | Not Available | Not Available | Chargeable Option – ordered as Engineering Information Document | Charged for Dispatch inside and outside Central Office |
| Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed) | Included | Chargeable Option | Included | Included | Charged for Dispatch outside Central Office |
| Unbundled Digital Loop (Designed) | Included | Chargeable Option | Included (where appropriate) | Included | Charged for Dispatch outside Central Office |
| Unbundled Copper Loop (Designed) | Chargeable in accordance with Section 2 | Not available | Included | Included | Charged for Dispatch outside Central Office |

For UVL-SL1 and UCLs, NationsLine must order and will be billed for both OC and OC-TS if requesting OC-TS.

2.1.9 <u>CLEC to CLEC Conversions for Unbundled Loops</u>

2.1.9.1 The CLEC to CLEC conversion process for Loops may be used by NationsLine when converting an existing Loop from another CLEC for the same End User.

The Loop type being converted must be included in NationsLine's Interconnection Agreement before requesting a conversion.

- 2.1.9.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.9.3 The Loops converted to NationsLine pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Agreement for the specific Loop type.

2.1.10 <u>Bulk Migration</u>

- 2.1.10.1 BellSouth will make available to NationsLine a Bulk Migration process pursuant to which NationsLine may request to migrate port/loop combinations, provisioned pursuant to a separate agreement between the parties, to Loops (UNE-L). The Bulk Migration process may be used if such loop/port combinations are (1) associated with two (2) or more Existing Account Telephone Numbers (EATNs); and (2) located in the same Central Office. The terms and conditions for use of the Bulk Migration process are described in the BellSouth CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at www.interconnection.bellsouth.com/guides/html/unes.html. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A. Additionally, Operations Support Systems (OSS) charges will also apply. Loops connected to Integrated Digital Loop Carrier (IDLC) systems will be migrated pursuant to Section 2.6 below.
- 2.1.10.2 Should NationsLine request migration for two (2) or more EATNs containing fifteen (15) or more circuits, NationsLine must use the Bulk Migration process referenced in 2.1.11.1 above.
- 2.2 Unbundled Voice Loops (UVLs)
- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- 2.2.2 UVL may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any

given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that NationsLine will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels - Service Level One (SL1) and Service Level Two (SL2).

- 2.2.3 <u>Unbundled Voice Loop SL1 (UVL-SL1).</u> Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by NationsLine, however, OC is always required on UCLs that involve the reuse of facilities that are currently providing service. NationsLine may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.
- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that NationsLine may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A.
- 2.2.5 <u>Unbundled Voice Loop SL2 (UVL-SL2).</u> Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to NationsLine. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow NationsLine to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.
- 2.3 <u>Unbundled Digital Loops</u>
- 2.3.1 BellSouth will offer UDLs. UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop

- 2.3.2.2 2-wire Unbundled ADSL Compatible Loop2.3.2.3 2-wire Unbundled HDSL Compatible Loop
- 2.3.2.4 4-wire Unbundled HDSL Compatible Loop
- 2.3.2.5 4-wire Unbundled DS1 Digital Loop
- 2.3.2.6 4-wire Unbundled Digital Loop/DS0 64 kbps, 56 kbps and below
- 2.3.2.7 DS3 Loop
- 2.3.2.8 STS-1 Loop
- 2.3.3 <u>2-wire Unbundled ISDN Digital Loops.</u> These will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. NationsLine will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.3.4 <u>2-wire ADSL-Compatible Loop.</u> This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 <u>2-wire or 4-wire HDSL-Compatible Loop.</u> This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.6 <u>4-wire Unbundled DS1 Digital Loop.</u>
- 2.3.6.1 This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-wire DS1 Network Interface at the End User's location. For purposes of this Agreement, including the transition of DS1 and DS3 Loops described in Section 2.1.4 above, DS1 Loops include 2-wire and 4-2ire copper Loops capable of providing high-bit rate digital subscriber line services, such as 2-wire and 4-wire HDSL Compatible Loops.

- 2.3.6.2 BellSouth shall not provide more than ten (10) unbundled DS1 Loops to NationsLine at any single building in which DS1 Loops are available as unbundled Loops.
- 2.3.7 <u>4-wire Unbundled Digital/DS0 Loop.</u> These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 <u>DS3 Loop.</u> DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 Mbps. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a SI in order to ascertain availability.
- 2.3.11 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth's TR73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.12 NationsLine may obtain a maximum of a single Unbundled DS3 Loop to any single building in which DS3 Loops are available as Unbundled Loops.
- 2.4 Unbundled Copper Loops (UCL).
- 2.4.1 BellSouth shall make available UCLs. The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types Designed and Non-Designed.

- 2.4.2 <u>Unbundled Copper Loop Designed (UCL-D)</u>
- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2-wire or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be 18,000 feet or less in length and is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by NationsLine.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by NationsLine to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3 <u>Unbundled Copper Loop Non-Designed (UCL-ND)</u>
- 2.4.3.1 The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6,000 feet of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18,000 feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.
- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, NationsLine can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that NationsLine may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A.

- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by NationsLine to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 NationsLine may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCLND could be transformed into Loops that do qualify, using the ULM process.
- 2.5 <u>Unbundled Loop Modifications (Line Conditioning)</u>
- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Subloop that may diminish the capability of the Loop or Subloop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth's TR73600 Unbundled Local Loop Technical Specification.
- 2.5.2 BellSouth will remove load coils only on copper Loops and Subloops that are less than 18,000 feet in length.
- 2.5.3 For any copper loop being ordered by NationsLine which has over six thousand (6,000) feet of combined bridged tap will be modified, upon request from NationsLine, so that the loop will have a maximum of six thousand (6,000) feet of bridged tap. This modification will be performed at no additional charge to NationsLine. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper Loop that will result in a combined total of bridged tap between two thousand five hundred (2,500) and six thousand (6,000) feet will be performed at the rates set forth in Exhibit A.
- 2.5.4 NationsLine may request removal of any unnecessary and non-excessive bridged tap (bridged tap between zero (0) and two thousand five hundred (2,500) feet which serves no network design purpose), at rates pursuant to BellSouth's SC Process as mutually agreed to by the Parties.
- 2.5.5 Rates for ULM are as set forth in Exhibit A.

- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If NationsLine requests ULM on a reserved facility for a new Loop order, BellSouth may perform a pair change and provision a different Loop facility in lieu of the reserved facility with ULM if feasible. The Loop provisioned will meet or exceed specifications of the requested Loop facility as modified. NationsLine will not be charged for ULM if a different Loop is provisioned. For Loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the Loop provisioned.
- 2.5.8 NationsLine shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that NationsLine desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for NationsLine, NationsLine will submit a SI to BellSouth. If a spare Loop facility that meets the Loop modification specifications requested by NationsLine is available at the location for which the ULM was requested, NationsLine will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, NationsLine will not be charged for ULM but will only be charged the service order charges for submitting an order.

2.6 <u>Loop Provisioning Involving IDLC</u>

- 2.6.1 Where NationsLine has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to NationsLine. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for NationsLine (e.g., hairpinning):
 - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
 - 3. If capacity exists, provide "side-door" porting through the switch.
 - 4. If capacity exists, provide "Digital Access Cross-Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.

2.6.3 If no alternate facility is available, and upon request from NationsLine, and if agreed to by both Parties, BellSouth may utilize its SC process to determine the additional costs required to provision facilities. NationsLine will then have the option of paying the one-time SC rates to place the Loop.

2.7 Network Interface Device

- 2.7.1 The NID is defined as any means of interconnection of the End User's customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit NationsLine to connect NationsLine's Loop facilities to the End User's customer premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

- 2.7.3.1 NationsLine may access the End User's premises wiring by any of the following means and NationsLine shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow NationsLine to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises;
- 2.7.3.1.2 Where an adequate length of the End User's customer premises wiring is present and environmental conditions permit, either Party may remove the End User premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a cross-connect or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or

- 2.7.3.1.4 NationsLine may request BellSouth to make other rearrangements to the End User premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be NationsLine's responsibility to ensure there is no safety hazard, and NationsLine will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored.
- 2.7.3.3 NationsLine shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 NationsLine shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with NationsLine to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 <u>Technical Requirements</u>
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's customer premises and the distribution media and/or cross-connect to NationsLine's NID.
- 2.7.4.3 Existing BellSouth NIDs will be operational and provided in "as is" condition. NationsLine may request BellSouth to do additional work to the NID on a time and material basis. When NationsLine deploys its own local loops in a multiple-line termination device, NationsLine shall specify the quantity of NID connections that it requires within such device.

- 2.8 <u>Subloop Elements.</u>
- 2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Subloop (USL) elements as specified herein.
- 2.8.2 Unbundled Subloop Distribution (USLD)
- 2.8.2.1 The USLD facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The USLD media is a copper twisted pair that can be provisioned as a 2-wire or 4-wire facility. BellSouth will make available the following subloop distribution offerings where facilities exist:

USLD – Voice Grade (USLD-VG)
Unbundled Copper Subloop (UCSL)
USLD – Intrabuilding Network Cable (USLD-INC (aka riser cable))

- 2.8.2.2 USLD-VG is a copper subloop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.
- 2.8.2.3 UCSL is a copper facility eighteen thousand (18,000) feet or less in length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 2.8.2.3.1 If NationsLine requests a UCSL and it is not available, NationsLine may request the copper Subloop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 USLD-INC is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the End User's premises.
- 2.8.2.4.1 Upon request for USLD-INC from NationsLine, BellSouth will install a cross-connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in twenty five (25) pair increments for NationsLine's use on this cross-connect panel.

NationsLine will be responsible for connecting its facilities to the twenty five (25) pair cross-connect block(s).

- 2.8.2.5 For access to Voice Grade USLD and UCSL, NationsLine shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in Attachment 4. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. NationsLine's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to USLs at the location requested by NationsLine is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet NationsLine's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at BellSouth's Interconnection Web site address: http://www.interconnection.bellsouth.com/products/html/unes.html.
- 2.8.2.7 The site set-up must be completed before NationsLine can order Subloop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice NationsLine's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, NationsLine will request Subloop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when NationsLine requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by NationsLine for Subloop pairs, expedite charges will apply for intervals less than five (5) days.
- 2.8.2.9 USLs will be provided in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specifications.
- 2.8.3 <u>Unbundled Network Terminating Wire (UNTW)</u>
- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in MDUs and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own

wiring to the End User's premises, where a third party owns the wiring to the End User's premises.

2.8.3.3 Requirements

- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, and NationsLine does own or control such wiring, NationsLine will install UNTW Access Terminals for BellSouth under the same terms and conditions as BellSouth provides UNTW Access Terminals to NationsLine.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate NationsLine for each pair activated commensurate to the price specified in NationsLine's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as

certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or within thirty (30) days after completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.

- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten percent (10%) of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge (NRC) equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.
- 2.9 Loop Makeup
- 2.9.1 Description of Service

- 2.9.1.1 BellSouth shall make available to NationsLine LMU information with respect to Loops that are required to be unbundled under this Agreement so that NationsLine can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment NationsLine intends to install and the services NationsLine wishes to provide. LMU is a preordering transaction, distinct from NationsLine ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.
- 2.9.1.2 BellSouth will provide NationsLine LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to NationsLine as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a LOA from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 NationsLine may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by NationsLine and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (e.g., ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee NationsLine's ability to provide advanced data services over the ordered Loop type. Furthermore, the LMU information for Loops other than copper-only Loops (e.g., ADSL, UCL-ND, etc.) that support xDSL services, is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Except as set forth in Section 2.9.1.6, copperonly Loops will not be subject to change due to modification and/or upgrades to BellSouth's network and will remain on copper facilities until the Loop is disconnected by NationsLine or the End User, or until BellSouth retires the copper facilities via the FCC's and any applicable Commission's requirements.

NationsLine is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

2.9.1.6 If BellSouth retires its copper facilities using 47 C.F.R § 52.325(a) requirements; or is required by a governmental agency or regulatory body to move or replace copper facilities as a maintenance procedure, BellSouth will notify NationsLine, according to the applicable network disclosure requirements. It will be NationsLine's responsibility to move any service it may provide over such facilities to alternative facilities. If NationsLine fails to move the service to alternative facilities by the date in the network disclosure notice, BellSouth may terminate the service to complete the network change.

2.9.2 <u>Submitting LMUSI</u>

- 2.9.2.1 NationsLine may obtain LMU information and reserve facilities by submitting a mechanized LMU query or a manual LMUSI according to the terms and conditions as described in the LMU CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at the "CLEC UNE Product" Web site address: www.interconnection.bellsouth.com/guides/html/unes.html. After obtaining the Loop information from the mechanized LMU process, if NationsLine needs further Loop information in order to determine Loop service capability, NationsLine may initiate a separate Manual SI for a separate NRC as set forth in Exhibit A.
- 2.9.2.2 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. NationsLine will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, NationsLine does not reserve facilities upon an initial LMUSI, NationsLine's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A.
- 2.9.2.3 Where NationsLine has reserved multiple Loop facilities on a single reservation, NationsLine may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to NationsLine, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by NationsLine.
- 2.9.2.4 Charges for preordering manual LMUSI or mechanized LMU are separate from any charges associated with ordering other services from BellSouth.

3 Line Splitting

3.1 Line splitting shall mean that a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End

Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.

- 3.2 <u>Line Splitting UNE-L.</u> In the event NationsLine provides its own switching or obtains switching from a third party, NationsLine may engage in line splitting arrangements with another CLEC using a splitter, provided by NationsLine, in a Collocation Space at the central office where the loop terminates into a distribution frame or its equivalent.
- 3.3 <u>Provisioning Line Splitting and Splitter Space</u>
- 3.3.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When NationsLine or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location; a collocation cross-connection connecting the Loop to the collocation space; a second collocation cross-connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. When BellSouth owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location with CFA and splitter port assignments, and a collocation cross-connection from the collocation space connected to a voice port.
- 3.3.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.4 CLEC Provided Splitter Line Splitting
- 3.4.1 To order High Frequency Spectrum on a particular Loop, NationsLine must have a DSLAM collocated in the central office that serves the End User of such Loop.
- 3.4.2 NationsLine must provide its own splitters in a central office and have installed its DSLAM in that central office.
- 3.4.3 NationsLine may purchase, install and maintain central office POTS splitters in its collocation arrangements. NationsLine may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.4.4 Any splitters installed by NationsLine in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. NationsLine may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

- 3.5 <u>Maintenance Line Splitting.</u>
- 3.5.1 BellSouth will be responsible for repairing voice troubles and the troubles with the physical loop between the NID at the End User's premises and the termination point.
- 3.5.2 NationsLine shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the other service provider, except to the extent caused by BellSouth's gross negligence or willful misconduct.

4 Unbundled Network Element Combinations

- 4.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by NationsLine are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by NationsLine are not already combined by BellSouth in the location requested by NationsLine but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by NationsLine are not elements that BellSouth combines for its use in its network.
- 4.1.1 Except as otherwise set forth in this Agreement, upon request, BellSouth shall perform the functions necessary to combine Network Elements that BellSouth is required to provide under this Agreement in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such Combination is technically feasible and will not undermine the ability of other carriers to obtain access to Network Elements or to interconnect with BellSouth's network.
- 4.1.2 To the extent NationsLine requests a Combination for which BellSouth does not have methods and procedures in place to provide such Combination, rates and/or methods or procedures for such Combination will be developed pursuant to the BFR process.
- 4.2 Rates
- 4.2.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A shall be the rates associated with such Combinations. Where a Currently Combined Combination is not specifically set forth in Exhibit A, the rate for such Currently Combined Combination shall be the sum of the recurring rates for those

individual Network Elements as set forth in Exhibit A and/or Exhibit B in addition to the applicable nonrecurring switch-as-is charge set forth in Exhibit A.

- 4.2.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A shall be the nonrecurring and recurring charges for those Combinations. Where an Ordinarily Combined Combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B and nonrecurring rates for those individual Network Elements as set forth in Exhibit A.
- 4.2.3 The rates for Not Typically Combined Combinations shall be developed pursuant to the BFR process upon request of NationsLine.
- 4.3 Enhanced Extended Links (EELs)
- 4.3.1 EELs are combinations of Loops and Dedicated Transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide NationsLine with EELs where the underlying Network Element are available and are required to be provided pursuant to this Agreement and in all instances where the requesting carrier meets the eligibility requirements, if applicable.
- 4.3.2 High-capacity EELs are (1) combinations of Loop and Dedicated Transport, (2) Dedicated Transport commingled with a wholesale loop, or (3) a loop commingled with wholesale transport at the DS1 and/or DS3 level as described in 47 C.F.R. § 51.318(b).
- By placing an order for a high-capacity EEL, NationsLine thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit NationsLine's high-capacity EELs as specified below.
- 4.3.4 <u>Service Eligibility Criteria</u>
- 4.3.4.1 High capacity EELs must comply with the following service eligibility requirements. NationsLine must certify for each high-capacity EEL that all of the following service eligibility criteria are met:
- 4.3.4.1.1 NationsLine has received state certification to provide local voice service in the area being served;
- 4.3.4.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:

- 4.3.4.2.1 1) Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit;
- 4.3.4.2.2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;
- 4.3.4.2.3 3) Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit;
- 4.3.4.2.4 4) Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 C.F.R. § 51.318(c);
- 4.3.4.2.5 5) Each circuit to be provided to each End User will be served by an interconnection trunk over which NationsLine will transmit the calling party's number in connection with calls exchanged over the trunk;
- 4.3.4.2.6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, NationsLine will have at least one (1) active DS1 local service interconnection trunk over which NationsLine will transmit the calling party's number in connection with calls exchanged over the trunk; and
- 4.3.4.2.7 7) Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic.
- 4.3.4.3 BellSouth may, on an annual basis, audit NationsLine's records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that NationsLine failed to comply with the service eligibility criteria, NationsLine must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a goingforward basis. In the event the auditor's report concludes that NationsLine did not comply in any material respect with the service eligibility criteria, NationsLine shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that NationsLine did comply in all material respects with the service eligibility criteria, BellSouth will reimburse NationsLine for its reasonable and demonstrable costs associated with the audit. NationsLine will maintain appropriate documentation to support its certifications.
- 4.3.4.4 In the event NationsLine converts special access services to UNEs, NationsLine shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

5 Dedicated Transport and Dark Fiber Transport

Dedicated Transport. Dedicated Transport is defined as BellSouth's transmission facilities between wire centers or switches owned by BellSouth, or between wire centers or switches owned by BellSouth and switches owned by NationsLine. Including but not limited to DS1, DS3 and OCn level services, as well as dark fiber, dedicated to NationsLine. BellSouth shall not be required to provide access to OCn level Dedicated Transport under any circumstances pursuant to this Agreement. In addition, except as set forth in Section 5.2 below, BellSouth shall not be required to provide to NationsLine unbundled access to Dedicated Transport that does not connect a pair of wire centers or switches owned by BellSouth ("Entrance Facilities").

5.2 <u>Transition for DS1 and DS3 Dedicated Transport</u>

- 5.2.1 For purposes of this Section 5.2, the Transition Period for DS1 and DS3 Dedicated Transport is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.
- 5.2.2 For purposes of this Section 5.2, Embedded Base means DS1 and DS3 Dedicated Transport that were in service for NationsLine as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 5.2.3 For purposes of this Section 5.2, a Business Line is as defined in 47 C.F.R. § 51.5.
- 5.2.4 BellSouth shall make available Dedicated Transport as defined in this Section 5.

 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dedicated Transport as described in this Section 5.2 only for NationsLine's Embedded Base during the Transition Period:
- 5.2.4.1 DS1 Dedicated Transport where both wire centers at the end points of the route contain 38,000 Business Lines or four (4) or more fiber-based collocators.
- 5.2.4.2 DS3 Dedicated Transport where both wire centers at the end points of the route contain 24,000 or more Business Lines or three (3) or more fiber-based collocators.
- 5.2.4.3 During the Transition Period, the rates for NationsLine's Embedded Base of DS1 and DS3 Dedicated Transport as described in this Section 5.2 shall be as set forth in Exhibit B.
- 5.2.4.4 The Transition Period shall apply only to NationsLine's Embedded Base and NationsLine shall not add new DS1 or DS3 Dedicated Transport as described in this Section 5.2.

- 5.2.4.5 Once a wire center exceeds either of the thresholds set forth in this Section 5.2.4.1, no future DS1 Dedicated Transport unbundling will be required in that wire center.
- 5.2.4.6 Once a wire center exceeds either of the thresholds set forth in Section 5.2.4.2, no future DS3 Dedicated Transport will be required in that wire center.
- 5.2.4.7 At the end of the Transition Period any remaining Embedded Base will be disconnected.
- 5.3 BellSouth shall:
- 5.3.1 Provide NationsLine exclusive use of Dedicated Transport to a particular customer or carrier;
- Provide all technically feasible features, functions, and capabilities of Dedicated Transport as outlined within the technical requirements of this section;
- 5.3.3 Permit, to the extent technically feasible, NationsLine to connect Dedicated Transport to equipment designated by NationsLine, including but not limited to, NationsLine's collocated facilities; and
- Permit, to the extent technically feasible, NationsLine to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 5.4 BellSouth shall offer Dedicated Transport:
- 5.4.1 As capacity on a shared facility; and
- 5.4.2 As a circuit (i.e., DS0, DS1, DS3, STS-1) dedicated to NationsLine.
- 5.5 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- NationsLine may obtain a maximum of ten (10) unbundled DS1 Dedicated Transport circuits or twelve (12) unbundled DS3 Dedicated Transport circuits, or their equivalent, on each route where the respective Dedicated Transport is available as a Network Element. A route is defined as a transmission path between one of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.
- 5.7 Technical Requirements

- 5.7.1 BellSouth shall offer DS0 equivalent interface transmission rates for DS0 or voice grade Dedicated Transport. For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.
- 5.7.2 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
- 5.7.2.1 DS0 Equivalent;
- 5.7.2.2 DS1;
- 5.7.2.3 DS3; and
- 5.7.2.4 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 5.7.3 BellSouth shall design Dedicated Transport according to its network infrastructure. NationsLine shall specify the termination points for Dedicated Transport.
- 5.7.4 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references and BellSouth Technical References;
- 5.7.4.1 Telcordia TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 5.7.4.2 BellSouth's TR73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995.
- 5.7.4.3 BellSouth's TR73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.
- 5.8 <u>Unbundled Channelization (Multiplexing)</u>
- To the extent NationsLine is purchasing DS1 or DS3 or STS-1 Dedicated Transport pursuant to this Agreement, Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) Network Elements to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, NationsLine may request channel activation on a channelized facility and BellSouth shall connect the requested

facilities via COCIs. The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.

- 5.8.2 BellSouth shall make available the following channelization systems and interfaces:
- 5.8.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following COCI are available: Voice Grade, Digital Data and ISDN.
- 5.8.2.2 DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 5.8.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- Technical Requirements. In order to assure proper operation with BellSouth provided central office multiplexing functionality, NationsLine's channelization equipment must adhere strictly to form and protocol standards. NationsLine must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- Dark Fiber Transport. Dark Fiber Transport is defined as Dedicated Transport that consists of unactivated optical interoffice transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics. Except as set forth in Section 5.9.1 below, BellSouth shall not be required to provide access to Dark Fiber Transport Entrance Facilities pursuant to this Agreement.
- 5.9.1 Transition for Dark Fiber Transport
- 5.9.1.1 For purposes of this Section 5.9, the Transition Period for Dark Fiber Transport is the eighteen (18) month period beginning March 11, 2005 and ending September 10, 2006.
- 5.9.1.2 For purposes of this Section 5.9, Embedded Base means Dark Fiber Transport that was in service for NationsLine as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 5.9.1.3 For purposes of this Section 5.9, a Business Line is as defined in 47 C.F.R. § 51.5.
- 5.9.1.4 BellSouth shall make available Dark Fiber Transport as defined in this Section 5.9.1. Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dark Fiber Transport as described in this Section 5.9 only for NationsLine's Embedded Base during the Transition Period:

5.9.1.4.1 Dark Fiber Transport where both wire centers at the end points of the route contain 24,000 or more Business Lines or three (3) or more fiber-based collocators. 5.9.1.5 During the Transition Period, the rates for NationsLine's Embedded Base of Dark Fiber Transport as described in Section 5.9.1.1 shall be as set forth in Exhibit B. 5.9.1.6 The Transition Period shall apply only to NationsLine's Embedded Base and NationsLine shall not add new Dark Fiber Transport as described in this Section 5.9 pursuant to this Agreement. 5.9.1.7 Once a wire center exceeds either of the thresholds set forth in this Section 5.9.1.4.1, no future Dark Fiber Transport unbundling will be required in that wire center. 5.9.1.8 At the end of the Transition Period any remaining Embedded Base will be disconnected. 5.10 Rearrangements 5.10.1 A request to move a working NationsLine CFA to another NationsLine CFA, where both CFAs terminate in the same BellSouth Central Office ("Change in CFA"), shall not constitute the establishment of new service. The applicable rates set forth in Exhibit A. 5.10.2 Requests to re-terminate one end of a facility that is not a Change in CFA constitute the establishment of new service and require disconnection of existing service and the applicable rates set forth in Exhibit A shall apply. 5.10.3 Upon request of NationsLine, BellSouth shall project manage the Change in CFA or re-termination of a facility as described in Sections 5.10.1 and 5.10.2 above and NationsLine may request OC-TS for such orders. 5.10.4 BellSouth shall accept a Letter of Authorization (LOA) between NationsLine and another carrier that will allow NationsLine to connect a facility, or Combination that includes Dedicated Transport to the other carrier's collocation space or to another carrier's CFA associated with higher bandwidth transport. 6 **Automatic Location Identification/Data Management System (ALI/DMS)** 6.1 911 and E911 Databases 6.1.1 BellSouth shall provide NationsLine with nondiscriminatory access to 911 and E911 databases on an unbundled basis, in accordance with 47 C.F.R. § 51.319 (f).

- The ALI/DMS database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. NationsLine will be required to provide the BellSouth 911 database vendor daily service order updates to E911 database in accordance with Section 6.2.1.
- 6.2 <u>Technical Requirements</u>
- 6.2.1 BellSouth's 911 database vendor shall provide NationsLine the capability of providing updates to the ALI/DMS database through a specified electronic interface. NationsLine shall contact BellSouth's 911 database vendor directly to request interface. NationsLine shall provide updates directly to BellSouth's 911 database vendor on a daily basis. Updates shall be the responsibility of NationsLine and BellSouth shall not be liable for the transactions between NationsLine and BellSouth's 911 database vendor.
- 6.2.2 It is NationsLine's responsibility to retrieve and confirm statistical data and to correct errors obtained from BellSouth's 911 database vendor on a daily basis. All errors will be assigned a unique error code and the description of the error and the corrective action is described in the CLEC Users Guide for Facility Based Providers that is found on the BellSouth Interconnection Web site.
- NationsLine shall conform to the BellSouth standards as described in the CLEC Users Guide to E911 for Facilities Based Providers that is located on the BellSouth Interconnection Web site at http://www.interconnection.bellsouth.com/guides.
- 6.2.4 Stranded Unlocks are defined as End User records in BellSouth's ALI/DMS database that have not been migrated for over ninety (90) days to NationsLine, as a new provider of local service to the End User. Stranded Unlocks are those End User records that have been "unlocked" by the previous local exchange carrier that provided service to the End User and are open for NationsLine to assume responsibility for such records.
- 6.2.4.1 Based upon End User record ownership information available in the NPAC database, BellSouth shall provide a Stranded Unlock annual report to NationsLine that reflects all Stranded Unlocks that remain in the ALI/DMS database for over ninety (90) days. NationsLine shall review the Stranded Unlock report, identify its End User records and request to either delete such records or migrate the records to NationsLine within two (2) months following the date of the Stranded Unlock report provided by BellSouth. NationsLine shall reimburse BellSouth for any charges BellSouth's database vendor imposes on BellSouth for the deletion of NationsLine's records.

7 White Pages Listings

- 7.1 BellSouth shall provide NationsLine and its End Users access to white pages directory listings under the following terms:
- 7.1.2 <u>Listings.</u> NationsLine shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include NationsLine residential and business End User listings in the appropriate White Pages (residential and business) or alphabetical directories in the geographic areas covered by this Agreement. Directory listings will make no distinction between NationsLine and BellSouth End Users. NationsLine shall provide listing information in accordance with the procedures set forth in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Services Web site.
- 7.1.3 <u>Unlisted/Non-Published End Users.</u> NationsLine will be required to provide to BellSouth the names, addresses and telephone numbers of all NationsLine End Users who wish to be omitted from directories. Unlisted/Non-Published listings will be subject to the rates as set forth in BellSouth's General Subscriber Services Tariff (GSST) and shall not be subject to wholesale discount.
- 7.1.4 <u>Inclusion of NationsLine End Users in Directory Assistance Database.</u> BellSouth will include and maintain NationsLine End User listings in BellSouth's Directory Assistance databases. NationsLine shall provide such Directory Assistance listings to BellSouth at no charge.
- 7.1.5 <u>Listing Information Confidentiality.</u> BellSouth will afford NationsLine's directory listing information the same level of confidentiality that BellSouth affords its own directory listing information.
- 7.1.6 Additional and Designer Listings. Additional and designer listings will be offered by BellSouth at tariffed rates as set forth in the GSST and shall not be subject to the wholesale discount.
- 7.1.7 Rates. So long as NationsLine provides listing information to BellSouth as set forth in Section 7.1.2 above, BellSouth shall provide to NationsLine one (1) basic White Pages directory listing per NationsLine End User at no charge other than applicable service order charges as set forth in BellSouth's tariffs. Except in the case of a local service request (LSR) submitted solely to port a number from BellSouth, if such listing is requested on the initial LSR associated with the request for services, a single manual service order charge or electronic service order charge, as appropriate, as described in Attachment 6 of this Agreement, will apply to both the request for service and the request for the directory listing. Where a subsequent LSR is placed solely to request a directory listing, or is placed to port a number and request a directory listing, separate service order charges as set forth in BellSouth's tariffs shall apply, as well as the manual service order charge or the

electronic service order charge, as appropriate, as described in Attachment 6 of this Agreement.

- 7.2 <u>Directories.</u> BellSouth or its agent shall make available White Pages directories to NationsLine End User at no charge or as specified in a separate agreement between NationsLine and BellSouth's agent.
- 7.3 Procedures for submitting NationsLine Subscriber Listing Information (SLI) are found in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Services Web site.
- 7.3.1 NationsLine authorizes BellSouth to release all NationsLine SLI provided to BellSouth by NationsLine to qualifying third parties pursuant to either a license agreement or BellSouth's Directory Publishers Database Service (DPDS), General Subscriber Services Tariff (GSST), as the same may be amended from time to time. Such NationsLine SLI shall be intermingled with BellSouth's own End User listings and listings of any other CLEC that has authorized a similar release of SLI.
- No compensation shall be paid to NationsLine for BellSouth's receipt of NationsLine SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of NationsLine's SLI, or costs on an ongoing basis to administer the release of NationsLine SLI, NationsLine shall pay to BellSouth its proportionate share of the reasonable costs associated therewith. At any time that costs may be incurred to administer the release of NationsLine's SLI, NationsLine will be notified. If NationsLine does not wish to pay its proportionate share of these reasonable costs, NationsLine may instruct BellSouth that it does not wish to release its SLI to independent publishers, and NationsLine shall amend this Agreement accordingly. NationsLine will be liable for all costs incurred until the effective date of the agreement.
- Neither BellSouth nor any agent shall be liable for the content or accuracy of any SLI provided by NationsLine under this Agreement. NationsLine shall indemnify, except to the extent caused by BellSouth's gross negligence or willful misconduct, hold harmless and defend BellSouth and its agents from and against any damages, losses, liabilities, demands, claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate NationsLine listings or use of the SLI provided pursuant to this Agreement. BellSouth may forward to NationsLine any complaints received by BellSouth relating to the accuracy or quality of NationsLine listings.
- 7.3.4 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.

Version: ATT 2 TRRO Amendment - 2004 03/15/05

| LINIBLES | DI ED NETWORK EL EMENTO. EL . L | | | | | | | | | | | | 1 | | 1 | |
|----------|--|------------|----------|-------------------------|-------------------------|-----------------|------------------------|------------------------|-----------------|----------------|-------------|---------------|-----------------|----------------|---------------|-------------|
| ONBON | DLED NETWORK ELEMENTS - Florida | | | 1 | - | | | | | | 1_ | _ | | nt: 2 Exh. A | _ | 1. |
| | | | | | | | | | | | | Svc Order | | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Sv |
| CATEGOR | RY RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | - | 1 | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add' |
| | | | | | | | | | | | | | | | -100 101 | |
| | | | | | | Rec | | curring | | Disconnect | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| L | | | L | | | | | L | L | L | L | <u> </u> | | | | |
| | ne "Zone" shown in the sections for stand-alone loops or loops as p | | | ation refers to Geogr | aphically De | averaged UNE | Zones. To vie | ew Geographic | cally Deaverage | d UNE Zone D | esignations | by Central | Office, refer t | to internet We | bsite: | |
| | tp://www.interconnection.bellsouth.com/become_a_clec/html/interc | connection | on.htm | 1 | | | 1 | 1 | T. | 1 | 1 | 1 | | 1 | 1 | 1 |
| | | | | | | 01-1- 0 | ···· | <u> </u> | | 1.5 41.5 | | . D. 110 / | | <u> </u> | | 1 50 |
| | OTE: (1) CLEC should contact its contract negotiator if it prefers the | | | | | | | | | | | | | | | |
| | ect either the state specific Commission ordered rates for the service | ce orderii | ng char | ges, or CLEC may ele | ect the regio | nal service ord | lering charge, | however, CLE | can not obtai | n a mixture of | the two rec | jardless if C | LEC has a in | terconnection | contract esta | ablished in |
| | ach of the 9 states. | | | | | | | | | | | | | | | |
| | OTE: (2) Any element that can be ordered electronically will be bille | | | | | | | | | | | | | | | |
| | annot be ordered electronically at present per the LOH, the listed SO | OMEC rat | e in thi | s category reflects the | e charge tha | t would be bill | ed to a CLEC | once electroni | c ordering capa | abilities come | on-line for | hat elemen | t. Otherwise, | the manual o | rdering charg | je, SOMAN, |
| wi | ill be applied to a CLECs bill when it submits an LSR to BellSouth. | | | | | | | | | | | | | | | |
| | OSS - Electronic Service Order Charge, Per Local Service | | | | | | | | I | | | | I | | 1 | |
| | Request (LSR) - UNE Only | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| | OSS - Manual Service Order Charge, Per Local Service Request | | | | | | | | | | | | | | | |
| | (LSR) - UNE Only | | | | SOMAN | | 11.90 | 0.00 | 1.83 | 0.00 | | | | | | |
| | VICE DATE ADVANCEMENT CHARGE | | | | | | | | | | | | | | | |
| NO | OTE: The Expedite charge will be maintained commensurate with B | BellSouth | 's FCC | No.1 Tariff, Section 5 | as applicab | le. | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | UAL, UEANL, UCL, | | | | | | | | | | | | |
| | | | | UEF, UDF, UEQ, | | | | | | | | | | | | |
| | | | | UDL, UENTW, UDN, | | | | | | | | | | | | |
| | | | | UEA, UHL, ULC, | | | | | | | | | | | | |
| | | | | USL, U1T12, U1T48, | | | | | | | | | | | | |
| | | | | U1TD1, U1TD3, | | | | | | | | | | | | |
| | | | | U1TDX, U1TO3, | | | | | | | | | | | | |
| | | | | U1TS1, U1TVX, | | | | | | | | | | | | |
| | | | | UC1BC, UC1BL, | | | | | | | | | | | | |
| | | | | UC1CC, UC1CL, | | | | | | | | | | | | |
| | | | | UC1DC, UC1DL, | | | | | | | | | | | | |
| | | | | UC1EC, UC1EL, | | | | | | | | | | | | |
| | | | | UC1FC, UC1FL, | | | | | | | | | | | | |
| | | | | UC1GC, UC1GL, | | | | | | | | | | | | |
| | | | | UC1HC, UC1HL, | | | | | | | | | | | | |
| | | | | UDL12, UDL48, | | | | | | | | | | | | |
| | | | | UDLO3, UDLSX, | | | | | | | | | | | | |
| | | | | UE3, ULD12, | | | | | | | | | | | | |
| | | | | ULD48, ULDD1, | | | | | | | | | | | | |
| | | | | ULDD3, ULDDX, | | | | | | | | | | | | |
| | | | | ULDO3, ULDS1, | | | | | | | | | | | | |
| | | | | ULDVX, UNC1X, | | | | | | | | | | | | |
| | | | | UNC3X, UNCDX, | | | | | | | | | | | | |
| | | | | UNCNX, UNCSX, | | | | | | | | | | | | |
| | | | | UNCVX, UNLD1, | | | | | | | | | | | | |
| | | | | UNLD3, UXTD1, | | | | | | | | | | | | |
| | | | | UXTD3, UXTS1, | | | | | | | | | | | | |
| | UNE Expedite Charge per Circuit or Line Assignable USOC, per | | | U1TUC, U1TUD, | | | | | | | | | | | | |
| | Day | | | U1TUB, U1TUA | SDASP | | 200.00 | | ļ | | | | ļ | ļ | ļ | |
| | LED EXCHANGE ACCESS LOOP | | | | | | | | | | ļ | | | ļ | | ļ |
| 2- | WIRE ANALOG VOICE GRADE LOOP | | | | | | | | L | | ļ | | . | <u> </u> | ļ | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEAL2 | 10.69 | 49.57 | 22.83 | 25.62 | 6.57 | | | 1 | ļ | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEAL2 | 15.20 | 49.57 | 22.83 | 25.62 | 6.57 | | | ļ | ļ | ļ | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEAL2 | 26.97 | 49.57 | 22.83 | 25.62 | 6.57 | ļ | | . | <u> </u> | ļ | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEASL | 10.69 | 49.57 | 22.83 | 25.62 | 6.57 | <u> </u> | | ļ | | | <u> </u> |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEASL | 15.20 | 49.57 | 22.83 | 25.62 | 6.57 | <u> </u> | | ļ | | | <u> </u> |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEASL | 26.97 | 49.57 | 22.83 | 25.62 | 6.57 | <u> </u> | | ļ | | | <u> </u> |
| | | | | | | | | 1 | 1 | ı | 1 | 1 | | • | | 1 |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | | | | | | |
| | Premise | | | UEANL | URETL | | 8.33 | 0.83 | | | | | | | | |
| | | | | UEANL UEANL UEANL | URETL URET1 URETA | | 8.33 48.65 23.95 | 0.83 48.65 23.95 | | | | | | | | |

| UNBUNDL | ED NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachmen | t: 2 Exh. A | | |
|--|--|---------|------|----------------|----------------|----------------|------------------|------------------|----------------|----------------|---------|--|--------------------|-------------------------|-------------------------|--|
| ONDONDE | NETWORK ELEMENTO - HORIGA | | | | | | | | | | | Svc Order Submitted | Incremental | Incremental Charge - | Incremental Charge - | Incremental Charge - |
| | | | | | | | | | | | Elec | Manually | | Manual Svc | Manual Svc | |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Electronic- Disc Add'l |
| | | | | | | | Nonre | rurring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | | | SOMAN | SOMAN |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | | | | | | | | | | | | | |
| | (UVL-SL1) | | | UEANL | UREWO | | 15.78 | 8.94 | | | | | | | | |
| | Unbundled Voice Loop, Non-Design Voice Loop, billing for BST | | | | | | | | | | | | | | | |
| | providing make-up (Engineering Information - E.I.) Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL UEANL | UEANM UEAMC | | 13.49 9.00 | 9.00 | 1 | | | | | | | + |
| + | Order Coordination for OVL-SL1s (per 100p) Order Coordination for Specified Conversion Time for UVL-SL1 | | | UEAINL | UEAIVIC | | 9.00 | 9.00 | † | | | | | | | + |
| | (per LSR) | | | UEANL | OCOSL | | 23.02 | | | | | | | | | |
| 2-WIF | RE Unbundled COPPER LOOP | | | | | | | | İ | | | | | | | † |
| | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | | 1 | UEQ | UEQ2X | 7.69 | 44.98 | 20.90 | 24.88 | 6.45 | | | | | | |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | | 2 | UEQ | UEQ2X | 10.92 | 44.98 | 20.90 | 24.88 | 6.45 | | | | | | |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | | 3 | UEQ | UEQ2X | 19.38 | 44.98 | 20.90 | 24.88 | 6.45 | | | | | | - |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise | | | UEQ | URETL | | 8.33 | 0.83 | 1 | | | | | | | |
| | Manual Order Coordination 2 Wire Unbundled Copper Loop - | | | ULQ | OKLIL | | 0.33 | 0.65 | 1 | | | | | | | + |
| | Non-Designed (per loop) | | | UEQ | USBMC | | 9.00 | | 1 | | | | | | | |
| | Unbundled Copper Loop, Non-Design Cooper Loop, billing for | | | | | | | | | | | | | | | |
| | BST providing make-up (Engineering Information - E.I.) | | | UEQ | UEQMU | | 13.49 | | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | 48.65 | 48.65 | | | | | | | | |
| | Loop Testing - Basic Additional Half Hour | | | UEQ | URETA | | 23.95 | 23.95 | | | | | | | | 4 |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND) | | | UEQ | UREWO | | 14.27 | 7.43 | | | | | | | | |
| LINBUNDI ED | EXCHANGE ACCESS LOOP | | | UEQ | UREWO | | 14.27 | 7.43 | | | | | | | | + |
| | RE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | + |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | + |
| | Zone 1 | | 1 | UEPSR UEPSB | UEALS | 10.69 | 49.57 | 22.83 | 25.62 | 6.57 | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1 | | 1 | UEPSR UEPSB | UEABS | 10.69 | 49.57 | 22.83 | 25.62 | 6.57 | | | | | | |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2 | | 2 | UEPSR UEPSB | UEALS | 15.20 | 49.57 | 22.83 | 25.62 | 6.57 | | | | | | |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | _ | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UEPSR UEPSB | UEABS | 15.20 | 49.57 | 22.83 | 25.62 | 6.57 | | | | | | + |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3 | | 3 | UEPSR UEPSB | UEALS | 26.97 | 49.57 | 22.83 | 25.62 | 6.57 | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | LIEDOD LIEDOD | LIEADO | 00.07 | 40.57 | 00.00 | 05.00 | 0.57 | | | | | | |
| LINBUNDI ED | Zone 3 EXCHANGE ACCESS LOOP | | 3 | UEPSR UEPSB | UEABS | 26.97 | 49.57 | 22.83 | 25.62 | 6.57 | | | | | | + |
| | RE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | <u> </u> |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | |
| | Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | 1 | UEA | UEAL2 | 12.24 | 135.75 | 82.47 | 63.53 | 12.01 | | | | | | |
| | Ground Start Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | 2 | UEA | UEAL2 | 17.40 | 135.75 | 82.47 | 63.53 | 12.01 | | | | | | <u> </u> |
| | Ground Start Signaling - Zone 3 | | 3 | UEA | UEAL2 | 30.87 | 135.75 | 82.47 | 63.53 | 12.01 | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 23.02 | - | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | | | | | | | | | |
| | Battery Signaling - Zone 1 | | 1 | UEA | UEAR2 | 12.24 | 135.75 | 82.47 | 63.53 | 12.01 | | | | | | 4 |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2 | | 2 | UEA | UEAR2 | 17.40 | 135.75 | 82.47 | 63.53 | 12.01 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 | | 3 | UEA | UEAR2 | 30.87 | 135.75 | 82.47 | 63.53 | 12.01 | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 23.02 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87.71 | 36.35 | | | | | | | | |
| I I | Loop Tagging - Service Level 2 (SL2) | | | UEA | URETL | | 11.21 | 1.10 | | | | | | | | |
| 4-WIF | RE ANALOG VOICE GRADE LOOP | | 4 | 115 ^ | LIEALA | 40.00 | 407.00 | 445.45 | 07.00 | 45.50 | 1 | - | | | | |
| - | 4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2 | 1 | 2 | UEA UEA | UEAL4 UEAL4 | 18.89 26.84 | 167.86 167.86 | 115.15 115.15 | 67.08 67.08 | 15.56 15.56 | - | - | | | - | + |
| | 4-Wire Analog Voice Grade Loop - Zone 3 | 1 | 3 | UEA | UEAL4 | 47.62 | 167.86 | 115.15 | 67.08 | 15.56 | 1 | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | 52 | 23.02 | 1.0.10 | 57.50 | .0.50 | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87.71 | 36.35 | | | | | | | | 1 |

| UNBUNDL | ED NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachmen | t: 2 Exh. A | | |
|--|---|--|----------|------|-------------|--------|----------|------------|--|------------|-----------|-----------|-------------|-------------|-------------|--|
| 0.1.201122 | | | | | | | | | | | Svc Order | Svc Order | | | Incremental | Incrementa |
| | | | | | | | | | | | | Submitted | | Charge - | Charge - | |
| | | | | | | | | | | | | | | | | Charge - |
| ===== | | | | | | | | | | | Elec | Manually | | Manual Svc | Manual Svc | |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | 2.00 .00 | 2.007.444. |
| | | | | | | D | Nonred | curring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 2-WI | RE ISDN DIGITAL GRADE LOOP | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UDN | U1L2X | 19.28 | 147.69 | 94.41 | 62,23 | 10.71 | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 2 | | 2 | UDN | U1L2X | 27.40 | 147.69 | 94.41 | 62.23 | 10.71 | | | | | | + |
| - | 2-Wire ISDN Digital Grade Loop - Zone 3 | 1 | 3 | UDN | U1L2X | 48.62 | 147.69 | 94.41 | 62.23 | 10.71 | 1 | | | - | | + |
| | Order Coordination For Specified Conversion Time (per LSR) | 1 | 3 | UDN | OCOSL | 70.02 | 23.02 | 34.41 | 02.25 | 10.71 | 1 | | | - | | + |
| | | | | UDN | UREWO | | 91.61 | 44.15 | | | | | | | | + |
| 0.14// | CLEC to CLEC Conversion Charge without outside dispatch | ATIDI E I | 000 | UDN | UREWU | | 91.61 | 44.15 | | | | | | | | + |
| 2-WI | RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP | AHBLEL | .00P | | | | | | | | | | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 1 | | 1 | UAL | UAL2X | 8.30 | 149.53 | 103.85 | 75.05 | 15.63 | | | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 2 | | 2 | UAL | UAL2X | 11.80 | 149.53 | 103.85 | 75.05 | 15.63 | | | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 3 | | 3 | UAL | UAL2X | 20.94 | 149.53 | 103.85 | 75.05 | 15.63 | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 23.02 | | | | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | | | | | | | | | | | | |
| | facility reservaton - Zone 1 | | 1 | UAL | UAL2W | 8.30 | 124.83 | 71.12 | 60.64 | 9.12 | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | <u> </u> | 0712 | O/ LEET | 0.00 | 12 1.00 | | 00.01 | 02 | | | | | | |
| | facility reservation - Zone 2 | | 2 | UAL | UAL2W | 11.80 | 124.83 | 71.12 | 60.64 | 9.12 | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | 1 | | OAL | UALZVV | 11.00 | 124.00 | 71.12 | 00.04 | 3.12 | 1 | | | - | | + |
| | facility reservation - Zone 3 | | 3 | UAL | UAL2W | 20.94 | 124.83 | 71.12 | 60.64 | 9.12 | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | 3 | UAL | OCOSL | 20.94 | 23.02 | 71.12 | 60.64 | 9.12 | | | | | | + |
| | | | | | | | | 40.00 | | | | | | | | + |
| | CLEC to CLEC Conversion Charge without outside dispatch | L | | UAL | UREWO | | 86.19 | 40.39 | | | | | | | | 4 |
| 2-WI | RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE LO | OP | | | | | | | | | | | | | 4 |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 7.22 | 159.09 | 113.41 | 75.05 | 15.63 | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 10.26 | 159.09 | 113.41 | 75.05 | 15.63 | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 18.21 | 159.09 | 113.41 | 75.05 | 15.63 | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 23.02 | | | | | | | | | 1 |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 7.22 | 134.40 | 80.69 | 60.64 | 9.12 | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | 1 | - + | 02 | O. I.E. | | 10 11 10 | 00.00 | 00.01 | 0.12 | | | | | | + |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 10.26 | 134.40 | 80.69 | 60.64 | 9.12 | | | | | | |
| - | 2 Wire Unbundled HDSL Loop without manual service inquiry | 1 | | OTIL | OTILZVV | 10.20 | 134.40 | 00.03 | 00.04 | 3.12 | 1 | | | - | | + |
| | | | 3 | UHL | UHL2W | 18.21 | 134.40 | 80.69 | 60.64 | 9.12 | | | | | | |
| | and facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | | 3 | | | 18.21 | | 80.69 | 60.64 | 9.12 | | | | | | + |
| | | | | UHL | OCOSL | | 23.02 | 40.00 | | | ļ | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 86.12 | 40.39 | | | | | | | | |
| 4-WI | RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE LO | OP | | | | | | | | | | | | | |
| | 4 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 10.86 | 193.31 | 138.98 | 77.15 | 12.61 | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 15.44 | 193.31 | 138.98 | 77.15 | 12.61 | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 27.39 | 193.31 | 138.98 | 77.15 | 12.61 | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 23.02 | | | | | | | | | 1 |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 10.86 | 168.62 | 115.47 | 62.74 | 11.22 | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | 1 | + + | | | | .00.02 | | 524 | | 1 | | | t | | + |
| | and facility reservation - Zone 2 | 1 | 2 | UHL | UHL4W | 15.44 | 168.62 | 115.47 | 62.74 | 11.22 | | 1 | | | | 1 |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | t | | OLIE | O. ILTVV | 13.74 | 100.02 | 115.47 | 02.74 | 11.22 | 1 | | | 1 | | + |
| | and facility reservation - Zone 3 | 1 | 3 | UHL | UHL4W | 27.39 | 168.62 | 115.47 | 62.74 | 11.22 | | 1 | | | | 1 |
| - | and facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | | 3 | UHL | OCOSL | 21.39 | 23.02 | 115.47 | 0∠./4 | 11.22 | 1 | | - | 1 | | + |
| | | | ├ | | | | | 40.00 | | | 1 | | - | 1 | | + |
| | CLEC to CLEC Conversion Charge without outside dispatch | 1 | | UHL | UREWO | | 86.12 | 40.39 | 1 | | 1 | | | - | 1 | + |
| 4-WI | RE DS1 DIGITAL LOOP | 1 | 1 | | | | | | | | ļ | | | | | |
| $\vdash \vdash$ | 4-Wire DS1 Digital Loop - Zone 1 | ļ | 1 | USL | USLXX | 70.74 | 313.75 | 181.48 | 61.22 | 13.53 | | ļ | | | | ↓ |
| $oxed{oxed}$ | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | USL | USLXX | 100.54 | 313.75 | 181.48 | 61.22 | 13.53 | 1 | | | | | 1 |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 178.39 | 313.75 | 181.48 | 61.22 | 13.53 | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | 1 | 1 T | USL | OCOSL | | 23.02 | 1 | | | | | 1 | | 1 | |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachmen | t: 2 Exh. A | | |
|--|--|--|------|----------------|----------|--------|--------|------------|--|-------|--|--|--|--|-------------|--|
| | | | | | | | | | | | Svc Order | Svc Order | | | Incremental | Incrementa |
| | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | | | | | |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | Elec | Manually | | Manual Svc | Manual Svc | |
| CATEGORT | RATE ELEMENTS | memm | Zone | всэ | 0300 | | | KATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 101.07 | 43.04 | | | | | | | | |
| 4-WIR | E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | | | | | | | | | | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 1 | UDL | UDL19 | 22.20 | 161.56 | 108.85 | 67.08 | 15.56 | | | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 2 | UDL | UDL19 | 31.56 | 161.56 | 108.85 | 67.08 | 15.56 | | | | | | 1 |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 3 | UDL | UDL19 | 55.99 | 161.56 | 108.85 | 67.08 | 15.56 | | | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | 1 | UDL | UDL56 | 22.20 | 161.56 | 108.85 | 67.08 | 15.56 | | | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | 2 | UDL | UDL56 | 31.56 | 161.56 | 108.85 | 67.08 | 15.56 | | | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | 3 | UDL | UDL56 | 55.99 | 161.56 | 108.85 | 67.08 | 15.56 | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | 3 | UDL | OCOSL | 33.33 | 23.02 | 100.00 | 07.00 | 10.00 | 1 | | | - | | |
| | | | 1 | UDL | UDL64 | 22.20 | 161.56 | 108.85 | 67.08 | 1E EC | 1 | | | - | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | | | | | | | | 15.56 | | - | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | 2 | UDL | UDL64 | 31.56 | 161.56 | 108.85 | 67.08 | 15.56 | 1 | | | 1 | | |
| \vdash | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | ļ | 3 | UDL | UDL64 | 55.99 | 161.56 | 108.85 | 67.08 | 15.56 | ļ | ļ | | | | . |
| | Order Coordination for Specified Conversion Time (per LSR) | ļ | ļ | UDL | OCOSL | | 23.02 | | ļ | | | ļ | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDL | UREWO | | 102.11 | 49.74 | | | | | | | | |
| 2-WIR | Unbundled COPPER LOOP | | | |] | | | | | | 1 | ļ | | | | 1 |
| | 2-Wire Unbundled Copper Loop-Designed including manual | | | | | | | | | | | | | | | |
| | service inquiry & facility reservation - Zone 1 | | 1 | UCL | UCLPB | 8.30 | 148.50 | 102.82 | 75.05 | 15.63 | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed including manual | | | | | | | | | | | | | | | |
| | service inquiry & facility reservation - Zone 2 | | 2 | UCL | UCLPB | 11.80 | 148.50 | 102.82 | 75.05 | 15.63 | | | | | | |
| | 2 Wire Unbundled Copper Loop-Designed including manual | | | | | | | | | | | | | | | |
| | service inquiry & facility reservation - Zone 3 | | 3 | UCL | UCLPB | 20.94 | 148.50 | 102.82 | 75.05 | 15.63 | | | | | | |
| † | Order Coordination for Unbundled Copper Loops (per loop) | | Ť | UCL | UCLMC | 20.0 . | 9.00 | 9.00 | 7 0.00 | 10.00 | | | | | | 1 |
| | 2-Wire Unbundled Copper Loop-Designed without manual | | | 001 | COLIVIO | | 5.00 | 0.00 | | | | | | | | |
| | service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCLPW | 8.30 | 123.81 | 70.09 | 60.64 | 9.12 | | | | | | |
| + | 2-Wire Unbundled Copper Loop-Designed without manual | | | 001 | OOLI W | 0.50 | 125.01 | 70.03 | 00.04 | 3.12 | 1 | | | - | | 1 |
| | | | 2 | UCL | UCLPW | 11.80 | 123.81 | 70.09 | 60.64 | 9.12 | | | | | | |
| - | service inquiry and facility reservation - Zone 2 | | | UCL | UCLPW | 11.80 | 123.81 | 70.09 | 60.64 | 9.12 | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed without manual | | | | | | | = | | | | | | | | |
| | service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCLPW | 20.94 | 123.81 | 70.09 | 60.64 | 9.12 | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | | | | | | | | | | | | | |
| | (UCL -Des) | | | UCL | UREWO | | 97.21 | 42.47 | | | | | | | | |
| 4-WIR | E COPPER LOOP | | | | | | | | | | | | | | | |
| | 4-Wire Copper Loop-Designed including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UCL | UCL4S | 11.83 | 177.87 | 132.76 | 77.15 | 17.73 | | | | | | |
| | 4-Wire Copper Loop-Designed including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UCL | UCL4S | 16.81 | 177.87 | 132.76 | 77.15 | 17.73 | | | | | | |
| | 4-Wire Copper Loop-Designed including manual service inquiry | | | | | | - | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UCL | UCL4S | 29.82 | 177.87 | 132.76 | 77.15 | 17.73 | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | 20.02 | 9.00 | 9.00 | | | | | | | | |
| | 4-Wire Copper Loop-Designed without manual service inquiry | | | 555 | 0021410 | | 5.50 | 5.50 | | | 1 | | | 1 | | |
| | and facility reservation - Zone 1 | | 4 | UCL | UCL4W | 11.83 | 153.18 | 100.03 | 62.74 | 11.22 | | l | İ | | | |
| \vdash | 4-Wire Copper Loop-Designed without manual service inquiry | 1 | - | UUL | UCL4VV | 11.03 | 133.18 | 100.03 | 02.14 | 11.22 | | | | | | + |
| | | | 2 | LICI | LICLAM | 40.04 | 450.40 | 400.00 | 00.74 | 44.00 | | l | İ | | | |
| \vdash | and facility reservation - Zone 2 | | 2 | UCL | UCL4W | 16.81 | 153.18 | 100.03 | 62.74 | 11.22 | 1 | 1 | 1 | - | | |
| | 4-Wire Copper Loop-Designed without manual service inquiry | | _ | | | | | | | | | l | İ | | | |
| | and facility reservation - Zone 3 | | 3 | UCL | UCL4W | 29.82 | 153.18 | 100.03 | 62.74 | 11.22 | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UCL | UREWO | | 97.21 | 42.47 | | | | | | | | |
| LOOP MODIFI | CATION | | | | | | | | | | | | | | | |
| | | | | UAL, UHL, UCL, | | | | | | | | | | | | |
| | | | | UEQ, ULS, UEA, | 1 | | | | | | | l | İ | | | |
| | Unbundled Loop Modification, Removal of Load Coils - 2 Wire | | | UEANL, UEPSR, | 1 | | | | | | | l | l | | | |
| | pair less than or equal to 18k ft, per Unbundled Loop | | | UEPSB | ULM2L | | 0.00 | 0.00 | | | | l | l | | | |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire | | | | | | | | | | | İ | | | | 1 |
| | less than or equal to 18K ft, per Unbundled Loop | | | UHL, UCL, UEA | ULM4L | | 0.00 | 0.00 | | | | l | l | | | |
| | | | | UAL, UHL, UCL, | | | 2.30 | 2.30 | | | 1 | 1 | 1 | 1 | | 1 |
| | | | | UEQ, ULS, UEA, | 1 | | | | | | | l | l | | | |
| | Unbundled Loop Modification Removal of Bridged Tap Removal, | | | UEANL, UEPSR, | 1 | | | | | | | l | l | | | |
| | per unbundled loop | | | UEPSB | ULMBT | | 10.52 | 10.52 | | | | l | l | | | |
| SUB-LOOPS | per unbunuleu 100p | - | - | ULFOD | OLIVID I | | 10.52 | 10.52 | | | | - | - | - | | + |
| JUD-LUUPS | | 1 | | | l | | | | | | 1 | 1 | | 1 | | |

| UNBUNDLI | ED NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachmen | t: 2 Exh. A | | |
|--|--|--|--|-----------------|----------------|--------|----------------|----------------|--|--------------|--|---|--|--|--|--|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. | Charge - Manual Sv Order vs. |
| | | | | | | | | | | | | | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Sub-l | Loop Distribution | | | | | | | | | | | | | | | |
| | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up | I | | UEANL | USBSA | | 487.23 | | | | | | | | | <u> </u> |
| | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | I | | UEANL | USBSB | | 6.25 | | | | | | | | | <u> </u> |
| | Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up | | | UEANL | USBSC | | 169.25 | | | | | | | | | |
| | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel | ' | 1 | OLANL | USBSC | | 109.23 | | 1 | | | | | | | + |
| | Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | - 1 | | UEANL | USBSD | | 38.65 | | | | | | | | | <u> </u> |
| | Zone 1 | | 1 | UEANL | USBN2 | 6.46 | 60.19 | 21.78 | 47.50 | 5.26 | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | <u> </u> | OL7 II VL | CODIAL | 0.40 | 00.10 | 21.70 | 47.00 | 0.20 | | | | | | 1 |
| | Zone 2 | | 2 | UEANL | USBN2 | 9.18 | 60.19 | 21.78 | 47.50 | 5.26 | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEANL | USBN2 | 16.29 | 60.19 | 21.78 | 47.50 | 5.26 | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | 1 | UEANL | USBN4 | 7.37 | 68.83 | 30.42 | 49.71 | 6.60 | | | | | | |
| | Zone 2 | | 2 | UEANL | USBN4 | 10.47 | 68.83 | 30.42 | 49.71 | 6.60 | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEANL | USBN4 | 18.58 | 68.83 | 30.42 | 49.71 | 6.60 | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | 1 | | UEANL UEANL | USBMC USBR2 | 3.96 | 9.00 51.84 | 9.00 13.44 | 47.50 | 5.26 | | | | | | |
| | Sub-Loop 2-wire intrabuliding Network Cable (INC) | | 1 | UEANL | USBRZ | 3.96 | 51.84 | 13.44 | 47.50 | 5.26 | | | | | | + |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | ı | | UEANL | USBR4 | 9.37 | 55.91 | 17.51 | 49.71 | 6.60 | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9.00 | 9.00 | | | | | | | | 4 |
| | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 48.65 | 48.65 | | | | | | | | <u> </u> |
| | Loop Testing - Basic Additional Half Hour 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEANL UEF | URETA UCS2X | 5.15 | 23.95 60.19 | 23.95 21.78 | 47.50 | F 26 | | | | | | + |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 2 | UEF | UCS2X | 7.31 | 60.19 | 21.78 | 47.50 | 5.26 5.26 | | | | | | + |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | <u> </u> | 3 | UEF | UCS2X | 12.98 | 60.19 | 21.78 | 47.50 | 5.26 | | | | | | + |
| | 2 Wile copper official and coop biothication 2010 o | | " | OLI | OOOZX | 12.00 | 00.10 | 21.70 | 47.00 | 0.20 | | | | | | † |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | - 1 | 1 | UEF | UCS4X | 5.36 | 68.83 | 30.42 | 49.71 | 6.60 | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | - | 2 | UEF | UCS4X | 7.61 | 68.83 | 30.42 | 49.71 | 6.60 | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | - 1 | 3 | UEF | UCS4X | 13.51 | 68.83 | 30.42 | 49.71 | 6.60 | | | | | | |
| | Order Coordination for Habrard's 1.0 h James 1997 | | 1 | ure | LICEAGO | | 0.00 | 2.55 | 1 | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Testing - Basic 1st Half Hour | | 1 | UEF UEF | USBMC URET1 | | 9.00 48.65 | 9.00 48.65 | | | | | | | | |
| | Loop Testing - Basic 1st Haif Hour Loop Testing - Basic Additional Half Hour | | | UEF | URETA | | 48.65 23.95 | 23.95 | | | | | | | | + |
| Unhu | Indled Network Terminating Wire (UNTW) | 1 | 1 | UEF | UKETA | | 23.95 | 23.95 | | | 1 | 1 | | | | + |
| Onbu | Unbundled Network Terminating Wire (UNTW) per Pair | | 1 | UENTW | UENPP | 0.4572 | 18.02 | | † | | 1 | | | | | † |
| Netwo | ork Interface Device (NID) | | 1 | | | 2 | | | 1 | | | | | | | † |
| | Network Interface Device (NID) - 1-2 lines | | | UENTW | UND12 | | 71.49 | 48.87 | | | | | | | | |
| | Network Interface Device (NID) - 1-6 lines | | | UENTW | UND16 | | 113.89 | 89.07 | | | | | | | | |
| | Network Interface Device Cross Connect - 2 W | | | UENTW | UNDC2 | | 7.63 | 7.63 | | | | | | | | 1 |
| | Network Interface Device Cross Connect - 4W | | ļ | UENTW | UNDC4 | | 7.63 | 7.63 | ļ | | | | | | | |
| UNE OTHER, | PROVISIONING ONLY - NO RATE | | <u> </u> | LIENTW | LINDDY | 0.00 | 0.00 | | . | | <u> </u> | | | | | + |
| | NID - Dispatch and Service Order for NID installation UNTW Circuit Id Establishment, Provisioning Only - No Rate | | 1 | UENTW UENTW | UNDBX | 0.00 | 0.00 | | | | 1 | | | | | + |
| | ON TWY CITCUIT IN ESTABLISHMENT, Provisioning Unity - INO Rate | 1 | 1 | UEANL,UEF,UEQ,U | UEINCE | 0.00 | 0.00 | | | | 1 | 1 | | | | + |
| | Unbundled Contract Name, Provisioning Only - No Rate PROVISIONING ONLY - NO RATE | | | ENTW | UNECN | 0.00 | 0.00 | | | | | | | | | <u> </u> |

| UNBUNDL | ED NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachmen | t: 2 Exh. A | | |
|-----------------|---|-----------|--------|------------------------|--------------|----------|----------|------------|--|------------|-----------|-----------|-------------|-------------|-------------|--|
| | | | | | | | | | | | Svc Order | Svc Order | | | Incremental | Incremental |
| | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | per Lore | per Lore | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | DISC 1St | DISC Add I |
| | | | | | | Dee | Nonred | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | 1 |
| | | | | UAL,UCL,UDC,UDL, | | | | | | | | | | | | |
| | Unbundled Contact Name, Provisioning Only - no rate | | | UDN,UEA,UHL,USL | UNECN | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no | | | | | | | | | | | | | | | |
| | rate | | | UEA,UDN,UCL,UDC | USBFQ | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no | | | | | | | | | | | | | | | |
| | rate | | | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled DS1 Loop - Superframe Format Option - no rate | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled DS1 Loop - Expanded Superframe Format option - | | | | | | | | | | | | | | | |
| | no rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| HIGH CAPAC | ITY UNBUNDLED LOCAL LOOP | | | | | | | | | | | | | | | ļ |
| | High Capacity Unbundled Local Loop - DS3 - Per Mile per | | | 1150 | 41 END | 40.00 | | | | | | | | | | |
| \vdash | month | | | UE3 | 1L5ND | 10.92 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Facility | | | LIES | UE3PX | 200.00 | 000 0055 | 204 404= | 450 000- | 444.000 | | | | | | |
| | Termination per month | | | UE3 | UE3PX | 386.88 | 639.8255 | 394.4615 | 159.9995 | 111.366 | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per | | | UDLSX | 1L5ND | 40.00 | | | | | | | | | | |
| | month High Capacity Unbundled Local Loop - STS-1 - Facility | | | UDLSX | ILOND | 10.92 | | | | | | | | | | |
| | Termination per month | | | UDLSX | UDLS1 | 426.60 | 639.8255 | 394.4615 | 159.9995 | 111.366 | | | | | | |
| LOOP MAKE | | | | UDLOX | UDLST | 420.60 | 039.0233 | 394.4013 | 159.9995 | 111.300 | | | | | | |
| LOOP MAKE | Loop Makeup - Preordering Without Reservation, per working or | | | | | | | | | | 1 | | | | | |
| | spare facility queried (Manual). | | | UMK | UMKLW | | 52.17 | 52.17 | | | | | | | | |
| - | Loop Makeup - Preordering With Reservation, per spare facility | | | OlviiX | OWNERV | | 32.17 | 32.17 | | | 1 | | | | | |
| | queried (Manual). | | | UMK | UMKLP | | 55.07 | 55.07 | | | | | | | | |
| | Loop MakeupWith or Without Reservation, per working or | | | O.I.I. | O.V.II V.E. | | 00.01 | 00.07 | | | | | | | | 1 |
| | spare facility queried (Mechanized) | | | UMK | UMKMQ | | 0.6784 | 0.6784 | | | | | | | | |
| LINE SPLITT | | | | | | | 0.0.0. | | | | | | | | | |
| | SPLITTING | | | | | | | | | | | | | | | |
| END | USER ORDERING-CENTRAL OFFICE BASED | | | | | | | | | | | | | | | |
| | Line Splitting - per line activation DLEC owned splitter | | | UEPSR UEPSB | UREOS | 0.61 | | | | | | | | | | |
| | Line Splitting - per line activation BST owned - physical | | | UEPSR UEPSB | UREBP | 0.61 | 29.68 | 21.28 | 19.57 | 9.61 | | | | | | |
| | Line Splitting - per line activation BST owned - virtual | | | UEPSR UEPSB | UREBV | 1.134 | 29.68 | 21.28 | 19.57 | 9.61 | | | | | | |
| | CE OF SERVICE | | | | | | | | | | | | | | | |
| NOTE | The Expedite charge will be maintained commensurate with | BellSouth | 's FCC | No.1 Tariff, Section 1 | 3.3.1 as app | licable. | | | | | | | | | | |
| | No Trouble Found - per 1/2 hour increments - Basic | | | | | | 80.00 | 55.00 | | | | | | | | |
| | No Trouble Found - per 1/2 hour increments - Overtime | | | | | | 90.00 | 65.00 | | | | | | | | ļ |
| LINIDI INIDI ED | No Trouble Found - per 1/2 hour increments - Premium DEDICATED TRANSPORT | | | | | | 100.00 | 75.00 | | | | | | | | |
| | ROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| INTE | | | | | | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month | | | U1TVX | 1L5XX | 0.0091 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | UTIVA | ILSAA | 0.0091 | | | | | 1 | | | | | 1 |
| | Facility Termination | | | U1TVX | U1TV2 | 25.32 | 47.35 | 31.78 | 18.31 | 7.03 | | | | | | |
| - | Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade | | | OTTVX | 011172 | 25.52 | 47.55 | 31.70 | 10.51 | 7.00 | 1 | | | | | |
| | Rev Bat Per Mile per month | | | U1TVX | 1L5XX | 0.0091 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat | | | 011177 | 120/01 | 0.0001 | | | | | | | | | | 1 |
| | Facility Termination | | | U1TVX | U1TR2 | 25.32 | 47.35 | 31.78 | 18.31 | 7.03 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Per Mile per month | | | U1TVX | 1L5XX | 0.0091 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade | | | | | | | | | | | | | | | |
| | - Facility Termination | | | U1TVX | U1TV4 | 22.58 | 47.35 | 31.78 | 18.31 | 7.03 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | | | | | | | | | | | | | |
| L | per month | <u></u> | | U1TDX | 1L5XX | 0.0091 | | | <u> </u> | | <u></u> | <u> </u> | | <u> </u> | | <u> </u> |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | | | | | | | | | | | | | |
| | Termination | | | U1TDX | U1TD5 | 18.44 | 47.35 | 31.78 | 18.31 | 7.03 | | | | | | 1 |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | | | | | | | | | | | | | |
| | per month | | | U1TDX | 1L5XX | 0.0091 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | LIATOV | LUTDO | | | | | | | | | | | |
| | Termination | | | U1TDX | U1TD6 | 18.44 | 47.35 | 31.78 | 18.31 | 7.03 | 1 | | | l | | <u></u> |

| POMPONDE | ED NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachmen | t: 2 Exh. A | | |
|--|--|-----------|---|---|--|---|--|---|---|--|-----------|---|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svo |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | , | p = = = = = = = = = = = = = = = = = = = | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | |
| | | | <u> </u> | | | Rec | | curring | Nonrecurring | | | | | Rates (\$) | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | month | | | U1TD1 | 1L5XX | 0.1856 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | וטווטו | ILSAA | 0.1000 | | | | | | | | | | |
| | Termination | | | U1TD1 | U1TF1 | 88.44 | 105.54 | 98.47 | 21.47 | 19.05 | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | OTIDI | 011111 | 00.44 | 100.04 | 30.41 | 21.47 | 10.00 | | | | | | |
| | month | | | U1TD3 | 1L5XX | 3.87 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | 0.0. | | | | | | | | | | |
| | Termination per month | | | U1TD3 | U1TF3 | 1,071.00 | 335.46 | 219.28 | 72.03 | 70.56 | | | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | | | | | · | | | | | | | | | | |
| | month | | | U1TS1 | 1L5XX | 3.87 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Facility | | | | | | | | | | | | | | | |
| | Termination | | | U1TS1 | U1TFS | 1,056.00 | 335.46 | 219.28 | 72.03 | 70.56 | | | | | | |
| DARK FIBER | | | | | | | | | | | | | | | | |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | | | | | | | | | | | | | |
| \vdash | Thereof per month - Local Channel | ļ | <u> </u> | UDF, UDFCX | 1L5DC | 53.87 | | | | | | | | | | |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | LIDE LIDEOX | 1L5DF | 20.0- | | | | | | | | | | |
| | Thereof per month - Interoffice Channel | | | UDF, UDFCX UDF, UDFCX | UDF14 | 26.85 | 751.34 | 193.88 | 356.21 | 230.11 | | | | | | |
| | NRC Dark Fiber - Interoffice Channel | | | UDF, UDFCX | UDF14 | | 751.34 | 193.88 | 356.21 | 230.11 | | | | | | |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | LIBE LIBEON | | | | | | | | | | | | |
| VIDTUAL OF | Thereof per month - Local Loop | | | UDF, UDFCX | 1L5DL | 53.87 | | | | | | | | | | |
| VIRTUAL CO | | | | | | | | | | | | | | | | |
| | Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting | | | UEPSR UEPSB | VE1LS | 0.0502 | 11.57 | 11.57 | 0.00 | 0.00 | | | | | | |
| DI IVO: 2 · · · · | COLLOCATION | | | UEFSK UEFSB | VEILS | 0.0502 | 11.57 | 11.57 | 0.00 | 0.00 | | | | | | |
| | | | | | | | | | | | | | | | | |
| PHYSICAL C | | | | | | | | | | | | | | | | |
| PHYSICAL C | Physical Collocation-2 Wire Cross Connects (Loop) for Line | | | LIEPSR LIEPSB | PF1LS | 0.0276 | 8 22 | 7 22 | 5.74 | 4 58 | | | | | | |
| | | | | UEPSR UEPSB | PE1LS | 0.0276 | 8.22 | 7.22 | 5.74 | 4.58 | | | | | | |
| ENHANCED | Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting | apply and | the Sv | | | | | | | | ements. | | | | | |
| ENHANCED NOTE | Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting EXTENDED LINK (EELs) | | | vitch-As-Is Charge w | ill not apply | for UNE combi | nations provis | ioned as ' Ord | inarily Combin | ed' Network E | | | | | | |
| ENHANCED NOTE | Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to the RE VOICE GRADE LOOP FOR USE IN A COMBINATION | | curring | vitch-As-Is Charge w charges below will | ill not apply apply for UN | for UNE combi E combination | nations provis s provisioned | ioned as ' Ord as ' Currently | inarily Combine Combined' Net | ed' Network E work Elements | | | | | | |
| ENHANCED NOTE | Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to the control of the Computer Control of the Computer VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 | | curring 1 | vitch-As-Is Charge w charges below will UNCVX | ill not apply apply for UN UEAL2 | for UNE combi E combination 12.24 | nations provis s provisioned 127.59 | ioned as ' Ord as ' Currently 60.54 | inarily Combine Combined' Net | ed' Network E work Elements 2.81 | | | | | | |
| ENHANCED NOTE | Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to RE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 | | curring 1 2 | vitch-As-Is Charge w charges below will UNCVX UNCVX | ill not apply apply for UN UEAL2 UEAL2 | for UNE combi E combination 12.24 17.40 | nations provis s provisioned 127.59 127.59 | ioned as ' Ord as ' Currently 60.54 60.54 | inarily Combine Combined' Net 42.79 42.79 | ed' Network E work Elements 2.81 2.81 | | | | | | |
| ENHANCED NOTE | Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to RE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 | | curring 1 | vitch-As-Is Charge w charges below will UNCVX UNCVX UNCVX | ill not apply apply for UN UEAL2 UEAL2 UEAL2 | for UNE combi E combination 12.24 17.40 30.87 | nations provis s provisioned 127.59 127.59 127.59 | 60.54 60.54 60.54 | inarily Combine Combined' Net | ed' Network E work Elements 2.81 | | | | | | |
| ENHANCED NOTE NOTE 2-WII | Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to the control of | | curring 1 2 | vitch-As-Is Charge w charges below will UNCVX UNCVX | ill not apply apply for UN UEAL2 UEAL2 | for UNE combi E combination 12.24 17.40 | nations provis s provisioned 127.59 127.59 | ioned as ' Ord as ' Currently 60.54 60.54 | inarily Combine Combined' Net 42.79 42.79 | ed' Network E work Elements 2.81 2.81 | | | | | | |
| ENHANCED NOTE NOTE 2-WII | Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to the control of | | 1 2 3 | charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX | ill not apply apply for UN UEAL2 UEAL2 UEAL2 UEAL2 1D1VG | for UNE combi E combination 12.24 17.40 30.87 1.38 | nations provis s provisioned 127.59 127.59 127.59 10.07 | ioned as ' Ord as ' Currently 60.54 60.54 60.54 7.08 | inarily Combine Combined' Net 42.79 42.79 42.79 | ed' Network E work Elements 2.81 2.81 | | | | | | |
| ENHANCED NOTE NOTE 2-WII | Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to the control of | | 1 2 3 | vitch-As-Is Charge w charges below will UNCVX UNCVX UNCVX UNCVX UNCVX | ill not apply apply for UN UEAL2 UEAL2 UEAL2 1D1VG | for UNE combi E combination 12.24 17.40 30.87 1.38 | nations provis s provisioned 127.59 127.59 127.59 10.07 | 60.54 60.54 60.54 60.54 60.54 | 1 | ed' Network E work Elements 2.81 2.81 2.81 | | | | | | |
| ENHANCED NOTE NOTE 2-WII | Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to RE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 | | 1 2 3 1 1 2 | vitch-As-Is Charge w charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX | ill not apply apply for UN UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 | 12.24 17.40 30.87 1.38 18.89 26.84 | nations provis s provisioned 127.59 127.59 127.59 10.07 127.59 127.59 | 60.54 60.54 60.54 7.08 60.54 60.54 | 42.79 42.79 42.79 42.79 42.79 42.79 | 2.81 2.81 2.81 2.81 2.81 | | | | | | |
| ENHANCED NOTE NOTE 2-WII | Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to the control of | | 1 2 3 | vitch-As-Is Charge w charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX | ill not apply apply for UN UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 | for UNE combi E combination 12.24 17.40 30.87 1.38 18.89 26.84 47.62 | 127.59 127.59 127.59 10.07 127.59 127.59 127.59 127.59 | 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 | 42.79 42.79 42.79 42.79 42.79 42.79 | ed' Network E work Elements 2.81 2.81 2.81 | | | | | | |
| ENHANCED NOTE NOTE 2-WII | Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to the control of the control o | | 1 2 3 1 1 2 | vitch-As-Is Charge w charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX | ill not apply apply for UN UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 | for UNE combi E combination 12.24 17.40 30.87 1.38 18.89 26.84 | nations provis s provisioned 127.59 127.59 127.59 10.07 127.59 127.59 | 60.54 60.54 60.54 7.08 60.54 60.54 | 42.79 42.79 42.79 42.79 42.79 42.79 | 2.81 2.81 2.81 2.81 2.81 | | | | | | |
| ENHANCED NOTI NOTI 2-WII | Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to the control of | | 1 2 3 1 1 2 | vitch-As-Is Charge w charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX | ill not apply apply for UN UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 | for UNE combi E combination 12.24 17.40 30.87 1.38 18.89 26.84 47.62 | 127.59 127.59 127.59 10.07 127.59 127.59 127.59 127.59 | 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 | 42.79 42.79 42.79 42.79 42.79 42.79 | 2.81 2.81 2.81 2.81 2.81 | | | | | | |
| ENHANCED NOTI NOTI 2-WII | Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will the monthly recurring and the Switch-As-Is Charge and not the RE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month RE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION | | 1 2 3 1 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 | uncvx Uncvx | ill not apply apply for UN UEAL2 UEAL2 UEAL2 IDIVG UEAL4 UEAL4 UEAL4 UEAL4 IDIVG | for UNE combi E combination 12.24 17.40 30.87 1.38 18.89 26.84 47.62 1.38 | 127.59 127.59 127.59 127.59 10.07 127.59 10.07 | 60.54 60.54 60.54 60.54 60.54 60.54 7.08 60.54 60.54 7.08 | 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 | 2.81 2.81 2.81 2.81 2.81 2.81 | | | | | | |
| ENHANCED NOTE NOTE 2-WII | Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to the control of | | 1 2 3 1 2 3 3 1 1 1 2 1 1 1 1 1 1 1 1 1 | uncvx Uncvx | iil not apply apply for UN UEAL2 UEAL2 UEAL2 ID1VG UEAL4 UEAL4 UEAL4 UEAL4 UDL56 | 12.24 17.40 30.87 1.38 26.84 47.62 1.38 | 127.59 127.59 127.59 127.59 10.07 127.59 10.07 127.59 127.59 127.59 127.59 | 60.54 60.54 60.54 60.54 7.08 60.54 7.08 60.54 60.54 60.54 | 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 | 2.81 2.81 2.81 2.81 2.81 2.81 2.81 2.81 | | | | | | |
| ENHANCED NOTE NOTE 2-WII | Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not 1 RE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - Per month RE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire S6Kbps Digital Grade Loop in Combination - Zone 3 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 | | 1 2 3 1 2 3 3 1 1 2 3 3 1 1 2 1 2 1 2 1 | uncvx | iil not apply apply for UN UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL5 1D1VG | 12.24 17.40 30.87 1.38 18.89 26.84 47.62 1.38 22.20 31.56 | 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 | 60.54 60.54 60.54 60.54 7.08 60.54 60.54 60.54 60.54 60.54 60.54 60.54 | 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 | 2.81 2.81 2.81 2.81 2.81 2.81 2.81 2.81 | | | | | | |
| ENHANCED NOTI | Physical Collocation-2 Wire Cross Connects (Loop) for Line Spitting EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to the control of | | 1 2 3 1 2 3 3 1 1 2 3 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 1 2 2 3 3 1 1 1 1 | uncvx Uncvx | iil not apply apply for UN UEAL2 UEAL2 UEAL2 ID1VG UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 ID1VG UDL56 UDL56 UDL56 IDDL56 | 12.24 17.40 30.87 1.38 26.84 47.62 1.38 22.20 31.56 55.99 2.10 | 127.59 127.59 127.59 127.59 127.59 10.07 127.59 127.59 127.59 127.59 127.59 127.59 127.59 | 60.54 60.54 60.54 7.08 60.54 7.08 60.54 60.54 60.54 60.54 7.08 | 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 | 2.81 2.81 2.81 2.81 2.81 2.81 2.81 2.81 | | | | | | |
| ENHANCED NOTI | Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not 1 RE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month RE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) RE 44 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 | | 1 2 3 1 2 3 3 1 1 2 2 3 3 1 1 1 2 1 1 1 1 | uncvx Uncvx | ill not apply apply for UN UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 UEAL4 UEAL5 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 | for UNE combi E combination 12.24 17.40 30.87 1.38 18.89 26.84 47.62 1.38 22.20 31.56 55.99 2.10 | nations provis s provisioned 127.59 127.59 127.59 10.07 127.59 127.59 10.07 127.59 127.59 127.59 127.59 127.59 | 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 7.08 60.54 7.08 | 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 | 2.81 2.81 2.81 2.81 2.81 2.81 2.81 2.81 | | | | | | |
| ENHANCED NOTI | Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to the control of | | 1 2 3 3 1 2 3 3 1 2 2 3 3 1 3 3 3 1 2 2 3 3 3 1 3 3 3 3 | uncvx Uncvx | iil not apply apply for UN UEAL2 UEAL2 UEAL2 UEAL2 ID1VG UEAL4 UEAL4 UEAL4 UEAL4 ID1VG UDL56 ID1D56 ID1DD | for UNE combi E combination 12.24 17.40 30.87 1.38 18.89 26.84 47.62 1.38 22.20 31.56 55.99 2.10 22.20 31.56 | 127.59 127.59 127.59 127.59 127.59 10.07 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 | 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 7.08 60.54 60.54 60.54 60.54 60.54 60.54 | 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 | 2.81 2.81 2.81 2.81 2.81 2.81 2.81 2.81 | | | | | | |
| ENHANCED NOTI | Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will in the monthly recurring and the Switch-As-Is Charge and not the Revoice Grade Loop FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 4-Wire 56Kbps Digital Crade Loop in Combination - Zone 3 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) RE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) RE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 | | 1 2 3 1 2 3 3 1 1 2 2 3 3 1 1 1 2 1 1 1 1 | uncvx | ill not apply apply for UN UEAL2 UEAL2 UEAL2 ID1VG UEAL4 UEAL4 UEAL4 ID1VG UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 | 12.24 17.40 30.87 1.38 26.84 47.62 1.38 22.20 31.56 55.99 2.10 | 127.59 127.59 127.59 10.07 127.59 10.07 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 | 60.54 60.54 60.54 7.08 60.54 7.08 60.54 60.54 7.08 60.54 7.08 60.54 60.54 60.54 60.54 60.54 60.54 | 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 | 2.81 2.81 2.81 2.81 2.81 2.81 2.81 2.81 | | | | | | |
| ENHANCED NOTI NOTI 2-WII 4-WII 4-WII | Physical Collocation-2 Wire Cross Connects (Loop) for Line Spitting EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to the control of | | 1 2 3 3 1 2 3 3 1 2 2 3 3 1 3 3 3 1 2 2 3 3 3 1 3 3 3 3 | uncvx Uncvx | iil not apply apply for UN UEAL2 UEAL2 UEAL2 UEAL2 ID1VG UEAL4 UEAL4 UEAL4 UEAL4 ID1VG UDL56 ID1D56 ID1DD | for UNE combi E combination 12.24 17.40 30.87 1.38 18.89 26.84 47.62 1.38 22.20 31.56 55.99 2.10 22.20 31.56 | 127.59 127.59 127.59 127.59 127.59 10.07 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 | 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 7.08 60.54 60.54 60.54 60.54 60.54 60.54 | 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 | 2.81 2.81 2.81 2.81 2.81 2.81 2.81 2.81 | | | | | | |
| ENHANCED NOTI NOTI 2-WII 4-WII 4-WII | Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting | | 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 1 3 1 1 2 1 2 | UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX | iil not apply apply for UN UEAL2 UEAL2 UEAL2 UEAL2 ID1VG UEAL4 UEAL4 UEAL4 UEAL4 ID1VG UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 ID1DD | 12.24 17.40 17.40 30.87 1.38 18.89 26.84 47.62 1.38 22.20 31.56 55.99 2.10 22.20 31.56 55.99 2.10 | nations provis s provisioned 127.59 127.59 127.59 10.07 127.59 127.59 10.07 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 | 60.54 60.54 60.54 60.54 7.08 60.54 60.54 60.54 7.08 60.54 60.54 60.54 60.54 60.54 7.08 | 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 | 2.81 2.81 2.81 2.81 2.81 2.81 2.81 2.81 | | | | | | |
| ENHANCED NOTI NOTI 2-WII 4-WII 4-WII | Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to the control of | | 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 1 2 1 3 1 1 1 2 1 3 1 1 1 2 1 3 1 1 1 1 | uncdx uncdx uncdx uncvx uncdx | iil not apply apply for UN UEAL2 UEAL2 UEAL2 UEAL2 ID1VG UEAL4 UEAL4 UEAL4 UEAL4 ID1VG UDL56 UDL56 ID1DD UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 | 12.24 17.40 30.87 1.38 18.89 26.84 47.62 1.38 22.20 31.56 55.99 2.10 22.20 31.56 | 127.59 127.59 127.59 10.07 127.59 10.07 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 10.07 | 60.54 60.54 60.54 7.08 60.54 7.08 60.54 60.54 7.08 60.54 60.54 60.54 7.08 60.54 7.08 | 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 | 2.81 2.81 2.81 2.81 2.81 2.81 2.81 2.81 | | | | | | |
| ENHANCED NOTI NOTI 2-WII 4-WII 4-WII | Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to the monthly recurring and the Switch-As-Is Charge and not to the control of the control | | 1 1 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 1 1 | uncvx | ill not apply apply for UN UEAL2 UEAL2 UEAL2 ID1VG UEAL4 UEAL4 UEAL4 UEAL4 ID1VG UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL64 | 12.24 17.40 30.87 1.38 18.89 26.84 47.62 1.38 22.20 31.56 55.99 2.10 22.20 31.56 55.99 2.10 | nations provis s provisioned 127.59 127.59 127.59 10.07 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 | 60.54 60.54 60.54 60.54 7.08 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 7.08 | 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 | 2.81 2.81 2.81 2.81 2.81 2.81 2.81 2.81 | | | | | | |
| ENHANCED NOTI NOTI 2-WII 4-WII 4-WII | Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will in the monthly recurring and the Switch-As-Is Charge and not the Revoice Grade Loop For USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month Revoice Grade Loop For USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month Res 66 KBPS Digital Loop For USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) Res 44 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) RE ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 2 | | 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 1 2 1 3 1 1 1 2 1 3 1 1 1 2 1 3 1 1 1 1 | UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX | ill not apply apply for UN uPAL2 UEAL2 UEAL2 UEAL2 ID1VG UEAL4 UEAL4 UEAL4 ID1VG UDL56 UDL56 UDL56 UDL56 UDL56 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDLDD UDL50 UDL | 12.24 17.40 30.87 1.38 18.89 26.84 47.62 1.38 22.20 31.56 55.99 2.10 22.20 31.56 55.99 2.10 22.20 31.56 55.99 2.10 22.20 31.56 55.99 2.10 22.20 31.56 55.99 2.10 48.62 | nations provis s provisioned 127.59 127.59 127.59 10.07 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 | 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 7.08 60.54 7.08 | 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 | 2.81 2.81 2.81 2.81 2.81 2.81 2.81 2.81 | | | | | | |
| ENHANCED NOTI NOTI 2-WII 4-WII 4-WII 2-WII | Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting | | 1 1 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 1 1 | uncvx | ill not apply apply for UN UEAL2 UEAL2 UEAL2 ID1VG UEAL4 UEAL4 UEAL4 UEAL4 ID1VG UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL64 | 12.24 17.40 30.87 1.38 18.89 26.84 47.62 1.38 22.20 31.56 55.99 2.10 22.20 31.56 55.99 2.10 | nations provis s provisioned 127.59 127.59 127.59 10.07 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 | 60.54 60.54 60.54 60.54 7.08 60.54 60.54 60.54 60.54 60.54 60.54 60.54 60.54 7.08 | 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 | 2.81 2.81 2.81 2.81 2.81 2.81 2.81 2.81 | | | | | | |
| ENHANCED NOTI NOTI 2-WII 4-WII 4-WII 2-WII | Physical Collocation-2 Wire Cross Connects (Loop) for Line Spitting EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will in the monthly recurring and the Switch-As-Is Charge and not the monthly recurring and the Switch-As-Is Charge and not the control of the monthly recurring and the Switch-As-Is Charge and not the control of the monthly recurring and the Switch-As-Is Charge and not the control of the monthly recurring and the Switch-As-Is Charge and not the control of the monthly recurring and the Switch-As-Is Charge and the the control of the monthly recurring the monthly of the m | | 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 3 3 1 3 1 3 3 1 1 3 3 3 1 1 3 3 3 1 1 3 3 3 1 1 3 3 3 1 3 3 1 3 3 3 1 3 3 3 1 3 | UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX | III not apply apply for UN | 12.24 17.40 30.87 1.38 18.89 26.84 47.62 1.38 22.20 31.56 55.99 2.10 22.20 31.56 55.99 2.10 22.20 31.56 55.99 2.10 | 127.59 127.59 127.59 127.59 10.07 127.59 10.07 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 | 60.54 60.54 60.54 7.08 60.54 60.54 7.08 60.54 60.54 60.54 60.54 60.54 60.54 7.08 60.54 7.08 | 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 | 2.81 2.81 2.81 2.81 2.81 2.81 2.81 2.81 | | | | | | |
| ENHANCED NOTI NOTI 2-WII 4-WII 4-WII 2-WII | Physical Collocation-2 Wire Cross Connects (Loop) for Line Spitting EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to the monthly recurring and the Switch-As-Is Charge and not to the control of | | 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 1 | UNCOX UNCOX UNCOX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCOX UNCOX UNCOX UNCOX UNCOX UNCOX UNCOX UNCOX UNCDX UNCNX UNCNX UNCNX UNCNX UNCNX UNCNX UNCNX UNCNX | ill not apply apply for UN uPAL2 UEAL2 UEAL2 UEAL2 ID1VG UEAL4 UEAL4 UEAL4 UDL56 UDL56 UDL56 UDL56 UDL56 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDLC4 UDL50 UDL | 12.24 17.40 30.87 1.38 18.89 26.84 47.62 1.38 22.20 31.56 55.99 2.10 22.20 31.56 55.99 2.10 22.20 31.56 55.99 2.10 27.40 48.62 3.66 70.74 | nations provis s provisioned 127.59 127.59 127.59 10.07 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 | ioned as ' Ord as ' Currently 60.54 60.54 60.54 7.08 60.54 60.54 7.08 60.54 60.54 60.54 7.08 60.54 7.08 | 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 | 2.81 2.81 2.81 2.81 2.81 2.81 2.81 2.81 | | | | | | |
| ENHANCED NOTI NOTI 2-WII 4-WII 4-WII 2-WII | Physical Collocation-2 Wire Cross Connects (Loop) for Line Spitting EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will in the monthly recurring and the Switch-As-Is Charge and not the monthly recurring and the Switch-As-Is Charge and not the control of the monthly recurring and the Switch-As-Is Charge and not the control of the monthly recurring and the Switch-As-Is Charge and not the control of the monthly recurring and the Switch-As-Is Charge and not the control of the monthly recurring and the Switch-As-Is Charge and the the control of the monthly recurring the monthly of the m | | 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 3 3 1 3 1 3 3 1 1 3 3 3 1 1 3 3 3 1 1 3 3 3 1 1 3 3 3 1 3 3 1 3 3 3 1 3 3 3 1 3 | UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCNX UNCNX | III not apply apply for UN | 12.24 17.40 30.87 1.38 18.89 26.84 47.62 1.38 22.20 31.56 55.99 2.10 22.20 31.56 55.99 2.10 22.20 31.56 55.99 2.10 | 127.59 127.59 127.59 127.59 10.07 127.59 10.07 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 127.59 | 60.54 60.54 60.54 7.08 60.54 60.54 7.08 60.54 60.54 60.54 60.54 60.54 60.54 7.08 60.54 7.08 | 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 42.79 | 2.81 2.81 2.81 2.81 2.81 2.81 2.81 2.81 | | | | | | |

| UNBUNDLI | ED NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachmen | t: 2 Exh. A | | |
|----------|--|----------|--|---------|---------|-------------|--------|-------------|--|--------------|--------------|-----------|--|-------------|-------------|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | | | Incremental | Incrementa |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | | Manual Svc | Manual Svc | |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | | | | | | |
| OATEGORT | NATE ELEMENTO | | | 500 | 0000 | | | ιται 20 (ψ) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Monro | curring | Monroourrin | g Disconnect | 1 | | 000 | Rates (\$) | | |
| | | | | | _ | Rec | | | | | 001150 | 001111 | | | 001441 | |
| | | | <u> </u> | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 2 WIF | E VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | OMBINAL | ION | | | | | | | | | | | | | |
| | Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per | | | | | | | | | | | | | | | |
| | Month | | | UNCVX | 1L5XX | 0.0091 | | | | | | | | | | |
| | Interoffice Transport - 2-wire VG - Dedicated - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNCVX | U1TV2 | 25.32 | 94.70 | 52.59 | 50.49 | 21.53 | | | | | | |
| 4 WIF | E VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | OMBINATI | ION | | | | | | | | | | | | | |
| | Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per | | | | | | | | | | | | | | | |
| | Month | | | UNCVX | 1L5XX | 0.0091 | | | | | | | | | | |
| | Interoffice Transport - 4-wire VG - Dedicated - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNCVX | U1TV4 | 22.58 | 94.70 | 52.59 | 50.49 | 21.53 | | | | | | |
| DS1 I | NTEROFFICE TRANSPORT FOR COMBINATION | | 1 | 0.10171 | 01111 | 22.00 | 0 0 | 02.00 | 00.10 | 21.00 | | | | | | 1 |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 1 | | | | | | | | | | | | | 1 |
| | per month | | | UNC1X | 1L5XX | 0.1856 | | | 1 | 1 | | | | | | 1 |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | 1 | 1 | SINOIA | ILUXX | 0.1050 | | | | + | 1 | | | - | | + |
| | | | | LINGAY | LIATEA | 00.44 | 474.40 | 400.40 | 45.04 | 47.05 | | | | | | |
| DC2 : | Termination per month | | | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | 1 | - | | | + |
| DS3 I | NTEROFFICE TRANSPORT FOR USE IN A COMBINATION | 1 | ļ | | - | | | | | 1 | | | 1 | | | + |
| | Interoffice Transport - Dedicated - DS3 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | | UNC3X | 1L5XX | 3.87 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | | | | | | | | | | | | | |
| | month | | | UNC3X | U1TF3 | 1,071.00 | 335.46 | 219.28 | 72.03 | 70.56 | | | | | | |
| STS-1 | INTEROFFICE TRANSPORT FOR USE IN COMBINATION | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | | UNCSX | 1L5XX | 3.87 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | | | | | | | | | | | | | 1 |
| | Termination per month | | | UNCSX | U1TFS | 1,056.00 | 314.45 | 130.88 | 38.60 | 18.23 | | | | | | |
| 4-WIF | RE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN | ISPORT | | | | , , , , , , | | | | | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL56 | 22.20 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 31.56 | 127.59 | 60.54 | | 2.81 | | | | | | 1 |
| | 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 55.99 | 127.59 | 60.54 | | 2.81 | | | | | | + |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | <u> </u> | CHODA | ODLOO | 00.00 | 127.00 | 00.04 | 72.70 | 2.01 | 1 | | | | | + |
| | Per Mile per month | | | UNCDX | 1L5XX | 0.0091 | | | | | | | | | | |
| | | | | UNCDA | ILSAA | 0.0091 | | | | | 1 | | | | | + |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | LINODY | LIATOS | 40.44 | 04.70 | 50.50 | 50.40 | 04.50 | | | | | | |
| | Facility Termination per month | | <u> </u> | UNCDX | U1TD5 | 18.44 | 94.70 | 52.59 | 50.49 | 21.53 | | | | | | |
| 4-WIF | RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | FFICE IR | ANSPO | | | | | | | | | | | | | |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 1 | | 1 | UNCDX | UDL64 | 22.20 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 2 | ļ | 2 | UNCDX | UDL64 | 31.56 | 127.59 | 60.54 | | 2.81 | ļ | | | | | |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 | 55.99 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | 1 |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | 1 | | | | 1 | 1 | | | | | | 1 |
| | Per Mile per month | | | UNCDX | 1L5XX | 0.0091 | | | <u> </u> | | <u> </u> | | | | | <u> </u> |
| T | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | 1 | | | | | | | | | | | l | - | |
| [| Facility Termination per month | <u></u> | <u>L_</u> | UNCDX | U1TD6 | 18.44 | 94.70 | 52.59 | 50.49 | 21.53 | <u> </u> | <u> </u> | <u> </u> | <u> </u> | | <u> </u> |
| 4-WIF | RE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC | E TRANS | PORT | | | | | | | | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL56 | 22.20 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | 1 |
| | 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 31.56 | 127.59 | 60.54 | | 2.81 | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 55.99 | 127.59 | 60.54 | | 2.81 | | | | | | † |
| | 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per | 1 | Ť | | 00100 | 55.55 | 127.00 | 00.04 | 72.73 | 2.01 | 1 | 1 | t | | | |
| | month | | 1 | UNCDX | 1L5XX | 0.0091 | | | 1 | 1 | | 1 | | | | 1 |
| | 4-wire 56 kbps Interoffice Transport - Dedicated - Facility | 1 | 1 | SINODA | ILUXX | 0.0031 | | | | + | } | | | - | | + |
| | Termination per month | | 1 | UNCDX | U1TD5 | 18.44 | 94.70 | 52.59 | 50.49 | 21.53 | | 1 | | | | 1 |
| 4 1877 | | E TDANO | BORT | OINODA | פעווט | 10.44 | 94.70 | 52.59 | 50.49 | 21.53 | 1 | | - | | | + |
| 4-1/11 | RE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC | LIKANS | | LINCDY | LIDL C4 | 20.00 | 407.50 | 00.54 | 40.70 | 0.01 | | | - | | | + |
| | 4-wire 64 kbps Local Loop in combination - Zone 1 | 1 | 1 | UNCDX | UDL64 | 22.20 | 127.59 | 60.54 | | 2.81 | | | 1 | | | + |
| | 4-wire 64 kbps Local Loop in combination - Zone 2 | ļ | 2 | UNCDX | UDL64 | 31.56 | 127.59 | 60.54 | | 2.81 | ļ | | | | | |
| | 4-wire 64 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL64 | 55.99 | 127.59 | 60.54 | 42.79 | 2.81 | ļ | | 1 | | | |
| | I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per | | | | | | | | | 1 | | İ | | | | 1 |
| | month | | | UNCDX | 1L5XX | 0.0091 | | | | | | | | | | 1 |
| | 4-wire 64 kbps Interoffice Transport - Dedicated - Facility | | | | | | | | | | | | | | | |
| | Termination per month | <u> </u> | <u> </u> | UNCDX | U1TD6 | 18.44 | 94.70 | 52.59 | 50.49 | 21.53 | <u> </u> | <u> </u> | <u> </u> | <u> </u> | | <u> </u> |
| DS1 I | DIGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 1 | 1 | 1 | UNC1X | USLXX | 70.74 | 217.75 | 121.62 | 51.44 | 14.45 | İ | | | | | 1 |

| RATE ELEMENTS Interim Zone BCS USOC RATES (\$) RATE SLEMENTS Interim Zone BCS USOC RATES (\$) RATE SLEMENTS STATE SLEMENTS STATE SLEW STATE SLEW STATE SLEW STATE SLEW STATE SLEW SLEW SLEW SLEW SLEW SLEW SLEW SLE | JNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachmen | t: 2 Exh. A | | |
|--|-------------|---|-----------|---------|----------------------|--------------|-----------------|----------|-----------|----------|---------|-------------------|-----------------------|---------------------------------------|---------------------------------------|------------------------|--|
| Part | | | Intoday | 7 | DCC. | usos | | | DATES (#) | | | Submitted Elec | Submitted Manually | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc | Charge - Manual Svc | Charge - Manual Sv |
| Microsophic Conference | ATEGORY | KATE ELEMENTS | interim | Zone | BCS | USOC | | | ., | | | per LSR | per LSR | Electronic- 1st | Electronic- Add'l | Electronic- | Order vs. Electronic- Disc Add'l |
| Wife EST Double can Continued a Zene 2 2 DECK SEX 150.56 177.75 201.15 164.65 | | | | | | | Rec | | | | | | | | | | |
| Author per logical op in Contension - 7 cm 3 3 (ARCYX USXX 178.50 277.75 77.60 51.44 14.45 1 | | | | | | | | | | | | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Internation Transport - Decicated - OSI controlation - Facility Internation Inte | | | | | | | | | | | | | | | | | |
| Best Processing Section Sectio | | | | 3 | UNC1X | USLXX | 178.39 | 217.75 | 121.62 | 51.44 | 14.45 | | | | | | |
| Interesting Transport - Decidence - Deci | | | | | | | | | | | | | | | | | |
| Termination per records | | | | | UNCTX | 1L5XX | 0.1856 | | | | | | | | | | |
| SS India Lucy or purplement - purplement or purplement o | | | | | LINIOAN | | 00.44 | 474.40 | 100.10 | 45.04 | 47.05 | | | | | | |
| DSS Local Loop is contribution. *per marge per month DSCSX LSDN 15.00 12.558 | Des D | | DT | | UNCIX | UTIFT | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | | | | | - |
| DS1 Local Loop in combination - Facility Termination per month UNCOX UESPX 444.972 619.6255 364.4615 199.6955 111.366 | ים נפת | | JRI | | LINCOV | 11 END | 10.550 | | | | | | | | | | |
| Intendifice Transport - Delicated - 1581 - Per Millip per month INCOME | | DSS Local Loop III combination - per mile per month | | | UNCSA | ILSIND | 12.556 | | | | | | | | | | - |
| Interestine Transport - Delicated : 1583 - Per Milling per morth Interestine Transport - Delicated : 1584 - Per Milling per morth Interestine Transport - Delicated : 1584 - Per Milling per morth Interestine Transport - Delicated : 1584 - Per Milling per morth Interestine Transport - Delicated : 1584 - Per Milling per morth Interestine Transport - Delicated : 1584 - Per Milling per morth Interestine Transport - Delicated : 1584 - Per Milling per morth Interestine Transport - Delicated : 1584 - Per Milling per morth Interestine Transport - Delicated : 1584 - Per Milling per morth Interestine Transport - Delicated : 1584 - Per Milling per morth Interestine Transport - Delicated : 1584 - Per Milling per morth Interestine Transport - Delicated : 1584 - Per Milling per morth Interestine Transport - Delicated : 1584 - Per Milling per morth Interestine Transport - Delicated : 1584 - Per Milling per morth Interestine Transport - Delicated : 1584 - Per Milling per morth Interestine Transport - Delicated : 1584 - Per Milling per morth Interestine Transport - Delicated : 1584 - Per Milling per morth Interestine Transport - Delicated : 1584 - Per Milling per morth Interestine Transport - Delicated : 1584 - Per Milling per morth Interestine Transport - Delicated : 1584 - Per Milling per Milling per morth Interestine Transport - Delicated : 1584 - Per Milling p | | DS2 Local Loop in combination. Excility Termination per month | | | LINCSY | LIESDY | 444 012 | 620 9255 | 204 4615 | 150 0005 | 111 266 | | | | | | |
| Intenditive Transport - Desicated - SS2 contribution - Facility UNGSX | | | | | | | | 039.0233 | 354.4013 | 135.5553 | 111.300 | | | | | | |
| Farmation per morth STR-1 Incol LoDy WITH DEBICATED STR-1 INTEROFFICE TRANSPORT INCOME ILSBD 12566 | | | | 1 | 01100/ | ILOAA | 5.07 | | | | | | | | | | — |
| STS-1 Local Loop with DEBOCATED STS-1 INTEROFFICE TRANSPORT UNCSX 1,590 12,555 UNCSX 1,590 12,555 UNCSX 1,590 12,555 UNCSX 1,590 1,590 UNCSX 1,590 UNCSX 1,590 UNCSX 1,590 UNCSX 1,590 UNCSX 1,590 UNCSX 1,590 UNCSX 1,590 UNCSX 1,590 UNCSX 1,590 UNCSX 1,590 UNCSX UNC | | | | | UNC3X | U1TE3 | 1 071 00 | 335 46 | 219 28 | 72 03 | 70.56 | | | | | | |
| STS+Local Log in combination - per mile per month | STS-1 | | ISPORT | | CHOOK | 01110 | 1,07 1.00 | 000.40 | 210.20 | 72.00 | 70.00 | | | | | | |
| STS-1 Local Loop in contributation – Facility Termination per Independent of the Company of th | 0.0. | | | | UNCSX | 1I 5ND | 12 558 | | | | | | | | | | |
| month Listeroffice Transport - Dedicated - STS-1 combination - per mile Listeroffice Transport - Dedicated - STS-1 combination - per mile Listeroffice Transport - Dedicated - STS-1 combination - per mile Listeroffice Transport - Dedicated - STS-1 combination - Per mile Listeroffice Transport - Dedicated - STS-1 combination - Per mile Listeroffice Transport - Dedicated - STS-1 combination - Per mile Listeroffice Transport - Dedicated - STS-1 combination - Per mile Listeroffice Transport - Dedicated - STS-1 combination - Per mile Listeroffice Transport - Dedicated - STS-1 combination - Per mile Listeroffice Transport - Dedicated - STS-1 combination - Per mile Listeroffice Transport - Dedicated - STS-1 combination - Per mile Listeroffice Transport - Dedicated - STS-1 combination - Per mile Listeroffice Transport - Dedicated - STS-1 combination - Per mile Listeroffice Transport - Dedicated - STS-1 combination - Per mile Listeroffice Transport - Dedicated - STS-1 combination - Per Dedicated - Per Dedicated - STS-1 combination - Per Dedicated - STS-1 combination - Per Dedicated - STS-1 combination - Per Dedicated - Per Dedicated - STS-1 combination - Per Dedicated - STS-1 combination - Per Dedicated - STS-1 combination - Per Dedicated - STS-1 combination - Per Dedicated - STS-1 combination - Per Dedicated - STS-1 c | | | | | 0.100/1 | 120112 | 12.000 | | | | | | | | | | |
| Interoffice Transport - Dedicated - STS-1 combination - per mile per month UNCSX 1LDXX 3.87 UNCSX 1LDXX 3.87 UNCSX 1LDXX 3.87 UNCSX 1.108.00 314.45 130.88 38.60 18.23 UNCSX 1.108.00 314.45 130.88 38.60 18.23 UNCSX 1.108.00 314.45 130.88 38.60 18.23 UNCSX 1.108.00 314.45 130.88 38.60 18.23 UNCSX 1.108.00 314.45 130.88 38.60 18.23 UNCSX 1.108.00 314.45 130.88 38.60 18.23 UNCSX 1.108.00 314.45 130.88 38.60 18.23 UNCSX 1.108.00 314.45 130.88 38.60 18.23 UNCSX 1.108.00 314.45 130.88 38.60 18.23 UNCSX 1.108.00 314.45 130.88 38.60 18.23 UNCSX 1.108.00 314.45 UNCSX 1.108.00 314.4 | | | | | UNCSX | UDLS1 | 490.59 | 639.8255 | 394,4615 | 159.9995 | 111.366 | | | | | | |
| Dem nonth Interdice Transport - Dedicated - STS+1 combrastion - Facility UNCSX | | | | | | | | | | | | | | | | | |
| Interoffice Transport - Delicated - STS-1 combination - Facility Termination per month UNCSX | | | | | UNCSX | 1L5XX | 3.87 | | | | | | | | | | |
| Termination per month | | | | | | | | | | | | | | | | | |
| DOITIONAL NETWORK ELEMENTS DOITIONAL NETWORK ELEMENTS DOITIONAL NETWORK ELEMENTS DOITIONAL NETWORK ELEMENTS DOITIONAL NETWORK ELEMENTS DOITIONAL STATES | | | | | UNCSX | U1TFS | 1.056.00 | 314.45 | 130.88 | 38.60 | 18.23 | | | | | | |
| When used as ordinarily combined network elements 'Switch As is Charge does not. | DDITIONAL I | | | | | | , | | | | | | | | | | |
| When used as ordinarily combined network elements in All States, the non-recurring Currently Combined Network Elements 'Switch As is C'harge does not. | | | ng charg | es do n | ot apply, but a Swit | ch As Is cha | rge does apply. | | | | | | | | | | |
| Nonrecurring Currently Combined Network Elements Switch As Is* Charge (One applies to each combination) Nonrecurring Currently Combined Network Elements Switch As Is* Charge 2 wind-Wire VG | When | used as ordinarily combined network elements in All States, t | he non-re | curring | charges apply and | the Switch A | s Is Charge doe | es not. | | | | | | | | | |
| Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wired-Afriev CG | Nonre | curring Currently Combined Network Elements "Switch As Is" | Charge (| One app | lies to each combin | ation) | | | | | | | | | | | |
| Scharge 2 wired-w/lire VG | | | | | | | | | | | | | | | | | |
| Coptional Features & Functions: | | | | | | | | | | | | | | | | | |
| Clear Channel Capability Extended Frame Option - per DS1 | | | | | UNCSX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | | | | | |
| Clear Channel Capability Extended Frame Option - per DS1 | Option | nal Features & Functions: | | | | | | | | | | | | | | | |
| Clear Channel Capability Super FrameCption - per DS1 | | | | | | | | | | | | | | | | | |
| Clear Channel Capability (SP/ESF) Option - per DS1 | | Clear Channel Capability Extended Frame Option - per DS1 | | | | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| Clear Channel Capability (SF/ESF) Option - Subsequent ULDD1, UTID1, Activity - per DS1 ULDD1, UTID1, UNCTX, USL NRCCC 184.92 23.82 2.07 0.80 UTID3, ULDD3, UTID3, ULDD3, UTID3, ULDD3, USE3, UNCXX NRCC3 219.09 7.67 0.773 0.00 UTID3, ULDD3, USE3, UNCXX NRCC3 219.09 7.67 0.773 0.00 USE3, UNCXX NRCC3 USE3, UNCXX USE3, UNCXX NRCC3 USE3, UNCXX USE3, UNCXX NRCC3 USE3, UNCXX USE3, UNCXX NRCC3 USE3, UNCXX | | | | | | | | | | | | | | | | | |
| Activity - per DS1 | | | ı | | | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| C-bit Parity Option - Subsequent Activity - per DS3 i UE3, UNC3X NRCC3 219.09 7.67 0.773 0.00 MULTIPLEXERS US3, UNC3X NRCC3 219.09 7.67 0.773 0.00 MULTIPLEXERS US3 to DS0 Channel System per month UNC1X MQ1 146.77 101.42 71.62 OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (24-64kbs) used for a Local Loop UDL 101DD 2.10 10.07 7.08 OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (24-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation U1TUD 101DD 2.10 10.07 7.08 0.00 0.00 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month tor a Local Loop UDL UDN UC1CA 3.66 10.07 7.08 | | | | | | | | | | | | | | | | | |
| C-bit Parity Option - Subsequent Activity - per DS3 | | Activity - per DS1 | | | | NRCCC | | 184.92 | 23.82 | 2.07 | 0.80 | | | | | | |
| MULTIPLEXERS | | O Lit Berit Coulins Of Learning Author | | | | NDOOO | | 040.00 | 7.07 | 0.770 | 0.00 | | | | | | |
| DS1 to DS0 Channel System per month | MIII TI | | | | UE3, UNC3X | NRCC3 | | 219.09 | 7.07 | 0.773 | 0.00 | | | | | | |
| OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop | MULII | | | | LINC1V | MO1 | 146 77 | 101.42 | 71.62 | | | | | | | | - |
| month (2.4-64kbs) used for a Local Loop | | | | | UNCIA | IVIQ I | 140.77 | 101.42 | 71.02 | | | | | | | | - |
| COLU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation | | | | | LIDI | 1D1DD | 2.10 | 10.07 | 7.00 | | | | | | | | |
| Month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation U1TUD 1D1DD 2.10 10.07 7.08 0.00 0.00 0.00 | | | | | ODL | טטוטו | 2.10 | 10.07 | 7.00 | | | | | | | | - |
| Local Channel in the same SWC as collocation | | | | | | | | | | | | | | | | | |
| 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop UDN UC1CA 3.66 10.07 7.08 | | | | | U1TUD | 1D1DD | 2 10 | 10.07 | 7.08 | 0.00 | 0.00 | | | | | | |
| Month for a Local Loop | | | | | CTTOD | 10100 | 2.10 | 10.07 | 7.00 | 0.00 | 0.00 | | | | | | |
| 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation | | | | | UDN | UC1CA | 3 66 | 10.07 | 7.08 | | | | | | | | |
| month used for connection to a channelized DS1 Local Channel in the same SWC as collocation U1TUB UC1CA 3.66 10.07 7.08 0.00 0.00 | | | | | 02.1 | 00.071 | 0.00 | 10.01 | 7.00 | | | | | | | | |
| In the same SWC as collocation | | | | | | | | | | | | | | | | | |
| Voice Grade COCI - DS1 to DS0 Channel System - per month UEA 1D1VG 1.38 10.07 7.08 | | | | | U1TUB | UC1CA | 3.66 | 10.07 | 7.08 | 0.00 | 0.00 | | | | | | |
| UEA IDIVG 1.38 10.07 7.08 | | | | | | | | | | | | | | | | | |
| Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation U1TUC 1D1VG 1.38 10.07 7.08 0.00 0.00 | | | | 1 | UEA | 1D1VG | 1.38 | 10.07 | 7.08 |] | | | | Ì | | | 1 |
| Used for connection to a channelized DS1 Local Channel in the same SWC as collocation | | | | | | 1 | | | | | | | | | | | |
| DS3 to DS1 Channel System per month | | | | | 1 | | | | |] | | | | 1 | | | 1 |
| STS-1 to DS1 Channel System per month | | | | 1 | U1TUC | 1D1VG | 1.38 | 10.07 | 7.08 | 0.00 | 0.00 | | | Ì | | | 1 |
| STS-1 to DS1 Channel System per month | | | | | | | | | | | 39.07 | | | | | | |
| DS1 COCI (used for connection to a channelized DS1 Local | | | | | UNCSX | MQ3 | 211.19 | 199.28 | 118.64 | 40.34 | 39.07 | | | | | | |
| | | | | | USL | UC1D1 | 13.76 | 10.07 | 7.08 | | | | | | | | |
| Channel in the same SWC as collocation) per month | | | | | | | | | | | | | | | | - | 1 |
| | | Channel in the same SWC as collocation) per month | <u></u> | <u></u> | U1TUA | UC1D1 | 13.76 | 10.07 | 7.08 | 0.00 | 0.00 | | | L | | | <u></u> |

| UNBUNDI | ED NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachmen | t: 2 Exh. A | | |
|----------|---|-------------|--------|-----------|-------|------------|--------|--------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES (\$) | | | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | • |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | DS1 COCI used with Interoffice Channel per month | | | U1TD1 | UC1D1 | 13.76 | | | | | | | | | | |
| | DS3 Interface Unit (DS1 COCI) used with Local Channel per | | | | | | | | | | | | | | | |
| | month | | UC1D1 | 13.76 | 10.07 | 7.08 | 0.00 | 0.00 | | | | | | | | |
| Note | e: Rates displaying an "I" in Interim column are interim as a res | ult of a Co | mmissi | on order. | | | | | | <u> </u> | | | | | | |

Version TRRO: 03/15/2005

| UNBL | JNDLE | D NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachmen | t: 2 Exh. A | | |
|----------|--------------|--|------------|----------|--------------------------------|----------------|-----------------|----------------|-----------------|-----------------|------------------|-----------------|------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| | | | | | | | | | | | | | Svc Order | | Incremental | Incremental | |
| | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - | Charge - |
| CATE | ORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | Elec per LSR | Manually per LSR | Manual Svc Order vs. | Manual Svc Order vs. | Manual Svc Order vs. | Manual Svc Order vs. |
| | | | | | | | | | | | | per Lak | per Lok | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | Nonro | curring | Monroourrin | Disconnect | | | | Rates (\$) | | |
| - | 1 | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | COMPAR |
| | | one" shown in the sections for stand-alone loops or loops as | | | ation refers to Geog | raphically De | eaveraged UNE | Zones. To vie | ew Geographic | cally Deaverage | d UNE Zone D | esignations | by Central | Office, refer t | o internet We | bsite: | |
| 0050 | | www.interconnection.bellsouth.com/become_a_clec/html/inter | rconnecti | on.htm | 1 | | T | T | T | 1 | 1 | | | ı | ı | ı | 1 |
| OPERA | | _ SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" (1) CLEC should contact its contract negotiator if it prefers th | o "etato e | nocific | OSS charges as ore | lared by the | State Commiss | sions The OS | S charges cur | rontly contains | d in this rate o | vhihit ara th | o BollSouth | "rogional" e | orvice orderin | a charges C | I EC may |
| | | ther the state specific Commission ordered rates for the servi | | | | | | | | | | | | | | | |
| | | f the 9 states. | | g oa. | goo, o. ooa, o. | oot tiio rogio | 55. 1.55 5.5 | | | | | | | | | 001111401 0014 | |
| | | (2) Any element that can be ordered electronically will be bill | | | | | | | | | | | | | | | |
| | | be ordered electronically at present per the LOH, the listed S | | e in thi | s category reflects th | e charge tha | t would be bill | led to a CLEC | once electronic | c ordering cap | abilities come | on-line for t | hat element | . Otherwise, | the manual o | rdering charg | e, SOMAN, |
| | will be | applied to a CLECs bill when it submits an LSR to BellSouth. OSS - Electronic Service Order Charge, Per Local Service | | 1 | T | 1 | T | T | T | | 1 | ı | 1 | T | T | T | |
| | | Request (LSR) - UNE Only | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| | | OSS - Manual Service Order Charge, Per Local Service Request | | | | 0020 | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | (LSR) - UNE Only | | | | SOMAN | | 11.73 | 0.00 | 6.13 | 0.00 | | | | | | |
| UNE S | | DATE ADVANCEMENT CHARGE | | <u> </u> | | <u> </u> | <u> </u> | | | | | | | | | | |
| | NOTE: | The Expedite charge will be maintained commensurate with | BellSouth | 's FCC | No.1 Tariff, Section | 5 as applicat | ole. | | | | | | | | | | |
| | | | | | UAL. UEANL. UCL. | | | | | | | | | | | | |
| | | | | | UEF, UDC, UDF, | | | | | | | | | | | | |
| | | | | | UEQ, UDL, UENTW, | | | | | | | | | | | | |
| | | | | | UDN, UEA, UHL, | | | | | | | | | | | | |
| | | | | | ULC, USL, U1T12, | | | | | | | | | | | | |
| | | | | | U1T48, U1TD1, U1TD3, U1TDX. | | | | | | | | | | | | |
| | | | | | U1TO3, U1TS1, | | | | | | | | | | | | |
| | | | | | U1TVX, UC1BC, | | | | | | | | | | | | |
| | | | | | UC1BL, UC1CC, | | | | | | | | | | | | |
| | | | | | UC1CL, UC1DC, | | | | | | | | | | | | |
| | | | | | UC1DL, UC1EC, | | | | | | | | | | | | |
| | | | | | UC1EL, UC1FC, | | | | | | | | | | | | |
| | | | | | UC1FL, UC1GC, UC1GL, UC1HC, | | | | | | | | | | | | |
| | | | | | UC1HL, UDL12, | | | | | | | | | | | | |
| | | | | | UDL48, UDLO3, | | | | | | | | | | | | |
| | | | | | UDLSX, UE3, | | | | | | | | | | | | |
| | | | | | ULD12, ULD48, | | | | | | | | | | | | |
| | | | | | ULDD1, ULDD3, | | | | | | | | | | | | |
| | | | | | ULDDX, ULDO3, ULDS1, ULDVX, | | | | | | | | | | | | |
| | | | | | UNC1X, UNC3X, | | | | | | | | | | | | |
| | | | | | UNCDX, UNCNX, | | | | | | | | | | | | |
| | | | | | UNCSX, UNCVX, | | | | | | | | | | | | |
| | | | | | UNLD1, UNLD3, | | | | | | | | | | | | |
| | | | | | UXTD1, UXTD3, | | | | | | | | | | | | |
| | | UNE Expedite Charge per Circuit or Line Assignable USOC, per | | | UXTS1, U1TUC, U1TUD, U1TUB, | | | | | | | | | | | | |
| | | Dav | | | U1TUA | SDASP | | 200.00 | | | | | | | | | |
| UNBU | | XCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| | 2-WIRE | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| <u> </u> | ļ | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | | UEANL | UEAL2 | 10.51 | 40.02 | 9.99 | 5.61 | 1.72 | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | - | | UEANL UEANL | UEAL2 UEAL2 | 15.85 31.97 | 40.02 40.02 | 9.99 9.99 | 5.61 5.61 | 1.72 1.72 | | | | | | |
| | 1 | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | - | | UEANL | UEASL | 10.51 | 40.02 | 9.99 | 5.61 | 1.72 | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 2 | | | UEANL | UEASL | 15.85 | 40.02 | 9.99 | 5.61 | 1.72 | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | | UEANL | UEASL | 31.97 | 40.02 | 9.99 | 5.61 | 1.72 | | | | | | |
| | | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | | | | | | |
| | 1 | Premise Loop Testing - Basic 1st Half Hour | 1 | | UEANL UEANL | URETL URET1 | | 8.33 25.12 | 0.83 25.12 | | <u> </u> | | | | | | |
| | | Loop Testing - Basic 1st Haif Hour Loop Testing - Basic Additional Half Hour | 1 | 1 | UEANL | URETA | | 13.62 | 13.62 | + | 1 | | | | | | |
| | 1 | I Basis / Wallistian Flatt Flour | | 1 | 1 | 1 | L | 10.02 | 10.02 | <u> </u> | 1 | <u> </u> | l | L | L | · | |

| UNBUN | DLED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachmen | | | |
|----------|--|----------------|----------|----------------------------|----------------|----------------|----------------|--------------|--------------|--------------|----------|-----------|-------------|-------------|-------------|--|
| | | | | | | | | | | | | Svc Order | | Incremental | | Incremental |
| | | | | | | | | | | | | Submitted | Charge - | Charge - | Charge - | Charge - |
| CATEGOR | RY RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | |
| CATEGOR | KAIL ELEMENIS | memm | Zone | BC3 | 0300 | | | KATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonre | curring | Nonrecurring | g Disconnect | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | | | | | | | | | | | | | İ |
| | (UVL-SL1) | | | UEANL | UREWO | | 15.75 | 8.92 | | | | | | | | |
| | Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.) | | | UEANL | UEANM | | 7.30 | 7.30 | | | | | | | | İ |
| | Manual Order Coordiantion for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 18.92 | 18.92 | | | | | | | | |
| | Order Coordination for Specified Conversion Time for UVL-SL1 | | | UEAINL | UEAIVIC | | 10.92 | 10.92 | | | | | | | | |
| | (per LSR) | | | UEANL | OCOSL | | 57.79 | | | | | | | | | İ |
| 2-\ | -WIRE UNBUNDLED COPPER LOOP - NON-DESIGNED | | | | | | | | İ | | | | | | | |
| | 2 Wire Unbundled Copper Loop Non-Designed- Zone 1 | | 1 | UEQ | UEQ2X | 11.02 | 44.69 | 22.40 | 0.00 | 0.00 | | | | | | |
| | 2 Wire Unbundled Copper Loop Non-Designed- Zone 2 | | | UEQ | UEQ2X | 12.72 | 44.69 | 22.40 | 0.00 | 0.00 | | | | | | |
| | 2 Wire Unbundled Copper Loop Non-Designed-Zone 3 | | 3 | UEQ | UEQ2X | 20.22 | 44.69 | 22.40 | 0.00 | 0.00 | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | | | | | | 1 |
| | Premise | ļ | | UEQ | URETL | | 8.33 | 0.83 | | | | | | | | |
| | Manual Order Coordination 2 Wire Unbundled Copper Loop - | 1 | | LIFO | LICDAGO | | 10.00 | 10.00 | 1 | | | 1 | | | | 1 |
| | Non-Designed (per loop) Unbundled Copper Loop, Non-Design Copper Loop, billing for | | | UEQ | USBMC | | 18.92 | 18.92 | 1 | | | | | | | |
| | BST providing make-up (Engineering Information - E.I.) | | | UEQ | UEQMU | | 7.30 | 7.30 | | | | | | | | İ |
| | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | 25.12 | 25.12 | | | | | | | | |
| | Loop Testing - Basic Additional Half Hour | | | UEQ | URETA | | 13.62 | 13.62 | | | | | | | | |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | | | | | | İ | | | | | | | |
| | (UCL-ND) | | | UEQ | UREWO | | 14.25 | 7.42 | | | | | | | | İ |
| UNBUNDL | LED EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| | WIRE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| UN | NE Loop Rates for Line Splitting (In Ga. PSC ordered the line spli | itting loop | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1 | | | UEPSR UEPSB | UEALS | 9.56 | 10.05 | 7.36 | 1.37 | 1.28 | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1 | <u> </u> | | UEPSR UEPSB | UEABS | 9.56 | 10.05 | 7.36 | 1.37 | 1.28 | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2 | | 2 | UEPSR UEPSB UEPSR UEPSB | UEALS UEABS | 14.86 14.86 | 10.05 10.05 | 7.36 7.36 | 1.37 1.37 | 1.28 1.28 | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3 | i | 3 | UEPSR UEPSB | UEALS | 31.66 | 10.05 | 7.36 | 1.37 | 1.28 | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3 | l i | | UEPSR UEPSB | UEABS | 31.66 | 10.05 | 7.36 | 1.37 | 1.28 | | | | | | |
| UNBUNDL | LED EXCHANGE ACCESS LOOP | <u> </u> | | OLI OK OLI OD | CLABO | 01.00 | 10.00 | 7.00 | 1.07 | 1.20 | | | | | | |
| | WIRE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | |
| | Ground Start Signaling - Zone 1 | | 1 | UEA | UEAL2 | 11.57 | 79.85 | 24.65 | 18.92 | 7.87 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | İ |
| | Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | 16.95 | 79.85 | 24.65 | 18.92 | 7.87 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | İ |
| | Ground Start Signaling - Zone 3 | | 3 | UEA UEA | UEAL2 OCOSL | 33.08 | 79.85 57.79 | 24.65 | 18.92 | 7.87 | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | UEA | OCOSL | | 57.79 | | - | | | | | | | |
| | Battery Signaling - Zone 1 | 1 | 1 | UEA | UEAR2 | 11.57 | 79.85 | 24.65 | 18.92 | 7.87 | | 1 | | | | 1 |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | <u> </u> | OLA | OLYTICE | 11.07 | 70.00 | 24.00 | 10.02 | 7.07 | | | | | | |
| | Battery Signaling - Zone 2 | | 2 | UEA | UEAR2 | 16.95 | 79.85 | 24.65 | 18.92 | 7.87 | | | | | | İ |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | ,,, | | i | | | | 1 | | |
| | Battery Signaling - Zone 3 | | 3 | UEA | UEAR2 | 33.08 | 79.85 | 24.65 | 18.92 | 7.87 | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 57.79 | | | | | | | | | L |
| | CLEC to CLEC Conversion Charge without outside dispatch | ļ | | UEA | UREWO | | 87.72 | 36.36 | ļ | ļ | | | | | | I |
| 4. | Loop Tagging - Service Level 2 (SL2) | | <u> </u> | UEA | URETL | | 11.19 | 1.10 | | | | | | | | |
| 4-1 | WIRE ANALOG VOICE GRADE LOOP | 1 | 1 | UEA | UEAL4 | 17.80 | 93.01 | 28.17 | 19.52 | 8.12 | | | | | | |
| | 4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2 | 1 | | UEA | UEAL4 UEAL4 | 17.80 21.68 | 93.01 | 28.17 | 19.52 | 8.12 8.12 | | | | | | |
| | 4-Wire Analog Voice Grade Loop - Zone 2 | 1 | | UEA | UEAL4 | 30.25 | 93.01 | 28.17 | 19.52 | 8.12 | | | | | | - |
| | Order Coordination for Specified Conversion Time (per LSR) | | Ť | UEA | OCOSL | 33.20 | 57.79 | 20.17 | . 5.52 | 5.12 | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | 1 | 87.72 | 36.36 | | | | | | 1 | | |
| 2-\ | WIRE ISDN DIGITAL GRADE LOOP | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UDN | U1L2X | 21.89 | 180.06 | 35.25 | 18.23 | 6.97 | | | | | | L |
| | 2-Wire ISDN Digital Grade Loop - Zone 2 | ļ | 2 | UDN | U1L2X | 25.27 | 180.06 | 35.25 | 18.23 | 6.97 | | | | | | I |
| \vdash | 2-Wire ISDN Digital Grade Loop - Zone 3 | | 3 | UDN | U1L2X | 40.17 | 180.06 | 35.25 | 18.23 | 6.97 | | | | ļ | | |
| | Order Coordination For Specified Conversion Time (per LSR) | <u> </u> | <u> </u> | UDN | OCOSL | | 57.79 | | l | L | <u> </u> | l | | L | | |

| UNBUNDL | ED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachmen | t: 2 Exh. A | | |
|--|---|---|----------|--------|------------|-------|--------|------------|--------------|-------|--|-----------|--|-------------|-------------|------------|
| | · · | | | | | | | | | | Svc Order | Svc Order | | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | | Manual Svc | Manual Svc | |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | | - | | | | |
| CATEGORI | NATE ELEMENTO | IIICIIIII | 20116 | B00 | 0000 | | | IXATEO (ψ) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | |
| | | | | | | Rec | | curring | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDN | UREWO | | 120.98 | 33.04 | | | | | | | | |
| 2-WI | RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP | ATIBLE L | .00P | | | | | | | | | | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | | | | | | | | | | | Ī |
| | & facility reservation - Zone 1 | 1 | 1 | UAL | UAL2X | 11.23 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | | | | | | | | | | | 1 |
| | & facility reservation - Zone 2 | 1 | 2 | UAL | UAL2X | 12.97 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry | i | | G/ 1.E | O/ LEE/ | 12.01 | 11.00 | 01.00 | 0.00 | 0.00 | | | | | | + |
| | & facility reservation - Zone 3 | 1 | 3 | UAL | UAL2X | 20.62 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | | - 1 | 3 | | | 20.62 | 57.79 | 31.33 | 0.00 | 0.00 | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 57.79 | | | | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | | | | | | | | | | | | |
| | facility reservaton - Zone 1 | | 1 | UAL | UAL2W | 11.23 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | | | | | 1 | | | | | | | I |
| <u> </u> | facility reservaton - Zone 2 | I | 2 | UAL | UAL2W | 12.97 | 44.69 | 31.55 | 0.00 | 0.00 | <u> </u> | | <u> </u> | <u> </u> | <u></u> | <u> </u> |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | | | | | | | | | | | | |
| | facility reservaton - Zone 3 | 1 | 3 | UAL | UAL2W | 20.62 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 57.79 | 000 | | | | | | | | † |
| | CLEC to CLEC Conversion Charge without outside dispatch | 1 | | UAL | UREWO | | 44.69 | 29.29 | | | | | | | | + |
| 2-WI | RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIDIEIC | OP. | OAL | OKLWO | | 44.03 | 23.23 | | | 1 | | | | | + |
| 2-771 | | (IIDLE LC | UF | | | | | | - | | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 7.88 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | <u> </u> |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 2 | I | 2 | UHL | UHL2X | 9.09 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | 1 |
| | & facility reservation - Zone 3 | - 1 | 3 | UHL | UHL2X | 14.48 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 57.79 | | | | | | | | | 1 |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | † |
| | and facility reservation - Zone 1 | 1 | 1 | UHL | UHL2W | 7.88 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | - ' | OFF | OFFICEVV | 7.00 | 44.03 | 31.33 | 0.00 | 0.00 | - | | | | | + |
| | | | 2 | UHL | 11111 0144 | 9.09 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 9.09 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 14.48 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 57.79 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | I | | UHL | UREWO | | 44.69 | 31.55 | | | | | | | | |
| 4-WI | RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE LC | OP | | | | | | | | | | | | | |
| | 4 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | 1 |
| | and facility reservation - Zone 1 | 1 | 1 | UHL | UHL4X | 10.39 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | <u> </u> | <u> </u> | | | | 55 | 050 | 3.30 | 3.50 | 1 | | 1 | | | 1 |
| | and facility reservation - Zone 2 | 1 | 2 | UHL | UHL4X | 12.00 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | ' | | 01 IL | STILTA | 12.00 | 77.05 | 31.33 | 0.00 | 0.00 | 1 | | 1 | | | + |
| | | | 3 | UHL | UHL4X | 40.07 | 44.69 | 24.55 | 0.00 | 0.00 | | | | | | |
| — | and facility reservation - Zone 3 | | 3 | | | 19.07 | | 31.55 | 0.00 | 0.00 | 1 | | 1 | - | | + |
| | Order Coordination for Specified Conversion Time (per LSR) | 1 | | UHL | OCOSL | | 57.79 | | | | ļ | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | L | | | | | 1 | | | | | | | |
| | and facility reservation - Zone 1 | I | 1 | UHL | UHL4W | 10.39 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | l | | | |] | | 1 |
| | and facility reservation - Zone 2 | - 1 | 2 | UHL | UHL4W | 12.00 | 44.69 | 31.55 | 0.00 | 0.00 | | | 1 | 1 | | 1 |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | 1 | 3 | UHL | UHL4W | 19.07 | 44.69 | 31.55 | 0.00 | 0.00 | | | 1 | 1 | | 1 |
| | Order Coordination for Specified Conversion Time (per LSR) | <u> </u> | Ť | UHL | OCOSL | | 57.79 | 250 | 1 2.30 | | 1 | | 1 | 1 | | 1 |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 44.69 | 31.55 | 1 | | 1 | | | 1 | | + |
| 4_/A/I | RE DS1 DIGITAL LOOP | - '- | 1 | J. 1L | OI LEVY O | | 77.05 | 31.33 | 1 | | 1 | | 1 | 1 | | + |
| 4-1/1 | | 1 | 1 | Hel | I IQI VV | 41.02 | 211.93 | 72.49 | 38.24 | 7.00 | | | | - | | + |
| | 4-Wire DS1 Digital Loop - Zone 1 | | | USL | USLXX | | | | | 7.20 | | | - | | | + |
| | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | USL | USLXX | 46.41 | 211.93 | 72.49 | | 7.20 | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 62.03 | 211.93 | 72.49 | 38.24 | 7.20 | ļ | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | USL | OCOSL | | 57.79 | | ļ | | 1 | | | | | 1 |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 100.91 | 42.97 | | | | | | | | |
| 4-WI | RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | | | | | | | | | | | | | |
| i i | 4 Wire Unbundled Digital 19.2 Kbps | | 1 | UDL | UDL19 | 21.86 | 196.66 | 37.00 | 18.82 | 7.20 | | | | | | 1 |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 2 | UDL | UDL19 | 28.36 | 196.66 | 37.00 | | 7.20 | | | | | | 1 |
| | | 1 | | UDL | UDL19 | 38.22 | 196.66 | 37.00 | | 7.20 | + | | + | | | + |

| CATEGORY RATE ELEMENTS Interim Zone BCS USOC RATES (\$) RATE ELEMENTS Interim Zone BCS USOC RATES (\$) RATE SUbmitted Submitted Elec Manually per LSR (S) RATE SUBMITTED Submitted Charge - Manual Sv. Manual Sv | UNBUNDLE | NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachmen | t: 2 Exh. A | | |
|--|---------------|--|----------|----------|----------------|----------|-------|--------|-------------|--------------|------------|-----------|-----------|-----------|-------------|-------------|--|
| RATE ELEMENTS No. 16.00 | | | | | | 1 | | | | | | Svc Order | Svc Order | | | Incremental | Incrementa |
| ### PAPE ELEMENTS PAPE PA | | | | | | | | | | | | | | | | | Charge - |
| CATEGORY SAFE ELEMENTS Interfere Zong Color | | | | | | | | | | | | | | | | | |
| Secretaries | CATEGORY | RATE FLEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | | | | | | |
| Second Column Second Colum | OATEGORT | KATE ELEMENTO | | 20110 | 500 | 0000 | | | ικτι ΔΟ (ψ) | | | per LSR | per LSR | | | | |
| A Vision Unbanded Digital Conf. of Explor. Zeno. 1 | | | | | | | | | | | | | | | | | Electronic- |
| Comparison Com | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| Comparison Com | | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | I | OSS | Rates (\$) | | |
| A Vive Unknowned Signature (Principle Companies Transport (1975) 1.00 1.0 | | | | | | | Rec | | | | | SOMEC | SOMAN | | | SOMAN | SOMAN |
| A vive Librardined Copies Logo M Right - 20x 2 2 URL DUILS 20x 2 186.00 27.00 18.02 7.20 | | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | 1 | UDI | UDI 56 | 21.86 | | | | | COME | COMPAN | COMPAN | COMPAN | COMPAR | COMPAR |
| A Viver Unborded Digital Lock 196 Kipes 2 Amon 3 10 10 10 10 10 10 10 | | | | 2 | | | | | | | | | | | | | |
| Outer Consciousness in Specialist Connection Time get (SN) | | | | | | | | | | | | | | | | | |
| A Year Unbounded Speet Logs (4 Kipes - Zone 1 1 Cott. 1 | | | | | UDL | OCOSL | | 57.79 | | | | | | | | | |
| A Wile Urbunded Opined Compete Compe | | | | 1 | UDL | | 21.86 | 196.66 | 37.00 | 18.82 | 7.20 | | | | | | |
| Otder Countries for Dispetition for Specified Convention Tree (per LSR) | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | 2 | UDL | UDL64 | 28.36 | 196.66 | 37.00 | 18.82 | 7.20 | | | | | | |
| CLEC to CLEC Convenient Charge without counted integrate h. DR. BEWO 101-35 43.66 | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | 3 | UDL | UDL64 | 38.22 | 196.66 | 37.00 | 18.82 | 7.20 | | | | | | |
| 2 | | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 57.79 | | | | | | | | | |
| 2.Wine Unbounded Copper Loop-Designer including manual in the properties of the pr | | CLEC to CLEC Conversion Charge without outside dispatc h | | | UDL | UREWO | | 101.95 | 49.66 | | | | | | | | |
| Service angue, or facility reservation - Zone 1 | 2-WIRE | Unbundled COPPER LOOP | | | | | | | | | | | | | | | |
| 2-Wire Unburnfied Copper Loop-Designed including manual 1 | | | | | | | | | | | | | | | | | |
| Service regulary of Earlier (reservation - Zone 2 1 2 UCL UCLP9 13.88 44.69 31.55 0.00 0.00 | | | 1 | 1 | UCL | UCLPB | 12.02 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| 2 Wise Unburided Copper Loop-Designed including manual service inquiry A faility interestination. Zona 1 3 UCL. UCLPB 22:07 44:69 31:55 0.00 0.00 1.00 1.00 1.00 1.00 1.00 1. | | | I | | | | | - | | | | | | | I | - | |
| Service Inquiry & Scalin's reservation - Zone 3 1 3 UCL UCL/PR 2 207 44.68 31.55 0.00 0.00 | | | ı | 2 | UCL | UCLPB | 13.88 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| Order Coordination for Unbundled Copper Loops (per loop) | | | | | | | | | | | | | | | | | |
| 2-Wire Instructed Copper Loop-Designed without manual sense inquiry and facility researation - Zone 1 | | | ı | 3 | | | 22.07 | | | 0.00 | 0.00 | | | | | | |
| Service Inquiry and facility reservation - Zone 1 | | | | | UCL | UCLMC | | 18.92 | 18.92 | | | | | | | | |
| 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 1 2 UCL UCLPW 13.88 44.69 31.55 0.00 0.00 | | | | | | | | | | | | | | | | | |
| Service Inquity and facility reservation - Zone 2 | | | ı | 1 | UCL | UCLPW | 12.02 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| 24/Wire Unbundled Copper Loop-Designed without manual service injury and facility reservation. 2 - Zone 3 | | | l . | _ | | | 40.00 | | | | | | | | | | |
| Service inquiry and facility reservation - Zone 3 | | | <u> </u> | 2 | UCL | UCLPW | 13.88 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| Order Coordination for Unbundled Copper Loops (per loop) | | | l . | _ | 1101 | LICL DW | 20.07 | 44.00 | 24.55 | 0.00 | 0.00 | | | | | | |
| Order Coordination for Unbundled Copger Loops (per loop) | | Order Coordination for Unbundled Copper Legal (per legal) | <u> </u> | 3 | | | 22.07 | | | 0.00 | 0.00 | | | | | | |
| CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) UCL UREWO 44.89 31.55 UCL UCL UCL UC | | | | | | | | | | - | | | | | | | |
| UCL Deso UCL Deso UCL UREWO 44.69 31.55 | | | | - | UCL | UCLIVIC | | 10.92 | 10.92 | | | | | | | | |
| 4-Wire Copper Loop-Designed including manual service inquiry 1 | | | l , | | LICI | LIREWO | | 44.60 | 31 55 | | | | | | | | |
| A-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1 1 UCL UCL4S 16.65 44.69 31.55 0.00 0 | 4-WIRE | | | | OOL | OKETTO | | 44.00 | 01.00 | | | | | | | | |
| And facility reservation - Zone 1 | | | | | | | | | | | | | | | | | |
| A-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2 | | | l i | 1 | UCL | UCL4S | 16.65 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| and facility reservation - Zone 2 | | | | | | | | | | | | | | | | | |
| and facility reservation - Zone 3 | | | 1 | 2 | UCL | UCL4S | 19.22 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| Order Coordination for Unbundled Copper Loops (per loop) | | 4-Wire Copper Loop-Designed including manual service inquiry | | | | | | | | | | | | | | | |
| ### A-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 | | | 1 | 3 | UCL | UCL4S | 30.55 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| And facility reservation - Zone 1 | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 18.92 | 18.92 | | | | | | | | |
| 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 | | 4-Wire Copper Loop-Designed without manual service inquiry | | | | | | | | | | | | | | | |
| and facility reservation - Zone 2 | | | ı | 1 | UCL | UCL4W | 16.65 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 | | | | _ | | | | | | | | | | | | | |
| and facility reservation - Zone 3 | | | ı | 2 | UCL | UCL4W | 19.22 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC conversion Charge without outside dispatch I UCL UREWO 44.69 31.55 LOOP MODIFICATION UAL, UHL, UCL, UEQ, ULS, UEA, UEPSR, ULMPER, DIANUAL CLOP Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop I UHL, UEPSR, ULMPER, UEANL, UEPSR, ULMPER, UEANL, UEPSR, ULMPER, UEANL, UEPSR, ULMPER, UEANL, UEPSR, ULMPER, UEANL, UEPSR, ULMPER, UEANL, UEPSR, ULMPER, UEANL, UEPSR, ULMPER, UEANL, UEPSR, ULMPER, UEANL, UEPSR, ULMPER, UEANL, UEPSR, ULMPER, UEANL, UEPSR, ULMPER, UEANL, UEPSR, ULMPER, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEPSB, ULMBT 17.91 | | | | | | 1101 414 | 00.55 | 44.00 | 04.55 | 0.00 | 0.00 | | | | | | |
| CLEC to CLEC conversion Charge without outside dispatch I UCL UREWO 44.69 31.55 | | | <u> </u> | 3 | | | 30.55 | | | 0.00 | 0.00 | | | | | | |
| LOOP MODIFICATION Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop I UHL, UEPSB ULM2L 0.00 0.00 Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop I UHL, UCL, UEPSB ULM4L 0.00 0.00 Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop Modification Removal of Bridged Tap Removal, UEANL, UEPSB ULMBT 17.91 SUB-LOOPS Sub-Loop Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- | | | | | | | | | | - | | | | | | | |
| Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop I UEPSB ULM2L 0.00 0.00 ULM2L 0.00 0.00 ULM2L 0.00 0.00 ULM2L 0.00 0.00 ULM2L 0.00 0.00 ULM2L 0.00 0.00 ULM2L 0.00 0.00 ULM2L 0.00 0.00 ULM4L 0.00 0.00 ULM5L 0.00 ULM5L 0.00 ULM5L 0.00 0.00 ULM5L 0.00 ULM5L 0.00 0.00 ULM5L 0.00 ULM5L 0.00 0.00 ULM5L 0.00 ULM5L 0.00 0.00 ULM5L 0.00 0.00 ULM5L 0.00 ULM5L 0.00 0.00 ULM5L 0.00 ULM5L 0.00 0.00 ULM5L 0.00 ULM5L 0.00 0.00 ULM5L 0.00 0.00 ULM5L 0.00 0.00 ULM5L 0.00 0.00 ULM5L 0.00 0.00 ULM5L 0.00 0.00 ULM5L 0.00 0.00 ULM5L 0.00 ULM5L 0.00 0.00 ULM5L 0.00 0.00 ULM5L 0.00 0.00 ULM5L 0.00 0.00 ULM5L 0.00 0.00 ULM5L 0.00 0.00 ULM5L 0.00 0.00 ULM5L 0.00 0.00 ULM5L 0.00 0.00 ULM5L 0.00 0.00 ULM5L 0.00 0.00 ULM5L 0.00 0.00 ULM5L 0.00 0.00 ULM5L 0.00 0.00 ULM5L 0.00 0.00 ULM5L 0.00 0.00 ULM5L 0.00 0.00 ULM5L 0.00 0.00 ULM5L 0.00 ULM5L 0.00 0.00 ULM5L 0. | I COR MODIEIO | | | | UCL | UKEWU | | 44.09 | 31.33 | | | | | | | | - |
| Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop I UHL, UCL, UEA UHL, UCL, UEA Uhl, UCL, UEA Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop Unbundled Loop Modification Removal of Bridged Tap Removal, UEPSR UEPSR ULM4L 0.00 0.00 0.00 UNM4L 1.00 UNM4L 1.00 UNM4L 1.00 UNM4L 1.00 UNM4L 1.00 UNM4L UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR ULMBT 17.91 Sub-Loop Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- | LOOF WODIFIC | ATION | | - | | | | | | | | | | | | | |
| Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop I UESB ULM2L 0.00 0.00 0.00 UEPSB ULM2L 0.00 0.00 0.00 UEPSB ULM2L 0.00 0.00 0.00 UEPSB ULM4L 0.00 0.00 0.00 UEPSB ULM4L 0.00 0.00 0.00 UEPSB ULM4L 0.00 0.00 0.00 UEPSB ULM4L 0.00 0.00 0.00 UEPSB ULM4L 0.00 0.00 0.00 UEPSB ULM4L 0.00 0.00 0.00 UEPSB ULM4L 0.00 0.00 0.00 UEPSB ULM5 UEPSB ULM6T 17.91 UEPSB ULM6T | | | | | | | | | | | | | | | | | |
| pair less than or equal to 18k ft, per Unbundled Loop I UEPSB ULM2L 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0. | | Unbundled Loop Modification, Removal of Load Coils - 2 Wire | | | | | | | | | | | | | | | |
| Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop I UHL, UCL, UEA ULM4L 0.00 0.00 0.00 ULM4L 0.00 ULM4L 0.00 0.00 ULM4L 0.00 0.00 ULM4L 0.00 0.00 ULM4L 0.00 0.00 ULM4L 0.00 ULM4L 0.00 0.00 ULM4L 0.00 ULM4L 0.00 0.00 ULM4L 0.00 0.00 ULM4L 0.00 0.00 ULM4L 0.00 ULM4L 0.00 ULM4L 0.00 0.00 ULM4L 0.00 ULM4L 0.00 0.00 ULM4L 0.00 ULM | | | L | | | ULM2L | | 0.00 | 0.00 |] | | | 1 | 1 | | | |
| I | 1 | | | | - | 1 | | 2.20 | 2.30 | † 1 | | | | 1 | | | |
| Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop SUB-LOOPS Sub-Loop Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- | | | 1 | | UHL, UCL, UEA | ULM4L | | 0.00 | 0.00 |] | | | 1 | 1 | | | |
| Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop SUB-LOOPS Sub-Loop Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- | | | | | | | | | | | | | | | | | |
| per Unbundled Loop | | | | | UEQ, ULS, UEA, | | | | | | | | | | | | |
| SUB-LOOPS Sub-Loop Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- | 1 | | | | | | | | |] | | | 1 | 1 | | | |
| Sub-Loop Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- | | per Unbundled Loop | | | UEPSB | ULMBT | | 17.91 | | | | | | | | | |
| Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- | | | | | | | | | | | | | | | | | <u> </u> |
| | Sub-Lo | | ļ | <u> </u> | | ļ | | | | ļ | | | ļ | | | | |
| | 1 | | | | LIEANII | LIODG: | | | |] | | | 1 | 1 | | | |

| UNBUNDLI | ED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachmen | t: 2 Fxh. A | | |
|------------|---|--|----------|-------------------------|----------------|--------------|----------------|----------------|--------------|--------------|-----------------|---------------------|--|--|--|------------|
| JNDONDE | NETWORK ELEMENTO Ocorgia | | | | | | | | | | Submitted | | Incremental Charge - | Incremental Charge - | Incremental Charge - | Charge - |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES (\$) | | | Elec per LSR | Manually per LSR | Manual Svc Order vs. Electronic- | Manual Svc Order vs. Electronic- | Manual Svc Order vs. Electronic- | Order vs. |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonre | curring | Nonrecurring | Disconnect | | | | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | | | UEANL | USBSB | | 7.29 | | | | | | | | | |
| | Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up | | | UEANL | USBSC | | 175.09 | | | | | | | | | |
| | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel | | | UEAINL | USBSC | | 175.09 | | | | | | | | | + |
| | Set-Up | | | UEANL | USBSD | | 51.61 | | | | | | | | | |
| | Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working | | | | | | | | | | | | | | | 1 |
| | and Spare Loop Activation | | | UEANL | USBRC | 3.61 | 28.46 | 3.85 | 2.20 | 0.01 | | | | | | |
| | Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working | | | | | | | | | | | | | | | |
| | and Spare Loop Activation | | | UEANL | USBRD | 7.67 | 31.07 | 4.79 | 2.27 | 0.01 | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | | | LIODNIO | 0.50 | 00.40 | 0.05 | 0.00 | 0.04 | | | | | | |
| - | Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | 1 | UEANL | USBN2 | 6.52 | 28.46 | 3.85 | 2.20 | 0.01 | | | | | | + |
| | Zone 2 | | 2 | UEANL | USBN2 | 10.18 | 28.46 | 3.85 | 2.20 | 0.01 | | | | | | |
| + | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | | OL7 II VL | CODINE | 10.10 | 20.40 | 0.00 | 2.20 | 0.01 | | | | | | + |
| | Zone 3 | | 3 | UEANL | USBN2 | 19.51 | 28.46 | 3.85 | 2.20 | 0.01 | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | 1 |
| | Zone 1 | | 1 | UEANL | USBN4 | 5.93 | 31.07 | 4.79 | 2.27 | 0.01 | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UEANL | USBN4 | 9.71 | 31.07 | 4.79 | 2.27 | 0.01 | | | | | | <u> </u> |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | 3 | LIFANI | USBN4 | 40.05 | 24.07 | 4.79 | 2.27 | 0.04 | | | | | | |
| | Zone 3 | | 3 | UEANL | USBN4 | 18.85 | 31.07 | 4.79 | 2.21 | 0.01 | | | | | | + |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 18.92 | 18.92 | | | | | | | | |
| 1 | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | | | UEANL | USBR2 | 3.61 | 28.46 | 3.85 | 2.20 | 0.01 | | | | | | 1 |
| | | | | | | | | | | | | | | | | 1 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 18.92 | 18.92 | | | | | | | | |
| | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | I | | UEANL | USBR4 | 7.67 | 31.07 | 4.79 | 2.27 | 0.01 | | | | | | |
| | | | | | 1100140 | | 40.00 | 40.00 | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Testing - Basic 1st Half Hour | | | UEANL UEANL | USBMC URET1 | | 18.92 25.12 | 18.92 25.12 | | | | | | | | |
| | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 13.62 | 13.62 | | | | | | | | + |
| + | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF | UCS2X | 5.94 | 28.46 | 3.85 | 2.20 | 0.01 | | | | | | + |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | 1 | 2 | UEF | UCS2X | 7.51 | 28.46 | 3.85 | 2.20 | 0.01 | | | | | | 1 |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | ı | 3 | UEF | UCS2X | 9.22 | 28.46 | 3.85 | 2.20 | 0.01 | | | | | | 1 |
| | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | <u> </u> | <u> </u> | UEF | USBMC | 2.05 | 18.92 | 18.92 | | | | | | | | 1 |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | 1 | 1 | UEF UEF | UCS4X UCS4X | 6.37 | 31.07 31.07 | 4.79 4.79 | 2.27 2.27 | 0.01 0.01 | | | | | | + |
| + | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | 3 | UEF | UCS4X | 6.32 9.10 | 31.07 | 4.79 | 2.27 | 0.01 | | | | | | + |
| | - TITO Copper Oribunated Gub-Loop Distribution - 2016 3 | | 3 | 0-1 | JUU-17 | 5.10 | 31.07 | 4.79 | 2.21 | 0.01 | | | | | | + |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 18.92 | 18.92 | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEF | URET1 | | 25.12 | 25.12 | | | | | | | | |
| | Loop Testing - Basic Additional Half Hour | | | UEF | URETA | | 13.62 | 13.62 | | | | | | | | |
| Unbu | ndled Network Terminating Wire (UNTW) | ļ | <u> </u> | LIEVEN | LIEUSS | 0.85 | | 10 | ļ | | | ļ | | | | 1 |
| B1_4 | Unbundled Network Terminating Wire (UNTW) per Pair | 1 | - | UENTW | UENPP | 0.533 | 25.12 | 12.28 | 1 | | | - | | | | |
| Netwo | ork Interface Device (NID) Network Interface Device (NID) - 1-2 lines | - | - | UENTW | UND12 | | 32.86 | 20.69 | | | | | | | | + |
| | Network Interface Device (NID) - 1-2 lines | | \vdash | UENTW | UND12 | | 56.03 | 43.86 | 1 | | | | | | | + |
| | Network Interface Device Cross Connect - 2 W | i | | UENTW | UNDC2 | | 2.45 | 2.45 | 1 | | | | | | | 1 |
| | Network Interface Device Cross Connect - 4W | | | UENTW | UNDC4 | | 2.45 | 2.45 | | | | | | | | |
| JNE OTHER, | PROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | |
| | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | 0.00 | 0.00 | | | | | | | | | |
| | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | 0.00 | 0.00 | | | | | | | | | 1 |
| | Linkundled Contract Name Provinceing Only, No Date | | | UEANL,UEF,UEQ,U ENTW | UNECN | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled Contract Name, Provisioning Only - No Rate PROVISIONING ONLY - NO RATE | l | ! | □IN I VV | UNEUN | 0.00 | 0.00 | | ļ | - | . | | | | | 4 |

| HINDHINDI | ED NETWORK ELEMENTS Coorgio | | | | | | | | | | | | Attachman | 4. 0. Ful. A | | |
|--|--|-----------|----------|-------------------------|---------------|-----------|------------|------------|--------------|--------|-----------|-----------|--------------------------|--------------|-------------|--|
| UNBUNDL | ED NETWORK ELEMENTS - Georgia | | | 1 | | T | | | | | Svc Order | Svc Order | Attachmen Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | | Manual Svc | Manual Svc | |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | - (1) | | | per LSK | per LSK | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | Diac iat | Disc Add I |
| | | | | | | Rec | Nonre | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | 1 |
| | Haland Hall Control Name Brooking Control | | | UAL,UCL,UDC,UDL, | LINEON | 0.00 | 0.00 | | | | | | | | | 1 |
| - | Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no | | | UDN,UEA,UHL,USL | UNECN | 0.00 | 0.00 | | | | | | | | | ļ |
| | rate | | | UEA,UDN,UCL,UDC | LICREO | 0.00 | 0.00 | | | | | | | | | |
| h + | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no | | | UEA,UDIN,UCL,UDC | USBFQ | 0.00 | 0.00 | | | | | | | | | |
| | rate | | | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled DS1 Loop - Superframe Format Option - no rate | | 1 | USL | CCOSF | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled DS1 Loop - Expanded Superframe Format option - | | | 002 | | 0.00 | 0.00 | | | | | | | | | |
| | no rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| HIGH CAPAC | CITY UNBUNDLED LOCAL LOOP | | | | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | UE3 | 1L5ND | 10.97 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UE3 | UE3PX | 253.38 | 2,016.2145 | 151.685 | 129.8465 | 87.262 | | | | | | ļ |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | UDLSX | 1L5ND | 10.97 | | | | | | | | | | _ |
| | High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month | | | UDLSX | UDLS1 | 305.42 | 2,016.2145 | 151.685 | 129.8465 | 87.262 | | | | | | |
| LOOP MAKE | | | | UDLSX | UDLST | 305.42 | 2,016.2145 | 151.685 | 129.8465 | 87.262 | | - | | | | |
| LOOP WAKE | Loop Makeup - Preordering Without Reservation, per working or | | | | | | | | | | | | | | | |
| | spare facility queried (Manual). | | | UMK | UMKLW | | 15.19 | 15.19 | | | | | | | | |
| | Loop Makeup - Preordering With Reservation, per spare facility | | | Olviit | CIVIIXEVV | | 10.10 | 10.10 | | | | | | | | + |
| | queried (Manual). | | | UMK | UMKLP | | 19.85 | 19.85 | | | | | | | | |
| | Loop MakeupWith or Without Reservation, per working or | | | | | | | | | | | | | | | |
| | spare facility queried (Mechanized) | | | UMK | UMKMQ | | 0.82 | 0.82 | | | | | | | | |
| LINE SPLITT | ING | | | | | | | | | | | | | | | |
| | SPLITTING | | | | | | | | | | | | | | | |
| END | USER ORDERING-CENTRAL OFFICE BASED | | | | | | | | | | | | | | | ļ |
| | Line Splitting - per line activation DLEC owned splitter | | | UEPSR UEPSB | UREOS | 0.61 | | | | | | | | | | |
| - | Line Splitting - per line activation BST owned - physical | | | UEPSR UEPSB | UREBP | 0.6297 | 20.10 | 12.40 | 7.68 | 4.30 | | | | | | ļ |
| MAINTENAN | Line Splitting - per line activation BST owned - virtual CE OF SERVICE | | | UEPSR UEPSB | UREBV | 0.6288 | 20.10 | 12.40 | 7.68 | 4.30 | 1 | | | | | |
| | E: The Expedite charge will be maintained commensurate with | RallSouth | 'e FCC | No 1 Tariff Section 1 | 3 3 1 ac ani | nlicable | | | | | | - | | | | |
| NOTE | No Trouble Found - per 1/2 hour increments - Basic | Denoouti | 13100 | lito.i raini, dection i | 13.3.1 as app | piloable. | 80.00 | 55.00 | | | | | | | | |
| | No Trouble Found - per 1/2 hour increments - Overtime | | | | | | 90.00 | 65.00 | | | | | | | | |
| | No Trouble Found - per 1/2 hour increments - Premium | | | | | | 100.00 | 75.00 | | | | | | | | |
| UNBUNDLED | DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| INTE | ROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Per Mile per month | | | U1TVX | 1L5XX | 0.0057 | | | | | | | | | | <u> </u> |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Facility Termination | | <u> </u> | U1TVX | U1TV2 | 12.87 | 48.46 | 19.48 | 16.58 | 5.00 | <u> </u> | | ļ | | | |
| | Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade | | | LIATON | 41.577 | 0.0057 | | | | | | | | | | |
| \vdash | Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat. | | 1 | U1TVX | 1L5XX | 0.0057 | | | | | - | | | | | |
| | Facility Termination | | | U1TVX | U1TR2 | 12.87 | 48.46 | 19.48 | 16.58 | 5.00 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade | | 1 | 01177 | UTTINZ | 12.07 | 40.40 | 15.40 | 10.36 | 5.00 | 1 | - | | | | |
| | Per Mile per month | | | U1TVX | 1L5XX | 0.0057 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade | | | | | 2.230. | | | | | | | | | | 1 |
| | - Facility Termination | | | U1TVX | U1TV4 | 10.78 | 48.46 | 19.48 | 16.58 | 5.00 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | | | | | | | | | | | | | |
| | per month | | | U1TDX | 1L5XX | 0.0057 | | | | | | | | | | <u> </u> |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | | | | | | | | | | | | | |
| | Termination | | | U1TDX | U1TD5 | 7.83 | 48.46 | 19.48 | 16.58 | 5.00 | <u> </u> | | | | | <u> </u> |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | | | | | | | | | | | | | |
| \vdash | per month | | <u> </u> | U1TDX | 1L5XX | 0.0057 | | | | | <u> </u> | | ļ | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination | | | U1TDX | U1TD6 | 7.83 | 48.46 | 19.48 | 16.58 | 5.00 | | | | | | |
| | TerminatiOH | | 1 | UTIDA | סטווט | 7.83 | 48.46 | 19.48 | 86.01 | 5.00 | 1 | l | l | | | <u> </u> |

| CATEGORY RATE ELEMENTS Interim Zone BCS USOC RATES (\$) RATE ELEMENTS Interim Zone BCS USOC RATES (\$) RATE SUBMITTED Submitted Submitted Charge - Manual Svc Manual | IINRIINDI E | ED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachmon | 4: 2 Evh A | | |
|---|--------------|--|--|----------|--------------------|--------------|---------------|---------------|----------------|---------------|---------------|-----------|-----------|--------------|------------|-------------|--|
| ATE REMETS BATE REMETS Baselin Zura BCS USC BATES (S) | CHECHDLE | LD INC. WORK ELEMENTS - Georgia | | 1 | I | | | | | | | Svc Order | Svc Order | | | Incremental | Increments |
| RATE REMENTS Marin Some BBCS USC PATE (6) PRESS MORE SOURCE CONTROL AND SOURCE CONTROL AN | | | | | | | | | | | | | | | | | Charge - |
| CATEGORY RATE ELEMENTS Interfine Control Early | | | | | | | | | | | | | | | | | |
| Record R | CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | | - | | | | Order vs. |
| Text | | | | | | | | | - (1) | | | per Lon | per Lon | | | | Electronic- |
| Page | | | | | | | | | | | | | | | | | Disc Add'l |
| Mode First Add SOME | | | | | | | | | | | | | | | | Disc 1st | Disc Aud I |
| Interestation Counties Channel Colorated Channel Colorated Channel Colorated Project (Channel Channe | | | | | | | Rec | | | | | | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Number Columnia - Decisional Transport - Dist - Feeling Unition United Unite | | | | | | | | | | | | | | | | | |
| Termination | | | | | U11D1 | 1L5XX | 0.1154 | | | | | | | | | | |
| Interestic Channel - Debicated Transport - DS1 - Per Mile per UTTD3 | | | | | LIATOA | LIATEA | 24 10 | 111 02 | 90.29 | 21.26 | 21.72 | | | | | | |
| Investigation | | | | | OTIDI | 01111 | 34.19 | 111.03 | 00.20 | 31.30 | 21.73 | | | | | | + |
| Interestica Common - Decisional Promoper - DSS - Featily UTTDS | | | | | LI1TD3 | 11 5XX | 2 53 | | | | | | | | | | |
| Tembulation per motifs Channer - Decidand Transport - 575-1 - Per Mile per | | | | | 01100 | 120/01 | 2.00 | | | | | | | | | | † |
| | | | | | U1TD3 | U1TF3 | 342.02 | 320.47 | 86.32 | 66.77 | 52.81 | | | | | | |
| Interesting Claiman's -Declarated Transport -SES1-Facility UTTS1 | | | | | | | | | | | | | | | | | 1 |
| Terremeter | | month | | | U1TS1 | 1L5XX | 2.53 | | | | | | | | | | |
| DARK FIRER DARK Four Feer Strands, Per Route Mile or Friction Description Local Chainnes Description D | | Interoffice Channel - Dedicated Transport - STS-1 - Facility | | | | | | | | | | | | | | | |
| Oast Feer, Four Float Stands, Per Rosul Mile of Fraction UDF LIDECX 11.5DC 46.84 | | | | | U1TS1 | U1TFS | 358.67 | 320.47 | 86.32 | 66.77 | 52.81 | | | | | | |
| Thereof per month - Local Channel | DARK FIBER | | | | | | | | | | | | | | | | |
| Dail Filter, Four Flow Straids, Per Route Mile or Friction UDF, UDFCX 11.50F 23.29 TASK | | · · · · · · · · · · · · · · · · · · · | | l | l | 1 | 1 l | | | I | | | |] | | | 1 |
| Thereof per month - Interoffice Channel UDF, UDFCX 1.50F 22.28 1,776.53 89.75 73.64 18.70 | | | | | UDF, UDFCX | 1L5DC | 46.84 | | | | | | | | | | <u> </u> |
| NNCC Disk Peer - Interoffice Channel UDF, UDFCX UDF14 1,776.53 89.75 73.64 18.70 | | | | | LIBE LIBEOV | | | | | | | | | | | | |
| Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction UPF, UPFCX ILSDL 46,84 | | | | | | | 23.29 | 4 770 50 | 00.75 | 70.04 | 40.70 | | | | | | |
| Thereof per month - Local Loop | | | | | UDF, UDFCX | UDF 14 | | 1,776.53 | 89.75 | 73.64 | 18.70 | | | | | | + |
| VIRTUAL COLLOCATION | | | | | LIDE LIDECY | 11 EDI | 16.91 | | | | | | | | | | |
| Virtual Colicosten - 2 Vire Cross Connects (Loop) for Line UEPSR UEPSB VE1LS 0.0188 0.00 | VIRTUAL COL | | | | ODI, ODI CA | ILJDL | 40.04 | | | † | | | | | | | + |
| Spitting | VIIKTOAL COL | | | | | + | | | | | | | | | | | + |
| ### Physical Collocation | | | | | UEPSR UEPSB | VE1LS | 0.0188 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| Spitting | PHYSICAL CO | | | | | | | | | | | | | | | | 1 |
| ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Currently Combined' Network Elements. | | Physical Collocation-2 Wire Cross Connects (Loop) for Line | | | | | | | | | | | | | | | 1 |
| NOTE: The monthly recurring and the Switch-As-ts Charge below will apply and the Switch-As-ts Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements. | | | | | UEPSR UEPSB | PE1LS | 0.0197 | 0.00 | 0.00 | | | | | | | | |
| NOTE: The monthly recurring and the Switch-As-1s Charge and not the non-recurring charges below will apply for UNE combinations provisioned as "Currently Combined Network Elements. 2-Wine VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wine VG Loop (SL2) in Combination - Zone 1 1 UNCVX UEAL2 11.57 195.94 36.33 18.42 6.86 2-Wine VG Loop (SL2) in Combination - Zone 3 3 UNCVX UEAL2 16.95 195.94 36.33 18.42 6.86 2-Wine VG Loop (SL2) in Combination - Zone 3 3 UNCVX UEAL2 16.95 195.94 36.33 18.42 6.86 2-Wine VG Loop (SL2) in Combination - Zone 3 3 UNCVX UEAL2 16.95 195.94 36.33 18.42 6.86 4-Wine CRADE LOOP FOR USE IN A COMBINATION UNCVX 1010 0.4689 27.33 2.90 16.86 1.04 4-Wine Analog Voice Grade Loop in Combination - Zone 1 1 UNCVX UEAL4 17.80 195.94 36.33 18.42 6.86 4-Wine Analog Voice Grade Loop in Combination - Zone 2 2 UNCVX UEAL4 17.80 195.94 36.33 18.42 6.86 4-Wine Analog Voice Grade Loop in Combination - Zone 3 3 UNCVX UEAL4 30.25 195.94 36.33 18.42 6.86 4-Wine Analog Voice Grade Loop in Combination - Zone 3 3 UNCVX UEAL4 30.25 195.94 36.33 18.42 6.86 4-Wine Sek RPS DIGITAL LOOP FOR USE IN A COMBINATION UNCVX 1010 0.4689 27.33 2.90 16.86 1.04 4-Wine Sek RPS DIGITAL LOOP FOR USE IN A COMBINATION UNCVX 1010 0.4689 27.33 2.90 16.86 4-Wine Sek RPS DIGITAL LOOP FOR USE IN A COMBINATION UNCVX UDL56 28.36 195.94 36.33 18.42 6.86 4-Wine Sek RPS DIGITAL LOOP FOR USE IN A COMBINATION UNCVX UDL56 28.36 195.94 36.33 18.42 6.86 4-Wine Sek RPS DIGITAL LOOP FOR USE IN A COMBINATION UNCVX UDL56 28.36 195.94 36.33 18.42 6.86 4-Wine Sek RPS DIGITAL LOOP FOR USE IN A COMBINATION UNCVX UDL56 28.36 195.94 36.33 18.42 6.86 4-Wine Sek RPS DIGITAL LOOP FOR USE IN A COMBINATION UNCVX UDL56 28.36 195.94 36.33 18.42 6.86 4-Wine Sek RPS DIGITAL LOOP FOR USE IN A COMBINATION UNCVX UDL56 28.36 195.94 36.33 18.42 6.86 4-Wine Sek RPS DIGITAL LOOP FOR USE IN A COMBINATION UNCVX UDL54 21.86 195.94 36.33 18.42 6.86 4-Wine Sek RPS DIGITAL LOOP FOR USE IN A COMBINATION UNCVX UDL54 21.86 195.94 3 | | | | | | | | | | | | | | | | | |
| 2-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | | | |
| 2-Wire Vol Loop (SL2) in Combination - Zone 1 | | | he non-re | curring | charges below will | apply for UN | E combination | s provisioned | as ' Currently | Combined' Net | work Elements | S. | | | | | |
| 2-Wire VS Loop (SL2) in Combination - Zone 2 | 2-WIR | | | _ | LINOVA | LIEALO | 44.57 | 405.04 | 20.20 | 40.40 | 0.00 | | | | | | + |
| 2-Wire VG Loop (SLZ) in Combination - Zone 3 3 UNCVX UEAL2 33.08 195.94 36.38 18.42 6.86 | | | | | | | | | | | | | | | | | + |
| Voice Grade COCI - Per Month | | | | | | | | | | | | | | | | | + |
| ## AWIRE VOICE GRADE LOOP FOR USE IN A COMBINATION | | | | 3 | | | | | | | | | | | | | + |
| 4-Wire Analog Voice Grade Loop in Combination - Zone 1 | 4-WIR | | | | 0.1017. | .5 | 0.1000 | 27.00 | 2.00 | 10.00 | | | | | | | † |
| 4-Wire Analog Voice Grade Loop in Combination - Zone 2 | | | | 1 | UNCVX | UEAL4 | 17.80 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | 1 |
| Voice Grade COCI in combination - per month | | | | 2 | UNCVX | UEAL4 | 21.68 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | 1 |
| 4-Wire 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION | | 4-Wire Analog Voice Grade Loop in Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 30.25 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | 1 |
| 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 | | | | | UNCVX | 1D1VG | 0.4689 | 27.33 | 2.90 | 16.86 | 1.04 | | | | | | |
| 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL56 28.36 195.94 36.38 18.42 6.86 | 4-WIR | | | | | | | | | | | | | | | | |
| 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 38.22 195.94 36.38 18.42 6.86 | | | | | | | | | | | | | | | | | |
| OCU-DP COCI (data) per month (2.4-64kbs) | | | | | | | | | | | | | | | | | <u> </u> |
| 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 | | | | 3 | | | | | | | | | | | | | |
| 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 | 4 14/10 | | | | UNCDX | טטוטו | 0.9963 | 21.33 | 2.90 | 10.86 | 1.04 | | | | | | + |
| A-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 | 4-WIR | | 1 | 1 | LINCDX | LIDI 64 | 21 86 | 105.04 | 36.30 | 19.42 | 6.96 | 1 | 1 | 1 | | | + |
| A-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL64 38.22 195.94 36.38 18.42 6.86 | | | | | | | | | | | | | | | | | + |
| DCU-DP COCI (data) - in combination - per month (2.4-64kbs) | | | 1 | | | | | | | | | | | | | | |
| 2-Wire ISDN Loop in Combination - Zone 1 | 1 | | | Ť | | | | | | | | | | 1 | | | |
| 2-Wire ISDN Loop in Combination - Zone 1 | 2-WIR | | 1 | | | | | | | | | | | | | | 1 |
| 2-Wire ISDN Loop in Combination - Zone 3 3 UNCNX U1L2X 42.17 195.94 36.38 18.42 6.86 | | | | 11 | UNCNX | U1L2X | | | 36.38 | 18.42 | 6.86 | | | | | | |
| 2-wire ISDN COCI (BRITE) - in combination - per month | | | | | | | | | | | | | | | | | |
| 4-WIRE DS1 DIGITAL LOOP FOR USE IN A COMBINATION 1 UNC1X USLXX 41.02 209.45 70.44 37.91 6.86 6.86 4-Wire DS1 Digital Loop in Combination - Zone 2 2 UNC1X USLXX 46.41 209.45 70.44 37.91 6.86 4-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X USLXX 46.41 209.45 70.44 37.91 6.86 4-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X USLXX 62.03 209.45 70.44 37.91 6.86 | | | | 3 | | | | | | | | | | | | | |
| 4-Wire DS1 Digital Loop in Combination - Zone 1 1 UNC1X USLXX 41.02 209.45 70.44 37.91 6.86 | | | | | UNCNX | UC1CA | 1.66 | 27.33 | 2.90 | 16.86 | 1.04 | | | ļ | | | |
| 4-Wire DS1 Digital Loop in Combination - Zone 2 2 UNC1X USLXX 46.41 209.45 70.44 37.91 6.86 | 4-WIR | | ļ | <u> </u> | | | | | | | | | | | | | 1 |
| 4-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X USLXX 62.03 209.45 70.44 37.91 6.86 | | | | | | | | | | | | | | | | | + |
| | | | 1 | | | | | | | | | | | | | | + |
| | | 14-vviie Do i Didital Lood in Combination - Zone 3 | 1 | 3 | UNCIA | OSLXX | 62.03 | 209.45 | 70.44 | 37.91 | | <u> </u> | | | | | |

| UNBUNDLE | ED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachmen | t: 2 Exh. A | | |
|----------|--|----------|--|---------|---------|--------|--------|------------|--------------|--|--------------|-----------|--|-------------|-------------|--|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | | Manual Svc | Manual Svc | |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | | _ | | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | per LSR | per LSR | Order vs. | | | |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| 1 | | | | | | | Nonro | curring | Monrocurring | g Disconnect | 1 | 1 | 000 | Rates (\$) | | |
| | | | | | | Rec | | | | | COMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 0.14/15 | E VOICE OR A DE INTERRETION TO ANODORT FOR LIGHT IN A CO | NADINIAT | 1011 | | _ | | First | Add'l | First | Add'l | SOMEC | SUMAN | SUMAN | SUMAN | SUMAN | SUMAN |
| 2 WIR | E VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | JMBINAI | ION | | | | | | | | | | | | | |
| | Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per | | | | | | | | | | | | | | | |
| | Month | | | UNCVX | 1L5XX | 0.0057 | | | | | | | | | | |
| | Interoffice Transport - 2-wire VG - Dedicated - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNCVX | U1TV2 | 12.87 | 66.53 | 33.61 | 43.42 | 27.60 | | | | | | |
| 4 WIR | E VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | OMBINAT | ION | | | | | | | | | | | | | |
| | Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per | | | | | | | | | | | | | | | |
| | Month | | | UNCVX | 1L5XX | 0.0057 | | | | | | | | | | |
| | Interoffice Transport - 4-wire VG - Dedicated - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNCVX | U1TV4 | 10.78 | 66.53 | 33.61 | 43.42 | 27.60 | | | | | | |
| DS1 II | NTEROFFICE TRANSPORT FOR COMBINATION | | | | | | | | | 1 | 1 | | | | | 1 |
| 1 | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | Ì | 1 | İ | | 1 | İ | | î . |
| | per month | | 1 | UNC1X | 1L5XX | 0.1154 | | | 1 | 1 | | 1 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | 5.151X | 120/01 | 0.1104 | | | † | | | | 1 | | | |
| | Termination per month | | 1 | UNC1X | U1TF1 | 34.19 | 87.76 | 45.73 | 43.80 | 27.97 | | 1 | | | | |
| Des II | NTEROFFICE TRANSPORT FOR USE IN A COMBINATION | | 1 | UNUIA | UTIFI | 34.19 | 01.10 | 45.73 | 43.60 | 21.91 | } | | | - | | + |
| D93 II | | - | | | _ | | | | - | | 1 | | - | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Per Mile | | | LINIOOV | 41.5307 | 0.50 | | | | | | | | | | |
| | Per Month | | | UNC3X | 1L5XX | 2.53 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | | | | | | | | | | | | | |
| | month | | | UNC3X | U1TF3 | 342.02 | 325.91 | 77.07 | 49.56 | 32.88 | | | | | | |
| STS-1 | INTEROFFICE TRANSPORT FOR USE IN COMBINATION | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | | UNCSX | 1L5XX | 2.53 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | | | | | | | | | | | | | ĺ |
| | Termination per month | | | UNCSX | U1TFS | 358.67 | 325.91 | 77.07 | 49.56 | 32.88 | | | | | | |
| 4-WIR | E 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN | SPORT | | | | | | | | | | | | | | 1 |
| | 4-wire 56 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL56 | 21.86 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 28.36 | 195.94 | 36.38 | | 6.86 | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 38.22 | 195.94 | 36.38 | | 6.86 | | | | | | + |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | OHODA | ODLOO | 00.22 | 100.04 | 00.00 | 10.72 | 0.00 | | | | | | |
| | Per Mile per month | | | UNCDX | 1L5XX | 0.0057 | | | | | | | | | | |
| | | | | UNCDA | ILSAA | 0.0057 | | | + | - | | | - | | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | LINCDY | LIATOR | 7.00 | CC 52 | 22.04 | 40.40 | 07.00 | | | | | | |
| 4 14/15 | Facility Termination per month | FEIOE ED | 411000 | UNCDX | U1TD5 | 7.83 | 66.53 | 33.61 | 43.42 | 27.60 | | | | | | |
| 4-WIR | E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | FFICE IR | ANSPO | | | 04.00 | | | 10.10 | | | | | | | 4 |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 1 | | 1 | UNCDX | UDL64 | 21.86 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 2 | | 2 | UNCDX | UDL64 | 28.36 | 195.94 | 36.38 | | 6.86 | | | | | | ļ |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 | 38.22 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | 1 |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | 1 | | | | 1 | 1 | | | | | | |
| | Per Mile per month | | | UNCDX | 1L5XX | 0.0057 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | 1 | | | | | | | | | 1 | | | | |
| | Facility Termination per month | | | UNCDX | U1TD6 | 7.83 | 66.53 | 33.61 | 43.42 | 27.60 | <u> </u> | | | | | |
| 4-WIR | E 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC | E TRANS | PORT | | | | | | | | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL56 | 21.86 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 28.36 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 38.22 | 195.94 | 36.38 | | 6.86 | 1 | | | | | |
| | 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per | | T T | | | | | 22.30 | 1 | 2.00 | İ | | 1 | İ | | |
| | month | | 1 | UNCDX | 1L5XX | 0.0057 | | | 1 | 1 | | 1 | | | | |
| | 4-wire 56 kbps Interoffice Transport - Dedicated - Facility | | | | | 2.2201 | | | 1 | <u> </u> | 1 | | 1 | | | t |
| | Termination per month | | | UNCDX | U1TD5 | 7.83 | 66.53 | 33.61 | 43.42 | 27.60 | | | | | | |
| 1-WID | E 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC | E TRANC | PORT | 5.13DX | 31100 | 7.00 | 00.00 | 33.01 | -10.42 | 27.00 | | | | | | |
| -+-AA1L | 4-wire 64 kbps Local Loop in combination - Zone 1 | LINANO | 1 | UNCDX | UDL64 | 21.86 | 195.94 | 36.38 | 18.42 | 6.86 | ł | | 1 | 1 | | \vdash |
| | 4-wire 64 kbps Local Loop in combination - Zone 1 | | 2 | UNCDX | UDL64 | 28.36 | 195.94 | 36.38 | | 6.86 | } | | | - | | |
| | | | | | UDL64 | | 195.94 | | | | | - | 1 | - | | |
| | 4-wire 64 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL64 | 38.22 | 195.94 | 36.38 | 18.42 | 6.86 | 1 | | - | | | ├ |
| | I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per | | 1 | | | | | | 1 | 1 | | 1 | | | | |
| | month | | ļ | UNCDX | 1L5XX | 0.0057 | | | | ļ | ļ | | | | | ļ |
| | 4-wire 64 kbps Interoffice Transport - Dedicated - Facility | | 1 | | | | | | 1 | 1 | | 1 | | | | |
| | Termination per month | | | UNCDX | U1TD6 | 7.83 | 66.53 | 33.61 | 43.42 | 27.60 | | | | | | <u> </u> |
| DS1 E | IGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT | | \bot | | | | | | | | | | | l | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 41.02 | 209.45 | 70.44 | 37.91 | 6.86 | | | | | | |

| HINDHINE | LED NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachmen | 4. 2 Evb A | | |
|-------------|--|----------|----------|-------------------------|---|--|---|-------------------------|------------------------------|----------------------|-------------|-----------|-------------|-------------|-------------|-------------|
| ONDOND | LED NETWORK ELEMENTS - Georgia | 1 | 1 | 1 | 1 | 1 | | | | | Cora Carlan | Svc Order | | | I | l |
| | | | | | | | | | | | | | | Incremental | Incremental | |
| | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| CATEGOR | Y RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES (\$) | | | Elec | Manually | | Manual Svc | Manual Svc | |
| CATEGOR | RATE ELEWIENTS | memm | Zone | ВСЗ | 0300 | | | KATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | 1 | | | + | | Nonrec | urring | Nonrecurring | Disconnect | | l | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 46.41 | 209.45 | 70.44 | 37.91 | 6.86 | | | 00 | 00 | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 62.03 | 209.45 | 70.44 | 37.91 | 6.86 | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | 0.101 | | | | | | | |
| | per month | | | UNC1X | 1L5XX | 0.1154 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNC1X | U1TF1 | 34.19 | 87.76 | 45.73 | 43.80 | 27.97 | | | | | | |
| DS | 3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO | ORT | | | | | | | | | | | | | | |
| | DS3 Local Loop in combination - per mile per month | | | UNC3X | 1L5ND | 12.6155 | | | | | | | | | | |
| | · | | | | | | | | | | | | | | | |
| | DS3 Local Loop in combination - Facility Termination per month | | | UNC3X | UE3PX | 291.387 | 2,016.2145 | 151.685 | 129.8465 | 87.262 | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 2.53 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNC3X | U1TF3 | 342.02 | 325.91 | 77.07 | 49.56 | 32.88 | | | | | | |
| ST | S-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN | ISPORT | | | | | | | | | | | | | | |
| | STS-1 Local Lolp in combination - per mile per month | | | UNCSX | 1L5ND | 12.6155 | | | | | | | | | | |
| | STS-1 Local Loop in combination - Facility Termination per | | | | | | | | | | | | | | | |
| oxdot | month | | | UNCSX | UDLS1 | 351.233 | 2,016.2145 | 151.685 | 129.8465 | 87.262 | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - per mile | | | | | | | | | | | | | | | |
| | per month | | | UNCSX | 1L5XX | 2.53 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | 1 | UNCSX | U1TFS | 358.67 | 325.91 | 77.07 | 49.56 | 32.88 | | | | | | |
| | AL NETWORK ELEMENTS | <u> </u> | <u> </u> | <u> </u> | <u> </u> | <u> </u> | | | | | | | | | | |
| | en used as a part of a currently combined facility, the non-recur | | | | | | | | | | | | | | | |
| | en used as ordinarily combined network elements in All States, t nrecurring Currently Combined Network Elements "Switch As Is" | | | | | is is charge do | es not. | | | | | | | | | |
| NO | mrecurring currently combined Network Elements Switch As is | Charge | One app | lies to each combin | iationj | | | | | | | | | | | |
| | | | | UNCVX, UNCDX. | | | | | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | . | | UNC1X, UNC3X, | | | | | | | | | | | | |
| | Is Charge | | | UNCSX | UNCCC | | 5.70 | 5.70 | 6.61 | 6.61 | | | | | | |
| Op | tional Features & Functions: | | | | | | | | | | | | | | | |
| | | | | U1TD1, | | | | | | | | | | | | |
| | Clear Channel Capability Extended Frame Option - per DS1 | 1 | | ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | | | U1TD1, | | | | | | | | | | | | |
| | Clear Channel Capability Super FrameOption - per DS1 | 1 | | ULDD1,UNC1X | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Clear Channel Capability (SF/ESF) Option - Subsequent | | | ULDD1, U1TD1, | | | | | | | | | | | | |
| | Activity - per DS1 | - 1 | | UNC1X, USL | NRCCC | | 184.62 | 23.78 | 2.03 | 0.79 | | | | | | |
| | | | | U1TD3, ULDD3, | | | | | | | | | | | | |
| oxdot | C-bit Parity Option - Subsequent Activity - per DS3 | i | | UE3, UNC3X | NRCC3 | | 218.74 | 7.66 | 0.7591 | 0.00 | | | | | | |
| MU | LTIPLEXERS | | | | | | | | | | | | | | | |
| | DS1 to DS0 Channel System per month | | | | | | | | | | | | | | | |
| | | | | UNC1X | MQ1 | 69.75 | 86.10 | | | | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop | | | UNC1X UDL | MQ1 1D1DD | 69.75 0.9963 | 86.10 11.98 | 11.39 | 6.61 | 6.61 | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | 11.39 | 6.61 | 6.61 | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 | | | UDL | 1D1DD | 0.9963 | 11.98 | | | | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation | | | | | | | 11.39 | 6.61 | 6.61 | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | UDL U1TUD | 1D1DD 1D1DD | 0.9963 0.9963 | 11.98 | 11.39 | 6.61 | 6.61 | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop | | | UDL | 1D1DD | 0.9963 | 11.98 | | | | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | UDL U1TUD | 1D1DD 1D1DD | 0.9963 0.9963 | 11.98 | 11.39 | 6.61 | 6.61 | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month by Coci (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel | | | UDL U1TUD UDN | 1D1DD 1D1DD UC1CA | 0.9963 0.9963 1.66 | 11.98 11.98 15.81 | 11.39 11.39 | 6.61 6.61 | 6.61 6.61 | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation | | | UDL U1TUD | 1D1DD 1D1DD | 0.9963 0.9963 | 11.98 | 11.39 | 6.61 | 6.61 | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month | | | UDL U1TUD UDN U1TUB | 1D1DD 1D1DD UC1CA | 0.9963 0.9963 1.66 | 11.98 11.98 15.81 | 11.39 11.39 | 6.61 6.61 | 6.61 6.61 | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop | | | UDL U1TUD UDN | 1D1DD 1D1DD UC1CA | 0.9963 0.9963 1.66 | 11.98 11.98 15.81 | 11.39 11.39 | 6.61 6.61 | 6.61 6.61 | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month | | | UDL U1TUD UDN U1TUB | 1D1DD 1D1DD UC1CA | 0.9963 0.9963 1.66 | 11.98 11.98 15.81 | 11.39 11.39 | 6.61 6.61 | 6.61 6.61 | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop | | | UDL U1TUD UDN U1TUB | 1D1DD 1D1DD UC1CA | 0.9963 0.9963 1.66 1.66 0.4689 | 11.98 11.98 15.81 15.81 11.98 | 11.39 11.39 11.39 | 6.61 6.61 | 6.61 6.61 | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation | | | UDL U1TUD UDN U1TUB UEA | 1D1DD 1D1DD UC1CA UC1CA 1D1VG | 0.9963 0.9963 1.66 | 11.98 11.98 15.81 | 11.39 11.39 | 6.61 6.61 6.61 6.61 | 6.61 6.61 6.61 | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation | | | UDL U1TUD UDN U1TUB UEA | 1D1DD 1D1DD UC1CA UC1CA 1D1VG | 0.9963 0.9963 1.66 1.66 0.4689 | 11.98 11.98 15.81 15.81 11.98 | 11.39 11.39 11.39 | 6.61 6.61 6.61 6.61 | 6.61 6.61 6.61 | | | | | | |

| UNE | UNDLE | D NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachmen | t: 2 Exh. A | | |
|-----|-------|---|-------------|--------|-----------|-------|--------|--------|--------------|------------|-------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CAT | EGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | | |
| | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | | |
| | | DS1 COCI (used for connection to a channelized DS1 Local | | | | | | | | | | | | | | | |
| | | Channel in the same SWC as collocation) per month | | | U1TUA | UC1D1 | 7.35 | 15.81 | 11.39 | 6.61 | 6.61 | | | | | | |
| | | DS1 COCI used with Interoffice Channel per month | U1TD1 | UC1D1 | 7.35 | 15.81 | 11.39 | 6.61 | 6.61 | | | | | | | | |
| | | DS3 Interface Unit (DS1 COCI) used with Local Channel per | | | | | | | · | | | | | | | | |
| | | month | | | ULDD1 | UC1D1 | 7.35 | 15.81 | 11.39 | 6.61 | 6.61 | | | | | | |
| | Note: | Rates displaying an "I" in Interim column are interim as a resu | Ilt of a Co | mmissi | on order. | | | | | | • | | | | | | |

| | | | | | | | | | | | | | | 1 | | ı | |
|----------|--|---|------------|--|--------------------------------|----------------|-----------------|----------------|----------------|----------------|-----------------|-------------|---------------|--------------------------|--------------------------|--------------------------|--|
| UNB | JNDLE | D NETWORK ELEMENTS - Kentucky | | ı | Т | , , | | | | | | I | I | | t: 2 Exh. A | 1 | |
| | | | | | | | | | | | | | Svc Order | | | Incremental | |
| | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - | Charge - |
| CATE | SORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES (\$) | | | Elec | Manually | Manual Svc | Manual Svc | | Manual Svc |
| OA! E | | KATE ELEMENTO | | 20110 | 500 | | | | ιστι Εσ (ψ) | | | per LSR | per LSR | Order vs. Electronic- | Order vs. Electronic- | Order vs. Electronic- | Order vs. Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | DISC 1St | DISC Add I |
| | | | | | | | Rec | | curring | | g Disconnect | | | | Rates (\$) | | |
| | 1 | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | The "7 | one" shown in the sections for stand-alone loops or loops as | nart of a | combin | ation refers to Georg | ranhically De | averaged LINE | Zones To vi | ew Geographic | cally Deaverag | ad LINE Zone D | esianations | hy Central | Office refer t | o internet We | heita: | <u> </u> |
| | | ww.interconnection.bellsouth.com/become a clec/html/inter | | | ation releas to deog | rapriically De | averaged ONL | Zones. 10 vi | ew Geograpiii | cany beaverag | ed ONL Zone L | esignations | by Central | Office, refer t | o internet we | Doite. | |
| OPER. | | . SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" | | | | | | | | | | | | | | | |
| | | (1) CLEC should contact its contract negotiator if it prefers the | | | | | | | | | | | | | | | |
| | | ther the state specific Commission ordered rates for the servi | ce orderii | ng char | ges, or CLEC may ele | ect the regior | nal service ord | dering charge, | however, CLE | C can not obta | in a mixture of | the two reg | jardless if C | LEC has a int | erconnection | contract esta | blished in |
| | | the 9 states. | | | | | | | | | | | | | | | |
| | | (2) Any element that can be ordered electronically will be bill | | | | | | | | | | | | | | | |
| | | be ordered electronically at present per the LOH, the listed So applied to a CLECs bill when it submits an LSR to BellSouth. | | e in thi | s category reflects th | e cnarge that | t would be bill | led to a CLEC | once electroni | c ordering cap | abilities come | on-line for | inat element | . Otherwise, | tne manuai o | raering cnarg | e, SOMAN, |
| | will be | OSS - Electronic Service Order Charge, Per Local Service | | | | 1 | | | I | | I | | | | | I | |
| | | Request (LSR) - UNE Only | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | 1 |
| | | OSS - Manual Service Order Charge, Per Local Service Request | | | | | | 3.00 | 3.00 | 3.00 | 3.00 | | | | | | |
| | | (LSR) - UNE Only | | | | SOMAN | | 7.86 | 0.00 | 0.99 | 0.00 | | | | | | <u> </u> |
| UNE S | | DATE ADVANCEMENT CHARGE | | | | | | | | | | | | | | | |
| | NOTE: | The Expedite charge will be maintained commensurate with I | BellSouth | 's FCC | No.1 Tariff, Section | 5 as applicab | le. | | | | | | | | | | |
| | | | | | UAL, UEANL, UCL, | | | | | | | | | | | | i |
| | | | | | UEF, UDF, UEQ, | | | | | | | | | | | | 1 |
| | | | | | UDL, UENTW, UDN, | | | | | | | | | | | | 1 |
| | | | | | UEA, UHL, ULC, | | | | | | | | | | | | 1 |
| | | | | | USL, U1T12, U1T48, | | | | | | | | | | | | 1 |
| | | | | | U1TD1, U1TD3, | | | | | | | | | | | | 1 |
| | | | | | U1TDX, U1TO3, | | | | | | | | | | | | ĺ |
| | | | | | U1TS1, U1TVX, UC1BC, UC1BL, | | | | | | | | | | | | ĺ |
| | | | | | UC1CC, UC1CL, | | | | | | | | | | | | ĺ |
| | | | | | UC1DC, UC1DL, | | | | | | | | | | | | ĺ |
| | | | | | UC1EC, UC1EL, | | | | | | | | | | | | 1 |
| | | | | | UC1FC, UC1FL, | | | | | | | | | | | | 1 |
| | | | | | UC1GC, UC1GL, | | | | | | | | | | | | ĺ |
| | | | | | UC1HC, UC1HL, | | | | | | | | | | | | ĺ |
| | | | | | UDL12, UDL48, | | | | | | | | | | | | 1 |
| | | | | | UDLO3, UDLSX, UE3, ULD12, | | | | | | | | | | | | ĺ |
| | | | | | ULD48, ULDD1, | | | | | | | | | | | | ĺ |
| | | | | | ULDD3, ULDDX, | | | | | | | | | | | | ĺ |
| | | | | | ULDO3, ULDS1, | | | | | | | | | | | | ĺ |
| | | | | | ULDVX, UNC1X, | | | | | | | | | | | | i |
| | | | | | UNC3X, UNCDX, | | | | | | | | | | | | ĺ |
| | | | | | UNCNX, UNCSX, | | | | | | | | | | | | ĺ |
| | | | | | UNCVX, UNLD1, UNLD3, UXTD1, | | | | | | | | | | | | 1 |
| | | | | | UXTD3, UXTS1, | | | | | | | | | | | | ĺ |
| | | UNE Expedite Charge per Circuit or Line Assignable USOC, per | | | U1TUC, U1TUD, | | | | | | | | | | | | i |
| | <u> </u> | Day | | <u>L</u> | U1TUB, U1TUA | SDASP | | 200.00 | | | | | | | | | <u> </u> |
| UNBU | | XCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| <u></u> | 2-WIRE | ANALOG VOICE GRADE LOOP | | | 115.44 | l lie a c | 10.5- | 10.55 | 22.5- | | | | | | | | |
| <u> </u> | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | ļ | 2 | UEANL UEANL | UEAL2 UEAL2 | 10.56 15.34 | 46.66 46.66 | | 26.65 26.65 | | 1 | 1 | | | | \vdash |
| | 1 | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEAL2 | 31.11 | 46.66 | | 26.65 | | | 1 | | | | |
| | 1 | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEASL | 10.56 | 46.66 | | 26.65 | | 1 | | 1 | 1 | 1 | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEASL | 15.34 | 46.66 | | 26.65 | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEASL | 31.11 | 46.66 | 22.57 | 26.65 | 7.65 | | | | | | |
| | | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | | | | | | 1 |
| | | Premise | | | UEANL | URETL | | 8.33 | | - | - | <u> </u> | | | | | \vdash |
| - | 1 | Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour | | | UEANL UEANL | URET1 URETA | | 46.88 24.16 | | | + | | | | - | - | \vdash |
| | <u> </u> | Loop resumy - Dasic Additional Flatt Flour | l | <u> </u> | ULAINL | UNLIA | | 24.10 | 24.10 | l | l | l | l | i | l | l | |

| UNRUNDI F | D NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachmen | t· 2 Exh A | | - |
|--|--|--|----------|----------------|--------|-------|--------|------------|--------------|------------|-----------|--|--|-------------|-------------|--|
| SHESHEL | - Nemucky | 1 | | | | | | | | | Svc Order | Svc Order | | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | | - | | | | |
| CATEGORI | KATE ELEMENTO | IIICEIIIII | 20116 | БОО | 0000 | | | KATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Nonred | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | l . | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | | | SOMAN | SOMAN |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | | | | | | | | | | | | | |
| | (UVL-SL1) | | | UEANL | UREWO | | 15.78 | 8.94 | | | | | | | | |
| | Unbundled Voice Loop, Non-Design Voice Loop, billing for BST | | | | | | | | | | | | | | | 1 |
| | providing make-up (Engineering Information - E.I.) | | | UEANL | UEANM | | 13.49 | 13.49 | | | | | | | | |
| | Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 9.00 | 9.00 | | | | | | | | 1 |
| | Order Coordination for Specified Conversion Time for UVL-SL1 | | | | | | | | | | | | | | | |
| | (per LSR) | | | UEANL | OCOSL | | 23.01 | 23.01 | | | | | | | | |
| 2-WIR | E Unbundled COPPER LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | | 1 | UEQ | UEQ2X | 10.58 | 44.97 | 20.89 | 25.64 | 6.65 | | | | | | |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | | 2 | UEQ | UEQ2X | 11.51 | 44.97 | 20.89 | 25.64 | 6.65 | | | | | | |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | | 3 | UEQ | UEQ2X | 13.19 | 44.97 | 20.89 | 25.64 | 6.65 | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | | | | | | |
| | Premise | | | UEQ | URETL | | 8.33 | 0.83 | | | | | | | | |
| | Manual Order Coordination 2 Wire Unbundled Copper Loop - | | | | | | | | | | | | | | | |
| | Non-Designed (per loop) | ļ | | UEQ | USBMC | | 9.00 | 9.00 | ļ | | | | | | | |
| | Unbundled Copper Loop, Non-Design Copper Loop, billing for | | | | | | | | | | | | | | | |
| | BST providing make-up (Engineering Information - E.I.) | | | UEQ | UEQMU | | 13.49 | 13.49 | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | 46.88 | 46.88 | | | | | | | | |
| | Loop Testing - Basic Additional Half Hour | | | UEQ | URETA | | 24.16 | 24.16 | | | | | | | | |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | | | | | | | | | | | | | |
| | (UCL-ND) | <u> </u> | | UEQ | UREWO | | 14.27 | 7.43 | | | | | | | | |
| | EXCHANGE ACCESS LOOP | <u> </u> | | | | | | | | | | | | | | |
| 2-WIR | E ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | HEDOD HEDOD | LIEALO | 40.50 | 40.00 | 20.57 | 20.05 | 7.05 | | | | | | |
| - | Zone 1 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | - | UEPSR UEPSB | UEALS | 10.56 | 46.66 | 22.57 | 26.65 | 7.65 | | | | | | + |
| | Zone 1 | | 4 | UEPSR UEPSB | UEABS | 10.56 | 46.66 | 22.57 | 26.65 | 7.65 | | | | | | |
| + | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | ' | OLFSK OLFSB | ULABS | 10.30 | 40.00 | 22.31 | 20.03 | 7.05 | | | | | | \vdash |
| | Zone 2 | | 2 | UEPSR UEPSB | UEALS | 15.34 | 46.66 | 22.57 | 26.65 | 7.65 | | | | | | |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | _ | OLI OK OLI OD | OLIVEO | 10.04 | 40.00 | 22.01 | 20.00 | 7.00 | | | | | | + |
| | Zone 2 | | 2 | UEPSR UEPSB | UEABS | 15.34 | 46.66 | 22.57 | 26.65 | 7.65 | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | 021 011 021 02 | 02,120 | 10.01 | 10.00 | 22.01 | 20.00 | 7.00 | | | | | | |
| | Zone 3 | | 3 | UEPSR UEPSB | UEALS | 31.11 | 46.66 | 22.57 | 26.65 | 7.65 | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | - | | | | | | | | | | 1 |
| | Zone 3 | | 3 | UEPSR UEPSB | UEABS | 31.11 | 46.66 | 22.57 | 26.65 | 7.65 | | | | | | |
| UNBUNDLED | EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| 2-WIR | E ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | |
| | Ground Start Signaling - Zone 1 | | 1 | UEA | UEAL2 | 12.67 | 134.89 | 81.87 | 73.65 | 14.88 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | |
| | Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | 17.45 | 134.89 | 81.87 | 73.65 | 14.88 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | |
| | Ground Start Signaling - Zone 3 | | 3 | UEA | UEAL2 | 33.22 | 134.89 | 81.87 | 73.65 | 14.88 | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 23.01 | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | | | | | | | | | |
| | Battery Signaling - Zone 1 | <u> </u> | 1 | UEA | UEAR2 | 12.67 | 134.89 | 81.87 | 73.65 | 14.88 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | 1154 | LIEADO | 47.45 | 404.00 | 04.07 | 70.05 | 44.00 | | | | | | |
| - | Battery Signaling - Zone 2 | | 2 | UEA | UEAR2 | 17.45 | 134.89 | 81.87 | 73.65 | 14.88 | | | | | | - |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 | 1 | 3 | UEA | UEAR2 | 33.22 | 134.89 | 81.87 | 73.65 | 14.88 | | 1 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | 1 | 3 | UEA | OCOSL | 33.22 | 23.01 | 81.87 | 73.05 | 14.88 | | 1 | 1 | | 1 | + |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87.72 | 36.36 | | | | | 1 | | 1 | + |
| | Loop Tagging - Service Level 2 (SL2) | 1 | \vdash | UEA | URETL | | 11.21 | 1.10 | | | 1 | | | | | + |
| 4-WIR | E ANALOG VOICE GRADE LOOP | | | OLA | OILLIE | | 11.21 | 1.10 | | | | | | | | + |
| 7 1711 | 4-Wire Analog Voice Grade Loop - Zone 1 | 1 | 1 | UEA | UEAL4 | 29.26 | 164.11 | 112.36 | 78.91 | 18.66 | | | | | | |
| | 4-Wire Analog Voice Grade Loop - Zone 1 | 1 | 2 | UEA | UEAL4 | 34.25 | 164.11 | 112.36 | 78.91 | 18.66 | | | | | | |
| | 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEA | UEAL4 | 85.06 | 164.11 | 112.36 | 78.91 | 18.66 | | | | | | 1 |
| | Order Coordination for Specified Conversion Time (per LSR) | | اخا | UEA | OCOSL | 00.00 | 23.01 | | | | 1 | | | | | + |
| 1 | TOTALE COOLUMN AUDIT OF SPECIFICA CONVENSION TIME THE THE LAKE | | | | | | | | | | | | | | | |

| UNRI | INDI F | D NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachmen | t: 2 Exh. A | | |
|-------|--|---|----------|----------|------------|-----------|--------|-----------------|------------|--------------|------------|-------|---|-----------|--|----------|---|
| CATEC | | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | _ | Nonrec | curring | Nonrecurring | Disconnect | | ı | oss | Rates (\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | 2-WIRE | ISDN DIGITAL GRADE LOOP | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UDN | U1L2X | 18.44 | 146.77 | 95.02 | 71.38 | 13.83 | | | | | | 1 |
| | | 2-Wire ISDN Digital Grade Loop - Zone 2 | | 2 | UDN | U1L2X | 25.08 | 146.77 | 95.02 | 71.38 | 13.83 | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - Zone 3 | | 3 | UDN | U1L2X | 42.87 | 146.77 | 95.02 | 71.38 | 13.83 | | | | | | |
| | | Order Coordination For Specified Conversion Time (per LSR) | | | UDN | OCOSL | | 23.01 | | | | | | | | | <u> </u> |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UDN | UREWO | | 91.63 | 44.16 | | | | | | | | |
| | 2-WIRE | ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COME 2 Wire Unbundled ADSL Loop including manual service inquiry | ATIBLE | -00P | | | | | | | | | | | | | |
| | | & facility reservation - Zone 1 | | 1 | UAL | UAL2X | 10.82 | 141.98 | 79.73 | 69.02 | 11.47 | | | | | | |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2 | | 2 | UAL | UAL2X | 11.79 | 141.98 | 79.73 | 69.02 | 11.47 | | | | | | |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | | | | | | | | | | | 1 |
| | | & facility reservation - Zone 3 | | 3 | UAL | UAL2X | 12.87 | 141.98 | 79.73 | 69.02 | 11.47 | | | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 23.01 | | | | | | | | | |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | | | | | | | | | | | | |
| | | facility reservaton - Zone 1 | | 1 | UAL | UAL2W | 10.82 | 121.18 | 69.00 | 69.09 | 11.54 | | | | | | |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | 1141 | 1141 0141 | 44.70 | 101.10 | 00.00 | 00.00 | 44.54 | | | | | | |
| | | facility reservaton - Zone 2 2 Wire Unbundled ADSL Loop without manual service inquiry & | 1 | 2 | UAL | UAL2W | 11.79 | 121.18 | 69.00 | 69.09 | 11.54 | | | | | | + |
| | | facility reservation - Zone 3 | | 3 | UAL | UAL2W | 12.87 | 121.18 | 69.00 | 69.09 | 11.54 | | | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | 3 | UAL | OCOSL | 12.07 | 23.01 | 09.00 | 09.09 | 11.54 | | | | | | + |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UAL | UREWO | | 86.20 | 40.40 | | | | | | | | † |
| | 2-WIRE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE LO | OOP | 0,12 | O.K.E.V.G | | 00.20 | 10.10 | | | | | | | | † |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | 1 |
| | | & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 8.75 | 151.54 | 89.29 | 69.09 | 11.54 | | | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 9.56 | 151.54 | 89.29 | 69.09 | 11.54 | | | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | & facility reservation - Zone 3 | | 3 | UHL UHL | UHL2X | 10.61 | 151.54 23.01 | 89.29 | 69.09 | 11.54 | | | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) 2 Wire Unbundled HDSL Loop without manual service inquiry | | | UHL | OCOSL | | 23.01 | | | | | | | | | + |
| | | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 8.75 | 130.74 | 78.56 | 69.09 | 11.54 | | | | | | |
| | 1 | 2 Wire Unbundled HDSL Loop without manual service inquiry | | <u> </u> | OTIL | OTTLEVV | 0.70 | 100.14 | 70.00 | 00.00 | 11.04 | | | | | | + |
| | | and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 9.56 | 130.74 | 78.56 | 69.09 | 11.54 | | | | | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 10.61 | 130.74 | 78.56 | 69.09 | 11.54 | | | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 23.01 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 86.14 | 40.40 | | | | | | | | |
| | 4-WIRE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE LC | 906 | | | | | | | | | | | | | + |
| | | 4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1 | | 4 | UHL | UHL4X | 13.95 | 185.75 | 123.50 | 74.95 | 14.69 | | | | | | |
| | 1 | 4-Wire Unbundled HDSL Loop including manual service inquiry | | - | UNL | UHL4X | 13.95 | 100.75 | 123.50 | 74.95 | 14.09 | | | | 1 | | + |
| | | and facility reservation - Zone 2 | 1 | 2 | UHL | UHL4X | 15.68 | 185.75 | 123.50 | 74.95 | 14.69 | | | | | | |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry | | <u> </u> | 0.12 | 01.12.17 | 10.00 | 100.10 | 120.00 | 7 1.00 | | | | | | | † |
| | | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 16.98 | 185.75 | 123.50 | 74.95 | 14.69 | | | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 23.01 | | | | | | | | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 13.95 | 164.95 | 114.04 | 77.32 | 15.80 | | | | | | |
| | 1 | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | 4= 0- | | | | | | 1 | | | | 1 |
| - | | and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry | 1 | 2 | UHL | UHL4W | 15.68 | 164.95 | 114.04 | 77.32 | 15.80 | | | | | | + |
| | 1 | and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 16.98 | 164.95 | 114.04 | 77.32 | 15.80 | | 1 | | | | 1 |
| | | Order Coordination for Specified Conversion Time (per LSR) | 1 | 3 | UHL | OCOSL | 10.50 | 23.01 | 114.04 | 11.32 | 13.00 | - | | | t | | + |
| | <u> </u> | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 86.14 | 40.40 | † | | | | | † | | |
| | 4-WIRE | DS1 DIGITAL LOOP | | | | | | | | | | | | | | | 1 |
| | | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 86.47 | 306.69 | 174.44 | 65.83 | 14.55 | | | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | USL | USLXX | 114.10 | 306.69 | 174.44 | 65.83 | 14.55 | | | | | | |
| | ļ | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 297.76 | 306.69 | 174.44 | 65.83 | 14.55 | | | | ļ | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | USL | OCOSL | | 23.01 | | | | | | | | | |

| <u>UNBUN</u> DL | ED NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachmen | t: 2 Exh. A | <u> </u> | |
|--|--|--|----------|----------------|---------|-------|--------|------------|--------------|-------|--|-----------|-------------|--|--|------------|
| | | | | | | | | | | | Svc Order | Svc Order | | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | | |
| CATEGORY | RATE ELEMENTS | Intorim | Zono | BCS | USOC | | | RATES (\$) | | | | _ | | | Manual Svc | |
| CATEGORI | RATE ELEMENTS | Interim | Zone | ьсэ | 0300 | | | KATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | <u> </u> |
| | | | | | | Rec | Nonred | curring | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 101.09 | 43.04 | | | | | | | | |
| 4-WI | RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | | | | | | | | | | | | | 1 |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 1 | UDL | UDL19 | 27.59 | 157.81 | 106.06 | 78.91 | 18.66 | | | | | | 1 |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 2 | UDL | UDL19 | 32.48 | 157.81 | 106.06 | | 18.66 | | | | | | + |
| - | 4 Wire Unbundled Digital 19.2 Kbps | 1 | 3 | UDL | UDL19 | 36.37 | 157.81 | 106.06 | | 18.66 | | | | | | |
| - | | <u> </u> | 1 | | | | | | | | | | | | | + |
| + | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | | UDL | UDL56 | 27.59 | 157.81 | 106.06 | | 18.66 | ļ | | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | 2 | UDL | UDL56 | 32.48 | 157.81 | 106.06 | | 18.66 | | | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | 3 | UDL | UDL56 | 36.37 | 157.81 | 106.06 | 78.91 | 18.66 | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 23.01 | | | | | | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | 1 | UDL | UDL64 | 27.59 | 157.81 | 106.06 | 78.91 | 18.66 | | | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | 2 | UDL | UDL64 | 32.48 | 157.81 | 106.06 | 78.91 | 18.66 | | | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | 3 | UDL | UDL64 | 36.37 | 157.81 | 106.06 | 78.91 | 18.66 | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | 1 | Ŭ | UDL | OCOSL | 00.01 | 23.01 | 100.00 | 70.01 | 10.00 | | | | | | + |
| | CLEC to CLEC Conversion Charge without outside dispatch | 1 | \vdash | UDL | UREWO | | 102.13 | 49.75 | + | | 1 | 1 | 1 | 1 | 1 | + |
| | | | \vdash | UDL | OKEWO | | 102.13 | 49.75 | + | | 1 | ! | - | | | + |
| 2-WI | RE Unbundled COPPER LOOP | 1 | | | - | | | | | | 1 | | 1 | | 1 | + |
| l I | 2-Wire Unbundled Copper Loop-Designed including manual | 1 | . | | | | | | | | | | | | 1 | 1 |
| | service inquiry & facility reservation - Zone 1 | | 1 | UCL | UCLPB | 10.82 | 140.95 | 78.70 | 69.09 | 11.54 | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed including manual | | | | | | | | | | | | | | | |
| | service inquiry & facility reservation - Zone 2 | | 2 | UCL | UCLPB | 11.79 | 140.95 | 78.70 | 69.09 | 11.54 | | | | | | |
| | 2 Wire Unbundled Copper Loop-Designed including manual | | | | | | | | | | | | | | | 1 |
| | service inquiry & facility reservation - Zone 3 | | 3 | UCL | UCLPB | 12.87 | 140.95 | 78.70 | 69.09 | 11.54 | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | Ť | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed without manual | <u> </u> | | - OOL | COLIVIO | | 0.00 | 0.00 | | | | | | | | + |
| | service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCLPW | 10.82 | 120.15 | 67.97 | 69.09 | 11.54 | | | | | | |
| | | | - 1 | UCL | UCLPVV | 10.02 | 120.15 | 67.97 | 09.09 | 11.54 | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed without manual | | _ | | | | | | | | | | | | | |
| | service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCLPW | 11.79 | 120.15 | 67.97 | 69.09 | 11.54 | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed without manual | | | | | | | | | | | | | | | |
| | service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCLPW | 12.87 | 120.15 | 67.97 | 69.09 | 11.54 | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | | | | | | | | | | | | | 1 |
| | (UCL-Des) | | | UCL | UREWO | | 97.23 | 42.48 | | | | | | | | |
| 4-WI | RE COPPER LOOP | 1 | | 001 | OILEVVO | | 07.20 | 72.70 | | | | | | | | + |
| 7-771 | 4-Wire Copper Loop-Designed including manual service inquiry | 1 | | | | | | | | | - | | | | | + |
| | | | 1 | LICI | 1101.40 | 40.00 | 470.04 | 400.00 | 74.05 | 44.00 | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UCL | UCL4S | 16.92 | 170.31 | 108.06 | 74.95 | 14.69 | | | | | | |
| | 4-Wire Copper Loop-Designed including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UCL | UCL4S | 17.36 | 170.31 | 108.06 | 74.95 | 14.69 | | | | | | |
| | 4-Wire Copper Loop-Designed including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UCL | UCL4S | 28.10 | 170.31 | 108.06 | 74.95 | 14.69 | | | | | | |
| 1 | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | İ | 1 | 1 |
| | 4-Wire Copper Loop-Designed without manual service inquiry | | | | ĺ | | | | | | | | | | | 1 |
| 1 | and facility reservation - Zone 1 | 1 | 1 1 | UCL | UCL4W | 16.92 | 149.52 | 97.33 | 74.95 | 14.69 | | 1 | 1 | 1 | 1 | 1 |
| | 4-Wire Copper Loop-Designed without manual service inquiry | 1 | | 001 | 302-111 | 10.02 | 140.02 | 37.33 | 7 7.33 | 17.03 | | | | | | + |
| l I | and facility reservation - Zone 2 | 1 | 2 | UCL | UCL4W | 17.36 | 149.52 | 97.33 | 74.95 | 14.69 | | | | | 1 | 1 |
| | | | | UUL | UCL4VV | 17.30 | 149.52 | 91.33 | 74.95 | 14.09 | 1 | ! | - | | | + |
|]] | 4-Wire Copper Loop-Designed without manual service inquiry | 1 | | | | | | | | | | 1 | 1 | 1 | 1 | 1 |
| | and facility reservation - Zone 3 | ļ | 3 | UCL | UCL4W | 28.10 | 149.52 | 97.33 | | 14.69 | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | | | | | | | | | | | | | |
| | (UCL-Des) | | | UCL | UREWO | | 97.23 | 42.48 | | | | | | | | |
| LOOP MODII | FICATION | | | | | | | | | | | | | | | |
| | | | | UAL, UHL, UCL, | ĺ | | | | | | | | | | | 1 |
| l l | | 1 | 1 | UEQ, ULS, UEA, |] | | | | | | | 1 | 1 | 1 | 1 | 1 |
|]] | Unbundled Loop Modification, Removal of Load Coils - 2 Wire | 1 | 1 1 | UEANL, UEPSR, |] | | | | | | | 1 | 1 | 1 | 1 | 1 |
| | pair less than or equal to 18k ft, per Unbundled Loop | | | UEPSB | ULM2L | | 9.24 | 9.24 | | | | | | | | |
| | | | \vdash | UEPOB | ULIVIZL | | 9.24 | 9.24 | + | | 1 | - | 1 | | | + |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire | 1 | 1 | | l | | | | 1 | | | 1 | | Ì | İ | 1 |
| \vdash | less than or equal to 18K ft, per Unbundled Loop | ļ | | UHL, UCL, UEA | ULM4L | | 9.24 | 9.24 | | | | | | | | ↓ |
| i I | | 1 | 1 | UAL, UHL, UCL, |] | | | | | | | 1 | 1 | 1 | 1 | 1 |
|]] | | 1 | 1 1 | UEQ, ULS, UEA, |] | | | | | | | 1 | 1 | 1 | 1 | 1 |
| l l | Unbundled Loop Modification Removal of Bridged Tap Removal, | 1 | 1 | UEANL, UEPSR, |] | | | | | | | 1 | 1 | 1 | 1 | 1 |
| l I | per unbundled loop | 1 | 1 | UEPSB | ULMBT | | 10.47 | 10.47 | | | 1 | 1 | 1 | 1 | 1 | 1 |

| UNBUNDL | ED NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachmen | t: 2 Exh. A | | |
|--|---|-----------------|--|-----------------|---------|-------|--------|------------|--------------|------------|--|-----------|-------------|--|-------------|--|
| | • | | | | | | | | | | Svc Order | Svc Order | | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | | Manual Svc | Manual Svc | |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | per LSK | per LSK | | | | |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Nonre | curring | Nonrecurring | Disconnect | | l . | 088 | Rates (\$) | l . | |
| | | | | | | Rec | | | | | COMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| SUB-LOOPS | | | | | | | | | | | | | | | | |
| Sub- | Loop Distribution | | | | | | | | | | | | | | | |
| | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- | | | | | | | | | | | | | | | |
| | Up | l | | UEANL | USBSA | | 207.91 | 207.91 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | | | UEANL | USBSB | | 12.50 | 12.50 | | | | | | | | |
| | Sub-Loop - Per Building Equipment Room - CLEC Feeder | | | | | | | | | | | | | | | |
| | Facility Set-Up | - 1 | | UEANL | USBSC | | 80.87 | 80.87 | | | | | | | | |
| | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel | | | | | | | | | | | | | | | ĺ |
| | Set-Up | 1 | | UEANL | USBSD | | 45.04 | 45.04 | | | | | | | | |
| 1 | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| l I | Zone 1 | 1 | 1 | UEANL | USBN2 | 6.34 | 85.03 | 39.05 | 59.81 | 7.90 | | 1 | | Ì | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | <u> </u> | | | | 22.30 | 22.50 | 1 | 50 | 1 | | 1 | 1 | | 1 |
| | Zone 2 | 1 | 2 | UEANL | USBN2 | 9.06 | 85.03 | 39.05 | 59.81 | 7.90 | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | - '- | | OLAUL | 300112 | 5.00 | 55.05 | 55.05 | 00.01 | 7.50 | 1 | | | - | | |
| | Zone 3 | | 3 | UEANL | USBN2 | 14.82 | 85.03 | 39.05 | 59.81 | 7.90 | | | | | | |
| | Zorie 3 | <u> </u> | 3 | UEAINL | USDINZ | 14.02 | 00.00 | 39.03 | 39.61 | 7.90 | | | | | | |
| | Order Consideration for Habrardlad Cub Lanca and an Islandain | | | LIFANII | LICDMC | | 0.00 | 0.00 | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UEANL | USBN4 | 8.14 | 102.31 | 56.32 | 65.24 | 10.88 | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UEANL | USBN4 | 8.63 | 102.31 | 56.32 | 65.24 | 10.88 | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UEANL | USBN4 | 25.60 | 102.31 | 56.32 | 65.24 | 10.88 | | | | | | |
| | | | | | | | | | | | | | | | | ĺ |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | | | UEANL | USBR2 | 2.57 | 68.35 | 22.36 | 59.81 | 7.90 | | | | | | 1 |
| | 3 (., | | | | | - | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | | | UEANL | USBR4 | 4.98 | 76.49 | 30.51 | 65.24 | 10.88 | | | | | | |
| | Out 2000 4 Wile initiabaliang Network Gable (into) | - | | OLTUNE | OODIT | 4.00 | 70.40 | 00.01 | 00.E4 | 10.00 | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 46.88 | 46.88 | | | | | | | | - |
| | Loop Testing - Basic 1st Half Hour | | <u> </u> | UEANL | URETA | | 24.16 | 24.16 | | | | | | | | |
| | | | 1 | | | 5.45 | | | | 7.00 | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | | UEF | UCS2X | 5.45 | 85.03 | 39.05 | 59.81 | 7.90 | | | | | | |
| \vdash | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | ! | 2 | UEF | UCS2X | 7.06 | 85.03 | 39.05 | | 7.90 | 1 | | - | 1 | 1 | |
| \vdash | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | 3 | UEF | UCS2X | 9.67 | 85.03 | 39.05 | 59.81 | 7.90 | ļ | | | | | <u> </u> |
| | | | 1 | | | | | | | | | 1 | | Ì | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 9.00 | 9.00 | | | | | | | | <u> </u> |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | - 1 | 1 | UEF | UCS4X | 7.09 | 102.31 | 56.32 | | 10.88 | 1 | | | | | 1 |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | | 2 | UEF | UCS4X | 8.66 | 102.31 | 56.32 | | 10.88 | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | I | 3 | UEF | UCS4X | 19.40 | 102.31 | 56.32 | 65.24 | 10.88 | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | 1 | UEF | USBMC | | 9.00 | 9.00 | | | | 1 | | Ì | | |
| 1 | Loop Testing - Basic 1st Half Hour | | | UEF | URET1 | | 46.88 | 46.88 | | | | | | | | |
| | Loop Testing - Basic Additional Half Hour | | | UEF | URETA | | 24.16 | 24.16 | | | | | | | | |
| Unhi | undled Network Terminating Wire (UNTW) | | | | | | | | İ | | 1 | | 1 | İ | İ | 1 |
| | Unbundled Network Terminating Wire (UNTW) per Pair | | | UENTW | UENPP | 0.53 | 23.51 | 23.51 | | | 1 | | | 1 | | |
| Netu | vork Interface Device (NID) | | | | | 0.00 | 20.01 | 20.01 | 1 | | 1 | | t | | | † |
| I I I I | Network Interface Device (NID) - 1-2 lines | | | UENTW | UND12 | | 73.53 | 49.47 | † | | 1 | | 1 | | | |
| | Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines | - | | UENTW | UND12 | | 115.96 | 91.91 | | | 1 | | 1 | 1 | 1 | |
| | Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W | - | | UENTW | UNDC2 | | 8.56 | 8.56 | | | 1 | | 1 | 1 | 1 | |
| \vdash | Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W | | | UENTW | UNDC2 | | 8.56 | 8.56 | | | | - | - | | | |
| LINE OTHER | | | | OENTW | UNDC4 | | შ.ენ | შ.ეხ | | | 1 | | 1 | | | |
| ONE OTHER | , PROVISIONING ONLY - NO RATE | - | | LIENTA | LINIDDY | 2.22 | 0.00 | | | | 1 | | 1 | | - | |
| \vdash | NID - Dispatch and Service Order for NID installation | | - | UENTW | UNDBX | 0.00 | 0.00 | | | | 1 | | 1 | | | |
| \vdash | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | ļ | UENTW | UENCE | 0.00 | 0.00 | | ļ | | ļ | | | | | |
| | | | | UEANL,UEF,UEQ,U | | | | | | | | l | | | | |
| | Unbundled Contract Name, Provisioning Only - No Rate | | | ENTW | UNECN | 0.00 | 0.00 | | 1 | | 1 | | | |] | <u> </u> |
| LINE OTHER | , PROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | |

| UNBUN | DLE | D NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachmen | t: 2 Exh. A | | |
|---|----------|---|--|--------|------------------------|---------------|------------|----------|------------|--|------------|-----------|-----------|--|--|-------------|--|
| 0.1.20.1 | | y | | | | | | | | | | Svc Order | Svc Order | | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | Manually | | Manual Svc | Manual Svc | |
| CATEGO | RY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | - (1) | | | per LSK | per LSK | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | 151 | Add I | DISC ISL | DISC Add I |
| | | | | | | | Dee | Nonrec | urring | Nonrecurring | Disconnect | | • | oss | Rates (\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| | | | | | UAL,UCL,UDC,UDL, | | | | | | | | | | | | |
| | | Unbundled Contact Name, Provisioning Only - no rate | | | UDN,UEA,UHL,USL | UNECN | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no | | | | | | | | | | | | | | | |
| | | rate | | | UEA,UDN,UCL,UDC | USBFQ | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no | | | | | | | | | | | | | | | |
| | | rate | | | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | | | | | | | | | ļ |
| | | Unbundled DS1 Loop - Superframe Format Option - no rate | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled DS1 Loop - Expanded Superframe Format option - | | | | | | | | | | | | | | | |
| | D 4 O 17 | no rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| HIGH CA | PACII | TY UNBUNDLED LOCAL LOOP | | | | | | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 - Per Mile per | | | UE3 | 1L5ND | 9.25 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 - Facility | | | UE3 | ILOND | 9.25 | | | | | | | | | | |
| | | Termination per month | | | UE3 | UE3PX | 308.31 | 634.087 | 388.792 | 198.95 | 138.483 | | | | | | |
| | | High Capacity Unbundled Local Loop - STS-1 - Per Mile per | | | UES | UESPA | 300.31 | 034.067 | 300.792 | 196.93 | 130.403 | 1 | 1 | | | | 1 |
| | | month | | | UDLSX | 1L5ND | 9.25 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - STS-1 - Facility | | | ODLOX | TESIND | 9.23 | | | | | 1 | | | | | |
| | | Termination per month | | | UDLSX | UDLS1 | 320.51 | 634.087 | 388.792 | 198.95 | 138.483 | | | | | | |
| LOOP MA | AKF-U | | | | OBLOX | 0220. | 020.01 | 00 1.001 | 00002 | 100.00 | 100.100 | | | | | | 1 |
| | | Loop Makeup - Preordering Without Reservation, per working or | | | | | | | | | | | | | | | |
| | | spare facility queried (Manual). | | | UMK | UMKLW | | 23.40 | 23.40 | | | | | | | | |
| | | Loop Makeup - Preordering With Reservation, per spare facility | | | - | | | | | | | | | | | | |
| | | queried (Manual). | | | UMK | UMKLP | | 24.85 | 24.85 | | | | | | | | |
| | | Loop MakeupWith or Without Reservation, per working or | | | | | | | | | | | | | | | 1 |
| | | spare facility queried (Mechanized) | | | UMK | UMKMQ | | 0.67 | 0.67 | | | | | | | | |
| LINE SPL | | | | | | | | | | | | | | | | | |
| | | PLITTING | | | | | | | | | | | | | | | |
| E | ND US | SER ORDERING-CENTRAL OFFICE BASED | | | | | | | | | | | | | | | |
| | | Line Splitting - per line activation DLEC owned splitter | | | UEPSR UEPSB | UREOS | 0.61 | | | | | | | | | | |
| | | Line Splitting - per line activation BST owned - physical | | | UEPSR UEPSB | UREBP | 0.61 | 37.02 | 21.20 | 21.10 | 9.87 | | | | | | . |
| | | Line Splitting - per line activation BST owned - virtual | | | UEPSR UEPSB | UREBV | 0.61 | 37.02 | 21.20 | 21.10 | 9.87 | | | | | | ļ |
| | | ENANCE The Expedite charge will be maintained commensurate with I | DallCaush | I= FCC | No 4 Touiss Continue | 224 | li - al-la | | | | | | | | | | |
| IN | OIE: | No Trouble Found - per 1/2 hour increments - Basic | BellSouth | SFCC | No.1 Tariff, Section 1 | 13.3.1 as app | licable. | 80.00 | 55.00 | | | | | | | | |
| | | No Trouble Found - per 1/2 hour increments - Overtime | | | | | | 90.00 | 65.00 | | | 1 | 1 | | | | |
| | | No Trouble Found - per 1/2 hour increments - Overtime | | | | | | 100.00 | 75.00 | | | | | | | | 1 |
| UNBUND | ΙFDΓ | DEDICATED TRANSPORT | | | | | | 100.00 | 70.00 | | | | | | | | 1 |
| | | OFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | 1 |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | |
| | | Per Mile per month | | | U1TVX | 1L5XX | 0.01 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | | | | | | | | | | |
| | | Facility Termination | | | U1TVX | U1TV2 | 29.11 | 47.34 | 31.78 | 22.77 | 8.75 | | | | | | |
| | | Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade | | | | | | | | | | | | | | | |
| | | Rev Bat Per Mile per month | | | U1TVX | 1L5XX | 0.01 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat | | | | | | | | | | | | | | | |
| | | Facility Termination | | | U1TVX | U1TR2 | 29.11 | 47.34 | 31.78 | 22.77 | 8.75 | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - | 1 | | | | | | | | | | | | | | |
| | | Per Mile per month | | | U1TVX | 1L5XX | 0.01 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade | | | | | | | | | | | | | | | |
| $\vdash \!$ | | - Facility Termination | | | U1TVX | U1TV4 | 25.86 | 47.34 | 31.78 | 22.77 | 8.75 | } | | ! | | 1 | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | LUTDY | 41 5007 | 0.0445 | | | | | | | | | | |
| \vdash | | per month | | - | U1TDX | 1L5XX | 0.0115 | | | | | 1 | - | | | - | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination | | | U1TDX | U1TD5 | 20.97 | 47.35 | 31.78 | 22.77 | 8.75 | | | I | 1 | | |
| \vdash | | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | - | אטווטא | פעווט | 20.97 | 41.35 | 31.78 | 22.11 | 8.75 | } | - | | 1 | 1 | + |
| | | per month | | | U1TDX | 1L5XX | 0.0115 | | |] | | | | I | 1 | | |
| \vdash | | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | UTIDA | ILONN | 0.0115 | | | | | 1 | | t | 1 | 1 | |
| | | Termination | | | U1TDX | U1TD6 | 20.97 | 47.35 | 31.78 | 22.77 | 8.75 | | | I | 1 | | |
| | | 1.0 | l | 1 | 0.1DA | 21100 | 20.01 | 77.00 | 31.70 | 22.11 | 0.73 | 1 | 1 | 1 | 1 | l | |

| UNBUNDLI | ED NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachmen | t: 2 Exh. A | | |
|--|--|--|---------|----------------------|---------------|------------------|----------------|------------------|----------------|---------------|--|-----------|-------------|--|-------------|--|
| | | | | | | 1 | | | | | Svc Order | Svc Order | | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | | Manual Svc | |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | | Order vs. | | | |
| OATEGORI | NATE ELEMENTO | c. | 20.10 | 500 | 0000 | | | TOTILO (V) | | | per LSR | per LSR | | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Nonrec | curring | Nonrecurring | Disconnect | 1 | 1 | oss | Rates (\$) | l | <u></u> |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | 11130 | Addi | 11100 | Addi | COME | COMPAR | COMPAN | COMPAR | COMPAR | COMPAR |
| | month | | | U1TD1 | 1L5XX | 0.23 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | 01121 | 120701 | 0.20 | | | | | 1 | | | | | |
| | Termination | | | U1TD1 | U1TF1 | 96.04 | 105.52 | 98.46 | 23.09 | 20.49 | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | U1TD3 | 1L5XX | 4.97 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | U1TD3 | U1TF3 | 1,175.15 | 335.40 | 219.24 | 89.57 | 87.75 | | | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | | | 01120 | 01110 | 1,170.10 | 000.10 | 210.21 | 00.01 | 01.110 | 1 | | | | | |
| | month | | | U1TS1 | 1L5XX | 4.97 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Facility | | | 01101 | 120701 | | | | | | | | | | | |
| 1 1 | Termination | 1 | | U1TS1 | U1TFS | 1,149.51 | 335.40 | 219.24 | 89.57 | 87.75 | | | Ì | I | | |
| DARK FIBER | | | | | | ., | 3000 | 2.0.24 | 33.57 | 576 | | | 1 | 1 | | |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | 1 | İ | | | | | | | | 1 | t | | 1 |
| | Thereof per month - Local Channel | 1 | | UDF, UDFCX | 1L5DC | 54.06 | | | | | | | Ì | I | | |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | | | | | | | | | | | | | |
| | Thereof per month - Interoffice Channel | | | UDF, UDFCX | 1L5DF | 30.74 | | | | | | | | | | |
| | NRC Dark Fiber - Interoffice Channel | | | UDF, UDFCX | UDF14 | | 732.53 | 192.67 | 377.27 | 241.67 | | | | | | |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | | | | | | | | | | | | | |
| | Thereof per month - Local Loop | | | UDF, UDFCX | 1L5DL | 54.06 | | | | | | | | | | |
| VIRTUAL CO | | | | .,, | | | | | | | | | | | | |
| | Virtual Collocation-2 Wire Cross Connects (Loop) for Line | | | | | | | | | | | | | | | |
| | Splitting | | | UEPSR UEPSB | VE1LS | 0.0309 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | |
| PHYSICAL CO | DLLOCATION | | | | | | | | | | | | | | | |
| | Physical Collocation-2 Wire Cross Connects (Loop) for Line | | | | | | | | | | | | | | | |
| | Splitting | | | UEPSR UEPSB | PE1LS | 0.0333 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | |
| ENHANCED E | XTENDED LINK (EELs) | | | | | | | | | | | | | | | |
| NOTE | : The monthly recurring and non-recurring charges below will | apply and | the Sv | vitch-As-Is Charge w | ill not apply | for UNE combi | nations provis | ioned as ' Ordi | narily Combin | ed' Network E | lements. | | | | | |
| NOTE | : The monthly recurring and the Switch-As-Is Charge and not t | the non-re | curring | charges below will | apply for UN | E combinations | s provisioned | as ' Currently C | Combined' Net | work Elements | s. | | | | | |
| 2-WIF | RE VOICE GRADE LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop (SL2) in Combination - Zone 1 | | | UNCVX | UEAL2 | 12.67 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | 2-Wire VG Loop (SL2) in Combination - Zone 2 | | | UNCVX | UEAL2 | 17.45 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | 2-Wire VG Loop (SL2) in Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 33.22 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | Voice Grade COCI - Per Month | | | UNCVX | 1D1VG | 0.62 | 6.71 | 4.84 | | | | | | | | |
| 4-WIF | RE VOICE GRADE LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | |
| | 4-Wire Analog Voice Grade Loop in Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 29.26 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | 4-Wire Analog Voice Grade Loop in Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 34.25 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | 4-Wire Analog Voice Grade Loop in Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 85.06 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| $oxed{oxed}$ | Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 0.62 | 6.71 | 4.84 | | | | | | | | <u> </u> |
| 4-WIR | E 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION | | | L | ļ | | | | | | | | | ļ | | <u> </u> |
| | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL56 | 27.59 | 125.22 | 60.48 | 59.69 | 7.84 | | | | ļ | | <u> </u> |
| \vdash | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 | ļ | 2 | UNCDX | UDL56 | 32.48 | 125.22 | 60.48 | 59.69 | 7.84 | ļ | | ļ | . | | |
| \vdash | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 | ļ | 3 | UNCDX | UDL56 | 36.37 | 125.22 | 60.48 | 59.69 | 7.84 | <u> </u> | | | | | _ |
| | OCU-DP COCI (data) per month (2.4-64kbs) | ļ | | UNCDX | 1D1DD | 1.32 | 6.71 | 4.84 | | | ļ | | ļ | . | | |
| 4-WIR | RE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION | ļ | L., | LINIORY | LIBLA | | 10= | | | | ļ | | ļ | . | | |
| | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 | ļ | 1 | UNCDX | UDL64 | 27.59 | 125.22 | 60.48 | 59.69 | 7.84 | ļ | | | | | _ |
| \vdash | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 | | 2 | UNCDX | UDL64 | 32.48 | 125.22 | 60.48 | 59.69 | 7.84 | | | | - | | |
| | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 | 1 | 3 | UNCDX | UDL64 | 36.37 | 125.22 | 60.48 | 59.69 | 7.84 | | - | ļ | 1 | | |
| 0.1405 | OCU-DP COCI (data) - in combination - per month (2.4-64kbs) | 1 | | UNCDX | 1D1DD | 1.32 | 6.71 | 4.84 | | | | - | ļ | 1 | | |
| Z-WIR | RE ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1 | 1 | 4 | UNCNX | U1L2X | 18.44 | 125.22 | 60.48 | 59.69 | 7.84 | <u> </u> | | | | | |
| \vdash | | | 1 | | | | | | 59.69 | 7.84 | | | | | | |
| | 2-Wire ISDN Loop in Combination - Zone 2 | 1 | 2 | UNCNX | U1L2X | 25.08 | 125.22 | 60.48 | 59.69 | 7.84 | <u> </u> | | | | | |
| \vdash | 2-Wire ISDN Loop in Combination - Zone 3 | | 3 | UNCNX | U1L2X | 42.87 2.84 | 125.22 6.71 | 60.48 4.84 | 59.69 | 7.84 | | | | | | |
| 4-38/15 | 2-wire ISDN COCI (BRITE) - in combination - per month | | | OINCINA | UC1CA | ∠.84 | 0.71 | 4.84 | | | | | | | | |
| 4-1/16 | 4-Wire DS1 Digital Loop in Combination - Zone 1 | 1 | 1 | UNC1X | USLXX | 86.47 | 210.70 | 114.60 | 63.96 | 17.97 | | | - | | | |
| \vdash | | | 2 | UNC1X | USLXX | 114.10 | 210.70 | 114.60 | | 17.97 | _ | | - | - | - | |
| \vdash | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | 3 | UNC1X UNC1X | USLXX | 114.10 297.76 | 210.70 | 114.60 | 63.96 63.96 | 17.97 | | | | | - | |
| \vdash | 4-Wire DS1 Digital Loop in Combination - Zone 3 DS1 COCI in combination per month | 1 | 3 | UNC1X | UC1D1 | 11.80 | 6.71 | 4.84 | 03.90 | 17.97 | 1 | - | - | | - | |
| | Po i Goot in combination per month | 1 | | ONCIA | וטוטט | 11.80 | 0.77 | 4.84 | | | 1 | 1 | | 1 | l | L |

| UNBUNDL | ED NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachmen | t: 2 Exh. A | | |
|--|---|----------|--|--------|--------|--------|--------|------------|--------------|-------|--|-----------|-------------|-------------|-------------|--------------|
| | | 1 | | | | | | | | | Svc Order | Svc Order | | | Incremental | Incrementa |
| | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | | | | | |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES (\$) | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | |
| CATEGORI | RATE ELEMENTS | memm | Zone | ВСЗ | 0300 | | | KATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | |
| | | | | | _ | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 2 WII | RE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | MBINAT | ION | | | | | | | | | | | | | |
| | Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per | | | | | | | | | | | | | | | |
| | Month | | | UNCVX | 1L5XX | 0.01 | | | | | | | | | | |
| | Interoffice Transport - 2-wire VG - Dedicated - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNCVX | U1TV2 | 23.95 | 98.09 | 53.67 | 56.31 | 22.42 | | | | | | |
| 4 WIF | RE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | MBINAT | ION | | | | | | | | | | | | | |
| | Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per | | | | | | | | | | | | | | | |
| | Month | | | UNCVX | 1L5XX | 0.01 | | | | | | | | | | |
| | Interoffice Transport - 4-wire VG - Dedicated - Facility | | | | | | | | | | | | | | | 1 |
| | Termination per month | | | UNCVX | U1TV4 | 23.95 | 98.09 | 53.67 | 56.31 | 22.42 | | | | | | |
| DS1 | INTEROFFICE TRANSPORT FOR COMBINATION | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | 1 | | | | İ | 1 |
| | per month | | 1 | UNC1X | 1L5XX | 0.19 | | | | | | | | | | I |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | 1 | | | 5.19 | | | | | | | | | | + |
| | Termination per month | | | UNC1X | U1TF1 | 79.02 | 181.24 | 123.53 | 56.72 | 22.32 | | | | | | 1 |
| | 1/0 Channelization System in combination Per Month | | | UNC1X | MQ1 | 113.33 | 57.26 | 14.74 | 1.86 | 1.67 | | | | | | + |
| Des | INTEROFFICE TRANSPORT FOR USE IN A COMBINATION | - | 1 | UNUIA | IVIQI | 113.33 | 31.20 | 14.74 | 1.00 | 1.07 | | | | | 1 | + |
| 033 | Interoffice Transport - Dedicated - DS3 combination - Per Mile | | | | _ | | | | | | | | | | | + |
| | | | | LINCOV | 41.577 | 4.00 | | | | | | | | | | |
| | Per Month | | _ | UNC3X | 1L5XX | 4.09 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | | | | | | | | | | | | | |
| | month | | | UNC3X | U1TF3 | 966.89 | 350.56 | 141.58 | 48.00 | 23.39 | | | | | | |
| STS- | 1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | | UNCSX | 1L5XX | 4.09 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNCSX | U1TFS | 945.79 | 350.56 | 141.58 | 48.00 | 23.39 | | | | | | |
| 4-WII | RE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN | SPORT | | | | | | | | | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL56 | 27.59 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 32.48 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 36.37 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | | | | | | | | | | | |
| | Per Mile per month | | | UNCDX | 1L5XX | 0.01 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | | | | | | | | | | | |
| | Facility Termination per month | | | UNCDX | U1TD5 | 17.25 | 98.09 | 53.67 | 56.31 | 22.42 | | | | | | |
| 4-WII | RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | FFICE TR | ANSPO | RT | | | | | | | | | | | | 1 |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 1 | | 1 | UNCDX | UDL64 | 27.59 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | 1 |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 2 | | 2 | UNCDX | UDL64 | 32.48 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | 1 |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 | 36.37 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | Ť | | | | | 220 | 22.20 | | | | | | | 1 |
| | Per Mile per month | | 1 | UNCDX | 1L5XX | 0.01 | | | | | | | | | | I |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | .20,00 | 0.01 | | | | | 1 | | | | 1 | + |
| | Facility Termination per month | | | UNCDX | U1TD6 | 17.25 | 98.09 | 53.67 | 56.31 | 22.42 | | | | | | |
| 4-W/II | RE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC | F TRANS | PORT | 5.10DA | 01100 | 11.20 | 30.03 | 55.07 | 50.51 | 22.42 | - | | | | | + |
| 7-7711 | 4-wire 56 kbps Local Loop in combination - Zone 1 | LINANO | 1 1 | UNCDX | UDL56 | 27.59 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | + |
| | 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 32.48 | 125.22 | 60.48 | 59.69 | 7.84 | - | | | | | + |
| | 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 36.37 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | + |
| | 4-wire 56 kbps Local Loop in combination - Zone 3 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per | - | - 3 | OINODA | ODESO | 30.37 | 123.22 | 00.48 | 39.09 | 1.64 | | | | | 1 | + |
| | 4-wiree 56 kbps interoffice Transport - Dedicated - Per Mile per month | | | UNCDX | 1L5XX | 0.01 | | | | | | | | | | 1 |
| | | - | | OINCDV | ILOAA | 0.01 | | | | | | | | | | |
| | 4-wire 56 kbps Interoffice Transport - Dedicated - Facility | | 1 | LINCDY | LIATOR | 47.05 | 00.00 | F0 07 | 50.04 | 20.40 | | | | | I | I |
| 4.50 | Termination per month | | DOCT | UNCDX | U1TD5 | 17.25 | 98.09 | 53.67 | 56.31 | 22.42 | 1 | | | | | + |
| 4-WII | RE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC | LIKANS | PURI | LINCDY | LIDLO4 | 07.50 | 405.00 | 00.40 | 50.00 | 7.01 | - | | | | - | + |
| | 4-wire 64 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL64 | 27.59 | 125.22 | 60.48 | 59.69 | 7.84 | ļ | | | | | |
| | 4-wire 64 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL64 | 32.48 | 125.22 | 60.48 | 59.69 | 7.84 | ļ | | | | | |
| | 4-wire 64 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL64 | 36.37 | 125.22 | 60.48 | 59.69 | 7.84 | ļ | | | | | |
| | I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per | | 1 | l | l | | | | | | | | | | I | 1 |
| igwdow | month | | ļ | UNCDX | 1L5XX | 0.01 | | | | | | | | | | |
| | 4-wire 64 kbps Interoffice Transport - Dedicated - Facility | | | | l | | | | | | | | | | | 1 |
| 1 1 | Termination per month | l | 1 | UNCDX | U1TD6 | 17.25 | 98.09 | 53.67 | 56.31 | 22.42 | 1 | 1 | | | l | 1 |
| \vdash | DIGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT | | | | | | | | | | | | | | | |

| | LED NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachmen | t: 2 Exh. A | | |
|-----------|--|-------------|--|---|---|--|---|--|--|--------------------------------------|-----------|-----------|-------------|-------------|-------------|-------------|
| C.IDOIIDE | LES ITE I WORK LELINEIT OF REILLORY | ı | 1 | | 1 | | | | | | Svc Order | Svc Order | | | Incremental | Incremente |
| | | | 1 | | | | | | | | | | | | | |
| | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| | | | l _ | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svo |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | - | _ | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | 2.00 | 2.007.444. |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 86.47 | 210.70 | 114.60 | 63.96 | 17.97 | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 114.10 | 210.70 | 114.60 | 63.96 | 17.97 | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 297.76 | 210.70 | 114.60 | 63.96 | 17.97 | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | Ť | 0.10.71 | 002/01 | 201.10 | 2.00 | 111.00 | 00.00 | | | | | | | |
| | per month | | | UNC1X | 1L5XX | 0.19 | | | | | | | | | | |
| | | | | UNCIA | ILSAA | 0.19 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | = | | | ==== | | | | | | | |
| | Termination per month | | ļ | UNC1X | U1TF1 | 79.02 | 181.24 | 123.53 | 56.72 | 22.32 | | | | | | |
| DS3 | DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO | ORT | | | | | | | | | | | | | | |
| | DS3 Local Loop in combination - per mile per month | | | UNC3X | 1L5ND | 10.6375 | | | | | | | | | | |
| | | | | | | | | | | | l | | | | | |
| | DS3 Local Loop in combination - Facility Termination per month | <u></u> | <u></u> | UNC3X | UE3PX | 354.5565 | 634.087 | 388.792 | 198.95 | 138.483 | | | | | | <u> </u> |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 4.09 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNC3X | U1TF3 | 966.89 | 350.56 | 141.58 | 48.00 | 23.39 | | | | | | |
| STS- | -1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN | SPORT | | | | | | | | | | | | | | |
| | STS-1 Local Lolp in combination - per mile per month | | 1 | UNCSX | 1L5ND | 10.6375 | | | | | | | | | | |
| | STS-1 Local Loop in combination - Facility Termination per | | 1 | 0.100/1 | 120112 | 10.0070 | | | | | | | | | | |
| | month | | | UNCSX | UDLS1 | 368.5865 | 634.087 | 388.792 | 198.95 | 138.483 | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - per mile | | | UNCOA | UDLST | 300.3003 | 034.007 | 300.792 | 190.93 | 130.403 | | | | | | |
| | | | | LINIOOV | 41.500/ | 4.00 | | | | | | | | | | |
| | per month | | | UNCSX | 1L5XX | 4.09 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNCSX | U1TFS | 945.79 | 350.56 | 141.58 | 48.00 | 23.39 | | | | | | |
| | L NETWORK ELEMENTS | | | | | | | | | | | | | | | |
| | en used as a part of a currently combined facility, the non-recurr | | | | | | | | | | | | | | | |
| | en used as ordinarily combined network elements in All States, t | | | | | s Is Charge doe | s not. | | | | | | | | | |
| Noni | recurring Currently Combined Network Elements "Switch As Is" | Charge (| One app | olies to each combi | nation) | | | | | | | | | | | |
| | | | | UNCVX, UNCDX, | | | | | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | UNC1X, UNC3X, | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Is Charge | | | UNCSX | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | | | | | |
| Optio | | | | | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | | | | | |
| Optio | Is Charge ional Features & Functions: | | | UNCSX | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | | | | | |
| Optio | ional Features & Functions: | | | UNCSX U1TD1, | | | | | | | | | | | | |
| Optio | | ı | | U1TD1, ULDD1,UNC1X | UNCCC | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| Optio | ional Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 | I | | UNCSX U1TD1, ULDD1,UNC1X U1TD1, | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| Optio | ional Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 | I | | UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X | | | | | | | | | | | | |
| Optio | ional Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent | I | | UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| Optio | ional Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 | I | | UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UTD1, UNC1X, USL | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| Optio | ional Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 | I | | UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UTD1, ULDD1,UTD1, UNC1X, USL U1TD3, ULDD3, | CCOEF CCOSF NRCCC | | 0.00 0.00 184.91 | 0.00 0.00 23.82 | 0.00 0.00 1.99 | 0.00 0.00 0.78 | | | | | | |
| | ional Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 | I | | UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UTD1, UNC1X, USL | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS | I | | UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X | CCOEF CCOSF NRCCC NRCC3 | | 0.00 0.00 184.91 205.70 | 0.00 0.00 23.82 7.20 | 0.00 0.00 1.99 0.6924 | 0.00 0.00 0.78 0.00 | | | | | | |
| | ional Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 LTIPLEXERS DS1 to DS0 Channel System per month | I | | UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UTD1, ULDD1,UTD1, UNC1X, USL U1TD3, ULDD3, | CCOEF CCOSF NRCCC | 113.33 | 0.00 0.00 184.91 | 0.00 0.00 23.82 | 0.00 0.00 1.99 | 0.00 0.00 0.78 | | | | | | |
| | Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS | I | | UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X | CCOEF CCOSF NRCCC NRCC3 | 113.33 | 0.00 0.00 184.91 205.70 | 0.00 0.00 23.82 7.20 | 0.00 0.00 1.99 0.6924 | 0.00 0.00 0.78 0.00 | | | | | | |
| | Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 LTIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per | I | | UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X | CCOEF CCOSF NRCCC NRCC3 | | 0.00 0.00 184.91 205.70 57.26 | 0.00 0.00 23.82 7.20 | 0.00 0.00 1.99 0.6924 | 0.00 0.00 0.78 0.00 | | | | | | |
| | Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop | I | | UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X | CCOEF CCOSF NRCCC NRCC3 | 113.33 | 0.00 0.00 184.91 205.70 | 0.00 0.00 23.82 7.20 | 0.00 0.00 1.99 0.6924 | 0.00 0.00 0.78 0.00 | | | | | | |
| | Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per | I | | UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X | CCOEF CCOSF NRCCC NRCC3 | | 0.00 0.00 184.91 205.70 57.26 | 0.00 0.00 23.82 7.20 | 0.00 0.00 1.99 0.6924 | 0.00 0.00 0.78 0.00 | | | | | | |
| | Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 LTIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 | I | | UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UNC1X | CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD | 1.32 | 0.00 0.00 184.91 205.70 57.26 | 0.00 0.00 23.82 7.20 14.74 7.08 | 0.00 0.00 1.99 0.6924 | 0.00 0.00 0.78 0.00 | | | | | | |
| | Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 LTIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation | 1 1 1 | | UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X | CCOEF CCOSF NRCCC NRCC3 | | 0.00 0.00 184.91 205.70 57.26 | 0.00 0.00 23.82 7.20 | 0.00 0.00 1.99 0.6924 | 0.00 0.00 0.78 0.00 | | | | | | |
| | Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per | 1 1 1 | | UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, ULDD1, U1TD1, ULDD3, ULDD3, ULDD3, ULDD3, UE3, UNC3X UNC1X UDL UTUD | CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD | 1.32 | 0.00 0.00 184.91 205.70 57.26 10.07 | 0.00 0.00 23.82 7.20 14.74 7.08 | 0.00 0.00 1.99 0.6924 | 0.00 0.00 0.78 0.00 | | | | | | |
| | Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 LTIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop | 1 1 1 | | UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UNC1X | CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD | 1.32 | 0.00 0.00 184.91 205.70 57.26 | 0.00 0.00 23.82 7.20 14.74 7.08 | 0.00 0.00 1.99 0.6924 | 0.00 0.00 0.78 0.00 | | | | | | |
| | Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 LTIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop | 1 1 1 | | UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, ULDD1, U1TD1, ULDD3, ULDD3, ULDD3, ULDD3, UE3, UNC3X UNC1X UDL UTUD | CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD | 1.32 | 0.00 0.00 184.91 205.70 57.26 10.07 | 0.00 0.00 23.82 7.20 14.74 7.08 | 0.00 0.00 1.99 0.6924 | 0.00 0.00 0.78 0.00 | | | | | | |
| | Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Coci (BRITE) - DS1 to DS0 Channel System - per month for a Coci (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel | 1 1 1 | | UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, ULDD1, U1TD1, ULDD3, ULDD3, UE3, UNC3X UNC1X UDL UTTUD UDL UDL UTTUD | CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA | 1.32 1.32 2.84 | 0.00 0.00 184.91 205.70 57.26 10.07 | 0.00 0.00 23.82 7.20 14.74 7.08 7.08 | 0.00 0.00 1.99 0.6924 | 0.00 0.00 0.78 0.00 | | | | | | |
| | Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 LTIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation | 1 1 1 | | UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, ULDD1, U1TD1, ULDD3, ULDD3, ULDD3, ULDD3, UE3, UNC3X UNC1X UDL UTUD | CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD | 1.32 | 0.00 0.00 184.91 205.70 57.26 10.07 | 0.00 0.00 23.82 7.20 14.74 7.08 | 0.00 0.00 1.99 0.6924 | 0.00 0.00 0.78 0.00 | | | | | | |
| | Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 LTIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation | 1 1 1 | | UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD | CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA | 1.32 1.32 2.84 | 0.00 0.00 184.91 205.70 57.26 10.07 10.07 | 0.00 0.00 23.82 7.20 14.74 7.08 7.08 | 0.00 0.00 1.99 0.6924 | 0.00 0.00 0.78 0.00 | | | | | | |
| | Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation | 1 1 1 | | UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, ULDD1, U1TD1, ULDD3, ULDD3, UE3, UNC3X UNC1X UDL UTTUD UDL UDL UTTUD | CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA | 1.32 1.32 2.84 | 0.00 0.00 184.91 205.70 57.26 10.07 | 0.00 0.00 23.82 7.20 14.74 7.08 7.08 | 0.00 0.00 1.99 0.6924 | 0.00 0.00 0.78 0.00 | | | | | | |
| | Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 LTIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation Local Channel in the same SWC as collocation Local Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month | 1 1 1 | | UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD | CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA | 1.32 1.32 2.84 | 0.00 0.00 184.91 205.70 57.26 10.07 10.07 | 0.00 0.00 23.82 7.20 14.74 7.08 7.08 | 0.00 0.00 1.99 0.6924 | 0.00 0.00 0.78 0.00 | | | | | | |
| | Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 LTIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the | 1 1 1 | | UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UTD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UNC1X UDL U1TUB UDN U1TUB | CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG | 1.32 1.32 2.84 2.84 0.6228 | 0.00 0.00 184.91 205.70 57.26 10.07 10.07 | 0.00 0.00 23.82 7.20 14.74 7.08 7.08 7.08 | 0.00 0.00 1.99 0.6924 | 0.00 0.00 0.78 0.00 | | | | | | |
| | Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 LTIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation Local Channel in the same SWC as collocation Local Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month | 1 1 1 | | UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD | CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA | 1.32 1.32 2.84 | 0.00 0.00 184.91 205.70 57.26 10.07 10.07 | 0.00 0.00 23.82 7.20 14.74 7.08 7.08 | 0.00 0.00 1.99 0.6924 | 0.00 0.00 0.78 0.00 | | | | | | |
| | Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 LTIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the | 1 1 1 | | UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UTD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UNC1X UDL U1TUB UDN U1TUB | CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG | 1.32 1.32 2.84 2.84 0.6228 | 0.00 0.00 184.91 205.70 57.26 10.07 10.07 | 0.00 0.00 23.82 7.20 14.74 7.08 7.08 7.08 | 0.00 0.00 1.99 0.6924 | 0.00 0.00 0.78 0.00 | | | | | | |
| | Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month same SWC as collocation 1 - wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation | 1 1 1 | | UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN U1TUB UEA | CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG | 1.32 1.32 2.84 2.84 0.6228 | 0.00 0.00 184.91 205.70 57.26 10.07 10.07 10.07 | 0.00 0.00 23.82 7.20 14.74 7.08 7.08 7.08 7.08 7.08 | 0.00 0.00 1.99 0.6924 1.86 | 0.00 0.00 0.78 0.00 1.67 | | | | | | |

| UNBUNDLED NETWORK ELEMENTS - Kentucky Attachment: 2 Exh. A | | | | | | | | | | | | | | | | | | | |
|---|--|---|---------|------|-------|-------|-------|------------|--------|-------------------------|-----------|-----------|-----------|----------------|-------------|-------------|-------------|--|--|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental | | |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - | | | |
| | | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc | | |
| CATEG | ORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | RATES (\$) | | | | | per LSR | Order vs. | Order vs. | Order vs. | Order vs. | | |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- | | |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l | | |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring Disconnect | | | 1 | OSS Rates (\$) | | | | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | | |
| | | DS1 COCI (used for connection to a channelized DS1 Local | | | | | | | | | | | | | | | | | |
| | | Channel in the same SWC as collocation) per month | | | U1TUA | UC1D1 | 11.80 | 10.07 | 7.08 | | | | | | | | | | |
| | | DS1 COCI used with Interoffice Channel per month | | | U1TD1 | UC1D1 | 11.80 | 10.07 | 7.08 | | | | | | | | | | |
| | | DS3 Interface Unit (DS1 COCI) used with Local Channel per | | | | | | | | | · | | | | | | | | |
| | | month | | | ULDD1 | UC1D1 | 11.80 | 10.07 | 7.08 | | | | | | | | | | |
| | Note: Rates displaying an "I" in Interim column are interim as a result of a Commission order. | | | | | | | | | | | | | | | | | | |

Version TRRO: 03/15/2005

| | | | | | | | | | | | | | 1 | | | |
|----------------|---|-----------|----------|--------------------------------|----------------|------------------|----------------|-----------------|----------------|-----------------|---------------|--------------|--------------------------|--------------------------|--------------------------|--|
| ONRONDE | ED NETWORK ELEMENTS - Louisiana | | 1 | | | Т | | | | | laa: | | | t: 2 Exh. A | 1 | I |
| | | | | | | | | | | | | Svc Order | | Incremental | | Incremental |
| | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | Elec | Manually | | Manual Svc | | Manual Svc |
| GATEGORI | NATE ELEMENTO | IIICIIII | 20110 | 500 | 0000 | | | ιστι Εσ (ψ) | | | per LSR | per LSR | Order vs. Electronic- | Order vs. Electronic- | Order vs. Electronic- | Order vs. Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | DISC ISI | DISC Add I |
| | | | | | | Rec | | urring | | g Disconnect | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| The | "Zone" shown in the sections for stand-alone loops or loops as | nart of a | combin | ation refers to George | ranhically D | eaveraged LINE | Zones To vie | w Geographic | ally Deaverage | d LINE Zone D | ocianations | hy Central | Office refer to | o internet We | heita: | |
| | //www.interconnection.bellsouth.com/become a clec/html/inter | | | ation releas to Geogr | apinoany D | caveragea on | Lones. To vic | Ocograpino | uny Deaverage | ou our zone z | coignations | by Contian | Omoc, refer t | o micriici we | boite. | |
| OPERATION | IAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" | | | | | | | | | | | | | | | |
| | E: (1) CLEC should contact its contract negotiator if it prefers th | | | | | | | | | | | | | | | |
| | either the state specific Commission ordered rates for the servi | ce orderi | ng char | ges, or CLEC may ele | ect the regio | nal service ord | lering charge, | however, CLE | C can not obta | in a mixture of | the two reg | ardless if C | LEC has a int | erconnection | contract esta | ıblished in |
| | of the 9 states. | | | | 11-11-1-1 | | | | | -1 (1 011) (- 1 | | | | | F | |
| | E: (2) Any element that can be ordered electronically will be bill not be ordered electronically at present per the LOH, the listed Si | | | | | | | | | | | | | | | |
| | be applied to a CLECs bill when it submits an LSR to BellSouth. | | e m m | s category reflects the | e charge the | at would be bill | eu to a CLEC t | once electronic | ordering cap | abilities come | on-line for t | nat elemen | . Otherwise, | the manual of | dening charg | e, SOMAN, |
| | OSS - Electronic Service Order Charge, Per Local Service | <u> </u> | | | | 1 | | | 1 | 1 | | | I | | | |
| | Request (LSR) - UNE Only | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| | OSS - Manual Service Order Charge, Per Local Service Request | | | | | | | | | | | | | | | |
| | (LSR) - UNE Only | | | | SOMAN | | 15.20 | 0.00 | 15.20 | 0.00 | | | | | | |
| | CE DATE ADVANCEMENT CHARGE | | | | | | | | | | | | | | | |
| NOT | E: The Expedite charge will be maintained commensurate with I | BellSouth | 's FCC | No.1 Tariff, Section 5 | as applicat | ole. | | | | | | | | | | |
| | | | | UAL, UEANL, UCL, | | | | | | | | | | | | |
| | | | | UEF, UDF, UEQ, | | | | | | | | | | | | |
| | | | | UDL, UENTW, UDN, | | | | | | | | | | | | |
| | | | | UEA, UHL, ULC, | | | | | | | | | | | | |
| | | | | USL, U1T12, U1T48, | | | | | | | | | | | | |
| | | | | U1TD1, U1TD3, | | | | | | | | | | | | |
| | | | | U1TDX, U1TO3, U1TS1, U1TVX, | | | | | | | | | | | | |
| | | | | UC1BC, UC1BL, | | | | | | | | | | | | |
| | | | | UC1CC, UC1CL, | | | | | | | | | | | | |
| | | | | UC1DC, UC1DL, | | | | | | | | | | | | |
| | | | | UC1EC, UC1EL, | | | | | | | | | | | | |
| | | | | UC1FC, UC1FL, | | | | | | | | | | | | |
| | | | | UC1GC, UC1GL, | | | | | | | | | | | | |
| | | | | UC1HC, UC1HL, | | | | | | | | | | | | |
| | | | | UDL12, UDL48, UDLO3, UDLSX, | | | | | | | | | | | | |
| | | | | UE3, ULD12, | | | | | | | | | | | | |
| | | | | ULD48, ULDD1, | | | | | | | | | | | | |
| | | | | ULDD3, ULDDX, | | | | | | | | | | | | |
| | | | | ULDO3, ULDS1, | | | | | | | | | | | | |
| | | | | ULDVX, UNC1X, | | | | | | | | | | | | |
| | | | | UNC3X, UNCDX, | | | | | | | | | | | | |
| | | | | UNCNX, UNCSX, | | | | | | | | | | | | |
| | | | | UNCVX, UNLD1, UNLD3, UXTD1, | | | | | | | | | | | | |
| | | | | UXTD3, UXTS1, | | | | | | | | | | | | |
| | UNE Expedite Charge per Circuit or Line Assignable USOC, per | | | U1TUC, U1TUD, | | | | | | | | | | | | |
| | Day | | | U1TUB, U1TUA | SDASP | | 200.00 | | | | | | | | | |
| | D EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | 1 |
| 2-WI | RE ANALOG VOICE GRADE LOOP | | 1 | UEANL | UEAL2 | 12.90 | 36.54 | 16.87 | - | - | | | - | | | ├ |
| \vdash | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | 1 | 2 | UEANL | UEAL2 UEAL2 | 23.33 | 36.54 | 16.87 | 1 | 1 | | - | 1 | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 3 | UEANL | UEAL2 | 48.43 | 36.54 | 16.87 | | | | | | | | † |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | 1 | 1 | UEANL | UEASL | 12.90 | 36.54 | 16.87 | İ | İ | | | İ | | | <u> </u> |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEASL | 23.33 | 36.54 | 16.87 | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEASL | 48.43 | 36.54 | 16.87 | | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | LIEANII | LIDET: | 1 | | | | | | | | | | |
| | Premise Loop Testing - Basic 1st Half Hour | | <u> </u> | UEANL UEANL | URETL URET1 | - | 8.33 33.17 | 0.83 33.17 | | | | | | | | - |
| - | Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour | | 1 | UEANL | URETA | | 19.28 | 19.28 | 1 | 1 | | | 1 | | | |
| $\overline{}$ | 200p 100ting Daolo / taditional Flatt Flour | 1 | 1 | U-/ 11 1L | SIVEIA | 1 | 10.20 | 10.20 | 1 | 1 | 1 | · | 1 | L | | |

| UNBUNDLE | D NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachmen | t: 2 Exh. A | | |
|--|--|--|----------|-------------|-----------|-------|----------------|------------|--|-------|--------------------------------|------------------------------------|---------------------------------|---------------------------------------|---------------------------------------|--|
| | | | | | | | | | | | Svc Order Submitted Elec | Svc Order Submitted Manually | Incremental | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc | Incrementa Charge - Manual Svo |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. Electronic- 1st | Order vs. Electronic- Add'l | Order vs. Electronic- Disc 1st | Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | | curring | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | | | | | | | | | | | | | |
| | (UVL-SL1) | | | UEANL | UREWO | | 15.75 | 8.93 | | | | | | | | |
| | Unbundled Voice Loop, Non-Design Voice Loop, billing for BST | | | | | | | | | | | | | | | |
| | providing make-up (Engineering Information - E.I.) | | | UEANL | UEANM | | 13.04 | 13.04 | | | | | | | | |
| | Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 7.92 | 7.92 | | | | | | | | |
| | Order Coordination for Specified Conversion Time for UVL-SL1 | | | LIFANII | 00001 | | 47.50 | 47.50 | | | | | | | | |
| O MUD | (per LSR) E Unbundled COPPER LOOP | | | UEANL | OCOSL | | 17.56 | 17.56 | | | | | | | | |
| Z-WIR | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | | 1 | UEQ | UEQ2X | 12.40 | 35.27 | 15.60 | | | | | | | | |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | | 2 | UEQ | UEQ2X | 14.32 | 35.27 | 15.60 | | | | | | | | |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | | 3 | UEQ | UEQ2X | 16.87 | 35.27 | 15.60 | | | 1 | | | | | 1 |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | 3 | ULQ | ULQZX | 10.07 | 33.21 | 13.00 | | | | | | | | |
| | Premise | | | UEQ | URETL | | 8.33 | 0.83 | | | | | | | | |
| | Manual Order Coordination 2 Wire Unbundled Copper Loop - | | | OLQ | OKETE | | 0.00 | 0.00 | | | | | | | | 1 |
| | Non-Designed (per loop) | | | UEQ | USBMC | | 7.92 | 7.92 | | | | | | | | |
| | Unbundled Copper Loop, Non-Design Copper Loop, billing for | | | 024 | CCDIIIC | | 7.02 | 7.02 | | | | | | | | |
| | BST providing make-up (Engineering Information - E.I.) | | | UEQ | UEQMU | | 13.04 | 13.04 | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | 33.17 | 33.17 | | | | | | | | |
| | Loop Testing - Basic Additional Half Hour | | | UEQ | URETA | | 19.28 | 19.28 | | | | | | | | |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | | | | | | | | | | | | | |
| | (UCL-ND) | | | UEQ | UREWO | | 14.25 | 7.42 | | | | | | | | |
| UNBUNDLED | EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| 2-WIR | E ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UEPSR UEPSB | UEALS | 12.90 | 36.54 | 16.87 | 0.00 | 0.00 | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1 | | 1 | UEPSR UEPSB | UEABS | 12.90 | 36.54 | 16.87 | 0.00 | 0.00 | | | | | | |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2 | | 2 | UEPSR UEPSB | UEALS | 23.33 | 36.54 | 16.87 | 0.00 | 0.00 | | | | | | |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UEPSR UEPSB | UEABS | 23.33 | 36.54 | 16.87 | 0.00 | 0.00 | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3 | | 3 | UEPSR UEPSB | UEALS | 48.43 | 36.54 | 16.87 | 0.00 | 0.00 | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UEPSR UEPSB | UEABS | 48.43 | 36.54 | 16.87 | 0.00 | 0.00 | | | | | | |
| | EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| 2-WIR | E ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1 | | 1 | UEA | UEAL2 | 14.93 | 102.10 | 65.72 | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | 25.35 | 102.10 | 65.72 | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | _ | | | == | | | | | | | | | | |
| | Ground Start Signaling - Zone 3 | | 3 | UEA | UEAL2 | 50.46 | 102.10 | 65.72 | | | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 17.56 | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | I I = A | LIEADO | 44.00 | 100.10 | 05.70 | | | | | | | | |
| | Battery Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | 1 | UEA | UEAR2 | 14.93 | 102.10 | 65.72 | | | | | | | | |
| | Battery Signaling - Zone 2 | | 2 | UEA | UEAR2 | 25.35 | 102.10 | 65.72 | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 | | 3 | UEA | UEAR2 | 50.46 | 102.10 | 65.72 | | | | 1 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | 1 | 3 | UEA | OCOSL | 50.46 | 102.10 | 65.72 | - | | | 1 | 1 | 1 | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | 1 | 1 | UEA | UREWO | | 17.56 87.59 | 36.30 | - | | | 1 | 1 | 1 | | |
| | Loop Tagging - Service Level 2 (SL2) | 1 | 1 | UEA | URETL | | 11.20 | 1.10 | - | | | 1 | 1 | 1 | | |
| 4-WID | E ANALOG VOICE GRADE LOOP | 1 | 1 | OLA | UNLIL | | 11.20 | 1.10 | | | - | | | | | |
| 7-111 | 4-Wire Analog Voice Grade Loop - Zone 1 | 1 | 1 | UEA | UEAL4 | 30.81 | 127.40 | 91.02 | | | - | | | | | |
| | 4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2 | 1 | 2 | UEA | UEAL4 | 30.81 | 127.40 | 91.02 | 1 | | | | 1 | 1 | | |
| | 4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEA | UEAL4 | 60.39 | 127.40 | 91.02 | | | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | <u> </u> | UEA | OCOSL | 00.59 | 17.56 | 31.02 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | † | UEA | UREWO | | 87.59 | 36.30 | | | 1 | | | | | |
| | 10220 to 0220 Conversion Charge without outside dispatch | 1 | | U=/\ | OI VE VVO | | 07.39 | 30.30 | 1 | | | 1 | l | l | | 1 |

| UNBUNDLI | ED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachmen | t: 2 Exh. A | | |
|--|---|--|--------------|--------|-----------|--------|--------|------------|--|--|--|--|-------------|-------------|-------------|--|
| | | | | | | | | | | | Svc Order | Svc Order | | | Incremental | Increments |
| | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES (\$) | | | | | | | | |
| CATEGORI | RATE ELEMENTS | memm | Zone | 603 | 0300 | | | KAILS (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | N | | . N | . B' | | | | D-((A) | | <u> </u> |
| | | | | | | Rec | | curring | | g Disconnect | | | | Rates (\$) | | T |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 2-WIR | E ISDN DIGITAL GRADE LOOP | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UDN | U1L2X | 22.09 | 113.34 | 76.96 | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 2 | | 2 | UDN | U1L2X | 35.28 | 113.34 | 76.96 | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 3 | | 3 | UDN | U1L2X | 65.18 | 113.34 | 76.96 | | | | | | | | |
| | Order Coordination For Specified Conversion Time (per LSR) | | | UDN | OCOSL | | 17.56 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDN | UREWO | | 91.49 | 44.09 | | | | | | | | |
| 2-WIF | E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMF | ATIBLE L | OOP | | | | | | | | | | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 1 | | 1 | UAL | UAL2X | 12.29 | 117.08 | 68.36 | | | | | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry | | - | O/ 1.2 | O/ ILL/ (| 12.20 | | 00.00 | | | | | | | | |
| | & facility reservation - Zone 2 | | 2 | UAL | UAL2X | 14.09 | 117.08 | 68.36 | | | | | | | | |
| + | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | UAL | UALZA | 14.03 | 117.00 | 00.30 | | | 1 | | | | | + |
| | | | 2 | | LIALOV | 45.75 | 447.00 | 00.00 | | | | | | | | |
| | & facility reservation - Zone 3 | | 3 | UAL | UAL2X | 15.75 | 117.08 | 68.36 | | | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 17.56 | | | | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | | | | | | | | | | | | |
| | facility reservaton - Zone 1 | | 1 | UAL | UAL2W | 12.29 | 92.83 | 56.02 | | | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | | | | | | | | | | | | |
| | facility reservaton - Zone 2 | | 2 | UAL | UAL2W | 14.09 | 92.83 | 56.02 | | | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | | | | | | | | | | | | |
| | facility reservaton - Zone 3 | | 3 | UAL | UAL2W | 15.75 | 92.83 | 56.02 | | | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 17.56 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UAL | UREWO | | 86.07 | 40.34 | | | | | | | | |
| 2-WIE | E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | OP | O/ 1.2 | 0.1.2.1.0 | | 00.01 | 10.01 | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | The co | 1 | | + | | | | | | | | | | | + |
| | & facility reservation - Zone 1 | | 4 | UHL | UHL2X | 9.79 | 125.50 | 76.77 | | | | | | | | |
| | | | | UNL | UNLZA | 9.79 | 125.50 | 70.77 | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | 2 | l | | 44.50 | 405.50 | 70.77 | | | | | | | | |
| | & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 11.52 | 125.50 | 76.77 | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | _ | | | | | | | | | | | | | |
| | & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 12.74 | 125.50 | 76.77 | | | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 17.56 | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 9.79 | 101.24 | 64.43 | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | ĺ |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 11.52 | 101.24 | 64.43 | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | 1 |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 12.74 | 101.24 | 64.43 | | | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 17.56 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 86.00 | 40.34 | | | | | | | | |
| 4-10/10 | E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIRLETO | OP | J. 1L | OI (EVVO | | 00.00 | 40.54 | t | t | 1 | 1 | 1 | 1 | 1 | |
| 7-4411 | 4 Wire Unbundled HDSL Loop including manual service inquiry | | | | - | | | | t | t | 1 | 1 | 1 | 1 | 1 | |
| | and facility reservation - Zone 1 | | 4 | UHL | UHL4X | 16.24 | 153.26 | 104.54 | 1 | 1 | 1 | l | | Ì | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | 1 | UITL | UIL4X | 16.24 | 103.26 | 104.54 | | | | - | | | | |
| | | | _ | | 11111 437 | 40.05 | 450.00 | 404.54 | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 16.65 | 153.26 | 104.54 | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 17.34 | 153.26 | 104.54 | | | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 17.56 | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 16.24 | 129.00 | 92.20 | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4W | 16.65 | 129.00 | 92.20 | 1 | 1 | 1 | l | | Ì | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | 1 |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 17.34 | 129.00 | 92.20 | 1 | 1 | 1 | l | | Ì | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | ٽ | UHL | OCOSL | 17.54 | 17.56 | 02.20 | t | t | + | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | 1 | | UHL | UREWO | | 86.00 | 40.34 | t | 1 | 1 | 1 | 1 | 1 | 1 | |
| 4_14/15 | E DS1 DIGITAL LOOP | 1 | | J. 1L | OI (EVVO | | 00.00 | 40.54 | t | 1 | 1 | 1 | 1 | 1 | 1 | |
| 4-1/16 | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 85.70 | 245.16 | 152.98 | | | | - | | | | |
| | | | | | | | | | | | + | 1 | | | | |
| \vdash | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | USL | USLXX | 194.96 | 245.16 | 152.98 | | | - | | | | | |
| $\vdash \vdash \vdash$ | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 491.94 | 245.16 | 152.98 | | | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | <u> </u> | | USL | OCOSL | | 17.56 | | | | | | | | | l |

| UNBUNDL | ED NETWORK ELEMENTS - Louisiana | | | | | | | | | · | | | Attachmen | t: 2 Exh. A | | |
|--------------|--|--|--|----------------|----------|-------|--------|------------|-------------------|---------|--|-----------|--|--------------|-------------|--|
| | | | | | | | | | | | Svc Order | Svc Order | | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | | Manual Svc | Manual Svc | | |
| CATECORY | DATE ELEMENTO | | 7 | DCC | 11000 | | | DATES (6) | | | | Manually | | | Manual Svc | 1 |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | 131 | Auui | DISC 1St | DISC AUU I |
| | | | | | | | Nonre | curring | Nonrecurring Disc | connect | | | OSS | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 01 50 12 01 50 02 20 20 20 20 20 20 20 20 20 20 20 20 | | | 1101 | LIDEWO | | | | | Auu i | SOMEC | SOWAN | JOWAN | JOWAN | SOWAN | SOWAN |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 100.93 | 42.98 | | | | | | | | |
| 4-WII | RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | | | | | | | | | | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 1 | UDL | UDL19 | 30.99 | 121.86 | 85.48 | | | | | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 2 | UDL | UDL19 | 36.78 | 121.86 | 85.48 | | | | | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 3 | UDL | UDL19 | 38.92 | 121.86 | 85.48 | | | | | | | | 1 |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | 1 | UDL | UDL56 | 30.99 | 121.86 | 85.48 | | | | | | | | 1 |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | 2 | UDL | UDL56 | 36.78 | 121.86 | 85.48 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | 3 | UDL | UDL56 | 38.92 | 121.86 | 85.48 | | | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 17.56 | | | | | | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | 1 | UDL | UDL64 | 30.99 | 121.86 | 85.48 | | | | | | | | |
| 1 | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | 2 | UDL | UDL64 | 36.78 | 121.86 | 85.48 | | | | | | İ | İ | 1 |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | 3 | UDL | UDL64 | 38.92 | 121.86 | 85.48 | | | 1 | | 1 | † | 1 | t |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | 30.32 | 17.56 | 00.40 | + + | | | - | | | 1 | + |
| | | | ! | | | | | 40.0= | + + | | 1 | | 1 | 1 | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDL | UREWO | | 101.97 | 49.67 | | | | | | | | |
| 2-WII | RE Unbundled COPPER LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed including manual | | | | | | | | | | | | | | | |
| | service inquiry & facility reservation - Zone 1 | | 1 | UCL | UCLPB | 12.29 | 116.18 | 67.46 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed including manual | | | | | | | | | | | | | | | |
| | service inquiry & facility reservation - Zone 2 | | 2 | UCL | UCLPB | 14.09 | 116.18 | 67.46 | | | | | | | | |
| | | | | UCL | UCLPB | 14.09 | 110.10 | 07.40 | | | | | | | | |
| | 2 Wire Unbundled Copper Loop-Designed including manual | | | | | | | | | | | | | | | |
| | service inquiry & facility reservation - Zone 3 | | 3 | UCL | UCLPB | 15.75 | 116.18 | 67.46 | | | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 7.92 | 7.92 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed without manual | | | | | | | | | | | | | | | |
| | service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCLPW | 12.29 | 91.92 | 55.12 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed without manual | | | 002 | 002 | 12.20 | 01.02 | 00.12 | | | | | | | | |
| | | | 2 | 1101 | LIOL DIA | 44.00 | 04.00 | 55.40 | | | | | | | | |
| | service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCLPW | 14.09 | 91.92 | 55.12 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed without manual | | | | | | | | | | | | | | | |
| | service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCLPW | 15.75 | 91.92 | 55.12 | | | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 7.92 | 7.92 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | | | | | | | | | | | | | |
| | (UCL-Des) | | | UCL | UREWO | | 91.92 | 42.47 | | | | | | | | |
| 4 18/11 | RE COPPER LOOP | | | OOL | OKLWO | | 31.32 | 72.71 | | | | | | | | |
| 4-4411 | | | | | | | | | | | | | | | | |
| | 4-Wire Copper Loop-Designed including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UCL | UCL4S | 22.27 | 139.69 | 90.96 | | | | | | | | |
| | 4-Wire Copper Loop-Designed including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UCL | UCL4S | 18.95 | 139.69 | 90.96 | | | | | | | | |
| | 4-Wire Copper Loop-Designed including manual service inquiry | | T - | | 1 | | | 12.00 | 1 | | 1 | | | | | |
| | and facility reservation - Zone 3 | | 3 | UCL | UCL4S | 10.99 | 139.69 | 90.96 | | | | | | 1 | | |
| | | | 3 | | | 10.99 | | | | | 1 | | - | | - | |
| L | Order Coordination for Unbundled Copper Loops (per loop) | | 1 | UCL | UCLMC | | 7.92 | 7.92 | | | ! | | | | ļ | |
| | 4-Wire Copper Loop-Designed without manual service inquiry | | | | | | | | 1 | | | | | 1 | | |
| | and facility reservation - Zone 1 | <u> </u> | 1 | UCL | UCL4W | 22.27 | 115.43 | 78.63 | <u> </u> | | <u> </u> | | | | <u> </u> | <u> </u> |
| | 4-Wire Copper Loop-Designed without manual service inquiry | | | | | | | | | | | | | | 1 | |
| | and facility reservation - Zone 2 | | 2 | UCL | UCL4W | 18.95 | 115.43 | 78.63 | .[| | | | | 1 | | |
| | 4-Wire Copper Loop-Designed without manual service inquiry | | | | | .0.00 | 1.0.10 | . 0.00 | + | | 1 | | | | 1 | † |
| | | | 3 | UCL | UCL4W | 10.00 | 115 10 | 78.63 | 1 | | 1 | | 1 | 1 | 1 | 1 |
| | and facility reservation - Zone 3 | | 3 | | | 10.99 | 115.43 | | | | 1 | | - | | | + |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 7.92 | 7.92 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | | | | | | | | | | | | | |
| | (UCL-Des) | | | UCL | UREWO | | 91.92 | 42.47 | | | | | | | | |
| LOOP MODIF | FICATION | | | | | | | | | | | | | | | |
| | | | | UAL, UHL, UCL, | | | | | 1 | | 1 | | | | | |
| | | | | UEQ, ULS, UEA, | 1 | | | 1 | 1 | | | | 1 | 1 |] | |
| | Unbundled Lean Medification, Removal of Lead Calls, CAMiss | | | | |] | 1 | 1 | 1 | | 1 | | 1 | 1 | 1 | |
| | Unbundled Loop Modification, Removal of Load Coils - 2 Wire | | | UEANL, UEPSR, | |] | | | 1 | | 1 | | 1 | 1 | 1 | 1 |
| | pair less than or equal to 18k ft, per Unbundled Loop | | | UEPSB | ULM2L | | 0.00 | 0.00 | | | ļ | | | | | <u> </u> |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire | | | | | | | 1 | | | | | | | l | 1 |
| | less than or equal to 18K ft, per Unbundled Loop | | | UHL, UCL, UEA | ULM4L | | 0.00 | 0.00 | 1 | | | | | 1 | | |
| | | | | UAL, UHL, UCL, | 1 | | 2.30 | 2.00 | 1 | | 1 | | 1 | | | |
| ı İ | | | | UEQ, ULS, UEA, | 1 | | | 1 | 1 | | | | 1 | 1 |] | |
| ı I | University of Land Madification Democrat of Bridge 1.7: Democrat | | | | |] | 1 | 1 | 1 | | 1 | | 1 | 1 | 1 | 1 |
| | Unbundled Loop Modification Removal of Bridged Tap Removal, | | | UEANL, UEPSR, | |] | | | 1 | | 1 | | 1 | 1 | 1 | 1 |
| 1 | per unbundled loop | <u></u> | L | UEPSB | ULMBT | L | 12.15 | 12.15 | <u> </u> | | <u> </u> | | <u> </u> | <u> </u> | L | 1 |

| CIADOIADE | ED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachmen | it: 2 Exh. A | | |
|-------------|---|-------------|------------------|-------------------------|---------|--------|--------|-------------|--|---------|-----------|--|--|--|-------------|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | | | Incremental | Incrementa |
| | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | | Manual Svc | Manual Svc | |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | | , | | | | |
| OATEOORT | TATE ELEMENTO | | 200 | 500 | 0000 | | | ιται 20 (ψ) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| 1 | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| i | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | 1 | Monro | curring | Nonrecurring Disc | 2000004 | | l | 000 | Rates (\$) | | |
| | | | | | | Rec | | | | | | | | | | |
| | | | | | | | First | Add'l | First / | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| SUB-LOOPS | | | | | | | | | | | | | | | | |
| Sub- | Loop Distribution | | | | | | | | | | | | | | | |
| | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- | | | | | | | | | | | | | | | |
| | Up | - 1 | | UEANL | USBSA | | 144.09 | 144.09 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | - 1 | | UEANL | USBSB | | 10.99 | 10.99 | | | | | | | | |
| | Sub-Loop - Per Building Equipment Room - CLEC Feeder | | | | | | | | | | | | | | | |
| | Facility Set-Up | 1 | | UEANL | USBSC | | 86.16 | 86.16 | | | | | | | | |
| | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel | | | | | | | | | | | | | | | |
| | Set-Up | 1 | | UEANL | USBSD | | 27.13 | 27.13 | | | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | | 02/11/2 | 00202 | | 20 | 21110 | | | | | | | | |
| | Zone 1 | l , | 1 | UEANL | USBN2 | 7.57 | 63.89 | 30.06 | | | | 1 | İ | | | 1 |
| +- | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | - | - ' - | OLAN | CODINZ | 1.51 | 03.09 | 30.06 | | | | | | | | + |
| . 1 | Zone 2 | l . | 2 | UEANL | USBN2 | 12.75 | 63.89 | 30.06 | | | | l | | | | 1 |
| | | | | UEANL | USBINZ | 12.75 | 63.89 | 30.06 | | | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | _ | | LIODNIC | a | | | | | | | | | | 1 |
| | Zone 3 | | 3 | UEANL | USBN2 | 21.45 | 63.89 | 30.06 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 7.92 | 7.92 | | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UEANL | USBN4 | 11.76 | 76.75 | 42.92 | | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UEANL | USBN4 | 16.84 | 76.75 | 42.92 | | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | + |
| | Zone 3 | | 3 | UEANL | USBN4 | 19.27 | 76.75 | 42.92 | | | | | | | | |
| -+ | 2010 0 | | | OL/ II IL | CODIT | 10.27 | 10.10 | 72.02 | | | | | | | | + |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 7.92 | 7.92 | | | | | | | | |
| | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | 1 | | UEANL | USBR2 | 2.91 | 51.48 | 17.65 | | | | | | - | | |
| | Sub-Loop 2-wire intrabuliding Network Cable (INC) | - 1 | | UEANL | USBRZ | 2.91 | 51.48 | 17.05 | | | | | | | | |
| | 0.1.0.0 | | | 115 441 | 1100140 | | 7.00 | 7.00 | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 7.92 | 7.92 | | | | | | | | |
| | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | l l | | UEANL | USBR4 | 6.58 | 57.54 | 23.71 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 7.92 | 7.92 | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 33.17 | 33.17 | | | | | | | | |
| | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 19.28 | 19.28 | | | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF | UCS2X | 6.26 | 63.89 | 30.06 | | | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | ı | 2 | UEF | UCS2X | 10.07 | 63.89 | 30.06 | | | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | ı | 3 | UEF | UCS2X | 12.70 | 63.89 | 30.06 | | | | | | | | 1 |
| | 2112 2 22 22 22 22 22 22 22 22 22 22 22 | <u> </u> | t - | | | | | 22.30 | 1 | | | | 1 | 1 | | 1 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | 1 | UEF | USBMC | | 7.92 | 7.92 | | | | 1 | İ | | | I |
| +- | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF | UCS4X | 8.03 | 76.75 | 42.92 | | - | | | | t | | + |
| -+- | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | | 2 | UEF | UCS4X | 10.71 | 76.75 | 42.92 | | | | | | 1 | | + |
| +- | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | 3 | UEF | UCS4X | 6.08 | 76.75 | 42.92 | | | | | 1 | 1 | | + |
| +- | T TYTHE COPPER CHIDURICIEU GUD-LOOP DISTRIBUTION - ZONE 3 | | 3 | OLI | 0004A | 0.08 | 10.15 | 42.92 | | | | - | | | | + |
| | Order Coordination for Unbundled Cub Lease and the said | | 1 | uee | USBMC | | 7.00 | 7.00 | | | | 1 | İ | | | I |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | <u> </u> | UEF | | | 7.92 | 7.92 | + | | | | 1 | - | | + |
| | Loop Testing - Basic 1st Half Hour | | <u> </u> | UEF | URET1 | | 33.17 | 33.17 | | | | | | | | |
| | Loop Testing - Basic Additional Half Hour | | ļ | UEF | URETA | | 19.28 | 19.28 | | | | ļ | | | | ↓ |
| Unbı | undled Network Terminating Wire (UNTW) | | <u> </u> | | | | | | | | | | | | | ↓ |
| | Unbundled Network Terminating Wire (UNTW) per Pair | | | UENTW | UENPP | 0.3454 | 14.72 | 14.72 | | | | | | | | |
| Netw | ork Interface Device (NID) | | | | | | | | | | | | | | | |
| | Network Interface Device (NID) - 1-2 lines | | | UENTW | UND12 | | 42.26 | 27.83 | | | | | | | | |
| | Network Interface Device (NID) - 1-6 lines | | | UENTW | UND16 | | 62.86 | 48.43 | | | • | | | | | |
| | Network Interface Device Cross Connect - 2 W | | | UENTW | UNDC2 | | 5.73 | 5.73 | | | | | | | | |
| | Network Interface Device Cross Connect - 4W | | 1 | UENTW | UNDC4 | | 5.73 | 5.73 | | | | i | | | | 1 |
| UNE OTHER | , PROVISIONING ONLY - NO RATE | | 1 | | | | | | † † | | | | İ | | | † |
| | NID - Dispatch and Service Order for NID installation | | ì | UENTW | UNDBX | 0.00 | 0.00 | | 1 | | | | 1 | | | <u> </u> |
| +- | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | 1 | UENTW | UENCE | 0.00 | 0.00 | | | | | | | | | † |
| | OTT TO CHOOK IN LOCADIOTINION, I TOVISIONING OTHY - NO Nate | | | | OLINOL | 0.00 | 0.00 | | | | | | | ļ | | + |
| | | | | THEAM HEETIEN III | | ı | | | 1 | | | | | | | |
| | Unbundled Contract Name, Provisioning Only - No Rate | | | UEANL,UEF,UEQ,U ENTW | UNECN | 0.00 | 0.00 | | | | | | | | | |

| UNBUND | LED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachmen | t: 2 Exh. A | | |
|--|--|-----------|----------|------------------------|--------------|-----------|---------|------------|--|--------------|--|-----------|-------------|--------------|--|--|
| | | | | | | | | | | | Svc Order | Svc Order | | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | per Lore | per Lore | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | 151 | Add I | DISC ISI | DISC Add I |
| | | | | | | B | Nonrec | urring | Nonrecurrin | g Disconnect | | | oss | Rates (\$) | • | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | | | | UAL,UCL,UDC,UDL, | | | | | | | | | | | | |
| | Unbundled Contact Name, Provisioning Only - no rate | | | UDN,UEA,UHL,USL | UNECN | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no | | | | | | | | | | | | | | | |
| | rate | | | UEA,UDN,UCL,UDC | USBFQ | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no | | | | | | | | | | | | | | | |
| | rate | | | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled DS1 Loop - Superframe Format Option - no rate | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled DS1 Loop - Expanded Superframe Format option - | | | | | | | | | | | | | | | |
| | no rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| HIGH CAPA | CITY UNBUNDLED LOCAL LOOP | | | | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Per Mile per | | | | | | | | 1 | | | | | | | |
| \vdash | month | | ļ | UE3 | 1L5ND | 10.04 | | | | ļ | | | | | | _ |
| | High Capacity Unbundled Local Loop - DS3 - Facility | | | | | | | | | | | | | | | |
| \vdash | Termination per month | | 1 | UE3 | UE3PX | 362.34 | 504.229 | 294.745 | - | | | | ļ | | ļ | + |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | UDLSX | 1L5ND | 10.04 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Facility | | | LIDLOV | LIDI 04 | 074.50 | 504.000 | 004745 | | | | | | | | |
| 1.000.00.00 | Termination per month | | | UDLSX | UDLS1 | 374.56 | 504.229 | 294.745 | | | | | | | | - |
| LOOP MAK | | | | | | | | | | | - | | | | | + |
| | Loop Makeup - Preordering Without Reservation, per working or | | | UMK | UMKLW | | 23.29 | 23.29 | | | | | | | | |
| | spare facility queried (Manual). Loop Makeup - Preordering With Reservation, per spare facility | | | UIVIN | UIVIKLVV | | 23.29 | 23.29 | | | - | | | | | + |
| | queried (Manual). | | | UMK | UMKLP | | 24.70 | 24.70 | | | | | | | | |
| | Loop MakeupWith or Without Reservation, per working or | | | UIVIK | UIVIKLP | | 24.70 | 24.70 | | | | | | | | + |
| | spare facility queried (Mechanized) | | | UMK | UMKMQ | | 0.19 | 0.19 | | | | | | | | |
| LINE SPLIT | | | | UIVIN | UNIKING | | 0.19 | 0.19 | | 1 | 1 | | | | | + |
| | E SPLITTING | | | | | | | | | 1 | 1 | | | | | + |
| | USER ORDERING-CENTRAL OFFICE BASED | | | | | | | | | | 1 | | | | | + |
| H-1-1-1 | Line Splitting - per line activation DLEC owned splitter | | | UEPSR UEPSB | UREOS | 0.61 | | | | | 1 | | | | | + |
| | Line Splitting - per line activation BST owned - physical | | | UEPSR UEPSB | UREBP | 0.61 | 17.97 | 10.29 | | | | | | | | |
| | Line Splitting - per line activation BST owned - virtual | | | UEPSR UEPSB | UREBV | 0.61 | 17.97 | 10.29 | | | | | | | | 1 |
| MAINTENA | NCE OF SERVICE | | | | | | - | | | | | | | | | 1 |
| NO | E: The Expedite charge will be maintained commensurate with | BellSouth | 's FCC | No.1 Tariff, Section 1 | 3.3.1 as app | plicable. | | | | | | | | | | 1 |
| | No Trouble Found - per 1/2 hour increments - Basic | | | | | | 80.00 | 55.00 | | | | | | | | |
| | No Trouble Found - per 1/2 hour increments - Overtime | | | | | | 90.00 | 65.00 | | | | | | | | |
| | No Trouble Found - per 1/2 hour increments - Premium | | | | | | 100.00 | 75.00 | | | | | | | | |
| | D DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| INT | EROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Per Mile per month | | | U1TVX | 1L5XX | 0.013 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Facility Termination | | | U1TVX | U1TV2 | 22.60 | 39.36 | 26.62 | | | | | | | | |
| | Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade | | | | | | | | | | | | | | | |
| | Rev Bat Per Mile per month | | | U1TVX | 1L5XX | 0.013 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat. | | | | | | | | | | | | | | | |
| | Facility Termination | | | U1TVX | U1TR2 | 22.60 | 39.36 | 26.62 | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade | | | LIATION | 1L5XX | 0.040 | | | | | | | | | | |
| | Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade | | | U1TVX | ILDAX | 0.013 | | | | | - | | | | | + |
| | - Facility Termination | | | U1TVX | U1TV4 | 19.81 | 39.36 | 26.62 | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | 1 | UTIVA | 01174 | 19.01 | 39.30 | 20.02 | | | 1 | | | | | + |
| | per month | | | U1TDX | 1L5XX | 0.013 | | | | | | | | | | |
| \vdash | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | - | 1 | אטווטא | ILUAA | 0.013 | | | | 1 | 1 | 1 | 1 | 1 | 1 | + |
| | Termination | | | U1TDX | U1TD5 | 15.61 | 39.37 | 26.62 | I | | | 1 | | 1 | 1 | 1 |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | ! | STIDA | 01100 | 10.01 | 33.31 | 20.02 | | <u> </u> | 1 | | | | | + |
| | per month | | | U1TDX | 1L5XX | 0.013 | | | I | 1 | | 1 | | Ì | l | 1 |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | 1 | 1 | | . 20, 01 | 0.010 | | | I | 1 | 1 | | | | | |
| | Termination | | | U1TDX | U1TD6 | 15.61 | 39.37 | 26.62 | 1 | | | | | | | |
| | 1 | | | | - v | .0.01 | 55.51 | 20.02 | | 1 | | | | l | 1 | |

| | DLED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachmen | t: 2 Exh. A | | |
|------------|---|-----------|---|---|--|--|---|---|----------------|---------------|-----------|-----------|-------------|-------------|-------------|-------------|
| I | | | | | | | | | | | Svc Order | Svc Order | | | Incremental | Incrementa |
| | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | |
| CATEGO | RY RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | - (1) | | | per Lor | per LSK | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | 151 | Add I | DISC ISI | DISC Add I |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | U1TD1 | 1L5XX | 0.2652 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | | | | | | | | | | | | |
| | Termination | | | U1TD1 | U1TF1 | 70.47 | 86.69 | 79.44 | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | U1TD3 | 1L5XX | 6.04 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | LIATES | LIATEO | 050.45 | 270.00 | 450.05 | | | | | | | | |
| | Termination per month | | | U1TD3 | U1TF3 | 850.45 | 270.69 | 158.05 | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month | | | U1TS1 | 1L5XX | 6.04 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Facility | | | 01151 | ILSXX | 6.04 | | | | | - | | | | | |
| | Termination | | | U1TS1 | U1TFS | 830.19 | 270.69 | 158.05 | | | | | | | | |
| DARK FIE | | 1 | 1 | 01101 | 01113 | 030.19 | 210.09 | 150.05 | | | | | | | | |
| DAIN'S FIL | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | 1 | I | | + | + | | | | | | | | | | |
| | Thereof per month - Local Channel | | | UDF, UDFCX | 1L5DC | 60.06 | | | | | | | | | | |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | 55. , 65i 6A | .2020 | 55.00 | | | | | | | | | | |
| | Thereof per month - Interoffice Channel | | | UDF, UDFCX | 1L5DF | 25.28 | | | | | | | | | | |
| | NRC Dark Fiber - Interoffice Channel | | | UDF, UDFCX | UDF14 | | 620.60 | 133.88 | | | | | | | | |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | - / | | | | | | | | | | | | |
| | Thereof per month - Local Loop | | | UDF, UDFCX | 1L5DL | 60.06 | | | | | | | | | | |
| VIRTUAL | COLLOCATION | | | | | | | | | | | | | | | |
| | Virtual Collocation-2 Wire Cross Connects (Loop) for Line | | | | | | | | | | | | | | | |
| | Splitting | | | UEPSR UEPSB | VE1LS | 0.0296 | 11.94 | 11.46 | 0.00 | 0.00 | | | | | | |
| PHYSICA | L COLLOCATION | | | | | | | | | | | | | | | |
| | Physical Collocation-2 Wire Cross Connects (Loop) for Line | | | | | | | | | | | | | | | |
| | Splitting | | | UEPSR UEPSB | PE1LS | 0.0318 | 11.94 | 11.46 | 0.00 | 0.00 | | | | | | |
| | ED EXTENDED LINK (EELs) | <u> </u> | <u> </u> | L | <u> </u> | <u> </u> | | | | <u> </u> | | | | | | |
| | OTE: The monthly recurring and non-recurring charges below will | anniv and | d the Sv | vitch-As-Is Charge v | | | nations provis | ioned as ' Ordi | inarily Combin | | | | | | | |
| I N | OTT TILL OF THE OFFICE OFFICE OFFICE OF THE OFFICE OFFICE OFFICE OFFICE OF THE OFFICE | | | | | | | | | | | | | | | |
| | OTE: The monthly recurring and the Switch-As-Is Charge and not to | | | | | | | | | work Elements | S. | | | | | |
| | WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION | | curring | charges below will | apply for UN | NE combination | provisioned | as ' Currently (| | work Elements | s. | | | | | |
| | WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 | | curring 1 | charges below will UNCVX | apply for UN UEAL2 | NE combination 14.93 | s provisioned 94.21 | as ' Currently (45.09 | | work Elements | S. | | | | | |
| | WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 | | 1 2 | UNCVX UNCVX | UEAL2 UEAL2 | 14.93 25.35 | 94.21 94.21 | 45.09 45.09 | | work Elements | 5. | | | | | |
| | WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 | | curring 1 | UNCVX UNCVX UNCVX UNCVX | UEAL2 UEAL2 UEAL2 UEAL2 | 14.93 25.35 50.46 | 94.21 94.21 94.21 | 45.09 45.09 45.09 | | work Elements | 5. | | | | | |
| 2- | WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month | | 1 2 | UNCVX UNCVX | UEAL2 UEAL2 | 14.93 25.35 | 94.21 94.21 | 45.09 45.09 | | work Elements | S | | | | | |
| 2- | WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION | | 1 2 3 | UNCVX UNCVX UNCVX UNCVX | UEAL2 UEAL2 UEAL2 UEAL2 1D1VG | 14.93 25.35 50.46 0.6497 | 94.21 94.21 94.21 94.21 5.91 | 45.09 45.09 45.09 45.09 4.26 | | work Elements | | | | | | |
| 2- | -WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 2 Voice Grade COCI - Per Month WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 | | 1 2 3 | UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX | apply for UN UEAL2 UEAL2 UEAL2 UEAL2 ID1VG | 14.93 25.35 50.46 0.6497 | 94.21 94.21 94.21 94.21 5.91 | 45.09 45.09 45.09 45.09 4.26 45.09 | | work Elements | | | | | | |
| 2- | WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION | | 1 2 3 | UNCVX UNCVX UNCVX UNCVX | UEAL2 UEAL2 UEAL2 UEAL2 1D1VG | 14.93 25.35 50.46 0.6497 | 94.21 94.21 94.21 94.21 5.91 | 45.09 45.09 45.09 45.09 4.26 | | work Elements | | | | | | |
| 2- | WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month | | 1 2 3 1 1 2 | UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX | UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 | 14.93 25.35 50.46 0.6497 | 94.21 94.21 94.21 94.21 5.91 94.21 94.21 | 45.09 45.09 45.09 45.09 4.26 45.09 45.09 | | work Elements | | | | | | |
| 4- | WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 | | 1 2 3 1 1 2 | Charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX | UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 | 14.93 25.35 50.46 0.6497 30.81 38.32 60.39 | 94.21 94.21 94.21 5.91 94.21 94.21 94.21 94.21 | 45.09 45.09 45.09 45.09 4.26 45.09 45.09 45.09 | | work Elements | | | | | | |
| 4- | WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month | | 1 2 3 1 1 2 | Charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX | UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 | 14.93 25.35 50.46 0.6497 30.81 38.32 60.39 | 94.21 94.21 94.21 5.91 94.21 94.21 94.21 94.21 | 45.09 45.09 45.09 45.09 4.26 45.09 45.09 45.09 | | work Elements | | | | | | |
| 4- | WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month -WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month -WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 | | 1 2 3 1 2 3 1 1 2 1 2 1 2 1 2 1 2 1 2 1 | UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX | apply for UN UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL5 UEAL6 UDL56 UDL56 | 14.93 25.35 50.46 0.6497 30.81 38.32 60.39 0.6497 30.99 | 94.21 94.21 94.21 5.91 94.21 94.21 94.21 94.21 94.21 94.21 94.21 | 45.09 45.09 45.09 45.09 4.26 45.09 45.09 45.09 45.09 45.09 45.09 | | work Elements | 5. | | | | | |
| 4- | WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - pronth WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 | | 1 2 3 1 2 3 3 1 1 1 2 1 1 1 1 1 1 1 1 1 | UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX | apply for UN UEAL2 UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UDL56 UDL56 UDL56 UDL56 | 14.93 25.35 50.46 0.6497 30.81 38.32 60.39 0.6497 30.99 36.78 | 94.21 94.21 94.21 5.91 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 | 45.09 45.09 45.09 45.09 4.26 45.09 45.09 45.09 45.09 45.09 45.09 | | work Elements | | | | | | |
| 4- | WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-6-Kbks) | | 1 2 3 1 2 3 1 1 2 1 2 1 2 1 2 1 2 1 2 1 | UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX | apply for UN UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL5 UEAL6 UDL56 UDL56 | 14.93 25.35 50.46 0.6497 30.81 38.32 60.39 0.6497 30.99 | 94.21 94.21 94.21 5.91 94.21 94.21 94.21 94.21 94.21 94.21 94.21 | 45.09 45.09 45.09 45.09 4.26 45.09 45.09 45.09 45.09 45.09 45.09 | | work Elements | 5. | | | | | |
| 4- | WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) | | 1 2 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 1 2 3 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 1 | UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX | apply for UN UEAL2 UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD | 14.93 25.35 50.46 0.6497 30.81 38.32 60.39 0.6497 30.99 36.78 38.92 1.38 | 94.21 94.21 94.21 5.91 94.21 94.21 94.21 94.21 5.91 94.21 94.21 94.21 94.21 | 45.09 45.09 45.09 45.09 4.26 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 | | work Elements | 5. | | | | | |
| 4- | WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) | | 1 2 3 1 1 2 3 3 1 1 2 3 3 1 1 1 2 1 3 1 1 1 2 1 3 1 1 1 1 | UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX | apply for UN UEAL2 UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 1D1DD | 14.93 25.35 50.46 0.6497 30.81 38.32 60.39 0.6497 30.99 36.78 38.92 1.38 | 94.21 94.21 94.21 94.21 5.91 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 | 45.09 45.09 45.09 45.09 4.26 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 | | work Elements | 5. | | | | | |
| 4- | WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 | | 1 2 3 3 1 2 3 3 1 2 2 3 3 3 1 2 2 3 3 3 1 2 2 3 3 3 3 | UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX | apply for UN UEAL2 UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 | NE combination 14.93 25.35 50.46 0.6497 30.81 38.32 60.39 0.6497 30.99 36.78 38.92 1.38 | 94.21 94.21 94.21 94.21 5.91 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 | 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 | | work Elements | 5. | | | | | |
| 4- | WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) WIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 | | 1 2 3 1 1 2 3 3 1 1 2 3 3 1 1 1 2 1 3 1 1 1 2 1 3 1 1 1 1 | UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX | apply for UN UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL64 UDL64 UDL64 | 14.93 14.93 25.35 50.46 0.6497 30.81 38.32 60.39 0.6497 30.99 36.78 38.92 1.38 | 94.21 94.21 94.21 94.21 5.91 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 | 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 | | work Elements | 5. | | | | | |
| 4- | WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) WIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 | | 1 2 3 3 1 2 3 3 1 2 2 3 3 3 1 2 2 3 3 3 1 2 2 3 3 3 3 | UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX | apply for UN UEAL2 UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 | NE combination 14.93 25.35 50.46 0.6497 30.81 38.32 60.39 0.6497 30.99 36.78 38.92 1.38 | 94.21 94.21 94.21 94.21 5.91 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 | 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 | | work Elements | 5. | | | | | |
| 4- | WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) -WIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) | | 1 1 2 3 3 1 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 3 1 | UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX | ### Apply for UN UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 UEAL4 UEAL5 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL64 UDL64 UDL64 UDL64 UDL64 | 14.93 25.35 50.46 0.6497 30.81 38.32 60.39 0.6497 30.99 36.78 38.92 1.38 | 94.21 94.21 94.21 94.21 5.91 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 | 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 | | work Elements | 5. | | | | | |
| 4- | WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - Per month (2.4-64kbs) | | 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 1 2 1 3 1 1 1 2 1 3 1 1 1 2 1 3 1 1 1 1 | UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX | UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UDL56 | 14.93 14.93 25.35 50.46 0.6497 30.81 38.32 60.39 0.6497 30.99 36.78 38.92 1.38 30.99 36.78 | 94.21 94.21 94.21 94.21 5.91 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 5.91 | 45.09 45.09 45.09 45.09 4.26 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 45.09 | | work Elements | 5. | | | | | |
| 4- | WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month WIRE S6 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56 Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56 Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56 Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56 Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56 Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) WIRE 64 Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64 Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64 Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64 Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64 Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64 Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64 Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 15DN LOOP FOR USE IN COMBINATION 2-Wire ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 2 | | 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 1 | UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX | apply for UN UEAL2 UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL64 | 14.93 25.35 50.46 0.6497 30.81 38.32 60.39 0.6497 30.99 36.78 38.92 1.38 30.99 36.78 38.92 1.38 | 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 | 45.09 | | work Elements | 5. | | | | | |
| 4- | WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56 KBPS Digital Grade Loop in Combination - Zone 1 4-Wire 56 Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56 Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56 Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) WIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64 Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64 Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64 Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64 Kbps Digital Grade Loop in Combination - Zone 2 4-Wire ISDN Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) WIRE ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 2 | | 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 1 2 1 3 1 1 1 2 1 3 1 1 1 2 1 3 1 1 1 1 | UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX | ### Apply for UN UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL64 | ## Combination 14.93 | 94.21 94.21 94.21 94.21 5.91 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 | 45.09 | | work Elements | | | | | | |
| 4-4-2-2- | WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month -WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) -WIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 1SDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3 2-wire ISDN COCI (BRITE) - in combination - per month | | 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 1 | UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX | apply for UN UEAL2 UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL64 | 14.93 25.35 50.46 0.6497 30.81 38.32 60.39 0.6497 30.99 36.78 38.92 1.38 30.99 36.78 38.92 1.38 | 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 | 45.09 | | work Elements | 5. | | | | | |
| 4-4-2-2- | WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month WIRE S6 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56 KBPS DIGITAL GRADE LOOP in Combination - Zone 1 4-Wire 56 KBPS DIGITAL GRADE LOOP in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) WIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION - Zone 3 OCU-DP COCI (data) - in combination - Zone 2 4-Wire 64 KDPS DIGITAL LOOP FOR USE IN A COMBINATION - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) WIRE ISDN LOOP FOR USE IN COMBINATION - Zone 1 2-Wire ISDN Loop in Combination - Zone 3 2-wire ISDN LOOP FOR USE IN COMBINATION - Zone 1 2-Wire ISDN LOOP in Combination - Zone 2 2-wire ISDN LOOP FOR USE IN COMBINATION - WIRE DSI DIGITAL LOOP FOR USE IN A COMBINATION - WIRE DSI DIGITAL IN COMBINATION - WIRE DSI DIGITAL IN COMBINATION - WIRE DSI DIGITAL IN COMBINATION - WIRE DSI DIGITAL IN COMBINATION - WIRE DSI DIGITAL IN COMBINATION - WIRE DSI DIGITAL IN COMBINATION - WIRE DSI DIGITAL IN COMBINATION - WIRE DSI DIGITAL IN COMBINATION - WIRE DSI DIGITAL IN COMBINATION - WIRE DSI DIGITAL IN COMBINATION - WIRE DSI DIGITAL IN COMBINATION - WIRE DSI DIGITAL IN COMBINATION - WIRE DSI DIGITAL IN COMBINATION - WIRE DSI DIGITAL IN COMBINATION - WIRE DSI DIGITAL IN COMBINATION - WIRE DSI DIGITAL IN COMBINATION | | 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 1 | UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX | ### Apply for UN UEAL2 UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 UDL56 UDL56 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL65 UDL56 | 14.93 25.35 50.46 0.6497 30.81 38.32 60.39 0.6497 30.99 36.78 38.92 1.38 30.99 36.78 38.92 1.38 20.99 36.78 | 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 | 45.09 | | work Elements | | | | | | |
| 4-4-2-2- | WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56 KBPS Digital Grade Loop in Combination - Zone 1 4-Wire 56 KBPS Digital Grade Loop in Combination - Zone 1 4-Wire 56 KBPS Digital Grade Loop in Combination - Zone 2 4-Wire 56 KBPS Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) WIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64 KBPS Digital Grade Loop in Combination - Zone 1 4-Wire 64 KBPS Digital Grade Loop in Combination - Zone 1 4-Wire 64 KBPS Digital Grade Loop in Combination - Zone 2 4-Wire 64 KBPS Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) WIRE ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN LOOP FOR USE IN A COMBINATION 4-Wire DS1 Digital LOOP FOR USE IN A COMBINATION 4-Wire DS1 Digital LOOP FOR USE IN A COMBINATION 4-Wire DS1 Digital LOOP FOR USE IN A COMBINATION 4-Wire DS1 Digital LOOP FOR USE IN A COMBINATION 4-Wire DS1 Digital LOOP FOR USE IN A COMBINATION 4-Wire DS1 Digital LOOP FOR USE IN A COMBINATION 4-Wire DS1 Digital LOOP FOR USE IN A COMBINATION | | 1 1 2 3 3 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 1 | UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCNX UNCNX UNCNX UNCNX | ### Apply for UN UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL56 | 14.93 25.35 50.46 0.6497 30.81 38.32 60.39 0.6497 30.99 36.78 38.92 1.38 30.99 36.78 38.92 1.38 | 94.21 94.21 94.21 94.21 5.91 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 | 45.09 | | work Elements | | | | | | |
| 4-4-2-2- | WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month WIRE S6 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56 KBPS DIGITAL GRADE LOOP in Combination - Zone 1 4-Wire 56 KBPS DIGITAL GRADE LOOP in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) WIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION - Zone 3 OCU-DP COCI (data) - in combination - Zone 2 4-Wire 64 KDPS DIGITAL LOOP FOR USE IN A COMBINATION - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) WIRE ISDN LOOP FOR USE IN COMBINATION - Zone 1 2-Wire ISDN Loop in Combination - Zone 3 2-wire ISDN LOOP FOR USE IN COMBINATION - Zone 1 2-Wire ISDN LOOP in Combination - Zone 2 2-wire ISDN LOOP FOR USE IN COMBINATION - WIRE DSI DIGITAL LOOP FOR USE IN A COMBINATION - WIRE DSI DIGITAL IN COMBINATION - WIRE DSI DIGITAL IN COMBINATION - WIRE DSI DIGITAL IN COMBINATION - WIRE DSI DIGITAL IN COMBINATION - WIRE DSI DIGITAL IN COMBINATION - WIRE DSI DIGITAL IN COMBINATION - WIRE DSI DIGITAL IN COMBINATION - WIRE DSI DIGITAL IN COMBINATION - WIRE DSI DIGITAL IN COMBINATION - WIRE DSI DIGITAL IN COMBINATION - WIRE DSI DIGITAL IN COMBINATION - WIRE DSI DIGITAL IN COMBINATION - WIRE DSI DIGITAL IN COMBINATION - WIRE DSI DIGITAL IN COMBINATION - WIRE DSI DIGITAL IN COMBINATION - WIRE DSI DIGITAL IN COMBINATION | | 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 3 2 3 3 1 1 3 2 3 3 1 1 3 3 1 3 3 1 1 3 3 1 3 3 1 1 3 3 1 3 3 1 3 3 1 3 3 1 3 3 1 3 3 1 3 3 1 3 3 1 3 3 1 3 3 1 3 3 1 3 3 3 1 3 3 3 1 3 3 3 3 1 3 | UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX | ### Apply for UN UEAL2 UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 UDL56 UDL56 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL65 UDL56 | 14.93 25.35 50.46 0.6497 30.81 38.32 60.39 0.6497 30.99 36.78 38.92 1.38 30.99 36.78 38.92 1.38 | 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 94.21 | 45.09 | | work Elements | | | | | | |

| UNBUNDLE | ED NETWORK ELEMENTS - Louisiana | | | | - | - | - | - | | _ | | | Attachmen | t: 2 Exh. A | | |
|-----------------------------|--|--------------|-------|--------|--------|--------|--------|------------|--------------|--------------|-------|---|-------------------------|--|---|--|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- | Incrementa Charge - Manual Svo Order vs. Electronic- |
| | | | | | | | | | | | | | 1st | Electronic- Add'l | Disc 1st | Disc Add'l |
| | | | | | | Rec | | curring | | g Disconnect | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 2 WIR | E VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | MBINAI | ON | | | | | | | | | | | - | | - |
| | Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month | | | UNCVX | 1L5XX | 0.013 | | | | | | | | | | |
| | Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month | | | UNCVX | U1TV2 | 22.60 | 72.60 | 41.75 | | | | | | | | |
| 4 WIR | E VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | MBINAT | ON | | | | | | | | | | | | | 1 |
| | Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per | | | | | | | | | | | | | | | |
| | Month | | | UNCVX | 1L5XX | 0.013 | | | | | | | | | | 4 |
| | Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month | | | UNCVX | U1TV4 | 19.81 | 72.60 | 41.75 | | | | | | | | |
| DS1 II | NTEROFFICE TRANSPORT FOR COMBINATION | | | UNCVX | 01174 | 15.01 | 72.00 | 41.73 | | | | | | | | + |
| 50711 | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | † | | 1 | | | | | |
| | per month | <u> </u> | | UNC1X | 1L5XX | 0.2652 | | | | | | | | | | <u> </u> |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | _ | | | | | | | | | |
| | Termination per month | | | UNC1X | U1TF1 | 70.47 | 143.58 | 103.88 | | | | | | | | |
| Dec !! | 1/0 Channelization System in combination Per Month NTEROFFICE TRANSPORT FOR USE IN A COMBINATION | ļ | | UNC1X | MQ1 | 105.09 | 59.97 | 12.96 | 1 | 1 | | | | 1 | | |
| DS3 II | Interoffice Transport - Dedicated - DS3 combination - Per Mile | | | | | | | | | | - | | | | | + |
| | Per Month | | | UNC3X | 1L5XX | 6.04 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Facility Termination per month | | | UNC3X | U1TF3 | 850.45 | 270.69 | 158.05 | | | | | | | | |
| STS-1 | INTEROFFICE TRANSPORT FOR USE IN COMBINATION | | | | | | | | | | | | | | | 1 |
| | Interoffice Transport - Dedicated - STS-1 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | | UNCSX | 1L5XX | 6.04 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | UNCSX | LIATEC | 020.40 | 070.00 | 450.05 | | | | | | | | |
| 4-WID | Termination per month E 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN | EDODT | | UNCSX | U1TFS | 830.19 | 270.69 | 158.05 | | | - | | | | | + |
| 4-1111 | 4-wire 56 kbps Local Loop in combination - Zone 1 | JEORI | 1 | UNCDX | UDL56 | 30.99 | 94.21 | 45.09 | | | + | | | | | + |
| | 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 36.78 | 94.21 | 45.09 | | | | | | İ | | † |
| | 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 38.92 | 94.21 | 45.09 | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | | | | | | | | | | | |
| | Per Mile per month | | | UNCDX | 1L5XX | 0.013 | | | | | | | | | | 4 |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month | | | UNCDX | U1TD5 | 15.61 | 72.60 | 41.75 | | | | | | | | |
| 4-WID | Facility Termination per month E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROL | FEICE TR | ANSPO | | UTIDS | 15.61 | 72.60 | 41.75 | | | - | | | | | + |
| 7-1111 | 4-wire 64 kbps Lcoal Loop in Combination - Zone 1 | l IIOL III | 1 1 | UNCDX | UDL64 | 30.99 | 94.21 | 45.09 | | | + | | | | | + |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 2 | | 2 | UNCDX | UDL64 | 36.78 | 94.21 | 45.09 | | | | | | İ | | † |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 | 38.92 | 94.21 | 45.09 | | | | | | | | 1 |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | 1 | | | | | | | | | | | | | | |
| $-\!\!\!\!\!+\!\!\!\!\!\!-$ | Per Mile per month | | | UNCDX | 1L5XX | 0.013 | | | | - | | | | - | | ₩ |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month | | | UNCDX | U1TD6 | 15.61 | 72.60 | 41.75 | | | | | | 1 | | |
| 4-WIR | PE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE | E TRANS | PORT | UNUDA | 011106 | 10.61 | 12.00 | 41./5 | | 1 | + | | | | | + |
| 7 1711 | 4-wire 56 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL56 | 30.99 | 94.21 | 45.09 | İ | | | | | 1 | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 36.78 | 94.21 | 45.09 | | | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 38.92 | 94.21 | 45.09 | | | | | | | | |
| | 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month | | | UNCDX | 1L5XX | 0.013 | | | | | | | | | | |
| | 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month | | | UNCDX | U1TD5 | 15.61 | 72.60 | 41.75 | | | | | | | | |
| 4-WID | I ermination per month E 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE | I F TRANS | PORT | OINCDA | פעווט | 10.01 | 12.00 | 41./5 | + | - | 1 | | 1 | | | + |
| 7 7711 | 4-wire 64 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL64 | 30.99 | 94.21 | 45.09 | † | | 1 | | | — | | † |
| | 4-wire 64 kbps Local Loop in combination - Zone 2 | 1 | 2 | UNCDX | UDL64 | 36.78 | 94.21 | 45.09 | | | | | | 1 | | <u> </u> |
| | 4-wire 64 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL64 | 38.92 | 94.21 | 45.09 | | | | | | | | |
| | 14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month | | | UNCDX | 1L5XX | 0.013 | | | | | | | | | | |
| | 4-wire 64 kbps Interoffice Transport - Dedicated - Facility | | | 5.13DA | 120/01 | 0.010 | | | † | | 1 | | | — | | |
| | Termination per month | | | UNCDX | U1TD6 | 15.61 | 72.60 | 41.75 | | | | | | | | |
| DS1 D | DIGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT | | | | | | - | | | | | | | | | |

| UNBUNI | DLED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachmen | t: 2 Exh. A | | |
|----------|--|-----------|----------|---------------------|-----------------------------|------------------------|----------------------|---------------------------------------|--------------|-----------|-----------------|------------------------|-------------------------|-------------------------|-------------------------|---------------------------|
| | | | | | | | | | | | | Svc Order Submitted | Incremental | | Incremental Charge - | Incrementa Charge - |
| CATEGOR | RY RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | Elec per LSR | Manually per LSR | Manual Svc Order vs. | Manual Svc Order vs. | Manual Svc Order vs. | |
| | | | | | | | | | | | per Lor | per Lor | Electronic- | Electronic- | Electronic- Disc 1st | Electronic- Disc Add'l |
| <u> </u> | | | | | | | Names | | Nonrecurring | Diagonard | | | 220 | Rates (\$) | | |
| | | | | | + | Rec | Nonrec First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| \vdash | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 85.70 | 169.22 | 100.89 | FIISL | Auu i | SOWIEC | SOWAN | JOWAN | SOWAN | JOWAN | SOWAN |
| | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 194.96 | 169.22 | 100.89 | | | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 491.94 | 169.22 | 100.89 | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | Ŭ | 0.1.0 1.7. | 00250 | .0 | .00.22 | 100.00 | | | | | | | | |
| | per month | | | UNC1X | 1L5XX | 0.2652 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNC1X | U1TF1 | 70.47 | 143.58 | 103.88 | | | | | | | | |
| DS | 33 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO | ORT | | | | | | | | | | | | | | |
| | DS3 Local Loop in combination - per mile per month | | | UNC3X | 1L5ND | 11.546 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| oxdot | DS3 Local Loop in combination - Facility Termination per month | | | UNC3X | UE3PX | 416.691 | 504.229 | 294.745 | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 6.04 | , i | | | | | | | | · | |
| | Interoffice Transport - Dedicated - DS3 combination - Facility | | 1 | I | I | 1 ⊤ | | | | | | | | | | |
| | Termination per month | | | UNC3X | U1TF3 | 850.45 | 270.69 | 158.05 | | | | | | | | |
| ST | S-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN | ISPORT | | | <u> </u> | | | | | | | | | | | |
| <u> </u> | STS-1 Local Lolp in combination - per mile per month | | <u> </u> | UNCSX | 1L5ND | 11.546 | | | | | | | | | | |
| | STS-1 Local Loop in combination - Facility Termination per | | | LINCOV | LIDI C4 | 400 744 | 504.229 | 204 745 | | | | | | | | |
| | month Interoffice Transport - Dedicated - STS-1 combination - per mile | ļ | | UNCSX | UDLS1 | 430.744 | 504.229 | 294.745 | | | | | | | | |
| | per month | | | UNCSX | 1L5XX | 6.04 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | UNCSX | ILSXX | 6.04 | | | | | | | | | | |
| | Termination per month | | | UNCSX | U1TFS | 830.19 | 270.69 | 158.05 | | | | | | | | |
| ADDITION | AL NETWORK ELEMENTS | | | UNCSA | UTIFS | 030.19 | 270.69 | 136.03 | | | | | | | | |
| | hen used as a part of a currently combined facility, the non-recurr | rna chara | es do n | ntanniv huta Swi | tch As Is cha | rge does annly | | | | | | | | | | |
| | hen used as ordinarily combined network elements in All States, t | | | | | | s not. | | | | | | | | | |
| | onrecurring Currently Combined Network Elements "Switch As Is" | | | | | | | | | | | | | | | |
| | | | · · | UNCVX, UNCDX, | | | | | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | UNC1X, UNC3X, | | | | | | | | | | | | |
| | Is Charge | | | UNCSX | UNCCC | | 5.43 | 5.43 | | | | | | | | |
| Or | otional Features & Functions: | | | | | | | | | | | | | | | |
| | | | | U1TD1, | | | | | | | | | | | | |
| | Clear Channel Capability Extended Frame Option - per DS1 | - 1 | | ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | | | U1TD1, | | | | | | | | | | | | |
| | Clear Channel Capability Super FrameOption - per DS1 | I | | ULDD1,UNC1X | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Clear Channel Capability (SF/ESF) Option - Subsequent | | | ULDD1, U1TD1, | | | | | | | | | | | | |
| | Activity - per DS1 | | <u> </u> | UNC1X, USL | NRCCC | | 184.65 | 23.79 | 1.97 | 0.77 | | | | | | |
| | | | | U1TD3, ULDD3, | | | | | | | | | | | | |
| | C-bit Parity Option - Subsequent Activity - per DS3 | i | | UE3, UNC3X | NRCC3 | | 218.78 | 7.66 | 0.7263 | 0.00 | | | | | | |
| MU | ULTIPLEXERS | | | | | | | | | | | | | | | |
| | DS1 to DS0 Channel System per month | | | UNC1X | MQ1 | 105.09 | 59.97 | 12.96 | | | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| \vdash | month (2.4-64kbs) used for a Local Loop | | <u> </u> | UDL | 1D1DD | 1.38 | 6.39 | 4.58 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| | month (2.4-64kbs) used for connection to a channelized DS1 | | | LIATUD | 1D1DD | 1 20 | 6 30 | 4.50 | | | | | | | | |
| | month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation | | | U1TUD | 1D1DD | 1.38 | 6.39 | 4.58 | | | | | | | | |
| | month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | | | | | | | | | | | | | |
| | month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop | | | U1TUD UDN | 1D1DD UC1CA | 1.38 2.96 | 6.39 | 4.58 4.58 | | | | | | | | |
| | month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | | | | | | | | | | | | | |
| | month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel | | | UDN | UC1CA | 2.96 | 6.39 | 4.58 | | | | | | | | |
| | month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation | | | | | | | | | | | | | | | |
| | month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month | | | UDN U1TUB | UC1CA | 2.96 | 6.39 | 4.58 4.58 | | | | | | | | |
| | month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop | | | UDN | UC1CA | 2.96 | 6.39 | 4.58 | | | | | | | | |
| | month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month | | | UDN U1TUB | UC1CA | 2.96 | 6.39 | 4.58 4.58 | | | | | | | | |
| | month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month | | | UDN U1TUB | UC1CA | 2.96 | 6.39 | 4.58 4.58 | | | | | | | | |
| | month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Cocal Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the | | | UDN U1TUB UEA | UC1CA UC1CA 1D1VG 1D1VG MQ3 | 2.96 2.96 0.6497 | 6.39 6.39 6.39 | 4.58 4.58 4.58 4.58 91.25 | | | | | | | | |
| | month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation | | | UDN U1TUB UEA | UC1CA UC1CA 1D1VG | 2.96 2.96 0.6497 | 6.39 6.39 6.39 | 4.58 4.58 4.58 | | | | | | | | |

| UNBU | JNDLEI | NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachmen | t: 2 Exh. A | | |
|------|---------|---|-------------|--------|-----------|-------|-------|--------|------------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | _ | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATE | SORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l | | |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | 1 | oss | Rates (\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | DS1 COCI (used for connection to a channelized DS1 Local | | | | | | | | | | | | | | | |
| | | Channel in the same SWC as collocation) per month | | | U1TUA | UC1D1 | 11.78 | 6.39 | 4.58 | | | | | | | | |
| | | DS1 COCI used with Interoffice Channel per month | | | U1TD1 | UC1D1 | 11.78 | 6.39 | 4.58 | | | | | | | | |
| | | DS3 Interface Unit (DS1 COCI) used with Local Channel per | | | | | | | | | | | | | | | |
| | | month | | | ULDD1 | UC1D1 | 11.78 | 6.39 | 4.58 | | | | | | | | |
| | Note: F | Rates displaying an "I" in Interim column are interim as a resu | ult of a Co | mmissi | on order. | | | | | | · | | | | | | |

Version TRRO: 03/15/2005 Page 40 of 69

| UNBUNDL | ED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | | nt: 2 Exh. A | | |
|--|--|------------|-----------|------------------------|----------------|--------------------|-----------------|-----------------|-----------------|--------------------|---------------|----------------|--|----------------|--|--|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Sv |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add' |
| | | | | | | | | | | | | | | | | |
| | | | | | | Rec | | curring | | Disconnect | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| The | "Zone" shown in the sections for stand-alone loops or loops as | | | | anhiaelle Da | account of LINE | 7 T | 6 | alli. Daarraa | JUNE Zana D | | | Office refer | | h-it- | |
| | zone snown in the sections for stand-alone loops or loops as: //www.interconnection.bellsouth.com/become a clec/html/inter | | | lation refers to Geogr | rapnically De | averaged UNE | Zones. 10 vi | ew Geographic | ally Deaverage | d UNE Zone L | esignations | by Central | Office, refer t | to internet we | ebsite: | |
| | IAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" | Connection | Un.nun | | | | | l | | l | 1 | | | 1 | | 1 |
| | E: (1) CLEC should contact its contract negotiator if it prefers th | o "stato s | necific | " OSS charges as ord | ared by the | State Commiss | sions The OS | S charges curi | rently containe | d in this rate o | vhihit are th | a ReliSout | n "regional" e | ervice orderin | na charaes C | TI FC may |
| | t either the state specific Commission ordered rates for the servi | | | | | | | | | | | | | | | |
| | of the 9 states. | ce orderi | iig ciiai | ges, or occomay ere | set the region | ilai sei vice oi d | iering charge, | nowever, occ | o can not obta | iii a iiiixtule oi | the two reg | jai uless ii C | LLO Has a III | terconnection | Contract est | abiisiieu iii |
| | E: (2) Any element that can be ordered electronically will be bill | ad accord | ding to | the SOMEC rate lister | d in this cate | gory Blosco | rofor to BallSo | uth's Local Or | doring Handho | ok (I OH) to de | tormino if a | product co | n he ordered | oloctronically | Eor those o | olomonte the |
| | not be ordered electronically at present per the LOH, the listed S | | | | | | | | | | | | | | | |
| | be applied to a CLECs bill when it submits an LSR to BellSouth. | | uII | o oategory renects the | o onarge ula | . Hould be bill | CG tO a OLEO | once electronii | o ordering cap | abilities confe | | at ereinell | Otherwise, | e manuai 0 | acing charg | jo, ooman, |
| WIII | OSS - Electronic Service Order Charge. Per Local Service | | | | | 1 | | I | | I | | | 1 | I | 1 | |
| | Request (LSR) - UNE Only | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | 1 | | 1 | 1 |
| | OSS - Manual Service Order Charge, Per Local Service | 1 | 1 | | CONICO | | 5.50 | 0.00 | 5.50 | 0.00 | 1 | t | I | 1 | I | † |
| | Request (LSR) - UNE Only | | | | SOMAN | | 15.20 | 0.00 | 15.20 | 0.00 | | | I | | I | |
| UNE SERVIC | CE DATE ADVANCEMENT CHARGE | | | | | | | | | | | | | | | |
| NOT | E: The Expedite charge will be maintained commensurate with | BellSouth | 's FCC | No.1 Tariff. Section 5 | as applicab | le. | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | UAL, UEANL, UCL, | | | | | | | | | | | | |
| | | | | UEF, UDF, UEQ, | | | | | | | | | | | | |
| | | | | UDL, UENTW, UDN, | | | | | | | | | | | | |
| | | | | UEA, UHL, ULC, | | | | | | | | | | | | |
| | | | | USL, U1T12, U1T48, | | | | | | | | | | | | |
| | | | | U1TD1, U1TD3, | | | | | | | | | | | | |
| | | | | U1TDX, U1TO3, | | | | | | | | | | | | |
| | | | | U1TS1, U1TVX, | | | | | | | | | | | | |
| | | | | UC1BC, UC1BL, | | | | | | | | | | | | |
| | | | | UC1CC, UC1CL, | | | | | | | | | | | | |
| | | | | UC1DC, UC1DL, | | | | | | | | | | | | |
| | | | | UC1EC, UC1EL, | | | | | | | | | | | | |
| | | | | UC1FC, UC1FL, | | | | | | | | | | | | |
| | | | | UC1GC, UC1GL, | | | | | | | | | | | | |
| | | | | UC1HC, UC1HL, | | | | | | | | | | | | |
| | | | | UDL12, UDL48, | | | | | | | | | | | | |
| | | | | UDLO3, UDLSX, | | | | | | | | | | | | |
| | | | | UE3, ULD12, | | | | | | | | | | | | |
| | | | | ULD48, ULDD1, | | | | | | | | | | | | |
| | | | | ULDD3, ULDDX, | | | | | | | | | | | | |
| | | | | ULDO3, ULDS1, | | | | | | | | | | | | |
| | | | | ULDVX, UNC1X, | | | | | | | | | | | | |
| | | | | UNC3X, UNCDX, | | | | | | | | | | | | |
| | | | | UNCNX, UNCSX, | | | | | | | | | | | | |
| | | | | UNCVX, UNLD1, | | | | | | | | | | | | |
| | | | | UNLD3, UXTD1, | | | | | | | | | | | | |
| | | | | UXTD3, UXTS1, | | | | | | | | | | | | |
| | UNE Expedite Charge per Circuit or Line Assignable USOC, per | | | U1TUC, U1TUD, | | | | | | | | | | | | |
| I IN IDI IN IDI ET | Day D EXCHANGE ACCESS LOOP | | | U1TUB, U1TUA | SDASP | | 200.00 | | | | | | | | | |
| | RE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | - |
| 2-991 | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | - | 1 | UEANL | UEAL2 | 12.11 | 57.99 | 42.37 | 1 | | } | - | | 1 | | 1 |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 2 | UEANL | UEAL2 | 21.24 | 57.99 | 42.37 | 1 | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | 1 | 3 | UEANL | UEAL2 | 33.65 | 57.99 | 42.37 | 1 | | 1 | t | I | 1 | I | † |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEASL | 12.11 | 57.99 | 42.37 | | | | | 1 | 1 | 1 | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEASL | 21.24 | 57.99 | 42.37 | | | | | 1 | 1 | 1 | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEASL | 33.65 | 57.99 | 42.37 | | | | | 1 | 1 | 1 | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | | | | | | |
| 1 1 | Premise | | | UEANL | URETL | | 8.33 | 0.83 | | | | | I | | I | |
| | | | _ | 1 | | | | | | | | | T . | _ | | |
| | Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour | | | UEANL UEANL | URET1 URETA | | 76.24 39.51 | 76.24 39.51 | | | | | | | | |

| UNBUNDL | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachmen | t: 2 Exh. A | | |
|----------------|---|--|--|-------------|----------------|----------------|----------------|----------------|--------------|------------|-----------------|---------------------|---|---|--|--|
| | | | | | | | | | | | Submitted | | Incremental Charge - | Incremental Charge - | Charge - | Incrementa Charge - |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | Elec per LSR | Manually per LSR | Manual Svc Order vs. Electronic- 1st | Manual Svc Order vs. Electronic- Add'l | Manual Svc Order vs. Electronic- Disc 1st | Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Б | Nonred | curring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | | | | | | | | | | | | | ĺ |
| | (UVL-SL1) | | | UEANL | UREWO | | 15.76 | 8.93 | | | | | | | | |
| | Unbundled Voice Loop, Non-Design Voice Loop, billing for BST | | | | | | | | | | | | | | | |
| | providing make-up (Engineering Information - E.I.) | | | UEANL | UEANM | | 28.74 | 28.74 | | | | | | | | |
| | Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 61.38 | 61.38 | | | | | | | | |
| | Order Coordination for Specified Conversion Time for UVL-SL1 | | | | | | | | | | | | | | | |
| | (per LSR) | | | UEANL | OCOSL | | 45.34 | 45.34 | | | | | | | | |
| 2-WIR | E Unbundled COPPER LOOP | | | LIEO | LIEGOV | 10.10 | 05.07 | 45.00 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | | 1 | UEQ | UEQ2X | 10.16 | 35.27 | 15.60 | | | | | | | | |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | | 3 | UEQ UEQ | UEQ2X UEQ2X | 17.55 27.58 | 35.27 35.27 | 15.60 15.60 | | | | | | | | |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User | | 3 | UEQ | UEQZX | 27.58 | 35.27 | 15.60 | | | | | | | | |
| | Premise | | | UEQ | URETL | | 8.33 | 0.83 | | | | | | | | |
| - | Manual Order Coordination 2 Wire Unbundled Copper Loop - | | | ULQ | UNLIL | | 0.33 | 0.63 | | | 1 | | | | | 1 |
| | Non-Designed (per loop) | | | UEQ | USBMC | | 61.38 | 61.38 | | | | | | | | |
| | Unbundled Copper Loop, Non-Design Copper Loop, billing for | | | OLQ | OODIVIC | | 01.50 | 01.30 | | | | | | | | 1 |
| | BST providing make-up (Engineering Information - E.I.) | | | UEQ | UEQMU | | 28.74 | 28.74 | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | 76.24 | 76.24 | | | | | | | | 1 |
| | Loop Testing - Basic Additional Half Hour | | | UEQ | URETA | | 39.51 | 39.51 | | | | | | | | |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | | | | | | | | | | | | | |
| | (UCL-ND) | | | UEQ | UREWO | | 14.26 | 7.42 | | | | | | | | |
| UNBUNDLED | EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| 2-WIR | E ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UEPSR UEPSB | UEALS | 12.11 | 57.99 | 42.37 | 0.00 | 0.00 | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1 | | 1 | UEPSR UEPSB | UEABS | 12.11 | 57.99 | 42.37 | 0.00 | 0.00 | | | | | | |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2 | | 2 | UEPSR UEPSB | UEALS | 21.24 | 57.99 | 42.37 | 0.00 | 0.00 | | | | | | |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UEPSR UEPSB | UEABS | 21.24 | 57.99 | 42.37 | 0.00 | 0.00 | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3 | | 3 | UEPSR UEPSB | UEALS | 33.65 | 57.99 | 42.37 | 0.00 | 0.00 | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UEPSR UEPSB | UEABS | 33.65 | 57.99 | 42.37 | 0.00 | 0.00 | | | | | | |
| | EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| 2-WIR | E ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1 | | 1 | UEA | UEAL2 | 14.97 | 142.97 | 106.56 | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | 25.93 | 142.97 | 106.56 | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | _ | UEA | UEAL2 | 40.81 | 142.97 | 400.50 | | | | | | | | |
| | Ground Start Signaling - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | | 3 | UEA | OCOSL | 40.81 | 45.34 | 106.56 | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | UEA | OCOSL | | 45.54 | | | | | | | | | |
| | Battery Signaling - Zone 1 | | 4 | UEA | UEAR2 | 14.97 | 142.97 | 106.56 | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | - | OLA | OLARZ | 14.37 | 142.37 | 100.50 | | | | | | | | 1 |
| | Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | 2 | UEA | UEAR2 | 25.93 | 142.97 | 106.56 | | | | | | | | |
| | Battery Signaling - Zone 3 | | 3 | UEA | UEAR2 | 40.81 | 142.97 | 106.56 | | | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | 3 | UEA | OCOSL | 40.61 | 45.34 | 100.30 | | | | | | | | |
| - | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87.64 | 36.33 | | | | | | | | + |
| | Loop Tagging - Service Level 2 (SL2) | | 1 | UEA | URETL | | 11.20 | 1.10 | | | | | | | | |
| 4-WIR | E ANALOG VOICE GRADE LOOP | 1 | 1 | | 0 | | 11.20 | 1.70 | | | <u> </u> | | | | | |
| 1 | 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEA | UEAL4 | 21.32 | 288.47 | 237.45 | | | | | | | | 1 |
| | 4-Wire Analog Voice Grade Loop - Zone 2 | 1 | 2 | UEA | UEAL4 | 36.27 | 288.47 | 237.45 | | | | | İ | l | | 1 |
| | 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEA | UEAL4 | 56.57 | 288.47 | 237.45 | | | | | | | | 1 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 45.34 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87.64 | 36.33 | | | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachmen | t: 2 Exh. A | | |
|-------------|--|----------|--|-------|----------------|--------|-----------------|------------|--|--------------|--|------------------------|---------------------------------|---|--|---|
| | | | | | | | | | | | Submitted | Svc Order Submitted | Incremental Charge - | Incremental Charge - | Incremental Charge - | Charge - |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | Elec per LSR | Manually per LSR | Order vs. Electronic- 1st | Manual Svc Order vs. Electronic- Add'l | Manual Svc Order vs. Electronic- Disc 1st | Manual Svo Order vs. Electronic Disc Add'l |
| | | | | | | Rec | | curring | | g Disconnect | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 2-WIR | E ISDN DIGITAL GRADE LOOP | | | | | | | | | | | | | | | ļ |
| | 2-Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UDN | U1L2X | 19.42 | 325.91 | 251.31 | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 2 | | 2 | UDN | U1L2X | 32.88 | 325.91 | 251.31 | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 3 | | 3 | UDN | U1L2X | 51.14 | 325.91 | 251.31 | | | | | | | | |
| | Order Coordination For Specified Conversion Time (per LSR) | | | UDN | OCOSL | | 45.34 | 44.40 | | | | | | | | |
| 2 14/10 | CLEC to CLEC Conversion Charge without outside dispatch E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMF | ATIDLE | 000 | UDN | UREWO | | 91.55 | 44.12 | - | | - | | | | | |
| Z-WIR | 2 Wire Unbundled ADSL Loop including manual service inquiry | ATIBLE | .00P | | | | | | | | - | | | | | |
| | A facility reservation - Zone 1 Wire Unbundled ADSL Loop including manual service inquiry | | 1 | UAL | UAL2X | 11.00 | 264.71 | 145.60 | | | | | | | | |
| | & facility reservation - Zone 2 | | 2 | UAL | UAL2X | 18.39 | 264.71 | 145.60 | | | | | | | | |
| 1 | 2 Wire Unbundled ADSL Loop including manual service inquiry | | _ | l.,,, | LIALOY | 20.40 | 2047: | 445.00 | I | | | | | | | |
| | & facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | | 3 | UAL | UAL2X OCOSL | 28.42 | 264.71 45.34 | 145.60 | | | 1 | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | UAL | OCOSL | | 45.34 | | - | | | | - | - | | |
| | facility reservation - Zone 1 | | 1 | UAL | UAL2W | 11.00 | 190.25 | 114.82 | 1 | | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | ' | UAL | UALZVV | 11.00 | 190.25 | 114.02 | | | 1 | | | | | 1 |
| | facility reservaton - Zone 2 | | 2 | UAL | UAL2W | 18.39 | 190.25 | 114.82 | | | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | OAL | OALZVV | 10.55 | 130.23 | 114.02 | 1 | | 1 | | | | | |
| | facility reservation - Zone 3 | | 3 | UAL | UAL2W | 28.42 | 190.25 | 114.82 | | | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | 20.72 | 45.34 | 114.02 | | | 1 | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UAL | UREWO | | 86.12 | 40.36 | | | | | | | | |
| 2-WIR | E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE LO | OOP | | | | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 9.01 | 284.74 | 163.54 | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 14.87 | 284.74 | 163.54 | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | 11111 007 | 00.00 | 00474 | 100.51 | | | | | | | | |
| | & facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | | 3 | UHL | UHL2X OCOSL | 22.82 | 284.74 45.34 | 163.54 | - | ļ | | | | | | |
| | Wire Unbundled HDSL Loop without manual service inquiry | | | UHL | UCUSL | | 45.34 | | | | - | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 9.01 | 207.48 | 132.05 | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | _ ' | OFIL | OFILZVV | 9.01 | 207.40 | 132.03 | | | 1 | | | | | - |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 14.87 | 207.48 | 132.05 | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | OTIL | OTTLETT | 14.07 | 207.40 | 102.00 | | | | | | | | + |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 22.82 | 207.48 | 132.05 | | | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 45.34 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 86.06 | 40.36 | | | | | | | | |
| 4-WIR | E HIGH BIT RATE DIGITAL SUBŠCRIBER LINE (HDSL) COMPA | TIBLE LC | OOP | | | | | | | | | | | | | |
| | 4 Wire Unbundled HDSL Loop including manual service inquiry | | | UHL | UHL4X | 40.00 | 244.05 | 220 45 | | | | | | | | |
| | and facility reservation - Zone 1 4-Wire Unbundled HDSL Loop including manual service inquiry | | | UHL | UHL4X | 10.62 | 341.65 | 220.45 | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 17.67 | 341.65 | 220.45 | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | OFIL | OI IL4X | 17.07 | 341.03 | 220.43 | | | 1 | | | | | - |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 27.24 | 341.65 | 220.45 | | | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | - 0 | UHL | OCOSL | 21.24 | 45.34 | 220.43 | | | | | | | | + |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | OTIL | CCCCL | | 10.01 | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 10.62 | 264.39 | 188.96 | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4W | 17.67 | 264.39 | 188.96 | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | Ì |
| | and facility reservation - Zone 3 | <u></u> | 3 | UHL | UHL4W | 27.24 | 264.39 | 188.96 | <u></u> | <u></u> | <u> </u> | | <u></u> | <u></u> | | <u> </u> |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 45.34 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | <u> </u> | UHL | UREWO | | 86.06 | 40.36 | | | 1 | | | | | <u> </u> |
| 4-WIR | E DS1 DIGITAL LOOP | | ļ | | | | | | ļ | ļ | 1 | | | | | ļ |
| | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 47.60 | 714.84 | 421.47 | | ļ | | | | | | _ |
| \vdash | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | USL | USLXX | 84.36 | 714.84 | 421.47 | - | ļ | <u> </u> | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 134.29 | 714.84 | 421.47 | - | 1 | | | 1 | 1 | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | 1 | USL | OCOSL | | 48.31 | | | | 1 | | | l | | 1 |

| ONBONDL | ED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | Attachmer | nt: 2 Exh. A | | |
|-----------|--|----------|---------|----------------|----------|-------|--------|------------|--|----------|--------------|--|--------------|-------------|-------------|
| | | | | | | | | | | Svc Orde | er Svc Order | | | Incremental | Incrementa |
| | | | | | | | | | | Submitte | | | Charge - | Charge - | Charge - |
| | | | | | | | | | | Elec | | | | | |
| CATECORY | DATE ELEMENTO | | 7 | DCC | 11000 | | | DATEC (#) | | | Manually | | Manual Svc | Manual Svc | |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | per LSI | R per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | - | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | 151 | Auu | DISC 1St | DISC Add I |
| | | | | | | | Nonred | urring | Nonrecurring Disconi | ect | | OSS | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First Add | | SOMAN | | SOMAN | SOMAN | SOMAN |
| | 01 50 10 01 50 000 000 000 000 000 000 0 | | | 1101 | LIDEMO | | | | | I SOMEC | SUMAN | SUMAN | SUMAN | SUMAN | SUMAN |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 100.99 | 43.00 | | | | | | | |
| 4-WI | RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | | | | | | | | | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | l | 1 | UDL | UDL19 | 25.32 | 489.04 | 337.51 | | | | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 2 | UDL | UDL19 | 43.11 | 489.04 | 337.51 | | | | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 3 | UDL | UDL19 | 67.26 | 489.04 | 337.51 | | | | | | | 1 |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | 1 | UDL | UDL56 | 25.32 | 489.04 | 337.51 | | | - | | | | + |
| | | | | | | | | | | | | | | | + |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | 2 | UDL | UDL56 | 43.11 | 489.04 | 337.51 | | | | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | 3 | UDL | UDL56 | 67.26 | 489.04 | 337.51 | | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 45.34 | | | | | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | 1 | UDL | UDL64 | 25.32 | 489.04 | 337.51 | | | | | | | 1 |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | 2 | UDL | UDL64 | 43.11 | 489.04 | 337.51 | | | | | | | 1 |
| | | - | | UDL | UDL64 | | 489.04 | | | | + | 1 | 1 | 1 | + |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | <u> </u> | 3 | | | 67.26 | | 337.51 | | | _ | 1 | ļ | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL |] | 45.34 | | | | _1 | 1 |] | | 1 |
| | CLEC to CLEC Conversion Charge without outside dispatch | l | | UDL | UREWO | | 102.03 | 49.70 | | | | | | | |
| 2-WI | RE Unbundled COPPER LOOP | | | | | | | | | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed including manual | | | | | | | | 1 | | | | | | |
| | service inquiry & facility reservation - Zone 1 | | 1 | UCL | UCLPB | 13.26 | 262.86 | 143.75 | | | | | | | |
| | | | ' | UCL | UCLFB | 13.20 | 202.00 | 143.73 | + | | | | | | + |
| | 2-Wire Unbundled Copper Loop-Designed including manual | | _ | | | | | | | | | | | | |
| | service inquiry & facility reservation - Zone 2 | | 2 | UCL | UCLPB | 22.39 | 262.86 | 143.75 | | | | | | | |
| | 2 Wire Unbundled Copper Loop-Designed including manual | | | | | | | | | | | | | | |
| | service inquiry & facility reservation - Zone 3 | l | 3 | UCL | UCLPB | 34.80 | 262.86 | 143.75 | | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 61.38 | 61.38 | | | | | | | † |
| | 2-Wire Unbundled Copper Loop-Designed without manual | | | 002 | 0020 | | 01.00 | 01.00 | + | | - | | | | + |
| | | l | | | LIOL DIA | 40.00 | 400.00 | 440.00 | | | | | | | |
| | service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCLPW | 13.26 | 188.39 | 112.96 | | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed without manual | | | | | | | | | | | | | | |
| | service inquiry and facility reservation - Zone 2 | l | 2 | UCL | UCLPW | 22.39 | 188.39 | 112.96 | | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed without manual | | | | | | | | | | | | | | 1 |
| | service inquiry and facility reservation - Zone 3 | l | 3 | UCL | UCLPW | 34.80 | 188.39 | 112.96 | | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | Ŭ | UCL | UCLMC | 04.00 | 61.38 | 61.38 | | | 1 | | | | |
| | | | | UCL | UCLIVIC | | 01.30 | 01.30 | + | | | | | | + |
| | CLEC to CLEC Conversion Charge without outside dispatch | l | | | | | | | | | | | | | |
| | (UCL-Des) | | | UCL | UREWO | | 97.14 | 42.44 | | | | | | | |
| 4-WI | RE COPPER LOOP | | | | | | | | | | | | | | |
| | 4-Wire Copper Loop including manual service inquiry and facility | | | | | | | | | | | | | | |
| | reservation - Zone 1 | | 1 | UCL | UCL4S | 17.36 | 311.03 | 191.93 | | | | | | | |
| | | | | 002 | 002.0 | 11.00 | 011.00 | 101100 | + | | - | | | | + |
| | 4-Wire Copper Loop including manual service inquiry and facility | l | _ | | | | | | | | | | | | |
| | reservation - Zone 2 | | 2 | UCL | UCL4S | 29.61 | 311.03 | 191.93 | | | | | | | |
| | 4-Wire Copper Loop including manual service inquiry and facility | | | | | | | | | | | | | | |
| | reservation - Zone 3 | | 3 | UCL | UCL4S | 46.26 | 311.03 | 191.93 | | | | | | | |
| i | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | 1 | 61.38 | 61.38 | i i | | 1 | | | İ | 1 |
| | 4-Wire Copper Loop without manual service inquiry and facility | | 1 | † · | | 1 | 230 | 200 | 1 1 | | 1 | 1 | 1 | 1 | |
| | reservation - Zone 1 | ĺ | 4 | UCL | UCL4W | 17.36 | 236.57 | 161.14 | | | | | |] | 1 |
| | | | 1 | UCL | UCL4VV | 17.30 | 230.57 | 101.14 | | | - | | | | |
| | 4-Wire Copper Loop without manual service inquiry and facility | | | | | | | | | | | | | | |
| | reservation - Zone 2 | | 2 | UCL | UCL4W | 29.61 | 236.57 | 161.14 | | | | | | | |
| | 4-Wire Copper Loop without manual service inquiry and facility | | | | | | | | | | | | | | |
| | reservation - Zone 3 | l | 3 | UCL | UCL4W | 46.26 | 236.57 | 161.14 | | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | 10.20 | 61.38 | 61.38 | | | | | | | 1 |
| | | | | UCL | UCLIVIC | | 01.30 | 01.30 | + | | | | | | + |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | | | | | | | | | | | | |
| | (UCL-Des) | | | UCL | UREWO | | 97.14 | 42.44 | | | | | | | |
| LOOP MODI | FICATION | l | | | | | | | | | | | | | |
| | | | | UAL, UHL, UCL, | | | | | | | | | | | |
| | | 1 | | UEQ, ULS, UEA, | | 1 | 1 | | | | 1 | | | 1 | 1 |
| | Unbundled Loop Modification, Removal of Load Coils - 2 Wire | 1 | | UEANL, UEPSR, | | 1 | 1 | | | | 1 | | | 1 | 1 |
| | | l | | | LILMOI | | 04.04 | 04.04 | | | | | | | 1 |
| | pair less than or equal to 18k ft, per Unbundled Loop | l | 1 | UEPSB | ULM2L | ļ | 21.24 | 21.24 | | | | | | ļ | |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire | l | | | | | | | | | | | | | |
| I | less than or equal to 18K ft, per Unbundled Loop | <u></u> | <u></u> | UHL, UCL, UEA | ULM4L | L | 21.24 | 21.24 | <u>. [</u> | | | 1 | <u> </u> | L | 1 |
| | | | | UAL, UHL, UCL, | | | | | | | | | | | |
| | | 1 | | UEQ, ULS, UEA, | | 1 | 1 | | | | 1 | | | 1 | 1 |
| 1 | Unbundled Loop Modification Removal of Bridged Tap Removal, | 1 | | UEANL, UEPSR, | | 1 | 1 | | | | 1 | | | 1 | 1 |
| | | l | | | | | | | | | I | | | l | |
| | per unbundled loop | | | UEPSB | ULMBT | | 24.84 | 24.84 | | | | | <u> </u> | | |

| UNBUNDL | ED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachmen | t: 2 Exh. A | | |
|------------|---|--|--|-------------------------|----------------|--------|----------------|----------------|--------------|--------------|--|---|-------------|-------------|---|--|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental | | Incremental Charge - Manual Svc Order vs. Electronic- | Charge - |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | _ | Nonred | curring | Nonrecurrin | g Disconnect | | l | OSS | Rates (\$) | | <u>.L</u> |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| SUB-LOOPS | | | | | | | | | | | | | | | | |
| Sub-l | Loop Distribution | | | | | | | | | | | | | | | |
| | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- | | | UEANL | USBSA | | 373.57 | | | | | | | | | |
| | Up | - | | UEANL | USBSA | | 3/3.5/ | | | | 1 | | | | | + |
| | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | l ı | | UEANL | USBSB | | 33.78 | | | | | | | | | |
| | Sub-Loop - Per Building Equipment Room - CLEC Feeder | | | | | | | | | | | | | | | |
| | Facility Set-Up | I | | UEANL | USBSC | | 234.76 | | | | | | | | | |
| | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel | l . | | | | | | | | | | | | | | |
| | Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | <u> </u> | | UEANL | USBSD | - | 81.05 | | | | - | | | | | + |
| | Zone 1 | l i | 1 | UEANL | USBN2 | 7.31 | 126.03 | 54.54 | | | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | i i | <u> </u> | 027112 | 002.12 | 7.01 | .20.00 | 0 | | | | | | | | 1 |
| | Zone 2 | - 1 | 2 | UEANL | USBN2 | 11.93 | 126.03 | 54.54 | | | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UEANL | USBN2 | 18.20 | 126.03 | 54.54 | | | | | | | | - |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 61.38 | 61.38 | | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | OLANE | CODIVIC | | 01.30 | 01.30 | | | | | | | | + |
| | Zone 1 | | 1 | UEANL | USBN4 | 8.44 | 156.52 | 79.66 | | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | 1 |
| | Zone 2 | | 2 | UEANL | USBN4 | 13.81 | 156.52 | 79.66 | | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | 1100114 | 04.40 | 450.50 | 70.00 | | | | | | | | |
| | Zone 3 | | 3 | UEANL | USBN4 | 21.10 | 156.52 | 79.66 | | <u> </u> | | | | | | + |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 61.38 | 61.38 | | | | | | | | |
| | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | 1 | | UEANL | USBR2 | 2.79 | 114.05 | 37.20 | | | | | | | | 1 |
| | , , | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 61.38 | 61.38 | | | | | | | | |
| | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | I | | UEANL | USBR4 | 3.74 | 127.67 | 50.82 | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 61.38 | 61.38 | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 76.24 | 76.24 | | | 1 | | | | | + |
| | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 39.51 | 39.51 | | | | | | | | 1 |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | ı | 1 | UEF | UCS2X | 6.10 | 137.10 | 60.24 | | | | | | | | 1 |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | I | 2 | UEF | UCS2X | 9.70 | 137.10 | 60.24 | | | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | I | 3 | UEF | UCS2X | 14.59 | 137.10 | 60.24 | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 61.38 | 61.38 | | | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF | UCS4X | 6.58 | 162.24 | 85.38 | | | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | i | 2 | UEF | UCS4X | 10.51 | 162.24 | 85.38 | | † | <u> </u> | | | | | <u>† </u> |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | - 1 | 3 | UEF | UCS4X | 15.84 | 162.24 | 85.38 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 61.38 | 61.38 | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour | | 1 | UEF UEF | URET1 URETA | | 76.24 39.51 | 76.24 39.51 | | | + | | | | | + |
| Unhu | Indled Network Terminating Wire (UNTW) | | | OLI | OILLIA | | 39.51 | 39.51 | | | | | | | | |
| 550 | Unbundled Network Terminating Wire (UNTW) per Pair | | | UENTW | UENPP | 0.4351 | 64.98 | | | | | | | | | † |
| Netw | ork Interface Device (NID) | | | | | | | | | | | | | | | |
| | Network Interface Device (NID) - 1-2 lines | | | UENTW | UND12 | | 86.37 | 56.69 | | ļ | | | | | | |
| | Network Interface Device (NID) - 1-6 lines | | | UENTW UENTW | UND16 | | 127.93 | 98.21 | | ļ | 1 | - | | | | |
| | Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W | | | UENTW | UNDC2 UNDC4 | | 11.68 11.68 | 11.68 11.68 | - | | | | | | | + |
| UNE OTHER. | PROVISIONING ONLY - NO RATE | - '- | | OFIAIAA | SINDON | | 11.00 | 11.00 | | | | | | | | + |
| | NID - Dispatch and Service Order for NID installation | 1 | | UENTW | UNDBX | 0.00 | 0.00 | | İ | 1 | 1 | | | | | <u>† </u> |
| | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | 0.00 | 0.00 | | | | | | | | | |
| 1 | | | | UEANL,UEF,UEQ,U ENTW | | | 0.00 | | | | | | | | | |
| | Unbundled Contract Name, Provisioning Only - No Rate | | | | UNECN | 0.00 | | | | | | | | | | |

| UNBUNDL | ED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachmen | t: 2 Exh. A | | |
|--|---|-----------|----------|----------------------------|----------------|-----------|-----------|------------|-------------|--------------|-----------|-----------|--------------|-------------|-------------|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | _ | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | _ | Nonre | curring | Nonrecurrin | g Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | | | | UAL,UCL,UDC,UDL, | | | | | | | | | | | | |
| | Unbundled Contact Name, Provisioning Only - no rate | | | UDN,UEA,UHL,USL | UNECN | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no | | | UEA,UDN,UCL,UDC | USBFQ | 0.00 | 0.00 | | | | | | | | | |
| — | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no | | | UEA,UDIN,UCL,UDC | USBFQ | 0.00 | 0.00 | | | | | | 1 | | | + |
| | rate | | | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled DS1 Loop - Superframe Format Option - no rate | | | USL | CCOSF | 0.00 | 0.00 | | | | | | İ | | | † |
| | Unbundled DS1 Loop - Expanded Superframe Format option - | | | | | | | | | | | | | | | 1 |
| | no rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| HIGH CAPAC | CITY UNBUNDLED LOCAL LOOP | | | | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Per Mile per month | | | UE3 | 1L5ND | 13.33 | | | | 1 | | | | | | 1 |
| | High Capacity Unbundled Local Loop - DS3 - Facility | } | - | ULO | ILOIND | 13.33 | | | 1 | + | + | | - | | | + |
| | Termination per month | | | UE3 | UE3PX | 450.69 | 1,231.65 | 743.038 | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per | | | 020 | OLOI X | 400.00 | 1,201.00 | 740.000 | | | | | | | | + |
| | month | | | UDLSX | 1L5ND | 13.33 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UDLSX | UDLS1 | 464.26 | 1,231.65 | 743.038 | | | | | | | | |
| LOOP MAKE | | | | | | | | | | | | | | | | |
| | Loop Makeup - Preordering Without Reservation, per working or spare facility gueried (Manual). | | | UMK | UMKLW | | 55.44 | 55.44 | | | | | | | | |
| - | Loop Makeup - Preordering With Reservation, per spare facility | | | UIVIK | UIVIKLVV | | 55.44 | 55.44 | 1 | | | | - | | | + |
| | queried (Manual). | | | UMK | UMKLP | | 55.73 | 55.73 | | | | | | | | |
| | Loop MakeupWith or Without Reservation, per working or | | | | | | | | | | | | İ | | | † |
| | spare facility queried (Mechanized) | | | UMK | UMKMQ | | 0.6960821 | 0.6960821 | | | | | | | | |
| LINE SPLITT | | | | | | | | | | | | | | | | |
| | SPLITTING | | | | | | | | | | | | | | | |
| END | USER ORDERING-CENTRAL OFFICE BASED | | 1 | LIEDOD LIEDOD | LIDEOC | 0.61 | | | | | | | | | | + |
| | Line Splitting - per line activation DLEC owned splitter Line Splitting - per line activation BST owned - physical | | | UEPSR UEPSB UEPSR UEPSB | UREOS UREBP | 0.61 | 56.92 | 28.59 | 1 | | | | - | | | + |
| | Line Splitting - per line activation BST owned - virtual | | | UEPSR UEPSB | UREBV | 0.61 | 56.92 | 28.59 | | | + | | | | | + |
| MAINTENAN | CE OF SERVICE | | | 02. 0 02. 03 | OTTED | 0.01 | 00.02 | 20.00 | | | | | | | | + |
| NOTE | E: The Expedite charge will be maintained commensurate with | BellSouth | 's FCC | No.1 Tariff, Section 1 | 3.3.1 as app | plicable. | | | | | | | | | | 1 |
| | No Trouble Found - per 1/2 hour increments - Basic | | | | | | 80.00 | 55.00 | | | | | | | | |
| L | No Trouble Found - per 1/2 hour increments - Overtime | | | | | | 90.00 | 65.00 | | | | | | | | |
| LINDUNDI EF | No Trouble Found - per 1/2 hour increments - Premium DEDICATED TRANSPORT | | | | | | 100.00 | 75.00 | | 1 | | | | | | + |
| | ROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | 1 | | - | | | | | + |
| 11412 | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | + | | | | | + |
| | Per Mile per month | | | U1TVX | 1L5XX | 0.0125 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Facility Termination | | | U1TVX | U1TV2 | 18.00 | 137.48 | 52.58 | | | | | | | | |
| | Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade | | | | | | | | | | | | | | | |
| | Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat. | | | U1TVX | 1L5XX | 0.0125 | | | | | | | | | | + |
| | Facility Termination | 1 | | U1TVX | U1TR2 | 18.00 | 137.48 | 52.58 | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade | | | OTTVX | OTTINZ | 10.00 | 137.40 | 32.30 | | | + | | | | | + |
| | Per Mile per month | | | U1TVX | 1L5XX | 0.0125 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade | | | | | | | | | | | | | | | |
| | - Facility Termination | ļ | | U1TVX | U1TV4 | 22.16 | 106.11 | 65.95 | | 1 | | | | | | 1 |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | 1 | | | | | | | | 1 | | | | 1 | | 1 |
| \vdash | per month | 1 | <u> </u> | U1TDX | 1L5XX | 0.0282 | | | - | + | 1 | | 1 | | | + |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination | | | U1TDX | U1TD5 | 17.40 | 137.48 | 52.58 | | 1 | | | 1 | | | 1 |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | 1 | UTIDA | 01100 | 17.40 | 137.40 | 32.30 | † | + | | | | | | + |
| | per month | | | U1TDX | 1L5XX | 0.0282 | | | | 1 | | | 1 | | | 1 |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | | | | | | 1 | | | | | | | 1 |
| | Termination | 1 | | U1TDX | U1TD6 | 17.40 | 137.48 | 52.58 | | | | | | | 1 | |

| | LED NETWORK ELEMENTS - North Carolina | | | | | | | · · · · · · · · · · · · · · · · · · · | · · · · · · · · · · · · · · · · · · · | | | | Attachmen | t: 2 Exh. A | | |
|--|--|----------|---|---|--|---|---|--|---------------------------------------|----------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svo |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | + | | Nonro | curring | Monroourrin | g Disconnect | | | 220 | Rates (\$) | | |
| - | | | | | + | Rec | First | Add'l | First | Add'I | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | 1 | | FIISL | Add I | FIISL | Addi | SOWIEC | SOWAN | SOWAN | SOWAN | SUMAN | SOWAN |
| | month | | | U1TD1 | 1L5XX | 0.5753 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | 1 | | 01101 | TEO/O | 0.0700 | | | | | | | | | | |
| | Termination | | | U1TD1 | U1TF1 | 71.29 | 217.17 | 163.75 | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | U1TD3 | 1L5XX | 12.98 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | U1TD3 | U1TF3 | 720.38 | 794.94 | 579.55 | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | U1TS1 | 1L5XX | 6.14 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Facility | | | | | | | | | | | | | | | |
| | Termination | | | U1TS1 | U1TFS | 790.37 | 642.23 | 408.89 | | | | | | | | |
| DARK FIBE | | <u> </u> | <u> </u> | | 1 | | | | | | | | | | | |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | | | | | | | | | | | | | |
| \vdash | Thereof per month - Local Channel | | <u> </u> | UDF, UDFCX | 1L5DC | 73.65 | | | - | - | | | | | | |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | UDF. UDFCX | 1L5DF | 27.71 | | | | | | | | | | |
| | Thereof per month - Interoffice Channel NRC Dark Fiber - Interoffice Channel | | | UDF, UDFCX | UDF14 | 27.71 | 1,807.00 | 562.96 | | | | | | | | |
| | Dark Fiber - Interoffice Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | - | | UDF, UDFCX | UDF 14 | | 1,807.00 | 562.96 | | | | | | | | |
| | Thereof per month - Local Loop | | | UDF, UDFCX | 1L5DL | 73.65 | | | | | | | | | | |
| VIRTUAL CO | DLLOCATION | 1 | | ODI , ODI CX | TESDE | 73.03 | | | | | | | | | | |
| VIICTOAL O | Virtual Collocation-2 Wire Cross Connects (Loop) for Line | 1 | | | + | | | | | | | | | | | |
| | Splitting | | | UEPSR UEPSB | VE1LS | 0.0287 | 33.96 | 32.08 | 0.00 | 0.00 | | | | | | |
| PHYSICAL (| COLLOCATION | | | | | | | | | | | | | | | |
| | Physical Collocation-2 Wire Cross Connects (Loop) for Line | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| i l | Splitting | | | UEPSR UEPSB | PE1LS | 0.0309 | 33.53 | 31.65 | 0.00 | 0.00 | | | | | | |
| | EXTENDED LINK (EELs) | | | | | | | | | | | | | | | |
| NOT | EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will | | | vitch-As-Is Charge v | will not apply | for UNE combi | nations provis | ioned as ' Ord | linarily Combin | ned' Network E | | | | | | |
| NOT NOT | EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not t | | | vitch-As-Is Charge v | will not apply | for UNE combi | nations provis | ioned as ' Ord | linarily Combin | ned' Network E | | | | | | |
| NOT NOT | EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to IRE VOICE GRADE LOOP FOR USE IN A COMBINATION | | curring | vitch-As-Is Charge v charges below will | will not apply apply for UN | for UNE combi NE combination | nations provis s provisioned | ioned as ' Ord as ' Currently | linarily Combir Combined' Ne | ned' Network E | | | | | | |
| NOT NOT | EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not t IRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 | | curring 1 | vitch-As-Is Charge v charges below will UNCVX | will not apply apply for UN UEAL2 | for UNE combi NE combination | nations provis s provisioned 142.97 | ioned as ' Ord as ' Currently 106.56 | linarily Combin Combined' Ne | ned' Network E | | | | | | |
| NOT NOT | EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not t IRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 | | curring 1 2 | vitch-As-Is Charge vicharges below will UNCVX | will not apply apply for UN UEAL2 UEAL2 | for UNE combi NE combination 14.97 25.93 | nations provis s provisioned 142.97 142.97 | ioned as ' Ord as ' Currently 106.56 106.56 | linarily Combin Combined' Ne | ned' Network E | | | | | | |
| NOT NOT | EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to IRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 | | curring 1 | vitch-As-Is Charge v charges below will UNCVX UNCVX UNCVX | will not apply apply for UN UEAL2 UEAL2 UEAL2 | for UNE combination 14.97 25.93 40.81 | nations provis s provisioned 142.97 142.97 142.97 | ioned as ' Ord as ' Currently 106.56 106.56 106.56 | linarily Combir Combined' Ne | ned' Network E | | | | | | |
| NOT NOT 2-WI | EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to the complex of the com | | curring 1 2 | vitch-As-Is Charge vicharges below will UNCVX | will not apply apply for UN UEAL2 UEAL2 | for UNE combi NE combination 14.97 25.93 | nations provis s provisioned 142.97 142.97 | ioned as ' Ord as ' Currently 106.56 106.56 | linarily Combir Combined' Ne | ned' Network E | | | | | | |
| NOT NOT 2-WI | EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to the time time time time to the time time time time time time time tim | | curring 1 2 | charges below will UNCVX UNCVX UNCVX UNCVX UNCVX | vill not apply apply for UN UEAL2 UEAL2 UEAL2 1D1VG | for UNE combi NE combination 14.97 25.93 40.81 1.27 | nations provis s provisioned 142.97 142.97 142.97 13.09 | 106.56 106.56 106.56 9.38 | linarily Combin Combined' Ne | ned' Network E | | | | | | |
| NOT NOT 2-WI | EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to the complex of the com | | 1 2 3 | vitch-As-Is Charge v charges below will UNCVX UNCVX UNCVX | will not apply apply for UN UEAL2 UEAL2 UEAL2 | for UNE combination 14.97 25.93 40.81 | nations provis s provisioned 142.97 142.97 142.97 | ioned as ' Ord as ' Currently 106.56 106.56 106.56 | linarily Combin Combined' Ne | ned' Network E | | | | | | |
| NOT NOT 2-WI | EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not t IRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month IRE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 | | 1 2 3 | vitch-As-Is Charge v charges below will UNCVX UNCVX UNCVX UNCVX UNCVX | vill not apply apply for UN UEAL2 UEAL2 UEAL2 1D1VG | 14.97 25.93 40.81 1.27 | nations provis s provisioned 142.97 142.97 13.09 288.47 | ioned as ' Ord as ' Currently 106.56 106.56 9.38 | linarily Combin Combined' Ne | ned' Network E | | | | | | |
| NOT NOT 2-WI | EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to the composition of the second of th | | 1 2 3 1 1 2 | vitch-As-Is Charge v charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX | vill not apply apply for UN UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 | 14.97 25.93 40.81 21.32 21.32 36.27 | 142.97 142.97 142.97 142.97 13.09 288.47 288.47 | 106.56 106.56 106.56 106.56 237.45 | linarily Combir Combined' Ne | ned' Network E | | | | | | |
| NOT NOT 2-Wi | EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to the second of the sec | | 1 2 3 1 1 2 | uncvx UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX | will not apply apply for UN UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 UEAL4 1D1VG | for UNE combi E combination 14.97 14.97 25.93 40.81 1.27 21.32 36.27 56.57 1.27 | 142.97 142.97 142.97 142.97 13.09 288.47 288.47 13.09 | ioned as ' Orda as ' Currently 106.56 106.56 9.38 237.45 237.45 9.38 | linarily Combir Combined' Ne | ned' Network E | | | | | | |
| NOT NOT 2-Wi | EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to the complex of the com | | 1 2 3 1 2 3 3 1 1 1 2 1 1 1 1 1 1 1 1 1 | uncvx UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX | will not apply apply for UN UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL5 | 14.97 25.93 40.81 1.27 26.57 40.81 1.27 26.57 56.57 1.27 | 142.97 142.97 142.97 13.09 288.47 288.47 13.09 489.04 | ioned as ' Ord as ' Currently 106.56 106.56 9.38 237.45 237.45 9.38 337.51 | linarily Combir Combined' Ne | ned' Network E | | | | | | |
| NOT NOT 2-Wi | EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to the monthly recurring and the Switch-As-Is Charge and not to the theorem of the monthly recurring and the Switch-As-Is Charge and not to the theorem of the monthly recurred to the switch-As-Is Charge and to the theorem of the theorem of the switch-As-Is Charge and the Swit | | 1 2 3 1 2 3 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 2 2 | charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX | vill not apply apply for UN UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 UEAL4 UEAL6 UDL56 UDL56 | 14.97 25.93 40.81 21.32 36.27 56.57 1.27 | 142.97 142.97 142.97 13.09 288.47 288.47 288.47 13.09 489.04 | 106.56 106.56 106.56 106.56 237.45 237.45 237.45 237.45 337.51 | linarily Combir Combined' Ne | ned' Network E | | | | | | |
| NOT NOT 2-Wi | EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to the second of the sec | | 1 2 3 1 2 3 3 1 1 1 2 1 1 1 1 1 1 1 1 1 | uncvx UNCVX | will not apply apply for UN LEAL2 UEAL2 UEAL2 LIDIVG UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL5 UDL56 UDL56 UDL56 UDL56 | for UNE combination 14.97 25.93 40.81 1.27 21.32 36.27 56.57 1.27 25.32 43.11 67.26 | 142.97 142.97 142.97 13.09 288.47 288.47 13.09 489.04 489.04 | ioned as ' Orda as ' Currently 106.56 106.56 9.38 237.45 237.45 237.45 9.38 337.51 337.51 | inarily Combin Combined' Ne | ned' Network E | | | | | | |
| 4-Wi | EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to the complex of the com | | 1 2 3 1 2 3 3 1 1 2 2 3 1 1 2 2 3 1 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 2 2 | charges below will UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX | vill not apply apply for UN UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 UEAL4 UEAL6 UDL56 UDL56 | 14.97 25.93 40.81 21.32 36.27 56.57 1.27 | 142.97 142.97 142.97 13.09 288.47 288.47 288.47 13.09 489.04 | 106.56 106.56 106.56 106.56 237.45 237.45 237.45 237.45 337.51 | inarily Combin Combined' Ne | ned' Network E | | | | | | |
| 4-Wi | EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to the monthly recurring and the Switch-As-Is Charge and not to the monthly recurring and the Switch-As-Is Charge and not to the Monthly Company of the | | 1 2 3 1 2 3 3 1 1 2 3 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 1 2 2 3 3 1 1 1 1 | UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX | vill not apply lapply for UN UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 UEAL4 UEAL5 UEAL5 UEAL6 UEAL6 UDL56 UDL56 UDL56 UDL56 | for UNE combi IE combination 14.97 25.93 40.81 1.27 21.32 36.27 56.57 1.27 25.32 43.11 67.26 2.00 | 142.97 142.97 142.97 142.97 13.09 288.47 288.47 13.09 489.04 489.04 489.04 15.76 | ioned as ' Ord as ' Currently 106.56 106.56 9.38 237.45 237.45 9.38 337.51 337.51 | inarily Combin Combined' Ne | ned' Network E | | | | | | |
| 4-Wi | EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to the second of the sec | | 1 2 3 1 2 3 3 1 1 2 2 3 3 1 1 1 2 1 1 1 1 | uncvx Uncvx | UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL5 UDL56 UDL56 UDL56 UDL56 UDL56 | for UNE combination 14.97 25.93 40.81 1.27 21.32 36.27 56.57 1.27 25.32 43.11 67.26 2.00 | 142.97 142.97 142.97 13.09 288.47 288.47 13.09 489.04 489.04 489.04 489.04 | ioned as ' Ordas ' Currently 106.56 106.56 106.56 237.45 237.45 237.45 337.51 337.51 337.51 | inarily Combin Combined' Ne | ned' Network E | | | | | | |
| 4-Wi | EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to the complex of the com | | 1 2 3 3 1 2 3 3 1 2 2 3 3 1 3 3 3 1 2 2 3 3 3 1 3 3 3 3 | UNCDX UNCDX UNCDX UNCDX UNCDX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX | will not apply I apply for UN I apply for UN I UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 UEAL4 UEAL5 UEAL5 UEAL5 UDL56 UDL56 UDL56 1D1DD UDL64 UDL64 UDL64 | 14.97 25.93 40.81 1.27 21.32 36.27 56.57 1.27 25.32 43.11 67.26 2.00 | 142.97 142.97 142.97 13.09 288.47 288.47 13.09 489.04 489.04 489.04 489.04 489.04 489.04 | ioned as ' Ordas ' Currently 106.56 106.56 106.56 237.45 237.45 237.45 337.51 337.51 11.28 337.51 337.51 | inarily Combin Combined' Ne | ned' Network E | | | | | | |
| 4-Wi | EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to the complex of the com | | 1 2 3 1 2 3 3 1 1 2 2 3 3 1 1 1 2 1 1 1 1 | UNCDX | will not apply lapply for UN UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL5 UEAL5 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 | 14.97 25.93 40.81 1.27 26.57 40.81 1.27 21.32 36.27 56.57 1.27 25.32 43.11 67.26 2.00 | 142.97 142.97 142.97 13.09 288.47 288.47 13.09 489.04 489.04 489.04 489.04 489.04 489.04 | ioned as ' Ordas ' Currently 106.56 106.56 106.56 9.38 237.45 237.45 9.38 337.51 337.51 11.28 337.51 337.51 337.51 | inarily Combin Combined' Ne | ned' Network E | | | | | | |
| 4-Wi | EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to the monthly recurring and the Switch-As-Is Charge and not to the Wolfe GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month IRE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month IRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (24-64kbs) IRE 64 KBPS Digital Grade Loop in Combination - Zone 3 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) | | 1 2 3 3 1 2 3 3 1 2 2 3 3 1 3 3 3 1 2 2 3 3 3 1 3 3 3 3 | UNCDX UNCDX UNCDX UNCDX UNCDX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX | will not apply I apply for UN I apply for UN I UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 UEAL4 UEAL5 UEAL5 UEAL5 UDL56 UDL56 UDL56 1D1DD UDL64 UDL64 UDL64 | 14.97 25.93 40.81 1.27 21.32 36.27 56.57 1.27 25.32 43.11 67.26 2.00 | 142.97 142.97 142.97 13.09 288.47 288.47 13.09 489.04 489.04 489.04 489.04 489.04 489.04 | ioned as ' Ordas ' Currently 106.56 106.56 106.56 237.45 237.45 237.45 337.51 337.51 11.28 337.51 337.51 | inarily Combin Combined' Ne | ned' Network E | | | | | | |
| 4-Wi | EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to the second of the sec | | 1 2 3 3 1 2 3 3 1 2 2 3 3 1 3 3 3 1 2 2 3 3 3 1 3 3 3 3 | UNCDX | will not apply apply for UN LEAL2 UEAL2 UEAL2 LIDIVG UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL5 LIDIVG UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 LIDIDD | for UNE combination 14.97 25.93 40.81 1.27 21.32 36.27 56.57 1.27 25.32 43.11 67.26 2.00 25.32 43.11 67.26 2.00 | 142.97 142.97 142.97 13.09 288.47 288.47 288.47 13.09 489.04 489.04 489.04 489.04 489.04 489.04 15.76 | ioned as ' Ordas ' Currently 106.56 106.56 106.56 237.45 237.45 237.45 237.45 337.51 11.28 337.51 11.28 | inarily Combin Combined' Ne | ned' Network E | | | | | | |
| 4-Wi | EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to the complex of the com | | 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 1 3 1 1 2 1 3 1 1 1 2 1 3 1 1 1 2 1 3 1 1 1 1 | UNCDX UNCDX UNCDX UNCDX UNCDX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX | Will not apply apply for UN UEAL2 UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL5 UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 UDL56 1D1DD UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 | 14.97 25.93 40.81 1.27 21.32 36.27 56.57 1.27 25.32 43.11 67.26 2.00 2.00 | 142.97 142.97 142.97 13.09 288.47 288.47 13.09 489.04 489.04 489.04 489.04 489.04 15.76 | ioned as ' Ordas ' Currently 106.56 106.56 106.56 9.38 237.45 237.45 237.45 9.38 337.51 337.51 11.28 337.51 11.28 251.31 | inarily Combin Combined' Ne | ned' Network E | | | | | | |
| 4-Wi | EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to the complex of the com | | 1 1 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 1 2 2 1 3 3 1 1 1 2 2 1 3 3 1 1 1 2 2 1 3 1 1 1 2 2 1 3 1 1 1 2 2 1 3 1 1 1 2 2 1 3 1 1 1 2 2 1 3 1 1 1 2 2 1 3 1 1 1 2 2 1 3 1 1 1 2 2 1 3 1 1 1 2 2 1 3 1 1 1 2 2 1 3 1 1 1 2 2 1 3 1 1 1 2 2 1 3 1 1 1 2 2 1 3 1 1 1 2 2 1 3 1 1 1 1 | UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX | will not apply apply for UN UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL64 | 14.97 25.93 40.81 1.27 26.57 26.57 1.27 26.57 1.27 25.32 43.11 67.26 2.00 25.32 43.11 67.26 2.00 | 142.97 142.97 142.97 13.09 288.47 288.47 13.09 489.04 489.04 489.04 489.04 489.04 489.04 15.76 489.04 489.04 15.76 | ioned as ' Ordas ' Currently 106.56 106.56 106.56 9.38 237.45 237.45 237.45 9.38 337.51 337.51 11.28 337.51 11.28 251.31 | inarily Combin Combined' Ne | ned' Network E | | | | | | |
| 4-Wi | EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to the complex of the com | | 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 1 3 1 1 2 1 3 1 1 1 2 1 3 1 1 1 2 1 3 1 1 1 1 | UNCDX | will not apply apply for UN LEAL2 UEAL2 UEAL2 LIDIVG UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL64 U | for UNE combination 14.97 25.93 40.81 1.27 21.32 36.27 56.57 1.27 25.32 43.11 67.26 2.00 25.32 43.11 67.26 2.00 19.42 32.88 51.14 | 142.97 142.97 142.97 142.97 13.09 288.47 288.47 13.09 489.04 489.04 489.04 489.04 489.04 489.04 15.76 | ioned as ' Ordas ' Currently 106.56 106.56 106.56 237.45 237.45 237.45 237.45 337.51 337.51 337.51 11.28 251.31 251.31 251.31 | inarily Combin Combined' Ne | ned' Network E | | | | | | |
| 4-Wi | EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to the complex of the com | | 1 1 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 1 2 2 1 3 3 1 1 1 2 2 1 3 3 1 1 1 2 2 1 3 1 1 1 2 2 1 3 1 1 1 2 2 1 3 1 1 1 2 2 1 3 1 1 1 2 2 1 3 1 1 1 2 2 1 3 1 1 1 2 2 1 3 1 1 1 2 2 1 3 1 1 1 2 2 1 3 1 1 1 2 2 1 3 1 1 1 2 2 1 3 1 1 1 2 2 1 3 1 1 1 2 2 1 3 1 1 1 2 2 1 3 1 1 1 1 | UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX | will not apply apply for UN UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL64 | 14.97 25.93 40.81 1.27 26.57 26.57 1.27 26.57 1.27 25.32 43.11 67.26 2.00 25.32 43.11 67.26 2.00 | 142.97 142.97 142.97 13.09 288.47 288.47 13.09 489.04 489.04 489.04 489.04 489.04 489.04 15.76 489.04 489.04 15.76 | ioned as ' Ordas ' Currently 106.56 106.56 106.56 9.38 237.45 237.45 237.45 9.38 337.51 337.51 11.28 337.51 11.28 251.31 | inarily Combin Combined' Ne | ned' Network E | | | | | | |
| 4-Wi | EXTENDED LINK (EELs) E: The monthly recurring and hon-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to the second of the sec | | 1 1 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 1 2 2 1 3 3 1 1 1 2 2 1 3 3 1 1 1 2 2 1 3 1 1 1 2 2 1 3 1 1 1 2 2 1 3 1 1 1 2 2 1 3 1 1 1 2 2 1 3 1 1 1 2 2 1 3 1 1 1 2 2 1 3 1 1 1 2 2 1 3 1 1 1 2 2 1 3 1 1 1 2 2 1 3 1 1 1 2 2 1 3 1 1 1 2 2 1 3 1 1 1 2 2 1 3 1 1 1 2 2 1 3 1 1 1 1 | UNCDX | will not apply apply for UN LEAL2 UEAL2 UEAL2 LIDIVG UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL64 U | for UNE combination 14.97 25.93 40.81 1.27 21.32 36.27 56.57 1.27 25.32 43.11 67.26 2.00 25.32 43.11 67.26 2.00 19.42 32.88 51.14 | 142.97 142.97 142.97 142.97 13.09 288.47 288.47 13.09 489.04 489.04 489.04 489.04 489.04 489.04 15.76 | ioned as ' Ordas ' Currently 106.56 106.56 106.56 237.45 237.45 237.45 237.45 337.51 337.51 337.51 11.28 251.31 251.31 251.31 | inarily Combin Combined' Ne | ned' Network E | | | | | | |
| 4-Wi | EXTENDED LINK (EELs) E: The monthly recurring and non-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to the complex of the com | | 1 2 3 3 1 1 2 2 3 3 1 2 3 3 1 2 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 1 2 3 3 3 1 2 3 3 3 1 2 3 3 3 1 2 3 3 3 3 | UNCDX | will not apply lapply for UN UEAL2 UEAL2 UEAL2 UEAL2 1D1VG UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 1D1DD UDL64 UDL6 | 14.97 25.93 40.81 1.27 26.57 40.81 1.27 26.57 1.27 25.32 43.11 67.26 2.00 25.32 43.11 67.26 2.00 25.32 43.11 67.26 2.00 | 142.97 142.97 142.97 13.09 288.47 288.47 13.09 489.04 489.04 489.04 489.04 489.04 489.04 15.76 325.91 325.91 325.91 | ioned as ' Ordas ' Currently 106.56 106.56 106.56 9.38 237.45 237.45 237.45 9.38 337.51 337.51 11.28 251.31 251.31 251.31 11.28 | inarily Combin Combined' Ne | ned' Network E | | | | | | |
| 4-Wi 4-Wi 2-Wi 2-Wi 2-Wi 2-Wi 2-Wi 2-Wi 2-Wi 2 | EXTENDED LINK (EELs) E: The monthly recurring and hon-recurring charges below will E: The monthly recurring and the Switch-As-Is Charge and not to the second of the sec | | 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 1 2 1 3 3 1 1 1 2 1 1 1 1 | UNCOX UNCOX UNCOX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCOX UNCOX UNCOX UNCOX UNCDX UNCNX UNCNX UNCNX UNCNX UNCNX | will not apply apply for UN LEAL2 UEAL2 UEAL2 UEAL2 ID1VG UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UDL56 UDL56 UDL56 UDL56 UDL56 UDL64 U | for UNE combination 14.97 25.93 40.81 1.27 21.32 36.27 56.57 1.27 25.32 43.11 67.26 2.00 25.32 43.11 67.26 2.00 25.32 43.11 67.26 2.00 47.60 | 142.97 142.97 142.97 13.09 288.47 288.47 13.09 489.04 489.04 489.04 489.04 489.04 489.04 15.76 325.91 325.91 15.76 | ioned as ' Ordas ' Currently 106.56 106.56 106.56 237.45 237.45 237.45 9.38 337.51 337.51 337.51 11.28 251.31 251.31 11.28 | inarily Combin Combined' Ne | ned' Network E | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | Attachmen | t: 2 Exh. A | | |
|--|---|----------|-------|----------|----------------|--|------------------|------------------|--|----------------|-----------|--|-------------|-------------|--|
| CHECHEL | NETWORK ELEMENTO HOTAL GALOMIA | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | | | | | | | | Elec | Manually | | Manual Svc | Manual Svc | |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | per LSR | | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| l | | | | | | | Nonrec | rrin a | Nonrecurring Disconne | | | 990 | Rates (\$) | | |
| h | | | | | | Rec | First | Add'l | First Add'l | | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 2 WIRE | I : VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | MBINATI | ON | | | | FIISL | Auu | First Add I | SOWIEC | JOWAN | JOWAN | JOWAN | JOWAN | JOWAN |
| | Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per | | | | | | | | | | | | | | |
| | Month | | | UNCVX | 1L5XX | 0.0282 | | | | | | | | | |
| | Interoffice Transport - 2-wire VG - Dedicated - Facility | | | | | | | | | | | | | | |
| | Termination per month | | | UNCVX | U1TV2 | 18.00 | 137.48 | 52.58 | | | | | | | |
| 4 WIRE | VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | MBINATI | ON | | | | | | | | | | | | |
| | Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per | | | 1110101 | 41.500/ | 0.0000 | | | | | | | | | |
| | Month Interoffice Transport - 4-wire VG - Dedicated - Facility | | | UNCVX | 1L5XX | 0.0282 | | | | | | - | | | |
| | Termination per month | | | UNCVX | U1TV4 | 22.16 | 106.11 | 65.95 | | | | | | | |
| DS1 IN | TEROFFICE TRANSPORT FOR COMBINATION | | | J.101/ | 51104 | 22.10 | 100.11 | 00.33 | | | | † | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | 1 | | | | | | | | | | |
| | per month | | | UNC1X | 1L5XX | 16.07 | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | 1 | | <u> </u> | 1 | ı T | | | 1 1 | | | _ | | | |
| | Termination per month | | | UNC1X | U1TF1 | 71.29 | 217.17 | 163.75 | | | | | | | <u> </u> |
| DS3 IN | TEROFFICE TRANSPORT FOR USE IN A COMBINATION | | | | | | | | | | | | | | 1 |
| | Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month | | | UNC3X | 1L5XX | 12.98 | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | UNCOX | ILJAA | 12.90 | | | | | | | | | |
| | month | | | UNC3X | U1TF3 | 720.38 | 794.94 | 579.55 | | | | | | | |
| STS-1 | INTEROFFICE TRANSPORT FOR USE IN COMBINATION | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Per Mile | | | | | | | | | | | | | | |
| | Per Month | | | UNCSX | 1L5XX | 6.14 | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | | ==0 | | | | | | | | | | |
| 4 WIDE | Termination per month | CDODT | | UNCSX | U1TFS | 790.37 | 642.23 | 408.89 | | | | | | | 1 |
| 4-WIRE | 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN 4-wire 56 kbps Local Loop in combination - Zone 1 | SPURI | 1 | UNCDX | UDL56 | 25.32 | 489.04 | 337.51 | | | | | | | 1 |
| | 4-wire 56 kbps Local Loop in combination - Zone 1 | | 2 | UNCDX | UDL56 | 43.11 | 489.04 | 337.51 | | | | | | | 1 |
| | 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 67.26 | 489.04 | 337.51 | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | | | | | | | | | | |
| | Per Mile per month | | | UNCDX | 1L5XX | 0.0282 | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | | | | | | | | | | |
| 4 14/15/ | Facility Termination per month | FEIGE ED | | UNCDX | U1TD5 | 17.40 | 137.48 | 52.58 | | | | | | | |
| 4-WIRE | 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROI 4-wire 64 kbps Lcoal Loop in Combination - Zone 1 | FFICE IR | ANSPO | UNCDX | UDL64 | 25.32 | 489.04 | 337.51 | | | | - | | | |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 2 | | 2 | UNCDX | UDL64 | 43.11 | 489.04 | 337.51 | | _ | | | | | - |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 3 | | | UNCDX | UDL64 | 67.26 | 489.04 | 337.51 | | 1 | | 1 | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | 1 | | | | | |
| | Per Mile per month | | | UNCDX | 1L5XX | 0.0282 | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | 1 | | | l | | | | | | | | | | |
| 4 16/15/ | Facility Termination per month | TDANO. | ODT | UNCDX | U1TD6 | 17.40 | 137.48 | 52.58 | | | 1 | 1 | - | | |
| 4-WIRE | 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE 4-wire 56 kbps Local Loop in combination - Zone 1 | E IKANSI | 1 1 | UNCDX | UDL56 | 25.32 | 489.04 | 337.51 | | - | 1 | - | - | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 1 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 43.11 | 489.04 | 337.51 | | + | + | | | | + |
| | 4-wire 56 kbps Local Loop in combination - Zone 3 | 1 | 3 | UNCDX | UDL56 | 67.26 | 489.04 | 337.51 | | _ | + | - | | | |
| | 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per | 1 | | - | | 1 2 | | | | | 1 | 1 | | | 1 |
| | month | | | UNCDX | 1L5XX | 0.0282 | | | | | | | <u> </u> | | |
| | 4-wire 56 kbps Interoffice Transport - Dedicated - Facility | 1 | | | | | | | | | | | | | |
| 4.10 | Termination per month | | LODT | UNCDX | U1TD5 | 17.40 | 137.48 | 52.58 | | | 1 | | | | <u> </u> |
| 4-WIRE | 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC | E IRANSI | OK I | LINCDY | LIDL64 | 25.22 | 490.04 | 227.54 | | | 1 | 1 | | | |
| | 4-wire 64 kbps Local Loop in combination - Zone 1 4-wire 64 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL64 UDL64 | 25.32 43.11 | 489.04 489.04 | 337.51 337.51 | | 1 | 1 | + | | | |
| | 4-wire 64 kbps Local Loop in combination - Zone 2 | | 3 | UNCDX | UDL64 | 67.26 | 489.04 | 337.51 | | - | + | | | | |
| | 14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per | | | | | 520 | 100.04 | 3331 | | | 1 | 1 | | | 1 |
| I | month | <u> </u> | | UNCDX | 1L5XX | 0.0282 | | | <u> </u> | | | <u> </u> | | | <u> </u> |
| | 4-wire 64 kbps Interoffice Transport - Dedicated - Facility | | | | | | | - | | | | | | | |
| | Termination per month | | | UNCDX | U1TD6 | 17.40 | 137.48 | 52.58 | | | | 1 | | | |
| DS1 DI | GITAL LOOP AND DS1 INTERFOFFICE TRANSPORT | ļ | | LINGAY | HOLYY | 47.00 | 74401 | 101.7 | | | 1 | 1 | - | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 1 | l | 1 | UNC1X | USLXX | 47.60 | 714.84 | 421.47 | | | | L | | | <u> </u> |

| JNBUNDLE | D NETWORK ELEMENTS - North Carolina | | | · | | | | | | - | | | Attachmen | t: 2 Exh. A | | |
|-------------|---|--|--|----------------------|--------------|-----------------|----------|------------|--------------|-------|-------------------|------------------------------------|---------------------------------------|---------------------------------------|--------------------------------------|--|
| CATEGORY | RATE ELEMENTS | Interior | Zens | BCS | USOC | | | RATES (\$) | | | Submitted Elec | Svc Order Submitted Manually | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc | Charge - Manual Svc | |
| ALEGURY | RAIE ELEMENIS | Interim | Zone | всэ | USUC | | | ., | | | per LSR | per LSR | Order vs. Electronic- 1st | Order vs. Electronic- Add'l | Order vs. Electronic- Disc 1st | Order vs. Electronic Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | Luci Borbini I o i i i i i i i i | | | 1110414 | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 84.36 | 714.84 | 421.47 | | | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 134.29 | 714.84 | 421.47 | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | LINIOAN | 41.5007 | 40.07 | | | | | | | | | | |
| | per month Interoffice Transport - Dedicated - DS1 combination - Facility | | | UNC1X | 1L5XX | 16.07 | | | | | | | | | | |
| | Termination per month | | | UNC1X | U1TF1 | 71.29 | 217.17 | 163.75 | | | | | | | | |
| Des D | ITEMINATION PER MONTH DEDICATED DS3 INTEROFFICE TRANSPO | ODT | | UNCIX | UTIFT | 71.29 | 217.17 | 163.75 | | | | | | | | + |
| D33 D | DS3 Local Loop in combination - per mile per month | JKI | 1 | UNC3X | 1L5ND | 13.33 | | | | | 1 | | | | | |
| | 200 Eocal Eoop III combination - per mile per month | | | ONOOX | TESIND | 10.00 | | | | | | | | | | |
| | DS3 Local Loop in combination - Facility Termination per month | | | UNC3X | UE3PX | 450.69 | 1,071.00 | 646.12 | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 12.98 | 1,071.00 | 040.12 | | | | | | | | + |
| | Interoffice Transport - Dedicated - DS3 - Fet Mile per Month | 1 | 1 | 0.100/ | . 20/// | 12.30 | | | | | <u> </u> | | | | 1 | † |
| | Termination per month | | | UNC3X | U1TF3 | 720.38 | 794.94 | 579.55 | | | | | | | | |
| STS-1 | DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN | ISPORT | 1 | | 150 | 720.00 | 70-1.04 | 37 3.33 | | | | | | | | |
| 0.0. | STS-1 Local Lolp in combination - per mile per month | | | UNCSX | 1L5ND | 13.33 | | | | | | | | | | |
| | STS-1 Local Loop in combination - Facility Termination per | | | 0.100/1 | 120.12 | 10.00 | | | | | | | | | | |
| | month | | | UNCSX | UDLS1 | 464.26 | 1,071.00 | 646.12 | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - per mile | | | | | | 1,011100 | | | | | | | | | |
| | per month | | | UNCSX | 1L5XX | 6.14 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNCSX | U1TFS | 790.37 | 642.23 | 408.89 | | | | | | | | |
| DDITIONAL I | NETWORK ELEMENTS | | | | | | | | | | | | | | | |
| | used as a part of a currently combined facility, the non-recurr | rng charg | es do n | ot apply, but a Swit | ch As Is cha | rge does apply. | | | | | | | | | | |
| | used as ordinarily combined network elements in All States, the | | | | | | | | | | | | | | | |
| | curring Currently Combined Network Elements "Switch As Is" | | | | | | | | | | | | | | | |
| | | | | UNCVX, UNCDX, | | | | | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | UNC1X, UNC3X, | | | | | | | | | | | | |
| | Is Charge | | | UNCSX | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | | | | |
| Option | nal Features & Functions: | | | | | | | | | | | | | | | |
| | | | | U1TD1, | | | | | | | | | | | | |
| | Clear Channel Capability Extended Frame Option - per DS1 | | | ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | L | | | U1TD1, | | | | | | | | | | | | |
| | Clear Channel Capability Super FrameOption - per DS1 | I | | ULDD1,UNC1X | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Clear Channel Capability (SF/ESF) Option - Subsequent | | | ULDD1, U1TD1, | | | | | | | | | | | | |
| | Activity - per DS1 | | | UNC1X, USL | NRCCC | | 184.76 | 23.80 | 1.99 | 0.78 | | | | | | |
| | | | | U1TD3, ULDD3, | | | | | | | | | | | | |
| | C-bit Parity Option - Subsequent Activity - per DS3 | i | | UE3, UNC3X | NRCC3 | | 218.92 | 7.66 | 0.7576 | 0.00 | | | | | | |
| MULTI | PLEXERS | | | | | | | | | | | | | | | |
| | DS1 to DS0 Channel System per month | | | UNC1X | MQ1 | 146.69 | 197.78 | 140.06 | | | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| | month (2.4-64kbs) used for a Local Loop | | | UDL | 1D1DD | 2.00 | 13.09 | 9.38 | | | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| | month (2.4-64kbs) used for connection to a channelized DS1 | | | | | | 40.00 | | | | | | | | | |
| | Local Channel in the same SWC as collocation | | | U1TUD | 1D1DD | 2.00 | 13.09 | 9.38 | | | | | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | LIBNI | 110404 | 0.50 | 40.00 | 0.00 | | | | | | | | |
| | month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | UDN | UC1CA | 3.59 | 13.09 | 9.38 | | | | | | | | |
| | month used for connection to a channelized DS1 Local Channel | | | | | | | | | | | | | | | |
| | in the same SWC as collocation | | | U1TUB | UC1CA | 3.59 | 13.09 | 9.38 | | | | | | | | |
| - | Voice Grade COCI - DS1 to DS0 Channel System - per month | 1 | 1 | UTTUB | UCTCA | 3.59 | 13.09 | 9.38 | | | | | 1 | | 1 | |
| | used for a Local Loop | | | UEA | 1D1VG | 1.27 | 13.09 | 9.38 | | | | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | - | | OLA | טיוטו | 1.27 | 13.09 | 9.38 | | | | | - | | - | |
| | used for connection to a channelized DS1 Local Channel in the | | | 1 | 1 |] | | | | | | | | | | |
| | same SWC as collocation | | | U1TUC | 1D1VG | 1.27 | 13.09 | 9.38 | | | | | | | | |
| | DS3 to DS1 Channel System per month | | ! | UNC3X | MQ3 | 233.10 | 403.97 | 234.40 | | | | | | | | |
| | STS-1 to DS1 Channel System per month | 1 | 1 | UNCSX | MQ3 | 233.10 | 403.97 | 234.40 | | | | | | | | |
| + | DS1 COCI used with Loop per month | 1 | 1 | USL | UC1D1 | 16.07 | 13.09 | 9.38 | | | - | | | | | |
| | DS1 COCI (used for connection to a channelized DS1 Local | 1 | 1 | | 30.51 | 10.01 | 10.00 | 5.50 | | | | | | | | |
| | Channel in the same SWC as collocation) per month | | | U1TUA | UC1D1 | 16.07 | 13.09 | 9.38 | | | | 1 | | | | |
| | Terramier in the dame offer as concounting per month | <u> </u> | | 100/1 | 20101 | 10.07 | 10.03 | 5.50 | | | · | 1 | | | L | |

| UNBU | NDLE | NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachmen | t: 2 Exh. A | | |
|-------|---------|---|------------|--------|-----------|-------|--|-------|------------|-------|------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEG | ORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | _ Nonrecurring Nonrecurring Disconnect | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | | | oss | Rates (\$) | | | | | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | DS1 COCI used with Interoffice Channel per month | | | U1TD1 | UC1D1 | 16.07 | 13.09 | 9.38 | | | | | | | | |
| | | DS3 Interface Unit (DS1 COCI) used with Local Channel per | | | | | | | | | | | | | | | |
| | | month | | UC1D1 | 16.07 | 13.09 | 9.38 | | | | | | | | | | |
| | Note: I | Rates displaying an "I" in Interim column are interim as a resu | It of a Co | mmissi | on order. | | | | | | · | | | | | | |

Version TRRO: 03/15/2005

| CATEGORY The "Zoi http://ww OPERATIONAL: NOTE: (' state spe NOTE: (' ordered | D NETWORK ELEMENTS - South Carolina RATE ELEMENTS ne" shown in the sections for stand-alone loops or loops as par | Interim | Zone | BCS | | | | | | | | Svc Order | Incremental | Incremental | Incremental | Incremental |
|--|---|-------------------------|----------|--|----------------|---------------------------------------|------------------------------------|------------------|------------------|-----------------------------------|------------------------------|----------------------------------|---|---|--|--|
| NOTE: (: NOTE: (: state spe | | | | | USOC | | | RATES (\$) | | | Submitted Elec per LSR | Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| NOTE: (: NOTE: (: state spe | | | - | | | | Nonrec | currina | Nonrecurring | Disconnect | | | OSS | Rates (\$) | | <u> </u> |
| NOTE: (: state spe | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| NOTE: (: state spe | | rt of a con | nhinatio | refers to Geographi | cally Deaver | aged LINE Zones | To view Georg | ranhically Deav | veraged LINE Zo | no Decignation | se by Control | Office refe | r to internet W | laheita: | | |
| NOTE: (state spe NOTE: (ordered | ww.interconnection.bellsouth.com/become_a_clec/html/intercon | | | reiers to Geographi | cally Deaver | aged OIVE Zolles. | TO VIEW GEOGR | aprilically Deav | cragea ont 20 | ne Designation | is by ochiral | Onice, reie | i to internet W | CDSILC. | | |
| | SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" 1) CLEC should contact its contract negotiator if it prefers the " ecific Commission ordered rates for the service ordering charge 2) Any element that can be ordered electronically will be billed a electronically at present per the LOH, the listed SOMEC rate in 1 n it submits an LSR to BellSouth. | es, or CLE according | to the S | elect the regional services of the communication of | vice ordering | charge, however, Please refer to B | , CLEC can not sellSouth's Loca | obtain a mixtu | re of the two re | gardless if CLE determine if a | C has a inte product can | rconnection be ordered | contract esta | blished in eacl | of the 9 state ments that ca | nnot be |
| | OSS - Electronic Service Order Charge, Per Local Service | | | | 001150 | | 0.50 | | 0.50 | 0.00 | | | | | | |
| | Request (LSR) - UNE Only OSS - Manual Service Order Charge, Per Local Service Request | | 1 | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| (| (LSR) - UNE Only | | | | SOMAN | | 15.69 | 0.00 | 1.97 | 0.00 | | | | | | |
| | DATE ADVANCEMENT CHARGE The Expedite charge will be maintained commensurate with Be | IISouth'e | FCC No | 1 Tariff Section 5 ac | annlicable | | | | | | | | | | | |
| 1 | UNE Expedite Charge per Circuit or Line Assignable USOC, per Day | | | UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T148, U1TD13, U1TD3, U1TD3, U1TD3, U1TD3, U1TD3, U1TD3, U1TD3, U1TD3, U1TD3, U1TD3, UC1BC, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, UNCD3, UNCD3, UNCSX, UNCSX, UNCYX, UNCSX, UNCYX, UNCSX, UNCYX, UNCSX, UNCYX, UNCTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UTUDA | SDASP | | 200.00 | | | | | | | | | |
| | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | | | UEAL2 | 14.94 | 37.92 | 17.62 | 23.56 | 5.32 | | | | | - | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | - | 3 | | UEAL2 UEAL2 | 21.39 26.72 | 37.92 37.92 | 17.62 17.62 | 23.56 23.56 | 5.32 5.32 | | | | | | |
| 2 | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEASL | 14.94 | 37.92 | 17.62 | 23.56 | 5.32 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | | UEASL UEASL | 21.39 26.72 | 37.92 37.92 | 17.62 17.62 | 23.56 23.56 | 5.32 5.32 | | | | | | - |
| l | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | 20.12 | | | 20.00 | 5.52 | | | | | | |
| | Premise | | | UEANL | URETL | | 8.33 | 0.83 | | | | | | | | — |
| | Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour | - | - | | URET1 URETA | | 34.23 19.90 | 34.23 19.90 | | | | | | | | - |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | | | | | | | | | | | | | |
| | (UVL-SL1) Unbundled Voice Loop, Non-Design Voice Loop, billing for BST | | | UEANL | UREWO | | 15.81 | 8.96 | | | | | | | | |
| | providing make-up (Engineering Information - E.I.) Manual Order Coordination for UVL-SL1s (per loop) | | ļ | UEANL UEANL | UEANM UEAMC | | 13.47 8.17 | 13.47 8.17 | | | | | | | | |

| ONRONDLE | D NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachmen | t: 2 Exh. A | | |
|--------------|---|--|----------|---------------|---------|----------------|--------|------------|--|--------------|--|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge Manual St Order vs Electroni Disc Add |
| | | | | | | Rec | Nonred | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Order Coordination for Specified Conversion Time for UVL-SL1 | | | | 00001 | | 40.40 | | | | | | | | | Ì |
| | (per LSR) | | | UEANL | OCOSL | | 18.13 | 18.13 | | | ļ | | | | | ! |
| 2-WIRE | Unbundled COPPER LOOP | | | | | | | | | | ļ | | | | | ! |
| | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | | 1 | UEQ | UEQ2X | 12.94 | 36.40 | 16.10 | | 4.42 | | | | | | |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | | 3 | UEQ | UEQ2X | 14.51 | 36.40 | 16.10 | | 4.42 4.42 | | | | | | ├ ── |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | 1 | 3 | UEQ | UEQ2X | 15.02 | 36.40 | 16.10 | 22.66 | 4.42 | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | 1150 | LIDETI | | 0.00 | 0.00 | | | | | | | | Ì |
| | Premise | | | UEQ | URETL | | 8.33 | 0.83 | | | | | | | | |
| 1 | Manual Order Coordination 2 Wire Unbundled Copper Loop - Non- | 1 | l | UEQ | LICOMO | | 8.17 | 8.17 | | | | | 1 | | | |
| | Designed (per loop) | | | UEQ | USBMC | | 8.17 | 8.17 | | | | | | | | |
| 1 | Unbundled Copper Loop, Non-Design Copper Loop, billing for | 1 | l | UEQ | UEQMU | | 13.47 | 13.47 | | | | | 1 | | | |
| _ | BST providing make-up (Engineering Information - E.I.) | | - | UEQ | URET1 | | 34.23 | 34.23 | 1 | | - | | - | | | |
| - | Loop Testing - Basic Additional Half Hour | 1 | - | | | - | | | | | 1 | | - | | | |
| | Loop Testing - Basic Additional Half Hour | | ! | UEQ | URETA | | 19.90 | 19.90 | | | | - | - | | | |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | UEQ | LIBEWO | | 14.20 | 7.45 | | | | | | | | |
| NBIINDI ED E | (UCL-ND) EXCHANGE ACCESS LOOP | 1 | 1 | UEU | UREWO | - | 14.30 | 7.45 | 1 | | 1 | | | | | |
| | ANALOG VOICE GRADE LOOP | 1 | 1 | | + | - | | | 1 | | 1 | | | | | |
| Z-VVIKE | | | | | | | | | | | 1 | | | | | <u> </u> |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1 | | 4 | UEPSR UEPSB | UEALS | 14.94 | 37.92 | 17.62 | 23.56 | 5.32 | | | | | | |
| | | | - | UEFSK UEFSB | UEALS | 14.94 | 31.82 | 17.02 | 23.30 | 5.32 | 1 | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1 | | | UEPSR UEPSB | UEABS | 14.94 | 37.92 | 17.62 | 23.56 | 5.32 | | | | | | İ |
| _ | | | | UEPSK UEPSB | UEADS | 14.94 | 31.92 | 17.02 | 23.30 | 5.32 | | | | | | |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | 2 | HEDED HEDED | LIEALO | 21.39 | 27.02 | 17.60 | 22.50 | F 22 | | | | | | |
| | Zone 2 | | | UEPSR UEPSB | UEALS | 21.39 | 37.92 | 17.62 | 23.56 | 5.32 | | | | | | |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2 | | 2 | HEDED HEDED | LIEADO | 21.39 | 37.92 | 17.60 | 23.56 | 5.32 | | | | | | |
| | | | | UEPSR UEPSB | UEABS | 21.39 | 31.92 | 17.62 | 23.30 | 5.32 | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | _ | LIEDOD LIEDOD | 115410 | 00.70 | 07.00 | 47.00 | 00.50 | 5.00 | | | | | | Ì |
| | Zone 3 | | 3 | UEPSR UEPSB | UEALS | 26.72 | 37.92 | 17.62 | 23.56 | 5.32 | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3 | | 3 | UEPSR UEPSB | UEABS | 26.72 | 37.92 | 17.62 | 23.56 | 5.32 | | | | | | İ |
| NBUNDI ED E | EXCHANGE ACCESS LOOP | | 3 | UEPSK UEPSB | UEADS | 20.72 | 31.92 | 17.02 | 23.30 | 5.32 | | | | | | ├ ── |
| | ANALOG VOICE GRADE LOOP | | | | | | | | | | 1 | | | | | <u> </u> |
| Z-WIKE | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | 1 | | | | | <u> </u> |
| | Ground Start Signaling - Zone 1 | | 4 | UEA | UEAL2 | 16.68 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | | İ |
| | | | - | UEA | UEALZ | 10.00 | 100.96 | 00.43 | 55.05 | 10.01 | 1 | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | 23.13 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | | İ |
| - | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | UEA | UEALZ | 23.13 | 100.96 | 00.43 | 55.05 | 10.01 | 1 | | | | | |
| | | | 3 | UEA | UEAL2 | 28.46 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | | |
| | Ground Start Signaling - Zone 3 | | 3 | UEA | | 20.40 | 18.13 | 00.43 | 53.05 | 10.01 | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 10.13 | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | UEA | LIEADO | 16.68 | 105.00 | 68.43 | 53.05 | 10.61 | | | | | | İ |
| | Battery Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | UEA | UEAR2 | 10.00 | 105.98 | 00.43 | 53.05 | 10.01 | | | | | | |
| | Battery Signaling - Zone 2 | | 2 | UEA | UEAR2 | 23.13 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | OLA | OLANZ | 23.13 | 100.90 | 00.43 | 33.03 | 10.01 | | | | | | |
| | | | 3 | UEA | UEAR2 | 28.46 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | | İ |
| | Battery Signaling - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | | 3 | UEA | OCOSL | 20.40 | 18.13 | 00.43 | 33.03 | 10.01 | | | | | | |
| | | | | UEA | UREWO | | 87.90 | 36.44 | | | 1 | | | | | <u> </u> |
| - | CLEC to CLEC Conversion Charge without outside dispatch | 1 | - | UEA | URETL | | 11.24 | 1.10 | 1 | | ļ | | | | | - |
| 4 WIDE | Loop Tagging - Service Level 2 (SL2) ANALOG VOICE GRADE LOOP | | | UEA | UKETL | | 11.24 | 1.10 | | | 1 | | | | | <u> </u> |
| | | 1 | 1 | UEA | UEAL4 | 32.59 | 132.38 | 94.83 | 59.35 | 14.61 | 1 | | | | | |
| | 4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2 | 1 | 2 | UEA | UEAL4 | 32.59 43.89 | 132.38 | 94.83 | 59.35 | 14.61 | 1 | | | | | |
| 1 | 4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEA | UEAL4 | 43.38 | 132.38 | 94.83 | 59.35 | 14.61 | | | l | | | |
| 1 | Order Coordination for Specified Conversion Time (per LSR) | | 3 | UEA | OCOSL | 43.30 | 18.13 | 34.03 | 09.30 | 14.01 | | | l | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | - | UEA | UREWO | | 87.90 | 36.44 | | | | | | | | |
| 2-WIPE | ISDN DIGITAL GRADE LOOP | | - | 02/1 | UNLVVO | | 01.30 | 30.44 | | | | | | | | |
| 2 | 2-Wire ISDN Digital Grade Loop - Zone 1 | 1 | 1 | UDN | U1L2X | 25.21 | 117.58 | 80.03 | 53.05 | 10.61 | ! | | | | | |
| - | 2-Wire ISDN Digital Grade Loop - Zone 1 | | 2 | UDN | U1L2X | 32.76 | 117.58 | 80.03 | 53.05 | 10.61 | | | | | | |
| - | 2-Wire ISDN Digital Grade Loop - Zone 2 | | 3 | UDN | U1L2X | 37.70 | 117.58 | 80.03 | 53.05 | 10.61 | | | | | | |
| | Order Coordination For Specified Conversion Time (per LSR) | 1 | | UDN | OCOSL | 57.70 | 18.13 | 55.05 | 55.05 | 10.01 | ! | | | | | |
| - | CLEC to CLEC Conversion Charge without outside dispatch | | - | UDN | UREWO | | 91.82 | 44.25 | 1 | | | | | | | |
| 2-WIRE | ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA | TIBLETO | OP | 0011 | OILL WO | | 31.02 | 44.20 | 1 | | | | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry & | | ř. | | + | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

| JNBUNDLE | ED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachmen | t: 2 Exh. A | | |
|----------|--|--|--|------------|----------------|------------------|------------------|------------|--|------------|---|---|--|--|---|--|
| ATEGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge Manual Sv Order vs Electronic Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | Disconnect | | | | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry & | | | | | | | | | | | | | | | |
| | facility reservation - Zone 2 | | 2 | UAL | UAL2X | 13.71 | 120.84 | 70.56 | 50.37 | 7.93 | | | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry & | | | | | | | | | | | | | | | |
| | facility reservation - Zone 3 | | 3 | UAL | UAL2X | 14.14 | 120.84 | 70.56 | 50.37 | 7.93 | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 18.13 | | | | ļ | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | UAL | UAL2W | 12.19 | 95.81 | 57.82 | 50.37 | 7.93 | | | | | | |
| | facility reservaton - Zone 1 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | UAL | UALZW | 12.19 | 95.61 | 57.62 | 50.37 | 7.93 | | - | | | | - |
| | facility reservaton - Zone 2 | | 2 | UAL | UAL2W | 13.71 | 95.81 | 57.82 | 50.37 | 7.93 | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | OAL | UALZVV | 13.71 | 93.01 | 37.02 | 30.37 | 7.93 | | | | | | |
| | facility reservaton - Zone 3 | | 3 | UAL | UAL2W | 14.14 | 95.81 | 57.82 | 50.37 | 7.93 | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | Ť | UAL | OCOSL | | 18.13 | 07.02 | 00.01 | 7.00 | 1 | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UAL | UREWO | | 86.38 | 40.48 | 1 | | | | İ | İ | | |
| 2-WIRI | E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT | IBLE LOC |)P | | | | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & | | | | | | | | | | | | | | | |
| | facility reservation - Zone 1 | | 1 | UHL | UHL2X | 9.58 | 129.52 | 79.24 | 50.37 | 7.93 | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & | | | | | | | | | | | | | | | |
| | facility reservation - Zone 2 | | 2 | UHL | UHL2X | 10.92 | 129.52 | 79.24 | 50.37 | 7.93 | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & | | | | | | | | | | | | | | | |
| | facility reservation - Zone 3 | | 3 | UHL | UHL2X | 11.40 | 129.52 | 79.24 | 50.37 | 7.93 | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 18.13 | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry and | | | | | | | | | | | | | | | |
| | facility reservation - Zone 1 | | 1 | UHL | UHL2W | 9.58 | 104.49 | 66.50 | 50.37 | 7.93 | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry and | | | | | | | | | | | | | | | |
| | facility reservation - Zone 2 | | 2 | UHL | UHL2W | 10.92 | 104.49 | 66.50 | 50.37 | 7.93 | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry and | | | | | | | | == | = 00 | | | | | | |
| | facility reservation - Zone 3 | | 3 | UHL UHL | UHL2W OCOSL | 11.40 | 104.49 | 66.50 | 50.37 | 7.93 | ļ | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 18.13 86.32 | 40.48 | | | | - | | | | - |
| 4-WIRI | E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT | IBLE LOC |)P | UNL | UKEWO | | 00.32 | 40.40 | | | - | | | | | |
| 7 77111 | 4 Wire Unbundled HDSL Loop including manual service inquiry and | l L L L C C | 1 | | 1 | | | | | | | | | | | - |
| | facility reservation - Zone 1 | | 1 | UHL | UHL4X | 16.02 | 158.18 | 107.89 | 55.12 | 10.38 | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry and | | | | | | | | | | | | | | | |
| | facility reservation - Zone 2 | | 2 | UHL | UHL4X | 14.33 | 158.18 | 107.89 | 55.12 | 10.38 | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry and | | | | | | | | | | | | | | | |
| | facility reservation - Zone 3 | | 3 | UHL | UHL4X | 16.84 | 158.18 | 107.89 | 55.12 | 10.38 | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 18.13 | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and | | | | | | | | | | | | | | | |
| | facility reservation - Zone 1 | | 1 | UHL | UHL4W | 16.02 | 133.14 | 95.16 | 55.12 | 10.38 | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and | | | | | | | | | | | | | | | |
| | facility reservation - Zone 2 | | 2 | UHL | UHL4W | 14.33 | 133.14 | 95.16 | 55.12 | 10.38 | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and | 1 | 1 | l | L J | | | | I ! | | 1 | | l | | | |
| | facility reservation - Zone 3 | ļ | 3 | UHL | UHL4W | 16.84 | 133.14 | 95.16 | 55.12 | 10.38 | 1 | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 18.13 | 40.7- | . | | ļ | | - | | | |
| 4 1477 | CLEC to CLEC Conversion Charge without outside dispatch E DS1 DIGITAL LOOP | | <u> </u> | UHL | UREWO | | 86.32 | 40.48 | 1 | | | | 1 | - | | |
| 4-WIRI | 4-Wire DS1 Digital Loop - Zone 1 | <u> </u> | 1 | USL | USLXX | 79.51 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | |
| | | | 2 | USL | USLXX | 136.00 | 253.03 | 157.89 | 44.80 44.80 | 11.73 | - | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 136.00 229.15 | 253.03 253.03 | 157.89 | 44.80 44.80 | 11.73 | 1 | | | - | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | 3 | USL | OCOSL | 229.15 | 18.13 | 157.69 | 44.60 | 11.73 | | - | | | | - |
| - | CLEC to CLEC Conversion Charge without outside dispatch | 1 | | USL | UREWO | | 101.30 | 43.13 | | | 1 | 1 | 1 | 1 | | |
| 4-WID | E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | JUL | SINEVVO | | 101.30 | 43.13 | | | | | | - | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | 1 | 1 | UDL | UDL19 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | 1 | | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 2 | UDL | UDL19 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | | 1 | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL | UDL19 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | | İ | İ | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | | UDL | UDL56 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | | UDL | UDL56 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | 3 | UDL | UDL56 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 18.13 | | | | | | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | 1 | UDL | UDL64 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | 2 | UDL | UDL64 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | 3 | UDL | UDL64 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | 1 | UDL | OCOSL | | 18.13 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | _ | 1 - | UDL | UREWO | | 102.34 | 49.85 | | | 1 | i | | I | · · · · · · · · · · · · · · · · · · · | 1 |

| JNBUNDLE | D NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachmen | t: 2 Exh. A | | |
|-------------|--|----------|----------|----------------|---------|----------|--------|------------|--------------|----------|---|---|--|---|---|--|
| ATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs Electronic Disc Add |
| | | | | | | Rec | Nonred | | Nonrecurring | | 001450 | 001441 | | Rates (\$) | 001111 | SOMAN |
| 2 WIDE | Unbundled COPPER LOOP | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SUMAN |
| Z-WIKE | | | | | | | | | | | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1 | | 1 | UCL | UCLPB | 12.19 | 119.91 | 69.62 | 50.37 | 7.93 | | | | | | İ |
| | 2-Wire Unbundled Copper Loop-Designed including manual | | <u> </u> | 002 | OOLI D | 12.10 | 110.01 | 05.02 | 30.01 | 7.50 | | | | | | |
| | service inquiry & facility reservation - Zone 2 | | 2 | UCL | UCLPB | 13.71 | 119.91 | 69.62 | 50.37 | 7.93 | | | | | | |
| | 2 Wire Unbundled Copper Loop-Designed including manual service | | | | | | | | | | | | | | | |
| | inquiry & facility reservation - Zone 3 | | 3 | UCL | UCLPB | 14.14 | 119.91 | 69.62 | 50.37 | 7.93 | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.17 | 8.17 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed without manual service | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCLPW | 12.19 | 94.87 | 56.89 | 50.37 | 7.93 | | | | | | <u> </u> |
| | 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCLPW | 13.71 | 94.87 | 56.89 | 50.37 | 7.93 | | | | | | |
| - | 2-Wire Unbundled Copper Loop-Designed without manual service | | | UCL | UCLPW | 13.71 | 94.67 | 90.09 | 50.37 | 7.93 | | | | | | |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCLPW | 14.14 | 94.87 | 56.89 | 50.37 | 7.93 | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | J | UCL | UCLMC | 14.14 | 8.17 | 8.17 | 30.01 | 7.50 | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch (UCL- | | | | | | | | | | | | | | | |
| | Des) | | | UCL | UREWO | | 94.87 | 42.57 | | | | | | | | |
| 4-WIRE | COPPER LOOP | | | | | | | | | | | | | | | |
| | 4-Wire Copper Loop-Designed including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UCL | UCL4S | 19.64 | 144.17 | 93.88 | 55.12 | 10.38 | | | | | | |
| | 4-Wire Copper Loop-Designed including manual service inquiry | | | | | | | | == 40 | 40.00 | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UCL | UCL4S | 20.90 | 144.17 | 93.88 | 55.12 | 10.38 | | | | | | |
| | 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4S | 19.34 | 144.17 | 93.88 | 55.12 | 10.38 | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | 3 | UCL | UCLMC | 19.34 | 8.17 | 8.17 | 55.12 | 10.36 | | | | | | |
| _ | 4-Wire Copper Loop-Designed without manual service inquiry and | | | OCL | OCLIVIC | | 0.17 | 0.17 | | | | | | | | |
| | facility reservation - Zone 1 | | 1 | UCL | UCL4W | 19.64 | 119.13 | 81.15 | 55.12 | 10.38 | | | | | | |
| | 4-Wire Copper Loop-Designed without manual service inquiry and | | | | | | | | | | | | | | | |
| | facility reservation - Zone 2 | | 2 | UCL | UCL4W | 20.90 | 119.13 | 81.15 | 55.12 | 10.38 | | | | | | |
| | 4-Wire Copper Loop-Designed without manual service inquiry and | | | | | | | | | | | | | | | |
| | facility reservation - Zone 3 | | 3 | UCL | UCL4W | 19.34 | 119.13 | 81.15 | 55.12 | 10.38 | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.17 | 8.17 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch (UCL- | | | | | | 04.07 | 40.57 | | | | | | | | |
| OOP MODIFIC | Des) | | | UCL | UREWO | | 94.87 | 42.57 | | | | | | | | |
| JOP MODIFIC | ATION | | | UAL, UHL, UCL, | | | | | | | | | | | | |
| | | | | UEQ, ULS, UEA, | | | | | | | | | | | | |
| | Unbundled Loop Modification, Removal of Load Coils - 2 Wire | | | UEANL, UEPSR, | | | | | | | | | | | | |
| | pair less than or equal to 18k ft, per Unbundled Loop | | | UEPSB | ULM2L | | 32.46 | 32.46 | | | | | | | | |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire less | | | | | | | | | | | | | | | |
| | than or equal to 18K ft, per Unbundled Loop | | | UHL, UCL, UEA | ULM4L | | 32.46 | 32.46 | | | | | | | | |
| | | | | UAL, UHL, UCL, | | | - | | | | | | | | | |
| | l | | 1 | UEQ, ULS, UEA, | | | | | | | | | | | | 1 |
| | Unbundled Loop Modification Removal of Bridged Tap Removal, | | 1 | UEANL, UEPSR, | LUMBT | | 00.10 | 00.10 | | | | | | | | |
| JB-LOOPS | per unbundled loop | | - | UEPSB | ULMBT | | 32.48 | 32.48 | - | - | | | | | | |
| | op Distribution | | | | 1 | + | | | 1 | 1 | | | | | | |
| Jub-L0 | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- | | | | | + | | | 1 | 1 | | | | | | |
| | Up | 1 | 1 | UEANL | USBSA | | 241.42 | 241.42 | | | | | | | | |
| | 1-1 | | | | | | | | | | | | | | | |
| | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | I | L | UEANL | USBSB | <u> </u> | 22.69 | 22.69 | <u> </u> | <u> </u> | <u></u> | | | <u> </u> | <u></u> | <u></u> |
| | Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility | | | | | | | | | | | | | | | |
| | Set-Up | | | UEANL | USBSC | | 177.84 | 177.84 | | | | | | | | |
| | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set- | | 1 | l | | | | | | | | | | | | |
| | Up | ı | | UEANL | USBSD | | 55.58 | 55.58 | ļ | ļ | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | 4 | LIEANI | LICDNO | 0.07 | 65.04 | 24.00 | 45.05 | 6.74 | 1 | | | | | |
| | Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | 1 | UEANL | USBN2 | 8.87 | 65.94 | 31.03 | 45.35 | 6.71 | | | | - | | |
| | Zone 2 | ١, | 2 | UEANL | USBN2 | 12.58 | 65.94 | 31.03 | 45.35 | 6.71 | | | | | | 1 |
| _ | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | <u> </u> | | OLANE | CODINZ | 12.30 | 00.54 | 31.03 | 40.00 | 0.71 | | | | | | |
| | Zone 3 | 1 | 3 | UEANL | USBN2 | 14.79 | 65.94 | 31.03 | 45.35 | 6.71 | 1 | | | | | 1 |
| | | | T | İ | i | 0 | | 230 | | <u> </u> | | | | İ | | |
| | | | | UEANL | USBMC | | 8.17 | 8.17 | ī | ī | | | | • | ì | |

| UNBUNDLE | D NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachmen | t: 2 Exh. A | | |
|---------------|--|--|--------------|---|----------------|----------------|----------------|----------------|----------------|--------------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonred | curring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UEANL | USBN4 | 14.11 | 79.21 | 44.29 | 49.82 | 9.09 | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEANL | USBN4 | 19.40 | 79.21 | 44.29 | 49.82 | 9.09 | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | UEANL | USBIN4 | 19.40 | 79.21 | 44.29 | 49.02 | 9.09 | | | | | | |
| | Zone 3 | | 3 | UEANL | USBN4 | 18.90 | 79.21 | 44.29 | 49.82 | 9.09 | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 8.17 | 8.17 | | | | | | | | |
| | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | - 1 | | UEANL | USBR2 | 2.41 | 53.13 | 18.21 | 45.35 | 6.71 | | | | | | |
| | | | | l | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | F 00 | 8.17 | 8.17 | 40.00 | 0.00 | | | | | | |
| | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | I | | UEANL | USBR4 | 5.36 | 59.38 | 24.47 | 49.82 | 9.09 | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | 1 | UEANL | USBMC | | 8.17 | 8.17 | | | 1 | | | | | |
| | Loop Testing - Basic 1st Half Hour | 1 | 1 | UEANL | URET1 | + | 34.23 | 34.23 | 1 | | | | | | | |
| | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 19.90 | 19.90 | | | | | | | | 1 |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | ı | 1 | UEF | UCS2X | 7.11 | 65.94 | 31.03 | 45.35 | 6.71 | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | | 2 | UEF | UCS2X | 9.83 | 65.94 | 31.03 | 45.35 | 6.71 | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | - 1 | 3 | UEF | UCS2X | 10.48 | 65.94 | 31.03 | 45.35 | 6.71 | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 8.17 | 8.17 | | | | | | | | ļ |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | <u> </u> | 1 | UEF | UCS4X | 7.85 | 79.21 | 44.29 | 49.82 | 9.09 | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | 1 | 3 | UEF UEF | UCS4X UCS4X | 14.17 12.64 | 79.21 79.21 | 44.29 44.29 | 49.82 49.82 | 9.09 9.09 | | | | | | |
| + | 4 Wife Copper Oribundled Sub-Loop Distribution - Zone 3 | - ' | 3 | UEF | 00347 | 12.04 | 79.21 | 44.29 | 49.02 | 9.09 | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 8.17 | 8.17 | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEF | URET1 | | 34.23 | 34.23 | | | | | | | | 1 |
| | Loop Testing - Basic Additional Half Hour | | | UEF | URETA | | 19.90 | 19.90 | | | | | | | | |
| Unbun | dled Network Terminating Wire (UNTW) | | | | | | | | | | | | | | | |
| | Unbundled Network Terminating Wire (UNTW) per Pair | | | UENTW | UENPP | 0.3303 | 30.20 | 30.20 | | | | | | | | |
| Netwo | rk Interface Device (NID) | | | | | | | | | | | | | | | ļ |
| | Network Interface Device (NID) - 1-2 lines | | | UENTW | UND12 | | 43.68 | 28.79 | | | | | | | | |
| | Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W | | | UENTW UENTW | UND16 | | 64.42 | 49.53 5.92 | | | | | | | | |
| | Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W | | | UENTW | UNDC2 UNDC4 | | 5.92 5.92 | 5.92 | | | | | | | | - |
| LINE OTHER | PROVISIONING ONLY - NO RATE | | | DENTW | UNDC4 | 1 | 5.92 | 5.92 | | | | | | | | + |
| ONE OTTIEN, | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | 0.00 | 0.00 | | | | | | | | | † |
| | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | 0.00 | 0.00 | | | | | | | | | |
| | ` , | | | UEANL,UEF,UEQ,U | | | | | | | | | | | | |
| | Unbundled Contract Name, Provisioning Only - No Rate | | | ENTW | UNECN | 0.00 | 0.00 | | | | | | | | | |
| UNE OTHER, I | PROVISIONING ONLY - NO RATE | ļ | <u> </u> | | | | | | | | | | | | | ļ |
| | | | | HAL HOL HDO HDI | | | | | | | | | | | | |
| | Unbundled Contact Name, Provisioning Only - no rate | | | UAL,UCL,UDC,UDL, UDN,UEA,UHL, USL | LINECN | 0.00 | 0.00 | | | | | | | | | |
| | Onioundica Contact Name, 1 Tovisioning Only - no late | | <u> </u> | ODIN,OLA,OFIL, USL | OINLOIN | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate | | | UEA,UDN,UCL,UDC | USBFQ | 0.00 | 0.00 | | | | | | | | | |
| | and the same and t | | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | 2.00 | 2.00 | | | | | | | | | |
| [| Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate | <u></u> | | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | <u></u> | <u> </u> | | <u> </u> | | | | | |
| | Unbundled DS1 Loop - Superframe Format Option - no rate | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled DS1 Loop - Expanded Superframe Format option - no | | | | | | | | | | | | | | | |
| | rate | <u> </u> | <u> </u> | USL | CCOEF | 0.00 | 0.00 | | ļ | | | | | | | |
| HIGH CAPACI | TY UNBUNDLED LOCAL LOOP | | <u> </u> | | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Per Mile per month | | 1 | UE3 | 1L5ND | 12.26 | | | | | 1 | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Facility Termination | † | | 020 | | 12.20 | | | | | | | | | | |
| | per month | | 1 | UE3 | UE3PX | 306.36 | 520.398 | 304.2095 | 137.7125 | 96.3355 | 1 | | | | | |
| | | | | | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month | n . | | UDLSX | 1L5ND | 12.26 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Facility | | | | | | | | l | | | | | | | |
| LOOP MAKE: | Termination per month | | <u> </u> | UDLSX | UDLS1 | 313.49 | 520.398 | 304.2095 | 137.7125 | 96.3355 | | | | | | |
| LOOP MAKE-U | Loop Makeup - Preordering Without Reservation, per working or | 1 | 1 | | | | | | - | | | | | | | - |
| 1 | spare facility queried (Manual). | 1 | 1 | 1 | | i l | | 24.04 | i | | i | l | | | | 1 |

| CHDONDEE | D NETWORK ELEMENTS - South Carolina | | | | 1 | 1 | | | | | | | Attachmen | | l | |
|---------------|--|------------|--------|--------------------------|----------------|--------|--------|------------|--------------|------------|---|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs Electronic Disc Add |
| | | | | | | Rec | Nonred | | Nonrecurring | Disconnect | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Loop Makeup - Preordering With Reservation, per spare facility queried (Manual). | | | UMK | UMKLP | | 25.49 | 25.49 | | | | | | | | |
| | Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized) | | | UMK | UMKMQ | | 0.34 | 0.34 | | | | | | | | |
| LINE SPLITTIN | G PLITTING | | | | | | | | | | | | | | | |
| | SER ORDERING-CENTRAL OFFICE BASED | | | | | | | | | | | | | | | |
| LIND O. | Line Splitting - per line activation DLEC owned splitter | | | UEPSR UEPSB | UREOS | 0.61 | | | | | | | | | | |
| | Line Splitting - per line activation BST owned - physical | | | UEPSR UEPSB | UREBP | 0.61 | 37.09 | 21.24 | 20.07 | 9.85 | | | | | | |
| | Line Splitting - per line activation BST owned - virtual | | | UEPSR UEPSB | UREBV | 0.61 | 37.09 | 21.24 | | 9.85 | | | | | | |
| MAINTENANCE | | | | | | | | | | | | | | | | |
| | The Expedite charge will be maintained commensurate with Be | ellSouth's | FCC No | .1 Tariff, Section 13. | 3.1 as applica | ble. | | | | | | | | | | |
| | No Trouble Found - per 1/2 hour increments - Basic | | | | | | 80.00 | 55.00 | | | | | | | | |
| | No Trouble Found - per 1/2 hour increments - Overtime | <u> </u> | | | | | 90.00 | 65.00 | ļ | | | | | | | |
| | No Trouble Found - per 1/2 hour increments - Premium | | | | + | | 100.00 | 75.00 | | | | | | | | |
| UNBUNDLED | DEDICATED TRANSPORT DEFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | 1 | | | | | |
| INTERN | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | U1TVX | 1L5XX | 0.0167 | | | | | | | | | | |
| | Facility Termination | | | U1TVX | U1TV2 | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| | Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month | | | U1TVX | 1L5XX | 0.0167 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination | | | U1TVX | U1TR2 | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month | | | U1TVX | 1L5XX | 0.0167 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination | | | U1TVX | U1TV4 | 21.29 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month | | | U1TDX | 1L5XX | 0.0167 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination | | | U1TDX | U1TD5 | 16.76 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month | | | U1TDX | 1L5XX | 0.0167 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination | | | U1TDX | U1TD6 | 16.76 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month | | | U1TD1 | 1L5XX | 0.3415 | 10.00 | 27.11 | 107 | 0.01 | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination | | | U1TD1 | U1TF1 | 77.14 | 89.47 | 81.99 | 16.39 | 14.48 | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month | | | U1TD3 | 1L5XX | 8.02 | 00.11 | 01.00 | 10.00 | 11.10 | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | U1TD3 | U1TF3 | 880.65 | 279.37 | 163.12 | 60.33 | 58.59 | | | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | | | | | | 270.07 | 100.12 | 00.00 | 00.00 | | | | | | |
| | month Interoffice Channel - Dedicated Transport - STS-1 - Facility | | | U1TS1 | 1L5XX | 8.02 | | | | | | | | | | - |
| | Termination | ļ | | U1TS1 | U1TFS | 880.55 | 279.37 | 163.12 | 60.33 | 58.59 | | | | | | <u> </u> |
| DARK FIBER | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof | | | | | | | | | | | | | | | |
| | per month - Local Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof | | | UDF, UDFCX | 1L5DC | 112.30 | | | | | | | | | | - |
| | per month - Interoffice Channel NRC Dark Fiber - Interoffice Channel | - | | UDF, UDFCX UDF, UDFCX | 1L5DF UDF14 | 36.41 | 640.51 | 138.17 | 317.76 | 198.11 | | | | | | 1 |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop | | | UDF, UDFCX | 1L5DL | 112.30 | 2.0.01 | | | | | | | | | |
| VIRTUAL COLL | | | | 55., 651 6X | .2002 | 112.30 | | | | | | | | | | |
| DINOIC:: 5 =: | Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting | | | UEPSR UEPSB | VE1LS | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | | | | | | |
| PHYSICAL COL | Physical Collocation-2 Wire Cross Connects (Loop) for Line | | | UEPSR UEPSB | PE1LS | 0.0341 | 12.32 | 11.83 | 6.04 | 5.45 | | | | | | |
| 1 1 | Splitting | | | | | | | | | | | | | | | |

| IBUNDLED | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachmen | | | |
|-----------|---|--|----------|----------------------|----------------|-------------------|------------------|----------------|----------------|----------------|---|---|--|--|---|--|
| TEGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs Electronic Disc Add |
| | | | | | | Dee | Nonre | curring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | he monthly recurring and non-recurring charges below will ap | | | | | | | | | | | | | | | |
| | he monthly recurring and the Switch-As-Is Charge and not the | non-recui | rring ch | arges below will app | ly for UNE co | mbinations provis | ioned as ' Curre | ently Combined | ' Network Elen | nents. | | | | | | |
| | VOICE GRADE LOOP FOR USE IN A COMBINATION | | | 1110101 | | 40.00 | 405.00 | 00.40 | 50.05 | 40.04 | | | | | | |
| | 2-Wire VG Loop (SL2) in Combination - Zone 1 | | | UNCVX UNCVX | UEAL2 UEAL2 | 16.68 | 105.98 | 68.43 68.43 | 53.05 53.05 | 10.61 10.61 | | | | | | |
| | 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 23.13 28.46 | 105.98 105.98 | 68.43 | 53.05 | 10.61 | | | | | | |
| | Voice Grade COCI - Per Month | | J | UNCVX | 1D1VG | 0.56 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| | VOICE GRADE LOOP FOR USE IN A COMBINATION | | | | | 0.00 | | | 0.00 | 0.00 | | | | | | |
| | 4-Wire Analog Voice Grade Loop in Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 32.59 | 132.38 | 94.83 | 59.35 | 14.61 | | | | | | |
| | 4-Wire Analog Voice Grade Loop in Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 43.89 | 132.38 | 94.83 | 59.35 | 14.61 | | | | | | |
| | 4-Wire Analog Voice Grade Loop in Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 43.38 | 132.38 | 94.83 | 59.35 | 14.61 | | | | | | |
| | Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 0.56 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| | 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION | | | LINCDY | LIDLES | 00.00 | 100.00 | 00.40 | 50.05 | 44.01 | | | | | | |
| | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 | | 2 | UNCDX UNCDX | UDL56 UDL56 | 29.93 33.99 | 126.66 126.66 | 89.12 89.12 | 59.35 59.35 | 14.61 14.61 | | | | | | |
| | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 | | | UNCDX | UDL56 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | OCU-DP COCI (data) per month (2.4-64kbs) | 1 | 3 | UNCDX | 1D1DD | 1.19 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| | 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION | i | | | T | 0 | 5.55 | 0 | 3.30 | 5.00 | | | | | | Г |
| | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL64 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 | | | UNCDX | UDL64 | 33.99 | | 89.12 | | 14.61 | | | | | | |
| | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | OCU-DP COCI (data) - in combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.19 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | <u> </u> |
| | ISDN LOOP FOR USE IN COMBINATION | | | | | | | | | | | | | | | <u> </u> |
| | 2-Wire ISDN Loop in Combination - Zone 1 | | 1 | UNCNX | U1L2X | 25.21 | 117.58 | 80.03 | 53.05 | 10.61 | | | | | | — |
| | 2-Wire ISDN Loop in Combination - Zone 2 | | 2 | UNCNX | U1L2X U1L2X | 32.76 | 117.58 | 80.03 | 53.05 | 10.61 | | | | | | |
| | 2-Wire ISDN Loop in Combination - Zone 3 2-wire ISDN COCI (BRITE) - in combination - per month | | 3 | UNCNX | UC1CA | 37.70 2.56 | 117.58 6.59 | 80.03 4.73 | 53.05 | 10.61 | | | | | | |
| | DS1 DIGITAL LOOP FOR USE IN A COMBINATION | | | UNCINA | UCTCA | 2.50 | 0.59 | 4.73 | | | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 90.87 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 155.43 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | |
| 4 | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 261.89 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | 1 |
| | DS1 COCI in combination per month | | | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | | | | | | | | |
| 2 WIRE \ | VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | MBINATIO | ON | | | | | | | | | | | | | <u> </u> |
| | | | | | | | | | | | | | | | | 1 |
| | Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month | | | UNCVX | 1L5XX | 0.0134 | | | | | | | | | | |
| | Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month | | | UNCVX | U1TV2 | 19.44 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | 1 |
| | VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | MRINATIO | ON | UNCVX | 01172 | 19.44 | 40.63 | 21.41 | 10.77 | 0.91 | | | | | | |
| 4 WIICE V | VOICE GRADE INTEROTTICE TRANSPORT TOR USE IN A CO | I | 1 | | | | | | | | | | | | | |
| | Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month | 1 | | UNCVX | 1L5XX | 0.0134 | | | 1 | | | | | | | ł |
| | Interoffice Transport - 4-wire VG - Dedicated - Facility | | | | | | | | | | | | | | | |
| T | Termination per month | | | UNCVX | U1TV4 | 17.03 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| | EROFFICE TRANSPORT FOR COMBINATION | | | | | | | | | | | | | | | <u> </u> |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile per | 1 | | | 41.5007 | | | | | | | | | | | i |
| | month | 1 | - | UNC1X | 1L5XX | 0.27 | | | - | 1 | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | | | | | i |
| | 1/0 Channelization System in combination Per Month | | 1 | UNC1X | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | | | | | |
| | EROFFICE TRANSPORT FOR USE IN A COMBINATION | 1 | | | | 107.07 | 31.24 | 02.71 | 10.50 | 5.01 | | | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Per Mile Per | 1 | | | | | l | | | | | | | | | ſ |
| | Month | <u> </u> | <u> </u> | UNC3X | 1L5XX | 6.42 | | | | | <u> </u> | | | | | L |
| li | Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | | | | | | | | | | | | | |
| | month | | | UNC3X | U1TF3 | 704.52 | 279.37 | 163.12 | 60.33 | 58.59 | | | | | | |
| | ITEROFFICE TRANSPORT FOR USE IN COMBINATION | | _ | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month | | | UNCSX | 1L5XX | 6.42 | | | | | | | | | | i |
| | Per Month Interoffice Transport - Dedicated - STS-1 combination - Facility | 1 | 1 | UNUOX | ILOAA | 0.42 | | | | 1 | 1 | | | | | — |
| | Termination per month | 1 | | UNCSX | U1TFS | 704.44 | 279.37 | 163.12 | 60.33 | 58.59 | | | | | | ł |
| | 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANS | SPORT | | 5.100A | 31113 | 704.44 | 213.31 | 105.12 | 00.33 | 30.39 | 1 | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 1 | 1 | 1 | UNCDX | UDL56 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | ſ |
| 4 | 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | 1 | | | 1 | | 1 | | | | | | | | | 1 |
| | Per Mile per month | 1 | 1 | UNCDX | 1L5XX | 0.0134 | 1 | | Ì | | 1 | | | | | ŀ |

| NBUNDL | .ED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachmen | t: 2 Exh. A | <u> </u> | |
|---------|---|--|--|--------------------------------|----------------|------------------|------------------|------------------|--|----------------|---|---|--|--|---|--|
| ATEGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | | | | | | | | | | | |
| 4 1400 | Facility Termination per month | | | UNCDX | U1TD5 | 13.41 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| 4-WII | RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | FFICE TRA | | | UDL64 | 00.00 | 400.00 | 89.12 | 59.35 | 14.61 | | | | | | |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 1 4-wire 64 kbps Lcoal Loop in Combination - Zone 2 | 1 | 2 | UNCDX UNCDX | UDL64 UDL64 | 29.93 33.99 | 126.66 126.66 | 89.12 | 59.35 | 14.61 | - | | | | | |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 3 | | | UNCDX | UDL64 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | Ŭ | ONODA | ODLOT | 04.74 | 120.00 | 00.12 | 00.00 | 14.01 | | | | | | |
| | Per Mile per month | | | UNCDX | 1L5XX | 0.0134 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | 1 | | | | | | | | | | | | | | 1 |
| | Facility Termination per month | | | UNCDX | U1TD6 | 13.41 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| 4-WIF | RE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE | ETRANSI | PORT | | | | | | | | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL56 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | UNCDX | 1L5XX | 0.0134 | | | | | | | | | | |
| | 4-wire 56 kbps Interoffice Transport - Dedicated - Facility | 1 | | | | | | | | 1 | | | | | 1 | |
| | Termination per month | | | UNCDX | U1TD5 | 13.41 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| 4-WIF | RE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE | E TRANSI | | | | | | | | | | | | | | |
| | 4-wire 64 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL64 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | 4-wire 64 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL64 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | 4-wire 64 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL64 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | 14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | UNCDX | 1L5XX | 0.0134 | | | | | | | | | | 4 |
| | 4-wire 64 kbps Interoffice Transport - Dedicated - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNCDX | U1TD6 | 13.41 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| DS1 | DIGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT | | . | | 11011/1 | 20.07 | 050.00 | 457.00 | 44.00 | 44.70 | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 90.87 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 2 4-Wire DS1 Digital Loop in Combination - Zone 3 | 1 | 3 | UNC1X UNC1X | USLXX | 155.43 261.89 | 253.03 253.03 | 157.89 157.89 | 44.80 44.80 | 11.73 11.73 | - | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile per | | 3 | UNCIA | USLAA | 201.09 | 253.03 | 157.69 | 44.60 | 11.73 | - | | | | | |
| | month | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | UNCIA | ILSAA | 0.27 | | | | | | | | | | |
| | Termination per month | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | | | | | |
| DS3 | DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO | DRT | | UNUIX | 01111 | 01.71 | 03.47 | 01.33 | 10.55 | 14.40 | | | | | | |
| 500. | DS3 Local Loop in combination - per mile per month | T . | | UNC3X | 1L5ND | 12.26 | | | | | | | | | | |
| | Ded Local Loop in combination per mile per month | | | ONOON | ILOIND | 12.20 | | | | | | | | | | |
| | DS3 Local Loop in combination - Facility Termination per month | | | UNC3X | UE3PX | 306.36 | 452.52 | 264.53 | 119.75 | 83.77 | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month | 1 | | UNC3X | 1L5XX | 6.42 | | | | **** | | | | | | 1 |
| | Interoffice Transport - Dedicated - DS3 combination - Facility | 1 | | | | | | | | | | | | | | 1 |
| | Termination per month | 1 | 1 | UNC3X | U1TF3 | 704.52 | 279.37 | 163.12 | 60.33 | 58.59 | | | | | | |
| STS- | 1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN | SPORT | | | | | | | | | | | | | | |
| | STS-1 Local Lolp in combination - per mile per month | | | UNCSX | 1L5ND | 12.26 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | STS-1 Local Loop in combination - Facility Termination per month | | | UNCSX | UDLS1 | 313.49 | 452.52 | 264.53 | 119.75 | 83.77 | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - per mile | | | | | | | · | | | | | | | | |
| | per month | <u> </u> | | UNCSX | 1L5XX | 6.42 | | | | | | | | | l | ļ |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility | 1 | 1 | l | | | | | | | | | | | 1 | |
| | Termination per month | | | UNCSX | U1TFS | 704.44 | 279.37 | 163.12 | 60.33 | 58.59 | | | | | | |
| | NETWORK ELEMENTS | ــــــــــــــــــــــــــــــــــــــ | <u> </u> | L | لــــــا | | | | | | | | | | | <u> </u> |
| | n used as a part of a currently combined facility, the non-recurring | | | | | | | | | | | | | | | ↓ |
| | n used as ordinarily combined network elements in All States, the | | | | | narge does not. | | | 1 | - | | | | | - | |
| Nonr | ecurring Currently Combined Network Elements "Switch As Is" Cl | narge (One | e applie | |)II) | | | | | - | | | | | | |
| | Nonrecurring Currently Combined Natural Elements Switch As Is | 1 | 1 | UNCVX, UNCDX, UNC1X, UNC3X, | | | | | I | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | 1 | 1 | UNCSX, UNCSX, | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | | | | | |
| Ontio | nal Features & Functions: | 1 | | ONCOA | UNCCC | | 10.0 | 10.0 | 7.00 | 7.00 | 1 | | | | 1 | + |
| Optio | mai i catares a i uncuons. | | | U1TD1, | + | | | | | | | | | | - | |
| | Clear Channel Capability Extended Frame Option - per DS1 | 1 . | 1 | ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Close Charles Supubliny Extended Frame Option - per DOT | <u> </u> | | U1TD1, | COOL | | 0.00 | 5.00 | 0.00 | 3.00 | | | | | | |
| | | | | | | | | | 1 | | | | | | ı | 1 |
| | Clear Channel Capability Super FrameOption - per DS1 | 1 1 | | | CCOSE | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - | 1 | | ULDD1,UNC1X ULDD1, U1TD1, | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | 1 |

| JNBUNDL | ED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachmer | nt: 2 Exh. A | | |
|----------|---|---------|------|---------------|-------|--------|--------|------------|--------------|------------|-------|---|-----------|--|----------|----------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Charge - |
| | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | U1TD3, ULDD3, | | | | | | | | | | | | |
| 1 | C-bit Parity Option - Subsequent Activity - per DS3 | i | | UE3, UNC3X | NRCC3 | | 219.58 | 7.69 | 0.737 | 0.00 | | | | | | |
| MULT | IPLEXERS | | | | | | | | | | | | | | | |
| | DS1 to DS0 Channel System per month | | | UNC1X | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month | | | | | | | | | | | | | | | |
| | (2.4-64kbs) used for a Local Loop | | | UDL | 1D1DD | 1.19 | 6.59 | 4.73 | | | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month | | | | | | | | | | | | | | | |
| | (2.4-64kbs) used for connection to a channelized DS1 Local | | | | | | | | | | | | | | | |
| | Channel in the same SWC as collocation | | | U1TUD | 1D1DD | 1.19 | 6.59 | 4.73 | | | | | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | | | | | | | | | | | | | |
| | month for a Local Loop | | | UDN | UC1CA | 2.56 | 6.59 | 4.73 | | | | | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | | | | | | | | | | | | | |
| | month used for connection to a channelized DS1 Local Channel in | | | | | | | | | | | | | | | |
| | the same SWC as collocation | | | U1TUB | UC1CA | 2.56 | 6.59 | 4.73 | | | | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | | | | | | | | | | | | |
| | used for a Local Loop | | | UEA | 1D1VG | 0.56 | 6.59 | 4.73 | | | | | | | | ļ |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | | | | | | | | | | | | |
| | used for connection to a channelized DS1 Local Channel in the | | | | | | | | | | | | | | | |
| | same SWC as collocation | | | U1TUC | 1D1VG | 0.56 | 6.59 | 4.73 | | | | | | | | |
| | DS3 to DS1 Channel System per month | | | UNC3X | MQ3 | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | | | | | | |
| | STS-1 to DS1 Channel System per month | | | UNCSX | MQ3 | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | | | | | | |
| | DS1 COCI used with Loop per month | | | USL | UC1D1 | 8.64 | 6.59 | 4.73 | | | | ļ | | | | ļ |
| | DS1 COCI (used for connection to a channelized DS1 Local | | | [| | | | | | | | | | | | |
| | Channel in the same SWC as collocation) per month | | ļ | U1TUA | UC1D1 | 8.64 | 6.59 | 4.73 | | | | | | | | |
| | DS1 COCI used with Interoffice Channel per month | | ļ | U1TD1 | UC1D1 | 8.64 | 6.59 | 4.73 | | | | | | | | |
| | DS3 Interface Unit (DS1 COCI) used with Local Channel per month | | | ULDD1 | UC1D1 | 8.64 | 6.59 | 4.73 | | | | | | | | |
| Note: | Rates displaying an "I" in Interim column are interim as a result o | | | | | | | | | | | | | | | |

| ## CATEONY ## RATE ELEMENTS Name RCS | | | | | | | | | | | | | | | | | | |
|--|----------|----------|--|------------|-----------|------------------------|---------------|----------------|----------------|----------------|----------------|-----------------|---------------|---------------|--|---------------|---------------|----------------|
| ## CATEORY RATE ELEMENTS Intellet Zone BCS USOC RATES (S) RATES (S) Después Charges Char | UNBU | NDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachmen | t: 2 Exh. A | | |
| ACTECORY RATE ELEMENTS Washing RATE ELEMENTS REAL RECEIVED BY THE RECEIVED | | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| ## CATECOPY** ## RET ELEMENTS** Part Control Part Control Contro | | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| Biotectonic biotec | | | | | _ | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| The "Part" shown in the sections for stand-alone loops or loops as part of a combination refers to telegraphically bearinged URE Zooss. **To vice Geographically Bearinged URE Zooss. **To vice Geographically | CATEG | ORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| The Touris shown in the sections for stand-doine loops or loops as part of combination refers to Geographically Deservated WE Zones. To vivor Geographically | | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| The "Draw" shown in the sections for stand-allow loops or loops as part of a combibation refers to Geographically Drawnerged UNF Zones. To vivus Geographically Drawnerged UNF Zones. To vivus Geographically Drawnerged UNF Zones. To vivus Geographically Drawnerged UNF Zones. To vivus Geographically Drawnerged UNF Zones. To vivus Geographically Drawnerged UNF Zones. To vivus Geographically Drawnerged UNF Zones. To vivus Geographically Drawnerged UNF Zones. To vivus Geographically Drawnerged UNF Zones. To vivus Geographically Drawnerged UNF Zones. To vivus Geographically Geographically Company of the State Company | | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| The "Draw" shown in the sections for stand-allow loops or loops as part of a combibation refers to Geographically Drawnerged UNF Zones. To vivus Geographically Drawnerged UNF Zones. To vivus Geographically Drawnerged UNF Zones. To vivus Geographically Drawnerged UNF Zones. To vivus Geographically Drawnerged UNF Zones. To vivus Geographically Drawnerged UNF Zones. To vivus Geographically Drawnerged UNF Zones. To vivus Geographically Drawnerged UNF Zones. To vivus Geographically Drawnerged UNF Zones. To vivus Geographically Drawnerged UNF Zones. To vivus Geographically Geographically Company of the State Company | - | | | | | | | | Monrocurring | | Monrocurrir | a Disconnect | | | 088 | Pates (\$) | | |
| The "Zone" shown in the sections for stand-allone loops or loops as part of a combination refers to Geographically Deverraged UNE Zone. To view Geographically Deverraged UNE Zone Designations by Central Office, refer to internet Website: OPERATIONAL SUPPORT SYSTERS (SSS) - "RECIONAL RATES" OPERATIONAL SUPPORT SYSTERS (SSS) - "RECIONAL RATES" NOTE (1) CLEE doubled connet is connect regisplate of The prefers he "state specific" SSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate whibit are the BettSouth "regional" services ordering charges. CLEC may elect the regional aerotes ordering charges. CLEC may be the prefer to the State Commission ordered rates for the services ordering charges. CLEC may be the prefer to the State Commission ordered electronically in the service or the service ordering charges. CLEC may be the prefer to the State Commission or the service ordering charges. CLEC may be the prefer to the State Commission or the service ordering charges. CLEC may be the prefer to the State Commission or the service ordering charges. CLEC may be the prefer to the State Commission or the service ordering charges. CLEC may be the prefer to the State Commission or the service ordering charges. CLEC may be the prefer to the State Commission or the service ordering charges. CLEC ordered electronically in present per the LOS, the listed State Commission or the service ordering charges. State Charges are serviced by the State Commission or the service ordering charges. State Charges are serviced by the State Commission or the service ordering charges. State Charges are serviced by the State Commission or the service ordering charges. State Charges are serviced by the State Charges are serviced by the State Charges are serviced by the State Charges are serviced by the State Charges are serviced by the State Charges are serviced by the State Charges are serviced by the State Charges are serviced by the State Charges are serviced by the State Charges are serviced by the | | | | | | | | Rec | | I'bbA | | | SOMEC | SOMAN | | | SOMAN | SOMAN |
| Interpretation between control continuous as a section between sections as a section of the period or control | | | | | | | | | 1 1130 | Addi | 11130 | Addi | COME | COMPAR | COMPAR | COMPAR | COMPAN | COMPAN |
| OPERATORIAL SUPPORT SYSTEMS (OSS): "REGIONAL RATES" NOTE: (1) Cat choiced constant constant expectation of its prefers the "rese specific" OSS charges as ordered by the State Commissions. The OSS charges convently contained in this rate exhibit are the BelliSouth' "regional" service ordering charges. CLEC has a fact that the state of the 10 states. NOTE: (1) Any element that can be ordered electronically will be billed according to the SOMET case in this category. Please after to Bellisouth CLEG ordered plantages. OF CLEC has a fact that the control of the control of the third of the SOMET case in this category. Please after to Bellisouth CLEG ordered plantages. OF CLEC has a fact that the control of | | The "Z | one" shown in the sections for stand-alone loops or loops as | part of a | combin | ation refers to Geog | raphically De | eaveraged UNI | Zones. To vie | ew Geographic | cally Deaverag | ed UNE Zone D | esignations | by Central | Office, refer t | o internet We | bsite: | |
| NOTE: (1) CLEC shoulds contact its contract negolitator if it printer, the "state specific Contractions on relations and the specific Contractions on relations on the contract or substance of the substance of t | | http://v | ww.interconnection.bellsouth.com/become_a_clec/html/inter | connection | on.htm | | - | | | | | | | _ | | | | |
| elect either the state specific Commission ordered rates for the service ordering charges, no CLEC may efect the regional service ordering charges, novewer, LECE can not obtain a mixture of the two regardless CLEC has a intercommental season of the service ordering charges. Novewer, LECE can not obtain a mixture of the two regardless CLEC has a intercommental service ordering charges. Novewer, LECE can not obtain a mixture of the two regardless CLEC has a intercommental service ordering charges. Novewer, LECE can not obtain a mixture of the two regardless CLEC has a intercommental and the commental service ordering charges. Novewer, LECE can not obtain a mixture of the two requires of the commental service ordering charges. Novewer, LECE can not obtain a mixture of the two requires of the commental service ordering charges. Novewer, LECE can not obtain a mixture of the two requires of the commental service ordering charges. Novewer, LECE can not obtain a mixture of the two requires of the commental service ordering charges. Novewer, LECE can not obtain a mixture of the two requires of the commental service ordering charges. Novewer, LECE can not obtain a mixture ordering charges. Novewer, LECE can not obtain a mixture ordering charges. Novewer, LECE can not obtain a mixture ordering charges. Novewer, LECE can not obtain a mixture ordering charges. Novewer, LECE can not obtain a mixture ordering charges. Novewer, LECE can not obtain a mixture ordering charges. Novewer, LECE commental services from the commental services ordering charges and novemental services. Novemental services ordering charges are not not obtained to commental services. Novemental services are not obtained to commental services. Novemental services are not not obtained to commental services. Novemental services are not not not not not not not not not not | | | | | | | | | | | | | | | | | | |
| A | | | | | | | | | | | | | | | | | | |
| NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMEC rate listed in this category. Please refer to BellScuth's Local Ordering Familions (LOF) to determine if a product can be ordered electronically by the histed SOMEC rate in this category. Please refer to BellScuth's Local Ordering changes so with the applicate to a CLEC one electronic ordering capabilities come on infer for that element. Otherwise, the namual ordering change, SO with the applicate to a CLEC one electronic ordering capabilities come on infer for that element. Otherwise, the namual ordering change, SO with the applicate to a CLEC one electronic ordering capabilities come on infer for the element. Otherwise, the namual ordering change, SO with the application of the product of the pr | | | • | ce orderi | ng char | ges, or CLEC may el | ect the regio | nal service or | dering charge, | however, CLE | C can not obta | in a mixture of | the two reg | jardless if C | LEC has a int | erconnection | contract esta | blished in |
| Content of content of content and present per the LON, the listed SOMEC rate in this category reflects the charge that would be billed to a CLEED once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge from the content of t | | | | | P | | | | | | | (1.011) (1. | | | | | F (1 | |
| with be applied to a CLECE SIII when it submits an LSR to BellSouth. NOTE; 10 St. Manual Service Good Charge, Per Elevent - UNR Only "Please see applicable rate element for SOMAN charge" SOMEC 3.50 0.00 3.50 0.00 ONE SERVICE DAY, CHARGE NOTE: The Expedite charge will be maintained commensurate with fell South's P.C. No.1 Tariff, Section 5 as applicable. NOTE: The Expedite charge will be maintained commensurate with fell South's P.C. No.1 Tariff, Section 5 as applicable. U.H., LEWAN, L.C.L., LUFF, U.P.L., LUFF | | | | | | | | | | | | | | | | | | |
| NOTE 10 SS: Manual Service Order Charge, Per Element - UNIC Only "Please see applicable rate element for SOMAN charge" SOMEC S.50 0.00 3.50 0.00 | | | | | te in thi | s category reflects tr | e charge tha | t would be bii | led to a CLEC | once electroni | c ordering cap | abilities come | on-line for t | ınat elemeni | t. Otherwise, | tne manuai o | rdering charg | e, SUMAN, |
| CSS - Electrons Service Order Charge, Per Local Service SOMEC \$5.00 0.00 3.50 0.00 | | | | | 202 000 | annlicable rate elem | ent for SOMA | N charge** | | | | | | | | | | |
| Request (LSR) _ UNE Conty | — | HOTE: | | y Fied | 300 | applicable late elelli | JIL TOI JOHIA | charge | + | † | 1 | + | | | | | | |
| NOTE: The Expedite charge will be maintained commensurate with BellSouth's PCC No.1 Tariff, Section 5 as applicable. | | | | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | 1 | 1 | |
| UAL UEANL UCL, UEF, UPP, UEO, UEEA, WHE, UIC. UEF, UPP, UEO, UEEA, WHE, UIC. UEA, WHE, UIC. UEA, WHE, UIC. UEA, WHE, UIC. UEA, WHE, UIC. UEA, WHE, UIC. UEA, WHE, UIC. UEA, WHE, UIC. UEA, WHE, UIC. UEA, UITTA, UITTA, UITTO, UITTO, UIC. UIC. UIC. UIC. UIC. UIC. UIC. UIC. | | | | | | | | | | | | | | | | | | |
| UEF, UDP, UEC, UDP, UCA, UDD, UEA, UHC, UC, USE, UTTZ, UTTRB, UTTTX, UTTG3, UTTTX, UTTG3, UTTTX, UTTG3, UTTTX, UTTG3, UTTTX, UTTG3, UTTTX, UTTG3, UTTTX, UTTG3, UTTTX, UTTG3, UTTTX, UTTG3, UTTTX, UTTG3, UTTTX, UTTG3, UTTTX, UTTG3, UTTTX, UTTG4, UTTG4, UTTG4, UTTG5, UTTTX, UTTTX, UTTG5, UTTTX, UTTG5, UTTTX, UTT | | NOTE: | The Expedite charge will be maintained commensurate with | BellSouth | 's FCC | No.1 Tariff, Section | 5 as applicab | ole. | | | | | | | | | | |
| UEF, UDP, UEC, UDP, UCA, UDD, UEA, UHC, UC, USE, UTTZ, UTTRB, UTTTX, UTTG3, UTTTX, UTTG3, UTTTX, UTTG3, UTTTX, UTTG3, UTTTX, UTTG3, UTTTX, UTTG3, UTTTX, UTTG3, UTTTX, UTTG3, UTTTX, UTTG3, UTTTX, UTTG3, UTTTX, UTTG3, UTTTX, UTTG3, UTTTX, UTTG4, UTTG4, UTTG4, UTTG5, UTTTX, UTTTX, UTTG5, UTTTX, UTTG5, UTTTX, UTT | | | | | | | | | | | | | | | | | | |
| UNEUNILED ENHANCE ACCESS LOOP UNBURNILED ENHANCE ACCESS LOOP | | | | | | | | | | | | | | | | | | |
| UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNIVERS, U | | | | | | | | | | | | | | | | | | |
| UNELTICAL UNITAL | | | | | | | | | | | | | | | | | | |
| UNE Expedite Charge per Circuit or Line Assignable USOC, per UPTUB, UTDUB, ULDOS, ULDOS, UNDOS, UNCX, UNDOS, UNCX, UNDOS, | | | | | | | | | | | | | | | | | | |
| UNE Expedite Charge per Circuit or Line Assignable USOC, per UTTUC, UTTUD, UDDIS, UNEX, UNCX, UN | | | | | | | | | | | | | | | | | | |
| USES LOCAL LIVES AND CONTROL LIVES LOCAL LIVES LIVES LOCAL LIVES LOCAL LIVES LOCAL LIVES LOCAL LIVES LIVES LOCAL LIVES LIVES LOCAL LIVES LIVES LOCAL LIVES LIVES LOCAL LIVES LIVES LOCAL LIVES LIVES LOCAL LIVES LIVES LOCAL LIVES L | | | | | | | | | | | | | | | | | | |
| UNCC, UCICL, UCICC, UCIDL, UCICC, UCIDL, UCICC, UCIDL, UCICC, UCIDL, UCICC, UCIDL, UCICC, UCICL, UCICC, UCICL, UCICC, UCICL, UCICC, UCICL, UCICC, UCICL, UCICC, UCICL, UCICC, UCICL, UCICC, UCICL, UCICC, UCICL, UCICC, UCICL, UCICC, UCICL, UCICC, UCICL, UCICC, UCICL, UCICC, UCICL, UCICC, UCICL, UCICC, UCICL, UCICC, UCI | | | | | | | | | | | | | | | | | | |
| UCIDC, UCIDL, UCIFIC, UCIFIE, ULDAS, ULDOS, UCICA, UNCXX, UNCXX, UCIX, UNCXX, UNCXX, UCIX, UNCXX, UNCXX, UCIX, UNCXX, UNCXX, UCIX, UNCXX, UNCXX, UCIX, UNCXX, UNCXX, UCIX, UNCXX, UNCXX, UCIX, UNCXX, UNCXX, UCIX, UNCXX, UNCXX, UCIX, UNCXX, UNCXX, UCIX, UNCXX, UNCXX, UCIX, UNCXX, UNCXX, UCIX, UNCXX, UNCXX, UCIX, UNCXX, UNCXX, UCIX, UNCXX, UNCXX, UCIX, UNCXX, UNCXX, UCIX, UNCXX, UNCXX, UCIX, UNCXX, UNCXX, UCI | | | | | | UC1BC, UC1BL, | | | | | | | | | | | | |
| UCIEC, UCIEL, UCITGC, UCIEL, UCITGC, UCIEL, UCITGC, UCIEL, UCITGC, UCIEL, UCITGC, UCIEL, UCITGC, UCIEL, UCITGC, UCIEL, UCITGC, UCIEL, UDL12, UDL48, UDL03, ULD03, ULD01, ULD03, ULD01, ULD03, ULD01, ULD03, ULD01, ULD03, ULD01, ULD03, ULD01, ULD03, ULD01, ULD04, ULD03, ULD01, UNKU, UNGSX, UNGNX, UNGSX, UNGNX, UNGSX, UNGNX, UNGD1, UNTUB, UT | | | | | | | | | | | | | | | | | | |
| UCIFC, UCIFL, UCIFL, UCIFL, UCIFL, UCIFL, UCIFC, UCIFL, UCIFC, UCIFL, UCIFC, UCIFL, UCIFC, UCIFL, UCIFC, UCIFL, UCIFC, UCIFL, UCIFC, UCIFL, UCIFC, UCIFL, UCIFC, UCIFL, UCIFL, UDLA, UDLO3, UDLSX, UDLO3, UDLSX, UDCS, ULDO1, ULDO3, ULDS, ULDO1, ULDO3, ULDS, ULDO1, ULDO3, ULDS, ULDO3, ULDS, ULDO3, ULDS, ULDO3, ULDS, ULDO3, ULDS, ULDO3, ULDS, ULDO3, ULDS, ULDVX, UNCOX, | | | | | | | | | | | | | | | | | | |
| UCIGC, UCIGL, UCITL, UDL12, UDL48, UDD12, UDL48, UDD13, UDL5X, UE3, UDD12, UDL5X, UE3, UDD12, UDD3, UD | | | | | | | | | | | | | | | | | | |
| UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNDUNC, ULDO3, UNCOX, | | | | | | | | | | | | | | | | | | |
| UDL12, UDL8, UDD14, UDD3, ULD7, ULD8, ULDD1, ULDD3, ULDD4, ULDD5, UNCNX, UNCSX, UNCXX, UNXX, UXX101, | | | | | | | | | | | | | | | | | | |
| UNE Expedite Charge per Circuit or Line Assignable USOC, per UTITUB, ULDAY, UNICNX, UNICXX, UN | | | | | | | | | | | | | | | | | | |
| UE3, ULD12, ULD3, ULD7, ULD5, ULD51, UNC52 | | | | | | | | | | | | | | | | | | |
| ULD3, ULDX, ULDX, ULDX, ULDX, ULDX, ULDX, ULDX, ULDX, UNCX, | | | | | | | | | | | | | | | | | | |
| ULDO3, ULDO5, ULDO5, ULDO5, ULDO5, ULDO5, ULDO5, ULDO5, ULDO5, ULDO5, ULDO5, ULDO5, ULDO5, ULDO5, ULDO5, ULDO5, ULDO5, ULDO5, ULDO5, UNCO5, UN | | | | | | ULD48, ULDD1, | | | | | | | | | | | | |
| UNE Expedite Charge per Circuit or Line Assignable USOC, per play UTUR, UTUR, UTUR, UTUR, UTUR, UTTU | | | | | | | | | | | | | | | | | | |
| UNE Expedite Charge per Circuit or Line Assignable USOC, per DIAYON, UNCOX, UNC | | | | | | | | | | | | | | | | | | |
| UNE Expedite Charge per Circuit or Line Assignable USOC, per UNTOS, UNCOX, UNLD1, UNTOS, UXTD1, UNTOS, UXTD1, UNTOS, UXTS1, UTTUD, UTUB, UTTUD, UTUB, UTTUD, UTUB, UTTUB, | | | | | | | | | | | | | | | | | | |
| UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNBUNDLED EXCHANGE ACCESS LOOP 2-WIRE ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEAL2 13.19 31.99 20.02 10.65 1.41 20.35 10.54 13.32 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 17.23 31.99 20.02 10.65 1.41 20.35 10.54 13.32 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 17.23 31.99 20.02 10.65 1.41 20.35 10.54 13.32 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 17.23 31.99 20.02 10.65 1.41 20.35 10.54 13.32 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 17.23 31.99 20.02 10.65 1.41 20.35 10.54 13.32 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 3 1 UEANL UEASL 13.19 31.99 20.02 10.65 1.41 20.35 10.54 13.32 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 2 1 UEANL UEASL 17.23 31.99 20.02 10.65 1.41 20.35 10.54 13.32 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 17.23 31.99 20.02 10.65 1.41 20.35 10.54 13.32 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 2 3 UEANL UEASL 17.23 31.99 20.02 10.65 1.41 20.35 10.54 13.32 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 17.23 31.99 20.02 10.65 1.41 20.35 10.54 13.32 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 22.55 31.99 20.02 10.65 1.41 20.35 10.54 13.32 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 22.55 31.99 20.02 10.65 1.41 20.35 10.54 13.32 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 3 UEANL UEASL 22.55 31.99 20.02 10.65 1.41 20.35 10.54 13.32 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 3 UEANL UEASL 22.55 31.99 20.02 10.65 1.41 20.35 10.54 13.32 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 3 UEANL UEASL 22.55 31.99 20.02 10.65 1.41 20.35 10.54 13.32 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 2 UEANL UEASL 22.55 31.99 20.02 10.65 1.41 20.35 10.54 13.32 2.Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | | | | |
| UNBUNDLED EXCHANGE ACCESS LOOP UNBUNDLED EXCHANGE ACCESS LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 3-BANL UEAL2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3-BANL UEAL2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3-BANL UEAL2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 3-BANL UEASL 3- | | | | | | | | | | | | | | | | | | |
| UNTE Expedite Charge per Circuit or Line Assignable USOC, per Day | | | | | | | | | | | | | | | | | | |
| UNE Expedite Charge per Circuit or Line Assignable USOC, per Day U1TUC, U1TUD, U1TUB, U1TUA SDASP 200.00 U1TUB, | | | | | | | | | | | | | | | | | | |
| Day | | | UNE Expedite Charge per Circuit or Line Assignable USOC, per | | | | | | | | | | | | | | | |
| 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | | | | | | SDASP | | 200.00 | | | | | | | | | |
| 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | UNBUN | | | | | | | | | | | | | | | | | _ |
| 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEAL2 17.23 31.99 20.02 10.65 1.41 20.35 10.54 13.32 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 22.53 31.99 20.02 10.65 1.41 20.35 10.54 13.32 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEASL 13.19 31.99 20.02 10.65 1.41 20.35 10.54 13.32 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 17.23 31.99 20.02 10.65 1.41 20.35 10.54 13.32 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 2 3 UEANL UEASL 17.23 31.99 20.02 10.65 1.41 20.35 10.54 13.32 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 10.54 13.32 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 10.54 13.32 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 10.54 13.32 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 10.54 13.32 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 10.54 13.32 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 10.54 13.32 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 10.54 13.32 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 10.54 13.32 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 10.54 13.32 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 10.54 13.32 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 10.54 13.32 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 10.54 13.32 2.Wire Analog Voice Grade Loop - Service | | 2-WIRE | | | | | | | | | | | | | | | | |
| 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 22.53 31.99 20.02 10.65 1.41 20.35 10.54 13.32 | | | | | | | | | | | | | | | | | | 13.32 |
| 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | | | | | | | | | | | | <u> </u> | | | | | 13.32 |
| 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 17.23 31.99 20.02 10.65 1.41 20.35 10.54 13.32 | <u> </u> | | | | | | | | | | | | <u> </u> | ļ | | | | 13.32 |
| 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 10.54 13.32 | — | | | 1 | | | | | | | | | 1 | 1 | | | | 13.32 13.32 |
| Unbundled Miscellaneous Rate Element, Tag Loop at End User UEANL URETL | | | | | | | | | | | | | | | | | | 13.32 |
| Premise UEANL URETL 8.33 0.83 20.35 10.54 13.32 Loop Testing - Basic 1st Half Hour UEANL URET1 78.92 78.92 20.35 10.54 13.32 Loop Testing - Basic Additional Half Hour UEANL URETA 23.33 23.33 23.33 20.35 10.54 13.32 | | | | | Ť | 02,112 | 02/102 | 22.00 | 01.00 | 20.02 | 13.03 | 1.71 | | | 20.00 | 10.04 | 10.02 | 10.02 |
| Loop Testing - Basic 1st Half Hour UEANL URET1 78.92 78.92 8.92 20.35 10.54 13.32 Loop Testing - Basic Additional Half Hour UEANL URETA 23.33 23.33 23.33 20.35 10.54 13.32 | | | Premise | | | UEANL | URETL | | 8.33 | 0.83 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| Loop Testing - Basic Additional Half Hour UEANL URETA 23.33 23.33 20.35 10.54 13.32 | | | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 78.92 | 78.92 | | | İ., | | 20.35 | 10.54 | 13.32 | 13.32 |
| CLEC to CLEC Conversion Charge Without Outside Dispatch | | | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 23.33 | 23.33 | | | | | | 10.54 | 13.32 | 13.32 |
| | | _ | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | l | L | | | _ | | 1 | | | _ | 1 | 1 | |
| (UVL-SL1) | | | (UVL-SL1) | | | UEANL | UREWO | | 15.80 | 8.95 | L | <u> </u> | l | | 20.35 | 10.54 | 13.32 | 13.32 |

| UNBUNDLI | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachmen | nt: 2 Exh. A | | |
|--|--|--|----------|-------------|---------|--------|--------------|------------|--------------|------------|--|-----------|-------------|--------------|-------------|--|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | | Manual Svc | Manual Svc | |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | per LSK | per LSK | | | | |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Nonrecurring | | Nonrecurring | Disconnect | | 1 | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Voice Loop, Non-Design Voice Loop, billing for BST | | | | | | 1 01 | 7.44 | | 7.44 | | | 00 | 00 | | |
| | providing make-up (Engineering Information - E.I.) | | | UEANL | UEANM | | 28.80 | 28.80 | | | | | | | | |
| | Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 36.52 | 36.52 | | | | | | | | + |
| | Order Coordination for Specified Conversion Time for UVL-SL1 | | | OL7 II IL | OL7 WIO | | 00.02 | 00.02 | | | | | | | | + |
| | (per LSR) | | | UEANL | OCOSL | | 34.29 | 34.29 | | | | | | | | |
| 2-WIE | E Unbundled COPPER LOOP | | | OLANE | CCCCL | | 34.23 | 34.23 | | | | | | | | + |
| Z-VVIII | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | | 1 | UEQ | UEQ2X | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Unbundled Copper Loop - Non-Designed 2016 1 | | 2 | UEQ | UEQ2X | 17.23 | 31.99 | 20.02 | | 1.41 | | | 20.35 | 10.54 | 13.32 | |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | | 3 | UEQ | UEQ2X | 22.53 | 31.99 | 20.02 | | 1.41 | | | 20.35 | 10.54 | 13.32 | |
| | | | | UEQ | UEQZX | 22.55 | 31.99 | 20.02 | 10.03 | 1.41 | | | 20.33 | 10.54 | 13.32 | 13.32 |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise | | | LIFO | URETL | | 8.33 | 0.83 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | | 1 | UEQ | UREIL | | 8.33 | 0.83 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Manual Order Coordination 2 Wire Unbundled Copper Loop - | | 1 | LIEO | LICDMC | Ì | 20.50 | 20.50 | | | 1 | | | | 1 | |
| $\vdash \vdash \vdash$ | Non-Designed (per loop) | <u> </u> | <u> </u> | UEQ | USBMC | | 36.52 | 36.52 | ļ | | <u> </u> | | | | - | + |
| | Unbundled Copper Loop, Non-Design Copper Loop, billing for | | | | | | | | | | | | | | | |
| | BST providing make-up (Engineering Information - E.I.) | | | UEQ | UEQMU | | 28.80 | 28.80 | | | | | 20.35 | 10.54 | 13.32 | |
| | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | 78.92 | 78.92 | | | | | 20.35 | 10.54 | 13.32 | |
| | Loop Testing - Basic Additional Half Hour | | | UEQ | URETA | | 23.33 | 23.33 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | | | | | | | | | | | | | |
| | (UCL-ND) | | | UEQ | UREWO | | 14.29 | 7.44 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| 2-WIF | E ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UEPSR UEPSB | UEALS | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UEPSR UEPSB | UEABS | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UEPSR UEPSB | UEALS | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | | | | | | | | | | | | | | Ī |
| | Zone 2 | | 2 | UEPSR UEPSB | UEABS | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | 1 |
| | Zone 3 | | 3 | UEPSR UEPSB | UEALS | 22.53 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | 1 |
| | Zone 3 | | 3 | UEPSR UEPSB | UEABS | 22.53 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| UNBUNDLED | EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | † |
| | E ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | † |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | 1 |
| | Ground Start Signaling - Zone 1 | | 1 | UEA | UEAL2 | 16.56 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | t | <u> </u> | | | . 5.50 | | .5.20 | 20.70 | | 1 | <u> </u> | 20.00 | . 5.04 | .0.02 | 13.02 |
| | Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | 21.63 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | 21.00 | 70.00 | 70.20 | 20.70 | 17.04 | | | 20.00 | 10.04 | 10.02 | 10.02 |
| | Ground Start Signaling - Zone 3 | | 3 | UEA | UEAL2 | 28.28 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Specified Conversion Time (per LSR) | 1 | - 3 | UEA | OCOSL | 20.20 | 34.29 | 40.20 | 20.70 | 17.04 | | | 20.33 | 10.34 | 13.32 | 13.32 |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | ULA | OCOSL | | 34.23 | | | | 1 | ļ | | | - | + |
| | | | 1 | UEA | UEAR2 | 16.56 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Battery Signaling - Zone 1 | | <u> </u> | UEA | UEARZ | 10.30 | 75.06 | 40.20 | 20.70 | 17.04 | | | 20.33 | 10.54 | 13.32 | 13.32 |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | 2 | | LIEADO | 04.00 | 75.00 | 40.00 | 00.70 | 47.04 | | | 00.05 | 40.54 | 40.00 | 40.00 |
| | Battery Signaling - Zone 2 | | 2 | UEA | UEAR2 | 21.63 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | _ | | LIEADO | 00.00 | 75.00 | 40.00 | 00.70 | 47.04 | | | 00.05 | 40.54 | 40.00 | 40.00 |
| | Battery Signaling - Zone 3 | | 3 | UEA | UEAR2 | 28.28 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Specified Conversion Time (per LSR) | 1 | <u> </u> | UEA | OCOSL | ļ | 34.29 | | ļ | | _ | | | | 10 | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 75.06 | 36.41 | | | | | 20.35 | 10.54 | 13.32 | |
| | Loop Tagging - Service Level 2 (SL2) | | | UEA | URETL | | 11.23 | 1.10 | ļ | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| 4-WIR | E ANALOG VOICE GRADE LOOP | | <u> </u> | ļ. <u>.</u> | 1 | ļ | ļ | | ļ | | ļ | | ļ | ļ | ļ | <u> </u> |
| | 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEA | UEAL4 | 24.70 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | |
| | 4-Wire Analog Voice Grade Loop - Zone 2 | <u> </u> | 2 | UEA | UEAL4 | 32.25 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | |
| | 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEA | UEAL4 | 42.17 | 122.76 | 85.57 | 76.35 | 39.16 | ļ | | 20.35 | 10.54 | 13.32 | 13.3 |
| ullet | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 34.29 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 75.06 | 36.41 | | | <u> </u> | | 20.35 | 10.54 | 13.32 | 13.32 |
| 2-WIR | E ISDN DIGITAL GRADE LOOP | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UDN | U1L2X | 22.22 | 142.76 | 88.88 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.3 |

| UNBUNDL | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | t: 2 Exh. A | | |
|------------------|---|----------|------|--|---------|-------|--------------|------------|--------------|------------|--|--------------|-------------|-------------|-------------|------------|
| | | | | | | | | | | | Svc Order | Svc Order | | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | | Manual Svc | Manual Svc | |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | per LSK | per LSK | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | | | | |
| i | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add |
| - | | | | | | | Nonrecurring | | Nonrecurring | Disconnect | 1 | l . | oss | Rates (\$) | <u> </u> | l . |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| -+ | 2-Wire ISDN Digital Grade Loop - Zone 2 | | 2 | UDN | U1L2X | 29.02 | 142.76 | 88.88 | 76.35 | 39.16 | JONEC | JONIAN | 20.35 | 10.54 | 13.32 | 13.3 |
| - | 2-Wire ISDN Digital Grade Loop - Zone 3 | | 3 | UDN | U1L2X | 37.95 | 142.76 | 88.88 | 76.35 | 39.16 | 1 | | 20.35 | 10.54 | 13.32 | 13.3 |
| | | | 3 | | | 37.93 | | 00.00 | 76.33 | 39.10 | | | 20.33 | 10.34 | 13.32 | 13.3 |
| | Order Coordination For Specified Conversion Time (per LSR) | | | UDN | OCOSL | | 34.29 | 11.00 | | | ļ | | 00.05 | 40.54 | 40.00 | 40.0 |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDN | UREWO | | 91.77 | 44.22 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| 2-WIF | RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP | ATIBLE L | OOP | | | | | | | | | | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 1 | | 1 | UAL | UAL2X | 13.82 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 2 | | 2 | UAL | UAL2X | 18.05 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 3 | | 3 | UAL | UAL2X | 23.60 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 34.29 | | | | | | | | | |
| +- | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | | | 020 | | | | 1 | † | 1 | | | t |
| | facility reservation - Zone 1 | | 1 | UAL | UAL2W | 13.82 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | O/ 1L | UALZVV | 10.02 | 31.99 | 20.02 | 10.03 | 1.41 | 1 | | 20.00 | 10.54 | 10.02 | 13.3 |
| | facility reservaton - Zone 2 | | 2 | UAL | UAL2W | 18.05 | 31.99 | 20.02 | 10.65 | 1.41 | | 1 | 20.35 | 10.54 | 13.32 | 13.3 |
| $\!\!\!+\!\!\!-$ | | | - 2 | UAL | UALZVV | 18.05 | 31.99 | 20.02 | 10.65 | 1.41 | 1 | - | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | _ | | | | | | | | | | | | | |
| | facility reservaton - Zone 3 | l l | 3 | UAL | UAL2W | 23.60 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 34.29 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | I | | UAL | UREWO | | 31.99 | 20.02 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| 2-WIF | RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE LC | OP | | | | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 10.83 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 14.15 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | 01.12 | OT ILLY | | 27 0.01 | 20 1.00 | 7 1.0 1 | 00.11 | | | 20.00 | 10.01 | 10.02 | .0.0 |
| | & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 18.50 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| - | Order Coordination for Specified Conversion Time (per LSR) | | - 3 | UHL | OCOSL | 10.50 | 34.29 | 204.00 | 74.54 | 33.14 | 1 | | 20.55 | 10.54 | 10.02 | 10.0 |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | OFIL | OCOGL | | 34.23 | | | | | | | | | |
| | | | | | | 40.00 | 04.00 | 00.00 | 40.05 | | | | 00.05 | 40.54 | 40.00 | 40.0 |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 10.83 | 31.99 | 20.02 | 10.65 | 1.41 | ļ | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | _ | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | l l | 2 | UHL | UHL2W | 14.15 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | I | 3 | UHL | UHL2W | 18.50 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 34.29 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 31.99 | 20.02 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| 4-WIF | RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE LC | OP | | | | | | | | | | | | | |
| | 4 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 13.93 | 279.60 | 244.22 | 74.54 | 39.14 | | İ | 20.35 | 10.54 | 13.32 | 13.3 |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 18.20 | 279.60 | 244.22 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | 01.12 | 011217 | 10.20 | 27 0.00 | | 7 1.0 1 | 00.11 | | | 20.00 | 10.01 | 10.02 | .0.0 |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 23.80 | 279.60 | 244.22 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Order Coordination for Specified Conversion Time (per LSR) | | 3 | UHL | OCOSL | 23.00 | 34.29 | 244.22 | 74.54 | 33.14 | | | 20.33 | 10.54 | 13.32 | 13.3 |
| | | | | UNL | UCUSL | | 34.29 | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | l | | | | | 40.05 | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 13.93 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | ı | 2 | UHL | UHL4W | 18.20 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | - 1 | 3 | UHL | UHL4W | 23.80 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 34.29 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | I | | UHL | UREWO | - | 31.99 | 20.02 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| 4-WIF | RE DS1 DIGITAL LOOP | | | | | | | - | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 57.73 | 313.08 | 219.72 | 96.86 | 40.45 | 1 | | 18.98 | 8.43 | 11.95 | 11.9 |
| -+ | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | USL | USLXX | 75.40 | 313.08 | 219.72 | 96.86 | 40.45 | 1 | | 18.98 | 8.43 | 11.95 | |
| +- | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 98.59 | 313.08 | 219.72 | 96.86 | 40.45 | | | 18.98 | 8.43 | 11.95 | |
| ' ! | | | | USL | OCOSL | 30.33 | 34.59 | 210.12 | 30.00 | 40.43 | 1 | l . | 10.30 | 0.43 | 11.33 | 11.5 |
| | Order Coordination for Specified Conversion Time (per LSP) | | | | | | | | | | | | | | | 1 |
| | Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 130.47 | 40.11 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |

| 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 0 Order Coordin 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 5 Vire Unbun 6 Vire Unbun 6 Vire Unbun 7 Vire Unbun 9 Vire Vire Vire Vire Vire Vire Vire Vire | bundled Digital 19.2 Kbps bundled Digital 19.2 Kbps bundled Digital 19.2 Kbps bundled Digital 19.2 Kbps bundled Digital 19.2 Kbps bundled Digital 19.2 Kbps bundled Digital Loop 56 Kbps - Zone 1 bundled Digital Loop 56 Kbps - Zone 2 bundled Digital Loop 56 Kbps - Zone 3 ordination for Specified Conversion Time (per LSR) bundled Digital Loop 64 Kbps - Zone 1 bundled Digital Loop 64 Kbps - Zone 2 bundled Digital Loop 64 Kbps - Zone 2 bundled Digital Cope for Kbps - Zone 3 ordination for Specified Conversion Time (per LSR) SLEC Conversion Charge without outside dispatch | Interim | Zone 1 2 3 1 2 3 | BCS UDL UDL UDL | USOC | Rec | Nonrecurring | RATES (\$) | Nonrecurring | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- |
|--|--|---------|--|---|----------------|----------------|------------------|------------------|--|----------------|---|---|--|--|---|---|
| 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 0 Vire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun Corder Coordin CLEC to CLEC 2-Wire Unbun service inquiry 2 Wire Unbun service inquiry 2 Wire Unbun service inquiry 2 Wire Unbun service inquiry 2 Wire Unbun service inquiry Corder Coordin CLEC to CLEC 4-Wire Unbun service inquiry Corder Coordin CLEC to CLEC (UCL-Des) 4-Wire Coppel and facility res 4-Wire Coppel and facility res Gorder Coordin 4-Wire Coppel and facility res Gorder Coordin 4-Wire Coppel and facility res Gorder Coordin 4-Wire Coppel and facility res Gorder Coordin A-Wire Coppel and facility res Gorder Coordin A-Wire Coppel and facility res Gorder Coordin A-Wire Coppel and facility res Gorder Coordin A-Wire Coppel and facility res Gorder Coordin A-Wire Coppel and facility res Gorder Coordin CLEC to CLEC (UCL-Des) | bundled Digital 19.2 Kbps bundled Digital 19.2 Kbps bundled Digital 19.2 Kbps bundled Digital 19.2 Kbps bundled Digital Loop 56 Kbps - Zone 1 bundled Digital Loop 56 Kbps - Zone 2 bundled Digital Loop 56 Kbps - Zone 3 ordination for Specified Conversion Time (per LSR) bundled Digital Loop 64 Kbps - Zone 1 bundled Digital Loop 64 Kbps - Zone 2 bundled Digital Loop 64 Kbps - Zone 3 ordination for Specified Conversion Time (per LSR) | Interim | 1 2 3 1 2 | UDL UDL | | Rec | | RATES (\$) | Nonrecussic | | Elec | Manually | Manual Svc Order vs. Electronic- | Manual Svc Order vs. Electronic- | Manual Svc Order vs. Electronic- | Manual Svc Order vs. |
| 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 0 Vire Unbun 4 Wire Unbun 4 Wire Unbun 0 Vire Unbun 5 Vire Unbun 2 Wire Unbun 2 Wire Unbun 5 Vire Unbun 6 Vire Unbun 6 Vire Unbun 7 Vire Unbun 8 Vire Unbun 8 Vire Unbun 9 Vire Voppe 9 and facility res 1 Vire Coppe 9 and facility res 1 Vire Coppe 9 and facility res 1 Vire Coppe 9 and facility res 1 Vire Coppe 9 and facility res 1 Vire Coppe 9 and facility res 1 Vire Coppe 9 and facility res 1 Vire Coppe 1 A Vi | bundled Digital 19.2 Kbps bundled Digital 19.2 Kbps bundled Digital 19.2 Kbps bundled Digital 19.2 Kbps bundled Digital Loop 56 Kbps - Zone 1 bundled Digital Loop 56 Kbps - Zone 2 bundled Digital Loop 56 Kbps - Zone 3 ordination for Specified Conversion Time (per LSR) bundled Digital Loop 64 Kbps - Zone 1 bundled Digital Loop 64 Kbps - Zone 2 bundled Digital Loop 64 Kbps - Zone 3 ordination for Specified Conversion Time (per LSR) | Interim | 1 2 3 1 2 | UDL UDL | | Rec | | RATES (\$) | l Nonraeuwie - | | | - | Order vs. Electronic- | Order vs. Electronic- | Order vs. Electronic- | Order vs. |
| 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 0 Vire Unbun 4 Wire Unbun 4 Wire Unbun 0 Vire Unbun 4 Wire Unbun 2 Wire Unbun 2 Wire Unbun 0 Vire Unbun 2 Vire Unbun 0 Vire Coopei 0 Auf facility res 0 Vire Coppei | bundled Digital 19.2 Kbps bundled Digital 19.2 Kbps bundled Digital 19.2 Kbps bundled Digital 19.2 Kbps bundled Digital Loop 56 Kbps - Zone 1 bundled Digital Loop 56 Kbps - Zone 2 bundled Digital Loop 56 Kbps - Zone 3 ordination for Specified Conversion Time (per LSR) bundled Digital Loop 64 Kbps - Zone 1 bundled Digital Loop 64 Kbps - Zone 2 bundled Digital Loop 64 Kbps - Zone 3 ordination for Specified Conversion Time (per LSR) | Interim | 1 2 3 1 2 | UDL UDL | | Rec | | RATES (\$) | Nonresurvin | | per LSR | per LSR | Electronic- | Electronic- | Electronic- | |
| 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 0 Vire Coordin 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 0 Vire Coordin CLEC to CLEC 2-WIRE Unbundled C 2-Wire Unbun service inquiry 2 Wire Unbun service inquiry 1 Wire Unbun 2 Wire Unbun service inquiry 2 Wire Unbun service inquiry 2 Wire Unbun service inquiry 1 Vire Unbun service inquiry 1 Vire Unbun service inquiry 1 Vire Unbun service inquiry 1 Vire Unbun service inquiry 1 Vire Unbun service inquiry 1 Vire Unbun service inquiry 1 Vire Unbun service inquiry 1 Vire Unbun service inquiry 1 Vire Unbun service inquiry 1 Vire Unbun service inquiry 1 Vire Unbun service inquiry 1 Vire Coppe and facility res 1 Vire Coppe | bundled Digital 19.2 Kbps bundled Digital 19.2 Kbps bundled Digital 19.2 Kbps bundled Digital Loop 56 Kbps - Zone 1 bundled Digital Loop 56 Kbps - Zone 2 bundled Digital Loop 56 Kbps - Zone 3 ordination for Specified Conversion Time (per LSR) bundled Digital Loop 64 Kbps - Zone 1 bundled Digital Loop 64 Kbps - Zone 2 bundled Digital Loop 64 Kbps - Zone 2 bundled Digital Loop 64 Kbps - Zone 3 ordination for Specified Conversion Time (per LSR) | | 2 3 1 2 | UDL | UDL19 | Rec | | | Nonreguesia | | | | Electronic- | | | Electronic- |
| 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 0 Vire Coordin 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 0 Vire Coordin CLEC to CLEC 2-WIRE Unbundled C 2-Wire Unbun service inquiry 2 Wire Unbun service inquiry 1 Wire Unbun 2 Wire Unbun service inquiry 2 Wire Unbun service inquiry 2 Wire Unbun service inquiry 1 Vire Unbun service inquiry 1 Vire Unbun service inquiry 1 Vire Unbun service inquiry 1 Vire Unbun service inquiry 1 Vire Unbun service inquiry 1 Vire Unbun service inquiry 1 Vire Unbun service inquiry 1 Vire Unbun service inquiry 1 Vire Unbun service inquiry 1 Vire Unbun service inquiry 1 Vire Unbun service inquiry 1 Vire Coppe and facility res 1 Vire Coppe | bundled Digital 19.2 Kbps bundled Digital 19.2 Kbps bundled Digital 19.2 Kbps bundled Digital Loop 56 Kbps - Zone 1 bundled Digital Loop 56 Kbps - Zone 2 bundled Digital Loop 56 Kbps - Zone 3 ordination for Specified Conversion Time (per LSR) bundled Digital Loop 64 Kbps - Zone 1 bundled Digital Loop 64 Kbps - Zone 2 bundled Digital Loop 64 Kbps - Zone 2 bundled Digital Loop 64 Kbps - Zone 3 ordination for Specified Conversion Time (per LSR) | | 2 3 1 2 | UDL | UDL19 | Rec | | | Nonrecursia | | | | 1st | Add'l | Disc 1st | |
| 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 0 Vire Coordin 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 0 Vire Coordin CLEC to CLEC 2-WIRE Unbundled C 2-Wire Unbun service inquiry 2 Wire Unbun service inquiry 1 Wire Unbun 2 Wire Unbun service inquiry 2 Wire Unbun service inquiry 2 Wire Unbun service inquiry 1 Vire Unbun service inquiry 1 Vire Unbun service inquiry 1 Vire Unbun service inquiry 1 Vire Unbun service inquiry 1 Vire Unbun service inquiry 1 Vire Unbun service inquiry 1 Vire Unbun service inquiry 1 Vire Unbun service inquiry 1 Vire Unbun service inquiry 1 Vire Unbun service inquiry 1 Vire Unbun service inquiry 1 Vire Coppe and facility res 1 Vire Coppe | bundled Digital 19.2 Kbps bundled Digital 19.2 Kbps bundled Digital 19.2 Kbps bundled Digital Loop 56 Kbps - Zone 1 bundled Digital Loop 56 Kbps - Zone 2 bundled Digital Loop 56 Kbps - Zone 3 ordination for Specified Conversion Time (per LSR) bundled Digital Loop 64 Kbps - Zone 1 bundled Digital Loop 64 Kbps - Zone 2 bundled Digital Loop 64 Kbps - Zone 2 bundled Digital Loop 64 Kbps - Zone 3 ordination for Specified Conversion Time (per LSR) | | 2 3 1 2 | UDL | UDL19 | Rec | | | Nonrecurrie - | | | | | , | | Disc Add'l |
| 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 0 Vider Coordin 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 5 Vire Unbun 6 Vire Unbun 6 Vire Unbun 7 Vire Unbun 8 Vire Unbun 8 Vire Unbun 8 Vire Unbun 8 Vire Unbun 9 Vire Voordin 10 Vire Voordin 10 Vire Voordin 10 Vire Voordin 10 Vire Voordin 10 Vire Voordin 10 Vire Voordin 10 Vire Voordin 11 Vire Voordin 12 Vire Voordin 13 Vire Voordin 14 Vire Voordin 15 Vire Voordin 16 Vire Voordin 17 Vire Voordin 17 Vire Voordin 18 Vire | bundled Digital 19.2 Kbps bundled Digital 19.2 Kbps bundled Digital 19.2 Kbps bundled Digital Loop 56 Kbps - Zone 1 bundled Digital Loop 56 Kbps - Zone 2 bundled Digital Loop 56 Kbps - Zone 3 ordination for Specified Conversion Time (per LSR) bundled Digital Loop 64 Kbps - Zone 1 bundled Digital Loop 64 Kbps - Zone 2 bundled Digital Loop 64 Kbps - Zone 2 bundled Digital Loop 64 Kbps - Zone 3 ordination for Specified Conversion Time (per LSR) | | 2 3 1 2 | UDL | UDL19 | Rec | | | | | | | | | <u> </u> | |
| 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 0 Vider Coordin 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 5 Vire Unbun 6 Vire Unbun 6 Vire Unbun 7 Vire Unbun 8 Vire Unbun 8 Vire Unbun 8 Vire Unbun 8 Vire Unbun 9 Vire Voordin 10 Vire Voordin 10 Vire Voordin 10 Vire Voordin 10 Vire Voordin 10 Vire Voordin 10 Vire Voordin 10 Vire Voordin 11 Vire Voordin 12 Vire Voordin 13 Vire Voordin 14 Vire Voordin 15 Vire Voordin 16 Vire Voordin 17 Vire Voordin 17 Vire Voordin 18 Vire | bundled Digital 19.2 Kbps bundled Digital 19.2 Kbps bundled Digital 19.2 Kbps bundled Digital Loop 56 Kbps - Zone 1 bundled Digital Loop 56 Kbps - Zone 2 bundled Digital Loop 56 Kbps - Zone 3 ordination for Specified Conversion Time (per LSR) bundled Digital Loop 64 Kbps - Zone 1 bundled Digital Loop 64 Kbps - Zone 2 bundled Digital Loop 64 Kbps - Zone 2 bundled Digital Loop 64 Kbps - Zone 3 ordination for Specified Conversion Time (per LSR) | | 2 3 1 2 | UDL | UDL19 | | | | | | | | | Rates (\$) | | T |
| 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 0 Vider Coordin 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 5 Vire Unbun 6 Vire Unbun 6 Vire Unbun 7 Vire Unbun 8 Vire Unbun 8 Vire Unbun 8 Vire Unbun 8 Vire Unbun 9 Vire Voordin 10 Vire Voordin 10 Vire Voordin 10 Vire Voordin 10 Vire Voordin 10 Vire Voordin 10 Vire Voordin 10 Vire Voordin 11 Vire Voordin 12 Vire Voordin 13 Vire Voordin 14 Vire Voordin 15 Vire Voordin 16 Vire Voordin 17 Vire Voordin 17 Vire Voordin 18 Vire | bundled Digital 19.2 Kbps bundled Digital 19.2 Kbps bundled Digital 19.2 Kbps bundled Digital Loop 56 Kbps - Zone 1 bundled Digital Loop 56 Kbps - Zone 2 bundled Digital Loop 56 Kbps - Zone 3 ordination for Specified Conversion Time (per LSR) bundled Digital Loop 64 Kbps - Zone 1 bundled Digital Loop 64 Kbps - Zone 2 bundled Digital Loop 64 Kbps - Zone 2 bundled Digital Loop 64 Kbps - Zone 3 ordination for Specified Conversion Time (per LSR) | | 2 3 1 2 | UDL | UDL19 | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun Order Coordin 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun Corder Coordin CLEC to CLEC 2-Wire Unbun service inquiry 2 Wire Unbun service inquiry 2 Wire Unbun service inquiry 2 Wire Unbun service inquiry 2 Wire Unbun service inquiry 0 Order Coordin 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 0 Order Coordin CLEC to CLEC (UCL-Des) 4-Wire Coppel and facility res 4-Wire Coppel and facility res 0 Order Coordin 4-Wire Coppel and facility res 0 Order Coordin 4-Wire Coppel and facility res 0 Order Coordin 4-Wire Coppel and facility res 0 Order Coordin 4-Wire Coppel and facility res 0 Order Coordin 4-Wire Coppel and facility res 0 Order Coordin 4-Wire Coppel and facility res 0 Order Coordin 4-Wire Coppel and facility res 0 Order Coordin 4-Wire Coppel and facility res 0 Order Coordin | bundled Digital 19.2 Kbps bundled Digital Loop 56 Kbps - Zone 1 bundled Digital Loop 56 Kbps - Zone 2 bundled Digital Loop 56 Kbps - Zone 3 bundled Digital Loop 56 Kbps - Zone 3 bundled Digital Loop 64 Kbps - Zone 1 bundled Digital Loop 64 Kbps - Zone 1 bundled Digital Loop 64 Kbps - Zone 2 bundled Digital Loop 64 Kbps - Zone 3 bundled Digital Loop 64 Kbps - Zone 3 bundled Digital Loop 64 Kbps - Zone 3 | | 3 1 2 | | LIDIAO | 31.10 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun Order Coordin 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun Gree Coordin 5 Vire Unbun CLEC to CLEC 2-WIRE Unbundled C 2-Wire Unbun service inquiry 2 Wire Unbun service inquiry 2 Wire Unbun service inquiry 2 Wire Unbun service inquiry 2 Wire Unbun service inquiry Order Coordin 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 4-Wire Unbun service inquiry 2-Wire Unbun service inquiry 4-Wire Coppel and facility res 4-Wire Coppel and facility res 4-Wire Coppel and facility res Gree Coordin 4-Wire Coppel and facility res 4-Wire Coppel and facility res Gree Coordin 4-Wire Coppel and facility res Gree Coppel and facility res Gree Coppel and facility res Gree Coppel and facility res Gree Coppel and facility res Gree Coordin 4-Wire Coppel and facility res Gree Coordin GLEC to CLEC GLEC to CLEC | bundled Digital Loop 56 Kbps - Zone 1 bundled Digital Loop 56 Kbps - Zone 2 bundled Digital Loop 56 Kbps - Zone 2 bundled Digital Loop 56 Kbps - Zone 3 ordination for Specified Conversion Time (per LSR) bundled Digital Loop 64 Kbps - Zone 1 bundled Digital Loop 64 Kbps - Zone 2 bundled Digital Loop 64 Kbps - Zone 3 ordination for Specified Conversion Time (per LSR) | | 1 2 | | UDL19 | 40.61 | 207.01 | 141.38 | 90.70 | 44.18 44.18 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| 4 Wire Unbun 4 Wire Unbun Order Coordin 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun CLEC to CLEC 2-WIRE Unbundled C 2-Wire Unbun service inquiry 2 Wire Unbun service inquiry 2 Wire Unbun service inquiry 2 Wire Unbun service inquiry 0 Order Coordin 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 0 Order Coordin 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 4-Wire Unbun service inquiry 2-Wire Unbun service inquiry 4-Wire Coppel and facility res 4-Wire Coppel and facility res 4-Wire Coppel and facility res 0 Order Coordin 4-Wire Coppel and facility res 4-Wire Coppel and facility res 4-Wire Coppel and facility res 0 Order Coordin 4-Wire Coppel and facility res 0 Order Coordin 4-Wire Coppel and facility res 4-Wire Coppel and facility res 0 Order Coordin 4-Wire Coppel and facility res 0 Order Coordin 1 Order Coordin 2 Order Coordin 1 Order Coordin 2 Order Coordin 1 Order Coordin 2 Order Coordin 2 Order Coordin 3 Order Coordin 3 Order Coordin 3 Order Coordin 4 Order Coordin 4 Order Coordin 4 Order Coordin 4 Order Coordin 4 Order Coordin 4 Order Coordin 4 Order Coordin 4 Order Coordin 4 Order Coordin | bundled Digital Loop 56 Kbps - Zone 2 bundled Digital Loop 56 Kbps - Zone 3 ordination for Specified Conversion Time (per LSR) bundled Digital Loop 64 Kbps - Zone 1 bundled Digital Loop 64 Kbps - Zone 2 bundled Digital Loop 64 Kbps - Zone 3 ordination for Specified Conversion Time (per LSR) | | 2 | UDL | UDL19 UDL56 | 53.11 31.10 | 207.01 207.01 | 141.38 141.38 | 90.70 90.70 | 44.18 44.18 | | | 20.35 20.35 | 10.54 10.54 | 13.32 13.32 | 13.32 13.32 |
| 4 Wire Unbun Order Coordin A Wire Unbun 4 Wire Unbun 4 Wire Unbun Order Coordin CLEC to CLEC 2-WIRE Unbundled 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 2 Wire Unbun service inquiry 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 2-Wire Copte und facility res 4-Wire Coppe and facility res 4-Wire Coppe and facility res Order Coordin 4-Wire Coppe and facility res Order Coordin 4-Wire Coppe and facility res Order Coordin 4-Wire Coppe and facility res Order Coordin 4-Wire Coppe and facility res Order Coordin 4-Wire Coppe and facility res Order Coordin CLEC to CLEC (UCL-Des) | bundled Digital Loop 56 Kbps - Zone 3 ordination for Specified Conversion Time (per LSR) bundled Digital Loop 64 Kbps - Zone 1 bundled Digital Loop 64 Kbps - Zone 2 bundled Digital Loop 64 Kbps - Zone 3 ordination for Specified Conversion Time (per LSR) | | | UDL | UDL56 | 40.61 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| Order Coordin 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun Order Coordin CLEC to CLEC 2-Wire Unbun service inquiry 2 Wire Unbun service inquiry 2 Wire Unbun service inquiry 2 Wire Unbun service inquiry 2 Wire Unbun service inquiry 2 Wire Unbun service inquiry Order Coordin 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 4-Wire Coppel and facility res 4-Wire Coppel and facility res 4-Wire Coppel and facility res 4-Wire Coppel and facility res 4-Wire Coppel and facility res 4-Wire Coppel and facility res Order Coordin 4-Wire Coppel and facility res Order Coordin 4-Wire Coppel and facility res Order Coordin 4-Wire Coppel and facility res Order Coordin 4-Wire Coppel and facility res Order Coordin A-Wire Coppel and facility res Order Coordin CLEC to CLEC | ordination for Specified Conversion Time (per LSR) bundled Digital Loop 64 Kbps - Zone 1 bundled Digital Loop 64 Kbps - Zone 2 bundled Digital Loop 64 Kbps - Zone 3 ordination for Specified Conversion Time (per LSR) | | | UDL | UDL56 | 53.11 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun 4 Wire Unbun CIEC to CLEC CLEC to CLEC 2-WIRE Unbundled C 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry Corder Coordin 2-Wire Unbun service inquiry Corder Coordin 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 4-Wire Coppel and facility res 4-Wire Coppel and facility res 4-Wire Coppel and facility res 4-Wire Coppel and facility res 4-Wire Coppel and facility res 4-Wire Coppel and facility res 4-Wire Coppel and facility res 4-Wire Coppel and facility res 4-Wire Coppel and facility res Corder Coordin 4-Wire Coppel and facility res 4-Wire Coppel and facility res 4-Wire Coppel and facility res 4-Wire Coppel and facility res Corder Coordin 4-Wire Coppel and facility res 4-Wire Coppel and facility res Corder Coordin CLEC to CLEC | bundled Digital Loop 64 Kbps - Zone 1 bundled Digital Loop 64 Kbps - Zone 2 bundled Digital Loop 64 Kbps - Zone 3 ordination for Specified Conversion Time (per LSR) | | 3 | UDL | OCOSL | 33.11 | 34.29 | 141.30 | 90.70 | 44.10 | | | 20.55 | 10.54 | 13.32 | 13.32 |
| 4 Wire Unbun 4 Wire Unbun Order Coordin CLEC to CLEC 2-WIRE Unbundled C 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 2 Wire Unbun service inquiry Order Coordin 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 0-Wire Coordin CLEC to CLEC (UCL-Des) 4-Wire Coppee and facility res 4-Wire Coppee and facility res 4-Wire Coppee and facility res 4-Wire Coppee and facility res 4-Wire Coppee and facility res 4-Wire Coppee and facility res 0-Wire Cooppee and facility res 4-Wire Coppee and facility res 0-Wire Coppee and facility res 0-Wire Coppee and facility res 4-Wire Coppee and facility res 0-Wire Coppee and facility res 4-Wire Coppee and facility res 0-Wire Coppee and facility res 0-Wire Coppee and facility res 0-Wire Coppee | bundled Digital Loop 64 Kbps - Zone 2 bundled Digital Loop 64 Kbps - Zone 3 ordination for Specified Conversion Time (per LSR) | | 1 | UDL | UDL64 | 31.10 | | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| 4 Wire Unbun Order Coordin CLEC to CLEC 2-Wire Unbundled C 2-Wire Unbundled C 2-Wire Unbundled C 2-Wire Unbundled C 2-Wire Unbundled C 2-Wire Unbundled C 2-Wire Unbundled C 2-Wire Unbundled C 2-Wire Unbundled C 2-Wire Unbundled C 2-Wire Unbundled C 2-Wire Unbundled C 2-Wire Unbundled C 2-Wire Unbundled C 3-Wire Unbundled C 4-Wire Coppel C 4-Wire C 4-W | bundled Digital Loop 64 Kbps - Zone 3 ordination for Specified Conversion Time (per LSR) | | 2 | UDL | UDL64 | 40.61 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| Order Coordin CLEC to CLEC 2-WIRE Unbundled C 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 2 Wire Unbun service inquiry 2 Wire Unbun service inquiry 2 Wire Unbun service inquiry 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 4-Wire Coppel and facility res 4-Wire Coppel and facility res 4-Wire Coppel and facility res 4-Wire Coppel and facility res 4-Wire Coppel and facility res 4-Wire Coppel and facility res 4-Wire Coppel and facility res 4-Wire Coppel and facility res 4-Wire Coppel and facility res 4-Wire Coppel and facility res 4-Wire Coppel and facility res 4-Wire Coppel and facility res 4-Wire Coppel and facility res 4-Wire Coppel and facility res 4-Wire Coppel and facility res Corder Coordin CLEC to CLEC | ordination for Specified Conversion Time (per LSR) | 1 | 3 | UDL | UDL64 | 53.11 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| CLEC to CLEC 2-WiRE Unbundled C 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 2 Wire Unbun service inquiry 2 Wire Unbun service inquiry Order Coordin 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry Order Coordin CLEC to CLEC (UCL-Des) 4-Wire Coppel and facility res 4-Wire Coppel and facility res Order Coordin 4-Wire Coppel and facility res Order Coordin 4-Wire Coppel and facility res Order Coordin 4-Wire Coppel and facility res Order Coordin 4-Wire Coppel and facility res 4-Wire Coppel and facility res 4-Wire Coppel and facility res Order Coordin CLEC to CLEC (UCL-Des) | | | 3 | UDL | OCOSL | 33.11 | 34.29 | 141.50 | 30.70 | 44.10 | | | 20.55 | 10.54 | 10.02 | 13.32 |
| 2-WIRE Unbundled C 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry Order Coordin 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry Order Coordin CLEC to CLEC (UCL-Des) 4-Wire Coppel and facility res 4-Wire Coppel and facility res Order Coordin 4-Wire Coppel and facility res Order Coordin 4-Wire Coppel and facility res Order Coordin 4-Wire Coppel and facility res Order Coordin 4-Wire Coppel and facility res Order Coordin 4-Wire Coppel and facility res Order Coordin CLEC to | | | | UDL | UREWO | | 102.28 | 49.82 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 0-rder Coordin CLEC to CLEC (UCL-Des) 4-Wire Coppe and facility res 4-Wire Coppe and facility res 4-Wire Coppe and facility res 0-rder Coordin 4-Wire Coppe and facility res 0-rder Coordin 4-Wire Coppe and facility res 4-Wire Coppe and facility res 4-Wire Coppe and facility res 4-Wire Coppe and facility res 0-rder Coordin 4-Wire Coppe and facility res 0-rder Coordin 1-rder Coppe and facility res 1-rder Coppe and facility res 0-rder Coordin CLEC to CLEC t | | 1 | 1 | | SILLIVO | | 102.20 | 70.02 | | | | | 20.00 | 10.04 | 10.02 | 10.02 |
| service inquiry 2-Wire Unbun service inquiry 2 Wire Unbun service inquiry Order Coordin 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry Order Coordin CLEC to CLEC (UCL-Des) 4-Wire Coppel and facility res 4-Wire Coppel and facility res Order Coordin 4-Wire Coppel and facility res Order Coordin 4-Wire Coppel and facility res Order Coordin 4-Wire Coppel and facility res Order Coordin 4-Wire Coppel and facility res Order Coordin 4-Wire Coppel and facility res Order Coordin 4-Wire Coppel and facility res Order Coordin CLEC to CLEC (UCL-Des) | bundled Copper Loop-Designed including manual | 1 | 1 | | 1 | | | | | + | | | | | $\overline{}$ | † |
| 2-Wire Unbun service inquiry 2 Wire Unbun service inquiry 2 Wire Unbun service inquiry Order Coordin 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry Order Coordin CLEC to CLEC (UCL-Des) 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 6-Wire Copper and facilit | quiry & facility reservation - Zone 1 | 1 1 | 1 | UCL | UCLPB | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| service inquiry 2 Wire Unbun service inquiry Order Coordin 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 0 order Coordin CLEC to CLEC (UCL-Des) 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res Copper | bundled Copper Loop-Designed including manual | | | 002 | 002. 2 | .00 | 01.00 | 20.02 | 10.00 | | | | 20.00 | 10.01 | 10.02 | 10.02 |
| 2 Wire Unbun service inquiry Order Coordin 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry Order Coordin CLEC to CLEC (UCL-Des) 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res Copper and fac | quiry & facility reservation - Zone 2 | 1 | 2 | UCL | UCLPB | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| service inquiry Order Coordin 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry Order Coordin CLEC to CLE((UCL-Des) 4-Wire Coppel and facility res 4-Wire Coppel and facility res Order Coordin 4-Wire Coppel and facility res Order Coordin 4-Wire Coppel and facility res Order Coordin 4-Wire Coppel and facility res Order Coordin Coppel and facility res Order Coordin COPPED COPPE | bundled Copper Loop-Designed including manual | | | | | | | | | | | | | | | |
| Order Coordin 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry Order Coordin CLEC to CLEC (UCL-Des) 4-Wire Copper and facility res 4-Wire Copper and facility res Order Coordin 4-Wire Copper and facility res 4-Wire Copper and facility res Order Coordin 4-Wire Copper and facility res Order Coordin 4-Wire Copper and facility res Order Coordin A-Wire Copper and facility res Order Coordin COPPER A-Wire Copper and facility res Order Coordin CLEC to CLEC (UCL-Des) | quiry & facility reservation - Zone 3 | 1 | 3 | UCL | UCLPB | 22.53 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry Order Coordin CLEC to CLEC (UCL-Des) 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res Corder Coordin CLEC to CLEC | ordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 36.52 | 36.52 | | | | | | | | |
| service inquiry 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry Order Coordin CLEC to CLEC (UCL-Des) 4-Wire Coppel and facility res 4-Wire Coppel and facility res Order Coordin 4-Wire Coppel and facility res Order Coordin 4-Wire Coppel and facility res Order Coordin 4-Wire Coppel and facility res Order Coordin 4-Wire Coppel and facility res 4-Wire Coppel and facility res 4-Wire Coppel and facility res Order Coordin CLEC to CLEC (UCL-Des) | bundled Copper Loop-Designed without manual | | | | | i | | | | | | | | | | |
| 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry 2-Wire Unbun service inquiry Order Coordin CLEC to CLEC (UCL-Des) 4-Wire COPPER LOU 4-Wire Coppe and facility res 4-Wire Coppe and facility res 4-Wire Coppe and facility res Order Coordin 4-Wire Coppe and facility res 4-Wire Coppe and facility res 4-Wire Coppe and facility res 4-Wire Coppe and facility res 4-Wire Coppe and facility res Coppe and facility res Coppe and facility res Coppe and facility res Coppe and facility res Coppe and facility res Coppe and facility res Coppe and facility res Corder Coordin CLEC to CLEC (UCL-Des) | quiry and facility reservation - Zone 1 | 1 | 1 | UCL | UCLPW | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| service inquiry 2-Wire Unbun service inquiry Order Coordin CLEC to CLEC (UCL-Des) 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res Copper A-Wire Copper | bundled Copper Loop-Designed without manual | | | | | | | | | | | | | | | |
| 2-Wire Unbun service inquiry Order Coordin CLEC to CLEC (UCL-Des) 4-Wire Coppel and facility res 4-Wire Coppel and facility res Order Coordin 4-Wire Coppel and facility res Order Coordin 4-Wire Coppel and facility res Order Coordin 4-Wire Coppel and facility res 4-Wire Coppel and facility res Order Coordin Coordin COORDIN Order Coordin COPPEL AND COORDIN CLEC TO CLEC (UCL-Des) | quiry and facility reservation - Zone 2 | 1 | 2 | UCL | UCLPW | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| service inquiry Order Coordin CLEC to CLE((UCL-Des) 4-WIRE COPPER LOO 4-Wire Coppee and facility res 4-Wire Coppee and facility res Order Coordin 4-Wire Coppee and facility res Order Coordin 4-Wire Coppee and facility res 4-Wire Coppee and facility res 4-Wire Coppee and facility res Order Coordin COPPEE CO | bundled Copper Loop-Designed without manual | | | | | i | | | | | | | | | | |
| Order Coordin CLEC to CLEC (UCL-Des) 4-Wire Copper and facility res 4-Wire Copper and facility res Copper and facility res Green and facility res Green and facility res A-Wire Copper and facility res Green and facility res A-Wire Copper and facility res 4-Wire Copper and facility res Green and facility res Green and facility res Copper and facility res Green Copper and facility res Green Copper and facility res Copper and facility res Green Coordin CLEC to CLEC | quiry and facility reservation - Zone 3 | 1 | 3 | UCL | UCLPW | 22.53 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| (UCL-Des) 4-WIRE COPPER LOC 4-Wire Coppee and facility res 4-Wire Coppee and facility res Coppee and facility res Order Coordin 4-Wire Coppee and facility res Order Coordin 4-Wire Coppee and facility res 4-Wire Coppee and facility res 4-Wire Coppee and facility res Order Coordin CLEC to CLEC (UCL-Des) | ordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | · | 36.52 | 36.52 | | | | | | | · | |
| 4-WIRE COPPER LOC 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res Order Coordin 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res Copper A-Wire Copper A-Wir | CLEC Conversion Charge without outside dispatch | | | | | | | | | | | | | | | |
| 4-Wire Copper and facility reset |) | 1 | | UCL | UREWO | i ' | 31.99 | 20.02 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| and facility res 4-Wire Coppe and facility res 4-Wire Coppe and facility res Order Coordin 4-Wire Coppe and facility res 4-Wire Coppe and facility res 4-Wire Coppe and facility res 4-Wire Coppe and facility res Coppe and facility res Coppe and facility res Order Coordin CLEC to CLEC | LOOP | | | | | | | | | | | | | i | | |
| 4-Wire Copper and facility res 4-Wire Copper and facility res Order Coordin 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res Copper and facility res Copper and facility res Corder Coordin CLEC to CLEC (UCL-Des) | pper Loop-Designed including manual service inquiry | | | | | i ' | | | | | | | | | · | |
| and facility res 4-Wire Coppe and facility res Order Coordin 4-Wire Coppe and facility res 4-Wire Coppe and facility res 4-Wire Coppe and facility res Order Coordin CLEC to CLEC (UCL-Des) | y reservation - Zone 1 | 1 | 1 | UCL | UCL4S | 24.70 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| 4-Wire Copper and facility reserved for the copper and facility reserved for the copper and facility reserved for the copper and facility reserved for the copper and facility reserved for the coordination of the coordination o | pper Loop-Designed including manual service inquiry | | | | | 1 | | | | | | | | 1 | | |
| and facility res Order Coordin 4-Wire Coppe and facility res 4-Wire Coppe and facility res 4-Wire Coppe and facility res Order Coordin CLEC to CLEC (UCL-Des) | y reservation - Zone 2 | - 1 | 2 | UCL | UCL4S | 32.25 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| Order Coordin 4-Wire Coppei and facility res 4-Wire Coppei and facility res 4-Wire Coppei and facility res Grder Coordin CLEC to CLEC (UCL-Des) | pper Loop-Designed including manual service inquiry | | | | | i ' | | | | | | | | | · | |
| 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res 4-Wire Copper and facility res Order Coordinate CLEC to CLEC (UCL-Des) | y reservation - Zone 3 | 1 | 3 | UCL | UCL4S | 42.17 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| and facility res 4-Wire Coppel and facility res 4-Wire Coppel and facility res Order Coordin CLEC to CLEC (UCL-Des) | ordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | <u> </u> | 36.52 | 36.52 | | | | | | 1 | <u> </u> | |
| 4-Wire Copper and facility res 4-Wire Copper and facility res Order Coordin CLEC to CLEC (UCL-Des) | pper Loop-Designed without manual service inquiry | | | | | i ' | | | | | | | | 1 | i ' | |
| and facility res 4-Wire Copper and facility res Order Coordin CLEC to CLEC (UCL-Des) | y reservation - Zone 1 | - 1 | 1 | UCL | UCL4W | 24.70 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| 4-Wire Copperand facility res Order Coordin CLEC to CLEC (UCL-Des) | pper Loop-Designed without manual service inquiry | | | | | i ' | | | | | | | | 1 | i ' | |
| and facility res Order Coordin CLEC to CLEC (UCL-Des) | y reservation - Zone 2 | I | 2 | UCL | UCL4W | 32.25 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| Order Coordin CLEC to CLEC (UCL-Des) | pper Loop-Designed without manual service inquiry | | | | | ł ' | | | | | | | | i | 1 ' | |
| CLEC to CLEC (UCL-Des) | y reservation - Zone 3 | | 3 | UCL | UCL4W | 42.17 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| (UCL-Des) | ordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 36.52 | 36.52 | | | | | | | ' | ļ |
| | | | | | | ł ' | | | | | | | | i | l' | |
| | CLEC Conversion Charge without outside dispatch | | | UCL | UREWO | | 31.99 | 20.02 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| LOOF MODIFICATION | | | | | | | | | | | | | | \longleftarrow | | |
| | | | | UAL, UHL, UCL, | | i ' | | | | | | | | 1 | i ' | |
| | | 1 | | UEQ, ULS, UEA, | | i ' | | | | | | | | 1 | i ' | |
| |) | | | UEANL, UEPSR, | LILMOL | 1 | 05.40 | 05.40 |] | l | | | 20.25 | 40.54 | 40.00 | 40.00 |
| | d Loop Modification, Removal of Load Coils - 2 Wire | | | UEPSB | ULM2L | | 65.40 | 65.40 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | d Loop Modification, Removal of Load Coils - 2 Wire han or equal to 18k ft, per Unbundled Loop | | + | | | | | | | | | | 00.05 | 10.54 | 40.00 | 40.00 |
| less than or er | d Loop Modification, Removal of Load Coils - 2 Wire han or equal to 18k ft, per Unbundled Loop d Loop Modification Removal of Load Coils - 4 Wire | | | LILII LICI LIEA | 111 1441 | ١ , | 05.40 | OF 40 | | | | | | | 13.32 | 13.32 |
| | d Loop Modification, Removal of Load Coils - 2 Wire han or equal to 18k ft, per Unbundled Loop | | | UHL, UCL, UEA | ULM4L | | 65.40 | 65.40 | | | | | 20.35 | 10.54 | | |
| Habita D. J. L. | d Loop Modification, Removal of Load Coils - 2 Wire han or equal to 18k ft, per Unbundled Loop d Loop Modification Removal of Load Coils - 4 Wire | | | UAL, UHL, UCL, | ULM4L | | 65.40 | 65.40 | | | | | 20.35 | 10.54 | | |
| | d Loop Modification, Removal of Load Coils - 2 Wire han or equal to 18k ft, per Unbundled Loop d Loop Modification Removal of Load Coils - 4 Wire or equal to 18K ft, per Unbundled Loop | | | UAL, UHL, UCL, UEQ, ULS, UEA, | ULM4L | | 65.40 | 65.40 | | | | | 20.35 | 10.54 | | |
| SUB-LOOPS per unbundled | d Loop Modification, Removal of Load Coils - 2 Wire han or equal to 18k ft, per Unbundled Loop d Loop Modification Removal of Load Coils - 4 Wire or equal to 18K ft, per Unbundled Loop d Loop Modification Removal of Bridged Tap Removal | , | | UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, | | | | | | | | | | | | 40.00 |
| Sub-Loop Distribution | d Loop Modification, Removal of Load Coils - 2 Wire han or equal to 18k ft, per Unbundled Loop d Loop Modification Removal of Load Coils - 4 Wire or equal to 18K ft, per Unbundled Loop | , , | | UAL, UHL, UCL, UEQ, ULS, UEA, | ULM4L ULMBT | | 65.40 65.44 | 65.44 65.44 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |

| UNBUNDL | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachmen | t: 2 Exh. A | | |
|--|--|---------|------|------------------|----------|--------|-----------------|----------------|--------------|--------|------------------------|------------------------|-------------|-------------------------|-------------------------|--------------------------|
| | | | | | | | | | | | Svc Order Submitted | Svc Order Submitted | Incremental | Incremental Charge - | Incremental Charge - | I Incrementa Charge - |
| | | | | | | | | | | | Elec | Manually | | Manual Svc | Manual Svc | _ |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | , | P | Electronic- | Electronic- | Electronic- | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | Disc 1st | DISC Add I |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- | | | | | | | | | | | | | | | |
| | Up | I | | UEANL | USBSA | | 517.25 | 517.25 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | | | | | | 40.00 | 40.00 | | | | | | | | |
| | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | ı | | UEANL | USBSB | | 42.68 | 42.68 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up | | | UEANL | USBSC | | 313.01 | 313.01 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel | - | 1 | UEAINL | USBSC | | 313.01 | 313.01 | | | 1 | 1 | 20.33 | 10.54 | 13.32 | 13.32 |
| | Set-Up | 1 | | UEANL | USBSD | | 108.06 | 108.06 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | ' | 1 | OLANL | 03030 | | 100.00 | 100.00 | | | 1 | 1 | 20.55 | 10.54 | 13.32 | 13.32 |
| | Statewide | | sw | UEANL | USBN2 | 10.02 | 148.84 | 112.34 | 73.14 | 36.65 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Ciatemae | | 344 | OL7 II IL | OODINE | 10.02 | 140.04 | 112.04 | 70.14 | 00.00 | | 1 | 20.00 | 10.04 | 10.02 | 10.02 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 34.29 | 34.29 | | | | | 1 | 1 | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | + |
| | Zone 1 | | 1 | UEANL | USBN4 | 7.30 | 147.93 | 75.11 | 99.96 | 16.98 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | 1 |
| | Zone 2 | | 2 | UEANL | USBN4 | 9.54 | 147.93 | 75.11 | 99.96 | 16.98 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UEANL | USBN4 | 12.47 | 147.93 | 75.11 | 99.96 | 16.98 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | | | | | | | | | | | | | | | 1 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 34.29 | 34.29 | | | | | | | | |
| | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | | | UEANL | USBR2 | 1.35 | 94.56 | 29.35 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 34.29 | 34.29 | | | | | | | | |
| | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | | | UEANL | USBR4 | 2.26 | 116.14 | 37.10 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 34.29 | 34.29 | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 78.92 | 78.92 | | | | | | | | |
| | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 23.33 | 23.33 | | | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF | UCS2X | 5.16 | 110.71 | 37.89 | 94.41 | 13.09 | | | 20.35 | 10.54 | 13.32 | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | | 2 | UEF | UCS2X | 6.74 | 110.71 | 37.89 | 94.41 | 13.09 | | | 20.35 | 10.54 | 13.32 | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | I | 3 | UEF | UCS2X | 8.81 | 110.71 | 37.89 | 94.41 | 13.09 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 34.29 | 34.29 | | | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF | UCS4X | 6.52 | 34.29 117.12 | 34.29 44.30 | 99.96 | 16.98 | 1 | | 20.35 | 10.54 | 13.32 | 13.32 |
| - | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | + | 2 | UEF | UCS4X | 8.52 | 117.12 | 44.30 | 99.96 | 16.98 | | | 20.35 | 10.54 | 13.32 | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | 3 | UEF | UCS4X | 11.14 | 117.12 | 44.30 | 99.96 | 16.98 | 1 | 1 | 20.35 | 10.54 | 13.32 | |
| | 4 Wile Copper Oribunaled Sub-Loop Distribution - Zone 3 | ' | 3 | OLI | 00347 | 11.14 | 117.12 | 44.30 | 33.30 | 10.90 | 1 | | 20.55 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 34.29 | 34.29 | | | | | 1 | 1 | | |
| | Loop Testing - Basic 1st Half Hour | 1 | 1 | UEF | URET1 | | 78.92 | 78.92 | | | 1 | <u> </u> | | | | † |
| | Loop Testing - Basic Additional Half Hour | | | UEF | URETA | | 23.33 | 23.33 | | | | | | | | 1 |
| Unbu | ndled Network Terminating Wire (UNTW) | | | | | | | | İ | | | | | | İ | 1 |
| | Unbundled Network Terminating Wire (UNTW) per Pair | ı | | UENTW | UENPP | 0.4555 | 2.48 | 2.48 | | | İ | | 20.35 | 10.54 | 13.32 | 13.32 |
| Netw | ork Interface Device (NID) | | | | | | | | | | | | | | | 1 |
| | Network Interface Device (NID) - 1-2 lines | | | UENTW | UND12 | | 89.69 | 54.56 | 0.6391 | 0.6391 | | | 20.35 | 10.54 | 13.32 | |
| | Network Interface Device (NID) - 1-6 lines | | | UENTW | UND16 | | 129.65 | 94.51 | 0.6522 | 0.6522 | | | 20.35 | 10.54 | 13.32 | |
| | Network Interface Device Cross Connect - 2 W | | | UENTW | UNDC2 | | 11.11 | 11.11 | | | | | 20.35 | 10.54 | 13.32 | |
| | Network Interface Device Cross Connect - 4W | | | UENTW | UNDC4 | | 11.11 | 11.11 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| UNE OTHER, | PROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | |
| | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | 0.00 | 0.00 | | | | | | | | | |
| | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | ļ | UENTW | UENCE | 0.00 | 0.00 | | | | | | | | | |
| | | | | UEANL,UEF,UEQ,U | | | | | | | | | 1 | 1 | | |
| IIIIE 65::55 | Unbundled Contract Name, Provisioning Only - No Rate | | ļ | ENTW | UNECN | 0.00 | 0.00 | | | | ļ | | | | | |
| UNE OTHER, | PROVISIONING ONLY - NO RATE | | ļ | | | | | | | | | | | | | |
| | | | | | | | | | | | | | 1 | 1 | | |
| | Habita diad Contact Name Braideignian Calif | | | UAL,UCL,UDC,UDL, | LINIECNI | 0.00 | 0.00 | |] | | | | Ì | Ì | | |
| | Unbundled Contact Name, Provisioning Only - no rate | 1 | 1 | UDN,UEA,UHL,USL | UNEUN | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no | | | | | | | | | | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachmen | t: 2 Exh. A | | |
|--|--|--|----------|----------------------|--------------|----------------|--------------|---------------------------------------|-----------------|------------------|--|-----------|------------------|-------------|-------------|--|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svo |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | 1 - | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Nonrecurring | | Nonrecurring | Diagonard | | | 220 | Rates (\$) | | l |
| | | | | | | Rec | First | Add'l | First | Add'l | COMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no | | | | - | | FIISt | Addi | FIRST | Addi | SOWIEC | SUMAN | SUMAN | SUMAN | SOWAN | SOWAN |
| | rate | | | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled DS1 Loop - Superframe Format Option - no rate | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | | | 1 |
| | Unbundled DS1 Loop - Expanded Superframe Format option - | | | | | | | | | | | | | | | |
| | no rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| HIGH CAPACI | TY UNBUNDLED LOCAL LOOP | | | | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | UE3 | 1L5ND | 9.19 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UE3 | UE3PX | 374.24 | 684.6755 | 350.175 | 270.0545 | 195.684 | | | 20.35 | 10.54 | | |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month | | | UDLSX | 1L5ND | 9.19 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Facility | | | UDLSX | ILSIND | 9.19 | | | | | | | | | | |
| | Termination per month | | | UDLSX | UDLS1 | 389.35 | 684.6755 | 350.175 | 248.193 | 173.8225 | | | 20.35 | 10.54 | | |
| Note (| 1): Rates provided in TN for both electronic and manual Loop | Makeun | are inte | | | | | | | | nts from the | Tennessee | | | | |
| LOOP MAKE- | | l l | | | | ao ap aajaoana | l ponung u | pormanom rac | l anning on the | 00 1410 01011101 | 1 | 1 | l loguidio.y / i | | | |
| | Loop Makeup - Preordering Without Reservation, per working or | | | | | | | | | | | | | | | |
| | spare facility queried (Manual). | R | | UMK | UMKLW | | 0.76 | 0.76 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | Loop Makeup - Preordering With Reservation, per spare facility | | | | | | | | | | | | | | | |
| | queried (Manual). | R | | UMK | UMKLP | | 0.76 | 0.76 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | Loop MakeupWith or Without Reservation, per working or | | | | | | | | | | | | | | | |
| | spare facility queried (Mechanized) | R | | UMK | UMKMQ | | 0.76 | 0.76 | | | | | | | | |
| LINE SPLITTII | | | | | | | | | | | | | | | | |
| | SPLITTING | | | | | | | | | | 1 | | | | | <u> </u> |
| END | ISER ORDERING-CENTRAL OFFICE BASED Line Splitting - per line activation DLEC owned splitter | | | UEPSR UEPSB | UREOS | 0.61 | | | | | 1 | - | | | | |
| | Line Splitting - per line activation BST owned - physical | | | UEPSR UEPSB | UREBP | 0.61 | 48.96 | 21.39 | 35.06 | 10.79 | 1 | | 20.35 | 10.54 | 13.32 | 13.32 |
| - | Line Splitting - per line activation BST owned - virtual | | | UEPSR UEPSB | UREBV | 0.61 | 48.96 | 21.39 | 35.06 | 10.79 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| MAINTENANC | E OF SERVICE | | | | | | | | | | 1 | | | | | |
| NOTE: | The Expedite charge will be maintained commensurate with | BellSouth | 's FCC | No.1 Tariff, Section | 13.3.1 as ap | olicable. | | | | | | | | | | |
| | No Trouble Found - per 1/2 hour increments - Basic | | | | | | 80.00 | 55.00 | | | | | | | | |
| | No Trouble Found - per 1/2 hour increments - Overtime | | | | | | 90.00 | 65.00 | | | | | | | | |
| | No Trouble Found - per 1/2 hour increments - Premium | | | | | | 100.00 | 75.00 | | | | | | | | |
| | DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| INTER | OFFICE CHANNEL - DEDICATED TRANSPORT | | 1 | | - | 1 | | | | | | - | | | | |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month | | | U1TVX | 1L5XX | 0.0054 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | 1 | UTTVA | ILOAA | 0.0034 | | | | | <u> </u> | - | | | | |
| | Facility Termination | | | U1TVX | U1TV2 | 18.58 | 55.39 | 17.37 | 27.96 | 3.51 | | | 20.35 | 21.09 | | |
| | Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade | | | | | | | | | 2.4. | | | | 1 | | |
| | Rev Bat Per Mile per month | <u> </u> | | U1TVX | 1L5XX | 0.0054 | | | | | <u></u> | | <u> </u> | <u> </u> | | <u> </u> |
| | Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat | | | | | | | | | | | | | | | |
| | Facility Termination | | | U1TVX | U1TR2 | 18.58 | 55.39 | 17.37 | 27.96 | 3.51 | | | 20.35 | 21.09 | | <u> </u> |
| | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - | 1 | | | | | | | | | | | | | | |
| | Per Mile per month | | 1 | U1TVX | 1L5XX | 0.0054 | | | | | <u> </u> | 1 | | | | |
| | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination | | | U1TVX | U1TV4 | 24.09 | 37.87 | 26.02 | 30.78 | 13.07 | | | 15.08 | 15.08 | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | UTIVA | 01174 | 24.09 | 31.01 | 20.02 | 30.76 | 13.07 | 1 | - | 15.06 | 15.06 | | |
| | per month | | | U1TDX | 1L5XX | 0.0174 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | 1 | | | 0.0 | | | | | | | | | | <u> </u> |
| | Termination | | | U1TDX | U1TD5 | 17.98 | 55.39 | 17.37 | 27.96 | 3.51 | | | 20.35 | 21.09 | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | 1 | | | | | | | | | | | | | |
| | per month | L | <u> </u> | U1TDX | 1L5XX | 0.0174 | | | | | L | <u> </u> | | | | <u></u> |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | | | | | · · · · · · · · · · · · · · · · · · · | | | | | | | | |
| igsquare | Termination | ļ | | U1TDX | U1TD6 | 17.98 | 55.39 | 17.37 | 27.96 | 3.51 | | | 20.35 | 21.09 | | ↓ |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | | | | | | |
| \vdash | month | <u> </u> | | U1TD1 | 1L5XX | 0.3562 | | | | | <u> </u> | | ļ | ļ | | <u> </u> |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | U1TD1 | U1TF1 | 77.86 | 112.40 | 76.27 | 19.55 | 14.99 | | | 20.35 | 21.09 | | |
| | Termination | l | l | ועווטן | UTIFI | 11.86 | 112.40 | 10.21 | 19.55 | 14.99 | 1 | <u> </u> | 20.35 | 21.09 | | 1 |

| ACTEORY RATE ELEMENTS Insulin Zone BCS USO BATES (S) BATES (S) BATES (C) BATES (C) BATES (C) BATES (C) BATES (C) Rec Rec Rec Rec Rec Rec Rec Re | | i | : 2 Exh. A | Attachment | | | | | | | | | | | | NBUNDLED NETWORK ELEMENTS - Tennessee |
|--|----------------|-------------|------------|------------|-----------|-----------|---------------|----------------|----------------|-----------------|----------------|----------------|----------------------|---------|-----------------|--|
| ACREGIONY RATE ELEMENTS Inseling BOSS BOSS BATES (5) BATES (5) BATES (6) BATES (6) BATES (6) BATES (7) BATES (6) BATES (7) BATES (8) BATES (| tal Incrementa | Incremental | | | Svc Order | Svc Order | | | | | | | | | T | |
| ATE ELEMENTS merim Zone B.C.S URSO BATES (3) BATES (3) Each South So | | | | | | | | | | | | | | | | |
| CATEGORY RATE ELEMENTS Interfer Zone BCS USC STATE STA | | | - | | | | | | | | | | | | | |
| | | | | | , | | | | RATES (\$) | | | USOC | BCS | Zone | Interim | ATEGORY RATE ELEMENTS |
| Second Color | | | | | per LSK | per LSK | | | | | | | | | | |
| Record R | | | | | | | | | | | | | | | | |
| Indeed Part | t Disc Add'l | Disc 1st | Add'l | 1st | | | | | | | | | | | | |
| Indeed Part | | | Rates (\$) | OSS | l | | Disconnect | Nonrecurring | | Nonrecurring | | | | | + | |
| Miscoffice Charact - Devictorial Transport - 1955 - Fee Wile per U1TD3 | SOMAN | SOMAN | | | SOMAN | SOMEC | | - v | l'bbA | | Rec | | | | + | |
| menth | - COMPAR | COMPAR | COMPAR | COMPAN | COMPAR | COME | Auui | 11130 | Addi | 11130 | | | | | + | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per |
| Interesting Contents - Decisional Transport - 1953 - Facility UTIDS UTIPS 0400 35.529 176.56 109.64 109.69 36.94 3 | | ł | | | | | | | | | 2 34 | 11 5XX | LI1TD3 | | | · · · · · · · · · · · · · · · · · · · |
| Termination per north UITD3 | | f | | | | | | | | | 2.01 | 120701 | 01120 | | + | |
| Interesting Charmer - Decisioned Transport - 5175 - 1 PM Miles DITTS ILSOX 2,54 DITTS DISCONNESS | | ł | 36.84 | 36.84 | | | 105 91 | 109 04 | 176.56 | 395 29 | 848 99 | U1TF3 | U1TD3 | | | |
| Inserting | | | 00.01 | 00.01 | | | .00.01 | 100.01 | 17 0.00 | 000.20 | 0.0.00 | 00 | 0.1.20 | | + | |
| Interaction United Unite | | ł | | | | | | | | | 2 34 | 1I 5XX | U1TS1 | | | |
| Termination | | f | | | | | | | | | 2.04 | 120/01 | 01101 | | + | |
| DARK Filter Four Filter Strends Per Route Mile or Fraction Interest per month - Incell Channel IDF LUPCX ILSC C 57 65 ILSC DARK Filter Four Filter Strends IDF LUPCX ILSC C 57 65 ILSC DARK Filter Four Filter Strends IDF LUPCX ILSC C 57 65 ILSC DARK Filter Four Filter Strends IDF LUPCX ILSC DARK Filter ILSC DARK | | ł | 36.84 | 36.84 | | | 105 91 | 109 04 | 176.56 | 395 29 | 849 30 | U1TES | U1TS1 | | | |
| Outs Fluir, Four Floor Strands, Per Route Mise of Fraction UDF, UDFCX 11,5DC 67.65 | | | 00.04 | 00.04 | | | 100.01 | 100.04 | 170.00 | 000.20 | 040.00 | 01110 | 01101 | | + | |
| Thereof per month - Local Channel | | f | | | | | | | | | | | | | + | |
| Dash Fiber, Four Fiber Stands, Per Robul Mile of Fraction Theodor per moth. Infection Channel UOF, UDFCX 11,50F 28,74 1,121,00 153,19 500,26 357,17 20,35 10,64 13,3 13,4 | | 1 | | | | | | | | | 67 65 | 1L5DC | UDE UDECX | | | |
| Thereof per month - Interoffice Channel UDF, UDFCX 1,50F 28.74 1,121.00 15.19 500.20 367.17 20.35 16.54 13.3 | - | | | | l | l | | | | | 07.00 | 12020 | 551, 551 57 | | + | |
| NRC Dark Fleer - Interedition Channel UDF, UDFCX UDF14 1,121.00 153.19 890.26 397.17 20.38 10.54 13.3 | | 1 | | | 1 | 1 | | | | | 28 74 | 11.5DF | UDE UDECX | | | |
| Date Flost, Four Flord Strands, Per Route Mile or Fraction UDF, UDFCX USDL 67.55 | 32 13.32 | 13.32 | 10.54 | 20.35 | | | 357 17 | 580.26 | 153 10 | 1 121 00 | 20.74 | | | | + | |
| Thereof per month - Local Loop UPE, UPFCX 1,50L 67.86 | 10.02 | 10.02 | 10.04 | 20.00 | | | 007.17 | 000.20 | 100.10 | 1,121.00 | | ODI 14 | ODI , ODI OX | | + | |
| Virtual_Collactor Virt | | ł | | | | | | | | | 67.65 | 11 EDI | LIDE LIDECY | | | |
| System S | | | | | | | | | | | 07.03 | ILJDL | ODI, ODI CA | | | |
| Physical Collications | | | | | | | | | - | | | 1 | | | + | |
| ### Physical Collocation-2-Wire Cross Connects (Loop) for Line Physical Collocation-2-Wire Cross Connects (Loop) for Line Splitting UEPSR UEPSB PELS 0.7905 11.62 9.90 10.38 8.66 19.99 19.99 19.99 19.99 19.90 | 99 19.99 | 10.00 | 10.00 | 10.00 | | | 9.66 | 10.29 | 0.00 | 11.62 | 0.57 | \/E1 Q | HEDED HEDED | | | |
| Physical Calication-2 Wire Cross Connects (Loop) for Line UEPSR UEPSR PE1LS 0.7905 11.62 9.00 10.38 8.66 19.99 19.99 19.99 19.90 19. | 35 13.33 | 19.99 | 19.99 | 15.55 | | | 0.00 | 10.36 | 5.50 | 11.02 | 0.57 | VLILO | OLF SK OLF SB | | + | 1-1 - 3 |
| Spilling | | | | | | | | | - | | | 1 | | | + | |
| ENHANCED EXTENDED LINK (EELs) | 99 19.99 | 10.00 | 10.00 | 10.00 | | | 0.66 | 10.20 | 0.00 | 11.60 | 0.7005 | DE4LC | HEDED HEDED | | | |
| NOTE: The monthly recurring and not-recurring charges below will apply for UNE combinations provisioned as **Ordinarity Combined* Network Elements.** NOTE: The monthly recurring and the Switch-As-las Charge and not the non-recurring charges below will apply for UNE combinations provisioned as **Currenty** Combined** Network Elements.** 2-Wire VGLC GRADE LOOP FOR USE IN A COMBINATION VIEW COLOGO (SL2) in Combination - Zone 1 1 UNCVX UFAL2 16.56 108.76 35.47 72.94 10.86 20.35 21.09 10.00 22.00 | 99 19.98 | 19.99 | 19.99 | 19.99 | | | 0.00 | 10.36 | 9.90 | 11.02 | 0.7905 | PEILS | UEFOR UEFOB | | + | |
| NOTE: The monthly recurring and the Switch-Ass Charge and not the non-recurring charges below will apply for UNE combinations provisioned as *Currently Combined* Network Elements. | + | | | | | omonto | d' Notwork El | narily Cambina | anad aa ' Ordi | nationa provisi | for LINE combi | vill not onniv | vitah As Is Charas u | the Cu | onnhi oni | |
| 2-WiRe VOICE GRADE LOOP FOR USE IN A COMBINATION 1 UNCVX UEAL2 16.66 108.76 35.47 72.94 10.86 20.35 21.09 2.2 Wire VG Loop (SL2) in Combination - Zone 2 2 UNCVX UEAL2 28.28 108.76 35.47 72.94 10.86 20.35 21.09 2.2 Wire VG Loop (SL2) in Combination - Zone 3 3 UNCVX UEAL2 28.28 108.76 35.47 72.94 10.86 20.35 21.09 2.2 Wire VG Loop (SL2) in Combination - Zone 3 3 UNCVX UEAL2 28.28 108.76 35.47 72.94 10.86 20.35 21.09 21.09 2.2 Wire VG Loop (SL2) in Combination - Zone 3 3 UNCVX UEAL2 28.28 108.76 35.47 72.94 10.86 20.35 21.09 21.0 | | | | | | | | | | | | | | | | |
| 2-Wire VG Logo (SL2) in Combination - Zone 1 | | | | | | i | VOIK Elements | ombined Netw | is Currently C | s provisioneu a | E COMBINATION | apply for Ur | charges below will | curring | ne non-re | |
| 2-Wire VG. Loop (SLZ) in Combination - Zone 2 2 UNCVX UPAL2 21.63 108.76 35.47 77.94 10.86 20.35 21.09 | _ | | 21.00 | 20.25 | | | 10.96 | 72.04 | 25 47 | 109.76 | 16.56 | LIEAL 2 | LINCVY | 1 | | |
| 2-Wire VI Loop (SL2) in Combination - Zone 3 3 UNCVX UEAL2 28.28 108.76 35.47 72.94 10.86 20.35 21.09 | | | | | | | | | | | | | | | + | |
| Voice Grade COCL - Per Month | | | | | | | | | | | | | | | + | |
| ##WIRE AND YOLES (RADE LOOP FOR USE IN A COMBINATION | | | 21.09 | 20.33 | | | 10.00 | 12.54 | | | | | | 3 | + | |
| 4-Wire Analog Voice Grade Loop in Combination - Zone 1 | | | | | | | | | 4.42 | 5.70 | 0.91 | IDIVG | UNCVA | | + | |
| A-Wire Analog Voice Grade Loop in Combination - Zone 2 2 UNCVX UEAL4 32.26 108.76 35.47 72.94 10.86 20.35 21.09 | _ | | 21.00 | 20.25 | | | 10.96 | 72.04 | 25 47 | 109.76 | 24.70 | LIEAL 4 | LINCVY | 1 | | |
| A-Wire Analog Voice Grade Loop in Combination - 2 one 3 3 UNCVX UEAL4 42.18 108.76 35.47 72.94 10.86 20.35 21.09 | | | | | | | | | | | | | | | + | |
| Voice Grade COC in combination - per month | | | | | | | | | | | | | | | + | |
| #WIRE 56 KBPS Digital Grade Loop in Combination - Zone 1 1 UNCDX UDL56 31.10 108.76 35.47 72.94 10.86 20.35 21.09 #WIRE 56KPS Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL56 40.61 108.76 35.47 72.94 10.86 20.35 21.09 #WIRE 56KPS Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 40.61 108.76 35.47 72.94 10.86 20.35 21.09 #WIRE 56KPS DIGITAL LOOP FOR USE IN A COMBINATION UNCDX 1D1DD 0.91 5.70 4.42 #WIRE 64KBPS DIGITAL LOOP FOR USE IN A COMBINATION UDL64 40.61 108.76 35.47 72.94 10.86 20.35 21.09 #WIRE 64KBPS DIGITAL LOOP FOR USE IN A COMBINATION UDL64 33.11 108.76 35.47 72.94 10.86 20.35 21.09 #WIRE 64KBPS DIGITAL LOOP FOR USE IN A COMBINATION UDL64 40.61 108.76 35.47 72.94 10.86 20.35 21.09 #WIRE 64KBPS DIGITAL LOOP FOR USE IN A COMBINATION UDL64 40.61 108.76 35.47 72.94 10.86 20.35 21.09 #WIRE 64KBPS DIGITAL LOOP FOR USE IN A COMBINATION UDL64 40.61 108.76 35.47 72.94 10.86 20.35 21.09 #WIRE 64KBPS DIGITAL LOOP FOR USE IN A COMBINATION UDL64 40.61 108.76 35.47 72.94 10.86 20.35 21.09 #WIRE 64KBPS DIGITAL LOOP FOR USE IN A COMBINATION UDL64 53.11 108.76 35.47 72.94 10.86 20.35 21.09 #WIRE ISON LOOP FOR USE IN COMBINATION UDL64 53.11 108.76 35.47 72.94 10.86 20.35 21.09 #WIRE ISON LOOP FOR USE IN COMBINATION UDL64 53.11 108.76 35.47 72.94 10.86 20.35 21.09 #WIRE ISON Loop in Combination - Zone 2 2 UNCDX UDL64 53.11 108.76 35.47 72.94 10.86 20.35 21.09 #WIRE ISON Loop in Combination - Zone 2 2 UNCDX UDL64 53.11 108.76 35.47 72.94 10.86 20.35 21.09 #WIRE ISON Loop in Combination - Zone 2 2 UNCDX UDL64 53.11 108.76 35.47 72.94 10.86 20.35 21.09 #WIRE ISON Loop in Combination - Zone 2 2 UNCDX UDL64 53.11 108.76 35.47 72.94 10.86 20.35 21.09 #WIRE ISON Loop in Combination - Zone 2 2 UNCDX UDL64 53.11 108.76 35.47 72.94 10.86 20.35 21.09 #WIRE ISON Loop in Combination - Zone 2 2 UNCDX UDL64 53.10 108.76 35.47 72.94 10.86 20.35 21.09 #WIRE ISON Loop in Combination - Zone 3 3 UNCDX UDL64 53.10 108.76 35.47 72.94 10.86 20.35 21.09 #WIRE ISON Loop in Combination - Zone 2 2 UNCDX UDL64 53 | | | 21.09 | 20.33 | | | 10.00 | 12.54 | | | | | | 3 | + | |
| 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 | | | | | | | | | 4.42 | 5.70 | 0.91 | טועו | OINCVA | | + | |
| H-Wire 66Kbps Digital Grade Loop in Combination - Zone 2 | | | 21.00 | 20 2F | | - | 10.00 | 72.04 | 25 47 | 100 76 | 21 10 | LIDLES | LINCDY | 1 | + | |
| 4-Wire 66kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 53.11 108.76 35.47 72.94 10.86 20.35 21.09 | | | | | | | | | | | | | | | + | |
| OCU-DP COCI (data) per month (2.4-64kbs) | + | | | | | | | | | | | | | | + | |
| 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 | | | 21.09 | 20.33 | | | 10.00 | 12.94 | | | | | | 3 | + | |
| 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 | | | + | - | | | | | 4.42 | 5.70 | 0.91 | טטוטו | OINCDV | | + | |
| 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL64 40.61 108.76 35.47 72.94 10.86 20.35 21.09 | | | 24.00 | 20.25 | | | 10.00 | 70.04 | 25 47 | 100 70 | 24.40 | LIDL64 | LINCDY | 1 | + | |
| A-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL64 53.11 108.76 35.47 72.94 10.86 20.35 21.09 | | | | | | | | | | | | | | | + | |
| DCU-DP COCI (data) - in combination - per month (2.4-64kbs) | _ | | | | - | | | | | | | | | | | |
| 2-Wire ISDN Loop in Combination - Zone 1 | | | ∠1.09 | ∠∪.35 | | | 10.86 | 12.94 | | | | | | 3 | | |
| 2-Wire ISDN Loop in Combination - Zone 1 | | | | | | | | | 4.42 | 5.70 | 0.91 | טטוטו | UNCDX | | + | |
| 2-Wire ISDN Loop in Combination - Zone 2 2 UNCNX U1L2X 29.02 108.76 35.47 72.94 10.86 20.35 21.09 | | | 04.00 | 00.05 | | | 40.00 | 70.04 | 05.47 | 400.70 | 00.00 | 1141.07 | LINICNIV | | + | |
| 2-Wire ISDN Loop in Combination - Zone 3 3 UNCNX U1L2X 37.95 108.76 35.47 72.94 10.86 20.35 21.09 | _ | | | | - | | | | | | | | | 1 | | |
| 2-wire ISDN COCI (BRITE) - in combination - per month | | | | | - | | | | | | | | | | | |
| 4-Wire DS1 Digital Loop in Combination - Zone 1 | | | 21.09 | 20.35 | | | 10.86 | 12.94 | | | | | | 3 | + | |
| 4-Wire DS1 Digital Loop in Combination - Zone 1 | | | | | | | | | 4.42 | 5.70 | 3.24 | UCTCA | UNUNA | | + | |
| 4-Wire DS1 Digital Loop in Combination - Zone 2 2 UNC1X | _ | | 04.00 | 20.05 | ļ | ļ | 04.00 | 70.07 | 404.71 | 000.40 | F7 70 | HOLYC | LINICAY | | + | |
| 4-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X USLXX 98.59 228.40 161.74 79.87 24.88 20.35 21.09 | | | | | | | | | | | | | | | + | |
| DS1 COCI in combination per month UNC1X UC1D1 17.58 5.70 4.42 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per | | | | | | | | | | | | | | | + | |
| 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per | | | 21.09 | 20.35 | | | 24.88 | 79.87 | | | | | | 3 | + | |
| Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per | | | | | | | | | 4.42 | 5.70 | 17.58 | UC1D1 | UNC1X | | | |
| | + | | | | | | | | | | | 1 | ļ | UN | JMRINATI | |
| | 1 | ł | | | l | l | | | | | | | | | | |

| UNBUNDLE | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachmen | nt: 2 Exh. A | | |
|----------|--|--|--|---------|----------------|--------|--------------|------------|--|------------|--|-----------|--|--|--|--------------|
| | | | 1 | | | | | | | | Svc Order | Svc Order | | | Incremental | Increment |
| | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | | | | | |
| | | l | l _ | | | | | | | | Elec | Manually | | Manual Svc | Manual Svc | Manual Sv |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | • | | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | 151 | Auu | DISC 1St | DISC Add I |
| | | | | | | | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | <u> </u> | | _ | Rec | First | Add'l | First | Add'l | COMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | Literatura Transport Control NO. Bullington I. Franklin | | 1 | | _ | | FIISL | Auuı | FIISL | Add I | SOMEC | SUMAN | SUMAN | SUMAN | SUMAN | SUMAN |
| | Interoffice Transport - 2-wire VG - Dedicated - Facility | | | | | | | | | | | | | ! | | |
| | Termination per month | | | UNCVX | U1TV2 | 21.79 | 79.83 | 44.08 | 69.32 | 31.00 | | | 20.35 | 21.09 | | |
| 4 WIR | E VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | OMBINAT | ION | | | | | | | | | | | | | |
| | Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per | | | | | | | | | | | | | į į | | 1 |
| | Month | | | UNCVX | 1L5XX | 0.0174 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | + |
| | Intereffice Transport 4 wire VC Dedicated Facility | | | | | | | | | | | | | | | |
| | Interoffice Transport - 4-wire VG - Dedicated - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNCVX | U1TV4 | 27.30 | 79.83 | 44.08 | 69.32 | 31.00 | | | 20.35 | 21.09 | L | |
| DS1 II | NTEROFFICE TRANSPORT FOR COMBINATION | | | | | | | | | | | | | |] | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | 1 | | |
| | per month | | 1 | UNC1X | 1L5XX | 0.3562 | | | | | | 1 | | 1 | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | 1 | 1 | | | 1 | | | | | İ | İ | | † | | 1 |
| | Termination per month | | 1 | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | 1 | 1 | 20.35 | 21.09 | | |
| Dea II | NTEROFFICE TRANSPORT FOR USE IN A COMBINATION | | | CINCIA | 011111 | 11.00 | 111.24 | 113.12 | 10.01 | 30.90 | | | 20.33 | 21.09 | | + |
| D23 II | | | 1 | | | | | | | | ļ | | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Per Mile | | | | | | | | | | | | | ' | | |
| | Per Month | | <u></u> | UNC3X | 1L5XX | 2.34 | | | | | <u> </u> | | <u> </u> | ' | <u> </u> | |
| | Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | | | | | | | | | | | | | |
| | month | | | UNC3X | U1TF3 | 854.97 | 482.01 | 153.81 | 64.43 | 35.43 | | | 36.84 | 36.84 | | |
| STS-1 | INTEROFFICE TRANSPORT FOR USE IN COMBINATION | | | 0.100/1 | 0 | 001.07 | 102.01 | 100.01 | 00 | 00.10 | | | 00.01 | 00.01 | | + |
| 010-1 | Interoffice Transport - Dedicated - STS-1 combination - Per Mile | 1 | | | - | | | | | | | | | | | + |
| | | | | | 41 = 207 | | | | | | | | | | | |
| | Per Month | | | UNCSX | 1L5XX | 2.34 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNCSX | U1TFS | 849.30 | 482.01 | 153.81 | 64.43 | 35.43 | | | 36.84 | 36.84 | | |
| 4-WIR | E 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN | ISPORT | | | | | | | | | | | | 1 | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL56 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | | | | | | 1 |
| | 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | | | | | | + |
| | 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | 1 | | | | | + |
| | | | 3 | UNCDX | UDLOO | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | | | | | | 4 |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | | | | | | | | | | | |
| | Per Mile per month | | | UNCDX | 1L5XX | 0.0174 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | | | | | | | | | | | |
| | Facility Termination per month | | | UNCDX | U1TD5 | 21.19 | 79.83 | 44.08 | 69.32 | 31.00 | | | 20.35 | 21.09 | | |
| 4-WIR | E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | FFICE TR | ANSPO | RT | | | | | | | | | | T | | 1 |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 1 | 1 | 1 | UNCDX | UDL64 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | | | | | | 1 |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 2 | 1 | 2 | UNCDX | UDL64 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | | | | | | + |
| | | | | | | | | | | | | | | | | |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | 1 | | | 1 | | | | | 1 | 1 | | 1 | | |
| I | Per Mile per month | <u></u> | <u>L_</u> | UNCDX | 1L5XX | 0.0174 | <u> </u> | | <u> </u> | | <u> </u> | <u> </u> | <u> </u> | ' | <u> </u> | 1 |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | | | |
| | Facility Termination per month | | 1 | UNCDX | U1TD6 | 21.19 | 79.83 | 44.08 | 69.32 | 31.00 | | 1 | 20.35 | 21.09 | | |
| 4-WIR | E 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC | E TRANS | PORT | | | 1 | | | | | İ | | 1 | | | 1 |
| 7 *** | 4-wire 56 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL56 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | 1 | i | | + | | † |
| | 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | 1 | 1 | } | | | + |
| - | | - | | | | | | | | | 1 | 1 | 1 | | ↓ | + |
| | 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | ļ | | ļ | ļ' | Ļ | <u> </u> |
| 1 | 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per | | | | | | | | | | | | | 1 ' | | |
| [| month | <u></u> | Щ. | UNCDX | 1L5XX | 0.0174 | <u> </u> | | <u> </u> | <u></u> | <u> </u> | <u> </u> | <u> </u> | <u> </u> | <u> </u> | |
| | 4-wire 56 kbps Interoffice Transport - Dedicated - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | 1 | UNCDX | U1TD5 | 21.19 | 79.83 | 44.08 | 69.32 | 31.00 | | 1 | 20.35 | 21.09 | | |
| 4-WIR | E 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC | E TRANS | PORT | | - | | 1 2.00 | 00 | 22.02 | 2.100 | l | 1 | | | | † |
| | 4-wire 64 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL64 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | İ | | Ì | | | 1 |
| | 4-wire 64 kbps Local Loop in combination - Zone 2 | t | 2 | UNCDX | UDL64 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | t | l . | † | | | + |
| | 4-wire 64 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL64 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | 1 | 1 | 1 | | + | + |
| | | | 3 | OINODA | UDL04 | 55.11 | 100.76 | 33.47 | 12.94 | 10.86 | | | | | ₩ | + |
| 1 | I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per | | 1 | | 4 | | | | | | | 1 | | 1 | | |
| | month | | | UNCDX | 1L5XX | 0.0174 | | | | | | | | | | |
| | 4-wire 64 kbps Interoffice Transport - Dedicated - Facility | | 1 | | | | | | | | | | | | | |
| | Termination per month | | | UNCDX | U1TD6 | 21.19 | 79.83 | 44.08 | 69.32 | 31.00 | | | 20.35 | 21.09 | | |
| DS1 F | DIGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT | | † | | | 0 | | 00 | 22.02 | 2.100 | 1 | | | | | 1 |
| - 10011 | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 57.73 | 228.40 | 161.74 | 79.87 | 24.88 | | l . | 1 | | | + |
| | | | | | | | | | | | | ! | 1 | | | + |
| | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 75.40 | 228.40 | 161.74 | 79.87 | 24.88 | ļ | | ļ | <u> </u> | | 1 |
| | 4-Wire DS1 Digital Loop in Combination - Zone 3 | 1 | 3 | UNC1X | USLXX | 98.59 | 228.40 | 161.74 | 79.87 | 24.88 | 1 | | 1 | 1 | 1 | |

| UNBUNDL | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachmen | t: 2 Exh. A | | |
|-------------|---|--|--|-------------------|--------------|----------------|--------------|------------|--|-------|--|--|--------------|--------------|--|------------|
| | | | | | | | | | | | Svc Order | Svc Order | | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | | Manual Svc | Manual Svc | |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | | | | | | |
| CATEGORI | RATE ELEMENTS | mem | Zone | ВСЗ | 0300 | | | KATES (4) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| i | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | |
| i | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Tat | | - N | . D' | | l . | | D-((A) | | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | per month | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | T . |
| | Termination per month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | | |
| DS3 | DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO | ORT | | | | | | | | | | | | | | 1 |
| | DS3 Local Loop in combination - per mile per month | | | UNC3X | 1L5ND | 9.19 | | | | | | | | | | 1 |
| | per time per menti | | | 0.100/1 | 120112 | 0.10 | | | | | | | | | | † |
| | DS3 Local Loop in combination - Facility Termination per month | | | UNC3X | UE3PX | 373.47 | 240.23 | 180.87 | 106.78 | 45.24 | | | | | | |
| | | | 1 | | 1L5XX | 2.34 | 240.23 | 100.07 | 100.76 | 43.24 | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | ILOXX | 2.34 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNC3X | U1TF3 | 854.97 | 482.01 | 153.81 | 64.43 | 35.43 | | | 36.84 | 36.84 | | ļ |
| STS- | 1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN | ISPORT | | | | | Ì | | | | 1 | 1 | İ | Ì | | |
| | | | | | | | | | | | | ĺ | İ | İ | | 1 |
| | STS-1 Local Lolp in combination - per mile per month | | | UNCSX | 1L5ND | 9.19 | Ì | | | | 1 | 1 | İ | Ì | | |
| | STS-1 Local Loop in combination - Facility Termination per | | | | | | | | | | | | | | | † |
| | month | | | UNCSX | UDLS1 | 394.56 | 240.23 | 180.87 | 106.78 | 45.24 | 1 | 1 | İ | Ì | | |
| | Interoffice Transport - Dedicated - STS-1 combination - per mile | | | 0.100% | ODEO: | 00 1.00 | 2.10.20 | 100.01 | 100.10 | 10.21 | | | | | | + |
| | per month | | | UNCSX | 1L5XX | 2.34 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility | | 1 | UNCOX | ILJAA | 2.34 | | | | | | | | | | + |
| | | | | LINICCV | U1TFS | 849.30 | 482.01 | 450.04 | 64.43 | 35.43 | | | 20.04 | 20.04 | | |
| ADDITIONAL | Termination per month | | 1 | UNCSX | UTIFS | 849.30 | 482.01 | 153.81 | 64.43 | 35.43 | | | 36.84 | 36.84 | | |
| | NETWORK ELEMENTS | <u> </u> | <u> </u> | L | | L | | | | | | | | | | |
| | n used as a part of a currently combined facility, the non-recurr | | | | | | | | | | | | | | | |
| Wher | n used as ordinarily combined network elements in All States, t | he non-re | curring | charges apply and | the Switch A | s Is Charge do | es not. | | | | | | | | | |
| Nonr | ecurring Currently Combined Network Elements "Switch As Is" | Charge (| One app | | nation) | | | | | | | | | | | |
| | | | | UNCVX, UNCDX, | | | | | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | UNC1X, UNC3X, | | | | | | | | | | | | |
| | Is Charge | | | UNCSX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 53.73 | 24.62 | | |
| Optic | onal Features & Functions: | | | | | | | | | | | | | _ | | † |
| | | | | U1TD1, | | | | | | | | | | | | † |
| | Clear Channel Capability Extended Frame Option - per DS1 | | | ULDD1.UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Clear Chairner Capability Extended Frame Option - per D31 | - ' | 1 | U1TD1. | CCOLI | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | + |
| | 01011-01-110 | | | | 00005 | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Clear Channel Capability Super FrameOption - per DS1 | <u> </u> | | ULDD1,UNC1X | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Clear Channel Capability (SF/ESF) Option - Subsequent | | | ULDD1, U1TD1, | | | | | | | | | | | | |
| | Activity - per DS1 | I | | UNC1X, USL | NRCCC | | 185.16 | 23.85 | 2.03 | 0.79 | | | 45.68 | 1.76 | | |
| | | | | U1TD3, ULDD3, | | | | | | | | | | | | |
| | C-bit Parity Option - Subsequent Activity - per DS3 | i | | UE3, UNC3X | NRCC3 | | 219.46 | 7.68 | 0.7637 | 0.00 | | | 45.68 | 1.76 | | |
| MUL | TIPLEXERS | | | | | | | | | | | | | | | |
| | DS1 to DS0 Channel System per month | | | UNC1X | MQ1 | 80.77 | 105.76 | 14.48 | 3.04 | 2.74 | | | 20.35 | 9.80 | | 1 |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | - | | | | | | | 1 | | | 2.30 | | 1 |
| | month (2.4-64kbs) used for a Local Loop | | | UDL | 1D1DD | 1.82 | 6.07 | 4.66 | | | 1 | 1 | İ | 9.80 | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | 1 | 1 | UDL | טטוטו | 1.02 | 0.07 | 4.00 | 1 | | l | | 1 | 9.00 | 1 | + |
| 1 | month (2.4-64kbs) used for connection to a channelized DS1 | | 1 | | | | | | | |] | 1 | 1 | 1 |] | 1 |
| | | | 1 | LIATUD | 10100 | 4.00 | 0.07 | 4.00 | | |] | 1 | 1 | 1 |] | 1 |
| | Local Channel in the same SWC as collocation | ļ | | U1TUD | 1D1DD | 1.82 | 6.07 | 4.66 | | | ļ | ļ | | | | |
| I | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | | | | | | | | l | l | | | | |
| | month for a Local Loop | | | UDN | UC1CA | 3.10 | 6.07 | 4.66 | | | | | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | | | | | - | | | | | | | 1 | 1 |
| | month used for connection to a channelized DS1 Local Channel | | | | | | | | | | l | l | | | | |
| | in the same SWC as collocation | | | U1TUB | UC1CA | 3.10 | 6.07 | 4.66 | | | l | l | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | 1 | | | | | | | | | i | i | | | | 1 |
| | used for a Local Loop | | 1 | UEA | 1D1VG | 0.91 | 6.07 | 4.66 | | |] | 1 | 1 | 1 |] | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | U-/ \ | 15170 | 0.31 | 0.07 | 7.00 | | | | | | | | + |
| | used for connection to a channelized DS1 Local Channel in the | | | | | | | | | | l | l | | | | 1 |
| | | | 1 | LIATUC | 404)/0 | 0.01 | 0.07 | 4.00 | | |] | 1 | 1 | 1 |] | 1 |
| | same SWC as collocation | ļ | 1 | U1TUC | 1D1VG | 0.91 | 6.07 | 4.66 | | | ļ | | | | | 4 |
| | DS3 to DS1 Channel System per month | | | UNC3X | MQ3 | 222.98 | 156.02 | 49.41 | 17.12 | 6.77 | | | 20.35 | 9.80 | | ļ |
| I | STS-1 to DS1 Channel System per month | | | UNCSX | MQ3 | 222.98 | 156.02 | 49.41 | 17.12 | 6.77 | | | 20.35 | 9.80 | | <u> </u> |
| | DS1 COCI used with Loop per month | 1 | 1 | USL | UC1D1 | 17.58 | 6.07 | 4.66 | | | l | | | | | |
| | DOT COOL GOOD WILL ECOP POL MONEY | | | | | | | | | | | | | | | |
| | DS1 COCI (used for connection to a channelized DS1 Local | | | | | | 0.01 | | | | | | | | | |
| | | | | U1TUA | UC1D1 | 17.58 | 6.07 | 4.66 | | | | | | | | |

| UNBU | JNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachmen | t: 2 Exh. A | | |
|------|---------|---|-------------|--------|-----------|------|------------|--------------|-------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Interim | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATE | GORY | RATE ELEMENTS | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. | | |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l | | |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | | 1 | oss | Rates (\$) | | |
| | ++ | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | DS3 Interface Unit (DS1 COCI) used with Local Channel per | | | | | | | | | | | | | | | |
| | | month | ULDD1 | UC1D1 | 17.58 | 6.07 | 4.66 | | | | | | | | | | |
| | Note: I | Rates displaying an "I" in Interim column are interim as a resu | ult of a Co | mmissi | on order. | | | | | | | | | | | | |

| UNBUNDL | ED NETWORK ELEMENTS - Florida | | | | | | | | | | | | | nt: 2 Ex. B | | |
|---------------|--|---------|------|--------------|--------|--|--------|------------|--------------|---------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | • | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | 2.00 .00 | 2.007.444. |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | INCO | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| 2-WII | RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | | | | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 8.30 | 159.09 | 113.41 | 75.05 | 15.63 | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 11.80 | 159.09 | 113.41 | 75.05 | 15.63 | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | _ | | | | | | | | | | | | | |
| | & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 20.94 | 159.09 | 113.41 | 75.05 | 15.63 | | | | | | |
| 1 1 | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | l | l | <u> </u> | | | l | l _ | 1 | 1 | | | | |
| \vdash | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 8.30 | 134.40 | 80.69 | 60.64 | 9.12 | | | | | | |
| 1 1 | 2 Wire Unbundled HDSL Loop without manual service inquiry | | _ | | | | , | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 11.80 | 134.40 | 80.69 | 60.64 | 9.12 | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | _ | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 20.94 | 134.40 | 80.69 | 60.64 | 9.12 | | | | | | |
| 4-WII | RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | IIBLE | LOOP | | | | | | | | | | | | | |
| | 4 Wire Unbundled HDSL Loop including manual service inquiry | | ١. | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 12.49 | 193.31 | 138.98 | 77.15 | 12.61 | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | _ | | | | | | | | | | | | | |
| — | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 17.76 | 193.31 | 138.98 | 77.15 | 12.61 | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | 04.50 | 100.01 | 400.00 | 77.45 | 40.04 | | | | | | |
| — | and facility reservation - Zone 3 | - | 3 | UHL | UHL4X | 31.50 | 193.31 | 138.98 | 77.15 | 12.61 | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | 1 | UHL | UHL4W | 10.40 | 400.00 | 445.47 | CO 74 | 44.00 | | | | | | |
| — | and facility reservation - Zone 1 4-Wire Unbundled HDSL Loop without manual service inquiry | - | - 1 | UHL | UHL4VV | 12.49 | 168.62 | 115.47 | 62.74 | 11.22 | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4W | 17.76 | 168.62 | 115.47 | 62.74 | 11.22 | | | | | | |
| — | 4-Wire Unbundled HDSL Loop without manual service inquiry | - | | UNL | UHL4VV | 17.76 | 100.02 | 115.47 | 02.74 | 11.22 | - | - | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 31.50 | 168.62 | 115.47 | 62.74 | 11.22 | | | | | | |
| 4-10/11 | RE DS1 DIGITAL LOOP | | 3 | UNL | UHL4VV | 31.50 | 100.02 | 115.47 | 02.74 | 11.22 | | | | | | |
| 4-4411 | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 81.35 | 313.75 | 181.48 | 61.22 | 13.53 | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | | USLXX | 115.62 | 313.75 | 181.48 | 61.22 | 13.53 | | | | 1 | | |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | | USLXX | 205.15 | 313.75 | 181.48 | 61.22 | 13.53 | | | | 1 | | |
| HIGH CAPAC | CITY UNBUNDLED LOCAL LOOP | | 3 | OOL | OOLAA | 203.13 | 313.73 | 101.40 | 01.22 | 13.33 | | | | | | |
| IIIOII OAI AC | High Capacity Unbundled Local Loop - DS3 - Per Mile per | | - | | + | | | | | | | | | 1 | | |
| | month | | | UE3 | 1L5ND | 12.56 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Facility | | | OLO | TESIND | 12.50 | | | | | | | | | | |
| | Termination per month | | | UE3 | UE3PX | 444.91 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per | | | | 320. A | | | | | | | | | 1 | | |
| 1 1 | month | | | UDLSX | 1L5ND | 12.56 | | | | | | 1 | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Facility | | | | 1 - | :=:50 | | | i | i | | | | i | | |
| 1 1 | Termination per month | | | UDLSX | UDLS1 | 490.59 | | | | | 1 | 1 | | | | |
| | DEDICATED TRANSPORT | | | - | | 1 | | | | | | | | | | |
| | ROFFICE CHANNEL - DEDICATED TRANSPORT | | | | 1 | 1 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | 1 | | | | | | | | | 1 | | |
| 1 1 | month | | | U1TD1 | 1L5XX | 0.21 | | | | | 1 | 1 | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | | | | | | | | | | | | |
| | Termination | <u></u> | | U1TD1 | U1TF1 | 101.71 | | | <u></u> | <u></u> | | | | | | L |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | U1TD3 | 1L5XX | 4.45 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | U1TD3 | U1TF3 | 1231.65 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | U1TS1 | 1L5XX | 4.45 | | | | | | | | | | |
| - | Interoffice Channel - Dedicated Transport - STS-1 - Facility | | | | | Ι Τ | | | | | | | | | | |
| \vdash | Termination | | | U1TS1 | U1TFS | 1214.40 | | | | | | | | ļ | | |
| \vdash | Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1 | | | ULDVX, UNCVX | ULDV2 | 22.61 | | | | | | | | ļ | | |
| \vdash | Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2 | | | ULDVX, UNCVX | ULDV2 | 32.13 | | | | | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3 | | 3 | ULDVX, UNCVX | ULDV2 | 57.02 | | | | | l | | | | | |

| UNB | UNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachme | nt: 2 Ex. B | | |
|----------|----------|--|--|---------|------------------------------|----------------|--|---------------|----------------|---------------|--|-----------|-----------|-------------|--------------|--------------|--|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incrementa |
| | | | | | | | | | | | | 1 | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svo |
| CATE | GORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | 1 | | 1 | | | | 1 | Nonre | curring | Nonrecurrin | g Disconnect | 1 | I | OSS | Rates (\$) | | |
| | 1 | | | | | | Rec | First | Add'l | First | Add'I | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat | | | | | | | | | | | | | | | |
| | | Zone 1 | | 1 | ULDVX | ULDR2 | 22.61 | | | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat | | | | | | | | | | | | | | | |
| | 1 | Zone 2 | | 2 | ULDVX | ULDR2 | 32.13 | | | ļ | | | | | | | |
| ı | | Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat Zone 3 | | 3 | ULDVX | ULDR2 | 57.02 | | | | | | | | | | |
| | 1 | Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1 | - | | ULDVX, UNCVX | ULDV4 | 23.52 | | | | + | | | | 1 | | + |
| | 1 | Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2 | | | ULDVX, UNCVX | ULDV4 | 33.42 | | | | | | | | | | <u> </u> |
| | | Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3 | | 3 | ULDVX, UNCVX | ULDV4 | 59.29 | | | | | | | | | | |
| | | Local Channel - Dedicated - DS1 - Zone 1 | | | ULDD1, UNC1X | ULDF1 | 41.96 | | | | | | | | | | |
| | _ | Local Channel - Dedicated - DS1 - Zone 2 | | | ULDD1, UNC1X | ULDF1 | 59.63 | | | | | | | | | | |
| | + | Local Channel - Dedicated - DS1 - Zone 3 | 1 | 3 | ULDD1, UNC1X | ULDF1 | 105.80 | | | 1 | + | 1 | | | - | | <u> </u> |
| | + | Local Channel - Dedicated - DS3 - Per Mile per month Local Channel - Dedicated - DS3 - Facility Termination | 1 | - | ULDD3, UNC3X ULDD3, UNC3X | 1L5NC ULDF3 | 9.78 611.70 | | | | + | 1 | 1 | | + | | - |
| | + | Local Channel - Dedicated - DS3 - Facility Termination Local Channel - Dedicated - STS-1- Per Mile per month | 1 | - | ULDS1, UNCSX | 1L5NC | 9.78 | | | 1 | + | + | } | | 1 | | - |
| | 1 | Local Channel - Dedicated - STS-1 - Facility Termination | | | ULDS1, UNCSX | ULDFS | 621.79 | | | 1 | | | | | 1 | | † |
| ENHA | NCED E | XTENDED LINK (EELs) | | | | | | | | | | | | | | | |
| | | The monthly recurring and non-recurring charges below will | | | | | | | | | | | | | | | |
| | | The monthly recurring and the Switch-As-Is Charge and not | the non- | recurri | ng charges below v | will apply for | UNE combination | ons provision | ed as ' Curren | tly Combined' | Network Elem | ents. | | | | | |
| | 2-WIRI | VOICE GRADE LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop (SL2) in Combination - Zone 1 | | | UNCVX | UEAL2 | 14.08 | | | | 1 | | ļ | | | | - |
| | + | 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 | - | | UNCVX UNCVX | UEAL2 UEAL2 | 20.01 35.50 | | | | + | | | | | | - |
| | + | Voice Grade COCI - Per Month | | 3 | UNCVX | 1D1VG | 1.59 | | | | | + | + | | | | - |
| | 4-WIRI | VOICE GRADE LOOP FOR USE IN A COMBINATION | | | 0.10171 | 1.5.1.0 | 1.00 | | | | | | | | | | |
| | | 4-Wire Analog Voice Grade Loop in Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 21.72 | | | | | | | | | | |
| | | 4-Wire Analog Voice Grade Loop in Combination - Zone 2 | | | UNCVX | UEAL4 | 30.87 | | | | | | | | | | |
| | 1 | 4-Wire Analog Voice Grade Loop in Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 54.76 | | | | 1 | | | | | | |
| | 4 14/15/ | Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 1.59 | | | ļ | | | | | | | ļ |
| | 4-WIRI | 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 | - | 1 | UNCDX | UDL56 | 25.53 | | | | + | | | | | | |
| | 1 | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 | - | | UNCDX | UDL56 | 36.29 | | | | + | | | | 1 | | + |
| | 1 | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 | | | UNCDX | UDL56 | 64.39 | | | | | | | | | | <u> </u> |
| | | OCU-DP COCI (data) per month (2.4-64kbs) | | | UNCDX | 1D1DD | 2.42 | | | | | | | | | | |
| | 4-WIRI | 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATI\ON | | | | | | | | | | | | | | | |
| | _ | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 | | | UNCDX | UDL64 | 25.53 | | | | | | | | | | |
| | - | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 | 1 | 3 | UNCDX | UDL64 UDL64 | 36.29 64.39 | | | | 1 | - | | | | | - |
| | + | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) | - | 3 | UNCDX UNCDX | 1D1DD | 2.42 | | | | + | | | | | | - |
| | 2-WIRI | E ISDN LOOP FOR USE IN COMBINATION | - | | ONODA | 10100 | 2.72 | | | | + | | | | 1 | | + |
| | | 2-Wire ISDN Loop in Combination - Zone 1 | | 1 | UNCNX | U1L2X | 22.17 | | | | | | | | | | <u> </u> |
| | | 2-Wire ISDN Loop in Combination - Zone 2 | | 2 | UNCNX | U1L2X | 31.51 | | | | | | | | | | |
| | | 2-Wire ISDN Loop in Combination - Zone 3 | | 3 | UNCNX | U1L2X | 55.91 | | | | | | | | | | |
| | | 2-wire ISDN COCI (BRITE) - in combination - per month | | | UNCNX | UC1CA | 4.21 | | | | 1 | | | | | | |
| | 4-WIRI | E DS1 DIGITAL LOOP FOR USE IN A COMBINATION | | 4 | LINIOAV | 110170 | 04.05 | | | ļ | | | | | | | ļ |
| | + | 4-Wire DS1 Digital Loop in Combination - Zone 1 4-Wire DS1 Digital Loop in Combination - Zone 2 | | | UNC1X UNC1X | USLXX | 81.35 115.62 | | - | + | + | + | - | | + | | |
| | 1 | 4-Wire DS1 Digital Loop in Combination - Zone 2 | t | | UNC1X | USLXX | 205.15 | | | † | + | + | † | | 1 | | |
| | † | DS1 COCI in combination per month | l l | Ť | UNC1X | UC1D1 | 15.82 | | | 1 | † | | | 1 | | 1 | |
| | 2 WIRE | VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | OMBINA | TION | | | | | | | | | | | | | |
| | | Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per | | | | | | | | | | | | | | | |
| | 1 | Month | <u> </u> | | UNCVX | 1L5XX | 0.01 | | | _ | _ | 1 | ļ | | ļ | | ļ |
| | | Interoffice Transport - 2-wire VG - Dedicated - Facility | | | LINIOVOV | Lu T /2 | 20.45 | | | | 1 | | | | | | |
| | 4 MIDI | Termination per month VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A C | OMBINA | TION | UNCVX | U1TV2 | 29.12 | | | + | | 1 | | | | | - |
| | 4 WIRE | Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per | LINIDINA | IION | | + | | | | | + | 1 | | | | | |
| | | Month | | | UNCVX | 1L5XX | 0.01 | | | | 1 | | | | | | |
| i — | 1 | Interoffice Transport - 4-wire VG - Dedicated - Facility | 1 | | | | | | | | 1 | | | | | | |
| <u> </u> | | Termination per month | | | UNCVX | U1TV4 | 25.97 | | | | 1 | | | | | | |
| | | | | | | | | | | | | | | | | | |

| CATEGORY RATE ELEMENTS Intering Manual Svc Order Name of the Charge of t | UNBU | INDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachmer | nt: 2 Ex. B | | |
|--|----------|----------|--|----------|--------|----------|----------|---------|-------|------------|--|--|--|-----------|-----------|--------------|-------------|--------------|
| Part | | | | | | | | | | | | | Svc Order | Svc Order | | | Incremental | Incremental |
| RATE REMEMYS Memory | | | | | | | | | | | | | | | | | | |
| CATEGORY RATE ELEMENTS | | | | Intent | | | | | | | | | | | | | | Manual Svc |
| No. | CATEG | ORY | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES (\$) | | | II . | | | | | |
| March Marc | | | | m | | | | | | | | | per Lor | per Lor | | | | |
| Page | | | | | | | | | | | | | | | | | | |
| No. | | | | | | | | | | | | | | | ist | Addi | DISC 1St | DISC Add I |
| SOURT FEATURE TRANSPORT FOR COMBINATION MACE | | | | | | | | B | Nonre | curring | Nonrecurrin | g Disconnect | | • | oss | Rates (\$) | | • |
| Interesting Transport - Decidence - Dist controllation - Facility | | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Description | | DS1 IN | TEROFFICE TRANSPORT FOR COMBINATION | | | | | | | | | | | | | | | Î |
| Intervitive Transport Declarater - Declara | | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | Î |
| Territostop per month | | | per month | | | UNC1X | 1L5XX | 0.21 | | | | | | | | | | |
| GOS INTEROPTICE TRANSPORT FOR USE IN A COMMINISTRO | | | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | Î |
| Interesting Transport - Decidence - Decidence - PEN Mile NACSX | | | Termination per month | | | UNC1X | U1TF1 | 101.71 | | | | | | | | | | |
| Per Mouth | | DS3 IN | TEROFFICE TRANSPORT FOR USE IN A COMBINATION | | | | | | | | | | | | | | | |
| Insertition Transport - Declaration - Park Transport Declaration - Park Transport - Declaration - Park Transport - Declaration - Park Transport - Declaration - Park Transport - Declaration - Park Transport - Declaration - Park Transport - Declaration - Park Transport - Declaration - Park Transport - Declaration - Park Transport - Declaration - Park Transport - Declaration - Park Transport - Declaration - Park Transport - Declaration - Park Transport - Declaration - Park Transport - Declaration - Park Transport - Declaration - Park Transport - Decla | | | Interoffice Transport - Dedicated - DS3 combination - Per Mile | | | | | | | | | | | | | | | |
| ST31 INTERCEPTICE TRANSPORT FOR USE IN COMENNATION UNCSX | | | | | | UNC3X | 1L5XX | 4.45 | | | | | | | | | | |
| STS-1-INTEGOFFICE TRANSPORT FOR USE IN COMBINATION | | | Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | | | | | | | | | | | | | |
| InterCific Transport - Dedicated - STS1 - Combination - Facility Per Municipal Programment | | | | | | UNC3X | U1TF3 | 1231.65 | | | | | | | | | | |
| Per Month | | STS-1 | INTEROFFICE TRANSPORT FOR USE IN COMBINATION | | | | | | | | | | | | | | | |
| Interoffice Transport - Dedicated - 4751 Contribution - Facility UNCXX | 1 | | | | | <u> </u> | | | | I | | _ | | | | | <u> </u> | |
| Termination per month | | | | | | UNCSX | 1L5XX | 4.45 | | | | | | | | | | |
| A-WINE 54 KRPS DOI/1AL COOP WITH 54 KRPS INTEROFFICE TRANSPORT 1 NACDX U.0.56 25.55 | | | | | | | | | | | | | | | | | I | |
| H-wise 68 ktpps Local Loop in combination - Zone 1 | | | | | | UNCSX | U1TFS | 1214.40 | | | | | | | | | | |
| H-wire 68 kbps Local Loop in combination - Zone 2 | | 4-WIRE | | ISPORT | | | | | | | | | | | | | | |
| A-wire 68 ktps Local Loop in combination - Zone 3 3 UNCDX UDL56 64.39 | | | | | | | | | | | | | | | | | | |
| Interoffice Transport - Dedicated - 4-wire 56 ktps combination - UNCDX | | | | | | | | | | | | | | | | | | |
| Per Mile per month | | | | | 3 | UNCDX | UDL56 | 64.39 | | | | | | | | | | |
| Interdifice Transport - Dedicated - 4-wire 6 kibps combination | | | | | | | | | | | | | | | | | | |
| Facility Termination per month | | | | | | UNCDX | 1L5XX | 0.01 | | | | | | | | | | |
| ### WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT 4-wire 64 KBps Lood Loop in Combination - Zone 2 2 UNCDX UDL64 56.29 | | | | | | | | | | | | | | | | | | |
| 4-wire 64 kbps Local Loop in Combination - Zone 1 | | | | | | | U1TD5 | 21.21 | | | | | | | | | | |
| 4-wire 64 kbps Local Loop in Combination - Zone 2 2 UNCDX UDL64 \$6.29 | | 4-WIRE | | FFICE T | | | | | | | | | | | | | | |
| 4-wire 64 kbps Local Loop in Combination - Zone 3 3 UNCDX UDL64 64.39 | | | | | | | | | | | | | | | | | | |
| Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Vincox Vin | | | | | | | | | | | | | | | | | | |
| Per Mile per month | | | | | 3 | UNCDX | UDL64 | 64.39 | | | | | | | | | | |
| Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month UNCDX U1TD6 21.21 | | | | | | | | | | | | | | | | | | |
| Facility Termination per month | | | | | | UNCDX | 1L5XX | 0.01 | | | | | | | | | | |
| 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DSD INTEROFFICE TRANSPORT 1 UNCDX UDL56 25.53 1 | | | | | | LINIONY. | | | | | | | | | | | | |
| 4-wire 58 kbps Local Loop in combination - Zone 1 | | 4 14/105 | | E EDAN | lonon: | | U11D6 | 21.21 | | | | | 1 | | | | | |
| 4-wire 56 kbps Local Loop in combination - Zone 2 | | 4-WIRE | | EIRAN | | | LIDLEO | 05.50 | | | | | 1 | | | | | |
| 4-wire 56 kbps Interoffice Transport - Dedicated - Per Mile per month | | | | | | | | | | | | | | | | | | |
| A-wire 68 kbps Interoffice Transport - Dedicated - Per Mile per month 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month 4-wire 64 kbps Interoffice Transport - Dedicated - Facility UNCDX U1TD5 21.21 4-Wire 64 kbps Interoffice Transport - Dedicated - Facility UNCDX UDL64 25.53 4-wire 64 kbps Local Loop in combination - Zone 1 1 UNCDX UDL64 25.53 1 UNCDX UDL64 25.53 2 UNCDX UDL64 36.29 4-wire 64 kbps Local Loop in combination - Zone 2 2 UNCDX UDL64 4-wire 64 kbps Interoffice Transport - Dedicated - Per Mile per month UNCDX UNCDX UDL64 4-wire 64 kbps Interoffice Transport - Dedicated - Per Mile per month UNCDX UNCDX UDL64 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month UNCDX UTTD6 21.21 UNCDX UTTD6 21.21 UNCDX UTTD6 21.21 UNCDX UTTD6 21.21 UNCDX UTTD6 21.21 UNCDX UTTD6 21.21 UNCDX UTTD6 UN | | | | | | | | | | | | - | - | | | | | - |
| Month | | | | | 3 | UNCDX | UDLS6 | 64.39 | | | 1 | | | | | | | |
| 4-wire 64 kbps Interoffice Transport - Dedicated - Facility UNCDX U1TD5 21.21 | | | | | | LINCDY | 11 5 7 7 | 0.01 | | | | | | | | | | |
| Termination per month | | | | - | 1 | UNCDA | ILSAA | 0.01 | | | | - | 1 | | | | | |
| 4-Wire 64 kBps Local Loop in combination - Zone 2 1 UNCDX UDL64 25.53 | | | | | | LINCDX | LI1TD5 | 21 21 | | | | 1 | | | | | | |
| 4-wire 64 kbps Local Loop in combination - Zone 1 | <u> </u> | 4-WIDE | | F TPAN | SPOP | | 01100 | 21.21 | | | | | | | | | | |
| 4-wire 64 kbps Local Loop in combination - Zone 2 2 UNCDX UDL64 38.29 | | | | LINAN | | | UDI 64 | 25 53 | | | | | | | | | | |
| 4-wire 64 kbps Local Loop in combination - Zone 3 3 UNCDX UDL64 64.39 I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month Month 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month DS1 DIGITAL LOOP MND DS1 INTERFOFFICE TRANSPORT 4-Wire DS1 Digital Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month UNC1X USLXX | | - | | - | | | | | | | | | | | | | | |
| Id-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month | | | | | | | | | | | 1 | <u> </u> | | | | | | |
| Month Wind | | | | — | Ť | | 55257 | 04.00 | | | 1 | t | † | | | | | |
| 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month DS1 DIGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT 4-Wire DS1 Digital Loop in Combination - Zone 1 1 UNC1X USLXX 81.35 4-Wire DS1 Digital Loop in Combination - Zone 2 2 UNC1X USLXX 115.62 4-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X USLXX 205.15 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month UNC1X USLXX 0.21 Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month UNC1X U1TF1 101.71 DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT DS3 Local Loop in combination - per mile per month UNC3X 1L5ND 14.44 | 1 | | | | | UNCDX | 1L5XX | 0.01 | | | | 1 | | | | | | |
| Termination per month | | | | | | | . 20, 51 | 3.01 | | | | 1 | | | | i | | i |
| DS1 DIGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT 4-Wire DS1 Digital Loop in Combination - Zone 1 1 UNC1X USLXX 81.35 4-Wire DS1 Digital Loop in Combination - Zone 2 2 UNC1X USLXX 115.62 4-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X USLXX 205.15 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month UNC1X 1L5XX 0.21 Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month UNC1X UTF1 101.71 DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT DS3 Local Loop in combination - per mile per month UNC3X 1L5ND 14.44 | 1 | | | | | UNCDX | U1TD6 | 21.21 | | | | 1 | | | | | | |
| 4-Wire DS1 Digital Loop in Combination - Zone 1 | | DS1 DI | | | | | 1 | | | | İ | 1 | 1 | | | İ | | İ |
| 4-Wire DS1 Digital Loop in Combination - Zone 2 2 UNC1X USLXX 115.62 4-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X USLXX 205.15 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month UNC1X 1L5XX 0.21 Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month UNC1X U1TF1 101.71 DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT UNC3X 1L5ND 14.44 DS3 Local Loop in combination - per mile per month UNC3X 1L5ND 14.44 | | | | | 1 | UNC1X | USLXX | 81.35 | | | <u> </u> | t | | | | İ | | İ |
| 4-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X USLXX 205.15 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month UNC1X 1L5XX 0.21 Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month UNC1X U1TF1 101.71 DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT DS3 Local Loop in combination - per mile per month UNC3X 1L5ND 14.44 | | | | | | | | | | | 1 | | | | | | | |
| Interoffice Transport - Dedicated - DS1 combination - Per Mile per month UNC1X 1L5XX 0.21 Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month UNC1X U1TF1 101.71 DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT DS3 Local Loop in combination - per mile per month UNC3X 1L5ND 14.44 | | | | | 3 | | USLXX | 205.15 | | | | | | | | | | |
| per month UNC1X 1L5XX 0.21 Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month UNC1X U1TF1 101.71 DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT DS3 Local Loop in combination - per mile per month UNC3X 1L5ND 14.44 | | | | | | | | | | | | | | | | | | |
| Termination per month | 1 | | | | | UNC1X | 1L5XX | 0.21 | | | | I | | | | | | |
| DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT DS3 Local Loop in combination - per mile per month UNC3X 1L5ND 14.44 | | | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | |
| DS3 Local Loop in combination - per mile per month UNC3X 1L5ND 14.44 | <u> </u> | <u></u> | Termination per month | <u></u> | L | UNC1X | U1TF1 | 101.71 | | | | <u> </u> | <u> </u> | | | <u> </u> | <u> </u> | <u> </u> |
| | | DS3 DI | | ORT | | | | | | | | | | | | | | |
| DS3 Local Loop in combination - Facility Termination per month UNC3X UE3PX 511.65 | | | | | | UNC3X | 1L5ND | 14.44 | | | | | | | | | | |
| DS3 Local Loop in combination - Facility Termination per month UNC3X UE3PX 511.65 | | | | | | | | | - | | | | | | | | | |
| | | <u></u> | DS3 Local Loop in combination - Facility Termination per month | <u></u> | | UNC3X | UE3PX | 511.65 | | <u></u> | <u></u> | L | <u> </u> | | | L | <u> </u> | |

| JNBUNDL | ED NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachmer | nt: 2 Ex. B | | |
|-----------|---|-------------|--------|-----------------------------|-------------|--|-----------|------------|--------------|------------|-----------------|-----------|---|---|--|--|
| 511201122 | TO NETWORK ELEMENTO FISHING | | | | | | | | | | Submitted | Submitted | Incremental Charge - | Incremental Charge - | Incremental Charge - | Charge - |
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Elec per LSR | per LSR | Manual Svc Order vs. Electronic- 1st | Manual Svc Order vs. Electronic- Add'l | Manual Svc Order vs. Electronic- Disc 1st | Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | _ | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | ! | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 4.45 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNC3X | U1TF3 | 1231.65 | | | | | | | | | | |
| STS- | 1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN | ISPORT | | | 41.51.15 | | | | | | | | | | | |
| | STS-1 Local Lolp in combination - per mile per month | | | UNCSX | 1L5ND | 14.44 | | | | | | | | | | |
| | STS-1 Local Loop in combination - Facility Termination per month | | | UNCSX | UDLS1 | 564.18 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - per mile per month | | | UNCSX | 1L5XX | 4.45 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | | | I I | | | | | | | | | | |
| | Termination per month | | | UNCSX | U1TFS | 1214.40 | | | | | | | | | | |
| | NETWORK ELEMENTS | | | | | <u> </u> | | | | | | | | | | |
| | n used as a part of a currently combined facility, the non-recurn used as ordinarily combined network elements in All States, the | | | | | | | | | | | | | | | |
| | ecurring Currently Combined Network Elements "Switch As Is" | | | | | AS IS Charge of | ioes not. | | | | | - | | | | |
| | onal Features & Functions: | Charge | (One a | ppnes to each com | l lination) | | | | | | ł | 1 | | | | |
| Optio | Clear Channel Capability Extended Frame Option - per DS1 | 1 | | U1TD1, ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | | | U1TD1, | | | | | | | | | | | | |
| | Clear Channel Capability Super FrameOption - per DS1 | | | ULDD1,UNC1X | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 | ı | | ULDD1, U1TD1, UNC1X, USL | NRCCC | | 184.92 | 23.82 | 2.07 | 0.80 | | | | | | |
| | C-bit Parity Option - Subsequent Activity - per DS3 | i | | U1TD3, ULDD3, UE3, UNC3X | NRCC3 | | 219.09 | 7.67 | 0.773 | 0.00 | | | | | | |
| MIII. | TIPLEXERS | <u> </u> | | 0L3, 01403X | 1411003 | | 213.03 | 7.07 | 0.113 | 0.00 | | | | 1 | 1 | |
| INIOL | DS1 to DS0 Channel System per month | | | UNC1X | MQ1 | 168.79 | | | | | † | | | | | - |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | ONOTA | IVIQ I | 100.70 | | | | | 1 | 1 | | | | |
| | month (2.4-64kbs) used for a Local Loop | | | UDL | 1D1DD | 2.42 | | | | | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | İ | | | | | |
| | month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation | | | U1TUD | 1D1DD | 2.42 | | | | | | | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | 01102 | 10.00 | 22 | | | | | İ | | | | | |
| | month for a Local Loop | | | UDN | UC1CA | 4.21 | | | | | | | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel | | | | | | | | | | | | | | | |
| | in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month | | | U1TUB | UC1CA | 4.21 | | | | | | | | | | |
| | used for a Local Loop | | | UEA | 1D1VG | 1.59 | | | | | | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the | | | | | | | | | | | | | | | |
| | same SWC as collocation | | | U1TUC | 1D1VG | 1.59 | | | | | | <u> </u> | | | | |
| | DS3 to DS1 Channel System per month | | | UNC3X | MQ3 | 242.87 | | | | | | | | | | |
| | STS-1 to DS1 Channel System per month | | | UNCSX | MQ3 | 242.87 | | | | | | | | | | |
| | DS1 COCI used with Loop per month | | | USL | UC1D1 | 15.82 | | | | | | | | | | |
| | DS1 COCI (used for connection to a channelized DS1 Local | | | | | i T | | | | | | | | | | |
| | Channel in the same SWC as collocation) per month | | | U1TUA | UC1D1 | 15.82 | | | | | ļ | | | ļ | ļ | |
| | DS1 COCI used with Interoffice Channel per month | | | U1TD1 | UC1D1 | 15.82 | | | | | 1 | | | | | |
| | DS3 Interface Unit (DS1 COCI) used with Local Channel per | 1 | 1 | | 1 | i l | | | ı | i . | 1 | 1 | l | 1 | 1 | 1 |

| LINDLINDI E | D NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachman | -t-0 F- B | | 1 |
|--|--|----------|--|-----------------------|----------------|--------------|--------|------------|-------|------------|--|-----------|-------------|--|-------------|-------------|
| ONDUNDER | D NETWORK ELEWIENTS - Georgia | | 1 | I | T | | | | | | Svc Order | Svc Order | Incremental | nt: 2 Ex. B | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | per Lore | per Lore | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| ļ | | | | | | | | | | | | | | | | |
| | | | | | 1 | Rec | Nonrec | | | Disconnect | 001150 | 001441 | | Rates (\$) | 001441 | 001441 |
| | | | | | + | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| LINBUNDI ED | EXCHANGE ACCESS LOOP | | 1 | | 1 | | | | | | 1 | | | 1 | | |
| | E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBI F | LOOP | | | | | | | | † | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | <u> </u> | | | | | | | | 1 | | | | | |
| | & facility reservation - Zone 1 | - 1 | 1 | UHL | UHL2X | 9.06 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 2 | - 1 | 2 | UHL | UHL2X | 10.45 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 3 | ı | 3 | UHL | UHL2X | 16.65 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | 1 | 1 | UHL | UHL2W | 0.00 | 44.00 | 04.55 | 0.00 | 0.00 | | | | | | |
| | and facility reservation - Zone 1 2 Wire Unbundled HDSL Loop without manual service inquiry | - | 1 | UHL | UHL2W | 9.06 | 44.69 | 31.55 | 0.00 | 0.00 | - | | | - | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 10.45 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | <u> </u> | | | 3 | 10.40 | 44.00 | 01.00 | 0.50 | 0.00 | † | | | † | | |
| | and facility reservation - Zone 3 | - 1 | 3 | UHL | UHL2W | 16.65 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| 4-WIR | E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | | | | | | | | | | | | | |
| | 4 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | - 1 | 1 | UHL | UHL4X | 11.95 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | 40.00 | | | | | | | | | | |
| | and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop including manual service inquiry | - 1 | 2 | UHL | UHL4X | 13.80 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 21.93 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | OFF | OFFICAX | 21.55 | 44.03 | 31.33 | 0.00 | 0.00 | | | | | | |
| | and facility reservation - Zone 1 | - 1 | 1 | UHL | UHL4W | 11.95 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | 1 | 2 | UHL | UHL4W | 13.80 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| 4 14/15 | and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 21.93 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| 4-WIR | E DS1 DIGITAL LOOP 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 47.17 | 211.93 | 72.49 | 38.24 | 7.20 | - | | | - | | |
| | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | USL | USLXX | 53.37 | 211.93 | 72.49 | 38.24 | 7.20 | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 71.33 | 211.93 | 72.49 | 38.24 | 7.20 | | | | | | |
| HIGH CAPACI | TY UNBUNDLED LOCAL LOOP | | | | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | UE3 | 1L5ND | 12.62 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Facility | | | | | | | | | | | | | 1 | | |
| \vdash | Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per | | <u> </u> | UE3 | UE3PX | 291.39 | | | 1 | - | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month | | | UDLSX | 1L5ND | 12.62 | | | | | | | | 1 | | |
| | High Capacity Unbundled Local Loop - STS-1 - Facility | | | ODLOX | TESIND | 12.02 | | | 1 | | | | | | | |
| | Termination per month | | 1 | UDLSX | UDLS1 | 351.23 | | | | | | 1 | | I | | |
| | DEDICATED TRANSPORT | | L | | | 2220 | | | İ | | | | | | | |
| INTER | OFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | ļ | U1TD1 | 1L5XX | 0.13 | | | | | | | | 1 | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | LIATEM | LIATE4 | 20.00 | | | | | | | | 1 | | |
| | Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | ! | U1TD1 | U1TF1 | 39.32 | | | 1 | | 1 | | | | | |
| | month | | | U1TD3 | 1L5XX | 2.91 | | | | | | | | 1 | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | t | 050 | .20/01 | 2.91 | | | | | | | | 1 | | |
| | Termination per month | | 1 | U1TD3 | U1TF3 | 393.32 | | | | | | 1 | | I | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | | Ì | | | | | | | | | | | | | |
| | month | | | U1TS1 | 1L5XX | 2.92 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Facility | | | | | | | | | | | | | _ | | |
| \vdash | Termination | | <u> </u> | U1TS1 | U1TFS | 412.47 | | | ļ | | 1 | | | | | |
| \vdash | Local Channel - Dedicated - 2-Wire Voice Grade Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat | | | ULDVX, UNCVX ULDVX | ULDV2 ULDR2 | 8.90 8.90 | | | + | | 1 | - | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat Local Channel - Dedicated - 4-Wire Voice Grade | | | ULDVX ULDVX, UNCVX | ULDK2 ULDV4 | 10.03 | | | + | | | | | + | | |
| | Local Channel - Dedicated - 4-Wife Voice Grade Local Channel - Dedicated - DS1 Zone 1 | | 1 | ULDD1, UNC1X | ULDF1 | 21.24 | | | † | | - | | | t | | |
| | 1-11-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1 | | <u> </u> | 1 | , , , , , | 21.27 | i | | 1 | l | | | | 1 | l | |

| UNRI | INDI F | D NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachmer | nt: 2 Ex. B | | |
|----------|--|---|----------|----------|---------------------|----------------|-----------------|---------------|-----------------|---------------|-----------------|--|-----------|-------------|-------------|-------------|-------------|
| OND | MULL | | I | | l | 1 | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | 1 | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | | Manual Svc |
| CATE | ORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | 1 | , | | | Manual Svc | |
| CAIL | JOICI | KATE ELEMENTO | m | 20116 | 500 | 0000 | | | ICATEO (ψ) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| - | 1 | | | | | | | Nonre | curring | Nonrecurrin | g Disconnect | | | 220 | Rates (\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'I | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | | Local Channel - Dedicated - DS1 Zone 2 | | 2 | ULDD1, UNC1X | ULDF1 | 64.75 | FIISt | Auui | FIISL | Auu i | JOWIEC | JOWAN | JOWAN | JOWAN | JOWAN | JOWAN |
| | | Local Channel - Dedicated - DS1 Zone 3 | | | ULDD1, UNC1X | ULDF1 | 189.41 | | | | | | | | | | |
| | | Local Channel - Dedicated - DS3 - Per Mile per month | | 3 | ULDD3, UNC3X | 1L5NC | 1.66 | | | | | | | | | | |
| | | Local Channel - Dedicated - DS3 - Facility Termination | | | ULDD3, UNC3X | ULDF3 | 169.06 | | | | | | | | | | |
| | | Local Channel - Dedicated - STS-1- Per Mile per month | | | ULDS1, UNCSX | 1L5NC | 1.66 | | | | | | | | | | |
| | | Local Channel - Dedicated - STS-1 - Facility Termination | | | ULDS1, UNCSX | ULDFS | 177.81 | | | | | | | | | | |
| ENILLA | ICED E | XTENDED LINK (EELs) | - | - | ULDS I, UNCSA | ULDF3 | 1//.01 | | | | 1 | - | - | | | | - |
| ENHA | | The monthly recurring and non-recurring charges below will | onnly o | nd the | Switch As Is Chara | o will not on | alv for UNE com | hinationa nra | visioned so ! C | rdinarily Cam | hinad' Naturari | r Elemente | - | | | | - |
| | | The monthly recurring and the Switch-As-Is Charge and not t | | | | | | | | | | | | | | | |
| | | | ne non- | recum | ing charges below v | VIII apply for | ONE COMBINATION | ons provision | Las Current | ly Combined | Network Eleme | 1115. | | | | | |
| — | Z-VVIRI | VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 | - | 4 | UNCVX | UEAL2 | 13.31 | | | | 1 | | - | | - | - | - |
| — | | | - | | UNCVX | UEAL2 | 13.31 | | | | 1 | | - | | - | - | - |
| — | | 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 | - | | UNCVX | UEAL2 | 19.49 38.04 | | | | 1 | | | | - | - | - |
| <u> </u> | | Voice Grade COCI - Per Month | - | 3 | UNCVX | 1D1VG | 0.54 | | | | | | | | | - | - |
| | 4 WIDI | | - | - | UNCVA | IDIVG | 0.34 | | | | | | | | | | |
| <u> </u> | 4-WIRI | E VOICE GRADE LOOP FOR USE IN A COMBINATION | - | 1 | LINCVV | UEAL4 | 20.47 | | | | | | | | | - | - |
| <u> </u> | | 4-Wire Analog Voice Grade Loop in Combination - Zone 1 | 1 | | UNCVX UNCVX | UEAL4 UEAL4 | 20.47 | | - | | 1 | | | | | - | - |
| | 1 | 4-Wire Analog Voice Grade Loop in Combination - Zone 2 | - | | | | | | | | | | | | | | |
| | | 4-Wire Analog Voice Grade Loop in Combination - Zone 3 | | 3 | UNCVX | UEAL4 1D1VG | 34.79 | | | | | | | | | | |
| | | Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 0.54 | | | | | | | | | | |
| | 4-WIRI | 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION | - | _ | LINIODY | LIDI 50 | 05.44 | | | | | | | | | | |
| | <u> </u> | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 | - | | UNCDX | UDL56 | 25.14 | | | | | | | | | | |
| | | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 | | 2 | UNCDX | UDL56 | 32.61 | | | | | | | | | | |
| | | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL56 | 43.95 | | | | | | | | | | |
| | | OCU-DP COCI (data) per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.15 | | | | | | | | | | |
| | 4-WIRI | 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATI\ON | | . | LINIONY. | | 0= 44 | | | | | | | | | | |
| | | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL64 | 25.14 | | | | | | | | | | |
| | | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 | | | UNCDX | UDL64 | 32.61 | | | | | | | | | | |
| | | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 | 43.95 | | | | | | | | | | |
| | | OCU-DP COCI (data) - in combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.15 | | | | | | | | | | |
| | 2-WIRI | ISDN LOOP FOR USE IN COMBINATION | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Loop in Combination - Zone 1 | | | UNCNX | U1L2X | 22.79 | | | | | | | | | | |
| | | 2-Wire ISDN Loop in Combination - Zone 2 | | | UNCNX | U1L2X | 30.20 | | | | | | | | | | |
| | | 2-Wire ISDN Loop in Combination - Zone 3 | | 3 | UNCNX | U1L2X | 48.50 | | | | | | | | | | |
| | | 2-wire ISDN COCI (BRITE) - in combination - per month | | | UNCNX | UC1CA | 1.91 | | | | | | | | | | |
| | 4-WIRI | DS1 DIGITAL LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | | UNC1X | USLXX | 47.17 | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 53.37 | | | | | | | | | | |
| <u> </u> | ! | 4-Wire DS1 Digital Loop in Combination - Zone 3 | ! | 3 | UNC1X | USLXX | 71.33 | | | | ļ | | | | | | |
| <u> </u> | 0 11 | DS1 COCI in combination per month | | TIC: | UNC1X | UC1D1 | 8.45 | | | | ļ | | | | | | |
| <u> </u> | 2 WIRE | VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | OMBINA | IION | | + | | | | | ļ | | | | | | |
| | | Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per | | | 1110101 | 41.5007 | | | | | | | | | | | |
| | <u> </u> | Month | - | | UNCVX | 1L5XX | 0.01 | | | | 1 | . | | | | | |
| | | Interoffice Transport - 2-wire VG - Dedicated - Facility | | | 1110101 | | 44.00 | | | | | | | | | | |
| | | Termination per month | | | UNCVX | U1TV2 | 14.80 | | | | | | | | | | |
| | 4 WIRE | VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | OMBINA | TION | | | | | | | | | | | | | |
| 1 | 1 | Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per | 1 | | 1110101 | 41.5007 | | | | | | | 1 | | | | |
| <u> </u> | ! | Month | ! | | UNCVX | 1L5XX | 0.01 | | - | | ! | 1 | ļ | | - | . | . |
| 1 | 1 | Interoffice Transport - 4-wire VG - Dedicated - Facility | 1 | | 1110101 | | | | | | | | 1 | | | | |
| | | Termination per month | . | | UNCVX | U1TV4 | 12.40 | | | | ļ | ļ | | | | | |
| | DS1 IN | TEROFFICE TRANSPORT FOR COMBINATION | . | | | | | | | | ļ | ļ | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | l . | 1 | _ | | | | | | | | | | |
| L | ļ | per month | ļ | | UNC1X | 1L5XX | 0.13 | | | | ļ | ļ | | | | ļ | ļ |
| 1 | 1 | Interoffice Transport - Dedicated - DS1 combination - Facility | 1 | | l <u>.</u> | L | | | | | | | 1 | | | | 1 |
| | ļ | Termination per month | | | UNC1X | U1TF1 | 39.32 | | | | | ļ | | | | | |
| L | L | 1/0 Channelization System in combination Per Month | | | UNC1X | MQ1 | 80.21 | | | | ļ | ļ | ļ | | ļ | ļ | Ļ |
| L | DS3 IN | TEROFFICE TRANSPORT FOR USE IN A COMBINATION | ļ | | | <u> </u> | ļ | | | | ļ | ļ | | | | ļ | |
| 1 | | Interoffice Transport - Dedicated - DS3 combination - Per Mile | | | l | 1 | _ | | | | | | | | | | |
| Щ_ | <u> </u> | Per Month | <u> </u> | | UNC3X | 1L5XX | 2.91 | | | l | I | 1 | l | | İ | ļ | L |

| HINDIN | IDI E | D NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachman | 4.2 Ev B | ı | |
|---|--------|--|--|----------|----------------|--|----------------|-----------|------------|--|--------------|--------------|--|-------------|--|-------------|--------------|
| UNDUN | IDLE | D NETWORK ELEMENTS - Georgia | 1 | | 1 | | | | | | | Sun Order | Svc Order | | nt: 2 Ex. B | Incremental | Incremental |
| | | | | | | | | | | | | I . | 1 | | Incremental | | Incremental |
| | | | | | | | | | | | | | Submitted | Charge - | Charge - | Charge - | Charge - |
| CATEGO | DV | RATE ELEMENTS | Interi | Zone | BCS | usoc | | | RATES (\$) | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | |
| CAILGO | /IX I | RATE ELEMENTS | m | Zone | B03 | 0300 | | | KAILS (4) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| \vdash | | | | | | | | Nonre | curring | Nonrecurrin | a Disconnect | 1 | 1 | oss | Rates (\$) | l | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | | Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | | | | | | 1 | | | | | | | |
| | | month | | | UNC3X | U1TF3 | 393.32 | | | | | | | | | | |
| S | STS-1 | NTEROFFICE TRANSPORT FOR USE IN COMBINATION | | | | | | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS-1 combination - Per Mile | | | | | | | | | | | | | | | |
| | | Per Month | | | UNCSX | 1L5XX | 2.91 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | | | | | | | | | | | | | |
| oxdot | | Termination per month | | | UNCSX | U1TFS | 412.47 | | | | | | | | | | |
| 4 | -WIRE | 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN | ISPORT | | | | | | | | | | | | | | |
| | | 4-wire 56 kbps Local Loop in combination - Zone 1 | | | UNCDX | UDL56 | 25.14 | | | | | | | | | | |
| | | 4-wire 56 kbps Local Loop in combination - Zone 2 | | | UNCDX | UDL56 | 32.61 | | | | | | | | | | |
| $\vdash \vdash$ | | 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 43.95 | | | ļ | 1 | ļ | | | ļ | | ↓ |
| | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | LINODY | 41.5307 | | | | | | | | | I | | |
| $\vdash \vdash$ | | Per Mile per month | | | UNCDX | 1L5XX | 0.01 | | | ļ | | | | | - | | |
| | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | LINCDY | LIATES | 0.00 | | | | | | | | I | | |
| | MIDE | Facility Termination per month | L FFIOR T | DANG | UNCDX | U1TD5 | 9.00 | | | | 1 | ļ | | | | | |
| 4 | -WIKE | 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO 4-wire 64 kbps Lcoal Loop in Combination - Zone 1 | FFICE I | | UNCDX | UDL64 | 25.14 | | | <u> </u> | - | - | | | | | |
| \vdash | | 4-wire 64 kbps Lcoal Loop in Combination - Zone 1 | | | UNCDX | UDL64 | 32.61 | | | | | | - | | | | + |
| \vdash | | 4-wire 64 kbps Lcoal Loop in Combination - Zone 3 | | | UNCDX | UDL64 | 43.95 | | | | | | - | | | | + |
| \vdash | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | 3 | UNCDA | UDL64 | 43.93 | | | | | - | - | | - | | |
| | | Per Mile per month | | | UNCDX | 1L5XX | 0.01 | | | | | | | | | | |
| \vdash | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | UNCDA | ILJAA | 0.01 | | | 1 | | <u> </u> | | | | | - |
| | | Facility Termination per month | | | UNCDX | U1TD6 | 9.00 | | | | | | | | | | |
| 4 | -WIRE | 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC | F TRAN | SPOR | | OTIDO | 0.00 | | | | | † | | | | | |
| H-1 | | 4-wire 56 kbps Local Loop in combination - Zone 1 | | | UNCDX | UDL56 | 25.14 | | | | | 1 | 1 | | | | <u> </u> |
| | | 4-wire 56 kbps Local Loop in combination - Zone 2 | | | UNCDX | UDL56 | 32.61 | | | | | İ | | | | | |
| | | 4-wire 56 kbps Local Loop in combination - Zone 3 | | | UNCDX | UDL56 | 43.95 | | | | | İ | | | | | |
| | | 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per | | | | | | | | | | | | | | | |
| | | month | | | UNCDX | 1L5XX | 0.01 | | | | | | | | | | |
| | | 4-wire 56 kbps Interoffice Transport - Dedicated - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | | | UNCDX | U1TD5 | 9.00 | | | | | | | | | | |
| 4 | -WIRE | 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC | E TRAN | | | | | | | | | | | | | | |
| | | 4-wire 64 kbps Local Loop in combination - Zone 1 | | | UNCDX | UDL64 | 25.14 | | | | | | | | | | |
| | | 4-wire 64 kbps Local Loop in combination - Zone 2 | | | UNCDX | UDL64 | 32.61 | | | | | | | | | | |
| oxdot | | 4-wire 64 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL64 | 43.95 | | | | | | | | | | |
| | | I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per | | | | | | | | | | | | | 1 | | |
| $\vdash \!$ | | month | | | UNCDX | 1L5XX | 0.01 | | | <u> </u> | | | | | 1 | | ļ |
| | | 4-wire 64 kbps Interoffice Transport - Dedicated - Facility | | | LINODY | LIATES | | | | | | | | | 1 | | |
| ⊢ | .04 | Termination per month | | | UNCDX | U1TD6 | 9.00 | | | | | | - | | - | | _ |
| ⊢ ₽ |)S1 DI | GITAL LOOP AND DS1 INTERFOFFICE TRANSPORT | | <u> </u> | LINICAY | LICLYY | 47.4- | | | | 1 | ļ | | | | | ├ |
| $\vdash \vdash$ | | 4-Wire DS1 Digital Loop in Combination - Zone 1 | - | | UNC1X | USLXX | 47.17 53.37 | | | + | 1 | | 1 | - | | - | |
| \vdash | | 4-Wire DS1 Digital Loop in Combination - Zone 2 4-Wire DS1 Digital Loop in Combination - Zone 3 | | | UNC1X UNC1X | USLXX | 53.37 71.33 | | | <u> </u> | - | - | | | | | - |
| \vdash | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | UNCIA | USLAA | 71.33 | | | <u> </u> | - | - | | | | | - |
| | | per month | | | UNC1X | 1L5XX | 0.13 | | | | | | | | I | | |
| $\vdash \vdash$ | | Interoffice Transport - Dedicated - DS1 combination - Facility | | - | OINC IA | ILOAA | 0.13 | | | + | | } | | | | | |
| | | Termination per month | | | UNC1X | U1TF1 | 39.32 | | | | | | | | 1 | | |
| | S3 DI | GITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO | ORT | | 5.101/ | J | 33.32 | | | 1 | 1 | 1 | | | I | | † |
| ├ | | DS3 Local Loop in combination - per mile per month | T | | UNC3X | 1L5ND | 14.51 | | | 1 | 1 | 1 | | | I | | † |
| \vdash | | Por mile per month | | | | | | | | 1 | | | | | <u> </u> | | |
| | | DS3 Local Loop in combination - Facility Termination per month | | | UNC3X | UE3PX | 335.10 | | | | | | | | I | | |
| | | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 2.91 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS3 combination - Facility | | | | | | | | 1 | | | | | | | |
| | | Termination per month | | | UNC3X | U1TF3 | 393.32 | | | | | | | | I | | |
| S | STS-1 | DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN | ISPORT | | | | | | | | | | | | | | |
| | | STS-1 Local Lolp in combination - per mile per month | | | UNCSX | 1L5ND | 14.51 | | | | | | | | | | |
| | | STS-1 Local Loop in combination - Facility Termination per | | | | | | . <u></u> | | | | | | | | | |
| 1 I | | month | 1 | | UNCSX | UDLS1 | 403.92 | | | <u> </u> | | <u> </u> | | <u> </u> | <u> </u> | <u> </u> | |

| UNBU | NDLE | D NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachmer | nt: 2 Ex. B | | |
|-------|-----------|--|-------------|--------|-----------------------------|-----------|----------------|----------|------------|--------------|------------|----------|-----------|--|--|---|---|
| CATEG | | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | curring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | - |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Transport - Dedicated - STS-1 combination - per mile per month | | | UNCSX | 1L5XX | 2.91 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | | | UNCSX | U1TFS | 412.47 | | | | | | | | | | |
| | | IETWORK ELEMENTS | | | | | | | | | | | | | | | |
| | | used as a part of a currently combined facility, the non-recurr | | | | | | | | | | | | | | | |
| | | used as ordinarily combined network elements in All States, the | | | | | As Is Charge d | oes not. | | | | | | | | | |
| | | curring Currently Combined Network Elements "Switch As Is" | Charge | (One a | pplies to each comb | oination) | | | | | | | | | | | , |
| | Option | al Features & Functions: | | | U1TD1. | | | | | | | 1 | | | | | |
| | | Clear Channel Capability Extended Frame Option - per DS1 | 1 | | ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | | | | U1TD1, | | | | | | | | | | | | |
| | | Clear Channel Capability Super FrameOption - per DS1 | ı | | ULDD1,UNC1X | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 | ı | | ULDD1, U1TD1, UNC1X, USL | NRCCC | | 184.62 | 23.78 | 2.03 | 0.79 | | | | | | |
| | | C hit Basis Oction Cubacaucat Activity and BC2 | | | U1TD3, ULDD3, | NDCCO | | 240.74 | 7.00 | 0.7504 | 0.00 | | | | | | |
| | NALII TII | C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS | | | UE3, UNC3X | NRCC3 | | 218.74 | 7.66 | 0.7591 | 0.00 | | | | | | |
| - | MULIII | DS1 to DS0 Channel System per month | | | UNC1X | MQ1 | 80.21 | | | | | - | - | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | UNCIX | IVIQT | 80.21 | | | | | | - | | | | |
| | | month (2.4-64kbs) used for a Local Loop | | | UDL | 1D1DD | 1.15 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 | | | | | | | | | | | | | | | |
| | | Local Channel in the same SWC as collocation | | | U1TUD | 1D1DD | 1.15 | | | | | | | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop | | | UDN | UC1CA | 1.91 | | | | | | | | | | . |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel | | | | | | | | | | | | | | | |
| | | in the same SWC as collocation | | | U1TUB | UC1CA | 1.91 | | | | | | | | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop | | | UEA | 1D1VG | 0.54 | | | | | | | | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the | | | | | | | | | | | | | | | |
| | | same SWC as collocation | | | U1TUC | 1D1VG | 0.54 | | | | | | | | | | <u>. </u> |
| | | DS3 to DS1 Channel System per month | | | UNC3X | MQ3 | 140.18 | | | | | | | | | | |
| | | STS-1 to DS1 Channel System per month | | | UNCSX | MQ3 | 140.18 | | | | | | | | | | |
| | | DS1 COCI used with Loop per month | | | USL | UC1D1 | 8.45 | | | | | | | | | | |
| | | DS1 COCI (used for connection to a channelized DS1 Local | | | | | | | | | | | | | | | |
| | | Channel in the same SWC as collocation) per month | | | U1TUA | UC1D1 | 8.45 | | | | | | | | | | |
| | | DS1 COCI used with Interoffice Channel per month | | | U1TD1 | UC1D1 | 8.45 | | | | | | | | | | |
| | | DS3 Interface Unit (DS1 COCI) used with Local Channel per month | | | ULDD1 | UC1D1 | 8.45 | | | | | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | | t: 2 Ex. B | | |
|---|---|---------|--|-----------------------|----------------|----------------|--------|------------|--------------|------------|---------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | | Incremental | | Incremental | |
| | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| CATECORY | DATE ELEMENTO | Interi | 7 | BCS | USOC | | | RATES (\$) | | | Elec | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | m | Zone | ВСЭ | USUC | | | KATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Nonred | curring | Nonrecurring | Disconnect | | | oss | Rates (\$) | 1 | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| 2-WIR | E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | | | | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 10.06 | 151.54 | 89.29 | 69.09 | 11.54 | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 10.99 | 151.54 | 89.29 | 69.09 | 11.54 | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | UNL | UHLZA | 10.99 | 151.54 | 09.29 | 69.09 | 11.54 | | | | | | |
| | & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 12.20 | 151.54 | 89.29 | 69.09 | 11.54 | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | Ť | 0.12 | OT ILLY | 12.20 | .0 | 00.20 | 00.00 | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 10.06 | 130.74 | 78.56 | 69.09 | 11.54 | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 10.99 | 130.74 | 78.56 | 69.09 | 11.54 | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| <u> </u> | and facility reservation - Zone 3 | <u></u> | 3 | UHL | UHL2W | 12.20 | 130.74 | 78.56 | 69.09 | 11.54 | | | | | | |
| 4-WIR | E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | | + | | | | - | - | | | | | | |
| | 4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 16.04 | 185.75 | 123.50 | 74.95 | 14.69 | | | | | | |
| - | 4-Wire Unbundled HDSL Loop including manual service inquiry | | ' | UNL | UHL4A | 16.04 | 100.70 | 123.50 | 74.95 | 14.09 | | | | | | |
| | and facility reservation - Zone 2 | 1 | 2 | UHL | UHL4X | 18.03 | 185.75 | 123.50 | 74.95 | 14.69 | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | 01.12 | 011217 | 10.00 | 100.10 | 120.00 | 7 1.00 | 1 1.00 | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 19.53 | 185.75 | 123.50 | 74.95 | 14.69 | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 16.04 | 164.95 | 114.04 | 77.32 | 15.80 | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4W | 18.03 | 164.95 | 114.04 | 77.32 | 15.80 | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 19.53 | 164.95 | 114.04 | 77.32 | 15.80 | | | | | | |
| 4-WIB | E DS1 DIGITAL LOOP | | 3 | UNL | UHL4VV | 19.55 | 104.95 | 114.04 | 11.32 | 15.00 | | | | | | |
| 7-1111 | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 99.44 | 306.69 | 174.44 | 65.83 | 14.55 | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | | USLXX | 131.22 | 306.69 | 174.44 | 65.83 | 14.55 | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | | USLXX | 342.42 | 306.69 | 174.44 | 65.83 | 14.55 | | | | | | |
| HIGH CAPAC | TY UNBUNDLED LOCAL LOOP | | | | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | UE3 | 1L5ND | 10.64 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Facility | | | LIEO | LIESDY | 254.50 | | | | | | | | | | |
| - | Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per | | 1 | UE3 | UE3PX | 354.56 | | | | | | | | | | |
| | month | | | UDLSX | 1L5ND | 10.64 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Facility | | | | . 20.12 | .5.04 | | | | | | | | | | |
| | Termination per month | | | UDLSX | UDLS1 | 368.59 | | | | | | | | | | |
| | DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| INTER | OFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| 1 1 - | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | 1 | ı _ T | | | | | | | | | | |
| \vdash | month | 1 | _ | U1TD1 | 1L5XX | 0.26 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination | | | U1TD1 | U1TF1 | 110.45 | | | | | | 1 | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | וטווט | UIIFI | 110.45 | | | | | | | | | | |
| | month | | | U1TD3 | 1L5XX | 5.72 | | | | | | 1 | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | l | | | 1 | 5.72 | | | | | | | | | | |
| | Termination per month | | | U1TD3 | U1TF3 | 1351.42 | | | | | | 1 | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | | | | | ĺ | | | | | | | | | | |
| | month | | | U1TS1 | 1L5XX | 5.72 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Facility | | | | | | | | | | | | | | | |
| \vdash | Termination | | _ | U1TS1 | U1TFS | 1321.94 | | | | | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade | - | - | ULDVX, UNCVX ULDVX | ULDV2 ULDR2 | 21.36 21.36 | | | | | - | - | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat Local Channel - Dedicated - 4-Wire Voice Grade | 1 | | ULDVX ULDVX, UNCVX | ULDK2 ULDV4 | 21.36 | | | | | 1 | | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade | 1 | 1 | ULDD1, UNC1X | ULDF1 | 46.53 | | | | | | | | | | |
| | 2000 Sharmor Dodioatod DOT-ZOHOT | | <u> </u> | DEDDI, DINOIA | 12501 | 70.33 | | | L | L | 1 | L | l | | | L |

| | | | | | | | | | | | | | | 1 | | r | |
|--|--|--|--|----------|--------------------|----------------|----------------|---------------|-----------------|--------------|--------------|--|-----------|-------------|-------------|--|--------------|
| UNBU | INDLE | D NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | | nt: 2 Ex. B | | |
| | | | | | | | | | | | | 1 | Svc Order | | | | Incremental |
| | | | | | | | | | | | | | Submitted | Charge - | Charge - | Charge - | Charge - |
| 0.4750 | | RATE ELEMENTS | Interi | - | B00 | 11000 | | | DATEO (6) | | | Elec | Manually | Manual Svc | | Manual Svc | Manual Svc |
| CATEG | ORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| - | 1 | | | | | + | | Nonre | curring | Nonrecurrin | a Disconnect | 1 | l | OSS | Rates (\$) | | |
| | | | | - | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | | Local Channel - Dedicated - DS1 - Zone 2 | | 2 | ULDD1, UNC1X | ULDF1 | 49.90 | | 71441 | | 71441 | | 00 | | 00 | | |
| | | Local Channel - Dedicated - DS1 - Zone 3 | | | ULDD1, UNC1X | ULDF1 | 189.18 | | | | | | | | | | |
| | | Local Channel - Dedicated - DS3 - Per Mile per month | | | ULDD3, UNC3X | 1L5NC | 10.05 | | | | | | | | | | |
| | | Local Channel - Dedicated - DS3 - Facility Termination | | | ULDD3, UNC3X | ULDF3 | 662.46 | | | | | | | | | | |
| | | Local Channel - Dedicated - STS-1- Per Mile per month | | | ULDS1, UNCSX | 1L5NC | 10.05 | | | | | | | | | | |
| | | Local Channel - Dedicated - STS-1 - Facility Termination | | | ULDS1, UNCSX | ULDFS | 624.73 | | | | | | | | | | |
| ENHAN | | XTENDED LINK (EELs) | | | | | | | | | | | | | | | |
| | | The monthly recurring and non-recurring charges below will | | | | | | | | | | | | | | | |
| | | The monthly recurring and the Switch-As-Is Charge and not t | he non- | recurri | ng charges below v | vill apply for | UNE combinati | ons provision | ed as ' Current | ly Combined' | Network Elem | ents. | | | | | |
| | 2-WIRI | E VOICE GRADE LOOP FOR USE IN A COMBINATION | ! | <u> </u> | LINIOVAY | LIEALO | 44.55 | | | - | 1 | 1 | | | 1 | - | |
| — | - | 2-Wire VG Loop (SL2) in Combination - Zone 1 | 1 | | UNCVX | UEAL2 | 14.57 20.07 | | | - | | + | 1 | - | 1 | | - |
| - | - | 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 | 1 | | UNCVX UNCVX | UEAL2 UEAL2 | 38.20 | | | - | 1 | + | - | - | | - | |
| - | | Voice Grade COCI - Per Month | | ٦ | UNCVX | 1D1VG | 0.71 | | | 1 | 1 | + | | | | | |
| — | 4-WIPI | E VOICE GRADE LOOP FOR USE IN A COMBINATION | 1 | - | 0140 VA | 10140 | 0.71 | | | | 1 | + | H | l | 1 | | |
| - | | 4-Wire Analog Voice Grade Loop in Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 33.65 | | | | 1 | | | | 1 | | |
| | | 4-Wire Analog Voice Grade Loop in Combination - Zone 2 | | | UNCVX | UEAL4 | 39.39 | | | | | 1 | | | 1 | | |
| | | 4-Wire Analog Voice Grade Loop in Combination - Zone 3 | | | UNCVX | UEAL4 | 97.82 | | | | | | | | | | |
| | | Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 0.71 | | | | | | | | | | |
| | 4-WIRI | E 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | |
| | | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL56 | 31.73 | | | | | | | | | ĺ | |
| | | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 | | | UNCDX | UDL56 | 37.35 | | | | | | | | | | |
| | | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL56 | 41.83 | | | | | | | | | | |
| | | OCU-DP COCI (data) per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.52 | | | | | | | | | | |
| | 4-WIRI | E 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATI\ON | ļ | | | <u> </u> | | | | | | | | | | | |
| | | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL64 | 31.73 | | | | | | | | | | |
| | | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 | - | | UNCDX | UDL64 | 37.35 | | | | | - | | | | | |
| | | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) | - | 3 | UNCDX UNCDX | UDL64 1D1DD | 41.83 1.52 | | | | | + | - | | | | |
| | 2-WIDI | E ISDN LOOP FOR USE IN COMBINATION | 1 | - | UNCDA | 10100 | 1.52 | | | | 1 | + | 1 | | | | |
| | Z-VVIIN | 2-Wire ISDN Loop in Combination - Zone 1 | | 1 | UNCNX | U1L2X | 21.21 | | | | | + | | | | | |
| | | 2-Wire ISDN Loop in Combination - Zone 2 | | | UNCNX | U1L2X | 28.84 | | | | | | 1 | | | | |
| | | 2-Wire ISDN Loop in Combination - Zone 3 | | | UNCNX | U1L2X | 49.30 | | | | | | | | | | |
| | | 2-wire ISDN COCI (BRITE) - in combination - per month | | | UNCNX | UC1CA | 3.27 | | | | | | | | | | |
| | 4-WIRI | E DS1 DIGITAL LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 99.44 | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | | UNC1X | USLXX | 131.22 | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop in Combination - Zone 3 | ļ | 3 | UNC1X | USLXX | 342.42 | | | ļ | ļ | 1 | | | | ļ | |
| <u> </u> | 0.10 | DS1 COCI in combination per month | | T.C | UNC1X | UC1D1 | 13.57 | | | | ļ | 1 | 1 | | ļ | | |
| - | 2 WIRE | E VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | OMBINA | IION | | + | | | | - | - | 1 | | | 1 | - | |
| 1 | | Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month | | 1 | UNCVX | 1L5XX | 0.01 | | | | | | | | | | |
| <u> </u> | | Interoffice Transport - 2-wire VG - Dedicated - Facility | 1 | - | OINCVA | ILOAA | 0.01 | | | | | + | | - | 1 | | - |
| 1 | | Termination per month | 1 | 1 | UNCVX | U1TV2 | 27.54 | | | | | | | | | | |
| - | 4 WIRE | E VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | OMBINA | TION | 0.1017 | 31144 | 21.54 | | | | 1 | + | - | | 1 | | |
| | | Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per | 1 | | | 1 | | | | İ | İ | | | | | İ | |
| 1 | | Month | | l | UNCVX | 1L5XX | 0.01 | | | | | | | | | | |
| | | Interoffice Transport - 4-wire VG - Dedicated - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | <u> </u> | <u> </u> | UNCVX | U1TV4 | 27.54 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | DS1 IN | ITEROFFICE TRANSPORT FOR COMBINATION | ļ | | | | | | | ļ | ļ | | | | | ļ | |
| 1 | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | l | | | | | | | | | | | | | |
| <u> </u> | | per month | - | <u> </u> | UNC1X | 1L5XX | 0.22 | | | | 1 | 1 | - | | ļ | ļ | ļ |
| 1 | | Interoffice Transport - Dedicated - DS1 combination - Facility | | 1 | LINICAV | LIATEA | 00.07 | | | | | | | | | | |
| | DC2 IN | Termination per month ITEROFFICE TRANSPORT FOR USE IN A COMBINATION | 1 | <u> </u> | UNC1X | U1TF1 | 90.87 | | | - | | + | 1 | - | 1 | | - |
| - | DO3 IN | Interoffice Transport - Dedicated - DS3 combination - Per Mile | | - | | + | | | | | + | + | | | | | |
| | | Per Month | 1 | 1 | UNC3X | 1L5XX | 4.70 | | | | | | | | | | |
| | | p. or morni | | <u> </u> | J. 100/ | ILONA | 7.70 | | l | 1 | <u> </u> | | L | L | <u> </u> | 1 | L |

| LINDLING | N E | D NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | A44==b | nt: 2 Ex. B | | |
|--|--------|---|----------|--------|----------------|--------|----------------|-------|------------|--|--------------|--|-----------|-------------|--|-------------|--|
| UNDUNL | JLEI | J NETWORK ELEMENTS - Remucky | 1 | 1 | | 1 | | | | | | Cua Ordar | Sua Ordan | Incremental | Incremental | Incremental | Ingramantal |
| | | | | | | | | | | | | 1 | | | | | |
| | | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| CATEGOR | , l | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | Elec | | Manual Svc | Manual Svc | | Manual Svc |
| CATEGOR | `' | RATE ELEMENTS | m | Zone | 603 | 0300 | | | KAILS (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | 1 | | Nonre | curring | Nonrecurrin | g Disconnect | 1 | | oss | Rates (\$) | | 1 |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | | Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | | | | | | 1 | 110.01 | | | | | | |
| | | month | | | UNC3X | U1TF3 | 1111.92 | | | | | | | | | | |
| ST | S-1 I | NTEROFFICE TRANSPORT FOR USE IN COMBINATION | | | | | | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS-1 combination - Per Mile | | | | | | | | | | | | | | | |
| | | Per Month | | | UNCSX | 1L5XX | 4.70 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | | | UNCSX | U1TFS | 1087.66 | | | | | | | | | | |
| 4-V | WIRE | 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN | ISPORT | | | | | | | | | | | | | | |
| | | 4-wire 56 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL56 | 31.73 | | | | | | | | | | |
| | | 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 37.35 | | | | | | | | | | |
| \vdash | | 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 41.83 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | | | | | | | | | | | |
| \vdash | | Per Mile per month | | | UNCDX | 1L5XX | 0.01 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | | | | | | | | | | | |
| | *//DE | Facility Termination per month | | DANIO | UNCDX | U1TD5 | 19.84 | | | 1 | | 1 | | | | | |
| 4-V | WIKE | 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | FFICE | | | UDL64 | 24.72 | | | + | | | | | | | |
| | | 4-wire 64 kbps Lcoal Loop in Combination - Zone 1 4-wire 64 kbps Lcoal Loop in Combination - Zone 2 | | 2 | UNCDX UNCDX | UDL64 | 31.73 37.35 | | | + | | | | | | | |
| — | - | 4-wire 64 kbps Lcoal Loop in Combination - Zone 2 4-wire 64 kbps Lcoal Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 | 41.83 | | | + | | | | | | | |
| H | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | 3 | UNCDA | UDL04 | 41.03 | | | + | | | | | | | |
| | | Per Mile per month | | | UNCDX | 1L5XX | 0.01 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | UNCDA | ILJAA | 0.01 | | | + | | <u> </u> | | | 1 | | |
| | | Facility Termination per month | | | UNCDX | U1TD6 | 19.84 | | | | | | | | | | |
| 4-V | WIRF | 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC | FTRAN | SPORT | | 01100 | 10.04 | | | + | | † | | | | | |
| H-1 | | 4-wire 56 kbps Local Loop in combination - Zone 1 | | | UNCDX | UDL56 | 31.73 | | | + | | 1 | | | | | |
| | | 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 37.35 | | | | | İ | | | | | |
| | | 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 41.83 | | | | | | | | | | |
| | | 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per | | | | | | | | | | | | | | | |
| | | month | | | UNCDX | 1L5XX | 0.01 | | | | | | | | | | |
| | | 4-wire 56 kbps Interoffice Transport - Dedicated - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | | | UNCDX | U1TD5 | 19.84 | | | | | | | | | | |
| 4-V | WIRE | 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC | E TRAN | ISPORT | | | | | | | | | | | | | |
| | | 4-wire 64 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL64 | 31.73 | | | | | | | | | | |
| | | 4-wire 64 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL64 | 37.35 | | | | | | | | | | |
| $oxed{oxed}$ | | 4-wire 64 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL64 | 41.83 | | | 1 | | ļ | | | ļ | | ļ |
| | | 14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per | | | | | | | | 1 | | | | | | | |
| \vdash | | month | | ļ | UNCDX | 1L5XX | 0.01 | | | + | | | | | ļ | | ļ |
| | | 4-wire 64 kbps Interoffice Transport - Dedicated - Facility | | | UNCDX | U1TD6 | 19.84 | | | 1 | | | | | | | |
| D0 | יום וי | Termination per month GITAL LOOP AND DS1 INTERFOFFICE TRANSPORT | - | + | OINCDA | סטווט | 19.84 | | | + | 1 | | | | | - | |
| DS | וע וכ | 4-Wire DS1 Digital Loop in Combination - Zone 1 | - | 1 | UNC1X | USLXX | 99.44 | | | + | | | | | | | |
| | - | 4-Wire DS1 Digital Loop in Combination - Zone 1 4-Wire DS1 Digital Loop in Combination - Zone 2 | - | 2 | UNC1X | USLXX | 131.22 | | | + | 1 | | | | | | |
| \vdash | - | 4-Wire DS1 Digital Loop in Combination - Zone 2 4-Wire DS1 Digital Loop in Combination - Zone 3 | H | 3 | UNC1X | USLXX | 342.42 | | | + | 1 | 1 | | | | | |
| \vdash | - | Interoffice Transport - Dedicated - DS1 combination - Per Mile | H | 3 | 014017 | JOLAA | 342.42 | | | + | 1 | 1 | | | | | |
| | | per month | | | UNC1X | 1L5XX | 0.22 | | | 1 | | | | | | | |
| | - | Interoffice Transport - Dedicated - DS1 combination - Facility | | | 5.151X | .20/01 | 0.22 | | | | | | | | | | |
| | | Termination per month | | | UNC1X | U1TF1 | 90.87 | | | 1 | | | | | | | |
| DS | 33 DIG | GITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO | ORT | | | 1 | 22.07 | | | 1 | | | | | | | |
| | Ť | DS3 Local Loop in combination - per mile per month | | | UNC3X | 1L5ND | 12.23 | | | 1 | | 1 | | | İ | | İ |
| | | | | | | | | | | | | | | | | | |
| | | DS3 Local Loop in combination - Facility Termination per month | | Ш. | UNC3X | UE3PX | 407.74 | | | 1 | | | | <u> </u> | | | |
| | | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 4.70 | | | | | | | | | | |
| | \Box | Interoffice Transport - Dedicated - DS3 combination - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | | | UNC3X | U1TF3 | 1111.92 | | | | | | | | | | |
| ST | S-1 [| DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN | ISPORT | | | | | | | | | | | | | | |
| | | STS-1 Local Lolp in combination - per mile per month | | | UNCSX | 1L5ND | 12.23 | | | | | | | | | | |
| | | STS-1 Local Loop in combination - Facility Termination per | | | l | 1 | | | | 1 | | | | | | | |
| | | month | | | UNCSX | UDLS1 | 423.87 | | | 1 | | | j | | l | | l |

| UNBU | NDLEI | NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachmer | nt: 2 Ex. B | | |
|-------------|--------|---|-------------|----------|-----------------------------|----------------|----------------|-----------|------------|--------------|------------|----------|-----------|--------------------|-------------------------|--|---------------------------|
| CATEG | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | 1 | Submitted | Incremental | Incremental Charge - | Incremental Charge - Manual Svc Order vs. | Charge - |
| | | | m | | | | | | | | | por zero | po. 2011 | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | | Rates (\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Transport - Dedicated - STS-1 combination - per mile per month | | | UNCSX | 1L5XX | 4.70 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month | | | UNCSX | U1TFS | 1087.66 | | | | | | | | | | |
| | | ETWORK ELEMENTS | | | | | | | | | | | | | | | |
| | When ι | ised as a part of a currently combined facility, the non-recurr | ng cha | rges do | not apply, but a Sv | witch As Is cl | harge does app | ly. | | | | | | | | | |
| | | ised as ordinarily combined network elements in All States, the | | | | | As Is Charge d | loes not. | | | | | | | | | |
| | | urring Currently Combined Network Elements "Switch As Is" | Charge | (One a | pplies to each comb | oination) | | | | | | | | | | | |
| | Option | al Features & Functions: | | | III/TD4 | | | | | | | | | | | | |
| | | Clear Channel Capability Extended Frame Option - per DS1 | ı | | U1TD1, ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Clear Channel Capability Super FrameOption - per DS1 | I | | U1TD1, ULDD1,UNC1X | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Clear Channel Capability (SF/ESF) Option - Subsequent | | | ULDD1, U1TD1, | | | | | | | | | | | | |
| | | Activity - per DS1 | - 1 | | UNC1X, USL U1TD3, ULDD3, | NRCCC | | 184.91 | 23.82 | 1.99 | 0.78 | | | | | | |
| | | C-bit Parity Option - Subsequent Activity - per DS3 | i | | UE3. UNC3X | NRCC3 | | 205.70 | 7.20 | 0.6924 | 0.00 | | | | | | |
| | MULTI | PLEXERS | · | | 020, 0.100/ | | | 200.70 | 7.20 | 0.0021 | 0.00 | | | | | | |
| | | DS1 to DS0 Channel System per month | | | UNC1X | MQ1 | 130.33 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| | | month (2.4-64kbs) used for a Local Loop | | | UDL | 1D1DD | 1.52 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| | | month (2.4-64kbs) used for connection to a channelized DS1 | | | | | . =0 | | | | | | | | | | |
| | | Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | U1TUD | 1D1DD | 1.52 | | | | | | | | | | |
| | | month for a Local Loop | | | UDN | UC1CA | 3.27 | | | | | | | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | \vdash | ODN | OCTOA | 3.21 | | | | | 1 | | | | | |
| | | month used for connection to a channelized DS1 Local Channel in the same SWC as collocation | | | U1TUB | UC1CA | 3.27 | | | | | | | | | | |
| — | | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | 23.0 | 5.27 | | | | | | | | 1 | | |
| | | used for a Local Loop | | | UEA | 1D1VG | 0.72 | | | | | | | | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | | | | | | | | | | | | |
| | | used for connection to a channelized DS1 Local Channel in the same SWC as collocation | | | U1TUC | 1D1VG | 0.72 | | | | | | | | | | |
| | | DS3 to DS1 Channel System per month | | | UNC3X | MQ3 | 181.93 | | | | | - | | | | | |
| | | STS-1 to DS1 Channel System per month | | \vdash | UNCSX | MQ3 | 181.93 | | | | | | | | | | |
| — | | DS1 COCI used with Loop per month | | \vdash | USL | UC1D1 | 13.57 | | | | | | | | | | - |
| | | DS1 COCI (used for connection to a channelized DS1 Local | | | | | .0.07 | | | | | | | | İ | | |
| | | Channel in the same SWC as collocation) per month | | | U1TUA | UC1D1 | 13.57 | | | | | | | | | | |
| | | DS1 COCI used with Interoffice Channel per month | | | U1TD1 | UC1D1 | 13.57 | | | | | | | | | | |
| | | DS3 Interface Unit (DS1 COCI) used with Local Channel per month | | | ULDD1 | UC1D1 | 13.57 | | | | | | | | | | |
| | | monu | | | 02001 | 100101 | 15.57 | | | | 1 | | | | | | |

| UNRU | NDI F | D NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachmer | nt: 2 Ex. B | | |
|----------|----------|---|---------|------|--------------|--------|--------|--------|------------|--|--------------|-----------|-----------|--------------|--|-------------|--------------|
| 314801 | ADEE | D ITE I WORK ELLIVILIATO - LOUISIANA | | | | | | | | | | Svc Order | Svc Order | | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | 1 | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | | Manual Svc | Manual Svc | Manual Svc | |
| CATEGO | ORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | - (1) | | | per Lor | per LSK | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | DISC 1St | DISC Add I |
| | | | | | | | Rec | Nonred | | | g Disconnect | | | | Rates (\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| | | EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| | 2-WIRE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE I | -00P | | | | | | | | | | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | UHL | | 44.00 | 405.50 | 70.77 | | | | | | | | |
| \vdash | | & facility reservation - Zone 1 2 Wire Unbundled HDSL Loop including manual service inquiry | | 1 | UHL | UHL2X | 11.26 | 125.50 | 76.77 | | | - | | | | | |
| | | & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 13.25 | 125.50 | 76.77 | | | | | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | OFF | OTILZX | 10.20 | 123.30 | 70.77 | | | | | | | | |
| | | & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 14.65 | 125.50 | 76.77 | | | | | | | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | _ | | | | | | t | | | | | | | |
| | | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 11.26 | 101.24 | 64.43 | | | | | | | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 2 | <u></u> | 2 | UHL | UHL2W | 13.25 | 101.24 | 64.43 | <u></u> | | | | | | <u> </u> | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 14.65 | 101.24 | 64.43 | | | | | | | | |
| | 4-WIRE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | _00P | | | | | | | | | | | | | |
| | | 4 Wire Unbundled HDSL Loop including manual service inquiry | | 1 | | | 40.00 | 4=0.00 | | | | | | | | | |
| - | | and facility reservation - Zone 1 4-Wire Unbundled HDSL Loop including manual service inquiry | | 1 | UHL | UHL4X | 18.68 | 153.26 | 104.54 | | | | | | | | |
| | | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 19.15 | 153.26 | 104.54 | | | | | | | | |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | UHL | UHL4X | 19.15 | 153.26 | 104.54 | - | | - | | | - | | |
| | | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 19.94 | 153.26 | 104.54 | | | | | | | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | - 0 | OTIL | OTILTX | 13.34 | 133.20 | 104.54 | | | 1 | | | | | |
| | | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 18.68 | 129.00 | 92.20 | | | | | | | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | t | | | | | | | |
| | | and facility reservation - Zone 2 | | 2 | UHL | UHL4W | 19.15 | 129.00 | 92.20 | | | | | | | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 19.94 | 129.00 | 92.20 | | | | | | | | |
| | 4-WIRE | DS1 DIGITAL LOOP | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 1 | | | USL | USLXX | 98.56 | 245.16 | 152.98 | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 2 | | | USL | USLXX | 224.20 | 245.16 | 152.98 | | | | | | | | |
| HIGH C | 4 D 4 CI | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 565.73 | 245.16 | 152.98 | 1 | | | | | | | |
| HIGH C | APACI | TY UNBUNDLED LOCAL LOOP High Capacity Unbundled Local Loop - DS3 - Per Mile per | | | | 1 | | | | - | | | | | | | - |
| | | month | | | UE3 | 1L5ND | 11.55 | | | | | | | | | | |
| \vdash | | High Capacity Unbundled Local Loop - DS3 - Facility | | | UES | ILSIND | 11.55 | | | 1 | | 1 | | | 1 | | |
| | | Termination per month | | | UE3 | UE3PX | 416.69 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - STS-1 - Per Mile per | l | | | 320. A | 410.00 | | | 1 | 1 | 1 | | 1 | 1 | | |
| | | month | | | UDLSX | 1L5ND | 11.55 | | | I | | | 1 | | I | | |
| | | High Capacity Unbundled Local Loop - STS-1 - Facility | 1 | | | | | | | | | | Ì | 1 | | | 1 |
| | | Termination per month | | | UDLSX | UDLS1 | 430.74 | | | | | | | | <u> </u> | <u> </u> | |
| | | DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | INTER | OFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | l | 1 | _ | | | I | | | 1 | | I | | |
| \vdash | | month | | | U1TD1 | 1L5XX | 0.30 | | | ļ | | | | | ļ | | |
| | | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | LIATDA | U1TF1 | 04.61 | | | 1 | | | | | 1 | | |
| \vdash | | Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | 1 | | U1TD1 | UTIF1 | 81.04 | | | - | | 1 | - | | | - | |
| | | Interoffice Channel - Dedicated Transport - D53 - Per Mile per Imonth | | | U1TD3 | 1L5XX | 6.95 | | | I | | | 1 | | I | | |
| + | | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | 01103 | ILUAA | 0.95 | | | | | | | | | - | |
| | | Termination per month | | | U1TD3 | U1TF3 | 978.02 | | | 1 | | | | | I | | |
| | | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | | | | 50 | 0,0.02 | | | <u> </u> | 1 | | | 1 | <u> </u> | | 1 |
| | | month | | | U1TS1 | 1L5XX | 6.95 | | | 1 | | | | | I | | |
| | | Interoffice Channel - Dedicated Transport - STS-1 - Facility | | | - | | | | | 1 | | | İ | | 1 | İ | |
| | | Termination | <u></u> | L | U1TS1 | U1TFS | 954.72 | | | <u> </u> | <u> </u> | <u></u> | <u> </u> | <u> </u> | L | <u></u> | <u> </u> |
| | | Local Channel - Dedicated - 2-Wire Voice Grade | | | ULDVX, UNCVX | ULDV2 | 21.07 | | _ | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat | | | ULDVX | ULDR2 | 21.07 | | | | | | | | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade | | | ULDVX, UNCVX | ULDV4 | 22.32 | | | | | | | | | | |
| oxed | | Local Channel - Dedicated - DS1 - Zone 1 | | 1 | ULDD1, UNC1X | ULDF1 | 45.06 | | | 1 | | | | l | 1 | <u> </u> | l |

| UNBL | JNDLE | D NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachmer | nt: 2 Ex. B | | |
|----------|----------|---|----------|----------|------------------------------|----------------|--|---------------|---------------|--------------|---------------|-----------|--|-------------|-------------|-------------|--|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Interi | _ | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATE | SORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Nonre | curring | Nonrecurrin | g Disconnect | | | oss | Rates (\$) | ı | - |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | ļ | Local Channel - Dedicated - DS1 - Zone 2 | | | ULDD1, UNC1X | ULDF1 | 139.82 | | | | | | | | | | |
| - | <u> </u> | Local Channel - Dedicated - DS1 - Zone 3 Local Channel - Dedicated - DS3 - Per Mile per month | | | ULDD1, UNC1X ULDD3, UNC3X | ULDF1 1L5NC | 80.52 8.99 | | | | | | | | | | |
| - | | Local Channel - Dedicated - DS3 - Fel Mile per month | | | ULDD3, UNC3X | ULDF3 | 539.86 | | | | | | | | | | \vdash |
| | 1 | Local Channel - Dedicated - STS-1- Per Mile per month | | | ULDS1, UNCSX | 1L5NC | 8.99 | | | | | | | | | | |
| | | Local Channel - Dedicated - STS-1 - Facility Termination | | | ULDS1, UNCSX | ULDFS | 525.80 | | | | | | | | | | |
| ENHA | | (TENDED LINK (EELs) | | | | | | | | | | | | | | | |
| | | The monthly recurring and non-recurring charges below will | | | | | | | | | | | | | | | |
| <u> </u> | | The monthly recurring and the Switch-As-Is Charge and not to VOICE GRADE LOOP FOR USE IN A COMBINATION | ne non- | recurri | ng charges below v | viii apply for | UNE combination | ons provision | ea as Current | ly Combined' | NetWork Eleme | ents. | 1 | | | | \vdash |
| - | Z-VVIRE | 2-Wire VG Loop (SL2) in Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 17.17 | | | | <u> </u> | | | | | | |
| | 1 | 2-Wire VG Loop (SL2) in Combination - Zone 1 | | | UNCVX | UEAL2 | 29.15 | | | | İ | | | | | | |
| | | 2-Wire VG Loop (SL2) in Combination - Zone 3 | | | UNCVX | UEAL2 | 58.03 | | | | | | | | | | |
| | | Voice Grade COCI - Per Month | | | UNCVX | 1D1VG | 0.75 | | | | | | | | | | |
| | 4-WIRE | VOICE GRADE LOOP FOR USE IN A COMBINATION | | _ | LINICALY | LIEAL 4 | 05.10 | | | | | | | | | | \vdash |
| <u> </u> | - | 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 | - | | UNCVX | UEAL4 UEAL4 | 35.43 44.07 | | | - | + | - | | | | | |
| | 1 | 4-Wire Analog Voice Grade Loop in Combination - Zone 3 | | | UNCVX | UEAL4 | 69.45 | | | | | | | | | | |
| | 1 | Voice Grade COCI in combination - per month | | _ | UNCVX | 1D1VG | 0.75 | | | | | | | | | | |
| | 4-WIRE | 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | |
| | | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL56 | 35.64 | | | | | | | | | | |
| | ļ | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 | | | UNCDX | UDL56 | 42.30 44.76 | | | | | | | | | | \longleftarrow |
| | <u> </u> | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) | | 3 | UNCDX UNCDX | UDL56 1D1DD | 1.59 | | | | | | | | | | |
| | 4-WIRE | 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATI\ON | | | ONODA | 10100 | 1.55 | | | | | | | | | | |
| | | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL64 | 35.64 | | | | | | | | | | |
| | | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 | | | UNCDX | UDL64 | 42.30 | | | | | | | | | | |
| | ļ | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 | 44.76 | | | | | | | | | | |
| - | 2 WIDE | OCU-DP COCI (data) - in combination - per month (2.4-64kbs) EISDN LOOP FOR USE IN COMBINATION | | | UNCDX | 1D1DD | 1.59 | | | | | | | | | | |
| - | Z-VVIKE | 2-Wire ISDN Loop in Combination - Zone 1 | | 1 | UNCNX | U1L2X | 25.40 | | | | | | | | | | \vdash |
| | | 2-Wire ISDN Loop in Combination - Zone 2 | | | UNCNX | U1L2X | 40.57 | | | | | | | | | | |
| | | 2-Wire ISDN Loop in Combination - Zone 3 | | 3 | UNCNX | U1L2X | 74.96 | | | | | | | | | | |
| | | 2-wire ISDN COCI (BRITE) - in combination - per month | | | UNCNX | UC1CA | 3.40 | | | | | | | | | | |
| | 4-WIRE | E DS1 DIGITAL LOOP FOR USE IN A COMBINATION | | 4 | UNC1X | USLXX | 98.56 | | | | | | | | | | \vdash |
| | 1 | 4-Wire DS1 Digital Loop in Combination - Zone 1 4-Wire DS1 Digital Loop in Combination - Zone 2 | | | UNC1X | USLXX | 224.20 | | | | | | | | | | \vdash |
| | | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | | UNC1X | USLXX | 565.73 | | | | | | | | | | |
| | | DS1 COCI in combination per month | | | UNC1X | UC1D1 | 13.55 | | | | <u> </u> | | | | | | |
| | 2 WIRE | VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | OMBINA | TION | | | | | | | | | | | | | |
| | | Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month | | | UNCVX | 1L5XX | 0.01 | | | | | | | | | | |
| | 1 | Interoffice Transport - 2-wire VG - Dedicated - Facility | | | UNCVX | ILSAX | 0.01 | | | | | | | | | | \vdash |
| | | Termination per month | | | UNCVX | U1TV2 | 25.99 | | | | | | | | | | 1 1 |
| | 4 WIRE | VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | OMBINA | TION | | | | | | | <u> </u> | | | | | | |
| | | Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per | | | | | | | | | | | | | | | |
| <u> </u> | ļ | Month | | | UNCVX | 1L5XX | 0.01 | | | | | - | <u> </u> | | | | \vdash |
| | | Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month | | | UNCVX | U1TV4 | 22.78 | | | | | | | | | | [|
| | DS1 IN | TEROFFICE TRANSPORT FOR COMBINATION | | | 011007 | CIIV | 22.70 | | | | † | | | | | | |
| | T | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | 1 | | | 1 | 1 | | | | | | |
| | ļ | per month | | | UNC1X | 1L5XX | 0.30 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility | | | LINICAY | LIATEA | 81.04 | | | | | | | | | | [|
| - | DS3 IN | TEROFFICE TRANSPORT FOR USE IN A COMBINATION | - | | UNC1X | U1TF1 | 81.04 | | | | + | 1 | | | | | \vdash |
| | 200 114 | Interoffice Transport - Dedicated - DS3 combination - Per Mile | | | | 1 | | | | | | | <u> </u> | | | | |
| | | Per Month | | | UNC3X | 1L5XX | 6.95 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | LINICOV | LIATEO | 070.00 | | | | | | | | | | 1 |
| Щ | L | month | l | <u> </u> | UNC3X | U1TF3 | 978.02 | | | l | I | L | I | l | l | l | |

| ATECOMY BATE LEARNTS PHE 2009 BOS USO BATE LEARNTS PHE 2009 BATE LEARNTS BATE LEARNTS PHE 2009 BATE LEARNTS BATE LEARN | UNBUN | IDI FI | O NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachmer | nt: 2 Ex. B | | |
|--|--|---------|--|--|--|---------|--------|--------|-------|------------|--|--------------|--------------|-----------|--|--|-------------|--|
| ATT ELEMENTS No. | 3.1231 | | ELEMENTO LOGICIA | I | 1 | | | | | | | | Svc Order | Svc Order | | | Incremental | Incremental |
| ## PATE ILLERINTS Inter- Part P | | | | | | | | | | | | | | | | | | |
| CATEGORY RATE ELEMENTS Rate DCS USC CATES (S) Code vs. Code v | | | | | | | | | | | | | II . | | | | | |
| Record R | CATEGO | DRY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | l l | , | | | | |
| The company | CAILOC | , i | NATE ELEMENTO | m | 20116 | 500 | 0000 | | | IXATEO (ψ) | | | per LSR | per LSR | | | | |
| ST-1 Print | | | | | | | | | | | | | | | | | | |
| ### STEA PROFITE TRANSPORT FOR USE IN COMMINATION ### Moon | | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| ### STEA PROFITE TRANSPORT FOR USE IN COMMINATION ### Moon | H | | | 1 | + | | | | Nonro | curring | Monrocurrin | a Disconnect | 1 | | 088 | Pates (\$) | | |
| STATE INTERCEPTION TRANSPORT FOR USE MIX COMMINATION | - | | | 1 | + | | | Rec | | | | <u> </u> | COMEC | COMAN | | | COMAN | COMAN |
| Internative Transport - Delicated - STST internation - Per Mile DeCSX 11SXX 6.66 | | STS-1 I | NTEROFFICE TRANSPORT FOR USE IN COMPINATION | | 1 | | | | FIISL | Addi | FIISt | Auu | JOINIEC | JOWAN | JOWAN | JOWAN | JOWAN | JOWAN |
| Pay Mode | | 313-11 | | | 1 | | | | | | | | | | | | | |
| Interesting Transport Conditional - Table 1 Decided | | | | | | UNCSX | 1I 5XX | 6.95 | | | | | | | | | , ' | ĺ |
| Temperator par month | | | | | | 0.10071 | 120701 | 0.00 | | | | 1 | 1 | | | | | |
| 4-WEG 54 KRPS DIGITAL LOOP WITH 56 KRPS INTEROFFICE TRANSPORT | | | | | | UNCSX | U1TFS | 954.72 | | | | | | | | | , ' | |
| 4-win 56 logic Local Local Incommendation - Jones 2 2 UNCOX UU-56 42:30 | 4 | -WIRE | 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN | SPORT | 1 | | | | | | | | | | | | | |
| 4-wins 56 kips Local Loop in combination - Zero 3 3 ONCOX USU56 44.76 | | | 4-wire 56 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL56 | 35.64 | | | | | | | | | | |
| Intendition Transport - Dedicated - Avere 56 libps combination - (INCDX 1.5XX 0.01) Fig. Mills From Transport - Dedicated - Avere 56 libps combination - (INCDX 1.5XX 0.01) Fig. Mills From Transport - Dedicated - Avere 56 libps combination - (INCDX 1.5XX 0.01) - Avere 56 libps Lexible Loop in Certification - Zero 1 1 1 LINCXX 0.01, | | | 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 42.30 | | | | | | | | | | |
| Pet Mile per morth | | | 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 44.76 | | | | | | | | | | |
| Interedition Transport - Decide and4-work 96 kbps combination - | | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | | | | | | | | | | | |
| Facility Termination per month | | | Per Mile per month | | | UNCDX | 1L5XX | 0.01 | | | | | | | | | , ' | |
| Facility Termination per month | | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | | | | | | | | | | | |
| #### 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERCOFFICE TRANSPORT Heart of the Total Loop in Commission - Zono 1 1, UNCDX UD.64 45,76 | | | Facility Termination per month | | | | U1TD5 | 17.95 | | | | 1 | | | | 1 | , ' | 1 |
| E-wire 64 ktps; Lord Lorge in Combination - Zone 2 | 4 | -WIRE | 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | FFICE 1 | TRANS | PORT | | | | | | | | | | | | |
| E-wire 64 ktps; Lord Lorge in Combination - Zone 2 | | | | | 1 | | UDL64 | 35.64 | | | | | | | | | · · | |
| 4-wire 64 kbps Local Loop in Combination - Zone 3 | | | | | 2 | | | | | | | | | | | | | |
| Per Mile per month | | | 4-wire 64 kbps Lcoal Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 | 44.76 | | | | | | | | | , | , |
| Interdifice Transport - Dedicated - A-wire 64 kips combination - | | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | | , | ' |
| Facility Termination per month | | | Per Mile per month | | | UNCDX | 1L5XX | 0.01 | | | | | | | | | , ' | |
| ### CHAPTER SERIES DIGITAL EXTENDED LOOP WITH DSD INTERCPFICE TRANSPORT 4-wire 56 kbps Local Loop in combination - Zone 2 2 UNCDX UDL56 42-30 4-wire 56 kbps Local Loop in combination - Zone 3 3 UNCDX UDL56 44-76 4-wire 56 kbps Local Loop in combination - Zone 3 3 UNCDX UDL56 44-76 4-wire 66 kbps Interellifica Transport - Dedicated - Facility UNCDX UTD5 17-95 4-wire 66 kbps Local Loop in combination - Zone 3 UNCDX UTD5 17-95 4-wire 66 kbps Local Loop in combination - Zone 1 1 UNCDX UTD5 17-95 4-wire 66 kbps Local Loop in combination - Zone 2 2 UNCDX UDL64 35-64 4-wire 66 kbps Local Loop in combination - Zone 2 2 UNCDX UDL64 42-30 4-wire 66 kbps Local Loop in combination - Zone 2 2 UNCDX UDL64 42-30 4-wire 66 kbps Local Loop in combination - Zone 2 2 UNCDX UDL64 42-30 4-wire 66 kbps Local Loop in combination - Zone 3 3 UNCDX UDL64 42-30 4-wire 66 kbps Local Loop in combination - Zone 3 3 UNCDX UDL64 44-76 4-wire 66 kbps Local Loop in combination - Zone 3 3 UNCDX UDL64 44-76 4-wire 66 kbps Local Loop in combination - Zone 3 3 UNCDX UDL64 44-76 4-wire 66 kbps Local Loop in combination - Zone 3 3 UNCDX UDL64 44-76 4-wire 66 kbps Local Loop in combination - Zone 3 3 UNCDX UDL64 44-76 4-wire 66 kbps Local Loop in Combination - Zone 3 3 UNCDX UDL64 44-76 4-wire 66 kbps Local Loop in Combination - Zone 3 3 UNCDX UDL64 44-76 4-wire 66 kbps Local Loop in Combination - Zone 3 3 UNCDX UDL64 44-76 4-wire 66 kbps Local Loop in Combination - Zone 3 3 UNCDX UDL64 44-76 4-wire 66 kbps Local Loop in Combination - Zone 3 3 UNCDX UDL64 44-76 4-wire 66 kbps Local Loop in Combination - Zone 3 3 UNCDX UDL64 44-76 4-wire 66 kbps Local Loop in Combination - Zone 3 3 UNCDX UDL64 44-76 4-wire 66 kbps Local Loop in Combination - Zone 3 3 UNCDX UDL64 44-76 4-wire 66 kbps Local Loop in Combination - Zone | | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | | · | |
| 4-wire 56 ktops Local Loop in combination - Zone 2 2 UNCDX UDL56 42-30 | | | Facility Termination per month | | | UNCDX | U1TD6 | 17.95 | | | | | | | | | , ' | |
| A-wire 56 kbps Local Loop in combination - Zone 2 2 UNCDX UU5.56 42.30 | 4 | -WIRE | 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC | E TRAN | ISPOR | Т | | | | | | | | | | | | |
| 4-wire 66 kbps Interoffice Transport - Declicated - Per Mile per morth | | | 4-wire 56 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | | 35.64 | | | | | | | | | , | |
| 4-wire 65 kbps Interoffice Transport - Dedicated - Facility | | | 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 42.30 | | | | | | | | | | |
| month | | | 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 44.76 | | | | | | | | | | |
| A-wire 56 kbps Interoffice Transport - Dedicated - Facility UNCDX | | | | | | | | | | | | | | | | | , | |
| Martin | | | | | | UNCDX | 1L5XX | 0.01 | | | | | | | | | <u> </u> | |
| A-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT 1 UNCDX UD.64 35.64 | | | | | | | | | | | | | | | | | , ' | |
| 4-wire 64 kbps Local Loop in combination - Zone 2 2 UNCDX UDL64 42.30 4-wire 64 kbps Local Loop in combination - Zone 3 3 UNCDX UDL64 42.30 4-wire 64 kbps Local Loop in combination - Zone 3 3 UNCDX UDL64 44.76 42.30 4-wire 64 kbps Interoffice Transport - Dedicated - Per Mile per month UNCDX UDL64 44.76 44 | | | | | | | U1TD5 | 17.95 | | | | | | | | | <u> </u> | |
| 4-wire 64 kbps Local Loop in combination - Zone 3 2 UNCDX UDL64 42.30 | 4 | -WIRE | | E TRAN | | | | | | | | | | | | | | |
| 4-wire 64 kbps Local Loop in combination - Zone 3 3 UNCDX UDL64 44,76 | | | | | | | | | | | | | | | | | | |
| H-wire 65 kips Interoffice Transport - Dedicated - Per Mile per month A-wire 64 kips Interoffice Transport - Dedicated - Facility Termination per month 1 UNCDX 1 1,5XX 1 1,95 DS1 DIGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT 1 4-Wire DS1 Digital Loop in Combination - Zone 1 1 UNC1X 1 4-Wire DS1 Digital Loop in Combination - Zone 2 1 UNC1X 1 4-Wire DS1 Digital Loop in Combination - Zone 2 2 UNC1X 1 4-Wire DS1 Digital Loop in Combination - Zone 2 2 UNC1X 1 4-Wire DS1 Digital Loop in Combination - Zone 2 2 UNC1X 1 4-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X 2 4-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X 2 4-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X 3 UNC1X 4 - Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X 4 - Wire DS1 Digital Loop in Combination - Zone 2 2 UNC1X 4 - Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X 4 - Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X 4 - Wire DS1 Digital Loop in Combination - Facility Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month UNC1X 1 | | | | | | | | | | | | | | | | | <u> </u> | |
| month | | | | | 3 | UNCDX | UDL64 | 44.76 | | | | | | | | | | |
| A-wire 64 Kbps Interoffice Transport - Dedicated - Facility Termination per month DS1 DIGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT 1 A-Wire DS1 Digital Loop in Combination - Zone 1 1 A-Wire DS1 Digital Loop in Combination - Zone 2 1 UNC1X USLXX 98.56 4-Wire DS1 Digital Loop in Combination - Zone 2 1 UNC1X USLXX 24.20 4-Wire DS1 Digital Loop in Combination - Zone 3 UNC1X USLXX 98.56 1 UNC1X USLXX USLXX 98.56 1 UNC1X USLXX | | | | | | | | | | | | | | | | | , ' | |
| Termination per month | | | | | | UNCDX | 1L5XX | 0.01 | | | | | | | | | <u>'</u> | |
| DS1 DiGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT | | | | | | | | | | | | | | | | | , ' | |
| 4-Wire DS1 Digital Loop in Combination - Zone 1 | <u> </u> | 004 DI | | - | 1 | UNCDX | U11D6 | 17.95 | | | | 1 | 1 | | | | | |
| 4-Wire DS1 Digital Loop in Combination - Zone 2 2 UNC1X USLXX 224,20 | L | וט 251 | | - | 4 | LINICAY | LICLYY | 00.50 | | | | 1 | 1 | | | | | |
| 4-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X USLXX 565.73 | \vdash | | | - | | | | | | | 1 | | | | | | | |
| Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT DS3 Local Loop in combination - Per Mile per month UNC3X 1L5ND 13.28 DS3 Local Loop in combination - Facility Termination per month UNC3X UE3PX 479.19 Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month UNC3X U1TF3 978.02 STS-1 Local Loop in combination - Per mile per month UNC3X 1L5ND 13.28 U1TF3 978.02 STS-1 Local Loop in combination - Per mile per month UNC3X U1TF3 13.28 UNC3X U1TF3 978.02 Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month UNC3X U1TF3 978.02 UNC3X U1TF3 978.02 INCSX U1TF3 13.28 STS-1 Local Loop in combination - per mile per month UNC3X UDLS1 495.36 UNCSX UDLS1 495.36 | \vdash | | | - | | | | | | | | | - | | | | | |
| per month UNC1X 1L5XX 0.30 | \vdash | | | - | 3 | UNCIX | USLXX | 505.73 | | | | | - | | | | | |
| Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT DS3 Local Loop in combination - per mile per month UNC3X US3X | | | • | | | LINCAV | 11.577 | 0.20 | | | | | | | | | , ' | |
| Termination per month UNC1X U1TF1 81.04 | \vdash | | F = | | 1 | UNCIX | ILDAA | 0.30 | | | | | - | | | | | — |
| DS3 DiGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT DS3 Local Loop in combination - per mile per month UNC3X US3X US3PX 479.19 Interoffice Transport - Dedicated - DS3 - Per Mile per month UNC3X US3X US3PX US3PX 479.19 Interoffice Transport - Dedicated - DS3 - Per Mile per month UNC3X US3PX US3PX US3PX US3PX US3PX UNC3X UNC3X | | | | 1 | 1 | LINICAY | LIATE4 | 04.04 | | | | 1 | | 1 | | I | , ' | 1 |
| DS3 Local Loop in combination - per mile per month UNC3X US3PX 479.19 Interoffice Transport - Dedicated - DS3 - Per Mile per month UNC3X US3PX 479.19 Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month UNC3X US3PX 479.19 UNC3X US3PX 479.19 UNC3X US3PX 479.19 UNC3X US3PX 479.19 UNC3X US3PX US3PX US3PX UNC3X US3PX UNC3X US3PX UNC3X US3PX UNC3X US3PX US3PX UNC3X US3PX UNC3X US3PX UNC3X US3PX UNC3X US3PX UNC3X US4PX UNC3X UNC3X US4PX UNC3X UNC3X UNC3X UNC3X UNC3X UNC3X UNC3X UNC3X US4PX UNC3X | | יום גפר | | OPT | + | UNU IA | UIIFI | 01.04 | | | 1 | + | | | | + | | |
| DS3 Local Loop in combination - Facility Termination per month Interoffice Transport - Dedicated - DS3 - Per Mile per month UNC3X UE3PX 479.19 Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month UNC3X UT1F3 978.02 STS-1 DigITRAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT STS-1 Local Loop in combination - Per mile per month UNCSX USSX USSX USSX UNC3X USSX USSX UNC3 | | וע נטי | | I | 1 | LINC3X | 1I 5ND | 13.20 | | | 1 | 1 | 1 | | l | | | |
| Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month INC3X IL5XX I | \vdash | | 200 200ai 200p in combination - per fille per filoriti | | | 0.4007 | ILUIND | 13.20 | | | | + | | | | | | |
| Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month INC3X IL5XX I | | | DS3 Local Loop in combination - Facility Termination per month | | | UNC3X | UE3PX | 479 10 | | | | 1 | | | | 1 | , ' | 1 |
| Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT STS-1 Local Lolp in combination - per mile per month UNCSX 1L5ND 13.28 STS-1 Local Loop in combination - Facility Termination per month UNCSX UDLS1 495.36 | \vdash | | | | +- | | | | | | 1 | + | | | | + | | — |
| Termination per month UNC3X U1TF3 978.02 STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT STS-1 Local Lolp in combination - per mile per month UNCSX 1L5ND 13.28 STS-1 Local Loop in combination - Facility Termination per month UNCSX UDLS1 495.36 Interoffice Transport - Dedicated - STS-1 combination - per mile | | | | | + | 0.100/ | ILONN | 0.33 | | | 1 | t | † | | | t | | — |
| STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT STS-1 Local Lolp in combination - per mile per month UNCSX 1L5ND 13.28 STS-1 Local Loop in combination - Facility Termination per month UNCSX UDLS1 495.36 Interoffice Transport - Dedicated - STS-1 combination - per mile | | | | 1 | 1 | UNC3X | U1TF3 | 978 02 | | | | 1 | | 1 | | I | , ' | 1 |
| STS-1 Local Lolp in combination - per mile per month UNCSX 1L5ND 13.28 STS-1 Local Loop in combination - Facility Termination per month UNCSX UDLS1 495.36 Interoffice Transport - Dedicated - STS-1 combination - per mile | 9 | STS-1 F | | SPORT | + | | 55 | 070.02 | | | 1 | † | 1 | | | † | | |
| STS-1 Local Loop in combination - Facility Termination per unonth UNCSX UDLS1 495.36 Interoffice Transport - Dedicated - STS-1 combination - per mile | | | | . 5. 5.11 | + | UNCSX | 1L5ND | 13 28 | | | 1 | t | † | | | t | | — |
| month UNCSX UDLS1 495.36 Interoffice Transport - Dedicated - STS-1 combination - per mile | \vdash | | | | | | 1 | .0.20 | | | | 1 | | | | <u> </u> | | |
| Interoffice Transport - Dedicated - STS-1 combination - per mile | | | | 1 | 1 | UNCSX | UDLS1 | 495.36 | | | | 1 | | 1 | | I | , ' | 1 |
| | | | | | | | | | | | | | | | | | | |
| | | | | 1 | 1 | UNCSX | 1L5XX | 6.95 | | | | 1 | | 1 | | I | , ' | 1 ' |

| UNBL | INDLE | D NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachmer | nt: 2 Ex. B | | |
|--------|----------|--|--------|--|---------------------|---------------|----------------|-----------------|-----------------|-----------------------|-------|--------------|---|-------------|---------------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATE | ORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | "" | | | | | | | | | P = | p = = = = = = = = = = = = = = = = = = = | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | ļ | | | | N. | | T. N | D' | | | | | | |
| - | - | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | Add'l | SOMEC | SOMAN | SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN |
| - | | Interoffice Transport - Dedicated - STS-1 combination - Facility | | 1 | | | | FIISL | Add I | FIISL | Auu i | JOINIEC | JOWAN | JOWAN | JOWAN | JOWAN | JOWAN |
| | | Termination per month | | | UNCSX | U1TFS | 954.72 | | | | | | | | | | |
| ADDIT | ONAL N | NETWORK ELEMENTS | | 1 | ONOOX | 01110 | 304.72 | | | | | 1 | 1 | | | | |
| 712211 | | used as a part of a currently combined facility, the non-recurr | ng cha | raes do | not apply, but a Sy | witch As Is c | harge does app | ılv. | | | | 1 | 1 | | | | |
| | | used as ordinarily combined network elements in All States, the | | | | | | | | | | İ | | | | | |
| | | curring Currently Combined Network Elements "Switch As Is" | | | | | | | | | | | | | | | |
| | | • | | | | | l i | | | | | | | | | | |
| | Option | al Features & Functions: | | | | | | | | | | | | | | | |
| | | | | 1 | U1TD1. | | | | | | | | | | | | |
| | | Clear Channel Capability Extended Frame Option - per DS1 | 1 | | ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | , | | | U1TD1. | | | | | | | | | | | | |
| | | Clear Channel Capability Super FrameOption - per DS1 | 1 | | ULDD1,UNC1X | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Clear Channel Capability (SF/ESF) Option - Subsequent | i i | | ULDD1, U1TD1, | 0000. | | 0.00 | 0.00 | 0.00 | 0.00 | İ | | | | | |
| | | Activity - per DS1 | 1 | | UNC1X, USL | NRCCC | | 184.65 | 23.79 | 1.97 | 0.77 | | | | | | |
| | | Activity - per DOT | - | 1 | U1TD3, ULDD3. | IVINOCO | | 104.05 | 25.75 | 1.51 | 0.11 | | | | | | |
| | | C-bit Parity Option - Subsequent Activity - per DS3 | | | UE3, UNC3X | NRCC3 | | 218.78 | 7.66 | 0.7263 | 0.00 | | | | | | |
| - | MIII TI | PLEXERS | - ' | 1 | UES, UNUSA | INRCCS | | 210.70 | 7.00 | 0.7203 | 0.00 | ł | 1 | | | | |
| | | DS1 to DS0 Channel System per month | | 1 | UNC1X | MQ1 | 120.85 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | + | ONOTA | IVIQI | 120.03 | | | | | | | | | | |
| | | month (2.4-64kbs) used for a Local Loop | | | UDL | 1D1DD | 1.59 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | 1 | ODL | 10100 | 1.00 | | | | | 1 | 1 | | | | |
| | | month (2.4-64kbs) used for connection to a channelized DS1 | | | | | | | | | | | | | | | |
| | | Local Channel in the same SWC as collocation | | | U1TUD | 1D1DD | 1.59 | | | | | | | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | 1 | | | | | | | | İ | | | | | |
| | | month for a Local Loop | | | UDN | UC1CA | 3.40 | | | | | | | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | 1 | | | | | | | | | | | | | |
| | | month used for connection to a channelized DS1 Local Channel | | | | | | | | | | | | | | | |
| | | in the same SWC as collocation | | | U1TUB | UC1CA | 3.40 | | | | | | | | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | | | | | | | | | | | | |
| | | used for a Local Loop | | 1 | UEA | 1D1VG | 0.75 | | | | | | | | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | | | | | | | | | | | | |
| | | used for connection to a channelized DS1 Local Channel in the | | 1 | | | | | | | | | | | | | |
| | | same SWC as collocation | | 1 | U1TUC | 1D1VG | 0.75 | | | | | | | | | | |
| | | DS3 to DS1 Channel System per month | | 1 | UNC3X | MQ3 | 231.70 | | | | | | | | | | |
| L | ļ | STS-1 to DS1 Channel System per month | | ļ | UNCSX | MQ3 | 231.70 | | | | | | | | | | |
| | | DS1 COCI used with Loop per month | | 1 | USL | UC1D1 | 13.55 | | | | | 1 | | | | | |
| | | DS1 COCI (used for connection to a channelized DS1 Local | | 1 | 114-7114 | LIGARA | 40 == | | | | | | | | | | |
| | ! | Channel in the same SWC as collocation) per month | | 1 | U1TUA | UC1D1 | 13.55 | | | | | - | | | | | |
| - | ├ | DS1 COCI used with Interoffice Channel per month | | | U1TD1 | UC1D1 | 13.55 | | | | | | - | | | | |
| | | DS3 Interface Unit (DS1 COCI) used with Local Channel per | | 1 | LII DD4 | UC1D1 | 13.55 | | | | | | | | | | |
| | | month | | 1 | ULDD1 | UCTUT | 13.55 | | | | | l | I | | l | | |

| UNRU | NDI F | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachmer | nt: 2 Ex. B | | |
|----------|--------|--|--|----------|--------------|-----------|-----------------|--------|------------|--|--------------|--|--|--|--|-------------|--|
| CIADO | NULL | NETWORK ELEMENTS - NORTH Carollila | I | | I | 1 | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | I . | Submitted | | Charge - | Charge - | Charge - |
| | | | l | | | | | | | | | Elec | Manually | | Manual Svc | Manual Svc | |
| CATEG | ORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | - (,, | | | per LSK | per Lor | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | DISC 1St | DISC Add I |
| | | | | | | | Rec | Nonred | curring | Nonrecurring | g Disconnect | | | | Rates (\$) | | |
| | | | | | | | IVEC | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| | | EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| | 2-WIRE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE I | LOOP | | | | | | | | ļ | | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | l | | 40.00 | 004.74 | 100 51 | | | | | 00.04 | 40.70 | 0.00 | 0.00 |
| - | | & facility reservation - Zone 1 2 Wire Unbundled HDSL Loop including manual service inquiry | - | 1 | UHL | UHL2X | 10.36 | 284.74 | 163.54 | - | | . | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 17.10 | 284.74 | 163.54 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| - | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | OFF | UTILZA | 17.10 | 204.74 | 103.54 | | | <u> </u> | 1 | 20.94 | 12.70 | 0.00 | 0.00 |
| | | & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 26.24 | 284.74 | 163.54 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | Ŭ | 02 | OTTLE / C | 20.2 1 | 20 | 100.01 | | | i e | | 20.01 | 12.10 | 0.00 | 0.00 |
| | | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 10.36 | 207.48 | 132.05 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry | l | | | | | | | | | İ | | | | | |
| | | and facility reservation - Zone 2 | 1 | 2 | UHL | UHL2W | 17.10 | 207.48 | 132.05 | I | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 26.24 | 207.48 | 132.05 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | 4-WIRE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE I | LOOP | | | | | | | | | | | | | |
| | | 4 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 12.21 | 341.65 | 220.45 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry | | 2 | l | | | | | | | | | | 40.00 | | |
| - | | and facility reservation - Zone 2 | - | 2 | UHL | UHL4X | 20.32 | 341.65 | 220.45 | | | 1 | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 31.33 | 341.65 | 220.45 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| - | | 4-Wire Unbundled HDSL Loop without manual service inquiry | - | 3 | UHL | UHL4X | 31.33 | 341.00 | 220.45 | - | | - | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 12.21 | 264.39 | 188.96 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | OFFE | OTILAVV | 12.21 | 204.55 | 100.30 | | | + | | 20.34 | 12.70 | 0.00 | 0.00 |
| | | and facility reservation - Zone 2 | | 2 | UHL | UHL4W | 20.32 | 264.39 | 188.96 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | 01.12 | 0112111 | 20.02 | 201.00 | 100.00 | t | | † | | 20.01 | 12.70 | 0.00 | 0.00 |
| | | and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 31.33 | 264.39 | 188.96 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | 4-WIRE | DS1 DIGITAL LOOP | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 54.74 | 714.84 | 421.47 | | | | | 42.19 | 12.76 | 0.00 | 0.00 |
| | | 4-Wire DS1 Digital Loop - Zone 2 | | | USL | USLXX | 97.01 | 714.84 | 421.47 | | | | | 42.19 | 12.76 | 0.00 | 0.00 |
| | | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 154.43 | 714.84 | 421.47 | | | | | 42.19 | 12.76 | 0.00 | 0.00 |
| HIGH C | APACI | TY UNBUNDLED LOCAL LOOP | | | | | | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | | month Poor 5 111 | | | UE3 | 1L5ND | 15.33 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 - Facility | | | UE3 | UE3PX | 518.29 | | | | | | | | | | |
| - | | Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per | - | - | UE3 | UE3PX | 518.29 | | | - | | - | | - | - | | - |
| | | month | | | UDLSX | 1L5ND | 15.33 | | | 1 | | | | I | I | | I |
| \vdash | | High Capacity Unbundled Local Loop - STS-1 - Facility | | | 0020/ | .20112 | 10.00 | | | | | | | - | - | | - |
| | | Termination per month | | | UDLSX | UDLS1 | 533.90 | | | 1 | | | | I | I | | I |
| UNBUN | DLED I | DEDICATED TRANSPORT | 1 | | _ | | 222.30 | | | 1 | İ | | | 1 | 1 | l | 1 |
| | | OFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | | | | | | |
| | | month | | | U1TD1 | 1L5XX | 0.66 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | | | | | | | | | | | l | |
| \vdash | | Termination | | | U1TD1 | U1TF1 | 81.98 | | | ļ | | | | 1 | 1 | | 1 |
| | | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | 1 | | LIATEDO | 41.5307 | 44.00 | | | I | | | | I | I | | I |
| \vdash | | month | ! | | U1TD3 | 1L5XX | 14.93 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | LIATES | LIATEO | 000.44 | | | 1 | | | | 1 | 1 | | 1 |
| \vdash | | Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | ╂ | - | U1TD3 | U1TF3 | 828.44 | | | - | | - | | | | | |
| | | Interoffice Channel - Dedicated Transport - \$15-1 - Per Mile per Imonth | | | U1TS1 | 1L5XX | 7.06 | | | 1 | | | | 1 | 1 | | 1 |
| \vdash | | | | - | 01101 | ILOAA | 7.06 | | | + | | | - | + | + | | |
| | | Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination | | | U1TS1 | U1TFS | 000.00 | | | 1 | | | | 1 | 1 | | 1 |
| \vdash | | Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1 | | 1 | ULDVX, UNCVX | ULDV2 | 908.93 12.93 | | | + | | | - | + | + | | |
| \vdash | | Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1 Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2 | | | ULDVX, UNCVX | ULDV2 | 22.90 | | | t | | | - | t | | | |
| \vdash | | Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3 | † | | ULDVX, UNCVX | ULDV2 | 36.46 | | | I | | 1 | | I | I | 1 | I |
| \vdash | | Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1 | † | | ULDVX, UNCVX | ULDV4 | 13.83 | | | I | | 1 | | I | I | 1 | I |
| | | | | <u> </u> | , 00 | 1 | .0.00 | | | L | L | · | | L | | | |

| UNBUNDLE | ED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachmer | nt: 2 Ex. B | | |
|-------------|--|--------------|----------|--------------------|----------------|-----------------|---------------|----------------|---------------|--|-----------|--------------|--|--|-------------|-------------|
| NOONDEL | T TOTAL CELIMENTO NOLLI GALORIIA | T | 1 | ı | 1 | I | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incrementa |
| | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | | Manual Svc | | | |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | Elec | | | Manual Svc | Manual Svc | |
| | | m | | | 0000 | | | == (4) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | 1 | | | | _ 1 | Nonre | curring | Nonrecurrin | g Disconnect | | | oss | Rates (\$) | | |
| | | 1 | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | | SOMAN | SOMAN |
| | Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2 | | 2 | ULDVX, UNCVX | ULDV4 | 24.53 | | | | | | | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3 | | 3 | ULDVX, UNCVX | ULDV4 | 39.04 | | | | | | | | | | |
| | Local Channel - Dedicated - DS1 - Zone 1 | 1 | 1 | ULDD1, UNC1X | ULDF1 | 31.11 | | | | | | | | | | |
| | Local Channel - Dedicated - DS1 - Zone 2 | 1 | 2 | ULDD1, UNC1X | ULDF1 | 55.13 | | | | | | | | | | |
| | Local Channel - Dedicated - DS1 - Zone 3 | | 3 | ULDD1, UNC1X | ULDF1 | 87.77 | | | | | | | | | | ĺ |
| | Local Channel - Dedicated - DS3 - Per Mile per month | | | ULDD3, UNC3X | 1L5NC | 1.14 | | | | | | | | | | |
| | Local Channel - Dedicated - DS3 - Facility Termination | | | ULDD3, UNC3X | ULDF3 | 343.76 | | | | | | | | | | |
| | Local Channel - Dedicated - STS-1- Per Mile per month | | | ULDS1, UNCSX | 1L5NC | 1.14 | | | | | | | | | | |
| | Local Channel - Dedicated - STS-1 - Facility Termination | | | ULDS1, UNCSX | ULDFS | 329.05 | | | | | | | | | | |
| | XTENDED LINK (EELs) | | | | | | | | | | | | | | | |
| | : The monthly recurring and non-recurring charges below will | | | | | | | | | | | | | | | |
| | : The monthly recurring and the Switch-As-Is Charge and not | the non- | -recurri | ng charges below v | will apply for | UNE combination | ons provision | ed as ' Curren | tly Combined' | Network Elem | ents. | | | | | |
| 2-WIR | E VOICE GRADE LOOP FOR USE IN A COMBINATION | | | | | | | | | 1 | | | | | | |
| | 2-Wire VG Loop (SL2) in Combination - Zone 1 | 1 | 1 | UNCVX | UEAL2 | 17.22 | | | | 1 | | | | L | | |
| | 2-Wire VG Loop (SL2) in Combination - Zone 2 | | | UNCVX | UEAL2 | 29.82 | | | | | | | | | | |
| | 2-Wire VG Loop (SL2) in Combination - Zone 3 | ļ | 3 | UNCVX | UEAL2 | 46.93 | | | 1 | | ļ | ļ | | . | | ļ |
| | Voice Grade COCI - Per Month | | | UNCVX | 1D1VG | 1.46 | | | | | | | | | | |
| 4-WIR | E VOICE GRADE LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | |
| | 4-Wire Analog Voice Grade Loop in Combination - Zone 1 | 1 | | UNCVX | UEAL4 | 24.52 | | | | | | | | | | |
| | 4-Wire Analog Voice Grade Loop in Combination - Zone 2 | - | | UNCVX | UEAL4 | 41.71 | | | | | | | | | | |
| | 4-Wire Analog Voice Grade Loop in Combination - Zone 3 | 1 | 3 | UNCVX | UEAL4 | 65.06 | | | | 1 | 1 | 1 | | | | |
| 4 14/15 | Voice Grade COCI in combination - per month | - | | UNCVX | 1D1VG | 1.46 | | | | | | | | | | |
| 4-WIR | E 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 | 1 | 1 | LINCDY | UDL56 | 29.12 | | | | 1 | 1 | 1 | | | | |
| | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 | 1 | | UNCDX | UDL56 | 49.58 | | | | | + | - | | | | |
| | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 | 1 | | UNCDX | UDL56 | 77.35 | | | | | + | | | | | |
| | OCU-DP COCI (data) per month (2.4-64kbs) | 1 | 3 | UNCDX | 1D1DD | 2.30 | | | 1 | 1 | + | 1 | | - | | |
| 4-WIB | E 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION | + | | UNCDA | TOTOD | 2.30 | | | + | | + | <u> </u> | | | | 1 |
| 7 11 | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 | 1 | 1 | UNCDX | UDL64 | 29.12 | | | + | | + | † | | | | |
| | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 | 1 | | UNCDX | UDL64 | 49.58 | | | | | + | † | | | | |
| | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 | 1 | 3 | UNCDX | UDL64 | 77.35 | | | | | + | 1 | | | | |
| | OCU-DP COCI (data) - in combination - per month (2.4-64kbs) | | Ť | UNCDX | 1D1DD | 2.30 | | | | | | İ | | | | |
| 2-WIR | E ISDN LOOP FOR USE IN COMBINATION | | | 01105/1 | 10.00 | 2.00 | | | | | | İ | | | | |
| | 2-Wire ISDN Loop in Combination - Zone 1 | | 1 | UNCNX | U1L2X | 22.33 | | | | | | İ | | | | |
| | 2-Wire ISDN Loop in Combination - Zone 2 | 1 | | UNCNX | U1L2X | 37.81 | | | | | | İ | | | | |
| | 2-Wire ISDN Loop in Combination - Zone 3 | | | UNCNX | U1L2X | 58.81 | | | | | | | | | | |
| | 2-wire ISDN COCI (BRITE) - in combination - per month | 1 | | UNCNX | UC1CA | 4.13 | | | | | | | ĺ | | | 1 |
| 4-WIR | E DS1 DIGITAL LOOP FOR USE IN A COMBINATION | | | | 1 | | | | | | | | | | | Ì |
| | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 54.74 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 97.01 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 154.43 | | | | | | | | | | |
| | DS1 COCI in combination per month | | | UNC1X | UC1D1 | 18.48 | | | | | | | | | | |
| 2 WIR | E VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A C | OMBINA | TION | | | | | | | | | | | | | |
| | Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per | | | | | | | | | | | | | | | |
| | Month | 1 | L | UNCVX | 1L5XX | 0.03 | | | | 1 | | | | | | ļ |
| | Interoffice Transport - 2-wire VG - Dedicated - Facility | | | | | | | | | 1 | | | | 1 | | |
| | Termination per month | <u> </u> | <u> </u> | UNCVX | U1TV2 | 20.70 | | | | | ļ | | | | | ļ |
| 4 WIR | E VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A C | OMBINA | TION | | | ļ | | | 1 | 1 | ļ | | ļ | 1 | | |
| | Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per | | | l <u>.</u> | 1 | | | | | 1 | | | | I | | l |
| | Month | 1 | ļ | UNCVX | 1L5XX | 0.03 | | | 1 | 1 | | 1 | | | | |
| | Interoffice Transport - 4-wire VG - Dedicated - Facility | | | LINIONAL | | | | | | 1 | | | | I | | |
| 504 ** | Termination per month | | <u> </u> | UNCVX | U1TV4 | 22.16 | | | + | + | - | ļ | | | | |
| DS1 II | NTEROFFICE TRANSPORT FOR COMBINATION | 1 | 1 | | + | | | | | + | 1 | - | | - | | ├── |
| 1 | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | LINICAY | 41.572 | 0.00 | | | | 1 | | | | I | | |
| | per month | + | ├ | UNC1X | 1L5XX | 0.66 | | | + | + | + | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month | | | UNC1X | U1TF1 | 81.98 | | | | 1 | | | | 1 | | |
| Des II | NTEROFFICE TRANSPORT FOR USE IN A COMBINATION | 1 | <u> </u> | UNCIA | UTIFT | 81.98 | | | + | + | + | | - | | | \vdash |
| D93 II | NIEROFFICE I KANSFORT FOR USE IN A COMBINATION | 1 | | I | 1 | | | | 1 | 1 | 1 | 1 | 1 | 1 | | 1 |

| CATEGORY Intero Per M Intero Per M Intero Intero Per M Intero Per M Intero Termi 4-WIRE 56 KI 4-wire Intero Per M Intero | RATE ELEMENTS RATE ELEMENTS RATE ELEMENTS RATE ELEMENTS RATE ELEMENTS RATE ELEMENTS RATE ELEMENTS ROBINITATION ROBINITATION ROFFICE TRANSPORT - Dedicated - DS3 - Facility Termination per 1th ROFFICE TRANSPORT FOR USE IN COMBINATION ROBINITATIO | Interi | Zone | BCS UNC3X UNC3X UNCSX UNCSX | USOC 1L5XX U1TF3 | Rec 14.93 828.44 | Nonre First | RATES (\$) curring Add'l | Nonrecurring First | g Disconnect Add'I | Submitted Elec per LSR | Submitted | Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l Rates (\$) SOMAN | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|--|--|--|--|---------------------------------|--------------------|------------------------|----------------|--------------------------|-----------------------|-----------------------|--|----------------------------------|---|--|--|---|
| Intero Per M Intero Per M Intero Month STS-1 INTER Intero Per M Intero Termi 4-WIRE 56 KI 4-wire 4-wire Intero Per M Intero Per M Intero Per M Intero Per M Intero Facilit 4-wire 4-wire 1-wire 4-wire 4-wire 1-wire 1-wire 4-wire 4-wire 1-wire 1-wire 4-wire 4-wire 1-wire | roffice Transport - Dedicated - DS3 combination - Per Mile Month roffice Transport - Dedicated - DS3 - Facility Termination per nth ROFFICE TRANSPORT FOR USE IN COMBINATION roffice Transport - Dedicated - STS-1 combination - Per Mile Month roffice Transport - Dedicated - STS-1 combination - Facility mination per month KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN rie 56 kbps Local Loop in combination - Zone 1 rie 56 kbps Local Loop in combination - Zone 2 rie 56 kbps Local Loop in combination - Zone 3 roffice Transport - Dedicated - 4-wire 56 kbps combination - Mile per month roffice Transport - Dedicated - 4-wire 56 kbps combination - Mile per month roffice Transport - Dedicated - 4-wire 56 kbps combination - Mility Termination per month KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | m | 1 | UNC3X UNC3X UNCSX | 1L5XX | 14.93 | | curring | | , | Submitted Elec per LSR | Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l Rates (\$) | Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| Intero Per M Intero Per M Intero Month STS-1 INTER Intero Per M Intero Termi 4-WIRE 56 KI 4-wire 4-wire 1-wire 4-wire 4-wire 4-wire 1-minero Per M Intero Per M Intero Per M Intero 4-wire 4-wire 4-wire 1-minero Per M Intero Per | roffice Transport - Dedicated - DS3 combination - Per Mile Month roffice Transport - Dedicated - DS3 - Facility Termination per nth ROFFICE TRANSPORT FOR USE IN COMBINATION roffice Transport - Dedicated - STS-1 combination - Per Mile Month roffice Transport - Dedicated - STS-1 combination - Facility mination per month KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN rie 56 kbps Local Loop in combination - Zone 1 rie 56 kbps Local Loop in combination - Zone 2 rie 56 kbps Local Loop in combination - Zone 3 roffice Transport - Dedicated - 4-wire 56 kbps combination - Mile per month roffice Transport - Dedicated - 4-wire 56 kbps combination - Mile per month roffice Transport - Dedicated - 4-wire 56 kbps combination - Mility Termination per month KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | m | 1 | UNC3X UNC3X UNCSX | 1L5XX | 14.93 | | curring | | , | Elec per LSR | Manually per LSR | Manual Svc Order vs. Electronic- 1st | Manual Svc Order vs. Electronic- Add'l Rates (\$) | Manual Svc Order vs. Electronic- Disc 1st | Manual Svc Order vs. Electronic- Disc Add'l |
| Intero Per M Intero Per M Intero Month STS-1 INTER Intero Per M Intero Termi 4-WIRE 56 KI 4-wire 4-wire Intero Per M Intero Per M Intero Per M Intero Per M Intero Per M Intero 4-wire 4-wire 4-wire 1-minero Per M Intero Per M I | roffice Transport - Dedicated - DS3 combination - Per Mile Month roffice Transport - Dedicated - DS3 - Facility Termination per nth ROFFICE TRANSPORT FOR USE IN COMBINATION roffice Transport - Dedicated - STS-1 combination - Per Mile Month roffice Transport - Dedicated - STS-1 combination - Facility mination per month KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN rie 56 kbps Local Loop in combination - Zone 1 rie 56 kbps Local Loop in combination - Zone 2 rie 56 kbps Local Loop in combination - Zone 3 roffice Transport - Dedicated - 4-wire 56 kbps combination - Mile per month roffice Transport - Dedicated - 4-wire 56 kbps combination - Mile per month roffice Transport - Dedicated - 4-wire 56 kbps combination - Mility Termination per month KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | m | 1 | UNC3X UNC3X UNCSX | 1L5XX | 14.93 | | curring | | , | per LSR | per LSR | Order vs. Electronic- 1st | Order vs. Electronic- Add'l Rates (\$) | Order vs. Electronic- Disc 1st | Order vs. Electronic- Disc Add'l |
| Intero Per M Intero Per M Intero Month STS-1 INTER Intero Per M Intero Termi 4-WIRE 56 KI 4-wire 4-wire Intero Per M Intero Per M Intero Per M Intero Per M Intero Per M Intero Per M Intero Per M Intero A-wire 4-wire Intero Per M Intero Per | roffice Transport - Dedicated - DS3 combination - Per Mile Month roffice Transport - Dedicated - DS3 - Facility Termination per nth ROFFICE TRANSPORT FOR USE IN COMBINATION roffice Transport - Dedicated - STS-1 combination - Per Mile Month roffice Transport - Dedicated - STS-1 combination - Facility mination per month KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN rie 56 kbps Local Loop in combination - Zone 1 rie 56 kbps Local Loop in combination - Zone 2 rie 56 kbps Local Loop in combination - Zone 3 roffice Transport - Dedicated - 4-wire 56 kbps combination - Mile per month roffice Transport - Dedicated - 4-wire 56 kbps combination - Mile per month roffice Transport - Dedicated - 4-wire 56 kbps combination - Mility Termination per month KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | | 1 | UNC3X UNC3X UNCSX | 1L5XX | 14.93 | | curring | | , | | · | Electronic- 1st OSS | Electronic- Add'l Rates (\$) | Electronic- Disc 1st | Electronic- Disc Add'l |
| Per M Intero month STS-1 INTER Intero Per M Intero Termi 4-WIRE 56 KI 4-wire 4-wire Intero Per M Intero 4-wire 4-wire Intero Per M Intero Per M Intero Facilit 4-WIRE 64 KI 4-wire 4-wire 1-month Intero Per M Intero | Month roffice Transport - Dedicated - DS3 - Facility Termination per tith ROFFICE TRANSPORT FOR USE IN COMBINATION roffice Transport - Dedicated - STS-1 combination - Per Mile Month roffice Transport - Dedicated - STS-1 combination - Facility mination per month KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN res 56 kbps Local Loop in combination - Zone 1 res 56 kbps Local Loop in combination - Zone 2 res 56 kbps Local Loop in combination - Zone 3 roffice Transport - Dedicated - 4-wire 56 kbps combination - Mile per month roffice Transport - Dedicated - 4-wire 56 kbps combination - Mile per month roffice Transport - Dedicated - 4-wire 56 kbps combination - Mile per month ROFFICE Transport - Dedicated - 4-wire 56 kbps combination - Mile Der month ROFFICE Transport - Dedicated - 4-wire 56 kbps combination - Mile Der month ROFFICE Transport - Dedicated - 4-wire 56 kbps combination - MILE Transport - Dedicated - 4-wire 56 kbps combination - MILE Transport - Dedicated - 4-wire 56 kbps combination - MILE Transport - Dedicated - 4-wire 56 kbps combination - MILE Transport - Dedicated - 4-wire 56 kbps combination - MILE Transport - Dedicated - 4-wire 56 kbps combination - MILE Transport - Dedicated - 4-wire 56 kbps combination - MILE Transport - Dedicated - 4-wire 56 kbps combination - MILE Transport - Dedicated - 4-wire 56 kbps combination - MILE Transport - Dedicated - 4-wire 56 kbps combination - MILE Transport - Dedicated - 4-wire 56 kbps combination - MILE Transport - Dedicated - 4-wire 56 kbps combination - MILE Transport - Dedicated - 4-wire 56 kbps combination - MILE Transport - Dedicated - 4-wire 56 kbps combination - MILE Transport - Dedicated - 4-wire 56 kbps combination - MILE Transport - Dedicated - 4-wire 56 kbps combination - MILE Transport - Dedicated - 4-wire 56 kbps combination - MILE Transport - Dedicated - 4-wire 56 kbps combination - MILE Transport - Dedicated - 4-wire 56 kbps combination - MILE Transport - Dedicated - 4-wire 56 kbps combination - | NSPORT | 1 | UNC3X UNCSX | | 14.93 | | | | , | SOMEC | SOMAN | 1st OSS | Add'l Rates (\$) | Disc 1st | Disc Add'l |
| Per M Intero month STS-1 INTER Intero Per M Intero Termi 4-WIRE 56 KI 4-wire 4-wire Intero Per M Intero 4-wire 4-wire Intero Per M Intero Per M Intero Per M Intero Facilit 4-WIRE 64 KI 4-wire 4-wire Intero Per M I | Month roffice Transport - Dedicated - DS3 - Facility Termination per tith ROFFICE TRANSPORT FOR USE IN COMBINATION roffice Transport - Dedicated - STS-1 combination - Per Mile Month roffice Transport - Dedicated - STS-1 combination - Facility mination per month KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN res 56 kbps Local Loop in combination - Zone 1 res 56 kbps Local Loop in combination - Zone 2 res 56 kbps Local Loop in combination - Zone 3 roffice Transport - Dedicated - 4-wire 56 kbps combination - Mile per month roffice Transport - Dedicated - 4-wire 56 kbps combination - Mile per month roffice Transport - Dedicated - 4-wire 56 kbps combination - Mile per month ROFFICE Transport - Dedicated - 4-wire 56 kbps combination - Mile Per mination per month KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | NSPORT | 1 | UNC3X UNCSX | | 14.93 | | | | , | SOMEC | SOMAN | OSS | Rates (\$) | | |
| Per M Intero month STS-1 INTER Intero Per M Intero Termi 4-WIRE 56 KI 4-wire 4-wire Intero Per M Intero 4-wire 4-wire Intero Per M Intero Per M Intero Per M Intero 4-wire 4-wire 4-wire 1-tero Per M In | Month roffice Transport - Dedicated - DS3 - Facility Termination per tith ROFFICE TRANSPORT FOR USE IN COMBINATION roffice Transport - Dedicated - STS-1 combination - Per Mile Month roffice Transport - Dedicated - STS-1 combination - Facility mination per month KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN res 56 kbps Local Loop in combination - Zone 1 res 56 kbps Local Loop in combination - Zone 2 res 56 kbps Local Loop in combination - Zone 3 roffice Transport - Dedicated - 4-wire 56 kbps combination - Mile per month roffice Transport - Dedicated - 4-wire 56 kbps combination - Mile per month roffice Transport - Dedicated - 4-wire 56 kbps combination - Mile per month ROFFICE Transport - Dedicated - 4-wire 56 kbps combination - Mile Per mination per month KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | NSPORT | 1 | UNC3X UNCSX | | 14.93 | | | | , | SOMEC | SOMAN | | | SOMAN | SOMAN |
| Per M Intero month STS-1 INTER Intero Per M Intero Termi 4-WIRE 56 KI 4-wire 4-wire Intero Per M Intero 4-wire 4-wire Intero Per M Intero Per M Intero Per M Intero Facilit 4-WIRE 64 KI 4-wire 4-wire Intero Per M I | Month roffice Transport - Dedicated - DS3 - Facility Termination per tith ROFFICE TRANSPORT FOR USE IN COMBINATION roffice Transport - Dedicated - STS-1 combination - Per Mile Month roffice Transport - Dedicated - STS-1 combination - Facility mination per month KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN res 56 kbps Local Loop in combination - Zone 1 res 56 kbps Local Loop in combination - Zone 2 res 56 kbps Local Loop in combination - Zone 3 roffice Transport - Dedicated - 4-wire 56 kbps combination - Mile per month roffice Transport - Dedicated - 4-wire 56 kbps combination - Mile per month roffice Transport - Dedicated - 4-wire 56 kbps combination - Mile per month ROFFICE Transport - Dedicated - 4-wire 56 kbps combination - Mile Per mination per month KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | NSPORT | 1 | UNC3X UNCSX | | 14.93 | | | | , | SOMEC | SOMAN | | | SOMAN | SOMAN |
| Per M Intero month STS-1 INTER Intero Per M Intero Termi 4-WIRE 56 KI 4-wire 4-wire Intero Per M Intero 4-wire 4-wire Intero Per M Intero Per M Intero Per M Intero Facilit 4-WIRE 64 KI 4-wire 4-wire Intero Per M I | Month roffice Transport - Dedicated - DS3 - Facility Termination per tith ROFFICE TRANSPORT FOR USE IN COMBINATION roffice Transport - Dedicated - STS-1 combination - Per Mile Month roffice Transport - Dedicated - STS-1 combination - Facility mination per month KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN res 56 kbps Local Loop in combination - Zone 1 res 56 kbps Local Loop in combination - Zone 2 res 56 kbps Local Loop in combination - Zone 3 roffice Transport - Dedicated - 4-wire 56 kbps combination - Mile per month roffice Transport - Dedicated - 4-wire 56 kbps combination - Mile per month roffice Transport - Dedicated - 4-wire 56 kbps combination - Mile per month ROFFICE Transport - Dedicated - 4-wire 56 kbps combination - Mile Per mination per month KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | NSPORT | 1 | UNC3X UNCSX | | | Tilot | Addi | 11130 | Addi | JOHILO | JOINAIN | JONIAN | JOINAIN | JOWAN | JOHIAN |
| Per M Intero month STS-1 INTER Intero Per M Intero Termi 4-WIRE 56 KI 4-wire 4-wire Intero Per M Intero 4-wire 4-wire Intero Per M Intero Per M Intero Facilit 4-WIRE 64 KI 4-wire 4-wire 1-month Intero Per M Intero | Month roffice Transport - Dedicated - DS3 - Facility Termination per tith ROFFICE TRANSPORT FOR USE IN COMBINATION roffice Transport - Dedicated - STS-1 combination - Per Mile Month roffice Transport - Dedicated - STS-1 combination - Facility mination per month KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN res 56 kbps Local Loop in combination - Zone 1 res 56 kbps Local Loop in combination - Zone 2 res 56 kbps Local Loop in combination - Zone 3 roffice Transport - Dedicated - 4-wire 56 kbps combination - Mile per month roffice Transport - Dedicated - 4-wire 56 kbps combination - Mile per month roffice Transport - Dedicated - 4-wire 56 kbps combination - Mile per month ROFFICE Transport - Dedicated - 4-wire 56 kbps combination - Mile Per mination per month KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | NSPORT | 1 | UNC3X UNCSX | | | | | | | | | | | | |
| Intero | roffice Transport - Dedicated - DS3 - Facility Termination per the IROFFICE TRANSPORT FOR USE IN COMBINATION roffice Transport - Dedicated - STS-1 combination - Per Mile Month roffice Transport - Dedicated - STS-1 combination - Facility mination per month KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN ire 56 kbps Local Loop in combination - Zone 1 res 56 kbps Local Loop in combination - Zone 2 res 56 kbps Local Loop in combination - Zone 3 roffice Transport - Dedicated - 4-wire 56 kbps combination - Mile per month roffice Transport - Dedicated - 4-wire 56 kbps combination - lility Termination per month KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | NSPORT | 1 | UNC3X UNCSX | | | | | | | | | | | 1 ' | ĺ |
| month STS-1 INTER Intero Per N Intero 1 Intero 1 Intero 1 Intero 1 Intero 1 Intero 1 Intero Per N Intero Per N Intero Per N Intero 1 Intero Per N I | In the Company of the | NSPORT | 1 | UNCSX | U1TF3 | 828.44 | | | | | | | | | | |
| STS-1 INTER Intero Per M Intero Termi 4-WIRE 56 KI 4-wire 4-wire Intero Per M Intero Per M Intero Per M Intero Facilit 4-WIRE 64 KI 4-wire 4-wire Intero Per M | ROFFICE TRANSPORT FOR USE IN COMBINATION roffice Transport - Dedicated - STS-1 combination - Per Mile Month roffice Transport - Dedicated - STS-1 combination - Facility mination per month KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANTIES 56 kbps Local Loop in combination - Zone 1 ire 56 kbps Local Loop in combination - Zone 2 re 56 kbps Local Loop in combination - Zone 3 roffice Transport - Dedicated - 4-wire 56 kbps combination - Mile per month roffice Transport - Dedicated - 4-wire 56 kbps combination - Mile per month roffice Transport - Dedicated - 4-wire 56 kbps combination - Mile Tr | NSPORT | 1 | UNCSX | 01113 | 020.44 | | | | | | | | | ' | |
| Intero | roffice Transport - Dedicated - STS-1 combination - Per Mile Month roffice Transport - Dedicated - STS-1 combination - Facility mination per month KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN rie 56 kbps Local Loop in combination - Zone 1 rie 56 kbps Local Loop in combination - Zone 2 rie 56 kbps Local Loop in combination - Zone 3 roffice Transport - Dedicated - 4-wire 56 kbps combination - Mile per month roffice Transport - Dedicated - 4-wire 56 kbps combination - lifty Termination per month KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | NSPORT | 1 | | | | | | | | | | | | | |
| Per M Intero | Month roffice Transport - Dedicated - STS-1 combination - Facility mination per month KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN ire 56 kbps Local Loop in combination - Zone 1 ire 56 kbps Local Loop in combination - Zone 2 ire 56 kbps Local Loop in combination - Zone 3 roffice Transport - Dedicated - 4-wire 56 kbps combination - Mile per month roffice Transport - Dedicated - 4-wire 56 kbps combination - ility Termination per month KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | NSPORT | 1 | | 1 1 | | | | | | | | | | | |
| Intero Termi 4-WIRE 56 KI 4-wire 4-wire 1-wire 1-wire 1-wire 4-wire | roffice Transport - Dedicated - STS-1 combination - Facility nination per month KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN re 56 kbps Local Loop in combination - Zone 1 re 56 kbps Local Loop in combination - Zone 2 re 56 kbps Local Loop in combination - Zone 3 reffice Transport - Dedicated - 4-wire 56 kbps combination - Mile per month roffice Transport - Dedicated - 4-wire 56 kbps combination - Mile per month roffice Transport - Dedicated - 4-wire 56 kbps combination - Mile per month roffice Transport - Dedicated - 4-wire 56 kbps combination - Mile Per mination per month KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | NSPORT | 1 | | 1L5XX | 7.06 | | | | | | | | | ' | |
| Termi | mination per month KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN ire 56 kbps Local Loop in combination - Zone 1 ire 56 kbps Local Loop in combination - Zone 2 ire 56 kbps Local Loop in combination - Zone 3 ire 56 kbps Local Loop in combination - Zone 3 ire 56 kbps Local Loop in combination - Zone 3 ireffice Transport - Dedicated - 4-wire 56 kbps combination - Mile per month ireffice Transport - Dedicated - 4-wire 56 kbps combination - ility Termination per month KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | NSPORT | 1 | LINICCY | TLOAK | 7.00 | | | | | | | | | | |
| 4-WIRE 56 KI 4-wire 4-wire 4-wire 1-wire 1-wire 1-wire 1-wire 4-wire 4-wire 4-wire 4-wire 4-wire 1-wire 1-wire 4-wire | KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN ire 56 kbps Local Loop in combination - Zone 1 ire 56 kbps Local Loop in combination - Zone 2 ire 56 kbps Local Loop in combination - Zone 3 roffice Transport - Dedicated - 4-wire 56 kbps combination - Mile per month roffice Transport - Dedicated - 4-wire 56 kbps combination - illity Termination per month KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | SPORT | 1 | | U1TFS | 908.93 | | | | | | | | | ' | |
| 4-wire 4-wire 4-wire 1 | ire 56 kbps Local Loop in combination - Zone 1 ire 56 kbps Local Loop in combination - Zone 2 ire 56 kbps Local Loop in combination - Zone 3 roffice Transport - Dedicated - 4-wire 56 kbps combination - Mile per month roffice Transport - Dedicated - 4-wire 56 kbps combination - ility Termination per month KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | TO OKT | 1 | ONOOA | 01110 | 500.50 | | | | | | | | | | |
| 4-wire 4 | ire 56 kbps Local Loop in combination - Zone 2 re 56 kbps Local Loop in combination - Zone 3 roffice Transport - Dedicated - 4-wire 56 kbps combination - Mile per month roffice Transport - Dedicated - 4-wire 56 kbps combination - ility Termination per month KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERCO | | | UNCDX | UDL56 | 29.12 | | | | | | | | | | |
| 4-wire Intero Per M Intero Per | ire 56 kbps Local Loop in combination - Zone 3 roffice Transport - Dedicated - 4-wire 56 kbps combination - Mile per month roffice Transport - Dedicated - 4-wire 56 kbps combination - ility Termination per month KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | | . 4 | UNCDX | UDL56 | 49.58 | | | 1 | | | | | | | — |
| Intero Per M Intero Per M Intero Facilit 4-WIRE 64 Ki 4-wire 4-wire Intero Per M Intero Facilit 4-WIRE 56 Ki 4-wir | roffice Transport - Dedicated - 4-wire 56 kbps combination - Mile per month roffice Transport - Dedicated - 4-wire 56 kbps combination - ility Termination per month KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | | 3 | UNCDX | UDL56 | 77.35 | | | 1 | | | | | | \vdash | — |
| Per M Intero Facilit 4-WIRE 64 KI 4-wire 4-wire Intero Per M Intero Facilit 4-WIRE 56 KI 4-wire | Mile per month roffice Transport - Dedicated - 4-wire 56 kbps combination - ility Termination per month KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | | J | ONODA | ODESO | 11.55 | | | | | | | | | | |
| Intero Facilit 4-WIRE 64 KI 4-wire 4-wire Intero Per M Intero Facilit 4-wire | roffice Transport - Dedicated - 4-wire 56 kbps combination - ility Termination per month KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | † | | UNCDX | 1L5XX | 0.03 | | | | | | | | | 1 ' | 1 |
| Facilit 4-WIRE 64 KI 4-WIRE 64 KI 4-Wire 4-Wire 1-Wire 1-Wire 1-Wire 1-Wire 4-WIRE 56 KI 4-Wire 4-Wi | ility Termination per month KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | | 1 | ONODA | TESAX | 0.03 | | | | | | | | | | |
| 4-WIRE 64 KI 4-wire 4-wire 1-wire 1-wire 1-wire 1-wire 1-wire 1-wire 1-wire 4-wire | KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | | | UNCDX | U1TD5 | 20.01 | | | | | | | | | ' | |
| 4-wire 4-wire 10-minero Per M Intero Facilit 4-wire 4-wire 4-wir 4-wir 4-wir 4-wir 4-wir 4-wir 4-wir 4-wir 4-wir 4-wir 4-wir 4-wir 4-wir 4-wir 4-wir 4-wir | | EFICE 1 | TRANS | | 01103 | 20.01 | | | | | | | | | | |
| 4-wire 4-wire Intero Per M Intero Facilit 4-WIRE 56 KI 4-wir 4-wir 4-wir 4-wir 4-wir 4-wir 4-wir 4-wir 4-wir 4-wir 4-wir | | T | 1 | UNCDX | UDL64 | 29.12 | | | 1 | | 1 | | | | | |
| 4-wire Intero Per M Intero Facilit 4-WIRE 56 KI 4-wire 4-wire 4-wire 4-wire month 14-wire 4-wire 4-wire 14-wire 14-wire 14-wire 14-wire 14-wire 14-wire 14-wire 15-wir | ire 64 kbps Lcoal Loop in Combination - Zone 2 | 1 | 2 | UNCDX | UDL64 | 49.58 | | | + | | - | | | | | |
| Intero Per M Intero Facilit 4-WIRE 56 Ki 4-wir 4-wir 4-wir 4-wir montt 4-wir | ire 64 kbps Lcoal Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 | 77.35 | | | | | | | | | | |
| Per M Intero Facilit 4-WIRE 56 K 4-Wir 4-wir 4-wir 4-wir mont 4-wir | roffice Transport - Dedicated - 4-wire 64 kbps combination - | | 3 | UNCDA | UDL04 | 11.55 | | | | | | | | | | |
| Intero Facilit 4-WIRE 56 KI 4-wir | Mile per month | | | UNCDX | 1L5XX | 0.03 | | | | | | | | | ' | |
| Facilit 4-WIRE 56 KI 4-wir 4-wir 4-wir 4-wir 4-wir 4-wir 4-wir | roffice Transport - Dedicated - 4-wire 64 kbps combination - | 1 | + | UNCDA | ILJAA | 0.03 | | | + | | - | | | | | ├ |
| 4-WIRE 56 KI 4-wir 4-wir 4-wir 4-wir montt 4-wir | ility Termination per month | | | UNCDX | U1TD6 | 20.01 | | | | | | | | | ' | |
| 4-wir 4-wir 4-wir 4-wir month 4-wir | KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC | ETDAN | ISDOD | | 01100 | 20.01 | | | | | | | | | | |
| 4-wir 4-wir 4-wir month 4-wir | rire 56 kbps Local Loop in combination - Zone 1 | LIKAN | 1 | UNCDX | UDL56 | 29.12 | | | | | | | | | | |
| 4-wir 4-wir month 4-wir | vire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 49.58 | | | | | | | | | | |
| 4-wird month 4-wird | vire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 77.35 | | | | | | | | | | |
| month 4-wire | riree 56 kbps Interoffice Transport - Dedicated - Per Mile per | | 3 | ONODA | ODESO | 77.55 | | | | | | | | | | |
| 4-wir | | | | UNCDX | 1L5XX | 0.03 | | | | | | | | | ' | |
| | rire 56 kbps Interoffice Transport - Dedicated - Facility | | | UNCDA | ILJAA | 0.03 | | | 1 | | | | | | | <u> </u> |
| | mination per month | | | UNCDX | U1TD5 | 20.01 | | | | | | | | | ' | |
| | KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC | F TPAN | ISPOR. | | 01103 | 20.01 | | | | | | | | | | |
| | vire 64 kbps Local Loop in combination - Zone 1 | I | 1 | UNCDX | UDL64 | 29.12 | | | 1 | | | | | | | <u> </u> |
| | vire 64 kbps Local Loop in combination - Zone 2 | 1 | 2 | UNCDX | UDL64 | 49.58 | | | | | | | | | | |
| | vire 64 kbps Local Loop in combination - Zone 3 | 1 | 3 | UNCDX | UDL64 | 77.35 | | | | | | | | | | - |
| | wire 65 kbps Interoffice Transport - Dedicated - Per Mile per | 1 | Ť | | 55254 | 77.55 | | | 1 | | | | | | \vdash | |
| month | | 1 | 1 | UNCDX | 1L5XX | 0.03 | | | | | | | | | 1 ' | 1 |
| | rire 64 kbps Interoffice Transport - Dedicated - Facility | | 1 | | . 20.01 | 0.00 | | | 1 | | | | | | \vdash | — |
| | mination per month | | | UNCDX | U1TD6 | 20.01 | | | | | | | | | ' | |
| | AL LOOP AND DS1 INTERFOFFICE TRANSPORT | 1 | 1 | | 050 | 20.01 | | | 1 | | | | | | \vdash | t |
| | /ire DS1 Digital Loop in Combination - Zone 1 | 1 | 1 | UNC1X | USLXX | 54.74 | | | 1 | | | | | | \vdash | — |
| | /ire DS1 Digital Loop in Combination - Zone 2 | l - | 2 | UNC1X | USLXX | 97.01 | | | 1 | | | | | | $\vdash \vdash \vdash$ | — |
| | rice DS1 Digital Loop in Combination - Zone 3 | 1 | 3 | UNC1X | USLXX | 154.43 | | | 1 | | | | | | \vdash | t |
| | roffice Transport - Dedicated - DS1 combination - Per Mile | t | Ť | 1 | | | | i | 1 | İ | | | | i | | |
| | month | 1 | 1 | UNC1X | 1L5XX | 0.66 | | | | | | | | | 1 ' | 1 |
| | roffice Transport - Dedicated - DS1 combination - Facility | 1 | 1 | | | 2.30 | | | İ | | | | | | | |
| | mination per month | 1 | 1 | UNC1X | U1TF1 | 81.98 | | | | | | | | | 1 ' | 1 |
| | AL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSP | ORT | 1 | 1 | 1 | | | | İ | | | | | | | |
| | B Local Loop in combination - per mile per month | | 1 | UNC3X | 1L5ND | 15.33 | | | İ | | | | | | | |
| | | 1 | 1 | | | | | | | | | | | | | |
| DS3 I | 5 Local Loop III combination - per mile per month | | | UNC3X | UE3PX | 518.29 | | | | | | | | | 1 ' | 1 |
| | B Local Loop in combination - Facility Termination per month | l | 1 | UNC3X | 1L5XX | 14.93 | | | İ | | | | | | | |
| | · · · | | 1 | 1 | 1 | | | | İ | | | | | | | |
| | B Local Loop in combination - Facility Termination per month roffice Transport - Dedicated - DS3 - Per Mile per month | | 1 | UNC3X | U1TF3 | 828.44 | | | 1 | 1 | 1 | ı | | l | 1 ' | 1 |
| | B Local Loop in combination - Facility Termination per month | | - | | 1 - | | | | | | 1 | | | | | |
| STS-1 | B Local Loop in combination - Facility Termination per month roffice Transport - Dedicated - DS3 - Per Mile per month roffice Transport - Dedicated - DS3 combination - Facility | NSPORT | 1 | 0.100/ | | | | | | | | | | | | |

| LINIDI | NDI E | D NETWORK ELEMENTO. N (LO | | | | | | | | | | | | | | | |
|----------|--|--|---------|----------|---------------------|--------------|-----------------|-----------|------------|--------------|-------|--|-----------|-------------|-------------|-------------|-------------|
| ONBC | NDLE | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | | t: 2 Ex. B | | |
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | | Manual Svc | | | Manual Svc |
| CATE | ORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | | | | | Order vs. | Order vs. |
| OAIL | | NATE ELEMENTO | m | 20110 | 500 | 0000 | | | πατ Εσ (ψ) | | | per LSR | per LSR | Order vs. | Order vs. | | |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | IXEC | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | STS-1 Local Loop in combination - Facility Termination per | | | | | | | | | | | | | | | |
| | | month | | | UNCSX | UDLS1 | 533.90 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS-1 combination - per mile | | | | | | | | | | | | | | | |
| | | per month | | | UNCSX | 1L5XX | 7.06 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | 011007 | TEO/O | 7.00 | | | | | | | | | | |
| | | | | | LINIOOV | | 000.00 | | | | | | | | | | |
| l | <u> </u> | Termination per month | | | UNCSX | U1TFS | 908.93 | | | | | | | | | | |
| ADDIT | | IETWORK ELEMENTS | | | | | | | | | | | | | | | |
| | | used as a part of a currently combined facility, the non-recurr | | | | | | | | | | | | | | | |
| | When t | used as ordinarily combined network elements in All States, the | he non- | recurrii | ng charges apply an | d the Switch | As Is Charge of | loes not. | | | | | | | | | |
| | Nonrec | curring Currently Combined Network Elements "Switch As Is" | Charge | (One a | pplies to each comb | oination) | | | | | | | | | | | |
| | | al Features & Functions: | . 3- | | | T ' | i i | | | | | ĺ | i | | İ | | |
| | 0 0 1.0 | an i sataros a i anonono. | | | U1TD1. | 1 | | | | | | | | | | | |
| | | Clear Channel Capability Extended Frame Option - per DS1 | | | ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | - | Clear Charmer Capability Extended Frame Option - per DST | - | | | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | | | | U1TD1, | | | | | | | | | | | | |
| | | Clear Channel Capability Super FrameOption - per DS1 | - 1 | | ULDD1,UNC1X | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Clear Channel Capability (SF/ESF) Option - Subsequent | | | ULDD1, U1TD1, | | | | | | | | | | | | |
| | | Activity - per DS1 | - 1 | | UNC1X, USL | NRCCC | | 184.76 | 23.80 | 1.99 | 0.78 | | | | | | |
| | | | | | U1TD3, ULDD3, | | | | | | | | | | | | |
| | | C-bit Parity Option - Subsequent Activity - per DS3 | l i | | UE3, UNC3X | NRCC3 | | 218.92 | 7.66 | 0.7576 | 0.00 | | | | | | |
| | MIII TII | PLEXERS | i i | | 020, 01100/1 | | | 210.02 | 7.00 | 0.7070 | 0.00 | | | | | | |
| - | WIOLIII | DS1 to DS0 Channel System per month | - | | UNC1X | MQ1 | 168.69 | | | | | - | | | | | |
| - | | | | | UNCIX | IVIQT | 108.09 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| | | month (2.4-64kbs) used for a Local Loop | | | UDL | 1D1DD | 2.30 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| | | month (2.4-64kbs) used for connection to a channelized DS1 | | | | | | | | | | | | | | | |
| | | Local Channel in the same SWC as collocation | | | U1TUD | 1D1DD | 2.30 | | | | | | | | | | |
| | i | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | 1 | | | İ | | | | İ | | Í | İ | | İ | | |
| | l | month for a Local Loop | | | UDN | UC1CA | 4.13 | | | | | 1 | l | | | | |
| - | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | H | 0011 | SSTOA | 7.13 | | | | | | | | | | |
| | l | | | | | 1 | | | | | | 1 | l | | | | |
| 1 | l | month used for connection to a channelized DS1 Local Channel | | | LIATUD | | | | | | | | l | | | | |
| | L | in the same SWC as collocation | | ⊢ | U1TUB | UC1CA | 4.13 | | | | | | | | | | |
| | l | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | 1 | | | | | | 1 | l | | | | |
| | | used for a Local Loop | | | UEA | 1D1VG | 1.46 | | | | | | | | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | | | | _ | | | | | _ | | | |
| | l | used for connection to a channelized DS1 Local Channel in the | | | | 1 | | | | | | 1 | l | | | | |
| 1 | l | same SWC as collocation | | | U1TUC | 1D1VG | 1.46 | | | | | I | 1 | | 1 | | |
| | | DS3 to DS1 Channel System per month | t | | UNC3X | MQ3 | 268.06 | | | | | - | l | | l | | |
| \vdash | - | STS-1 to DS1 Channel System per month | 1 | 1 | UNCSX | MQ3 | 268.06 | 1 | | | | - | | | | | |
| - | - | | - | - | | | | | | | | - | | | | | |
| | | DS1 COCI used with Loop per month | | 1 | USL | UC1D1 | 18.48 | | | | | | | | | | |
| 1 | l | DS1 COCI (used for connection to a channelized DS1 Local | | | | | | | | | | | l | | | | |
| | | Channel in the same SWC as collocation) per month | | | U1TUA | UC1D1 | 18.48 | | | | | | | | | | |
| | | DS1 COCI used with Interoffice Channel per month | | | U1TD1 | UC1D1 | 18.48 | | | | | | | | | | |
| | | DS3 Interface Unit (DS1 COCI) used with Local Channel per | | | | | | | | | | | | | | | |
| | l | month | | | ULDD1 | UC1D1 | 18.48 | | | | | 1 | l | | | | |
| | | p | 1 | | | | . 51 10 | | | 1 | | 1 | | | 1 | 1 | i |

| UNRU | NDI F | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachmer | nt: 2 Ex. B | | |
|--|---------|--|--|--|--------------|----------|---------|--------|-------------|--|--------------|-----------|-----------|-------------|-------------|-------------|-------------|
| 014001 | 405EF | ALT WORK ELLINERTO 3 GOULH CAIOIIIIA | l | I | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | l | | | | | | | | | Elec | | Manual Svc | | Manual Svc | Manual Svc |
| CATEG | ORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | ., | | | per Loix | per Lor | Electronic- | | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | Disc 1st | Disc Add I |
| | | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates (\$) | _ | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | VALUE 1 00000 1 000 | | | | | | | | | | | | | | | |
| | | XCHANGE ACCESS LOOP | TIDLE | LOOD | | | | | | 1 | | | | | | | |
| | Z-VVIKE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA 2 Wire Unbundled HDSL Loop including manual service inquiry | TIBLE | LUUP | | 1 | | | | - | | - | | | | | |
| | | & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 11.02 | 129.52 | 79.24 | 50.37 | 7.93 | | | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | - '- | OFF | UTILZX | 11.02 | 125.52 | 15.24 | 30.37 | 7.55 | | | | | | |
| | | & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 12.56 | 129.52 | 79.24 | 50.37 | 7.93 | | | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 13.11 | 129.52 | 79.24 | 50.37 | 7.93 | | | | | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 11.02 | 104.49 | 66.50 | 50.37 | 7.93 | | | | | | |
| 1 7 | Ţ | 2 Wire Unbundled HDSL Loop without manual service inquiry | 1 | | <u> </u> | L | | | | _ | | | | | | | |
| | | and facility reservation - Zone 2 | ļ | 2 | UHL | UHL2W | 12.56 | 104.49 | 66.50 | 50.37 | 7.93 | | | | | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry | 1 | _ | | | 40.4. | 404.40 | 00.50 | 50.6- | 7.00 | | 1 | | | | |
| \vdash | 4-W/IDF | and facility reservation - Zone 3 HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIDIE | 3 | UHL | UHL2W | 13.11 | 104.49 | 66.50 | 50.37 | 7.93 | - | | | 1 | - | |
| | +-VVIKE | 4 Wire Unbundled HDSL Loop including manual service inquiry | I | LOUP | | 1 | | | | | 1 | 1 | | | 1 | | |
| | | and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 18.42 | 158.18 | 107.89 | 55.12 | 10.38 | | | | | | |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry | | <u> </u> | OTIL | OTILTA | 10.42 | 100.10 | 107.00 | 00.12 | 10.00 | | | | | | |
| | | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 16.48 | 158.18 | 107.89 | 55.12 | 10.38 | | | | | | |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 19.37 | 158.18 | 107.89 | 55.12 | 10.38 | | | | | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 18.42 | 133.14 | 95.16 | 55.12 | 10.38 | | | | | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 2 | | 2 | UHL | UHL4W | 16.48 | 133.14 | 95.16 | 55.12 | 10.38 | | | | | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 19.37 | 133.14 | 95.16 | 55.12 | 10.38 | | | | | | |
| | 1-WIRE | DS1 DIGITAL LOOP | | 3 | UNL | UHL4VV | 19.37 | 133.14 | 95.10 | 55.12 | 10.36 | | | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 91.44 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | USL | USLXX | 156.40 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 3 | | | USL | USLXX | 263.52 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | |
| HIGH C | APACIT | Y UNBUNDLED LOCAL LOOP | | | | | | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | | month | | | UE3 | 1L5ND | 14.10 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 - Facility | | | | Lucas | | | | | | | | | | | |
| \vdash | | Termination per month | ļ | _ | UE3 | UE3PX | 352.31 | | | | | | | | ļ | ļ | |
| | | High Capacity Unbundled Local Loop - STS-1 - Per Mile per | 1 | | UDLSX | 1L5ND | 4440 | | | 1 | | | 1 | | | | |
| \vdash | | month High Capacity Unbundled Local Loop - STS-1 - Facility | | - | ODF9Y | ILDIND | 14.10 | | | - | | - | | | 1 | - | |
| | | Termination per month | | | UDLSX | UDLS1 | 360.51 | | | | | | | | | | |
| UNBUN | DLED D | EDICATED TRANSPORT | 1 | | SDLOX | 30231 | 300.31 | | | † | | † | | | | 1 | |
| | | OFFICE CHANNEL - DEDICATED TRANSPORT | i e | | | 1 | | | | 1 | İ | | | | | | |
| | | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | İ | | | | | | | | | Ì | | | | | |
| | | month | | | U1TD1 | 1L5XX | 0.39 | | | | | | | | | <u> </u> | |
| | | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | | | | | | | | | | | | |
| | | Termination | ļ | | U1TD1 | U1TF1 | 88.71 | | | ļ | | | ļ | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | 1 | | LIATES | 41.5727 | 2.55 | | | 1 | | | 1 | | | | |
| - | | month Interoffice Channel - Dedicated Transport - DS3 - Facility | - | - | U1TD3 | 1L5XX | 9.22 | | | | - | - | - | | | - | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | 1 | | U1TD3 | U1TF3 | 1012.75 | | | 1 | | | 1 | | | | |
| | | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | | | כעווט | 01113 | 1012.75 | | | | | | | | 1 | 1 | |
| | | month | 1 | | U1TS1 | 1L5XX | 9.22 | | | 1 | | | 1 | | | | |
| | | Interoffice Channel - Dedicated Transport - STS-1 - Facility | | | | . 20, 01 | 5.22 | | | † | | | | | | | |
| | | Termination | 1 | | U1TS1 | U1TFS | 1012.63 | | | 1 | | | 1 | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade | | | ULDVX | ULDV2 | 17.63 | | | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat | | | ULDVX | ULDR2 | 17.63 | | | | | | | | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade | | | ULDVX, UNCVX | ULDV4 | 19.02 | | | | | | | | | | |
| | | Local Channel - Dedicated - DS1 - Zone 1 | l | 1 | ULDD1, UNC1X | ULDF1 | 49.01 | | | 1 | | | | | | <u> </u> | l |

| UNBUND | LED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachmer | nt: 2 Ex. B | | |
|-------------|--|----------|----------|--------------------|----------------|-----------------|----------------|-----------------|----------------|--|--|-----------|-------------|-------------|-------------|-------------|
| CITECITE | TED NETWORK ELEMENTO Godin Garonna | | | | 1 | 1 | | | | | Svc Order | Svc Order | | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGOR | Y RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | - (1) | | | per LSK | per LSK | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | 151 | Addi | DISC 1St | DISC Add I |
| | | | | | | Rec | Nonre | curring | Nonrecurrin | g Disconnect | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Local Channel - Dedicated - DS1 - Zone 2 | | | ULDD1, UNC1X | ULDF1 | 80.87 | | | | | | | | | | |
| | Local Channel - Dedicated - DS1 - Zone 3 | | 3 | ULDD1, UNC1X | ULDF1 | 219.28 | | | | | | | | | | |
| | Local Channel - Dedicated - DS3 - Per Mile per month | | | ULDD3, UNC3X | 1L5NC | 13.72 | | | | | | | | | | |
| | Local Channel - Dedicated - DS3 - Facility Termination | | | ULDD3, UNC3X | ULDF3 | 512.90 | | | | | | | | | | |
| | Local Channel - Dedicated - STS-1- Per Mile per month | | | ULDS1, UNCSX | 1L5NC | 13.72 | | | | | | | | | | |
| | Local Channel - Dedicated - STS-1 - Facility Termination | | | ULDS1, UNCSX | ULDFS | 500.37 | | | | | | | | | | |
| | D EXTENDED LINK (EELs) | | | 0 | | la familia de | | | | | . =1 | | | | | |
| NO | TE: The monthly recurring and non-recurring charges below will | apply a | nd the | Switch-As-Is Charg | e will not app | bly for UNE con | ibinations pro | visioned as 'C | ordinarily Com | bined, Networ | k Elements. | | | | | |
| | TE: The monthly recurring and the Switch-As-Is Charge and not t | he non- | recurri | ng charges below v | will apply for | UNE combinati | ons provision | ed as ' Current | ly Combined' | Network Eleme | ents. | | | | | |
| | VIRE VOICE GRADE LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop (SL2) in Combination - Zone 1 | | | UNCVX | UEAL2 | 19.18 | | | | | | | | | | |
| | 2-Wire VG Loop (SL2) in Combination - Zone 2 | | | UNCVX | UEAL2 | 26.60 | | | | | | | | | | |
| oxdot | 2-Wire VG Loop (SL2) in Combination - Zone 3 | ļ | 3 | UNCVX | UEAL2 | 32.73 | | | ļ | ļ | | | | | | ļ |
| | Voice Grade COCI - Per Month | ļ | <u> </u> | UNCVX | 1D1VG | 0.64 | | | | | 1 | | | | | |
| 4-V | VIRE VOICE GRADE LOOP FOR USE IN A COMBINATION | ļ | <u> </u> | LINIONA | LIEAL : | | | | | | | | | | | |
| \vdash | 4-Wire Analog Voice Grade Loop in Combination - Zone 1 | - | 1 | UNCVX | UEAL4 | 37.48 | | | | - | | | | | | ļ |
| - | 4-Wire Analog Voice Grade Loop in Combination - Zone 2 | | | UNCVX | UEAL4 | 50.47 | | | | | 1 | | | | | |
| — | 4-Wire Analog Voice Grade Loop in Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 49.89 | | | | - | + | | | | | |
| 4 1/ | Voice Grade COCI in combination - per month VIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION | - | | UNCVX | 1D1VG | 0.64 | | | | | - | | | | | |
| 4-1 | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 | - | 1 | UNCDX | UDL56 | 34.42 | | | | - | + | | | | | |
| | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 | | 2 | UNCDX | UDL56 | 39.09 | | | | <u> </u> | + | | | | | 1 |
| | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 | | _ | UNCDX | UDL56 | 39.95 | | | | | + | | | | | |
| | OCU-DP COCI (data) per month (2.4-64kbs) | | Ŭ | UNCDX | 1D1DD | 1.37 | | | | | 1 | | | | | |
| 4-V | VIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATI\ON | | | | | | | | | | | | | | | |
| | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL64 | 34.42 | | | | | | | | | | |
| | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 | | | UNCDX | UDL64 | 39.09 | | | | | | | | | | |
| | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 | 39.95 | | | | | | | | | | |
| | OCU-DP COCI (data) - in combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.37 | | | | | | | | | | |
| 2-V | VIRE ISDN LOOP FOR USE IN COMBINATION | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Loop in Combination - Zone 1 | | | UNCNX | U1L2X | 28.99 | | | | | | | | | | |
| | 2-Wire ISDN Loop in Combination - Zone 2 | | | UNCNX | U1L2X | 37.67 | | | | | | | | | | |
| - | 2-Wire ISDN Loop in Combination - Zone 3 | - | 3 | UNCNX | U1L2X | 43.36 | | | | | 1 | | | | | |
| 4.14 | 2-wire ISDN COCI (BRITE) - in combination - per month VIRE DS1 DIGITAL LOOP FOR USE IN A COMBINATION | | | UNCNX | UC1CA | 2.94 | | | | - | + | | | | | |
| 4-4 | 4-Wire DS1 Digital Loop in Combination - Zone 1 | - | 1 | UNC1X | USLXX | 104.50 | | | | | - | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 178.74 | | | | <u> </u> | + | | | | | 1 |
| | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | | UNC1X | USLXX | 301.17 | | | | | + | | | | | |
| | DS1 COCI in combination per month | | Ŭ | UNC1X | UC1D1 | 9.94 | | | | | 1 | | | | | |
| 2 V | VIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | OMBINA | TION | | | | | | | | | | | | | |
| | Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per | | | | 1 | | | | İ | 1 | 1 | | l | | l | İ |
| | Month | 1 | 1 | UNCVX | 1L5XX | 0.02 | | | | I | 1 | 1 | | | | |
| | Interoffice Transport - 2-wire VG - Dedicated - Facility | | | | | | | | | | | | | | | |
| | Termination per month | <u> </u> | | UNCVX | U1TV2 | 22.36 | | | | | | | | | | |
| 4 V | VIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | OMBINA | TION | | | | · | | | | | | | | | |
| | Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per | | | | 1 | | · | | | | | | | | | |
| \vdash | Month | ļ | <u> </u> | UNCVX | 1L5XX | 0.02 | | | | ļ | 1 | | | | | |
| | Interoffice Transport - 4-wire VG - Dedicated - Facility | 1 | 1 | LINICVAY | Lun. | 10.50 | | | | I | 1 | 1 | | | | |
| D0 | Termination per month 1 INTEROFFICE TRANSPORT FOR COMBINATION | ╂ | - | UNCVX | U1TV4 | 19.58 | | | | - | 1 | | | - | | |
| טט | Interoffice Transport - Dedicated - DS1 combination - Per Mile | + | <u> </u> | | + | | | | | | 1 | - | - | 1 | | |
| | per month | 1 | 1 | UNC1X | 1L5XX | 0.31 | | | | I | 1 | 1 | | | | |
| \vdash | Interoffice Transport - Dedicated - DS1 combination - Facility | † | l — | 5.101A | 120/00 | 0.31 | | | | I | | | | 1 | | |
| | Termination per month | | | UNC1X | U1TF1 | 70.97 | | | | 1 | | | | | | |
| DS | 3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION | | | | 1 | | | | ĺ | 1 | 1 | | l | | 1 | ĺ |
| | Interoffice Transport - Dedicated - DS3 combination - Per Mile | l | İ | | 1 | | | | | | | | | | | 1 |
| | Per Month | | | UNC3X | 1L5XX | 7.38 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | | | | | | | | | | | | l | |
| \Box | month | <u> </u> | <u> </u> | UNC3X | U1TF3 | 810.20 | | | ļ | L | 1 | l | l | | | L |

| ST-1 PROPERTY PR | INBUNDI FI | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachmer | nt: 2 Ex. B | 1 | |
|---|-------------|--|--|------|---------|---------|--------|-------|------------|-------------|--------------|-----------|-----------|--|--|--|-------------|
| RATE ELEMENTS Mind Zone BCS UBOC RATES (\$) Charges C | JABONDELL | THE TWORK ELEMENTO GOULD GATOLING | | | | 1 | | | | | | Svc Order | Svc Order | | | Incremental | Incremental |
| AND CATEGORY RATE ELEMENTS Interest Communication Co | | | | | | | | | | | | | | | | Charge - | Charge - |
| CATEGORY | | | | | | | | | | | | 1 | | | | | Manual Svc |
| Rec None-curring Disconnect Section Electronic | CATEGORY | RATE ELEMENTS | I | Zone | BCS | USOC | | | RATES (\$) | | | | - | | | Order vs. | Order vs. |
| STATUTE CONTINUES COMPANY AND STATUTE CONTINUES COMPANY | | | m | | | | | | (+) | | | per LSK | per LSK | | | Electronic- | Electronic- |
| STEINTEROFFICE TRANSPORT FOR USE IN COMBINATION | | | | | | | | | | | | | | | | | |
| ### STS-INTERCEPTICE TRANSPORT FOR USE IN COMBINATION ### Mouth Per Mouth Per Mouth Interface Transport - Decision - STS Internation - Feeling Interface Transport - Decision - STS Internation - Feeling Interface Transport - Decision - STS Internation - Feeling Internation of review - Transport - Decision - STS Internation - Feeling Internation of review - Transport - Decision - STS Internation - Feeling Internation of review - Transport - Decision - STS Internation - Feeling Internation - Per Mouth Interface - STS Internation - Feeling Internation - Per Mouth Interface - STS Internation - Per Mouth Interface - Per Mout | | | | | | | | | | | | | | 1st | Addi | Disc 1st | Disc Add'l |
| ### STS-INTERCEPTICE TRANSPORT FOR USE IN COMBINATION ### Mouth Per Mouth Per Mouth Interface Transport - Decision - STS Internation - Feeling Interface Transport - Decision - STS Internation - Feeling Interface Transport - Decision - STS Internation - Feeling Internation of review - Transport - Decision - STS Internation - Feeling Internation of review - Transport - Decision - STS Internation - Feeling Internation of review - Transport - Decision - STS Internation - Feeling Internation - Per Mouth Interface - STS Internation - Feeling Internation - Per Mouth Interface - STS Internation - Per Mouth Interface - Per Mout | | | | | | | | Nonre | curring | Nonrecurrin | a Disconnect | | | oss | Rates (\$) | | |
| STS- INTEROPPICE TRANSPORT FOR USE IN COMMINATION | | | | | | | Rec | | | | | SOMEC | SOMAN | | | SOMAN | SOMAN |
| Interestitic Transport - Decisional - STRF - Combination - Peer Mile Decisional - STRF - Combination - Peer Mile Decisional - STRF - Combination - Peer Mile Decisional - STRF - Combination - Peer Mile Decisional - STRF - Combination - Peer Mile Decisional - STRF - Decisional - STRF - Decisional - STRF - Decisional - STRF - Decisional - STRF - Decisional - STRF - Decisional - Decis | STS-1 I | NTEROFFICE TRANSPORT FOR USE IN COMBINATION | | | | | | | | 1 | 11000 | | | | | | |
| Per Note Not | | | | | | | | | | | | | | | | | |
| Interedition Transprior - Predictable - 1 | | | | | UNCSX | 1L5XX | 7.38 | | | | | | | | | | |
| Aware 5 Kaps Did Tax LOP WITH 6 Kaps INTERCEPTCE TRANSPORT | | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | | | | | | | | | | | | | |
| Severe 96 blags Lotal Loop in combination - Zone 1 | ŀ | Termination per month | | | UNCSX | U1TFS | 810.11 | | | | | | | | | | |
| Severe 96 blags Lotal Loop in combination - Zone 1 | | | SPORT | | | | | | | | | | | | | | |
| Sevent Set State Local Loop in combination - Zone 3 3 DRCDX DUSS 39.85 | | | | | UNCDX | UDL56 | 34.42 | | | | | | | | | | |
| Interoffice Transport - Decisizated - 4-wire 56 kbps combination - | | 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 39.09 | | | | Î | ĺ | | Î | | Î | |
| Per titling per month | | 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 39.95 | | | | | | | | | | |
| Interdifice Transport - Dedicated - 4-wie 68 ktps contribution - 1 - 2 | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | | | | | Î | ĺ | | Î | | Î | |
| Facility Termination per month UNCDX UNcDX UNcDX UNCDX UNcDX UNcDX UNcDX UNcDX UNcDX UNcdX UncdX Unc | | Per Mile per month | <u> </u> | | UNCDX | 1L5XX | 0.02 | | | <u> </u> | <u> </u> | <u></u> | <u> </u> | <u> </u> | <u> </u> | <u> </u> | |
| WHIRE 64 KRPS DIGITAL EXTENDED LOOP WITH 64 KRPS INTEROFFICE TRANSPORT | | | | | | | | | | | | | | | | | |
| 4-wire 64 kbps Local Loop in Combination - Zone 1 | | | <u> </u> | | | U1TD5 | 15.42 | | | <u> </u> | <u> </u> | <u></u> | <u> </u> | <u> </u> | <u> </u> | <u> </u> | |
| 4-wire 64 kbps Local Loop in Combination - Zone 2 2 UNCDX UDL64 39.95 | 4-WIRE | 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | FFICE 1 | RANS | PORT | | | | | | | | | | | | |
| Havine 64 kips Local Loop in Combination - Zone 3 JUNCDX UDL64 39.96 | | | | | | | | | | | | | | | | | |
| Interdifice Transport - Dedicated - 4-wire 64 kbps combination - UNCDX | | | | | | | | | | | | | | | | | |
| Per Mile per month | | | | 3 | UNCDX | UDL64 | 39.95 | | | | | | | | | | |
| Interdifice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | | | | | |
| Facility Termination per month | | | | | UNCDX | 1L5XX | 0.02 | | | | | | | | | | |
| A-WIRE 56 KIPS DIGITAL EXTENDED LOOP WITH DSI INTEROFFICE TRANSPORT | | | | | | | | | | | | | | | | | |
| 4-wire 56 kbps Local Loop in combination - Zone 2 | | | | | | U1TD6 | 15.42 | | | | | | | | | | |
| 4-wire 56 kbps Local Loop in combination - Zone 2 | | | E TRAN | | | | | | | | | | | | | | |
| 4-wire 58 kbps Interoffice Transport - Dedicated - Per Mile per month | | | | | | | | | | | | | | | | | |
| 4-wire 68 kbps Interoffice Transport - Dedicated - Facility | | | | | | | | | | | | | | | | | |
| Month | | | | 3 | UNCDX | UDL56 | 39.95 | | | | | | | | | | |
| A-wire 64 Kbps Interoffice Transport - Dedicated - Facility | | | | | | | | | | | | | | | | | |
| A-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT | | | | | UNCDX | 1L5XX | 0.02 | | | | | | | | | | |
| ## ## ## ## ## ## ## ## ## ## ## ## ## | | | | | LINODY | LIATOS | 45.40 | | | | | | | | | | |
| 4-wire 64 kbps Local Loop in combination - Zone 1 | | | | | | U11D5 | 15.42 | | | | | | | | | | |
| A-wire 64 kbps Local Loop in combination - Zone 2 2 UNCDX UDL64 39.09 | | | EIRAN | | | LIDI 04 | 04.40 | | | | | | | | | | |
| 4-wire 64 kbps Local Loop in combination - Zone 3 3 UNCDX UDL64 39.95 | | | | | | | | | | | | - | - | | | | |
| Il-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month | | | | | | | | | | | | - | | | | | |
| month | | | | 3 | UNCDA | UDL04 | 39.93 | | | | | - | | | | | |
| A-wire 64 kbps Interoffice Transport - Dedicated - Facility UNCDX | | | | | LINCDV | 11.577 | 0.00 | | | | | | | | | | |
| DS1 DIGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT | | | | | UNCDX | ILJAA | 0.02 | | | | | | | | | | |
| DS1 DIGITAL LOOP AND DS1 INTERPOFFICE TRANSPORT 4-Wire DS1 Digital Loop in Combination - Zone 1 1 UNC1X USLXX 104.50 4-Wire DS1 Digital Loop in Combination - Zone 2 2 UNC1X USLXX 178.74 4-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X USLXX 301.17 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month UNC1X USLXX 301.17 Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS3 Local Loop in combination - Per mile per month UNC3X USLXX 301.17 UNC1X UTF1 70.97 DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - DS3 - Per Mile per month UNC3X USBAX 1L5ND 14.10 UNC3X USBAX 352.31 Interoffice Transport - Dedicated - DS3 - Per Mile per month UNC3X USBAX 1L5XX 7.38 Interoffice Transport - Dedicated - DS3 - Per Mile per month UNC3X USBAX 1L5XX 7.38 Interoffice Transport - Dedicated - DS3 - DS3 combination - Facility Termination per month UNC3X USBAX 1L5XX 7.38 Interoffice Transport - Dedicated - DS3 - DS3 combination - Facility Termination per month UNC3X USBAX | | | | | LINCDY | LITTE | 15.42 | | | | | | | | | | |
| A-Wire DS1 Digital Loop in Combination - Zone 1 | | | | | ONODA | OTIDO | 10.42 | | | | | | | | | | |
| 4-Wire DS1 Digital Loop in Combination - Zone 2 2 UNC1X USLXX 178.74 4-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X USLXX 301.17 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month UNC1X 1L5XX 0.31 Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month UNC3X USLXX 0.31 DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT UNC3X UE3PX 352.31 Interoffice Transport - Dedicated - DS3 - Per Mile per month UNC3X UE3PX 352.31 Interoffice Transport - Dedicated - DS3 - Per Mile per month UNC3X USSX 7.38 Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month UNC3X UTF3 810.20 STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT UNC3X USSX 1L5ND 14.10 STS-1 Local Loop in combination - Facility Termination per month UNC3X USSX 1L5ND 14.10 UNC3X USSX USSX 7.38 UNC1X USSX USSX 7.38 U1TF3 810.20 STS-1 Local Loop in combination - Per mile per month UNC3X USSX 1L5ND 14.10 STS-1 Local Loop in combination - Per mile per month UNC3X USSX UDLS1 360.51 | | | | 1 | UNC1X | USLXX | 104.50 | | | | | 1 | | | 1 | | |
| 4-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X USLXX 301.17 | | | | | | | | | | | 1 | | | | | | |
| Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT DS3 Local Loop in combination - per mile per month UNC3X US3X UDLS1 UNC3X UDLS1 UNC3X UDLS1 UNCSX UDLS1 UNCSX UDLS1 UNCSX UDLS1 UNCSX UDLS1 | | | | _ | | | | | | 1 | 1 | | | İ | t | İ | |
| Destroy Dest | | | | | | | | | | | | | | | | | |
| Termination per month | | per month | | | UNC1X | 1L5XX | 0.31 | | | | | | | | | | |
| Termination per month | | Interesting Transport Designated DC4 combination Facility | | | | | | | | | | | | | | | |
| DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT DS3 Local Loop in combination - per mile per month UNC3X 1L5ND 14.10 US3X 1L5ND 14.10 US3X US3PX 352.31 Us4 US3PX | | | 1 | | LINC1V | III4TE4 | 70.07 | | | | | | 1 | | I | | |
| DS3 Local Loop in combination - per mile per month UNC3X 1L5ND 14.10 DS3 Local Loop in combination - Facility Termination per month UNC3X UE3PX 352.31 Interoffice Transport - Dedicated - DS3 - Per Mile per month UNC3X IL5XX 7.38 Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month UNC3X U1TF3 810.20 STS-1 Local Loop in combination - per mile per month UNC3X U1TF3 810.20 STS-1 Local Loop in combination - per mile per month UNCSX UNCSX 1L5ND 14.10 UNCSX U1TF3 810.20 UNCSX U1TF3 STS-1 Local Loop in combination - Facility Termination per month UNCSX U | | | OPT | - | UNU IA | UIIFI | 70.97 | | | + | + | | | - | | - | |
| DS3 Local Loop in combination - Facility Termination per month UNC3X UE3PX 352.31 Interoffice Transport - Dedicated - DS3 - Per Mile per month UNC3X UL5XX 7.38 Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month UNC3X U1TF3 810.20 STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT STS-1 Local Lolp in combination - per mile per month UNCSX UNCSX US3PX 352.31 UNC3X U1TF3 810.20 UNCSX U1TF3 UNCSX UNCSX UNCSX UNCSX UNCSX UNCSX UNCSX UDLS1 360.51 | | | I | | LINC3X | 11 5ND | 1/ 10 | | | 1 | + | | - | 1 | + | 1 | |
| Interoffice Transport - Dedicated - DS3 - Per Mile per month UNC3X 1L5XX 7.38 Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month UNC3X U1TF3 810.20 STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT STS-1 Local Loop in combination - per mile per month UNCSX 1L5ND 14.10 STS-1 Local Loop in combination - Facility Termination per month UNCSX UDLS1 360.51 | | 200 200ai 200p in combination - per fille per filoriti | | | 01400/ | ILUIND | 14.10 | | | + | | 1 | | | | | |
| Interoffice Transport - Dedicated - DS3 - Per Mile per month UNC3X 1L5XX 7.38 Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month UNC3X U1TF3 810.20 STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT STS-1 Local Loop in combination - per mile per month UNCSX 1L5ND 14.10 STS-1 Local Loop in combination - Facility Termination per month UNCSX UDLS1 360.51 | | DS3 Local Loop in combination - Facility Termination per month | | | UNC3X | UE3PX | 352 31 | | | | | | | | 1 | | |
| Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month STS-1 DigiTAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT STS-1 Local Lolp in combination - per mile per month UNCSX U1TF3 810.20 UNCSX 1L5ND 14.10 STS-1 Local Loop in combination - Facility Termination per month UNCSX UDLS1 360.51 | | | t | | | | | | | + | <u> </u> | | | | t | | |
| Termination per month | | | | - | 5.150/1 | .20/01 | 7.50 | | | + | 1 | | | | + | | |
| STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT STS-1 Local Lolp in combination - per mile per month UNCSX 1L5ND 14.10 STS-1 Local Loop in combination - Facility Termination per UNCSX UDLS1 360.51 | | | 1 | | UNC3X | U1TF3 | 810.20 | | | | | | | | I | | |
| STS-1 Local Lolp in combination - per mile per month UNCSX 1L5ND 14.10 STS-1 Local Loop in combination - Facility Termination per month UNCSX UDLS1 360.51 | | | SPORT | | | 55 | 010.20 | | | 1 | 1 | | | 1 | <u> </u> | 1 | |
| STS-1 Local Loop in combination - Facility Termination per month UNCSX UDLS1 360.51 | | | 1 | | UNCSX | 1L5ND | 14.10 | | | 1 | 1 | 1 | | i | 1 | i | |
| month UNCSX UDLS1 360.51 | | | l – | | | 1 - | , 0 | | | 1 | İ | 1 | | İ | 1 | İ | |
| | | | | | UNCSX | UDLS1 | 360.51 | | | | | | | | 1 | | |
| | | Interoffice Transport - Dedicated - STS-1 combination - per mile | | | | | | | | | | | | | | | |
| per month UNCSX 1L5XX 7.38 | | | 1 | | UNCSX | 1L5XX | 7.38 | | | | | | 1 | | I | | |

| CATEGORY RATE ELEMENTS Interest Inte | UNBU | NDLEI | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachmer | nt: 2 Ex. B | | |
|--|--------|--------|--|---------|----------|---------------------|---------------|----------------|----------|------------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|
| Manual Sec Man | | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| Manual Sec Man | | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| CATEGORY RATE ELEMENTS We SC USC STATES (S) STATES (S) Per LSR Per LSR Order vs. Closer | | | | In test | | | | | | | | | 1 | | | | | |
| Second S | CATEG | ORY | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES (\$) | | | 1 | , | | | | |
| Second Column Second Colum | | | | m | | | | | | ., | | | per Lor | per Lor | | | | |
| Interdiffice Transport - Dedicated - STS 1 combination - Facility UNCSX UTFS 810 rt First Addr First Addr First Addr Addr First Addr Addr First Addr Addr Addr Addr First Addr | | | | | | | | | | | | | | | | | | |
| Interdifice Transport - Dedicated - STS-1 combination - Facility Interdifice Transport - Dedicated - STS-1 combination - Facility Interdifice Transport - Dedicated - STS-1 combination - Facility Interdifice Transport - Dedicated - STS-1 combination - Facility Interdifice Transport - Dedicated - STS-1 combination - Facility Interdifice Transport - Dedicated - STS-1 combination - Facility Interdifice Transport - Dedicated - STS-1 combination - Facility Interdifice Transport - Dedicated - STS-1 combination - Facility Interdifice Transport - Dedicated - STS-1 combination - Facility Interdifice Transport - Dedicated - STS-1 combination - Facility Interdifice Transport - Dedicated - STS-1 combination - Facility Interdifice Transport - Dedicated - STS-1 combination - Facility Interdifice Transport - Dedicated - STS-1 combination - Facility Interdifice Transport - Dedicated - STS-1 combination - Facility Interdificated - STS-1 combination - Facility In | | | | | | | | | | | | | | | 1St | Addi | DISC 1St | DISC Add I |
| Interesting Transport. Dedicated - STS-1 combination - Facility UNCSX UTFS 810.11 Section - State Section - Section - State Section - State Section - State Section - Section - Section - State Section - Section | | | | | | | | B | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| Termination per month UNCSX UITS 810.11 | | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | | | SOMAN | SOMAN |
| ADDITIONAL NETWORK ELEMENTS | | | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | | | | | | | | | | | Î | | |
| When used as a part of a currently combined facility, the non-recurring charges apply and the Switch As Is Charge does not. | | | Termination per month | | | UNCSX | U1TFS | 810.11 | | | | | | | | | | |
| When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge (does not.) | ADDITI | ONAL N | ETWORK ELEMENTS | | | | | | | | | | | | | | | |
| Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) | | When ι | ised as a part of a currently combined facility, the non-recurr | ng cha | rges do | not apply, but a Sv | witch As Is c | harge does app | ly. | | | | | | | | | |
| Optional Features & Functions: | | When u | ised as ordinarily combined network elements in All States, the | ne non- | recurrii | ng charges apply an | d the Switch | As Is Charge d | oes not. | | | | | | | | | |
| Optional Features & Functions: | | Nonrec | urring Currently Combined Network Elements "Switch As Is" | Charge | (One a | pplies to each comb | oination) | | | | | | | | | | | |
| Clear Channel Capability Extended Frame Option - per DS1 | | | | | l l | | | 1 | | | | | | | | | | |
| Clear Channel Capability Super FrameOption - per DS1 | | | | | | U1TD1, | | 1 | | | | | | | | | | |
| Clear Channel Capability Super FrameOption - per DS1 | | | Clear Channel Capability Extended Frame Option - per DS1 | 1 | | ULDD1.UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| Clear Channel Capability (SPESF) Option - Subsequent ULDDI, UNC1X USL NRCCC 185.26 23.6 1.9 0.78 | | | , | | | U1TD1. | | | | | | | | | | | | |
| Clear Channel Capability (SF/ESF) Option - Subsequent ULDDI, UHTDI, UNCX, USL UNCX, USL UNCX, USL UNCX, USL UNCX, USL UNCX, USL UNCX, USL UNCX, USL UNCX, USL UNCX, USL UNCX, USL UNCX, USL UNCX, USL UNCX, USL UNCX, USL UNCX, USL UNCX, USL UNCX, USL USA, UNCX, USL USA, UNCX, USL USA, UNCX, USL USA, UNCX, USL USA, UNCX, USL USA, UNCX, USL USA, UNCX, USL USA, UNCX, USL UN | | | Clear Channel Capability Super FrameOption - per DS1 | - 1 | | | CCOSE | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| Activity - per DS1 | | | | | | | | | | | | | | | | | | |
| C-bit Parity Option - Subsequent Activity - per DS3 i US, UNC3X NRCC3 219.58 7.69 0.737 0.00 | | | | - 1 | | | NRCCC | | 185.26 | 23.86 | 1.99 | 0.78 | | | | | | |
| C-bit Parity Option - Subsequent Activity - per DS3 i UE3, UNC3X NRCC3 219.58 7.69 0.737 0.00 | | | , | | | | | | | | | | 1 | | | | | |
| MULTIPLEXERS | | | C-bit Parity Option - Subsequent Activity - per DS3 | i | | ,, | NRCC3 | | 219 58 | 7 69 | 0.737 | 0.00 | | | | | | |
| DS1 to DS0 Channel System per month | | | | | | , | | | | | | | | | | | | |
| OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | UNC1X | MQ1 | 123.71 | | | | | | | | | | |
| month (2.4-84kbs) used for a Local Loop | | | | | | | | | | | | | | | | | | |
| OCU-DP COCI (data) - DSt to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation U1TUD 1D1D 1.37 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop UDN UC1CA 2.94 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation U1TUB UC1CA 2.94 Viole Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop UDN UEA 1D1VG 0.64 Viole Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation U1TUC 1D1VG 0.64 DS3 to DS1 Channel System per month UNC3X MQ3 165.62 STS-1 to DS1 Channel System per month UNC3X MQ3 165.62 DS1 COCI used with Loop per month USL UC1D1 9.94 DS1 COCI used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month U1TUA UC1D1 9.94 DS3 toteface DR1 Coci used with Interoffice Channel per month U1TD1 UC1D1 9.94 DS3 toteface DR1 Coci used with Interoffice Channel per month U1TD1 UC1D1 9.94 DS3 toteface DR1 Coci used with Local Channel per month U1TD1 UC1D1 9.94 DS3 toteface DR1 Coci used with Local Channel per month U1TD1 UC1D1 9.94 DS3 toteface DR1 Coci used with Interoffice Channel per month U1TD1 UC1D1 9.94 | | | | | | UDL | 1D1DD | 1.37 | | | | | | | | | | |
| month (2.4-64kbs) used for connection to a channelized DS1 | | | | | | | | | | | | | | | | | | |
| Local Channel in the same SWC as collocation U1TUD 1D1DD 1.37 | | | | | | | | | | | | | | | | | | |
| 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation UEA 1D1VG 0.64 DS3 to DS1 Channel System per month UNC3X MQ3 165.62 STS-1 to DS1 Channel System per month UNC3X MQ3 165.62 DS1 COCI used with Loop per month USL UCID1 9.94 DS1 COCI (used for connection to a channelized DS1 Local Channel per month U1TUA UCID1 9.94 DS3 to DS1 COCI used with Interoffice Channel per month UITD1 UCID1 9.94 DS3 Interface Unit (DS1 COCI) used with Local Channel per month UITD1 UCID1 9.94 DS3 Interface Unit (DS1 COCI) used with Local Channel per | | | | | | U1TUD | 1D1DD | 1.37 | | | | | | | | | | |
| month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel unit he same SWC as collocation U1TUB UC1CA 2.94 Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop UEA 1D1VG 0.64 Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation U1TUC 1D1VG 0.64 DS3 to DS1 Channel System per month UNC3X MQ3 165.62 STS-1 to DS1 Channel System per month UNCSX MQ3 165.62 DS1 COCI used with Loop per month USC UC1D1 9.94 DS1 COCI (used for connection to a channelized DS1 Local Channel per month U1TUA UC1D1 9.94 DS3 to COCI used with Interoffice Channel per month U1TD1 UC1D1 9.94 DS3 Interface Unit (DS1 COCI) used with Local Channel per | | | | | | | | | | | | | | | | | | |
| 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation UEA USSX MG3 165.62 DS3 to DS1 Channel System per month UNCSX MG3 165.62 DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) USSX DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) USSX MG3 165.62 DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) USSX MG3 165.62 DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) USSX MG3 165.62 DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month USSX MG3 165.62 DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month UTUA UCID1 9.94 DS1 COCI (used with Interoffice Channel per month USCA UCID1 9.94 DS3 Interface Unit (DS1 COCI) used with Local Channel per month USCA UCID1 9.94 | | | | | | UDN | UC1CA | 2.94 | | | | | | | | | | |
| month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Connection to a channelized DS1 Local Channel in the same SWC as collocation UEA 1D1VG 0.64 Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation U1TUC 1D1VG 0.64 DS3 to DS1 Channel System per month UNC3X MQ3 165.62 STS-1 to DS1 Channel System per month UNCSX MQ3 165.62 DS1 COCI used with Loop per month USL UC1D1 9.94 DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month UTTUA UC1D1 9.94 DS1 COCI used with Interoffice Channel per month UTTUA UC1D1 9.94 DS3 Interface Unit (DS1 COCI) used with Local Channel per Month UTTUA UC1D1 9.94 DS3 Interface Unit (DS1 COCI) used with Local Channel per Month UTTUA UC1D1 9.94 | | | | | | | | | | | | | | | | | | |
| In the same SWC as collocation | | | | | | | | | | | | | | | | | | |
| Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month UNC3X MQ3 165.62 DS1 COCI used with Loop per month USL UC1D1 9.94 DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) UTUA UC1D1 9.94 DS1 COCI used with Interoffice Channel per month UTUA UC1D1 9.94 DS3 to DS1 Channel System per month UTUA UC1D1 9.94 DS3 to DS1 Channel System per month UTUA UC1D1 9.94 DS3 to DS1 Channel System per month UTUA UC1D1 9.94 DS3 to DS1 Channel System per month UTUA UC1D1 9.94 DS3 to DS1 Channel System per month UTUA UC1D1 9.94 DS3 to DS1 Channel System per month UTUA UC1D1 9.94 DS3 to DS1 Channel System per month UTUA UC1D1 9.94 | | | | | | U1TUB | UC1CA | 2.94 | | | | | | | | | | |
| USA DIVG O.64 UEA DIVG DIVG DIVG DIVG DIVG DIVG DIVG DIVG DIVG DIVG UEA DIVG | | | | | | | | | | | | | | İ | | | | |
| Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month UNC3X MQ3 165.62 DS1 COCI used with Loop per month UNCSX MQ3 165.62 DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month USL U1TUC 1D1VG 0.64 WA3 165.62 DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month U1TUA UC1D1 9.94 DS1 COCI used with Interoffice Channel per month DS3 Interface Unit (DS1 COCI) used with Local Channel per | 1 | | | | | UEA | 1D1VG | 0.64 | | | | | | | | | | |
| Used for connection to a channelized DS1 Local Channel in the same SWC as collocation | | | | | | | | | | | | | | İ | | | | |
| Same SWC as collocation | 1 | | | | | | | | | | | | | | | | | |
| DS3 to DS1 Channel System per month | | | | | | U1TUC | 1D1VG | 0.64 | | | | | | | | | | |
| STS-1 to DS1 Channel System per month | | | DS3 to DS1 Channel System per month | | | UNC3X | MQ3 | 165.62 | | | | | | İ | | 1 | | |
| DS1 COCI used with Loop per month USL UC1D1 9.94 DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month U1TUA UC1D1 9.94 DS1 COCI used with Interoffice Channel per month U1TD1 UC1D1 9.94 DS3 Interface Unit (DS1 COCI) used with Local Channel per | | | | | | | MQ3 | | | | | | | l | | | | |
| DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month U1TUA UC1D1 9.94 DS1 COCI used with Interoffice Channel per month U1TD1 UC1D1 9.94 DS3 Interface Unit (DS1 COC) used with Local Channel per | | | | | | USL | UC1D1 | 9.94 | | | | | | l | | | | |
| Channel in the same SWC as collocation) per month DS1 COCI used with Interoffice Channel per month U1TUA UC1D1 9.94 DS3 Interface Unit (DS1 COCI) used with Local Channel per DS3 Interface Unit (DS1 COCI) used with Local Channel per | | | | | Ì | | | | | | | | | i | | İ | | |
| DS1 COCI used with Interoffice Channel per month U1TD1 UC1D1 9.94 DS3 Interface Unit (DS1 COCI) used with Local Channel per | 1 | | | | | U1TUA | UC1D1 | 9.94 | | | | | | | | | | |
| DS3 Interface Unit (DS1 COCI) used with Local Channel per | | | | | | | | | | | | | | l | | | | |
| | | | | | | | | | | | | | | İ | | | | |
| | 1 | | , , | | | ULDD1 | UC1D1 | 9,94 | | | | | | l | | | | |

| UNBUNDLI | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | t: 2 Ex. B | | |
|--|---|--|----------|------------------------------|----------------|----------------|--------------|------------|-------|------------|-----------|-----------|-------------|-------------|-------------|--|
| | | | | | | | | | | | | | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | " | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | 2.00 .00 | 2.007.444. |
| | | | | | | Rec | Nonrecurring | | | Disconnect | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | EXCHANGE ACCESS LOOP | | | | ļ | | | | | | | | | | | |
| 2-WIF | RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | IIBLE | LOOP | | ļ | | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | UHL | | 40.45 | 070.04 | 004.00 | 74.54 | 00.44 | | | 00.05 | 40.54 | 40.00 | 40.00 |
| \vdash | & facility reservation - Zone 1 2 Wire Unbundled HDSL Loop including manual service inquiry | | 1 | UHL | UHL2X | 12.45 | 270.01 | 234.63 | 74.54 | 39.14 | - | | 20.35 | 10.54 | 13.32 | 13.32 |
| | & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 16.27 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | OFF | UTILZA | 10.27 | 270.01 | 234.03 | 74.54 | 35.14 | | | 20.33 | 10.54 | 13.32 | 13.32 |
| | & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 21.28 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | Ť | OTIL | OTILEX | 21.20 | 270.01 | 204.00 | 74.04 | 00.14 | | | 20.00 | 10.04 | 10.02 | 10.02 |
| | and facility reservation - Zone 1 | 1 | 1 | UHL | UHL2W | 12.45 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | <u> </u> | | 0.1.2 | O. ILL. | 12.10 | 01.00 | 20.02 | 10.00 | | | | 20.00 | 10.01 | 10.02 | 10.02 |
| | and facility reservation - Zone 2 | - 1 | 2 | UHL | UHL2W | 16.27 | 31.99 | 20.02 | 10.65 | 1.41 | | 1 | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | 1 | | | | | | | | | | | |
| | and facility reservation - Zone 3 | I | 3 | UHL | UHL2W | 21.28 | 31.99 | 20.02 | 10.65 | 1.41 | <u> </u> | <u></u> | 20.35 | 10.54 | 13.32 | 13.32 |
| 4-WIF | RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | | | | | | | | | | | | | |
| | 4 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 16.02 | 279.60 | 244.22 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 20.93 | 279.60 | 244.22 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | l | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 27.37 | 279.60 | 244.22 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | ١, | 1 | UHL | | 40.00 | 04.00 | 00.00 | 40.05 | | | | 00.05 | 40.54 | 40.00 | 40.00 |
| | and facility reservation - Zone 1 4-Wire Unbundled HDSL Loop without manual service inquiry | - 1 | 1 | UHL | UHL4W | 16.02 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | and facility reservation - Zone 2 | ١, | 2 | UHL | UHL4W | 20.93 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | ' | | UNL | UHL4VV | 20.93 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.33 | 10.54 | 13.32 | 13.32 |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 27.37 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| 4-WIF | RE DS1 DIGITAL LOOP | <u> </u> | Ť | OTIL | OFFETTY | 27.07 | 01.00 | 20.02 | 10.00 | 1.41 | | | 20.00 | 10.04 | 10.02 | 10.02 |
| 1 | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 66.39 | 313.08 | 219.72 | 96.86 | 40.45 | | | 18.98 | 8.43 | 11.95 | 11.95 |
| | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | USL | USLXX | 86.71 | 313.08 | 219.72 | 96.86 | 40.45 | | | 18.98 | 8.43 | 11.95 | 11.95 |
| | 4-Wire DS1 Digital Loop - Zone 3 | | | | USLXX | 113.38 | 313.08 | 219.72 | 96.86 | 40.45 | | | 18.98 | 8.43 | 11.95 | 11.95 |
| HIGH CAPAC | ITY UNBUNDLED LOCAL LOOP | | | | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | UE3 | 1L5ND | 10.57 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UE3 | UE3PX | 430.38 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per | 1 | 1 | | | | | | | | | 1 | | | | |
| | month | | <u> </u> | UDLSX | 1L5ND | 10.57 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Facility | 1 | 1 | LIDL CV | LIDL C4 | | | | | | | 1 | | | | |
| LINDUND, 55 | Termination per month DEDICATED TRANSPORT | ! | - | UDLSX | UDLS1 | 447.75 | | | - | - | | | | | | |
| | ROFFICE CHANNEL - DEDICATED TRANSPORT | + | 1 | - | + | | | | | | - | - | - | - | - | |
| INTE | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | 1 | | + | | | | | | - | | | | | |
| | month | 1 | 1 | U1TD1 | 1L5XX | 0.41 | | | | | | 1 | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | 1 | 5/101 | TEON | 0.41 | | | | | | - | | | | |
| | Termination | | | U1TD1 | U1TF1 | 89.54 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | 1 | | | | | l | İ | | | | | |
| | month | <u> </u> | <u>L</u> | U1TD3 | 1L5XX | 2.69 | | | | <u></u> | <u> </u> | <u></u> | | | | <u></u> |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | U1TD3 | U1TF3 | 976.34 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | | | | | | | | | | | | | | | |
| | month | <u> </u> | | U1TS1 | 1L5XX | 2.69 | | | | | | | | | | ļ |
| | Interoffice Channel - Dedicated Transport - STS-1 - Facility | 1 | 1 | | === | | | | | | | 1 | | | | |
| | Termination | . | . | U1TS1 | U1TFS | 976.70 | | | | | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1 | ₩ | | ULDVX, UNCVX | ULDV2 | 19.76 | | | | - | - | - | | | | |
| \vdash | Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2 Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3 | + | | ULDVX, UNCVX ULDVX, UNCVX | ULDV2 ULDV2 | 25.81 33.74 | | | | | - | - | - | - | - | |
| oxdot | Local Charmer - Dedicated - 2-Wire Voice Grade - Zone 3 | <u> </u> | 1 3 | DIOLDVA, UNCVA | ULUVZ | 33.74 | | | l | l | l | L | | | | 1 |

| UNB | UNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachme | nt: 2 Ex. B | | - |
|----------|----------|--|--|--------|------------------------------|-----------------|----------------|----------------|-----------------|----------------|----------------|-------------|-----------|--------------|--|--|--|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incrementa |
| | | | | | | | | | | | | 1 | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | Manually | Manual Svc | | Manual Svc | |
| CATE | GORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | "" | | | | | | | | | | • | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | _ | | | | | | | | | | | | | | | | |
| | | | | | | | Rec | Nonrecurring | | | g Disconnect | | | | Rates (\$) | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat | - | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Zone 1 | | 1 | ULDVX | ULDR2 | 19.76 | | | | | | | | | | |
| | + | Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat | 1 | | OLDVX | OLDINZ | 15.70 | | | | | 1 | 1 | | | | † |
| | | Zone 2 | | 2 | ULDVX | ULDR2 | 25.81 | | | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat | | | | | | | | | | | İ | | | | |
| | | Zone 3 | | 3 | ULDVX | ULDR2 | 33.74 | | | | | | | | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1 | | | ULDVX, UNCVX | ULDV4 | 20.91 | | | | | | | | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2 | | | ULDVX, UNCVX | ULDV4 | 27.30 | | | | | | | | | | |
| | _ | Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3 | ļ | | ULDVX, UNCVX | ULDV4 | 35.71 | | | | | | | | | | |
| | 1 | Local Channel - Dedicated - DS1 - Zone 1 | ļ | | ULDD1, UNC1X | ULDF1 | 41.68 | | | | | | | | | | |
| | + | Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 | - | | ULDD1, UNC1X ULDD1, UNC1X | ULDF1 ULDF1 | 54.43 71.17 | | | | + | 1 | - | | 1 | | |
| | 1 | Local Channel - Dedicated - DS1 - Zone 3 Local Channel - Dedicated - DS3 - Per Mile per month | 1 | 3 | ULDD1, UNC1X ULDD3, UNC3X | 1L5NC | 8.22 | | | 1 | + | + | 1 | 1 | 1 | | |
| | + | Local Channel - Dedicated - DS3 - Fer Mile per Month Local Channel - Dedicated - DS3 - Facility Termination | | | ULDD3, UNC3X | ULDF3 | 703.00 | | | | + | + | 1 | | | | |
| | 1 | Local Channel - Dedicated - STS-1- Per Mile per month | t | | ULDS1, UNCSX | 1L5NC | 8.22 | | | | 1 | 1 | 1 | | 1 | 1 | |
| | 1 | Local Channel - Dedicated - STS-1 - Facility Termination | t | | ULDS1, UNCSX | ULDFS | 689.53 | | | İ | | 1 | | İ | | İ | 1 |
| ENHA | NCED E | XTENDED LINK (EELs) AND THEIR COMPONETS | | | | | | | | | | | | | | | |
| | NOTE: | The monthly recurring and non-recurring charges below will | apply a | nd the | Switch-As-Is Charg | ge will not app | ly for UNE con | nbinations pro | visioned as ' C | Ordinarily Com | nbined' Networ | k Elements. | | | | | |
| | | The monthly recurring and the Switch-As-Is Charge and not | the non- | recurr | ing charges below v | will apply for | UNE combinati | ons provisione | ed as ' Current | ly Combined' | Network Eleme | ents. | | | | | |
| | 2-WIRI | VOICE GRADE LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop (SL2) in Combination - Zone 1 | | | UNCVX | UEAL2 | 19.04 | | | | | | | | | | |
| | | 2-Wire VG Loop (SL2) in Combination - Zone 2 | ļ | | UNCVX | UEAL2 | 24.87 | | | | | | ļ | | | | |
| | | 2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month | ļ | 3 | UNCVX | UEAL2 1D1VG | 32.52 1.05 | | | | | | ļ | | | | |
| | 4 W/IDI | E VOICE GRADE LOOP FOR USE IN A COMBINATION | - | | UNCVX | IDIVG | 1.05 | | | | + | + | + | | | | |
| | 4-VVIIX | 4-Wire Analog Voice Grade Loop in Combination - Zone 1 | <u> </u> | 1 | UNCVX | UEAL4 | 28.40 | | | | | 1 | 1 | | | | 1 |
| | + | 4-Wire Analog Voice Grade Loop in Combination - Zone 2 | 1 | | UNCVX | UEAL4 | 37.10 | | | | | 1 | 1 | | | | - |
| | + | 4-Wire Analog Voice Grade Loop in Combination - Zone 3 | 1 | | UNCVX | UEAL4 | 48.51 | | | | | † | † | | | | |
| | | Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 1.05 | | | | | | İ | | | | |
| | 4-WIRI | E 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | |
| | | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 | | | UNCDX | UDL56 | 35.76 | | | | | | | | | | |
| | | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 | | | UNCDX | UDL56 | 46.70 | | | | | | | | | | |
| | | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 | ļ | 3 | UNCDX | UDL56 | 61.08 | | | | | | ļ | | | | |
| | 4 14/101 | OCU-DP COCI (data) per month (2.4-64kbs) E 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATI\ON | ļ | | UNCDX | 1D1DD | 1.05 | | | | | - | 1 | | | | |
| | 4-WIRI | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 | 1 | 1 | UNCDX | UDL64 | 35.76 | | | | 1 | 1 | | | | | |
| | + | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 | 1 | 2 | UNCDX | UDL64 | 46.70 | | | | | 1 | 1 | | | | - |
| | + | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 | 1 | 3 | UNCDX | UDL64 | 61.08 | | | | | † | † | | | | |
| | 1 | OCU-DP COCI (data) - in combination - per month (2.4-64kbs) | 1 | | UNCDX | 1D1DD | 1.05 | | | ĺ | 1 | 1 | Ì | ĺ | 1 | | |
| | 2-WIRI | E ISDN LOOP FOR USE IN COMBINATION | 1 | | ĺ | 1 | | | | ĺ | 1 | 1 | Ì | ĺ | 1 | | 1 |
| | | 2-Wire ISDN Loop in Combination - Zone 1 | | 1 | UNCNX | U1L2X | 25.55 | | | | | | | | | | |
| | | 2-Wire ISDN Loop in Combination - Zone 2 | | | UNCNX | U1L2X | 33.37 | | | | | | | | | | |
| | 1 | 2-Wire ISDN Loop in Combination - Zone 3 | ļ | 3 | UNCNX | U1L2X | 43.64 | | | ļ | 1 | 1 | | | ļ | ļ | ↓ |
| | 4 14/15 | 2-wire ISDN COCI (BRITE) - in combination - per month | <u> </u> | | UNCNX | UC1CA | 3.73 | | | | 1 | 1 | | | ļ | | ļ |
| | 4-WIRI | E DS1 DIGITAL LOOP FOR USE IN A COMBINATION | | 4 | LINCAY | USLXX | 00.00 | | | | + | 1 | ļ | - | | | - |
| | + | 4-Wire DS1 Digital Loop in Combination - Zone 1 4-Wire DS1 Digital Loop in Combination - Zone 2 | 1 | | UNC1X UNC1X | USLXX | 66.39 86.71 | | | - | 1 | + | 1 | | 1 | - | |
| | + | 4-Wire DS1 Digital Loop in Combination - Zone 2 | - | | UNC1X | USLXX | 113.38 | | | | + | + | † | | | | |
| | 1 | DS1 COCI in combination per month | t | ٦ | UNC1X | UC1D1 | 20.22 | | | | 1 | 1 | 1 | | 1 | 1 | — |
| | 2 WIRE | E VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | OMBINA | TION | 1 | 1 | | | | İ | | 1 | | İ | 1 | İ | |
| | 1 | Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per | | | | | | | | | | | | | | | |
| | | Month | | | UNCVX | 1L5XX | 0.02 | | | | | | | | <u> </u> | | |
| | 1 | Interoffice Transport - 2-wire VG - Dedicated - Facility | | |] | | | | | | | | | | | | |
| | 1 | Termination per month | <u> </u> | | UNCVX | U1TV2 | 25.06 | | | ļ | 1 | 1 | | | ļ | ļ | ↓ |
| | 4 WIRE | E VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | OMBINA | IION | | + | | | | | | 1 | | | ļ | | ↓ |
| ı | 1 | Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month | | | UNCVX | 1L5XX | 0.02 | | | | | | | | | | |
| — | 1 | Interoffice Transport - 4-wire VG - Dedicated - Facility | 1 | - | OINCVA | ILOAA | 0.02 | | | 1 | + | 1 | 1 | 1 | 1 | | |
| | | Termination per month | | | UNCVX | U1TV4 | 31.40 | | | | | | | | | | |
| | | 1.6auon por monur | 1 | | 0.101/ | O 1 1 V T | 51.40 | | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |

| UNB | JNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachmer | nt: 2 Ex. B | | |
|----------|----------|--|--|--|----------|----------|--------------|--|------------|-------|--------------|--|-----------|-------------|--|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | | Manual Svc | | Manual Svc | Manual Svc |
| CATE | GORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | - | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | [N1 | | T 81 | - B' | | | 000 | D-1 (A) | | |
| | + | | | - | | | Rec | Nonrecurring | | + | g Disconnect | 001150 | 001441 | | Rates (\$) | 001111 | 001141 |
| - | DC4 IN | I ITEROFFICE TRANSPORT FOR COMBINATION | | | | _ | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | DOTIN | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | + | | | | | | | | | | | |
| | | per month | | | UNC1X | 1L5XX | 0.41 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | 1 201 21 | 9 111 | | | | | | | | | | |
| | | Termination per month | | | UNC1X | U1TF1 | 89.54 | | | | | | | | | | |
| | | 1/0 Channelization System in combination Per Month | | | UNC1X | MQ1 | 92.89 | | | | | | | | | | |
| | DS3 IN | TEROFFICE TRANSPORT FOR USE IN A COMBINATION | | | | | | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS3 combination - Per Mile | | | | 1 | | | | | | | | | | | |
| | - | Per Month | | | UNC3X | 1L5XX | 2.69 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | UNC3X | U1TF3 | 983.22 | | | | | | | | | | |
| \vdash | STS-1 | month INTEROFFICE TRANSPORT FOR USE IN COMBINATION | | 1 | OINCOA | UIIF3 | 903.22 | | | + | 1 | | | | | | |
| | 3.0-1 | Interoffice Transport - Dedicated - STS-1 combination - Per Mile | t | | † | 1 | | | | 1 | | <u> </u> | | | † | | |
| | | Per Month | | | UNCSX | 1L5XX | 2.69 | | | | | | 1 | | I | | |
| | 1 | 3/1 Channel System in combination per month | 1 | | UNCSX | MQ3 | 256.43 | | | İ | | | | | 1 | | |
| | 4-WIRE | 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN | ISPORT | | | | | | | | | | | | | | |
| | | 4-wire 56 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL56 | 35.76 | | | | | | | | | | |
| - | | 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 46.70 | | | | | | | | | | |
| | 1 | 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 61.08 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | UNCDX | 1L5XX | 0.02 | | | | | | | | | | |
| - | + | Per Mile per month Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | UNCDA | ILSAA | 0.02 | | | | | 1 | | | 1 | | |
| | | Facility Termination per month | | | UNCDX | U1TD5 | 24.37 | | | | | | | | | | |
| | 4-WIRE | 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | FFICE 1 | RANS | | 01120 | 2 | | | | | 1 | | | | | |
| | 1 | 4-wire 64 kbps Lcoal Loop in Combination - Zone 1 | | 1 | UNCDX | UDL64 | 35.76 | | | | | | | | | | |
| | | 4-wire 64 kbps Lcoal Loop in Combination - Zone 2 | | 2 | UNCDX | UDL64 | 46.70 | | | | | | | | | | |
| | | 4-wire 64 kbps Lcoal Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 | 61.08 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | 1 | | | | | | | | | | | |
| | 1 | Per Mile per month | | | UNCDX | 1L5XX | 0.02 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | UNCDX | U1TD6 | 24.37 | | | | | | | | | | |
| - | 4-WIDE | Facility Termination per month 5 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC | F TPAN | SPOR | | UTID6 | 24.37 | | | | | 1 | | | 1 | | |
| | 7-441171 | 4-wire 56 kbps Local Loop in combination - Zone 1 | LINAN | 1 | UNCDX | UDL56 | 35.76 | - | | | | † | | | | | |
| | | 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 46.70 | | | | | 1 | | | | | |
| | | 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 61.08 | | | | | | | | | | |
| | | 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per | | | | | | | | | | | | | | | |
| | | month | | | UNCDX | 1L5XX | 0.02 | | | | | | | | | | |
| | | 4-wire 56 kbps Interoffice Transport - Dedicated - Facility | | | | | 0.4.0= | | | | | | | | | | |
| | 4-WIRE | Termination per month 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC | F TRAN | SPOR | UNCDX | U1TD5 | 24.37 | | | | | - | | | - | | |
| | 7 7711(1 | 4-wire 64 kbps Local Loop in combination - Zone 1 | 1100 | 1 | UNCDX | UDL64 | 35.76 | | | | | | | | | | |
| | | 4-wire 64 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL64 | 46.70 | | | | | | | | | | |
| | | 4-wire 64 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL64 | 61.08 | | | | | | | | | | |
| | | I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per | | | | | | | | | | | | | | | |
| - | | month | | | UNCDX | 1L5XX | 0.02 | | | | | | | | | | |
| | | 4-wire 64 kbps Interoffice Transport - Dedicated - Facility | | | LINODY | LIATES | | | | | | | 1 | | I | | |
| <u> </u> | DC4 D | Termination per month GITAL LOOP AND DS1 INTERFOFFICE TRANSPORT | - | - | UNCDX | U1TD6 | 24.37 | | | 1 | 1 | 1 | - | | 1 | | |
| - | וט וכט | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 66.39 | | | | | | | | | | |
| - | + | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | | UNC1X | USLXX | 86.71 | | | | 1 | - | | | t | | |
| | 1 | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | | UNC1X | USLXX | 113.38 | | | İ | | | | | 1 | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | | per month | | | UNC1X | 1L5XX | 0.41 | | | | | | | | | | |
| | 1 | Interoffice Transport - Dedicated - DS1 combination - Facility | | | l | I | | Ι Τ | | | | | | | _ | | |
| | D00 5: | Termination per month | L | . | UNC1X | U1TF1 | 89.54 | | | 1 | 1 | 1 | | | | | |
| | DS3 DI | IDS3 Local Loop in combination - per mile per month | JKI | - | UNC3X | 1L5ND | 10.57 | | | 1 | 1 | 1 | | | | | |
| - | + | 200 Local Loop in combination - per fille per filoriti | | | OINOSA | ILUND | 10.57 | | | 1 | + | | | | | | |
| | | DS3 Local Loop in combination - Facility Termination per month | | | UNC3X | UE3PX | 429.49 | | | | | | 1 | | I | | |
| | | i and the second | | 1 | 1 | , , = | .=3.10 | | | | | | | | | | |

| UNBUNE | DLE | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachmer | nt: 2 Ex. B | | |
|--|--------|--|--|--|-----------------------------|---------------|----------------|--------------|------------|--|------------|--|-----------|-------------|--|--|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svo |
| CATEGOR | RY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| — | | | - | 1 | | 1 | | Nonrecurring | | Nonrecurring | Disconnect | | | 220 | Rates (\$) | l . | l |
| | | | | + | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 2.69 | 11131 | Addi | 11130 | Addi | OOMEO | COMPAR | COMPAR | COMPAR | COMPAR | COMPAR |
| | | Interoffice Transport - Dedicated - DS3 combination - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | | | UNC3X | U1TF3 | 983.22 | | | | | | | | | | |
| ST | 「S-1 I | DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN | ISPORT | | | | | | | | | | | | | | |
| | | STS-1 Local Lolp in combination - per mile per month | | | UNCSX | 1L5ND | 10.57 | | | | | | | | | | |
| | | STS-1 Local Loop in combination - Facility Termination per | | | | | | | | | | | | | | | |
| | | month | | - | UNCSX | UDLS1 | 453.74 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS-1 combination - per mile per month | | | UNCSX | 1L5XX | 2.69 | | | | | | | | | | |
| - | | Interoffice Transport - Dedicated - STS-1 combination - Facility | ├ | + | DINCOA | ILOAA | 2.69 | | | + | | - | | | + | | |
| | | Termination per month | | | UNCSX | U1TFS | 976.70 | | | | | | | | | | |
| ADDITION | IAI N | ETWORK ELEMENTS | | 1 | ONCOX | 01110 | 370.70 | | | | | | | | | | |
| | | ised as a part of a currently combined facility, the non-recurr | rng cha | rges do | not apply, but a S | witch As Is o | harge does app | oly. | | | | | | | | | |
| | | ised as ordinarily combined network elements in All States, t | | | | | | | | | | | | | | | |
| No | onrec | urring Currently Combined Network Elements "Switch As Is" | Charge | (One a | pplies to each com | bination) | | | | | | | | | | | |
| Op | otion | al Features & Functions: | | | | | | | | | | | | | | | |
| | | | | | U1TD1, | | | | | | | | | | | | |
| | | Clear Channel Capability Extended Frame Option - per DS1 | I | | ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | 0. 0. 10 177 0 5 07 | | | U1TD1, | | | | | | | | | | | | |
| | | Clear Channel Capability Super FrameOption - per DS1 | ı | - | ULDD1,UNC1X | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 | | | ULDD1, U1TD1, UNC1X, USL | NRCCC | | 185.16 | 23.85 | 2.03 | 0.79 | | | | | | |
| | | Activity - per DS1 | ' | 1 | U1TD3, ULDD3, | INRCCC | | 100.10 | 23.00 | 2.03 | 0.79 | | 1 | | 1 | | |
| | | C-bit Parity Option - Subsequent Activity - per DS3 | l i | | UE3, UNC3X | NRCC3 | | 219.46 | 7.68 | 0.7637 | 0.00 | | | | | | |
| м | ULTII | PLEXERS | <u> </u> | | 020, 0.1007 | 1111000 | | 2.00 | 7.00 | 0.7007 | 0.00 | | | | | | |
| | | DS1 to DS0 Channel System per month | | 1 | UNC1X | MQ1 | 92.89 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| | | month (2.4-64kbs) used for a Local Loop | | | UDL | 1D1DD | 2.09 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| | | month (2.4-64kbs) used for connection to a channelized DS1 | | | | | | | | | | | | | | | |
| | | Local Channel in the same SWC as collocation | | ļ | U1TUD | 1D1DD | 2.09 | | | | | | | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop | | | UDN | UC1CA | 3.56 | | | | | | | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | - | | UDN | UCTCA | 3.56 | | | - | | | - | | - | | |
| | | month used for connection to a channelized DS1 Local Channel | | | | | | | | | | | | | | | |
| | | in the same SWC as collocation | | | U1TUB | UC1CA | 3.56 | | | | | | | | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | 01102 | 001071 | 0.00 | | | t | | | | | t | | |
| | | used for a Local Loop | | | UEA | 1D1VG | 1.05 | | | | | | | | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System - per month | İ | İ | | | | | | | | | | | | | |
| | | used for connection to a channelized DS1 Local Channel in the | 1 | | | | | | | I | | | | | I | | 1 |
| | | same SWC as collocation | | 1 | U1TUC | 1D1VG | 1.05 | | | | | | | | | | |
| | | DS3 to DS1 Channel System per month | | 1 | UNC3X | MQ3 | 256.43 | | | | | | | | ļ | | |
| | | STS-1 to DS1 Channel System per month | <u> </u> | 1 | UNCSX | MQ3 | 256.43 | | | - | | | | | - | | |
| | | DS1 COCI used with Loop per month | ! | - | USL | UC1D1 | 20.22 | | | | | | | | | | |
| | | DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month | | | U1TUA | UC1D1 | 20.22 | | | 1 | | | | | 1 | | |
| | | DS1 COCI used with Interoffice Channel per month | | + | U1TD1 | UC1D1 | 20.22 | | | | | | | | | | |
| | | DS3 Interface Unit (DS1 COCI) used with Local Channel per | | | 01101 | COIDI | 20.22 | | | | | | | | - | | |
| | | month | l | 1 | ULDD1 | UC1D1 | 20.22 | | | | | 1 | 1 | l | 1 | | l |

| LOCAL INT | ERCONNECTION - Florida | | | | | | | | | | | | Attachment: | 3 Exh. A | | |
|-------------|---|----------|-------|-----|--------|-----------|--------|-----------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | 1 | 1 1 | | | I | | | | | Syc Order | Svc Order | | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | | | | | |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | usoc | | | RATES(\$) | | | Elec | | | Manual Svc | | |
| CATEGORI | KATE EEEMENTO | m | 20116 | Воо | 0000 | | | IXATEO(ψ) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | | | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonred | curring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 0.00000 | | | | | | | | | | | | | | | | |
| SIGNALING (| | | | | DT001/ | 405.05 | | | | | | | | | | |
| | CCS7 Signaling Termination, Per STP Port | | | UDB | PT8SX | 135.05 | | | | | | | | | | |
| | CCS7 Signaling Usage, Per TCAP Message | | | | | 0.0000607 | | | | | | | | | | |
| | CCS7 Signaling Connection, Per link (A link) | | | UDB | TPP6A | 17.93 | 43.57 | 43.57 | 18.31 | 18.31 | | | | | | |
| | CCS7 Signaling Connection, Per link (B link) (also known as D | | | | | | | | | | | | | | | |
| | link) | | | UDB | TPP6B | 17.93 | 43.57 | 43.57 | 18.31 | 18.31 | | | | | | |
| | CCS7 Signaling Connection, Switched access service, interface | | | | | | | | | | | | | | | |
| | groups, transmissiom paths 6 DS1 level path with bit stream | | | | | | | | | | | | | | | |
| | signaling | | | UDB | TPP6X | 17.93 | 43.57 | 43.57 | 18.31 | 18.31 | | | | | | |
| | CCS7 Signaling Connection-A link, per month | | | UDB | TPP9A | 17.93 | 43.57 | 43.57 | 18.31 | 18.31 | | | | | | 1 |
| | CCS7 Signaling Connection-B link(also known as D link) per | | | | | | | | | | | | | | | |
| | month | | | UDB | TPP9B | 17.93 | 43.57 | 43.57 | 18.31 | 18.31 | | | | | | |
| | CCS7 Signaling Connection, Switched access service, interface | | | | | | | | | | | | | | | |
| | groups, transmissiom paths 9 DS3 level path with bit stream | | | | | | | | | | | | | | | |
| | signaling | <u> </u> | | UDB | TPP9X | 17.93 | 43.57 | 43.57 | 18.31 | 18.31 | | 1 | | | | |
| | CCS7 Signaling Usage, Per ISUP Message | | | | | 0.0000152 | | | | | | | | | | |
| | CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB | STU56 | 694.32 | | | | | | | | | | |
| | CCS7 Signaling Point Code, per Originating Point Code | | | | | | | | | | | | | | | |
| | Establishment or Change, per STP affected | | | UDB | CCAPO | | 46.03 | 46.03 | 46.03 | 46.03 | 1 | | l | | | |

| LOCAL INT | ERCONNECTION - Georgia | | | | | | | | | | | | Attachment: | 3 Fxh. A | 1 | |
|-------------|---|----------|------|------|-------|-----------|--------|-----------|--------------|------------|-----------|-----------|-------------|-----------|-------------|-------------|
| | | 1 | I | | | | | | | | Syc Order | Svc Order | | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | | | | | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | usoc | | | RATES(\$) | | | | | | | 1 | Order vs. |
| 0711200111 | | m | | | 0000 | | | | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | |
| | | | | | | | | | | | | | Electronic- | | | 1 |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | Disconnect | | | | Rates(\$) | • | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | 1 | | | | | | | | | | | | | |
| SIGNALING (| | <u> </u> | - | LIDD | DTOOY | 400.00 | | | | | 1 | 1 | | | | |
| | CCS7 Signaling Termination, Per STP Port | 1 | 1 | UDB | PT8SX | 108.80 | | | | | | | | | | |
| | CCS7 Signaling Usage, Per TCAP Message | | | | | 0.0000527 | | | | | | | | | | |
| | CCS7 Signaling Connection, Per link (A link) (same as E.3.1) | | | UDB | TPP6A | 8.73 | 34.77 | 34.77 | 16.91 | 16.91 | | | | | | |
| | CCS7 Signaling Connection, Per link (B link) (also known as D | | | l | | | | | | | | | | | | |
| | link) (same as E.3.1) | | _ | UDB | TPP6B | 8.73 | 34.77 | 34.77 | 16.91 | 16.91 | | | | | | |
| | CCS7 Signaling Connection, Switched access service, interface | | | | | | | | | | | | | | | |
| | groups, transmissiom paths 6 DS1 level path with bit stream | | | | | | | | | | | | | | | |
| | signaling | | | UDB | TPP6X | 8.73 | 34.77 | 34.77 | 16.91 | 16.91 | | | | | | |
| | CCS7 Signaling Connection, Per link (A link) (same as E.3.1) | | | UDB | TPP9A | 8.73 | 34.77 | 34.77 | 16.91 | 16.91 | | | | | | <u> </u> |
| | CCS7 Signaling Connection-B link(also known as D link) per | | | | | | | | | | | | | | | |
| | month (same as E.3.1) | | | UDB | TPP9B | 8.73 | 34.77 | 34.77 | 16.91 | 16.91 | | | | | | |
| | CCS7 Signaling Connection, Switched access service, interface | | | | | | | | | | | | | | | |
| | groups, transmissiom paths 9 DS3 level path with bit stream | | | | | | | | | | | | | | | |
| | signaling | | 1 | UDB | TPP9X | 8.73 | 34.77 | 34.77 | 16.91 | 16.91 | | 1 | | | | ļ |
| | CCS7 Signaling Usage, Per ISUP Message (same as E.3.3) | | 1 | | | 0.0000132 | | | | | | 1 | | | | ļ |
| | CCS7 Signaling Usage Surrogate, per link | <u> </u> | 1 | UDB | STU56 | 907.44 | | | | | | | | | | |
| | CCS7 Signaling Point Code, Establishment or Change, per STP | | | | 1 | | | | | | | 1 | | | | |
| | affected | | 1 | UDB | CCAPO | | 28.15 | 28.15 | 33.32 | 33.32 | | | | | | |

| LOCAL IN | TERCONNECTION - Kentucky | | | | | | | | | | | | Attachment: | 3 Exh. A | | |
|-----------|---|-------------|------|-----|-------|-----------|--------|-----------|--------------|------------|-------|-----------------------|------------------------|-----------|---|-------------------------------------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted Manually | Charge - Manual Svc | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - Manual Svo Order vs. |
| | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| SIGNALING | (CCS7) | | | | | | | | | | | | | | | |
| | CCS7 Signaling Termination, Per STP Port | | | UDB | PT8SX | 151.39 | | | | | | | ĺ | ĺ | | · |
| | CCS7 Signaling Usage, Per TCAP Message | | | | | 0.0000656 | | | | | | | Î | Î | | |
| | CCS7 Signaling Connection, Per link (A link) | | | UDB | TPP6A | 20.71 | 43.56 | 43.56 | 22.45 | 22.45 | | | ĺ | ĺ | | |
| | CCS7 Signaling Connection, Per link (B link) (also known as D link) | | | UDB | TPP6B | 20.71 | 43.56 | 43.56 | 22.45 | 22.45 | | | | | | |
| | CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling | | | UDB | TPP6X | 20.71 | 43.56 | 43.56 | 22.45 | 22.45 | | | | | | |
| | CCS7 Signaling Connection-A link, per month | | | UDB | TPP9A | 20.71 | 43.56 | 43.56 | 22.45 | 22.45 | | | | | | 1 |
| | CCS7 Signaling Connection-B link(also known as D link) per month | | | UDB | TPP9B | 20.71 | 43.56 | 43.56 | 22.45 | 22.45 | | | | | | |
| | CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling | | | UDB | TPP9X | 20.71 | 43.56 | 43.56 | 22.45 | 22.45 | | | | | | |
| | CCS7 Signaling Usage, Per ISUP Message | | | | | 0.0000164 | | | | | | | | | ļ | ļ |
| | CCS7 Signaling Usage Surrogate, per link per LATA | L | | UDB | STU56 | 751.08 | | | | | | | | | ļ | |
| | CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected | | | UDB | CCAPO | | 46.02 | 46.02 | 56.43 | 56.43 | | | | | | |
| | CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected | | | UDB | CCAPD | | 46.02 | 46.02 | 56.43 | 56.43 | | | | | | |

| LOCAL INT | ERCONNECTION - Louisiana | | | | | | | | | | | | Attachment: | 2 Evb A | 1 | |
|-------------|---|--------|---------|-----|-------|---|--------|-----------|-------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|
| LOCAL INT | ERCONNECTION - Louisiana | | | 1 | _ | | | | | | T | | | | | т |
| | | | | | | | | | | | | 1 | Incremental | | | Incremental |
| | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | |
| | | | | | | Rec | Nonred | | | g Disconnect | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| SIGNALING (| | | | | | | | | | | | | | | | |
| | CCS7 Signaling Termination, Per STP Port | | | UDB | PT8SX | 147.60 | | | | | | | | | | |
| | CCS7 Signaling Usage, Per TCAP Message | | | | | 0.000064 | | | | | | | | | | |
| | CCS7 Signaling Connection, Per link (A link) | | | UDB | TPP6A | 15.77 | 34.50 | 34.50 | | | | | | | | |
| | CCS7 Signaling Connection, Per link (B link) (also known as D | | | | | | | | | | | | | | | |
| | link) | | | UDB | TPP6B | 15.77 | 34.50 | 34.50 | | | | | | | | |
| | CCS7 Signaling Connection, Switched access service, interface | | | | | | | | | | | | | | | |
| | groups, transmissiom paths 6 DS1 level path with bit stream | | | | | | | | | | | | | | | |
| | signaling | | | UDB | TPP6X | 15.77 | 34.50 | 34.50 | | | | | | | | |
| | CCS7 Signaling Connection-A link, per month | | | UDB | TPP9A | 15.77 | 34.50 | 34.50 | | | | | | | | |
| | CCS7 Signaling Connection-B link(also known as D link) per | | | | | | | | | | | | | | | |
| | month | | | UDB | TPP9B | 15.77 | 34.50 | 34.50 | | | | | | | | |
| | CCS7 Signaling Connection, Switched access service, interface | | | | | | | | | | | | | | | |
| | groups, transmissiom paths 9 DS3 level path with bit stream | | | | | | | | | | | | | | | |
| | signaling | | | UDB | TPP9X | 15.77 | 34.50 | 34.50 | | | | | | | | |
| | CCS7 Signaling Usage, Per ISUP Message | | | | | 0.000016 | | | | | | | | | | |
| | CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB | STU56 | 732.10 | | | | | | | | | | |
| | CCS7 Signaling Point Code, per Originating Point Code | | | | | | · | | | | | | | | | |
| | Establishment or Change, per STP affected | | <u></u> | UDB | CCAPO | <u> </u> | 28.17 | 28.17 | | <u> </u> | L | | | | | 1 |
| | CCS7 Signaling Point Code, per Destination Point Code | | | | | | · | | | | | | | | | |
| | Establishment or Change, Per Stp Affected | 1 | 1 | UDB | CCAPD | | 28.17 | 28.17 | | 1 | 1 | 1 | | 1 | 1 | |

| LOCAL IN | TERCONNECTION - North Carolina | | | | | | | | | | | | Attachment: | 3 Exh. A | | |
|--|---|--------|------|-----|--------|---------|--------|-----------|--------------|---------------|--------------|--|-------------|-------------|-------------|-------------|
| | | 1 | | | | I | | | | | Svc Order | | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | 1 | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | 1 | | | | | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | Elec | | | | | |
| CATEGORI | RATE ELEMENTS | m | Zone | ВСЗ | 0300 | | | KATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | - | | | + | | Nonred | curring | Nonrecurrin | ng Disconnect | 1 | 1 | 220 | Rates(\$) | 1 | |
| | | - | | | + | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| - | | - | | | + | | riist | Add I | FIISL | Add I | SOWIEC | SUMAN | SOWAN | SOMAN | SOWAN | SOWAN |
| SIGNALING | (CCS7) | | | | _ | | | | | | 1 | | | | | |
| SIGNALING | CCS7 Signaling Connection, Per link (A link) | | | UDB | TPP6A | 18.22 | 278.02 | 278.02 | | | 1 | 1 | | 1 | 1 | + |
| | CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D | | | ODD | IIIIOA | 10.22 | 270.02 | 210.02 | | | 1 | | | | | |
| | link) | | | UDB | TPP6B | 18.22 | 278.02 | 278.02 | | | | | | | | |
| | CCS7 Signaling Connection, Switched access service, interface | | | ODB | IFFOD | 10.22 | 210.02 | 210.02 | | | 1 | | | | | |
| | groups, transmissiom paths 6 DS1 level path with bit stream | | | | | | | | | | | | | | | |
| | signaling | | | UDB | TPP6X | 18.22 | 278.02 | 278.02 | | | | | | | | |
| | CCS7 Signaling Connection-A link, per month | | | UDB | TPP9A | 18.22 | 278.02 | 278.02 | | | 1 | | | | | |
| | CCS7 Signaling Connection-B link(also known as D link) per | | | ODD | 11134 | 10.22 | 270.02 | 210.02 | | | 1 | | | | | |
| | month | | | UDB | TPP9B | 18.22 | 278.02 | 278.02 | | | | | | | | |
| | CCS7 Signaling Connection, Switched access service, interface | | | ODB | IFF3D | 10.22 | 210.02 | 210.02 | | | 1 | | | | | |
| | groups, transmissiom paths 9 DS3 level path with bit stream | | | | | | | | | | | | | | | |
| | signaling | | | UDB | TPP9X | 18.22 | 278.02 | 278.02 | | | | | | | | |
| | CCS7 Signaling Termination, Per STP Port | | | UDB | PT8SX | 132.83 | 270.02 | 210.02 | | | 1 | | | | | |
| | CCS7 Signaling Termination, Fel 31F Fort | | | ODB | F 103A | 0.00004 | | | | | 1 | | | | | |
| | CCS7 Signaling Usage, Per TCAP Message | | | | + | 0.00004 | | | | + | | | | 1 | 1 | + |
| | CCS7 Signaling Usage, Fel TCAF Message CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB | STU56 | 338.98 | | | | + | | | | 1 | 1 | + |
| — | CCS7 Signaling Osage Surrogate, per link per LATA CCS7 Signaling Point Code, per Originating Point Code | - | | 000 | 01030 | 330.90 | | | 1 | 1 | + | + | | | | + |
| | Establishment or Change, per STP affected | | | UDB | CCAPO | | 40.00 | 40.00 | | | | | | | | 1 |
| — | CCS7 Signaling Point Code, per Destination Point Code | - | | מטט | CCAPO | | 40.00 | 40.00 | 1 | 1 | + | + | | | | + |
| | Establishment or Change, Per Stp Affected | l | | UDB | CCAPD | | 8.00 | 8.00 | | | 1 | | | | | 1 |

| LOCAL INT | ERCONNECTION - South Carolina | | | | | | | | | | | | Attachment: | 3 Exh. A | | |
|-------------|---|--------|------|-----|-------|-----------|--------|-----------|--------------|------------|--------------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | Svc Order | | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | 1 | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | 1 | | | | | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | Elec | | | | | |
| CATEGORI | RATE ELEMENTS | m | Zone | 603 | 0300 | | | KATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| — | | | | | + | t i | Nonred | rurring | Nonrecurring | Disconnect | | | OSS | Rates(\$) | | |
| | | | 1 | | + | Rec | First | Add'l | First | Add'I | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | + | | 11130 | Addi | 11130 | Addi | COME | COMPAR | COMPAR | COMPAR | COMPAR | COMPAR |
| SIGNALING (| CCS7) | | | | | | | | | | İ | | | | | |
| | CCS7 Signaling Termination, Per STP Port | | | UDB | PT8SX | 163.49 | | | | | 1 | | | | | |
| | CCS7 Signaling Usage, Per TCAP Message | | | | | 0.0000692 | | | | | l | | | | | † |
| | CCS7 Signaling Connection, Per link (A link) | | | UDB | TPP6A | 16.93 | 35.61 | 35.61 | 16.48 | 16.48 | 1 | | | | | |
| | CCS7 Signaling Connection, Per link (B link) (also known as D | | i | | | | | | | | | | | | | 1 |
| | link) | | | UDB | TPP6B | 16.93 | 35.61 | 35.61 | 16.48 | 16.48 | | | | | | |
| | CCS7 Signaling Connection, Switched access service, interface | | | | | | | | | | | | | ĺ | | |
| | groups, transmissiom paths 6 DS1 level path with bit stream | | | | | | | | | | | | | | | |
| | signaling | | | UDB | TPP6X | 16.93 | 35.61 | 35.61 | 16.48 | 16.48 | | | | | | |
| | CCS7 Signaling Connection-A link, per month | | | UDB | TPP9A | 16.93 | 35.61 | 35.61 | 16.48 | 16.48 | | | | ĺ | | |
| | CCS7 Signaling Connection-B link(also known as D link) per | | | | | | | | | | | | | | | |
| | month | | | UDB | TPP9B | 16.93 | 35.61 | 35.61 | 16.48 | 16.48 | | | | | | |
| | CCS7 Signaling Connection, Switched access service, interface | | | | | | | | | | | | | | | |
| | groups, transmissiom paths 9 DS3 level path with bit stream | | | | | | | | | | | | | | | |
| | signaling | | | UDB | TPP9X | 16.93 | 35.61 | 35.61 | 16.48 | 16.48 | | | | | | |
| | CCS7 Signaling Usage, Per ISUP Message | | | | | 0.0000173 | | | | | | | | | | |
| | CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB | STU56 | 791.37 | | | | | | | | | | |
| | CCS7 Signaling Point Code, per Originating Point Code | | | | | | | | | | | | | | | |
| | Establishment or Change, per STP affected | | | UDB | CCAPO | | 29.08 | 29.08 | 35.65 | 35.65 | | | | | | |
| | CCS7 Signaling Point Code, per Destination Point Code | | | | | | | | | | | | | | | |
| | Establishment or Change, Per Stp Affected | 1 | | UDB | CCAPD | | 29.08 | 29.08 | 35.65 | 35.65 | 1 | | | | | 1 |

| LOCAL INTERCONNECTION - Tennessee | | | | | | | | | | | Attachment: 3 Exh. A | | | | | |
|-----------------------------------|---|-------------|------|-----|--------|-----------|----------------------------------|--------|-------|---|------------------------|-------------|-------------------------|-------------------------|-------------------------|-------------|
| | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | | | | Svc Order Submitted | | Incremental Charge - | Incremental Charge - | Incremental Charge - | |
| CATEGORY | | | | | | | | | | Elec | | | Manual Svc | | | |
| | | | | | | RATES(\$) | | | | per LSR | | Order vs. | Order vs. | Order vs. | Order vs. | |
| | | | | | | | | | p | p = = = = = = = = = = = = = = = = = = = | Electronic- | Electronic- | Electronic- | Electronic- | | |
| | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l | |
| | | | | | | Rec | Nonrecurring Nonrecurring Discor | | | | OSS Rates(\$) | | | | | |
| | | I | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2007 | | | | | | | | | | | | | | | ⊢ |
| SIGNALING (C | CCS7 Signaling Termination, Per STP Port | - | | UDB | PT8SX | 138.41 | | | | - | | . | | | | |
| | CCS7 Signaling Termination, Fer STP Fort | | | UDB | F100A | 0.0000916 | | | | | | | | | | |
| | CCS7 Signaling Osage, Fel TCAF Wessage CCS7 Signaling Connection, Per link (A link) | 1 | | UDB | TPP6A | 17.84 | 130.84 | 130.84 | | | 1 | 1 | 20.35 | 20.35 | 13.32 | 13.32 |
| | CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D | | | ODB | IFFOA | 17.04 | 130.04 | 130.04 | | 1 | | <u> </u> | 20.33 | 20.33 | 13.32 | 13.32 |
| | link) | | | UDB | TPP6B | 17.84 | 130.84 | 130.84 | | | | | 20.35 | 20.35 | 13.32 | 13.32 |
| | CCS7 Signaling Connection, Switched access service, interface | | | | | | | | | | | | | | | |
| | groups, transmissiom paths 6 DS1 level path with bit stream | | | | TDD01/ | | | | | | | | | | 40.00 | |
| | signaling | - | | UDB | TPP6X | 17.84 | 130.84 | 130.84 | | | | 1 | 20.35 | 20.35 | 13.32 | 13.32 |
| — | CCS7 Signaling Connection-A link, per month | - | | UDB | TPP9A | 17.84 | 130.84 | 130.84 | | 1 | - | | 20.35 | 20.35 | 13.32 | 13.32 |
| | CCS7 Signaling Connection-B link(also known as D link) per month | | | UDB | TPP9B | 17.84 | 130.84 | 130.84 | | | | | 20.35 | 20.35 | 13.32 | 13.32 |
| | CCS7 Signaling Connection, Switched access service, interface | | | | | | | | | | | | | | | |
| | groups, transmissiom paths 9 DS3 level path with bit stream | | | | | | | | | | | | | | | |
| | signaling | | | UDB | TPP9X | 17.84 | 130.84 | 130.84 | | | | | 20.35 | 20.35 | 13.32 | 13.32 |
| | CCS7 Signaling Usage, Per ISUP Message | | | | | 0.0000373 | | | | | | | | | | |
| | CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB | STU56 | 352.30 | | | | | | | | | | |
| | Signaling Point Code, per Originating Point Code Establishment or Change, per STP | | | UDB | CCAPO | | 121.77 | 121.77 | | | | | 20.35 | 20.35 | 13.32 | 13.32 |