BELLSOUTH® / CLEC Agreement

Customer Name: RedSquare Corporation

| Redsquare TRRO 2005 Agreement | 2 |
|--|-----|
| Table of Contents | 3 |
| General Terms and Conditions | 5 |
| Signature Page | 24 |
| Attachment 1 - Resale | 25 |
| Att 1 - Resale Discounts & Rates | 49 |
| ATT 2 - Network Elements & Other Services | 58 |
| ATT 2, Exhibit A - Network Elements Rates | 96 |
| Att 2, Exhibit B - Network Elements Rates | 178 |
| Att 3 - Network Interconnection | 215 |
| Att 3- Network Interconnection Rates | 247 |
| Att 4 - Collocation - Central Office | 265 |
| Att 4 - Collocation - Remote Site | 322 |
| Att 4 - Collocation Rates.xls | 362 |
| Att 5 - Access to Numbers and Number Portability | 410 |
| Att 6 - Ordering | 416 |
| Att 7 - Billing | 425 |
| Att 7 - CMDS Rates | 439 |
| Att 8 - Rights of Way | 448 |
| Att 9 - Perf Meas Intro | 450 |
| Att 9 - Performance Measurements | 452 |
| Att 10 - Disaster Recovery Plan | 664 |
| Att 11 - BFR and NBR Process | 673 |

Note: This page is not part of the actual signed contract/amendment, but is present for record keeping purposes only.

Interconnection Agreement

Between

BellSouth Telecommunications, Inc.

and

RedSquare Corporation

TABLE OF CONTENTS

General Terms and Conditions

| - | ~ | ٠. | • | |
|---------------|-----|-----|-----|------|
| De | tir | 11f | 10 | ne |
| \mathcal{L} | Ή. | ш | JU. | 1113 |

- 1. CLEC Certification
- 2. Term of the Agreement
- 3. Nondiscriminatory Access
- 4. Court Ordered Requests for Call Detail Records and Other Subscriber Information
- 5. Liability and Indemnification
- 6. Intellectual Property Rights and Indemnification
- 7. Proprietary and Confidential Information
- 8. Resolution of Disputes
- 9. Taxes
- 10. Force Majeure
- 11. Adoption of Agreements
- 12. Modification of Agreement
- 13. Legal Rights
- 14. Indivisibility
- 15. Severability
- 16. Non-Waivers
- 17. Governing Law
- 18. Assignments and Transfers
- 19. Notices
- 20. Rule of Construction
- 21. Headings of No Force or Effect
- 22. Multiple Counterparts
- 23. Filing of Agreement
- 24. Compliance with Law
- 25. Necessary Approvals
- 26. Good Faith Performance
- 27. Rates
- 28. Rate True-Up
- 29. Survival
- 30. Entire Agreement

TABLE OF CONTENTS (cont'd)

| Attachmen | t 1 | - R | esale | e |
|-----------|-----|-----|-------|---|
|-----------|-----|-----|-------|---|

Attachment 2 - Network Elements and Other Services

Attachment 3 - Network Interconnection

Attachment 4 - Physical Collocation – Central Office

Attachment 4 - Physical Collocation – Remote Site

Attachment 5 - Access to Numbers and Number Portability

Attachment 6 – Pre-Ordering, Ordering, Provisioning and Maintenance and Repair

Attachment 7 - Billing

Attachment 8 - Rights-of-Way, Conduits and Pole Attachments

Attachment 9 - Performance Measurements

Attachment 10- BellSouth Disaster Recovery Plan

Attachment 11-Bona Fide Request and New Business Request Process

AGREEMENT GENERAL TERMS AND CONDITIONS

THIS AGREEMENT is made by and between BellSouth Telecommunications, Inc., (BellSouth), a Georgia corporation, and RedSquare Corporation (REDSQUARE), a Nevada corporation, and shall be effective on the Effective Date, as defined herein. This Agreement may refer to either BellSouth or REDSQUARE or both as a "Party" or "Parties."

WITNESSETH

WHEREAS, BellSouth is a local exchange telecommunications company authorized to provide Telecommunications Services (as defined below) in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee; and

WHEREAS, REDSQUARE is or seeks to become a CLEC authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

WHEREAS, pursuant to Sections 251 and 252 of the Act; REDSQUARE wishes to purchase certain services from BellSouth; and

WHEREAS, Parties wish to interconnect their facilities, exchange traffic, and perform Local Number Portability ("LNP") pursuant to Sections 251 and 252 of the Act as set forth herein; and

NOW THEREFORE, in consideration of the mutual agreements contained herein, BellSouth and REDSQUARE agree as follows:

Definitions

Affiliate is defined as a person that (directly or indirectly) owns or controls, is owned or controlled by, or is under common ownership or control with, another person. For purposes of this paragraph, the term "own" means to own an equity interest (or equivalent thereof) of more than 10 percent.

Commission is defined as the appropriate regulatory agency in each state of BellSouth's nine-state region (Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee).

Competitive Local Exchange Carrier (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.

Effective Date is defined as the date that the Agreement is effective for purposes of rates, terms and conditions and shall be thirty (30) days after the date of the last signature executing the Agreement. Future amendments for rate changes will also be effective thirty (30) days after the date of the last signature executing the amendment.

End User means the ultimate user of the Telecommunications Service.

FCC means the Federal Communications Commission.

Telecommunications means the transmission, between or among points specified by the user, of information of the user's choosing, without change in the form or content of the information as sent and received.

Telecommunications Service means the offering of telecommunications for a fee directly to the public, or to such classes of users as to be effectively available directly to the public, regardless of the facilities used.

Telecommunications Act of 1996 (Act) means Public Law 104-104 of the United States Congress effective February 8, 1996. The Act amended the Communications Act of 1934 (47 U.S.C. Section 1 et. seq.).

1. CLEC Certification

- 1.1 REDSQUARE agrees to provide BellSouth in writing REDSQUARE's CLEC certification for all states covered by this Agreement except Kentucky prior to BellSouth filing this Agreement with the appropriate Commission for approval.
- 1.2 To the extent REDSQUARE is not certified as a CLEC in each state covered by this Agreement as of the execution hereof, REDSQUARE may not purchase services hereunder in that state. REDSQUARE will notify BellSouth in writing and provide CLEC certification when it becomes certified to operate in any other state covered by this Agreement and upon receipt thereof, REDSQUARE may thereafter purchase services pursuant to this Agreement in that state. BellSouth will file this Agreement with the appropriate Commission for approval.
- 1.3 Should REDSQUARE's certification in any state be rescinded or otherwise terminated, BellSouth may, at its election, terminate this Agreement immediately and all monies owed on all outstanding invoices shall become due, and BellSouth may refuse to provide services hereunder in that state until certification is reinstated in that state, provided such notification is made prior to expiration of the initial term of this Agreement. REDSQUARE shall provide an effective certification to do business issued by the secretary of state or equivalent authority in each state covered by this Agreement.

2. Term of the Agreement

- 2.1 The initial term of this Agreement shall be three years, beginning on the Effective Date and shall apply to the BellSouth territory in the state(s) of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee. Notwithstanding any prior agreement of the Parties, the rates, terms and conditions of this Agreement shall not be applied retroactively prior to the Effective Date.
- The Parties agree that by no earlier than two hundred seventy (270) days and no later than one hundred and eighty (180) days prior to the expiration of the initial term of this Agreement, they shall commence negotiations for a new agreement to be effective beginning on the expiration date of this Agreement (Subsequent Agreement). If as of the expiration of the initial term of this Agreement, a Subsequent Agreement has not been executed by the Parties, then except as set forth in Sections 2.3.1 and 2.3.2 below, this Agreement shall continue on a month-to-month basis while a Subsequent Agreement is being negotiated. The Parties' rights and obligations with respect to this Agreement after expiration of the initial term shall be as set forth in Section 2.3 below.
- 2.3 If, within one hundred and thirty-five (135) days of commencing the negotiation referred to in Section 2.2 above, the Parties are unable to negotiate new terms, conditions and prices for a Subsequent Agreement, either Party may petition the Commission to establish appropriate rates, terms and conditions for the Subsequent Agreement pursuant to 47 U.S.C. 252.
- 2.3.1 REDSQUARE may request termination of this Agreement only if it is no longer purchasing services pursuant to this Agreement. Except as set forth in Section 2.3.2 below, notwithstanding the foregoing, in the event that as of the date of expiration of the initial term of this Agreement and conversion of this Agreement to a month-to-month term, the Parties have not entered into a Subsequent Agreement and no arbitration proceeding has been filed in accordance with 2.3 above, then BellSouth may terminate this Agreement upon sixty (60) days notice to REDSQUARE. In the event that BellSouth terminates this Agreement as provided above, BellSouth shall continue to offer services to REDSQUARE pursuant to the rates, terms and conditions set forth in BellSouth's then current standard interconnection agreement. In the event that BellSouth's standard interconnection agreement becomes effective between the Parties, the Parties may continue to negotiate a Subsequent Agreement.
- 2.3.2 Notwithstanding Section 2.3 above, in the event that as of the expiration of the initial term of this Agreement the Parties have not entered into a Subsequent Agreement and no arbitration proceeding has been filed in accordance with Section 2.2 above and BellSouth is not providing any services under this Agreement as of the date of expiration of the initial term of this Agreement, then this Agreement shall not continue on a month to month basis but shall be deemed terminated as of the expiration date hereof.

- In addition to as otherwise set forth in this Agreement, BellSouth reserves the right to suspend access to ordering systems, refuse to process additional or pending applications for service, or terminate service in the event of prohibited, unlawful or improper use of BellSouth's facilities or service, abuse of BellSouth's facilities or any other material breach of this Agreement, and all monies owed on all outstanding invoices shall become due.
- 2.5 If, at any time during the term of this Agreement, BellSouth is unable to contact REDSQUARE pursuant to the Notices provision hereof or any other contact information provided by REDSQUARE under this Agreement, and there are no active services being provisioned under this Agreement, then BellSouth may, at its discretion, terminate this Agreement, without any liability whatsoever, upon sending of notification to REDSQUARE pursuant to the Notices section hereof.

3. Nondiscriminatory Access

When REDSQUARE purchases Telecommunications Services from BellSouth pursuant to Attachment 1 of this Agreement for the purposes of resale to End Users, such services shall be equal in quality, subject to the same conditions, and provided within the same provisioning time intervals that BellSouth provides to others, including its End Users. To the extent technically feasible, the quality of a Network Element, as well as the quality of the access to such Network Element provided by BellSouth to REDSQUARE shall be at least equal to that which BellSouth provides to itself and shall be the same for all Telecommunications carriers requesting access to that Network Element. The quality of the interconnection between the network of BellSouth and the network of REDSOUARE shall be at a level that is equal to that which BellSouth provides itself, a subsidiary, an Affiliate, or any other party. The interconnection facilities shall be designed to meet the same technical criteria and service standards that are used within BellSouth's network and shall extend to a consideration of service quality as perceived by BellSouth's End Users and service quality as perceived by REDSQUARE.

4 Court Ordered Requests for Call Detail Records and Other Subscriber Information

- 4.1 <u>Subpoenas Directed to BellSouth.</u> Where BellSouth provides resold services for REDSQUARE, or, if applicable under this Agreement, switching, BellSouth shall respond to subpoenas and court ordered requests delivered directly to BellSouth for the purpose of providing call detail records when the targeted telephone numbers belong to REDSQUARE End Users. Billing for such requests will be generated by BellSouth and directed to the law enforcement agency initiating the request. BellSouth shall maintain such information for REDSQUARE End Users for the same length of time it maintains such information for its own End Users.
- 4.2 <u>Subpoenas Directed to REDSQUARE</u>. Where BellSouth is providing resold services to REDSQUARE, or, if applicable under this Agreement, switching, then REDSQUARE agrees that in those cases where REDSQUARE receives

subpoenas or court ordered requests regarding targeted telephone numbers belonging to REDSQUARE End Users, and where REDSQUARE does not have the requested information, REDSQUARE will advise the law enforcement agency initiating the request to redirect the subpoena or court ordered request to BellSouth for handling in accordance with 4.1 above.

In all other instances, where either Party receives a request for information involving the other Party's End User, the Party receiving the request will advise the law enforcement agency initiating the request to redirect such request to the other Party.

5 Liability and Indemnification

- 5.1 <u>REDSQUARE Liability</u>. In the event that REDSQUARE consists of two (2) or more separate entities as set forth in this Agreement and/or any Amendments hereto, or any third party places orders under this Agreement using REDSQUARE's company codes or identifiers, all such entities shall be jointly and severally liable for the obligations of REDSQUARE under this Agreement.
- 5.2 <u>Liability for Acts or Omissions of Third Parties</u>. BellSouth shall not be liable to REDSQUARE for any act or omission of another entity providing any services to REDSQUARE.
- Limitation of Liability. Except for any indemnification obligations of the Parties hereunder, each Party's liability to the other for any loss, cost, claim, injury, liability or expense, including reasonable attorneys' fees relating to or arising out of any cause whatsoever, whether based in contract, negligence or other tort, strict liability or otherwise, relating to the performance of this Agreement, shall not exceed a credit for the actual cost of the services or functions not performed or improperly performed. Any amounts paid to REDSQUARE pursuant to Attachment 9 hereof shall be credited against any damages otherwise payable to REDSQUARE pursuant to this Agreement.
- Limitations in Tariffs. A Party may, in its sole discretion, provide in its tariffs and contracts with its End Users and third parties that relate to any service, product or function provided or contemplated under this Agreement, that to the maximum extent permitted by Applicable Law, such Party shall not be liable to the End User or third party for (i) any loss relating to or arising out of this Agreement, whether in contract, tort or otherwise, that exceeds the amount such Party would have charged that applicable person for the service, product or function that gave rise to such loss and (ii) consequential damages. To the extent that a Party elects not to place in its tariffs or contracts such limitations of liability, and the other Party incurs a loss as a result thereof, such Party shall, except to the extent caused by the other Party's gross negligence or willful misconduct, indemnify and reimburse the other Party for that portion of the loss that would have been limited had the first Party included in its tariffs and contracts the limitations of liability that such other Party included in its own tariffs at the time of such loss.

- 5.3.2 Neither BellSouth nor REDSQUARE shall be liable for damages to the other Party's terminal location, equipment or End User premises resulting from the furnishing of a service, including, but not limited to, the installation and removal of equipment or associated wiring, except to the extent caused by a Party's negligence or willful misconduct or by a Party's failure to ground properly a local loop after disconnection.
- Under no circumstance shall a Party be responsible or liable for indirect, incidental, or consequential damages, including, but not limited to, economic loss or lost business or profits, damages arising from the use or performance of equipment or software, or the loss of use of software or equipment, or accessories attached thereto, delay, error, or loss of data. In connection with this limitation of liability, each Party recognizes that the other Party may, from time to time, provide advice, make recommendations, or supply other analyses related to the services or facilities described in this Agreement, and, while each Party shall use diligent efforts in this regard, the Parties acknowledge and agree that this limitation of liability shall apply to provision of such advice, recommendations, and analyses.
- To the extent any specific provision of this Agreement purports to impose liability, or limitation of liability, on either Party different from or in conflict with the liability or limitation of liability set forth in this Section, then with respect to any facts or circumstances covered by such specific provisions, the liability or limitation of liability contained in such specific provision shall apply.
- Indemnification for Certain Claims. Except to the extent caused by the indemnified Party's gross negligence or willful misconduct, the Party providing services hereunder, its Affiliates and its parent company, shall be indemnified, defended and held harmless by the Party receiving services hereunder against any claim, loss or damage arising from the receiving Party's use of the services provided under this Agreement pertaining to (1) claims for libel, slander or invasion of privacy arising from the content of the receiving Party's own communications, or (2) any claim, loss or damage claimed by the End User of the Party receiving services arising from such company's use or reliance on the providing Party's services, actions, duties, or obligations arising out of this Agreement.
- 5.5 <u>Disclaimer</u>. EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY IN THIS AGREEMENT, NEITHER PARTY MAKES ANY REPRESENTATIONS OR WARRANTIES TO THE OTHER PARTY CONCERNING THE SPECIFIC QUALITY OF ANY SERVICES, OR FACILITIES PROVIDED UNDER THIS AGREEMENT. THE PARTIES DISCLAIM, WITHOUT LIMITATION, ANY WARRANTY OR GUARANTEE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM COURSE OF PERFORMANCE, COURSE OF DEALING, OR FROM USAGES OF TRADE.

6 Intellectual Property Rights and Indemnification

- 6.1 No License. Except as expressly set forth in Section 6.2, no patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement. The Parties are strictly prohibited from any use, including but not limited to, in the selling, marketing, promoting or advertising of telecommunications services, of any name, service mark, logo or trademark (collectively, the "Marks") of the other Party. The Marks include those Marks owned directly by a Party or its Affiliate(s) and those Marks that a Party has a legal and valid license to use. The Parties acknowledge that they are separate and distinct and that each provides a separate and distinct service and agree that neither Party may, expressly or impliedly, state, advertise or market that it is or offers the same service as the other Party or engage in any other activity that may result in a likelihood of confusion between its own service and the service of the other Party.
- 6.2 Ownership of Intellectual Property. Any intellectual property that originates from or is developed by a Party shall remain the exclusive property of that Party. Except for a limited, non-assignable, non-exclusive, non-transferable license to use patents or copyrights to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any service solely as provided under this Agreement, no license in patent, copyright, trademark or trade secret, or other proprietary or intellectual property right, now or hereafter owned, controlled or licensable by a Party, is granted to the other Party. Neither shall it be implied nor arise by estoppel. Any trademark, copyright or other proprietary notices appearing in association with the use of any facilities or equipment (including software) shall remain on the documentation, material, product, service, equipment or software. It is the responsibility of each Party to ensure at no additional cost to the other Party that it has obtained any necessary licenses in relation to intellectual property of third Parties used in its network that may be required to enable the other Party to use any facilities or equipment (including software), to receive any service, or to perform its respective obligations under this Agreement.
- 6.3 Intellectual Property Remedies
- 6.3.1 <u>Indemnification.</u> The Party providing a service pursuant to this Agreement will defend the Party receiving such service or data provided as a result of such service against claims of infringement arising solely from the use by the receiving Party of such service in the manner contemplated under this Agreement and will indemnify the receiving Party for any damages awarded based solely on such claims in accordance with Section 5 preceding.
- 6.3.2 <u>Claim of Infringement.</u> In the event that use of any facilities or equipment (including software), becomes, or in the reasonable judgment of the Party who owns the affected network is likely to become, the subject of a claim, action, suit, or proceeding based on intellectual property infringement, then said Party, promptly and at its sole expense and sole option, but subject to the limitations of liability set forth below, shall:

- 6.3.2.1 modify or replace the applicable facilities or equipment (including software) while maintaining form and function, or
- 6.3.2.2 obtain a license sufficient to allow such use to continue.
- 6.3.2.3 In the event Section 6.3.2.1 or 6.3.2.2 are commercially unreasonable, then said Party may terminate, upon reasonable notice, this contract with respect to use of, or services provided through use of, the affected facilities or equipment (including software), but solely to the extent required to avoid the infringement claim.
- 6.3.3 Exception to Obligations. Neither Party's obligations under this Section shall apply to the extent the infringement is caused by: (i) modification of the facilities or equipment (including software) by the indemnitee; (ii) use by the indemnitee of the facilities or equipment (including software) in combination with equipment or facilities (including software) not provided or authorized by the indemnitor, provided the facilities or equipment (including software) would not be infringing if used alone; (iii) conformance to specifications of the indemnitee which would necessarily result in infringement; or (iv) continued use by the indemnitee of the affected facilities or equipment (including software) after being placed on notice to discontinue use as set forth herein.
- 6.3.4 <u>Exclusive Remedy.</u> The foregoing shall constitute the Parties' sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this Agreement.
- 6.3.5 <u>Dispute Resolution.</u> Any claim arising under Section 6.1 and 6.2 shall be excluded from the dispute resolution procedures set forth in Section 8 and shall be brought in a court of competent jurisdiction.

7 Proprietary and Confidential Information

Proprietary and Confidential Information. It may be necessary for BellSouth and REDSQUARE, each as the "Discloser," to provide to the other Party, as "Recipient," certain proprietary and confidential information (including trade secret information) including but not limited to technical, financial, marketing, staffing and business plans and information, strategic information, proposals, request for proposals, specifications, drawings, maps, prices, costs, costing methodologies, procedures, processes, business systems, software programs, techniques, customer account data, call detail records and like information (collectively the "Information"). All such Information conveyed in writing or other tangible form shall be clearly marked with a confidential or proprietary legend. Information conveyed orally by the Discloser to Recipient shall be designated as proprietary and confidential at the time of such oral conveyance, shall be reduced to writing by the Discloser within forty-five (45) days thereafter, and shall be clearly marked with a confidential or proprietary legend.

- 7.2 <u>Use and Protection of Information.</u> Recipient agrees to protect such Information of the Discloser provided to Recipient from whatever source from distribution, disclosure or dissemination to anyone except employees of Recipient with a need to know such Information solely in conjunction with Recipient's analysis of the Information and for no other purpose except as authorized herein or as otherwise authorized in writing by the Discloser. Recipient will not make any copies of the Information inspected by it.
- 7.3 <u>Exceptions.</u> Recipient will not have an obligation to protect any portion of the Information which:
- 7.3.1 (a) is made publicly available by the Discloser or lawfully by a nonparty to this Agreement; (b) is lawfully obtained by Recipient from any source other than Discloser; (c) is previously known to Recipient without an obligation to keep it confidential; or (d) is released from the terms of this Agreement by Discloser upon written notice to Recipient.
- Recipient agrees to use the Information solely for the purposes of negotiations pursuant to 47 U.S.C. 251 or in performing its obligations under this Agreement and for no other entity or purpose, except as may be otherwise agreed to in writing by the Parties. Nothing herein shall prohibit Recipient from providing information requested by the FCC or a state regulatory agency with jurisdiction over this matter, or to support a request for arbitration or an allegation of failure to negotiate in good faith.
- 7.5 Recipient agrees not to publish or use the Information for any advertising, sales or marketing promotions, press releases, or publicity matters that refer either directly or indirectly to the Information or to the Discloser or any of its affiliated companies.
- 7.6 The disclosure of Information neither grants nor implies any license to the Recipient under any trademark, patent, copyright, application or other intellectual property right that is now or may hereafter be owned by the Discloser.
- 7.7 <u>Survival of Confidentiality Obligations.</u> The Parties' rights and obligations under this Section 7 shall survive and continue in effect until two (2) years after the expiration or termination date of this Agreement with regard to all Information exchanged during the term of this Agreement. Thereafter, the Parties' rights and obligations hereunder survive and continue in effect with respect to any Information that is a trade secret under applicable law.

8 Resolution of Disputes

Except as otherwise stated in this Agreement, if any dispute arises as to the interpretation of any provision of this Agreement or as to the proper implementation of this Agreement, the aggrieved Party, if it elects to pursue resolution of the dispute, shall petition the Commission for a resolution of the

dispute. However, each Party reserves any rights it may have to seek judicial review of any ruling made by the Commission concerning this Agreement.

9 Taxes

- 9.1 <u>Definition.</u> For purposes of this Section, the terms "taxes" and "fees" shall include but not be limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like fees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use of public streets or rights of way, whether designated as franchise fees or otherwise) imposed, or sought to be imposed, on or with respect to the services furnished hereunder or measured by the charges or payments therefore, excluding any taxes levied on income.
- 9.2 <u>Taxes and Fees Imposed Directly On Either Providing Party or Purchasing Party.</u>

 Taxes and fees imposed on the providing Party, which are not permitted or required to be passed on by the providing Party to its customer, shall be borne and paid by the providing Party.
- 9.2.1 Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.
- 9.3 <u>Taxes and Fees Imposed on Purchasing Party But Collected And Remitted By Providing Party.</u> Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.
- 9.3.1 To the extent permitted by applicable law, any such taxes and/or fees shall be shown on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 9.3.2 If the purchasing Party determines that in its opinion any such taxes or fees are not payable, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under applicable law. If any authority seeks to collect any such tax or fee that the purchasing Party has determined and certified not to be payable, or any such tax or fee that was not billed by the providing Party, the purchasing Party may contest the same in good faith, at its own expense. In any such contest, the purchasing Party shall promptly furnish the providing Party with copies of all filings in any proceeding, protest, or legal challenge, all rulings issued in connection therewith, and all correspondence between the purchasing Party and the taxing authority.

- 9.3.3 In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 9.3.4 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 9.3.5 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 9.3.6 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- 9.4 Taxes and Fees Imposed on Providing Party But Passed On To Purchasing Party.

 Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its customer, shall be borne by the purchasing Party.
- 9.4.1 To the extent permitted by applicable law, any such taxes and/or fees shall be shown on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 9.4.2 If the purchasing Party disagrees with the providing Party's determination as to the application or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain ultimate responsibility for determining whether and to what extent any such taxes or fees are applicable, and the purchasing Party shall abide by such determination and pay such taxes or fees to the providing Party. The providing Party shall further retain ultimate responsibility for determining whether and how to contest the imposition of such taxes and fees; provided, however, that any such contest undertaken at the request of the purchasing Party shall be at the purchasing Party's expense.

- 9.4.3 In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 9.4.4 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 9.4.5 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other reasonable charges or payable expenses (including reasonable attorneys' fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 9.4.6 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- 9.5 <u>Mutual Cooperation.</u> In any contest of a tax or fee by one Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary out-of-pocket copying and travel expenses incurred in assisting in such contest.

10 Force Majeure

In the event performance of this Agreement, or any obligation hereunder, is either directly or indirectly prevented, restricted, or interfered with by reason of fire, flood, earthquake or like acts of God, wars, revolution, civil commotion, explosion, acts of public enemy, embargo, acts of the government in its sovereign capacity, labor difficulties, including without limitation, strikes, slowdowns, picketing, or boycotts, unavailability of equipment from vendor, changes requested by REDSQUARE, or any other circumstances beyond the reasonable control and without the fault or negligence of the Party affected, the Party affected, upon giving prompt notice to the other Party, shall be excused from such performance on a day-to-day basis to the extent of such prevention, restriction, or interference (and the other Party shall likewise be excused from performance of its obligations on a day-to-day basis until the delay, restriction or interference has ceased); provided, however, that the Party so affected shall use diligent efforts to avoid or remove such causes of non-performance and both Parties shall proceed whenever such causes are removed or cease.

11 Adoption of Agreements

Pursuant to 47 USC § 252(i) and 47 C.F.R. § 51.809, BellSouth shall make available to REDSQUARE any entire interconnection agreement filed and approved pursuant to 47 USC § 252. The adopted agreement shall apply to the same states as the agreement that was adopted, and the term of the adopted agreement shall expire on the same date as set forth in the agreement that was adopted.

12 Modification of Agreement

- 12.1 If REDSQUARE changes its name or makes changes to its company structure or identity due to a merger, acquisition, transfer or any other reason, it is the responsibility of REDSQUARE to notify BellSouth of said change, request that an amendment to this Agreement, if necessary, be executed to reflect said change and notify the appropriate state commission of such modification of company structure in accordance with the state rules governing such modification in company structure if applicable. Additionally, REDSQUARE shall provide BellSouth with any necessary supporting documentation.
- 12.2 No modification, amendment, supplement to, or waiver of the Agreement or any of its provisions shall be effective and binding upon the Parties unless it is made in writing and duly signed by the Parties.
- In the event that any effective legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of REDSQUARE or BellSouth to perform any material terms of this Agreement, REDSQUARE or BellSouth may, on thirty (30) days' written notice, require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within forty-five (45) days after such notice, and either Party elects to pursue resolution of such amendment such Party shall pursue the Dispute Resolution procedure set forth in this Agreement.

13 Legal Rights

Execution of this Agreement by either Party does not confirm or imply that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such decision(s) and each Party reserves all of its rights to pursue any and all legal and/or equitable remedies, including appeals of any such decision(s).

14 Indivisibility

Subject to Section 15 (Severability), the Parties intend that this Agreement be indivisible and nonseverable, and each of the Parties acknowledges that it has

assented to all of the covenants and promises in this Agreement as a single whole and that all of such covenants and promises, taken as a whole, constitute the essence of the contract. Without limiting the generality of the foregoing, each of the Parties acknowledges that any provision by BellSouth of collocation space under this Agreement is solely for the purpose of facilitating the provision of other services under this Agreement and that neither Party would have contracted with respect to the provisioning of collocation space under this Agreement if the covenants and promises of the other Party with respect to the other services provided under this Agreement had not been made. The Parties further acknowledge that this Agreement is intended to constitute a single transaction, that the obligations of the Parties under this Agreement are interdependent, and that payment obligations under this Agreement are intended to be recouped against other payment obligations under this Agreement.

15 Severability

If any provision of this Agreement, or part thereof, shall be held invalid or unenforceable in any respect, the remainder of the Agreement or provision shall not be affected thereby, provided that the Parties shall negotiate in good faith to reformulate such invalid provision, or part thereof, or related provision, to reflect as closely as possible the original intent of the parties, consistent with applicable law, and to effectuate such portions thereof as may be valid without defeating the intent of such provision. In the event the Parties are unable to mutually negotiate such replacement language, either Party may elect to pursue the dispute resolution process set forth in Section 8.

16 Non-Waivers

A failure or delay of either Party to enforce any of the provisions hereof, to exercise any option which is herein provided, or to require performance of any of the provisions hereof shall in no way be construed to be a waiver of such provisions or options, and each Party, notwithstanding such failure, shall have the right thereafter to insist upon the performance of any and all of the provisions of this Agreement.

17 Governing Law

Where applicable, this Agreement shall be governed by and construed in accordance with federal and state substantive telecommunications law, including rules and regulations of the FCC and appropriate Commission. In all other respects, this Agreement shall be governed by and construed and enforced in accordance with the laws of the State of Georgia without regard to its conflict of laws principles.

18 Assignments and Transfers

- 18.1 Any assignment by either Party to any entity of any right, obligation or duty, or of any other interest hereunder, in whole or in part, without the prior written consent of the other Party shall be void. The assignee must provide evidence of a Commission approved certification to provide Telecommunications Service in each state that REDSQUARE is entitled to provide Telecommunications Service. After BellSouth's consent, the Parties shall amend this Agreement to reflect such assignments and shall work cooperatively to implement any changes required due to such assignment. All obligations and duties of any Party under this Agreement shall be binding on all successors in interest and assigns of such Party. No assignment or delegation hereof shall relieve the assignor of its obligations under this Agreement in the event that the assignee fails to perform such obligations. Notwithstanding anything to the contrary in this Section, REDSQUARE shall not be permitted to assign this Agreement in whole or in part to any entity unless either (1) REDSQUARE pays all bills, past due and current, under this Agreement, or (2) REDSQUARE's assignee expressly assumes liability for payment of such bills.
- In the event that REDSQUARE desires to transfer any services hereunder to another provider of Telecommunications Service, or REDSQUARE desires to assume hereunder any services provisioned by BellSouth to another provider of Telecommunications Service, such transfer of services shall be subject to separately negotiated rates, terms and conditions.

19 Notices

With the exception of billing notices, governed by Attachment 7, every notice, consent or approval of a legal nature, required or permitted by this Agreement shall be in writing and shall be delivered either by hand, by overnight courier or by US mail postage prepaid, or email if an email address is listed below, addressed to:

BellSouth Telecommunications, Inc.

BellSouth Local Contract Manager 600 North 19th Street, 10th floor Birmingham, AL 35203

and

ICS Attorney Suite 4300 675 West Peachtree Street Atlanta, GA 30375 REDSQUARE CORPORATION
Paul Falcon
9325 Alameda Harbor Ave.
Las Vegas, NV 89117
702-987-1106 or 803-327-0841
paul@redsquarecorp.com

or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

- Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.
- 19.3 Notwithstanding the above, BellSouth will post to BellSouth's Interconnection Web site changes to business processes and policies and shall post to BellSouth's Interconnection Web site or submit through applicable electronic systems, other service and business related notices not requiring an amendment to this Agreement.

20 Rule of Construction

No rule of construction requiring interpretation against the drafting Party hereof shall apply in the interpretation of this Agreement.

21 Headings of No Force or Effect

The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

Multiple Counterparts

This Agreement may be executed in multiple counterparts, each of which shall be deemed an original, but all of which shall together constitute but one and the same document.

Filing of Agreement

Upon execution of this Agreement it shall be filed with the appropriate state regulatory agency pursuant to the requirements of Section 252 of the Act, and the Parties shall share equally any filing fees therefor. If the regulatory agency imposes any filing or public interest notice fees regarding the filing or approval of the Agreement, REDSQUARE shall be responsible for publishing the required notice and the publication and/or notice costs shall be borne by REDSQUARE.

Notwithstanding the foregoing, this Agreement shall not be submitted for approval by the appropriate state regulatory agency unless and until such time as REDSQUARE is duly certified as a local exchange carrier in such state, except as otherwise required by a Commission.

24 Compliance with Law

The Parties have negotiated their respective rights and obligations pursuant to substantive Federal and State Telecommunications law and this Agreement is intended to memorialize the Parties' mutual agreement with respect to each Party's rights and obligations under the Act and applicable FCC and Commission orders, rules and regulations. Nothing contained herein, nor any reference to applicable rules and orders, is intended to expand on the Parties' rights and obligations as set forth herein. To the extent the provisions of this Agreement differ from the provisions of any Federal or State Telecommunications statute, rule or order, this Agreement shall control. Each Party shall comply at its own expense with all other laws of general applicability.

25 Necessary Approvals

Each Party shall be responsible for obtaining and keeping in effect all approvals from, and rights granted by, governmental authorities, building and property owners, other carriers, and any other persons that may be required in connection with the performance of its obligations under this Agreement. Each Party shall reasonably cooperate with the other Party in obtaining and maintaining any required approvals and rights for which such Party is responsible.

26 Good Faith Performance

Each Party shall act in good faith in its performance under this Agreement and, in each case in which a Party's consent or agreement is required or requested hereunder, such Party shall not unreasonably withhold or delay such consent or agreement.

27. Rates

- 27.1 REDSQUARE shall pay the charges set forth in this Agreement. In the event that BellSouth is unable to bill the applicable rate or no rate is established or included in this Agreement for any services provided pursuant to this Agreement, BellSouth reserves the right to back bill REDSQUARE for such rate or for the difference between the rate actually billed and the rate that should have been billed pursuant to this Agreement. To the extent a rate element is omitted or no rate is established, BellSouth has the right not to provision such service until the Agreement is amended to include such rate.
- To the extent REDSQUARE requests services not included in this Agreement, such services shall be provisioned pursuant to the rates, terms and conditions set forth in the applicable tariffs or a separately negotiated Agreement.

28 Rate True-Up

- 28.1 This section applies to rates that are expressly designated as subject to true-up under this Agreement.
- 28.2 The designated true-up rates shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final and effective order of the Commission. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with the designated true-up rates for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties shall submit the matter to the Dispute Resolution process in accordance with the provisions of this Agreement.
- A final and effective order of the Commission that forms the basis of a true-up shall be based upon cost studies submitted by either or both Parties to the Commission and shall be binding upon BellSouth and REDSQUARE specifically or upon all carriers generally, such as a generic cost proceeding.

29 Survival

The Parties' obligations under this Agreement which by their nature are intended to continue beyond the termination or expiration of this Agreement shall survive the termination or expiration of this Agreement.

30 Entire Agreement

30.1 This Agreement means the General Terms and Conditions, the Attachments identified in Section 30.2 below, and all documents identified therein, as such may be amended from time to time and which are incorporated herein by reference, all of which, when taken together, are intended to constitute one indivisible agreement. This Agreement sets forth the entire understanding and supersedes prior agreements between the Parties relating to the subject matter contained in this Agreement and merges all prior discussions between them. Any orders placed under prior agreements between the Parties shall be governed by the terms of this Agreement and REDSQUARE acknowledges and agrees that any and all amounts and obligations owed for services provisioned or orders placed under prior agreements between the Parties, related to the subject matter hereof, shall be due and owing under this Agreement and be governed by the terms and conditions of this Agreement as if such services or orders were provisioned or placed under this Agreement. Neither Party shall be bound by any definition, condition, provision, representation, warranty, covenant or promise other than as expressly stated in this Agreement or as is contemporaneously or subsequently set forth in writing and

executed by a duly authorized officer or representative of the Party to be bound thereby.

This Agreement includes Attachments with provisions for the following:

Resale

Network Elements and Other Services

Network Interconnection

Collocation

Access to Numbers and Number Portability

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

Billing

Rights-of-Way, Conduits and Pole Attachments

Performance Measurements

BellSouth Disaster Recovery Plan

Bona Fide Request/New Business Request Process

Any reference throughout this Agreement to a tariff, industry guideline, BellSouth's technical guideline or reference, BellSouth business rule, guide or other such document containing processes or specifications applicable to the services provided pursuant to this agreement, shall be construed to refer to only those provisions thereof that are applicable to these services, and shall include any successor or replacement versions thereof, all as they are amended from time to time and all of which are incorporated herein by reference. References to state tariffs throughout this Agreement shall be to the tariff for the state in which the services were provisioned.

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.

Kit In

Name: Kristen E. Rowe

Title: Director

Date: 4/2

RedSquare Corporation

By: faul Fele

Name: Paul Falcon

Title: V.P. National Operations

Date: April 22nd, 2005

Version: 4Q04 Standard ICA 12/09/04

CCCS 24 of 679

Attachment 1

Page 1

Attachment 1

Resale

Table of Contents

| 1. | Discount Rates | 3 |
|-----|--|------|
| 2. | Definition of Terms | 3 |
| 3. | General Provisions | |
| 4. | BellSouth's Provision of Services to REDSQUARE | |
| 5. | Maintenance of Services | |
| 6. | Establishment of Service | |
| 7. | Discontinuance of Service | |
| 8 | White Pages Listings | |
| 9. | Operator Services (Operator Call Processing and Directory Assistance) | |
| 10 | Branding for Wholesale Operator Call Processing and Directory Assistance | |
| 11. | Line Information Database (LIDB) | 15 |
| 12. | RAO Hosting | 16 |
| 13. | Optional Daily Usage File (ODUF) | 16 |
| 14. | Enhanced Optional Daily Usage File (EODUF) | 16 |
| Res | sale RestrictionsExhibi | it A |
| Opt | tional Daily Usage File (ODUF)Exhibi | it B |
| Enl | hanced Option Daily Usage File (EODUF)Exhibi | it C |
| Rec | eale Discounts and Rates Exhibi | it D |

RESALE

1. Discount Rates

- 1.1 The discount rates applied to REDSQUARE purchases of BellSouth
 Telecommunications Services for the purpose of resale shall be as set forth in
 Exhibit D. Such discounts have been determined by the applicable Commission to
 reflect the costs avoided by BellSouth when selling a service for wholesale
 purposes.
- 1.2 The telecommunications services available for purchase by REDSQUARE for the purposes of resale to REDSQUARE's End Users shall be available at BellSouth's tariffed rates less the discount set forth in Exhibit D to this Agreement and subject to the exclusions and limitations set forth in Exhibit A to this Agreement.

2. Definition of Terms

- 2.1 COMPETITIVE LOCAL EXCHANGE COMPANY (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.
- 2.2 CUSTOMER OF RECORD means the entity responsible for placing application for service; requesting additions, rearrangements, maintenance or discontinuance of service; payment in full of charges incurred such as non-recurring, monthly recurring, toll, directory assistance, etc.
- 2.3 DEPOSIT means assurance provided by a customer in the form of cash, surety bond or bank letter of credit to be held by BellSouth.
- 2.4 END USER means the ultimate user of the Telecommunications Service.
- 2.5 END USER CUSTOMER LOCATION means the physical location of the premises where an End User makes use of the telecommunications services.
- 2.6 NEW SERVICES means functions, features or capabilities that are not currently offered by BellSouth. This includes packaging of existing services or combining a new function, feature or capability with an existing service.
- 2.7 RESALE means an activity wherein a certificated CLEC, such as REDSQUARE, subscribes to the telecommunications services of BellSouth and then offers those telecommunications services to the public.

Version: 4Q04 Standard ICA

3. General Provisions

- 3.1 All of the negotiated rates, terms and conditions set forth in this Attachment pertain to the resale of BellSouth's retail telecommunications services and other services specified in this Attachment. Subject to effective and applicable FCC and Commission rules and orders, BellSouth shall make available to REDSQUARE for resale those telecommunications services BellSouth makes available, pursuant to its General Subscriber Services Tariff and Private Line Services Tariff, to customers who are not telecommunications carriers.
- 3.1.1 When REDSQUARE provides Resale service in a cross boundary area (areas that are part of the local serving area of another state's exchange) the rates, regulations and discounts for the tariffing state will apply. Billing will be from the serving state.
- 3.1.2 In Tennessee, if REDSQUARE does not resell Lifeline service to any End Users, and if REDSQUARE agrees to order an appropriate Operator Services/Directory Assistance block as set forth in BellSouth's General Subscriber Services Tariff, the discount shall be 21.56%.
- 3.1.2.1 In the event REDSQUARE resells Lifeline service to any End User in Tennessee, BellSouth will begin applying the 16% discount rate to all services. Upon REDSQUARE and BellSouth's implementation of a billing arrangement whereby a separate Master Account (Q-account) associated with a separate Operating Customer Number (OCN) is established for billing of Lifeline service End Users, the discount shall be applied as set forth in 3.1.2 preceding for the non-Lifeline affected Master Account (Q-account).
- 3.1.2.2 REDSQUARE must provide written notification to BellSouth within 30 days prior to either providing its own operator services/directory services or orders the appropriate operator services/directory assistance blocking, to qualify for the higher discount rate of 21.56%.
- 3.2 REDSQUARE may purchase resale services from BellSouth for its own use in operating its business. The resale discount will apply to those services under the following conditions:
- 3.2.1 REDSQUARE must resell services to other End Users.
- 3.2.2 REDSQUARE cannot be a competitive local exchange telecommunications company for the single purpose of selling to itself.
- 3.3 REDSQUARE will be the customer of record for all services purchased from BellSouth. Except as specified herein, BellSouth will take orders from, bill and receive payment from REDSQUARE for said services.

Version: 4Q04 Standard ICA

- 3.4 REDSQUARE will be BellSouth's single point of contact for all services purchased pursuant to this Agreement. BellSouth shall have no contact with the End User except to the extent provided for herein. Each Party shall provide to the other a nation wide (50 states) toll-free contact number for purposes of repair and maintenance.
- 3.5 BellSouth will continue to bill the End User for any services that the End User specifies it wishes to receive directly from BellSouth. BellSouth maintains the right to serve directly any End User within the service area of REDSQUARE. BellSouth will continue to market directly its own telecommunications products and services and in doing so may establish independent relationships with End Users of REDSQUARE. Neither Party shall interfere with the right of any person or entity to obtain service directly from the other Party.
- 3.5.1 When an End User of REDSQUARE or BellSouth elects to change his/her carrier to the other Party, both Parties agree to release the End User's service to the other Party concurrent with the due date of the service order, which shall be established based on the standard interval for the End User's requested service as set forth in the BellSouth Product and Services Interval Guide.
- 3.5.2 BellSouth and REDSQUARE will refrain from contacting an End User who has placed or whose selected carrier has placed on the End User's behalf an order to change the End User's service provider from BellSouth or REDSQUARE to the other Party until such time that the order for service has been completed.
- 3.6 Current telephone numbers may normally be retained by the End User and are assigned to the service furnished. However, neither Party nor the End User has a property right to the telephone number or any other call number designation associated with services furnished by BellSouth, and no right to the continuance of service through any particular central office. BellSouth reserves the right to change such numbers, or the central office designation associated with such numbers, or both, whenever BellSouth deems it necessary to do so in the conduct of its business and in accordance with BellSouth practices and procedures on a nondiscriminatory basis.
- 3.7 Where BellSouth provides resold services to REDSQUARE, BellSouth will provide REDSQUARE with on-line access to intermediate telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. REDSQUARE acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. REDSQUARE acknowledges that there may be instances where there is a shortage of telephone numbers in a particular Common Language Location Identifier Code (CLLIC); and in such instances, REDSQUARE shall return unused intermediate telephone numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.

Version: 4Q04 Standard ICA

- 3.8 BellSouth will allow REDSQUARE to designate up to 100 intermediate telephone numbers per CLLIC, for REDSQUARE's sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations. REDSQUARE acknowledges that there may be instances where there is a shortage of telephone numbers in a particular CLLIC and BellSouth has the right to limit access to blocks of intermediate telephone numbers. These instances include: 1) where jeopardy status has been declared by the North American Numbering Plan (NANP) for a particular Numbering Plan Area (NPA); or 2) where a rate center has less than six months supply of numbering resources.
- 3.9 Service is furnished subject to the condition that it will not be used for any unlawful purpose.
- 3.10 Service will be discontinued if any law enforcement agency advises that the service being used is in violation of the law.
- 3.11 BellSouth can refuse service when it has grounds to believe that service will be used in violation of the law.
- 3.12 BellSouth will cooperate with law enforcement agencies with subpoenas and court orders relating to REDSQUARE's End Users, pursuant to Section 6 of the General Terms and Conditions.
- 3.13 If REDSQUARE or its End Users utilize a BellSouth resold telecommunications service in a manner other than that for which the service was originally intended as described in BellSouth's retail tariffs, REDSQUARE has the responsibility to notify BellSouth. BellSouth will only provision and maintain said service consistent with the terms and conditions of the tariff describing said service.
- Facilities and/or equipment utilized by BellSouth to provide service to REDSQUARE remain the property of BellSouth.
- 3.15 White page directory listings for REDSQUARE End Users will be provided in accordance with Section 8 below.
- 3.16 Service Ordering and Operations Support Systems (OSS)
- 3.16.1 REDSQUARE must order services through resale interfaces, i.e., the Local Carrier Service Center (LCSC) and/or appropriate Complex Resale Support Group (CRSG) pursuant to this Agreement. BellSouth has developed and made available the interactive interfaces by which REDSQUARE may submit a Local Service Request (LSR) electronically as set forth in Attachment 6 of this Agreement. Service orders will be in a standard format designated by BellSouth.
- 3.16.2 LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic charge as set forth in Exhibit D of this Attachment. An individual LSR

Version: 4Q04 Standard ICA

will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (Mail, fax, courier, etc.) will incur a manual order charge as set forth in Exhibit D of this Attachment. Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

- 3.16.3 <u>Denial/Restoral OSS Charge.</u> In the event REDSQUARE provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 3.16.4 <u>Cancellation OSS Charge.</u> REDSQUARE will incur an OSS charge for an accepted LSR that is later canceled.
- 3.17 Where available to BellSouth's End Users, BellSouth shall provide the following telecommunications services at a discount to allow for voice mail services:
 - Message Waiting Indicator ("MWI"), stutter dialtone and message waiting light feature capabilities
 - Call Forward Busy Line ("CF/B")
 - Call Forward Don't Answer ("CF/DA")

Further, BellSouth messaging services set forth in BellSouth's Messaging Service Information Package shall be made available for resale without the wholesale discount.

- 3.18 BellSouth shall provide branding for, or shall unbrand, voice mail services for REDSQUARE per the Bona Fide Request/New Business Request process as set forth in Attachment 11 of this Agreement.
- 3.19 BellSouth's Inside Wire Maintenance Service Plan is available for resale at rates, terms and conditions as set forth by BellSouth and without the wholesale discount.
- 3.20 In the event REDSQUARE acquires an End User whose service is provided pursuant to a BellSouth Special Assembly, BellSouth shall make available to REDSQUARE that Special Assembly at the wholesale discount at REDSQUARE's option. REDSQUARE shall be responsible for all terms and conditions of such Special Assembly including but not limited to termination liability if applicable.
- 3.21 BellSouth shall provide 911/E911 for REDSQUARE customers in the same manner that it is provided to BellSouth customers. BellSouth shall provide and validate REDSQUARE customer information to the PSAP. BellSouth shall use its service order process to update and maintain, on the same schedule that it uses for its customers, the REDSQUARE customer service information in the ALI/DMS

Version: 4Q04 Standard ICA

(Automatic Location Identification/Location Information) databases used to support 911/E911 services.

- 3.22 BellSouth shall bill, and REDSQUARE shall pay, the End User line charge associated with implementing Number Portability as set forth in BellSouth's FCC No. 1 tariff. This charge is not subject to the wholesale discount.
- 3.23 Pursuant to 47 CFR Section 51.617, BellSouth shall bill to REDSQUARE, and REDSQUARE shall pay, the End User common line charges identical to the End User common line charges BellSouth bills its End Users.

4. BellSouth's Provision of Services to REDSQUARE

- 4.1 Resale of BellSouth services shall be as follows:
- 4.1.1 The resale of telecommunications services shall be limited to users and uses conforming to the class of service restrictions.
- 4.1.2 Hotel and Hospital PBX services are the only telecommunications services available for resale to Hotel/Motel and Hospital End Users, respectively. Similarly, Access Line Service for Customer Provided Coin Telephones is the only local service available for resale to Payphone Service Provider (PSP) customers. Shared Tenant Service customers can only be sold those local exchange access services available in BellSouth's A23 Shared Tenant Service Tariff in the states of Florida, Georgia, North Carolina and South Carolina, and in A27 in the states of Alabama, Kentucky, Louisiana, Mississippi and Tennessee.
- 4.1.3 BellSouth reserves the right to periodically audit services purchased by REDSQUARE to establish authenticity of use. Such audit shall not occur more than once in a calendar year. REDSQUARE shall make any and all records and data available to BellSouth or BellSouth's auditors on a reasonable basis. BellSouth shall bear the cost of said audit. Any information provided by REDSQUARE for purposes of such audit shall be deemed Confidential Information pursuant to the General Terms and Conditions of this Agreement.
- 4.2 Subject to Exhibit A hereto, resold services can only be used in the same manner as specified in BellSouth's Tariffs. Resold services are subject to the same terms and conditions as are specified for such services when furnished to an individual End User of BellSouth in the appropriate section of BellSouth's Tariffs. Specific tariff features (e.g. a usage allowance per month) shall not be aggregated across multiple resold services.
- 4.3 REDSQUARE may resell services only within the specific service area as defined in its certificate of operation approved by the Commission.

Version: 4Q04 Standard ICA

- 4.4 If REDSQUARE cancels an order for resold services, any costs incurred by BellSouth in conjunction with provisioning of such order will be recovered in accordance with BellSouth's General Subscriber Services Tariffs and Private Line Services Tariffs.
- 4.5 <u>Service Jointly Provisioned with an Independent Company or Competitive Local Exchange Company Areas.</u> BellSouth will in some instances provision resold services in accordance with the General Subscriber Services Tariff and Private Line Tariffs jointly with an Independent Company or other Competitive Local Exchange Carrier.
- 4.5.1 When REDSQUARE assumes responsibility for such service, all terms and conditions defined in the Tariff will apply for services provided within the BellSouth service area only.
- 4.5.2 Service terminating in an Independent Company or other Competitive Local Exchange Carrier area will be provisioned and billed by the Independent Company or other Competitive Local Exchange Carrier directly to REDSQUARE.
- 4.5.3 REDSQUARE must establish a billing arrangement with the Independent Company or other Competitive Local Exchange Carrier prior to assuming an End User account where such circumstances apply.
- 4.5.4 Specific guidelines regarding such services are available on the BellSouth Web site at http://www.interconnection.bellsouth.com.

5. Maintenance of Services

- 5.1 Services resold pursuant to this Attachment and BellSouth's General Subscriber Service Tariff and Private Line Service Tariff and facilities and equipment provided by BellSouth shall be maintained by BellSouth.
- 5.2 REDSQUARE or its End Users may not rearrange, move, disconnect, remove or attempt to repair any facilities owned by BellSouth except with the written consent of BellSouth.
- 5.3 REDSQUARE accepts responsibility to notify BellSouth of situations that arise that may result in a service problem.
- 5.4 REDSQUARE will contact the appropriate repair centers in accordance with procedures established by BellSouth.
- For all repair requests, REDSQUARE shall adhere to BellSouth's prescreening guidelines prior to referring the trouble to BellSouth.
- BellSouth will bill REDSQUARE for handling troubles that are found not to be in BellSouth's network pursuant to its standard time and material charges. The

Version: 4Q04 Standard ICA

standard time and material charges will be no more than what BellSouth charges to its retail customers for the same services.

5.7 BellSouth reserves the right to contact REDSQUARE's End Users, if deemed necessary, for maintenance purposes.

6. Establishment of Service

- After receiving certification as a local exchange carrier from the applicable regulatory agency, REDSQUARE will provide the appropriate BellSouth Advisory team manager the necessary documentation to enable BellSouth to establish accounts for resold services ("master account"). REDSQUARE is required to provide the following before a master account is established: blanket letter of authorization, misdirected number form, proof of PSC/PUC certification, the Application for Master Account, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA") and a deposit and tax exemption certificate, if applicable.
- 6.2 REDSQUARE shall provide to BellSouth a blanket letter of authorization ("LOA") certifying that REDSQUARE will have End User authorization prior to viewing the End User's customer service record or switching the End User's service. BellSouth will not require End User confirmation prior to establishing service for REDSQUARE's End User.
- BellSouth will accept a request directly from the End User for conversion of the End User's service from REDSQUARE to BellSouth or will accept a request from another CLEC for conversion of the End User's service from REDSQUARE to such other CLEC. Upon completion of the conversion BellSouth will notify REDSQUARE that such conversion has been completed.

7. Discontinuance of Service

- 7.1 The procedures for discontinuing service to an End User are as follows:
- 7.1.1 BellSouth will deny service to REDSQUARE's End User on behalf of, and at the request of, REDSQUARE. Upon restoration of the End User's service, restoral charges will apply and will be the responsibility of REDSQUARE.
- 7.1.2 At the request of REDSQUARE, BellSouth will disconnect a REDSQUARE End User.
- 7.1.3 All requests by REDSQUARE for denial or disconnection of an End User for nonpayment must be in writing.
- 7.1.4 REDSQUARE will be made solely responsible for notifying the End User of the proposed disconnection of the service.

Version: 4Q04 Standard ICA

7.1.5 BellSouth will continue to process calls made to the Annoyance Call Center and will advise REDSQUARE when it is determined that annoyance calls are originated from one of its End User's locations. BellSouth shall be indemnified, defended and held harmless by REDSQUARE and/or the End User against any claim, loss or damage arising from providing this information to REDSQUARE. It is the responsibility of REDSQUARE to take the corrective action necessary with its End Users who make annoying calls. (Failure to do so will result in BellSouth's disconnecting the End User's service.)

8 White Pages Listings

- 8.1 BellSouth shall provide REDSQUARE and its End Users access to white pages directory listings under the following terms:
- 8.1.2 <u>Listings.</u> REDSQUARE shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include REDSQUARE residential and business End User listings in the appropriate White Pages (residential and business) or alphabetical directories in the geographic areas covered by this Agreement. Directory listings will make no distinction between REDSQUARE and BellSouth End Users. REDSQUARE shall provide listing information in accordance with the procedures set forth in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Services Web site.
- 8.1.3 <u>Unlisted/Non-Published End Users.</u> REDSQUARE will be required to provide to BellSouth the names, addresses and telephone numbers of all REDSQUARE End Users who wish to be omitted from directories. Unlisted/Non-Published listings will be subject to the rates as set forth in BellSouth's General Subscriber Services Tariff (GSST) and shall not be subject to wholesale discount.
- 8.1.4 <u>Inclusion of REDSQUARE End Users in Directory Assistance Database.</u>
 BellSouth will include and maintain REDSQUARE End User listings in
 BellSouth's Directory Assistance databases. REDSQUARE shall provide such
 Directory Assistance listings to BellSouth at no charge.
- 8.1.5 <u>Listing Information Confidentiality.</u> BellSouth will afford REDSQUARE's directory listing information the same level of confidentiality that BellSouth affords its own directory listing information.
- 8.1.6 <u>Additional and Designer Listings.</u> Additional and designer listings will be offered by BellSouth at tariffed rates as set forth in the GSST and shall not be subject to the wholesale discount.
- 8.1.7 <u>Rates.</u> So long as REDSQUARE provides listing information to BellSouth as set forth in Section 8.1.2 above, BellSouth shall provide to REDSQUARE one (1) basic White Pages directory listing per REDSQUARE End User at no charge other than applicable service order charges as set forth in BellSouth's tariffs. Except in

Version: 4Q04 Standard ICA

the case of a local service request (LSR) submitted solely to port a number from BellSouth, if such listing is requested on the initial LSR associated with the request for services, a single manual service order charge or electronic service order charge, as appropriate, as described in Attachment 6 of this Agreement, will apply to both the request for service and the request for the directory listing. Where a subsequent LSR is placed solely to request a directory listing, or is placed to port a number and request a directory listing, separate service order charges as set forth in BellSouth's tariffs shall apply, as well as the manual service order charge or the electronic service order charge, as appropriate, as described in Attachment 6 of this Agreement.

- 8.2 <u>Directories.</u> BellSouth or its agent shall make available White Pages directories to REDSQUARE End User at no charge or as specified in a separate agreement between REDSQUARE and BellSouth's agent.
- 8.3 Procedures for submitting REDSQUARE Subscriber Listing Information (SLI) are found in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Services Web site.
- 8.3.1 REDSQUARE authorizes BellSouth to release all REDSQUARE SLI provided to BellSouth by REDSQUARE to qualifying third parties pursuant to either a license agreement or BellSouth's Directory Publishers Database Service (DPDS), General Subscriber Services Tariff (GSST), as the same may be amended from time to time. Such REDSQUARE SLI shall be intermingled with BellSouth's own End User listings and listings of any other CLEC that has authorized a similar release of SLI.
- 8.3.2 No compensation shall be paid to REDSQUARE for BellSouth's receipt of REDSQUARE SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of REDSQUARE's SLI, or costs on an ongoing basis to administer the release of REDSQUARE SLI, REDSQUARE shall pay to BellSouth its proportionate share of the reasonable costs associated therewith. At any time that costs may be incurred to administer the release of REDSQUARE's SLI, REDSQUARE will be notified. If REDSQUARE does not wish to pay its proportionate share of these reasonable costs, REDSQUARE may instruct BellSouth that it does not wish to release its SLI to independent publishers, and REDSQUARE shall amend this Agreement accordingly. REDSQUARE will be liable for all costs incurred until the effective date of the amendment.
- 8.3.3 Neither BellSouth nor any agent shall be liable for the content or accuracy of any SLI provided by REDSQUARE under this Agreement. REDSQUARE shall indemnify, except to the extent caused by BellSouth's gross negligence or willful misconduct, hold harmless and defend BellSouth and its agents from and against any damages, losses, liabilities, demands, claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses)

Version: 4Q04 Standard ICA

arising from BellSouth's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate REDSQUARE listings or use of the SLI provided pursuant to this Agreement. BellSouth may forward to REDSQUARE any complaints received by BellSouth relating to the accuracy or quality of REDSQUARE listings.

8.3.4 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.

9. Operator Services (Operator Call Processing and Directory Assistance)

- 9.1 Operator Call Processing provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls). (2) operator or automated assistance for billing after the End User has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call and Operator-assisted Directory Assistance.
- 9.2 Upon request for BellSouth Operator Call Processing, BellSouth shall:
- 9.2.1 Process 0+ and 0- dialed local calls
- 9.2.2 Process 0+ and 0- intraLATA toll calls.
- 9.2.3 Process calls that are billed to REDSQUARE End User's calling card that can be validated by BellSouth.
- 9.2.4 Process person-to-person calls.
- 9.2.5 Process collect calls.
- 9.2.6 Provide the capability for callers to bill a third party and shall also process such calls.
- 9.2.7 Process station-to-station calls.
- 9.2.8 Process Busy Line Verify and Emergency Line Interrupt requests.
- 9.2.9 Process emergency call trace originated by Public Safety Answering Points.
- 9.2.10 Process operator-assisted directory assistance calls.
- 9.2.11 Adhere to equal access requirements, providing REDSQUARE local End Users the same IXC access that BellSouth provides its own operator service.
- 9.2.12 Exercise at least the same level of fraud control in providing Operator Service to REDSQUARE that BellSouth provides for its own operator service.

Version: 4Q04 Standard ICA

9.2.13 Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-To-Third-Party calls. 9.2.14 Direct customer account and other similar inquiries to the customer service center designated by REDSQUARE. 9.2.15 Provide call records to REDSQUARE in accordance with ODUF standards. 9.2.16 The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards. 9.3 <u>Directory Assistance Service</u>. Directory Assistance Service provides local and non-local End User telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching. 9.3.1 Directory Assistance Service shall provide up to two listing requests per call, if available and if requested by REDSQUARE's End User. BellSouth shall provide caller-optional directory assistance call completion service at rates set forth in BellSouth's General Subscriber Services Tariff to one of the provided listings. 9.4 Directory Assistance Service Updates. BellSouth shall update End User listings changes daily. These changes include: 9.4.1 New End User connections 9.4.2 End User disconnections 9.4.3 End User address changes 9.4.4 These updates shall also be provided for non-listed and non-published numbers for use in emergencies. 9.4.5 Unbranded DA and/or OCP calls ride common trunk groups provisioned by

10 Branding for Wholesale Operator Call Processing and Directory Assistance

Tops. The calls are routed to "No Announcement."

BellSouth from those end offices identified by REDSQUARE to the BellSouth

BellSouth's branding feature provides a definable announcement to REDSQUARE End Users using Directory Assistance (DA)/Operator Call Processing (OCP) prior to placing such End Users in queue or connecting them to an available operator or automated operator system. This feature allows REDSQUARE to have its calls custom branded with REDSQUARE's name on whose behalf BellSouth is providing DA and/or OCP. Rates for the branding features are set forth in Exhibit D of this Attachment.

Version: 4Q04 Standard ICA

- BellSouth offers three branding options to REDSQUARE when ordering BellSouth's DA and OCP: BellSouth Branding, Unbranding and Custom Branding.
- 10.3 Upon receipt of the custom branding order from REDSQUARE, the order is considered firm after ten (10) business days. Should REDSQUARE decide to cancel the order, REDSQUARE must provide written notification to REDSQUARE's Local Contract Manager. If REDSQUARE decides to cancel after ten (10) business days from receipt of the custom branding order, REDSQUARE shall pay all charges per the order. For branding and unbranding via Originating Line Number Screening (OLNS), REDSQUARE must contact its account team to initiate the order via the OLNS Branding Order form.
- 10.4 <u>Branding via Originating Line Number Screening (OLNS).</u> BellSouth Branding, Unbranding and Custom Branding are also available for DA, OCP or both via OLNS software. When utilizing this method of Unbranding or Custom Branding, REDSQUARE shall not be required to purchase dedicated trunking.
- 10.5 BellSouth Branding is the default branding offering.
- 10.5.1 For BellSouth to provide Unbranding or Custom Branding via OLNS software for OCP or for DA, REDSQUARE must have its Operating Company Number (OCN(s)) and telephone numbers reside in BellSouth's LIDB. To implement Unbranding and Custom Branding via OLNS software, REDSQUARE must submit a manual order form which requires, among other things, REDSQUARE's OCN and a forecast, pursuant to the appropriate BellSouth form provided, for the traffic volume anticipated for each BellSouth TOPS during the peak busy hour. REDSQUARE shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon REDSQUARE's purchase of Unbranding or Custom Branding using OLNS software for any particular TOPS, all REDSQUARE End Users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.

11. Line Information Database (LIDB)

- The BellSouth Line Information Database (LIDB) stores current information on working telephone numbers and billing account numbers. LIDB data is used by providers of Telecommunications Services to validate billing of collect calls, calls billed to a third party number and nonproprietary calling card calls, to screen out attempts to bill calls to payphones, for billing and for fraud prevention.
- Where REDSQUARE is purchasing Resale services BellSouth shall utilize
 BellSouth's service order generated from REDSQUARE LSR's to populate LIDB
 with REDSQUARE's End User information BellSouth provides access to
 information in its LIDB, including REDSQUARE End User information, to

Version: 4Q04 Standard ICA

various providers of Telecommunications Services via queries to LIDB pursuant to applicable tariffs. Information stored for REDSQUARE, pursuant to this Agreement, shall be available to those Telecommunications Service providers.

- 11.2.1 When necessary for fraud control measures, BellSouth may perform additions, updates and deletions of REDSQUARE data to the LIDB (e.g., calling card deactivation).
- 11.3 Responsibilities of the Parties
- 11.3.1 BellSouth will administer the data provided by REDSQUARE pursuant to this Agreement in the same manner as BellSouth administers its own data.
- 11.3.2 REDSQUARE is responsible for completeness and accuracy of the data being provided to BellSouth.
- BellSouth shall not be responsible to REDSQUARE for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

12. RAO Hosting

12.1 RAO Hosting is not required for resale in the BellSouth region.

13. Optional Daily Usage File (ODUF)

- The Optional Daily Usage File (ODUF) Agreement with terms and conditions is included in this Attachment as Exhibit B. Rates for ODUF are as set forth in Exhibit D of this Attachment.
- BellSouth will provide ODUF service upon written request.

14. Enhanced Optional Daily Usage File (EODUF)

- 14.1 The Enhanced Optional Daily Usage File (EODUF) service Agreement with terms and conditions is included in this Attachment as Exhibit C. Rates for EODUF are as set forth in Exhibit D of this Attachment.
- 14.2 BellSouth will provide EODUF service upon written request.

Version: 4Q04 Standard ICA

EXCLUSIONS AND LIMITATIONS ON SERVICES AVAILABLE FOR RESALE (Note 3)

| Т | oe of Service | 1 | AL | | FL | (| GA |] | KY |] | LA | I | MS |] | NC | | SC | 7 | ΓN |
|----------------------|---------------------------------|-----------|------------|----------|-------------|----------|-------------|----------|-------------|----------|-------------|-----------|-------------|----------|-------------|---------|-----------|-----------|----------|
| 1) [| be of Service | Resale | Discount | Resale | Discount | Resale | Discount | Resale | Discount | Resale | Discount | Resale | Discount | Resale | Discount | Resale | Discount | Resale | Discount |
| | | | | | | | | | | | | | | | | | | | |
| | fathered es (Note 1) | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| | otions - > 90 Note 2 & 3) | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| | otions - \leq 90 (Note 2 & 3) | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No |
| 4 Lifelir Service | ne/Link Up | Yes | Yes | Yes | Yes | Yes | Yes | No | No | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| 5 911/E | 911 Services | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | No | No | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| 6 N11 S (Note | : 1) | Yes | Yes | Yes | Yes | Yes | Yes | No | No | No | No | Yes | Yes | Yes | Yes | No | No | Yes | Yes |
| 7 Memo | oryCall [®] Service | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No |
| | e Services | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No |
| | al Subscriber Charges | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No |
| 10 Nonre Charg | C | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | No |
| | User Line Chger Portability | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No |
| | Telephone s Svc(PTAS) | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | No | Yes | Yes |
| | Wire Maint e Plan | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No |
| • | Applicable No | tes: | | | | | | | | | | | | | | | | | |
| 1. | Grandfathere | d servic | es can be | resold o | nly to exis | ting sub | oscribers o | f the gr | andfathere | d servic | e. | | | | | | | | |
| 2. | Where availabl | | | | | | | | | would l | nave quali | fied for | the promo | tion had | d it been p | rovided | by BellSo | uth direc | etly. |
| 3. | Promotions sha | | | | | | | | | | | | | | | | | | |
| 4. | Some of BellSo | outh's lo | cal exchar | nge and | toll teleco | mmunic | cations ser | vices ar | e not avail | able in | certain cer | ntral off | ices and ar | reas. | | | | | |

Version: 4Q04 Standard ICA

Optional Daily Usage File

- 1. Upon written request from REDSQUARE, BellSouth will provide the Optional Daily Usage File (ODUF) service to REDSQUARE pursuant to the terms and conditions set forth in this section.
- 2. REDSQUARE shall furnish all relevant information required by BellSouth for the provision of the ODUF.
- 3. The ODUF feed provides REDSQUARE messages that were carried over the BellSouth network and processed by BellSouth for REDSQUARE.
- 4. Charges for ODUF will appear on REDSQUARE's monthly bills for the previous month's usage in arrears. The charges are as set forth in Exhibit D to this Attachment.
- 5. The ODUF feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- Messages that error in the billing system of REDSQUARE will be the responsibility of REDSQUARE. If, however, REDSQUARE should encounter significant volumes of errored messages that prevent processing by REDSQUARE within its systems, BellSouth will work with REDSQUARE to determine the source of the errors and the appropriate resolution.
- 6. ODUF Specifications
- 6.1 ODUF Message to be Transmitted
- 6.1.1 The following messages recorded by BellSouth will be transmitted to REDSQUARE:
- 6.1.1.1 Message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt, Call Return, etc.)
- 6.1.1.2 Measured local calls
- 6.1.1.3 Directory Assistance messages
- 6.1.1.4 IntraLATA Toll
- 6.1.1.5 WATS and 800 Service

Version: 4Q04 Standard ICA

- 6.1.1.6 N11
- 6.1.1.7 Information Service Provider Messages
- 6.1.1.8 Operator Services Messages
- 6.1.1.9 Operator Services Message Attempted Calls
- 6.1.1.10 Credit/Cancel Records
- 6.1.1.11 Usage for Voice Mail Message Service
- Rated Incollects (messages BellSouth receives from other revenue accounting offices) appear on ODUF. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
- 6.1.3 BellSouth will perform duplicate record checks on records processed to ODUF. Any duplicate messages detected will be deleted and not sent to REDSQUARE.
- 6.1.4 In the event that REDSQUARE detects a duplicate on ODUF they receive from BellSouth, REDSQUARE will drop the duplicate message and will not return the duplicate to BellSouth.
- 6.2 ODUF Physical File Characteristics
- ODUF will be distributed to REDSQUARE via Secure File Transfer Protocol (FTP). The ODUF feed will be a variable block format. The data on the ODUF feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN. If BellSouth determines the Secure FTP Mailbox is nearing capacity levels, BellSouth may move the customer to CONNECT:Direct file delivery.
- 6.2.2 If the customer is moved, CONNECT:Direct data circuits (private line or dial-up) will be required between BellSouth and REDSQUARE for the purpose of data transmission. Where a dedicated line is required, REDSQUARE will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. REDSQUARE will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit messages successfully on an ongoing basis will be negotiated on an individual case basis. Any costs incurred for such equipment will be REDSQUARE's responsibility. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to REDSQUARE. Additionally, all message toll charges associated with the use of the dial circuit by REDSQUARE will be the responsibility of REDSQUARE.

Version: 4Q04 Standard ICA

Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on REDSQUARE end for the purpose of data transmission will be the responsibility of REDSQUARE.

- 6.2.3 If REDSQUARE utilizes FTP for data file transmission, purchase of the FTP software will be the responsibility of REDSQUARE.
- 6.3 ODUF Packing Specifications
- 6.3.1 The data will be packed using ATIS EMI records. A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 6.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to REDSQUARE which BellSouth RAO is sending the message. BellSouth and REDSQUARE will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by REDSQUARE and resend the data as appropriate.
- 6.4 ODUF Pack Rejection
- REDSQUARE will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (e.g., out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. REDSQUARE will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to REDSQUARE by BellSouth.
- 6.5 ODUF Control Data

REDSQUARE will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate REDSQUARE's receipt of the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by REDSQUARE for reasons stated in the above section.

- 6.6 ODUF Testing
- 6.6.1 Upon request from REDSQUARE, BellSouth shall send ODUF test files to REDSQUARE. The Parties agree to review and discuss the ODUF file content and/or format. For testing of usage results, BellSouth shall request that REDSQUARE set up a production (live) file. The live test may consist of REDSQUARE's employees

Version: 4Q04 Standard ICA

Attachment 1 Page 21 Exhibit B

making test calls for the types of services REDSQUARE requests on ODUF. These test calls are logged by REDSQUARE, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within thirty (30) days from the date on which the initial test file was sent.

Version: 4Q04 Standard ICA

Enhanced Optional Daily Usage File

- 1. Upon written request from REDSQUARE, BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to REDSQUARE pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
- 2. REDSQUARE shall furnish all relevant information required by BellSouth for the provision of the EODUF.
- 3. The EODUF will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.
- 4. Charges for EODUF will appear on REDSQUARE's monthly bills for the previous month's usage in arrears. The charges are as set forth in Exhibit D to this Attachment.
- 5. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 6. Messages that error in the billing system of REDSQUARE will be the responsibility of REDSQUARE. If, however, REDSQUARE should encounter significant volumes of errored messages that prevent processing by REDSQUARE within its systems, BellSouth will work with REDSQUARE to determine the source of the errors and the appropriate resolution.
- 7. EODUF Specifications.
- 7.1 EODUF Usage To Be Transmitted
- 7.1.1 The following messages recorded by BellSouth will be transmitted to REDSQUARE:
- 7.1.1.1 Customer usage data for flat rated local call originating from REDSQUARE's End User lines (1FB or 1FR). The EODUF record for flat rate messages will include:
- 7.1.1.1.1 Date of Call
- 7.1.1.1.2 From Number
- 7.1.1.1.3 To Number
- 7.1.1.1.4 Connect Time

Version: 4Q04 Standard ICA

- 7.1.1.1.5 Conversation Time
- 7.1.1.1.6 Method of Recording
- 7.1.1.1.7 From RAO
- 7.1.1.1.8 Rate Class
- 7.1.1.1.9 Message Type
- 7.1.1.1.10 Billing Indicators
- 7.1.1.1.11 Bill to Number
- 7.1.2 BellSouth will perform duplicate record checks on EODUF records processed to O DUF. Any duplicate messages detected will be deleted and not sent to REDSQUARE.
- 7.1.3 In the event that REDSQUARE detects a duplicate on EODUF they receive from BellSouth, REDSQUARE will drop the duplicate message and will not return the duplicate to BellSouth.
- 7.2 EODUF Physical File Characteristics
- 7.2.1 EODUF feed will be distributed to REDSQUARE via Secure File Transfer Protocol (FTP). The EODUF messages will be intermingled among REDSQUARE's Optional Daily Usage File (ODUF) messages. The EODUF will be a variable block format. The data on the EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holiday. If BellSouth determines the Secure FTP mailbox is nearing capacity levels, BellSouth may move the customer to CONNECT:Direct file delivery.
- 7.2.2 Data circuits (private line or dial-up) may be required between BellSouth and REDSQUARE for the purpose of data transmission. Where a dedicated line is required, REDSQUARE will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. REDSQUARE will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to REDSQUARE. Additionally, all message toll charges associated with the use of the dial circuit by REDSQUARE will be the responsibility of REDSQUARE. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis

Version: 4Q04 Standard ICA 02/04/05

between the Parties. All equipment, including modems and software, that is required on REDSQUARE's end for the purpose of data transmission will be the responsibility of REDSQUARE.

- 7.2.3 If REDSQUARE utilizes FTP for data file transmission, purchase of the FTP software will be the responsibility of REDSQUARE.
- 7.3 EODUF Packing Specifications
- 7.3.1 The data will be packed using ATIS EMI records. A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 7.3.2 The OCN, From (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to REDSQUARE which BellSouth RAO is sending the message. BellSouth and REDSQUARE will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by REDSQUARE and resend the data as appropriate.

| Resale Discounts & Rates - Alabama | | | | | | | | | | | | Attachment: | 1 | Exhibit: D | |
|--|-------------|-----------|-------------------|--------------|-------------------|----------|-----------|--------------|---------------|------------------------------|----------------------------------|--------------------|----------------------|-------------------------|---------------------------|
| | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| CATEGORY RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Submitted Elec per LSR | Submitted Manually per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Electronic- Disc Add'l |
| | 1 | + | | | | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | l l | |
| | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | |
| APPLICABLE DISCOUNTS | | | | | | | | | | | | | | | |
| Residence % | | | | | 16.30 | | | | | | | | | | |
| Business % | | | | | 16.30 | | | | | | | | | | |
| CSAs % | | | | | 16.30 | | | | | | | | | | |
| OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" NOTE: (1) CLEC should contact its contract negotiator if it prefers the | | | | | | | | | | | | | | | |
| elect either the state specific Commission ordered rates for the serv each of the 9 states. OSS - Electronic Service Order Charge, Per Local Service | Toe or u | ering cha | arges, or cled in | - | gioriai service d | | | <u> </u> | nam a mixture | or the two | egardiess | OLEO Has a | merconnect | on contract es | stabilshed ii |
| Request (LSR) - Resale Only | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| OSS - Manual Service Order Charge, Per Local Service Request (LSR) - Resale Only | t | | | SOMAN | | 19.99 | 0.00 | 19.99 | 0.00 | | | | | | |
| BRANDING - DIRECTORY ASSISTANCE | | | | | | | | | | | | | | | |
| Branding | | | | | | | | | | | | | | | |
| Recording of DA Custom Branded Announcement | | | | | | 3,000.00 | 3,000.00 | | | | | | | | |
| Loading of DA Custom Branded Announcement per Switch per OCN | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| Unbranding via OLNS for Wholesale CLEC | | | | | | | | | | | | | | | |
| Loading of DA per OCN (1 OCN per Order) | | | | | | 420.00 | 420.00 | | | | | | | | |
| Loading of DA per Switch per OCN | | | | | | 16.00 | 16.00 | | | | | | | | |
| BRANDING - OPERATOR CALL PROCESSING | | | | | | | | | | | | | | | |
| Branding | | | | | | = | = | | | | | | | | |
| Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV | | | | | | 7,000.00 | 7,000.00 | | | | | | | | |
| per OCN | | | | | | 500.00 | 500.00 | | | | | | | | |
| Unbranding via OLNS for Wholesale CLEC | 1 | + + | | | | 4 000 00 | 1 000 00 | | | | | | | | |
| Loading of OA per OCN (Regional) ODUF/EODUF SERVICES | + | + + | | - | | 1,200.00 | 1,200.00 | | | | | | | | |
| ODUP/EUDUP SERVICES OPTIONAL DAILY USAGE FILE (ODUF) | 1 | + | | | | | | | | | | | | | |
| ODUF: Recording, per message | 1 | + + | | - | 0.000011 | | | | | 1 | | | | | |
| ODUF: Message Processing, per message | + | + + | | + | 0.00011 | | | | | | | | | | |
| | 1 | + + | | | 42.67 | | | | | | | | | | |
| ODUE: Message Processing, per Magnetic Tane provisioned | | | | | | | | | | | | | | | |
| ODUF: Message Processing, per Magnetic Tape provisioned ODUF: Data Transmission (CONNECT:DIRECT), per message | | + + | | | | | | | | | | | | | |
| ODUF: Message Processing, per Magnetic Tape provisioned ODUF: Data Transmission (CONNECT:DIRECT), per message ENHANCED OPTIONAL DAILY USAGE FILE (EDDUF) | | | | | 0.000094 | | | | | | | | | | |

| Resale Discounts & Rates - Florida | | · | | | | | | | | | | Attachment: | 1 | Exhibit: D | |
|---|-------------|------|-----|--------|------------|----------|-----------|--------------|--------------|-------|-----------|-------------|-----------|---|-----------|
| CATEGORY RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted | | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- | Charge - |
| | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add' |
| | | | | | Dee | Nonrec | urring | Nonrecurring | g Disconnect | | | oss | Rates(\$) | | |
| | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | |
| APPLICABLE DISCOUNTS | | | | | | | | | | | | | | | |
| Residence % | | | | | 21.83 | | | | | | | | | | |
| Business % | | | | | 16.81 | | | | | | | | | | |
| CSAs % | | | | | 16.81 | | | | | | | | | | |
| OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" | | | | | | | | | | | | | | | |
| each of the 9 states. OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - Resale Only | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| OSS - Manual Service Order Charge, Per Local Service Reques | t | + + | | CONIEC | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| (LSR) - Resale Only | ` | | | SOMAN | | 19.99 | 0.00 | 19.99 | 0.00 | | | | | | |
| BRANDING - DIRECTORY ASSISTANCE | | | | | | | | | | | | | | | |
| Branding | | | | | | | | | | | | | | | |
| Recording of DA Custom Branded Announcement | | | | | | 3,000.00 | 3,000.00 | | | | | | | | |
| Loading of DA Custom Branded Announcement per Switch per OCN | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| Unbranding via OLNS for Wholesale CLEC | | | | | | | · | | | | | | | | |
| Loading of DA per OCN (1 OCN per Order) | | | | | | 420.00 | 420.00 | | | | | | | | |
| Loading of DA per Switch per OCN | | | | | | 16.00 | 16.00 | | | | | | | | |
| BRANDING - OPERATOR CALL PROCESSING | | | | | | | | | | | | | | | |
| Branding | | | | | | | | | | | | | | | |
| Recording of Custom Branded OA Announcement | | | | | | 7,000.00 | 7,000.00 | | | | | | | | |
| Loading of Custom Branded OA Announcement per shelf/NAV per OCN | | | | | | 500.00 | 500.00 | | | | | | | | |
| Unbranding via OLNS for Wholesale CLEC | | | | | | | | | | | | | | | |
| Loading of OA per OCN (Regional) | | | | | | 1,200.00 | 1,200.00 | | | | | _ | | | |
| ODUF/EODUF SERVICES | | | | | | | | | | | | | | | |
| OPTIONAL DAILY USAGE FILE (ODUF) | | | | | | | | | | | | | | | |
| ODUF: Recording, per message | | | • | | 0.0000071 | | • | | | | | | | | |
| ODUF: Message Processing, per message | | | | | 0.002146 | | | | | | | | | | |
| ODUF: Message Processing, per Magnetic Tape provisioned | | | | | 35.91 | | | | | | | | | | |
| ODUF: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.00010375 | | | | | | | | | | |
| ENULANCED OPTIONAL DAILY HOAGE FILE (FORLIE) | | | | | | | | | | | | | | | |
| ENHANCED OPTIONAL DAILY USAGE FILE (EODUF) | | | | | | | | | | | | | | | |

| Resale Discounts & Rates - Georgia | | | | | | | | | | | | Attachment: | 1 | Exhibit: D | |
|---|---------|----------|-------------------|-----------------|---------------------|-----------------|---|----------------|-----------------|------------|--------------|-------------|--------------|----------------|---------------|
| | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | Elec | | | | Manual Svc | |
| CATEGORY RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | | Order vs. | Order vs. | Order vs. | Order vs. |
| | m | | | | | | .,, | | | per Lor | per Lor | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | ist | Add I | DISC 1St | DISC Add I |
| | | | | | Rec | Nonrec | | Nonrecurring | g Disconnect | | | | Rates(\$) | | |
| | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | |
| APPLICABLE DISCOUNTS | | | | | | | | | | | | | | | |
| Residence % | | | | | 20.30 | | | | | | | | | | |
| Business % | | | | | 17.30 | | | | | | | | | | |
| CSAs % | | | | | 17.30 | | | | | | | | | | |
| OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" | | | | | | | | | | | | | | | |
| NOTE: (1) CLEC should contact its contract negotiator if it prefers the | | | | | | | | | | | | | | | |
| elect either the state specific Commission ordered rates for the serv | ice ord | ering ch | arges, or CLEC ma | ay elect the re | gional service o | ordering charge | e, however, Cl | LEC can not ob | otain a mixture | of the two | regardless i | CLEC has a | interconnect | ion contract e | stablished in |
| each of the 9 states. | | | | | | | | | | | | | | | |
| OSS - Electronic Service Order Charge, Per Local Service | | | | | | | | | | | | | | | |
| Request (LSR) - Resale Only | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| OSS - Manual Service Order Charge, Per Local Service Request | t | | | | | | | | | | | | | | |
| (LSR) - Resale Only | | | | SOMAN | | 19.99 | 0.00 | 19.99 | 0.00 | | | | | | |
| BRANDING - DIRECTORY ASSISTANCE | | | | | | | | | | | | | | | |
| Branding | | | | | | | | | | | | | | | |
| Recording of DA Custom Branded Announcement | | | | | | 3,000.00 | 3,000.00 | | | | | | | | |
| Loading of DA Custom Branded Announcement per Switch per OCN | | | | | | 1,170,00 | 1,170.00 | | | | | | | | |
| Unbranding via OLNS for Wholesale CLEC | | | | | | , | , | | | | | | | | |
| Loading of DA per OCN (1 OCN per Order) | | | | | | 420.00 | 420.00 | | | | | | | | |
| Loading of DA per Switch per OCN | | | | | | 16.00 | 16.00 | | | | | | | | |
| BRANDING - OPERATOR CALL PROCESSING | | | | | | | | | | | | | | | |
| Branding | | | | | | | | | | | | | | | |
| Recording of Custom Branded OA Announcement | | | | | | 7,000.00 | 7,000.00 | | | | | | | | |
| Loading of Custom Branded OA Announcement per shelf/NAV | | | | | | • | • | | | | | | | | |
| per OCN | | | | | | 500.00 | 500.00 | | | | | | | | |
| Unbranding via OLNS for Wholesale CLEC | | | | | | | | | | | | | | | |
| Loading of OA per OCN (Regional) | | | | | | 1,200.00 | 1,200.00 | | | | | | | | |
| ODUF/EODUF SERVICES | | | | | | | | | | | | | | | |
| OPTIONAL DAILY USAGE FILE (ODUF) | | | | | | | | | | | | | | | |
| ODUF: Recording, per message | | | | | 0.0000068 | | | | | | | | | | |
| ODUF: Message Processing, per message | | | | | 0.002167 | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | 36.06 | | | | | | | | | | |
| ODUF: Message Processing, per Magnetic Tape provisioned ODUF: Data Transmission (CONNECT:DIRECT), per message | - | | | | 36.06 0.00010856 | | | | | | | | | | |
| ODUF: Message Processing, per Magnetic Tape provisioned | | | | | | | | | | | | | | | |

| Resale Discounts & Rates - Kentucky | | | | | | | | | | | | Attachment: | 1 | Exhibit: D | |
|---|----------|----------|-------------------|-----------------|-----------------------|----------------|---------------|-----------------|--------------------|--------------|-------------|---------------|----------------|---------------|---------------|
| | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incrementa |
| | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | Elec | | | | Manual Svc | |
| CATEGORY RATE ELEMENTS | Interi | Zone | BCS | usoc | | | RATES(\$) | | | | | | | | |
| CATEGORT RATE ELEMENTS | m | ZOITE | ВСЗ | 0300 | | | KATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Nonred | urring | Nonrecurring | Disconnect | | | 088 | Rates(\$) | l | |
| | | | | + | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | 11130 | Auu i | 11130 | Auu | JOHLC | JOHAN | JONAN | JOHAN | JOHAN | JOHAN |
| APPLICABLE DISCOUNTS | | | | | | | | | | | | | | | |
| Residence % | | | | + | 16.79 | | | | | | | | | | |
| Business % | | | | | 15.54 | | | | | | | | | | |
| CSAs % | | | | | 15.54 | | | | | | | | | | |
| OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" | | | | | 10.04 | | | | | | | | | | |
| NOTE: (1) CLEC should contact its contract negotiator if it prefers the | o "etate | enecifi | c" OSS charges as | s ordered by | the State Comm | issions The | nes charges c | urrently contai | ned in this rat | a avhihit ar | the BellSo | uth "regional | " service orde | ring charges | CL EC may |
| elect either the state specific Commission ordered rates for the serv | | | | | | | | | | | | | | | |
| · | ice ora | anny cha | arges, or CLEC ma | ay elect the re | gional service o | ordering charg | e, nowever, C | LEC Can not of | italii a illixture | or the two | egaruless i | I CLEC IIas a | merconnecti | on contract e | Stabilstied i |
| each of the 9 states. | | | | _ | 1 | | | | | | 1 | | 1 | | 1 |
| OSS - Electronic Service Order Charge, Per Local Service | | | | | | | | | | | | | | | |
| Request (LSR) - Resale Only | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| OSS - Manual Service Order Charge, Per Local Service Request | | | | | | | | | | | | | | | |
| (LSR) - Resale Only | | | | SOMAN | | 19.99 | 0.00 | 19.99 | 0.00 | | | | | | |
| BRANDING - DIRECTORY ASSISTANCE | | | | | | | | | | | | | | | |
| Branding | | | | | | | | | | | | | | | |
| Recording of DA Custom Branded Announcement | | | | | | 3,000.00 | 3,000.00 | | | | | | | | |
| Loading of DA Custom Branded Announcement per Switch per | | | | | | | | | | | | | | | |
| OCN | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| Unbranding via OLNS for Wholesale CLEC | | | | | | | | | | | | | | | |
| Loading of DA per OCN (1 OCN per Order) | | | | | | 420.00 | 420.00 | | | | | | | | |
| Loading of DA per Switch per OCN | | | | II . | | | | | | | | | | | |
| | _ | _ | | | | 16.00 | 16.00 | | | | | | | | |
| BRANDING - OPERATOR CALL PROCESSING | | | | | | 16.00 | 16.00 | | | | | | | | |
| Branding | | | | | | | | | | | | | | | |
| Branding Recording of Custom Branded OA Announcement | | | | | | 7,000.00 | 7,000.00 | | | | | | | | |
| Branding Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV | | | | | | | | | | | | | | | |
| Branding Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN | | | | | | | | | | | | | | | |
| Branding Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Unbranding via OLNS for Wholesale CLEC | | | | | | 7,000.00 | 7,000.00 | | | | | | | | |
| Branding Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN | | | | | | 7,000.00 | 7,000.00 | | | | | | | | |
| Branding Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Unbranding via OLNS for Wholesale CLEC | | | | | | 7,000.00 | 7,000.00 | | | | | | | | |
| Branding Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Unbranding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional) | | | | | | 7,000.00 | 7,000.00 | | | | | | | | |
| Branding Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Unbranding via OLNS for Wholesale CLEC [Loading of OA per OCN (Regional) ODUF/EODUF SERVICES | | | | | 0.0000136 | 7,000.00 | 7,000.00 | | | | | | | | |
| Branding Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Unbranding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional) ODUF/EODUF SERVICES OPTIONAL DAILY USAGE FILE (ODUF) | | | | | 0.0000136 0.002506 | 7,000.00 | 7,000.00 | | | | | | | | |
| Branding Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Unbranding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional) ODUF/EODUF SERVICES OPTIONAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message ODUF: Message Processing, per message | | | | | | 7,000.00 | 7,000.00 | | | | | | | | |
| Branding Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Unbranding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional) ODUF/EDUF SERVICES OPTIONAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message ODUF: Message Processing, per message ODUF: Message Processing, per Magnetic Tape provisioned | | | | | 0.002506 35.90 | 7,000.00 | 7,000.00 | | | | | | | | |
| Branding Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Unbranding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional) ODUF/EODUF SERVICES OPTIONAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message ODUF: Message Processing, per message | | | | | 0.002506 | 7,000.00 | 7,000.00 | | | | | | | | |

| | ounts & Rates - Louisiana | | | | | | | | | | | | Attachment: | 1 | Exhibit: D | |
|---|---|-------------|------|-----|---------|-------------------|---|---|--------------|------------|------------------------------|----------------------------------|--|--|--|--|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Submitted Elec per LSR | Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svo Order vs. Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | 1 | | | | Nonrec | urrina | Nonrecurring | Disconnect | | | oss | Rates(\$) | <u> </u> | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| APPLICABLE | DISCOUNTS | | | | | | | | | | | | | | | |
| | Residence % | | | | | 20.72 | | | | | | | | | | |
| | Business % | | | | | 20.72 | | | | | | | · | | | |
| | CSAs % | | | | | 9.05 | | | | | | | · | | | |
| | SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" (1) CLEC should contact its contract negotiator if it prefers the | | | | | | | | | | | | | | | |
| | ither the state specific Commission ordered rates for the servi f the 9 states. OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - Resale Only | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | -3 | | | | |
| | OSS - Manual Service Order Charge, Per Local Service Request | | | | SOIVIEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| | (LSR) - Resale Only | | | | SOMAN | | 19.99 | 0.00 | 19.99 | 0.00 | | | | | | |
| DD ANDING D | DIRECTORY ASSISTANCE | | + + | | 00 | | 10.00 | 0.00 | 10.00 | 0.00 | | | | | | |
| BRANDING - L | | | | | | | | | | | | | | | | |
| Brandi Brandi | | | | | | | | | | | | | | | | |
| | | | | | | | 3,000.00 | 3,000.00 | | | | | | | | |
| | ing | | | | | | 3,000.00 | 3,000.00 | | | | | | | | |
| Brandi | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per | | | | | | -, | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | | | | | | |
| Brandi | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN | | | | | | -, | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | | | | | | |
| Brandi | Ing Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN Inding via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| Brandi | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN Inding via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order) | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| Brandi | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN Inding via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN DPERATOR CALL PROCESSING | | | | | | 1,170.00 420.00 16.00 | 1,170.00 420.00 16.00 | | | | | | | | |
| Unbrar | Ing Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN Inding via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN DERATOR CALL PROCESSING Ing Recording of Custom Branded OA Announcement | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| Unbrai BRANDING - C Brandi | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN Inding via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN PERATOR CALL PROCESSING ING Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN | | | | | | 1,170.00 420.00 16.00 | 1,170.00 420.00 16.00 | | | | | | | | |
| Unbrai BRANDING - C Brandi | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN Inding via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN DPERATOR CALL PROCESSING ING Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Inding via OLNS for Wholesale CLEC | | | | | | 1,170.00 420.00 16.00 7,000.00 500.00 | 1,170.00 420.00 16.00 7,000.00 500.00 | | | | | | | | |
| Brandi Unbrai BRANDING - C Brandi Unbrai | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN Inding via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN IDERATOR CALL PROCESSING ING Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV IDERATOR CALL PROCESSING ING ING ING ING ING ING ING ING ING | | | | | | 1,170.00 420.00 16.00 7,000.00 | 1,170.00 420.00 16.00 7,000.00 | | | | | | | | |
| BRANDING - C Brandi Unbrai Unbrai ODUF/EODUF | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN Inding via OLNS for Wholesale CLEC Loading of DA per Switch per OCN DERATOR CALL PROCESSING ING Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per Shelf/NAV per OCN Inding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional) SERVICES | | | | | | 1,170.00 420.00 16.00 7,000.00 500.00 | 1,170.00 420.00 16.00 7,000.00 500.00 | | | | | | | | |
| BRANDING - C Brandi Unbrai Unbrai ODUF/EODUF | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN Inding via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN PERATOR CALL PROCESSING ING Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Inding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional) SERVICES NAL DAILY USAGE FILE (ODUF) | | | | | | 1,170.00 420.00 16.00 7,000.00 500.00 | 1,170.00 420.00 16.00 7,000.00 500.00 | | | | | | | | |
| BRANDING - C Brandi Unbrai Unbrai ODUF/EODUF | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN Inding via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN IDERATOR CALL PROCESSING INTITUTE OF CONTROLOGY Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV IDERATOR CALL PROCESSING INTITUTE OCN INTITUTE ON | | | | | 0.0000117 | 1,170.00 420.00 16.00 7,000.00 500.00 | 1,170.00 420.00 16.00 7,000.00 500.00 | | | | | | | | |
| BRANDING - C Brandi Unbrai Unbrai ODUF/EODUF | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN Inding via OLNS for Wholesale CLEC Loading of DA per Switch per OCN DERATOR CALL PROCESSING Ing Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement Loading of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Inding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional) SERVICES NAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message ODUF: Message Processing, per message | | | | | 0.004641 | 1,170.00 420.00 16.00 7,000.00 500.00 | 1,170.00 420.00 16.00 7,000.00 500.00 | | | | | | | | |
| BRANDING - C Brandi Unbrai Unbrai ODUF/EODUF | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN Inding via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN PERATOR CALL PROCESSING ING Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Inding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional) SERVICES NAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message ODUF: Message Processing, per message ODUF: Message Processing, per Magnetic Tape provisioned | | | | | 0.004641 48.45 | 1,170.00 420.00 16.00 7,000.00 500.00 | 1,170.00 420.00 16.00 7,000.00 500.00 | | | | | | | | |
| BRANDING - C Brandi Unbrai | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN Inding via OLNS for Wholesale CLEC Loading of DA per Switch per OCN DERATOR CALL PROCESSING Ing Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement Loading of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Inding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional) SERVICES NAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message ODUF: Message Processing, per message | | | | | 0.004641 | 1,170.00 420.00 16.00 7,000.00 500.00 | 1,170.00 420.00 16.00 7,000.00 500.00 | | | | | | | | |

| Resale Discounts & Rates - Mississippi | | | | | | | | | | | | Attachment: | 1 | Exhibit: D | |
|--|-------------|------|-----|-------|------------|----------|-----------|--------------|--------------|-------|-----------|-------------|-----------|---|-----------|
| CATEGORY RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- | Charge - |
| | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add' |
| | | | | | Rec | Nonre | curring | Nonrecurring | g Disconnect | | | oss | Rates(\$) | | |
| | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | |
| APPLICABLE DISCOUNTS | | | | | | | | | | | | | | | |
| Residence % | | | | | 15.75 | | | | | | | | | | |
| Business % | | | | | 15.75 | | | | | | | | | | |
| CSAs % | | | | | 15.75 | | | | | | | | | | |
| OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" NOTE: (1) CLEC should contact its contract negotiator if it prefers t | | | | | | | | | | | | | | | |
| OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - Resale Only OSS - Manual Service Order Charge, Per Local Service Reques | t | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| (LSR) - Resale Only | - | | | SOMAN | | 19.99 | 0.00 | 19.99 | 0.00 | | | | | | |
| BRANDING - DIRECTORY ASSISTANCE | | | | | | | | | | | | | | | |
| Branding | | | | | | | | | | | | | | | |
| Recording of DA Custom Branded Announcement | | | | | | 3,000.00 | 3,000.00 | | | | | | | | |
| Loading of DA Custom Branded Announcement per Switch per OCN | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| Unbranding via OLNS for Wholesale CLEC | | | | | | | | | | | | | | | |
| Loading of DA per OCN (1 OCN per Order) | | | | | | 420.00 | 420.00 | | | | | | | | |
| Loading of DA per Switch per OCN | | | | | | 16.00 | 16.00 | | | | | | | | |
| BRANDING - OPERATOR CALL PROCESSING | | | | | | | | | | | | | | | |
| Branding | | | | | | = 000 00 | | | | | | | | | |
| Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN | | | | | | 7,000.00 | 7,000.00 | | | | | | | | |
| Unbranding via OLNS for Wholesale CLEC | + | + + | | | | 500.00 | 500.00 | | | 1 | | | | | |
| Loading of OA per OCN (Regional) | | | | + | | 1,200.00 | 1,200.00 | | | | | | | | |
| ODUF/EODUF SERVICES | + | + + | | + | † | 1,200.00 | 1,200.00 | | | | | | | | |
| OPTIONAL DAILY USAGE FILE (ODUF) | 1 | + | | + | | | | | | 1 | | | | | |
| ODUF: Recording, per message | + | 1 1 | | | 0.0000063 | | | | 1 | | | | | | |
| ODUF: Message Processing, per message | | | | 1 | 0.004707 | | | | İ | | | | | | |
| ODUF: Message Processing, per Magnetic Tape provisioned | | | | | 49.04 | | | | | | | | | | |
| ODUF: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.00010669 | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| ENHANCED OPTIONAL DAILY USAGE FILE (EODUF) | | | | | | | | | | | | | | | |

| Resale Discounts & Rates - North Carolina | | | | | | | | | | | | Attachment: | 1 | Exhibit: D | |
|--|-------------|------|-----|---------|---------|----------|-----------|--------------|--------------|-------|-----------|-------------|-----------|---|--|
| CATEGORY RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted | | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Nonro | curring | Nonrecurring | n Diagonnoot | | | - | Rates(\$) | DISC 1St | DISC Add I |
| | - | + | | | Rec | First | Add'l | First | Add'I | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | - | + | | | | FIISL | Auu i | FIISL | Add I | SOMEC | SOWAN | SOWAN | SOWAN | SOWAN | SUMAN |
| APPLICABLE DISCOUNTS | | + | | | | | | | | | | | | | |
| Residence % | | + | | | 21.50 | | | | | | | | | | |
| Business % | | | | | 17.60 | | | | | | | | | | |
| CSAs % | | | | | 17.60 | | | | | | | | | | |
| OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" | | | | | 17.00 | | | | | | | | | | |
| elect either the state specific Commission ordered rates for the serveach of the 9 states. OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - Resale Only | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| OSS - Manual Service Order Charge, Per Local Service Reques | t | | | SOMAN | | 19.99 | 0.00 | 19.99 | 0.00 | | | | | | |
| BRANDING - DIRECTORY ASSISTANCE | | | | SOIVIAN | | 19.99 | 0.00 | 19.99 | 0.00 | | | | | | + |
| Branding | + | + | | | | | | | | 1 | | | | | |
| Recording of DA Custom Branded Announcement | | + + | | | | 3.000.00 | 3.000.00 | | | | | | | | I |
| Loading of DA Custom Branded Announcement per Switch per OCN | | | | | | 1.170.00 | 1.170.00 | | | | | | | | |
| Unbranding via OLNS for Wholesale CLEC | | | | | | , | , | | | | | | | | |
| Loading of DA per OCN (1 OCN per Order) | | | | | | 420.00 | 420.00 | | | | | | | | |
| Loading of DA per Switch per OCN | | | | | | 16.00 | 16.00 | | | | | | | | |
| BRANDING - OPERATOR CALL PROCESSING | | | | | | | | | | | | | | | |
| Branding | | | | | | | | | | | | | | | ſ |
| Recording of Custom Branded OA Announcement | | | | | | 7,000.00 | 7,000.00 | | | | | | | | 1 |
| Loading of Custom Branded OA Announcement per shelf/NAV per OCN | | | | | | 500.00 | 500.00 | | | | | | | | |
| Unbranding via OLNS for Wholesale CLEC | | | | | | | | | | | | | | | ĺ |
| Loading of OA per OCN (Regional) | | | | | | 1,200.00 | 1,200.00 | | | | | | | | ſ |
| ODUF/EODUF SERVICES | | | | | | | | | | | | | | | (|
| OPTIONAL DAILY USAGE FILE (ODUF) | | | | | | | | | | | | | | | |
| ODUF: Recording, per message | | | | | 0.0003 | | | | | | | · | | | |
| ODUF: Message Processing, per message | | | | | 0.0032 | | | | | | | · | | | |
| ODUF: Message Processing, per Magnetic Tape provisioned | | | | | 54.61 | | | | | | | | | | L |
| ODUF: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.00004 | | | | | | | | | | |
| ENHANCED OPTIONAL DAILY USAGE FILE (EODUF) | 1 | | | 1 | | | | | | | | | | | 1 |
| EODUF: Message Processing, per message | | | | | | | | | | | | | | | |

| | ounts & Rates - South Carolina | | | | | | | | | | | | Attachment: | 1 | Exhibit: D | |
|---|--|-------------|------|-------------------|-------|-------------------|---|---|--------------|------------|------------------------------|----------------------------------|--|--|--|---|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Submitted Elec per LSR | Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svo Order vs. Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | ļ | | | + | | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | 1 1 | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| APPLICABLE | DISCOUNTS | | | | | | | | | | | | | | | |
| | Residence % | | | | | 14.80 | | | | | | | | | | |
| | Business % | | | | | 14.80 | | | | | | | | | | |
| | CSAs % | | | | | 8.98 | | | | | | | | | | |
| OPERATIONS | SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" | | | | | | | | | | | | | | | |
| | ither the state specific Commission ordered rates for the servi f the 9 states. OSS - Electronic Service Order Charge, Per Local Service | | J J | goo, or 00 | 1 |] | | | <u> </u> | | | | | | | |
| | Request (LSR) - Resale Only | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| | OSS - Manual Service Order Charge, Per Local Service Request (LSR) - Resale Only | | | | SOMAN | | 19.99 | 0.00 | 19.99 | 0.00 | | | | | | |
| DD V NIDING - D | DIRECTORY ASSISTANCE | | | | | | | | | | | | | | | |
| BRANDING - L | | | | | | | | | | | | | | | | |
| Brandi | | | | | | | | | | | | | | | | |
| | Recording of DA Custom Branded Announcement | | | | | | 3,000.00 | 3,000.00 | | | | | | | | |
| Brandi | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN | | | | | | 3,000.00 1,170.00 | 3,000.00 | | | | | | | | |
| Brandi | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN Inding via OLNS for Wholesale CLEC | | | | | | -, | , | | | | | | | | |
| Brandi | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN ding via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order) | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| Brandi | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN ding via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| Unbrar | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN Iding via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN PERATOR CALL PROCESSING | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| Brandi | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN Inding via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN DPERATOR CALL PROCESSING India Day 10 DA DAY 10 | | | | | | 1,170.00 420.00 16.00 | 1,170.00 420.00 16.00 | | | | | | | | |
| Unbrar | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN nding via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN PERATOR CALL PROCESSING ng Recording of Custom Branded OA Announcement | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| Unbrai BRANDING - C Brandi | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN Iding via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN PPERATOR CALL PROCESSING IR Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per Shelf/NAV per OCN | | | | | | 1,170.00 420.00 16.00 | 1,170.00 420.00 16.00 | | | | | | | | |
| Unbrai BRANDING - C Brandi | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN ding via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN OPERATOR CALL PROCESSING ng Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN nding via OLNS for Wholesale CLEC | | | | | | 1,170.00 420.00 16.00 7,000.00 500.00 | 1,170.00 420.00 16.00 7,000.00 500.00 | | | | | | | | |
| Brandi Unbrai BRANDING - C Brandi Unbrai | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN Inding via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN IDENTIFY OF THE SWITCH PROCESSING ING RECORDING OF CUSTOM BRANDED ON ANNOUNCEMENT Loading of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN IDENTIFY ON THE SWITCH PROCESSING IDENTIFY ON T | | | | | | 1,170.00 420.00 16.00 7,000.00 | 1,170.00 420.00 16.00 7,000.00 | | | | | | | | |
| BRANDING - C Brandi Unbrai Unbrai ODUF/EODUF | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN Inding via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN Inding via OLNS for Wholesale CLEC Loading of DA per Switch per OCN Inding via OLNS for Wholesale OLN Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per Shelf/NAV Inding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional) SERVICES | | | | | | 1,170.00 420.00 16.00 7,000.00 500.00 | 1,170.00 420.00 16.00 7,000.00 500.00 | | | | | | | | |
| BRANDING - C Brandi Unbrai Unbrai ODUF/EODUF | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN Indiana of DA Per OCN (1 OCN per Order) Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN DPERATOR CALL PROCESSING INDIANA Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Indiana oLNS for Wholesale CLEC Loading of OA per OCN (Regional) SERVICES NAL DAILY USAGE FILE (ODUF) | | | | | | 1,170.00 420.00 16.00 7,000.00 500.00 | 1,170.00 420.00 16.00 7,000.00 500.00 | | | | | | | | |
| BRANDING - C Brandi Unbrai Unbrai ODUF/EODUF | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN Inding via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN DPERATOR CALL PROCESSING INDICATE OF CUSTON BRANDED ON ANNOUNCEMENT OF CON Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Inding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional) SERVICES NAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message | | | | | 0.000216 | 1,170.00 420.00 16.00 7,000.00 500.00 | 1,170.00 420.00 16.00 7,000.00 500.00 | | | | | | | | |
| BRANDING - C Brandi Unbrai Unbrai ODUF/EODUF | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN Inding via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN Inding via OLNS for Wholesale CLEC Loading of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Inding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional) SERVICES NAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message ODUF: Message Processing, per message | | | | | 0.004704 | 1,170.00 420.00 16.00 7,000.00 500.00 | 1,170.00 420.00 16.00 7,000.00 500.00 | | | | | | | | |
| BRANDING - C Brandi Unbrai Unbrai ODUF/EODUF | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN Inding via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN DEPERATOR CALL PROCESSING ING Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Inding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional) SERVICES NAL DAILY USAGE FILE (ODUF) ODUF: Message Processing, per message ODUF: Message Processing, per Magnetic Tape provisioned | | | | | 0.004704 48.87 | 1,170.00 420.00 16.00 7,000.00 500.00 | 1,170.00 420.00 16.00 7,000.00 500.00 | | | | | | | | |
| BRANDING - C Brandi Unbrai | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN Inding via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN Inding via OLNS for Wholesale CLEC Loading of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Inding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional) SERVICES NAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message ODUF: Message Processing, per message | | | | | 0.004704 | 1,170.00 420.00 16.00 7,000.00 500.00 | 1,170.00 420.00 16.00 7,000.00 500.00 | | | | | | | | |

Page 8 of 9

| Resale Discounts & Rates - Tennessee | | | | | • | | | | | | | Attachment: | 1 | Exhibit: D | |
|---|----------|----------|--------------------|----------------|------------------|-----------------|----------------|----------------|----------------|------------|--------------|--------------|---------------|---------------|---------------|
| | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | 1 | 1 | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | Inta- | | | 1 | 1 | | | | | Elec | | | | Manual Svc | Manual Svc |
| CATEGORY RATE ELEMENTS | Interi | Zone | BCS | USOC | 1 | | RATES(\$) | | | per LSR | | Order vs. | Order vs. | Order vs. | Order vs. |
| | m | | | | | | , | | | per Loix | per Lor | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | ist | Addi | DISC 1St | DISC Add 1 |
| | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | |
| APPLICABLE DISCOUNTS | | | | | 10.00 | | | | | | | | | | |
| Residence % | | | | | 16.00 | | | | | | | | | | |
| Business % | | | | | 16.00 | | | | | | | | | | |
| CSAs % | | | | | 16.00 | | | | | | | | | | |
| OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" | <u> </u> | | | | | | | | | | | | <u> </u> | L | |
| NOTE: (1) CLEC should contact its contract negotiator if it prefers the | | | | | | | | | | | | | | | |
| elect either the state specific Commission ordered rates for the serv | ice orde | ering ch | narges, or CLEC ma | y elect the re | gional service o | ordering charge | e, however, Cl | _EC can not ob | tain a mixture | of the two | regardless i | f CLEC has a | interconnecti | on contract e | stablished in |
| each of the 9 states. | | | | | | | | | | | | | | | |
| OSS - Electronic Service Order Charge, Per Local Service | | | | | | | | | | | | | | | |
| Request (LSR) - Resale Only | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| OSS - Manual Service Order Charge, Per Local Service Request | | | | | | | | | | | | | | | |
| (LSR) - Resale Only | | | | SOMAN | | 19.99 | 0.00 | 19.99 | 0.00 | | | | | | |
| BRANDING - DIRECTORY ASSISTANCE | | | | | | | | | | | | | | | |
| Branding | | | | | | | | | | | | | | | |
| Recording of DA Custom Branded Announcement | | | | | | 3,000.00 | 3,000.00 | 7.03 | 7.03 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| Loading of DA Custom Branded Announcement per Switch per OCN | | | | | | 1,170.00 | 1,170.00 | | | | | 20.35 | 10.54 | | |
| Unbranding via OLNS for Wholesale CLEC | | | | | | | | | | | | | | | |
| Loading of DA per OCN (1 OCN per Order) | | | | | | 420.00 | 420.00 | | | | | 20.35 | 10.54 | | |
| Loading of DA per Switch per OCN | | | | | | 16.00 | 16.00 | | | | | 20.35 | 10.54 | | |
| BRANDING - OPERATOR CALL PROCESSING | | | | | | | | | | | | | | | |
| Branding | | | | | | | | | | | | | | | |
| Recording of Custom Branded OA Announcement | | | | | | 7,000.00 | 7,000.00 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| Loading of Custom Branded OA Announcement per shelf/NAV | | | | | | | | | | | | | | | |
| per OCN | | | | | | 500.00 | 500.00 | | | | | 19.99 | 19.99 | | |
| Unbranding via OLNS for Wholesale CLEC | | | | | | | | | | | | | | | |
| Loading of OA per OCN (Regional) | | | | | | 1,200.00 | 1,200.00 | | | | | 19.99 | 19.99 | | |
| ODUF/EODUF SERVICES | | | | | | | | | | | | | | | |
| OPTIONAL DAILY USAGE FILE (ODUF) | | | | | | | | | | | | | | | |
| ODUF: Recording, per message | | | | | 0.0000044 | | | | | | | | | | |
| ODUF: Message Processing, per message | | | | | 0.002446 | | | | | | | | | | |
| ODUF: Message Processing, per Magnetic Tape provisioned | | | | | 35.54 | | | | | | | | | | |
| ODUF: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.0000339 | | _ | | | | | | | | |
| ENHANCED OPTIONAL DAILY USAGE FILE (EODUF) | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |

Attachment 2

Network Elements and Other Services

For New CLECs

TABLE OF CONTENTS

| 1 | INTRODUCTION | 3 |
|-----|---|-------------|
| 2 | LOOPS | 7 |
| 3 | LINE SPLITTING | 26 |
| 4 | UNBUNDLED NETWORK ELEMENT COMBINATIONS | 27 |
| 5 | DEDICATED TRANSPORT AND DARK FIBER TRANSPORT | 29 |
| 6 | AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (A | ALI/DMS) 33 |
| 7 | WHITE PAGES LISTINGS | 36 |
| Rat | tes | Exhibit A |
| Rat | tes | Exhibit B |

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 Introduction

- 1.1 This Attachment sets forth rates, terms and conditions for unbundled network elements (Network Elements) and combinations of Network Elements (Combinations) that BellSouth offers to REDSQUARE for REDSQUARE's provision of Telecommunications Services in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to REDSQUARE (Other Services). Additionally, the provision of a particular Network Element or Other Service may require REDSQUARE to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 The rates for each Network Element, Combinations and Other Services are set forth in Exhibits A and B. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party. If REDSQUARE purchases service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply. A one-month minimum billing period shall apply to all Network Elements, Combinations and Other Services.
- 1.3 REDSQUARE may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R § 51.309.
- 1.4 The Parties shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.5 REDSQUARE shall not obtain a Network Element for the exclusive provision of mobile wireless services or interexchange services.
- 1.6 Conversion of Wholesale Services to Network Elements or Network Elements to Wholesale Services. Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent Network Element or Combination that is available to REDSQUARE pursuant to Section 251 of the Act and under this Agreement or convert a Network Element or Combination that is available to REDSQUARE pursuant to Section 251 of the Act and under this Agreement to an equivalent wholesale service or group of wholesale services offered by BellSouth (collectively "Conversion"). BellSouth shall charge the applicable nonrecurring switch-as-is rates for Conversions to specific Network Elements or Combinations found in Exhibit A. BellSouth shall also charge the same nonrecurring switch-as-is rates when converting from Network Elements or Combinations. Any rate change resulting from the Conversion will be effective as of the next billing cycle following BellSouth's receipt of a complete and accurate Conversion request from

Version: 4Q04 Standard ICA with TRRO

04/14/05

REDSQUARE. A Conversion shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between REDSQUARE and BellSouth. Any change from a wholesale service/group of wholesale services to a Network Element/Combination, or from a Network Element/Combination to a wholesale service/group of wholesale services, that requires a physical rearrangement will not be considered to be a Conversion for purposes of this Agreement. BellSouth will not require physical rearrangements if the Conversion can be completed through record changes only. Orders for Conversions will be handled in accordance with the guidelines set forth in the Ordering Guidelines and Processes and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 below.

- 1.7 Except to the extent expressly provided otherwise in this Attachment, REDSQUARE may not maintain unbundled network elements or combinations of unbundled network elements, that are no longer offered pursuant to this Agreement (collectively "Arrangements"). In the event BellSouth determines that REDSQUARE has in place any Arrangements after the Effective Date of this Agreement, BellSouth may disconnect such Arrangements without notice under this Agreement to REDSQUARE.
- 1.8 Prior to submitting an order pursuant to this Agreement for high capacity (DS1 or above) Dedicated Transport or high capacity Loops, REDSQUARE shall undertake a reasonably diligent inquiry to determine whether REDSQUARE is entitled to unbundled access to such Network Elements in accordance with the terms of this Agreement. By submitting any such order, REDSQUARE self-certifies that to the best of REDSQUARE's knowledge, the high capacity Dedicated Transport or high capacity Loop requested is available as a Network Element pursuant to this Agreement. Upon receiving such order, BellSouth shall process the request in reliance upon REDSQUARE's self-certification. To the extent BellSouth believes that such request does not comply with the terms of this Agreement, BellSouth shall seek dispute resolution in accordance with the General Terms and Conditions of this Agreement.
- 1.9 REDSQUARE may utilize Network Elements and Other Services to provide services in accordance with this Agreement, as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- 1.10 BellSouth will perform Routine Network Modifications (RNM) in accordance with FCC 47 C.F.R. § 51.319 (a)(7) and (e)(4) for Loops and Dedicated Transport provided under this Attachment. If BellSouth has anticipated such RNM and performs them during normal operations and has recovered the costs for performing such modifications through the rates set forth in Exhibit A, then BellSouth shall perform such RNM at no additional charge. RNM shall be performed within the intervals established for the Network Element and subject to the performance measurements and associated remedies set forth in Attachment 9 to the extent such RNM were anticipated in the setting of such intervals. If

BellSouth has not anticipated a requested network modification as being a RNM and has not recovered the costs of such RNM in the rates set forth in Exhibit A, then such request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request and, upon receipt of payment from REDSQUARE, BellSouth shall perform the RNM.

1.11 <u>Commingling of Services</u>

- 1.11.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Combination, to one or more Telecommunications Services or facilities that REDSQUARE has obtained at wholesale from BellSouth, or the combining of a Network Element or Combination with one or more such wholesale Telecommunications Services or facilities. REDSQUARE must comply with all rates, terms or conditions applicable to such wholesale Telecommunications Services or facilities.
- 1.11.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a Combination on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for mobile wireless services and/or interexchange services.
- 1.11.3 Unless otherwise agreed to by the Parties, the Network Element portion of a commingled circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates or rates set forth in a separate agreement between the Parties.
- 1.11.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment will be billed from the same agreement or tariff as the higher bandwidth circuit. Central Office Channel Interfaces (COCI) will be billed from the same agreement or tariff as the lower bandwidth circuit.
- 1.11.5 Notwithstanding any other provision of this Agreement, BellSouth shall not be obligated to commingle or combine Network Elements or Combinations with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.
- 1.12 Terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference. The charges shall be as set forth in Exhibit A.
- 1.13 Ordering Guidelines and Processes

Version: 4Q04 Standard ICA with TRRO

04/14/05

- 1.13.1 For information regarding Ordering Guidelines and Processes for various Network Elements, Combinations and Other Services, REDSQUARE should refer to the "Guides" section of the BellSouth Interconnection Web site, which is incorporated herein by reference, as amended from time to time. The Web site address is: http://www.interconnection.bellsouth.com/.
- 1.13.2 Additional information may also be found in the individual CLEC Information Packages, which are incorporated herein by reference, as amended from time to time, located at the "CLEC UNE Products" Web site address: http://www.interconnection.bellsouth.com/guides/html/unes.html.
- 1.13.3 The provisioning of Network Elements, Combinations and Other Services to REDSQUARE's Collocation Space will require cross-connections within the central office to connect the Network Element, Combinations or Other Services to the demarcation point associated with REDSQUARE's Collocation Space. These cross-connects are separate components that are not considered a part of the Network Element, Combinations or Other Services and, thus, have a separate charge pursuant to Attachment 4.
- 1.13.4 Testing/Trouble Reporting.
- 1.13.4.1 REDSQUARE will be responsible for testing and isolating troubles on Network Elements. REDSQUARE must test and isolate trouble to the BellSouth network before reporting the trouble to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, REDSQUARE will be required to provide the results of the REDSQUARE test which indicate a problem on the BellSouth network.
- 1.13.4.2 Once REDSQUARE has isolated a trouble to the BellSouth network, and has issued a trouble report to BellSouth, BellSouth will take the actions necessary to repair the Network Element when trouble is found. BellSouth will repair its network facilities to its wholesale customers in the same time frames that BellSouth repairs similar services to its retail End Users.
- 1.13.4.3 If REDSQUARE reports a trouble on a BellSouth Network Element and no trouble is found in BellSouth's network, BellSouth will charge REDSQUARE a Maintenance of Service Charge for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Network Element's working status. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.
- 1.13.4.4 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by REDSQUARE (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill REDSQUARE for each additional dispatch required to repair the Network Element due to the incorrect/incomplete information provided. BellSouth will

assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.

2 Loops

- 2.1 General. The local loop Network Element is defined as a transmission facility that BellSouth provides pursuant to this Attachment between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an End User premises (Loop). Facilities that do not terminate at a demarcation point at an End User premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute local Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers (DSLAMs)), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's premises, including inside wire owned or controlled by BellSouth. REDSQUARE shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.
- 2.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.2 Fiber to the Home (FTTH) loops are local loops consisting entirely of fiber optic cable, whether dark or lit, serving an End User's premises or, in the case of predominantly residential multiple dwelling units (MDUs), a fiber optic cable, whether dark or lit, that extends to the MDU minimum point of entry (MPOE). Fiber to the Curb (FTTC) loops are local loops consisting of fiber optic cable connecting to a copper distribution plant that is not more than five hundred (500) feet from the End User's premises or, in the case of predominantly residential MDUs, not more than five hundred (500) feet from the MDU's MPOE. The fiber optic cable in a FTTC loop must connect to a copper distribution plant at a serving area interface from which every other copper distribution subloop also is not more than five hundred (500) feet from the respective End User's premises.
- 2.1.2.1 In new build (Greenfield) areas, where BellSouth has only deployed FTTH/FTTC facilities, BellSouth is under no obligation to provide Loops. FTTH facilities include fiber loops deployed to the MPOE of a MDU that is predominantly residential regardless of the ownership of the inside wiring from the MPOE to each End User in the MDU.
- 2.1.2.2 In FTTH/FTTC overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to REDSQUARE on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will

offer a 64 kilobits per second (kbps) second voice grade channel over its FTTH/FTTC facilities.

- 2.1.2.3 Furthermore, in FTTH/FTTC overbuild areas where BellSouth has not yet retired copper facilities, BellSouth is not obligated to ensure that such copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by REDSQUARE. If a request is received by BellSouth for a copper Loop, and the copper facilities have not yet been retired, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH/FTTC overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval
- A hybrid Loop is a local Loop, composed of both fiber optic cable, usually in the feeder plant, and copper twisted wire or cable, usually in the distribution plant. BellSouth shall provide REDSQUARE with nondiscriminatory access to the time division multiplexing features, functions and capabilities of such hybrid Loop, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's premises.
- 2.1.4 <u>DS1 and DS3 Loop Requirements</u>
- 2.1.4.1 For purposes of this Section 2, a Business Line is defined in 47 C.F.R. § 51.5.
- 2.1.4.2 BellSouth shall make available DS1 and DS3 Loops as defined in this Section 2. Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available DS1 and DS3 Loops except as described below:
- 2.1.4.2.1 DS1 Loops at any location within the service area of a wire center containing 60,000 or more Business Lines and four (4) or more fiber-based collocators.
- 2.1.4.2.2 DS3 Loops at any location within the service area of a wire center containing 38,000 or more Business Lines and four (4) or more fiber-based collocators.
- 2.1.4.3 Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.2.1, no future DS1 Loop unbundling will be required in that wire center.
- 2.1.4.4 Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.2.2, no future DS3 Loop unbundling will be required in that wire center.
- Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at BellSouth's Web site: http://www.interconnection.bellsouth.com. For orders of fifteen (15) or more Loops, the installation and any applicable OC as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the

- order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.5 The Loop shall be provided to REDSQUARE in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.6 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.7.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If REDSQUARE wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g., UVL-SL1, UVL-SL2, and UCL-ND), REDSQUARE may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A.
- 2.1.7.2 For voice grade Loop orders (or orders for Loops intended to provide voice grade services), REDSQUARE shall have dial-tone available for that Loop forty-eight (48) hours prior to the Loop order completion due date.
- 2.1.8 Order Coordination (OC) and Order Coordination-Time Specific (OC-TS)
- 2.1.8.1 OC allows BellSouth and REDSQUARE to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to REDSQUARE's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.8.2 OC-TS allows REDSQUARE to order a specific time for OC to take place. BellSouth will make commercially reasonable efforts to accommodate REDSQUARE's specific conversion time request. However, BellSouth reserves the right to negotiate with REDSQUARE a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. REDSQUARE may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If REDSQUARE specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with

the rates established in BellSouth's Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

Version: 4Q04 Standard ICA with TRRO

04/14/05

2.1.9

| | Order Coordination (OC) | Order Coordination - Time Specific (OC-TS) | Test Points | DLR | Charge for Dispatch and Testing if No Trouble Found |
|---|---|---|------------------------------------|---|---|
| SL-1 (Non- Designed) | Chargeable Option | Chargeable Option | Not available | Chargeable Option – ordered as Engineering Information Document | Charged for Dispatch inside and outside Central Office |
| UCL-ND (Non- Designed) | Chargeable Option | Not Available | Not Available | Chargeable Option – ordered as Engineering Information Document | Charged for Dispatch inside and outside Central Office |
| Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed) | Included | Chargeable Option | Included | Included | Charged for Dispatch outside Central Office |
| Unbundled Digital Loop (Designed) | Included | Chargeable Option | Included (where appropriate) | Included | Charged for Dispatch outside Central Office |
| Unbundled Copper Loop (Designed) | Chargeable in accordance with Section 2 | Not available | Included | Included | Charged for Dispatch outside Central Office |

For UVL-SL1 and UCLs, REDSQUARE must order and will be billed for both OC and OC-TS if requesting OC-TS.

2.1.9 <u>CLEC to CLEC Conversions for Unbundled Loops</u>

- 2.1.9.1 The CLEC to CLEC conversion process for Loops may be used by REDSQUARE when converting an existing Loop from another CLEC for the same End User.

 The Loop type being converted must be included in REDSQUARE's Interconnection Agreement before requesting a conversion.
- 2.1.9.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the

same End User location from the same serving wire center, and must not require an outside dispatch to provision.

- 2.1.9.3 The Loops converted to REDSQUARE pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Agreement for the specific Loop type.
- 2.1.10 Bulk Migration
- 2.1.10.1 BellSouth will make available to REDSQUARE a Bulk Migration process pursuant to which REDSQUARE may request to migrate port/loop combinations, provisioned pursuant to a separate agreement between the parties, to Loops (UNE-L). The Bulk Migration process may be used if such loop/port combinations are (1) associated with two (2) or more Existing Account Telephone Numbers (EATNs); and (2) located in the same Central Office. The terms and conditions for use of the Bulk Migration process are described in the BellSouth CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at www.interconnection.bellsouth.com/guides/html/unes.html. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A. Additionally, Operations Support Systems (OSS) charges will also apply. Loops connected to Integrated Digital Loop Carrier (IDLC) systems will be migrated pursuant to Section 2.6 below.
- 2.1.10.2 Should REDSQUARE request migration for two (2) or more EATNs containing fifteen (15) or more circuits, REDSQUARE must use the Bulk Migration process referenced in 2.1.11.1 above.
- 2.2 <u>Unbundled Voice Loops (UVLs)</u>
- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- 2.2.2 UVL may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that REDSQUARE will be able to continue

to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels - Service Level One (SL1) and Service Level Two (SL2).

- 2.2.3 <u>Unbundled Voice Loop SL1 (UVL-SL1).</u> Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by REDSQUARE, however, OC is always required on UCLs that involve the reuse of facilities that are currently providing service. REDSQUARE may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.
- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that REDSQUARE may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A.
- 2.2.5 <u>Unbundled Voice Loop SL2 (UVL-SL2).</u> Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to REDSQUARE. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow REDSQUARE to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.
- 2.3 Unbundled Digital Loops
- 2.3.1 BellSouth will offer UDLs. UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
- 2.3.2.2 2-wire Unbundled ADSL Compatible Loop

- 2.3.2.3 2-wire Unbundled HDSL Compatible Loop
- 2.3.2.4 4-wire Unbundled HDSL Compatible Loop
- 2.3.2.5 4-wire Unbundled DS1 Digital Loop
- 2.3.2.6 4-wire Unbundled Digital Loop/DS0 64 kbps, 56 kbps and below
- 2.3.2.7 DS3 Loop
- 2.3.2.8 STS-1 Loop
- 2.3.3 <u>2-wire Unbundled ISDN Digital Loops.</u> These will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. REDSQUARE will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.3.4 <u>2-wire ADSL-Compatible Loop.</u> This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 <u>2-wire or 4-wire HDSL-Compatible Loop.</u> This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.6 4-wire Unbundled DS1 Digital Loop.
- 2.3.6.1 This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-wire DS1 Network Interface at the End User's location. For purposes of this Agreement, including the transition of DS1 and DS3 Loops described in Section 2.1.4 above, DS1 Loops include 2-wire and 4-2ire copper Loops capable of providing high-bit rate digital subscriber line services, such as 2-wire and 4-wire HDSL Compatible Loops.
- 2.3.6.2 BellSouth shall not provide more than ten (10) unbundled DS1 Loops to REDSQUARE at any single building in which DS1 Loops are available as unbundled Loops.

- 2.3.7 <u>4-wire Unbundled Digital/DS0 Loop.</u> These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 <u>DS3 Loop.</u> DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 Mbps. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a SI in order to ascertain availability.
- 2.3.11 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth's TR73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.12 REDSQUARE may obtain a maximum of a single Unbundled DS3 Loop to any single building in which DS3 Loops are available as Unbundled Loops.
- 2.4 <u>Unbundled Copper Loops (UCL).</u>
- 2.4.1 BellSouth shall make available UCLs. The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types Designed and Non-Designed.
- 2.4.2 <u>Unbundled Copper Loop Designed (UCL-D)</u>
- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2-wire or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).

Version: 4Q04 Standard ICA with TRRO

04/14/05

- 2.4.2.2 A UCL-D will be 18,000 feet or less in length and is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by REDSQUARE.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by REDSQUARE to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3 <u>Unbundled Copper Loop Non-Designed (UCL-ND)</u>
- 2.4.3.1 The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6,000 feet of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18,000 feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.
- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, REDSQUARE can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that REDSQUARE may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by REDSQUARE to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.

- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 REDSQUARE may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.
- 2.5 <u>Unbundled Loop Modifications (Line Conditioning)</u>
- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Subloop that may diminish the capability of the Loop or Subloop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth's TR73600 Unbundled Local Loop Technical Specification.
- 2.5.2 BellSouth will remove load coils only on copper Loops and Subloops that are less than 18,000 feet in length.
- 2.5.3 For any copper loop being ordered by REDSQUARE which has over six thousand (6,000) feet of combined bridged tap will be modified, upon request from REDSQUARE, so that the loop will have a maximum of six thousand (6,000) feet of bridged tap. This modification will be performed at no additional charge to REDSQUARE. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper Loop that will result in a combined total of bridged tap between two thousand five hundred (2,500) and six thousand (6,000) feet will be performed at the rates set forth in Exhibit A.
- 2.5.4 REDSQUARE may request removal of any unnecessary and non-excessive bridged tap (bridged tap between zero (0) and two thousand five hundred (2,500) feet which serves no network design purpose), at rates pursuant to BellSouth's SC Process as mutually agreed to by the Parties.
- 2.5.5 Rates for ULM are as set forth in Exhibit A.
- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.

- 2.5.7 If REDSQUARE requests ULM on a reserved facility for a new Loop order, BellSouth may perform a pair change and provision a different Loop facility in lieu of the reserved facility with ULM if feasible. The Loop provisioned will meet or exceed specifications of the requested Loop facility as modified. REDSQUARE will not be charged for ULM if a different Loop is provisioned. For Loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the Loop provisioned.
- 2.5.8 REDSQUARE shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that REDSQUARE desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for REDSQUARE, REDSQUARE will submit a SI to BellSouth. If a spare Loop facility that meets the Loop modification specifications requested by REDSQUARE is available at the location for which the ULM was requested, REDSQUARE will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, REDSQUARE will not be charged for ULM but will only be charged the service order charges for submitting an order.
- 2.6 <u>Loop Provisioning Involving IDLC</u>
- 2.6.1 Where REDSQUARE has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to REDSQUARE. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for REDSQUARE (e.g., hairpinning):
 - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
 - 3. If capacity exists, provide "side-door" porting through the switch.
 - 4. If capacity exists, provide "Digital Access Cross-Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.3 If no alternate facility is available, and upon request from REDSQUARE, and if agreed to by both Parties, BellSouth may utilize its SC process to determine the additional costs required to provision facilities. REDSQUARE will then have the option of paying the one-time SC rates to place the Loop.

2.7 Network Interface Device

- 2.7.1 The NID is defined as any means of interconnection of the End User's customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit REDSQUARE to connect REDSQUARE's Loop facilities to the End User's customer premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

- 2.7.3.1 REDSQUARE may access the End User's premises wiring by any of the following means and REDSQUARE shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow REDSQUARE to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises;
- 2.7.3.1.2 Where an adequate length of the End User's customer premises wiring is present and environmental conditions permit, either Party may remove the End User premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a cross-connect or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 REDSQUARE may request BellSouth to make other rearrangements to the End User premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility

Version: 4Q04 Standard ICA with TRRO

04/14/05

of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be REDSQUARE's responsibility to ensure there is no safety hazard, and REDSQUARE will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored.

- 2.7.3.3 REDSQUARE shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 REDSQUARE shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with REDSQUARE to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 <u>Technical Requirements</u>
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's customer premises and the distribution media and/or cross-connect to REDSQUARE's NID.
- 2.7.4.3 Existing BellSouth NIDs will be operational and provided in "as is" condition. REDSQUARE may request BellSouth to do additional work to the NID on a time and material basis. When REDSQUARE deploys its own local loops in a multiple-line termination device, REDSQUARE shall specify the quantity of NID connections that it requires within such device.
- 2.8 <u>Subloop Elements.</u>
- 2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Subloop (USL) elements as specified herein.
- 2.8.2 Unbundled Subloop Distribution (USLD)
- 2.8.2.1 The USLD facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The

BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The USLD media is a copper twisted pair that can be provisioned as a 2-wire or 4-wire facility. BellSouth will make available the following subloop distribution offerings where facilities exist:

USLD – Voice Grade (USLD-VG)
Unbundled Copper Subloop (UCSL)
USLD – Intrabuilding Network Cable (USLD-INC (aka riser cable))

- 2.8.2.2 USLD-VG is a copper subloop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.
- 2.8.2.3 UCSL is a copper facility eighteen thousand (18,000) feet or less in length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 2.8.2.3.1 If REDSQUARE requests a UCSL and it is not available, REDSQUARE may request the copper Subloop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 USLD-INC is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the End User's premises.
- 2.8.2.4.1 Upon request for USLD-INC from REDSQUARE, BellSouth will install a cross-connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in twenty five (25) pair increments for REDSQUARE's use on this cross-connect panel. REDSQUARE will be responsible for connecting its facilities to the twenty five (25) pair cross-connect block(s).
- 2.8.2.5 For access to Voice Grade USLD and UCSL, REDSQUARE shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in Attachment 4. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. REDSQUARE's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.

- 2.8.2.6 Through the SI process, BellSouth will determine whether access to USLs at the location requested by REDSQUARE is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet REDSQUARE's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at BellSouth's Interconnection Web site address: http://www.interconnection.bellsouth.com/products/html/unes.html.
- 2.8.2.7 The site set-up must be completed before REDSQUARE can order Subloop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice REDSQUARE's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, REDSQUARE will request Subloop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when REDSQUARE requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by REDSQUARE for Subloop pairs, expedite charges will apply for intervals less than five (5) days.
- 2.8.2.9 USLs will be provided in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specifications.
- 2.8.3 <u>Unbundled Network Terminating Wire (UNTW)</u>
- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in MDUs and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, where a third party owns the wiring to the End User's premises.
- 2.8.3.3 Requirements
- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.

- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, and REDSQUARE does own or control such wiring, REDSQUARE will install UNTW Access Terminals for BellSouth under the same terms and conditions as BellSouth provides UNTW Access Terminals to REDSQUARE.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate REDSQUARE for each pair activated commensurate to the price specified in REDSQUARE's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or within thirty (30) days after completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the

Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.

- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten percent (10%) of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge (NRC) equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.
- 2.9 <u>Loop Makeup</u>
- 2.9.1 Description of Service
- 2.9.1.1 BellSouth shall make available to REDSQUARE LMU information with respect to Loops that are required to be unbundled under this Agreement so that REDSQUARE can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment REDSQUARE intends to install and the services REDSQUARE wishes to provide. LMU is a preordering transaction, distinct from REDSQUARE ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.
- 2.9.1.2 BellSouth will provide REDSQUARE LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other

remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the Loop length; the wire gauge and electrical parameters.

- 2.9.1.3 BellSouth's LMU information is provided to REDSQUARE as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a LOA from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 REDSOUARE may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by REDSQUARE and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (e.g., ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee REDSQUARE's ability to provide advanced data services over the ordered Loop type. Furthermore, the LMU information for Loops other than copper-only Loops (e.g., ADSL, UCL-ND, etc.) that support xDSL services, is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Except as set forth in Section 2.9.1.6, copper-only Loops will not be subject to change due to modification and/or upgrades to BellSouth's network and will remain on copper facilities until the Loop is disconnected by REDSQUARE or the End User, or until BellSouth retires the copper facilities via the FCC's and any applicable Commission's requirements. REDSQUARE is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.
- 2.9.1.6 If BellSouth retires its copper facilities using 47 C.F.R § 52.325(a) requirements; or is required by a governmental agency or regulatory body to move or replace copper facilities as a maintenance procedure, BellSouth will notify REDSQUARE, according to the applicable network disclosure requirements. It will be REDSQUARE's responsibility to move any service it may provide over such facilities to alternative facilities. If REDSQUARE fails to move the service to alternative facilities by the date in the network disclosure notice, BellSouth may terminate the service to complete the network change.

2.9.2 Submitting LMUSI

- 2.9.2.1 REDSQUARE may obtain LMU information and reserve facilities by submitting a mechanized LMU query or a manual LMUSI according to the terms and conditions as described in the LMU CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at the "CLEC UNE Product" Web site address: www.interconnection.bellsouth.com/guides/html/unes.html. After obtaining the Loop information from the mechanized LMU process, if REDSQUARE needs further Loop information in order to determine Loop service capability, REDSQUARE may initiate a separate Manual SI for a separate NRC as set forth in Exhibit A.
- 2.9.2.2 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. REDSQUARE will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, REDSQUARE does not reserve facilities upon an initial LMUSI, REDSQUARE's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A.
- 2.9.2.3 Where REDSQUARE has reserved multiple Loop facilities on a single reservation, REDSQUARE may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to REDSQUARE, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by REDSQUARE.
- 2.9.2.4 Charges for preordering manual LMUSI or mechanized LMU are separate from any charges associated with ordering other services from BellSouth.

3 Line Splitting

- 3.1 Line splitting shall mean that a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.
- 3.2 <u>Line Splitting UNE-L.</u> In the event REDSQUARE provides its own switching or obtains switching from a third party, REDSQUARE may engage in line splitting arrangements with another CLEC using a splitter, provided by REDSQUARE, in a Collocation Space at the central office where the loop terminates into a distribution frame or its equivalent.
- 3.3 <u>Maintenance Line Splitting.</u>
- 3.3.1 BellSouth will be responsible for repairing voice troubles and the troubles with the physical loop between the NID at the End User's premises and the termination point.

3.3.2 REDSQUARE shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the other service provider, except to the extent caused by BellSouth's gross negligence or willful misconduct.

4 Unbundled Network Element Combinations

- 4.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by REDSQUARE are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by REDSQUARE are not already combined by BellSouth in the location requested by REDSQUARE but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by REDSQUARE are not elements that BellSouth combines for its use in its network.
- 4.1.1 Except as otherwise set forth in this Agreement, upon request, BellSouth shall perform the functions necessary to combine Network Elements that BellSouth is required to provide under this Agreement in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such Combination is technically feasible and will not undermine the ability of other carriers to obtain access to Network Elements or to interconnect with BellSouth's network.
- 4.1.2 To the extent REDSQUARE requests a Combination for which BellSouth does not have methods and procedures in place to provide such Combination, rates and/or methods or procedures for such Combination will be developed pursuant to the BFR process.

4.2 Rates

- 4.2.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A shall be the rates associated with such Combinations. Where a Currently Combined Combination is not specifically set forth in Exhibit A, the rate for such Currently Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B in addition to the applicable nonrecurring switch-as-is charge set forth in Exhibit A.
- 4.2.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A shall be the nonrecurring and recurring charges for those Combinations. Where an Ordinarily Combined Combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A

and/or Exhibit B and nonrecurring rates for those individual Network Elements as set forth in Exhibit A.

- 4.2.3 The rates for Not Typically Combined Combinations shall be developed pursuant to the BFR process upon request of REDSQUARE.
- 4.3 Enhanced Extended Links (EELs)
- 4.3.1 EELs are combinations of Loops and Dedicated Transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide REDSQUARE with EELs where the underlying Network Element are available and are required to be provided pursuant to this Agreement and in all instances where the requesting carrier meets the eligibility requirements, if applicable.
- 4.3.2 High-capacity EELs are (1) combinations of Loop and Dedicated Transport, (2) Dedicated Transport commingled with a wholesale loop, or (3) a loop commingled with wholesale transport at the DS1 and/or DS3 level as described in 47 C.F.R. § 51.318(b).
- 4.3.3 By placing an order for a high-capacity EEL, REDSQUARE thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit REDSQUARE's high-capacity EELs as specified below.
- 4.3.4 Service Eligibility Criteria
- 4.3.4.1 High capacity EELs must comply with the following service eligibility requirements. REDSQUARE must certify for each high-capacity EEL that all of the following service eligibility criteria are met:
- 4.3.4.1.1 REDSQUARE has received state certification to provide local voice service in the area being served;
- 4.3.4.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:
- 4.3.4.2.1 1) Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit;
- 4.3.4.2.2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;
- 4.3.4.2.3 3) Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit;

- 4.3.4.2.4 4) Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 C.F.R. § 51.318(c);
- 4.3.4.2.5 5) Each circuit to be provided to each End User will be served by an interconnection trunk over which REDSQUARE will transmit the calling party's number in connection with calls exchanged over the trunk;
- 4.3.4.2.6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, REDSQUARE will have at least one (1) active DS1 local service interconnection trunk over which REDSQUARE will transmit the calling party's number in connection with calls exchanged over the trunk; and
- 4.3.4.2.7 7) Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic.
- 4.3.4.3 BellSouth may, on an annual basis, audit REDSQUARE's records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that REDSQUARE failed to comply with the service eligibility criteria, REDSQUARE must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a goingforward basis. In the event the auditor's report concludes that REDSQUARE did not comply in any material respect with the service eligibility criteria, REDSQUARE shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that REDSQUARE did comply in all material respects with the service eligibility criteria, BellSouth will reimburse REDSQUARE for its reasonable and demonstrable costs associated with the audit. REDSQUARE will maintain appropriate documentation to support its certifications.
- 4.3.4.4 In the event REDSQUARE converts special access services to UNEs, REDSQUARE shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

5 Dedicated Transport and Dark Fiber Transport

5.1 <u>Dedicated Transport.</u> Dedicated Transport is defined as BellSouth's transmission facilities between wire centers or switches owned by BellSouth, or between wire centers or switches owned by BellSouth and switches owned by REDSQUARE. Including but not limited to DS1, DS3 and OCn level services, as well as dark fiber, dedicated to REDSQUARE. BellSouth shall not be required to provide access to OCn level Dedicated Transport under any circumstances pursuant to this Agreement. In addition, except as set forth in Section 5.2 below, BellSouth shall not be required to provide to REDSQUARE unbundled access to Dedicated

Transport that does not connect a pair of wire centers or switches owned by BellSouth ("Entrance Facilities").

- 5.2 DS1 and DS3 Dedicated Transport Requirements
- 5.2.1 For purposes of this Section 5.2, a Business Line is as defined in 47 C.F.R. § 51.5.
- 5.2.2 BellSouth shall make available Dedicated Transport as defined in this Section 5. Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dedicated Transport except as described below:
- 5.2.2.1 DS1 Dedicated Transport where both wire centers at the end points of the route contain 38,000 Business Lines or four (4) or more fiber-based collocators.
- 5.2.2.2 DS3 Dedicated Transport where both wire centers at the end points of the route contain 24,000 or more Business Lines or three (3) or more fiber-based collocators.
- 5.2.3 Once a wire center exceeds either of the thresholds set forth in this Section 5.2.4.1, no future DS1 Dedicated Transport unbundling will be required in that wire center.
- Once a wire center exceeds either of the thresholds set forth in Section 5.2.4.2, no future DS3 Dedicated Transport will be required in that wire center.
- 5.3 BellSouth shall:
- 5.3.1 Provide REDSQUARE exclusive use of Dedicated Transport to a particular customer or carrier;
- 5.3.2 Provide all technically feasible features, functions, and capabilities of Dedicated Transport as outlined within the technical requirements of this section;
- 5.3.3 Permit, to the extent technically feasible, REDSQUARE to connect Dedicated Transport to equipment designated by REDSQUARE, including but not limited to, REDSQUARE's collocated facilities; and
- Permit, to the extent technically feasible, REDSQUARE to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 5.4 BellSouth shall offer Dedicated Transport:
- 5.4.1 As capacity on a shared facility; and
- 5.4.2 As a circuit (i.e., DS0, DS1, DS3, STS-1) dedicated to REDSQUARE.
- 5.5 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.

REDSQUARE may obtain a maximum of ten (10) unbundled DS1 Dedicated Transport circuits or twelve (12) unbundled DS3 Dedicated Transport circuits, or their equivalent, on each route where the respective Dedicated Transport is available as a Network Element. A route is defined as a transmission path between one of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.

5.7 <u>Technical Requirements</u>

- 5.7.1 BellSouth shall offer DS0 equivalent interface transmission rates for DS0 or voice grade Dedicated Transport. For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.
- 5.7.2 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
- 5.7.2.1 DS0 Equivalent;
- 5.7.2.2 DS1;
- 5.7.2.3 DS3; and
- 5.7.2.4 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 5.7.3 BellSouth shall design Dedicated Transport according to its network infrastructure. REDSQUARE shall specify the termination points for Dedicated Transport.
- 5.7.4 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references and BellSouth Technical References;
- 5.7.4.1 Telcordia TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 5.7.4.2 BellSouth's TR73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995.
- 5.7.4.3 BellSouth's TR73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

5.8 <u>Unbundled Channelization (Multiplexing)</u>

- To the extent REDSQUARE is purchasing DS1 or DS3 or STS-1 Dedicated Transport pursuant to this Agreement, Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) Network Elements to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, REDSQUARE may request channel activation on a channelized facility and BellSouth shall connect the requested facilities via COCIs. The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.
- 5.8.2 BellSouth shall make available the following channelization systems and interfaces:
- 5.8.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following COCI are available: Voice Grade, Digital Data and ISDN.
- 5.8.2.2 DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 5.8.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 5.8.3 <u>Technical Requirements.</u> In order to assure proper operation with BellSouth provided central office multiplexing functionality, REDSQUARE's channelization equipment must adhere strictly to form and protocol standards. REDSQUARE must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 5.9 <u>Dark Fiber Transport.</u> Dark Fiber Transport is defined as Dedicated Transport that consists of unactivated optical interoffice transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics. Except as set forth in Section 5.9.1 below, BellSouth shall not be required to provide access to Dark Fiber Transport Entrance Facilities pursuant to this Agreement.
- 5.9.1 <u>Dark Fiber Transport Requirements</u>
- 5.9.1.1 For purposes of this Section 5.9, a Business Line is as defined in 47 C.F.R. § 51.5.
- 5.9.1.2 BellSouth shall make available Dark Fiber Transport as defined in this Section 5.9. Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dark Fiber Transport except as described below:

- 5.9.1.2.1 Dark Fiber Transport where both wire centers at the end points of the route contain 24,000 or more Business Lines or three (3) or more fiber-based collocators.
- 5.9.1.3 Once a wire center exceeds either of the thresholds set forth in this Section 5.9.1.2.1, no future Dark Fiber Transport unbundling will be required in that wire center.

5.10 <u>Rearrangements</u>

- 5.10.1 A request to move a working REDSQUARE CFA to another REDSQUARE CFA, where both CFAs terminate in the same BellSouth Central Office ("Change in CFA"), shall not constitute the establishment of new service. The applicable rates set forth in Exhibit A.
- 5.10.2 Requests to re-terminate one end of a facility that is not a Change in CFA constitute the establishment of new service and require disconnection of existing service and the applicable rates set forth in Exhibit A shall apply.
- 5.10.3 Upon request of REDSQUARE, BellSouth shall project manage the Change in CFA or re-termination of a facility as described in Sections 5.10.1 and 5.10.2 above and REDSQUARE may request OC-TS for such orders.
- BellSouth shall accept a Letter of Authorization (LOA) between REDSQUARE and another carrier that will allow REDSQUARE to connect a facility, or Combination that includes Dedicated Transport to the other carrier's collocation space or to another carrier's CFA associated with higher bandwidth transport.

6 Automatic Location Identification/Data Management System (ALI/DMS)

6.1 911 and E911 Databases

- 6.1.1 BellSouth shall provide REDSQUARE with nondiscriminatory access to 911 and E911 databases on an unbundled basis, in accordance with 47 C.F.R. § 51.319 (f).
- 6.1.2 The ALI/DMS database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. REDSQUARE will be required to provide the BellSouth 911 database vendor daily service order updates to E911 database in accordance with Section 6.2.1.
- 6.2 <u>Technical Requirements</u>
- 6.2.1 BellSouth's 911 database vendor shall provide REDSQUARE the capability of providing updates to the ALI/DMS database through a specified electronic interface. REDSQUARE shall contact BellSouth's 911 database vendor directly

to request interface. REDSQUARE shall provide updates directly to BellSouth's 911 database vendor on a daily basis. Updates shall be the responsibility of REDSQUARE and BellSouth shall not be liable for the transactions between REDSQUARE and BellSouth's 911 database vendor.

- 6.2.2 It is REDSQUARE's responsibility to retrieve and confirm statistical data and to correct errors obtained from BellSouth's 911 database vendor on a daily basis. All errors will be assigned a unique error code and the description of the error and the corrective action is described in the CLEC Users Guide for Facility Based Providers that is found on the BellSouth Interconnection Web site.
- 6.2.3 REDSQUARE shall conform to the BellSouth standards as described in the CLEC Users Guide to E911 for Facilities Based Providers that is located on the BellSouth Interconnection Web site at http://www.interconnection.bellsouth.com/guides.
- 6.2.4 Stranded Unlocks are defined as End User records in BellSouth's ALI/DMS database that have not been migrated for over ninety (90) days to REDSQUARE, as a new provider of local service to the End User. Stranded Unlocks are those End User records that have been "unlocked" by the previous local exchange carrier that provided service to the End User and are open for REDSQUARE to assume responsibility for such records.
- 6.2.4.1 Based upon End User record ownership information available in the NPAC database, BellSouth shall provide a Stranded Unlock annual report to REDSQUARE that reflects all Stranded Unlocks that remain in the ALI/DMS database for over ninety (90) days. REDSQUARE shall review the Stranded Unlock report, identify its End User records and request to either delete such records or migrate the records to REDSQUARE within two (2) months following the date of the Stranded Unlock report provided by BellSouth. REDSQUARE shall reimburse BellSouth for any charges BellSouth's database vendor imposes on BellSouth for the deletion of REDSQUARE's records.
- 6.3 <u>911 PBX Locate Service®</u>. 911 PBX Locate Service is comprised of a database capability and a separate transport component.
- 6.3.1 <u>Description of Product.</u> The transport component provides a dedicated trunk path from a Private Branch Exchange (PBX) switch to the appropriate BellSouth 911 tandem.
- 6.3.1.1 The database capability allows REDSQUARE to offer an E911 service to its PBX End Users that identifies to the Public Safety Answering Point (PSAP) the physical location of the REDSQUARE PBX 911 End User station telephone number for the 911 call that is placed by the End User.

- 6.3.2 REDSQUARE may order either the database capability or the transport component as desired or REDSQUARE may order both components of the service.
- 6.3.3 <u>911 PBX Locate Database Capability.</u> REDSQUARE's End User or REDSQUARE's End User's database management agent (DMA) must provide the End User PBX station telephone numbers and corresponding address and location data to BellSouth's 911 database vendor. The data will be loaded and maintained in BellSouth's ALI database.
- 6.3.4 Ordering, provisioning, testing and maintenance shall be provided by REDSQUARE pursuant to the 911 PBX Locate Marketing Service Description (MSD) that is located on the BellSouth Interconnection Web site.
- 6.3.5 REDSQUARE's End User, or REDSQUARE's End User database management agent must provide ongoing updates to BellSouth's 911 database vendor within a commercially reasonable timeframe of all PBX station telephone number adds, moves and deletions. It will be the responsibility of REDSQUARE to ensure that the End User or DMA maintain the data pertaining to each End User's extension managed by the 911 PBX Locate Service product. REDSQUARE should not submit telephone number updates for specific PBX station telephone numbers that are submitted by REDSQUARE's End User, or REDSQUARE's End User DMA under the terms of 911 PBX Locate product.
- 6.3.5.1 REDSQUARE must provision all PBX station numbers in the same LATA as the E911 tandem.
- 6.3.6 REDSQUARE agrees to release, indemnify, defend and hold harmless BellSouth from any and all loss, claims, demands, suits, or other action, or any liability whatsoever, whether suffered, made, instituted or asserted by REDSQUARE's End User or by any other party or person, for any personal injury to or death of any person or persons, or for any loss, damage or destruction of any property, whether owned by REDSQUARE or others, or for any infringement or invasion of the right of privacy of any person or persons, caused or claimed to have been caused, directly or indirectly, by the installation, operation, failure to operate, maintenance, removal, presence, condition, location or use of PBX Locate Service features or by any services which are or may be furnished by BellSouth in connection therewith, including but not limited to the identification of the telephone number, address or name associated with the telephone used by the party or parties accessing 911 services using 911 PBX Locate Service hereunder, except to the extent caused by BellSouth's gross negligence or wilful misconduct. REDSQUARE is responsible for assuring that its authorized End Users comply with the provisions of these terms and that unauthorized persons do not gain access to or use the 911 PBX Locate Service through user names, passwords, or other identifiers assigned to REDSOUARE's End User or DMA pursuant to these terms. Specifically, REDSQUARE's End User or DMA must keep and protect

from use by any unauthorized individual identifiers, passwords, and any other security token(s) and devices that are provided for access to this product.

- 6.3.7 REDSQUARE may only use BellSouth PBX Locate Service solely for the purpose of validating and correcting 911 related data for REDSQUARE's End Users' telephone numbers for which it has direct management authority.
- 6.3.8 <u>911 PBX Locate Transport Component.</u> The 911 PBX Locate Service transport component requires REDSQUARE to order a CAMA type dedicated trunk from REDSQUARE's End User premise to the appropriate BellSouth 911 tandem pursuant to the following provisions.
- 6.3.8.1 Except as otherwise set forth below, a minimum of two (2) End User specific, dedicated 911 trunks are required between the REDSQUARE's End User premise and the BellSouth 911 tandem as described in BellSouth's Technical Reference (TR) 73576 and in accordance with the 911 PBX Locate Marketing Service Description located on the BellSouth Interconnection Web site. REDSQUARE is responsible for connectivity between the End User's PBX and REDSOUARE's switch or POP location. REDSQUARE will then order 911 trunks from their switch or POP location to the BellSouth 911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital interface (delivered over a REDSQUARE purchased DS1 facility that hands off at a DS1 or higher level digital or optical interface). REDSQUARE is responsible for ensuring that the PBX switch is capable of sending the calling station's Direct Inward Dial (DID) telephone number to the BellSouth 911 tandem in a specified Multifrequency (MF) Address Signaling Protocol. If the PBX switch supports Primary Rate ISDN (PRI) and the calling stations are DID numbers, then the 911call can be transmitted using PRI, and there will be no requirement for the PBX Locate Transport component.
- 6.3.9 Ordering and Provisioning. REDSQUARE will submit an Access Service Request (ASR) to BellSouth to order a minimum of two (2) End User specific 911 trunks from its switch or POP location to the BellSouth 911 tandem.
- 6.3.9.1 Testing and maintenance shall be provided by REDSQUARE pursuant to the 911 PBX Locate Marketing Service description that is located on the BellSouth Interconnection Web site.
- 6.3.10 Rates. Rates for the 911 PBX Locate Service database component are set forth in Exhibit A of Attachment 2. Trunks and facilities for 911 PBX Locate transport component may be ordered by REDSQUARE pursuant to the terms and conditions set forth in Attachment 3.
- 7 White Pages Listings

- 7.1 BellSouth shall provide REDSQUARE and its End Users access to white pages directory listings under the following terms:
- 7.1.1 Listings. REDSQUARE shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include REDSQUARE residential and business End User listings in the appropriate White Pages (residential and business) or alphabetical directories in the geographic areas covered by this Agreement. Directory listings will make no distinction between REDSQUARE and BellSouth End Users. REDSQUARE shall provide listing information in accordance with the procedures set forth in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Services Web site.
- 7.1.2 <u>Unlisted/Non-Published End Users.</u> REDSQUARE will be required to provide to BellSouth the names, addresses and telephone numbers of all REDSQUARE End Users who wish to be omitted from directories. Unlisted/Non-Published listings will be subject to the rates as set forth in BellSouth's General Subscriber Services Tariff (GSST) and shall not be subject to wholesale discount.
- 7.1.3 Inclusion of REDSQUARE End Users in Directory Assistance Database.

 BellSouth will include and maintain REDSQUARE End User listings in
 BellSouth's Directory Assistance databases. REDSQUARE shall provide such
 Directory Assistance listings to BellSouth at no charge.
- 7.1.4 <u>Listing Information Confidentiality.</u> BellSouth will afford REDSQUARE's directory listing information the same level of confidentiality that BellSouth affords its own directory listing information.
- 7.1.5 Additional and Designer Listings. Additional and designer listings will be offered by BellSouth at tariffed rates as set forth in the GSST and shall not be subject to the wholesale discount.
- 7.1.6 Rates. So long as REDSQUARE provides listing information to BellSouth as set forth in Section 7.1.1 above, BellSouth shall provide to REDSQUARE one (1) basic White Pages directory listing per REDSQUARE End User at no charge other than applicable service order charges as set forth in BellSouth's tariffs. Except in the case of a local service request (LSR) submitted solely to port a number from BellSouth, if such listing is requested on the initial LSR associated with the request for services, a single manual service order charge or electronic service order charge, as appropriate, as described in Attachment 6 of this Agreement, will apply to both the request for service and the request for the directory listing. Where a subsequent LSR is placed solely to request a directory listing, or is placed to port a number and request a directory listing, separate service order charges as set forth in BellSouth's tariffs shall apply, as well as the manual service order charge or the electronic service order charge, as appropriate, as described in Attachment 6 of this Agreement.

Version: 4Q04 Standard ICA with TRRO

04/14/05

- 7.2 <u>Directories.</u> BellSouth or its agent shall make available White Pages directories to REDSQUARE End User at no charge or as specified in a separate agreement between REDSQUARE and BellSouth's agent.
- 7.3 Procedures for submitting REDSQUARE Subscriber Listing Information (SLI) are found in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Services Web site.
- 7.3.1 REDSQUARE authorizes BellSouth to release all REDSQUARE SLI provided to BellSouth by REDSQUARE to qualifying third parties pursuant to either a license agreement or BellSouth's Directory Publishers Database Service (DPDS), General Subscriber Services Tariff (GSST), as the same may be amended from time to time. Such REDSQUARE SLI shall be intermingled with BellSouth's own End User listings and listings of any other CLEC that has authorized a similar release of SLI.
- No compensation shall be paid to REDSQUARE for BellSouth's receipt of REDSQUARE SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of REDSQUARE's SLI, or costs on an ongoing basis to administer the release of REDSQUARE SLI, REDSQUARE shall pay to BellSouth its proportionate share of the reasonable costs associated therewith. At any time that costs may be incurred to administer the release of REDSQUARE's SLI, REDSQUARE will be notified. If REDSQUARE does not wish to pay its proportionate share of these reasonable costs, REDSQUARE may instruct BellSouth that it does not wish to release its SLI to independent publishers, and REDSQUARE shall amend this Agreement accordingly. REDSQUARE will be liable for all costs incurred until the effective date of the agreement.
- 7.3.3 Neither BellSouth nor any agent shall be liable for the content or accuracy of any SLI provided by REDSQUARE under this Agreement. REDSQUARE shall indemnify, except to the extent caused by BellSouth's gross negligence or willful misconduct, hold harmless and defend BellSouth and its agents from and against any damages, losses, liabilities, demands, claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate REDSQUARE listings or use of the SLI provided pursuant to this Agreement. BellSouth may forward to REDSQUARE any complaints received by BellSouth relating to the accuracy or quality of REDSQUARE listings.
- 7.3.4 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.

| BUNDLI | ED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | | ment: 2 | Exhi | |
|---------|---|------------|----------|--|----------------|--|----------------|------------------|-----------------------|---------------------|---|---|--|--|---|---|
| GORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonre First | curring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | one" shown in the sections for stand-alone loops or loops as pa | | | n refers to Geograph | ically Deaver | aged UNE Zones | . To view Geo | graphically Dea | veraged UNE 2 | one Designation | ns by Centr | al Office, ref | er to internet \ | Nebsite: | | |
| RATIONA | L SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" | inection.i | | | | | | | | | | | | l | | |
| | , , | | | | • | • | • | | • | • | | | • | • | • | |
| | : (1) CLEC should contact its contract negotiator if it prefers the | | | | | | | | | | | | | | | |
| | specific Commission ordered rates for the service ordering charg : (2) Any element that can be ordered electronically will be billed | | | | | | | | | | | | | | | |
| | ed electronically at present per the LOH, the listed SOMEC rate in | | | | | | | | | | | | | | | |
| | en it submits an LSR to BellSouth. | o oatog | o. y . o | ooto tilo olitilgo tilat i | | a 10 a 0220 0110 | 0.00000 | ornig capazina | | | • | ,oa | au oruoring or | 90, 00 | , и ш во аррис | u 10 u 02200 |
| | OSS - Electronic Service Order Charge, Per Local Service | | | | | | | | | | | | | | | |
| - | Request (LSR) - UNE Only | - | <u> </u> | 1 | SOMEC | <u> </u> | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| | OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only | | 1 | 1 | SOMAN | | 15.66 | 0.00 | 1.97 | 0.00 | | | | | | |
| SERVICE | E DATE ADVANCEMENT CHARGE | | | 1 | JOINIAIN | | 13.00 | 0.00 | 1.31 | 0.00 | | | | | | |
| | : The Expedite charge will be maintained commensurate with Be | ellSouth's | FCC No | o.1 Tariff, Section 5 as | s applicable. | | | | <u> </u> | | | | | | | |
| INDI ED | UNE Expedite Charge per Circuit or Line Assignable USOC, per Day | | | UEA, UHL, ULC, USL, UTT2, U1T14, U1T171, U1T173, U1T174, U1T174, U1T175, U1T175, U1T175, U1T175, U1T175, U1T175, U1T175, U1T18C, UC16C, UC16L, UC16C, UD16L, UD12, UD12, UD12, UD12, UD12, ULD13, ULD14, ULD13, ULD14, ULD03, ULD51, ULD03, ULD51, ULD03, UNCNX, UNT170L, UTT10L, UTTU10, UTTU10, UTTU10, UTTU10, UTTU103, UTTU103, UTTU103, UTTU103, UTTU104, UTTU | SDASP | | 200.00 | | | | | | | | | |
| | E ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEAL2 | 12.58 | 37.81 | 17.56 | 23.49 | 5.30 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEAL2 | 21.05 | 37.81 | 17.56 | 23.49 | 5.30 | | | | | · | |
| + | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | 1 | 3 | UEANL UEANL | UEAL2 UEASL | 34.34 12.58 | 37.81 | 17.56 17.56 | 23.49 23.49 | 5.30 5.30 | | | | | | |
| + | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | 1 | 1 2 | UEANL UEANL | UEASL | 12.58 21.05 | 37.81 37.81 | 17.56 17.56 | 23.49 | 5.30 | 1 | | | | | |
| + | 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3 | | 3 | UEANL | UEASL | 34.34 | 37.81 | 17.56 | 23.49 | 5.30 | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | 2 | | | | 2.30 | | | | | | |
| | Premise | | | UEANL | URETL | ļ | 8.33 | 0.83 | | | | | | | | |
| 1 | Loop Testing - Basic 1st Half Hour | 1 | | UEANL | URET1 | | 34.16 | 34.16 | | | | | | | | |
| + | Loop Testing - Basic Additional Half Hour CLEC to CLEC Conversion Charge Without Outside Dispatch | 1 | ! | UEANL | URETA | | 19.85 | 19.85 | | | | | | | | |
| | (UVL-SL1) | | l | UEANL | UREWO | | 15.78 | 8.94 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| + | Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.) | | | UEANL | UEANM | | 13.44 | | | | | | | | | |

| NBUNDLE | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: A | 1 |
|-----------|--|----------|----------|-------------|--------|--|----------|------------|--------------|------------|---|---|--|--|---|---|---|
| ORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | Nonrec | RATES (\$) | Nonrecurring | Disconnect | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| + | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | + |
| | Order Coordination for Specified Conversion Time for UVL-SL1 | | | | | | | 71441 | 101 | 71441 | 0020 | 00 | 00 | 00.12.11 | 00 | 00.00.00 | t |
| | (per LSR) | | | UEANL | OCOSL | | 18.09 | | | | | | | | | | |
| 2-WIRE | Unbundled COPPER LOOP | | | | | | | | | | | | | | | | T |
| | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | | 1 | UEQ | UEQ2X | 11.20 | 34.14 | 15.10 | 21.25 | 4.15 | | | | | | | Т |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | | 2 | UEQ | UEQ2X | 13.27 | 34.14 | 15.10 | 21.25 | 4.15 | | | | | | | T |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | | 3 | UEQ | UEQ2X | 15.07 | 34.14 | 15.10 | 21.25 | 4.15 | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | | | | | | | |
| | Premise | | | UEQ | URETL | | 8.33 | 0.83 | | | | | | | | | ┸ |
| | Manual Order Coordination 2 Wire Unbundled Copper Loop - Non- | | | | | | | | | | | | | | | | |
| | Designed (per loop) | | | UEQ | USBMC | | 8.15 | | | | | | | | | | 4 |
| | Unbundled Copper Loop, Non-Design Copper Loop, billing for | | | | | | | | | | | | | | | | |
| _ | BST providing make-up (Engineering Information - E.I.) | | | UEQ | UEQMU | 1 | 13.44 | 04.10 | | | | | | | | | + |
| - | Loop Testing - Basic 1st Half Hour | | - | UEQ | URET1 | | 34.16 | 34.16 | | | | | | | | | + |
| + | Loop Testing - Basic Additional Half Hour | | - | UEQ | URETA | - | 19.85 | 19.85 | | | | | | | | | + |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND) | | | UEQ | UREWO | I | 14.27 | 7.43 | | | | | | | | | 1 |
| INDI ED I | EXCHANGE ACCESS LOOP | | | ULU | UNEWU | † | 14.27 | 1.43 | | | | | | | | | + |
| | ANALOG VOICE GRADE LOOP | | | | + | | - | | | | | | | | | | + |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | 1 | 1 | | | | | | | | | | | t |
| | Zone 1 | | 1 | UEPSR UEPSB | UEALS | 12.58 | 37.81 | 17.56 | 23.49 | 5.30 | | | | | | | 1 |
| 1 | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | 1 | 150 | | 50 | | 2.30 | | | | | | | T |
| | Zone 1 | | 1 | UEPSR UEPSB | UEABS | 12.58 | 37.81 | 17.56 | 23.49 | 5.30 | | | | | | | |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | | | | | | | | | | | | | | | T |
| | Zone 2 | | 2 | UEPSR UEPSB | UEALS | 21.05 | 37.81 | 17.56 | 23.49 | 5.30 | | | | | | | |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | | | | | | | | | | | | | | | T |
| | Zone 2 | | 2 | UEPSR UEPSB | UEABS | 21.05 | 37.81 | 17.56 | 23.49 | 5.30 | | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | | T |
| | Zone 3 | | 3 | UEPSR UEPSB | UEALS | 34.34 | 37.81 | 17.56 | 23.49 | 5.30 | | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UEPSR UEPSB | UEABS | 34.34 | 37.81 | 17.56 | 23.49 | 5.30 | | | | | | | ┸ |
| | EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | | 4 |
| 2-WIRE | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | | + |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | == 00 | 47.04 | | | | | | | | |
| | Ground Start Signaling - Zone 1 | | 1 | UEA | UEAL2 | 14.38 | 88.00 | 55.00 | 47.24 | 7.44 | | | | | | | + |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | 1154 | 115410 | 00.05 | 00.00 | 55.00 | 47.04 | 7.44 | | | | | | | |
| _ | Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | 22.85 | 88.00 | 55.00 | 47.24 | 7.44 | | | | | | | + |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | 2 | LIEA | LIEVIO | 26.44 | 00.00 | FF 00 | 47.04 | 7.44 | | | | | | | |
| + | Ground Start Signaling - Zone 3 | | 3 | UEA | UEAL2 | 36.14 | 88.00 | 55.00 | 47.24 | 7.44 | - | | | | | | + |
| - | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 18.09 | | | | | | | | | | + |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1 | | 1 | UEA | UEAR2 | 14.38 | 88.00 | 55.00 | 47.24 | 7.44 | | | | | | | 1 |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | OLA | JEARZ | 14.38 | 00.00 | 55.00 | 41.24 | 7.44 | | | | | | | + |
| | Battery Signaling - Zone 2 | | 2 | UEA | UEAR2 | 22.85 | 88.00 | 55.00 | 47.24 | 7.44 | | | | | | | 1 |
| + | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | 0=/1 | JEMILE | 22.00 | 00.00 | 33.00 | 71.24 | 7.44 | | | | | | | t |
| | Battery Signaling - Zone 3 | | 3 | UEA | UEAR2 | 36.14 | 88.00 | 55.00 | 47.24 | 7.44 | | | | | | | 1 |
| 1 | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | 55.14 | 18.09 | 33.30 | 77.29 | 7.44 | | | | | | | t |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | t | 87.72 | 36.36 | | | | | | | | | t |
| + | Loop Tagging - Service Level 2 (SL2) | | | UEA | URETL | t | 11.21 | 1.10 | | | | | | | | | t |
| 4-WIRE | ANALOG VOICE GRADE LOOP | | | İ | T | İ | | | | | | | | | | | T |
| 1 | 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEA | UEAL4 | 25.34 | 131.97 | 94.51 | 59.14 | 14.50 | | | | | | | T |
| | 4-Wire Analog Voice Grade Loop - Zone 2 | | | UEA | UEAL4 | 38.58 | 131.97 | 94.51 | 59.14 | 14.50 | | | | | | | T |
| | 4-Wire Analog Voice Grade Loop - Zone 3 | | | UEA | UEAL4 | 60.02 | 131.97 | 94.51 | 59.14 | 14.50 | | | | | | | T |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 18.09 | | | | | | | | | | Ι |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87.72 | 36.36 | | | | | | | | | ľ |
| 2-WIRE | ISDN DIGITAL GRADE LOOP | | | | | | | | | | | | - | | | | Ţ |
| | 2-Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UDN | U1L2X | 21.88 | 117.24 | 79.77 | 52.88 | 10.54 | | | | | | | ľ |
| | 2-Wire ISDN Digital Grade Loop - Zone 2 | | 2 | UDN | U1L2X | 32.85 | 117.24 | 79.77 | 52.88 | 10.54 | | | | | | | Ţ |
| | 2-Wire ISDN Digital Grade Loop - Zone 3 | | 3 | UDN | U1L2X | 48.55 | 117.24 | 79.77 | 52.88 | 10.54 | | | | | | | 1 |
| _ | Order Coordination For Specified Conversion Time (per LSR) | | | UDN | OCOSL | . | 18.09 | | | | | | | | | | 1 |
| | CLEC to CLEC Conversion Charge without outside dispatch | | <u> </u> | UDN | UREWO | | 91.63 | 44.16 | | | | | | | | | 4 |
| 2-WIRE | ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA | TIBLE LO | OP | | 1 | | | | | | | | | | | | + |
| 1 | 2 Wire Unbundled ADSL Loop including manual service inquiry & | | 1 | UAL | UAL2X | 11.01 | 110.00 | 68.00 | 47.24 | 7.44 | l | 1 | | | | | 1 |

| NBUNDLE | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: A |
|---------|---|--|----------|------------|----------------|----------------|------------------|-----------------|-----------------------|---------------------|--|---|--|--|---|---|
| ΓEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| _ | | | | | + | Rec | Nonred First | urring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | | Rates (\$) SOMAN | SOMAN | SOMAN |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry & | | | | + | | 1 11 31 | Auu i | 11131 | Addi | JOIVILO | JOWAN | JONAN | JOINAIN | JONAN | JONAN |
| | facility reservation - Zone 2 | | 2 | UAL | UAL2X | 12.73 | 110.00 | 68.00 | 47.24 | 7.44 | | | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry & | | | | | | | | | | | | | | | |
| | facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | | 3 | UAL UAL | UAL2X OCOSL | 14.30 | 110.00 18.09 | 68.00 | 47.24 | 7.44 | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | UAL | OCOSL | | 16.09 | | | | | | | | | |
| | facility reservaton - Zone 1 | | 1 | UAL | UAL2W | 11.01 | 90.00 | 57.00 | 47.24 | 7.44 | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | | | | | | | | | | | | |
| _ | facility reservaton - Zone 2 | | 2 | UAL | UAL2W | 12.73 | 90.00 | 57.00 | 47.24 | 7.44 | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3 | | 3 | UAL | UAL2W | 14.30 | 90.00 | 57.00 | 47.24 | 7.44 | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | Ŭ | UAL | OCOSL | 1 1.00 | 18.09 | 01.00 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UAL | UREWO | | 86.20 | 40.40 | | | | | | | | |
| 2-WIRE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT | IBLE LO | OP | | | | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 8.74 | 110.00 | 68.00 | 47.24 | 7.44 | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & | | <u> </u> | OTIL | OFFICE | 0.74 | 110.00 | 00.00 | 47.24 | 7.44 | | | | | | |
| | facility reservation - Zone 2 | | 2 | UHL | UHL2X | 10.17 | 110.00 | 68.00 | 47.24 | 7.44 | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & | | _ | | | | | | | | | | | | | |
| | facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | | 3 | UHL UHL | UHL2X OCOSL | 11.44 | 110.00 18.09 | 68.00 | 47.24 | 7.44 | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry and | | | OHL | OCOSL | | 16.09 | | | | | | | | | |
| | facility reservation - Zone 1 | | 1 | UHL | UHL2W | 8.74 | 90.00 | 57.00 | 47.24 | 7.44 | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry and | | | | | | | | | | | | | | | |
| | facility reservation - Zone 2 | | 2 | UHL | UHL2W | 10.17 | 90.00 | 57.00 | 47.24 | 7.44 | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 11.44 | 90.00 | 57.00 | 47.24 | 7.44 | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | Ŭ | UHL | OCOSL | | 18.09 | 01.00 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 86.14 | 40.40 | | | | | | | | |
| 4-WIRI | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT 4 Wire Unbundled HDSL Loop including manual service inquiry and | IBLE LO | OP T | | + | - | | | - | | | | | | | |
| | facility reservation - Zone 1 | | 1 | UHL | UHL4X | 13.95 | 148.36 | 68.00 | 51.70 | 9.73 | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry and | | | | | | | | | | | | | | | |
| | facility reservation - Zone 2 | | 2 | UHL | UHL4X | 15.56 | 148.36 | 68.00 | 51.70 | 9.73 | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3 | | 2 | UHL | UHL4X | 15.25 | 148.36 | 68.00 | 51.70 | 9.73 | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | 3 | UHL | OCOSL | 13.23 | 18.09 | 00.00 | 51.70 | 9.73 | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and | | | | | | | | | | | | | | | |
| | facility reservation - Zone 1 | | 1 | UHL | UHL4W | 13.95 | 94.00 | 57.00 | 51.70 | 9.73 | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 | | 2 | UHL | UHL4W | 15.56 | 94.00 | 57.00 | 51.70 | 9.73 | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and | | | UNL | UHL4VV | 15.56 | 94.00 | 57.00 | 51.70 | 9.73 | | | | | | |
| | facility reservation - Zone 3 | | 3 | UHL | UHL4W | 15.25 | 94.00 | 57.00 | 51.70 | 9.73 | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 18.09 | | | | | | | | | |
| 4 WIDI | CLEC to CLEC Conversion Charge without outside dispatch DS1 DIGITAL LOOP | | | UHL | UREWO | | 86.14 | 40.40 | | | | | | | | |
| 4-WIK | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 82.55 | 252.47 | 157.54 | 44.70 | 11.71 | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | USL | USLXX | 154.18 | 252.47 | 157.54 | 44.70 | 11.71 | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 314.52 | 252.47 | 157.54 | 44.70 | 11.71 | | | | | | |
| _ | Order Coordination for Specified Conversion Time (per LSR) | | | USL | OCOSL | | 18.09 | 40.05 | | | ļ | | | | | |
| 4-WIP | CLEC to CLEC Conversion Charge without outside dispatch 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | - | - | USL | UREWO | | 101.09 | 43.05 | + | | } | | | | | |
| AAUVI | 4 Wire Unbundled Digital 19.2 Kbps | | 1 | UDL | UDL19 | 26.09 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 2 | UDL | UDL19 | 35.95 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL | UDL19 | 37.88 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | 1 2 | UDL UDL | UDL56 UDL56 | 26.09 35.95 | 126.27 126.27 | 88.80 88.80 | 59.14 59.14 | 14.50 14.50 | - | | | | | |
| - | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | 1 | | UDL | UDL56 | 37.88 | 126.27 | 88.80 | 59.14 | 14.50 | } | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 18.09 | | | | | | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | 1 | UDL | UDL64 | 26.09 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | |
| - | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | | UDL UDL | UDL64 UDL64 | 35.95 37.88 | 126.27 126.27 | 88.80 88.80 | 59.14 59.14 | 14.50 14.50 | 1 | | | | | |
| + | Order Coordination for Specified Conversion Time (per LSR) | | 3 | UDL | OCOSL | 31.68 | 126.27 | 00.00 | 59.14 | 14.50 | | | | | | |
| - | CLEC to CLEC Conversion Charge without outside dispatch | | | UDL | UREWO | 1 | 102.13 | 49.75 | 1 | | | | | | | |

| MRANDF | ED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | | ment: 2 | | bit: A |
|---------|--|----------|--|----------------------------------|----------------|--|----------|------------------|--------------|--------------|---|---|--|--|---|---|
| EGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| - | | | | | | Rec | Nonre | curring Add'l | Nonrecurring | | COMEC | SOMAN | SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN |
| 2 WID | E Unbundled COPPER LOOP | | - | | - | - | First | Add I | First | Add'l | SOMEC | SUMAN | SUMAN | SUMAN | SUMAN | SUMAN |
| 2-9911 | 2-Wire Unbundled Copper Loop-Designed including manual | | | | 1 | | | | | | | | | | | |
| | service inquiry & facility reservation - Zone 1 | | 1 | UCL | UCLPB | 11.01 | 112.46 | 65.30 | 47.24 | 7.44 | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed including manual | | | OCL | OCLI B | 11.01 | 112.40 | 05.50 | 47.24 | 7.44 | | | | | | |
| | service inquiry & facility reservation - Zone 2 | | 2 | UCL | UCLPB | 12.73 | 112.46 | 65.30 | 47.24 | 7.44 | | | | | | |
| | 2 Wire Unbundled Copper Loop-Designed including manual service | | | | | | | | | | | | | | | |
| | inquiry & facility reservation - Zone 3 | | 3 | UCL | UCLPB | 14.30 | 112.46 | 65.30 | 47.24 | 7.44 | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.15 | 8.15 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed without manual service | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 1 | - 1 | 1 | UCL | UCLPW | 11.01 | 91.46 | 54.30 | 47.24 | 7.44 | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed without manual service | | _ | | UCLPW | 12.73 | | 54.30 | 47.04 | | | | | | | |
| | inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop-Designed without manual service | _ ' | 2 | UCL | UCLPW | 12.73 | 91.46 | 54.30 | 47.24 | 7.44 | | | | | | |
| | inquiry and facility reservation - Zone 3 | 1 | 3 | UCL | UCLPW | 14.30 | 91.46 | 54.30 | 47.24 | 7.44 | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | <u> </u> | - | UCL | UCLMC | 14.30 | 8.15 | 8.15 | 71.24 | 7.44 | | | | | | - |
| | CLEC to CLEC Conversion Charge without outside dispatch (UCL | | | 002 | 0020 | | 0.10 | 0.10 | | | | | | | | |
| | Des) | | | UCL | UREWO | | 97.23 | 42.48 | | | | | | | | |
| 4-WIR | E COPPER LOOP | | | | | | | | | | | | | | | |
| | 4-Wire Copper Loop-Designed including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UCL | UCL4S | 17.36 | 135.21 | 88.05 | 51.70 | 9.73 | | | | | | |
| | 4-Wire Copper Loop-Designed including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UCL | UCL4S | 20.76 | 135.21 | 88.05 | 51.70 | 9.73 | | | | | | |
| | 4-Wire Copper Loop-Designed including manual service inquiry | | _ | | | 00.04 | 40= 04 | | 54.70 | 0.70 | | | | | | |
| _ | and facility reservation - Zone 3 | | 3 | UCL | UCL4S UCLMC | 28.21 | 135.21 | 88.05 8.15 | 51.70 | 9.73 | | | | | | |
| _ | Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Copper Loop-Designed without manual service inquiry and | | | UCL | UCLMC | | 8.15 | 8.15 | | | | | | | | |
| | facility reservation - Zone 1 | | 1 | UCL | UCL4W | 17.36 | 114.21 | 67.05 | 51.70 | 9.73 | | | | | | |
| | 4-Wire Copper Loop-Designed without manual service inquiry and | | <u> </u> | 002 | OOL+W | 17.00 | 114.21 | 07.00 | 01.70 | 5.70 | | | | | | |
| | facility reservation - Zone 2 | - 1 | 2 | UCL | UCL4W | 20.76 | 114.21 | 67.05 | 51.70 | 9.73 | | | | | | |
| | 4-Wire Copper Loop-Designed without manual service inquiry and | | | | | | | | | | | | | | | |
| | facility reservation - Zone 3 | - 1 | 3 | UCL | UCL4W | 28.21 | 114.21 | 67.05 | 51.70 | 9.73 | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.15 | 8.15 | | | | | | | | |
| | CLEC to CLEC conversion Charge without outside dispatch | | | UCL | UREWO | | 97.23 | 42.48 | | | | | | | | |
| P MODIF | CATION | | | | | | | | | | | | | | | |
| | | | | UAL, UHL, UCL, UEQ, ULS, UEA, | | | | | | | | | | | | |
| | Unbundled Loop Modification, Removal of Load Coils - 2 Wire | | | UEANL, UEPSR, | | | | | | | | | | | | |
| | pair less than or equal to 18k ft. per Unbundled Loop | | | UEPSB | ULM2L | | 0.00 | 0.00 | | | | | | | | |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire less | · | | 02. 03 | O L.W.LL | | 0.00 | 0.00 | | | | | | | | |
| | than or equal to 18K ft, per Unbundled Loop | - 1 | | UHL, UCL, UEA | ULM4L | | 0.00 | 0.00 | | | | | | | | |
| | | | | UAL, UHL, UCL, | | | | | | | | | | | | |
| | | | 1 | UEQ,ULS,UEA, | | | | | | Ì | | | | | | |
| | Unbundled Loop Modification Removal of Bridged Tap Removal, | | 1 | UEANL, UEPSR, | l | | | | | Ì | | | | | | |
| 10000 | per unbundled loop | | <u> </u> | UEPSB | ULMBT | | 32.41 | 32.41 | 1 | | | | | | | |
| S-LOOPS | oop Distribution | | <u> </u> | | + | | | | | - | _ | | | | | |
| Oub-L | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- | - | | | + | | | | | | | | | | | |
| | Un | | 1 | UEANL | USBSA | | 244.42 | | | Ì | | | | | | |
| 1 | | | | | 3020/1 | | 277.72 | | 1 | 1 | | | | | | + |
| | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | 1 | 1 | UEANL | USBSB | | 22.64 | | | Ì | | | | | | |
| | Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility | | | | | | | | | | | | | | | |
| | Set-Up | I | | UEANL | USBSC | | 177.45 | | <u> </u> | | | | | | | |
| | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set- | | | | | | <u> </u> | | | | | | | | | |
| | Up | | <u> </u> | UEANL | USBSD | | 55.15 | | | | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | | LIFANI | LICONIO | 44.01 | 05.00 | 20.00 | 45.05 | 0 =0 | | | | | | |
| - | Zone 1 | | 1 | UEANL | USBN2 | 11.21 | 65.80 | 30.96 | 45.25 | 6.70 | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEANL | USBN2 | 11.94 | 65.80 | 30.96 | 45.25 | 6.70 | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | | ULAINL | USDINZ | 11.94 | 05.80 | 30.96 | 40.25 | 0.70 | | | | | | 1 |
| | Zone 3 | | 3 | UEANL | USBN2 | 16.86 | 65.80 | 30.96 | 45.25 | 6.70 | | | | | | |
| | | | Ť | | | . 5.56 | 33.30 | 33.30 | .0.20 | 5.70 | | | | i | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | 1 | UEANL | USBMC | | 8.15 | 8.15 | | 1 | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 1 | ı | 1 | UEANL | USBN4 | 8.46 | 79.03 | 44.19 | 49.71 | 9.07 | 1 | 1 | l | l | l | |

| INBUNDLE | ED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: A | Т |
|---------------|--|---------|--|--------------------------------------|----------------|--|----------------|----------------|----------------|------------|---|---|--|---|--|--|----------|
| ATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | Nonrec | RATES (\$) | Nonrecurring | Disconnect | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | +- |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | 1 | | 71441 | 1 | 71441 | 0020 | 00 | 00.12.11 | 00.12.11 | 00 | 00 | † |
| | Zone 2 | | 2 | UEANL | USBN4 | 16.67 | 79.03 | 44.19 | 49.71 | 9.07 | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEANL | USBN4 | 32.57 | 79.03 | 44.19 | 49.71 | 9.07 | | | | | | | |
| | | | | | | | 0.45 | 0.45 | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | | | UEANL UEANL | USBMC USBR2 | 2.27 | 8.15 53.01 | 8.15 18.17 | 45.25 | 6.70 | | | | | | | ₩ |
| | Sub-Loop 2-wire intrabuliding Network Cable (INC) | - | | UEAINL | USBKZ | 2.21 | 55.01 | 10.17 | 45.25 | 6.70 | | | | | | | + |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 8.15 | 8.15 | | | | | | | | | |
| | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | ı | | UEANL | USBR4 | 5.16 | 59.25 | 24.41 | 49.71 | 9.07 | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| \rightarrow | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | - | } | UEANL | USBMC URET1 | | 8.15 | 8.15 | | | 1 | | | | | | +- |
| | Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour | - | | UEANL UEANL | URETA | | 34.16 19.85 | 34.16 19.85 | 1 | | 1 | | | | | | +- |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF | UCS2X | 6.22 | 65.80 | 30.96 | 45.25 | 6.70 | 1 | | | | | | † |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | | 2 | UEF | UCS2X | 8.76 | 65.80 | 30.96 | 45.25 | 6.70 | | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | 3 | UEF | UCS2X | 11.27 | 65.80 | 30.96 | 45.25 | 6.70 | | | | | | | |
| | Onlan Occadination for Habrardia 12.11 | 1 | 1 | Liee | LIODAGO | [| | a | | | | 1 | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | 1 | UEF UEF | USBMC UCS4X | 6.11 | 8.15 79.03 | 8.15 44.19 | 49.71 | 9.07 | | | | | | | + |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | - | 2 | UEF | UCS4X UCS4X | 6.11 12.61 | 79.03 79.03 | 44.19 | 49.71 49.71 | 9.07 | 1 | | | | | | +- |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | 3 | UEF | UCS4X | 15.36 | 79.03 | 44.19 | 49.71 | 9.07 | | | | | | | +- |
| | | | | | | | | | | | | | | | | | 1 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 8.15 | 8.15 | | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEF | URET1 | | 34.16 | 34.16 | | | | | | | | | |
| | Loop Testing - Basic Additional Half Hour | | | UEF | URETA | | 19.85 | 19.85 | | | | | | | | | ــــــ |
| Unbun | ndled Network Terminating Wire (UNTW) | | | LIENITM | LIENDD | 0.40 | 00.04 | | | | | | | | | | 4— |
| Notwo | Unbundled Network Terminating Wire (UNTW) per Pair ork Interface Device (NID) | | | UENTW | UENPP | 0.40 | 30.01 | | | | | | | | | | + |
| INCLWO | Network Interface Device (NID) - 1-2 lines | | | UENTW | UND12 | | 43.23 | 28.38 | | | | | | | | | +- |
| | Network Interface Device (NID) - 1-6 lines | | | UENTW | UND16 | | 63.97 | 49.11 | | | | | | | | | 1 |
| | Network Interface Device Cross Connect - 2 W | | | UENTW | UNDC2 | | 5.87 | 5.87 | | | | | | | | | |
| | Network Interface Device Cross Connect - 4W | | | UENTW | UNDC4 | | 5.87 | 5.87 | | | | | | | | | |
| IE OTHER, | PROVISIONING ONLY - NO RATE | | | LIENEW. | LINDRY | 0.00 | | | | | | | | | | | 4— |
| | NID - Dispatch and Service Order for NID installation | | | UENTW UENTW | UNDBX UENCE | 0.00 | 0.00 | | | | | | | | | | + |
| | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UEANL,UEF,UEQ,U | UENCE | 0.00 | 0.00 | | | | | | | | | | + |
| IF OTHER | Unbundled Contract Name, Provisioning Only - No Rate PROVISIONING ONLY - NO RATE | | | ENTW | UNECN | 0.00 | 0.00 | | | | | | | | | | - |
| | Unbundled Contact Name, Provisioning Only - no rate | | | UAL,UCL,UDC,UDL, UDN,UEA,UHL, USL | UNECN | 0.00 | 0.00 | | | | | | | | | | |
| | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate | | | UEA,UDN,UCL,UDC | | 0.00 | 0.00 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate | ļ | <u> </u> | | USBFR | 0.00 | 0.00 | | | | | | | | | | ــــــ |
| | Unbundled DS1 Loop - Superframe Format Option - no rate | | <u> </u> | USL | CCOSF | 0.00 | 0.00 | | | | | | | | | | ₩ |
| | Unbundled DS1 Loop - Expanded Superframe Format option - no rate | 1 | 1 | USL | CCOEF | 0.00 | 0.00 | | | | | 1 | | | | | |
| SH CAPACI | TY UNBUNDLED LOCAL LOOP | | 1 | JUL | COOLE | 0.00 | 0.00 | | | | | 1 | | | | | + |
| | High Capacity Unbundled Local Loop - DS3 - Per Mile per month | | | UE3 | 1L5ND | 8.38 | | | | | | | | | | | T |
| | High Capacity Unbundled Local Loop - DS3 - Facility Termination per month | | | UE3 | UE3PX | 308.98 | 519.248 | 303.531 | 137.4135 | 96.117 | | | | | | | T |
| | | | | | | | 2.0.2.0 | 200.001 | 12777730 | 0017 | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month High Capacity Unbundled Local Loop - STS-1 - Facility | | | UDLSX | 1L5ND | 8.38 | | | | | | | | | | | \vdash |
| | Termination per month | | <u> </u> | UDLSX | UDLS1 | 319.83 | 519.248 | 303.531 | 137.4135 | 96.117 | | | | | | | |
| OP MAKE-U | | | | | | | | | | | | | | | | | |
| | Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual). | | | UMK | UMKLW | | 20.00 | 20.00 | | | | | | | | | |
| | Loop Makeup - Preordering With Reservation, per spare facility queried (Manual). | | | UMK | UMKLP | | 21.00 | 21.00 | | | | | | | | | |

| BUNDLE | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachr | nent: 2 | Exhi | bit: A | L |
|------------|---|--|----------|----------------------------|--|--|-----------------|-----------------|-----------------------|---------|---|---|--|--|---|---|----------|
| EGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | None | RATES (\$) | N | Diamond | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | Add'l | SOMEC | SOMAN | SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN | ⊢ |
| | Loop MakeupWith or Without Reservation, per working or spare | | | | | | | 71441 | 101 | 71441 | 0020 | 00 | 00 | 00 | 00111111 | 00 | T |
| | facility queried (Mechanized) | | | UMK | UMKMQ | | 0.59 | 0.59 | | | | | | | | | |
| E SPLITTIN | | | | | | | | | | | | | | | | | |
| | PLITTING | | | | | | | | | | | | | | | | ₩ |
| END U | SER ORDERING-CENTRAL OFFICE BASED | | - | LIEDOD LIEDOD | LIDEOO | 0.04 | | | | | | | | | | | ₩ |
| | Line Splitting - per line activation DLEC owned splitter Line Splitting - per line activation BST owned - physical | | - | UEPSR UEPSB UEPSR UEPSB | UREOS UREBP | 0.61 0.61 | 37.01 | 21.19 | 20.02 | 9.83 | | | | | | | ┢ |
| | Line Splitting - per line activation BST owned - priysical | | | UEPSR UEPSB | UREBV | 0.61 | 37.01 | 21.19 | 20.02 | 9.83 | | | | | | | ╆ |
| MAINT | ENANCE | | | OLI OK OLI OD | OKEDV | 0.01 | 07.01 | 21.10 | 20.02 | 0.00 | | | | | | | \vdash |
| | The Expedite charge will be maintained commensurate with Be | IlSouth's | FCC No | .1 Tariff, Section 13. | 3.1 as applica | ble. | | | | | | | | | | | T |
| | No Trouble Found - per 1/2 hour increments - Basic | | | | 1 | | 80.00 | 55.00 | | | | | | | | | T |
| | No Trouble Found - per 1/2 hour increments - Overtime | | | | | | 90.00 | 65.00 | | | | | | | | | |
| | No Trouble Found - per 1/2 hour increments - Premium | | | | | | 100.00 | 75.00 | | | | | | | | | |
| | DEDICATED TRANSPORT | | | | | ļ | | | | | | | | | | | <u> </u> |
| INTER | DFFICE CHANNEL - DEDICATED TRANSPORT | | | | | - | | | | | | | | | | | ₩ |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | U1TVX | 1L5XX | 0.008838 | | | | | | | | | | | _ |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade | | | U1TVX | U1TV2 | 21.13 | 40.54 | 27.41 | 16.74 | 6.90 | | | | | | | |
| | Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade Rev Bat Ver Mile per month | | | U1TVX | 1L5XX | 0.008838 | | | | | | | | | | | L |
| | Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - | | | U1TVX | U1TR2 | 21.13 | 40.54 | 27.41 | 16.74 | 6.90 | | | | | | | <u> </u> |
| | Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - | | | U1TVX | 1L5XX | 0.008838 | | | | | | | | | | | L |
| | Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per | | | U1TVX | U1TV4 | 18.73 | 40.54 | 27.41 | 16.74 | 6.90 | | | | | | | |
| | month Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | U1TDX | 1L5XX | 0.008838 | | | | | | | | | | | |
| | Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile per | | | U1TDX | U1TD5 | 15.12 | 40.54 | 27.41 | 16.74 | 6.90 | | | | | | | |
| | month Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination | | | U1TDX U1TDX | 1L5XX U1TD6 | 0.008838 | 40.54 | 27.41 | 16.74 | 6.90 | | | | | | | H |
| | Interroffice Channel - Dedicated Channel - DS1 - Per Mile per month | | | U1TD1 | 1L5XX | 0.18 | 40.54 | 27.41 | 16.74 | 6.90 | | | | | | | H |
| | Internifice Channel - Dedicated Tranport - DS1 - Facility Termination | | | U1TD1 | U1TF1 | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | | | | | | | _ |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month | | | U1TD3 | 1L5XX | 4.09 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | U1TD3 | U1TF3 | 703.52 | 278.75 | 162.76 | 60.20 | 28.46 | | | | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month | | | U1TS1 | 1L5XX | 4.09 | | | | | | | | | | | |
| L. FIRE | Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination | | | U1TS1 | U1TFS | 701.37 | 278.75 | 162.76 | 60.20 | 28.46 | | | | | | | |
| K FIBER | Dork Fiber Four Fiber Strando Ber Bauta Mile au Frantis - Thomas | | | | | | | | | | | | | | | | \vdash |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof | | | UDF, UDFCX | 1L5DC | 69.37 | | | | | | | | | | | L |
| | per month - Interoffice Channel | | | UDF, UDFCX | 1L5DF | 23.29 | 639.09 | 137.87 | 317.06 | 197.66 | | | | | | | L |
| | NRC Dark Fiber - Interoffice Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop | | | UDF, UDFCX UDF, UDFCX | UDF14 1L5DL | 69.37 | 639.09 | 137.87 | 317.06 | 197.66 | | | | | | | t |
| TUAL COLI | OCATION | | | 52., 65i 6X | LODE | 03.31 | | | | | | | | | | | F |
| (SICAL COL | Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting LOCATION | | | UEPSR UEPSB | VE1LS | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | | | | | | Ł |
| | Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting | | | UEPSR UEPSB | PE1LS | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | | | | | | L |
| | (TENDED LINK (EELs) | | | | | | | | | | | | | | | | |
| | The monthly recurring and non-recurring charges below will app | | | | | | | | | | | | | | | _ | |

| BUNDLI | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: A | |
|---------|--|-----------|----------|--------------|----------------|----------------|------------------|-----------------|-----------------------|-----------|--|---|--|--|---|---|--------|
| ORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | Nagara | RATES (\$) | Nama | Discourse | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | c - |
| | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | Add'l | SOMEC | SOMAN | | Rates (\$) SOMAN | SOMAN | SOMAN | + |
| 2-WIR | VOICE GRADE LOOP FOR USE IN A COMBINATION | | | | | | 11130 | Auu i | 11131 | Auu i | JOINEC | JONAN | JOINAIN | JOWAN | JONAN | JONAN | + |
| _ **** | 2-Wire VG Loop (SL2) in Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 14.38 | 88.00 | 55.00 | 47.24 | 7.44 | | | | | | | + |
| | 2-Wire VG Loop (SL2) in Combination - Zone 2 | | | UNCVX | UEAL2 | 22.85 | 88.00 | 55.00 | | 7.44 | | | | | | | + |
| + | 2-Wire VG Loop (SL2) in Combination - Zone 3 | | | UNCVX | UEAL2 | 36.14 | 88.00 | 55.00 | 47.24 | 7.44 | | | | | | | + |
| + | Voice Grade COCI - Per Month | | 3 | UNCVX | 1D1VG | 0.53 | 6.58 | 4.72 | 47.24 | 7.44 | | | | | | | + |
| 4-WIR | VOICE GRADE LOOP FOR USE IN A COMBINATION | | | CHOTA | .5 | 0.00 | 0.00 | 2 | | | | | | | | | + |
| 1 | 4-Wire Analog Voice Grade Loop in Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 25.34 | 131.97 | 94.51 | 59.14 | 14.50 | | | | | | | + |
| | 4-Wire Analog Voice Grade Loop in Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 38.58 | 131.97 | 94.51 | 59.14 | 14.50 | | | | | | | + |
| | 4-Wire Analog Voice Grade Loop in Combination - Zone 3 | | | UNCVX | UEAL4 | 60.02 | 131.97 | 94.51 | 59.14 | 14.50 | | | | | | | + |
| | Voice Grade COCI in combination - per month | | Ŭ | UNCVX | 1D1VG | 0.53 | 6.58 | 4.72 | 00 | 11.00 | | | | | | | + |
| 4-WIR | 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION | | | CHOTA | .5 | 0.00 | 0.00 | 2 | | | | | | | | | + |
| | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL56 | 26.09 | 126.27 | 88.80 | 59.14 | 14.50 | | 1 | | | | | + |
| | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 | | 2 | UNCDX | UDL56 | 35.95 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | | + |
| | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL56 | 37.88 | 126.27 | 88.80 | | 14.50 | | | | | | | + |
| | OCU-DP COCI (data) per month (2.4-64kbs) | | Ŭ | UNCDX | 1D1DD | 1.12 | 6.58 | 4.72 | | | | | | | | | + |
| 4-WIR | 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION | | 1 | | | 1.12 | 0.00 | 7.72 | | | | | | | | | + |
| | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL64 | 26.09 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | | + |
| 1 | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 | | 2 | UNCDX | UDL64 | 35.95 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | | + |
| | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 | 37.88 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | | + |
| + | OCU-DP COCI (data) - in combination - per month (2.4-64kbs) | | Ŭ | UNCDX | 1D1DD | 1.12 | 6.58 | 4.72 | | 14.00 | | | | | | | + |
| 2-WIR | ISDN LOOP FOR USE IN COMBINATION | | | CHODA | 10100 | 1.12 | 0.00 | 7.72 | | | | | | | | | + |
| - **** | 2-Wire ISDN Loop in Combination - Zone 1 | | 1 | UNCNX | U1L2X | 21.88 | 117.24 | 79.77 | 52.88 | 10.54 | | | | | | | + |
| + | 2-Wire ISDN Loop in Combination - Zone 2 | | 2 | UNCNX | U1L2X | 32.85 | 117.24 | 79.77 | 52.88 | 10.54 | | | | | | | + |
| + | 2-Wire ISDN Loop in Combination - Zone 2 | | 3 | UNCNX | U1L2X | 48.55 | 117.24 | 79.77 | 52.88 | 10.54 | | | | | | | + |
| + | 2-wire ISDN COCI (BRITE) - in combination - per month | | 3 | UNCNX | UC1CA | 2.41 | 6.58 | 4.72 | | 10.54 | | | | | | | + |
| 4-WID | E DS1 DIGITAL LOOP FOR USE IN A COMBINATION | | | UNUNA | OCTOA | 2.41 | 0.30 | 4.72 | | | | | | | | | + |
| 7 **** | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 82.55 | 252.47 | 157.54 | 44.70 | 11.71 | | | | | | | + |
| - | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 2 | UNC1X | USLXX | 154.18 | 252.47 | 157.54 | 44.70 | 11.71 | | | | | | | + |
| + | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | 3 | UNC1X | USLXX | 314.52 | 252.47 | 157.54 | 44.70 | 11.71 | | | | | | | + |
| | DS1 COCI in combination per month | | U | UNC1X | UC1D1 | 12.70 | 6.58 | 4.72 | 44.70 | 11.71 | | | | | | | + |
| 2 WIR | VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | MRINATI | ON | OTTO IX | 00.5. | 12.70 | 0.00 | 2 | | | | | | | | | + |
| | | | | LINOVA | 41.577 | 0.000000 | | | | | | | | | | | T |
| | Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month | | | UNCVX | 1L5XX | 0.008838 | | | | | | | | | | | + |
| | Interoffice Transport - 2-wire VG - Dedicated - Facility Termination | | | LINOVA | 11477.60 | 04.40 | 40.54 | 07.44 | 40.74 | 0.00 | | | | | | | |
| 4 14/10 | per month VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | MEDINIATI | ON: | UNCVX | U1TV2 | 21.13 | 40.54 | 27.41 | 16.74 | 6.90 | | | | | | | + |
| 4 WIR | VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | INBINALI | UN | | _ | | | | | | | | | | | | + |
| | Intereffice Transport 4 wire VC Dedicated Day Mile Day Month | | | UNCVX | 1L5XX | 0.008838 | | | | | | | | | | | |
| | Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month | | | UNCVX | ILDAA | 0.00000 | | | | | | | | | | | + |
| | Interoffice Transport - 4-wire VG - Dedicated - Facility | | | LINCVY | 11471/4 | 10.70 | 40.54 | 27.44 | 16.74 | 6.00 | | | | | | | |
| D61 II | Termination per month TEROFFICE TRANSPORT FOR COMBINATION | | 1 | UNCVX | U1TV4 | 18.73 | 40.54 | 27.41 | 16.74 | 6.90 | | | | | | | + |
| DOIN | Interoffice Transport - Dedicated - DS1 combination - Per Mile per | | 1 | | + | t | | | 1 | | | | | | | | + |
| | month | | | UNC1X | 1L5XX | 0.18 | | | | | | | | | | | |
| + | Interoffice Transport - Dedicated - DS1 combination - Facility | | ! | 5.101/ | ILOAA | 0.10 | | | | | | | | | | | + |
| | Termination per month | | | UNC1X | U1TF1 | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | | | | | | | |
| DS3 IN | TEROFFICE TRANSPORT FOR USE IN A COMBINATION | | | ONOTA | 01111 | 00.10 | 00.21 | 01.01 | 10.00 | 14.44 | | | | | | | + |
| 233 11 | Interoffice Transport - Dedicated - DS3 combination - Per Mile Per | | ! | † | + | t | | | | | | | | | | | + |
| 1 | Month | | | UNC3X | 1L5XX | 4.09 | | | | | | | | | | | |
| + | Interoffice Transport - Dedicated - DS3 - Facility Termination per | | ! | 5.100/ | ILOAA | 4.08 | | | | | | | | | | | + |
| | month | | | UNC3X | U1TF3 | 703.52 | 278.75 | 162.76 | 60.20 | 58.46 | | | | | | | |
| 1 | 3/1 Channel System in combination per month | | 1 | UNC3X | MQ3 | 166.13 | 178.14 | 93.97 | 33.26 | 31.83 | | 1 | | | | | + |
| STS-1 | INTEROFFICE TRANSPORT FOR USE IN COMBINATION | | 1 | | | 100.10 | 170.14 | 55.51 | 55.20 | 51.00 | | 1 | | | | | + |
| 10.0-1 | Interoffice Transport - Dedicated - STS-1 combination - Per Mile | | | | - | - | | | | | | | | | | | + |
| 1 | Per Month | | | UNCSX | 1L5XX | 4.09 | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | 5.130/ | ·LOAA | 7.03 | | | | | | | | | | | + |
| | Termination per month | | | UNCSX | U1TFS | 701.37 | 278.75 | 162.76 | 60.20 | 58.46 | | | | | | | |
| + | 3/1 Channel System in combination per month | | | UNCSX | MQ3 | 166.13 | 178.14 | 93.97 | 33.26 | 31.83 | | | | | | | + |
| | 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANS | SPORT | ! | 5.100/ | IVIQU | 100.13 | 170.14 | 30.31 | 33.20 | 31.03 | | | | | | | + |
| 4-WIR | 4-wire 56 kbps Local Loop in combination - Zone 1 | J. OK. | 1 | UNCDX | UDL56 | 26.09 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | | + |
| 4-WIR | | 1 | | | | | | | 59.14 | 14.50 | | | | | | | + |
| 4-WIR | 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | LINCDX | IUDI 56 | 35 05 | 106 07 | | | | | | | | | | |
| 4-WIR | 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 35.95 37.88 | 126.27 126.27 | 88.80 88.80 | | | | | | | | | + |
| 4-WIR | 4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | UNCDX | UDL56 UDL56 | 35.95 37.88 | 126.27 126.27 | 88.80 | 59.14 | 14.50 | | | | | | | ‡ |

| IRONDLE | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachi | ment: 2 | Exhi | oit: A |
|--------------|--|-----------|----------|--|----------------|---|-----------------|-----------------|--|---------------------|----------|---|--|--|---|---|
| ORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | N | RATES (\$) | Name | Diagon | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| - | | | | - | + | Rec | Nonrec First | urring Add'l | Nonrecurring First | Disconnect Add'l | COMEC | SOMAN | | Rates (\$) SOMAN | SOMAN | SOMAN |
| - | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | | rirst | Add I | FIISt | Add I | SUIVIEC | SUMAN | SUMAN | SUMAN | SUMAN | SUMAN |
| | Facility Termination per month | | | UNCDX | U1TD5 | 15.12 | 40.54 | 27.41 | 16.74 | 6.90 | | | | | | |
| 4-WIRE | 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROF | FICE TR | ANSPO | | 01150 | 10.12 | 10.01 | 27 | | 0.00 | | | | | | |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 1 | | | UNCDX | UDL64 | 26.09 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 2 | | 2 | UNCDX | UDL64 | 35.95 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 | 37.88 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month | | | UNCDX | 1L5XX | 0.008838 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | | | |
| 4 | Facility Termination per month | | <u> </u> | UNCDX | U1TD6 | 15.12 | 40.54 | 27.41 | 16.74 | 6.90 | | | | | | |
| 4-WIRE | 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE | TRANS | | | | | | | | | | | | | | |
| + | 4-wire 56 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL56 | 26.09 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | |
| + | 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 35.95 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | |
| + | 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 37.88 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | |
| | 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month | | | UNCDX | 1L5XX | 0.008838 | | | | | | | | | | |
| | 4-wire 56 kbps Interoffice Transport - Dedicated - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNCDX | U1TD5 | 15.12 | 40.54 | 27.41 | 16.74 | 6.90 | | | | | | |
| 4-WIRE | 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE | TRANS | PORT | | | | | | | | | | | | | |
| | 4-wire 64 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL64 | 26.09 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | |
| | 4-wire 64 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL64 | 35.95 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | |
| | 4-wire 64 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL64 | 37.88 | 126.27 | 88.80 | 59.14 | 14.50 | | | | | | |
| | 14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per | | | LINODY | 1L5XX | 0.008838 | | | | | | | | | | |
| - | month 4-wire 64 kbps Interoffice Transport - Dedicated - Facility | | | UNCDX | TL5XX | 0.008838 | | | | | | | | | | |
| | Termination per month | | | UNCDX | U1TD6 | 15.12 | 40.54 | 27.41 | 16.74 | 6.90 | | | | | | |
| DS1 DI | GITAL LOOP AND DS1 INTERFOFFICE TRANSPORT | | | UNCDX | OTTE | 10.12 | 40.54 | 21.41 | 10.74 | 0.50 | | | | | | |
| 50.5 | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 82.55 | 252.47 | 157.54 | 44.70 | 11.71 | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 154.18 | 252.47 | 157.54 | 44.70 | 11.71 | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 314.52 | 252.47 | 157.54 | 44.70 | 11.71 | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile per month | | | UNC1X | 1L5XX | 0.18 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNC1X | U1TF1 | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | | | | | | |
| DS3 DI | GITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO | RT | | | | | | | | | | | | | | |
| | DS3 Local Loop in combination - per mile per month | | | UNC3X | 1L5ND | 9.637 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 1 | DS3 Local Loop in combination - Facility Termination per month | | | UNC3X | UE3PX | 355.327 | 519.248 | 303.531 | 137.4135 | 96.117 | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | 1 | UNC3X | 1L5XX | 4.09 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month | | | UNC3X | U1TF3 | 703.52 | 278.75 | 162.76 | 60.20 | 58.46 | | | | | | |
| STS-1 | DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANS | SPORT | 1 | LINGOV | 41.53.5 | | | | | | | | | | | |
| | STS-1 Local Lolp in combination - per mile per month | | | UNCSX | 1L5ND | 9.637 | | | | | | | | | | |
| | STS-1 Local Loop in combination - Facility Termination per month | | | UNCSX | UDLS1 | 367.8045 | 519.248 | 303.531 | 137.4135 | 96.117 | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - per mile per month | | | UNCSX | 1L5XX | 4.09 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | Linionia | | | 070 | 400 | | #a ·- | | | | | | |
| | Termination per month | | | UNCSX | U1TFS | 701.37 | 278.75 | 162.76 | 60.20 | 58.46 | | | | | | |
| IWhon : | ETWORK ELEMENTS used as a part of a currently combined facility, the non-recurring | oborgo: | lo not a | nnhi hut a Curitali A | o lo oborgo de | noc annhi | | | | | | | | | | |
| When | used as a part of a currently combined facility, the non-recurring used as ordinarily combined network elements in All States, the r | non-recur | ring cha | ppry, but a Switch A | Switch ∆e le ∩ | harge does not | | | | | | | | | | |
| | seed as ordinarily combined network elements in Air States, the resurring Currently Combined Network Elements "Switch As Is" Ch | | | | | gc ades not. | - | | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is | | | UNCVX, UNCDX, UNC1X, UNC3X, | ĺ | | | | | | | | | | | |
| | Charge | | L | UNCSX | UNCCC | <u>l </u> | 5.59 | 5.59 | 6.98 | 6.98 | <u> </u> | | | <u> </u> | | |
| Option | al Features & Functions: | | | | | | | | | | | | | | | |
| | | | | U1TD1, | | | | | | | | | | | | |
| | Clear Channel Capability Extended Frame Option - per DS1 | 1 1 | 1 | ULDD1,UNC1X | CCOEF | 1 | 0.00 | 0.00 | 0.00 | 0.00 | | | | 1 | | |
| | Occar Orienter Capability Extended Frame Option Der Der | - | 1 | | OOOLI | Ļ | 0.00 | | | | | | | | | |
| | Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - | i | | U1TD1, ULDD1,UNC1X ULDD1, U1TD1, | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |

| NBUNDL | ED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: A |
|---------|---|---------|--|----------------|------------------|--------|----------|------------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | 1 | | | | | - | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| TEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | *** | | | po. 2011 | poi zoit | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'I | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | ist | Addi | DISC 1St | DISC Add I |
| | | | | | 1 | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | U1TD3, ULDD3, | | | | | | | | | | | | |
| | C-bit Parity Option - Subsequent Activity - per DS3 | i | | UE3, UNC3X | NRCC3 | | 219.13 | 7.67 | 0.7355 | 0.00 | | | | | | |
| MULT | TIPLEXERS | | | | | | | | | | | | | | | |
| | DS1 to DS0 Channel System per month | | | UNC1X | MQ1 | 101.06 | 91.04 | 62.57 | 10.54 | 9.79 | | | | | | |
| \neg | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month | | | | 1 | 15.100 | 21.01 | | | 2.70 | | | | | | |
| | (2.4-64kbs) used for a Local Loop | | | UDL | 1D1DD | 1.12 | 6.58 | 4.72 | 0.00 | 0.00 | | | | | | |
| - | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month | | 1 | | 1.2.22 | 2 | 3.00 | 2 | 5.00 | 3.00 | | | | | | |
| | (2.4-64kbs) used for connection to a channelized DS1 Local | | | | | | | | | | | | | | | |
| | Channel in the same SWC as collocation | | | U1TUD | 1D1DD | 1.12 | 6.58 | 4.72 | 0.00 | 0.00 | | | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | 01100 | טטוטו | 1.12 | 0.56 | 4.12 | 0.00 | 0.00 | | | | | | |
| | month for a Local Loop | | | UDN | UC1CA | 2.41 | 6.58 | 4.72 | 0.00 | 0.00 | | | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | 1 | UDIN | UCTCA | 2.41 | 0.56 | 4.72 | 0.00 | 0.00 | | | | | | |
| | | | | | | | | | | | | | | | | |
| | month used for connection to a channelized DS1 Local Channel in | | | | | | | | | | | | | | | |
| | the same SWC as collocation | | | U1TUB | UC1CA | 2.41 | 6.58 | 4.72 | 0.00 | 0.00 | | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | | | | | | | | | | | | |
| | used for a Local Loop | | | UEA | 1D1VG | 0.53 | 6.58 | 4.72 | 0.00 | 0.00 | | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | | 1 | | | | | | | | | | |
| | used for connection to a channelized DS1 Local Channel in the | | | | | 1 | | | | | | | | | | |
| | same SWC as collocation | | | U1TUC | 1D1VG | 0.53 | 6.58 | 4.72 | 0.00 | 0.00 | | | | | | |
| | DS3 to DS1 Channel System per month | | | UNC3X | MQ3 | 166.13 | 178.14 | 93.97 | 33.26 | 31.83 | | | | | | |
| | STS-1 to DS1 Channel System per month | | | UNCSX | MQ3 | 166.13 | 178.14 | 93.97 | 33.26 | 31.83 | | | | | | |
| | DS1 COCI used with Loop per month | | | USL | UC1D1 | 12.70 | 6.58 | 4.72 | 0.00 | 0.00 | | | | | | |
| | DS1 COCI (used for connection to a channelized DS1 Local | | Ì | | | 1 | | | | | | | | | | |
| | Channel in the same SWC as collocation) per month | | | U1TUA | UC1D1 | 12.70 | 6.58 | 4.72 | 0.00 | 0.00 | | | | | | |
| | DS1 COCI used with Interoffice Channel per month | | | U1TD1 | UC1D1 | 12.70 | 6.58 | 4.72 | 0.00 | 0.00 | | | | | | |
| | | | t - | | | 120 | 0.00 | 2 | 0.00 | 0.00 | | | | | | |
| | DS3 Interface Unit (DS1 COCI) used with Local Channel per month | | | ULDD1 | UC1D1 | 12.70 | 6.58 | 4.72 | 0.00 | 0.00 | | | | | | |
| PBX LOC | | | t - | | | 12.10 | 0.00 | 2 | 0.00 | 0.00 | | | | | | |
| | BX LOCATE DATABASE CAPABILITY | | † | | | 1 | | | | | | | | | | |
| 71.11 | Service Establishment per CLEC per End User Account | | 1 | 9PBDC | 9PBEU | 1 | 1,813.00 | | | | | | | | | |
| | Changes to TN Range or Customer Profile | | † | 9PBDC | 9PBTN | | 181.44 | | | | | | | | | |
| | Per Telephone Number (Monthly) | | | 9PBDC | 9PBMM | 0.07 | 101.44 | | | | | | | | | |
| _ | Change Company (Service Provider) ID | | | 9PBDC | 9PBPC | 0.07 | 532.60 | | | | | | | | | |
| - | PBX Locate Service Support per CLEC (Monthlt) | | 1 | 9PBDC 9PBDC | 9PBMR | 181.33 | 332.00 | | | | - | - | | | | |
| | Service Order Charge | | | 9PBDC 9PBDC | 9PBINIR 9PBSC | 101.33 | 15.66 | | | | | | | | | |
| 044.5 | BX LOCATE TRANSPORT COMPONENT | | | ALDDC | arpoc | | 15.66 | | | | | | | | | |
| | | | ! | | - | | | | | | | | | | | |
| See A | Att 3 | l | 1 | 1 | ı | | | | 1 | | I | I | | I | | I |

| NBUNE | IDLED NETWORK ELEMENTS - Florida | | | | | | | | | _ | | | Attachi | ment: 2 | Exhi | bit: A | I |
|-----------|--|-------------|--------|--|----------------|--|-----------------|-----------------|-----------------------|---------------------|---|---|--|--|---|---|---|
| EGOR | RY RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | ; |
| _ | | | | | | Rec | Nonred First | urring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | | Rates (\$) | SOMAN | SOMAN | + |
| | | | | | | | | | | | | | | | JOWAN | JOINAIN | + |
| | he "Zone" shown in the sections for stand-alone loops or loops as part | | | n refers to Geographi | ically Deaver | aged UNE Zone: | s. To view Geo | graphically Dea | averaged UNE | Zone Designati | ons by Cent | ral Office, re | fer to internet | Website: | | | |
| htt | ttp://www.interconnection.bellsouth.com/become_a_clec/html/intercon | nection.h | tm | 1 | | | 1 | | 1 | 1 | | 1 | | | | | ┷ |
| NO sta | IONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" IOTE: (1) CLEC should contact its contract negotiator if it prefers the "s tate specific Commission ordered rates for the service ordering charger (IOTE: (2) Any element that can be ordered electronically will be billed as | s, or CLE | C may | elect the regional serv | vice ordering | charge, howev | er, CLEC can n | ot obtain a mix | ture of the two | regardless if Cl | LEC has a ir | nterconnecti | on contract es | tablished in ea | ach of the 9 st | ates. | е |
| ord | rdered electronically at present per the LOH, the listed SOMEC rate in the | | | | | | | | | | | | | | | | |
| CL | LECs bill when it submits an LSR to BellSouth. | | | • | , | | 1 | | | | | | | | | | |
| | OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | | |
| + | OSS - Manual Service Order Charge, Per Local Service Request | | | | JOIVIEC | | 3.30 | 0.00 | 3.30 | 0.00 | - | | | | | | + |
| | (LSR) - UNE Only | | | | SOMAN | | 11.90 | 0.00 | 1.83 | 0.00 | | | | | | | |
| | RVICE DATE ADVANCEMENT CHARGE | | | | | | | | | | | | | | | | I |
| NO | IOTE: The Expedite charge will be maintained commensurate with Bell | llSouth's l | FCC No | .1 Tariff, Section 5 as | applicable. | | | | | | | | | | | | 丄 |
| JNDL | UNE Expedite Charge per Circuit or Line Assignable USOC, per Day | | | UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1TD3, U1TD1, U1TD3, U1TB1, U1TD2, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BL, UC1BL, UC1BL, UC1BL, UC1BL, UC1BL, UC1BL, UC1BL, UC1BL, UC1BL, UC1BL, UC1BL, UC1BL, UC1BL, UC1BL, UC1BL, UC1BL, UDLD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDS1, ULDS1, ULDS1, UNCNX, UNCSX, UNCXX, UXTD1, UXTD3, UXTD3, UXTD3, UXTD3, UXTD3, UXTD4 | | | 200.00 | | | | | | | | | | |
| | -WIRE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | | T |
| L | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEAL2 | 10.69 | 49.57 | 22.83 | 25.62 | 6.57 | | | | | | | I |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEAL2 | 15.20 | 49.57 | 22.83 | 25.62 | 6.57 | | | | | | | I |
| + | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL UEANL | UEAL2 UEASL | 26.97 10.69 | 49.57 49.57 | 22.83 22.83 | 25.62 25.62 | 6.57 6.57 | | | | | | | + |
| + | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL UEANL | UEASL | 10.69 15.20 | 49.57 49.57 | 22.83 | 25.62 25.62 | 6.57 | | 1 | | | | | + |
| + | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEASL | 26.97 | 49.57 | 22.83 | 25.62 | 6.57 | | | | | | | + |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | .5.01 | | | 5.07 | | | | | | | T |
| 1 | Premise | | | UEANL | URETL | | 8.33 | 0.83 | | | | | | | | | ┸ |
| | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 48.65 | 48.65 | | | | | | | | | T |
| | | | | I III AND | URETA | 1 | 23.95 | 23.95 | l | l | l | 1 | | | | | |
| L | Loop Testing - Basic Additional Half Hour | | | UEANL | UNLIA | - | | | | | | | | | | | |
| | Loop Testing - Basic Additional Half Hour CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1) | | | UEANL | UREWO | | 15.78 | 8.94 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | | | | | 8.94 | | | | | | | | | 1 |

| GORY Or (peps) 2-WRE Ur 2-1 Ur MM BS Lo CI (U) UNDLED EXC | RATE ELEMENTS rder Coordination for Specified Conversion Time for UVL-SL1 er LSR) rbundled COPPER LOOP Wire Unbundled Copper Loop - Non-Designed Zone 1 Wire Unbundled Copper Loop - Non-Designed - Zone 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 rbundled Miscellaneous Rate Element, Tag Loop at End User remise annual Order Coordination 2 Wire Unbundled Copper Loop - Non- resigned (per loop) rbundled Copper Loop, Non-Design Cooper Loop, billing for ST providing make-up (Engineering Information - E.I.) pop Testing - Basic 1st Half Hour LEC to CLEC Conversion Charge Without Outside Dispatch CL-ND) CHANGE ACCESS LOOP NALOG VOICE GRADE LOOP Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | Interim | Zone 1 2 3 3 | BCS UEANL UEQ UEQ UEQ UEQ UEQ UEQ UEQ | USOC OCOSL UEQ2X UEQ2X UEQ2X UEQ2X UEQ2X URETL USBMC | 7.69 10.92 19.38 | Nonrec First 23.02 44.98 44.98 44.98 | urring Add'I 20.90 20.90 | Nonrecurring I | Add'l | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR SOMAN | Attachi Incremental Charge - Manual Svc Order vs. Electronic- 1st OSS SOMAN | Incremental Charge - Manual Svc Order vs. Electronic- Add'l Rates (\$) SOMAN | Exhi Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|--|---|---------|----------------|---|--|------------------------|--|---------------------------|----------------|----------------|---|--|--|---|---|---|
| (pe 2-WIRE UI 2-V 2-WIRE AN (De 2-WIRE AN (2-V 2-WIRE AN (2-V 2-WIRE AN (2-V 2-WIRE AN (2-V 2-V er LSR) nbundled COPPER LOOP Wire Unbundled Copper Loop - Non-Designed Zone 1 Wire Unbundled Copper Loop - Non-Designed Zone 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 nbundled Miscellaneous Rate Element, Tag Loop at End User remise annual Order Coordination 2 Wire Unbundled Copper Loop - Non- ssigned (per loop) nbundled Copper Loop, Non-Design Cooper Loop, billing for ST providing make-up (Engineering Information - E.I.) pop Testing - Basic 1st Half Hour LEC to CLEC Conversion Charge Without Outside Dispatch (CL-ND) CHANGE ACCESS LOOP NALOG VOICE GRADE LOOP Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | UEQ UEQ UEQ UEQ | UEQ2X UEQ2X UEQ2X URETL | 7.69 10.92 | 23.02 44.98 44.98 | Add'I 20.90 | First | Add'l | SOMEC | SOMAN | | | SOMAN | SOMAN |
| (pe 2-WIRE UI 2-V 2-V 2-V 2-V 2-V 2-V 2-V 2-V 2-V 2-WIRE AN 2-WI | er LSR) nbundled COPPER LOOP Wire Unbundled Copper Loop - Non-Designed Zone 1 Wire Unbundled Copper Loop - Non-Designed Zone 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 nbundled Miscellaneous Rate Element, Tag Loop at End User remise annual Order Coordination 2 Wire Unbundled Copper Loop - Non- ssigned (per loop) nbundled Copper Loop, Non-Design Cooper Loop, billing for ST providing make-up (Engineering Information - E.I.) pop Testing - Basic 1st Half Hour LEC to CLEC Conversion Charge Without Outside Dispatch (CL-ND) CHANGE ACCESS LOOP NALOG VOICE GRADE LOOP Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | UEQ UEQ UEQ UEQ | UEQ2X UEQ2X UEQ2X URETL | 10.92 | 44.98 44.98 | | 24.00 | | | | | | | |
| 2-WIRE UT 2-V 2-V UT Pr Ma De UT BS Loo CL CL UNDLED EXC | nbundled COPPER LOOP Wire Unbundled Copper Loop - Non-Designed Zone 1 Wire Unbundled Copper Loop - Non-Designed - Zone 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 nbundled Miscellaneous Rate Element, Tag Loop at End User remise anual Order Coordination 2 Wire Unbundled Copper Loop - Non- esigned (per loop) nbundled Copper Loop, Non-Design Cooper Loop, billing for ST providing make-up (Engineering Information - E.I.) pop Testing - Basic 1st Half Hour LEC to CLEC Conversion Charge Without Outside Dispatch ICL-ND) CHANGE ACCESS LOOP NALOG VOICE GRADE LOOP Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | UEQ UEQ UEQ UEQ | UEQ2X UEQ2X UEQ2X URETL | 10.92 | 44.98 44.98 | | 24.00 | | | | | | | |
| 2-V 2 V Ur Pri Ma Dee Ur BS Loo CL (U) NDLED EXC | Wire Unbundled Copper Loop - Non-Designed Zone 1 Wire Unbundled Copper Loop - Non-Designed - Zone 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 nbundled Miscellaneous Rate Element, Tag Loop at End User remise anual Order Coordination 2 Wire Unbundled Copper Loop - Non- esigned (per loop) nbundled Copper Loop, Non-Design Cooper Loop, billing for ST providing make-up (Engineering Information - E.I.) Dop Testing - Basic 1st Half Hour LEC to CLEC Conversion Charge Without Outside Dispatch (CL-ND) CHANGE ACCESS LOOP NALOG VOICE GRADE LOOP Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | UEQ UEQ UEQ UEQ | UEQ2X UEQ2X URETL | 10.92 | 44.98 | | 24.00 | | | | | | | |
| 2 V 2 V Ur Pr Ma De Ur BS Lo Lo CL (U) NDLED EXC | Wire Unbundled Copper Loop - Non-Designed - Zone 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 nbundled Miscellaneous Rate Element, Tag Loop at End User remise anual Order Coordination 2 Wire Unbundled Copper Loop - Non- esigned (per loop) nbundled Copper Loop, Non-Design Cooper Loop, billing for ST providing make-up (Engineering Information - E.I.) nop Testing - Basic 1st Half Hour LEC to CLEC Conversion Charge Without Outside Dispatch (CL-ND) CHANGE ACCESS LOOP NALOG VOICE GRADE LOOP Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | UEQ UEQ UEQ UEQ | UEQ2X UEQ2X URETL | 10.92 | 44.98 | | | - | | | | | | |
| Ur Pre Ma Dee Lo Lo CL (U) | Wire Unbundled Copper Loop - Non-Designed - Zone 3 nbundled Miscellaneous Rate Element, Tag Loop at End User remise anual Order Coordination 2 Wire Unbundled Copper Loop - Non- esigned (per loop) nbundled Copper Loop, Non-Design Cooper Loop, billing for ST providing make-up (Engineering Information - E.I.) pop Testing - Basic 1st Half Hour LEC to CLEC Conversion Charge Without Outside Dispatch ICL-ND) CHANGE ACCESS LOOP NALOG VOICE GRADE LOOP Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | UEQ UEQ UEQ | UEQ2X URETL | | | | 24.88 24.88 | 6.45 6.45 | | | | | | |
| Ur Pri Mi De Urr BS Lo Lo CL (U' | nbundled Miscellaneous Rate Element, Tag Loop at End User remise annual Order Coordination 2 Wire Unbundled Copper Loop - Non-esigned (per loop) nbundled Copper Loop, Non-Design Cooper Loop, billing for ST providing make-up (Engineering Information - E.I.) pop Testing - Basic 1st Half Hour LEC to CLEC Conversion Charge Without Outside Dispatch (CL-ND) CHANGE ACCESS LOOP NALOG VOICE GRADE LOOP Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | UEQ UEQ | URETL | 10.00 | 11.00 | 20.90 | 24.88 | 6.45 | | | | | | |
| Pri Ma De Ur BS Lo Lo CL (U CONDLED EXC | remise anual Order Coordination 2 Wire Unbundled Copper Loop - Non- ssigned (per loop) nbundled Copper Loop, Non-Design Cooper Loop, billing for ST providing make-up (Engineering Information - E.I.) sop Testing - Basic 1st Half Hour sop Testing - Basic Additional Half Hour LEC to CLEC Conversion Charge Without Outside Dispatch (CL-ND) CHANGE ACCESS LOOP NALOG VOICE GRADE LOOP Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | UEQ | | | | 20.00 | 200 | 0.10 | | | | | | |
| De Ur BS Lo Lo CL (U INDLED EXC | esigned (per loop) nbundled Copper Loop, Non-Design Cooper Loop, billing for ST providing make-up (Engineering Information - E.I.) pop Testing - Basic 1st Half Hour pop Testing - Basic Additional Half Hour LEC to CLEC Conversion Charge Without Outside Dispatch ICL-ND) CHANGE ACCESS LOOP NALOG VOICE GRADE LOOP Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | USBMC | | 8.33 | 0.83 | | | | | | | | |
| Lo Lo CL (U) INDLED EXC | nbundled Copper Loop, Non-Design Cooper Loop, billing for ST providing make-up (Engineering Information - E.I.) pop Testing - Basic 1st Half Hour pop Testing - Basic Additional Half Hour LEC to CLEC Conversion Charge Without Outside Dispatch (CL-ND) CHANGE ACCESS LOOP NALOG VOICE GRADE LOOP Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | USBMC | | | | | | | | | | | |
| Lo CL (U INDLED EXC | ST providing make-up (Engineering Information - E.I.) pop Testing - Basic 1st Half Hour pop Testing - Basic Additional Half Hour LEC to CLEC Conversion Charge Without Outside Dispatch (CL-ND) CHANGE ACCESS LOOP NALOG VOICE GRADE LOOP Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | LIEO | | | 9.00 | | | | | | | | | |
| Lo Lo CL (U INDLED EXC 2-WIRE AN | pop Testing - Basic 1st Half Hour pop Testing - Basic Additional Half Hour LEC to CLEC Conversion Charge Without Outside Dispatch ICL-ND) CHANGE ACCESS LOOP NALOG VOICE GRADE LOOP Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | 1 | | UEQMU | | 13.49 | | | | | | | | | |
| Lo CL (U INDLED EXC 2-WIRE AN | pop Testing - Basic Additional Half Hour LEC to CLEC Conversion Charge Without Outside Dispatch (CL-ND) CHANGE ACCESS LOOP NALOG VOICE GRADE LOOP Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | 1 | UEQ | URET1 | + | 48.65 | 48.65 | | | | | | | | |
| CL (U) INDLED EXC 2-WIRE AN | LEC to CLEC Conversion Charge Without Outside Dispatch (CL-ND) CHANGE ACCESS LOOP NALOG VOICE GRADE LOOP Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | 1 | UEQ | URETA | | 23.95 | 23.95 | | | | | | | | |
| 2-WIRE AN | CHANGE ACCESS LOOP NALOG VOICE GRADE LOOP Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| 2-WIRE AN | NALOG VOICE GRADE LOOP Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | 1 | UEQ | UREWO | | 14.27 | 7.43 | | | | | | | | |
| | Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| 21 | | | | | | + | - | | - | | | | | | | |
| | one 1 | | 1 | UEPSR UEPSB | UEALS | 10.69 | 49.57 | 22.83 | 25.62 | 6.57 | | | | | | |
| | Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | ' | OEI OIL OEI OB | OLINEO | 10.00 | 45.57 | 22.00 | 20.02 | 0.07 | | | | | | |
| | one 1 | | 1 | UEPSR UEPSB | UEABS | 10.69 | 49.57 | 22.83 | 25.62 | 6.57 | | | | | | |
| | Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | one 2 | | 2 | UEPSR UEPSB | UEALS | 15.20 | 49.57 | 22.83 | 25.62 | 6.57 | | | | | | |
| | Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | | | | 45.00 | 40.57 | | 05.00 | | | | | | | |
| | one 2 | | 2 | UEPSR UEPSB | UEABS | 15.20 | 49.57 | 22.83 | 25.62 | 6.57 | | | | | | |
| | Wire Analog Voice Grade Loop-Service Level 1-Line Splittingone 3 | | 3 | UEPSR UEPSB | UEALS | 26.97 | 49.57 | 22.83 | 25.62 | 6.57 | | | | | | |
| | Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | 3 | OLI SIX OLI SB | OLALO | 20.37 | 45.57 | 22.03 | 25.02 | 0.57 | | | | | | |
| | one 3 | | 3 | UEPSR UEPSB | UEABS | 26.97 | 49.57 | 22.83 | 25.62 | 6.57 | | | | | | |
| | CHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| | NALOG VOICE GRADE LOOP | | 1 | | | | | | | | | | | | | |
| | Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | 1154 | UEAL2 | 12.24 | 135.75 | 82.47 | 63.53 | 12.01 | | | | | | |
| | round Start Signaling - Zone 1 Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | - | UEA | UEALZ | 12.24 | 135.75 | 02.47 | 63.53 | 12.01 | | | | | | |
| | round Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | 17.40 | 135.75 | 82.47 | 63.53 | 12.01 | | | | | | |
| | Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | V | <u> </u> | | | | | | | | | | | |
| | round Start Signaling - Zone 3 | | 3 | UEA | UEAL2 | 30.87 | 135.75 | 82.47 | 63.53 | 12.01 | | | | | | |
| | rder Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 23.02 | | | | | | | | | |
| | Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | 1 . | | LIEARA | | | 20.7= | 00.50 | 40.01 | | | | | | |
| | attery Signaling - Zone 1 Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | 1 | UEA | UEAR2 | 12.24 | 135.75 | 82.47 | 63.53 | 12.01 | | | | | | |
| | wire Analog Voice Grade Loop - Service Level 2 Wikeverse attery Signaling - Zone 2 | | 2 | UEA | UEAR2 | 17.40 | 135.75 | 82.47 | 63.53 | 12.01 | | | | | | |
| | Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | 1 - | 52/1 | SEATTLE | 17.10 | 100.70 | 02.41 | 00.00 | 12.01 | | | | | | |
| Ba | attery Signaling - Zone 3 | | 3 | UEA | UEAR2 | 30.87 | 135.75 | 82.47 | 63.53 | 12.01 | | | | | | |
| Or | rder Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 23.02 | | | | | | | | | |
| | LEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87.71 | 36.35 | | | | | | | | |
| | pop Tagging - Service Level 2 (SL2) | | ├ | UEA | URETL | - | 11.21 | 1.10 | | | | | | | | |
| | NALOG VOICE GRADE LOOP Wire Analog Voice Grade Loop - Zone 1 | | 4 | UEA | UEAL4 | 18.89 | 167.86 | 115.15 | 67.08 | 15.56 | | | | | | |
| | Wire Analog Voice Grade Loop - Zone 1 Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEA | UEAL4 | 26.84 | 167.86 | 115.15 | 67.08 | 15.56 | | | | | | |
| | Wire Analog Voice Grade Loop - Zone 2 Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEA | UEAL4 | 47.62 | 167.86 | 115.15 | 67.08 | 15.56 | | | | | | |
| | rder Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 23.02 | | | | | | | | | |
| | LEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87.71 | 36.35 | | | | | | | | |
| | DN DIGITAL GRADE LOOP | | 1 | ue | 1147 | | | | | | | | | | | |
| | Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UDN | U1L2X | 19.28 | 147.69 | 94.41 | 62.23 | 10.71 | | | | | | |
| | Wire ISDN Digital Grade Loop - Zone 2 Wire ISDN Digital Grade Loop - Zone 3 | | 3 | UDN UDN | U1L2X U1L2X | 27.40 48.62 | 147.69 147.69 | 94.41 94.41 | 62.23 62.23 | 10.71 10.71 | | | | | | |
| | rder Coordination For Specified Conversion Time (per LSR) | | 3 | UDN | OCOSL | 40.02 | 23.02 | 34.41 | 02.23 | 10.71 | | | | | | |
| CI | LEC to CLEC Conversion Charge without outside dispatch | | † | UDN | UREWO | + | 91.61 | 44.15 | | | | | | | | |
| 2-WIRE AS | SYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPAT | IBLE LO | OOP | | | | | | | | | | | | | |
| | Wire Unbundled ADSL Loop including manual service inquiry & cility reservation - Zone 1 | | | UAL | UAL2X | 8.30 | 149.53 | 103.85 | 75.05 | 15.63 | | | | | | |

| 4DUNDED | D NETWORK ELEMENTS - Florida | | | | 1 | 1 | | | | | | • • • | | ment: 2 | | bit: A | + |
|---------|--|----------|------|------|-----------|--------|----------------|------------|--------------|-------|---|---|--|--|---|---|----|
| EGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | | ╄ |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | ╄ |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry & | | _ | | | | | | | | | | | | | | |
| | facility reservation - Zone 2 | | 2 | UAL | UAL2X | 11.80 | 149.53 | 103.85 | 75.05 | 15.63 | | | | | | | ╄ |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry & | | | | | | | | | | | | | | | | |
| | facility reservation - Zone 3 | | 3 | UAL | UAL2X | 20.94 | 149.53 | 103.85 | 75.05 | 15.63 | | | | | | | ╄ |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 23.02 | | | | | | | | | | + |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | 1 | 1141 | 1141 014/ | 0.00 | 404.00 | 74.40 | 00.04 | 0.40 | | | | | | | |
| | facility reservaton - Zone 1 | | 1 | UAL | UAL2W | 8.30 | 124.83 | 71.12 | 60.64 | 9.12 | | | | | | | ┿ |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | 2 | UAL | UAL2W | 11.80 | 124.83 | 74.40 | 60.64 | 9.12 | | | | | | | |
| | facility reservaton - Zone 2 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | UAL | UALZW | 11.80 | 124.83 | 71.12 | 60.64 | 9.12 | | | | | | | ₩ |
| | facility reservation - Zone 3 | | 3 | UAL | UAL2W | 20.94 | 124.83 | 71.12 | 60.64 | 9.12 | | | | | | | |
| _ | Order Coordination for Specified Conversion Time (per LSR) | | 3 | UAL | OCOSL | 20.94 | 23.02 | /1.12 | 60.64 | 9.12 | | | | | | | ╁ |
| _ | CLEC to CLEC Conversion Charge without outside dispatch | | | UAL | UREWO | | 23.02 86.19 | 40.39 | | | | | | | | | ╁ |
| 2 //// | E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT | IDIELO | ND I | UAL | UKEWU | | 00.19 | 40.39 | | | | | | | | | + |
| Z-VVIKI | 2 Wire Unbundled HDSL Loop including manual service inquiry & | IDEE LOC | /1 | | + | - | | | 1 | | | | | | | | + |
| | facility reservation - Zone 1 | | 1 | UHL | UHL2X | 7.22 | 159.09 | 113.41 | 75.05 | 15.63 | | | | | | | ĺ |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & | | | UNL | UITLEA | 1.22 | 108.08 | 113.41 | 70.05 | 10.03 | | | | | | | + |
| | facility reservation - Zone 2 | | 2 | UHL | UHL2X | 10.26 | 159.09 | 113.41 | 75.05 | 15.63 | | | | | | | l |
| - | 2 Wire Unbundled HDSL Loop including manual service inquiry & | | - | OHE | OTILEX | 10.20 | 100.00 | 110.71 | 70.00 | 10.00 | | | | | | | + |
| | facility reservation - Zone 3 | | 3 | UHL | UHL2X | 18.21 | 159.09 | 113.41 | 75.05 | 15.63 | | | | | | | |
| - | Order Coordination for Specified Conversion Time (per LSR) | | - | UHL | OCOSL | 10.21 | 23.02 | 110.71 | 70.00 | 10.00 | | | | | | | ╆ |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry and | | | OTIL | OCCCE | | 20.02 | | | | | | | | | | ╁ |
| | facility reservation - Zone 1 | | 1 | UHL | UHL2W | 7.22 | 134.40 | 80.69 | 60.64 | 9.12 | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry and | | | OTIL | OTILZVV | 1.22 | 134.40 | 00.03 | 00.04 | 3.12 | | | | | | | ╁ |
| | facility reservation - Zone 2 | | 2 | UHL | UHL2W | 10.26 | 134.40 | 80.69 | 60.64 | 9.12 | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry and | | | OTIL | OTILZVV | 10.20 | 134.40 | 00.03 | 00.04 | 3.12 | | | | | | | + |
| | facility reservation - Zone 3 | | 3 | UHL | UHL2W | 18.21 | 134.40 | 80.69 | 60.64 | 9.12 | | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | 10.21 | 23.02 | 00.00 | 00.01 | 0.12 | | | | | | | t |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 86.12 | 40.39 | | | | | | | | | t |
| 4-WIRI | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT | IBLE LOC |)P | | | | | | | | | | | | | | T |
| | 4 Wire Unbundled HDSL Loop including manual service inquiry and | | | | | | | | | | | | | | | | T |
| | facility reservation - Zone 1 | | 1 | UHL | UHL4X | 10.86 | 193.31 | 138.98 | 77.15 | 12.61 | | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry and | | | | | | | | | | | | | | | | Г |
| | facility reservation - Zone 2 | | 2 | UHL | UHL4X | 15.44 | 193.31 | 138.98 | 77.15 | 12.61 | | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry and | | | | | | | | | | | | | | | | Г |
| | facility reservation - Zone 3 | | 3 | UHL | UHL4X | 27.39 | 193.31 | 138.98 | 77.15 | 12.61 | | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 23.02 | | | | | | | | | | Г |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and | | | | | | | | | | | | | | | | Г |
| | facility reservation - Zone 1 | | 1 | UHL | UHL4W | 10.86 | 168.62 | 115.47 | 62.74 | 11.22 | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and | | | | | | | | | | | | | | | | |
| | facility reservation - Zone 2 | | 2 | UHL | UHL4W | 15.44 | 168.62 | 115.47 | 62.74 | 11.22 | | | | | | | ┺ |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and | | | | 1 | | | | | | | | | | | | ĺ |
| | facility reservation - Zone 3 | | 3 | UHL | UHL4W | 27.39 | 168.62 | 115.47 | 62.74 | 11.22 | | | | | | | Ļ |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 23.02 | | | | | | | | | | ╄ |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 86.12 | 40.39 | | | | | | | | | ┸ |
| 4-WIRI | DS1 DIGITAL LOOP | | | | | | | | | | | | | | | | ┺ |
| | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 70.74 | 313.75 | 181.48 | 61.22 | 13.53 | | | | | | | ╄ |
| | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | USL | USLXX | 100.54 | 313.75 | 181.48 | 61.22 | 13.53 | | | | | | | + |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 178.39 | 313.75 | 181.48 | 61.22 | 13.53 | | | | | | | ┺ |
| | Order Coordination for Specified Conversion Time (per LSR) | | | USL | OCOSL | | 23.02 | | | | | | | | | | + |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 101.07 | 43.04 | | | | | | | | | + |
| 4-WIR | 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | ا ب | | 1,,,,,, | | , | | | | | | | | | | + |
| _ | 4 Wire Unbundled Digital 19.2 Kbps | | 1 | UDL | UDL19 | 22.20 | 161.56 | 108.85 | 67.08 | 15.56 | | | | | | | + |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 2 | UDL | UDL19 | 31.56 | 161.56 | 108.85 | 67.08 | 15.56 | | | | | | | + |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 3 | UDL | UDL19 | 55.99 | 161.56 | 108.85 | 67.08 | 15.56 | | | | | | | + |
| _ | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | 1 | UDL | UDL56 | 22.20 | 161.56 | 108.85 | 67.08 | 15.56 | | | | | | | + |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | 2 | UDL | UDL56 | 31.56 | 161.56 | 108.85 | 67.08 | 15.56 | | | | | | | + |
| _ | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | 3 | UDL | UDL56 | 55.99 | 161.56 | 108.85 | 67.08 | 15.56 | | | | | | | ╄ |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | 00.00 | 23.02 | 400.05 | 07.00 | 45.50 | | | | | | | ╄ |
| - | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | 1 | UDL | UDL64 | 22.20 | 161.56 | 108.85 | 67.08 | 15.56 | | | | | | | + |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | 2 | UDL | UDL64 | 31.56 | 161.56 | 108.85 | 67.08 | 15.56 | | | | | | | ╀ |
| | | | 3 | UDL | UDL64 | 55.99 | 161.56 | 108.85 | 67.08 | 15.56 | | | | | | | 1_ |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 23.02 | | | | | | | | | | |

| NRONDLE | D NETWORK ELEMENTS - Florida | | | 1 | | | | | | | la | | | ment: 2 | Exhi | | \vdash |
|-----------|---|---------|--|----------------|---------|--|---------|--------|-------|-------|---|---|---|--|---|---|----------|
| ATEGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | RATES (\$) Nonrecurring Nonrecurring Disconnect | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| - | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN | ₩ |
| 2 WIDE | Unbundled COPPER LOOP | | | | | | LII21 | Auu i | FIISL | Auu i | SOIVIEC | SOWAN | SOWAN | JOIVIAIN | SOWAN | SOWAN | ╁ |
| Z-VVIKE | | | | | | | | | | | | | | | | | + |
| | 2-Wire Unbundled Copper Loop-Designed including manual | | ١. | | | | 4 40 50 | 400.00 | 75.05 | 45.00 | | | | | | | |
| | service inquiry & facility reservation - Zone 1 | | 1 | UCL | UCLPB | 8.30 | 148.50 | 102.82 | 75.05 | 15.63 | | | | | | | ₩ |
| | 2-Wire Unbundled Copper Loop-Designed including manual | | | | | | | | | | | | | | | | |
| | service inquiry & facility reservation - Zone 2 | | 2 | UCL | UCLPB | 11.80 | 148.50 | 102.82 | 75.05 | 15.63 | | | | | | | ₩ |
| | 2 Wire Unbundled Copper Loop-Designed including manual service | | | | | | | | | | | | | | | | |
| | inquiry & facility reservation - Zone 3 | | 3 | UCL | UCLPB | 20.94 | 148.50 | 102.82 | 75.05 | 15.63 | | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed without manual service | | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCLPW | 8.30 | 123.81 | 70.09 | 60.64 | 9.12 | | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed without manual service | | | | | | | | | | | | | | | | 1 |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCLPW | 11.80 | 123.81 | 70.09 | 60.64 | 9.12 | | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed without manual service | | | | | | | | | | | | | | | | Т |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCLPW | 20.94 | 123.81 | 70.09 | 60.64 | 9.12 | | | 1 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | Ŭ | UCL | UCLMC | 20.04 | 9.00 | 9.00 | 55.54 | 3.1Z | | | 1 | | | | \vdash |
| | CLEC to CLEC Conversion Charge without outside dispatch (UCL | | | 332 | COLIVIO | t | 5.50 | 5.50 | | | | | 1 | | | | \vdash |
| | -Des) | | 1 | UCL | UREWO | | 97.21 | 42.47 | | | | | 1 | | | | 1 |
| 4-MIDE | COPPER LOOP | | - | UUL | UNEWO | + | 31.21 | 42.47 | | | | | 1 | 1 | | | + |
| 4-WIKE | | | - | | | | | | | | | | - | - | | | + |
| | 4-Wire Copper Loop-Designed including manual service inquiry | | | UCL | 1107.40 | 44.00 | 477.0- | 400 70 | 77.4- | 47 | | | 1 | | | | 1 |
| | and facility reservation - Zone 1 | | 1 | UCL | UCL4S | 11.83 | 177.87 | 132.76 | 77.15 | 17.73 | | | | | | | ╄ |
| | 4-Wire Copper Loop-Designed including manual service inquiry | | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UCL | UCL4S | 16.81 | 177.87 | 132.76 | 77.15 | 17.73 | | | | | | | |
| | 4-Wire Copper Loop-Designed including manual service inquiry | | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UCL | UCL4S | 29.82 | 177.87 | 132.76 | 77.15 | 17.73 | | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | | Г |
| | 4-Wire Copper Loop-Designed without manual service inquiry and | | | | | | | | | | | | | | | | Г |
| | facility reservation - Zone 1 | | 1 | UCL | UCL4W | 11.83 | 153.18 | 100.03 | 62.74 | 11.22 | | | | | | | |
| _ | 4-Wire Copper Loop-Designed without manual service inquiry and | | | 002 | 002 | 11.00 | 100.10 | 100.00 | 02 | | | | | | | | t |
| | facility reservation - Zone 2 | | 2 | UCL | UCL4W | 16.81 | 153.18 | 100.03 | 62.74 | 11.22 | | | | | | | |
| | 4-Wire Copper Loop-Designed without manual service inquiry and | | | UCL | UCL4VV | 10.01 | 155.16 | 100.03 | 02.74 | 11.22 | | | | | | | + |
| | | | 3 | UCL | LICLAW | 29.82 | 153.18 | 100.03 | 62.74 | 11.22 | | | | | | | |
| | facility reservation - Zone 3 | | 3 | | UCL4W | 29.02 | | | 02.74 | 11.22 | | | | | | | ╁ |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | | +- |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UCL | UREWO | | 97.21 | 42.47 | | | | | | | | | ₩ |
| P MODIFIC | ATION | | | | | | | | | | | | | | | | ╀ |
| | | | | UAL, UHL, UCL, | | | | | | | | | | | | | |
| | | | | UEQ, ULS, UEA, | | | | | | | | | | | | | |
| | Unbundled Loop Modification, Removal of Load Coils - 2 Wire | | | UEANL, UEPSR, | | | | | | | | | | | | | |
| | pair less than or equal to 18k ft, per Unbundled Loop | | | UEPSB | ULM2L | | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire less | | | | | | | | | | | | | | | | Г |
| | than or equal to 18K ft, per Unbundled Loop | | <u></u> | UHL, UCL, UEA | ULM4L | | 0.00 | 0.00 | | | | | <u> </u> | <u> </u> | | <u></u> | 1 |
| | | | | UAL, UHL, UCL, | | İ | | | | | | | | | | | П |
| | | | 1 | UEQ, ULS, UEA, | | | | | | | | | 1 | | | | 1 |
| | Unbundled Loop Modification Removal of Bridged Tap Removal, | | 1 | UEANL, UEPSR, | | | | | | | | | 1 | | | | 1 |
| 1 | per unbundled loop | | 1 | UEPSB | ULMBT | | 10.52 | 10.52 | | | | | 1 | | | | 1 |
| LOOPS | por unoundred toop | | | 02,00 | CLIVIDI | · · | 10.02 | 10.32 | | | | | | | | | + |
| | op Distribution | | - | | | + | | | | | | | 1 | 1 | | | + |
| JUD-LO | | | - | | | | | | | | | | - | - | | | + |
| 1 | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- | , | 1 | LIEAN | LICEO A | | 407.00 | | | | | | 1 | | | | 1 |
| | Up | - 1 | _ | UEANL | USBSA | | 487.23 | | | | | | ļ | ļ | | | + |
| | | | 1 | | | | | | | | | | 1 | | | | 1 |
| | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | ı | | UEANL | USBSB | | 6.25 | | | | | | | | | | 丄 |
| | Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility | | | | | | | | | | | | ĺ | | | | 1 |
| | Set-Up | | | UEANL | USBSC | | 169.25 | | | | | | | | | | L |
| | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set- | | | | | | | | | | | | | | | | |
| | Up | 1 | 1 | UEANL | USBSD | | 38.65 | | | | | | 1 | | | | 1 |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | | | | i | | | | | | | | | | | П |
| | Zone 1 | | 1 | UEANL | USBN2 | 6.46 | 60.19 | 21.78 | 47.50 | 5.26 | | | ĺ | | | | 1 |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | <u> </u> | | | 55 | 330 | 20 | 50 | 0.20 | | | i e | | | | \vdash |
| | Zone 2 | | 2 | UEANL | USBN2 | 9.18 | 60.19 | 21.78 | 47.50 | 5.26 | | | ĺ | | | | 1 |
| | | | | UEAINL | USDINZ | 9.10 | 00.19 | 21.70 | 47.50 | 5.26 | | | - | | | | + |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | _ | | 1105710 | | | a. =- | | | | | ĺ | | | | 1 |
| | Zone 3 | | 3 | UEANL | USBN2 | 16.29 | 60.19 | 21.78 | 47.50 | 5.26 | | | ļ | ļ | | | ╄ |
| | | | | | | | _ | _ | | | | | ĺ | | | | 1 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9.00 | 9.00 | | | | | | | | | \perp |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | ĺ | | | | 1 |
| | Zone 1 | | 1 1 | UEANL | USBN4 | 7.37 | 68.83 | 30.42 | 49.71 | 6.60 | ı | l | | i | l | | 1 |

| NBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: A | |
|----------|---|-----------------|------|------------------|----------------|--------------|-----------------|-----------------|-----------------------|--------------|---|---|--|--|---|---|--------------|
| TEGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | Add'l | SOMEC | SOMAN | SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN | ₩ |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | 1 | | | | rirst | Add I | FIISt | Add I | SUIVIEC | SUWAN | SUMAN | SUMAN | SUMAN | SUMAN | ₩ |
| | Zone 2 | | 2 | UEANL | USBN4 | 10.47 | 68.83 | 30.42 | 49.71 | 6.60 | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | OLIVIE | OODIV | 10.47 | 00.00 | 00.42 | 40.71 | 0.00 | | | | | | | +- |
| | Zone 3 | | 3 | UEANL | USBN4 | 18.58 | 68.83 | 30.42 | 49.71 | 6.60 | | | | | | | |
| | | | | | | | | | | | | | | | | | T |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9.00 | 9.00 | | | | | | | | | |
| | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | | | UEANL | USBR2 | 3.96 | 51.84 | 13.44 | 47.50 | 5.26 | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9.00 | 9.00 | | | | | | | | | |
| | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | I | | UEANL | USBR4 | 9.37 | 55.91 | 17.51 | 49.71 | 6.60 | | | | | | | |
| | | | | | | l l | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9.00 | 9.00 | | | | | | | | | +- |
| | Loop Testing - Basic 1st Half Hour | - | - | UEANL | URET1 | | 48.65 | 48.65 | | | | | | | | | + |
| | Loop Testing - Basic Additional Half Hour | - | - | UEANL | URETA | 5.45 | 23.95 | 23.95 | 47.50 | F.00 | | | | | | | + |
| - | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | + | 2 | UEF UEF | UCS2X | 5.15 7.31 | 60.19 60.19 | 21.78 | 47.50 47.50 | 5.26 | | | - | 1 | | | + |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | 3 | UEF | UCS2X UCS2X | 12.98 | 60.19 | 21.78 21.78 | 47.50 47.50 | 5.26 5.26 | | | | | | | + |
| | 2 Wild Copper Oribunated Gab-Loop Distribution - 2016 3 | - '- | | OLI | J002A | 12.90 | 00.19 | 21.70 | 47.50 | 5.20 | | | | | | | + |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 9.00 | 9.00 | | | | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF | UCS4X | 5.36 | 68.83 | 30.42 | 49.71 | 6.60 | | | | | | | + |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | i | 2 | UEF | UCS4X | 7.61 | 68.83 | 30.42 | 49.71 | 6.60 | | | | | | | \mathbf{T} |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | i | 3 | UEF | UCS4X | 13.51 | 68.83 | 30.42 | 49.71 | 6.60 | | | | | | | T |
| | | | | | | | | | | | | | | | | | T |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 9.00 | 9.00 | | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEF | URET1 | | 48.65 | 48.65 | | | | | | | | | T |
| | Loop Testing - Basic Additional Half Hour | | | UEF | URETA | | 23.95 | 23.95 | | | | | | | | | T |
| Unbun | dled Network Terminating Wire (UNTW) | | | | | | | | | | | | | | | | |
| | Unbundled Network Terminating Wire (UNTW) per Pair | | | UENTW | UENPP | 0.4572 | 18.02 | | | | | | | | | | |
| Netwo | rk Interface Device (NID) | | | | | | | | | | | | | | | | |
| | Network Interface Device (NID) - 1-2 lines | | | UENTW | UND12 | | 71.49 | 48.87 | | | | | | | | | _ |
| | Network Interface Device (NID) - 1-6 lines | | | UENTW | UND16 | | 113.89 | 89.07 | | | | | | | | | + |
| _ | Network Interface Device Cross Connect - 2 W | | 1 | UENTW | UNDC2 | | 7.63 | 7.63 | | | | | | | | | + |
| OTHER | Network Interface Device Cross Connect - 4W | | | UENTW | UNDC4 | | 7.63 | 7.63 | | | | | | | | | + |
| OTHER, | PROVISIONING ONLY - NO RATE | | | UENTW | UNDBX | 0.00 | 0.00 | | | | | | | | | | + |
| - | NID - Dispatch and Service Order for NID installation UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | 0.00 | 0.00 | | | | - | | | | | | + |
| _ | OTT W Circuit id Establishment, 1 Tovisioning Only - No Trate | | | UEANL,UEF,UEQ,U | OLINCL | 0.00 | 0.00 | | | | | | | | | | + |
| | Unbundled Contract Name, Provisioning Only - No Rate | | | ENTW | UNECN | 0.00 | 0.00 | | | | | | | | | | |
| OTHER | PROVISIONING ONLY - NO RATE | | 1 | LITTIV | ONLON | 0.00 | 0.00 | | | | | | | | | | + |
| 1 | I I I I I I I I I I I I I I I I I I I | | | | | | | | | | | | | | | | + |
| | | | | UAL,UCL,UDC,UDL, | | | | | | | | |] | | | | 1 |
| | Unbundled Contact Name, Provisioning Only - no rate | | | UDN,UEA,UHL,USL | UNECN | 0.00 | 0.00 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate | | | UEA,UDN,UCL,UDC | USBFQ | 0.00 | 0.00 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate | | | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | | | | | | | | | | |
| | Unbundled DS1 Loop - Superframe Format Option - no rate | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | | | | |
| | Unbundled DS1 Loop - Expanded Superframe Format option - no | | 1 | | | Ι Τ | T | | | | | | | | | | 1 |
| | rate | | 1 | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | | 4 |
| CAPACI | Y UNBUNDLED LOCAL LOOP | | | | | | | | | | | | | | | | 4 |
| | High Conneits Habandlad Level Land Book Bankillan | | | LIES | 41 END | 40.00 | | | | | | |] | | | | 1 |
| | High Capacity Unbundled Local Loop - DS3 - Per Mile per month | | 1 | UE3 | 1L5ND | 10.92 | | | | | | | | | | | + |
| | High Capacity Unbundled Local Loop - DS3 - Facility Termination per month | | 1 | UE3 | UE3PX | 386.88 | 639.8255 | 394.4615 | 159.9995 | 111.366 | | | | | | | 1 |
| | per monun | | 1 | UES | UESPA | 300.88 | 039.0255 | 394.4015 | 159.9995 | 111.366 | | | | | | | + |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month | J | | UDLSX | 1L5ND | 10.92 | | | | | | |] | | | | 1 |
| _ | High Capacity Unbundled Local Loop - STS-1 - Fer Mile per Horida High Capacity Unbundled Local Loop - STS-1 - Facility | | + | ODLOX | ILUIND | 10.92 | | | | | | | | | | | + |
| | Termination per month | | | UDLSX | UDLS1 | 426.60 | 639.8255 | 394.4615 | 159.9995 | 111.366 | | |] | | | | 1 |
| P MAKE-U | | | 1 | 5525X | 55201 | 720.00 | 000.0200 | 554.4015 | 100.0090 | 111.500 | | | | | | | t |
| | Loop Makeup - Preordering Without Reservation, per working or | | | | | <u> </u> | | | | | | | | | | | T |
| | spare facility queried (Manual). | | | UMK | UMKLW | | 52.17 | 52.17 | | | | | | | | | 1 |
| | Loop Makeup - Preordering With Reservation, per spare facility | | 1 | | | | | | | | | | | | | | 1 |
| 1 | gueried (Manual). | 1 | 1 | UMK | UMKLP | | 55.07 | 55.07 | | | | | | | | | 1 |

| FEGORY RATE ELEMENTS Interim Zone BCS USOC RATES (\$) Submitted Elec Manually per LSR Per LSR Submitted Elec per LSR Per LSR Submitted Electronic- 1st Add'I Disc 1st | NULED | NETWORK ELEMENTS - Florida | 1 | | 1 | | 1 | | | | | In | | | ment: 2 | Exhi | | + |
|---|----------|---|--|--|--------------------------|----------------|----------------|--------------------|-------------------|---------------|----------|--|-----------------------|---|---|--|---|--------|
| Description | SORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | N | | | Diameter | Submitted Elec | Submitted Manually | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| September Sept | <u> </u> | | | | | - | Rec | | | | | SOMEC | COMAN | | | ROMAN | SOMAN | + |
| Company Comp | — | oon MakeunWith or Without Recentation, per working or spare | | | | | | 11131 | Auu | 11131 | Auui | JOINEC | JOINAIN | JOINAIN | JOWAN | JOWAN | JOHAN | + |
| SPLITTERS | | | | | LIMK | TIMKMO | | 0.6784 | 0.6784 | | | | | | | | | |
| Not Self-Time | | | | | UIVIN | UIVIKIVIQ | | 0.0764 | 0.0764 | | | | | | | | | + |
| Second Second Contents | | | | | | | | | | | | | | | | | | + |
| Les Setting _ set five authoric RLCC cented splant Les Setting _ set five authoric RLCC cented splant Les Setting _ set five authoric RLCC cented splant Les Setting _ set five authoric RLCC center splant Les Setting _ set five _ set | | | 1 | 1 | | 1 | | | | | | 1 | | | | | | + |
| Les Setting : pet five settinone SET owned - physical UEPPR LEPSB UREEP 0.01 23.08 21.28 10.27 0.61 | | | | | LIEDED LIEDED | LIBEOC | 0.04 | | | | | 1 | | | | | | + |
| Like Sisting - Set line activation SET covered - visible UEPSR UPESR UREEN 1.134 2.960 2.128 19.57 9.61 | | | | 1 | | | | 00.00 | 04.00 | 40.57 | 0.04 | <u> </u> | | | | | | + |
| NOTE: The Expected change will be multishined commensurate with BellSouth's FCC No. 1 and 1 supplies to the commensurate with BellSouth's FCC No. 1 and 1 supplies to the commensurate with BellSouth's FCC No. 1 and 1 supplies to the commensurate with BellSouth's FCC No. 1 and 1 supplies to the commensurate with BellSouth's FCC No. 1 and 1 supplies to the commensurate with BellSouth's FCC No. 1 and 1 supplies to the commensurate with BellSouth's FCC No. 1 and 1 supplies to the commensurate with BellSouth's FCC Normal South S | | | | - | | | | | | | | | | | | | | + |
| NOTE: The Expedite Charge will be maintened commensurate with BetSouth FCD No. 1 Tariff, Section 13.1 in applicable. | | | | <u> </u> | UEPSR UEPSB | UKEBV | 1.134 | 29.68 | 21.28 | 19.57 | 9.61 | | | | | | | + |
| No Trouble Fourt - per (2 four represents - Desiring - No Trouble Fourt - per (2 four represents - Overling - No Trouble Fourt - per (2 four represents - Overling - No Trouble Fourt - Per (2 four represents - Overling - No Trouble Fourt - Per (2 four represents - Overling - No Trouble Fourt - Per (2 four represents - Overling - No Trouble Fourt - Per (2 four represents - Overling | | | | l | L | | | | | | | | | | | | | _ |
| No Trouble Fourier per Life bour increments - Oversitine 90.00 95.00 9 | | | ellSouth's l | FCC No | o.1 Tariff, Section 13.3 | 3.1 as applica | ble. | | | | | | | | | | | |
| No Trouble Found - per 1/2 hour recements - Permission 100.00 75.00 | | | | <u> </u> | | ļ | | | | | | ļ | | | | | | 1 |
| INDICATE DEBOCATE TRANSPORT | | | | | | | | | | | | | | | | | | ┸ |
| Interaction Character - Dedoctor Transport - 2-Wine Voice Grade - U1TVX | | | | | | 1 | | 100.00 | 75.00 |] |] |] | | | | | | ┸ |
| Interesting Charmer - Dedicated Transport - 2-Wire Votor Grade - Per Mile per moth - Per Mile per Mile Per M | | | | | | 1 | | | |] |] |] | | | | | | ┸ |
| Per Milk per mouth Fred Milk per mouth Fred Milk Per mouth | | | | | | | | | | | | | | | | | | 1 |
| Interoffice Charmel - Decicated Transport - 2-Wire Voice Grade U1TVX | | | | 1 | | | | | · |] |] | | | <u> </u> | | | | 1 |
| Pacify Termination Description Charmer - | | | <u> </u> | <u> </u> | U1TVX | 1L5XX | 0.0091 | | | | | | | | | | | 1 |
| Interoffice Charmel - Dedicated Transport - 2-Wine Voice Grade UTVX | li | nteroffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | 1 | | | | | | 1 |] | | | | | | | 1 |
| Interesting Charmel - Designated Transport - 2-Wine Voice Grade VITVX | F | Facility Termination | <u></u> | <u>L</u> | U1TVX | U1TV2 | 25.32 | 47.35 | 31.78 | 18.31 | 7.03 | <u> </u> | | <u> </u> | <u> </u> | | | |
| Rav Bat Per Male per month UTTYX 1.5XX 0.0091 | li | nteroffice Channel - Dedicated Transpor t- 2-Wire Voice Grade | | | | | | | • | | | | | | | | | Т |
| Interoffice Charmel - Dedicated Transport - Wire VQ Rev Bat | | | | 1 | U1TVX | 1L5XX | 0.0091 | | | 1 |] | | | | | | | |
| Facility Termination | | | | | | | | | | | | | | | | | | T |
| Interoffice Charmel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month U1TDX | | | | 1 | U1TVX | U1TR2 | 25.32 | 47.35 | 31.78 | 18.31 | 7.03 | | | | | | | |
| Per Mile per morth | | | | | İ | | | 50 | | 1.5.5. | 1.50 | İ | | | | | | \top |
| Interoffice Charrel - Dedicated Transport Write Volce Grade - Facility Termination UTTVX UTTVA 22.58 47.35 31.78 18.31 7.03 Interoffice Charrel - Dedicated Transport - 56 kbps - Facility UTTVX UTTVA | | | | 1 | U1TVX | 1L5XX | 0.0091 | | | 1 |] | | | | | | | 1 |
| Facility Termination U1TVX U1TV4 22.58 47.35 31.78 18.31 7.05 | | | 1 | 1 | 5 V/A | .20/// | 0.0091 | | | | | 1 | | | | | | + |
| Interoffice Channel - Dedicated Transport - 58 kpps - per mile per month Interoffice Channel - Dedicated Transport - 58 kpps - Facility Interoffice Channel - Dedicated Transport - 58 kpps - Facility Interoffice Channel - Dedicated Transport - 64 kpps - per mile per month Interoffice Channel - Dedicated Transport - 64 kpps - Facility Interoffice Channel - Dedicated Transport - 64 kpps - Facility Interoffice Channel - Dedicated Transport - 64 kpps - Facility Interoffice Channel - Dedicated Transport - Dedicated Transport - Dedicated Transport - Dedicated Transport - Dedicated Transport - Dedicated Transport - Dedicated Transport - Dedicated Transport - DS1 - Facility Interoffice Channel - Dedicated Transport - DS3 - Facility Interoffice Channel - Dedicated Transport - DS3 - Facility Interoffice Channel - Dedicated Transport - DS3 - Facility Interoffice Channel - Dedicated Transport - DS3 - Facility Interoffice Channel - Dedicated Transport - DS3 - Facility Interoffice Channel - Dedicated Transport - DS3 - Facility Interoffice Channel - Dedicated Transport - DS3 - Facility Interoffice Channel - Dedicated Transport - DS3 - Facility Interoffice Channel - Dedicated Transport - DS3 - Facility Interoffice Channel - Dedicated Transport - ST5-1 - Facility Interoffice Channel - Dedicated Transport - ST5-1 - Facility Interoffice Channel - Dedicated Transport - ST5-1 - Facility Interoffice Channel - Dedicated Transport - ST5-1 - Facility Interoffice Channel - Dedicated Transport - ST5-1 - Facility Interoffice Channel - Dedicated Transport - ST5-1 - Facility Interoffice Channel - Dedicated Transport - ST5-1 - Facility Interoffice Channel - Dedicated Transport - ST5-1 - Facility Interoffice Channel - Dedicated Transport - ST5-1 - Facility Interoffice Channel - Dedicated Transport - ST5-1 - Facility Interoffice Channel - Dedicated Transport - ST5-1 - Facility Interoffice Channel - Dedicated Transport - ST5-1 - Facility Interoffice Channel - Dedicated Transport - ST5-1 | | | | | LI1T\/X | 111TV4 | 22 58 | 47 35 | 31 78 | 18 31 | 7.03 | | | | | | | |
| month Interoffice Charnel - Dedicated Transport - 56 kbps - Facility U1TDX 1L5XX 0.0091 | | | | | OTTVX | 011144 | 22.00 | 47.00 | 01.70 | 10.01 | 7.00 | | | | | | | + |
| Interoffice Charnel - Dedicated Transport - 56 kbps - Facility U1TDX | | | | | LITTDY | 11.577 | 0.0001 | | | | | | | | | | | |
| Termination | | | | | OTTDX | ILJAA | 0.0031 | | | | | | | | | | | + |
| Interoffice Channel - Dedicated Transport - 64 ktps - per mile per | | | | | LITTDY | LIITDS | 19.44 | 47.35 | 31 79 | 19 31 | 7.03 | | | | | | | |
| month U1TDX 1L5XX 0.0091 | | | | | UTIDA | 01103 | 10.44 | 47.33 | 31.70 | 10.31 | 7.03 | | | | | | | + |
| Interoffice Channel - Dedicated Transport - 64 kbps - Facility U1TDX U1TD8 18.44 47.35 31.78 18.31 7.03 | | | | | LIATOV | 11 5 7 7 | 0.0001 | | | | | | | | | | | |
| Termination | | | | - | UTIDA | ILSAA | 0.0091 | | | | | 1 | | | | | | + |
| Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | LIATOV | LIATEDO | 40.44 | 47.05 | 04.70 | 40.04 | 7.00 | | | | | | | |
| Interoffice Channel - Dedicated Transport - DS1 - Facility U1TD1 | | | | | UTIDX | 01106 | 18.44 | 47.35 | 31.78 | 18.31 | 7.03 | ļ | | | | | | + |
| Interoffice Channel - Dedicated Transport - DS1 - Facility | | | | | | 41 = 2/2/ | 0.4050 | | | | | | | | | | | |
| Termination | | | | <u> </u> | וטווטו | 1L5XX | 0.1856 | | | | | | | | | | | + |
| Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month U1TD3 | | | | | | | | | | | | | | | | | | |
| month mont | | | | | U1TD1 | U1TF1 | 88.44 | 105.54 | 98.47 | 21.47 | 19.05 | | | | | | | 4 |
| Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month U1TD3 U1TF3 1,071.00 335.46 219.28 72.03 70.56 | | | | 1 | l | | | | | 1 |] | | | | | | | |
| Termination per month | | | | | U1TD3 | 1L5XX | 3.87 | | | | | ļ | | | | | | + |
| Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month | | | | 1 | | | , | | | | | 1 | |] | | | | |
| month U1TS1 1L5XX 3.87 | | | | | U1TD3 | U1TF3 | 1,071.00 | 335.46 | 219.28 | 72.03 | 70.56 | ļ | | | | | | + |
| Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination KFIBER Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel UDF, UDFCX 1L5DC 53.87 UDF, UDFCX 1L5DF 26.85 NRC Dark Fiber - Interoffice Channel Dark Fiber - Interoffice Channel UDF, UDFCX UDF14 TS1.34 193.88 356.21 230.11 UDF, UDFCX 1L5DL Dark Fiber - Strands, Per Route Mile or Fraction Thereof per month - Local Loop Per month - Local Loop UDF, UDFCX 1L5DF 26.85 UDF1.4 TS1.34 TS1.34 TS1.34 TS1.34 TS1.34 TS1.34 TS1.35 TS1.34 TS1.36 Dark Fiber - Interoffice Channel UDF, UDFCX UDF14 TS1.34 TS1.35 TS1.36 TS1.36 TS1.36 TS1.37 TS1.37 TS1.38 TS | | | | 1 | L | | | | | 1 |] | | | | | | | |
| Termination | | | | | U1TS1 | 1L5XX | 3.87 | | | | | | | | | | | 丄 |
| NRC Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel UDF, UDFCX 1L5DC 53.87 UDF, UDFCX 1L5DC 53.87 UDF, UDFCX UDFCX UDFC | | | | | L | | | | | | | | | | | | | 1 |
| Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel UDF, UDFCX 1L5DC 53.87 UDF, UDFCX 1L5DF 26.85 NRC Dark Fiber - Interoffice Channel UDF, UDFCX UDF14 751.34 193.88 356.21 230.11 Dark Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop UDF, UDFCX UDF14 751.34 193.88 356.21 230.11 UDF, UDFCX 1L5DL 53.87 UAL COLLOCATION Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting UEPSR UEPSB VE1LS 0.0276 8.22 7.22 5.74 4.58 | | ermination | | <u> </u> | U1TS1 | U1TFS | 1,056.00 | 335.46 | 219.28 | 72.03 | 70.56 | ļ | | | | | | 1 |
| Der month - Local Channel | | | | | | 1 | | | |] |] |] | | | | | | 丄 |
| Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel | | | 1 | | 1 | | | | | | | | | | | | | 1 |
| per month - Interoffice Channel | | | | | UDF, UDFCX | 1L5DC | 53.87 | | | | | | | | | | | ┸ |
| NRC Dark Fiber - Interoffice Channel | | | 1 | 1 | | | | | |] |] | | | | | | | 1 |
| Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop | | | | 1 | , | | 26.85 | | | | | | | | | | | |
| per month - Local Loop | N | NRC Dark Fiber - Interoffice Channel | | | UDF, UDFCX | UDF14 | | 751.34 | 193.88 | 356.21 | 230.11 | | | | | | | Ţ |
| per month - Local Loop | | Oark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof | | 1 | | | | | | l | I | | | | | | | |
| UAL COLLOCATION Uirtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting UEPSR UEPSB VE1LS 0.0502 11.57 11.57 0.00 0.00 SICAL COLLOCATION Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting UEPSR UEPSB PE1LS 0.0276 8.22 7.22 5.74 4.58 | | | | | UDF, UDFCX | 1L5DL | 53.87 | | | | | | | | | | | 1 |
| Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting | | | | | 1 | | | | | | ĺ | Ì | | | | | | T |
| Sical Collocation Physical Collocation-2 Wire Cross Connects (Loop) for Line UEPSR UEPSB PE1LS 0.0276 8.22 7.22 5.74 4.58 | | | | | İ | 1 | i | | | i | | İ | | | | | | T |
| SicAL COLLOCATION Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting UEPSR UEPSB PE1LS 0.0276 8.22 7.22 5.74 4.58 | \ | /irtual Collocation-2 Wire Cross Connects (Loop) for Line Solitting | | 1 | UEPSR LIEPSR | VE1LS | 0.0502 | 11.57 | 11.57 | 0.00 | 0.00 | 1 | |] | | | | 1 |
| Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting UEPSR UEPSB PE1LS 0.0276 8.22 7.22 5.74 4.58 | | | | 1 | OD | | 3.3302 | | | 3.00 | 5.00 | 1 | | | | | | + |
| Splitting UEPSR UEPSB PE1LS 0.0276 8.22 7.22 5.74 4.58 | | | 1 | 1 | | t | | | | | | 1 | | | | | | + |
| | | | | 1 | HEPSR HEPSR | PF1LS | 0.0276 | 8 22 | 7 22 | 5.74 | 4 59 | | | | | | | |
| | | | | | JET OIL OLI OB | I LILO | 0.0210 | 0.22 | 1.22 | 5.74 | 4.36 | 1 | | | | | | + |
| NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements. | | | nhi and the | - Curit- | h An In Charma v. ''' | t anniuta- !! | NE sambination | a muassialan - d - | a I Oudinau'i - C | ambinadi Nata | L | | | | | | | + |

| BUNDLED | NETWORK ELEMENTS - Florida | | | | | | - | | - | | | | Attach | ment: 2 | Exhi | oit: A | T |
|----------|--|-----------|--|----------------|----------------|--|------------------|-----------------|--|---------------------|---|---|--|--|---|---|--------------|
| GORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | c - |
| | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | | Rates (\$) SOMAN | SOMAN | SOMAN | + |
| 2-WIRE | VOICE GRADE LOOP FOR USE IN A COMBINATION | | | | + | | FIISL | Auu i | FIISL | Auu i | SOIVIEC | SOWAN | JOWAN | JOWAN | SOWAN | JOIVIAN | + |
| | 2-Wire VG Loop (SL2) in Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 12.24 | 127.59 | 60.54 | 42.79 | 2.81 | Ì | | | | | | + |
| | 2-Wire VG Loop (SL2) in Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 17.40 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | | + |
| | 2-Wire VG Loop (SL2) in Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 30.87 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | | T |
| | /oice Grade COCI - Per Month | | | UNCVX | 1D1VG | 1.38 | 10.07 | 7.08 | | | | | | | | | T |
| 4-WIRE | VOICE GRADE LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | | Т |
| | 4-Wire Analog Voice Grade Loop in Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 18.89 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | | |
| | 4-Wire Analog Voice Grade Loop in Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 26.84 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | | 丄 |
| | 4-Wire Analog Voice Grade Loop in Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 47.62 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | | 4 |
| | /oice Grade COCI in combination - per month | | <u> </u> | UNCVX | 1D1VG | 1.38 | 10.07 | 7.08 | | | | | | | | | 4 |
| | 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION | | 4 | UNCDX | UDL56 | 22.20 | 127.59 | 60.54 | 42.79 | 2.81 | 1 | | | | | | + |
| | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 | | 2 | UNCDX | UDL56 UDL56 | 22.20 31.56 | 127.59 127.59 | 60.54 | 42.79 42.79 | 2.81 | 1 | | | | | | + |
| | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL56 | 55.99 | 127.59 | 60.54 | 42.79 | 2.81 | 1 | 1 | | | | | + |
| | OCU-DP COCI (data) per month (2.4-64kbs) | | 3 | UNCDX | 1D1DD | 2.10 | 10.07 | 7.08 | 42.19 | 2.01 | | | 1 | | | | + |
| | 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION | | | | .2.20 | 2.10 | 10.07 | 7.50 | † † | | † | | 1 | | | | + |
| 1 | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL64 | 22.20 | 127.59 | 60.54 | 42.79 | 2.81 | 1 | | 1 | | | | T |
| | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 | | 2 | UNCDX | UDL64 | 31.56 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | | T |
| | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 | 55.99 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | | T |
| (| OCU-DP COCI (data) - in combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 2.10 | 10.07 | 7.08 | | | | | | | | | T |
| | SDN LOOP FOR USE IN COMBINATION | | | | | | | | | | 1 | | | | | | T |
| | 2-Wire ISDN Loop in Combination - Zone 1 | | 1 | UNCNX | U1L2X | 19.28 | 127.59 | 60.60 | 42.79 | 2.81 | | | | | | | T |
| | 2-Wire ISDN Loop in Combination - Zone 2 | | 2 | UNCNX | U1L2X | 27.40 | 127.59 | 60.60 | 42.79 | 2.81 | | | | | | | Т |
| | 2-Wire ISDN Loop in Combination - Zone 3 | | 3 | UNCNX | U1L2X | 48.62 | 127.59 | 60.60 | 42.79 | 2.81 | | | | | | | |
| | 2-wire ISDN COCI (BRITE) - in combination - per month | | | UNCNX | UC1CA | 3.66 | 10.07 | 7.08 | | | | | | | | | 4 |
| | DS1 DIGITAL LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | | 4 |
| | 1-Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 70.74 | 217.75 | 121.62 | 51.44 | 14.45 | | | | | | | 4 |
| | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | 3 | UNC1X | USLXX | 100.54 | 217.75 | 121.62 | 51.44 | 14.45 | | | | | | | + |
| | 4-Wire DS1 Digital Loop in Combination - Zone 3 DS1 COCI in combination per month | | 3 | UNC1X UNC1X | USLXX UC1D1 | 178.39 13.76 | 217.75 10.07 | 121.62 7.08 | 51.44 | 14.45 | 1 | - | - | | | | + |
| | OICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | MRINATI | N N | UNCIX | OCIDI | 13.76 | 10.07 | 7.00 | | | 1 | | | | | | + |
| | nteroffice Transport - 2-wire VG - Dedicated- Per Mile Per Month | | | UNCVX | 1L5XX | 0.0091 | | | | | | | | | | | Ť |
| | nteroffice Transport - 2-wire VG - Dedicated - Facility Termination | | | | | | | | | | | | | | | | T |
| | per month | | | UNCVX | U1TV2 | 25.32 | 94.70 | 52.59 | 50.49 | 21.53 | | | | | | | |
| 4 WIRE \ | OICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | MBINATION | NC | | | | | | | | | | | | | | |
| | nteroffice Transport - 4-wire VG - Dedicated - Per Mile Per Month | | | UNCVX | 1L5XX | 0.0091 | | | | | | | | | | | |
| | nteroffice Transport - 4-wire VG - Dedicated - Facility | | | LINIONAY | U1TV4 | 00.50 | 94.70 | 52.59 | 50.40 | 04.50 | | | | | | | |
| | Fermination per month EROFFICE TRANSPORT FOR COMBINATION | | | UNCVX | U11V4 | 22.58 | 94.70 | 52.59 | 50.49 | 21.53 | 1 | - | - | | | | + |
| | nteroffice Transport - Dedicated - DS1 combination - Per Mile per | | | <u> </u> | + | | | | | | 1 | | 1 | | | | + |
| r | nonth nteroffice Transport - Dedicated - DS1 combination - Fel while per nonth nteroffice Transport - Dedicated - DS1 combination - Facility | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | | 4 |
| | Fermination per month | | 1 | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | 1 | | 1 | | | | |
| | EROFFICE TRANSPORT FOR USE IN A COMBINATION | | | | 0 | 55.44 | 174.40 | 122.40 | 40.01 | 17.93 | 1 | | t | | | | + |
| | nteroffice Transport - Dedicated - DS3 combination - Per Mile Per | | | Ì | 1 | | | | † 1 | | | | 1 | | | | + |
| | Month nteroffice Transport - Dedicated - DS3 - Facility Termination per | | | UNC3X | 1L5XX | 3.87 | | | | | | | - | | | | + |
| r | nonth ITEROFFICE TRANSPORT FOR USE IN COMBINATION | | | UNC3X | U1TF3 | 1,071.00 | 335.46 | 219.28 | 72.03 | 70.56 | | | | | | | \downarrow |
| | nteroffice Transport - Dedicated - STS-1 combination - Per Mile | | | 1 | + | 1 | | | + | | 1 | | - | | | | + |
| | Per Month | | | UNCSX | 1L5XX | 3.87 | | | | | | | | | | | |
| | Termination - Facility Termination per month | | | UNCSX | U1TFS | 1,056.00 | 314.45 | 130.88 | 38.60 | 18.23 | | | | | | | † |
| | 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANS | SPORT | 1 | | 01110 | 1,030.00 | 314.40 | 130.00 | 30.00 | 10.23 | 1 | | l | | | | + |
| | 4-wire 56 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL56 | 22.20 | 127.59 | 60.54 | 42.79 | 2.81 | 1 | | t | | | | + |
| | 1-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 31.56 | 127.59 | 60.54 | 42.79 | 2.81 | † | | 1 | | | | + |
| | 1-wire 56 kbps Local Loop in combination - Zone 3 | | | | UDL56 | 55.99 | 127.59 | 60.54 | 42.79 | 2.81 | 1 | | 1 | | | | T |
| | nteroffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | | | | | | | | | | | | T |
| | | | | | | | | | | | | | • | | | | 1 |
| I | Per Mile per month | | | UNCDX | 1L5XX | 0.0091 | | | | | | | | | | | ┵ |
| | Per Mile per month nteroffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month | | | UNCDX | 1L5XX U1TD5 | 0.0091 | 94.70 | 52.59 | 50.49 | 21.53 | | | | | | | + |

| <u>BUNDL</u> E | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | | ment: 2 | Exhi | oit: A |
|----------------|--|-------------|--|-----------------------------|----------------|-----------------|------------------|-----------------|--|---------------------|---|---|---|---|---|---|
| EGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | + | Rec | Nonrec First | urring Add'l | Nonrecurring D | Disconnect Add'l | SOMEC | SOMAN | | Rates (\$) SOMAN | SOMAN | SOMAN |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 1 | | 1 | UNCDX | UDL64 | 22.20 | 127.59 | 60.54 | 42.79 | 2.81 | JOINEC | JOIVIAIN | JOHAN | JOHAN | JOHAN | JONAN |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 2 | | 2 | UNCDX | UDL64 | 31.56 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 | 55.99 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | | | |
| | Per Mile per month | | | UNCDX | 1L5XX | 0.0091 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | | | |
| | Facility Termination per month | | | UNCDX | U1TD6 | 18.44 | 94.70 | 52.59 | 50.49 | 21.53 | | | | | | |
| 4-WIRE | 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE | TRANS | PORT | LINIORY | 1101 50 | 20.00 | 107.50 | 00.51 | 10.70 | | | | | | | |
| - | 4-wire 56 kbps Local Loop in combination - Zone 1 | | 2 | UNCDX | UDL56 | 22.20 31.56 | 127.59 127.59 | 60.54 60.54 | 42.79 | 2.81 | | | | | | |
| _ | 4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 UDL56 | 55.99 | 127.59 | 60.54 | 42.79 42.79 | 2.81 2.81 | | | | | | |
| | 4-wire 56 kbps Interoffice Transport - Dedicated - Per Mile per | | 3 | UNCDX | UDLS0 | 55.99 | 127.59 | 00.54 | 42.19 | 2.01 | | | | | | |
| | month | l | | UNCDX | 1L5XX | 0.0091 | | | | | | | | | | |
| | 4-wire 56 kbps Interoffice Transport - Dedicated - Facility | | | | . 20/1/1 | 3.3331 | l | | <u> </u> | | | | | | | |
| | Termination per month | l | | UNCDX | U1TD5 | 18.44 | 94.70 | 52.59 | 50.49 | 21.53 | | | | | | |
| 4-WIRE | 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE | TRANS | PORT | | | | | | | | | | | | | |
| | 4-wire 64 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL64 | 22.20 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | |
| | 4-wire 64 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL64 | 31.56 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | |
| | 4-wire 64 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL64 | 55.99 | 127.59 | 60.54 | 42.79 | 2.81 | | | | | | |
| | 14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | UNCDX | 1L5XX | 0.0091 | | | | | | | | | | |
| | 4-wire 64 kbps Interoffice Transport - Dedicated - Facility | | | LINIORY. | | | 0.4.70 | E0 E0 | == 40 | 04.50 | | | | | | |
| D04 D1 | Termination per month SITAL LOOP AND DS1 INTERFOFFICE TRANSPORT | | | UNCDX | U1TD6 | 18.44 | 94.70 | 52.59 | 50.49 | 21.53 | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 70.74 | 217.75 | 121.62 | 51.44 | 14.45 | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 2 | UNC1X | USLXX | 100.54 | 217.75 | 121.62 | 51.44 | 14.45 | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | | UNC1X | USLXX | 178.39 | 217.75 | 121.62 | 51.44 | 14.45 | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile per | | Ŭ | ONOTA | OOLOO | 170.00 | 217.70 | 121.02 | 01.44 | 14.40 | | | | | | |
| | month | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | | | | | |
| DS3 DI | SITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO | RT | | | | | | | | | | | | | | |
| | DS3 Local Loop in combination - per mile per month | | | UNC3X | 1L5ND | 12.558 | | | | | | | | | | |
| | | | | | 115051 | | | | 450 0005 | | | | | | | |
| - | DS3 Local Loop in combination - Facility Termination per month | | | UNC3X | UE3PX | 444.912 | 639.8255 | 394.4615 | 159.9995 | 111.366 | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility | | | UNC3X | 1L5XX | 3.87 | | | | | | | | | | |
| | Termination per month | | | UNC3X | U1TF3 | 1,071.00 | 335.46 | 219.28 | 72.03 | 70.56 | | | | | | |
| STS-1 | DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN | SPORT | | UNCOX | 01113 | 1,071.00 | 333.40 | 213.20 | 72.03 | 70.50 | | | | | | |
| 0.0 | STS-1 Local Lolp in combination - per mile per month | I | | UNCSX | 1L5ND | 12.558 | | | | | | | | | | |
| | | | | | 1 | | | | | | | | | | | |
| | STS-1 Local Loop in combination - Facility Termination per month | <u></u> | <u>L</u> | UNCSX | UDLS1 | 490.59 | 639.8255 | 394.4615 | 159.9995 | 111.366 | <u> </u> | | | | <u> </u> | |
| | Interoffice Transport - Dedicated - STS-1 combination - per mile | | | | | | | | | | | | | | | |
| | per month | ļ | | UNCSX | 1L5XX | 3.87 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility | l | | l | | | _ | | | | | | | | | |
| | Termination per month | | 1 | UNCSX | U1TFS | 1,056.00 | 314.45 | 130.88 | 38.60 | 18.23 | | | | | | |
| | ETWORK ELEMENTS | | <u> </u> | habi but a Coultain | | | | | | | | | 1 | | | |
| | sed as a part of a currently combined facility, the non-recurrng sed as ordinarily combined network elements in All States, the | | | | | | | | - | | _ | | 1 | | | |
| | sed as ordinarily combined network elements in All States, the l Irring Currently Combined Network Elements "Switch As Is" Cl | | | | | narge udes not. | ł | | - | | | | 1 | | | |
| 11011160 | g Can only Combined Network Lientents Contell As is Ci | go (Oli | uppiie: | UNCVX, UNCDX, | <u>-</u> | | | | | | | | <u> </u> | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is | l | | UNC1X, UNC3X, | | | | | | | | | | | | |
| | Charge - 2 wire/4-Wire VG | <u></u> | | UNCSX | UNCCC | <u> </u> | 8.98 | 8.98 | 8.98 | 8.98 | <u> </u> | | | | <u> </u> | |
| Optiona | Features & Functions: | | | | | | | | | | | | | | | |
| | | | | U1TD1, | | | | | | | | | | | | |
| | Clear Channel Capability Extended Frame Option - per DS1 | - 1 | | ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | l | | U1TD1, | | | | | | | | | | | | |
| | Clear Channel Capability Super FrameOption - per DS1 | | 1 | ULDD1,UNC1X | CCOSF | ļ | 0.00 | 0.00 | 0.00 | 0.00 | | | ļ | | | |
| | Clear Channel Capability (SF/ESF) Option - Subsequent Activity - | | 1 | ULDD1, U1TD1, | NDOGG | | 40.00 | | 2.05 | | | | | | | |
| _ | per DS1 | | 1 | UNC1X, USL | NRCCC | | 184.92 | 23.82 | 2.07 | 0.80 | | | 1 | | | |
| | C hit Barity Ontion Subsequent Activity, nor DS2 | l . | | U1TD3, ULDD3, UE3, UNC3X | NRCC3 | | 219.09 | 7.67 | 0.773 | 0.00 | | | | | | |
| MIIITI | C-bit Parity Option - Subsequent Activity - per DS3 LEXERS | | | UES, UNUSA | INRUUS | + | 219.09 | 7.67 | 0.773 | 0.00 | | | 1 | | - | |
| | DS1 to DS0 Channel System per month | | <u> </u> | UNC1X | MQ1 | 146.77 | 101.42 | 71.62 | + | | | | 1 | | | |
| | DO LIO DOU CHANNEL SYSTEM DEL MONTO | ı | 1 | UNCIA | IVIQ I | 140.// | 101.42 | 11.62 | 1 | | I | | | | | |

| JNBUNDLED | NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: A | |
|--------------|---|--|----------|-------|----------|--------|----------|------------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|---------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental | |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - | ĺ |
| | | | | | | | | | | | Elec | Manually | | Manual Svc | | Manual Svc | í |
| ATEGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES (\$) | | | | | | | | | í |
| AI LOOK I | KATE ELEMENTO | miterim | Zone | 500 | 0300 | | | INATES (Ψ) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. | i |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- | i |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l | í |
| | | | | | + | | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | | - |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | $\overline{}$ |
| 00 | CU-DP COCI (data) - DS1 to DS0 Channel System - per month | | | | | | | | | | | | | | | | |
| (2. | .4-64kbs) used for a Local Loop | | | UDL | 1D1DD | 2.10 | 10.07 | 7.08 | | | | | | | | | i |
| | CU-DP COCI (data) - DS1 to DS0 Channel System - per month | | | | | | | | | | | | | | | | |
| | .4-64kbs) used for connection to a channelized DS1 Local | | | | | | | | | | | | | | | | í |
| | hannel in the same SWC as collocation | | | U1TUD | 1D1DD | 2.10 | 10.07 | 7.08 | 0.00 | 0.00 | | | | | | | i |
| | wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | 1 | 1 | | 1.0.00 | 2.10 | .0.07 | 00 | 3.00 | 5.00 | | | | | | | |
| | onth for a Local Loop | | | UDN | UC1CA | 3.66 | 10.07 | 7.08 | | 1 | | | | | | | i |
| | wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | | 3010/1 | 5.50 | 10.07 | 7.00 | | | | | | | | | $\overline{}$ |
| | onth used for connection to a channelized DS1 Local Channel in | | | | | | | | | | | | | | | | i |
| | e same SWC as collocation | | | U1TUB | UC1CA | 3.66 | 10.07 | 7.08 | 0.00 | 0.00 | | | | | | | l |
| | pice Grade COCI - DS1 to DS0 Channel System - per month | | | UTTUB | UCTCA | 3.00 | 10.07 | 7.06 | 0.00 | 0.00 | | | | | | | \vdash |
| | | | | | 45446 | 4.00 | 40.07 | 7.00 | | | | | | | | | l |
| | sed for a Local Loop | | | UEA | 1D1VG | 1.38 | 10.07 | 7.08 | | | | | | | | | — |
| | pice Grade COCI - DS1 to DS0 Channel System - per month | | | | | | | | | | | | | | | | l |
| | sed for connection to a channelized DS1 Local Channel in the | | | | | | | | | | | | | | | | l |
| | ame SWC as collocation | | | U1TUC | 1D1VG | 1.38 | 10.07 | 7.08 | 0.00 | 0.00 | | | | | | | |
| | S3 to DS1 Channel System per month | | | UNC3X | MQ3 | 211.19 | 199.28 | 118.64 | 40.34 | 39.07 | | | | | | | |
| | TS-1 to DS1 Channel System per month | | | UNCSX | MQ3 | 211.19 | 199.28 | 118.64 | 40.34 | 39.07 | | | | | | | |
| | S1 COCI used with Loop per month | | | USL | UC1D1 | 13.76 | 10.07 | 7.08 | | | | | | | | | |
| | S1 COCI (used for connection to a channelized DS1 Local | | | | | | | | | | | | | | | | i |
| CI | hannel in the same SWC as collocation) per month | | | U1TUA | UC1D1 | 13.76 | 10.07 | 7.08 | 0.00 | 0.00 | | | | | | | l |
| DS | S1 COCI used with Interoffice Channel per month | | | U1TD1 | UC1D1 | 13.76 | 10.07 | 7.08 | 0.00 | 0.00 | | | | | | | |
| | | | | | | | | | | | | | | | | | i |
| | S3 Interface Unit (DS1 COCI) used with Local Channel per month | 1 | | ULDD1 | UC1D1 | 13.76 | 10.07 | 7.08 | 0.00 | 0.00 | | | | | | | — |
| 1 PBX LOCATE | | <u> </u> | _ | | _ | | | | | | | | | | | | — |
| | OCATE DATABASE CAPABILITY | | | L | _ | | | | | | | | | | | | - |
| | ervice Establishment per CLEC per End User Account | | | 9PBDC | 9PBEU | | 1,820.00 | | | | | | | | | | - |
| | hanges to TN Range or Customer Profile | | | 9PBDC | 9PBTN | | 182.14 | | | | | | | | | | |
| | er Telephone Number (Monthly) | | | 9PBDC | 9PBMM | 0.07 | | | | | | | | | | | |
| | hange Company (Service Provider) ID | | | 9PBDC | 9PBPC | | 534.66 | | | | | | | | | | |
| | BX Locate Service Support per CLEC (MonthIt) | | | 9PBDC | 9PBMR | 178.80 | | | | | | | | | | | |
| | ervice Order Charge | | | 9PBDC | 9PBSC | | 11.90 | | | | | | | | | | ш |
| 911 PBX L | LOCATE TRANSPORT COMPONENT | | | | | | | | | | | | | | | | |
| See Att 3 | | | | | | | | | | | | | | | | | |
| Note: Rat | es displaying an "I" in Interim column are interim as a result of | f a Commi | ission o | rder. | | i | j | | | | | | | | | | |

| BUNDI F | D NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Δttach | ment: 2 | Eyhi | bit: A | \top |
|---------|---|------------|----------|------------------------------------|----------------|----------------|-------------------|------------------|-----------------------|---------------------|---|---|---|---|---|---|-----------|
| regory | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | : |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l | Ļ |
| | | | | | | Rec | Nonre First | curring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | OSS SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN | ┿ |
| | | | L | <u> </u> | | | | | | | | | | | 00 | 00 | İ |
| | one" shown in the sections for stand-alone loops or loops as pa | | | on refers to Geographi | cally Deavera | aged UNE Zone | es. To view Geo | ographically De | averaged UNE | Zone Designati | ons by Cent | ral Office, re | efer to internet | Website: | | | |
| | SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" | | | | | | | | | | | | | | | | t |
| NOTE | (1) CLEC should contact its contract negotiator if it prefers the ' | "ctata cna | oifio" C | SS oborgos as ordoro | d by the Stat | o Commissions | The OSS abo | race currently | aantainad in thi | c rata avhibit a | o the Bellee | uth "rogions | al" convice and | orina oborace | CI EC may a | laat aithar tha | |
| | cecific Commission ordered rates for the service ordering charge | | | | | | | | | | | | | | | | 1 |
| | (2) Any element that can be ordered electronically will be billed | | | | | | | | | | | | | | | | T |
| | d electronically at present per the LOH, the listed SOMEC rate in bill when it submits an LSR to BellSouth. | this categ | ory rer | ects the charge that w | oula de bille | a to a CLEC on | ice electronic or | dering capabili | ties come on-iin | ie for that elem | ent. Otnerw | ise, the man | iuai ordering c | narge, SOMAI | N, WIII DE APPI | ed to a | |
| | OSS - Electronic Service Order Charge, Per Local Service | | | | | | | | | | | | | | | | |
| - | Request (LSR) - UNE Only OSS - Manual Service Order Charge, Per Local Service Request | 1 | 1 | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | | + |
| | (LSR) - UNE Only | | | | SOMAN | | 11.73 | 0.00 | 6.13 | 0.00 | | | | | | | 1 |
| | DATE ADVANCEMENT CHARGE The Expedite charge will be maintained commensurate with Be | ellSouth's | FCC N | .1 Tariff. Section 5 as | applicable. | | | | | | | | | | | | + |
| | | | | | | | | | | | | | | | | | |
| | | | | UAL, UEANL, UCL, UEF, UDC, UDF, | | | | | | | | | | | | | |
| | | | | UEQ, UDL, UENTW, | | | | | | | | | | | | | |
| | | | | UDN, UEA, UHL, | | | | | | | | | | | | | |
| | | | | ULC, USL, U1T12, | | | | | | | | | | | | | |
| | | | | U1T48, U1TD1, | | | | | | | | | | | | | |
| | | | | U1TD3, U1TDX, U1TO3, U1TS1, | | | | | | | | | | | | | |
| | | | | U1TVX, UC1BC, | | | | | | | | | | | | | |
| | | | | UC1BL, UC1CC, | | | | | | | | | | | | | |
| | | | | UC1CL, UC1DC, | | | | | | | | | | | | | |
| | | | | UC1DL, UC1EC, | | | | | | | | | | | | | |
| | | | | UC1EL, UC1FC, | | | | | | | | | | | | | |
| | | | | UC1FL, UC1GC, UC1GL, UC1HC, | | | | | | | | | | | | | |
| | | | | UC1HL, UDL12, | | | | | | | | | | | | | |
| | | | | UDL48, UDLO3, | | | | | | | | | | | | | |
| | | | | UDLSX, UE3, | | | | | | | | | | | | | |
| | | | | ULD12, ULD48, | | | | | | | | | | | | | |
| | | | | ULDD1, ULDD3, | | | | | | | | | | | | | |
| | | | | ULDDX, ULDO3, ULDS1, ULDVX, | | | | | | | | | | | | | |
| | | | | UNC1X, UNC3X, | | | | | | | | | | | | | |
| | | | | UNCDX, UNCNX, | | | | | | | | | | | | | |
| | | | | UNCSX, UNCVX, | | | | | | | | | | | | | |
| | | | | UNLD1, UNLD3, UXTD1, UXTD3, | | | | | | | | | | | | | |
| | | | | UXTS1, U1TUC, | | | | | | | | | | | | | |
| | UNE Expedite Charge per Circuit or Line Assignable USOC, per | | | U1TUD, U1TUB, | | | | | | | | | | | | | |
| | Day | | | U1TUA | SDASP | | 200.00 | | | | | | | | | | Ļ |
| | XCHANGE ACCESS LOOP ANALOG VOICE GRADE LOOP | 1 | - | | | | | | | | | | | | | | + |
| Z-VVIKE | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEAL2 | 10.51 | 40.02 | 9.99 | 5.61 | 1.72 | | | | | | | \dagger |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEAL2 | 15.85 | 40.02 | 9.99 | 5.61 | 1.72 | | | | | | | I |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | 1 | 3 | UEANL | UEAL2 | 31.97 | 40.02 | 9.99 | 5.61 | 1.72 | | | | | | | Ŧ |
| + | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | } | 2 | UEANL UEANL | UEASL UEASL | 10.51 15.85 | 40.02 40.02 | 9.99 9.99 | 5.61 5.61 | 1.72 1.72 | - | - | | - | - | | + |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | 1 | 3 | UEANL | UEASL | 31.97 | 40.02 | 9.99 | 5.61 | 1.72 | | | | | | | t |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | | | | | | | T |
| | Premise | ļ | | UEANL | URETL | | 8.33 | 0.83 | | | | | | | | | + |
| - | Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour | - | - | UEANL UEANL | URET1 URETA | | 25.12 13.62 | 25.12 13.62 | | | | | | | | | + |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch | 1 | | OLAIVL | ONLIA | | 13.02 | 13.02 | | | | | | | | | + |
| | (UVL-SL1) | | | UEANL | UREWO | | 15.75 | 8.92 | | | | | | | | | \perp |
| | Unbundled Voice Loop, Non-Design Voice Loop, billing for BST | | | LIEANII | | | 7.00 | 7.00 | | | | | | | | | |
| + | providing make-up (Engineering Information - E.I.) Manual Order Coordiantion for UVL-SL1s (per loop) | } | 1 | UEANL UEANL | UEANM UEAMC | | 7.30 18.92 | 7.30 18.92 | | | - | - | | - | - | | + |
| | Imanual Order Cooldanion for OVE-SETS (per 100p) | 1 | 1 | JOEAINL | UEMIVIU | l | 10.92 | 10.92 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | |

| | D NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachi | ment: 2 | Exhi | oit: A | |
|------------|---|-----------------|--------|----------------------------|----------------|----------------|----------------|----------------|--------------|--------------|---|---|--|---|--|---|---|
| EGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | Nonrec | RATES (\$) | Nonrecurring | Disconnect | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| + | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | + |
| | Order Coordination for Specified Conversion Time for UVL-SL1 | | | | | | | | | | | | | | | | T |
| | (per LSR) | | | UEANL | OCOSL | | 57.79 | | | | | | | | | | 4 |
| | UNBUNDLED COPPER LOOP - NON-DESIGNED | | _ | UEQ | UEQ2X | 11.02 | 44.69 | 22.40 | 0.00 | 0.00 | | | | | | | + |
| | 2 Wire Unbundled Copper Loop Non-Designed- Zone 1 2 Wire Unbundled Copper Loop Non-Designed- Zone 2 | | 2 | UEQ | UEQ2X | 12.72 | 44.69 | 22.40 | 0.00 | 0.00 | | | | | | | + |
| | 2 Wire Unbundled Copper Loop Non-Designed-Zone 3 | | 3 | UEQ | UEQ2X | 20.22 | 44.69 | 22.40 | 0.00 | 0.00 | | | | | | | T |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | | | | | | | T |
| | Premise | | | UEQ | URETL | | 8.33 | 0.83 | | | | | | | | | 4 |
| | Manual Order Coordination 2 Wire Unbundled Copper Loop - Non- | | | LIEO | LIODAGO | | 40.00 | 40.00 | | | | | | | | | |
| | Designed (per loop) Unbundled Copper Loop, Non-Design Copper Loop, billing for | | | UEQ | USBMC | - | 18.92 | 18.92 | | | | | | | | | + |
| | BST providing make-up (Engineering Information - E.I.) | | | UEQ | UEQMU | | 7.30 | 7.30 | | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | L | UEQ | URET1 | | 25.12 | 25.12 | | | | | | | | | Ī |
| | Loop Testing - Basic Additional Half Hour | | | UEQ | URETA | | 13.62 | 13.62 | | | | | | | | | I |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | | upewe | | | | | | 1 | | | | | | 1 |
| LINDI ED E | (UCL-ND) XCHANGE ACCESS LOOP | | | UEQ | UREWO | <u> </u> | 14.25 | 7.42 | - | | | | | | | | + |
| | ANALOG VOICE GRADE LOOP | | 1 | | + | 1 | | | | | | | | | | | + |
| | op Rates for Line Splitting (In Ga. PSC ordered the line splitting | a loop US | OCs ma | atch the lower port- | loop combo ra | ites UEPLX) | | | | | | | | | | | + |
| | 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1 | ı | 1 | UEPSR UEPSB | UEALS | 9.56 | 10.05 | 7.36 | 1.37 | 1.28 | | | | | | | T |
| | 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1 | | 1 | UEPSR UEPSB | UEABS | 9.56 | 10.05 | 7.36 | 1.37 | 1.28 | | | | | | | ┸ |
| | 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2 | | 2 | UEPSR UEPSB | UEALS | 14.86 | 10.05 | 7.36 | 1.37 | 1.28 | | | | | | | 4 |
| | 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2 | <u> </u> | 3 | UEPSR UEPSB UEPSR UEPSB | UEABS UEALS | 14.86 31.66 | 10.05 10.05 | 7.36 7.36 | 1.37 | 1.28 1.28 | | | | | | | + |
| | 2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3 2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3 | i | 3 | | UEABS | 31.66 | 10.05 | 7.36 | 1.37 | 1.28 | | | | | | | + |
| | XCHANGE ACCESS LOOP | | Ŭ | OET OIL OET OB | OLABO | 01.00 | 10.00 | 7.00 | 1.07 | 1.20 | | | | | | | + |
| 2-WIRE | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | | I |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | | T |
| | Ground Start Signaling - Zone 1 | | 1 | UEA | UEAL2 | 11.57 | 79.85 | 24.65 | 18.92 | 7.87 | | | | | | | + |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | 16.95 | 79.85 | 24.65 | 18.92 | 7.87 | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | OLA | OLALZ | 10.95 | 79.00 | 24.03 | 10.32 | 7.07 | | | | | | | + |
| | Ground Start Signaling - Zone 3 | | 3 | UEA | UEAL2 | 33.08 | 79.85 | 24.65 | 18.92 | 7.87 | | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 57.79 | | | | | | | | | | I |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | | | | | | | | | | |
| | Battery Signaling - Zone 1 | | 1 | UEA | UEAR2 | 11.57 | 79.85 | 24.65 | 18.92 | 7.87 | | | | | | | + |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2 | | 2 | UEA | UEAR2 | 16.95 | 79.85 | 24.65 | 18.92 | 7.87 | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | OLA | OLAKZ | 10.95 | 79.00 | 24.03 | 10.32 | 7.07 | | | | | | | + |
| | Battery Signaling - Zone 3 | | 3 | UEA | UEAR2 | 33.08 | 79.85 | 24.65 | 18.92 | 7.87 | | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 57.79 | | | | | | | | | | I |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87.72 | 36.36 | | | | | | | | | + |
| | Loop Tagging - Service Level 2 (SL2) ANALOG VOICE GRADE LOOP | | 1 | UEA | URETL | | 11.19 | 1.10 | | | | | | | | | + |
| | 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEA | UEAL4 | 17.80 | 93.01 | 28.17 | 19.52 | 8.12 | | | | | | | + |
| | 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEA | UEAL4 | 21.68 | 93.01 | 28.17 | 19.52 | 8.12 | | | | | | | 十 |
| | 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEA | UEAL4 | 30.25 | 93.01 | 28.17 | 19.52 | 8.12 | | | | | | | I |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 57.79 | | | | | | | | | | 工 |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87.72 | 36.36 | | | | | | | | | + |
| | ISDN DIGITAL GRADE LOOP 2-Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UDN | U1L2X | 21.89 | 180.06 | 35.25 | 18.23 | 6.97 | | | | | | | + |
| | 2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2 | | 2 | UDN | U1L2X | 21.89 | 180.06 | 35.25 | 18.23 | 6.97 | | | | | | | + |
| | 2-Wire ISDN Digital Grade Loop - Zone 2 | | 3 | UDN | U1L2X | 40.17 | 180.06 | 35.25 | 18.23 | 6.97 | | | | | | | + |
| | Order Coordination For Specified Conversion Time (per LSR) | | | UDN | OCOSL | | 57.79 | | | | | | | | | | I |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDN | UREWO | | 120.98 | 33.04 | | | | | | | | | Ι |
| | ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA | TIBLE LC | OP | | - | | | | | | | | | | | | + |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry & | | 1 | UAL | UAL2X | 11.23 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | | Ì |
| | facility reservation - Zone 1 2 Wire Unbundled ADSL Loop including manual service inquiry & | - '- | +- | UAL | UALZA | 11.23 | 44.09 | 31.35 | 0.00 | 0.00 | | | | | | | + |
| | and oa . Doz zoop moraling manda oct vice inquity & | 1 | 1 | 1 | 1 | 1 | | | ı | | 1 | l | | | l | | 1 |
| | facility reservation - Zone 2 | I | 2 | UAL | UAL2X | 12.97 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | | |
| | facility reservation - Zone 2 2 Wire Unbundled ADSL Loop including manual service inquiry & | - | 2 | UAL | UAL2X UAL2X | 12.97 20.62 | 44.69 44.69 | 31.55 31.55 | 0.00 | 0.00 | | | | | | | + |

| BUNDLE | D NETWORK ELEMENTS - Georgia | | | 1 | | 1 | | | | | I | | Attachi | | Exhi | | + |
|---------|--|----------|--|------|----------|--|------------------|----------------|--|--------------|---|---|---|--|---|---|---------|
| EGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | | + |
| | lour III II IABOU II III II II II II II II II II II II I | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | + |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | ١. | LIAI | | 44.00 | | | | | | | | | | | |
| - | facility reservaton - Zone 1 | | 1 | UAL | UAL2W | 11.23 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | | + |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | 2 | UAL | UAL2W | 12.97 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | | |
| _ | facility reservaton - Zone 2 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | UAL | UALZW | 12.97 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | | + |
| | facility reservation - Zone 3 | | 3 | UAL | UAL2W | 20.62 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | | |
| - | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | 20.02 | 57.79 | 31.33 | 0.00 | 0.00 | | | | | | | + |
| | CLEC to CLEC Conversion Charge without outside dispatch | - | | UAL | UREWO | | 44.69 | 29.29 | | | | | | | | | + |
| 2-WIRE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT | IBLE LOC |)P | OAL | OKEWO | t | 44.00 | 20.20 | | | - | | | | | | + |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & | | Î | | | | | | | | | | | | | | + |
| | facility reservation - Zone 1 | 1 | 1 | UHL | UHL2X | 7.88 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & | | | | | | | | | | | | | | | | 1 |
| | facility reservation - Zone 2 | - 1 | 2 | UHL | UHL2X | 9.09 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & | | | | | | | | | | | | | | | | 1 |
| | facility reservation - Zone 3 | L | 3 | UHL | UHL2X | 14.48 | 44.69 | 31.55 | 0.00 | 0.00 | | | L | | | | \perp |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 57.79 | | | | | | | | | | Ι |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry and | | | | | | | | | | | | | | | | ſ |
| | facility reservation - Zone 1 | - 1 | 1 | UHL | UHL2W | 7.88 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | | 1 |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry and | | | | | | | | | | | | | | | | |
| | facility reservation - Zone 2 | ı | 2 | UHL | UHL2W | 9.09 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | | ┸ |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry and | | | | | | | | | | | | | | | | |
| | facility reservation - Zone 3 | | 3 | UHL | UHL2W | 14.48 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | | 4 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 57.79 | | | | | | | | | | + |
| | CLEC to CLEC Conversion Charge without outside dispatch | | <u> </u> | UHL | UREWO | | 44.69 | 31.55 | | | ļ | | | | | | + |
| 4-WIRE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT | IRLE LOC |)P | | | | | | | | | | | | | | + |
| | 4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 10.39 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry and | - | | OHL | UHL4X | 10.39 | 44.09 | 31.33 | 0.00 | 0.00 | | | | | | | + |
| | facility reservation - Zone 2 | | 2 | UHL | UHL4X | 12.00 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry and | | | OTIL | OTILAX | 12.00 | 44.00 | 01.00 | 0.00 | 0.00 | | | | | | | + |
| | facility reservation - Zone 3 | 1 | 3 | UHL | UHL4X | 19.07 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 57.79 | | | | | | | | | | T |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and | | | | | | | | | | | | | | | | T |
| | facility reservation - Zone 1 | - 1 | 1 | UHL | UHL4W | 10.39 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and | | | | | | | | | | | | | | | | Т |
| | facility reservation - Zone 2 | | 2 | UHL | UHL4W | 12.00 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and | | | | | | | | | | | | | | | | Т |
| | facility reservation - Zone 3 | | 3 | UHL | UHL4W | 19.07 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 57.79 | | | | | | | | | | ┸ |
| | CLEC to CLEC Conversion Charge without outside dispatch | | <u> </u> | UHL | UREWO | | 44.69 | 31.55 | | | | | | | | | + |
| 4-WIRE | DS1 DIGITAL LOOP | | <u> </u> | 1101 | 1101.227 | | 644.6- | 70 /- | | = - | | | | | | | + |
| | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 41.02 | 211.93 | 72.49 | 38.24 | 7.20 | 1 | | | | | | + |
| - | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | USL | USLXX | 46.41 62.03 | 211.93 211.93 | 72.49 72.49 | 38.24 38.24 | 7.20 7.20 | | | | | | | + |
| | 4-Wire DS1 Digital Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | | 3 | USL | OCOSL | 02.03 | 57.79 | 12.49 | 36.24 | 1.20 | 1 | | | | | | + |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 100.91 | 42.97 | 1 | | | | | | | | + |
| 4-WIPE | 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | JUL | OKEWO | | 100.91 | 42.37 | | | | | | | | | + |
| - ***** | 4 Wire Unbundled Digital 19.2 Kbps | | 1 | UDL | UDL19 | 21.86 | 196.66 | 37.00 | 18.82 | 7.20 | | | | | | | t |
| - | 4 Wire Unbundled Digital 19.2 Kbps | | 2 | UDL | UDL19 | 28.36 | 196.66 | 37.00 | 18.82 | 7.20 | | | | | | | t |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 3 | UDL | UDL19 | 38.22 | 196.66 | 37.00 | 18.82 | 7.20 | | | | | | | t |
| 1 | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | 1 | UDL | UDL56 | 21.86 | 196.66 | 37.00 | 18.82 | 7.20 | | | | | | | t |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | 2 | UDL | UDL56 | 28.36 | 196.66 | 37.00 | 18.82 | 7.20 | | | İ | | | | T |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | 3 | UDL | UDL56 | 38.22 | 196.66 | 37.00 | 18.82 | 7.20 | | | | | | | T |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 57.79 | | | | | | | | | | I |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | 1 | UDL | UDL64 | 21.86 | 196.66 | 37.00 | 18.82 | 7.20 | | | | | | | Ι |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | 2 | UDL | UDL64 | 28.36 | 196.66 | 37.00 | 18.82 | 7.20 | | | | | | | Ι |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | 3 | UDL | UDL64 | 38.22 | 196.66 | 37.00 | 18.82 | 7.20 | | | | | | | Ι |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 57.79 | | | | | | | | | | Ι |
| | CLEC to CLEC Conversion Charge without outside dispatc h | | | UDL | UREWO | | 101.95 | 49.66 | | | | | | | | - | Ţ |
| 2-WIRE | Unbundled COPPER LOOP | | | ļ | | ļ | | | ļ | | | | | | | | Ŧ |
| 1 | 2-Wire Unbundled Copper Loop-Designed including manual | | 1 | l | 1 |] | | | Ì | | | |] | | | | 1 |
| | service inquiry & facility reservation - Zone 1 | 1 | I 1 | UCL | UCLPB | 12.02 | 44.69 | 31.55 | 0.00 | 0.00 | 1 | | | | | | 1 |
| | 2-Wire Unbundled Copper Loop-Designed including manual | | | | | 1 | | | | | | | | | | | |

| ADONDE | D NETWORK ELEMENTS - Georgia | | | | 1 | 1 | | | | | 0 | 0 6 . | | ment: 2 | | bit: A | + |
|-----------|--|--|----------|---------------------------------|----------|--|----------------|----------------|--------------|-------|--|---|--|--|---|---|---|
| ΓEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | Rec | Nonre | | Nonrecurring | | | | | Rates (\$) | | | ┸ |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | 4 |
| | 2 Wire Unbundled Copper Loop-Designed including manual service | | _ | | | | | | | | | | | | | | |
| | inquiry & facility reservation - Zone 3 | ı | 3 | UCL | UCLPB | 22.07 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | | + |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 18.92 | 18.92 | | | | | | | | | + |
| | 2-Wire Unbundled Copper Loop-Designed without manual service | | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCLPW | 12.02 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | | ╄ |
| | 2-Wire Unbundled Copper Loop-Designed without manual service | l . | _ | | | 40.00 | | | | | | | | | | | |
| _ | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCLPW | 13.88 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | | + |
| | 2-Wire Unbundled Copper Loop-Designed without manual service | ١. | 3 | | LICL DW | 00.07 | 44.00 | 04.55 | 0.00 | 0.00 | | | | | | | |
| | inquiry and facility reservation - Zone 3 | <u> </u> | 3 | UCL | UCLPW | 22.07 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | | + |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 18.92 18.92 | 18.92 18.92 | | | | | | | | | + |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 18.92 | 18.92 | | | | | | | | | + |
| | CLEC to CLEC Conversion Charge without outside dispatch | ١. | | | LIDEWO | | 44.69 | 04.55 | | | | | | | | | |
| 4 MID! | (UCL-Des) E COPPER LOOP | | - | UCL | UREWO | | 44.69 | 31.55 | | | | | | | | | ╁ |
| 4-WIRE | 4-Wire Copper Loop-Designed including manual service inquiry | | - | - | + | | | | | | | | | | | | ╁ |
| | and facility reservation - Zone 1 | | 4 | UCL | UCL4S | 16.65 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | | 1 |
| | | | 1 | UUL | UCL45 | 16.65 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | | ╁ |
| | 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4S | 19.22 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | | 1 |
| | | - '- | | UCL | UCL45 | 19.22 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | | + |
| | 4-Wire Copper Loop-Designed including manual service inquiry | | 3 | UCL | UCL4S | 30.55 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | | ĺ |
| | and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop) | | 3 | | UCLMC | 30.55 | 18.92 | 18.92 | 0.00 | 0.00 | | | | | | | + |
| | | | | UCL | UCLINIC | | 18.92 | 18.92 | | | | | | | | | + |
| | 4-Wire Copper Loop-Designed without manual service inquiry and | ١. | 1 | LICI | LICL AW | 16.65 | 44.69 | 24 55 | 0.00 | 0.00 | | | | | | | |
| _ | facility reservation - Zone 1 | _ ' | 1 | UCL | UCL4W | 16.65 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | | + |
| | 4-Wire Copper Loop-Designed without manual service inquiry and | ١. | 2 | UCL | 1101 414 | 19.22 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | | |
| _ | facility reservation - Zone 2 | | 2 | UCL | UCL4W | 19.22 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | | + |
| | 4-Wire Copper Loop-Designed without manual service inquiry and | ١. | 3 | UCL | 1101 414 | 30.55 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | | |
| _ | facility reservation - Zone 3 | | 3 | | UCL4W | 30.55 | | | 0.00 | 0.00 | | | | | | | + |
| | Order Coordination for Unbundled Copper Loops (per loop) | <u> </u> | | UCL | UCLMC | | 18.92 44.69 | 18.92 | | | | | | | | | + |
| P MODIFIC | CLEC to CLEC conversion Charge without outside dispatch | | | UCL | UREWO | | 44.69 | 31.55 | | | | | | | | | + |
| P WODIFIC | ATION | | | UAL, UHL, UCL, | 1 | | | | | | | | | | | | + |
| | | | | UEQ, ULS, UEA, | | | | | | | | | | | | | |
| | Unbundled Loop Modification, Removal of Load Coils - 2 Wire | | | UEANL, UEPSR, | | | | | | | | | | | | | |
| | pair less than or equal to 18k ft, per Unbundled Loop | ١. | | UEPSB | ULM2L | | 0.00 | 0.00 | | | | | | | | | |
| _ | | | | UEPSB | ULIVIZL | | 0.00 | 0.00 | | | | | | | | | + |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire less | ١. | | UHL, UCL, UEA | LILAMAL | | 0.00 | 0.00 | | | | | | | | | |
| _ | than or equal to 18K ft, per Unbundled Loop | | | | ULM4L | | 0.00 | 0.00 | | | | | | | | | + |
| | | | | UAL, UHL, UCL, | | | | | | | | | | | | | |
| | Links and and Loop Modification Demostral of Dridged Top Demostral | | | UEQ, ULS, UEA, UEANL, UEPSR, | | | | | | | | | | | | | |
| | Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop | | | UEPSB | ULMBT | | 17.91 | | | | | | | | | | |
| 3-LOOPS | per Oriburidied Loop | | | UEFOB | ULIVID I | | 17.91 | | | | | | | | | | + |
| | pop Distribution | | | | + | | | | | | | | | | | | + |
| Jub-LC | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- | | - | 1 | 1 | | | | 1 | | | | | | | | + |
| | Un | l | | UEANL | USBSA | 1 | 255.76 | | | | | | | | | | 1 |
| _ | l l | | | OL/ IIVL | CODOA | | 200.70 | | | | | | | | | | ٠ |
| | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | 1 | l | UEANL | USBSB | | 7.29 | | | | | | | | | | 1 |
| | Sub-Loop - Per Cross Box Location - Per 25 Pair Parier Set-up Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility | | - | OLAINL | JUDUD | | 1.29 | | 1 | | | | | | | | + |
| | Set-Up | 1 | l | UEANL | USBSC | | 175.09 | | | | | | | | | | 1 |
| - | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set- | 1 | - | OEMINE | USBSU | + + | 175.09 | | - | | | | | | | | + |
| | The | 1 | l | UEANL | USBSD | | 51.61 | | | | | | | | | | 1 |
| - | Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working and | 1 | - | OEMINE | USBSD | + + | 10.10 | | - | | | | | | | | ╁ |
| | Spare Loop Activation | 1 | l | UEANL | USBRC | 3.61 | 28.46 | 3.85 | 2.20 | 0.01 | | | | | | | 1 |
| - | Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working and | | - | OLAINL | JODINO | 3.01 | 20.40 | 3.05 | 2.20 | 0.01 | | | | | | | + |
| | Spare Loop Activation | 1 | l | UEANL | USBRD | 7.67 | 31.07 | 4.79 | 2.27 | 0.01 | | | | | | | 1 |
| + | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | | OLAINL | OODIVD | 1.01 | 31.07 | 4.79 | 2.21 | 0.01 | | | | | | | t |
| | Zone 1 | 1 | 1 | UEANL | USBN2 | 6.52 | 28.46 | 3.85 | 2.20 | 0.01 | | | | | | | 1 |
| - | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | <u> </u> | OLAINL | JUDINZ | 0.52 | 20.40 | 3.05 | 2.20 | 0.01 | | | | | | | + |
| | Zone 2 | l | 2 | UEANL | USBN2 | 10.18 | 28.46 | 3.85 | 2.20 | 0.01 | | | | | | | |
| | | 1 | | OEMINE | USDINZ | 10.18 | 20.46 | 3.65 | 2.20 | 0.01 | | | | | | | + |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 | 1 | 3 | UEANL | USBN2 | 19.51 | 28.46 | 3.85 | 2.20 | 0.01 | | | | | | | 1 |
| -+ | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | J | OLAINL | USDINZ | 18.51 | 20.40 | 3.03 | 2.20 | 0.01 | | | | | | | t |
| | Zone 1 | l | 1 | UEANL | USBN4 | 5.93 | 31.07 | 4.79 | 2.27 | 0.01 | | | | | | | |
| | | l | | OLANL | USDIN4 | 5.93 | 31.07 | 4.79 | 2.21 | 0.01 | | | | | | | + |
| _ | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | | |

| MOUNDED | ED NETWORK ELEMENTS - Georgia | | | | 1 | 1 | | | | | 0 | 0 | | ment: 2 | | bit: A | + |
|-------------|---|------------|----------|--------------------|---------|--------------|------------|------------|--------------|--------|--|---|--|--|---|---|---|
| TEGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | | Ļ |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | ┺ |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UEANL | USBN4 | 18.85 | 31.07 | 4.79 | 2.27 | 0.01 | | | | | | | ╄ |
| | | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 18.92 | 18.92 | | | | | | | | | Ļ |
| | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | | | UEANL | USBR2 | 3.61 | 28.46 | 3.85 | 2.20 | 0.01 | | | | | | | 4 |
| | | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | 7.07 | 18.92 | 18.92 | 0.07 | | | | | | | | ╀ |
| | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | | | UEANL | USBR4 | 7.67 | 31.07 | 4.79 | 2.27 | 0.01 | | | | | | | ╀ |
| | | | | | | | | | | | | | | | | | |
| _ | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | 1 | 18.92 | 18.92 | | 1 | | | | | | | + |
| _ | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | 1 | 25.12 | 25.12 | | 1 | | | | | | | + |
| | Loop Testing - Basic Additional Half Hour | — — | _ | UEANL | URETA | F 0.4 | 13.62 | 13.62 | 0.00 | 0.01 | 1 | | | | | | + |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF | UCS2X | 5.94 | 28.46 | 3.85 | 2.20 | 0.01 | | | | | | | + |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | | 2 | UEF | UCS2X | 7.51 | 28.46 | 3.85 | 2.20 | 0.01 | 1 | | | | | | + |
| _ | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | 3 | UEF | UCS2X | 9.22 | 28.46 | 3.85 | 2.20 | 0.01 | | | | | | | + |
| | Order Coordination for Unbroadled Oct. Large and the | | | UEF | LICDMO | | 40.00 | 10.00 | | | | | | | | | 1 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | - | _ | | USBMC | 0.07 | 18.92 | 18.92 | 0.07 | 221 | | | | | | | + |
| _ | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 2 | UEF | UCS4X | 6.37 6.32 | 31.07 | 4.79 | 2.27 2.27 | 0.01 | | | | | | | + |
| _ | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | H | | UEF | UCS4X | 6.32 9.10 | 31.07 | 4.79 | 2.27 | 0.01 | | | | | | | + |
| - | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | 3 | UEF | UCS4X | 9.10 | 31.07 | 4.79 | 2.27 | 0.01 | | | | | | | + |
| | Contag Consultantian for Habitanilla d Colo Lanca and Colo | | | uee | LIODAGO | | 40.00 | 40.00 | | | | | | | | | 1 |
| _ | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | 1 | 18.92 | 18.92 | | 1 | | | | | | | + |
| _ | Loop Testing - Basic 1st Half Hour | | | UEF | URET1 | 1 | 25.12 | 25.12 | | 1 | | | | | | | + |
| | Loop Testing - Basic Additional Half Hour | | | UEF | URETA | 1 | 13.62 | 13.62 | | 1 | | | | | | | + |
| Unbun | dled Network Terminating Wire (UNTW) | | | LIENEW. | LIENE- | | | | | | | | | | | | + |
| | Unbundled Network Terminating Wire (UNTW) per Pair | | | UENTW | UENPP | 0.533 | 25.12 | 12.28 | | | | | | | | | Ļ |
| Netwo | rk Interface Device (NID) | | | LIENEW. | 10007 | ļ | | | | | | | | | | | + |
| | Network Interface Device (NID) - 1-2 lines | | | UENTW | UND12 | ļ | 32.86 | 20.69 | | | | | | | | | + |
| | Network Interface Device (NID) - 1-6 lines | | | UENTW | UND16 | | 56.03 | 43.86 | | | | | | | | | + |
| | Network Interface Device Cross Connect - 2 W | ı | | UENTW | UNDC2 | | 2.45 | 2.45 | | | | | | | | | + |
| | Network Interface Device Cross Connect - 4W | | | UENTW | UNDC4 | | 2.45 | 2.45 | | | | | | | | | 4 |
| IE OTHER, | PROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | | 4 |
| | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | 0.00 | 0.00 | | | | | | | | | | 4 |
| | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | 0.00 | 0.00 | | | | | | | | | | 4 |
| | | | | UEANL,UEF,UEQ,U | | | | | | | | | | | | | |
| | Unbundled Contract Name, Provisioning Only - No Rate | | | ENTW | UNECN | 0.00 | 0.00 | | | | | | | | | | ╄ |
| IE OTHER, | PROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | | 4 |
| | | | | | | | | | | | | | | | | | 1 |
| | | | | UAL,UCL,UDC,UDL, | | | | | | | | | | | | | 1 |
| - | Unbundled Contact Name, Provisioning Only - no rate | | - | UDN,UEA,UHL,USL | UNECN | 0.00 | 0.00 | | | - | 1 | | | | | | + |
| | Habitanilla d Outs I and Freedom OVE Co | | | LIEA LIBALLICI LIE | HODEO | | | | | | | | | | | | 1 |
| | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate | | | UEA,UDN,UCL,UDC | USBFQ | 0.00 | 0.00 | | | | | | | | | | + |
| | | | | | | | | | | | | | | | | | 1 |
| | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate | | | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | | | | | | | | | | + |
| | Unbundled DS1 Loop - Superframe Format Option - no rate | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | | | | + |
| | Unbundled DS1 Loop - Expanded Superframe Format option - no | | | | 00055 | | | | | | | | | | | | 1 |
| | rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | | + |
| H CAPACI | TY UNBUNDLED LOCAL LOOP | | | ļ | | ļ | | | | | | | | | | | + |
| | | | | | | | | | | | | | | | | | 1 |
| | High Capacity Unbundled Local Loop - DS3 - Per Mile per month | | | UE3 | 1L5ND | 10.97 | | | | | | | | | | | + |
| | High Capacity Unbundled Local Loop - DS3 - Facility Termination | | | | | | | | 40 | | | | | | | | 1 |
| | per month | | | UE3 | UE3PX | 253.38 | 2,016.2145 | 151.685 | 129.8465 | 87.262 | | | | | | | + |
| | | | | LIBI OV | | | | | | | | | | | | | 1 |
| _ | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month | | - | UDLSX | 1L5ND | 10.97 | | | | - | 1 | | | | | | + |
| | High Capacity Unbundled Local Loop - STS-1 - Facility | | | LIDLOY | LIDLG: | | 0.040.044- | 451.05- | 400 0 15 | 27.05 | | | | | | | 1 |
| 00 14:::= : | Termination per month | | | UDLSX | UDLS1 | 305.42 | 2,016.2145 | 151.685 | 129.8465 | 87.262 | | | | | | | + |
| OP MAKE-L | | | <u> </u> | | | ļ | | | | | . | | | | | | + |
| | Loop Makeup - Preordering Without Reservation, per working or | | | | | | | | | | | | | | | | 1 |
| | spare facility queried (Manual). | | | UMK | UMKLW | ļ | 15.19 | 15.19 | | | | | | | | | + |
| | Loop Makeup - Preordering With Reservation, per spare facility | | | | l | | | | | | | | | | | | 1 |
| | queried (Manual). | | | UMK | UMKLP | ļ | 19.85 | 19.85 | | | ļ | | | | | | 4 |
| 1 | Loop MakeupWith or Without Reservation, per working or spare | | 1 | | 1 | | | | | 1 | 1 | | | | | | 1 |
| | facility queried (Mechanized) | | | UMK | UMKMQ | | 0.82 | 0.82 | | | | | | | | | |

| MOUNDL | ED NETWORK ELEMENTS - Georgia | ı | | 1 | 1 | 1 | | | | | la c : | 0 6 : | | ment: 2 | Exhi | | + |
|-----------|--|--|--|--|----------------|--|-----------------|-----------------|----------------------------|---------|--|---|--|--|---|---|-----|
| TEGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES (\$) | N | Diversi | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | 1 | | | 1 | Rec | Nonrec | urring Add'l | Nonrecurring | | COMEC | SOMAN | SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN | + |
| LINE | | | | | + | | First | Add I | First | Add'l | SUMEC | SUMAN | SUMAN | SUMAN | SUMAN | SUMAN | + |
| | | | 1 | | | | | | | | | | | | | | + |
| END | JSER ORDERING-CENTRAL OFFICE BASED | | | LIEBOD LIEBOD | UDEOO | 0.04 | | | | | | | | | | | + |
| | Line Splitting - per line activation DLEC owned splitter | | | UEPSR UEPSB | UREOS | 0.61 | | | | | | | | | | | + |
| | Line Splitting - per line activation BST owned - physical | | | UEPSR UEPSB | UREBP | 0.6297 | 20.10 | 12.40 | 7.68 | 4.30 | | | | | | | + |
| | Line Splitting - per line activation BST owned - virtual | | | UEPSR UEPSB | UREBV | 0.6288 | 20.10 | 12.40 | 7.68 | 4.30 | | | | | | | ┸ |
| | E OF SERVICE | | | | | | | | | | | | | | | | ┸ |
| NOTE | : The Expedite charge will be maintained commensurate with Be | ellSouth's | FCC No | .1 Tariff, Section 13. | 3.1 as applica | able. | | | | | | | | | | | ┸ |
| | No Trouble Found - per 1/2 hour increments - Basic | | | | | | 80.00 | 55.00 | | | | | | | | | _ |
| | No Trouble Found - per 1/2 hour increments - Overtime | | | | | | 90.00 | 65.00 | | | | | | | | | |
| | No Trouble Found - per 1/2 hour increments - Premium | | | | | | 100.00 | 75.00 | | | | | | | | | |
| | DEDICATED TRANSPORT | | | | | | | | | | | | | | | | Т |
| INTE | ROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | | Т |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | | T |
| | Per Mile per month | | 1 | U1TVX | 1L5XX | 0.0057 | | | 1 | | | | | | | | 1 |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | | | | | | | | | | | T |
| | Facility Termination | | | U1TVX | U1TV2 | 12.87 | 48.46 | 19.48 | 16.58 | 5.00 | | | | | | | 1 |
| | Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade | 1 | | | 1 | 1 | 12.10 | | | 5.00 | | | | | | | T |
| | Rev Bat Per Mile per month | | 1 | U1TVX | 1L5XX | 0.0057 | | | 1 | | | | | | | | 1 |
| | Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat | | t | T | 1 | 0.0007 | | | 1 | | 1 | | | | | | + |
| | Facility Termination | | 1 | U1TVX | U1TR2 | 12.87 | 48.46 | 19.48 | 16.58 | 5.00 | | | | | | | 1 |
| | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - | | | OTTVX | OTTINZ | 12.07 | 40.40 | 13.40 | 10.50 | 3.00 | | | | | | | + |
| | Per Mile per month | | | U1TVX | 1L5XX | 0.0057 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - | | | UTIVA | ILOAA | 0.0037 | - | | | | - | | | | | | ┿ |
| | | | | U1TVX | U1TV4 | 10.78 | 48.46 | 40.40 | 40.50 | 5.00 | | | | | | | |
| | Facility Termination | | | UTIVX | 01174 | 10.78 | 48.46 | 19.48 | 16.58 | 5.00 | | | | | | | + |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per | | | | | | | | | | | | | | | | |
| | month | | <u> </u> | U1TDX | 1L5XX | 0.0057 | | | | | | | | | | | ╀ |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | | | | | | | | | | | | | | |
| | Termination | | | U1TDX | U1TD5 | 7.83 | 48.46 | 19.48 | 16.58 | 5.00 | | | | | | | ┸ |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per | | | | | | | | | | | | | | | | |
| | month | | | U1TDX | 1L5XX | 0.0057 | | | | | | | | | | | ┸ |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | | | | | | | | | | | | | | |
| | Termination | | | U1TDX | U1TD6 | 7.83 | 48.46 | 19.48 | 16.58 | 5.00 | | | | | | | Ш. |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | | | | | | | |
| | month | | | U1TD1 | 1L5XX | 0.1154 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | | | | | | | | | | | | | Т |
| | Termination | | | U1TD1 | U1TF1 | 34.19 | 111.03 | 80.28 | 31.36 | 21.73 | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | | | | | | | | | Т |
| | month | | | U1TD3 | 1L5XX | 2.53 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | | | | | | | | | | T |
| | Termination per month | | 1 | U1TD3 | U1TF3 | 342.02 | 320.47 | 86.32 | 66.77 | 52.81 | | | | | | | 1 |
| | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | | | | | | | | | | | | | | | | T |
| | month | | 1 | U1TS1 | 1L5XX | 2.53 | | | 1 | | | | | | | | 1 |
| | Interoffice Channel - Dedicated Transport - STS-1 - Facility | | | | | | 1 | | i | | | | | | | | 1 |
| ı | Termination | | 1 | U1TS1 | U1TFS | 358.67 | 320.47 | 86.32 | 66.77 | 52.81 | | | | | | | 1 |
| RK FIBER | | | | 1 | 1 | 222.07 | | 22.02 | | 22.01 | | | | | | | t |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof | 1 | t | † | 1 | 1 | | | 1 | | 1 | | | | | | + |
| ı | per month - Local Channel | | 1 | UDF, UDFCX | 1L5DC | 46.84 | | | 1 | | | | | | | | 1 |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof | † | l | 23., 33. 07. | 1.2000 | 40.04 | - | | 1 | | 1 | | | | | | + |
| ı | per month - Interoffice Channel | | 1 | UDF, UDFCX | 1L5DF | 23.29 | | | 1 | | | | | | | | 1 |
| | NRC Dark Fiber - Interoffice Channel | 1 | 1 | UDF, UDFCX | UDF14 | 20.23 | 1,776.53 | 89.75 | 73.64 | 18.70 | ! | | | | | | + |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof | | | 551, 551 5A | JD1 14 | | 1,770.03 | 09.70 | 73.04 | 10.70 | 1 | | | | | | + |
| | per month - Local Loop | 1 | 1 | UDF, UDFCX | 1L5DL | 46.84 | | | 1 | | | | | | | | 1 |
| TUAL CO | LOCATION | | | , סטרטא | ILJUL | 40.04 | | | 1 | | 1 | | | | | | + |
| I JAL CU | LOCATION | | | | + | | + | | | | | | | | | | + |
| | Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting | | 1 | UEPSR UEPSB | VE1LS | 0.0188 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | | 1 |
| VEICAL C | | | | OLFON UEPOD | VEILO | 0.0108 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | | + |
| I SICAL C | | - | ! | - | + | | | | - | | - | | | | | | + |
| | Physical Collocation-2 Wire Cross Connects (Loop) for Line | | 1 | HEDOD HEDOD | DE4LO | 0.0197 | 0.00 | 0.00 | 1 | | | | | | | | 1 |
| HANGES : | Splitting State of the state of | | 1 | UEPSR UEPSB | PE1LS | 0.0197 | 0.00 | 0.00 | | | 1 | | | | | | + |
| | XTENDED LINK (EELs) | | | L A - I - OI | 1 | | | -10-11 " - | | | 1 | | | | | | + |
| | : The monthly recurring and non-recurring charges below will ap | | | | | | | | | | 1 | | | | | | + |
| | : The monthly recurring and the Switch-As-Is Charge and not the | non-recui | rring ch | arges below will app | by for UNE co | moinations prov | isioned as ' Cu | rently Combin | ea [.] Network El | ements. | | | | | | | + |
| 2-WIF | E VOICE GRADE LOOP FOR USE IN A COMBINATION | | ! | L | 4 . | ļ | | | | | | | | | | | + |
| | 2-Wire VG Loop (SL2) in Combination - Zone 1 | ļ | 1 | UNCVX | UEAL2 | 11.57 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | | 丄 |
| | 2-Wire VG Loop (SL2) in Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 16.95 | 195.94 | 36.38 | 18.42 | 6.86 | 1 | | | | | | 1 7 |

| - J.,DEL | D NETWORK ELEMENTS - Georgia | | 1 | 1 | | 1 | | | | | 0 | 0 | | ment: 2 | | bit: A |
|----------|--|-----------|----------|--|----------------------------------|--|---------------------------|----------------|-----------------------|---------------|---|---|---|--|---|---|
| GORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring First | | SOMEC | 0011111 | OSS SOMAN | Rates (\$) | SOMAN | SOMAN |
| | 2-Wire VG Loop (SL2) in Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 33.08 | First 195.94 | Add'I 36.38 | 18.42 | Add'l 6.86 | SUMEC | SUMAN | SUMAN | SOMAN | SUMAN | SUMAN |
| | Voice Grade COCI - Per Month | | 3 | UNCVX | 1D1VG | 0.4689 | 27.33 | 2.90 | 16.86 | 1.04 | | | | | | |
| 4 WIDE | E VOICE GRADE LOOP FOR USE IN A COMBINATION | | 1 | UNCVA | IDIVG | 0.4009 | 21.33 | 2.90 | 10.00 | 1.04 | | | - | | | |
| 4-4411/1 | 4-Wire Analog Voice Grade Loop in Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 17.80 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | 4-Wire Analog Voice Grade Loop in Combination - Zone 1 | | 2 | UNCVX | UEAL4 | 21.68 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| - | 4-Wire Analog Voice Grade Loop in Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 30.25 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 0.4689 | 27.33 | 2.90 | 16.86 | 1.04 | | | | | | |
| 4-WIRE | 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION | | † | CHOTA | .5 | 0.1000 | 27.00 | 2.00 | 10.00 | 1.01 | | | | | | |
| | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL56 | 21.86 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 | | 2 | UNCDX | UDL56 | 28.36 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL56 | 38.22 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | OCU-DP COCI (data) per month (2.4-64kbs) | | | UNCDX | 1D1DD | 0.9963 | 27.33 | 2.90 | 16.86 | 1.04 | | | | | | |
| 4-WIRE | 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION | | | | | | | | | ** | | | | | | |
| | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL64 | 21.86 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 | | 2 | UNCDX | UDL64 | 28.36 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 | | _3 | UNCDX | UDL64 | 38.22 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | OCU-DP COCI (data) - in combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 0.9963 | 27.33 | 2.90 | 16.86 | 1.04 | | | | | | |
| 2-WIRE | ISDN LOOP FOR USE IN COMBINATION | | | | | | T I | | | | | | | | | |
| | 2-Wire ISDN Loop in Combination - Zone 1 | | _1 | UNCNX | U1L2X | 19.82 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | 2-Wire ISDN Loop in Combination - Zone 2 | | 2 | UNCNX | U1L2X | 26.26 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | 2-Wire ISDN Loop in Combination - Zone 3 | | 3 | UNCNX | U1L2X | 42.17 | 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | 2-wire ISDN COCI (BRITE) - in combination - per month | | | UNCNX | UC1CA | 1.66 | 27.33 | 2.90 | 16.86 | 1.04 | | | | | | |
| 4-WIRE | DS1 DIGITAL LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 41.02 | 209.45 | 70.44 | 37.91 | 6.86 | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 46.41 | 209.45 | 70.44 | 37.91 | 6.86 | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 62.03 | 209.45 | 70.44 | 37.91 | 6.86 | | | | | | |
| | DS1 COCI in combination per month | | | UNC1X | UC1D1 | 7.35 | 27.33 | 2.90 | 16.86 | 1.04 | | | | | | |
| 2 WIRE | VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | MBINATION | NC | | | | | | | | | | | | | |
| | Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month | | | UNCVX | 1L5XX | 0.0057 | | | | | | | | | | |
| | Interoffice Transport - 2-wire VG - Dedicated - Facility Termination | | | | | | | | | | | | | | | |
| | per month | | | UNCVX | U1TV2 | 12.87 | 66.53 | 33.61 | 43.42 | 27.60 | | | | | | |
| 4 WIRE | VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | MBINATION | ON | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month | | | UNCVX | 1L5XX | 0.0057 | | | | | | | | | | |
| | Interoffice Transport - 4-wire VG - Dedicated - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNCVX | U1TV4 | 10.78 | 66.53 | 33.61 | 43.42 | 27.60 | | | | | | |
| DS1 IN | TEROFFICE TRANSPORT FOR COMBINATION | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile per | | 1 | L | | | l | | | | | | 1 | | | |
| _ | month | | <u> </u> | UNC1X | 1L5XX | 0.1154 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | 1 | Liniani | | | | | | | | | 1 | | | |
| D00 | Termination per month | | <u> </u> | UNC1X | U1TF1 | 34.19 | 87.76 | 45.73 | 43.80 | 27.97 | | | 1 | | | |
| DS3 IN | TEROFFICE TRANSPORT FOR USE IN A COMBINATION | | 1 | 1 | - | | | | | | | | 1 | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Per Mile Per | | | LINIONY | 41.5777 | 0.50 | | | | | | | | | | |
| | Month | | 1 | UNC3X | 1L5XX | 2.53 | | | | | | | 1 | | | |
| | Interoffice Transport - Dedicated - DS3 - Facility Termination per | | 1 | LINICAY | LIATEO | 040.00 | 205.04 | 77.07 | 40.50 | 20.00 | | | 1 | | | |
| CTO: | month | | - | UNC3X | U1TF3 | 342.02 | 325.91 | 77.07 | 49.56 | 32.88 | | | 1 | | | |
| 515-1 | INTEROFFICE TRANSPORT FOR USE IN COMBINATION | | - | | - | | | | | | | | 1 | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Per Mile | | 1 | LINICOV | 41.5777 | 0.50 | l | | | | | | 1 | | | |
| | Per Month | | - | UNCSX | 1L5XX | 2.53 | | | | | | | 1 | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility | | 1 | LINICSY | U1TFS | 358.67 | 205.04 | 77.07 | 49.56 | 32.88 | | | 1 | | | |
| | | | 1 | UNCSX | UIIFS | 330.07 | 325.91 | 11.01 | 49.56 | 32.88 | | | - | | | |
| A-MIDE | Termination per month | SPOPT | | | | | 195.94 | 36.38 | 18.42 | 6.86 | | | 1 | | | |
| 4-WIRE | Termination per month 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANS | SPORT | 1 | LINCDX | LIDL56 | 21 26 | | | 18.42 | 6.86 | | | 1 | | | |
| 4-WIRE | Termination per month: 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANS 4-wire 56 kbps Local Loop in combination - Zone 1 | SPORT | | UNCDX | UDL56 | 21.86 28.36 | | 36.38 | | | | | | | | ì |
| 4-WIRE | Termination per month 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN: 4-wire 56 kbps Local Loop in combination - Zone 1 4-wire 56 kbps Local Loop in combination - Zone 2 | SPORT | 2 | UNCDX | UDL56 | 28.36 | 195.94 | 36.38 36.38 | | | | | | | | |
| 4-WIRE | Termination per month 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANS 4-wire 56 kbps Local Loop in combination - Zone 1 4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3 | SPORT | | | | | | 36.38 36.38 | 18.42 | 6.86 | | | | | | |
| 4-WIRE | Termination per month 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN: 4-wire 56 kbps Local Loop in combination - Zone 1 4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | SPORT | 2 | UNCDX | UDL56 UDL56 | 28.36 38.22 | 195.94 | | | | | | | | | |
| 4-WIRE | Termination per month 56 KBPS INTEROFFICE TRAN: 4-wire 56 kbps Local Loop in combination - Zone 1 4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month | SPORT | 2 | UNCDX | UDL56 | 28.36 | 195.94 | | | | | | | | | |
| 4-WIRE | Termination per month 56 KBPS INTEROFFICE TRAN: 4-wire 56 kbps Local Loop in combination - Zone 1 4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | SPORT | 2 | UNCDX | UDL56 UDL56 1L5XX | 28.36 38.22 0.0057 | 195.94 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |
| | Termination per month 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN: 4-wire 56 kbps Local Loop in combination - Zone 1 4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month | | 3 | UNCDX UNCDX UNCDX | UDL56 UDL56 | 28.36 38.22 | 195.94 | | | | | | | | | |
| | Termination per month 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN: 4-wire 56 Kbps Local Loop in combination - Zone 1 4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROI | | 3 | UNCDX UNCDX UNCDX UNCDX RT | UDL56 UDL56 1L5XX | 28.36 38.22 0.0057 7.83 | 195.94 195.94 66.53 | 36.38 | 18.42 43.42 | 6.86 27.60 | | | | | | |
| | Termination per month 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN: 4-wire 56 kbps Local Loop in combination - Zone 1 4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month | | 3 | UNCDX UNCDX UNCDX | UDL56 UDL56 1L5XX U1TD5 | 28.36 38.22 0.0057 | 195.94 195.94 | 36.38 | 18.42 | 6.86 | | | | | | |

| TEORY RATE ELEMENTS Intering Zone BCS USOC RATES (3) Section | Exhibit: A | Exh | nent: 2 | Attachm | | | | | | | | | | | | | Georgia | JNDLED NETWORK ELEMENTS - |
|--|--|---|--|---|-----------------------|------------------|------|----------|--|---------|------------|-----------------|----------------|--|-------------------|-----------|---------------------------------|---|
| No. Free Add? Free Add? SOME S | ncremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | cremental Charge - Inual Svc order vs. ectronic- 1st | Submitted Manually | ubmitted Elec | Sub | | | | | | USOC | BCS | Zone | Interim | | |
| Part Major procedured - Avere 64 Age combination VACOX 1,55X 0,0007 | SOMAN SOMAN | SOMAN | | | SOMAN | SOMEC | 91 | | | | | Rec | - | | | | | |
| Per Mile get morth | JOWAN JOWAN | JOHAN | JOWAN | JONAIN | JOIVIAIN | OCIVILO | - 30 | Addi | 11131 | Addi | 11131 | | - | | \rightarrow | | 4-wire 64 kbps combination - | Interoffice Transport - Dedicated - 4 |
| Basilly feministron or moth Micros Micro Micros Micros Micros Micros Micros Micros Micros | | | | | | | | | | | | 0.0057 | 1L5XX | UNCDX | , , | ļ | | |
| A-WINE DE ALERS DOTAL ALEXTROPE LOOP WITH DESPITE PRAISPORT 1 1 1 1 1 1 1 1 1 | | | | | | | | | | | | | | | | | 4-wire 64 kbps combination - | Interoffice Transport - Dedicated - 4 |
| 4-wer 69 listigs Load Loop in contrinsion - Zono 2 | | | | | | | 60 | 27.60 | 43.42 | 33.61 | 66.53 | 7.83 | U1TD6 | UNCDX | | | | |
| 4-wer 64 large Local upon combinement. Zone 2 2 UNCDX UDL66 78.36 196.44 56.58 | | | | | | | 0.0 | 6.06 | 10.42 | 26.20 | 10F 04 | 24.00 | LIDLEC | LINCDY | | TRANSP | | |
| 4-wire 64 kips: Local Loop in confination. 2 zons 3 3 INCOX 00.05 39.22 190.94 30.38 14.42 6.88 | | | | | | | | | | | | | | | | | | |
| 4-were 58 kps intentifice Transport - Declared - Fracility | | | | | | | | | | | | | | | | | | |
| A-wire St Kips Interiffice Transport - Decidated - Facility UNCDX U1TD6 7.88 86.50 33.61 43.42 27.60 | | | | | | | | | | | | | | | | | | |
| Trainination per month | | | | | | | | | | | | 0.0057 | 1L5XX | UNCDX | | | • | |
| A-WIRE GALES DIGITAL EXPENDED LOOP WITH SBO INTEROPPICE TRANSPORT 1 UNCDX UDL64 21.86 166.64 36.88 14.42 6.86 | | | | | | | | | | | | | | | | , | rt - Dedicated - Facility | |
| 4-stre 64 kips Local Loop in combination. 2 zon 2 2 UNCIX UDIGAL 2 2.66 185.64 86.86 4-stre 64 kips Local Loop in combination. 2 zon 2 2 UNCIX UDIGAL 2 2.36 105.64 86.86 4-stre 64 kips Local Loop in combination. 2 zon 3 3 UNCIX UDIGAL 2 2.36 105.64 8.36 16.42 6.66 4-stre 64 kips Local Loop in combination. 2 zon 3 3 UNCIX UDIGAL 2 2.36 105.64 8.36 16.42 6.66 4-stre 64 kips Local Loop in combination. 2 zon 3 3 UNCIX UDIGAL 2 2.36 105.64 8.36 16.42 6.66 4-stre 64 kips Local Loop in combination. 2 zon 3 4-stre 64 kips Local Loop in combination. 2 zon 3 4-stre 64 kips Local Loop in Combination. 2 zon 4 4-stre 64 kips Local Loop in Combination. 2 zon 4 4-stre 64 kips Loop in Combination. 2 zon 4 4-stre 64 kips Loop in Combination. 2 zon 5 4-stre 64 kips Loop in Combination. 2 zon 2 2 UNCIX USLXX 4 40.41 209.45 70.44 37.91 6.66 4-stre 64 kips Loop in Combination. 2 zon 2 2 UNCIX USLXX 4 40.41 209.45 70.44 37.91 6.66 4-stre 64 kips Loop in Combination. 2 zon 3 4-stre 64 kips Loop i | | | | | | | 50 | 27.60 | 43.42 | 33.61 | 66.53 | 7.83 | U1TD5 | UNCDX | | | | |
| A-verse of kips Local Loop in combration - Zone 2 2 LINCOX UDL64 28.38 159.44 36.38 16.42 6.86 | | | | | | | 36 | 6.00 | 10.40 | 26.20 | 105.04 | 24.00 | LIDL64 | LINCDY | | IKANSP | | |
| | | | | | + | | | | | | | | | | | | | |
| Havine 65 ktps Interoffice Transport - Dedicated - Fee Mile per morth UNCDX 1LSXX 0.0057 | | | | - | | | | | | | | | | | | | | |
| morth | | | j | | 1 | İ | Ť | 3.30 | 10.12 | 00.00 | 100.04 | 33.LZ | 1 | | | | | |
| Temmanton per month | | | | | | | | <u> </u> | <u> </u> | | | 0.0057 | 1L5XX | UNCDX | | | | month |
| SST DIGITAL LOP AND DS1 NYTERFOFFICE TRANSPORT 1 UNCIX USLXX 41.02 209.45 70.44 37.91 6.86 4.4Wire DS1 Digital Loop in Combination - Zone 2 2 UNCIX USLXX 41.02 209.45 70.44 37.91 6.86 4.4Wire DS1 Digital Loop in Combination - Zone 3 3 UNCIX USLXX 46.21 209.45 70.44 37.91 6.86 4.4Wire DS1 Digital Loop in Combination - Zone 3 3 UNCIX USLXX 62.03 209.45 70.44 37.91 6.86 4.4Wire DS1 Digital Loop in Combination - Zone 3 3 UNCIX USLXX 62.03 209.45 70.44 37.91 6.86 4.4Wire DS1 Digital Loop in Combination - Facility UNCIX USLXX 62.03 209.45 70.44 37.91 6.86 4.4Wire DS1 Digital Loop in Combination - Facility UNCIX USLXX 62.03 209.45 70.44 37.91 6.86 4.4Wire DS1 Digital Loop in Combination - Facility UNCIX USLXX 62.03 209.45 70.44 37.91 6.86 4.4Wire DS1 Digital Loop in Combination - Facility UNCIX USLXX 14.5XX 0.0.1154 | | | | | | | |] | | | | | | | - | | rt - Dedicated - Facility | |
| 4-Wire DST Digital Loop in Combination - Zone 1 | | | | | | | 60 | 27.60 | 43.42 | 33.61 | 66.53 | 7.83 | U1TD6 | UNCDX | | ! | | |
| A-Wire DS1 Digital Loop in Combination - Zone 2 2 UNC1X USLXX 46.41 209.45 70.44 37.91 6.86 | | | | | | | | 0.00 | 07.04 | 70.44 | 222.45 | 44.00 | 1101101 | 11110414 | | | | |
| A-Wire DS1 Digital Loop in Combination - Zone 3 3 MICLX USLXX 62.03 209.45 70.44 37.91 6.86 | | | | | | | | | | | | | | | | | | |
| Interoffice Transport - Dedicated - DS1 combination - Facility UNC1X | | | | | | | | | | | | | | | | | | |
| morth Interoffice Transport - Dedicated - DS1 combination - Facility UNC1X U1TF1 34.19 87.76 45.73 43.80 27.97 | | | | | | | 50 | 0.00 | 37.91 | 70.44 | 203.43 | 02.03 | USLAA | UNCIX | | —— | | |
| Interoffice Transport - Dedicated - DS3 combination - Facility UNC1X | | | | | | | | | | | | 0.1154 | 1L5XX | UNC1X | | , | De l'ochionidaen i el illie pe | |
| Termination per morth UNC1X UTF1 34.19 87.76 45.73 43.80 27.97 | | - | | | | | | | | | | | | | | | DS1 combination - Facility | |
| DS3 Local Loop in combination - per mile per month | | | | | | | 97 | 27.97 | 43.80 | 45.73 | 87.76 | 34.19 | U1TF1 | UNC1X | | | | Termination per month |
| DS3 Local Loop in combination - Facility Termination per morth UNC3X | | | | | | | | | | | | | | | | RT | | |
| InterOffice Transport - Dedicated - DS3 - Per Mile per morth | | | | | | | _ | | | | | 12.6155 | 1L5ND | UNC3X | | | er mile per month | DS3 Local Loop in combination - pe |
| InterOffice Transport - Dedicated - DS3 combination - Facility UNC3X U1F3 342.02 325.91 77.07 49.56 32.88 ST5-1 Local Lop in combination - per morth UNC3X U1F3 342.02 325.91 77.07 49.56 32.88 ST5-1 Local Lop in combination - per mile per morth UNC5X UNC5X UNC5X UNC5X UNC5X UNC5X UNC5X UNC5X UNC5X UNC5X U1F5 UNC5X UNC5X UNC5X U1F5 UNC5X U1F5 UNC5X UNC5X U1F5 U1F5 U | | | | | | | 22 | 97.262 | 120 0465 | 151 605 | 2.016.2145 | 201 207 | LIESDY | LINICSY | | , | acility Tarmination per month | DS2 Local Loop in combination Fr |
| Interoffice Transport - Dedicated - DS3 combination - Facility UNC3X | | | | | | | 32 | 67.202 | 129.0403 | 131.003 | 2,010.2145 | | | | \longrightarrow | | | |
| Termination per month | | | | | | | | | | | | 2.00 | TEOXIX | ONOON | | | | |
| STS-1 Local Loop in combination - per mile per month | | | | | | | 38 | 32.88 | 49.56 | 77.07 | 325.91 | 342.02 | U1TF3 | UNC3X | | , | , | |
| STS-1 Local Loop in combination - Facility Termination per morth UNCSX UDLS1 351.233 2,016.2145 151.685 129.8465 87.262 UNCSX UDLS1 Interoffice Transport - Dedicated - STS-1 combination - per mile per morth UNCSX UDLSX 1L5XX 2.53 UNCSX UDLST SS8.67 325.91 77.07 49.56 32.88 STFORD A Language of the combination of | | • | | | | | | | | | | | | | | PORT | D STS-1 INTEROFFICE TRAI | STS-1 DIGITAL LOOP WITH DEDICATED |
| Interoffice Transport - Dedicated - STS-1 combination - per mile per month | | | | | | | | | | | | 12.6155 | 1L5ND | UNCSX | | | per mile per month | STS-1 Local Lolp in combination - p |
| Interoffice Transport - Dedicated - STS-1 combination - per mile per month Interoffice Transport - Dedicated - STS-1 combination - Facility Interoffice Transport - Dedicated - STS-1 combination - Facility Interoffice Transport - Dedicated - STS-1 combination - Facility Interoffice Transport - Dedicated - STS-1 combination - Facility Interoffice Transport - Dedicated - STS-1 combination - Facility Interoffice Transport - Dedicated - STS-1 combination - Facility Interoffice Transport - Dedicated - STS-1 combination - Facility Interoffice Transport - Dedicated - STS-1 combination - Facility Interoffice Transport - Dedicated - STS-1 combination - Facility Interoffice Transport - Dedicated - STS-1 combination - Facility Interoffice Transport - Dedicated - STS-1 combination - Facility Interoffice Transport - Dedicated - STS-1 combination - Facility Interoffice Transport - Dedicated - STS-1 combination - Facility Interoffice Transport - Dedicated - STS-1 combination - Facility Interoffice Transport - Dedicated - STS-1 combination - Facility Interoffice Transport - Dedicated - STS-1 combination - Facility Interoffice Transport - Dedicated - STS-1 combination - Facility Interoffice Transport - Dedicated - STS-1 combination - Facility Interoffice Transport - Dedicated - STS-1 combination - Facility Interoffice Transport - Dedicated - STS-1 combination - Facility Interoffice Transport - Dedicated - STS-1 combination - Facility Interoffice Transport - Dedicated - STS-1 combination - Facility Interoffice Transport - Dedicated - STS-1 combination - Decomplish Interoffice Transport - Dedicated - STS-1 combination - Decomplish Interoffice Transport - Decomplish Interoffice Transport - Decomplish Interoffice Transport - Decomplish Interoffice Transport - Decomplish Interoffice Transport - Decomplish Interoffice Transport - Decomplish Interoffice Transport - Decomplish Interoffice Transport - Decomplish Interoffice Transport - Decomplish Interoffice Transport - Decomplish Interoffice Transport - Decomplish Interoffice Transport | | | T | T | T | Т | |] | 1 . T | _ | | | l | | Ţ | 7 | | |
| Determonth | | | | | | | 52 | 87.262 | 129.8465 | 151.685 | 2,016.2145 | 351.233 | UDLS1 | UNCSX | | | | |
| Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month UNCSX U1TFS 358.67 325.91 77.07 49.56 32.88 ITIONAL NETWORK ELEMENTS When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply. When used as ordinarily combined Network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not. Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) UNCVX, UNCDX, UNC1X, UNCDX, UNC1X, UNC2X, UNC1X, UNC3X, UNC1X, | | | | | | | | 1 |] | | | 0.50 | 11.5 | LINCSY | , , | ļ | 5 5-1 combination - per mile | |
| Termination per month | | | | | | | - | 1 | | | | ∠.53 | ILOAĀ | DINCOV | \longrightarrow | | STS-1 combination - Facility | |
| When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does not. When used as a part of a currently combined facility, the non-recurring charges apply and the Switch As Is Charge does not. Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) UNCVX, UNCDX, UNC1X, UNCDX, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, UNC2X, UNC1X, UNC3X, UNC1X, UNC2X, UNC1X, UNC2X, UNC1X, UNC2X, UNC1X, UNC2X, UNC1X, UNC2X, UNC1X, UNC2X, UNC1X, UNC3X, UNC1X, UNC2X, UNC1X, UNC2X, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, UNC2X, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, UNC1X, UNC3X, UNC1X, UNC1X, UNC3X, UNC1 | | | | | | | 38 | 32.88 | 49.56 | 77.07 | 325.91 | 358.67 | U1TFS | UNCSX | , , | ļ | combination i doilly | |
| When used as ordinarily combined Network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not. | | | | | | | | | | | | | | | | | | |
| Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) UNCVX, UNCDX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX | | | | | | | | | | | | es apply. | s Is charge do | oply, but a Switch A | not ap | harges d | ined facility, the non-recurrno | When used as a part of a currently comb |
| UNCVX, UNCDX, UNCCC 5.70 5.70 6.61 6.61 | | | | | | | | | | | | harge does not. | | | | | | |
| Nonrecurring Currently Combined Network Elements Switch -As-Is Charge | | | | | | | _ | | | | | | n) | s to each combination | applies | arge (One | rk Elements "Switch As Is" C | Nonrecurring Currently Combined Netwo |
| Nonrecurring Currently Combined Network Elements Switch -As-ls UNC1X, UNC3X, UNCCC 5.70 5.70 6.61 6.61 | | | | | | | | 1 |] | | | | | UNCVX, LINCDX | , , | ļ | | |
| Charge | | | | | | | | | | | | | | | | ļ | Network Elements Switch -As-Is | Nonrecurring Currently Combined N |
| Clear Channel Capability Extended Frame Option - per DS1 | | | | | | | 61 | 6.61 | 6.61 | 5.70 | 5.70 | | UNCCC | | | ļ | totalon Elomonio Canton 7to 10 | |
| Clear Channel Capability Extended Frame Option - per DS1 | | | | | | | | | | | | | | | | | | |
| Clear Channel Capability Super FrameOption - per DS1 | | | | | | | |] | | | | | | | | | | T |
| Clear Channel Capability Super FrameOption - per DS1 | | | | | | | 00 | 0.00 | 0.00 | 0.00 | 0.00 | | CCOEF | | | | Frame Option - per DS1 | Clear Channel Capability Extended |
| Clear Channel Capability (SF/ESF) Option - Subsequent Activity - ULDD1, U1TD1, UNC1X, USL NRCCC | | | l | | | | | | | | | | 00005 | | | | 0.0 | |
| Per DS1 | | | | | - | | טע | 0.00 | 0.00 | 0.00 | 0.00 | | CCOSF | | | | | |
| U1TD3, ULDD3, UE3, UNC3X NRCC3 218.74 7.66 0.7591 0.00 | | | | | | | 70 | 0.70 | 2.02 | 22.70 | 104.60 | | NIBCCC | | | , , | Option - Subsequent Activity - | |
| C-bit Parity Option - Subsequent Activity - per DS3 UE3, UNC3X NRCC3 218.74 7.66 0.7591 0.00 MULTIPLEXERS | | | | | | | 3 | 0.79 | 2.03 | 23.78 | 184.62 | | INRUCU | | | | | per Do I |
| MULTIPLEXERS | | | l | | | | 00 | 0.00 | 0.7591 | 7.66 | 218,74 | | NRCC3 | | | i ! | ctivity - per DS3 | C-bit Parity Option - Subsequent Ad |
| DS1 to DS0 Channel System per month UNC1X MQ1 69.75 86.10 | | | j | | 1 | İ | | 1.50 | | | | | 1 | -, | - | | | MULTIPLEXERS |
| | | | | | | | | | | | 86.10 | 69.75 | MQ1 | UNC1X | | | | DS1 to DS0 Channel System per m |
| OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop UDL 1D1DD 0.9963 11.98 11.39 6.61 6.61 | | | | | | | | | | | | | | | | | 0 Channel System - per month | |

| INBUNDLED N | NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachi | nent: 2 | | bit: A | |
|-------------|--|-----------|----------|-------|--------|--------|----------|------------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|--|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental | |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - | |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc | |
| TEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. | |
| | | | | | | | | | | | • | | Electronic- | Electronic- | Electronic- | Electronic- | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l | |
| - | | | | | | ı | Nonrec | urring | Nonrecurring | Disconnect | | | 220 | Rates (\$) | | | <u> </u> |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| OC | U-DP COCI (data) - DS1 to DS0 Channel System - per month | | | | - | | 1 1130 | Addi | 1 11 31 | Addi | CONLC | COMPAR | COMPAR | COMPAN | COMPAR | COMPAR | - |
| | 4-64kbs) used for connection to a channelized DS1 Local | | | | | | | | | | | | | | | | |
| | annel in the same SWC as collocation | | | U1TUD | 1D1DD | 0.9963 | 11.98 | 11.39 | 6.61 | 6.61 | | | | | | | |
| | rire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | CITOD | 10100 | 0.0000 | 11.50 | 11.00 | 0.01 | 0.01 | | | | | | | \vdash |
| | nth for a Local Loop | | | UDN | UC1CA | 1.66 | 15.81 | 11.39 | 6.61 | 6.61 | | 1 | | | | | 1 |
| | rire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | 55.1 | 00.0/(| 1.00 | 10.01 | 11.00 | 0.01 | 0.01 | | | | | | | t |
| | nth used for connection to a channelized DS1 Local Channel in | | | 1 | | | | | | | | | | | | | 1 |
| | same SWC as collocation | | | U1TUB | UC1CA | 1.66 | 15.81 | 11.39 | 6.61 | 6.61 | | | | | | | |
| | ice Grade COCI - DS1 to DS0 Channel System - per month | | | 01105 | 00.07 | 1.00 | 10.01 | 11.00 | 0.01 | 0.01 | | | | | | | \vdash |
| | ed for a Local Loop | | | UEA | 1D1VG | 0.4689 | 11.98 | 11.39 | 6.61 | 6.61 | | | | | | | |
| | ice Grade COCI - DS1 to DS0 Channel System - per month | | | OL/ | 15110 | 0.1000 | 11.00 | 11.00 | 0.01 | 0.01 | | | | | | | \vdash |
| | ed for connection to a channelized DS1 Local Channel in the | | | | | | | | | | | | | | | | |
| | ne SWC as collocation | | | U1TUC | 1D1VG | 0.4689 | 11.98 | 11.39 | 6.61 | 6.61 | | | | | | | |
| | 3 to DS1 Channel System per month | | | UNC3X | MQ3 | 121.90 | 11.00 | 11.00 | 0.01 | 0.01 | | | | | | | \vdash |
| | S-1 to DS1 Channel System per month | | | UNCSX | MQ3 | 121.90 | | | | | | | | | | | \vdash |
| | 1 COCI used with Loop per month | | | USL | UC1D1 | 7.35 | 15.81 | 11.39 | 6.61 | 6.61 | | | | | | | † |
| | 1 COCI (used for connection to a channelized DS1 Local | | | 002 | 00.5. | 7.00 | 10.01 | 11.00 | 0.01 | 0.01 | | | | | | | 1 |
| | annel in the same SWC as collocation) per month | | | U1TUA | UC1D1 | 7.35 | 15.81 | 11.39 | 6.61 | 6.61 | | | | | | | |
| | 1 COCI used with Interoffice Channel per month | | | U1TD1 | UC1D1 | 7.35 | 15.81 | 11.39 | 6.61 | 6.61 | | | | | | | † |
| | | | | | 1 | | | | | | | | | | | | † |
| DS | 3 Interface Unit (DS1 COCI) used with Local Channel per month | 1 | | ULDD1 | UC1D1 | 7.35 | 15.81 | 11.39 | 6.61 | 6.61 | | | | | | | |
| PBX LOCATE | | | | | 1 | | | | | | | | | | | | |
| 911 PBX L0 | OCATE DATABASE CAPABILITY | | | | | | | | | | | | | | | | |
| | rvice Establishment per CLEC per End User Account | | | 9PBDC | 9PBEU | | 1.825.00 | | | | | | | | | | t |
| | anges to TN Range or Customer Profile | | | 9PBDC | 9PBTN | | 182.67 | | | | | | | | | | t |
| | r Telephone Number (Monthly) | | | 9PBDC | 9PBMM | 0.07 | | | | | | | | | | | |
| | ange Company (Service Provider) ID | | | 9PBDC | 9PBPC | 0.01 | 536.23 | | | | | | | | | | |
| | X Locate Service Support per CLEC (Monthlt) | 1 | | 9PBDC | 9PBMR | 176.96 | | | | | | | | | | | |
| | rvice Order Charge | | | 9PBDC | 9PBSC | | 11.73 | | | | | | | | | | |
| | OCATE TRANSPORT COMPONENT | | | | | | | | | | | | | | | | |
| See Att 3 | | | | | İ | | | | | | | | | | | | T |
| | es displaying an "I" in Interim column are interim as a result o | f a Commi | ission o | rder. | | | | | | | | | | | | | T |

| NBU | NDLE | NETWORK ELEMENTS - Kentucky | | | | | | | | _ | | | | Attachi | ment: 2 | Exhi | oit: A |
|----------|----------|--|--|---------|--|----------------|---------------|-----------------|-----------------|-----------------------|---------------------|---|---|--|--|---|---|
| EGG | DRY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonred First | urring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | | Rates (\$) | SOMAN | SOMAN |
| _ | | | | | | | | FIISL | Auu i | FIISL | Auu i | SOIVIEC | SOWAN | SOWAN | SOWAN | SOWAN | SOWAN |
| | The "Zo | ne" shown in the sections for stand-alone loops or loops as pa | rt of a com | binatio | n refers to Geographi | ically Deaver | aged UNE Zone | s. To view Geo | graphically Dea | averaged UNE | Zone Designati | ons by Cent | ral Office, re | fer to internet | Website: | | |
| ji | http://w | ww.interconnection.bellsouth.com/become_a_clec/html/interco | nnection.h | tm | | | | | | | | | | | | | |
| RA | TIONAL | SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" | | | | | | | | | | | | | | | |
| | | | | | | | | - : : | | | | | | | | 00 | |
| | | CLEC should contact its contract negotiator if it prefers the 'ecific Commission ordered rates for the service ordering charge | | | | | | | | | | | | | | | |
| | | Any element that can be ordered electronically will be billed. | | | | | | | | | | | | | | | |
| | | electronically at present per the LOH, the listed SOMEC rate in | | | | | | | | | | | | | | | |
| | CLECs | bill when it submits an LSR to BellSouth. | | - | | | | | | | | | | | | | |
| ſ | Ţ | OSS - Electronic Service Order Charge, Per Local Service | | | | 001155 | | | | | | | | | | | |
| \dashv | | Request (LSR) - UNE Only OSS - Manual Service Order Charge, Per Local Service Request | - | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| | | OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only | 1 | | 1 | SOMAN | | 7.86 | 0.00 | 0.99 | 0.00 | 1 | | | | | |
| SE | RVICE | DATE ADVANCEMENT CHARGE | | | | OOWIN | | 7.00 | 0.00 | 0.55 | 0.00 | | | | | | |
| | | The Expedite charge will be maintained commensurate with Be | ISouth's I | FCC No | .1 Tariff, Section 5 as | applicable. | | | | | | | | | | | |
| | | UNE Expedite Charge per Circuit or Line Assignable USOC, per Day | | | UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1TD3, U1TB1, U1TD3, U1TB1, U1TD3, U1TB1, U1TD4, UC16C, UC16L, UC16C, | SDASP | | 200.00 | | | | | | | | | |
| | | XCHANGE ACCESS LOOP ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| Ŧ | 2-VVIKE | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEAL2 | 10.56 | 46.66 | 22.57 | 26.65 | 7.65 | - | | | | | |
| 1 | | 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 1 | | 2 | UEANL | UEAL2 | 15.34 | 46.66 | 22.57 | 26.65 | 7.65 | | | | | | |
| コ | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEAL2 | 31.11 | 46.66 | 22.57 | 26.65 | 7.65 | | | | | | |
| _[| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEASL | 10.56 | 46.66 | 22.57 | 26.65 | 7.65 | | | | | | |
| + | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | - | 3 | UEANL | UEASL | 15.34 | 46.66 46.66 | 22.57 22.57 | 26.65 | 7.65 7.65 | | | | | | |
| + | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User | - | 3 | UEANL | UEASL | 31.11 | 46.66 | 22.57 | 26.65 | 7.65 | - | | | | | |
| | | Oribundied Miscellaneous Rate Element, Tag Loop at End Oser Premise | 1 | | UEANL | URETL | | 8.33 | 0.83 | | | 1 | | | | | |
| † | | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 46.88 | 46.88 | | | | | | | | |
| ╛ | | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 24.16 | 24.16 | | | | | | | | |
| T | | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | LIEANI | LIDEWS | | 45.70 | 0.01 | | | | | | | | |
| + | | (UVL-SL1) Unbundled Voice Loop, Non-Design Voice Loop, billing for BST | | | UEANL | UREWO | 1 | 15.78 | 8.94 | | | | | | | | |
| | | onbundled voice Loop, Non-Design voice Loop, billing for BST providing make-up (Engineering Information - E.I.) | | | UEANL | UEANM | | 13.49 | 13.49 | | | 1 | | | | | |
| ╝ | | providing make-up (Engineering miormation - E.i.) | | | OLITIVE | 0 = 7 11 11 11 | | 10.10 | 10.10 | | | | | | | | |

| RONDLE | D NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachi | ment: 2 | Exhi | oit: A |
|----------|--|----------|--|---------------|----------------|----------------|------------------|------------------|--|---------------------|---|---|--|--|---|---|
| ORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | N | No. | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| 1 | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | | Rates (\$) SOMAN | SOMAN | SOMAN |
| + | Order Coordination for Specified Conversion Time for UVL-SL1 | | - | | | | FIISL | Auu i | FIISL | Auu i | SOIVIEC | SOWAN | SOWAN | JOWAN | SOWAN | JOIVIAN |
| | (per LSR) | | | UEANL | OCOSL | | 23.01 | 23.01 | | | | | | | | |
| | Unbundled COPPER LOOP | | | 02/1112 | 00002 | | 20.01 | 20.01 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | | 1 | UEQ | UEQ2X | 10.58 | 44.97 | 20.89 | 25.64 | 6.65 | | | | | | |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | | 2 | UEQ | UEQ2X | 11.51 | 44.97 | 20.89 | 25.64 | 6.65 | | | | | | |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | | 3 | UEQ | UEQ2X | 13.19 | 44.97 | 20.89 | 25.64 | 6.65 | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | | | | | | |
| | Premise | | | UEQ | URETL | | 8.33 | 0.83 | | | | | | | | |
| | Manual Order Coordination 2 Wire Unbundled Copper Loop - Non- | | | | | | | | | | | | | | | |
| | Designed (per loop) | | | UEQ | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | Unbundled Copper Loop, Non-Design Copper Loop, billing for | | | LIFO | LIEGANI | | 40.40 | 40.40 | | | | |] | | | |
| | BST providing make-up (Engineering Information - E.I.) | - | 1 | UEQ UEQ | UEQMU URET1 | | 13.49 46.88 | 13.49 46.88 | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour | 1 | 1 | UEQ | URETA | - | 24.16 | 24.16 | | | | | | | | |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | UEW | UNEIA | | 24.10 | 24.10 | | | | | | | | |
| | (UCL-ND) | | | UEQ | UREWO | | 14.27 | 7.43 | | | | | | | | |
| JNDLED E | XCHANGE ACCESS LOOP | | | 024 | UNLLIVO | | | | | | | | | | | |
| | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UEPSR UEPSB | UEALS | 10.56 | 46.66 | 22.57 | 26.65 | 7.65 | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UEPSR UEPSB | UEABS | 10.56 | 46.66 | 22.57 | 26.65 | 7.65 | | | | | | |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UEPSR UEPSB | UEALS | 15.34 | 46.66 | 22.57 | 26.65 | 7.65 | | | | | | |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UEPSR UEPSB | UEABS | 15.34 | 46.66 | 22.57 | 26.65 | 7.65 | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UEPSR UEPSB | UEALS | 31.11 | 46.66 | 22.57 | 26.65 | 7.65 | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | 3 | LIEBOD LIEBOD | LIEADO | 04.44 | 40.00 | 00.57 | 00.05 | 7.05 | | | | | | |
| | Zone 3 XCHANGE ACCESS LOOP | | 3 | UEPSR UEPSB | UEABS | 31.11 | 46.66 | 22.57 | 26.65 | 7.65 | | | | | | |
| | ANALOG VOICE GRADE LOOP | | | | | - | | | | | | | | | | |
| Z-VVIKE | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | _ | | | | | | | | | | | | | |
| | Ground Start Signaling - Zone 1 | | 1 | UEA | UEAL2 | 12.67 | 134.89 | 81.87 | 73.65 | 14.88 | | | | | | |
| _ | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | - | OLA | OLALZ | 12.07 | 134.03 | 01.07 | 73.03 | 14.00 | | | | | | |
| | Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | 17.45 | 134.89 | 81.87 | 73.65 | 14.88 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | <u> </u> | OL/1 | OLALE | 111.10 | 101.00 | 01.01 | 70.00 | 1 1.00 | | | | | | |
| | Ground Start Signaling - Zone 3 | | 3 | UEA | UEAL2 | 33.22 | 134.89 | 81.87 | 73.65 | 14.88 | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 23.01 | | | 30 | | | İ | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | | | | | | | | | |
| | Battery Signaling - Zone 1 | <u> </u> | 1 | UEA | UEAR2 | 12.67 | 134.89 | 81.87 | 73.65 | 14.88 | | | L | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | | | - | | | | | | |
| | Battery Signaling - Zone 2 | | 2 | UEA | UEAR2 | 17.45 | 134.89 | 81.87 | 73.65 | 14.88 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | 1 | | | l | | ٦ | · <u> </u> | | · <u></u> | 1 | | | | | |
| | Battery Signaling - Zone 3 | | 3 | UEA | UEAR2 | 33.22 | 134.89 | 81.87 | 73.65 | 14.88 | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | 1 | UEA | OCOSL | | 23.01 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | 1 | UEA | UREWO | | 87.72 | 36.36 | | | | | | | | |
| 4 1400- | Loop Tagging - Service Level 2 (SL2) | | 1 | UEA | URETL | | 11.21 | 1.10 | | | | | | | | |
| | ANALOG VOICE GRADE LOOP | | 1 | LIFA | LIEAL 4 | 20.00 | 404.43 | 110.00 | 78.91 | 18.66 | | | | | | |
| | 4-Wire Analog Voice Grade Loop - Zone 1 | | 2 | UEA UEA | UEAL4 UEAL4 | 29.26 34.25 | 164.11 164.11 | 112.36 112.36 | 78.91 78.91 | 18.66 | | | | | | |
| | 4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3 | 1 | 3 | UEA | UEAL4 | 34.25 85.06 | 164.11 | 112.36 | 78.91 78.91 | 18.66 | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | 1 | 3 | UEA | OCOSL | 80.00 | 23.01 | 112.36 | 16.91 | 10.00 | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | 1 | UEA | UREWO | - | 87.72 | 36.36 | | | | | | | | |
| | ISDN DIGITAL GRADE LOOP | 1 | 1 | 027. | 3 | | 51.172 | 33.00 | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UDN | U1L2X | 18.44 | 146.77 | 95.02 | 71.38 | 13.83 | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 2 | | 2 | UDN | U1L2X | 25.08 | 146.77 | 95.02 | 71.38 | 13.83 | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 3 | | 3 | UDN | U1L2X | 42.87 | 146.77 | 95.02 | 71.38 | 13.83 | | | | | | |
| | Order Coordination For Specified Conversion Time (per LSR) | | | UDN | OCOSL | | 23.01 | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDN | UREWO | | 91.63 | 44.16 | | | <u> </u> | | | | | |
| | | TIBLE LC | OOP | UDN | UREWO | | 91.63 | 44.16 | | | | | | | | |

| ADOIADE | D NETWORK ELEMENTS - Kentucky | | | | 1 | 1 | | | | | | • • • | | ment: 2 | | bit: A | + |
|---------|--|----------|------------|------------|----------------|--------|-----------------|------------|----------------|--------|--|---|--|--|---|---|----|
| EGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | | Ļ |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | 4 |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry & | | 2 | 1141 | 1141.07 | 44.70 | 444.00 | 70.70 | 00.00 | 44.47 | | | | | | | |
| | facility reservation - Zone 2 | | | UAL | UAL2X | 11.79 | 141.98 | 79.73 | 69.02 | 11.47 | | | | | | | ₩ |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3 | | 3 | UAL | UAL2X | 12.87 | 141.98 | 79.73 | 69.02 | 11.47 | | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | 3 | UAL | OCOSL | 12.07 | 23.01 | 19.13 | 09.02 | 11.47 | | | | | | | + |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | 0712 | 00002 | | 20.01 | | | | | | | | | | t |
| | facility reservaton - Zone 1 | | 1 | UAL | UAL2W | 10.82 | 121.18 | 69.00 | 69.09 | 11.54 | | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | | | | | | | | | | | | | Т |
| | facility reservaton - Zone 2 | | 2 | UAL | UAL2W | 11.79 | 121.18 | 69.00 | 69.09 | 11.54 | | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | | | | | | | | | | | | | П |
| | facility reservaton - Zone 3 | | 3 | UAL | UAL2W | 12.87 | 121.18 | 69.00 | 69.09 | 11.54 | | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 23.01 | | | | | | | | | | ┸ |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UAL | UREWO | | 86.20 | 40.40 | | | | | | | | | ╀ |
| 2-WIR | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT | IBLE LOC |)P | | - | | | | | | | | | | | | + |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & | | | | 11111 01/ | 0.75 | 454.54 | 00.00 | 00.00 | 44.54 | | | | | | | |
| - | facility reservation - Zone 1 2 Wire Unbundled HDSL Loop including manual service inquiry & | | 1 | UHL | UHL2X | 8.75 | 151.54 | 89.29 | 69.09 | 11.54 | - | | | | | | + |
| | facility reservation - Zone 2 | | 2 | UHL | UHL2X | 9.56 | 151.54 | 89.29 | 69.09 | 11.54 | | | | | | | 1 |
| _ | 2 Wire Unbundled HDSL Loop including manual service inquiry & | | | UHL | UHLZX | 9.50 | 131.34 | 69.29 | 69.09 | 11.54 | | | | | | | ╁ |
| | facility reservation - Zone 3 | | 3 | UHL | UHL2X | 10.61 | 151.54 | 89.29 | 69.09 | 11.54 | | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | 10.01 | 23.01 | 00.20 | 00.00 | 11.01 | | | | | | | t |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry and | | | 01.12 | 00002 | | 20.01 | | | | | | | | | | t |
| | facility reservation - Zone 1 | | 1 | UHL | UHL2W | 8.75 | 130.74 | 78.56 | 69.09 | 11.54 | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry and | | | | | | | | | | | | | | | | T |
| | facility reservation - Zone 2 | | 2 | UHL | UHL2W | 9.56 | 130.74 | 78.56 | 69.09 | 11.54 | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry and | | | | | | | | | | | | | | | | П |
| | facility reservation - Zone 3 | | 3 | UHL | UHL2W | 10.61 | 130.74 | 78.56 | 69.09 | 11.54 | | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 23.01 | | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 86.14 | 40.40 | | | | | | | | | ┺ |
| 4-WIR | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT | IBLE LOC |)P | | | | | | | | | | | | | | + |
| | 4 Wire Unbundled HDSL Loop including manual service inquiry and | | ایا | | 111111 437 | 40.05 | 405.75 | 400.50 | 74.05 | 44.00 | | | | | | | |
| _ | facility reservation - Zone 1 4-Wire Unbundled HDSL Loop including manual service inquiry and | | 1 | UHL | UHL4X | 13.95 | 185.75 | 123.50 | 74.95 | 14.69 | | | | | | | + |
| | facility reservation - Zone 2 | | 2 | UHL | UHL4X | 15.68 | 185.75 | 123.50 | 74.95 | 14.69 | | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry and | | | OTIL | OTILAX | 13.00 | 100.73 | 125.50 | 74.55 | 14.03 | | | | | | | + |
| | facility reservation - Zone 3 | | 3 | UHL | UHL4X | 16.98 | 185.75 | 123.50 | 74.95 | 14.69 | | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | 10.00 | 23.01 | 120.00 | 7 1.00 | 1 1.00 | | | | | | | t |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and | | | | | | | | | | | | | | | | t |
| | facility reservation - Zone 1 | | 1 | UHL | UHL4W | 13.95 | 164.95 | 114.04 | 77.32 | 15.80 | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and | | | | | | | | | | | | | | | | П |
| | facility reservation - Zone 2 | | 2 | UHL | UHL4W | 15.68 | 164.95 | 114.04 | 77.32 | 15.80 | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and | | | | | | | | | | | | | | | | |
| | facility reservation - Zone 3 | | 3 | UHL | UHL4W | 16.98 | 164.95 | 114.04 | 77.32 | 15.80 | | | | | | | ╀ |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 23.01 | | | | | | | | | | ╄ |
| 4 1400 | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 86.14 | 40.40 | | | | | | | | | + |
| 4-WIR | E DS1 DIGITAL LOOP | | | 1101 | USLXX | 86.47 | 306.69 | 174.44 | 05.00 | 14.55 | | | | | | | + |
| _ | 4-Wire DS1 Digital Loop - Zone 1 4-Wire DS1 Digital Loop - Zone 2 | | 2 | USL | USLXX | 114.10 | 306.69 | 174.44 | 65.83 65.83 | 14.55 | | | | | | | ╁ |
| | 4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 297.76 | 306.69 | 174.44 | 65.83 | 14.55 | ļ | | | | | | + |
| + | Order Coordination for Specified Conversion Time (per LSR) | | 3 | USL | OCOSL | 291.16 | 23.01 | 174.44 | 00.63 | 14.55 | | | | | | | + |
| - | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | - | 101.09 | 43.04 | | | | | | | | | t |
| 4-WIR | E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | 301 | 3.1.2.773 | | 101.03 | 70.04 | | 1 | | | | | | | t |
| 1 | 4 Wire Unbundled Digital 19.2 Kbps | | 1 | UDL | UDL19 | 27.59 | 157.81 | 106.06 | 78.91 | 18.66 | | | | | | | t |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 2 | UDL | UDL19 | 32.48 | 157.81 | 106.06 | 78.91 | 18.66 | | | | | | | Γ |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 3 | UDL | UDL19 | 36.37 | 157.81 | 106.06 | 78.91 | 18.66 | | | | | | | Γ |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | 1 | UDL | UDL56 | 27.59 | 157.81 | 106.06 | 78.91 | 18.66 | | | | | | | Г |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | 2 | UDL | UDL56 | 32.48 | 157.81 | 106.06 | 78.91 | 18.66 | | | | | - | - | ľ |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | 3 | UDL | UDL56 | 36.37 | 157.81 | 106.06 | 78.91 | 18.66 | | | | | | | L |
| | Order Coordination for Specified Conversion Time (per LSR) | | لــــــــا | UDL | OCOSL | | 23.01 | | | ļ | | | | | | | + |
| _ | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | 1 | UDL | UDL64 | 27.59 | 157.81 | 106.06 | 78.91 | 18.66 | | | | | | | + |
| + | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | 2 | UDL | UDL64 | 32.48 | 157.81 | 106.06 | 78.91 | 18.66 | | | | | | | + |
| - | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | 3 | UDL | UDL64 | 36.37 | 157.81 | 106.06 | 78.91 | 18.66 | ! | | | | | | + |
| 1 | Order Coordination for Specified Conversion Time (per LSR) | | | UDL UDL | OCOSL UREWO | | 23.01 102.13 | 49.75 | | | ļ | | | | | | 1_ |

| <u>NBUND</u> L | ED NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachi | ment: 2 | | bit: A |
|----------------|---|---------|----------|----------------|----------|---|---------|------------|--------------|-------|---|---|--|--|---|---|
| TEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | 001150 | SOMAN | | Rates (\$) | 001111 | 001111 |
| 2 WID | E Unbundled COPPER LOOP | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Z-VVIIN | 2-Wire Unbundled Copper Loop-Designed including manual | | | | | | | | | | | | | | | |
| | service inquiry & facility reservation - Zone 1 | | 4 | UCL | UCLPB | 10.82 | 140.95 | 78.70 | 69.09 | 11.54 | | | | | | |
| _ | 2-Wire Unbundled Copper Loop-Designed including manual | | | UCL | UCLFB | 10.02 | 140.95 | 76.70 | 09.09 | 11.54 | | | | | | |
| | service inquiry & facility reservation - Zone 2 | | 2 | UCL | UCLPB | 11.79 | 140.95 | 78.70 | 69.09 | 11.54 | | | | | | |
| | 2 Wire Unbundled Copper Loop-Designed including manual service | | <u> </u> | 002 | 002. 2 | | 1 10.00 | 70.70 | 00.00 | 11.01 | | | | | | |
| | inquiry & facility reservation - Zone 3 | | 3 | UCL | UCLPB | 12.87 | 140.95 | 78.70 | 69.09 | 11.54 | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed without manual service | | | | | | 0.00 | | | | | | | | | |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCLPW | 10.82 | 120.15 | 67.97 | 69.09 | 11.54 | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed without manual service | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCLPW | 11.79 | 120.15 | 67.97 | 69.09 | 11.54 | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed without manual service | | | | | 1 | | | | | | | | | | |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCLPW | 12.87 | 120.15 | 67.97 | 69.09 | 11.54 | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | L | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch (UCL- | | | | | | | | | | | | | | | |
| | Des) | | <u></u> | UCL | UREWO | | 97.23 | 42.48 | | | | | <u> </u> | | | |
| 4-WIR | E COPPER LOOP | | | | | | | | | | | | | | | |
| | 4-Wire Copper Loop-Designed including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UCL | UCL4S | 16.92 | 170.31 | 108.06 | 74.95 | 14.69 | | | | | | |
| | 4-Wire Copper Loop-Designed including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UCL | UCL4S | 17.36 | 170.31 | 108.06 | 74.95 | 14.69 | | | | | | |
| | 4-Wire Copper Loop-Designed including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UCL | UCL4S | 28.10 | 170.31 | 108.06 | 74.95 | 14.69 | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | |
| | 4-Wire Copper Loop-Designed without manual service inquiry and | | | | | | | | | | | | | | | |
| | facility reservation - Zone 1 | | 1 | UCL | UCL4W | 16.92 | 149.52 | 97.33 | 74.95 | 14.69 | | | | | | |
| | 4-Wire Copper Loop-Designed without manual service inquiry and | | | | | | | | | | | | | | | |
| | facility reservation - Zone 2 | | 2 | UCL | UCL4W | 17.36 | 149.52 | 97.33 | 74.95 | 14.69 | | | | | | |
| | 4-Wire Copper Loop-Designed without manual service inquiry and | | 3 | 1101 | 1101 414 | 00.40 | 440.50 | 07.00 | 74.05 | 44.00 | | | | | | |
| | facility reservation - Zone 3 | | 3 | UCL | UCL4W | 28.10 | 149.52 | 97.33 | 74.95 | 14.69 | | | | | | |
| _ | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch (UCL | | | UCL | UREWO | | 07.00 | 40.40 | | | | | | | | |
| OP MODIFI | ICATION | | | UCL | UKEWU | | 97.23 | 42.48 | | | - | | | | | |
| OF WIODIF | CATION | | | UAL, UHL, UCL, | | | | | | | | | | | | |
| | | | | UEQ, ULS, UEA, | | | | | | | | | | | | |
| | Unbundled Loop Modification, Removal of Load Coils - 2 Wire | | 1 | UEANL, UEPSR, | | | | | | | | | | | | |
| | pair less than or equal to 18k ft, per Unbundled Loop | | 1 | UEPSB | ULM2L | | 9.24 | 9.24 | | | | | | | | |
| _ | Unbundled Loop Modification Removal of Load Coils - 4 Wire less | | - | OLI OD | ULIVIZE | | 3.24 | 3.24 | | | | | | | | |
| | than or equal to 18K ft, per Unbundled Loop | | 1 | UHL, UCL, UEA | ULM4L | | 9.24 | 9.24 | | | | | | | | |
| | and or oqual to forth, por oribundiou coop | | 1 | UAL, UHL, UCL, | OLIVITE | | 5.24 | 5.24 | | | | | | | | |
| | | | 1 | UEQ, ULS, UEA, | | | | | | | | | | | | |
| | Unbundled Loop Modification Removal of Bridged Tap Removal, | | 1 | UEANL, UEPSR, | | | | | | | | | | | | |
| | per unbundled loop | | 1 | UEPSB | ULMBT | | 10.47 | 10.47 | | | | | | | | |
| B-LOOPS | | | | | | | | | | | | | | | | |
| Sub-L | oop Distribution | | | | | | | | | | | | | | | |
| | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- | | | | | | | | | | | | | | | |
| | Up | | <u>L</u> | UEANL | USBSA | <u> </u> | 207.91 | 207.91 | <u> </u> | | <u> </u> | | <u> </u> | | | <u></u> |
| | | | | | | | | | | | | | | | | |
| | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | - 1 | <u> </u> | UEANL | USBSB | | 12.50 | 12.50 | | | | | | | | |
| | Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility | | | | | | | | | | | | | | | |
| | Set-Up | - 1 | | UEANL | USBSC | | 80.87 | 80.87 | | | | | | | | |
| | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set- | | 1 | | | | | | | | | | | | | |
| | Up | | <u> </u> | UEANL | USBSD | | 45.04 | 45.04 | | | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | 1 | | | | | | | | | | | | | |
| | Zone 1 | I | 1 | UEANL | USBN2 | 6.34 | 85.03 | 39.05 | 59.81 | 7.90 | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | 1 | | | | | | | | | | | | | |
| _ | Zone 2 | I | 2 | UEANL | USBN2 | 9.06 | 85.03 | 39.05 | 59.81 | 7.90 | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | l _ | 1 | | | | | | _ | | | | | | |
| 1 | Zone 3 | | 3 | UEANL | USBN2 | 14.82 | 85.03 | 39.05 | 59.81 | 7.90 | | | | | | |
| | | | | | | | | | | | | | | | | |

| IBUNDLE | ED NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachr | nent: 2 | Exhi | bit: A | |
|------------|---|----------|--|-------------------------|----------------|---------|---------------|---------------|--------------|---------|---|---|--|--|---|---|---|
| GORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | | 1 |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | + |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | LIEANII | LIODNIA | 0.44 | 400.04 | 50.00 | 05.04 | 40.00 | | | | | | | |
| _ | Zone 1 | | 1 | UEANL | USBN4 | 8.14 | 102.31 | 56.32 | 65.24 | 10.88 | | | | | | | + |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEANL | USBN4 | 8.63 | 102.31 | 56.32 | 65.24 | 10.88 | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | OLANL | OODING | 0.03 | 102.51 | 30.32 | 03.24 | 10.00 | | | | | | | + |
| | Zone 3 | | 3 | UEANL | USBN4 | 25.60 | 102.31 | 56.32 | 65.24 | 10.88 | | | | | | | |
| | | | | | | | | | | | | | | | | | T |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9.00 | 9.00 | | | | | | | | | |
| | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | | | UEANL | USBR2 | 2.57 | 68.35 | 22.36 | 59.81 | 7.90 | | | | | | | L |
| | | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | ļ | UEANL | USBMC | | 9.00 | 9.00 | | | | | | | | | 4 |
| | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | I | 1 | UEANL | USBR4 | 4.98 | 76.49 | 30.51 | 65.24 | 10.88 | | | | | | | + |
| | Order Coordination for Unbundled Cub Loops, no. 11. | | 1 | UEANL | USBMC | | 0.00 | 0.00 | | | | | | | | | |
| - | Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Testing - Basic 1st Half Hour | <u> </u> | 1 | UEANL | USBMC URET1 | | 9.00 46.88 | 9.00 46.88 | | | | | | | | | + |
| - | Loop Testing - Basic 1st Hair Hour Loop Testing - Basic Additional Half Hour | 1 | | UEANL | URETA | + | 24.16 | 24.16 | | | | | | | | | + |
| + | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF | UCS2X | 5,45 | 85.03 | 39.05 | 59.81 | 7.90 | | | | | | | t |
| 1 | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | i | 2 | UEF | UCS2X | 7.06 | 85.03 | 39.05 | 59.81 | 7.90 | | | | | | | t |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | i | 3 | UEF | UCS2X | 9.67 | 85.03 | 39.05 | 59.81 | 7.90 | | | | | | | T |
| | | | | | | | | | | | | | | | | | T |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 9.00 | 9.00 | | | | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | - 1 | 1 | UEF | UCS4X | 7.09 | 102.31 | 56.32 | 65.24 | 10.88 | | | | | | | I |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | - 1 | 2 | UEF | UCS4X | 8.66 | 102.31 | 56.32 | 65.24 | 10.88 | | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | - 1 | 3 | UEF | UCS4X | 19.40 | 102.31 | 56.32 | 65.24 | 10.88 | | | | | | | 1 |
| | | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 9.00 | 9.00 | | | | | | | | | + |
| | Loop Testing - Basic 1st Half Hour | | | UEF | URET1 | | 46.88 | 46.88 | | | | | | | | | + |
| Habiia | Loop Testing - Basic Additional Half Hour Idled Network Terminating Wire (UNTW) | | | UEF | URETA | + | 24.16 | 24.16 | | | - | | | | | | + |
| Ulibuii | Unbundled Network Terminating Wire (UNTW) per Pair | | | UENTW | UENPP | 0.53 | 23.51 | 23.51 | | | | | | | | | + |
| Netwo | rk Interface Device (NID) | | | OZ.TTT | OZ.W. | 0.00 | 20.01 | 20.01 | | | | | | | | | + |
| | Network Interface Device (NID) - 1-2 lines | | | UENTW | UND12 | | 73.53 | 49.47 | | | | | | | | | t |
| | Network Interface Device (NID) - 1-6 lines | | | UENTW | UND16 | | 115.96 | 91.91 | | | | | | | | | T |
| | Network Interface Device Cross Connect - 2 W | | | UENTW | UNDC2 | | 8.56 | 8.56 | | | | | | | | | |
| | Network Interface Device Cross Connect - 4W | | | UENTW | UNDC4 | | 8.56 | 8.56 | | | | | | | | | |
| OTHER, I | PROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | | ┸ |
| | NID - Dispatch and Service Order for NID installation | | ļ | UENTW | UNDBX | 0.00 | 0.00 | | | | | | | | | | 4 |
| | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | 0.00 | 0.00 | | | | | | | | | | + |
| | Habitandlad Contract Name Provincesias Only No Date | | | UEANL,UEF,UEQ,U ENTW | UNECN | 0.00 | 0.00 | | | | | | | | | | |
| OTHER | Unbundled Contract Name, Provisioning Only - No Rate PROVISIONING ONLY - NO RATE | | | EINIVV | UNECN | 0.00 | 0.00 | | | | | | | | | | + |
| OTTILIX, I | ROVISIONING ONET - NO RATE | | 1 | | | 1 | | | | | | | | | | | + |
| | | | | UAL,UCL,UDC,UDL, | | | | | | | | | | | | | |
| 1 | Unbundled Contact Name, Provisioning Only - no rate | | | UDN,UEA,UHL,USL | UNECN | 0.00 | 0.00 | | | | | | | | | | |
| | Ĭ, | | | | | | | | | | | | | | | | T |
| | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate | | 1 | UEA,UDN,UCL,UDC | USBFQ | 0.00 | 0.00 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | ľ |
| | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate | | 1 | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | | | | | | | | | | Ļ |
| | Unbundled DS1 Loop - Superframe Format Option - no rate | | 1 | USL | CCOSF | 0.00 | 0.00 | | | | | | | | | | + |
| | Unbundled DS1 Loop - Expanded Superframe Format option - no | | 1 | Hel | CCOFF | 0.00 | 0.00 | | | | | | | | | | |
| CABACI | TY UNBUNDLED LOCAL LOOP | <u> </u> | 1 | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | | + |
| CAFACI | I ONDONDLED LOCAL LOOP | 1 | 1 | | | 1 | · · | | | | | | | | | | + |
| | High Capacity Unbundled Local Loop - DS3 - Per Mile per month | | 1 | UE3 | 1L5ND | 9.25 | ļ | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Facility Termination | 1 | | 1 | | 0.20 | İ | | İ | | | | | | | | T |
| | per month | | 1 | UE3 | UE3PX | 308.31 | 634.087 | 388.792 | 198.95 | 138.483 | | | | | | | 1 |
| | | | | | | | | | | | | | | | | | T |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month | 1 | <u></u> | UDLSX | 1L5ND | 9.25 | | | | | | | <u> </u> | | | | l |
| | High Capacity Unbundled Local Loop - STS-1 - Facility | | 1 | | | | | | | | | | | | | | ľ |
| | Termination per month | | 1 | UDLSX | UDLS1 | 320.51 | 634.087 | 388.792 | 198.95 | 138.483 | | | | | | | 1 |
| P MAKE-U | | 1 | 1 | | | ļ | | | | | | | | | | | + |
| 1 | Loop Makeup - Preordering Without Reservation, per working or | i | 1 | 1 | 1 | | | | 1 | | 1 | | 1 | | 1 | | 1 |

| IADOIADE | ED NETWORK ELEMENTS - Kentucky | | | 1 | | 1 | | | | | la c : | 0 6 : | | ment: 2 | | oit: A | ⊢ |
|----------|--|-----------|----------|--------------------------|--------------|----------|--------|------------|--------------|----------|--|---|--|--|---|---|---|
| EGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES (\$) | | <u> </u> | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | | + |
| | Loop Molecum Decordarios With Decorpotion nos enero facility | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | ╀ |
| | Loop Makeup - Preordering With Reservation, per spare facility queried (Manual). | | | UMK | UMKLP | | 24.85 | 24.85 | | | | | | | | | |
| | Loop MakeupWith or Without Reservation, per working or spare | | | OWIX | OWINE | | 24.03 | 24.03 | | | | | | | | | t |
| | facility queried (Mechanized) | | | UMK | UMKMQ | | 0.67 | 0.67 | | | | | | | | | |
| E SPLITT | NG | | | | | | | | | | | | | | | | T |
| | SPLITTING | | | | | | | | | | | | | | | | Γ |
| END | USER ORDERING-CENTRAL OFFICE BASED | | | | | | | | | | | | | | | | L |
| | Line Splitting - per line activation DLEC owned splitter | | | UEPSR UEPSB | UREOS | 0.61 | | | | | | | | | | | ╄ |
| | Line Splitting - per line activation BST owned - physical | | | UEPSR UEPSB | UREBP | 0.61 | 37.02 | 21.20 | 21.10 | 9.87 | | | | | | | ╀ |
| MAIN | Line Splitting - per line activation BST owned - virtual TENANCE | | | UEPSR UEPSB | UREBV | 0.61 | 37.02 | 21.20 | 21.10 | 9.87 | | | | | | | ╁ |
| | : The Expedite charge will be maintained commensurate with Be | IISouth's | FCC No | 1 Tariff Section 13.3 | 1 as annlica | ble | | | | | | | | | | | + |
| -1.1011 | No Trouble Found - per 1/2 hour increments - Basic | | . 55 140 | , 5000011 10.0 | ас арріюа | | 80.00 | 55.00 | | | | | | | | | t |
| | No Trouble Found - per 1/2 hour increments - Overtime | | | 1 | | | 90.00 | 65.00 | | | | | | | | | T |
| | No Trouble Found - per 1/2 hour increments - Premium | | | | | | 100.00 | 75.00 | | | | | | | | | Ι |
| | DEDICATED TRANSPORT | | | | | | | | | | | | | | | | ſ |
| INTE | ROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | ļļ | | | | | | | | | | | 1 |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | LIATION | 41.5777 | 0.01 | | | | | | | | | | | 1 |
| | Per Mile per month | | | U1TVX | 1L5XX | 0.01 | | | | | 1 | | | | | | + |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination | | | U1TVX | U1TV2 | 29.11 | 47.34 | 31.78 | 22.77 | 8.75 | | | | | | | 1 |
| | Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade | | | OTTVA | OTTVZ | 23.11 | 47.54 | 31.70 | 22.11 | 0.73 | | | | | | | t |
| | Rev Bat Per Mile per month | | | U1TVX | 1L5XX | 0.01 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat | | | | | | | | | | | | | | | | T |
| | Facility Termination . | | | U1TVX | U1TR2 | 29.11 | 47.34 | 31.78 | 22.77 | 8.75 | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - | | | | | | | | | | | | | | | | Γ |
| | Per Mile per month | | | U1TVX | 1L5XX | 0.01 | | | | | | | | | | | Ļ |
| | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - | | | | | 0.5.00 | 47.04 | | | | | | | | | | |
| | Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per | | | U1TVX | U1TV4 | 25.86 | 47.34 | 31.78 | 22.77 | 8.75 | 1 | | | | | | ╁ |
| | month | | | U1TDX | 1L5XX | 0.0115 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | 01157 | LOTOR | 0.0110 | | | | | | | | | | | H |
| | Termination | | | U1TDX | U1TD5 | 20.97 | 47.35 | 31.78 | 22.77 | 8.75 | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per | | | | | | | | | | | | | | | | |
| | month | | | U1TDX | 1L5XX | 0.0115 | | | | | | | | | | | ┺ |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | | | | 47.05 | 0.4.70 | | | | | | | | | |
| | Termination | | | U1TDX | U1TD6 | 20.97 | 47.35 | 31.78 | 22.77 | 8.75 | | | | | | | ╀ |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month | | | U1TD1 | 1L5XX | 0.23 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | OTTE | ILOXX | 0.23 | | | | | | | | | | | t |
| | Termination | | | U1TD1 | U1TF1 | 96.04 | 105.52 | 98.46 | 23.09 | 20.49 | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | | | | | | | | | Г |
| | month | | | U1TD3 | 1L5XX | 4.97 | | | | | | | | | | | L |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | 040 - : | | o= | | | | | | | |
| | Termination per month | | | U1TD3 | U1TF3 | 1,175.15 | 335.40 | 219.24 | 89.57 | 87.75 | | | | | | | ╀ |
| | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month | | | U1TS1 | 1L5XX | 4.97 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Facility | | | 01101 | ILOXX | 4.51 | | | | | | | | | | | t |
| | Termination | | | U1TS1 | U1TFS | 1,149.51 | 335.40 | 219.24 | 89.57 | 87.75 | | | | | | | |
| RK FIBER | | | | | | | | | | | | | | | | | I |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof | | | | | | | | | | | | | | | | Γ |
| | per month - Local Channel | | | UDF, UDFCX | 1L5DC | 54.06 | | | | | ļ | | | | | | 1 |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof | | | LIDE LIDECY | 1L5DF | 20.74 | | | | | | | | | | | |
| - | per month - Interoffice Channel NRC Dark Fiber - Interoffice Channel | | | UDF, UDFCX UDF, UDFCX | UDF14 | 30.74 | 732.53 | 192.67 | 377.27 | 241.67 | | | | | | | ۲ |
| _ | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof | | | ODI, ODI OX | ODI 14 | | 102.00 | 132.07 | 311.21 | 241.07 | | | | | | | H |
| | per month - Local Loop | | | UDF, UDFCX | 1L5DL | 54.06 | | | | | | | | | | | |
| TUAL CO | LLOCATION | | | | | | | | | | | | | | | | Γ |
| | | | | | | | | | | | | | | | | | Γ |
| | Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting | | | UEPSR UEPSB | VE1LS | 0.0309 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | | Ļ |
| YSICAL C | DLLOCATION Thursted Collegation 2 Wire Cross Connecte (Loop) for Line | | | | | | | | 1 | | ļ | | | | | | + |
| | Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting | | | UEPSR UEPSB | PE1LS | 0.0333 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | | 1 |
| | STENDED LINK (EELs) | | | UEPOR UEPOB | PEILO | 0.0333 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | | ₩ |

| NOTE: The 2-WIRE VO 2-V 2-V Voi 4-WIRE VO 4-V 4-V 4-V 4-V 4-V 4-V 2-V 2-V 2-V 2-V 2-V 2-V 2-V 2-V 2-V 2 | RATE ELEMENTS The monthly recurring and non-recurring charges below will apply the monthly recurring and the Switch-As-Is Charge and not the OICE GRADE LOOP FOR USE IN A COMBINATION -Wire VG Loop (SL2) in Combination - Zone 1 -Wire VG Loop (SL2) in Combination - Zone 2 -Wire VG Loop (SL2) in Combination - Zone 3 -OICE GRADE LOOP FOR USE IN A COMBINATION -Wire Analog Voice Grade Loop in Combination - Zone 1 -Wire Analog Voice Grade Loop in Combination - Zone 2 -Wire Analog Voice Grade Loop in Combination - Zone 3 -Wire Analog Voice Grade Loop in Combination - Zone 3 -Wire Selkbps Digital Grade Loop in Combination - Zone 1 -Wire 56kbps Digital Grade Loop in Combination - Zone 1 -Wire 56kbps Digital Grade Loop in Combination - Zone 2 -Wire 56kbps Digital Grade Loop in Combination - Zone 3 -Wire 56kbps Digital Grade Loop in Combination - Zone 3 -Wire 56kbps Digital Grade Loop in Combination - Zone 3 -Wire 56kbps Digital Grade Loop in Combination - Zone 3 -Wire 56kbps Digital Grade Loop in Combination - Zone 3 -Wire 56kbps Digital Grade Loop in Combination - Zone 3 -Wire 56kbps Digital Grade Loop in Combination - Zone 3 -Wire 56kbps Digital Grade Loop in Combination - Zone 3 -Wire 56kbps Digital Grade Loop in Combination - Zone 3 | | | uncvx UNCVX UNCVX UNCVX UNCVX | | | | Add'l s ' Ordinarily C | ombined' Network E | Add'l | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st OSS SOMAN | Incremental Charge - Manual Svc Order vs. Electronic- Add'I Rates (\$) SOMAN | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|--|---|-----------|--|----------------------------------|-------------------------|--|---------------------|---------------------------|--|--------------|---|---|--|---|---|---|
| NOTE: The 2-WIRE VO 2-V 2-V Voi 4-WIRE VO 4-V 4-V 4-V 4-V 4-V 4-V 2-V 2-V 2-V 2-V 2-V 2-V 2-V 2-V 2-V 2 | ne monthly recurring and the Switch-As-Is Charge and not the OICE GRADE LOOP FOR USE IN A COMBINATION -Wire VG Loop (SL2) in Combination - Zone 1 -Wire VG Loop (SL2) in Combination - Zone 2 -Wire VG Loop (SL2) in Combination - Zone 3 oice Grade COCI - Per Month OICE GRADE LOOP FOR USE IN A COMBINATION -Wire Analog Voice Grade Loop in Combination - Zone 1 -Wire Analog Voice Grade Loop in Combination - Zone 2 -Wire Analog Voice Grade Loop in Combination - Zone 3 oice Grade COCI in combination - per month 6 KBPS DIGITAL LOOP FOR USE IN A COMBINATION -Wire 56Kbps Digital Grade Loop in Combination - Zone 1 -Wire 56Kbps Digital Grade Loop in Combination - Zone 1 -Wire 56Kbps Digital Grade Loop in Combination - Zone 2 -Wire 56Kbps Digital Grade Loop in Combination - Zone 3 CU-DP COCI (data) per month (2.4-64kbs) | | 1 2 3 1 1 2 | UNCVX UNCVX UNCVX UNCVX UNCVX | UEAL2 UEAL2 UEAL2 | JNE combinations provisions provisions 12.67 | First provisioned a | Add'l s ' Ordinarily C | First Combined' Network E | Add'l | SOMEC | SOMAN | | | SOMAN | SOMAN |
| NOTE: The 2-WIRE VO 2-V 2-V Voi 4-WIRE VO 4-V 4-V 4-V 4-V 4-V 4-V 2-V 2-V 2-V 2-V 2-V 2-V 2-V 2-V 2-V 2 | ne monthly recurring and the Switch-As-Is Charge and not the OICE GRADE LOOP FOR USE IN A COMBINATION -Wire VG Loop (SL2) in Combination - Zone 1 -Wire VG Loop (SL2) in Combination - Zone 2 -Wire VG Loop (SL2) in Combination - Zone 3 oice Grade COCI - Per Month OICE GRADE LOOP FOR USE IN A COMBINATION -Wire Analog Voice Grade Loop in Combination - Zone 1 -Wire Analog Voice Grade Loop in Combination - Zone 2 -Wire Analog Voice Grade Loop in Combination - Zone 3 oice Grade COCI in combination - per month 6 KBPS DIGITAL LOOP FOR USE IN A COMBINATION -Wire 56Kbps Digital Grade Loop in Combination - Zone 1 -Wire 56Kbps Digital Grade Loop in Combination - Zone 1 -Wire 56Kbps Digital Grade Loop in Combination - Zone 2 -Wire 56Kbps Digital Grade Loop in Combination - Zone 3 CU-DP COCI (data) per month (2.4-64kbs) | | 1 2 3 1 1 2 | UNCVX UNCVX UNCVX UNCVX UNCVX | UEAL2 UEAL2 UEAL2 | ombinations provis | provisioned a | s ' Ordinarily C | ombined' Network E | | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| NOTE: The 2-WIRE VO 2-V 2-V Voi 4-WIRE VO 4-V 4-V 4-V 4-V 4-V 4-V 2-V 2-V 2-V 2-V 2-V 2-V 2-V 2-V 2-V 2 | ne monthly recurring and the Switch-As-Is Charge and not the OICE GRADE LOOP FOR USE IN A COMBINATION -Wire VG Loop (SL2) in Combination - Zone 1 -Wire VG Loop (SL2) in Combination - Zone 2 -Wire VG Loop (SL2) in Combination - Zone 3 oice Grade COCI - Per Month OICE GRADE LOOP FOR USE IN A COMBINATION -Wire Analog Voice Grade Loop in Combination - Zone 1 -Wire Analog Voice Grade Loop in Combination - Zone 2 -Wire Analog Voice Grade Loop in Combination - Zone 3 oice Grade COCI in combination - per month 6 KBPS DIGITAL LOOP FOR USE IN A COMBINATION -Wire 56Kbps Digital Grade Loop in Combination - Zone 1 -Wire 56Kbps Digital Grade Loop in Combination - Zone 1 -Wire 56Kbps Digital Grade Loop in Combination - Zone 2 -Wire 56Kbps Digital Grade Loop in Combination - Zone 3 CU-DP COCI (data) per month (2.4-64kbs) | | 1 2 3 1 1 2 | UNCVX UNCVX UNCVX UNCVX UNCVX | UEAL2 UEAL2 UEAL2 | ombinations provis | | | | lements. | | | | | | |
| 2-WIRE VO 2-\\ 2-\\ 2-\\ 2-\\ Voi 4-\\ 4-\\ 4-\\ 4-\\ 4-\\ 4-\\ 4-\\ 4-\ | OICE GRADE LOOP FOR USE IN A COMBINATION -Wire VG Loop (SL2) in Combination - Zone 1 -Wire VG Loop (SL2) in Combination - Zone 2 -Wire VG Loop (SL2) in Combination - Zone 3 oice Grade COCI - Per Month OICE GRADE LOOP FOR USE IN A COMBINATION -Wire Analog Voice Grade Loop in Combination - Zone 1 -Wire Analog Voice Grade Loop in Combination - Zone 2 -Wire Analog Voice Grade Loop in Combination - Zone 3 oice Grade COCI in combination - per month 6 KBPS DIGITAL LOOP FOR USE IN A COMBINATION -Wire 56Kbps Digital Grade Loop in Combination - Zone 1 -Wire 56Kbps Digital Grade Loop in Combination - Zone 2 -Wire 56Kbps Digital Grade Loop in Combination - Zone 2 -Wire 56Kbps Digital Grade Loop in Combination - Zone 3 CU-DP COCI (data) per month (2.4-64kbs) | non-recui | 1 2 3 | UNCVX UNCVX UNCVX UNCVX | UEAL2 UEAL2 UEAL2 | 12.67 | sioned as ' Cu | rently Combin | | | | | | | ├ | ,! |
| 2-V 2-V 2-V 2-V 2-V Voi 4-WIRE VO 4-V 4-V 4-V 4-V 4-V 4-V 4-V 0-C 4-WIRE 64 4-V 4-V 4-V 2-C 2-WIRE ISD 2-V 2-V 2-V 2-V 2-WIRE DS | -Wire VG Loop (SL2) in Combination - Zone 1 -Wire VG Loop (SL2) in Combination - Zone 2 -Wire VG Loop (SL2) in Combination - Zone 2 -Wire VG Loop (SL2) in Combination - Zone 3 oice Grade COCI - Per Month OICE GRADE LOOP FOR USE IN A COMBINATION -Wire Analog Voice Grade Loop in Combination - Zone 1 -Wire Analog Voice Grade Loop in Combination - Zone 2 -Wire Analog Voice Grade Loop in Combination - Zone 3 oice Grade COCI in combination - per month 6 KBPS DIGITAL LOOP FOR USE IN A COMBINATION -Wire 56Kbps Digital Grade Loop in Combination - Zone 1 -Wire 56Kbps Digital Grade Loop in Combination - Zone 2 -Wire 56Kbps Digital Grade Loop in Combination - Zone 3 CU-DP COCI (data) per month (2.4-64kbs) | | 1 2 | UNCVX UNCVX UNCVX | UEAL2 UEAL2 | | | , | ed' Network Elemen | ts. | | | | | | |
| 2-\ 2-\ 2- | -Wire VG Loop (SL2) in Combination - Zone 2 -Wire VG Loop (SL2) in Combination - Zone 3 oice Grade COCI - Per Month OICE GRADE LOOP FOR USE IN A COMBINATION -Wire Analog Voice Grade Loop in Combination - Zone 1 -Wire Analog Voice Grade Loop in Combination - Zone 2 -Wire Analog Voice Grade Loop in Combination - Zone 3 oice Grade COCI in combination - per month 6 KBPS DIGITAL LOOP FOR USE IN A COMBINATION -Wire 56Kbps Digital Grade Loop in Combination - Zone 1 -Wire 56Kbps Digital Grade Loop in Combination - Zone 2 -Wire 56Kbps Digital Grade Loop in Combination - Zone 2 -Wire 56Kbps Digital Grade Loop in Combination - Zone 3 CU-DP COCI (data) per month (2.4-64kbs) | | 1 2 | UNCVX UNCVX UNCVX | UEAL2 UEAL2 | | | | | | | | | | | |
| 2-V Voi 4-WIRE VO 4-V 4-V Voi 4-V 4-V 4-V 4-V 4-V 4-V 4-V 4-V 2-V 2-WIRE ISE 2-V 2-V 4-WIRE DS | -Wire VG Loop (SL2) in Combination - Zone 3 olice Grade COCI - Per Month OICE GRADE LOOP FOR USE IN A COMBINATION -Wire Analog Voice Grade Loop in Combination - Zone 1 -Wire Analog Voice Grade Loop in Combination - Zone 2 -Wire Analog Voice Grade Loop in Combination - Zone 2 -Wire Analog Voice Grade Loop in Combination - Zone 3 oice Grade COCI in combination - per month S KBPS Digital LOOP FOR USE IN A COMBINATION -Wire 56Kbps Digital Grade Loop in Combination - Zone 1 -Wire 56Kbps Digital Grade Loop in Combination - Zone 2 -Wire 56Kbps Digital Grade Loop in Combination - Zone 3 CU-DP COCI (data) per month (2.4-64kbs) | | 1 2 | UNCVX | UEAL2 | 17.45 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| Voi 4-WIRE VO 4-V 4-V Voi 4-V 4-V 4-V 4-V 4-V 4-V 4-V 4-V 2-WIRE ISD 2-V | oice Grade COCI - Per Month OICE GRADE LOOP FOR USE IN A COMBINATION -Wire Analog Voice Grade Loop in Combination - Zone 1 -Wire Analog Voice Grade Loop in Combination - Zone 2 -Wire Analog Voice Grade Loop in Combination - Zone 3 oice Grade COCI in combination - per month 6 KBPS DIGITAL LOOP FOR USE IN A COMBINATION -Wire 56Kbps Digital Grade Loop in Combination - Zone 1 -Wire 56Kbps Digital Grade Loop in Combination - Zone 2 -Wire 56Kbps Digital Grade Loop in Combination - Zone 3 CU-DP COCI (data) per month (2.4-64kbs) | | 1 2 | UNCVX | | | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| 4-WIRE VO 4-V 4-V 4-V 4-V 4-V 4-V 6-C 4-WIRE 56 4-WIRE 64 4-V 4-V 2-WIRE ISD 2-V 2-V 2-V 4-WIRE DS | OICE GRADE LOOP FOR USE IN A COMBINATION -Wire Analog Voice Grade Loop in Combination - Zone 1 -Wire Analog Voice Grade Loop in Combination - Zone 2 -Wire Analog Voice Grade Loop in Combination - Zone 3 oice Grade COCI in combination - per month 6 KBPS DIGITAL LOOP FOR USE IN A COMBINATION -Wire 56Kbps Digital Grade Loop in Combination - Zone 1 -Wire 56Kbps Digital Grade Loop in Combination - Zone 2 -Wire 56Kbps Digital Grade Loop in Combination - Zone 3 CU-DP COCI (data) per month (2.4-64kbs) | | 2 | | 1D1VG | 33.22 | 125.22 | 60.48 | 59.69 | 7.84 | | | | 1 | 1 | |
| 4-V 4-V 4-V 4-V 4-V 4-V 4-V 4-V 4-V 4-V | -Wire Analog Voice Grade Loop in Combination - Zone 1 -Wire Analog Voice Grade Loop in Combination - Zone 2 -Wire Analog Voice Grade Loop in Combination - Zone 3 -Wire Sale Voice Grade Loop in Combination - Zone 3 oice Grade COCI in combination - per month -Wire 56Kbps Digital Grade Loop in Combination - Zone 1 -Wire 56Kbps Digital Grade Loop in Combination - Zone 2 -Wire 56Kbps Digital Grade Loop in Combination - Zone 3 CU-DP COCI (data) per month (2.4-64kbs) | | 2 | LINCVY | | 0.62 | 6.71 | 4.84 | | | | | | ı | 1 | |
| 4-V 4-V 4-V 4-V 4-V 4-V 4-V 4-V 0C 4-WIRE 64 4-V 4-V 0C 2-WIRE ISD 2-V 2-V 2-V 2-V 4-WIRE DS | -Wire Analog Voice Grade Loop in Combination - Zone 2 -Wire Analog Voice Grade Loop in Combination - Zone 3 oice Grade COCI in combination - per month 6 KBPS DIGITAL LOOP FOR USE IN A COMBINATION -Wire 56Kbps Digital Grade Loop in Combination - Zone 1 -Wire 56Kbps Digital Grade Loop in Combination - Zone 2 -Wire 56Kbps Digital Grade Loop in Combination - Zone 3 CU-DP COCI (data) per month (2.4-64kbs) | | 2 | LINCVY | | | | | | | | | | 1 | 1 | |
| 4-WIRE 56 4-WIRE 56 4-VIRE 64 4-VIRE 64 4-VIRE 64 4-VIRE 62 2-VIRE ISL 2-VIRE 152 2-VIRE 152 4-WIRE DS | -Wire Analog Voice Grade Loop in Combination - Zone 3 oice Grade COCI in combination - per month 6 KBPS DIGITAL LOOP FOR USE IN A COMBINATION -Wire 56Kbps Digital Grade Loop in Combination - Zone 1 -Wire 56Kbps Digital Grade Loop in Combination - Zone 2 -Wire 56Kbps Digital Grade Loop in Combination - Zone 3 CU-DP COCI (data) per month (2.4-64kbs) | | | UNCVX | UEAL4 | 29.26 | 125.22 | 60.48 | 59.69 | 7.84 | | | | i | | |
| 4-WIRE 56 4-WIRE 56 4-VIRE 64 4-VIRE 64 4-VIRE 64 4-VIRE 62 2-VIRE ISL 2-VIRE 152 2-VIRE 152 4-WIRE DS | -Wire Analog Voice Grade Loop in Combination - Zone 3 oice Grade COCI in combination - per month 6 KBPS DIGITAL LOOP FOR USE IN A COMBINATION -Wire 56Kbps Digital Grade Loop in Combination - Zone 1 -Wire 56Kbps Digital Grade Loop in Combination - Zone 2 -Wire 56Kbps Digital Grade Loop in Combination - Zone 3 CU-DP COCI (data) per month (2.4-64kbs) | | 3 | UNCVX | UEAL4 | 34.25 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| Voi 4-WIRE 56 4-V 4-V OC 4-WIRE 64 4-V OC 2-WIRE ISE 2-V 2-V 2-V 2-V 2-WIRE DS | oice Grade COCI in combination - per month 8 KBPS DIGITAL LOOP FOR USE IN A COMBINATION -Wire 56Kbps Digital Grade Loop in Combination - Zone 1 -Wire 56Kbps Digital Grade Loop in Combination - Zone 2 -Wire 56Kbps Digital Grade Loop in Combination - Zone 3 CU-DP COCI (data) per month (2.4-64kbs) | | | UNCVX | UEAL4 | 85.06 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| 4-WIRE 56 4-V 4-V OC 4-WIRE 64 4-V 4-V 0C 2-WIRE ISD 2-V 2-V 2-V 4-WIRE DS | 6 KBPS DIGITAL LOOP FOR USE IN A COMBINATION -Wire 56Kbps Digital Grade Loop in Combination - Zone 1 -Wire 56Kbps Digital Grade Loop in Combination - Zone 2 -Wire 56Kbps Digital Grade Loop in Combination - Zone 3 CU-DP COCI (data) per month (2.4-64kbs) | | | UNCVX | 1D1VG | 0.62 | 6.71 | 4.84 | | | | | | | 1 | |
| 4-\ 4-\ | -Wire 56Kbps Digital Grade Loop in Combination - Zone 2 -Wire 56Kbps Digital Grade Loop in Combination - Zone 3 CU-DP COCI (data) per month (2.4-64kbs) | | | | | | | | | | | | | | | |
| 4-\ 4-\ | -Wire 56Kbps Digital Grade Loop in Combination - Zone 2 -Wire 56Kbps Digital Grade Loop in Combination - Zone 3 CU-DP COCI (data) per month (2.4-64kbs) | | 1 | UNCDX | UDL56 | 27.59 | 125.22 | 60.48 | 59.69 | 7.84 | | | | i t | <i>i</i> | |
| 4-V OC 4-WIRE 64 4-V OC 2-WIRE ISD 2-V 2-V 2-V 4-WIRE DS | -Wire 56Kbps Digital Grade Loop in Combination - Zone 3 CU-DP COCI (data) per month (2.4-64kbs) | | 2 | UNCDX | UDL56 | 32.48 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| 4-WIRE 64 4-V 4-V 0C 2-WIRE ISD 2-V 2-V 2-V 4-WIRE DS | CU-DP COCI (data) per month (2.4-64kbs) | | 3 | UNCDX | UDL56 | 36.37 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| 4-WIRE 64 4-\ 4-\ 4-\ 0C 2-WIRE ISD 2-\ 2-\ 2-\ 2-\ 4-WIRE DS | | | ΙŤ | UNCDX | 1D1DD | 1.32 | 6.71 | 4.84 | | | | | | - 1 | | |
| 4-V 4-V OC 2-WIRE ISD 2-V 2-V 2-V 4-WIRE DS | | | | | 1.0.00 | | 5.71 | | | | | | | $\overline{}$ | | |
| 4-V 4-V 0C 2-WIRE ISD 2-V 2-V 2-V 4-WIRE DS | -Wire 64Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL64 | 27.59 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| 2-WIRE ISD 2-V 2-V 2-V 2-V 4-WIRE DS | -Wire 64Kbps Digital Grade Loop in Combination - Zone 1 | | 2 | UNCDX | UDL64 | 32.48 | 125.22 | 60.48 | 59.69 | 7.84 | | | | \longrightarrow | $\overline{}$ | |
| 2-WIRE ISD 2-\ 2-\ 2-\ 2-\ 2-w 4-WIRE DS | -Wire 64Kbps Digital Grade Loop in Combination - Zone 2 | | 3 | UNCDX | UDL64 | 36.37 | 125.22 | 60.48 | 59.69 | 7.84 | | | | \longrightarrow | $\overline{}$ | |
| 2-WIRE ISD 2-V 2-V 2-V 2-WIRE DS | CU-DP COCI (data) - in combination - per month (2.4-64kbs) | | 3 | UNCDX | 1D1DD | 1.32 | 6.71 | 4.84 | 59.09 | 1.04 | | | | \longrightarrow | \longrightarrow | |
| 2-\ 2-\ 2-\ 2-w 4-WIRE DS | | | | UNCDA | טטוטו | 1.32 | 6./1 | 4.84 | | | | | | | | |
| 2-V 2-W 2-w 4-WIRE DS | DN LOOP FOR USE IN COMBINATION | | | LINONIX | 1141.07 | 18.44 | 125.22 | 00.10 | 50.00 | 7.01 | | + | | | | |
| 2-V 2-w 4-WIRE DS | -Wire ISDN Loop in Combination - Zone 1 | | 1 | UNCNX | U1L2X U1L2X | 18.44 25.08 | | 60.48 | 59.69 59.69 | 7.84 7.84 | | | | | | |
| 2-w 4-WIRE DS | -Wire ISDN Loop in Combination - Zone 2 | | 2 | UNCNX | | | 125.22 | 60.48 | | | | - | | | | |
| 4-WIRE DS | -Wire ISDN Loop in Combination - Zone 3 | | 3 | UNCNX | U1L2X | 42.87 | 125.22 | 60.48 | 59.69 | 7.84 | | | | \longrightarrow | \longmapsto | |
| | wire ISDN COCI (BRITE) - in combination - per month | | <u> </u> | UNCNX | UC1CA | 2.84 | 6.71 | 4.84 | | | | | | | ├ | |
| | S1 DIGITAL LOOP FOR USE IN A COMBINATION | | | | | ++ | | | | | | | | | | |
| | Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 86.47 | 210.70 | 114.60 | 63.96 | 17.97 | | | | | | |
| | Wire DS1 Digital Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 114.10 | 210.70 | 114.60 | 63.96 | 17.97 | | | | | | |
| | Wire DS1 Digital Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 297.76 | 210.70 | 114.60 | 63.96 | 17.97 | | | | 1 | 1 | |
| | S1 COCI in combination per month | | | UNC1X | UC1D1 | 11.80 | 6.71 | 4.84 | | | | | | 1 | 1 | |
| 2 WIRE VO | OICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | MBINATION | NC | | | | | | | | | | | ı | 1 | |
| | | | | | | | | | | | | | | ı l | ı l | , ! |
| Inte | teroffice Transport - 2-wire VG - Dedicated- Per Mile Per Month | | | UNCVX | 1L5XX | 0.01 | | | | | | | | 1 | 1 | |
| Inte | teroffice Transport - 2-wire VG - Dedicated - Facility Termination | | | | | | | | | | | | | i I | í | |
| | er month | | | UNCVX | U1TV2 | 23.95 | 98.09 | 53.67 | 56.31 | 22.42 | | | | ı | ı | |
| 4 WIRE VO | OICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | MBINATION | NC | | | | | | | | | | | 1 | 1 | |
| | | | 1 | | | | | | | | | | | , — — | , — — | |
| Inte | teroffice Transport - 4-wire VG - Dedicated - Per Mile Per Month | | <u> </u> | UNCVX | 1L5XX | 0.01 | | | | | | | | l | <u>. </u> | <u>, </u> |
| Inte | teroffice Transport - 4-wire VG - Dedicated - Facility | | | | | | | | | | | | | | | |
| | ermination per month | | | UNCVX | U1TV4 | 23.95 | 98.09 | 53.67 | 56.31 | 22.42 | | | | , l | ₁ | , , |
| | ROFFICE TRANSPORT FOR COMBINATION | | | | | | | | i i | | | | | 1 | 1 | |
| | teroffice Transport - Dedicated - DS1 combination - Per Mile per | | | | | | | | į į | | | | | i t | <i></i> † | |
| | onth | | | UNC1X | 1L5XX | 0.19 | | | 1 | | | | | ₁ 1 | ₁ 1 | , , |
| | teroffice Transport - Dedicated - DS1 combination - Facility | | | | | 1 | | | i i | | | | | - 1 | t | |
| | ermination per month | | | UNC1X | U1TF1 | 79.02 | 181.24 | 123.53 | 56.72 | 22.32 | | | | ₁ 1 | ₁ 1 | , , |
| | 0 Channelization System in combination Per Month | | 1 | UNC1X | MQ1 | 113.33 | 57.26 | 14.74 | 1.86 | 1.67 | | | | $\overline{}$ | | |
| | ROFFICE TRANSPORT FOR USE IN A COMBINATION | | | | | | JEJ | | | | | | | - 1 | t | |
| | teroffice Transport - Dedicated - DS3 combination - Per Mile Per | | | | | | | | i i | | | | | - 1 | t | |
| | onth | | | UNC3X | 1L5XX | 4.09 | | | 1 | | | | | ₁ 1 | ₁ 1 | , , |
| | teroffice Transport - Dedicated - DS3 - Facility Termination per | | 1 | | | | | | | | | | | $\overline{}$ | | |
| | onth | | 1 | UNC3X | U1TF3 | 966.89 | 350.56 | 141.58 | 48.00 | 23.39 | | | | ı l | ı l | , , |
| | TEROFFICE TRANSPORT FOR USE IN COMBINATION | | 1 | | 00 | 1 300.03 | 300.00 | 1-1.50 | .0.00 | 20.00 | | | | | | |
| | teroffice Transport - Dedicated - STS-1 combination - Per Mile | | | + | + | + | - | | | | | | | \longrightarrow | $\overline{}$ | |
| | er Month | | | UNCSX | 1L5XX | 4.09 | | | 1 | | | | | ₁ 1 | ₁ 1 | , , |
| | er Month teroffice Transport - Dedicated - STS-1 combination - Facility | | | UNUOA | ILUAA | 4.09 | | | | | | - | | | | |
| | | | 1 | LINCOV | LIATEO | 0.45.70 | 250.50 | 444.50 | 40.00 | 20.00 | | | | ₁ 1 | ₁ 1 | , , |
| | ermination per month | 20057 | 1 | UNCSX | U1TFS | 945.79 | 350.56 | 141.58 | 48.00 | 23.39 | | | | | | |
| | KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANS | PORT | | LILLORY | | | 105.5 | | 50.00 | | | | | | | |
| | wire 56 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL56 | 27.59 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | ,! |
| | wire 56 kbps Local Loop in combination - Zone 2 | | 2 | | UDL56 | 32.48 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | wire 56 kbps Local Loop in combination - Zone 3 teroffice Transport - Dedicated - 4-wire 56 kbps combination - | | 3 | UNCDX | UDL56 | 36.37 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| Inte Per | | | Ī | 1 | 1 | | | | , , | 7.04 | | | | | ч , | '——— |

| BUNDLE | ED NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: A |
|--------|--|-----------|----------|-----------------------|---------------|-----------------|-----------------|-----------------|---|---------------------|---|---|--|--|---|---|
| GORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| ┼ | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | Disconnect Add'l | COMEC | SOMAN | | Rates (\$) SOMAN | SOMAN | SOMAN |
| +- | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | + | | | | FIISL | Auu i | FIISL | Auu i | SOIVIEC | JOWAN | SOWAN | SOWAN | SOWAN | JOWAN |
| | Facility Termination per month | | | UNCDX | U1TD5 | 17.25 | 98.09 | 53.67 | 56.31 | 22.42 | | | | | | |
| 4-WIR | 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROI | FFICE TR | ANSPO | | 01120 | 11.20 | 00.00 | 00.01 | 00.01 | | | | | | | |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 1 | | 1 | UNCDX | UDL64 | 27.59 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 2 | | 2 | | UDL64 | 32.48 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 3 | | | UNCDX | UDL64 | 36.37 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | | | |
| | Per Mile per month | | | UNCDX | 1L5XX | 0.01 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | | | |
| | Facility Termination per month | | | UNCDX | U1TD6 | 17.25 | 98.09 | 53.67 | 56.31 | 22.42 | | | | | | |
| 4-WIR | 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE | TRANS | PORT | | | | | | | | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL56 | 27.59 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 32.48 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 36.37 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per | | | | | | İ | | | | | | | | | |
| | month | <u></u> | <u> </u> | UNCDX | 1L5XX | 0.01 | | | <u> </u> | | <u> </u> | | <u> </u> | | | |
| | 4-wire 56 kbps Interoffice Transport - Dedicated - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNCDX | U1TD5 | 17.25 | 98.09 | 53.67 | 56.31 | 22.42 | | | | | | |
| 4-WIR | 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE | TRANSI | PORT | ĺ | | | | | | | | | | | | |
| | 4-wire 64 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL64 | 27.59 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | 4-wire 64 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL64 | 32.48 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | 4-wire 64 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL64 | 36.37 | 125.22 | 60.48 | 59.69 | 7.84 | | | | | | |
| | 14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | UNCDX | 1L5XX | 0.01 | | | | | | | | | | |
| | 4-wire 64 kbps Interoffice Transport - Dedicated - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNCDX | U1TD6 | 17.25 | 98.09 | 53.67 | 56.31 | 22.42 | | | | | | |
| DS1 D | IGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 86.47 | 210.70 | 114.60 | 63.96 | 17.97 | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 114.10 | 210.70 | 114.60 | 63.96 | 17.97 | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 297.76 | 210.70 | 114.60 | 63.96 | 17.97 | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | UNC1X | 1L5XX | 0.19 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNC1X | U1TF1 | 79.02 | 181.24 | 123.53 | 56.72 | 22.32 | | | | | | |
| DS3 D | IGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO | RT | | | | | | | | | | | | | | |
| | DS3 Local Loop in combination - per mile per month | | | UNC3X | 1L5ND | 10.6375 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | DS3 Local Loop in combination - Facility Termination per month | | | UNC3X | UE3PX | 354.5565 | 634.087 | 388.792 | 198.95 | 138.483 | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 4.09 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNC3X | U1TF3 | 966.89 | 350.56 | 141.58 | 48.00 | 23.39 | | | | | | |
| STS-1 | DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN | SPORT | | | | | | | | | | | | | | |
| | STS-1 Local Lolp in combination - per mile per month | | | UNCSX | 1L5ND | 10.6375 | | | | | | | | | | |
| | | | 1 | <u> </u> | | | | |] | | | | [| | | |
| | STS-1 Local Loop in combination - Facility Termination per month | | 1 | UNCSX | UDLS1 | 368.5865 | 634.087 | 388.792 | 198.95 | 138.483 | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - per mile | | 1 | <u> </u> | | | | |] | | | | [| | | |
| | per month | | 1 | UNCSX | 1L5XX | 4.09 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility | | 1 | <u> </u> | | | | |] | | | | [| | | |
| | Termination per month | | | UNCSX | U1TFS | 945.79 | 350.56 | 141.58 | 48.00 | 23.39 | | | | | | |
| | NETWORK ELEMENTS | L | 1 | <u> </u> | | <u> </u> | | | ļ | | | | | | | |
| | used as a part of a currently combined facility, the non-recurrng | | | | | | | | | | | | | | | |
| When | used as ordinarily combined network elements in All States, the r | non-recur | rıng cha | arges apply and the S | witch As Is C | narge does not. | | | | | | | | | | |
| Nonre | curring Currently Combined Network Elements "Switch As Is" Ch | narge (On | e applie | | on) | ļ | | | | | | | | | | |
| | L | | | UNCVX, UNCDX, | | | | | 1 | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is | | | UNC1X, UNC3X, | 1 | | _ | _ | [] | | | | | | | |
| | Charge | | | UNCSX | UNCCC | ļ | 8.98 | 8.98 | 11.17 | 11.17 | | | | | | |
| | al Features & Functions: | | | 1 | | ļ | | | | | | | | | | |
| Option | I and the second | 1 | 1 | U1TD1, | 1 | | | | 1 | | | | | | | |
| Option | | - | | | | | | | | | | | | | | |
| Option | Clear Channel Capability Extended Frame Option - per DS1 | ı | | ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| Option | | - 1 | | ULDD1,UNC1X U1TD1, | | | | | | | | | | | | |
| Option | Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - | l I | | ULDD1,UNC1X | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |

| JNBUNDLE | NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attach | ment: 2 | Exhi | oit: A | |
|-----------|---|---------|----------|----------------|-------|---------|----------|------------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|---|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental | |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - | i |
| | | | | | | | | | | | Elec | Manually | Manual Svc | | Manual Svc | Manual Svc | i |
| TEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. | i |
| | | | | | 5555 | | | 20 (4) | | | per Lak | per Lon | Electronic- | Electronic- | Electronic- | Electronic- | i |
| | | | | | | | | | | | | | | | | | i |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l | |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | | | | U1TD3, ULDD3, | | | | | | | | | | | | | |
| | C-bit Parity Option - Subsequent Activity - per DS3 | i | | UE3, UNC3X | NRCC3 | | 205.70 | 7.20 | 0.6924 | 0.00 | | | | | | | i |
| MULTIPI | | | | , | | | | | | | | | | | | | _ |
| | DS1 to DS0 Channel System per month | | | UNC1X | MQ1 | 113.33 | 57.26 | 14.74 | 1.86 | 1.67 | | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month | | | | | 110.00 | 07.20 | | 1.00 | 1.07 | | | | | | | |
| | (2.4-64kbs) used for a Local Loop | | | UDL | 1D1DD | 1.32 | 10.07 | 7.08 | | | | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month | | | | .5100 | 1.02 | 10.07 | 7.00 | | | | | | | | | _ |
| | (2.4-64kbs) used for connection to a channelized DS1 Local | | | | | | | | | | | | | | | | |
| | Channel in the same SWC as collocation | | | U1TUD | 1D1DD | 1.32 | 10.07 | 7.08 | | | | | | | | | |
| | Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | - | 01100 | טטוטו | 1.32 | 10.07 | 1.08 | | | | | | | | | _ |
| | | | | | | | 40.07 | = | | | | | | | | | |
| | month for a Local Loop | | | UDN | UC1CA | 2.84 | 10.07 | 7.08 | | | | | | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | | | | | | | | | | | | | | |
| | month used for connection to a channelized DS1 Local Channel in | | | | | | | | | | | | | | | | |
| | the same SWC as collocation | | | U1TUB | UC1CA | 2.84 | 10.07 | 7.08 | | | | | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | | | | | | | | | | | | | |
| | used for a Local Loop | | | UEA | 1D1VG | 0.6228 | 10.07 | 7.08 | | | | | | | | | |
| , | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | | | | | | | | | | | | | |
| | used for connection to a channelized DS1 Local Channel in the | | | | | | | | | | | | | | | | i |
| | same SWC as collocation | | | U1TUC | 1D1VG | 0.6228 | 10.07 | 7.08 | | | | | | | | | i |
| | DS3 to DS1 Channel System per month | | | UNC3X | MQ3 | 158.20 | 115.48 | 56.53 | 15.12 | 5.30 | | | | | | | |
| | STS-1 to DS1 Channel System per month | | | UNCSX | MQ3 | 158.20 | 115.48 | 56.53 | 15.12 | 5.30 | | | | | | | |
| | DS1 COCI used with Loop per month | | 1 | USL | UC1D1 | 11.80 | 10.07 | 7.08 | | | | | | | | | _ |
| | DS1 COCI (used for connection to a channelized DS1 Local | | | | | | | 00 | | | | | | | | 1 | |
| | Channel in the same SWC as collocation) per month | | | U1TUA | UC1D1 | 11.80 | 10.07 | 7.08 | | | | | | | | | |
| | DS1 COCI used with Interoffice Channel per month | | | U1TD1 | UC1D1 | 11.80 | 10.07 | 7.08 | | | | | | | | | _ |
| + 1 | DOT GOOT ASSA WILLTINGFORTING CHARITIES PET THOTILIT | | | 01101 | COIDI | 11.00 | 10.07 | 1.00 | | | | | | | | + | _ |
| _ _ , | DS3 Interface Unit (DS1 COCI) used with Local Channel per month | | | ULDD1 | UC1D1 | 11.80 | 10.07 | 7.08 | | | | | | | | | i |
| PBX LOCAT | | | - | OLDDI | OCIDI | 11.00 | 10.07 | 1.00 | ļ | | | | | | | | _ |
| | LOCATE DATABASE CAPABILITY | | - | | + | | | | ļ | | | | | | | | _ |
| | Service Establishment per CLEC per End User Account | | - | 9PBDC | 9PBEU | | 4 044 00 | | | | | | | | | | _ |
| | | | | 9PBDC 9PBDC | | | 1,814.00 | | | | | | | | | | _ |
| | Changes to TN Range or Customer Profile | | | | 9PBTN | 0.07 | 181.57 | | | | | | | | | | _ |
| | Per Telephone Number (Monthly) | | | 9PBDC | 9PBMM | 0.07 | 500.5 | | | | | | | | | | |
| | Change Company (Service Provider) ID | | | 9PBDC | 9PBPC | | 533.00 | | | | | | | | | | _ |
| | PBX Locate Service Support per CLEC (Monthlt) | | | 9PBDC | 9PBMR | 179.88 | | | | | | | | | | | |
| | Service Order Charge | | | 9PBDC | 9PBSC | | 7.86 | | | | | | | | | | |
| | LOCATE TRANSPORT COMPONENT | | | | | | | | | | | | | | | | |
| See Att 3 | 3 | | | | | | | | | | | | | | | | |
| Note: R | ates displaying an "I" in Interim column are interim as a result of | a Commi | ission o | rder. | | | | | | | | | | | | | |

| BUNDL | ED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachi | | | bit: A |
|---------------|---|-------------|--|--|----------------|---------------|----------------|------------------|-----------------------|---------------------|---|---|--|--|---|---|
| GORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| - | | | | | | Rec | Nonre First | curring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | | Rates (\$) SOMAN | SOMAN | SOMAN |
| 1 | | | 1 | | | | FIISL | Auu i | FIISL | Auu i | SOIVIEC | SOWAN | SOWAN | JOWAN | SOWAN | SOWAN |
| The "2 | Zone" shown in the sections for stand-alone loops or loops as pa | rt of a con | nbinatio | n refers to Geographi | cally Deaver | aged UNE Zone | s. To view Ge | graphically De | averaged UNE | Zone Designati | ons by Cent | ral Office, re | fer to internet | Website: | | |
| http:// | www.interconnection.bellsouth.com/become_a_clec/html/interco | nnection.l | htm | | | | | | | | | | | | | |
| RATIONA | L SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | : (1) CLEC should contact its contract negotiator if it prefers the specific Commission ordered rates for the service ordering charge | | | | | | | | | | | | | | | |
| | : (2) Any element that can be ordered electronically will be billed | | | | | | | | | | | | | | | |
| | ed electronically at present per the LOH, the listed SOMEC rate in | | | | | | | | | | | | | | | |
| | s bill when it submits an LSR to BellSouth. | o oatog | ,0., .0 | ooto tiio onalgo tilat ii | oulu bo biilo | | | aog capab | | | J. 11. J. 11. J. 11 | ioo, ino man | uu. o. uog o | go, oo | ., во арр | ou 10 u |
| | OSS - Electronic Service Order Charge, Per Local Service | | | | | | | | | | | | | | | |
| | Request (LSR) - UNE Only | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| | OSS - Manual Service Order Charge, Per Local Service Request | | | | | | | | | | | | | | | |
| een.ge | (LSR) - UNE Only | 1 | <u> </u> | 1 | SOMAN | 1 | 15.20 | 0.00 | 15.20 | 0.00 | ļ | | | | | |
| | EDATE ADVANCEMENT CHARGE : The Expedite charge will be maintained commensurate with B | ماطنين عالم | FCC N | 4 Tariff Castien Fac | annliaabla | | | | | | | | | | | |
| -11012 | The Expedite charge will be maintained commensurate with be | Cilouding | 1 | Turin, occion o as | Тарріюцью. | | | | | | | | | | | |
| | UNE Expedite Charge per Circuit or Line Assignable USOC, per | | | UDL, UENTW, UDN, UEA, UHL, ULC, USL, UTT2, UTT28, U1TD1, U1TD3, U1TDX, U1TDX, U1TDX, UTS1, UTVX, UC18E, UC16E, UC16E, UC16E, UC16E, UC16E, UC16E, UC16E, UC16E, UC16E, UC16E, UC16E, UDL03, UDL03, UDL03, ULD03, ULD03, ULD03, ULD03, ULD03, ULD03, UNCX, UXX, UXX, UXX, UXX, UXX, UXX, UXX, U | SDASP | | 200.00 | | | | | | | | | |
| UNDLED | EXCHANGE ACCESS LOOP | 1 | 1 | 5.10b, 5110A | 20,101 | 1 | 200.00 | | 1 | | 1 | | | | | |
| | E ANALOG VOICE GRADE LOOP | 1 | i – | | | 1 | | | İ | | 1 | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEAL2 | 12.90 | 36.54 | 16.87 | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEAL2 | 23.33 | 36.54 | 16.87 | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEAL2 | 48.43 | 36.54 | 16.87 | | | | | | | | |
| - | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | 1 | 1 | UEANL | UEASL | 12.90 | 36.54 | 16.87 | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEASL | 23.33 | 36.54 | 16.87 | 1 | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEASL | 48.43 | 36.54 | 16.87 | 1 | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | LIEANI | LIDETI | | 0.00 | 0.00 | | | | | | | | |
| - | Premise | 1 | ! | UEANL | URETL | ļ | 8.33 | 0.83 | - | | ! | | | | | |
| + | Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour | 1 | | UEANL UEANL | URET1 URETA | | 33.17 19.28 | 33.17 19.28 | | | 1 | | | | | |
| + | CLEC to CLEC Conversion Charge Without Outside Dispatch | <u> </u> | | UEANL | UKETA | | 19.28 | 19.28 | - | | - | | | | | |
| | (UVL-SL1) | | 1 | UEANL | UREWO | | 15.75 | 8.93 | | | | | | | | |
| \rightarrow | Unbundled Voice Loop, Non-Design Voice Loop, billing for BST | <u> </u> | | 02/1142 | SINEYVO | † | 10.75 | 0.33 | | | - | | | | | |
| | | | | | | | | | | | | | | | | |
| | providing make-up (Engineering Information - E.I.) | | | UEANL | UEANM | | 13.04 | 13.04 | | | | | | | | |

| BUNDLE | D NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: A |
|------------|--|----------|--|-------------|----------------|--|------------------|-----------------|-----------------------|---------------------|--|---|--|--|---|---|
| GORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | | Rates (\$) SOMAN | SOMAN | SOMAN |
| | Order Coordination for Specified Conversion Time for UVL-SL1 | | 1 | | | | FIISL | Auu i | FIISL | Auu i | SOIVIEC | SOWAN | SOWAN | SOWAN | SOWAN | JOWAN |
| | (per LSR) | | | UEANL | OCOSL | | 17.56 | 17.56 | | | | | | | | |
| 2-WIRE | Unbundled COPPER LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | | 1 | UEQ | UEQ2X | 12.40 | 35.27 | 15.60 | | | | | | | | |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | | 2 | UEQ | UEQ2X | 14.32 | 35.27 | 15.60 | | | | | | | | |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | | 3 | UEQ | UEQ2X | 16.87 | 35.27 | 15.60 | | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | | | | | | |
| | Premise | | | UEQ | URETL | | 8.33 | 0.83 | | | | | | | | |
| | Manual Order Coordination 2 Wire Unbundled Copper Loop - Non- | | | | | | | | | | | | | | | |
| | Designed (per loop) | | | UEQ | USBMC | | 7.92 | 7.92 | | | | | | | | |
| | Unbundled Copper Loop, Non-Design Copper Loop, billing for | | 1 | LIEO | LIEOMALI |] | 40.04 | 40.01 | | | | | 1 | | | |
| | BST providing make-up (Engineering Information - E.I.) | | 1 | UEQ UEQ | UEQMU URET1 | | 13.04 | 13.04 33.17 | | | 1 | | 1 | | | |
| | Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour | | | UEQ | URETA | | 33.17 19.28 | 19.28 | | | - | | | - | | |
| +- | CLEC to CLEC Conversion Charge Without Outside Dispatch | | 1 | OEW | ORETA | 1 | 19.28 | 19.28 | | | | 1 | | 1 | | |
| | (UCL-ND) | | | UEQ | UREWO | | 14.25 | 7.42 | | | | | | | | |
| UNDLED F | XCHANGE ACCESS LOOP | | 1 | | OILE WO | 1 | 14.23 | 1.42 | | | | | t | | | |
| | ANALOG VOICE GRADE LOOP | | | | | i i | İ | | | | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 1 | | _ 1 | UEPSR UEPSB | UEALS | 12.90 | 36.54 | 16.87 | 0.00 | 0.00 | <u> </u> | <u> </u> | <u> </u> | <u> </u> | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UEPSR UEPSB | UEABS | 12.90 | 36.54 | 16.87 | 0.00 | 0.00 | | | | | | |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UEPSR UEPSB | UEALS | 23.33 | 36.54 | 16.87 | 0.00 | 0.00 | | | | | | |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UEPSR UEPSB | UEABS | 23.33 | 36.54 | 16.87 | 0.00 | 0.00 | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UEPSR UEPSB | UEALS | 48.43 | 36.54 | 16.87 | 0.00 | 0.00 | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | UEDOD UEDOD | | 40.40 | 00.54 | 40.07 | | | | | | | | |
| IINDI ED E | Zone 3 | | 3 | UEPSR UEPSB | UEABS | 48.43 | 36.54 | 16.87 | 0.00 | 0.00 | | | | | | |
| | XCHANGE ACCESS LOOP ANALOG VOICE GRADE LOOP | | | | - | 1 | + | | | | | - | - | | | |
| Z-WIKE | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | - | 1 | + | | | | | - | - | | | |
| | Ground Start Signaling - Zone 1 | | 1 | UEA | UEAL2 | 14.93 | 102.10 | 65.72 | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | - '- | OLA | OLALZ | 14.55 | 102.10 | 05.72 | | | | | | | | |
| | Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | 25.35 | 102.10 | 65.72 | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | OL/1 | O L / KLL | 20.00 | 102.10 | 00.72 | | | | | | | | |
| | Ground Start Signaling - Zone 3 | | 3 | UEA | UEAL2 | 50.46 | 102.10 | 65.72 | | | | | | | | |
| 1 | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | 1 | 17.56 | | İ | | | | 1 | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | 1 | | | | | | | | | | |
| | Battery Signaling - Zone 1 | | 1 | UEA | UEAR2 | 14.93 | 102.10 | 65.72 | | | | | | <u> </u> | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | | | | | | | | | |
| | Battery Signaling - Zone 2 | | 2 | UEA | UEAR2 | 25.35 | 102.10 | 65.72 | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | 1 | | | | | | | | | | | |
| | Battery Signaling - Zone 3 | | 3 | UEA | UEAR2 | 50.46 | 102.10 | 65.72 | | | ļ | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | 1 | UEA | OCOSL | | 17.56 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | 1 | UEA | UREWO | | 87.59 | 36.30 | | | | | - | | | |
| 4 14/15 = | Loop Tagging - Service Level 2 (SL2) | | 1 | UEA | URETL | | 11.20 | 1.10 | | | ļ | | 1 | | | |
| | ANALOG VOICE GRADE LOOP | | - | UEA | UEAL4 | 30.81 | 107.40 | 91.02 | | | | | | | | |
| | 4-Wire Analog Voice Grade Loop - Zone 1 | | 2 | | UEAL4 UEAL4 | 30.81 | 127.40 | 91.02 | | | - | | - | | | |
| | 4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEA UEA | UEAL4 | 60.39 | 127.40 127.40 | 91.02 | | | 1 | | - | | | |
| + | 4-wire Analog Voice Grade Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | | 3 | UEA | OCOSL | 60.39 | 127.40 | 91.02 | | | | 1 | | 1 | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | 1 | UEA | UREWO | | 87.59 | 36.30 | | | | | l | | | |
| | ISDN DIGITAL GRADE LOOP | | 1 | | | 1 | 000 | 33.00 | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UDN | U1L2X | 22.09 | 113.34 | 76.96 | | | | | 1 | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 2 | | 2 | UDN | U1L2X | 35.28 | 113.34 | 76.96 | | | | | | | | |
| | | | | | | 65.18 | 113.34 | 76.96 | | | İ | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 3 | | 3 | UDN | U1L2X | 03.10 | 113.34 | | | | | | | | | |
| | | | 3 | UDN | OCOSL | 05.16 | 17.56 | 70.00 | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 3 Order Coordination For Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch | | Ŭ | | | 03.16 | | 44.09 | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 3 Order Coordination For Specified Conversion Time (per LSR) | TIBLE LO | Ŭ | UDN | OCOSL | 03.16 | 17.56 | | | | | | | | | |

| HOUNDE | ED NETWORK ELEMENTS - Louisiana | | | | 1 | 1 | | | | | 0 0 . | 0 6 : | | ment: 2 | Exhi | | + |
|---------|---|----------|----------|------------|----------------|--|------------------|----------------|--|-------|--|---|--|--|---|---|---|
| EGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | Rec | Nonrec | | Nonrecurring D | | | | | Rates (\$) | | | ╄ |
| | 0.00 | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | ₩ |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry & | | 2 | UAL | UAL2X | 14.09 | 117.00 | 60.26 | | | | | | | | | |
| - | facility reservation - Zone 2 2 Wire Unbundled ADSL Loop including manual service inquiry & | | | UAL | UALZA | 14.09 | 117.08 | 68.36 | - | | - | | | | | | + |
| | facility reservation - Zone 3 | | 3 | UAL | UAL2X | 15.75 | 117.08 | 68.36 | | | | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | 13.73 | 17.56 | 00.00 | h | | | | | | | | + |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | | | | | | | | | | | | | t |
| | facility reservaton - Zone 1 | | 1 | UAL | UAL2W | 12.29 | 92.83 | 56.02 | | | | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | | | | | | | | | | | | | П |
| | facility reservaton - Zone 2 | | 2 | UAL | UAL2W | 14.09 | 92.83 | 56.02 | | | | | | | | | ┸ |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | | | | | | | | | | | | | |
| | facility reservaton - Zone 3 | | 3 | UAL | UAL2W | 15.75 | 92.83 | 56.02 | | | | | | | | | ╄ |
| _ | Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch | | | UAL | OCOSL | - | 17.56 | 40.34 | | | | | | | | | ┿ |
| 2-14/15 | E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT | IBLETOO | L | UAL | UREWO | + | 86.07 | 40.34 | + | | | | | | | | + |
| Z-VVIK | 2 Wire Unbundled HDSL Loop including manual service inquiry & | DEE EUC | <u> </u> | 1 | + | | | | + | | + | | | | | | ۲ |
| | facility reservation - Zone 1 | | 1 | UHL | UHL2X | 9.79 | 125.50 | 76.77 |] | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & | | Ė | | | | | | | | | | | | | | Τ |
| | facility reservation - Zone 2 | | 2 | UHL | UHL2X | 11.52 | 125.50 | 76.77 | <u> </u> | | | | | | | | 1 |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & | | | | | | | | | | | | | | | | Γ |
| | facility reservation - Zone 3 | | 3 | UHL | UHL2X | 12.74 | 125.50 | 76.77 | | | | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 17.56 | | | | | | | | | | ┺ |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry and | | | | | | | | | | | | | | | | |
| | facility reservation - Zone 1 | | 1 | UHL | UHL2W | 9.79 | 101.24 | 64.43 | | | | | | | | | ╄ |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry and | | 2 | | | 44.50 | 404.04 | 04.40 | | | | | | | | | |
| _ | facility reservation - Zone 2 2 Wire Unbundled HDSL Loop without manual service inquiry and | | 2 | UHL | UHL2W | 11.52 | 101.24 | 64.43 | | | - | | | | | | ╀ |
| | facility reservation - Zone 3 | | 3 | UHL | UHL2W | 12.74 | 101.24 | 64.43 | | | | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | 3 | UHL | OCOSL | 12.74 | 17.56 | 04.43 | | | | | | | | | t |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 86.00 | 40.34 | | | | | | | | | t |
| 4-WIR | E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT | IBLE LOC | P | | | | | | | | | | | | | | T |
| | 4 Wire Unbundled HDSL Loop including manual service inquiry and | | | | | | | | | | | | | | | | П |
| | facility reservation - Zone 1 | | 1 | UHL | UHL4X | 16.24 | 153.26 | 104.54 | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry and | | | | | | | | | | | | | | | | |
| | facility reservation - Zone 2 | | 2 | UHL | UHL4X | 16.65 | 153.26 | 104.54 | | | | | | | | | ╄ |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 17.34 | 153.26 | 104.54 | | | | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | 3 | UHL | OCOSL | 17.34 | 17.56 | 104.54 | | | | | | | | | ╁ |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and | | | OTIL | 00002 | + | 17.00 | | h | | | | | | | | ╆ |
| | facility reservation - Zone 1 | | 1 | UHL | UHL4W | 16.24 | 129.00 | 92.20 | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and | | | | | | | | | | | | | | | | T |
| | facility reservation - Zone 2 | | 2 | UHL | UHL4W | 16.65 | 129.00 | 92.20 | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and | | | | | | | | | | | | | | | | |
| | facility reservation - Zone 3 | | 3 | UHL | UHL4W | 17.34 | 129.00 | 92.20 | | | | | | | | | + |
| _ | Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | OCOSL UREWO | | 17.56 86.00 | 40.34 | | | - | | | | | | ┿ |
| 4-WID | E DS1 DIGITAL LOOP | | - | UHL | UKEWU | | 00.00 | 40.34 | | | | | | | | | ╁ |
| 4-4411 | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 85.70 | 245.16 | 152.98 | | | | | | | | | ╁ |
| | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | USL | USLXX | 194.96 | 245.16 | 152.98 | | | | | | | | | t |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 491.94 | 245.16 | 152.98 | | | | | | | | | T |
| | Order Coordination for Specified Conversion Time (per LSR) | | | USL | OCOSL | | 17.56 | | | | | | | | | | Γ |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 100.93 | 42.98 | | | | | | | | | |
| 4-WIR | E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | | <u> </u> | ├ | | | ļI | | | | | | | | Ļ |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 1 | UDL | UDL19 | 30.99 | 121.86 | 85.48 | | | | | | | | | ╀ |
| + | 4 Wire Unbundled Digital 19.2 Kbps | | 3 | UDL UDL | UDL19 UDL19 | 36.78 38.92 | 121.86 | 85.48 95.49 | | | 1 | | | | | | + |
| + | 4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | 1 | UDL | UDL19 UDL56 | 38.92 | 121.86 121.86 | 85.48 85.48 | + | | 1 | | | | | | + |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | 2 | UDL | UDL56 | 36.78 | 121.86 | 85.48 | + | | 1 | | | | | | + |
| + | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | 3 | UDL | UDL56 | 38.92 | 121.86 | 85.48 | | | 1 | | | | | | t |
| 1 | Order Coordination for Specified Conversion Time (per LSR) | | Ť | UDL | OCOSL | 00.02 | 17.56 | 33.10 | † † | | | | | | | | T |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | 1 | UDL | UDL64 | 30.99 | 121.86 | 85.48 | | | | | | | | | T |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | 2 | UDL | UDL64 | 36.78 | 121.86 | 85.48 | | | | | | | | | Γ |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | 3 | UDL | UDL64 | 38.92 | 121.86 | 85.48 | | | | | | | | | Γ |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 17.56 | | | | | | | | | | ſ |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDL | UREWO | | 101.97 | 49.67 | | | | | | | | | Г |

| <u>NBUND</u> L | ED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachi | ment: 2 | | bit: A |
|----------------|---|---------|--|----------------|---------|--|--------|------------|--|-------|--|---|--|--|---|---|
| EGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring Di | | 001150 | | | Rates (\$) | | |
| 2 14/10 | E Unbundled CORRED LOOP | | | | | - | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Z-WIR | E Unbundled COPPER LOOP | | | | | | | | - | | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed including manual | | | | UCLPB | 12.29 | 116.18 | 67.46 | | | | | | | | |
| | service inquiry & facility reservation - Zone 1 | | + | UCL | UCLPB | 12.29 | 110.10 | 67.46 | | | 1 | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2 | | 2 | UCL | UCLPB | 14.09 | 116.18 | 67.46 | | | | | | | | |
| | 2 Wire Unbundled Copper Loop-Designed including manual service | | | 002 | OOLI D | 14.00 | 110.10 | 07.40 | | | | | | | | |
| | inquiry & facility reservation - Zone 3 | | 3 | UCL | UCLPB | 15.75 | 116.18 | 67.46 | | | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | - | UCL | UCLMC | 10.70 | 7.92 | 7.92 | <u> </u> | | 1 | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed without manual service | | 1 | COL | OOLIVIO | 1 | 7.02 | 7.02 | <u> </u> | | 1 | | | | | |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCLPW | 12.29 | 91.92 | 55.12 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed without manual service | | | 002 | 002. 11 | 12.20 | 01.02 | 00.12 | | | | | | | | |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCLPW | 14.09 | 91.92 | 55.12 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed without manual service | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 3 | 1 | 3 | UCL | UCLPW | 15.75 | 91.92 | 55.12 | | | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 7.92 | 7.92 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch (UCL | | | | | | | | | | | | | | | |
| | Des) | | <u></u> | UCL | UREWO | <u> </u> | 91.92 | 42.47 | <u> </u> | | <u> </u> | | <u> </u> | | | |
| 4-WIR | E COPPER LOOP | | | | | | | | | | | | | | | |
| | 4-Wire Copper Loop-Designed including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UCL | UCL4S | 22.27 | 139.69 | 90.96 | | | | | | | | |
| | 4-Wire Copper Loop-Designed including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UCL | UCL4S | 18.95 | 139.69 | 90.96 | | | | | | | | |
| | 4-Wire Copper Loop-Designed including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UCL | UCL4S | 10.99 | 139.69 | 90.96 | | | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 7.92 | 7.92 | | | | | | | | |
| | 4-Wire Copper Loop-Designed without manual service inquiry and | | | | | | | | | | | | | | | |
| | facility reservation - Zone 1 | | 1 | UCL | UCL4W | 22.27 | 115.43 | 78.63 | | | | | | | | |
| | 4-Wire Copper Loop-Designed without manual service inquiry and | | | | | | | | | | | | | | | |
| | facility reservation - Zone 2 | | 2 | UCL | UCL4W | 18.95 | 115.43 | 78.63 | | | | | | | | |
| | 4-Wire Copper Loop-Designed without manual service inquiry and | | | | | | | | | | | | | | | |
| | facility reservation - Zone 3 | | 3 | UCL | UCL4W | 10.99 | 115.43 | 78.63 | | | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 7.92 | 7.92 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch (UCL | | | | | | | | | | | | | | | |
| | Des) | | | UCL | UREWO | | 91.92 | 42.47 | | | | | | | | |
| OP MODIF | CATION | | | | | | | | | | | | | | | |
| | | | | UAL, UHL, UCL, | | | | | | | | | | | | |
| | Habitania de la companya del companya de la companya del companya de la companya | | | UEQ, ULS, UEA, | | | | | | | | | | | | |
| | Unbundled Loop Modification, Removal of Load Coils - 2 Wire | | | UEANL, UEPSR, | LILMO | 1 | 0.00 | 0.00 | | | | | | | | |
| | pair less than or equal to 18k ft, per Unbundled Loop | | + | UEPSB | ULM2L | | 0.00 | 0.00 | | | | | | | | |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop | | | UHL, UCL, UEA | ULM4L | 1 | 0.00 | 0.00 | | | | | | | | |
| - | marror equal to Tok It, per Unbuffalea Loop | | 1 | UAL, UHL, UCL, | OLIVI4L | | 0.00 | 0.00 | + | | | | | | | |
| | | 1 | 1 | UEQ, ULS, UEA, | | | | | | | | | | | | |
| | Unbundled Loop Modification Removal of Bridged Tap Removal, | | | UEANL, UEPSR, | | 1 | | | | | | | | | | |
| | per unbundled loop | | 1 | UEPSB | ULMBT | | 12.15 | 12.15 | | | | | | | | |
| B-LOOPS | | | 1 | | | 1 | .2.10 | .2.10 | <u> </u> | | | | | | | |
| | oop Distribution | | | | | 1 | | | <u> </u> | | | | | | | |
| 1 | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- | | | | 1 | † † | | | <u> </u> | | | | | | | |
| | Up | - 1 | 1 | UEANL | USBSA | | 144.09 | 144.09 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | - 1 | <u></u> | UEANL | USBSB | <u> </u> | 10.99 | 10.99 | | | <u></u> | | <u> </u> | | | |
| | Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility | | | | | | | | | | | | | | | |
| | Set-Up | | <u></u> | UEANL | USBSC | <u> </u> | 86.16 | 86.16 | | | | | | | | |
| | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set- | | | | | | | | | | | | | | | |
| | Up | | | UEANL | USBSD | | 27.13 | 27.13 | | | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | 1 | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UEANL | USBN2 | 7.57 | 63.89 | 30.06 | | | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | 1 | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UEANL | USBN2 | 12.75 | 63.89 | 30.06 | | | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | | | | 1 | | | | | | | | | | |
| | | | | | LICONIC | 04.45 | 63.89 | 30.06 | 1 | | 1 | | | | 1 | 1 |
| | Zone 3 | | 3 | UEANL | USBN2 | 21.45 | 03.09 | 30.06 | | | | | | | | |

| IRONDE | D NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: A | 1 |
|----------|---|--|--|------------------------|----------------|--|----------------|----------------|----------------|-------|---|---|--|--|---|---|---------------|
| EGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | Rec | Nonrec | | Nonrecurring D | | 001150 | | | Rates (\$) | | | + |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | + |
| | Zone 1 | | 1 | UEANL | USBN4 | 11.76 | 76.75 | 42.92 | | | | | | | | | |
| + | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | <u> </u> | OL7114L | CODIV | 11.70 | 70.70 | 42.02 | | | | | | | | | + |
| | Zone 2 | | 2 | UEANL | USBN4 | 16.84 | 76.75 | 42.92 | | | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | | Т |
| | Zone 3 | | 3 | UEANL | USBN4 | 19.27 | 76.75 | 42.92 | | | | | | | | | ╄ |
| | Order Coordination for Habrardlad Cub Loons nor sub-loon nois | | | UEANL | USBMC | | 7.92 | 7.92 | | | | | | | | | |
| _ | Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | 1 | | UEANL | USBR2 | 2.91 | 51.48 | 17.65 | | | | | | | | | + |
| _ | Gub-Loop 2-vviile intrabuliding Network Gable (INC) | | | OLANE | OODINZ | 2.91 | 31.40 | 17.03 | | | | | | | | | + |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | 1 | UEANL | USBMC | | 7.92 | 7.92 | | | | | | | | | 1 |
| | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | I | | UEANL | USBR4 | 6.58 | 57.54 | 23.71 | | | | | | | | | I |
| | | | 1 | | | I T | | | | | | | | | | | ľ |
| \bot | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | ļ | | UEANL | USBMC | | 7.92 | 7.92 | | | | | | | | | + |
| +- | Loop Testing - Basic 1st Half Hour | 1 | 1 | UEANL | URET1 | | 33.17 | 33.17 | | | 1 | | | | | | + |
| +- | Loop Testing - Basic Additional Half Hour 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | - | 1 | UEANL UEF | URETA UCS2X | 6.26 | 19.28 63.89 | 19.28 30.06 | + | | | | | | | | + |
| + | 2 Wire Copper Unburdled Sub-Loop Distribution - Zone 2 | i i | 2 | UEF | UCS2X | 10.07 | 63.89 | 30.06 | + | | 1 | | | | | | t |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | i | 3 | UEF | UCS2X | 12.70 | 63.89 | 30.06 | | | | | | | | | t |
| | | | | | | | | | | | | | | | | | T |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 7.92 | 7.92 | | | | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | ! | 1 | UEF | UCS4X | 8.03 | 76.75 | 42.92 | | | | | | | | | 4 |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | - ! | 2 | UEF | UCS4X | 10.71 | 76.75 | 42.92 | | | | | | | | | + |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | I | 3 | UEF | UCS4X | 6.08 | 76.75 | 42.92 | | | | | | | | | ₩ |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 7.92 | 7.92 | | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEF | URET1 | | 33.17 | 33.17 | | | | | | | | | + |
| | Loop Testing - Basic Additional Half Hour | | | UEF | URETA | | 19.28 | 19.28 | | | | | | | | | T |
| Unbun | dled Network Terminating Wire (UNTW) | | | | | | | | | | | | | | | | Τ |
| | Unbundled Network Terminating Wire (UNTW) per Pair | | | UENTW | UENPP | 0.3454 | 14.72 | 14.72 | | | | | | | | | ┸ |
| Networ | rk Interface Device (NID) | | | | | | | | | | | | | | | | 4 |
| | Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines | | | UENTW UENTW | UND12 UND16 | - | 42.26 62.86 | 27.83 48.43 | - | | ļ | | | | | | + |
| | Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W | | 1 | UENTW | UNDC2 | + | 5.73 | 5.73 | - | | <u> </u> | | | | | | + |
| | Network Interface Device Cross Connect - 4W | | | UENTW | UNDC4 | | 5.73 | 5.73 | | | | | | | | | t |
| OTHER, F | PROVISIONING ONLY - NO RATE | | | | | | | **** | | | | | | | | | t |
| | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | 0.00 | 0.00 | | | | | | | | | | Т |
| | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | 0.00 | 0.00 | | | | | | | | | | |
| | | | 1 | UEANL,UEF,UEQ,U | | | 0.55 | | | | | | | | | | |
| OTHER ! | Unbundled Contract Name, Provisioning Only - No Rate | | <u> </u> | ENTW | UNECN | 0.00 | 0.00 | | + | | | | | | | | + |
| OTHER, P | PROVISIONING ONLY - NO RATE | 1 | | 1 | | | ł | | + | | 1 | | | | | | + |
| | | | 1 | UAL,UCL,UDC,UDL, | | | l | | | | | | | | | | 1 |
| | Unbundled Contact Name, Provisioning Only - no rate | <u></u> | L | UDN,UEA,UHL,USL | UNECN | 0.00 | 0.00 | | | | | | <u> </u> | | | | 1 |
| | | | | | | | | | | | | | | | | | Τ |
| | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate | | | UEA,UDN,UCL,UDC | USBFQ | 0.00 | 0.00 | | | | <u> </u> | | | | | | Ţ |
| | | | 1 | | | | 0.55 | | | | | | | | | | |
| +- | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate | 1 | 1 | UEA,USL,UCL,UDL USL | USBFR CCOSF | 0.00 | 0.00 | | | | 1 | | | | | | + |
| +- | Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option - no | } | 1 | USL | CCOSF | 0.00 | 0.00 | | | | 1 | | | | | | + |
| | rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | | |
| CAPACIT | Y UNBUNDLED LOCAL LOOP | | | 1-7- | | 0.00 | 3.55 | | | | | | İ | | | | t |
| | | | | | | | | | | | | | | | | | T |
| \bot | High Capacity Unbundled Local Loop - DS3 - Per Mile per month | | | UE3 | 1L5ND | 10.04 | | | | | <u> </u> | | | | | | Ļ |
| | High Capacity Unbundled Local Loop - DS3 - Facility Termination | | 1 | | | | E0.4.05 | | | | | | | | | | |
| | per month | | | UE3 | UE3PX | 362.34 | 504.229 | 294.745 | | | 1 | | | | | | + |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month | J | | UDLSX | 1L5ND | 10.04 | l | | | | | | | | | | |
| + | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month High Capacity Unbundled Local Loop - STS-1 - Facility | | | ODEOX | ILOND | 10.04 | ł | | + | | | | | | | | ٠ |
| | Termination per month | | 1 | UDLSX | UDLS1 | 374.56 | 504.229 | 294.745 | | | | | | | | | 1 |
| P MAKE-U | | | | | | 2:00 | 5520 | | | | | | | | | | T |
| P WAKE-U | | | | | | | | | | | | | | | | | $\overline{}$ |

| | ED NETWORK ELEMENTS - Louisiana | 1 | | | | 1 | | | | | 10 2 : | 0 6 : | Attachi | | | bit: A | + |
|---------------|--|--|--------|---------------------|------------------|--------|--------|-----------------|--|-----------|---|---|--|--|---|---|---|
| regory | RATE ELEMENTS | Interim | Zone | BCS | USOC | | No. | RATES (\$) | Name | Discourse | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| _ | | | | | | Rec | Nonrec | urring Add'l | Nonrecurring | | SOMEC | 001441 | SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN | + |
| _ | Loop Makeup - Preordering With Reservation, per spare facility | | | | + | | First | Add I | First | Add'l | SOIVIEC | SUMAN | SUMAN | SUMAN | SUMAN | SUMAN | ╆ |
| | queried (Manual). | | | UMK | UMKLP | | 24.70 | 24.70 | | | | | | | | | |
| | Loop MakeupWith or Without Reservation, per working or spare | | | OWIN | OWNE | 1 | 24.70 | 24.70 | 1 | | 1 | | | | | | + |
| | facility queried (Mechanized) | | | UMK | UMKMQ | | 0.19 | 0.19 | | | | | | | | | |
| E SPLITTII | NG | | | | | | | | | | | | | | | | T |
| LINE S | SPLITTING | | | | | | | | | | | | | | | | Т |
| END (| JSER ORDERING-CENTRAL OFFICE BASED | | | | | | | | | | | | | | | | |
| | Line Splitting - per line activation DLEC owned splitter | | | UEPSR UEPSB | UREOS | 0.61 | | | | | | | | | | | _ |
| | Line Splitting - per line activation BST owned - physical | | | UEPSR UEPSB | UREBP | 0.61 | 17.97 | 10.29 | | | | | | | | | 4 |
| INITENIANIC | Line Splitting - per line activation BST owned - virtual | | | UEPSR UEPSB | UREBV | 0.61 | 17.97 | 10.29 | | | | | | | | | + |
| | E OF SERVICE : The Expedite charge will be maintained commensurate with Be | all Couth's | ECC No | 1 Tariff Castion 12 | 2 1 ac applica | able | | | | | | | | | | | + |
| HOTE | No Trouble Found - per 1/2 hour increments - Basic | Jiioodiii S | 140 | raim, Section 13 | .o. i ao appilca | ADIG. | 80.00 | 55.00 | | | I | | | | | | + |
| \rightarrow | No Trouble Found - per 1/2 hour increments - Overtime | † | | | 1 | | 90.00 | 65.00 | 1 | | | | | | | | + |
| | No Trouble Found - per 1/2 hour increments - Premium | | | 1 | 1 | 1 | 100.00 | 75.00 | İ | | | | | | | | T |
| | DEDICATED TRANSPORT | | | | | | | | | | | | | | | | |
| INTER | OFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | | Į |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | L | 1 | | | | | | | | | | | | |
| | Per Mile per month | | | U1TVX | 1L5XX | 0.013 | | | ļ . | | <u> </u> | | | | | | + |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | U1TVX | U1TV2 | 22.60 | 39.36 | 26.62 | | | | | | | | | |
| | Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade | | | UTIVX | U11V2 | 22.60 | 39.36 | 26.62 | | | | | | | | | + |
| | Rev Bat Per Mile per month | | | U1TVX | 1L5XX | 0.013 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat | | | OTTVA | TEOXIX | 0.010 | | | 1 | | 1 | | | | | | + |
| | Facility Termination | | | U1TVX | U1TR2 | 22.60 | 39.36 | 26.62 | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - | | | | | | 00.00 | | | | | | | | | | T |
| | Per Mile per month | | | U1TVX | 1L5XX | 0.013 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - | | | | | | | | | | | | | | | | T |
| | Facility Termination | | | U1TVX | U1TV4 | 19.81 | 39.36 | 26.62 | | | | | | | | | 4 |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month | | | U1TDX | 1L5XX | 0.013 | | | | | | | | | | | |
| -+- | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | 1 | | UTIDA | ILSAA | 0.013 | | | - | | | | | | | | + |
| | Termination | | | U1TDX | U1TD5 | 15.61 | 39.37 | 26.62 | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per | | | 01157 | 01120 | 10.01 | 00.01 | 20.02 | | | | | | | | | T |
| | month | | | U1TDX | 1L5XX | 0.013 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | | | | | | | | | | | | | | |
| | Termination | | | U1TDX | U1TD6 | 15.61 | 39.37 | 26.62 | | | | | | | | | 丄 |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | | | | | | | |
| _ | month | 1 | | U1TD1 | 1L5XX | 0.2652 | | | | | 1 | | | | | | + |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination | | | U1TD1 | U1TF1 | 70.47 | 86.69 | 79.44 | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | OTTE | 01111 | 70.47 | 00.03 | 70.44 | | | | | | | | | + |
| | month | | | U1TD3 | 1L5XX | 6.04 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | | | | | | | | | | T |
| | Termination per month | | | U1TD3 | U1TF3 | 850.45 | 270.69 | 158.05 | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | | | | | | | | | | | | | | | | |
| _ | month | | | U1TS1 | 1L5XX | 6.04 | | | | | | | | | | | + |
| | Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination | | | U1TS1 | U1TFS | 830.19 | 270.69 | 158.05 | | | | | | | | | |
| RK FIBER | | | | 01101 | 0111-0 | 030.19 | 270.09 | 100.05 | | | | | | | | | + |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof | f | | | 1 | | | | 1 | | | | | | | | t |
| | per month - Local Channel | 1 | | UDF, UDFCX | 1L5DC | 60.06 | | | | | | 1 | | | | | 1 |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof | f | | | | | | | | | | | | | | | T |
| | per month - Interoffice Channel | <u> </u> | | UDF, UDFCX | 1L5DF | 25.28 | | | | | | | | | | | ┺ |
| | NRC Dark Fiber - Interoffice Channel | | | UDF, UDFCX | UDF14 | ļ | 620.60 | 133.88 | | | ļ | | | | | | + |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof | i] | | LIDE LIDEOV | 41.501 | 00.00 | | | | | | | | | | | |
| TUAL COL | per month - Local Loop LOCATION | | | UDF, UDFCX | 1L5DL | 60.06 | | | | | <u> </u> | | | | | | + |
| TUAL COL | LUCATION | 1 | | 1 | + | 1 | | | | | <u> </u> | | | | | | + |
| | Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting | J | | UEPSR UEPSB | VE1LS | 0.0296 | 11.94 | 11.46 | 0.00 | 0.00 | | 1 | | | | | 1 |
| VSICAL CO | DLLOCATION | 1 | | | 1 | 0.0200 | | | 0.00 | 0.00 | | | | | | | t |
| | | 1 | | | 1 | 1 | | | | | 1 | | | | | | T |
| TOICAL CC | Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting | | | UEPSR UEPSB | PE1LS | 0.0318 | 11.94 | 11.46 | 0.00 | 0.00 | | | | | | | |

| IBUNDLE | D NETWORK ELEMENTS - Louisiana | | | 1 | | , | | | | | | | Attachr | | Exhi | | ₩ |
|---------|--|-----------|----------|--|----------------|--|-----------------|----------------|--|----|---|---|--|---|---|---|----|
| EGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES (\$) | | : | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | Rec | Nonrec | | Nonrecurring Discor | | | | | Rates (\$) | | | ₩ |
| NOTE | The annual to the complete and a second to th | | 0 | | | NE | First | Add'I | | | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | +- |
| | The monthly recurring and non-recurring charges below will app | | | | | | | | | | | | | | | | ₩ |
| | The monthly recurring and the Switch-As-Is Charge and not the | non-recur | ring ch | arges below will ap | ply for UNE co | mbinations prov | isioned as ' Cu | rrently Combin | ed' Network Elements | 3. | | | | | | | 4 |
| 2-WIRE | VOICE GRADE LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | | 4 |
| | 2-Wire VG Loop (SL2) in Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 14.93 | 94.21 | 45.09 | | | | | | | | | 4 |
| | 2-Wire VG Loop (SL2) in Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 25.35 | 94.21 | 45.09 | | | | | | | | | +- |
| | 2-Wire VG Loop (SL2) in Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 50.46 | 94.21 | 45.09 | | | | | | | | | +- |
| | Voice Grade COCI - Per Month | | | UNCVX | 1D1VG | 0.6497 | 5.91 | 4.26 | | | | | | | | | +- |
| | VOICE GRADE LOOP FOR USE IN A COMBINATION | | | 1110101 | | 00.04 | 0.1.01 | 45.00 | | | | | | | | | +- |
| | 4-Wire Analog Voice Grade Loop in Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 30.81 | 94.21 | 45.09 | | | | | | | | | + |
| | 4-Wire Analog Voice Grade Loop in Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 38.32 | 94.21 | 45.09 | | | | | | | | | +- |
| | 4-Wire Analog Voice Grade Loop in Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 60.39 | 94.21 | 45.09 | - | | | | | | | | + |
| | Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 0.6497 | 5.91 | 4.26 | - | | | | | | | | + |
| 4-WIRE | 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION | | L . | LINODY | LIDL 50 | 00.0- | 2.2 | | - | | | | | | | | + |
| | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL56 | 30.99 | 94.21 | 45.09 | | | | | | | | | + |
| _ | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 | | 2 | UNCDX | UDL56 | 36.78 | 94.21 | 45.09 | | | | | | | | | + |
| | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL56 | 38.92 | 94.21 | 45.09 | | | | | | | | | + |
| | OCU-DP COCI (data) per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.38 | 5.91 | 4.26 | | | | | | | | | 4 |
| 4-WIRE | 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION | | | | | 1 | | | | | | | | | | | 丄 |
| | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL64 | 30.99 | 94.21 | 45.09 | | | | | | | | | 1 |
| | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 | | 2 | UNCDX | UDL64 | 36.78 | 94.21 | 45.09 | | | | | | | | | ┺ |
| | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 | 38.92 | 94.21 | 45.09 | | | | - | | | | | L |
| | OCU-DP COCI (data) - in combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.38 | 5.91 | 4.26 | | | | | | | | | Ĺ |
| | ISDN LOOP FOR USE IN COMBINATION | | | | | | | | | | | | | | | | L |
| | 2-Wire ISDN Loop in Combination - Zone 1 | | 1 | UNCNX | U1L2X | 22.09 | 94.21 | 45.09 | | | | | | | | | ഥ |
| | 2-Wire ISDN Loop in Combination - Zone 2 | | 2 | UNCNX | U1L2X | 35.28 | 94.21 | 45.09 | | | | | | | | | Γ |
| | 2-Wire ISDN Loop in Combination - Zone 3 | | 3 | UNCNX | U1L2X | 65.18 | 94.21 | 45.09 | | | | | | | | | Г |
| | 2-wire ISDN COCI (BRITE) - in combination - per month | | | UNCNX | UC1CA | 2.96 | 5.91 | 4.26 | | | | | | | | | Г |
| | DS1 DIGITAL LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | | П |
| | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 85.70 | 169,22 | 100.89 | | | | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 194.96 | 169.22 | 100.89 | | | | | | | | | T |
| | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 491.94 | 169.22 | 100.89 | | | | | | | | | 1 |
| | DS1 COCI in combination per month | | | UNC1X | UC1D1 | 11.78 | 5.91 | 4.26 | | | | | | | | | T |
| | VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | MBINATIO | N | | | | | | | | | | | | | | 1 |
| | 10.02 0.0.02 2.0 | | | | | | | | | | | | | | | | + |
| | Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month | | | UNCVX | 1L5XX | 0.013 | | | | | | | | | | | |
| | Interoffice Transport - 2-wire VG - Dedicated - Facility Termination | | | ONOVA | TEOXIX | 0.010 | | | | | | | | | | | + |
| | per month | | | UNCVX | U1TV2 | 22.60 | 72.60 | 41.75 | | | | | | | | | |
| | VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | MRINATIO | N | DINCVA | OTTVZ | 22.00 | 72.00 | 41.73 | | | | | | | | | + |
| 7 **** | TOIGE GRADE HT EROTTIOE TRANSFORT TOR USE IN A CO | | /··• | | + | + + | | | | + | | | | | | | + |
| | Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month | | l | UNCVX | 1L5XX | 0.013 | | | 1 | J | | | | | | | 1 |
| + | Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 4-wire VG - Dedicated - Facility | | - | OINCVA | ILOAA | 0.013 | | | | | | | | | | | + |
| | Termination per month | | l | UNCVX | U1TV4 | 19.81 | 72.60 | 41.75 | 1 | J | | | | | | | 1 |
| D64 B17 | Termination per month EROFFICE TRANSPORT FOR COMBINATION | - | | OINCVA | 01174 | 19.81 | 72.60 | 41./5 | | | | | | | | | + |
| DOI IN | | | | | + | ├ | | | | | | | | | | | + |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile per | | | LINICAV | 41.577 | 0.0050 | | |] | | | | | | | | 1 |
| | month | | | UNC1X | 1L5XX | 0.2652 | | | | | | | | | | | + |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | LINIOAY | | | | | 1 | | | | | | | | 1 |
| _ | Termination per month | | <u> </u> | UNC1X | U1TF1 | 70.47 | 143.58 | 103.88 | | | | | | | | | + |
| | 1/0 Channelization System in combination Per Month | | | UNC1X | MQ1 | 105.09 | 59.97 | 12.96 | | | | | | | | | + |
| DS3 IN1 | EROFFICE TRANSPORT FOR USE IN A COMBINATION | | | ļ | 1 | | | | | | | | | | | | + |
| | Interoffice Transport - Dedicated - DS3 combination - Per Mile Per | | l | LINGSY | | | | | 1 | J | | | | | | | 1 |
| | Month | | <u> </u> | UNC3X | 1L5XX | 6.04 | | | | | | | | | | | + |
| | Interoffice Transport - Dedicated - DS3 - Facility Termination per | | l | LINGSY | | | 070 | 450 | 1 | J | | | | | | | 1 |
| | month | | | UNC3X | U1TF3 | 850.45 | 270.69 | 158.05 | | | | | | | | | + |
| STS-1 I | NTEROFFICE TRANSPORT FOR USE IN COMBINATION | | | ļ | | | | | | | | | | | | | + |
| | Interoffice Transport - Dedicated - STS-1 combination - Per Mile | | | | | 1 | | | 1 | | | | | | | | 1 |
| | Per Month | | | UNCSX | 1L5XX | 6.04 | | | | | | | | | | | 1 |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | | | 1 | | | 1 | | | | | | | | 1 |
| | Termination per month | | | UNCSX | U1TFS | 830.19 | 270.69 | 158.05 | | | | | | | | | ┸ |
| 4-WIRE | 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANS | SPORT | | | | | | | | | | | | | | | ഥ |
| | 4-wire 56 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL56 | 30.99 | 94.21 | 45.09 | | | | | | | | | ſ |
| | 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 36.78 | 94.21 | 45.09 | | | | | | | | | Ι |
| | 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 38.92 | 94.21 | 45.09 | | | | | | | | | ſ |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | | | | | | | | | | | | |
| | Per Mile per month | 1 | | UNCDX | 1L5XX | 0.013 | | | 1 | | | | | | | | 1 |

| IBUNDLED N | ETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachr | ment: 2 | Exhi | bit: A | Т |
|--------------|--|-----------|--|--------------------------------|----------------|--|----------------|----------------|--------------|------------|---|---|--|--|---|---|---|
| GORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | Nonrec | RATES (\$) | Nonrecurring | Dissonnest | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| + + | | | | | + | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | + |
| Inter | roffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | | | | | | | | | | | | T |
| | lity Termination per month | | | UNCDX | U1TD5 | 15.61 | 72.60 | 41.75 | | | | | | | | | ┸ |
| | (BPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROP | FICE TR | | | | | | | | | | | | | | | 4 |
| | re 64 kbps Lcoal Loop in Combination - Zone 1 | | 1 | UNCDX | UDL64 | 30.99 | 94.21 | 45.09 | | | | | | | | | + |
| | re 64 kbps Lcoal Loop in Combination - Zone 2 re 64 kbps Lcoal Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 UDL64 | 36.78 38.92 | 94.21 94.21 | 45.09 45.09 | | | | | | | | | + |
| | roffice Transport - Dedicated - 4-wire 64 kbps combination - | | 3 | ONCDA | ODL04 | 30.92 | 34.21 | 43.03 | | | | | | | | | + |
| | Mile per month | | | UNCDX | 1L5XX | 0.013 | | | | | | | | | | | |
| | roffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | | | | T |
| | lity Termination per month | | | UNCDX | U1TD6 | 15.61 | 72.60 | 41.75 | | | | | | | | | Ш |
| | (BPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE | TRANS | PORT | | | | | | | | | | | | | | L |
| | ire 56 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL56 | 30.99 | 94.21 | 45.09 | | | | | | | | | + |
| | ire 56 kbps Local Loop in combination - Zone 2 | | | UNCDX | UDL56 | 36.78 | 94.21 | 45.09 | | | ļ | | | | | | + |
| | ire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 38.92 | 94.21 | 45.09 | | | - | | | | | | + |
| mon | iree 56 kbps Interoffice Transport - Dedicated - Per Mile per | | | UNCDX | 1L5XX | 0.013 | | | | | | | | | | | |
| | ire 56 kbps Interoffice Transport - Dedicated - Facility | | | CINODA | ILUAA | 0.013 | + | | | | t | | | | | | + |
| | nination per month | | | UNCDX | U1TD5 | 15.61 | 72.60 | 41.75 | | | | | | | | | |
| 4-WIRE 64 K | BPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE | TRANSI | PORT | | | | | | | | | | | | | | T |
| | ire 64 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL64 | 30.99 | 94.21 | 45.09 | | | | | | | | | I |
| | ire 64 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL64 | 36.78 | 94.21 | 45.09 | | | | | | | | | L |
| | ire 64 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL64 | 38.92 | 94.21 | 45.09 | | | | | | | | | + |
| | vire 65 kbps Interoffice Transport - Dedicated - Per Mile per | | | UNCDX | 1L5XX | 0.013 | | | | | | | | | | | |
| mon | ire 64 kbps Interoffice Transport - Dedicated - Facility | | | UNCDX | 1L5XX | 0.013 | | | | | | | | | | | + |
| | nination per month | | | UNCDX | U1TD6 | 15.61 | 72.60 | 41.75 | | | | | | | | | |
| | L LOOP AND DS1 INTERFOFFICE TRANSPORT | | | ONCDA | 01100 | 13.01 | 72.00 | 41.73 | | | | | | | | | + |
| | ire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 85.70 | 169.22 | 100.89 | | | | | | | | | 十 |
| | ire DS1 Digital Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 194.96 | 169.22 | 100.89 | | | | | | | | | T |
| 4-Wi | ire DS1 Digital Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 491.94 | 169.22 | 100.89 | | | | | | | | | Τ |
| | office Transport - Dedicated - DS1 combination - Per Mile per | | | | | | | | | | | | | | | | Т |
| mon | | | | UNC1X | 1L5XX | 0.2652 | | | | | | | | | | | 4 |
| | office Transport - Dedicated - DS1 combination - Facility | | | | | 70.47 | 440.50 | 400.00 | | | | | | | | | |
| | nination per month L LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO | DT | | UNC1X | U1TF1 | 70.47 | 143.58 | 103.88 | | | | | | | | | + |
| | Local Loop in combination - per mile per month | KI | 1 | UNC3X | 1L5ND | 11.546 | | | | | 1 | | | | | | + |
| D33 | Local Loop III combination - per mile per month | | | UNCOA | ILSIND | 11.540 | | | | | | | | | | | + |
| DS3 | Local Loop in combination - Facility Termination per month | | 1 | UNC3X | UE3PX | 416.691 | 504.229 | 294.745 | | | | | | | | | |
| | office Transport - Dedicated - DS3 - Per Mile per month | | 1 | UNC3X | 1L5XX | 6.04 | | | | | | | | | | | T |
| | office Transport - Dedicated - DS3 combination - Facility | | | | | | İ | | | | | | | | | | T |
| | nination per month | | | UNC3X | U1TF3 | 850.45 | 270.69 | 158.05 | | | | | | | | | Ŧ |
| | TAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANS | SPORT | | | | | | | | | | | | | | | 1 |
| STS | 3-1 Local Lolp in combination - per mile per month | | | UNCSX | 1L5ND | 11.546 | | | | | | | | | | | 1 |
| | Allegal Land in combination Facility Tamelers' | | 1 | LINIOOV | UDI 04 | 400.744 | 504.000 | 0047:- | | | | | | | | | |
| | 6-1 Local Loop in combination - Facility Termination per month office Transport - Dedicated - STS-1 combination - per mile | | 1 | UNCSX | UDLS1 | 430.744 | 504.229 | 294.745 | | | | | | | | | + |
| | office Transport - Dedicated - STS-1 combination - per mile month | | | UNCSX | 1L5XX | 6.04 | | | | | | | | | | | |
| | roffice Transport - Dedicated - STS-1 combination - Facility | | | CINODA | ILUAA | 0.04 | | | | | | | | | | | + |
| | nination per month | | 1 | UNCSX | U1TFS | 830.19 | 270.69 | 158.05 | | | | | | | | | 1 |
| | ORK ELEMENTS | | | | 1 | ,,,,,, | | | | | | | | | | | T |
| | as a part of a currently combined facility, the non-recurring | charges o | lo not a | pply, but a Switch A | s Is charge do | es apply. | | | | | | | | | | | I |
| When used a | as ordinarily combined network elements in All States, the r | non-recur | ring cha | arges apply and the S | Switch As Is C | | | | | | | | | | | | Ι |
| Nonrecurring | g Currently Combined Network Elements "Switch As Is" Ch | arge (On | e applie | | on) | | | | | | | | | | | | I |
| | recurring Currently Combined Network Elements Switch -As-Is | | | UNCVX, UNCDX, UNC1X, UNC3X, | LINCOO | | F 40 | F /0 | | | | | | | | | |
| Ontional For | | | 1 | UNCSX | UNCCC | | 5.43 | 5.43 | | | | | | | | | + |
| Optional Fea | atures & Functions: | | 1 | U1TD1, | + | + | | | | | 1 | | | | | | + |
| Clos | r Channel Capability Extended Frame Option - per DS1 | | | ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | | |
| - Ciea | Supuliny Enterior / Idine Option por DOT | | | U1TD1, | JUULI | | 0.00 | 0.00 | 5.50 | 0.00 | | | | | | | + |
| Clea | r Channel Capability Super FrameOption - per DS1 | - 1 | | ULDD1,UNC1X | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | r Channel Capability (SF/ESF) Option - Subsequent Activity - | | | ULDD1, U1TD1, | | | 1 | | | | | | | | | | Т |
| | | | | UNC1X, USL | | | | | | | | | | | | | |

| INBUNDLE | D NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: A | |
|------------|---|---------|------|---------------|---------|--------|----------|------------|--------------|-------|--------------|-----------|-------------|-------------|-------------|--------------|----------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental | 1 |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - | l |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc | l |
| TEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. | l |
| | | | | | | | | | | | P -00 | p | Electronic- | Electronic- | Electronic- | Electronic- | l |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l | l |
| | | | | | | | | | | | | | | | 2.00 .00 | Dioo / tau : | Ш |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | | 匚 |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | ـــ |
| | | | | U1TD3, ULDD3, | | | | | | | | | | | | | l |
| | C-bit Parity Option - Subsequent Activity - per DS3 | i | | UE3, UNC3X | NRCC3 | | 218.78 | 7.66 | 0.7263 | 0.00 | | | | | | | ட |
| MULTI | PLEXERS | | | | | | | | | | | | | | | | ட |
| | DS1 to DS0 Channel System per month | | | UNC1X | MQ1 | 105.09 | 59.97 | 12.96 | | | | | | | | | ட |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month | | | | | | | | | | | | | | | | 1 - |
| | (2.4-64kbs) used for a Local Loop | | | UDL | 1D1DD | 1.38 | 6.39 | 4.58 | | | | | | | | | Ш |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month | | | | | | | | | | | | | | | | 1 |
| | (2.4-64kbs) used for connection to a channelized DS1 Local | | | | 1 | | | | | | | | | | | | l |
| | Channel in the same SWC as collocation | | | U1TUD | 1D1DD | 1.38 | 6.39 | 4.58 | | | | | | | | | 1 |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | | | | | | | | | | | | | | 1 |
| | month for a Local Loop | | | UDN | UC1CA | 2.96 | 6.39 | 4.58 | | | | | | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | | | | | | | | | | | | | | l |
| | month used for connection to a channelized DS1 Local Channel in | | | | | | | | | | | | | | | | l |
| | the same SWC as collocation | | | U1TUB | UC1CA | 2.96 | 6.39 | 4.58 | | | | | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | | | | | | | | | | | | | 1 |
| | used for a Local Loop | | | UEA | 1D1VG | 0.6497 | 6.39 | 4.58 | | | | | | | | | <u>L</u> |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | | | | | | | | | | | | | 1 |
| | used for connection to a channelized DS1 Local Channel in the | | | | | | | | | | | | | | | | 1 |
| | same SWC as collocation | | | U1TUC | 1D1VG | 0.6497 | 6.39 | 4.58 | | | | | | | | | Ш. |
| | DS3 to DS1 Channel System per month | | | UNC3X | MQ3 | 201.48 | 107.05 | 91.25 | | | | | | | | | ட |
| | STS-1 to DS1 Channel System per month | | | UNCSX | MQ3 | 201.48 | 107.05 | 91.25 | | | | | | | | | ட |
| | DS1 COCI used with Loop per month | | | USL | UC1D1 | 11.78 | 6.39 | 4.58 | | | | | | | | | ட |
| | DS1 COCI (used for connection to a channelized DS1 Local | | | | | | | | | | | | | | | | 1 |
| | Channel in the same SWC as collocation) per month | | | U1TUA | UC1D1 | 11.78 | 6.39 | 4.58 | | | | | | | | | Ш |
| | DS1 COCI used with Interoffice Channel per month | | | U1TD1 | UC1D1 | 11.78 | 6.39 | 4.58 | | | | | | | | | ـــ |
| | | | | | L | | | | | | | | | | | | i |
| | DS3 Interface Unit (DS1 COCI) used with Local Channel per month | | | ULDD1 | UC1D1 | 11.78 | 6.39 | 4.58 | | | | | | | | | ₩ |
| 1 PBX LOC/ | | | | | | | | | | | | | | | | | ₩ |
| 911 PE | X LOCATE DATABASE CAPABILITY | | | | | | | | | | | | | | | | ₩ |
| | Service Establishment per CLEC per End User Account | | | 9PBDC | 9PBEU | | 1,819.00 | | | | | | | | | | ₩ |
| | Changes to TN Range or Customer Profile | | | 9PBDC | 9PBTN | | 181.99 | | | | | | | | | | ₩ |
| | Per Telephone Number (Monthly) | | | 9PBDC | 9PBMM | 0.07 | | | | | | | | | | | ₩ |
| | Change Company (Service Provider) ID | | | 9PBDC | 9PBPC | | 534.22 | | | | | | | | | | ₩ |
| | PBX Locate Service Support per CLEC (Monthlt) | | | 9PBDC | 9PBMR | 178.58 | | | | | | | | | | | |
| | Service Order Charge | | | 9PBDC | 9PBSC | | 15.20 | | | | | | | | | | ⊢ |
| | X LOCATE TRANSPORT COMPONENT | | | | | | | | | | | | | | | | ⊢ |
| See At | t 3 Rates displaying an "I" in Interim column are interim as a result of | | | | | | | | | | | | | | | | _ |

| BUNDL | ED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: A |
|---------|---|------------|----------|--|----------------|----------------|-----------------|-----------------|------------------------|-----------------|---|---|--|---|---|---|
| EGORY | RATE ELEMENTS | Interim | Zone | | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | Add'I | SOMEC | SOMAN | SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN |
| Th - 11 | | | | | II- B | 111115 7 | Tarahan Cara | | | B | | -106 | | M-1-16- | | |
| | Zone" shown in the sections for stand-alone loops or loops as pa www.interconnection.bellsouth.com/become_a_clec/html/interco | | | n refers to Geograph | ically Deaver | aged UNE Zones | . To view Geog | graphically Dea | iveraged UNE 2 | one Designation | ons by Centr | ai Office, ref | er to internet i | vebsite: | | |
| RATION/ | L SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" | Jinection. | | | | | | | | | | | | | | |
| NOTE | (A) 01 50 -b - dd | | -10-11-0 | 00 -1 | | | Th - 000 -h | | and also and the state | | D. 110 | ate the edge of | | | 01.50 | |
| | (1) CLEC should contact its contract negotiator if it prefers the specific Commission ordered rates for the service ordering charge | | | | | | | | | | | | | | | |
| | : (2) Any element that can be ordered electronically will be billed | | | | | | | | | | | | | | | |
| ordere | ed electronically at present per the LOH, the listed SOMEC rate in | | | | | | | | | | | | | | | |
| bill w | nen it submits an LSR to BellSouth. | 1 | | | 1 | | | | 1 | 1 | | 1 | | | | |
| | OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| | OSS - Manual Service Order Charge, Per Local Service Request | | | | | | | | | | | | | | | |
| | (LSR) - UNE Only | | | | SOMAN | | 15.75 | 0.00 | 1.97 | 0.00 | | | | | | |
| | EDATE ADVANCEMENT CHARGE The Expedite charge will be maintained commensurate with B | allSouth's | ECC No | 1 Tariff Section For | annliaahla | | | | | | | | | | | |
| | The Expedite states will be maintained commenced at the E | | 1 | | - пррисцыю | | | | | | | | | | | |
| | UNE Expedite Charge per Circuit or Line Assignable USOC, per | | | UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1TD3, U1TD1, U1TD3, U1TD1, U1TD3, U1TD1, U1TD3, U1TD1, U1TD3, U1TD1, U1TD2, UC1BC, ULD03, ULD03, ULD03, ULD03, ULD03, UNCDX, UNCDX, UNCDX, UNCDX, UNCNX, UNCDX, UNCDN, UNCDN, UNCDN, UNCDN, UNCDN, UNTD1, UNTD1, UTTD1, UTTUB, | SDASP | | 200.00 | | | | | | | | | |
| | EXCHANGE ACCESS LOOP E ANALOG VOICE GRADE LOOP | 1 | - | - | | | | | | | - | | | | | |
| Z-VVIR | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | 1 | 1 | UEANL | UEAL2 | 12.03 | 37.92 | 17.55 | 23.48 | 5.25 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEAL2 | 16.87 | 37.92 | 17.55 | 23.48 | 5.25 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEAL2 | 25.68 | 37.92 | 17.55 | | 5.25 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | 1 | 4 | UEANL UEANL | UEAL2 UEASL | 43.85 12.03 | 37.92 37.92 | 17.55 17.55 | 23.48 23.48 | 5.25 5.25 | | - | | | | |
| + | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | 1 | 2 | UEANL | UEASL | 12.03 | 37.92 | 17.55 | 23.48 | 5.25 | | - | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEASL | 25.68 | 37.92 | 17.55 | 23.48 | 5.25 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4 | | 4 | UEANL | UEASL | 43.85 | 37.92 | 17.55 | 23.48 | 5.25 | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | LIFANII | UDET | | 0.00 | 0.00 | | | | | | | | |
| | Premise Loop Testing - Basic 1st Half Hour | + | + | UEANL UEANL | URETL URET1 | | 8.33 34.36 | 0.83 34.36 | | | - | - | | | | |
| _ | recop resumy - pasie racriaii ridul | | - | | | 1 | | | l | | 1 | | | | | |
| | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 19.97 | 19.97 | | | | | | | | |
| | Loop Testing - Basic Additional Half Hour CLEC to CLEC Conversion Charge Without Outside Dispatch | | | UEANL UEANL | URETA UREWO | | 19.97 15.75 | 19.97 8.92 | | | | | | | | |
| | | | | | | | | | | | | | | | | |

| <u>NBU</u> NDL | ED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: A |
|----------------|---|---------|--|---------------|----------------|--|-----------------|---------------|-----------------------|---------------------|---|---|--|--|---|---|
| GORY | RATE ELEMENTS | Interim | Zone | | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec First | | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN |
| - | Order Coordination for Specified Conversion Time for UVL-SL1 | | | | | | FIRST | Add'l | FIRST | Addi | SOMEC | SUMAN | SUMAN | SUMAN | SOMAN | SUMAN |
| | (per LSR) | | | UEANL | OCOSL | | 18.19 | 18.19 | | | | | | | | |
| 2-WIR | E Unbundled COPPER LOOP | | 1 | 027.1112 | 00002 | | 10.10 | 10.10 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | | 1 | UEQ | UEQ2X | 11.01 | 36.53 | 16.16 | 22.66 | 4.42 | | | | | | |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | | 2 | UEQ | UEQ2X | 11.51 | 36.53 | 16.16 | 22.66 | 4.42 | | | | | | |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | | 3 | UEQ | UEQ2X | 11.57 | 36.53 | 16.16 | 22.66 | 4.42 | | | | | | |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 4 | | 4 | UEQ | UEQ2X | 13.10 | 36.53 | 16.16 | 22.66 | 4.42 | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | | | | | | |
| | Premise | | | UEQ | URETL | | 8.33 | 0.83 | | | | | | | | |
| | Manual Order Coordination 2 Wire Unbundled Copper Loop - Non- | | | | | | | | | | | | | | | |
| _ | Designed (per loop) | | | UEQ | USBMC | | 8.20 | 8.20 | | | | | | | | |
| | Unbundled Copper Loop, Non-Design Copper Loop, billing for | | | UEQ | UEQMU | | 13.51 | 13.51 | | | | | | | | |
| - | BST providing make-up (Engineering Information - E.I.) Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | 34.36 | 34.36 | | | | | | | | |
| - | Loop Testing - Basic 1st Hall Hour Loop Testing - Basic Additional Half Hour | | 1 | UEQ | URETA | | 19.97 | 19.97 | | | | | | | | |
| 1 | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | UEQ | UREWO | | 14.24 | 7.42 | | | | | i | 1 | | |
| UNDLED | EXCHANGE ACCESS LOOP | | | | 1 | i l | 1 | | | | | | İ | İ | | |
| | E ANALOG VOICE GRADE LOOP | | | | | 1 | | | | | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UEPSR UEPSB | UEALS | 12.03 | 37.92 | 17.55 | 23.48 | 5.25 | | | L | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UEPSR UEPSB | UEABS | 12.03 | 37.92 | 17.55 | 23.48 | 5.25 | | | | | | |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UEPSR UEPSB | UEALS | 16.87 | 37.92 | 17.55 | 23.48 | 5.25 | | | | | | |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | | | | 40.07 | 07.00 | | 00.40 | | | | | | | |
| - | Zone 2 | | 2 | UEPSR UEPSB | UEABS | 16.87 | 37.92 | 17.55 | 23.48 | 5.25 | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3 | | 3 | UEPSR UEPSB | UEALS | 25.68 | 37.92 | 17.55 | 23.48 | 5.25 | | | | | | |
| - | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | 3 | UEPSK UEPSB | UEALS | 25.00 | 37.92 | 17.55 | 23.40 | 5.25 | | | | | | |
| | Zone 3 | | 3 | UEPSR UEPSB | UEABS | 25.68 | 37.92 | 17.55 | 23.48 | 5.25 | | | | | | |
| - | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | 3 | OLI SK OLI SB | OLADO | 23.00 | 37.32 | 17.55 | 23.40 | 5.25 | | | | | | |
| | Zone 4 | | 4 | UEPSR UEPSB | UEALS | 43.85 | 37.92 | 17.55 | 23.48 | 5.25 | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 4 | | 4 | UEPSR UEPSB | UEABS | 43.85 | 37.92 | 17.55 | 23.48 | 5.25 | | | | | | |
| UNDLED | EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| 2-WIR | E ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | |
| | Ground Start Signaling - Zone 1 | | 1 | UEA | UEAL2 | 13.89 | 105.96 | 68.28 | 52.82 | 10.37 | | | | | | |
| 1 | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | 2 | 115 4 | 115410 | | , | 20.0- | =0.0- | | | | l | l | | |
| | Ground Start Signaling - Zone 2 | - | 2 | UEA | UEAL2 | 18.75 | 105.96 | 68.28 | 52.82 | 10.37 | | | 1 | 1 | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3 | | 3 | UEA | UEAL2 | 27.55 | 105.96 | 68.28 | 52.82 | 10.37 | | | | | | |
| + | Ground Start Signaling - Zone 3 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | 3 | OEA | UEALZ | 21.05 | 105.90 | 00.28 | 52.62 | 10.37 | | | 1 | 1 | | |
| | Ground Start Signaling - Zone 4 | | 4 | UEA | UEAL2 | 45.72 | 105.96 | 68.28 | 52.82 | 10.37 | | | l | l | | |
| + | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | 40.12 | 18.19 | 00.20 | 52.02 | 10.37 | | | | | | |
| 1 | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | 10.19 | | | | | | | | | |
| | Battery Signaling - Zone 1 | | 1 | UEA | UEAR2 | 13.89 | 105.96 | 68.28 | 52.82 | 10.37 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | | | | | | | | | |
| | Battery Signaling - Zone 2 | | 2 | UEA | UEAR2 | 18.75 | 105.96 | 68.28 | 52.82 | 10.37 | | | L | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | - | | | | | | | | |
| | Battery Signaling - Zone 3 | | 3 | UEA | UEAR2 | 27.55 | 105.96 | 68.28 | 52.82 | 10.37 | | | ļ | ļ | | |
| 1 | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | ١ | l | l |] | | | | | | | l | l | | |
| | Battery Signaling - Zone 4 | | 4 | UEA | UEAR2 | 45.72 | 105.96 | 68.28 | 52.82 | 10.37 | | | - | | | |
| - | Order Coordination for Specified Conversion Time (per LSR) | - | <u> </u> | UEA | OCOSL | | 18.19 | 00.00 | | | | | 1 | 1 | | |
| - | CLEC to CLEC Conversion Charge without outside dispatch | | 1 | UEA UEA | UREWO URETL | | 87.56 11.19 | 36.29 1.10 | | | | | | | | |
| 4 18/10 | Loop Tagging - Service Level 2 (SL2) E ANALOG VOICE GRADE LOOP | | | UEA | UKEIL | | 11.19 | 1.10 | | | | | | | | |
| +-vviR | 4-Wire Analog Voice Grade Loop - Zone 1 | 1 | 1 | UEA | UEAL4 | 27.47 | 132.27 | 94.59 | 60.68 | 14.64 | | | 1 | 1 | | |
| - | 4-Wire Analog Voice Grade Loop - Zone 1 | | 2 | UEA | UEAL4 | 38.26 | 132.27 | 94.59 | 60.68 | 14.64 | | | | | | |
| 1 | 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEA | UEAL4 | 50.03 | 132.27 | 94.59 | 60.68 | 14.64 | | | i | 1 | | |
| \top | 4-Wire Analog Voice Grade Loop - Zone 4 | | 4 | UEA | UEAL4 | 50.03 | 132.27 | 94.59 | 60.68 | 14.64 | | | | 1 | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | Ė | UEA | OCOSL | 1 | 18.19 | 230 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | Ì | UEA | UREWO | 1 | 87.56 | 36.29 | | | | | İ | İ | | |
| - 14/15 | E ISDN DIGITAL GRADE LOOP | | | | | | | | | | | | | | | |

| IRONDLE | D NETWORK ELEMENTS - Mississippi | | | ı | | | | | | | | | Attachi | | Exhi | |
|---------|---|------------|--|-------|----------|-------|--------|------------|----------------|-------|---|---|--|--|---|---|
| EGORY | RATE ELEMENTS | Interim | Zone | | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| _ | | | - | | | Rec | Nonrec | | Nonrecurring I | | SOMEC | SOMAN | SOMAN | Rates (\$) | SOMAN | SOMAN |
| | 2 W. 10 BN B: :: 10 1 1 7 4 | | . | unu | 1141.014 | 04.04 | First | Add'l | First | Add'I | SOMEC | SOMAN | SUMAN | SOMAN | SUMAN | SUMAN |
| | 2-Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UDN | U1L2X | 21.01 | 117.61 | 79.92 | 52.82 | 10.37 | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 2 | | 2 | UDN | U1L2X | 27.59 | 117.61 | 79.92 | 52.82 | 10.37 | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 3 | | 3 | UDN | U1L2X | 37.34 | 117.61 | 79.92 | 52.82 | 10.37 | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 4 | | 4 | UDN | U1L2X | 59.18 | 117.61 | 79.92 | 52.82 | 10.37 | | | | | | |
| | Order Coordination For Specified Conversion Time (per LSR) | | | UDN | OCOSL | | 18.19 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDN | UREWO | | 91.46 | 44.07 | | | | | | | | |
| 2-WIRE | ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA | TIBLE LO | OP | | | | | | 1 | | | | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry & | | | | | | | | | | | | | | | |
| | facility reservation - Zone 1 | | 1 | UAL | UAL2X | 11.11 | 121.27 | 70.81 | 50.38 | 7.93 | | | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry & | | - | O/ (L | UNLEX | 11.11 | 121.27 | 70.01 | 50.50 | 7.50 | | | | | | |
| | facility reservation - Zone 2 | | 2 | UAL | UAL2X | 11.47 | 121.27 | 70.81 | 50.38 | 7.93 | | | | | | |
| - | | | | UAL | UALZA | 11.47 | 121.21 | 70.01 | 30.36 | 1.93 | | | | | | |
| 1 | 2 Wire Unbundled ADSL Loop including manual service inquiry & | | 3 | UAL | UAL2X | 11.74 | 404.07 | 70.04 | E0 00 | 7.93 | | | | | | |
| - | facility reservation - Zone 3 | | 3 | UAL | UALZX | 11.74 | 121.27 | 70.81 | 50.38 | 7.93 | | | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry & | | | | | | | | | | | | | | | |
| | facility reservation - Zone 4 | | 4 | UAL | UAL2X | 12.69 | 121.27 | 70.81 | 50.38 | 7.93 | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | <u> </u> | UAL | OCOSL | | 18.19 | | | | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | | | | | | | | | | | | |
| | facility reservaton - Zone 1 | | 1 | UAL | UAL2W | 11.11 | 96.15 | 58.03 | 50.38 | 7.93 | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | | | | | | | | | | | | |
| | facility reservaton - Zone 2 | | 2 | UAL | UAL2W | 11.47 | 96.15 | 58.03 | 50.38 | 7.93 | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | | | | | | | | | | | | |
| | facility reservaton - Zone 3 | | 3 | UAL | UAL2W | 11.74 | 96.15 | 58.03 | 50.38 | 7.93 | | | | | | |
| - | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | 0712 | O/ KEETT | | 00.10 | 00.00 | 00.00 | 7.00 | | | | | | |
| | facility reservaton - Zone 4 | | 4 | LIAI | UAL2W | 12.69 | 96.15 | 58.03 | 50.38 | 7.93 | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | 4 | UAL | OCOSL | 12.09 | 18.19 | 36.03 | 30.36 | 1.93 | | | | | | |
| - | CLEC to CLEC Conversion Charge without outside dispatch | | | UAL | UREWO | | 86.04 | 40.33 | + | | | | | | | |
| O MUDE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT | IDI E I OC | <u> </u> | UAL | UKEWU | | 00.04 | 40.33 | - | | | | | | | |
| 2-WIRE | | IBLE LOC | JP | | | | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & | | | l | | | | | | | | | | | | |
| | facility reservation - Zone 1 | | 1 | UHL | UHL2X | 8.75 | 129.98 | 79.52 | 50.38 | 7.93 | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & | | | | | | | | | | | | | | | |
| | facility reservation - Zone 2 | | 2 | UHL | UHL2X | 9.22 | 129.98 | 79.52 | 50.38 | 7.93 | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & | | | | | | | | | | | | | | | |
| | facility reservation - Zone 3 | | 3 | UHL | UHL2X | 9.87 | 129.98 | 79.52 | 50.38 | 7.93 | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & | | | | | | | | | | | | | | | |
| | facility reservation - Zone 4 | | 4 | UHL | UHL2X | 10.46 | 129.98 | 79.52 | 50.38 | 7.93 | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 18.19 | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry and | | | 0.1.2 | 00002 | | 10.10 | | | | | | | | | |
| | facility reservation - Zone 1 | | 1 | UHL | UHL2W | 8.75 | 104.86 | 66.74 | 50.38 | 7.93 | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry and | | - '- | OTIL | OTTLZVV | 0.73 | 104.00 | 00.74 | 30.30 | 1.33 | | | | | | |
| | facility reservation - Zone 2 | | 2 | UHL | UHL2W | 9.22 | 104.86 | 66.74 | 50.38 | 7.93 | | | | | | |
| | | | | UNL | UHLZW | 9.22 | 104.00 | 00.74 | 50.36 | 7.93 | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry and | | _ | l | | 2.05 | 40.00 | | =0.05 | = 0- | | | | | | |
| | facility reservation - Zone 3 | | 3 | UHL | UHL2W | 9.87 | 104.86 | 66.74 | 50.38 | 7.93 | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry and | | | I | | | l | | | | | | | | | |
| | facility reservation - Zone 4 | | 4 | UHL | UHL2W | 10.46 | 104.86 | 66.74 | 50.38 | 7.93 | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 18.19 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 85.98 | 40.33 | | | | | | | | |
| 4-WIRE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT | IBLE LOC | OP | | | | | | | | | | | | | |
| | 4 Wire Unbundled HDSL Loop including manual service inquiry and | | | | | | | | | | | | | | | |
| | facility reservation - Zone 1 | | 1 | UHL | UHL4X | 13.78 | 158.74 | 108.28 | 56.72 | 10.68 | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry and | | Ì | 1 | | | | | | | | | | | | |
| | facility reservation - Zone 2 | | 2 | UHL | UHL4X | 13.43 | 158.74 | 108.28 | 56.72 | 10.68 | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry and | | <u> </u> | 1 | | | | | | | | | | | | |
| 1 | facility reservation - Zone 3 | | 3 | UHL | UHL4X | 15.59 | 158.74 | 108.28 | 56.72 | 10.68 | | | | | | |
| + | 4-Wire Unbundled HDSL Loop including manual service inquiry and | | | OTTE | OI IL4A | 10.08 | 100.74 | 100.20 | 30.12 | 10.06 | | | | | | |
| 1 | facility reservation - Zone 4 | | 4 | UHL | UHL4X | 14.46 | 158.74 | 108.28 | 56.72 | 10.68 | | | | | | |
| + | | - | + | | | 14.40 | | 100.28 | 30.72 | 10.08 | | | | | | |
| _ | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 18.19 | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and | | | l | | | | | | | | | | | | |
| | facility reservation - Zone 1 | | 1 | UHL | UHL4W | 13.78 | 133.62 | 95.50 | 56.72 | 10.68 | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and | | 1 | | | | | | | | | | | | | |
| | facility reservation - Zone 2 | | 2 | UHL | UHL4W | 13.43 | 133.62 | 95.50 | 56.72 | 10.68 | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and | | | | | | | | | | | | | | | |
| | facility reservation - Zone 3 | | 3 | UHL | UHL4W | 15.59 | 133.62 | 95.50 | 56.72 | 10.68 | | | | | | |
| \neg | 4-Wire Unbundled HDSL Loop without manual service inquiry and | | | | | | | | | | | | | | | |
| | | | 4 | UHL | UHL4W | 14.46 | 133.62 | 95.50 | 56.72 | 10.68 | i l | | | | | |

| RUNDLE | D NETWORK ELEMENTS - Mississippi | 1 | | 1 | | | | | | | | | | ment: 2 | | bit: A |
|----------|--|---------|------|----------|-----------|---------|---------|------------|----------------|-------|---|---|--|--|---|---|
| GORY | RATE ELEMENTS | Interim | Zone | | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrecu | | Nonrecurring I | | | | OSS | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 18.19 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 85.98 | 40.33 | | | | | | | | |
| 4-WIRE | DS1 DIGITAL LOOP | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 79.08 | 253.93 | 158.45 | 46.10 | 12.07 | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | USL | USLXX | 129.38 | 253.93 | 158.45 | 46.10 | 12.07 | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 206.74 | 253.93 | 158.45 | 46.10 | 12.07 | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 4 | | 4 | USL | USLXX | 458.46 | 253.93 | 158.45 | 46.10 | 12.07 | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | _ | USL | OCOSL | 400.40 | 18.19 | 100.40 | 40.10 | 12.01 | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 100.90 | 42.96 | | | | | | | | |
| 4 14/10/ | | | | USL | UNEWO | | 100.90 | 42.90 | | | | | | | | |
| 4-WIRE | 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | UDI | 1151.40 | 07.44 | 100 50 | 00.05 | 00.00 | | | | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL | UDL19 | 27.44 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| _ | 4 Wire Unbundled Digital 19.2 Kbps | | 2 | UDL | UDL19 | 34.55 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 3 | UDL | UDL19 | 40.76 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| _ | 4 Wire Unbundled Digital 19.2 Kbps | | 4 | UDL | UDL19 | 32.25 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | 1 | UDL | UDL56 | 27.44 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | 2 | UDL | UDL56 | 34.55 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | 3 | UDL | UDL56 | 40.76 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 4 | | 4 | UDL | UDL56 | 32.25 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 18.19 | | | | | | | ĺ | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | 1 | UDL | UDL64 | 27.44 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | 2 | UDL | UDL64 | 34.55 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | 3 | UDL | UDL64 | 40.76 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| _ | | | 4 | | | | | | | | | | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 4 | | 4 | UDL | UDL64 | 32.25 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| _ | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 18.19 | 40.00 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDL | UREWO | | 101.94 | 49.66 | | | | | | | | |
| 2-WIRE | Unbundled COPPER LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed including manual | | | | | | | | | | | | | | | |
| | service inquiry & facility reservation - Zone 1 | | 1 | UCL | UCLPB | 11.11 | 120.34 | 69.87 | 50.38 | 7.93 | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed including manual | | | | | | | | | | | | | | | |
| | service inquiry & facility reservation - Zone 2 | | 2 | UCL | UCLPB | 11.47 | 120.34 | 69.87 | 50.38 | 7.93 | | | | | | |
| | 2 Wire Unbundled Copper Loop-Designed including manual service | | | | | | | | | | | | | | | |
| | inquiry & facility reservation - Zone 3 | | 3 | UCL | UCLPB | 11.74 | 120.34 | 69.87 | 50.38 | 7.93 | | | | | | |
| | 2 Wire Unbundled Copper Loop-Designed including manual service | | | | | | | | | | | | | | | |
| | inquiry & facility reservation - Zone 4 | | 4 | UCL | UCLPB | 12.69 | 120.34 | 69.87 | 50.38 | 7.93 | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | - | UCL | UCLMC | 12.03 | 8.20 | 8.20 | 30.30 | 1.33 | | | | | | |
| - | | | | UCL | UCLIVIC | - | 0.20 | 0.20 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed without manual service | | | | LIOI DW | 44.44 | 05.04 | 57.00 | 50.00 | 7.00 | | | | | | |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCLPW | 11.11 | 95.21 | 57.09 | 50.38 | 7.93 | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed without manual service | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCLPW | 11.47 | 95.21 | 57.09 | 50.38 | 7.93 | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed without manual service | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCLPW | 11.74 | 95.21 | 57.09 | 50.38 | 7.93 | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed without manual service | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 4 | | 4 | UCL | UCLPW | 12.69 | 95.21 | 57.09 | 50.38 | 7.93 | | | |] | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.20 | 8.20 | | | | | | | | |
| 1 | CLEC to CLEC Conversion Charge without outside dispatch (UCL | | | i e | | | | | | | | | | İ | | |
| | Des) | | | UCL | UREWO | | 95.21 | 42.40 | | | | | | l | | |
| 4-WIP | COPPER LOOP | | l – | | J. (L 110 | | 33.21 | 72.70 | - | | | | | 1 | | |
| 7 ****** | 4-Wire Copper Loop-Designed including manual service inquiry | | | † | | - | | | + | | | | | | | |
| 1 | | | 4 | UCL | UCL4S | 17.30 | 144.68 | 94.22 | 56.72 | 10.68 | | | | l | | |
| - | and facility reservation - Zone 1 | | | UUL | UUL40 | 17.30 | 144.00 | 94.22 | 50.72 | 10.08 | | | | 1 | | |
| 1 | 4-Wire Copper Loop-Designed including manual service inquiry | | 2 | UCL | UCL4S | 10.04 | 144.68 | 94.22 | 56.72 | 10.60 | | | | l | | |
| + | and facility reservation - Zone 2 | | | UUL | UUL40 | 18.84 | 144.08 | 94.22 | 50.72 | 10.68 | | | | | | |
| | 4-Wire Copper Loop-Designed including manual service inquiry | | _ | | 1101.10 | 21.25 | 4 | | =0 =0 | | | | | 1 | | |
| | and facility reservation - Zone 3 | | 3 | UCL | UCL4S | 21.33 | 144.68 | 94.22 | 56.72 | 10.68 | | | | ļ | | |
| | 4-Wire Copper Loop-Designed including manual service inquiry | | | 1 | [] | | | | 1 | | | | | l | | |
| | and facility reservation - Zone 4 | | 4 | UCL | UCL4S | 21.33 | 144.68 | 94.22 | 56.72 | 10.68 | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.20 | 8.20 | | | | | | | | |
| | 4-Wire Copper Loop-Designed without manual service inquiry and | | | | | | | | | | | | | l | | |
| | facility reservation - Zone 1 | | 1 | UCL | UCL4W | 17.30 | 119.56 | 81.44 | 56.72 | 10.68 | | | | 1 | | |
| | 4-Wire Copper Loop-Designed without manual service inquiry and | | | | | | | | İ | | | | | | | |
| | facility reservation - Zone 2 | | 2 | UCL | UCL4W | 18.84 | 119.56 | 81.44 | 56.72 | 10.68 | | | | l | | |
| | 4-Wire Copper Loop-Designed without manual service inquiry and | | _ | 1 | | .5.54 | | U | 55.7Z | | | | | l | | |
| | THE THIS COPPER LOOP-DESIGNED WILLIOUS THAT I AND SERVICE IT IN THE | | 1 | 1 | | l l | | | | | | | | l | | |
| | facility reservation - Zone 3 | | 2 | LICI | LICL 4W | 24 22 | 110 50 | 01 // | | | | | | | | |
| | facility reservation - Zone 3 4-Wire Copper Loop-Designed without manual service inquiry and | | 3 | UCL | UCL4W | 21.33 | 119.56 | 81.44 | 56.72 | 10.68 | | | | | | |

| NDONDEL | D NETWORK ELEMENTS - Mississippi | | | ı | | ı | | | | | 1 - | - | | ment: 2 | | bit: A | ╄ |
|------------|--|----------|------|--|----------------|---------------|-----------------|------------------|----------------|--------------|---|---|--|--|---|---|--------|
| ATEGORY | RATE ELEMENTS | Interim | Zone | | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | Rec | Nonred First | curring Add'l | Nonrecurring | | SOMEC | SOMAN | SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN | +- |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.20 | 8.20 | First | Add'l | SUMEC | SUMAN | SUMAN | SUMAN | SUMAN | SUMAN | ╁ |
| | CLEC to CLEC Conversion Charge without outside dispatch (UCL- | | | OCL | OCLIVIC | | 0.20 | 0.20 | | | 1 | | | | | | |
| | Des) | | | UCL | UREWO | | 95.21 | 42.40 | | | | | | | | | |
| OP MODIFIC | ATION | | | | | | | | | | | | | | | | T |
| | Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop | | | UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB | ULM2L | | 32.57 | 32.57 | | | | | | | | | |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire less | | | | | | | | | | | | | | | | |
| | than or equal to 18K ft, per Unbundled Loop | | | UHL, UCL, UEA UAL, UHL, UCL, | ULM4L | | 32.57 | 32.57 | | | ļ | | | | | | + |
| IB-LOOPS | Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop | | | UEQ, ULS, UEA, UEANL, UEPSR, UEPSB | ULMBT | | 32.59 | 32.59 | | | | | | | | | |
| | op Distribution | | | | | | | | | | 1 | | | | | | + |
| | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up | I | | UEANL | USBSA | | 259.69 | | | | | | | | | | Į |
| | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | | | UEANL | USBSB | | 22.77 | | 1 | | | | | | | | 1 |
| | Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up | - | | UEANL | USBSC | | 178.47 | | | | | | | | | | Ť |
| | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set- Up | ı | | UEANL | USBSD | | 56.39 | | | | | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | ı | 1 | UEANL | USBN2 | 7.15 | 66.18 | 31.14 | 45.36 | 6.71 | | | | | | | 1 |
| | Zone 2 | 1 | 2 | UEANL | USBN2 | 9.51 | 66.18 | 31.14 | 45.36 | 6.71 | | | | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 | ı | 3 | UEANL | USBN2 | 12.45 | 66.18 | 31.14 | 45.36 | 6.71 | | | | | | | Ī |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 4 | | 4 | UEANL | USBN2 | 18.26 | 66.18 | 31.14 | 45.36 | 6.71 | | | | | | | 1 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 8.20 | 8.20 | | | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | 0.00 | | | | | | | | | | T |
| | Zone 1 | | 1 | UEANL | USBN4 | 7.30 | 79.49 | 44.45 | 51.27 | 9.35 | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEANL | USBN4 | 13.92 | 79.49 | 44.45 | 51.27 | 9.35 | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEANL | USBN4 | 16.73 | 79.49 | 44.45 | 51.27 | 9.35 | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 4 | | 4 | UEANL | USBN4 | 16.73 | 79.49 | 44.45 | 51.27 | 9.35 | | | | | | | T |
| | | | | | | | | | | | | | | | | | Т |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | <u> </u> | | UEANL | USBMC | | 8.20 | 8.20 | | | 1 | | | | | | \bot |
| | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | - | | UEANL | USBR2 | 2.29 | 53.32 | 18.28 | 45.36 | 6.71 | - | | | | | | + |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 8.20 | 8.20 | 1 | | | | | | | | 1 |
| | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | | | UEANL | USBR4 | 4.40 | 59.60 | 24.55 | 51.27 | 9.35 | 1 | | | | | | t |
| | | 1 | | | | | | | | 2.00 | | | | | | | T |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 8.20 | 8.20 |] | |] | | | | | | 1 |
| | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 34.36 | 34.36 | | | | | | | | | + |
| _ | Loop Testing - Basic Additional Half Hour | - | 1 | UEANL UEF | URETA UCS2X | 6.06 | 19.97 66.18 | 19.97 31.14 | 45.36 | 6.71 | 1 | | | | | | + |
| | Wire Copper Unbundled Sub-Loop Distribution - Zone 1 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | | 2 | UEF | UCS2X | 7.09 | 66.18 | 31.14 | 45.36 | 6.71 | | | | | | | + |
| 1 | 2 Wire Copper Unburidled Sub-Loop Distribution - Zone 3 | i | 3 | UEF | UCS2X | 8.16 | 66.18 | 31.14 | 45.36 | 6.71 | 1 | | | | | | + |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4 | | 4 | UEF | UCS2X | 9.90 | 66.18 | 31.14 | 45.36 | 6.71 | | | | | | | T |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 8.20 | 8.20 | | | | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF | UCS4X | 5.10 | 79.49 | 44.45 | 51.27 | 9.35 | | | | | | | + |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | 1 | 2 | UEF UEF | UCS4X UCS4X | 9.11 14.00 | 79.49 79.49 | 44.45 44.45 | 51.27 51.27 | 9.35 9.35 | | | | | | | + |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4 | - | | UEF | UCS4X UCS4X | 14.00 | 79.49 79.49 | 44.45 44.45 | | 9.35 | | | | | | | + |
| | | | | | | | | | | | | | | | | | 1 |

| UNBUNDLE | D NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | | ment: 2 | Exhi | | |
|--|--|--|----------|----------------------------|----------------|--------------|--------------|--------------|--------------|------------|---|---|--|--|---|---|--|
| CATEGORY | RATE ELEMENTS | Interim | Zone | | usoc | | Nonrec | RATES (\$) | Nonrecurring | Disconnect | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | Loop Testing - Basic 1st Half Hour | | | UEF | URET1 | | 34.36 | 34.36 | - 1.1-2 | | | | | | | | |
| | Loop Testing - Basic Additional Half Hour | | | UEF | URETA | | 19.97 | 19.97 | | | | | | | | | |
| Unbun | dled Network Terminating Wire (UNTW) | | | | | | | | | | | | | | | | |
| | Unbundled Network Terminating Wire (UNTW) per Pair | | | UENTW | UENPP | 0.3366 | 30.55 | | | | | | | | | | |
| Netwo | k Interface Device (NID) | | | | | | | | | | | | | | | | <u> </u> |
| | Network Interface Device (NID) - 1-2 lines | | | UENTW | UND12 | | 43.84 | 28.90 | | | | | | | | | ļ |
| - | Network Interface Device (NID) - 1-6 lines | | | UENTW | UND16 | | 65.30 | 50.36 | | | | | | | | | 1 |
| - | Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W | | | UENTW UENTW | UNDC2 UNDC4 | | 5.94 5.94 | 5.94 5.94 | | | | | | | | | |
| LINE OTHER | PROVISIONING ONLY - NO RATE | | | DEINTW | UNDC4 | | 5.94 | 5.94 | | | | | | | | | ├ |
| 1 | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | 0.00 | 0.00 | | | | | | | | | | |
| | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | 0.00 | 0.00 | | | | | | | | | | |
| | | | | UEANL,UEF,UEQ,U | | | | | | | | | | | | | |
| | Unbundled Contract Name, Provisioning Only - No Rate | <u> </u> | | ENTW | UNECN | 0.00 | 0.00 | | | | | | | | | | <u> </u> |
| UNE OTHER, F | PROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | | |
| 1 1 | | 1 | 1 | UAL.UCL.UDC.UDL. | | | | | | | | | | | | | 1 |
| | Unbundled Contact Name, Provisioning Only - no rate | | | UDN,UEA,UHL,USL | LINECN | 0.00 | 0.00 | | | | | | | | | | |
| | Oribuildied Contact Name, Flovisioning Only - no rate | | | UDIN,UEA,UHL,USL | UNECIN | 0.00 | 0.00 | | | | | | | | | | |
| | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate | | | UEA,UDN,UCL,UDC | USBFO | 0.00 | 0.00 | | | | | | | | | | |
| | Cribarated Cab Edop 1 Coder 2 Wile Gross Box Gamper Tio rate | | | OL/1,ODI4,OOL,ODO | OODI Q | 0.00 | 0.00 | | | | | | | | | | |
| | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate | | | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | | | | | | | | | | Ì |
| | Unbundled DS1 Loop - Superframe Format Option - no rate | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | | | | |
| | Unbundled DS1 Loop - Expanded Superframe Format option - no | | | | | | | | | | | | | | | | Ì |
| | rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | | ļ |
| HIGH CAPACII | Y UNBUNDLED LOCAL LOOP | | - | | | | | | | | | | | | | | ļ |
| | High Capacity Unbundled Local Loop - DS3 - Per Mile per month | | | UE3 | 1L5ND | 11.20 | | | | | | | | | | | Ì |
| | High Capacity Unbundled Local Loop - DS3 - Fel Wile Per Hight | | | UES | TESIND | 11.20 | | | | | | | | | | | |
| | per month | | | UE3 | UE3PX | 326.15 | 522.2495 | 305.2905 | 141.7145 | 99.1185 | | | | | | | Ì |
| | | | | | | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month | n | | UDLSX | 1L5ND | 11.20 | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Facility | | | | | | | | | | | | | | | | |
| | Termination per month | | | UDLSX | UDLS1 | 338.55 | 522.2495 | 305.2905 | 141.7145 | 99.1185 | | | | | | | <u> </u> |
| LOOP MAKE-U | | ļ | | | | | | | | | | | | | | | <u> </u> |
| | Loop Makeup - Preordering Without Reservation, per working or | | | UMK | UMKLW | | 24.12 | 24.12 | | | | | | | | | |
| | spare facility queried (Manual). Loop Makeup - Preordering With Reservation, per spare facility | | | UWIK | UIVIKLVV | | 24.12 | 24.12 | | | | | | | | | ├ |
| | queried (Manual). | | | UMK | UMKLP | | 25.58 | 25.58 | | | | | | | | | |
| | Loop MakeupWith or Without Reservation, per working or spare | | | | | | | | | | | | | | | | |
| | facility queried (Mechanized) | <u> </u> | <u> </u> | UMK | UMKMQ | | 0.6652 | 0.6652 | <u> </u> | | | | | | | | <u> </u> |
| LINE SPLITTIN | | | | | | | _ | • | | | | | | | | | |
| | PLITTING | | <u> </u> | | | | | | | | ļ | | | | | | |
| END U | SER ORDERING-CENTRAL OFFICE BASED | | <u> </u> | HEDOD HEDOD | LIDECO | 0.01 | | | | | ļ | | | | | | — |
| \vdash | Line Splitting - per line activation DLEC owned splitter Line Splitting - per line activation BST owned - physical | | <u> </u> | UEPSR UEPSB UEPSR UEPSB | UREOS UREBP | 0.61 0.61 | 18.62 | 10.66 | 10.04 | 4.93 | - | | | | | | ├── |
| | Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual | | - | UEPSR UEPSB | UREBV | 0.61 | 18.62 | 10.66 | 10.04 | 4.93 | | | | | | | |
| MAINTENANCI | E OF SERVICE | 1 | | | | 0.01 | 10.02 | 10.00 | 10.04 | 4.93 | | | | | | | |
| | The Expedite charge will be maintained commensurate with Be | ellSouth's I | FCC No | .1 Tariff, Section 13.3 | .1 as applica | ble. | | | | | | | | | | | |
| | No Trouble Found - per 1/2 hour increments - Basic | | | | | | 80.00 | 55.00 | | | | | | | | | |
| | No Trouble Found - per 1/2 hour increments - Overtime | | | | | | 90.00 | 65.00 | | | | | | | | | |
| | No Trouble Found - per 1/2 hour increments - Premium | ļ | <u> </u> | | | | 100.00 | 75.00 | | | | | | | | | |
| | DEDICATED TRANSPORT OFFICE CHANNEL - DEDICATED TRANSPORT | | - | | | | | | | | 1 | | | | | | |
| INTER | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | 1 | - | - | | | | | | | 1 | | | | | | ├ |
| 1 1 | Per Mile per month | | | U1TVX | 1L5XX | 0.0098 | | | | | | | | | | | 1 |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | † | | 1 | | 0.0000 | | | | | | | | | | | |
| | Facility Termination | 1 | 1 | U1TVX | U1TV2 | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | | | | | | | İ |
| | Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade | | | | | | | | | | | | | | | | |
| | Rev Bat Per Mile per month | ļ | | U1TVX | 1L5XX | 0.0098 | | | | | ļ | | | | | | <u> </u> |
| | Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat | | | | | | 40 == | o= | | | | | | | | | |
| \vdash | Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - | | | U1TVX | U1TR2 | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | - | | | | | | ├── |
| | Interoffice Charlier - Dedicated Hallsbott - 4-Wile Voice Grade - | 1 | ı | 1 | 1 | | | | | 1 | i | | 1 | 1 | 1 | 1 | 1 |

| <u>JNBUNDLI</u> | ED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: A | \perp |
|-----------------|---|-------------|----------|-----------------------|----------------|-------------------|------------------|------------------|-----------------|----------------|---|---|---|---|---|---|----------|
| ATEGORY | RATE ELEMENTS | Interim | Zone | | usoc | | Nonre | RATES (\$) | Nonrecurring | Discounset | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I Rates (\$) | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | 1 | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | + |
| | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - | | | | | | 1 11 31 | Auu | 1 1130 | Addi | CONILO | COMPAR | COMPAR | COMPAR | COMPAR | COMPAR | _ |
| | Facility Termination | | | U1TVX | U1TV4 | 19.79 | 40.77 | 27.57 | 17.26 | 7.11 | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per | | | | | | | | | | | | | | | | |
| | month | | | U1TDX | 1L5XX | 0.0098 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | LIATOV | LIATOS | 45.00 | 40.70 | 07.57 | 47.00 | 7.44 | | | | | | | |
| | Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile per | | | U1TDX | U1TD5 | 15.68 | 40.78 | 27.57 | 17.26 | 7.11 | | | | | | | + |
| | month | | | U1TDX | 1L5XX | 0.0098 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | | | | | | | | | | | | | | T |
| | Termination | | | U1TDX | U1TD6 | 15.68 | 40.78 | 27.57 | 17.26 | 7.11 | | | | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | | | | | | | |
| | month Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | U1TD1 | 1L5XX | 0.201 | | | | | | | | | | | + |
| | Termination | 1 | | U1TD1 | U1TF1 | 57.33 | 89.79 | 82.28 | 16.86 | 14.90 | | | | | | | 1 |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | 22.70 | 52.20 | | | | | | | | | T |
| | month | | | U1TD3 | 1L5XX | 4.76 | | | | | | | | | | | 1 |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | LIATEDO | LIATES | 22 | coo o= | | 20.5- | 00.5- | | | | | | | |
| - | Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | - | | U1TD3 | U1TF3 | 641.90 | 280.37 | 163.70 | 62.08 | 60.29 | | | | | | | + |
| | month | | | U1TS1 | 1L5XX | 4.76 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Facility | | | 01101 | 120707 | 0 | | | | | | | | | | | t |
| | Termination | | | U1TS1 | U1TFS | 644.21 | 280.37 | 163.70 | 62.08 | 60.29 | | | | | | | |
| RK FIBER | | | | | | | | | | | | | | | | | 1 |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel | | | UDF, UDFCX | 1L5DC | 68.94 | | | | | | | | | | | |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof | | | ODF, ODFCX | TESDC | 00.94 | | | | | | | | | | | ╁ |
| | per month - Interoffice Channel | | | UDF, UDFCX | 1L5DF | 28.27 | | | | | | | | | | | |
| | NRC Dark Fiber - Interoffice Channel | | | UDF, UDFCX | UDF14 | | 642.79 | 138.67 | 326.97 | 203.85 | | | | | | | T |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof | | | | | | | | | | | | | | | | |
| DTUAL COL | per month - Local Loop LOCATION | | | UDF, UDFCX | 1L5DL | 68.94 | | | | | | | | | | | ₩ |
| K I UAL COL | LOCATION | | | | | | | | | | | | | | | | 十 |
| | Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting | | | UEPSR UEPSB | VE1LS | 0.0268 | 12.37 | 11.87 | 6.04 | 5.45 | | | | | | | |
| IYSICAL CO | LLOCATION | | | | | | | | | | | | | | | | |
| | Physical Collocation-2 Wire Cross Connects (Loop) for Line | | | HEDOD HEDOD | DE41.0 | 0.0288 | 12.37 | 11.87 | 0.04 | 5.45 | | | | | | | |
| IHANCED E | Splitting XTENDED LINK (EELs) | | | UEPSR UEPSB | PE1LS | 0.0288 | 12.37 | 11.87 | 6.04 | 5.45 | | | | | | | ╁ |
| | : The monthly recurring and non-recurring charges below will ap | ply and the | e Switcl | n-As-Is Charge will n | ot apply for U | NE combinations | provisioned a | s ' Ordinarily C | ombined' Netwo | ork Elements. | | | | | | | + |
| | : The monthly recurring and the Switch-As-Is Charge and not the | non-recui | rring ch | arges below will app | ly for UNE co | mbinations provis | sioned as ' Cur | rently Combine | ed' Network Ele | ments. | | | | | | | |
| 2-WIR | E VOICE GRADE LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | | 4 |
| | 2-Wire VG Loop (SL2) in Combination - Zone 1 | | 2 | UNCVX | UEAL2 UEAL2 | 13.89 18.75 | 105.96 105.96 | 68.28 68.28 | 52.82 52.82 | 10.37 10.37 | | | | | | | ₩ |
| | 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 | | | UNCVX | UEAL2 | 27.55 | 105.96 | 68.28 | 52.82 | 10.37 | | | | | | | + |
| | 2-Wire VG Loop (SL2) in Combination - Zone 4 | | 4 | UNCVX | UEAL2 | 45.72 | 105.96 | 68.28 | 52.82 | 10.37 | | | | | | | t |
| | Voice Grade COCI - Per Month | | | UNCVX | 1D1VG | 0.5737 | 6.62 | 4.74 | | | | | | | | | I |
| 4-WIR | E VOICE GRADE LOOP FOR USE IN A COMBINATION | | | | L | | | | | | | | | | | | F |
| | 4-Wire Analog Voice Grade Loop in Combination - Zone 1 | | 1 2 | UNCVX | UEAL4 UEAL4 | 27.47 38.26 | 132.27 132.27 | 94.59 94.59 | 60.68 60.68 | 14.64 14.64 | | | | | | | + |
| - | 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 | - | 3 | UNCVX UNCVX | UEAL4 | 38.26 50.03 | 132.27 | 94.59 | 60.68 | 14.64 | 1 | | | | | | + |
| | 4-Wire Analog Voice Grade Loop in Combination - Zone 3 4-Wire Analog Voice Grade Loop in Combination - Zone 4 | | 4 | UNCVX | UEAL4 | 50.03 | 132.27 | 94.59 | 60.68 | 14.64 | | | | | | | + |
| | Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 0.5737 | 6.62 | 4.74 | 22.30 | | | | | | | | I |
| 4-WIR | E 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION | | | | | | | _ | | | | | | | · | | Г |
| | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL56 | 27.44 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | | + |
| | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 | - | | UNCDX UNCDX | UDL56 UDL56 | 34.55 40.76 | 126.53 126.53 | 88.85 88.85 | 60.68 60.68 | 14.64 14.64 | | | | | | | + |
| | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 4 | | | UNCDX | UDL56 | 32.25 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | | + |
| | OCU-DP COCI (data) per month (2.4-64kbs) | | 7 | UNCDX | 1D1DD | 1.22 | 6.62 | 4.74 | 00.00 | 17.04 | | | | | | | T |
| 4-WIR | E 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | | |
| | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 | | | UNCDX | UDL64 | 27.44 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | | Ĺ |
| | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 | | | UNCDX | UDL64 | 34.55 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | | + |
| -+ | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 4 | - | | UNCDX UNCDX | UDL64 UDL64 | 40.76 32.25 | 126.53 126.53 | 88.85 88.85 | 60.68 60.68 | 14.64 14.64 | 1 | | | | | | + |
| | | l | | UNCDX | 1D1DD | 1.22 | | 4.74 | 00.06 | 17.04 | | | | | | | † |
| | OCU-DP COCI (data) - in combination - per month (2.4-64kbs) | | | UNCDX | טטוטו | 1.22 | 6.62 | 4.74 | | | | | | | | | |

| <u>JNBU</u> NDLE | D NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: A | 1 |
|------------------|--|----------|------|--|----------------|----------------|------------------|-----------------|--|----------------|--|---|--|---|---|--|---|
| FEGORY | RATE ELEMENTS | Interim | Zone | | USOC | | | RATES (\$) | I November 1 | Diagram | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | | |
| _ | | | | | + | Rec | Nonred First | urring Add'l | Nonrecurring First | Add'l | SOMEC | SOMAN | SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN | + |
| | 2-Wire ISDN Loop in Combination - Zone 1 | | 1 | UNCNX | U1L2X | 21.01 | 117.61 | 79.92 | 52.82 | 10.37 | SOIVIEC | SUMAN | SUMAN | SUMAN | SUMAN | SUMAN | + |
| | 2-Wire ISDN Loop in Combination - Zone 1 | | 2 | UNCNX | U1L2X | 27.59 | 117.61 | 79.92 | 52.82 | 10.37 | | | | | | | + |
| | 2-Wire ISDN Loop in Combination - Zone 2 | | 3 | UNCNX | U1L2X | 37.34 | 117.61 | 79.92 | 52.82 | 10.37 | | | | | | | + |
| | 2-Wire ISDN Loop in Combination - Zone 3 | | 4 | UNCNX | U1L2X | 59.18 | 117.61 | 79.92 | 52.82 | 10.37 | | | | | | | + |
| | 2-wire ISDN COCI (BRITE) - in combination - per month | | - | UNCNX | UC1CA | 2.62 | 6.62 | 4.74 | 02.02 | 10.07 | | | | | | | + |
| 4-WIRE | DS1 DIGITAL LOOP FOR USE IN A COMBINATION | | | 0.110.10.1 | 00.07 | 2.02 | 0.02 | | | | | | | | | | t |
| | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 79.08 | 253.93 | 158.45 | 46.10 | 12.07 | | | | | | | t |
| | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 129.38 | 253.93 | 158.45 | 46.10 | 12.07 | | | | | | | t |
| | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 206.74 | 253.93 | 158.45 | 46.10 | 12.07 | | | | | | | T |
| | 4-Wire DS1 Digital Loop in Combination - Zone 4 | | | UNC1X | USLXX | 458.46 | 253.93 | 158.45 | 46.10 | 12.07 | | | | | | | T |
| | DS1 COCI in combination per month | | | UNC1X | UC1D1 | 2.62 | 6.62 | 4.74 | | - | | | | | | | T |
| | VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | MBINATIO | ON | | | | | | | | | | | | | | T |
| | Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month | | | UNCVX | 1L5XX | 0.00088 | | | | | | | | | | | Ī |
| | Interoffice Transport - 2-wire VG - Dedicated - Facility Termination | | | | | İ | | | j | | | | | | | | T |
| | per month | | L | UNCVX | U1TV2 | 20.32 | 40.77 | 27.57 | 17.26 | 7.11 | <u> </u> | | <u> </u> | <u> </u> | | <u> </u> | L |
| 4 WIRE | VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | MBINATIO | ON | | | | | | | | | | | | | | Ι |
| | | | | | | | | | | | | | | | | | Γ |
| | Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month | | | UNCVX | 1L5XX | 0.00088 | | | | | | | | | | | 1 |
| | Interoffice Transport - 4-wire VG - Dedicated - Facility | | 1 | | | I T | | |] | | | | i | 1 | | i | 1 |
| | Termination per month | | | UNCVX | U1TV4 | 17.86 | 40.77 | 27.57 | 17.26 | 7.11 | | | | | | | |
| DS1 IN | EROFFICE TRANSPORT FOR COMBINATION | | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile per | | | | | | | | | | | | | | | | |
| | month | | | UNC1X | 1L5XX | 0.1813 | | | | | | | | | | | 4 |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | l | | | | | | | | | | | | |
| 200 111 | Termination per month | | | UNC1X | U1TF1 | 51.72 | 89.79 | 82.28 | 16.86 | 14.90 | ļ | | | | | | + |
| DS3 IN | FEROFFICE TRANSPORT FOR USE IN A COMBINATION | | - | | + | + | | | | | 1 | | | - | | | + |
| | Interoffice Transport - Dedicated - DS3 combination - Per Mile Per | | | UNC3X | 1L5XX | 4.70 | | | | | | | | | | | |
| | Month Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | UNC3X | ILDAA | 4.76 | | | | | | | | | | | + |
| | month | | | UNC3X | U1TF3 | 641.90 | 280.37 | 163.70 | 62.08 | 60.29 | | | | | | | |
| STS-1 | NTEROFFICE TRANSPORT FOR USE IN COMBINATION | | | UNCSA | UTIF3 | 041.90 | 200.37 | 103.70 | 02.00 | 00.29 | | | | | | | + |
| 010-1 | Interoffice Transport - Dedicated - STS-1 combination - Per Mile | | | | + | | | | | | | | | | | | + |
| | Per Month | | | UNCSX | 1L5XX | 4.76 | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | 0.1007 | 120707 | 0 | | | | | | | | | | | + |
| | Termination per month | | | UNCSX | U1TFS | 644.21 | 280.37 | 163.70 | 62.08 | 60.29 | | | | | | | |
| 4-WIRE | 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANS | SPORT | | | | | | | | | | | | | | | T |
| | 4-wire 56 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL56 | 27.44 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | | T |
| | 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 34.55 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | | Ι |
| | 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 40.76 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | | I |
| | 4-wire 56 kbps Local Loop in combination - Zone 4 | | 4 | UNCDX | UDL56 | 32.25 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | <u> </u> | | | | | | | | | l | 1 | | l | 1 |
| | Per Mile per month | | | UNCDX | 1L5XX | 0.0098 | | | | | | | | | | | 1 |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | l | | | | | | | | | | | | 1 | 1 |
| | Facility Termination per month | <u> </u> | | UNCDX | U1TD5 | 22.52 | 40.78 | 27.57 | 17.26 | 7.11 | | | ļ | | | ļ | ┺ |
| 4-WIRE | 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROI | FICE TR/ | | | l | | | | | | ļ | | | | | ļ | 4 |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 1 | | | UNCDX | UDL64 | 27.44 | 126.53 | 88.85 | 60.68 | 14.64 | | | ļ | | | ļ | + |
| _ | 4-wire 64 kbps Lcoal Loop in Combination - Zone 2 | | | UNCDX | UDL64 UDL64 | 34.55 40.76 | 126.53 126.53 | 88.85 88.85 | 60.68 60.68 | 14.64 14.64 | | | | ļ | | | + |
| | 4-wire 64 kbps Local Loop in Combination - Zone 3 | | | UNCDX | UDL64 UDL64 | 40.76 32.25 | 126.53 126.53 | 88.85 88.85 | 60.68 | 14.64 14.64 | - | | | - | | | ╀ |
| _ | 4-wire 64 kbps Lcoal Loop in Combination - Zone 4 Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | 4 | UNCDA | UDL04 | 32.25 | 126.53 | 88.85 | 80.08 | 14.64 | - | | | | | - | + |
| | Per Mile per month | | | UNCDX | 1L5XX | 0.0098 | | | | | | | | | | | ļ |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | 1 | LINCDY | LIATE | 22.52 | 40.70 | 27.57 | 47.00 | 7.11 | | | İ | 1 | | l | 1 |
| 4 14/105 | Facility Termination per month | TDANCE | OPT | UNCDX | U1TD6 | 22.52 | 40.78 | 21.57 | 17.26 | 7.11 | - | | | - | | | ╀ |
| 4-WIRE | 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE | IKANSP | 1 1 | LINCDY | LIDLES | 27.44 | 100.50 | 00.05 | 60.60 | 44.04 | - | | | - | | | + |
| _ | 4-wire 56 kbps Local Loop in combination - Zone 1 | | | UNCDX | UDL56 | 27.44 | 126.53 | 88.85 | 60.68 | 14.64 | - | | | - | | | + |
| | 4-wire 56 kbps Local Loop in combination - Zone 2 | | | UNCDX | UDL56 | 34.55 40.76 | 126.53 | 88.85 | 60.68 | 14.64 | - | | | - | | | + |
| | 4-wire 56 kbps Local Loop in combination - Zone 3 | | | UNCDX | UDL56 UDL56 | 40.76 32.25 | 126.53 126.53 | 88.85 88.85 | 60.68 60.68 | 14.64 14.64 | - | | | | | - | + |
| - | 4-wire 56 kbps Local Loop in combination - Zone 4 | | 4 | UNCDA | UDLOB | 32.25 | 126.53 | 88.85 | 80.08 | 14.64 | - | | | | | - | + |
| | 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month | | 1 | UNCDX | 1L5XX | 0.0098 | | |] | | | | İ | 1 | | I | |
| | 4-wire 56 kbps Interoffice Transport - Dedicated - Facility | | | O140DA | (LUAA | 0.0098 | | | | | - | | | 1 | | | t |
| | Termination per month | | 1 | UNCDX | U1TD5 | 22.52 | 40.78 | 27.57 | 17.26 | 7.11 | | | İ | 1 | | I | |
| | 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE | TDANCE | OPT | 5.10DA | 31120 | 22.52 | 40.70 | 21.31 | 11.20 | 7.11 | 1 | | 1 | | | 1 | + |

| JNBUNDLE | D NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: A | |
|----------|---|------------|--|--------------------------------|--------|-----------------|-----------------|-----------------|--|---------------------|---|---|--|--|--|--------|--|
| TEGORY | RATE ELEMENTS | Interim | Zone | | USOC | | Na | RATES (\$) | I November 1 | Diagona | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | | |
| | | | | | - | Rec | Nonrec First | urring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN | ₩ |
| | 4-wire 64 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL64 | 27.44 | 126.53 | 88.85 | 60.68 | 14.64 | SOIVIEC | JOWAN | SOWAN | JOWAN | SOWAN | SOWAN | +- |
| | 4-wire 64 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL64 | 34.55 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | | \vdash |
| | 4-wire 64 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL64 | 40.76 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | | |
| | 4-wire 64 kbps Local Loop in combination - Zone 4 | | 4 | UNCDX | UDL64 | 32.25 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | | |
| | 14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per | | | | | | | | | | | | | | | | |
| | month | | | UNCDX | 1L5XX | 0.0098 | | | | | | | | | | | |
| | 4-wire 64 kbps Interoffice Transport - Dedicated - Facility | | | | | | | | | | | | | | | | |
| DC4 D | Termination per month | | | UNCDX | U1TD6 | 22.52 | 40.78 | 27.57 | 17.26 | 7.11 | | | | | | | ₩ |
| ט ויס וי | GITAL LOOP AND DS1 INTERFOFFICE TRANSPORT 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 79.08 | 253.93 | 158.45 | 46.10 | 12.07 | | | | | | | + |
| - | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 129.38 | 253.93 | 158.45 | 46.10 | 12.07 | | | | | | | +- |
| | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 206.74 | 253.93 | 158.45 | 46.10 | 12.07 | | | | | | | |
| | 4-wire DS1 Digital Lcoal Loop in Combination - Zone 4 | | 4 | UNC1X | USLXX | 458.46 | 253.93 | 158.45 | 46.10 | 12.07 | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile per | | | | | | | | | - | | - | | | | | |
| | month | | ļ | UNC1X | 1L5XX | 0.1813 | | | ļ | | | | | | | | ــــــ |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | 1 | LINGAY | | 54.50 | 00 =0 | 00.00 | 40.00 | 44.00 | | | | | | 1 | 1 |
| Des Di | Termination per month GITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO | DT | | UNC1X | U1TF1 | 51.72 | 89.79 | 82.28 | 16.86 | 14.90 | | | | | | | + |
| ט נפט | DS3 Local Loop in combination - per mile per month | I I | | UNC3X | 1L5ND | 12.88 | | | | | | | | | | | \vdash |
| | DOS ECCAI ECOP III COMBINATION - PER MINE PER MICHAEL | | | ONCOX | TESIND | 12.00 | | | | | | | | | | | + |
| | DS3 Local Loop in combination - Facility Termination per month | | | UNC3X | UE3PX | 375.0725 | 522.2495 | 305.2905 | 141.7145 | 99.1185 | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 4.76 | | | | | | | | | | | 1 |
| | Interoffice Transport - Dedicated - DS3 combination - Facility | | | | | | | | | | | | | | | | |
| | Termination per month | | | UNC3X | U1TF3 | 641.90 | 280.37 | 163.70 | 62.08 | 60.29 | | | | | | | |
| STS-1 | DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN | SPORT | | | I | | | | | | | | | | | | — |
| - | STS-1 Local Lolp in combination - per mile per month | | | UNCSX | 1L5ND | 12.88 | | | | | | | | | | | ₩ |
| | STS-1 Local Loop in combination - Facility Termination per month | | | UNCSX | UDLS1 | 389.3325 | 522.2495 | 305.2905 | 141.7145 | 99.1185 | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - per mile | | | UNCOX | UDLST | 369.3323 | 322.2493 | 303.2903 | 141.7145 | 99.1163 | | | | | | | + |
| | per month | | | UNCSX | 1L5XX | 4.76 | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | | | | | | | | | | | | | | † |
| | Termination per month | | | UNCSX | U1TFS | 644.21 | 280.37 | 163.70 | 62.08 | 60.29 | | | | | | | |
| | ETWORK ELEMENTS | | | | | | | | | | | | | | | | |
| | used as a part of a currently combined facility, the non-recurrng | | | | | | | | | | | | | | | | |
| | used as ordinarily combined network elements in All States, the r | | | | | harge does not. | | | | | | | | | | | ₩ |
| Nonred | curring Currently Combined Network Elements "Switch As Is" Ch | narge (One | e applies | | n) | | | | - | | | | | | | | ₩ |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is | | | UNCVX, UNCDX, UNC1X, UNC3X, | | | | | | | | | | | | | |
| | Charge | | | UNCSX | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | | | | | | |
| Option | al Features & Functions: | | | | | | | | | | | | | | | | † |
| | | | | U1TD1, | | | | | | | | | | | | | |
| | Clear Channel Capability Extended Frame Option - per DS1 | - 1 | | ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | | <u> </u> |
| | | Ι | 1 | U1TD1, | | | | _ | ı ₋ T | _ | | | | | |] | 1 |
| | Clear Channel Capability Super FrameOption - per DS1 | | <u> </u> | ULDD1,UNC1X | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | | ₩ |
| | Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 | l . | 1 | ULDD1, U1TD1, UNC1X, USL | NRCCC | | 184.60 | 23.78 | 1.96 | 0.76 | | | | | | 1 | 1 |
| - | per DST | | | U1TD3, ULDD3, | NRCCC | | 104.00 | 23.76 | 1.90 | 0.76 | | | | | | | + |
| | C-bit Parity Option - Subsequent Activity - per DS3 | i | | UE3, UNC3X | NRCC3 | | 218.72 | 7.66 | 0.7201 | 0.00 | | | | | | | 1 |
| MULTI | PLEXERS | <u> </u> | T | 2 20, 0.130/ | | 1 | 210.72 | 7.00 | 0.7201 | 0.00 | | | | | | | † |
| | DS1 to DS0 Channel System per month | | | UNC1X | MQ1 | 102.85 | 91.57 | 62.94 | 10.87 | 10.10 | | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month | | | | | | | | | - | | - | | | | | |
| | (2.4-64kbs) used for a Local Loop | | | UDL | 1D1DD | 1.22 | 6.62 | 4.74 | | | | | | | | | <u> </u> |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month | | 1 | | | | | |] | | | | | | | 1 | 1 |
| | (2.4-64kbs) used for connection to a channelized DS1 Local | | 1 | LIATUD | 10100 | 4.00 | 6.60 | 474 |] | | | | | | | 1 | 1 |
| | Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | - | ├ | U1TUD | 1D1DD | 1.22 | 6.62 | 4.74 | | | _ | | | | | - | +- |
| | month for a Local Loop | | | UDN | UC1CA | 2.62 | 6.62 | 4.74 | | | | | | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | | 5510/1 | 2.02 | 0.02 | 7.74 | † | | | | | | | | t |
| | month used for connection to a channelized DS1 Local Channel in | | 1 | | | | | |] | | | | | | | 1 | 1 |
| | the same SWC as collocation | | <u></u> | U1TUB | UC1CA | 2.62 | 6.62 | 4.74 | <u> </u> | | <u> </u> | | | | | | <u>L</u> |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | | | | | | | | | | | | | |
| 1 | used for a Local Loop | I | I | UEA | 1D1VG | 0.5737 | 6.62 | 4.74 | | | | | | | | l | 1 |

| UNBUNDLED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attach | ment: 2 | Exhi | oit: A | |
|---|-----------|----------|--------|----------|--------|----------|------------|--------------|------------|-------|---|--|--|---|----------|--|
| CATEGORY RATE ELEMENTS | Interim | Zone | | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - | |
| | | | | | _ | Nonrec | urrina | Nonrecurring | Disconnect | | | oss | Rates (\$) | | | |
| | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the | | | | | | | | | | | | | | | | |
| same SWC as collocation | | | U1TUC | 1D1VG | 0.5737 | 6.62 | 4.74 | | | | | | | | | |
| DS3 to DS1 Channel System per month | | | UNC3X | MQ3 | 170.63 | 179.17 | 94.52 | 34.30 | 32.82 | | | | | | | |
| STS-1 to DS1 Channel System per month | | | UNCSX | MQ3 | 170.63 | 179.17 | 94.52 | 34.30 | 32.82 | | | | | | | |
| DS1 COCI used with Loop per month | | | USL | UC1D1 | 12.96 | 6.62 | 4.74 | | | | | | | | | |
| DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month | | | U1TUA | UC1D1 | 12.96 | 6.62 | 4.74 | | | | | | | | | |
| DS1 COCI used with Interoffice Channel per month | | | U1TD1 | UC1D1 | 12.96 | 6.62 | 4.74 | | | | | | | | | |
| DS3 Interface Unit (DS1 COCI) used with Local Channel per month | 1 | | ULDD1 | UC1D1 | 12.96 | 6.62 | 4.74 | | | | | | | | | |
| 911 PBX LOCATE | | | | | | | | | | | | | | | | |
| 911 PBX LOCATE DATABASE CAPABILITY | | | | | | | | | | | | | | | | |
| Service Establishment per CLEC per End User Account | ļ | | 9PBDC | 9PBEU | | 1,822.00 | | | | | | | | | | |
| Changes to TN Range or Customer Profile | | | 9PBDC | 9PBTN | | 182.29 | | | | | | | | | | |
| Per Telephone Number (Monthly) | | | 9PBDC | 9PBMM | 0.07 | | | | | | | | | | | |
| Change Company (Service Provider) ID | | | 9PBDC | 9PBPC | | 535.11 | | | | | | | | | | |
| PBX Locate Service Support per CLEC (Monthlt) | | | 9PBDC | 9PBMR | 178.43 | | | | | | | | | | | |
| Service Order Charge | | | 9PBDC | 9PBSC | | 15.75 | | | | | | | | | | |
| 911 PBX LOCATE TRANSPORT COMPONENT | ļ | | | | | | | | | | | | | | | |
| See Att 3 | | | L | ļ | | | | | | | | | | | | |
| Note: Rates displaying an "I" in Interim column are interim as a result o | f a Commi | ission o | order. | <u> </u> | | | | | | 1 | | 1 | | | | |

| NBU | NDLE | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: A |
|----------|--------------------------------|---|-------------------------|--------|--|----------------|----------------|----------------------------------|-----------------|-----------------------|-----------------------------------|---|---|--|--|---|---|
| ΓEG | ORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonred First | urring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | | Rates (\$) | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | OOMPAR | COMPAR |
| | | ne" shown in the sections for stand-alone loops or loops as pa | | | n refers to Geograph | ically Deaver | aged UNE Zone | s. To view Geo | graphically De | averaged UNE | Zone Designati | ions by Cent | ral Office, re | fer to internet | Website: | | |
| ĐΛ | http://w | ww.interconnection.bellsouth.com/become_a_clec/html/interco SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" | nnection.h | tm | 1 | 1 | | | | ı | 1 | 1 | | 1 | | | |
| | NOTE: (state sp NOTE: (| (1) CLEC should contact its contract negotiator if it prefers the " ecific Commission ordered rates for the service ordering charge (2) Any element that can be ordered electronically will be billed electronically at present per the LOH, the listed SOMEC rate in | es, or CLE according | C may | elect the regional ser | vice ordering | charge, howev | er, CLEC can n BellSouth's Lo | ot obtain a mix | ture of the two | regardless if C) to determine if | LEC has a ir | nterconnecti an be order | on contract es ed electronical | tablished in ea | ch of the 9 st elements that | ates. cannot be |
| | | bill when it submits an LSR to BellSouth. | | | | | | | • • | | | | | | • | • | |
| | | OSS - Electronic Service Order Charge, Per Local Service | | | | SOMEC | | 3.50 | 0.00 | 0.50 | | | | | | | |
| \dashv | | Request (LSR) - UNE Only OSS - Manual Service Order Charge, Per Local Service | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| | | Request (LSR) - UNE Only | | L | <u> </u> | SOMAN | | 15.20 | 0.00 | 15.20 | 0.00 | | <u> </u> | | | | |
| | | DATE ADVANCEMENT CHARGE | | | | | | | | | | | | | | | |
| _ | NOTE: | The Expedite charge will be maintained commensurate with Be | IlSouth's I | -CC No | o.1 Tariff, Section 5 as | applicable. | | | | | | | | | | | |
| BUN | DLED E | UNE Expedite Charge per Circuit or Line Assignable USOC, per Day | | | UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1TD3, U1TD1, U1TD3, U1TB1, U1TD2, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, ULD12, ULD3, ULD3, ULD3, ULD3, ULD3, ULD3, ULD3, UNCNX, UNCSX, UNCYX, UNCNX, UNCSX, UNCYX, UNCNX, UNCSX, UNCYX, UNTD1, UTTUB, U1TUB, U1TUB, U1TUB, U1TUB, U1TUB, U1TUB, UTTUB, | | | 200.00 | | | | | | | | | |
| | 2-WIRE | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEAL2 | 12.11 | 57.99 | 42.37 | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL UEANL | UEAL2 UEAL2 | 21.24 33.65 | 57.99 57.99 | 42.37 42.37 | | | | | | | | |
| - | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEAL2 UEASL | 12.11 | 57.99 57.99 | 42.37 | | | - | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 2 | | 2 | UEANL | UEASL | 21.24 | 57.99 | 42.37 | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEASL | 33.65 | 57.99 | 42.37 | | | | | | | | |
| | | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | | | | | | |
| | | Premise | | | UEANL | URETL | | 8.33 | 0.83 | | | | | | | | |
| | | Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour | | | UEANL UEANL | URET1 URETA | - | 76.24 39.51 | 76.24 39.51 | - | - | | | | | | |
| 1 | | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | | | | | | | | | | | | | |
| - | | (UVL-SL1) Unbundled Voice Loop, Non-Design Voice Loop, billing for BST | | | UEANL | UREWO | | 15.76 | 8.93 | | - | | | | | | |
| | | providing make-up (Engineering Information - E.I.) | | | UEANL | UEANM | | 28.74 | 28.74 | | 1 | | | | | | |
| | | Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 61.38 | 61.38 | | | | | | | | |

| (per LSR) 2-WIRE Unbundled 2-Wire Unbu 2 Wire Unbu 2 Wire Unbu 2 Wire Unbu Unbundled Neremise Manual Orde Designed (p Unbundled O BST providi Loop Testin Loop Testin CLEC to CL (UCL-ND) NDLED EXCHANGE 2-WIRE ANALOG V 2 Wire Anali Zone 1 2 Wire Anali Zone 2 2 Wire Anali Zone 2 2 Wire Anali Zone 2 2 Wire Anali Zone 3 2 Wire Anali Zone 6 2 Wire Anali Ground Stat 2 Wire Anali Battery Sigr 2 Wire Anali Battery Sigr 2 Wire Anali Battery Sigr 2 Wire Anali Battery Sigr Corder Coort CLEC to CL Loop Taggii 4-WIRE ANALOG V | died COPPER LOOP Unbundled Copper Loop - Non-Designed Zone 1 Unbundled Copper Loop - Non-Designed - Zone 2 Unbundled Copper Loop - Non-Designed - Zone 3 led Miscellaneous Rate Element, Tag Loop at End User | Interim | Zone 1 2 3 | BCS UEANL UEQ | USOC | Rec | Nonrec First | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- |
|--|--|-------------|------------|-----------------|-----------|-------|-----------------|------------|--|---------------------|---|---|--|--|---|---|
| (per LSR) 2-WIRE Unbundled 2-Wire Unbu 2 Wire Unbu 2 Wire Unbu Unbundled I Premise Manual Ord Designed (p Unbundled I BST providi Loop Testin Loop Testin CLEC to CL (UCL-ND) DLED EXCHANGE 2-WIRE ANALOG V 2 Wire Anala Zone 1 2 Wire Anala Zone 1 2 Wire Anala Zone 2 2 Wire Anala Zone 2 2 Wire Anala Zone 3 2 Wire Anala Zone 1 2 Wire Anala Zone 1 2 Wire Anala Zone 1 2 Wire Anala Zone 1 2 Wire Anala Zone 1 2 Wire Anala Zone 1 2 Wire Anala Zone 1 2 Wire Anala Zone 1 2 Wire Anala Zone 1 2 Wire Anala Zone 1 2 Wire Anala Zone 1 2 Wire Anala Zone 1 2 Wire Anala Zone 1 2 Wire Anala Zone 1 2 Wire Anala Zone 2 2 Wire Anala Zone 2 2 Wire Anala Zone 2 2 Wire Anala Zone 3 2 Wire Anala Zone 2 2 Wire Anala Zone 2 2 Wire Anala Zone 2 2 Wire Anala Zone 3 2 Wire Anala Zone 2 2 | R) filed COPPER LOOP Unbundled Copper Loop - Non-Designed Zone 1 Unbundled Copper Loop - Non-Designed - Zone 2 Unbundled Copper Loop - Non-Designed - Zone 2 Unbundled Copper Loop - Non-Designed - Zone 3 led Miscellaneous Rate Element, Tag Loop at End User Order Coordination 2 Wire Unbundled Copper Loop - Nor ad (per loop) led Copper Loop, Non-Design Copper Loop, billing for oviding make-up (Engineering Information - E.I.) esting - Basic 1st Half Hour esting - Basic Additional Half Hour | - | | | 000051 | Rec - | | urring | | | | | | | | Disc Add'l |
| (per LSR) 2-WIRE Unbundled 2-Wire Unbu 2 Wire Unbu 2 Wire Unbu 2 Wire Unbu Unbundled Neremise Manual Orde Designed (p Unbundled O BST providi Loop Testin Loop Testin CLEC to CL (UCL-ND) NDLED EXCHANGE 2-WIRE ANALOG V 2 Wire Anali Zone 1 2 Wire Anali Zone 2 2 Wire Anali Zone 2 2 Wire Anali Zone 2 2 Wire Anali Zone 3 2 Wire Anali Zone 6 2 Wire Anali Ground Stat 2 Wire Anali Battery Sigr 2 Wire Anali Battery Sigr 2 Wire Anali Battery Sigr 2 Wire Anali Battery Sigr Corder Coort CLEC to CL Loop Taggii 4-WIRE ANALOG V | R) filed COPPER LOOP Unbundled Copper Loop - Non-Designed Zone 1 Unbundled Copper Loop - Non-Designed - Zone 2 Unbundled Copper Loop - Non-Designed - Zone 2 Unbundled Copper Loop - Non-Designed - Zone 3 led Miscellaneous Rate Element, Tag Loop at End User Order Coordination 2 Wire Unbundled Copper Loop - Nor ad (per loop) led Copper Loop, Non-Design Copper Loop, billing for oviding make-up (Engineering Information - E.I.) esting - Basic 1st Half Hour esting - Basic Additional Half Hour | - | | | 00081 | ++ | | Add'l | Nonrecurring D First | Disconnect Add'l | SOMEC | SOMAN | | Rates (\$) SOMAN | SOMAN | SOMAN |
| (per LSR) 2-WIRE Unbundled 2-Wire Unbu 2 Wire Unbu 2 Wire Unbu 2 Wire Unbu Unbundled Neremise Manual Orde Designed (p Unbundled O BST providi Loop Testin Loop Testin CLEC to CL (UCL-ND) NDLED EXCHANGE 2-WIRE ANALOG V 2 Wire Anali Zone 1 2 Wire Anali Zone 2 2 Wire Anali Zone 2 2 Wire Anali Zone 2 2 Wire Anali Zone 3 2 Wire Anali Zone 6 2 Wire Anali Ground Stat 2 Wire Anali Battery Sigr 2 Wire Anali Battery Sigr 2 Wire Anali Battery Sigr 2 Wire Anali Battery Sigr Corder Coort CLEC to CL Loop Taggii 4-WIRE ANALOG V | R) filed COPPER LOOP Unbundled Copper Loop - Non-Designed Zone 1 Unbundled Copper Loop - Non-Designed - Zone 2 Unbundled Copper Loop - Non-Designed - Zone 2 Unbundled Copper Loop - Non-Designed - Zone 3 led Miscellaneous Rate Element, Tag Loop at End User Order Coordination 2 Wire Unbundled Copper Loop - Nor ad (per loop) led Copper Loop, Non-Design Copper Loop, billing for oviding make-up (Engineering Information - E.I.) esting - Basic 1st Half Hour esting - Basic Additional Half Hour | h- | | | OCOSI | | | Auu i | FIISL | Auu i | SOIVIEC | SUMAN | SOWAN | JOINAIN | JOWAN | SOWAN |
| 2-WIRE Unbundled 2-Wire Unbu 2 Wire Unbu 2 Wire Unbu Unbundled Nerenise Manual Ord Designed (p Unbundled I Designed (p Unbundled I Designed (p Unbundled I Designed (p Unbundled I Designed (p Unbundled I BST providi Loop Testin Loop Testin Loop Testin Loop Testin 2 Wire Anale Zone 1 2 Wire Anale Zone 1 2 Wire Anale Zone 2 2 Wire Anale Zone 2 2 Wire Anale Zone 3 2 Wire Anale Zone 3 2 Wire Anale Zone 3 2 Wire Anale Zone 3 2 Wire Anale Zone 3 2 Wire Anale Zone 3 2 Wire Anale Zone 3 2 Wire Anale Zone 3 2 Wire Anale Zone 3 2 Wire Anale Zone 3 2 Wire Anale Zone 3 2 Wire Anale Zone 3 2 Wire Anale Zone 3 2 Wire Anale Zone 3 2 Wire Anale Zone 3 2 Wire Anale Zone 3 2 Wire Anale Zone 3 2 Wire Anale Zone 3 2 Wire Anale Zone 3 2 Wire Anale Ground Stat 2 Wire Anale Ground Stat 2 Wire Anale Ground Stat 2 Wire Anale Battery Sigr 2 Wire Anale Battery Sigr Order Coore CLEC to CL Loop Taggii 4-WIRE ANALOG V | died COPPER LOOP Unbundled Copper Loop - Non-Designed Zone 1 Unbundled Copper Loop - Non-Designed - Zone 2 Unbundled Copper Loop - Non-Designed - Zone 2 Unbundled Copper Loop - Non-Designed - Zone 3 led Miscellaneous Rate Element, Tag Loop at End User 9 Order Coordination 2 Wire Unbundled Copper Loop - Noned (per loop) led Copper Loop, Non-Design Copper Loop, billing for oviding make-up (Engineering Information - E.I.) esting - Basic 1st Half Hour esting - Basic Additional Half Hour | | | | | | 45.34 | 45.34 | 1 | ŀ | 1 1 | , , | 1 1 | ı l | | , ! |
| 2-Wire Unbu | Unbundled Copper Loop - Non-Designed Zone 1 Unbundled Copper Loop - Non-Designed - Zone 2 Unbundled Copper Loop - Non-Designed - Zone 3 Iled Miscellaneous Rate Element, Tag Loop at End User 9 Order Coordination 2 Wire Unbundled Copper Loop - Nor 3 Iled Copper Loop, Non-Design Copper Loop, billing for oviding make-up (Engineering Information - E.I.) esting - Basic 1st Half Hour esting - Basic Additional Half Hour | - | | LIEO | - | | | | | | | | | | | |
| 2 Wire Unbu Unbundled N Premise Manual Ord Designed (p Unbundled C BST providi Loop Testin Loop Testin Loop Testin Loop Testin Loop Testin CLEC to CL (UCL-ND) NDLED EXCHANGE 2-WIRE ANALOG V 2 Wire Anala Zone 1 2 Wire Anala Zone 2 2 Wire Anala Zone 2 2 Wire Anala Zone 2 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Ground Star 2 Wire Anala Ground Star 2 Wire Anala Ground Star 2 Wire Anala Ground Star 2 Wire Anala Ground Star 2 Wire Anala Battery Sigr 2 Wire Anala Battery Sigr Order Coore CLEC to CL Loop Taggii 4-WIRE ANALOG V | Urbundled Copper Loop - Non-Designed - Zone 3 led Miscellaneous Rate Element, Tag Loop at End User 9 Order Coordination 2 Wire Unbundled Copper Loop - Nor ad (per loop) led Copper Loop, Non-Design Copper Loop, billing for oviding make-up (Engineering Information - E.I.) esting - Basic 1st Half Hour esting - Basic Additional Half Hour | h- | | ابادلا | UEQ2X | 10.16 | 35.27 | 15.60 | | | | | | i I | | 1 |
| Unbundled I Premise Manual Ordr Designed (p Unbundled C BST providi Loop Testin CLEC to CL (UCL-ND) NDLED EXCHANGE 2-WIRE ANALOG V 2 Wire Anala Zone 1 2 Wire Anala Zone 2 2 Wire Anala Zone 2 2 Wire Anala Zone 3 3 2 Wire Anala Zone 3 3 2 Wire Anala Zone 3 3 2 Wire Anala Zone 3 4 Wire Anala Zone 3 1 2 Wire Anala Zone 3 2 Wire Anala Zone 3 1 2 Wire Anala Zone 3 2 Wire Anala Zone 3 3 2 Wire Anala Zone 3 1 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Ground Stat 2 -Wire Anala Ground Stat 2 -Wire Anala Battery Sign 2 -Wire Anala Battery Sign 2 -Wire Anala Battery Sign 2 -Wire Anala Battery Sign Corder Coorn CLEC to CL Loop Taggil 4-WIRE ANALOG V | led Miscellaneous Rate Element, Tag Loop at End User 9 9 Order Coordination 2 Wire Unbundled Copper Loop - Nor 2d (per loop) led Copper Loop, Non-Design Copper Loop, billing for oviding make-up (Engineering Information - E.I.) sesting - Basic 1st Half Hour sesting - Basic Additional Half Hour | | 3 | UEQ | UEQ2X | 17.55 | 35.27 | 15.60 | | | | | | | | |
| Premise Manual Ord Designed (p Unbundled C BST providi Loop Testin Loop Testin CLEC to CL (UCL-ND) NDLED EXCHANGE 2-WIRE ANALOG V 2 Wire Anala Zone 1 2 Wire Anala Zone 2 2 Wire Anala Zone 2 2 Wire Anala Zone 2 2 Wire Anala Zone 2 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Ground Stat Ground Stat Qround Stat | a Order Coordination 2 Wire Unbundled Copper Loop - Nor ad (per loop) led Copper Loop, Non-Design Copper Loop, billing for oviding make-up (Engineering Information - E.I.) esting - Basic 1st Half Hour | - | | UEQ | UEQ2X | 27.58 | 35.27 | 15.60 | | | | | | 1 | | |
| Manual Ordi Designed (p Unbundled C BST providi Loop Testin Loop Testin Loop Testin CLEC to CL (UCL-ND) NDLED EXCHANGE 2-WIRE ANALOG V 2 Wire Anala Zone 1 2 Wire Anala Zone 1 2 Wire Anala Zone 2 2 Wire Anala Zone 2 2 Wire Anala Zone 2 2 Wire Anala Zone 2 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Zone 3 2 Wire Anala Ground Stat Q-Wire Anala Ground Stat Q-Wire Anala Battery Sign 2-Wire Anala Battery Sign 2-Wire Anala Battery Sign 2-Wire Anala Battery Sign C-Wire Coord CLEC to CL Loop Taggii 4-WIRE ANALOG V | Order Coordination 2 Wire Unbundled Copper Loop - Nor ad (per loop) led Copper Loop, Non-Design Copper Loop, billing for oviding make-up (Engineering Information - E.I.) esting - Basic 1st Half Hour esting - Basic Additional Half Hour |)- - | | | | | | ŀ | 1 | ŀ | 1 1 | , , | 1 1 | ı l | | , ! |
| Designed (p Unbundled C BST providi Loop Testin CLEC to CL (UCL-ND) NDLED EXCHANGE 2-WIRE ANALOG V 2 Wire Analk Zone 1 2 Wire Analk Zone 2 2 Wire Analk Zone 2 2 Wire Analk Zone 2 2 Wire Analk Zone 3 3 Wire Analk Zone 3 4 Wire Analk Zone 3 2 Wire Analk Zone 3 2 Wire Analk Zone 3 2 Wire Analk Zone 3 3 C Wire Analk Zone 3 4 Wire Analk Zone 3 2 Wire Analk Zone 3 3 L Wire Analk Zone 3 2 Wire Analk Zone 3 2 Wire Analk Zone 3 3 L Wire Analk Zone 3 2 Wire Analk Zone 3 2 Wire Analk Zone 3 3 L Wire Analk Zone 3 4 Wire Analk Ground Stat Cr | ad (per loop) led Copper Loop, Non-Design Copper Loop, billing for oviding make-up (Engineering Information - E.I.) esting - Basic 1st Half Hour esting - Basic Additional Half Hour | F | | UEQ | URETL | | 8.33 | 0.83 | | | | , | | | , | ! |
| Unbundled C BST providi Loop Testin CLEC to CJ (UCL-ND) NDLED EXCHANGE 2-WIRE ANALOG V 2 Wire Analc Zone 1 2 Wire Analc Zone 2 2 Wire Analc Zone 2 2 Wire Analc Zone 3 2 Wire Analc Zorud Stat Z-Wire Analc Battery Sign 2 -Wire Analc Battery Sign Order Coord CLEC to CL Loop Taggit 4-WIRE ANALOG V | lled Copper Loop, Non-Design Copper Loop, billing for oviding make-up (Engineering Information - E.I.) esting - Basic 1st Half Hour esting - Basic Additional Half Hour | | | | | | | ! | 1 | ŀ | 1 | , , | 1 1 | ı l | | , , |
| BST providi Loop Testin Loop Testin Loop Testin CLEC to CL (UCL-ND) NDLED EXCHANGE 2-WIRE ANALOG V 2 Wire Analk Zone 1 2 Wire Analk Zone 2 2 Wire Analk Zone 2 2 Wire Analk Zone 2 2 Wire Analk Zone 3 2 Wire Analk Zone 3 2 Wire Analk Zone 3 2 Wire Analk Zone 3 2 Wire Analk Zone 3 2 Wire Analk Zone 3 2 Wire Analk Zone 3 2 Wire Analk Zone 3 2 Wire Analk Zone 3 2 Wire Analk Zone 3 2 Wire Analk Zone 3 2 Wire Analk Zone 3 2 Wire Analk Ground Star 2 -Wire Analk Ground Star 2 -Wire Analk Ground Star 2 -Wire Analk Battery Sign 2 -Wire Analk Battery Sign 2 -Wire Analk Battery Sign Corder Coord CLEC to CL Loop Taggil 4-WIRE ANALOG V | oviding make-up (Engineering Information - E.I.) esting - Basic 1st Half Hour esting - Basic Additional Half Hour | | - | UEQ | USBMC | + | 61.38 | 61.38 | + | | ─ ── | | | \longrightarrow | | |
| Loop Testin Loop Testin CLEC to CL (UCL-ND) NOLED EXCHANGE 2-WIRE ANALOG V 2 Wire Analic Zone 1 2 Wire Analic Zone 2 2 Wire Analic Zone 2 2 Wire Analic Zone 2 2 Wire Analic Zone 3 2 Wire Analic Zone 5 2 Wire Analic Zone 6 2 Wire Analic Zone 7 2 Wire Analic Zone | esting - Basic 1st Half Hour esting - Basic Additional Half Hour | | 1 | UEQ | UEQMU | 1 | 28.74 | 28.74 | 1 | ļ | 1 | , , | 1 1 | ı l | , , | , ! |
| Loop Testin CLEC to CL (UCL-ND) NDLED EXCHANGE 2-WIRE ANALOG V 2 Wire Analc Zone 1 2 Wire Analc Zone 1 2 Wire Analc Zone 2 2 Wire Analc Zone 2 2 Wire Analc Zone 3 2 Wire Analc Zone 3 2 Wire Analc Zone 3 2 Wire Analc Zone 3 2 Wire Analc Zone 3 2 Wire Analc Zone 3 2 Wire Analc Zone 3 2 Wire Analc Zone 3 2 Wire Analc Zone 3 2 Wire Analc Zone 3 2 Wire Analc Zone 3 2 Wire Analc Zone 3 2 Wire Analc Zone 3 2 Wire Analc Zone 3 2 Wire Analc Zone 3 2 Wire Analc Zone 3 2 Wire Analc Zone 3 2 Wire Analc Zone 3 2 Wire Analc Zorud Stat Z | esting - Basic Additional Half Hour | | 1 - | UEQ | URET1 | + | 76.24 | 76.24 | + | | \vdash | | \vdash | \longrightarrow | | |
| CLEC to CL (UCL-ND) NDLED EXCHANGE 2-WIRE ANALOG V 2 Wire Analica Zone 1 2 Wire Analica Zone 1 2 Wire Analica Zone 2 2 Wire Analica Zone 2 2 Wire Analica Zone 2 2 Wire Analica Zone 2 2 Wire Analica Zone 3 2 Wire Analica Zone 3 2 Wire Analica Zone 3 2 Wire Analica Zone 3 2 Wire Analica Zone 3 2 Wire Analica Zone 3 2 Wire Analica Zone 3 2 Wire Analica Zone 3 2 Wire Analica Zone 3 2 Wire Analica Zone 3 2 Wire Analica Zone 3 2 Wire Analica Zone 3 2 Wire Analica Zone 3 2 Wire Analica Zone 5 2 Wire Analica Zone 5 2 Wire Analica Zone 7 2 Wire Analica Zone 3 2 Wire Analica | | + | + | UEQ | URETA | + | 39.51 | 39.51 | | | \vdash | | | | | |
| (UCL-ND) DLED EXCHANGE 2-WIRE ANALOG V | | 1 | 1 | † | 3.1.2.7.1 | + + | 33.51 | 55.51 | <u> </u> | | \vdash | | | | | |
| NOLED EXCHANGE 2-WIRE ANALOG V 2 Wire Analcome 1 2 Wire Analcome 1 2 Wire Analcome 1 2 Wire Analcome 1 2 Wire Analcome 2 2 Wire Analcome 2 2 Wire Analcome 3 2 Wire Analcome 3 2 Wire Analcome 3 2-Wire Analcome 3 NOLED EXCHANGE 2-Wire Analcome 3 Round Start 2-Wire Analcome 3 2-Wire Analcome 3 2-Wire Analcome 3 2-Wire Analcome 3 3 Wire Analcome 3 2-Wire Analcome 3 3 Wire Analcome 3 3 Wire Analcome 3 4 Wire Analcome 3 4 Wire Analcome 3 4 Wire Analcome 3 4 Wire Analcome 3 4 Wire Analcome 3 4 Wire Analcome 3 4 Wire Analcome 3 4 Wire Analcome 3 4 Wire Analcome 3 4 Wire Analcome 3 4 Wire Analcome 3 4 Wire Analcome 3 4 Wire Analcome 3 4 Wire Analcome 3 4 Wire Analcome 3 4 Wire Analcome 3 4 Wire Analcome 3 4 Wire Analcome 4 4 Wire An | | | 1 | UEQ | UREWO | 1 | 14.26 | 7.42 | 1 | Į. | | | 1 1 | , l | | , ! |
| 2-WIRE ANALOG V 2 Wire Anale Zone 1 2 Wire Anale Zone 1 2 Wire Anale Zone 2 2 Wire Anale Zone 2 2 Wire Anale Zone 3 2 Wire Anale Zone 3 2 Wire Anale Zone 3 2 Wire Anale Zone 3 2 Wire Anale Zone 3 2 Wire Anale Zone 3 2 Wire Anale Zone 3 2 Wire Anale Ground Stat 2-Wire Anale Ground Stat Order Coore 2 Wire Anale Battery Sigr 2-Wire Anale Battery Sigr 2-Wire Anale Battery Sigr 2-Wire Anale Battery Sigr 2-Wire Anale Battery Sigr 2-Wire Anale Battery Sigr 1-Wire Anale Battery Sigr | | | 1 | | | | | | <u> </u> | | | | | i 1 | | |
| Zone 1 2 Wire Anale Zone 2 2 Wire Anale Zone 2 2 Wire Anale Zone 2 2 Wire Anale Zone 3 2 Wire Anale Zone 3 2 Wire Anale Zone 3 2 Wire Anale Zone 3 2 Wire Anale Zone 3 2 Wire Anale Zone 3 NDLED EXCHANGE 2-Wire Anale Ground Star 2-Wire Anale Ground Star 2-Wire Anale Ground Star 2-Wire Anale Ground Star 2-Wire Anale Battery Sigr 2-Wire Anale Battery Sigr 2-Wire Anale Battery Sigr Order Coore CLEC to CL Loop Taggii 4-WIRE ANALOG V | OG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| 2 Wire Analic Zone 1 2 Wire Analic Zone 2 2 Wire Analic Zone 2 2 Wire Analic Zone 2 2 Wire Analic Zone 3 3 Wire Analic Zone 3 3 Wire Analic Zone 3 3 Wire Analic Zone 3 3 Wire Analic Zone 3 4 Wire Analic Zone 3 4 Wire Analic Ground Star 2-Wire Analic Ground Star Corder Coord Zowire Analic Zowire Zowire Analic Zowire | Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | 1 | | | | 1 | , | , | |
| Zone 1 2 Wire Anali Zone 2 2 Wire Anali Zone 2 2 Wire Anali Zone 3 2 Wire Anali Zone 3 2 Wire Anali Zone 3 2 Wire Anali Zone 3 2 Wire Anali Zone 3 2 Wire Anali Zone 3 2 Wire Anali Zone 3 2 Wire Anali Ground Star 2 Wire Anali Ground Star 2 Wire Anali Ground Star 2 Wire Anali Ground Star 2 Wire Anali Ground Star 2 Wire Anali Ground Star 2 Wire Anali Battery Sigr 2 Wire Anali Battery Sigr 2 Wire Anali Battery Sigr Corder Cooro CLEC to CL Loop Taggil | | | 1 | UEPSR UEPSB | UEALS | 12.11 | 57.99 | 42.37 | 0.00 | 0.00 | igsquare | | igcup | | | |
| 2 Wire Anali Zone 2 2 Wire Anali Zone 2 2 Wire Anali Zone 3 2 Wire Anali Zone 3 2 Wire Anali Zone 3 2 Wire Anali Zone 3 2 Wire Anali Zone 3 2 Wire Anali Zone 3 2 Wire Anali Zone 3 2 Wire Anali Ground Stati 2 Wire Anali Ground Stati 2 Wire Anali Ground Stati 2 Wire Anali Ground Stati 2 Wire Anali Ground Stati 2 Wire Anali Battery Sigr 2 Wire Anali Battery Sigr 1 Wire Anali Battery Sigr 1 Corder Coore CLEC to CL Loop Taggii 4-WIRE ANALOG V | Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | ŀ | 1 | ŀ | 1 | , , | 1 1 | ı l | | , , |
| Zone 2 2 Wire Anals Zone 2 2 Wire Anals Zone 3 2 Wire Arals Zone 3 2 Wire Arals Zone 3 2 Wire Arals Zone 3 2 Wire Anals Zone 3 2 Wire Anals Ground Star 2 Wire Anals Ground Star 2 Wire Anals Ground Star 2 Wire Anals Ground Star 2 Wire Anals Ground Star 2 Wire Anals Ground Star 2 Wire Anals Ground Star 0 Order Coors 2 Wire Anals Battery Sigr 2 Wire Anals Battery Sigr 1 Wire Anals Battery Sigr 1 Wire Anals Battery Sigr 1 Wire Anals Battery Sigr 1 Wire Anals Battery Sigr 1 Wire Anals Battery Sigr 1 Wire Anals Battery Sigr 1 Wire Anals Battery Sigr 1 Wire Anals Battery Sigr 1 Wire Anals Battery Sigr 1 Wire Anals Battery Sigr 1 Wire Anals Battery Sigr 1 Wire Anals Battery Sigr 1 Wire Anals Battery Sigr 1 Wire Anals Battery Sigr 1 Wire Anals Battery Sigr 1 Wire Anals Battery Sigr 1 Wire Anals Battery Sigr 2 Wire Anals Battery Sigr 2 Wire Anals Battery Sigr 3 Wire Anals Battery Sigr 4 Wire Anals Battery Sigr 4 Wire Anals Battery Sigr 4 Wire Anals Battery Sigr 4 Wire Anals Battery Sigr 4 Wire Anals Battery Sigr 4 Wire Anals | | | 1 | UEPSR UEPSB | UEABS | 12.11 | 57.99 | 42.37 | 0.00 | 0.00 | | | | | | |
| 2 Wire Anali Zone 2 2 Wire Anali Zone 3 2 Wire Anali Zone 3 2 Wire Anali Zone 3 NDLED EXCHANGE 2-WIRE ANALOG V 2-Wire Anali Ground Star 2-Wire Anali Ground Star 2-Wire Anali Ground Star 2-Wire Anali Ground Star 2-Wire Anali Battery Sigr 2-Wire Anali Battery Sigr 2-Wire Anali Battery Sigr 0-rder Coore (CLEC to CL Loop Taggii 4-WIRE ANALOG V | Analog Voice Grade Loop- Service Level 1-Line Splitting- | | | | | | | ŀ | 1 | ŀ | 1 | , , | 1 1 | ı l | | , , |
| Zone 2 2 Wire Analic Zone 3 2 Wire Analic Zone 3 2 Wire Analic Zone 3 NDLED EXCHANGE 2-Wire Analic Ground Star 2-Wire Analic Ground Star 2-Wire Analic Ground Star 2-Wire Analic Ground Star 2-Wire Analic Ground Star 2-Wire Analic Battery Sign 2-Wire Analic Battery Sign 2-Wire Analic Battery Sign C-Wire Analic Battery | | | 2 | UEPSR UEPSB | UEALS | 21.24 | 57.99 | 42.37 | 0.00 | 0.00 | \longleftarrow | | └ | \longrightarrow | | |
| 2 Wire Analizone 3 2 Wire Analizone 3 2 Wire Analizone 3 2 Wire Analizone 3 NDLED EXCHANGE 2-Wire Anali Ground Stati 2-Wire Anali Ground Stati 2-Wire Anali Ground Stati 2-Wire Anali Ground Stati 2-Wire Anali Ground Stati 0-rder Cooro 2-Wire Anali Battery Sigr 2-Wire Anali Battery Sigr 0-Wire Anali Battery Sigr 0-Formation State 1 0-Formation St | Analog Voice Grade Loop- Service Level 1-Line Splitting- | | 2 | LIEDOD LIEDOD | LIEADO | 04.04 | 57.00 | 40.07 | 0.00 | 0.00 | 1 | , , | 1 1 | ı l | | , , |
| Zone 3 2 Wire Analizone 3 2 Wire Analizone 3 NDLED EXCHANGE 2-WIRE ANALOG V 2-Wire Anali Ground Star 2-Wire Anali Ground Star 2-Wire Anali Ground Star 2-Wire Anali Ground Star 2-Wire Anali Ground Star 2-Wire Anali Battery Sigr 2-Wire Anali Battery Sigr 0-Wire Anali Battery Sigr 0-Wire Anali Battery Sigr 0-Wire Anali Battery Sigr 0-Wire Anali Battery Sigr 0-Wire Anali Battery Sigr 0-Wire Anali Battery Sigr 0-Wire Anali Battery Sigr 0-Wire Anali Battery Sigr 0-Wire Anali Battery Sigr 0-Wire Anali Battery Sigr 0-Wire Anali Battery Sigr 0-Wire Anali Battery Sigr 0-Wire Anali Battery Sigr 0-Wire Anali Battery Sigr 0-Wire Anali Battery Sigr 0-Wire Anali Ground Star | Angles Voice Crade Lean Continue Level 4 Line Colitics | _ | | UEPSR UEPSB | UEABS | 21.24 | 57.99 | 42.37 | 0.00 | 0.00 | ├ | | \vdash | | | |
| 2 Wire Analizone 3 NDLED EXCHANGE 2-Wire Analog V 2-Wire Analog V 2-Wire Analiground Stat 2-Wire Analiground Stat 2-Wire Analiground Stat 2-Wire Analiground Stat 2-Wire Analiground Stat 2-Wire Analiground Stat 3-Wire Analiground Stat Battery Sigr 2-Wire Analiground Stat Battery Sigr 0-rder Coore CLEC to CL Loop Taggii 4-WIRE ANALOG V | Analog Voice Grade Loop-Service Level 1-Line Splitting- | | 2 | UEPSR UEPSB | UEALS | 33.65 | 57.99 | 42.37 | 0.00 | 0.00 | 1 | , , | 1 1 | ı l | | , , |
| Zone 3 NDLED EXCHANGE 2-WIRE ANALOG V 2-Wire Anali Ground Stat 2-Wire Anali Ground Stat 2-Wire Anali Ground Stat 2-Wire Anali Ground Stat 2-Wire Anali Ground Stat Order Coor 2-Wire Anali Battery Sigr 2-Wire Anali Battery Sigr 0-Wire Anali Called For Coor CLEC to CL Loop Taggil | Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | OLI SIX OLI SID | OLALO | 33.03 | 31.33 | 42.51 | 0.00 | 0.00 | | | — | $\overline{}$ | | |
| NDLED EXCHANGE 2-WIRE ANALOG V 2-WIRE ANALOG V 2-Wire Arali Ground Star 2-Wire Arali Ground Star 2-Wire Arali Ground Star Order Coore 2-Wire Arali Battery Sigr 2-Wire Arali Battery Sigr 2-Wire Arali Battery Sigr C-Wire Arali Battery Sigr C-Wire Arali C | Thatog voice Grade 200p dervice 20ver 1 2me opinting | | 3 | UEPSR UEPSB | UEABS | 33.65 | 57.99 | 42.37 | 0.00 | 0.00 | 1 | , , | 1 1 | ı l | | , , |
| 2-WIRE ANALOG V 2-Wire Anal 2-Wire Anal Ground Stat 2-Wire Anal Ground Stat 2-Wire Anal Ground Stat 2-Wire Anal Ground Stat 2-Wire Anal Battery Sigr 2-Wire Anal Battery Sigr 0-rder Coor CLEC to CL Loop Taggil | IGE ACCESS LOOP | | | 100.000.000 | | 1 | | | | | | | | | | |
| Ground Star 2-Wire Anali Ground Star 2-Wire Anali Ground Star 2-Wire Anali Ground Star Order Coore 2-Wire Anali Battery Sigr 2-Wire Anali Battery Sigr 0-Wire Anali Battery Sigr 0-Wire Anali CLEC to CL Loop Taggii | OG VOICE GRADE LOOP | | | 1 | | | | | | | | | | | | |
| 2-Wire Anal Ground Stat 2-Wire Anal Ground Stat Order Coor 2-Wire Anal Battery Sigr 2-Wire Anal Battery Sigr Order Coor CLEC to CL Loop Taggil | Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | i I | | 1 |
| Ground Star 2-Wire Anali Ground Star Order Coore 2-Wire Anali Battery Sign 2-Wire Anali Battery Sign 2-Wire Anali Battery Fign 0-Wire Anali Battery Fign 1-Wire Anali Letter Sign 1-Wire Anali Lette | Start Signaling - Zone 1 | | 1 | UEA | UEAL2 | 14.97 | 142.97 | 106.56 | <u> </u> | | 1 | , , | 1 | ı | 1 | |
| 2-Wire Anali Ground Stat Order Coord 2-Wire Anali Battery Sigr 2-Wire Anali Battery Sigr Order Coord CLEC to CL Loop Taggii | Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | 1 | | [] | i | | |
| Ground Stat Order Coor 2-Wire Anal Battery Sigr 2-Wire Anal Battery Sigr 12-Wire Anal Battery Sigr Order Coor CLEC to CL Loop Taggii 4-WIRE ANALOG V | Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | 25.93 | 142.97 | 106.56 | | | | | | | | |
| Order Coord 2-Wire Anali Battery Sign 2-Wire Anali Battery Sign 2-Wire Anali Battery Sign 2-Wire Anali Battery Sign Order Coord CLEC to CL Loop Taggii | Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | ŀ | 1 | ŀ | 1 | , , | 1 1 | ı l | | , , |
| 2-Wire Anale Battery Sigr 2-Wire Anale Battery Sigr 2-Wire Anale Battery Sigr Order Coore CLEC to CL Loop Taggir | Start Signaling - Zone 3 | + | 3 | UEA | UEAL2 | 40.81 | 142.97 | 106.56 | \longmapsto | | ₩ | | \vdash | | | |
| Battery Sigr 2-Wire Anali Battery Sigr 2-Wire Anali Battery Sigr Order Cooro CLEC to CL Loop Taggii 4-WIRE ANALOG V | Coordination for Specified Conversion Time (per LSR) | 1 | - | UEA | OCOSL | + | 45.34 | | | | $\vdash \vdash \vdash$ | | \vdash | ├── | | |
| 2-Wire Anal Battery Sigr 2-Wire Anal Battery Sigr Order Coord CLEC to CL Loop Taggi 4-WIRE ANALOG V | Analog Voice Grade Loop - Service Level 2 w/Reverse | | 1 | lue A | UEAR2 | 14.97 | 142.07 | 106.56 | 1 | ŀ | 1 | | 1 1 | , l | , , | , P |
| Battery Sigr 2-Wire Anald Battery Sigr Order Coord CLEC to CL Loop Taggit 4-WIRE ANALOG V | Analog Voice Grade Loop - Service Level 2 w/Reverse | + | +- | UEA | UEARZ | 14.97 | 142.97 | 106.56 | | | | | \vdash | $\overline{}$ | | |
| 2-Wire Anal Battery Sigr Order Coord CLEC to CL Loop Taggir 4-WIRE ANALOG V | Signaling - Zone 2 | | 2 | UEA | UEAR2 | 25.93 | 142.97 | 106.56 | 1 | ŀ | 1 | | 1 1 | , l | , , | , P |
| Battery Sign Order Coord CLEC to CL Loop Taggin 4-WIRE ANALOG V | Analog Voice Grade Loop - Service Level 2 w/Reverse | 1 | † <u> </u> | 1 | 3272 | 20.00 | 2.57 | .00.00 | <u> </u> | | \vdash | | | | | |
| Order Coord CLEC to CL Loop Taggir 4-WIRE ANALOG V | Signaling - Zone 3 | | 3 | UEA | UEAR2 | 40.81 | 142.97 | 106.56 | 1 | Į. | | | 1 1 | , l | | , ! |
| CLEC to CL Loop Taggir 4-WIRE ANALOG V | Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | 1 | 45.34 | | | | | | | | | |
| Loop Taggir 4-WIRE ANALOG V | o CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87.64 | 36.33 | | | | | | | | |
| | agging - Service Level 2 (SL2) | | | UEA | URETL | | 11.20 | 1.10 | | | | | | | | |
| A VACOR A SEL | <u> </u> | | | | | | | | | | | | | | | |
| | OG VOICE GRADE LOOP | 1 | 1 | UEA | UEAL4 | 21.32 | 288.47 | 237.45 | - | | igsquare | | igcup | oxdot | | |
| | G VOICE GRADE LOOP Analog Voice Grade Loop - Zone 1 | 1 | 2 | UEA | UEAL4 | 36.27 | 288.47 | 237.45 | └── | | igsquare | | | | , | ļ! |
| | G VOICE GRADE LOOP Analog Voice Grade Loop - Zone 1 Analog Voice Grade Loop - Zone 2 | 1 | 3 | UEA | UEAL4 | 56.57 | 288.47 | 237.45 | ├ | | | | \longleftarrow | | | |
| | ON OICE GRADE LOOP Analog Voice Grade Loop - Zone 1 Analog Voice Grade Loop - Zone 2 Analog Voice Grade Loop - Zone 3 | + | - | UEA UEA | OCOSL | + | 45.34 87.64 | 36.33 | | | $\vdash \vdash$ | | \vdash | | | |
| | G VOICE GRADE LOOP Analog Voice Grade Loop - Zone 1 Analog Voice Grade Loop - Zone 2 Analog Voice Grade Loop - Zone 3 Coordination for Specified Conversion Time (per LSR) | | + | UEA | UREWO | ++ | 87.64 | 36.33 | | | \vdash | | \vdash | | | |
| | NO VOICE GRADE LOOP Analog Voice Grade Loop - Zone 1 Analog Voice Grade Loop - Zone 2 Analog Voice Grade Loop - Zone 3 coordination for Specified Conversion Time (per LSR) to CLEC Conversion Charge without outside dispatch | + | 1 | UDN | U1L2X | 19.42 | 325.91 | 251.31 | + | | \vdash | | \vdash | \longrightarrow | | |
| | OF VOICE GRADE LOOP Analog Voice Grade Loop - Zone 1 Analog Voice Grade Loop - Zone 2 Analog Voice Grade Loop - Zone 3 Coordination for Specified Conversion Time (per LSR) O CLEC Conversion Charge without outside dispatch IGITAL GRADE LOOP | | 2 | UDN | U1L2X | 32.88 | 325.91 | 251.31 | | | | | | | | |
| | G VOICE GRADE LOOP Analog Voice Grade Loop - Zone 1 Analog Voice Grade Loop - Zone 2 Analog Voice Grade Loop - Zone 3 Coordination for Specified Conversion Time (per LSR) o CLEC Conversion Charge without outside dispatch ISITAL GRADE LOOP ISDN Digital Grade Loop - Zone 1 | | 3 | UDN | U1L2X | 51.14 | 325.91 | 251.31 | | | \vdash | | | | | |
| | NO VOICE GRADE LOOP Analog Voice Grade Loop - Zone 1 Analog Voice Grade Loop - Zone 2 Analog Voice Grade Loop - Zone 3 Coordination for Specified Conversion Time (per LSR) CLEC Conversion Charge without outside dispatch IGITAL GRADE LOOP ISDN Digital Grade Loop - Zone 1 ISDN Digital Grade Loop - Zone 2 | | Ť | UDN | OCOSL | 51.14 | 45.34 | 201.01 | | | | | $\overline{}$ | | , | |
| | OF VOICE GRADE LOOP Analog Voice Grade Loop - Zone 1 Analog Voice Grade Loop - Zone 2 Analog Voice Grade Loop - Zone 3 Coordination for Specified Corrversion Time (per LSR) O CLEC Conversion Charge without outside dispatch OFFICIAL GRADE LOOP ISDN Digital Grade Loop - Zone 1 ISDN Digital Grade Loop - Zone 2 ISDN Digital Grade Loop - Zone 3 | | | | | | | | | | | | | | | |
| | Analog Voice GRADE LOOP Analog Voice Grade Loop - Zone 1 Analog Voice Grade Loop - Zone 2 Analog Voice Grade Loop - Zone 3 Analog Voice Grade Loop - Zone 3 Analog Voice Grade Loop - Zone 3 Analog Voice Grade Loop - Zone 3 Analog Voice Grade Loop - Zone 3 Analog Voice Grade Loop - Zone 4 Analog Voice Grade Loop - Zone 1 Analog Voice Grade Loop - Zone 2 Analog Voice Grade Loop - Zone 3 Analog Vo | | 1 | UDN | UREWO | | 91.55 | 44.12 | | | l i | 1 | l l | · | ' | |
| 2 Wire Unbu | OF VOICE GRADE LOOP Analog Voice Grade Loop - Zone 1 Analog Voice Grade Loop - Zone 2 Analog Voice Grade Loop - Zone 3 Coordination for Specified Corrversion Time (per LSR) O CLEC Conversion Charge without outside dispatch OFFICIAL GRADE LOOP ISDN Digital Grade Loop - Zone 1 ISDN Digital Grade Loop - Zone 2 ISDN Digital Grade Loop - Zone 3 | ATIBLE LO | DOP | UDN | UREWO | | | 44.12 | | | | | | | | \vdash |

| <u>IRONDLE</u> | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachr | ment: 2 | Exhi | bit: A | L |
|----------------|--|----------|--|------------|----------------|----------------|------------------|------------------|--|-------|--|---|--|--|---|---|---|
| EGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | Rec | Nonrec | | Nonrecurring Dis | | 001450 | COMAN | | Rates (\$) | 001111 | SOMAN | + |
| _ | 2 Wire Unbundled ADSL Loop including manual service inquiry & | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | + |
| | facility reservation - Zone 2 | | 2 | UAL | UAL2X | 18.39 | 264.71 | 145.60 | | | | | | | | | |
| - | 2 Wire Unbundled ADSL Loop including manual service inquiry & | | | UAL | UALZA | 10.55 | 204.71 | 143.00 | | | 1 | | | | | | ╁ |
| | facility reservation - Zone 3 | | 3 | UAL | UAL2X | 28.42 | 264.71 | 145.60 | | | | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 45.34 | | | | | | | | | | T |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | | | | | | | | | | | | | Г |
| | facility reservaton - Zone 1 | | 1 | UAL | UAL2W | 11.00 | 190.25 | 114.82 | | | | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | _ | | | | | | | | | | | | | | |
| | facility reservation - Zone 2 | | 2 | UAL | UAL2W | 18.39 | 190.25 | 114.82 | | | | | | | | | + |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3 | | 3 | LIAI | UAL2W | 28.42 | 190.25 | 114.82 | | | | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | 3 | UAL | OCOSL | 20.42 | 45.34 | 114.02 | | | <u> </u> | | | | | | + |
| 1 | CLEC to CLEC Conversion Charge without outside dispatch | 1 | | UAL | UREWO | | 86.12 | 40.36 | | | | | | | | | t |
| 2-WIRE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT | IBLE LOC | P | İ | 1 | | | | | | | | | | | | T |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & | | | | | İ | | | | | | | | | | | |
| | facility reservation - Zone 1 | | 1 | UHL | UHL2X | 9.01 | 284.74 | 163.54 | | | ļ | | | | | | ╄ |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & | | _ | l | | | | | | | | 1 | | | | | ĺ |
| _ | facility reservation - Zone 2 2 Wire Unbundled HDSL Loop including manual service inquiry & | | 2 | UHL | UHL2X | 14.87 | 284.74 | 163.54 | | | ļ | | | | | | ┿ |
| | facility reservation - Zone 3 | | 3 | UHL | UHL2X | 22.82 | 284.74 | 163.54 | | | | | | | | | |
| - | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | 22.02 | 45.34 | 103.54 | | | | | | | | | t |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry and | | | 01.2 | 00002 | | 10.01 | | | | | | | | | | T |
| | facility reservation - Zone 1 | | 1 | UHL | UHL2W | 9.01 | 207.48 | 132.05 | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry and | | | | | | | | | | | | | | | | Ī |
| | facility reservation - Zone 2 | | 2 | UHL | UHL2W | 14.87 | 207.48 | 132.05 | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry and | | | | | | | | | | | | | | | | |
| _ | facility reservation - Zone 3 | | 3 | UHL | UHL2W OCOSL | 22.82 | 207.48 45.34 | 132.05 | | | | | | | | | + |
| | Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch | | | UHL UHL | UREWO | | 45.34 86.06 | 40.36 | | | | | | | | | ₩ |
| 4-WIRE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT | IBLE LOC |)P | OTIL | OKEWO | | 00.00 | 40.50 | | | | | | | | | + |
| | 4 Wire Unbundled HDSL Loop including manual service inquiry and | | | | | | | | | | | | | | | | T |
| | facility reservation - Zone 1 | | 1 | UHL | UHL4X | 10.62 | 341.65 | 220.45 | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry and | | | | | | | | | | | | | | | | |
| | facility reservation - Zone 2 | | 2 | UHL | UHL4X | 17.67 | 341.65 | 220.45 | | | | | | | | | _ |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry and | | 3 | UHL | UHL4X | 07.04 | 044.05 | 000 45 | | | | | | | | | |
| _ | facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | | 3 | UHL | OCOSL | 27.24 | 341.65 45.34 | 220.45 | | | 1 | | | | | | + |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and | | | UHL | OCOSE | | 45.54 | | | | <u> </u> | | | | | | + |
| | facility reservation - Zone 1 | | 1 | UHL | UHL4W | 10.62 | 264.39 | 188.96 | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and | | | | | | | | | | | | | | | | T |
| | facility reservation - Zone 2 | | 2 | UHL | UHL4W | 17.67 | 264.39 | 188.96 | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and | | | | | | | | | | | | | | | | |
| | facility reservation - Zone 3 | | 3 | UHL | UHL4W | 27.24 | 264.39 | 188.96 | | | | | | | | | + |
| | Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch | | | UHL UHL | OCOSL UREWO | | 45.34 86.06 | 40.36 | | | ļ | | | | | | + |
| 4-WIRE | DS1 DIGITAL LOOP | | | UHL | UKEWO | | 86.00 | 40.30 | | | <u> </u> | | | | | | + |
| 7 ****** | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 47.60 | 714.84 | 421.47 | | | | | | | | | + |
| | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | USL | USLXX | 84.36 | 714.84 | 421.47 | | | | | | | | | T |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 134.29 | 714.84 | 421.47 | | | | | | | | | I |
| | Order Coordination for Specified Conversion Time (per LSR) | | | USL | OCOSL | | 48.31 | | | | | | | | | | Γ |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 100.99 | 43.00 | | | | | | | | | Į |
| 4-WIRE | 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | _ | LIDI | LIBI 40 | 05.00 | 400.01 | 007.51 | | | <u> </u> | ļ | | | | | + |
| - | 4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps | 1 | 2 | UDL UDL | UDL19 UDL19 | 25.32 43.11 | 489.04 489.04 | 337.51 337.51 | | | 1 | - | | | | | ╁ |
| - | 4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps | | 3 | UDL | UDL19 | 67.26 | 489.04 489.04 | 337.51 | | | | | | | | | t |
| | 4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | 1 | 1 | UDL | UDL56 | 25.32 | 489.04 | 337.51 | | | | | | | | | t |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | 2 | UDL | UDL56 | 43.11 | 489.04 | 337.51 | | | | | | | | | T |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | 3 | UDL | UDL56 | 67.26 | 489.04 | 337.51 | | | | | | | | | Ι |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 45.34 | | | | | | | | | | Г |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | ļ | 1 | UDL | UDL64 | 25.32 | 489.04 | 337.51 | | | 1 | | | | | | ¥ |
| - | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | 2 | UDL | UDL64 | 43.11 | 489.04 | 337.51 | | | <u> </u> | ļ | | | | | + |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | | 3 | UDL UDL | UDL64 OCOSL | 67.26 | 489.04 45.34 | 337.51 | | | 1 | | 1 | | | | + |
| | CLEC to CLEC Conversion Charge without outside dispatch | ļ | | UDL | UREWO | | 45.34 102.03 | 49.70 | | | | | 1 | | | | + |

| <u>IBUND</u> L | ED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachi | ment: 2 | | bit: A | ⊥ |
|----------------|---|----------|--|---------------------------------|----------------|--|-----------------|-----------------|----------------|-------|--|---|--|--|---|---|-----|
| EGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | ; |
| | | | | | | Rec | Nonrec | | Nonrecurring I | | 001150 | | | Rates (\$) | | | + |
| | 5 H # 100PPER 100P | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | + |
| 2-WIR | E Unbundled COPPER LOOP | | | | | | | | | | | | | | | | + |
| | 2-Wire Unbundled Copper Loop-Designed including manual | | | | | 40.00 | | | | | | | | | | | |
| | service inquiry & facility reservation - Zone 1 | | 1 | UCL | UCLPB | 13.26 | 262.86 | 143.75 | | | | | | | | | + |
| | 2-Wire Unbundled Copper Loop-Designed including manual | | 2 | | | | | | | | | | | | | | |
| | service inquiry & facility reservation - Zone 2 | | | UCL | UCLPB | 22.39 | 262.86 | 143.75 | | | | | | | | | + |
| | 2 Wire Unbundled Copper Loop-Designed including manual service | | 3 | UCL | UCLPB | 04.00 | 000.00 | 440.75 | | | | | | | | | |
| | inquiry & facility reservation - Zone 3 | | 3 | | UCLPB | 34.80 | 262.86 | 143.75 61.38 | | | 1 | | | | | | + |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 61.38 | 61.38 | | | 1 | | | | | | + |
| | 2-Wire Unbundled Copper Loop-Designed without manual service | | 1 | | UCLPW | 13.26 | 400.00 | 440.00 | | | | | | | | | |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCLPW | 13.26 | 188.39 | 112.96 | | | 1 | | | | | | + |
| | 2-Wire Unbundled Copper Loop-Designed without manual service | | 2 | | UCLPW | 22.39 | 188.39 | 112.96 | | | | | | | | | |
| | inquiry and facility reservation - Zone 2 | | | UCL | UCLPVV | 22.39 | 100.39 | 112.96 | - | | | | | | | - | + |
| | 2-Wire Unbundled Copper Loop-Designed without manual service | | 3 | UCL | UCLPW | 34.80 | 188.39 | 112.00 | | | | | | | | | 1 |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCLPW | 34.80 | 188.39 61.38 | 112.96 61.38 | | | | | | | | - | + |
| | Order Coordination for Unbundled Copper Loops (per loop) | | 1 | UUL | UCLIVIC | | 61.38 | 61.38 | - | | 1 | | | | | | + |
| | CLEC to CLEC Conversion Charge without outside dispatch (UCL Des) | | 1 | UCL | UREWO | | 97.14 | 42.44 | | | | | | | | 1 | |
| A 18/10 | E COPPER LOOP | | 1 | UUL | OKEWO | | 97.14 | 42.44 | | | 1 | | | | | | + |
| 4-vvik | | | 1 | + | 1 | | | | | | 1 | | | | | | + |
| | 4-Wire Copper Loop including manual service inquiry and facility reservation - Zone 1 | | 4 | UCL | 110148 | 17.36 | 311.03 | 191.93 | | | | | | | | | |
| _ | | | 1 | UUL | UCL4S | 17.36 | 311.03 | 191.93 | | | | | | | | - | + |
| | 4-Wire Copper Loop including manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4S | 29.61 | 311.03 | 191.93 | | | | | | | | 1 | 1 |
| _ | | | | UUL | UCL45 | ∠9.61 | 311.03 | 191.93 | | | | | | | | - | + |
| | 4-Wire Copper Loop including manual service inquiry and facility | | 3 | LICI | UCL4S | 46.26 | 311.03 | 191.93 | | | | | | | | | |
| _ | reservation - Zone 3 | | 3 | UCL | UCL4S UCLMC | 46.26 | 61.38 | | | | 1 | | | | | | + |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLIVIC | | 61.38 | 61.38 | | | _ | | | | | - | + |
| | 4-Wire Copper Loop without manual service inquiry and facility | | | LICI | LICL CA | 47.00 | 000 57 | 404.41 | | | | | | | | 1 | 1 |
| | reservation - Zone 1 | | 1 | UCL | UCL4W | 17.36 | 236.57 | 161.14 | | | <u> </u> | | | | | ļ | + |
| | 4-Wire Copper Loop without manual service inquiry and facility | | 2 | | | | | | | | | | | | | | |
| | reservation - Zone 2 | | 2 | UCL | UCL4W | 29.61 | 236.57 | 161.14 | | | | | | | | | + |
| | 4-Wire Copper Loop without manual service inquiry and facility | | | | | 40.00 | | | | | | | | | | | |
| | reservation - Zone 3 | | 3 | UCL | UCL4W | 46.26 | 236.57 | 161.14 | | | | | | | | | + |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 61.38 | 61.38 | | | 1 | | | | | | + |
| | CLEC to CLEC Conversion Charge without outside dispatch (UCL | | | | LIDEWO | | 07.44 | 40.44 | | | | | | | | | |
| | Des) | | | UCL | UREWO | | 97.14 | 42.44 | | | | | | | | | + |
| OP MODIF | CATION | | | | | | | | | | | | | | | | + |
| | | | | UAL, UHL, UCL, | | | | | | | | | | | | | |
| | Habardhad Laar Madification Barrandad Laad C " C'" | | | UEQ, ULS, UEA, | | | | | | | | | | | | | |
| | Unbundled Loop Modification, Removal of Load Coils - 2 Wire | | 1 | UEANL, UEPSR, | | | | | | | | | | | | 1 | 1 |
| - | pair less than or equal to 18k ft, per Unbundled Loop | | - | UEPSB | ULM2L | | 21.24 | 21.24 | | | <u> </u> | | | | | | + |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire less | | | | 1 | | 04.01 | 04.04 | | | | | | | | | 1 |
| _ | than or equal to 18K ft, per Unbundled Loop | | - | UHL, UCL, UEA | ULM4L | | 21.24 | 21.24 | | | 1 | | | | | | + |
| | | | 1 | UAL, UHL, UCL, | 1 | | | | | | | | | | | 1 | |
| | Unbundled Loop Medification Removal of Bridged Ten Removal | | | UEQ, ULS, UEA, UEANL, UEPSR, | | | | | | | | | | | | | |
| | Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop | | 1 | UEANL, UEPSR, UEPSB | ULMBT | | 24.84 | 24.84 | | | | | | | | 1 | |
| B-LOOPS | | | - | UEPOB | ULIVID I | | ∠4.84 | 24.84 | | | 1 | | | | | - | + |
| | oop Distribution | | - | | + | | | | | | 1 | | | | | - | + |
| Sup-L | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- | | 1 | + | 1 | | | | | | 1 | | | | | | + |
| | Un | | | UEANL | USBSA | | 373.57 | | | | | | | | | | ı |
| - | T T | | 1 | OLAINE | JUDUA | | 313.31 | | l | | | | | | | l | + |
| | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | | | UEANL | USBSB | | 33.78 | | | | | | | | | | ı |
| _ | Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility | | - | 0 L / 11 T L | 30000 | | 33.10 | | - | | | | | | | | + |
| | Set-Un | | 1 | UEANL | USBSC | | 234.76 | | | | | | | | | 1 | 1 |
| | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set- | | t | O = / 11 1 L | 30200 | | 204.10 | | | | | | | | | 1 | + |
| | IIn | l , | | UEANL | USBSD | | 81.05 | | | | | | | | | | 1 |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | 1 | OL, 114L | 20000 | | 51.05 | | | | 1 | | | | | | + |
| | Zone 1 | | 1 | UEANL | USBN2 | 7.31 | 126.03 | 54.54 | | | | | | | | 1 | 1 |
| -+- | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | - '- | OL/ IIVL | CODINZ | 1.31 | 120.03 | 04.04 | | | | | | | | | + |
| | Zone 2 | ١., | 2 | UEANL | USBN2 | 11.93 | 126.03 | 54.54 | | | | | | | | 1 | |
| -+ | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | <u>'</u> | | OL/ IIVL | CODINZ | 11.93 | 120.03 | 54.54 | - | | | | | | | | + |
| | Zone 3 | ١., | 3 | UEANL | USBN2 | 18.20 | 126.03 | 54.54 | | | | | | | | | 1 |
| -+ | LOTIC O | | 3 | SEAINE | JUDINZ | 10.20 | 120.03 | 54.54 | | | 1 | - | | | | 1 | + |
| | 1 | | | | | | | | | | | | | | | | - 1 |

| IBUNDLE | ED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachi | nent: 2 | Exhi | bit: A | |
|----------|--|----------|--|--------------------------|----------------|--|-----------------|----------------|---|-------|---|---|--|--|---|---|---|
| EGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | Rec | Nonrec | | Nonrecurring | | 22152 | | | Rates (\$) | | | + |
| - | Ode Land Distribution Des A Miss Andrew Voice Conde Land | | - | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | + |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEANL | USBN4 | 8.44 | 156.52 | 79.66 | | | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | <u> </u> | OLANE | OODING | 0.44 | 130.32 | 7 3.00 | | | - | | | | | | + |
| | Zone 2 | | 2 | UEANL | USBN4 | 13.81 | 156.52 | 79.66 | | | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | | T |
| | Zone 3 | | 3 | UEANL | USBN4 | 21.10 | 156.52 | 79.66 | | | | | | | | | |
| | | | | | | | | | | | | | | | | | Т |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 61.38 | 61.38 | | | | | | | | | ┸ |
| | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | - 1 | | UEANL | USBR2 | 2.79 | 114.05 | 37.20 | | | | | | | | | 1 |
| | | | | | | | 04.00 | | | | | | | | | | |
| - | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | - | 1 | UEANL UEANL | USBMC USBR4 | 3.74 | 61.38 127.67 | 61.38 50.82 | | | 1 | | | | | | + |
| + | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | | | UEAINL | USBK4 | 3./4 | 127.07 | 50.82 | | | - | | - | | | | + |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC |] | 61.38 | 61.38 | | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour | 1 | | UEANL | URET1 | | 76.24 | 76.24 | | | | | | | | | t |
| | Loop Testing - Basic Additional Half Hour | 1 | | UEANL | URETA | † † | 39.51 | 39.51 | | | | | | | | | T |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | ı | 1 | UEF | UCS2X | 6.10 | 137.10 | 60.24 | | | | | | | | | T |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | | 2 | UEF | UCS2X | 9.70 | 137.10 | 60.24 | | | | | | | | | Ι |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | ı | 3 | UEF | UCS2X | 14.59 | 137.10 | 60.24 | | | | | | | | | Г |
| | | | 1 | | | | | | | | | | | | | | ľ |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 61.38 | 61.38 | | | | | | | | | ┸ |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | ! | 1 | UEF | UCS4X | 6.58 | 162.24 | 85.38 | | | | | | | | | 4 |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | | 2 | UEF | UCS4X | 10.51 | 162.24 | 85.38 | | | | | | | | | 4 |
| - | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | I | 3 | UEF | UCS4X | 15.84 | 162.24 | 85.38 | | | 1 | | | | | | + |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 61.38 | 61.38 | | | | | | | | | |
| - | Loop Testing - Basic 1st Half Hour | | | UEF | URET1 | - | 76.24 | 76.24 | | | + | | | | | | + |
| | Loop Testing - Basic 1st Hall Hour | | 1 | UEF | URETA | + + | 39.51 | 39.51 | | | | | | | | | + |
| Unbun | dled Network Terminating Wire (UNTW) | | 1 | OLI | OKETA | | 00.01 | 00.01 | | | | | | | | | + |
| | Unbundled Network Terminating Wire (UNTW) per Pair | | | UENTW | UENPP | 0.4351 | 64.98 | | | | | | | | | | T |
| Netwo | rk Interface Device (NID) | | | | | | | | | | | | | | | | T |
| | Network Interface Device (NID) - 1-2 lines | | | UENTW | UND12 | | 86.37 | 56.69 | | | | | | | | | Τ |
| | Network Interface Device (NID) - 1-6 lines | ı | | UENTW | UND16 | | 127.93 | 98.21 | | | | | | | | | |
| | Network Interface Device Cross Connect - 2 W | I | | UENTW | UNDC2 | | 11.68 | 11.68 | | | | | | | | | ┸ |
| | Network Interface Device Cross Connect - 4W | l l | | UENTW | UNDC4 | | 11.68 | 11.68 | | | | | | | | | 4 |
| OTHER, I | PROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | | + |
| - | NID - Dispatch and Service Order for NID installation | | - | UENTW | UNDBX | 0.00 | 0.00 | | | | 1 | | | | | | + |
| - | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW UEANL,UEF,UEQ,U | UENCE | 0.00 | 0.00 | | | | + | | | | | | + |
| | Unbundled Contract Name, Provisioning Only - No Rate | | | ENTW | UNECN | 0.00 | 0.00 | | | | | | | | | | |
| OTHER. I | PROVISIONING ONLY - NO RATE | | | LIVIV | ONLON | 0.00 | 0.00 | | | | | | | | | | t |
| | | | | | | | | | | | | | | | | | T |
| | | | 1 | UAL,UCL,UDC,UDL, | | | | | | | | | | | | | |
| | Unbundled Contact Name, Provisioning Only - no rate | | | UDN,UEA,UHL,USL | UNECN | 0.00 | 0.00 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate | | | UEA,UDN,UCL,UDC | USBFQ | 0.00 | 0.00 | | | | | | | | | | 4 |
| | Habitanillad Oct. Lana Francisco AVIII. O. B. J. | | | HEA HOL | HODES | | | | | | | | | | | | |
| - | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate | | <u> </u> | UEA,USL,UCL,UDL USL | USBFR CCOSF | 0.00 | 0.00 | | | | 1 | | | | | | + |
| | Unbundled DS1 Loop - Superframe Format Option - no rate | | | USL | CCOSF | 0.00 | 0.00 | | | | - | | | | | | + |
| | Unbundled DS1 Loop - Expanded Superframe Format option - no rate | | 1 | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | | |
| CAPACII | TY UNBUNDLED LOCAL LOOP | 1 | | | 550L1 | 5.00 | 0.00 | | | | | | | | | | t |
| | | | | 1 | | 1 | l | | | | † | | | | | | t |
| | High Capacity Unbundled Local Loop - DS3 - Per Mile per month | <u></u> | L | UE3 | 1L5ND | 13.33 | | | <u> </u> | | <u> </u> | | <u> </u> | | | | 1 |
| | High Capacity Unbundled Local Loop - DS3 - Facility Termination | | | | | | | | | | | | | | | | Γ |
| | per month | | | UE3 | UE3PX | 450.69 | 1,231.65 | 743.038 | | | | | | _ | | | L |
| | | | | | | | | | | | | | | | | | Γ |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month | 1 | | UDLSX | 1L5ND | 13.33 | | | | | | | | | | | Ļ |
| | High Capacity Unbundled Local Loop - STS-1 - Facility | | | LIBI OV | | | | | | | | | | | | | 1 |
| D MAKE : | Termination per month | | | UDLSX | UDLS1 | 464.26 | 1,231.65 | 743.038 | | | 1 | | | | | | + |
| P MAKE-U | | | <u> </u> | 1 | ! | | | | | | 1 | | | | | | + |
| | Loop Makeup - Preordering Without Reservation, per working or | i | 1 | 1 | 1 | | | | | | | | | | 1 | | 1 |

| RUNDER | D NETWORK ELEMENTS - North Carolina | | | 1 | | | | | | | 1 | | Attachi | | Exhi | | + |
|----------|---|-----------|--------|--------------------------|----------------|--------|-------------|------------|--------------|------------|---|---|--|--|---|---|---------|
| EGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | Nonrec | RATES (\$) | Nonrecurring | Disconnect | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| - | | | | | + | Rec | | Add'l | First | | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | ╁ |
| | Loop Makeup - Preordering With Reservation, per spare facility queried (Manual). | | | UMK | UMKLP | | First 55.73 | 55.73 | First | Add'l | SUMEC | SUWAN | SOWAN | SOMAN | SOMAN | SOWAN | t |
| | Loop MakeupWith or Without Reservation, per working or spare | | | UMK | UMKMQ | | | | | | | | | | | | t |
| SPLITTIN | facility queried (Mechanized) | | | UIVIK | UIVIKIVIQ | | 0.6960821 | 0.6960821 | | | 1 | | | | | | ╁ |
| | PLITTING | | | | | | | | | | 1 | | | | | | + |
| | SER ORDERING-CENTRAL OFFICE BASED | | | | | | | | | | | | | | | | 十 |
| LIND | Line Splitting - per line activation DLEC owned splitter | | | UEPSR UEPSB | UREOS | 0.61 | | | | | | | | | | | 十 |
| _ | Line Splitting - per line activation BST owned - physical | | | UEPSR UEPSB | UREBP | 0.61 | 56.92 | 28.59 | | | | | | | | | 十 |
| _ | Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual | | | UEPSR UEPSB | UREBV | 0.61 | 56.92 | 28.59 | | | | | | | | | 十 |
| UTENANC | E OF SERVICE | | | OLI SIX OLI SB | OKLDV | 0.01 | 30.32 | 20.33 | | | | | | | | | 十 |
| NOTE | The Expedite charge will be maintained commensurate with Be | IISouth'e | FCC No | 1 Tariff Section 12 | 3.1 as annlice | ble | | | | | | | | | | | + |
| | No Trouble Found - per 1/2 hour increments - Basic | | 1 | , 500001110 | as applica | | 80.00 | 55.00 | | | | | | | | | t |
| | No Trouble Found - per 1/2 hour increments - Overtime | | 1 | | 1 | | 90.00 | 65.00 | | | | | | | | | t |
| | No Trouble Found - per 1/2 hour increments - Premium | | 1 | | 1 | | 100.00 | 75.00 | | | | | | | | | + |
| SUNDI FD | DEDICATED TRANSPORT | | | | 1 | | 100.00 | 75.00 | | | | | | | | | t |
| | OFFICE CHANNEL - DEDICATED TRANSPORT | | | | 1 | | | | | | | | | | | | T |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month | | | U1TVX | 1L5XX | 0.0125 | | | | | | | | | | | T |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | 407.40 | 50.50 | | | | | | | | | t |
| | Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade | | | U1TVX | U1TV2 | 18.00 | 137.48 | 52.58 | | | | | | | | | t |
| | Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat | | | U1TVX | 1L5XX | 0.0125 | | | | | | | | | | | ╁ |
| | Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - | | | U1TVX | U1TR2 | 18.00 | 137.48 | 52.58 | | | | | | | | | ╀ |
| | Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - | | | U1TVX | 1L5XX | 0.0125 | | | | | | | | | | | ╀ |
| | Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per | | | U1TVX | U1TV4 | 22.16 | 106.11 | 65.95 | | | | | | | | | Ļ |
| | month | | | U1TDX | 1L5XX | 0.0282 | | | | | | | | | | | Ļ |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination | | | U1TDX | U1TD5 | 17.40 | 137.48 | 52.58 | | | | | | | | | L |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month | | | U1TDX | 1L5XX | 0.0282 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination | | | U1TDX | U1TD6 | 17.40 | 137.48 | 52.58 | | | | | | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month | | | U1TD1 | 1L5XX | 0.5753 | | | | | | | | | | | Ī |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination | | | U1TD1 | U1TF1 | 71.29 | 217.17 | 163.75 | | | | | | | | | T |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | 217.17 | 103.73 | | | | | | | | | T |
| | month Interoffice Channel - Dedicated Transport - DS3 - Facility | | | U1TD3 | 1L5XX | 12.98 | | | | | | | | | | | t |
| | Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | | | U1TD3 | U1TF3 | 720.38 | 794.94 | 579.55 | | | | | | | | | t |
| | month Interoffice Channel - Dedicated Transport - STS-1 - Facility | | | U1TS1 | 1L5XX | 6.14 | | | | | | | | | | | H |
| K FIBER | Termination | | | U1TS1 | U1TFS | 790.37 | 642.23 | 408.89 | | | | | | | | | Ł |
| I DEK | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof | | | LIDE LIDEON | 11.500 | 70.05 | | | | | | | | | | | t |
| | per month - Local Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof | | | UDF, UDFCX | 1L5DC | 73.65 | | | | | | | | | | | t |
| | per month - Interoffice Channel NRC Dark Fiber - Interoffice Channel | | | UDF, UDFCX UDF, UDFCX | 1L5DF UDF14 | 27.71 | 1,807.00 | 562.96 | | | <u> </u> | | | | | | \pm |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop | | | UDF, UDFCX | 1L5DL | 73.65 | | | | | | | | | | | Ī |
| UAL COL | LOCATION | | | , | | 7.0.00 | | | | | | | | | | | ŧ |
| COCAL CO | Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting | | | UEPSR UEPSB | VE1LS | 0.0287 | 33.96 | 32.08 | 0.00 | 0.00 | | | | | | | \perp |
| SICAL CO | Physical Collocation-2 Wire Cross Connects (Loop) for Line | | | | + | | | | | | | | | | | | + |
| | Splitting XTENDED LINK (EELs) | | | UEPSR UEPSB | PE1LS | 0.0309 | 33.53 | 31.65 | 0.00 | 0.00 | ļ | | | | | | 1 |

| 3UNDLE | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachr | ment: 2 | Exhi | bit: A | T |
|---------------|---|-----------|----------|----------------------|----------------|-----------------|------------------|------------------|--|------|---|---|--|--|--|---|-----------|
| EGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | \$ | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| + + | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring Disco | | SOMEC | SOMAN | SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN | + |
| | The monthly recurring and non-recurring charges below will app | | | | | | | | | | | | | | | | |
| | The monthly recurring and the Switch-As-Is Charge and not the | non-recu | rring ch | arges below will app | ly for UNE co | mbinations pro | visioned as ' Cu | rrently Combin | ned' Network Element | its. | | | | | | | 丄 |
| | VOICE GRADE LOOP FOR USE IN A COMBINATION | | | 1110101 | UEAL2 | 14.97 | 142.97 | 100 50 | | | | | | | | | + |
| | 2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2 | | 2 | UNCVX UNCVX | UEAL2 | 25.93 | 142.97 | 106.56 106.56 | | + | | | | | | | + |
| | 2-Wire VG Loop (SL2) in Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 40.81 | 142.97 | 106.56 | | | | | | | | | + |
| | Voice Grade COCI - Per Month | | | UNCVX | 1D1VG | 1.27 | 13.09 | 9.38 | | | | | | | | | \top |
| 4-WIRE | VOICE GRADE LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | | |
| | 4-Wire Analog Voice Grade Loop in Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 21.32 | 288.47 | 237.45 | | | | | | | | | |
| | 4-Wire Analog Voice Grade Loop in Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 36.27 | 288.47 | 237.45 | | | | | | | | | 4 |
| | 4-Wire Analog Voice Grade Loop in Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 56.57 | 288.47 | 237.45 | | | | | | | | | + |
| | Voice Grade COCI in combination - per month 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION | } | - | UNCVX | 1D1VG | 1.27 | 13.09 | 9.38 | | - | | | | | | | + |
| | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 | 1 | 1 | UNCDX | UDL56 | 25.32 | 489.04 | 337.51 | | + | | | | | | | + |
| | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 | | 2 | UNCDX | UDL56 | 43.11 | 489.04 | 337.51 | | | | | | | | | + |
| | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL56 | 67.26 | 489.04 | 337.51 | | | | | | | | | İ |
| | OCU-DP COCI (data) per month (2.4-64kbs) | | | UNCDX | 1D1DD | 2.00 | 15.76 | 11.28 | | | | | _ | | | | Ι |
| | 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION | ļ | | | 1 | ļ | ļ | | $oxed{\Box}$ | | | | | | | | 1 |
| | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL64 | 25.32 | 489.04 | 337.51 | | | | | | | | | + |
| | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 | | 3 | UNCDX | UDL64 UDL64 | 43.11 67.26 | 489.04 489.04 | 337.51 337.51 | | - | | | | | | | + |
| | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | | | | | | | | | | | | | | + |
| | OCU-DP COCI (data) - in combination - per month (2.4-64kbs) ISDN LOOP FOR USE IN COMBINATION | | | UNCDX | 1D1DD | 2.00 | 15.76 | 11.28 | | | | | | | | | + |
| | 2-Wire ISDN Loop in Combination - Zone 1 | | 1 | UNCNX | U1L2X | 19.42 | 325.91 | 251.31 | | | | | | | | | + |
| | 2-Wire ISDN Loop in Combination - Zone 2 | | 2 | UNCNX | U1L2X | 32.88 | 325.91 | 251.31 | | | | | | | | | + |
| | 2-Wire ISDN Loop in Combination - Zone 3 | | 3 | UNCNX | U1L2X | 51.14 | | 251.31 | | | | | | | | | + |
| | 2-wire ISDN COCI (BRITE) - in combination - per month | | | UNCNX | UC1CA | 3.59 | 15.76 | 11.28 | | | | | | | | | Т |
| 4-WIRE | DS1 DIGITAL LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | | I |
| | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 47.60 | 714.84 | 421.47 | | | | | | | | | _ |
| | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 84.36 | 714.84 | 421.47 | | | | | | | | | 4 |
| | 4-Wire DS1 Digital Loop in Combination - Zone 3 DS1 COCI in combination per month | | 3 | UNC1X UNC1X | USLXX UC1D1 | 134.29 16.07 | 714.84 13.09 | 421.47 9.38 | | | | | | | | | + |
| | VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | MRINATIO | ON. | UNCIX | OCIDI | 10.07 | 13.09 | 9.30 | | | | | | | | | + |
| Z ***** | VOIGE CHAPE IN ENGINGE TRANSPORT TOR COE IN A CO | I | 1 | | | | | | | | | | | | | | + |
| | Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month | | | UNCVX | 1L5XX | 0.0282 | | | | | | | | | | | |
| | Interoffice Transport - 2-wire VG - Dedicated - Facility Termination | | | | | | | | | | | | | | | | Т |
| | per month | | | UNCVX | U1TV2 | 18.00 | 137.48 | 52.58 | | | | | | | | | |
| 4 WIRE | VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | MBINATION | NC | <u> </u> | ļ | | | | | | | | | | | | + |
| | Interesting Transport Assists VO Deficient Deskille C | | 1 | UNCVX | 1L5XX | 0.0282 | | | 1 | | | | | | | | |
| | Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 4-wire VG - Dedicated - Facility | | 1 | UNCVX | ILSAA | 0.0282 | + | | | - | | | | | | | + |
| | Termination per month | | 1 | UNCVX | U1TV4 | 22.16 | 106.11 | 65.95 | 1 | | | | | | | | 1 |
| | EROFFICE TRANSPORT FOR COMBINATION | | | | | 22.10 | | 55.55 | 1 | | | | | | | | \dagger |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile per | | | | | | | | | | | | | | | | T |
| | month | <u> </u> | | UNC1X | 1L5XX | 16.07 | | | | | | | | | | | \bot |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | 1 | l many | | | | | 1 | | | | | | | | 1 |
| | Termination per month | ļ | - | UNC1X | U1TF1 | 71.29 | 217.17 | 163.75 | | | | | | | | | + |
| | EROFFICE TRANSPORT FOR USE IN A COMBINATION Interoffice Transport - Dedicated - DS3 combination - Per Mile Per | 1 | 1 | | - | | + | | | - | | | | | | | + |
| | Interornce Transport - Dedicated - DS3 combination - Per Mile Per Month | | 1 | UNC3X | 1L5XX | 12.98 | | | 1 | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | | 1 | .2.30 | † | | † | | | | | | | | + |
| | month | <u></u> | L | UNC3X | U1TF3 | 720.38 | 794.94 | 579.55 | <u> </u> | | | | | | | | |
| | NTEROFFICE TRANSPORT FOR USE IN COMBINATION | | | | | | | | | | | | | | | | I |
| | Interoffice Transport - Dedicated - STS-1 combination - Per Mile | | | | | | | | | | | | | | | | |
| | Per Month | . | | UNCSX | 1L5XX | 6.14 | | | | | | | | | | | 4 |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility | | 1 | LINGOV | LIATEO | 700.07 | 040.00 | 400.00 | 1 | | | | | | | | |
| | Termination per month 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANS | SBORT | - | UNCSX | U1TFS | 790.37 | 642.23 | 408.89 | | | | | | | | | + |
| | 4-wire 56 kbps Local Loop in combination - Zone 1 | SPUKI | 1 | UNCDX | UDL56 | 25.32 | 489.04 | 337.51 | | - | | | | | | | + |
| | | | | | | | | | i 1 | | | | | | | | |
| | | | 2 | UNCDX | UDL56 | 43.11 | 489.04 | 337.51 | | | | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3 | | 2 | UNCDX | | 43.11 67.26 | 489.04 489.04 | 337.51 337.51 | | | | | | | | | + |

| <u>UN</u> DL | ED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachr | ment: 2 | Exhi | bit: A | 1 |
|--------------|--|--|--|-----------------------|----------------|-----------|----------|------------|--------------|---------|--|---|--|--|---|---|---|
| GORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | Rec | Nonrec | | Nonrecurring | | COMEC | SOMAN | | Rates (\$) SOMAN | SOMAN | SOMAN | + |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | 1 | | First | Add'l | First | Add'l | SOIVIEC | SUMAN | SUMAN | SUMAN | SUMAN | SUMAN | + |
| | Facility Termination per month | | | UNCDX | U1TD5 | 17.40 | 137.48 | 52.58 | | | | | | | | | |
| 4-WIR | E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROP | FICE TRA | ANSPO | | 01120 | 0 | 1077.10 | 02.00 | | | | | | | | | + |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 1 | l | | UNCDX | UDL64 | 25.32 | 489.04 | 337.51 | | | 1 | | | | | | + |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 2 | | 2 | UNCDX | UDL64 | 43.11 | 489.04 | 337.51 | | | | | | | | | T |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 3 | | | UNCDX | UDL64 | 67.26 | 489.04 | 337.51 | | | | | | | | | T |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | | | | T |
| | Per Mile per month | | | UNCDX | 1L5XX | 0.0282 | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | | | | T |
| 1 | Facility Termination per month | 1 | 1 | UNCDX | U1TD6 | 17.40 | 137.48 | 52.58 | | | 1 | | | | | | |
| 4-WIR | E 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE | TRANSF | PORT | | | | | | | | | | | | | | Τ |
| | 4-wire 56 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL56 | 25.32 | 489.04 | 337.51 | | | | | | | | | Τ |
| | 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 43.11 | 489.04 | 337.51 | | | | | | | | | Τ |
| | 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 67.26 | 489.04 | 337.51 | | | | | | | | | Τ |
| | 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per | | | | | | İ | | | | | | | | | | Τ |
| | month | L | <u></u> | UNCDX | 1L5XX | 0.0282 | | | | | | | | | | | 1 |
| | 4-wire 56 kbps Interoffice Transport - Dedicated - Facility | | | | | | | | | | | | | | | | T |
| | Termination per month | <u> </u> | <u>L</u> | UNCDX | U1TD5 | 17.40 | 137.48 | 52.58 | | <u></u> | <u>L</u> | | | | | | 1 |
| 4-WIR | E 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE | TRANSF | PORT | | | | | | | | | | | | | | Ι |
| | 4-wire 64 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL64 | 25.32 | 489.04 | 337.51 | | | | | | | | | Ι |
| | 4-wire 64 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL64 | 43.11 | 489.04 | 337.51 | | | | | | | | | |
| | 4-wire 64 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL64 | 67.26 | 489.04 | 337.51 | | | | | | | | | |
| | 14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per | | | | | | | | | | | | | | | | |
| | month | <u> </u> | | UNCDX | 1L5XX | 0.0282 | | | | | | | | | | | L |
| | 4-wire 64 kbps Interoffice Transport - Dedicated - Facility | | | | | | | | | | | | | | | | 1 |
| | Termination per month | ļ | <u> </u> | UNCDX | U1TD6 | 17.40 | 137.48 | 52.58 | | | | | | | | | L |
| DS1 E | DIGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT | | 1 | | | | | | | | | | | | | | 工 |
| | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 47.60 | 714.84 | 421.47 | | | ļ | | | | | | 4 |
| | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 84.36 | 714.84 | 421.47 | | | ļ | | | | | | 4 |
| - | 4-Wire DS1 Digital Loop in Combination - Zone 3 | <u> </u> | 3 | UNC1X | USLXX | 134.29 | 714.84 | 421.47 | | | 1 | | | | | | + |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile per | 1 | 1 | | | 40 | | | | | 1 | | | | | | 1 |
| | month | <u> </u> | <u> </u> | UNC1X | 1L5XX | 16.07 | | | | | 1 | | | | | | + |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | l | 1 | LINIOAY | LIATE: | 74.00 | c | =- | | | | | | | | | |
| | Termination per month | | <u> </u> | UNC1X | U1TF1 | 71.29 | 217.17 | 163.75 | | | | | | | | | + |
| DS3 E | DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO | KI | 1 | LINIONY | 41 END | 10.00 | | | | | 1 | | | | | | + |
| - | DS3 Local Loop in combination - per mile per month | ļ | 1 | UNC3X | 1L5ND | 13.33 | | | | | 1 | | | | | | + |
| | DOOL to to to | l | 1 | LINIONY | LIEOEV | 4=0.0- | 4 074 05 | 6.0.1- | | | | | | | | | 1 |
| + | DS3 Local Loop in combination - Facility Termination per month | ļ | 1 | UNC3X | UE3PX | 450.69 | 1,071.00 | 646.12 | | | 1 | | | | | | + |
| - | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 12.98 | | | | | 1 | | | | | | + |
| 1 | Interoffice Transport - Dedicated - DS3 combination - Facility | l | 1 | LINICOV | LIATES | 700.00 | 70404 | F70 F5 | | | | | | | | | 1 |
| CTC 4 | Termination per month | CDODT | 1 | UNC3X | U1TF3 | 720.38 | 794.94 | 579.55 | | | 1 | | | | | | + |
| 515-1 | DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANS | SPUK I | | UNCSX | 1L5ND | 13.33 | | | | | | | | | | | + |
| +- | STS-1 Local Lolp in combination - per mile per month | | | OIACOV | ILDIND | 13.33 | | | | | | | | | | | + |
| | STS-1 Local Loop in combination - Facility Termination per month | 1 | 1 | UNCSX | UDLS1 | 464.26 | 1,071.00 | 646.12 | | | 1 | | | | | | 1 |
| + | Interoffice Transport - Dedicated - STS-1 combination - per mile | 1 | 1 | UNUOA | ODLOI | 404.20 | 1,071.00 | 040.12 | | | 1 | | | | | | + |
| | per month | 1 | 1 | UNCSX | 1L5XX | 6.14 | | | | | 1 | | | | | | |
| - | Interoffice Transport - Dedicated - STS-1 combination - Facility | | 1 | UNUOA | ILUAA | 0.14 | + | | | | | | | | | | + |
| | Termination per month | 1 | 1 | UNCSX | U1TFS | 790.37 | 642.23 | 408.89 | | | 1 | | | | | | 1 |
| LIONAI | NETWORK ELEMENTS | | | SINOOA | 0111-0 | 190.31 | 042.23 | 400.09 | | | 1 | | | | | | + |
| | used as a part of a currently combined facility, the non-recurring | charges d | lo not a | nnly but a Switch A | s is charge do | nes anniv | | | | | † | | | | | | + |
| | used as a part of a currently combined facility, the horsecuring used as ordinarily combined network elements in All States, the r | | | | | | + | | | | 1 | | | | | | t |
| Nonre | curring Currently Combined Network Elements "Switch As Is" Ch | arge (One | e applie | s to each combination | on) | . g | l | | | | | | | | | | t |
| 1 | |] ,,,,,,,, | | UNCVX, UNCDX, | Í | 1 | | | | | | | | | | | T |
| 1 | Nonrecurring Currently Combined Network Elements Switch -As-Is | 1 | 1 | UNC1X, UNC3X, | | | | | | | 1 | | | | | | |
| 1 | Charge | l | 1 | UNCSX | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | | | | | |
| Option | nal Features & Functions: | | | | | † | | | 22,20 | . 3.00 | | | | | | | t |
| 2 2 3.0. | | | | U1TD1, | | † | | | | | | | | | | | t |
| | Clear Channel Capability Extended Frame Option - per DS1 | - 1 | 1 | ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | | 1 |
| 1 | | | | U1TD1, | | 1 | | | | | | | | | | | T |
| 1 | Clear Channel Capability Super FrameOption - per DS1 | 1 | 1 | ULDD1,UNC1X | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | 1 | | | | | | 1 |
| _ | Clear Channel Capability (SF/ESF) Option - Subsequent Activity - | | | ULDD1, U1TD1, | | | | | - | | l | | | | | | T |
| | | | | | | | | | | | | | | | | | |

| BUNDLE | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachi | nent: 2 | Exhi | bit: A |
|----------|---|----------|----------|---------------|-------|---------|-----------------|-----------------|-----------------------|-------|-----------|-----------|-------------|---------------------|-------------|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| EGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | D : (A) | | |
| | | | | - | + | Rec | Nonrec First | urring Add'l | Nonrecurring First | Add'l | SOMEC | SOMAN | SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN |
| - | | | | | + | - | FIISt | Add I | rirst | Add I | SOIVIEC | SUMAN | SUMAN | SUMAN | SUMAN | SUMAN |
| | | | | U1TD3, ULDD3, | | | 040.00 | = 00 | | | | | | | | |
| | C-bit Parity Option - Subsequent Activity - per DS3 | | | UE3, UNC3X | NRCC3 | | 218.92 | 7.66 | 0.7576 | 0.00 | | | | | | |
| MULIII | PLEXERS | | | 1110414 | 1101 | 4.40.00 | 107.70 | 440.00 | | | | | | | | |
| | DS1 to DS0 Channel System per month | | <u> </u> | UNC1X | MQ1 | 146.69 | 197.78 | 140.06 | | | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month | | | | | | 40.00 | | | | | | | | | |
| _ | (2.4-64kbs) used for a Local Loop | - | 1 | UDL | 1D1DD | 2.00 | 13.09 | 9.38 | | | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month | l | | 1 | | | | | | | | | | | | |
| | (2.4-64kbs) used for connection to a channelized DS1 Local | | | | | | | | | | | | | | | |
| | Channel in the same SWC as collocation | <u> </u> | <u> </u> | U1TUD | 1D1DD | 2.00 | 13.09 | 9.38 | | | | | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | l | | | | _ | | | | | | | | |
| | month for a Local Loop | | | UDN | UC1CA | 3.59 | 13.09 | 9.38 | | | | | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | | | | | | | | | | | | | |
| | month used for connection to a channelized DS1 Local Channel in | | | | | | | | | | | | | | | |
| | the same SWC as collocation | | | U1TUB | UC1CA | 3.59 | 13.09 | 9.38 | | | | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | | | | | | | | | | | | |
| | used for a Local Loop | | | UEA | 1D1VG | 1.27 | 13.09 | 9.38 | | | | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | | | | | | | | | | | | |
| | used for connection to a channelized DS1 Local Channel in the | | | | | | | | | | | | | | | |
| | same SWC as collocation | | | U1TUC | 1D1VG | 1.27 | 13.09 | 9.38 | | | | | | | | |
| | DS3 to DS1 Channel System per month | | | UNC3X | MQ3 | 233.10 | 403.97 | 234.40 | | | | | | | | |
| | STS-1 to DS1 Channel System per month | | | UNCSX | MQ3 | 233.10 | 403.97 | 234.40 | | | | | | | | |
| | DS1 COCI used with Loop per month | | | USL | UC1D1 | 16.07 | 13.09 | 9.38 | | | | | | | | |
| | DS1 COCI (used for connection to a channelized DS1 Local | l | | | | | | | | | | | | | | |
| | Channel in the same SWC as collocation) per month | | | U1TUA | UC1D1 | 16.07 | 13.09 | 9.38 | | | | | | | | |
| | DS1 COCI used with Interoffice Channel per month | | | U1TD1 | UC1D1 | 16.07 | 13.09 | 9.38 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | DS3 Interface Unit (DS1 COCI) used with Local Channel per month | | | ULDD1 | UC1D1 | 16.07 | 13.09 | 9.38 | | | | | | | | |
| PBX LOCA | | | | | | | | | | | | | | | | |
| 911 PB | X LOCATE DATABASE CAPABILITY | | | | | | | | | | | | | | | |
| | Service Establishment per CLEC per End User Account | | | 9PBDC | 9PBEU | | 1,823.00 | | | | | | | | | |
| | Changes to TN Range or Customer Profile | | | 9PBDC | 9PBTN | | 182.45 | | | | | | | | | |
| | Per Telephone Number (Monthly) | | | 9PBDC | 9PBMM | 0.07 | | | | | | | | | | |
| | Change Company (Service Provider) ID | | | 9PBDC | 9PBPC | | 535.57 | | | | | | | | | |
| | PBX Locate Service Support per CLEC (MonthIt) | | | 9PBDC | 9PBMR | 165.63 | | | | | | | | | | |
| | Service Order Charge | | | 9PBDC | 9PBSC | | 15.20 | | | | | | | | | |
| | X LOCATE TRANSPORT COMPONENT | | | | | | | | | | | | | | | |
| See Att | 13 | | | | | | | | | | | | | | | |

| http://ww | RATE ELEMENTS | Interim | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
|---------------|---|-------------|-----------|--|----------------|------------------|-----------------|-------------------|-----------------------|---------------------|------------------------------|----------------------------------|---|---|--|--|
| http://ww | | interim | Zone | BCS | usoc | | | RATES (\$) | | | Submitted Elec per LSR | Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| http://ww | | | | | | Rec | Nonre First | curring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | OSS SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN |
| http://ww | | | | | | | | | | | | | | | JONAN | JONAN |
| RATIONAL S | ne" shown in the sections for stand-alone loops or loops as par | | | n refers to Geographic | cally Deavera | aged UNE Zones. | To view Geogr | aphically Deav | eraged UNE Zo | ne Designation | s by Central | Office, refer | to internet W | ebsite: | • | • |
| RATIONAL | ww.interconnection.bellsouth.com/become_a_clec/html/interco | nnection.h | ntm | | | 1 | | | 1 | 1 | 1 | | | 1 | 1 | ı |
| $\overline{}$ | SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" | | | | | | | | | | | | | | | |
| NOTE: / | 1) CLEC should contact its contract negotiator if it prefers the " | ctata cnac | sifio" OS | C oborgos os ordoros | d by the Stat | o Commissions 1 | The OSS abora | oc currently co | ntained in this r | ata avhibit ara | ho Policout | h "rogional" | convice order | ing oborges (| CI EC may ala | et oither the |
| | ecific Commission ordered rates for the service ordering charge | | | | | | | | | | | | | | | |
| | Any element that can be ordered electronically will be billed: | | | | | | | | | | | | | | | |
| | electronically at present per the LOH, the listed SOMEC rate in | this categ | ory refle | cts the charge that w | ould be bille | d to a CLEC once | electronic orde | ring capabilities | s come on-line 1 | for that elemen | t. Otherwise | , the manua | I ordering cha | rge, SOMAN, | will be applied | to a CLECs |
| | n it submits an LSR to BellSouth. | | | | | | | | | | | | | | | |
| | OSS - Electronic Service Order Charge, Per Local Service | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| | Request (LSR) - UNE Only OSS - Manual Service Order Charge, Per Local Service Request | | | | SUMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| | (LSR) - UNE Only | | | | SOMAN | | 15.69 | 0.00 | 1.97 | 0.00 | | | | | | |
| SERVICE D | DATE ADVANCEMENT CHARGE | | | | | | | 2.00 | | 3.00 | | | | | | |
| NOTE: T | The Expedite charge will be maintained commensurate with Be | llSouth's I | FCC No | .1 Tariff, Section 5 as | applicable. | | | | | | | | | | | |
| ι | UNE Expedite Charge per Circuit or Line Assignable USOC, per | | | UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, UT112, U1T48, U1TD1, UT1D3, U1TD1, UT1D3, U1TD1, UT1D3, U1TD1, UT1D3, U1TD1, UT1D3, UT1D1, UT1D1, UT1D1, UT1D1, UT1D1, UT1D1, UT1D1, UT1D1, UT1D1, UT1D1, UT1D1, UD1D1, UD1D1, UD1D1, UDD1, UDD1, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, UNCY, UNCY, UNCDX, UNCY, UNCDX, UNCOX, UNCY, UNLD1, UXTD1, UXTD1, UXTD1, UXTD1, UXTD1, UXTD1, UXTD1, UXTD1, UXTD1, UXTD1, UXTD1, UXTD1, UXTD1, UXTD1, UXTD1, UXTD1, UXTUD, UT1UD, UTTUD, UT1UD | SDASP | | 200.00 | | | | | | | | | |
| | XCHANGE ACCESS LOOP | | | | | | 200.00 | | Ì | | | | | | | |
| 2-WIRE A | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | | UEANL | UEAL2 | 14.94 | 37.92 | 17.62 | 23.56 | 5.32 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEAL2 UEAL2 | 21.39 | 37.92 37.92 | 17.62 | 23.56 | 5.32 | ļ | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 3 | UEANL UEANL | UEAL2 UEASL | 26.72 14.94 | 37.92 37.92 | 17.62 17.62 | 23.56 23.56 | 5.32 5.32 | 1 | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | | UEANL | UEASL | 21.39 | 37.92 | 17.62 | 23.56 | 5.32 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | | UEANL | UEASL | 26.72 | 37.92 | 17.62 | 23.56 | 5.32 | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | 232 | 52 | | 3.32 | | | | | | |
| P | Premise | | | UEANL | URETL | | 8.33 | 0.83 | <u> </u> | <u> </u> | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 34.23 | 34.23 | | | | | | | | |
| | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 19.90 | 19.90 | ļ | | | | | | | |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1) | | | UEANL | UREWO | | 15.81 | 8.96 | | | | | | | | |
| ì | Unbundled Voice Loop, Non-Design Voice Loop, billing for BST | | | | | | | | | | | | | | | |
| r | providing make-up (Engineering Information - E.I.) Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL UEANL | UEANM UEAMC | | 13.47 8.17 | 13.47 8.17 | | | | | | | | |

| | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: A | T |
|-------|---|-----------|----------|----------------|----------------|--|-----------------|----------------|--|--------------|--|---|--|---|--|--|----|
| EGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | Nonrec | RATES (\$) | Nonrecurring | Disconnect | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| + | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | ╁ |
| | Order Coordination for Specified Conversion Time for UVL-SL1 | | | | | | | | | | | | | | | | 1 |
| | (per LSR) | | | UEANL | OCOSL | | 18.13 | 18.13 | | | | | | | | | Щ. |
| | Unbundled COPPER LOOP | | <u> </u> | | | | | | | | | | | | | | + |
| | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | | 2 | UEQ UEQ | UEQ2X UEQ2X | 12.94 14.51 | 36.40 36.40 | 16.10 16.10 | 22.66 22.66 | 4.42 4.42 | | | | | | | + |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | | | UEQ | UEQ2X | 15.02 | 36.40 | 16.10 | 22.66 | 4.42 | | | | | | | + |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | Ŭ | 024 | O L QLX | 10.02 | 00.10 | | 22.00 | 2 | | | | | | | + |
| | Premise | | | UEQ | URETL | | 8.33 | 0.83 | | | | | | | | | |
| | Manual Order Coordination 2 Wire Unbundled Copper Loop - Non- | | | | | | | | | | | | | | | | T |
| | Designed (per loop) | | | UEQ | USBMC | | 8.17 | 8.17 | | | | | | | | | 4 |
| | Unbundled Copper Loop, Non-Design Copper Loop, billing for | | | UEQ | LIEOMILI | | 40.47 | 40.47 |] | | | 1 | | | | | 1 |
| | BST providing make-up (Engineering Information - E.I.) Loop Testing - Basic 1st Half Hour | | 1 | UEQ | UEQMU URET1 | | 13.47 34.23 | 13.47 34.23 | | | 1 | - | - | | | - | + |
| | Loop Testing - Basic 1st Hall Hour | | | UEQ | URETA | | 19.90 | 19.90 | | | | | | | | | + |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | | 1 | | | | | | | | | | | | T |
| 1 1 | (UCL-ND) | | | UEQ | UREWO | | 14.30 | 7.45 | | | | | | | | | |
| | XCHANGE ACCESS LOOP | | | | | | | | | | | | | | | | Ţ |
| | ANALOG VOICE GRADE LOOP | | 1 | | | | | | ļ | | ļ | | | | | | + |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1 | | 4 | UEPSR UEPSB | LIEALS | 14.94 | 27.00 | 47.00 | 23.56 | 5.32 | | | | | | | 1 |
| | Zone 1 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | 1 | UEPSK UEPSB | UEALS | 14.94 | 37.92 | 17.62 | 23.56 | 5.32 | | | | | | | + |
| | 2 wire Analog voice Grade Loop-Service Level 1-Line Splitting- Zone 1 | | 1 | UEPSR UEPSB | UEABS | 14.94 | 37.92 | 17.62 | 23.56 | 5.32 | | 1 | | | | | 1 |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | <u> </u> | OLI OK OLI OD | 32,100 | 14.54 | 31.32 | 17.02 | 25.56 | 5.32 | 1 | | | | | 1 | + |
| | Zone 2 | | 2 | UEPSR UEPSB | UEALS | 21.39 | 37.92 | 17.62 | 23.56 | 5.32 | 1 | 1 | | | | | |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | | | | | | | | | | | | | | | T |
| | Zone 2 | | 2 | UEPSR UEPSB | UEABS | 21.39 | 37.92 | 17.62 | 23.56 | 5.32 | | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UEPSR UEPSB | UEALS | 26.72 | 37.92 | 17.62 | 23.56 | 5.32 | | | | | | | + |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3 | | 3 | UEPSR UEPSB | UEABS | 26.72 | 37.92 | 17.62 | 23.56 | 5.32 | | | | | | | |
| | XCHANGE ACCESS LOOP | | 3 | OLI SIX OLI SB | OLABO | 20.72 | 31.92 | 17.02 | 23.30 | 3.32 | | | | | | | + |
| | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | | T |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | | |
| | Ground Start Signaling - Zone 1 | | 1 | UEA | UEAL2 | 16.68 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | | |
| | Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | 23.13 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | | | + |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3 | | 3 | UEA | UEAL2 | 28.46 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | | | |
| | Ground Start Signaling - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | | 3 | UEA | OCOSL | 20.46 | 18.13 | 00.43 | 53.05 | 10.01 | 1 | | | | | | + |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | S=/\ | JUUGE | | 10.13 | | | | 1 | | | | | 1 | + |
| | Battery Signaling - Zone 1 | | 1 | UEA | UEAR2 | 16.68 | 105.98 | 68.43 | 53.05 | 10.61 | 1 | 1 | | | | | 1 |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | | | | | | | | | | |
| | Battery Signaling - Zone 2 | | 2 | UEA | UEAR2 | 23.13 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | | | 1 |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | 40= | | | | 1 | 1 | | | | | 1 |
| | Battery Signaling - Zone 3 | | 3 | UEA UEA | UEAR2 OCOSL | 28.46 | 105.98 18.13 | 68.43 | 53.05 | 10.61 | 1 | | | | | | + |
| | Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 18.13 87.90 | 36.44 | | | | | | | | | ┿ |
| | Loop Tagging - Service Level 2 (SL2) | | 1 | UEA | URETL | | 11.24 | 1.10 | | | | | | | | | + |
| | ANALOG VOICE GRADE LOOP | | | | J | | 11.24 | 1.10 | † | | | | | | | | T |
| | 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEA | UEAL4 | 32.59 | 132.38 | 94.83 | 59.35 | 14.61 | | | | | | | I |
| | 4-Wire Analog Voice Grade Loop - Zone 2 | | | UEA | UEAL4 | 43.89 | 132.38 | 94.83 | 59.35 | 14.61 | | | | | | | |
| | 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEA | UEAL4 | 43.38 | 132.38 | 94.83 | 59.35 | 14.61 | | | | | | | Į |
| | Order Coordination for Specified Conversion Time (per LSR) | | — | UEA | OCOSL | | 18.13 | 00 11 | ļ . | | <u> </u> | ļ | | | | | + |
| | CLEC to CLEC Conversion Charge without outside dispatch ISDN DIGITAL GRADE LOOP | | — | UEA | UREWO | | 87.90 | 36.44 | | | 1 | | | | | | + |
| | 2-Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UDN | U1L2X | 25.21 | 117.58 | 80.03 | 53.05 | 10.61 | 1 | - | - | | | - | + |
| | 2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2 | | | UDN | U1L2X | 32.76 | 117.58 | 80.03 | 53.05 | 10.61 | | | | | | | + |
| | 2-Wire ISDN Digital Grade Loop - Zone 3 | | | UDN | U1L2X | 37.70 | 117.58 | 80.03 | 53.05 | 10.61 | | | | | | | + |
| | Order Coordination For Specified Conversion Time (per LSR) | | | UDN | OCOSL | | 18.13 | | | | | | | | | | T |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDN | UREWO | | 91.82 | 44.25 | | | | | | | | | I |
| | ANY METRICAL DIGITAL OUR CORRESPONDED LINE (ADOL) COMPA | TIDI E LO | OP | | | 1 | | | | | 1 | l | l | | | l | |
| | ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA Wire Unbundled ADSL Loop including manual service inquiry & | I IBLE LU | | | | | | | | | | | | | | | |

| NBUNDLFI | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: A | T |
|-----------|---|-----------|------|------------|----------------|------------------|------------------|------------------|-----------------------|---------------------|---|---|--|--|--|---|--------------|
| TEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | I M | Discour | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | Rec | Nonre First | curring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | | Rates (\$) SOMAN | SOMAN | SOMAN | + |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry & | | | | | | | | | | | | | | | | |
| | facility reservation - Zone 2 2 Wire Unbundled ADSL Loop including manual service inquiry & | | 2 | UAL | UAL2X | 13.71 | 120.84 | 70.56 | 50.37 | 7.93 | | | | | | | +- |
| | facility reservation - Zone 3 | | 3 | UAL | UAL2X | 14.14 | 120.84 | 70.56 | 50.37 | 7.93 | | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 18.13 | | | | | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1 | | 1 | UAL | UAL2W | 12.19 | 95.81 | 57.82 | 50.37 | 7.93 | | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | ONE | OTILLETT | 12.10 | 30.01 | 07.02 | 50.57 | 7.55 | | | | | | | t |
| | facility reservaton - Zone 2 | | 2 | UAL | UAL2W | 13.71 | 95.81 | 57.82 | 50.37 | 7.93 | | | | | | | ـــــ |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3 | | 3 | HAI | UAL2W | 14.14 | 95.81 | 57.82 | 50.37 | 7.93 | | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 18.13 | 07.02 | 00.01 | 7.00 | | | | | | | t |
| 0.14/10/5 | CLEC to CLEC Conversion Charge without outside dispatch | IDI E I O | | UAL | UREWO | | 86.38 | 40.48 | | | | | | | | | 1 |
| 2-WIRE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT 2 Wire Unbundled HDSL Loop including manual service inquiry & | IBLE LOC | ייר | | - | + | | | | | | | | | | | + |
| | facility reservation - Zone 1 | | 1 | UHL | UHL2X | 9.58 | 129.52 | 79.24 | 50.37 | 7.93 | | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 10.92 | 129.52 | 79.24 | 50.37 | 7.93 | | | | | | | |
| + | 2 Wire Unbundled HDSL Loop including manual service inquiry & | | | UNL | UNLZX | 10.92 | 129.52 | 79.24 | 50.37 | 7.93 | | | | | | | + |
| | facility reservation - Zone 3 | | 3 | UHL | UHL2X | 11.40 | 129.52 | 79.24 | 50.37 | 7.93 | | | | | | | |
| _ | Order Coordination for Specified Conversion Time (per LSR) 2 Wire Unbundled HDSL Loop without manual service inquiry and | | | UHL | OCOSL | | 18.13 | | | | | | | | | | +- |
| | facility reservation - Zone 1 | | 1 | UHL | UHL2W | 9.58 | 104.49 | 66.50 | 50.37 | 7.93 | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry and | | | | | | | | | | | | | | | | |
| | facility reservation - Zone 2 2 Wire Unbundled HDSL Loop without manual service inquiry and | | 2 | UHL | UHL2W | 10.92 | 104.49 | 66.50 | 50.37 | 7.93 | | | | | | | + |
| | facility reservation - Zone 3 | | 3 | UHL | UHL2W | 11.40 | 104.49 | 66.50 | 50.37 | 7.93 | | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 18.13 | | | | | | | | | | I |
| 4-WIRE | CLEC to CLEC Conversion Charge without outside dispatch HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT | IBLETO |)P | UHL | UREWO | | 86.32 | 40.48 | | | | | | | | | + |
| | 4 Wire Unbundled HDSL Loop including manual service inquiry and | | | | | | | | | | | | | | | | T |
| | facility reservation - Zone 1 | | 1 | UHL | UHL4X | 16.02 | 158.18 | 107.89 | 55.12 | 10.38 | | | | | | | ╄ |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 14.33 | 158.18 | 107.89 | 55.12 | 10.38 | | | | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry and | | | | | | | | | | | | | | | | T |
| | facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | | 3 | UHL | UHL4X OCOSL | 16.84 | 158.18 18.13 | 107.89 | 55.12 | 10.38 | | | | | | | ₩ |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and | | | UHL | OCOSL | | 10.13 | | | | | | | | | | + |
| | facility reservation - Zone 1 | | 1 | UHL | UHL4W | 16.02 | 133.14 | 95.16 | 55.12 | 10.38 | | | | | | | $oxed{\bot}$ |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 | | 2 | UHI | UHL4W | 14.33 | 133.14 | 95.16 | 55.12 | 10.38 | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and | | | OTIL | OTILAN | 14.55 | 133.14 | 33.10 | 33.12 | 10.30 | | | | | | | T |
| | facility reservation - Zone 3 | | 3 | UHL | UHL4W | 16.84 | 133.14 | 95.16 | 55.12 | 10.38 | | | | | | | ╀ |
| | Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch | | | UHL UHL | OCOSL UREWO | | 18.13 86.32 | 40.48 | | | | | | | | | + |
| 4-WIRE | DS1 DIGITAL LOOP | | | OTIL | OKEWO | | 00.02 | 70.70 | | | | | | | | | T |
| | 4-Wire DS1 Digital Loop - Zone 1 | | | USL | USLXX | 79.51 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | | ┖ |
| + | 4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 3 | - | | USL USL | USLXX | 136.00 229.15 | 253.03 253.03 | 157.89 157.89 | 44.80 44.80 | 11.73 11.73 | | | | | | | + |
| | Order Coordination for Specified Conversion Time (per LSR) | | | USL | OCOSL | 223.10 | 18.13 | | 77.00 | 11.75 | | | | | | | t |
| 4 | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 101.30 | 43.13 | | | | | | | | | L |
| 4-WIRE | 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP 4 Wire Unbundled Digital 19.2 Kbps | - | 1 | UDL | UDL19 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | | + |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 2 | UDL | UDL19 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 3 | UDL | UDL19 | 34.74 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | | 厂 |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | 2 | UDL UDL | UDL56 UDL56 | 29.93 | 126.66 126.66 | 89.12 89.12 | 59.35 59.35 | 14.61 14.61 | | | | | | | + |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | 3 | UDL | UDL56 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | 1 | UDL | OCOSL | 20.00 | 18.13 | 00.40 | E0.05 | 44.04 | | | | | | | 1 |
| + | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | | UDL UDL | UDL64 UDL64 | 29.93 33.99 | 126.66 126.66 | 89.12 89.12 | 59.35 59.35 | 14.61 14.61 | | | | | | | + |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | 3 | UDL | UDL64 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | | I |
| | Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch | | | UDL UDL | OCOSL UREWO | | 18.13 102.34 | 49.85 | | | | | | | | | <u> </u> |

| NBUNDL | ED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: A | T |
|----------|---|--|----------|------------------------|-------------|----------|-----------------|------------------|-----------------------|-------|---|---|--|--|---|---|---------|
| TEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | Rec | Nonred First | curring Add'l | Nonrecurring First | Add'l | SOMEC | SOMAN | SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN | ╁ |
| 2-WIF | RE Unbundled COPPER LOOP | | | | | | 11130 | Auu | 1 1130 | Addi | COMILO | COMPAR | COMPAR | COMPAR | COMPAR | COMPAR | + |
| | 2-Wire Unbundled Copper Loop-Designed including manual | | | | | | | | | | | | | | | | 1 |
| | service inquiry & facility reservation - Zone 1 | | 1 | UCL | UCLPB | 12.19 | 119.91 | 69.62 | 50.37 | 7.93 | | | | | | | Ш |
| | 2-Wire Unbundled Copper Loop-Designed including manual | | | | | | | | | | | | | | | | |
| | service inquiry & facility reservation - Zone 2 | | 2 | UCL | UCLPB | 13.71 | 119.91 | 69.62 | 50.37 | 7.93 | | | | | | | + |
| | 2 Wire Unbundled Copper Loop-Designed including manual servic inquiry & facility reservation - Zone 3 | В | 3 | UCL | UCLPB | 14.14 | 119.91 | 69.62 | 50.37 | 7.93 | | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | - 3 | UCL | UCLMC | 14.14 | 8.17 | 8.17 | 30.37 | 7.93 | | | | | | | + |
| | 2-Wire Unbundled Copper Loop-Designed without manual service | | | | 1 | | | | | | | | | | | | T |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCLPW | 12.19 | 94.87 | 56.89 | 50.37 | 7.93 | | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed without manual service | | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCLPW | 13.71 | 94.87 | 56.89 | 50.37 | 7.93 | | | | | | | + |
| | 2-Wire Unbundled Copper Loop-Designed without manual service | | 3 | UCL | UCLPW | 14.14 | 94.87 | 56.89 | 50.37 | 7.93 | | | | | | | |
| | inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop) | | 3 | UCL | UCLMC | 14.14 | 8.17 | 8.17 | 50.37 | 7.93 | | | | | | | + |
| | CLEC to CLEC Conversion Charge without outside dispatch (UCI | - | | OOL | COLINIC | | 0.17 | 0.17 | | | | | | | | | t |
| | Des) | | | UCL | UREWO | | 94.87 | 42.57 | | | | | | | | | |
| 4-WIF | RE COPPER LOOP | | | | | | | | | | | | | | | | I |
| | 4-Wire Copper Loop-Designed including manual service inquiry | | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UCL | UCL4S | 19.64 | 144.17 | 93.88 | 55.12 | 10.38 | | | | | | | _ |
| | 4-Wire Copper Loop-Designed including manual service inquiry | | 2 | UCL | UCL4S | 20.90 | 144.17 | 93.88 | 55.12 | 10.38 | | | | | | | |
| | and facility reservation - Zone 2 4-Wire Copper Loop-Designed including manual service inquiry | | | UCL | UCL4S | 20.90 | 144.17 | 93.88 | 55.12 | 10.38 | | | | | | | + |
| | and facility reservation - Zone 3 | | 3 | UCL | UCL4S | 19.34 | 144.17 | 93.88 | 55.12 | 10.38 | | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | 10.04 | 8.17 | 8.17 | 00.12 | 10.00 | | | | | | | + |
| | 4-Wire Copper Loop-Designed without manual service inquiry and | | | | | | | | | | | | | | | | T |
| | facility reservation - Zone 1 | | 1 | UCL | UCL4W | 19.64 | 119.13 | 81.15 | 55.12 | 10.38 | | | | | | | |
| | 4-Wire Copper Loop-Designed without manual service inquiry and | | | | | | | | | | | | | | | | |
| | facility reservation - Zone 2 | | 2 | UCL | UCL4W | 20.90 | 119.13 | 81.15 | 55.12 | 10.38 | | | | | | | + |
| | 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4W | 19.34 | 119.13 | 81.15 | 55.12 | 10.38 | | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | 19.34 | 8.17 | 8.17 | 33.12 | 10.36 | | | | | | | + |
| | CLEC to CLEC Conversion Charge without outside dispatch (UCI | | | 002 | O O L III O | | 0.11 | 0.11 | | | | | | | | | + |
| | Des) | | | UCL | UREWO | | 94.87 | 42.57 | | | | | | | | | |
| OP MODIF | ICATION | | | | | | | | | | | | | | | | |
| | | | | UAL, UHL, UCL, | | | | | | | | | | | | | |
| | Habitan Hadda and Madiffer than Demonstrated and Online O.W. | | | UEQ, ULS, UEA, | | | | | | | | | | | | | |
| | Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop | | | UEANL, UEPSR, UEPSB | ULM2L | | 32.46 | 32.46 | | | | | | | | | |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire les | | | UEFSB | ULIVIZL | | 32.40 | 32.40 | | | | | | | | | + |
| | than or equal to 18K ft, per Unbundled Loop | | | UHL, UCL, UEA | ULM4L | | 32.46 | 32.46 | | | | | | | | | 1 |
| | = | | | UAL, UHL, UCL, | | | | | | | | | | | | | T |
| | | | | UEQ, ULS, UEA, | | | | | | | | | | | | | 1 |
| 1 | Unbundled Loop Modification Removal of Bridged Tap Removal, | 1 | | UEANL, UEPSR, | LUMBT | | | | | | | | | | | | 1 |
| JB-LOOPS | per unbundled loop | + | 1 | UEPSB | ULMBT | | 32.48 | 32.48 | | | - | _ | | | | | + |
| | Loop Distribution | + | i | | + | | | | | | | | | | | | + |
| - Cub- | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- | 1 | 1 | | | | | | | | | | | | | | T |
| | Up | | | UEANL | USBSA | <u> </u> | 241.42 | 241.42 | | | | | | | | | \perp |
| | | | | | | | | | | | | | | | | | |
| | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | | ļ | UEANL | USBSB | | 22.69 | 22.69 | | | | | | | | | 4 |
| | Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up | 1 . | | UEANL | USBSC | | 177.84 | 177.84 | | | | | | | | | 1 |
| | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Se | - ' | l | UEANL | USBSC | | 1//.84 | 177.84 | | | | | | | | | + |
| | Up | 1 1 | | UEANL | USBSD | | 55.58 | 55.58 | | | | | | | | | 1 |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | † | | - · · · · - | 1 | | 55.56 | 55.50 | | | | | | | | | T |
| | Zone 1 | <u> </u> | 1 | UEANL | USBN2 | 8.87 | 65.94 | 31.03 | 45.35 | 6.71 | | <u> </u> | <u> </u> | <u> </u> | | | L |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | | Т |
| | Zone 2 | | 2 | UEANL | USBN2 | 12.58 | 65.94 | 31.03 | 45.35 | 6.71 | | | | | | | 丰 |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | 1 . | _ | LIFANI | LIODAYO | | | | 4= 0- | | | | | | | | 1 |
| - | Zone 3 | + - | 3 | UEANL | USBN2 | 14.79 | 65.94 | 31.03 | 45.35 | 6.71 | | | | - | | | + |
| 1 | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | 1 | 1 | l | 1 | 1 | | | 1 | l | 1 | 1 | i | i | l | l | 1 |

| NBUNDLEI | D NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: A | |
|----------------|---|--|--|-------------------------|----------------|--|-----------------|------------------|-----------------------|---------------------|---|---|--|--|--|---|--|
| TEGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | Name | RATES (\$) | Nama | Discourses | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | Rec | Nonred First | curring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN | ₩ |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | FIISL | Auu i | FIISL | Auu i | SOIVIEC | SOWAN | SOWAN | SOMAN | SOWAN | SOMAN | ┢─ |
| | Zone 1 | | 1 | UEANL | USBN4 | 14.11 | 79.21 | 44.29 | 49.82 | 9.09 | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UEANL | USBN4 | 19.40 | 79.21 | 44.29 | 49.82 | 9.09 | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | 40.00 | 70.04 | | 40.00 | | | | | | | | |
| | Zone 3 | | 3 | UEANL | USBN4 | 18.90 | 79.21 | 44.29 | 49.82 | 9.09 | - | | | | | | ₩ |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 8.17 | 8.17 | | | | | | | | | |
| | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | | | UEANL | USBR2 | 2.41 | 53.13 | 18.21 | 45.35 | 6.71 | | | | | | | \vdash |
| | , | | | | | | | | | | | | | | | | t |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 8.17 | 8.17 | | | | | | | | | |
| | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | | | UEANL | USBR4 | 5.36 | 59.38 | 24.47 | 49.82 | 9.09 | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | - | 1 | UEANL UEANL | USBMC URET1 | | 8.17 | 8.17 | | | - | | | | | | ₩ |
| - | Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour | | | UEANL UEANL | URETA | | 34.23 19.90 | 34.23 19.90 | | | 1 | | | | | | \vdash |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | 1 | 1 | UEF | UCS2X | 7.11 | 65.94 | 31.03 | 45.35 | 6.71 | 1 | | | | | | \vdash |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | i | | UEF | UCS2X | 9.83 | 65.94 | 31.03 | 45.35 | 6.71 | | | | | | | L |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | I | 3 | UEF | UCS2X | 10.48 | 65.94 | 31.03 | 45.35 | 6.71 | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | <u> </u> | <u> </u> | UEF | USBMC | 7.05 | 8.17 | 8.17 | 40.00 | | | | | | | | ₩ |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | - ! | 1 2 | UEF UEF | UCS4X UCS4X | 7.85 14.17 | 79.21 79.21 | 44.29 44.29 | 49.82 49.82 | 9.09 | | | | | | | ₩ |
| - | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | - | | UEF | UCS4X | 12.64 | 79.21 | 44.29 | 49.82 | 9.09 | | | | | | | ₩ |
| | 4 Wire Copper Oriburialed Sub-Loop Distribution - Zone 3 | ' | 3 | OLI | 0004X | 12.04 | 75.21 | 44.23 | 43.02 | 3.03 | | | | | | | ╁ |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 8.17 | 8.17 | | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEF | URET1 | | 34.23 | 34.23 | | | | | | | | | |
| | Loop Testing - Basic Additional Half Hour | | | UEF | URETA | | 19.90 | 19.90 | | | | | | | | | |
| Unbun | dled Network Terminating Wire (UNTW) | | | | | | | | | | | | | | | | <u> </u> |
| Natura | Unbundled Network Terminating Wire (UNTW) per Pair | | | UENTW | UENPP | 0.3303 | 30.20 | 30.20 | | | | | | | | | ₩ |
| Networ | k Interface Device (NID) Network Interface Device (NID) - 1-2 lines | | | UENTW | UND12 | | 43.68 | 28.79 | | | | | | | | | ₩ |
| | Network Interface Device (NID) - 1-6 lines | | | UENTW | UND16 | | 64.42 | 49.53 | | | | | | | | | |
| | Network Interface Device Cross Connect - 2 W | | | UENTW | UNDC2 | | 5.92 | 5.92 | | | | | | | | | T |
| | Network Interface Device Cross Connect - 4W | | | UENTW | UNDC4 | | 5.92 | 5.92 | | | | | | | | | |
| OTHER, F | PROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | | |
| | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | 0.00 | 0.00 | | | | | | | | | | <u> </u> |
| | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | 0.00 | 0.00 | | | | | | | | | | ₩ |
| | Unbundled Contract Name, Provisioning Only - No Rate | | | UEANL,UEF,UEQ,U ENTW | UNECN | 0.00 | 0.00 | | | | | | | | | | |
| OTHER E | PROVISIONING ONLY - NO RATE | | | LIVIVV | DIVLOIV | 0.00 | 0.00 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | UAL,UCL,UDC,UDL, | | | | | | | | | | | | | |
| | Unbundled Contact Name, Provisioning Only - no rate | | | UDN,UEA,UHL, USL | UNECN | 0.00 | 0.00 | | | | | | | | | | <u> </u> |
| | | | | | | | | | | | | | | | | | |
| | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate | - | 1 | UEA,UDN,UCL,UDC | USBFQ | 0.00 | 0.00 | | | | - | | | | | | ₩ |
| | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate | 1 | 1 | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | | | | 1 | 1 | | | | | 1 |
| | Unbundled DS1 Loop - Superframe Format Option - no rate | | 1 | USL | CCOSF | 0.00 | 0.00 | | | | 1 | | 1 | | | | \vdash |
| | Unbundled DS1 Loop - Expanded Superframe Format option - no | | | | | 3.00 | 2.00 | | | | | | | | | | T |
| | rate | <u> </u> | <u> </u> | USL | CCOEF | 0.00 | 0.00 | | <u> </u> | | <u> </u> | | | | | | |
| H CAPACIT | Y UNBUNDLED LOCAL LOOP | | | - | | | | | | • | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| - | High Capacity Unbundled Local Loop - DS3 - Per Mile per month | | | UE3 | 1L5ND | 12.26 | | | | | 1 | | | | | | \vdash |
| | High Capacity Unbundled Local Loop - DS3 - Facility Termination per month | 1 | 1 | UE3 | UE3PX | 306.36 | 520.398 | 304.2095 | 137.7125 | 96.3355 | 1 | 1 | | | | | 1 |
| - | per monur | - | | OLO | UESFA | 300.30 | 520.596 | 304.2095 | 137.7125 | 90.3355 | | | | | | | ┢ |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month | 1 | | UDLSX | 1L5ND | 12.26 | | | | | | 1 | | | | | 1 |
| | High Capacity Unbundled Local Loop - STS-1 - Facility | | 1 | | | | | | | | | | | | | | |
| | Termination per month | | | UDLSX | UDLS1 | 313.49 | 520.398 | 304.2095 | 137.7125 | 96.3355 | | | | | | | |
| OP MAKE-U | P | | | | | | | | | | | | | | | | $oldsymbol{oldsymbol{oldsymbol{eta}}}$ |
| J. 115 11 12 U | Loop Makeup - Preordering Without Reservation, per working or | | | | | | | | | | | | | | | | |

| INDUNDEE | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: A | |
|-------------|--|--|----------|----------------------------|----------------|--------------|-----------------|------------------|--|---------------------|---|---|--|--|---|---|-----------|
| ATEGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | ; |
| | | | | | | Rec | Nonred First | curring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | | Rates (\$) SOMAN | SOMAN | SOMAN | + |
| | Loop Makeup - Preordering With Reservation, per spare facility | | | | | | 11131 | Auu | 11131 | Auu i | JOINEC | JOINAIN | JOIVIAIN | JOIVIAIV | JOWAN | JONAN | + |
| | queried (Manual). | | | UMK | UMKLP | | 25.49 | 25.49 | | | | | | | | | 丄 |
| | Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized) | | | UMK | UMKMQ | | 0.34 | 0.34 | | | | | | | | | |
| NE SPLITTIN | 3 | | | OWK | UIVIKIVIQ | | 0.34 | 0.34 | | | | | | | | | 十 |
| | PLITTING | | | | | | | | | | | | | | | | I |
| END U | SER ORDERING-CENTRAL OFFICE BASED | | | | | | | | | | | | | | | | 4 |
| | Line Splitting - per line activation DLEC owned splitter | | | UEPSR UEPSB | UREOS | 0.61 | 07.00 | 04.04 | 00.07 | 0.05 | | | | | | | + |
| | Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual | | | UEPSR UEPSB UEPSR UEPSB | UREBP UREBV | 0.61 0.61 | 37.09 37.09 | 21.24 21.24 | 20.07 20.07 | 9.85 9.85 | | | | | | | + |
| AINTENANCE | OF SERVICE | | | OLI SK OLI SB | OKEBV | 0.01 | 37.03 | 21.24 | 20.07 | 9.03 | | | | | | | + |
| | The Expedite charge will be maintained commensurate with Be | IlSouth's | FCC No | .1 Tariff, Section 13. | 3.1 as applica | ble. | | | | | | | | | | | T |
| | No Trouble Found - per 1/2 hour increments - Basic | | | | | | 80.00 | 55.00 | | | | | | | | | Ţ |
| | No Trouble Found - per 1/2 hour increments - Overtime | ļ | 1 | | | | 90.00 | 65.00 | ļ — I | | 1 | | | ļ | | | Ļ |
| MDUMPLES | No Trouble Found - per 1/2 hour increments - Premium EDICATED TRANSPORT | | 1 | | | - | 100.00 | 75.00 | | | 1 | | | | | | + |
| | DEDICATED TRANSPORT OFFICE CHANNEL - DEDICATED TRANSPORT | <u> </u> | 1 | | | | | | | | | | | | | | + |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | 1 | | | | | | † † | | | | | | | | \dagger |
| | Per Mile per month | <u> </u> | <u> </u> | U1TVX | 1L5XX | 0.0167 | | | <u> </u> | | <u></u> | <u> </u> | <u> </u> | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | | | | | | | | | | | Τ |
| | Facility Termination | | | U1TVX | U1TV2 | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | | 4 |
| | Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade | | | | 41.500 | 0.0407 | | | | | | | | | | | |
| | Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat | | - | U1TVX | 1L5XX | 0.0167 | | | - | | - | | | | | | + |
| | Facility Termination | | | U1TVX | U1TR2 | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - | | | 01117 | O.I.ILE | 2 1.00 | 10.00 | 2 | | 0.01 | | | | | | | + |
| | Per Mile per month | | | U1TVX | 1L5XX | 0.0167 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - | | | | | | | | | | | | | | | | Т |
| | Facility Termination | | | U1TVX | U1TV4 | 21.29 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | | + |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month | | | U1TDX | 1L5XX | 0.0167 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | UTIDA | ILSAA | 0.0107 | | | | | | | | | | | + |
| | Termination | | | U1TDX | U1TD5 | 16.76 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per | | | | | | | | | | | | | | | | T |
| | month | | | U1TDX | 1L5XX | 0.0167 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | | | | | | | | | | | | | | |
| | Termination | | - | U1TDX | U1TD6 | 16.76 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | | + |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month | | | U1TD1 | 1L5XX | 0.3415 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | OTIDI | TLOXX | 0.5415 | | | | | | | | | | | + |
| | Termination | | | U1TD1 | U1TF1 | 77.14 | 89.47 | 81.99 | 16.39 | 14.48 | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | | | | | | | | | Т |
| | month | <u> </u> | 1 | U1TD3 | 1L5XX | 8.02 | | | ļ | | <u> </u> | | | | | | + |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | U1TD3 | U1TF3 | 880.65 | 279.37 | 163.12 | 60.33 | 58.59 | | | | | | | |
| | I ermination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | | 1 | סווט | OTIFS | 000.05 | 219.31 | 103.12 | 60.33 | 56.59 | 1 | | | | | | + |
| | month | | | U1TS1 | 1L5XX | 8.02 | | |] | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Facility | | 1 | | | | | | | | Ì | | | | | | T |
| | Termination | ļ | | U1TS1 | U1TFS | 880.55 | 279.37 | 163.12 | 60.33 | 58.59 | | | | | | | 1 |
| ARK FIBER | Dark Files From Files Observed - Dan Davids Miles and File Co. | | | | 1 | | | | ļ | | ļ | | | | | | + |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel | | | UDF, UDFCX | 1L5DC | 112.30 | | |] | | | | | | | | |
| | per month - Local Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof | | 1 | ODF, ODFCA | ILODU | 112.30 | | | | | 1 | | | | | | + |
| | per month - Interoffice Channel | | | UDF, UDFCX | 1L5DF | 36.41 | | |] | | | | | | | | |
| | NRC Dark Fiber - Interoffice Channel | | | UDF, UDFCX | UDF14 | | 640.51 | 138.17 | 317.76 | 198.11 | | | | | | | T |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof | | | | | | | | | | | | | | | | T |
| | per month - Local Loop | | ļ | UDF, UDFCX | 1L5DL | 112.30 | | | ļ | | | | | | | | 4 |
| IRTUAL COLL | OCATION | | 1 | | 1 | | | | | | 1 | | | | | | + |
| | Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting | | | UEPSR UEPSB | VE1LS | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | | | | | | | 1 |
| HYSICAL COI | | l | 1 | OLI OK OLI OB | V L I LO | 0.0317 | 12.32 | 11.03 | 0.04 | 3.43 | l | | | | | | + |
| | | | 1 | | 1 | 1 | | | 1 | | 1 | | i | | | | T |
| | Physical Collocation-2 Wire Cross Connects (Loop) for Line | | | | | 1 | | | | | | | | | | | |

| IBUNDLED NETV | VORK ELEMENTS - South Carolina | | | | | | | | | | | | Attach | ment: 2 | Fyhi | bit: A | Т |
|----------------|---|-------------|----------|-----------------------|----------------|-----------------|------------------|------------------|-----------------------|---------------------|---|---|---|---|--|--|---|
| GORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | Rec | Nonre First | curring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | OSS SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN | F |
| NOTE: The mor | nthly recurring and non-recurring charges below will app | oly and the | e Switch | h-As-Is Charge will n | ot apply for U | NE combinations | | | | | 0020 | | 00.112.111 | 00.12.11 | | 00 | T |
| NOTE: The mor | nthly recurring and the Switch-As-Is Charge and not the | | | | | | | | | | | | | | | | |
| | GRADE LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | | 1 |
| | VG Loop (SL2) in Combination - Zone 1 | | | UNCVX | UEAL2 | 16.68 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | | | 4 |
| | VG Loop (SL2) in Combination - Zone 2 VG Loop (SL2) in Combination - Zone 3 | | | UNCVX | UEAL2 UEAL2 | 23.13 28.46 | 105.98 105.98 | 68.43 68.43 | 53.05 53.05 | 10.61 10.61 | | | | | | | + |
| | Grade COCI - Per Month | | 3 | UNCVX | 1D1VG | 0.56 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | | + |
| | GRADE LOOP FOR USE IN A COMBINATION | | | ONCVA | IDIVO | 0.30 | 0.55 | 4.73 | 0.00 | 0.00 | | | | | | | + |
| | Analog Voice Grade Loop in Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 32.59 | 132.38 | 94.83 | 59.35 | 14.61 | | | | | | | + |
| | Analog Voice Grade Loop in Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 43.89 | 132.38 | 94.83 | 59.35 | 14.61 | | | | | | | t |
| | Analog Voice Grade Loop in Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 43.38 | 132.38 | 94.83 | 59.35 | 14.61 | | | | | | | T |
| Voice G | rade COCI in combination - per month | | | UNCVX | 1D1VG | 0.56 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | | Ι |
| | S DIGITAL LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | | Γ |
| | 56Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL56 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | | Ţ |
| | 56Kbps Digital Grade Loop in Combination - Zone 2 | | 2 | UNCDX | UDL56 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | 1 | | | | | | + |
| | 56Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL56 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | 1 | | | - | | | + |
| | P COCI (data) per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.19 | 6.59 | 4.73 | 0.00 | 0.00 | - | | - | | - | | + |
| | S DIGITAL LOOP FOR USE IN A COMBINATION 64Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL64 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | 1 | | | | | | + |
| | 64Kbps Digital Grade Loop in Combination - Zone 1 | | 2 | UNCDX | UDL64 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | | + |
| | 64Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | - | | | | | | + |
| | P COCI (data) - in combination - per month (2.4-64kbs) | | - | UNCDX | 1D1DD | 1.19 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | | + |
| | OOP FOR USE IN COMBINATION | | | OTTO BY | .5.55 | 11.10 | 0.00 | | 0.00 | 0.00 | Ì | | | | | | t |
| | ISDN Loop in Combination - Zone 1 | | 1 | UNCNX | U1L2X | 25.21 | 117.58 | 80.03 | 53.05 | 10.61 | | | | | | | T |
| | ISDN Loop in Combination - Zone 2 | | 2 | UNCNX | U1L2X | 32.76 | 117.58 | 80.03 | 53.05 | 10.61 | 1 | | | | | | T |
| 2-Wire I | ISDN Loop in Combination - Zone 3 | | 3 | UNCNX | U1L2X | 37.70 | 117.58 | 80.03 | 53.05 | 10.61 | | | | | | | Τ |
| | SDN COCI (BRITE) - in combination - per month | | | UNCNX | UC1CA | 2.56 | 6.59 | 4.73 | | | | | | | | | |
| | GITAL LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | | 1 |
| 4-Wire D | OS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 90.87 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | | + |
| | OS1 Digital Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 155.43 | 253.03 253.03 | 157.89 | 44.80 44.80 | 11.73 | | | | | | | + |
| | DS1 Digital Loop in Combination - Zone 3 DCI in combination per month | | 3 | UNC1X UNC1X | USLXX UC1D1 | 261.89 8.64 | 6.59 | 157.89 4.73 | 44.80 | 11.73 | | | | | | | + |
| | GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | MRINATIO |)N | UNCIA | OCIDI | 0.04 | 6.59 | 4.73 | | | | | | | | | + |
| Z WIKE VOICE (| GRADE INTEROTTICE TRANSPORT FOR USE IN A CO | WIDHATK | J.14 | | - | | | | | | - | | | | | | + |
| Interoffic | ce Transport - 2-wire VG - Dedicated- Per Mile Per Month | | | UNCVX | 1L5XX | 0.0134 | | | | | | | | | | | |
| | ce Transport - 2-wire VG - Dedicated - Facility Termination | | | | | | | | | | | | | | | | T |
| per mon | | | | UNCVX | U1TV2 | 19.44 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | | |
| 4 WIRE VOICE | GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | MBINATIO | ON | | | | | | | | | | | | | | T |
| | | | | | | | | | | | | | | | | | Т |
| | ce Transport - 4-wire VG - Dedicated - Per Mile Per Month | | | UNCVX | 1L5XX | 0.0134 | | | | | | | | | | | 4 |
| | ce Transport - 4-wire VG - Dedicated - Facility | | | LINOVAY | LIATIVA | | | | | | 1 | | l | | l | | 1 |
| | INTERPORT FOR COMPINATION | | - | UNCVX | U1TV4 | 17.03 | 40.63 | 27.47 | 16.77 | 6.91 | 1 | | | | | | + |
| | CECE TRANSPORT FOR COMBINATION CE Transport - Dedicated - DS1 combination - Per Mile per | | | | 1 | + | 1 | 1 | | | 1 | | | - | | | + |
| month | ce manaport - Dedicated - DST combination - Per Mile per | | | UNC1X | 1L5XX | 0.27 | | | | | 1 | | l | | l | | 1 |
| | ce Transport - Dedicated - DS1 combination - Facility | | | 0.101/ | LUAA | 0.21 | | | | | 1 | | | 1 | | | + |
| | ation per month | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | 1 | | l | | l | | |
| | nnelization System in combination Per Month | | | UNC1X | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | † | | i | l | i | | t |
| | ICE TRANSPORT FOR USE IN A COMBINATION | | | | | | | | | | Ì | | | | | | T |
| | ce Transport - Dedicated - DS3 combination - Per Mile Per | | | | | | | | | | | | | | | | T |
| Month | | | | UNC3X | 1L5XX | 6.42 | | | | | | | | | | | L |
| | ce Transport - Dedicated - DS3 - Facility Termination per | | | | I | _ | | | | | 1 | | i | 1 | i | | 1 |
| month | | | | UNC3X | U1TF3 | 704.52 | 279.37 | 163.12 | 60.33 | 58.59 | ļ | | - | | - | | + |
| | FFICE TRANSPORT FOR USE IN COMBINATION | | <u> </u> | | | - | 1 | 1 | ļ | | <u> </u> | | ļ | | ļ | | + |
| | ce Transport - Dedicated - STS-1 combination - Per Mile | | | UNCSX | 1L5XX | 6.42 | | | | | 1 | | l | | l | | |
| Per Mor | ntn ce Transport - Dedicated - STS-1 combination - Facility | | | OINCOV | ILƏAX | 6.42 | - | - | 1 | | 1 | | | | | | + |
| | tion per month | | | UNCSX | U1TFS | 704.44 | 279.37 | 163.12 | 60.33 | 58.59 | 1 | | l | | l | | |
| | S DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANS | SPORT | | 011007 | 01110 | 704.44 | 218.31 | 103.12 | 00.33 | 56.59 | | | | - | | | + |
| | 6 kbps Local Loop in combination - Zone 1 | . 5.(1 | 1 | UNCDX | UDL56 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | 1 | | | 1 | | | + |
| | 6 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | 1 | | | 1 | | | t |
| | 6 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | 1 | | İ | İ | İ | | T |
| | ce Transport - Dedicated - 4-wire 56 kbps combination - | | | | | | 1 | | | - | | | | | | | T |
| | e per month | | | UNCDX | 1L5XX | 0.0134 | 1 | 1 | | | 1 | 1 | 1 | l | 1 | | 1 |

| IBUNDLE | D NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | oit: A | Т |
|---------|--|----------|-----------|----------------|--------|-----------------|------------------|------------------|--|----------------|--|---|--|--|---|---|--------|
| EGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | None | RATES (\$) | Nancousing | Discounce | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | Rec | Nonred First | curring Add'l | Nonrecurring First | Add'l | SOMEC | SOMAN | SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN | 十 |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | | | | | | | | | | | | T |
| | Facility Termination per month | | | UNCDX | U1TD5 | 13.41 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | | Ш |
| 4-WIRE | 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROF | FICE TR | | | | | | | | | | | | | | | 4 |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 1 | | | UNCDX | UDL64 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | | ╄ |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 2 | | | UNCDX UNCDX | UDL64 | 33.99 34.74 | 126.66 126.66 | 89.12 89.12 | 59.35 59.35 | 14.61 14.61 | | | | | | | ╄ |
| - | 4-wire 64 kbps Lcoal Loop in Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | 3 | UNCDA | UDL64 | 34.74 | 120.00 | 69.12 | 59.35 | 14.01 | | | | | | | +- |
| | Per Mile per month | | | UNCDX | 1L5XX | 0.0134 | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | | | | Т |
| | Facility Termination per month | | | UNCDX | U1TD6 | 13.41 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | | Ш |
| 4-WIRE | 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE | TRANS | | | | | | | | | | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 1 | <u> </u> | | UNCDX | UDL56 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | | 丄 |
| | 4-wire 56 kbps Local Loop in combination - Zone 2 | | | UNCDX | UDL56 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | ļ | | \bot |
| | 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | | 4 |
| | 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month | | | UNCDX | 1L5XX | 0.0134 | | | | | | | | | | | |
| | 4-wire 56 kbps Interoffice Transport - Dedicated - Facility | 1 | | | | | | | | | | | | | | | T |
| | Termination per month | | | UNCDX | U1TD5 | 13.41 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | | |
| 4-WIRE | 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE | TRANS | PORT | | | | | | | | | | | | | | |
| | 4-wire 64 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL64 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | | |
| | 4-wire 64 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL64 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | | 4 |
| _ | 4-wire 64 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL64 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | | 4 |
| | 14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month | | | UNCDX | 1L5XX | 0.0134 | | | | | | | | | | | |
| | 4-wire 64 kbps Interoffice Transport - Dedicated - Facility | | | | | | | | | | | | | | | | t |
| | Termination per month | | | UNCDX | U1TD6 | 13.41 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | | |
| DS1 D | GITAL LOOP AND DS1 INTERFOFFICE TRANSPORT | | | | | | | | | | | | | | | | _ |
| _ | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 2 | UNC1X | USLXX | 90.87 155.43 | 253.03 | 157.89 157.89 | 44.80 44.80 | 11.73 11.73 | | | | | | | ┿ |
| | 4-Wire DS1 Digital Loop in Combination - Zone 2 4-Wire DS1 Digital Loop in Combination - Zone 3 | | | UNC1X UNC1X | USLXX | 261.89 | 253.03 253.03 | 157.89 | 44.80 | 11.73 | | | | | | | + |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile per | | | ONCIA | USLAX | | 255.05 | 137.03 | 44.00 | 11.73 | | | | | | | t |
| | month | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | | Ļ |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | LINGAY | LIATEA | 04.74 | 00.47 | 04.00 | 40.00 | 44.40 | | | | | | | |
| D00 D | Termination per month | DT | 1 | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | | | | | | +- |
| ים נפט | GITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO DS3 Local Loop in combination - per mile per month | K I | | UNC3X | 1L5ND | 12.26 | | | + | | | | | | | | ┿ |
| | D33 Local Loop in combination - per mile per month | | 1 | UNCSA | TESIND | 12.20 | | | | | | | | | | | + |
| | DS3 Local Loop in combination - Facility Termination per month | 1 | | UNC3X | UE3PX | 306.36 | 452.52 | 264.53 | 119.75 | 83.77 | | | | | | | 1 |
| 1 | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 6.42 | .02.02 | 2050 | | 55.77 | | | | l | l | | t |
| | Interoffice Transport - Dedicated - DS3 combination - Facility | | | | | | | | | | | | | | | | T |
| | Termination per month | <u> </u> | <u> </u> | UNC3X | U1TF3 | 704.52 | 279.37 | 163.12 | 60.33 | 58.59 | | | | <u> </u> | | | L |
| STS-1 | DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANS | SPORT | | | | | | | | | | | | | | | |
| | STS-1 Local Lolp in combination - per mile per month | | | UNCSX | 1L5ND | 12.26 | | | | | | | | | | | L |
| | | 1 | | l | | 1 7 | | |] | | | | |] |] | | 1 |
| | STS-1 Local Loop in combination - Facility Termination per month Interoffice Transport - Dedicated - STS-1 combination - per mile | | | UNCSX | UDLS1 | 313.49 | 452.52 | 264.53 | 119.75 | 83.77 | - | | | | | | ╄ |
| | per month | | | UNCSX | 1L5XX | 6.42 | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | | | | | | | | | | | | | | T |
| | Termination per month | ļ | ļ | UNCSX | U1TFS | 704.44 | 279.37 | 163.12 | 60.33 | 58.59 | | | | | | | 4 |
| | ETWORK ELEMENTS | | <u> </u> | | | | | | | | | | | | | | + |
| | used as a part of a currently combined facility, the non-recurring | | | | | | | | | | 1 | | | | | | + |
| | used as ordinarily combined network elements in All States, the returning Currently Combined Network Elements "Switch As Is" Ch | | | | | narge does not. | | | | | - | | | - | - | | + |
| Nonie | Complied Network Elements Switch ASIS" Ch | arge (UN | e applies | UNCVX, UNCDX, | ,,,, | | | | | | | | | | | | $^{+}$ |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is | | | UNC1X, UNC3X, | | | _ | _ | | _ | | | | | | | 1 |
| Ontion | Charge al Features & Functions: | - | | UNCSX | UNCCC | + + | 5.61 | 5.61 | 7.00 | 7.00 | | | | | | | ╀ |
| Option | ai reatures & ruffctions: | 1 | 1 | U1TD1, | + | 1 | | | | | | | | 1 | | | + |
| | Clear Channel Capability Extended Frame Option - per DS1 | 1 | | ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | | ĺ |
| | | | | U1TD1, | | | | | | | | | | | | | T |
| 1 | Clear Channel Capability Super FrameOption - per DS1 | | 1 | ULDD1,UNC1X | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | |] |] | | 4 |
| _ | Clear Channel Capability (SF/ESF) Option - Subsequent Activity - | | | ULDD1, U1TD1, | | 1 | | | | | 1 | | | | | | |

| NBUNDLE | D NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: A |
|------------|---|---------|--|----------------|----------------|--------|----------|------------|----------------|------------|--|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| TEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | , | | | po. zo. | po. 20.1 | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'I | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | 131 | Auu | Disc 1st | DISC Add I |
| | | | | | | Rec | Nonre | curring | Nonrecurring I | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | U1TD3, ULDD3, | | | | | | | | | | | | |
| | C-bit Parity Option - Subsequent Activity - per DS3 | i | | UE3, UNC3X | NRCC3 | | 219.58 | 7.69 | 0.737 | 0.00 | | | | | | |
| MULTI | PLEXERS | | | | | | | | | | | | | | | |
| | DS1 to DS0 Channel System per month | | | UNC1X | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month | | | | | | | | | | | | | | | |
| | (2.4-64kbs) used for a Local Loop | | | UDL | 1D1DD | 1.19 | 6.59 | 4.73 | | | | l | | | ĺ | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month | | | | 1 | | | | | | | | | | İ | |
| | (2.4-64kbs) used for connection to a channelized DS1 Local | | | | | | | | | | | l | | | ĺ | |
| | Channel in the same SWC as collocation | | | U1TUD | 1D1DD | 1.19 | 6.59 | 4.73 | | | | | | | 1 | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | | | | | | | | | | | | | |
| | month for a Local Loop | | | UDN | UC1CA | 2.56 | 6.59 | 4.73 | | | | | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | | | | | | | | | | | | | |
| | month used for connection to a channelized DS1 Local Channel in | | | | | | | | | | | | | | | |
| | the same SWC as collocation | | | U1TUB | UC1CA | 2.56 | 6.59 | 4.73 | | | | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | 01100 | 0010/1 | 2.00 | 0.00 | 4.70 | 1 | | | | | | | |
| | used for a Local Loop | | | UEA | 1D1VG | 0.56 | 6.59 | 4.73 | | | | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | OLA | 10110 | 0.00 | 0.00 | 4.70 | | | | | | | | |
| | used for connection to a channelized DS1 Local Channel in the | | | | | | | | | | | | | | | |
| | same SWC as collocation | | | U1TUC | 1D1VG | 0.56 | 6.59 | 4.73 | | | | | | | | |
| | DS3 to DS1 Channel System per month | | | UNC3X | MQ3 | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | | | | | | |
| | STS-1 to DS1 Channel System per month | | | UNCSX | MQ3 | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | | | | | | |
| | DS1 COCI used with Loop per month | | | USL | UC1D1 | 8.64 | 6.59 | 4.73 | 33.33 | 31.30 | | | | | | |
| | DS1 COCI used with Loop per month DS1 COCI (used for connection to a channelized DS1 Local | | | UUL | OCIDI | 0.04 | 0.59 | 4.73 | - | | 1 | l | | | | |
| | Channel in the same SWC as collocation) per month | | | U1TUA | UC1D1 | 8.64 | 6.59 | 4.73 | | | | | | | 1 | |
| | DS1 COCI used with Interoffice Channel per month | | 1 | U1TD1 | UC1D1 | 8.64 | 6.59 | 4.73 | | | | - | | | | |
| | DO FOOG used with interoffice Granner per month | | | ועווט | OCIDI | 0.64 | 0.59 | 4./3 | | | | | | | - | |
| | DS3 Interface Unit (DS1 COCI) used with Local Channel per month | | | ULDD1 | UC1D1 | 8.64 | 6.59 | 4.73 | | | | | | | 1 | |
| 1 PBX LOCA | | | | OLDDI | OCIDI | 0.64 | 0.59 | 4./3 | | | - | | | | - | |
| | ATE BX LOCATE DATABASE CAPABILITY | | 1 | | 1 | | | | | | | | | | 1 | |
| 911 PE | Service Establishment per CLEC per End User Account | | 1 | 9PBDC | 9PBEU | | 1,813.00 | | - | | 1 | l | | | - | |
| | Changes to TN Range or Customer Profile | | | 9PBDC | 9PBEU 9PBTN | | 181.40 | | | | | - | | | | |
| _ | Per Telephone Number (Monthly) | | | 9PBDC 9PBDC | 9PBTN 9PBMM | 0.07 | 101.40 | | - | | | | | | | |
| _ | Change Company (Service Provider) ID | | | 9PBDC 9PBDC | 9PBMM 9PBPC | 0.07 | 532.48 | | - | | | | | | | |
| _ | PBX Locate Service Support per CLEC (Monthlt) | | 1 | 9PBDC 9PBDC | 9PBPC 9PBMR | 181.29 | 55∠.48 | | - | | | | | | | |
| | | | | | | 181.29 | 4E 00 | | | | | | | | | |
| 044 DE | Service Order Charge | | 1 | 9PBDC | 9PBSC | l | 15.69 | | | | 1 | | | | | |
| | BX LOCATE TRANSPORT COMPONENT | | 1 | | 1 | | | | | | 1 | | | | | |
| See At | π 3 | | ission o | | | 1 | | | | | l | | | | | |

| BUNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: A |
|------------------------|---|------------|----------|--|----------------|------------------|-----------------------|-----------------|-----------------------|---------------------|--|---|---|---|---|---|
| FEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | COMEC | SOMAN | OSS SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN |
| | | | | | | | First | Addi | FIRST | Addi | SOMEC | SOMAN | SUMAN | SUMAN | SOMAN | SUMAN |
| | one" shown in the sections for stand-alone loops or loops as par | | | on refers to Geographi | cally Deavera | aged UNE Zone | es. To view Ge | graphically De | averaged UNE | Zone Designati | ons by Cent | ral Office, re | fer to internet | Website: | | |
| Inttp://w ERATIONAL | ww.interconnection.bellsouth.com/become_a_clec/html/interco_ SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" | nnection.r | itm | | | | 1 | | | | | | | | | |
| | · | | | | | | | | | | | | | | | |
| | (1) CLEC should contact its contract negotiator if it prefers the " pecific Commission ordered rates for the service ordering charge | | | | | | | | | | | | | | | |
| NOTE: | (2) Any element that can be ordered electronically will be billed a | according | to the | SOMEC rate listed in the | his category. | . Please refer t | o BellSouth's Lo | ocal Ordering H | andbook (LOH) | to determine if | f a product of | an be order | ed electronical | lly. For those | elements that | cannot be |
| | d electronically at present per the LOH, the listed SOMEC rate in bill when it submits an LSR to BellSouth. | this categ | ory refl | ects the charge that w | ould be bille | d to a CLEC or | nce electronic or | dering capabili | ties come on-lin | e for that eleme | ent. Otherw | ise, the man | nual ordering c | harge, SOMA | N, will be appli | ed to a |
| | (3) OSS - Manual Service Order Charge, Per Element - UNE Only | y **Please | see a | oplicable rate element | for SOMAN o | charge** | | | | | | | | | | |
| | OSS - Electronic Service Order Charge, Per Local Service | | | | | | | | | | | | | | | |
| SEDVICE | Request (LSR) - UNE Only DATE ADVANCEMENT CHARGE | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| | The Expedite charge will be maintained commensurate with Be | ISouth's I | FCC No | o.1 Tariff, Section 5 as | applicable. | | | | | | | | | | | |
| | UNE Expedite Charge per Circuit or Line Assignable USOC, per Day | | | UAL, UEANL, UCL, UEF, UDF, UDC, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TDX, U1TDX, U1TDX, U1TDX, U1TDX, U1TDX, U1TDX, U1TDX, U1TDX, U1TDX, U1TDX, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UDLAS, UDLOX, UDLOX, UDLOX, UDLOX, ULDOX, ULDDX, ULDDX, ULDDX, ULDDX, ULDDX, ULDDX, UNCY, UNLD, UXTDA, UXTDA, UTTUB, UTTUB, U1TUB, U1TUB, U1TUB, U1TUB, U1TUA | SDASP | | 200.00 | | | | | | | | | |
| | EXCHANGE ACCESS LOOP ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| Z-AAIKE | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | 1 | 1 | UEANL | UEAL2 | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | - | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEAL2 | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| _ | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 3 | UEANL UEANL | UEAL2 UEASL | 22.53 13.19 | | 20.02 | 10.65 10.65 | 1.41 1.41 | | | 20.35 20.35 | 10.54 10.54 | 13.32 13.32 | 13.32 13.32 |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | 1 | 2 | UEANL | UEASL | 13.19 | | 20.02 | 10.65 | 1.41 | | - | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | | UEASL | 22.53 | | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise | | | UEANL | URETL | | 8.33 | 0.83 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Loop Testing - Basic 1st Half Hour | | | UEANL | URETL URET1 | | 78.92 | 78.92 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 23.33 | 23.33 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1) | | | UEANL | UREWO | | 15.80 | 8.95 | | _ | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Unbundled Voice Loop, Non-Design Voice Loop, billing for BST | | | | | | | | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | providing make-up (Engineering Information - E.I.) Manual Order Coordination for UVL-SL1s (per loop) | | - | UEANL UEANL | UEANM UEAMC | | 28.80 36.52 | 28.80 36.52 | | | | | | | | |
| | Order Coordination for Specified Conversion Time for UVL-SL1 | | 1 | | | | | | | | | | | | | |
| ı | (per LSR) | | | UEANL | OCOSL | | 34.29 | 34.29 | | | | | | | | |

| NBUNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: A |
|---------|---|-----------|----------|--|---------|--|-----------------------|----------------|-----------------------|---------------------|---|---|--|--|---|---|
| EGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | OSS SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN |
| 2-WIRE | Unbundled COPPER LOOP | | | | | | 11131 | Auu i | 11131 | Auu i | SOME | SOWAN | JONAN | SOWAN | JONAN | SOWAN |
| | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | | 1 | UEQ | UEQ2X | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | | 2 | UEQ | UEQ2X | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | | 3 | UEQ | UEQ2X | 22.53 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | | | | | | |
| | Premise | | <u> </u> | UEQ | URETL | | 8.33 | 0.83 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Manual Order Coordination 2 Wire Unbundled Copper Loop - Non- Designed (per loop) | | | UEQ | USBMC | | 36.52 | 36.52 | | | | | | | | |
| | Unbundled Copper Loop, Non-Design Copper Loop, billing for | | | UEQ | USBIVIC | | 30.32 | 30.32 | | | | | | | | |
| | BST providing make-up (Engineering Information - E.I.) | | 1 | UEQ | UEQMU | | 28.80 | 28.80 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | 78.92 | 78.92 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| _ | Loop Testing - Basic Additional Half Hour | | | UEQ | URETA | 1 | 23.33 | 23.33 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | | | | | | | | | | | | | |
| | (UCL-ND) | | | UEQ | UREWO | <u> </u> | 14.29 | 7.44 | <u> </u> | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | XCHANGE ACCESS LOOP | | | | | | | • | | | | | | _ | | |
| 2-WIRE | ANALOG VOICE GRADE LOOP | | | ļ | 1 | ļ <u>I</u> | | | | | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | ١. | | | | 0.4.5 | | 40 | | | | | 40 - : | 40 | 40 |
| | Zone 1 | - | 1 | UEPSR UEPSB | UEALS | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1 | | 4 | UEPSR UEPSB | UEABS | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | | UEPOR UEPOB | UEADO | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | 1 | | ∠0.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Arialog Voice Grade Loop- Service Level 1-Line Spillling- Zone 2 | | 2 | UEPSR UEPSB | UEALS | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| + | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | | OLI OK OLI OD | DETTED | 17.23 | 31.33 | 20.02 | 10.03 | 1.41 | | | 20.00 | 10.54 | 10.02 | 10.02 |
| | Zone 2 | | 2 | UEPSR UEPSB | UEABS | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| 1 | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | 25 | 00 | 20.02 | | | | | 20.00 | .0.04 | 10.02 | 10.02 |
| | Zone 3 | | 3 | UEPSR UEPSB | UEALS | 22.53 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | İ | | | | | | | |
| | Zone 3 | | 3 | UEPSR UEPSB | UEABS | 22.53 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | XCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| 2-WIRE | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | 4 | LIEA | LIEALO | 16.56 | 75.00 | 40.00 | 20.70 | 47.04 | | | 20.25 | 40.54 | 40.00 | 40.00 |
| _ | Ground Start Signaling - Zone 1 | | 1 | UEA | UEAL2 | 16.56 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | 21.63 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| - | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | - | OLA. | ULALL | 21.03 | 75.00 | 40.20 | 20.10 | 17.04 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Ground Start Signaling - Zone 3 | | 3 | UEA | UEAL2 | 28.28 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Specified Conversion Time (per LSR) | | Ť | UEA | OCOSL | 25.25 | 34.29 | 10.20 | 200 | 54 | | | 20.00 | .0.04 | 10.02 | 10.02 |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | | | | | | | | | |
| | Battery Signaling - Zone 1 | <u></u> | _1 | UEA | UEAR2 | 16.56 | 75.06 | 48.20 | 28.70 | 17.64 | <u> </u> | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | | | | | | | | | |
| | Battery Signaling - Zone 2 | | 2 | UEA | UEAR2 | 21.63 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | l | l | | | | | | | | | | | |
| _ | Battery Signaling - Zone 3 | | 3 | UEA | UEAR2 | 28.28 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Specified Conversion Time (per LSR) | | ļ | UEA | OCOSL | | 34.29 | 00 11 | | | | | 00.05 | 40 = 1 | 40.00 | 40.00 |
| | CLEC to CLEC Conversion Charge without outside dispatch | | - | UEA | UREWO | | 75.06 | 36.41 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| 4 MIDE | Loop Tagging - Service Level 2 (SL2) ANALOG VOICE GRADE LOOP | | | UEA | URETL | | 11.23 | 1.10 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| 4-WIRE | 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEA | UEAL4 | 24.70 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| + | 4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEA | UEAL4 | 32.25 | 122.76 | 85.57 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| - | 4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEA | UEAL4 | 42.17 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Specified Conversion Time (per LSR) | | ۲ | UEA | OCOSL | 72.17 | 34.29 | 00.07 | 70.00 | 55.10 | | | 20.00 | 10.04 | 10.02 | 10.02 |
| 1 | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | 1 | 75.06 | 36.41 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| 2-WIRE | ISDN DIGITAL GRADE LOOP | | | | | | | | i i | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UDN | U1L2X | 22.22 | 142.76 | 88.88 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-Wire ISDN Digital Grade Loop - Zone 2 | | 2 | UDN | U1L2X | 29.02 | 142.76 | 88.88 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-Wire ISDN Digital Grade Loop - Zone 3 | | 3 | UDN | U1L2X | 37.95 | 142.76 | 88.88 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination For Specified Conversion Time (per LSR) | | | UDN | OCOSL | ļ | 34.29 | | | | | | | | | |
| 0.1005 | CLEC to CLEC Conversion Charge without outside dispatch | | | UDN | UREWO | | 91.77 | 44.22 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| 2-WIRE | ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA | I IBLE LC | UP | | - | | - | | | | | | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry & | | 4 | LIAI | LIALOV | 13.82 | 270.01 | 224.62 | 74.54 | 20.44 | | | 20.25 | 40.54 | 40.00 | 40.00 |
| _ | facility reservation - Zone 1 2 Wire Unbundled ADSL Loop including manual service inquiry & | | 1 | UAL | UAL2X | 13.82 | ∠/0.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Z YYNE ONDUNURU ADOL LOOD INCIUUNU MANUAI SELVICE INQUITV & | | • | | | | | | | | | | • | | ì | 1 |

| BUNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachr | ment: 2 | Exhil | bit: A |
|---------|---|----------|----------|------------|----------------|----------------|--|------------------|--|---------------------|---|---|--|--|---|---|
| GORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | COMEC | SOMAN | OSS SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry & | | | | | | FIISt | Add I | rirst | Add I | SOIVIEC | SUMAN | SUMAN | SUMAN | SUMAN | SUMAN |
| | facility reservation - Zone 3 | | 3 | UAL | UAL2X | 23.60 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| _ | Order Coordination for Specified Conversion Time (per LSR) | | Ť | UAL | OCOSL | 20.00 | 34.29 | 201.00 | 7 1.0 1 | 00.11 | | | 20.00 | 10.01 | 10.02 | 10.02 |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | | | | | | | | | | | | |
| | facility reservaton - Zone 1 | - 1 | 1 | UAL | UAL2W | 13.82 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | | | | | | | | | | | | |
| | facility reservaton - Zone 2 | ı | 2 | UAL | UAL2W | 18.05 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | | | | | | | | | | | | |
| | facility reservaton - Zone 3 | ı | 3 | UAL | UAL2W | 23.60 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 34.29 | 00.00 | | | | | 00.05 | 40.54 | 40.00 | 40.00 |
| 2 WIDE | CLEC to CLEC Conversion Charge without outside dispatch | IBLETO | \ | UAL | UREWO | | 31.99 | 20.02 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| Z-VVIKE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT 2 Wire Unbundled HDSL Loop including manual service inquiry & | IDLE LOC |)ı. | | + | | | | | | | | | | | |
| | facility reservation - Zone 1 | | 1 | UHL | UHL2X | 10.83 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| + | 2 Wire Unbundled HDSL Loop including manual service inquiry & | | <u> </u> | | 3 | . 5.66 | 2. 3.01 | 2000 | 7 1.04 | 55.14 | | | 20.00 | | .0.02 | .0.02 |
| | facility reservation - Zone 2 | | 2 | UHL | UHL2X | 14.15 | 270.01 | 234.63 | 74.54 | 39.14 | <u> </u> | <u> </u> | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & | | | | | | | | | | | | | | | |
| | facility reservation - Zone 3 | | 3 | UHL | UHL2X | 18.50 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 34.29 | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry and | l . | ١. | | | 40 | | | | | | | | 40 - : | 40 | 40 |
| | facility reservation - Zone 1 | | 1 | UHL | UHL2W | 10.83 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 14.15 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| _ | 2 Wire Unbundled HDSL Loop without manual service inquiry and | | | UHL | UHL2W | 14.15 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | facility reservation - Zone 3 | | 3 | UHI | UHL2W | 18.50 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Specified Conversion Time (per LSR) | | J | UHL | OCOSL | 10.00 | 34.29 | 20.02 | 10.00 | 1.41 | - | | 20.00 | 10.04 | 10.02 | 10.02 |
| | CLEC to CLEC Conversion Charge without outside dispatch | - | | UHL | UREWO | | 31.99 | 20.02 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| 4-WIRE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT | IBLE LOC |)P | | | | | | | | | | | | | |
| | 4 Wire Unbundled HDSL Loop including manual service inquiry and | | | | | | | | | | | | | | | |
| | facility reservation - Zone 1 | | 1 | UHL | UHL4X | 13.93 | 279.60 | 244.22 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry and | | _ | | | | | | | | | | | | | |
| | facility reservation - Zone 2 | | 2 | UHL | UHL4X | 18.20 | 279.60 | 244.22 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry and | | 3 | UHL | 11111 47 | 22.00 | 270.60 | 244.22 | 74.54 | 20.14 | | | 20.25 | 10.54 | 12.22 | 13.32 |
| | facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | | 3 | UHL | UHL4X OCOSL | 23.80 | 279.60 34.29 | 244.22 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and | | | OFIL | OCOSL | | 34.29 | | | | | | | | | |
| | facility reservation - Zone 1 | | 1 | UHL | UHL4W | 13.93 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and | | <u> </u> | | J | 10.93 | 01.09 | 20.02 | 10.00 | 1.41 | | | 20.00 | 10.04 | 10.02 | 10.02 |
| | facility reservation - Zone 2 | 1 | 2 | UHL | UHL4W | 18.20 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and | | | | | | | | | | | | | | | |
| | facility reservation - Zone 3 | | 3 | UHL | UHL4W | 23.80 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 34.29 | | | | | | | | ` | |
| 4 1477 | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 31.99 | 20.02 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| 4-WIRE | DS1 DIGITAL LOOP | | | 1101 | USLXX | 57.73 | 040.00 | 040 70 | 00.00 | 40 := | | | 40.00 | 0.10 | 44.0= | 44.0= |
| | 4-Wire DS1 Digital Loop - Zone 1 | | 1 2 | USL | USLXX | 57.73 75.40 | 313.08 313.08 | 219.72 219.72 | 96.86 96.86 | 40.45 40.45 | | | 18.98 | 8.43 8.43 | 11.95 11.95 | 11.95 11.95 |
| - | 4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 75.40 98.59 | 313.08 | 219.72 | 96.86 | 40.45 | - | | 18.98 18.98 | 8.43 8.43 | 11.95 11.95 | 11.95 11.95 |
| _ | Order Coordination for Specified Conversion Time (per LSR) | | 3 | USL | OCOSL | 90.59 | 34.59 | 213.72 | 90.00 | 40.45 | | | 10.90 | 0.43 | 11.95 | 11.95 |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 130.47 | 40.11 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| 4-WIRE | 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | 1 | | 1 | .557 | 10.11 | | | | | 20.00 | .0.04 | 10.02 | 10.02 |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 1 | UDL | UDL19 | 31.10 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 2 | UDL | UDL19 | 40.61 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 3 | UDL | UDL19 | 53.11 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | 1 | UDL | UDL56 | 31.10 | 207.01 | 141.38 | 90.70 | 44.18 | ļ | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | 2 | UDL | UDL56 | 40.61 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | 3 | UDL | UDL56 OCOSL | 53.11 | 207.01 | 141.38 | 90.70 | 44.18 | ! | | 20.35 | 10.54 | 13.32 | 13.32 |
| - | Order Coordination for Specified Conversion Time (per LSR) 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | - 1 | UDL UDL | UDL64 | 31.10 | 34.29 207.01 | 141.38 | 90.70 | 44 18 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| - | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | 2 | UDL | UDL64 UDL64 | 31.10 40.61 | 207.01 | 141.38 | 90.70 | 44.18 | 1 | - | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | 3 | UDL | UDL64 | 53.11 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| + | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | 55.11 | 34.29 | 141.50 | 30.70 | 44.10 | | | 20.00 | 10.04 | 10.02 | 10.02 |
| 1 | CLEC to CLEC Conversion Charge without outside dispatch | | | UDL | UREWO | 1 | 102.28 | 49.82 | † | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Unbundled COPPER LOOP | | | <u> </u> | 1 | 1 | .02.20 | 10.02 | 1 | | t | | 20.00 | 10.04 | 10.02 | 10.02 |

| NBUNDLE | D NETWORK ELEMENTS - Tennessee | | | | 1 | 1 | | | | | r | | Attachi | | Exhi | |
|-------------|---|--|----------|--|--------------|---------|--------------|------------|--|-------|---|---|--|--|---|---|
| ΓEGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | oss | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Unbundled Copper Loop-Designed including manual | | | | | | | | | | | | | | | |
| | service inquiry & facility reservation - Zone 1 | 1 | 1 | UCL | UCLPB | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-Wire Unbundled Copper Loop-Designed including manual | | | | | | | | | | | | | | | |
| | service inquiry & facility reservation - Zone 2 | | 2 | UCL | UCLPB | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Unbundled Copper Loop-Designed including manual service | | | | | | | | | | | | | | | |
| | inquiry & facility reservation - Zone 3 | - 1 | 3 | UCL | UCLPB | 22.53 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 36.52 | 36.52 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed without manual service | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 1 | I | 1 | UCL | UCLPW | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-Wire Unbundled Copper Loop-Designed without manual service | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 2 | - 1 | 2 | UCL | UCLPW | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-Wire Unbundled Copper Loop-Designed without manual service | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCLPW | 22.53 | 31.99 | 20.02 | 10.65 | 1.41 | <u> </u> | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 36.52 | 36.52 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch (UCL- | | | | | | | | | | | | | | | |
| | Des) | | | UCL | UREWO | <u></u> | 31.99 | 20.02 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| 4-WIRE | COPPER LOOP | | | | | | | | | | | | | | | |
| | 4-Wire Copper Loop-Designed including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | I | _1 | UCL | UCL4S | 24.70 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4-Wire Copper Loop-Designed including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | 1 | 2 | UCL | UCL4S | 32.25 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4-Wire Copper Loop-Designed including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | l ı | 3 | UCL | UCL4S | 42.17 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 36.52 | 36.52 | | | | | | | | |
| | 4-Wire Copper Loop-Designed without manual service inquiry and | | | | | | | | | | | | | | | |
| | facility reservation - Zone 1 | l 1 | 1 | UCL | UCL4W | 24.70 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4-Wire Copper Loop-Designed without manual service inquiry and | <u> </u> | | 002 | 002 | 2 | 122.70 | 00.01 | 7 0.00 | 00.10 | | | 20.00 | 10.01 | 10.02 | 10.02 |
| | facility reservation - Zone 2 | l , | 2 | UCL | UCL4W | 32.25 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4-Wire Copper Loop-Designed without manual service inquiry and | <u> </u> | | 002 | OOLTIV | 02.20 | 122.70 | 00.01 | 70.00 | 00.10 | | | 20.00 | 10.04 | 10.02 | 10.02 |
| | facility reservation - Zone 3 | l , | 3 | UCL | UCL4W | 42.17 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| _ | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | 72.17 | 36.52 | 36.52 | 70.00 | 00.10 | | | 20.00 | 10.04 | 10.02 | 10.02 |
| | CLEC to CLEC Conversion Charge without outside dispatch (UCL- | | | 002 | COLIVIO | | 00.02 | 00.02 | | | | | | | | |
| | Des) | ١., | | UCL | UREWO | | 31.99 | 20.02 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| OOP MODIFIC | | | | 002 | OKEWO | | 01.00 | 20.02 | | | | | 20.00 | 10.04 | 10.02 | 10.02 |
| 1 | | | | UAL, UHL, UCL, | + | | | | | | | | | | | |
| | | | | UEQ, ULS, UEA, | | | | | | | | | | | | |
| | Unbundled Loop Modification, Removal of Load Coils - 2 Wire | | | UEANL, UEPSR, | | | | | | | | | | | | |
| | pair less than or equal to 18k ft, per Unbundled Loop | | | UEPSB | ULM2L | | 65.40 | 65.40 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| - | Unbundled Loop Modification Removal of Load Coils - 4 Wire less | | | OLI OD | OLIVIZE | | 05.40 | 03.40 | | | | | 20.55 | 10.54 | 10.02 | 13.32 |
| 1 | than or equal to 18K ft, per Unbundled Loop | 1 | | UHL, UCL, UEA | ULM4L | 1 | 65.40 | 65.40 | Ì | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| 1 | man or equal to Ton It, per Unbuildled LOOP | | | UAL, UHL, UCL, | OLIVI4L | l | 05.40 | 05.40 | 1 | 1 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 1 | l | UEQ, ULS, UEA, | 1 | 1 | | | 1 | 1 |] | | | | | |
| | Unbundled Loop Modification Removal of Bridged Tap Removal, | 1 | | UEANL, UEPSR, | 1 | 1 | l | | Ì | | | | | | | |
| | | | | UEPSB | ULMBT | | 65.44 | 65.44 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| ID I OODS | per unbundled loop | | | UEPOB | OLIVID I | | 65.44 | 65.44 | | - | | | 20.35 | 10.54 | 13.32 | 13.32 |
| JB-LOOPS | on Distribution | | | _ | | | | | | - | | | | | | |
| Sub-Lo | op Distribution | - | | | + | | | | | - | | | | | | |
| 1 | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- | Ι. | l | LIEANII | LIGDOA | 1 | 547.05 | F47.05 | 1 | 1 |] | | 00.05 | 40 = 1 | 40.00 | 40.00 |
| - | о р | | | UEANL | USBSA | | 517.25 | 517.25 | | 1 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Out Land Bar Order Bardanati B 25 B 1 B 1 B 1 | ١. | | Lieanii | LIODOS | 1 | | | Ì | | | | 22.2- | | | 10.00 |
| | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | - 1 | <u> </u> | UEANL | USBSB | ļ | 42.68 | 42.68 | ļ | | ļ | | 20.35 | 10.54 | 13.32 | 13.32 |
| I | Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility | Ι. | l | l | Lucano | 1 | | 040 | 1 | 1 |] | | | 40 | 40 | 40.55 |
| | Set-Up | | | UEANL | USBSC | | 313.01 | 313.01 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set- | Ι. | l | L | l | 1 | | | 1 | 1 |] | | | | | |
| | Up | | | UEANL | USBSD | | 108.06 | 108.06 | ļ | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | l | | l., | | | | | | | | | | | | |
| | Statewide | | sw | UEANL | USBN2 | 10.02 | 148.84 | 112.34 | 73.14 | 36.65 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | l | | L | 1 | | l | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC |] | 34.29 | 34.29 | | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | 1 | l | İ | 1 | 1 | | | 1 | 1 |] | | | | | |
| | Zone 1 | | 1 | UEANL | USBN4 | 7.30 | 147.93 | 75.11 | 99.96 | 16.98 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | 1 | | | 1 |] | | | | | | | | | | |
| | Zone 2 | | 2 | UEANL | USBN4 | 9.54 | 147.93 | 75.11 | 99.96 | 16.98 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | l | | | | 1 | | | | | | | | | | |
| | Zone 3 | I | 3 | UEANL | USBN4 | 12.47 | 147.93 | 75.11 | 99.96 | 16.98 | 1 | | 20.35 | 10.54 | 13.32 | 13.32 |

| NDUNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachr | nent: 2 | Exni | oit: A |
|-------------|--|--|---------|-------------------------------------|----------------|-----------------|--|----------------|----------------------------|----------------------------|---|---|--|--|---|---|
| ΓEGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | OSS SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN |
| - | | | | | | | FIISL | Auu i | FIISL | Auu i | SOIVIEC | SOWAN | SOWAN | SOWAN | SOWAN | JOWAN |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 34.29 | 34.29 | | | | | | | | |
| | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | | | UEANL | USBR2 | 1.35 | 94.56 | 29.35 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | | - | UEANL UEANL | USBMC USBR4 | 2,26 | 34.29 116.14 | 34.29 37.10 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Sub-Loop 4-vviile intrabuliding Network Cable (INC) | <u>'</u> | 1 | UEAINL | USBN4 | 2.20 | 110.14 | 37.10 | | | | | 20.33 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 34.29 | 34.29 | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 78.92 | 78.92 | | | | | | | | |
| | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 23.33 | 23.33 | | | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | - 1 | 1 | UEF | UCS2X | 5.16 | 110.71 | 37.89 | 94.41 | 13.09 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | | 2 | UEF | UCS2X | 6.74 | 110.71 | 37.89 | 94.41 | 13.09 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | I | 3 | UEF | UCS2X | 8.81 | 110.71 | 37.89 | 94.41 | 13.09 | 1 | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 34.29 | 34.29 |] | | | 1 | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF | UCS4X | 6.52 | 117.12 | 44.30 | 99.96 | 16.98 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | i | 2 | UEF | UCS4X | 8.52 | 117.12 | 44.30 | 99.96 | 16.98 | 1 | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | 3 | UEF | UCS4X | 11.14 | 117.12 | 44.30 | 99.96 | 16.98 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | ļ | UEF | USBMC | | 34.29 | 34.29 | | | | | | | | |
| _ | Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour | | 1 | UEF UEF | URET1 URETA | | 78.92 23.33 | 78.92 23.33 | | | | | | | | |
| Unhun | dled Network Terminating Wire (UNTW) | | | UEF | UKETA | | 23.33 | 23.33 | | | | | | | | |
| Olibali | Unbundled Network Terminating Wire (UNTW) per Pair | | | UENTW | UENPP | 0.4555 | 2.48 | 2.48 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| Netwo | rk Interface Device (NID) | | | OZ.TT. | OLIVI I | 0.1000 | 2.10 | 2.10 | | | | | 20.00 | 10.01 | 10.02 | 10.02 |
| | Network Interface Device (NID) - 1-2 lines | | | UENTW | UND12 | | 89.69 | 54.56 | 0.6391 | 0.6391 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Network Interface Device (NID) - 1-6 lines | | | UENTW | UND16 | | 129.65 | 94.51 | 0.6522 | 0.6522 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Network Interface Device Cross Connect - 2 W | | | UENTW | UNDC2 | | 11.11 | 11.11 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| IE OTHER I | Network Interface Device Cross Connect - 4W PROVISIONING ONLY - NO RATE | | 1 | UENTW | UNDC4 | | 11.11 | 11.11 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| IE OTHEK, I | NID - Dispatch and Service Order for NID installation | | 1 | UENTW | UNDBX | 0.00 | 0.00 | | | | | | | | | |
| _ | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | 0.00 | 0.00 | | | | | | | | | |
| | | | | UEANL,UEF,UEQ,U | | | | | | | | | | | | |
| | Unbundled Contract Name, Provisioning Only - No Rate | | | ENTW | UNECN | 0.00 | 0.00 | | | | | | | | | |
| IE OTHER, I | PROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | |
| | Unbundled Contact Name, Provisioning Only - no rate | | | UAL,UCL,UDC,UDL, UDN,UEA,UHL,USL | UNECN | 0.00 | 0.00 | | | | | | | | | |
| | Linkundlad Cub Loop Fooder 2 M" O B I | | | UEA,UDN,UCL,UDC | LICDEO | 0.00 | 2.02 | |] | | | 1 | | | | |
| - | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate | 1 | 1 | UEA,UUN,UCL,UDC | USBLQ | 0.00 | 0.00 | | 1 | | 1 | | | | | |
| | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate | | | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | |] | | | 1 | | | | |
| | Unbundled DS1 Loop - Superframe Format Option - no rate | | | USL | CCOSF | 0.00 | 0.00 | | | | 1 | | | | | |
| | Unbundled DS1 Loop - Expanded Superframe Format option - no | | | | | | | | ĺ | | | | | | | |
| | rate | ļ | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| 3H CAPACII | TY UNBUNDLED LOCAL LOOP | | 1 | 1 | | 1 | | | | | ļ | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Per Mile per month | | | UE3 | 1L5ND | 9.19 | | | | | | | | | | |
| - | High Capacity Unbundled Local Loop - DS3 - Fel Wile Per Month High Capacity Unbundled Local Loop - DS3 - Facility Termination | | | 020 | ILUND | 3.19 | | | | | † | | | | | |
| | per month | | | UE3 | UE3PX | 374.24 | 684.6755 | 350.175 | 270.0545 | 195.684 | | 1 | 20.35 | 10.54 | | |
| | | | | | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month | | | UDLSX | 1L5ND | 9.19 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Facility | 1 | | LIDLOY | UDI 04 | 202.25 | 004.0755 | 050.475 | 040.400 | 470.000= | | 1 | 00.0= | 40 = 1 | | |
| Note (1 | Termination per month): Rates provided in TN for both electronic and manual Loop Ma | keun are | interim | UDLSX and subject to retro-a | UDLS1 | 389.35 | 684.6755 ending a permar | 350.175 | 248.193 on these rate e | 173.8225 lements from t | he Tenness | ee Regulato | 20.35 | 10.54 | | |
| OP MAKE-U | | cup are | | and subject to retro-d | Jave aue-up | - шајизинениз р | anig a pennai | ruse runity | Un those rate e | | 1 01111035 | - regulato | , Additionly. | | | |
| | Loop Makeup - Preordering Without Reservation, per working or | | | | | | | | | | | | | | | |
| | spare facility queried (Manual). | R | | UMK | UMKLW | | 0.76 | 0.76 | <u> </u> | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | Loop Makeup - Preordering With Reservation, per spare facility | | | | | | | | | | | | _ | | | |
| | queried (Manual). | R | | UMK | UMKLP | | 0.76 | 0.76 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | Loop MakeupWith or Without Reservation, per working or spare | R | | UMK | UMKMQ | | 0.76 | 0.76 | | | | | | | | |
| NE SPLITTIN | facility queried (Mechanized) | K | + | UIVIN | UIVINIVIQ | 1 | 0.76 | 0.76 | | | - | | | | | |
| | PLITTING | | + | | 1 | } | | | | | 1 | | | | | |

| ADOINDL | ED NETWORK ELEMENTS - Tennessee | | ı | l | 1 | 1 | | | | | Cua Code | Cura Conto | Attachi | | Exhi | |
|----------|---|--|--|------------------------|----------------|--|--|---------------|----------------|----------|--|---|--|--|---|---|
| rEGORY | RATE ELEMENTS | Interim | Zone | всѕ | usoc | | T., | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | 00150 | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| END | USER ORDERING-CENTRAL OFFICE BASED | | | | | | | | | | | | | | | |
| | Line Splitting - per line activation DLEC owned splitter | | | UEPSR UEPSB | UREOS | 0.61 | | | | | | | | | | |
| | Line Splitting - per line activation BST owned - physical | | | UEPSR UEPSB | UREBP | 0.61 | 48.96 | 21.39 | 35.06 | 10.79 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Line Splitting - per line activation BST owned - virtual | | | UEPSR UEPSB | UREBV | 0.61 | 48.96 | 21.39 | 35.06 | 10.79 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| NTENANO | CE OF SERVICE | | | | | | | | | | | | | | | |
| NOTE | : The Expedite charge will be maintained commensurate with Be | IISouth's | FCC No | .1 Tariff, Section 13. | 3.1 as applica | ble. | | | | | | | | | | |
| | No Trouble Found - per 1/2 hour increments - Basic | | | | | | 80.00 | 55.00 | | | | | | | | |
| | No Trouble Found - per 1/2 hour increments - Overtime | | | | | | 90.00 | 65.00 | | | | | | | | |
| | No Trouble Found - per 1/2 hour increments - Premium | | | | | | 100.00 | 75.00 | | | | | | | | |
| RUNDI FD | DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | ROFFICE CHANNEL - DEDICATED TRANSPORT | | | | + | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Per Mile per month | 1 | l | U1TVX | 1L5XX | 0.0054 | | | | 1 |] | | | | | |
| - | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | OTIVA | ILUAA | 0.0034 | + + | | | 1 | 1 | | | | | |
| | Facility Termination | l | l | U1TVX | U1TV2 | 18.58 | 55.39 | 17.37 | 27.96 | 3.51 | | | 20.35 | 21.09 | | |
| _ | | | - | UIIVA | UTIVZ | 18.58 | 55.39 | 17.37 | 27.96 | 3.51 | | | 20.35 | 21.09 | | |
| | Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade | 1 | l | LIATIVO | 41.572 | | | | | 1 |] | | | | | |
| _ | Rev Bat Per Mile per month | | <u> </u> | U1TVX | 1L5XX | 0.0054 | . | | | ļ | ļ | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat | l | | l | l | | | | | | | | | | | |
| | Facility Termination | | | U1TVX | U1TR2 | 18.58 | 55.39 | 17.37 | 27.96 | 3.51 | | | 20.35 | 21.09 | | |
| | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - | 1 | 1 | | 1 | 1 | 1 | | | | | | | | | |
| | Per Mile per month | <u> </u> | <u> </u> | U1TVX | 1L5XX | 0.0054 | <u> </u> | | | <u> </u> | | | | | | |
| | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Facility Termination | | | U1TVX | U1TV4 | 24.09 | 37.87 | 26.02 | 30.78 | 13.07 | | | 15.08 | 15.08 | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per | | | | | | 01.01 | | | | | | | | | |
| | month | | | U1TDX | 1L5XX | 0.0174 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | OTTEX | ILOXX | 0.0174 | | | | | | | | | | |
| | Termination | | | U1TDX | U1TD5 | 17.98 | 55.39 | 17.37 | 27.96 | 3.51 | | | 20.35 | 21.09 | | |
| _ | | | | UTIDA | 01105 | 17.90 | 55.39 | 17.37 | 27.90 | 3.51 | | | 20.35 | 21.09 | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per | | | l | | | | | | | | | | | | |
| | month | | | U1TDX | 1L5XX | 0.0174 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | | | | | | | | | | | | | |
| | Termination | | | U1TDX | U1TD6 | 17.98 | 55.39 | 17.37 | 27.96 | 3.51 | | | 20.35 | 21.09 | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | U1TD1 | 1L5XX | 0.3562 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | | | | | | | | | | | | |
| | Termination | | | U1TD1 | U1TF1 | 77.86 | 112.40 | 76.27 | 19.55 | 14.99 | | | 20.35 | 21.09 | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | U1TD3 | 1L5XX | 2.34 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | 1 | l | U1TD3 | U1TF3 | 848.99 | 395.29 | 176.56 | 109.04 | 105.91 |] | | 36.84 | 36.84 | | |
| - | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | | - | 0.100 | 51113 | 040.99 | 333.28 | 170.30 | 103.04 | 100.91 | | | 30.04 | 30.04 | | |
| | Interoffice Channel - Dedicated Transport - 515-1 - Per Mile per | 1 | l | U1TS1 | 1L5XX | 2.34 | | | | 1 |] | | | | | |
| _ | morar | | | 01101 | ILƏAX | 2.34 | - | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Facility | l | ĺ | LIATOA | LIATEO | 040.00 | 005.00 | 470.50 | 400.01 | 405.01 | | | 00.01 | 00.01 | | |
| K FIREF | Termination | | | U1TS1 | U1TFS | 849.30 | 395.29 | 176.56 | 109.04 | 105.91 | | | 36.84 | 36.84 | | |
| K FIBER | B LET E ET OL LE E LETTE | | ļ | | 4 | | | | | | | | | | | |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof | l | ĺ | | 1 | 1 | | | | 1 | | | | | | |
| | per month - Local Channel | | | UDF, UDFCX | 1L5DC | 67.65 | | | | | | | | | | |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof | | | | | | | | | | | | | | | |
| | per month - Interoffice Channel | | | UDF, UDFCX | 1L5DF | 28.74 | | | | | | | | | | |
| | NRC Dark Fiber - Interoffice Channel | | | UDF, UDFCX | UDF14 | | 1,121.00 | 153.19 | 580.26 | 357.17 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof | | | | | | | | | | | | | | | |
| | per month - Local Loop | 1 | l | UDF, UDFCX | 1L5DL | 67.65 | | | | 1 |] | | | | | |
| UAL CO | LLOCATION | | | , , , , , , | 1 | 1 | † | | | İ | | | | | | |
| | | 1 | | | 1 | 1 | † † | | | 1 | 1 | | | | | |
| 1 | Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting | 1 | l | UEPSR UEPSB | VE1LS | 0.57 | 11.62 | 9.90 | 10.38 | 8.66 |] | | 19.99 | 19.99 | 19.99 | 19.99 |
| SICAL CO | DLLOCATION | l | | SEL ON OFLIOD | 1 1 1 1 1 1 | 0.37 | 11.02 | 3.30 | 10.36 | 0.00 | | | 13.33 | 13.39 | 10.00 | 10.00 |
| J.OAL CO | Physical Collocation-2 Wire Cross Connects (Loop) for Line | | | | 1 | | | | | | | | | | | |
| | | l | ĺ | UEPSR UEPSB | DE4LO | 0.700= | 44.00 | 0.00 | 40.00 | 0.00 | | | 40.00 | 40.00 | 40.00 | 40.00 |
| IANGES | Splitting | | | DEROK DEROR | PE1LS | 0.7905 | 11.62 | 9.90 | 10.38 | 8.66 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | XTENDED LINK (EELs) | <u>. </u> | <u> </u> | L | Ļ., | <u>. </u> | | | | L | ļ | | | | | |
| | : The monthly recurring and non-recurring charges below will app | | | | | | | | | | | | | | | |
| NOTE | : The monthly recurring and the Switch-As-Is Charge and not the | non-recu | ring ch | arges below will app | ly for UNE co | mbinations pro | visioned as ' Cur | rently Combin | ed' Network El | ements. | | | | | | |
| 2-WIR | E VOICE GRADE LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop (SL2) in Combination - Zone 1 | | | UNCVX | UEAL2 | 16.56 | | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| _ | 2-Wire VG Loop (SL2) in Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 21.63 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | | | | | | | | | | | | | | | | |

| DONDLED NE | TWORK ELEMENTS - Tennessee | | | 1 | | | | | | | 0 | 0 | | ment: 2 | Exhi | |
|--------------|---|------------|--|---------|---------|--------|--------------|------------|--------------|-------|--|---|---|--|---|---|
| GORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Grade COCI - Per Month | | | UNCVX | 1D1VG | 0.91 | 5.70 | 4.42 | | | | | | | | |
| | GRADE LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | |
| 4-Wire | e Analog Voice Grade Loop in Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 24.70 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | e Analog Voice Grade Loop in Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 32.26 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | e Analog Voice Grade Loop in Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 42.18 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| Voice (| Grade COCI in combination - per month | | | UNCVX | 1D1VG | 0.91 | 5.70 | 4.42 | | | | | | | | |
| | PS DIGITAL LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | |
| | e 56Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL56 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | e 56Kbps Digital Grade Loop in Combination - Zone 2 | | 2 | UNCDX | UDL56 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | e 56Kbps Digital Grade Loop in Combination - Zone 3 | | | UNCDX | UDL56 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | DP COCI (data) per month (2.4-64kbs) | | 3 | UNCDX | 1D1DD | 0.91 | 5.70 | 4.42 | 12.94 | 10.00 | | | 20.33 | 21.09 | | |
| | | | | UNCDA | טטוטו | 0.91 | 5.70 | 4.42 | | | | | | | | |
| | PS DIGITAL LOOP FOR USE IN A COMBINATION | | 1 | LINICDY | LIDL 64 | 31.10 | 100.70 | 25.47 | 70.04 | 10.00 | | | 20.05 | 21.09 | | |
| 4-vvire | e 64Kbps Digital Grade Loop in Combination - Zone 1 | | | UNCDX | UDL64 | | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | | | |
| 4-Wire | e 64Kbps Digital Grade Loop in Combination - Zone 2 | | 2 | UNCDX | UDL64 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | ļ | | 20.35 | 21.09 | | |
| | e 64Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | ļ | | 20.35 | 21.09 | | |
| | OP COCI (data) - in combination - per month (2.4-64kbs) | | I | UNCDX | 1D1DD | 0.91 | 5.70 | 4.42 | | | | | | | | |
| | LOOP FOR USE IN COMBINATION | | | ļ | | | | | | | | | | | | |
| | e ISDN Loop in Combination - Zone 1 | | 1 | UNCNX | U1L2X | 22.22 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| 2-Wire | e ISDN Loop in Combination - Zone 2 | | 2 | UNCNX | U1L2X | 29.02 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| 2-Wire | ISDN Loop in Combination - Zone 3 | | 3 | UNCNX | U1L2X | 37.95 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| 2-wire I | ISDN COCI (BRITE) - in combination - per month | | | UNCNX | UC1CA | 3.24 | 5.70 | 4.42 | | | | | | | | |
| | IGITAL LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | |
| | DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 57.73 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | | |
| | DS1 Digital Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 75.40 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | | |
| | DS1 Digital Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 98.59 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | | |
| | OCI in combination per month | | Ŭ | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | 7 3.07 | 24.00 | | | 20.00 | 21.03 | | |
| 2 WIRE VOICE | GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | MRINATIO | N | ONOTA | OOIDI | 17.00 | 0.70 | 7.72 | | | | | | | | |
| Z WINE VOICE | CRADE INTEROTTIOE TRANSPORT TOR SOCIAL A SO | INDINATIO | | | | | - | | | | | | | | | |
| Intereff | fice Transport - 2-wire VG - Dedicated- Per Mile Per Month | | | UNCVX | 1L5XX | 0.0174 | | | | | | | | | | |
| | fice Transport - 2-wire VG - Dedicated - Facility Termination | | | UNCVA | ILOAA | 0.0174 | - | | | | 1 | | | | | |
| per mo | | | | UNCVX | U1TV2 | 21.79 | 79.83 | 44.08 | 69.32 | 31.00 | | | 20.35 | 21.09 | | |
| | GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | MONATIO | | UNCVA | UTIVZ | 21.79 | 79.03 | 44.06 | 69.32 | 31.00 | | | 20.35 | 21.09 | | |
| 4 WIKE VOICE | GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | WIDINATIC | JN | | _ | | - | | | | | | | | | |
| | | | | | 41 5101 | 00171 | | | | | | | | | | |
| Interoff | fice Transport - 4-wire VG - Dedicated - Per Mile Per Month | | | UNCVX | 1L5XX | 0.0174 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | fice Transport - 4-wire VG - Dedicated - Facility | | | | | | | | | | | | | | | |
| | nation per month | | | UNCVX | U1TV4 | 27.30 | 79.83 | 44.08 | 69.32 | 31.00 | | | 20.35 | 21.09 | | |
| DS1 INTEROF | FICE TRANSPORT FOR COMBINATION | | | | | | | | | | | | | | | |
| Interoff | fice Transport - Dedicated - DS1 combination - Per Mile per | | | | | | | | | | | | | | | |
| month | | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| Interoff | fice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | |
| | nation per month | | ĺ | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | l | | 20.35 | 21.09 | | |
| | FICE TRANSPORT FOR USE IN A COMBINATION | | | | | 50 | | | | 22.50 | | | | | | |
| | fice Transport - Dedicated - DS3 combination - Per Mile Per | | | | | | | | | | i | | | | | |
| Month | | | ĺ | UNC3X | 1L5XX | 2.34 | | | | | l | | | | | |
| | fice Transport - Dedicated - DS2 Facility Termination and | | | 01100/ | ILUAA | 2.34 | l . | | | | l | | | | | |
| month | fice Transport - Dedicated - DS3 - Facility Termination per | | l | LINICSV | U1TF3 | 054.07 | 400.04 | 450.04 | 64.40 | 35.43 | | | 26.04 | 26.04 | | |
| | OFFICE TRANSPORT FOR USE IN COMBINATION | | | UNC3X | UIIF3 | 854.97 | 482.01 | 153.81 | 64.43 | 35.43 | | | 36.84 | 36.84 | | |
| | | | | - | _ | | - | | - | | | | | | | |
| | fice Transport - Dedicated - STS-1 combination - Per Mile | | l | Liniony | 41.500 | | | | 1 | | l | |] | | | |
| Per Mo | | | — | UNCSX | 1L5XX | 2.34 | | | ļ | | ļ | | | | | |
| | fice Transport - Dedicated - STS-1 combination - Facility | | ĺ | | | | | | | | l | | | | | |
| | nation per month | | | UNCSX | U1TFS | 849.30 | 482.01 | 153.81 | 64.43 | 35.43 | | | 36.84 | 36.84 | | |
| | PS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANS | SPORT | | | | | | | | | | | | | | |
| | 56 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL56 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | | | | | | |
| | 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | | | | | | |
| 4-wire | 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | | | | | | |
| | fice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | | | | | | | | | | | |
| | le per month | | ĺ | UNCDX | 1L5XX | 0.0174 | | | | | l | | | | | |
| | fice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | | | | i | | | | | | | |
| | Termination per month | | l | UNCDX | U1TD5 | 21.19 | 79.83 | 44.08 | 69.32 | 31.00 | l | | 20.35 | 21.09 | | |
| 4-WIRE 64 KR | PS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROI | FICE TP | NSPO | | 51120 | 21.13 | 7 5.55 | 44.00 | 00.02 | 51.00 | | | 20.00 | 21.03 | | |
| | | I IOE I RA | | UNCDX | UDL64 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | | | | | | |
| | 64 kbps Lcoal Loop in Combination - Zone 1 | | | | | | | | | | | | | | | |
| | 64 kbps Lcoal Loop in Combination - Zone 2 | | 2 | UNCDX | UDL64 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | | | | | | |
| | 64 kbps Lcoal Loop in Combination - Zone 3 | | . 3 | UNCDX | UDL64 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | ı | 1 | | 1 | | |

| <u>IBUND</u> LI | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: A |
|-----------------|--|-----------|----------|-----------------------|----------------|----------------|--|----------------|----------------|-------|---|---|--|--|---|---|
| EGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | ļ | | | | Rec | Nonrecurring | A -1-111 | Nonrecurring I | | 001450 | COMAN | | Rates (\$) | 001111 | SOMAN |
| _ | Interesting Transport Dedicated 4 wire C4 libra combination | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SUMAN |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month | | | UNCDX | 1L5XX | 0.0174 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | UNCDX | ILSAA | 0.0174 | | | | | | | | | | |
| | Facility Termination per month | | | UNCDX | U1TD6 | 21.19 | 79.83 | 44.08 | 69.32 | 31.00 | | | 20.35 | 21.09 | | |
| 4-WIR | E 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE | ETRANSI | PORT | CHODA | 050 | 21110 | 10.00 | 11.00 | 00.02 | 01.00 | | | 20.00 | 21.00 | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL56 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | | | | | | |
| | 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | UNCDX | 1L5XX | 0.0174 | | | | | | | | | | |
| | 4-wire 56 kbps Interoffice Transport - Dedicated - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNCDX | U1TD5 | 21.19 | 79.83 | 44.08 | 69.32 | 31.00 | | | 20.35 | 21.09 | | |
| 4-WIR | E 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE | E I RANSI | | LINODY | LIDL04 | 04.40 | 400.70 | 05.47 | 70.04 | 40.00 | | | | | | |
| | 4-wire 64 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL64 | 31.10 | | 35.47 | 72.94 | 10.86 | | | | | | |
| | 4-wire 64 kbps Local Loop in combination - Zone 2 | | 3 | UNCDX | UDL64 UDL64 | 40.61 53.11 | 108.76 108.76 | 35.47 35.47 | 72.94 72.94 | 10.86 | | | | | | |
| - | 4-wire 64 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL64 | 55.11 | 106.76 | 35.47 | 72.94 | 10.86 | - | | | | | |
| | 14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month | 1 | | UNCDX | 1L5XX | 0.0174 | | | | | | |] | | | |
| | 4-wire 64 kbps Interoffice Transport - Dedicated - Facility | | | UNCDX | ILSAA | 0.0174 | | | | | | | | | | |
| | Termination per month | | | UNCDX | U1TD6 | 21.19 | 79.83 | 44.08 | 69.32 | 31.00 | | | 20.35 | 21.09 | | |
| DS1 D | DIGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT | 1 | | ONODA | OTTE | 21.13 | 70.00 | 44.00 | 03.02 | 01.00 | | | 20.00 | 21.00 | | |
| 50.5 | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 57.73 | 228,40 | 161.74 | 79.87 | 24.88 | | | | | | |
| _ | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 75.40 | | 161.74 | 79.87 | 24.88 | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 98.59 | | 161.74 | 79.87 | 24.88 | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | | |
| DS3 D | DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO | ORT | | | | | | | | | | | | | | |
| | DS3 Local Loop in combination - per mile per month | | | UNC3X | 1L5ND | 9.19 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | DS3 Local Loop in combination - Facility Termination per month | | | UNC3X | UE3PX | 373.47 | 240.23 | 180.87 | 106.78 | 45.24 | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 2.34 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNC3X | U1TF3 | 854.97 | 482.01 | 153.81 | 64.43 | 35.43 | | | 36.84 | 36.84 | | |
| STS-1 | DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN | SPORT | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | STS-1 Local Lolp in combination - per mile per month | | | UNCSX | 1L5ND | 9.19 | | | | | | | | | | |
| | OTO 41 and 1 | | | LINOOV | LIDL 04 | 204.50 | 040.00 | 400.07 | 400.70 | 45.04 | | | | | | |
| _ | STS-1 Local Loop in combination - Facility Termination per month | | | UNCSX | UDLS1 | 394.56 | 240.23 | 180.87 | 106.78 | 45.24 | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - per mile per month | 1 | | UNCSX | 1L5XX | 2.34 | | | | | | |] | | | |
| _ | Interoffice Transport - Dedicated - STS-1 combination - Facility | † | I | CINCOA | ILUAA | 2.34 | | | | | | | | | | |
| | Termination per month | 1 | | UNCSX | U1TFS | 849.30 | 482.01 | 153.81 | 64.43 | 35.43 | | | 36.84 | 36.84 | | |
| DITIONAL | NETWORK ELEMENTS | | | CHOOK | 00 | 0.10.00 | 102.01 | 100.01 | 01.10 | 00.10 | | | 00.01 | 00.01 | | |
| | used as a part of a currently combined facility, the non-recurrng | charges o | lo not a | pply, but a Switch A | s Is charge do | es apply. | | | | | | | | | | |
| | used as ordinarily combined network elements in All States, the | | | | | | | | | | | | | | | |
| Nonre | curring Currently Combined Network Elements "Switch As Is" Cl | harge (On | e applie | s to each combination | on) | | | | | | | | | | | |
| | | l - ` - | | UNCVX, UNCDX, | | | | | l İ | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As-Is | 1 | | UNC1X, UNC3X, | 1 | | | | | | | | | | | |
| | Charge | | | UNCSX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 53.73 | 24.62 | | |
| Option | nal Features & Functions: | | | | | | | | | | | | | | | - |
| | | | | U1TD1, | | | | | | | | | | | | |
| | Clear Channel Capability Extended Frame Option - per DS1 | l l | <u> </u> | ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | 1 | | U1TD1, | 1 | Ì | | | | | 1 | | | | | |
| | Clear Channel Capability Super FrameOption - per DS1 | l i | | ULDD1,UNC1X | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Clear Channel Capability (SF/ESF) Option - Subsequent Activity - | 1 | | ULDD1, U1TD1, | L | Ì | | | | | 1 | | | | | |
| _ | per DS1 | I | | UNC1X, USL | NRCCC | | 185.16 | 23.85 | 2.03 | 0.79 | | | 45.68 | 1.76 | | |
| | 0.000.000.000.000.000.000.000 | 1 . | | U1TD3, ULDD3, | lunas: | Ì | | | | | | | | | | |
| | C-bit Parity Option - Subsequent Activity - per DS3 | i | <u> </u> | UE3, UNC3X | NRCC3 | | 219.46 | 7.68 | 0.7637 | 0.00 | | | 45.68 | 1.76 | | |
| MULT | IPLEXERS | | | LINGAY | 1404 | 00 == | 405 70 | 44.10 | 0.01 | 0 = 1 | | | 00.05 | 0.00 | | |
| | DS1 to DS0 Channel System per month | | 1 | UNC1X | MQ1 | 80.77 | 105.76 | 14.48 | 3.04 | 2.74 | | l | 20.35 | 9.80 | | |
| _ | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month | | | | | | | | | | | | | | | |

| NBUNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | ment: 2 | | bit: A | L |
|-------------------|--|---------|------|----------------|--------|--------|--------------------|------------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|---|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental | |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - | |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc | |
| TEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. | |
| | | | | | | | | | | | ' | · . | Electronic- | Electronic- | Electronic- | Electronic- | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l | |
| | | | | | | _ | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates (\$) | | | ╁ |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month | | | | | | | | | | | | | | | | T |
| | (2.4-64kbs) used for connection to a channelized DS1 Local | | | | | | | | | | | | | | | | |
| | Channel in the same SWC as collocation | | | U1TUD | 1D1DD | 1.82 | 6.07 | 4.66 | | | | | | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | | | | | | | | | | | | | | |
| | month for a Local Loop | l | | UDN | UC1CA | 3.10 | 6.07 | 4.66 | | | | | | | | | 1 |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | | | | | | | | | | | | | | |
| | month used for connection to a channelized DS1 Local Channel in | | | | | | | | | | | | | | | | 1 |
| | the same SWC as collocation | | | U1TUB | UC1CA | 3.10 | 6.07 | 4.66 | | | | | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | | | | | | | | | | | | | |
| | used for a Local Loop | | | UEA | 1D1VG | 0.91 | 6.07 | 4.66 | | | | | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | | | | | | | | | | | | | П |
| | used for connection to a channelized DS1 Local Channel in the | | | | | | | | | | | | | | | | |
| | same SWC as collocation | | | U1TUC | 1D1VG | 0.91 | 6.07 | 4.66 | | | | | | | | | |
| | DS3 to DS1 Channel System per month | | | UNC3X | MQ3 | 222.98 | 156.02 | 49.41 | 17.12 | 6.77 | | | 20.35 | 9.80 | | | |
| | STS-1 to DS1 Channel System per month | | | UNCSX | MQ3 | 222.98 | 156.02 | 49.41 | 17.12 | 6.77 | | | 20.35 | 9.80 | | | |
| | DS1 COCI used with Loop per month | | | USL | UC1D1 | 17.58 | 6.07 | 4.66 | | | | | | | | | |
| | DS1 COCI (used for connection to a channelized DS1 Local | | | | | | | | | | | | | | | | |
| | Channel in the same SWC as collocation) per month | | | U1TUA | UC1D1 | 17.58 | 6.07 | 4.66 | | | | | | | | | |
| | DS1 COCI used with Interoffice Channel per month | | | U1TD1 | UC1D1 | 17.58 | 6.07 | 4.66 | | | | | | | | | |
| | | l | | | L | | | | | | | | | | | | |
| | DS3 Interface Unit (DS1 COCI) used with Local Channel per month | | | ULDD1 | UC1D1 | 17.58 | 6.07 | 4.66 | | | | | | | | | ₩ |
| PBX LOCA | | | | | + | | | | | | | | | | | | ₩ |
| 911 PB | X LOCATE DATABASE CAPABILITY | - | - | ODDDO | ODDELL | | 4 700 00 | | | | | | | | | - | ₩ |
| | Service Establishment per CLEC per End User Account | - | - | 9PBDC | 9PBEU | | 1,706.00 170.69 | | | | | | | | | - | ₩ |
| | Changes to TN Range or Customer Profile | | - | 9PBDC | 9PBTN | 0.07 | 170.69 | | | | | | | | | | ₩ |
| _ | Per Telephone Number (Monthly) | | - | 9PBDC | 9PBMM | 0.07 | 504.00 | | | | | | | | | | ₩ |
| _ | Change Company (Service Provider) ID | | - | 9PBDC | 9PBPC | 404.00 | 501.06 | | | | | | | | | | ₩ |
| | PBX Locate Service Support per CLEC (Monthlt) | ļ | - | 9PBDC 9PBDC | 9PBMR | 191.92 | 23.20 | | | | | | | | | | ╁ |
| 044.55 | Service Order Charge X LOCATE TRANSPORT COMPONENT | - | - | 9PBDC | 9PBSC | - | 23.20 | | | | | | | | | | + |
| 911 PB See Att | | - | - | | + | - | | | | | | . | | | | | + |
| | ः उ Rates displaying an "I" in Interim column are interim as a result o | | | | | | | | | | | | | | | | ┺ |

| UNBUN | IDLE | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachmer | nt: 2 Ex. B | | |
|---|--------|---|-------------|------|--------------|----------|--------|--------|------------|----------|--------------|--|--|--|--|---|---|
| CATEGO | | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonre | | | g Disconnect | | | | Rates (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| LIMBUMD | N ED E | I EXCHANGE ACCESS LOOP | | | | | | | | | | | - | | | | |
| | | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIRI F | OOP | | | | | | | | | | | | | 1 |
| | VVIIXL | 2 Wire Unbundled HDSL Loop including manual service inquiry | I | | | | | | | | | | | | | | + |
| | | & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 10.05 | 110.00 | 68.00 | 47.24 | 7.44 | | | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 11.70 | 110.00 | 68.00 | 47.24 | 7.44 | | | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | _ | | l | | | | | | | | | | | |
| | | & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 13.16 | 110.00 | 68.00 | 47.24 | 7.44 | | | | | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 10.05 | 90.00 | 57.00 | 47.24 | 7.44 | | | | | | |
| \vdash | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | - | OI IL | UI ILZVV | 10.05 | 90.00 | 37.00 | 41.24 | 7.44 | | | | | | |
| | | and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 11.70 | 90.00 | 57.00 | 47.24 | 7.44 | | | | | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | 1 | | | | <u> </u> | | | | | | | 1 |
| | | and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 13.16 | 90.00 | 57.00 | 47.24 | 7.44 | | | | | | |
| 4 | 1-WIRE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | | | | | | | | | | | | | |
| | | 4 Wire Unbundled HDSL Loop including manual service inquiry | | | l | | | | | | | | | | | | |
| | | and facility reservation - Zone 1 4-Wire Unbundled HDSL Loop including manual service inquiry | | 1 | UHL | UHL4X | 16.04 | 148.36 | 68.00 | 51.70 | 9.73 | | | | | | |
| | | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 17.89 | 148.36 | 68.00 | 51.70 | 9.73 | | | | | | |
| - | | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | OFF | UI IL4X | 17.09 | 140.30 | 00.00 | 31.70 | 9.73 | | | | | | + |
| | | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 17.54 | 148.36 | 68.00 | 51.70 | 9.73 | | | | | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | _ | | | | | | | | | | İ | | | |
| | | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 16.04 | 94.00 | 57.00 | 51.70 | 9.73 | | | | | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 2 | | 2 | UHL | UHL4W | 17.89 | 94.00 | 57.00 | 51.70 | 9.73 | | | | | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 17.54 | 94.00 | 57.00 | 51.70 | 9.73 | | | | | | |
| 4 | 1-WIDE | E DS1 DIGITAL LOOP | | 3 | UHL | UHL4VV | 17.54 | 94.00 | 57.00 | 51.70 | 9.73 | | | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 94.93 | 252.47 | 157.54 | 44.70 | 11.71 | | | | | | - |
| | | 4-Wire DS1 Digital Loop - Zone 2 | | | USL | USLXX | 177.31 | 252.47 | 157.54 | | 11.71 | | | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 3 | | | USL | USLXX | 361.70 | 252.47 | 157.54 | 44.70 | 11.71 | | | | | | |
| HIGH CA | PACIT | Y UNBUNDLED LOCAL LOOP | | | | | | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | | month | | | UE3 | 1L5ND | 9.64 | | | | | | | | | | ļ |
| | | High Capacity Unbundled Local Loop - DS3 - Facility Termination per month | | | UE3 | UE3PX | 355.33 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - STS-1 - Per Mile per | | | UL3 | ULSFX | 333.33 | | | | | | | 1 | | | |
| | | month | | | UDLSX | 1L5ND | 9.64 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - STS-1 - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | | | UDLSX | UDLS1 | 367.80 | | | | | | | | | | |
| | | DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| - 11 | | DFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | U1TD1 | 1L5XX | 0.21 | | | | | | | | | | |
| | | month Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | וטווטו | ILOAA | 0.21 | | | 1 | | | | + | | | + |
| | | Termination | | | U1TD1 | U1TF1 | 69.18 | | | | | | | 1 | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | 22.70 | | | Ì | Ì | | | 1 | Ì | | |
| | | month | | | U1TD3 | 1L5XX | 4.70 | | | | <u> </u> | | | <u> </u> | <u> </u> | | <u> </u> |
| | | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | · | | | | | | | | | |
| $\vdash \!$ | | Termination per month | | | U1TD3 | U1TF3 | 809.05 | | | ļ | | <u> </u> | ļ | | | | <u> </u> |
| | | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | | | 114704 | 1L5XX | 4.70 | | | | | | | 1 | | | |
| \vdash | | month Interoffice Channel - Dedicated Transport - STS-1 - Facility | | | U1TS1 | ILDAX | 4.70 | | | - | | | - | | | | |
| | | Termination | | | U1TS1 | U1TFS | 806.58 | | | | | | | | 1 | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade | | | ULDVX, UNCVX | ULDV2 | 16.07 | | | 1 | 1 | | | 1 | 1 | | 1 |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat | | | ULDVX | ULDR2 | 16.07 | | | | | | | | 1 | | 1 |
| | • | Local Channel - Dedicated - 4-Wire Voice Grade | | | ULDVX, UNCVX | ULDV4 | 17.17 | • | | | | | | | | | |
| | | Local Channel - Dedicated - DS1 - Zone 1 | | 1 | ULDD1, UNC1X | ULDF1 | 41.12 | | | | | | | | | | |

| LIND | INDI E | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachman | nt: 2 Ex. B | | |
|----------|--------------|---|--|----------|------------------------------|----------------|--|---------------|---------------|----------------|---------------|--|-----------|-------------|-------------|-------------|-------------|
| UND | NULE | NET WORK ELEMENTS - AIGUAINA | 1 | | | 1 | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | 1 | | | | 1 | | | | | | Submitted | | Charge - | Charge - | Charge - |
| | | | 1. | | | | | | | | | Elec | | Manual Svc | | Manual Svc | Manual Svc |
| CATE | GORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | - (1) | | | per Lon | per Lon | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | D130 13t | DISC Add I |
| | | | | | | | Rec | Nonre | | | g Disconnect | | | | Rates (\$) | | |
| | | Local Channel - Dedicated - DS1 - Zone 2 | | | ULDD1, UNC1X | ULDF1 | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 | | | ULDD1, UNC1X ULDD1, UNC1X | ULDF1 ULDF1 | 57.48 123.77 | | | - | | | | | | | |
| | | | | 3 | | | | | | | | 1 | | | | | |
| | 1 | Local Channel - Dedicated - DS3 - Per Mile per month | | | ULDD3, UNC3X | 1L5NC | 7.96 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Local Channel - Dedicated - DS3 - Facility Termination | | | ULDD3, UNC3X | ULDF3 | 479.02 | | | | | | | | | | |
| | | Local Channel - Dedicated - STS-1- Per Mile per month Local Channel - Dedicated - STS-1 - Facility Termination | | 1 | ULDS1, UNCSX ULDS1, UNCSX | 1L5NC ULDFS | 7.96 469.76 | | | - | | | | | | | |
| ENHA | NCED EX | (TENDED LINK (EELs) | | | ULDS I, UNCSA | ULDFS | 469.76 | | | | | 1 | | | | | |
| | | The monthly recurring and non-recurring charges below will | apply a | nd the | Switch-As-Is Charge | e will not apr | oly for UNE com | binations pro | visioned as ' | Ordinarily Com | bined' Networ | k Elements. | | | | | |
| | | The monthly recurring and the Switch-As-Is Charge and not t | | | | | | | | | | | | | | | |
| | | VOICE GRADE LOOP FOR USE IN A COMBINATION | | | <u> </u> | | | | | | | | | | | | |
| | | 2-Wire VG Loop (SL2) in Combination - Zone 1 | | | UNCVX | UEAL2 | 16.54 | | | | | | | | | | |
| | | 2-Wire VG Loop (SL2) in Combination - Zone 2 | | | UNCVX | UEAL2 | 26.28 | | | | | | | | | | |
| | | 2-Wire VG Loop (SL2) in Combination - Zone 3 | ļ | 3 | UNCVX | UEAL2 | 41.56 | | | 1 | ļ | | | | | | |
| <u> </u> | 4 14/15- | Voice Grade COCI - Per Month | <u> </u> | | UNCVX | 1D1VG | 0.61 | | | 1 | ļ | <u> </u> | | | | | ļ |
| | 4-WIRE | VOICE GRADE LOOP FOR USE IN A COMBINATION | | 1 | UNCVX | UEAL4 | 29.14 | | | | | | | | | | |
| | 1 | 4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 29.14 44.37 | | | | | | | | | | |
| | 1 | 4-Wire Analog Voice Grade Loop in Combination - Zone 3 | | | UNCVX | UEAL4 | 69.02 | | | | | | | | | | |
| | | Voice Grade COCI in combination - per month | | Ŭ | UNCVX | 1D1VG | 0.61 | | | | | | | | | | |
| | 4-WIRE | 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | |
| | | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL56 | 30.00 | | | | | | | | | | |
| | | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 | | | UNCDX | UDL56 | 41.34 | | | | | | | | | | |
| | | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL56 | 43.56 | | | | | | | | | | |
| | | OCU-DP COCI (data) per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.29 | | | | | | | | | | |
| | 4-WIRE | 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION | | 1 | LINICDY | LIDL C4 | 20.00 | | | | | 1 | | | | | |
| | 1 | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 | | 2 | UNCDX UNCDX | UDL64 UDL64 | 30.00 41.34 | | | | | | | | | | |
| | | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 | | | UNCDX | UDL64 | 43.56 | | | | | | | | | | |
| | | OCU-DP COCI (data) - in combination - per month (2.4-64kbs) | | Ť | UNCDX | 1D1DD | 1.29 | | | | | | | | | | |
| | 2-WIRE | ISDN LOOP FOR USE IN COMBINATION | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Loop in Combination - Zone 1 | | | UNCNX | U1L2X | 25.16 | | | | | | | | | | |
| | | 2-Wire ISDN Loop in Combination - Zone 2 | | | UNCNX | U1L2X | 37.78 | | | | | | | | | | |
| | | 2-Wire ISDN Loop in Combination - Zone 3 | | 3 | UNCNX | U1L2X | 55.83 | | | | | | | | | | |
| | 4 1000 | 2-wire ISDN COCI (BRITE) - in combination - per month | | | UNCNX | UC1CA | 2.77 | | | | | | | | | | |
| | 4-WIRE | E DS1 DIGITAL LOOP FOR USE IN A COMBINATION | | 1 | UNC1X | USLXX | 94.93 | | | | | 1 | | | | | |
| | + | 4-Wire DS1 Digital Loop in Combination - Zone 1 4-Wire DS1 Digital Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 177.31 | | | | | 1 | | | | | |
| | 1 | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | | UNC1X | USLXX | 361.70 | | | + | | | | | | | |
| | | DS1 COCI in combination per month | | | UNC1X | UC1D1 | 14.60 | | | | | 1 | | | | | |
| | 2 WIRE | VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | OMBINA | TION | | | | | | | | | | | | | |
| | | Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per | | | | | | | | | | | | | | | |
| | | Month | | | UNCVX | 1L5XX | 0.01 | | | | | | | | | | |
| | | Interoffice Transport - 2-wire VG - Dedicated - Facility | | | | l | _ | | | | | | | | | | |
| - | 4 16"5 | Termination per month | DAADIN' : | TICY | UNCVX | U1TV2 | 24.30 | | | 1 | 1 | | | | | | |
| - | 4 WIRE | VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per | JMIRINA | TION | | - | - | | - | + | 1 | | | | | | - |
| | | Month | | | UNCVX | 1L5XX | 0.01 | | | | | | | | | | |
| | 1 | Interoffice Transport - 4-wire VG - Dedicated - Facility | | | J. 10 V/ | . 20/01 | 3.01 | | | + | 1 | | | | | | |
| 1 | | Termination per month | 1 | | UNCVX | U1TV4 | 21.54 | | | | | | | | | | |
| | DS1 IN | TEROFFICE TRANSPORT FOR COMBINATION | | | | | | | | | <u> </u> | İ., | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | - | | | | | | | | | |
| | <u> </u> | per month | | | UNC1X | 1L5XX | 0.21 | | | | | | | | | | |
| 1 | | Interoffice Transport - Dedicated - DS1 combination - Facility | 1 | | | | | | | | | | | | | | |
| <u> </u> | DC2 ''' | Termination per month | | | UNC1X | U1TF1 | 69.18 | | - | + | 1 | <u> </u> | | | - | | - |
| — | DS3 IN | TEROFFICE TRANSPORT FOR USE IN A COMBINATION Interoffice Transport - Dedicated - DS3 combination - Per Mile | <u> </u> | | | + | | | | + | 1 | | | | | | |
| | | Per Month | | | UNC3X | 1L5XX | 4.70 | | | | | | | | | | |
| | 1 | p or moral | 1 | 1 | 01100/ | 'LUAA | 4.70 | | 1 | 1 | 1 | 1 | 1 | ı | 1 | 1 | 1 |

| UNBUN | DLEI | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachmer | nt: 2 Ex. B | | |
|-------------|--------|--|----------|---------|--------|----------------|----------------|-------|------------|-------------|--------------|-----------|-----------|-------------|--|-------------|--|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | | Manual Svc | Manual Svc | | Manual Svc |
| CATEGO | RY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | | | | per Lore | per Lore | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | 131 | Auu | Diac 1at | Disc Add I |
| | | | | | | | Rec | Nonre | curring | Nonrecurrin | g Disconnect | | | oss | Rates (\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | | | | | | | | | | | | | |
| | | month | | | UNC3X | U1TF3 | 809.05 | | | | | | | | | | |
| S | TS-1 I | NTEROFFICE TRANSPORT FOR USE IN COMBINATION | | | | | | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS-1 combination - Per Mile | | | | | | | | | | | | | | | |
| | | Per Month | | | UNCSX | 1L5XX | 4.70 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | | | UNCSX | U1TFS | 806.58 | | | | | | | | | | |
| 4- | WIRE | 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN | SPORT | | | | | | | | | | | | | | |
| | | 4-wire 56 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL56 | 30.00 | | | | | | | | | | |
| | | 4-wire 56 kbps Local Loop in combination - Zone 2 | | | UNCDX | UDL56 | 41.34 | | | | | | | | | | |
| | | 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 43.56 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | l | 1 | | | | | | | | | 1 | | Ì | | 1 |
| | | Per Mile per month | | | UNCDX | 1L5XX | 0.01 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | l | 1 | | | | | | | | | 1 | | Ì | | 1 |
| | | Facility Termination per month | | | UNCDX | U1TD5 | 17.39 | | | | | | | | | | |
| 4- | WIRE | 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | FFICE 1 | | | | | | | | | | | | | | |
| | | 4-wire 64 kbps Lcoal Loop in Combination - Zone 1 | | | UNCDX | UDL64 | 30.00 | | | | | | | | | | |
| | | 4-wire 64 kbps Lcoal Loop in Combination - Zone 2 | | 2 | UNCDX | UDL64 | 41.34 | | | | | | | | | | |
| | | 4-wire 64 kbps Lcoal Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 | 43.56 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | | | |
| | | Per Mile per month | | | UNCDX | 1L5XX | 0.01 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | 4= 00 | | | | | | | | | | |
| L . | | Facility Termination per month | | | UNCDX | U1TD6 | 17.39 | | | | | | | | | | |
| 4- | WIKE | 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC | E IRAN | | | | | | | | | | | | | | |
| | | 4-wire 56 kbps Local Loop in combination - Zone 1 | | | UNCDX | UDL56 | 30.00 | | | | | | | | | | |
| | | 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 UDL56 | 41.34 43.56 | | | | | | | | | | |
| - | | 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDLOG | 43.56 | | | | | | | | | | |
| | | 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month | | | UNCDX | 1L5XX | 0.01 | | | | | | | | | | |
| - | | 4-wire 56 kbps Interoffice Transport - Dedicated - Facility | | | UNCDA | ILSAA | 0.01 | | | | | | | | | | - |
| | | Termination per month | | | UNCDX | U1TD5 | 17.39 | | | | | | | | | | |
| 4 | WIDE | 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC | E TDAN | SDODI | | 01103 | 17.39 | | | | | | | | | | |
| | WILL | 4-wire 64 kbps Local Loop in combination - Zone 1 | LINAN | 1 | UNCDX | UDL64 | 30.00 | | | | | | | | | | - |
| - | | 4-wire 64 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL64 | 41.34 | | | | | | | | | | |
| \vdash | | 4-wire 64 kbps Local Loop in combination - Zone 3 | - | 3 | UNCDX | UDL64 | 43.56 | | | 1 | | | | | | | |
| | | 14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per | 1 | | 5.10DA | 35204 | 43.30 | | | <u> </u> | 1 | | l | | | | — |
| | | month | l | 1 | UNCDX | 1L5XX | 0.01 | | | | | | 1 | | Ì | | 1 |
| | | 4-wire 64 kbps Interoffice Transport - Dedicated - Facility | 1 | | | | 3.51 | | | | | | | | 1 | | t |
| | | Termination per month | l | 1 | UNCDX | U1TD6 | 17.39 | | | | | | 1 | | Ì | | 1 |
| D | S1 DI | GITAL LOOP AND DS1 INTERFOFFICE TRANSPORT | 1 | | - | 1 | 50 | | | Ì | 1 | | | | 1 | | |
| | | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 94.93 | | | | † | | | | İ | | |
| | | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 177.31 | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 361.70 | | | | 1 | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | 1 | | | | | | |
| | | per month | l | | UNC1X | 1L5XX | 0.21 | | | | | | | | | | 1 |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | |
| L l | | Termination per month | <u> </u> | <u></u> | UNC1X | U1TF1 | 69.18 | | <u></u> | | <u></u> | <u> </u> | <u></u> | | <u> </u> | | <u>1</u> |
| D: | S3 DI | GITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO | DRT | | | | | | | | | | | | | | |
| | | DS3 Local Loop in combination - per mile per month | | | UNC3X | 1L5ND | 11.08 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | 1 |
| | | DS3 Local Loop in combination - Facility Termination per month | | | UNC3X | UE3PX | 408.63 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 4.70 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS3 combination - Facility | | | | | | | | | | | | | | | 1 |
| | | Termination per month | | | UNC3X | U1TF3 | 809.05 | | | | | | | | | | |
| S | TS-1 | DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN | SPORT | | | | | | | | | | | | | | |
| | | STS-1 Local Lolp in combination - per mile per month | | | UNCSX | 1L5ND | 11.08 | | | | | | | | | | |
| | | STS-1 Local Loop in combination - Facility Termination per | l | 1 | | | | | | | | | 1 | | Ì | | 1 |
| 1 1 | | month | | | UNCSX | UDLS1 | 422.98 | | | | | <u>l</u> | | | | | 1 |

| UNBL | INDLE | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachmer | nt: 2 Ex. B | | |
|-------|----------|--|-------------|--------|-----------------------------|-----------|----------------|-----------|------------|--------------|--------------|-------|-----------------------|-------------|-------------------------|---|---|
| CATEG | GORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted Manually | Incremental | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | g Disconnect | | | | Rates (\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Transport - Dedicated - STS-1 combination - per mile per month | | | UNCSX | 1L5XX | 4.70 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | | | | | | | | | | | | | ĺ |
| | | Termination per month | | | UNCSX | U1TFS | 806.58 | | | | | | | | | | ı |
| ADDIT | | IETWORK ELEMENTS | | | | | | | | | | | | | | | <u> </u> |
| | | used as a part of a currently combined facility, the non-recurr | | | | | | | | | | | | | | | <u> </u> |
| | | used as ordinarily combined network elements in All States, t | | | | | As Is Charge d | loes not. | | | | | | | | | <u> </u> |
| | | curring Currently Combined Network Elements "Switch As Is" | Charge | (One a | pplies to each comb | oination) | | | | | | | | | | | |
| | Option | al Features & Functions: | | | | | | | | | | | | | | | |
| | | | | | U1TD1, | | | | | | | | | | | | ĺ |
| | | Clear Channel Capability Extended Frame Option - per DS1 | - 1 | | ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | l . |
| | | Clear Channel Capability Super FrameOption - per DS1 | ١, | | U1TD1, ULDD1,UNC1X | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | l |
| | | Clear Channel Capability (SF/ESF) Option - Subsequent | | | ULDD1, U1TD1, | | | | | | | | | | | | |
| | | Activity - per DS1 | I | | UNC1X, USL | NRCCC | | 184.85 | 23.81 | 1.99 | 0.7741 | | | | | | |
| | | C-bit Parity Option - Subsequent Activity - per DS3 | l i | | U1TD3, ULDD3, UE3, UNC3X | NRCC3 | | 219.13 | 7.67 | 0.7355 | 0.00 | | | | | | İ |
| - | MIII TII | PLEXERS | | | ULS, UNCSA | INICOS | | 219.13 | 7.07 | 0.7333 | 0.00 | 1 | | | | | |
| | WIOLIII | DS1 to DS0 Channel System per month | | | UNC1X | MQ1 | 116.22 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | ONOTA | IVIQI | 110.22 | | | | | | | | | | |
| | | month (2.4-64kbs) used for a Local Loop | | | UDL | 1D1DD | 1.29 | | | | | | | | | | í |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | ODL | 10100 | 1.20 | | | | | | 1 | | | | f |
| | | month (2.4-64kbs) used for connection to a channelized DS1 | | | | | | | | | | | | | | | í |
| | | Local Channel in the same SWC as collocation | | | U1TUD | 1D1DD | 1.29 | | | | | | | | | | í |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | 01105 | | 1.20 | | | | | | 1 | | | | f |
| | | month for a Local Loop | | | UDN | UC1CA | 2.77 | | | | | | | | | | í |
| - | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | | 23.07. | 2.77 | | | 1 | | İ | 1 | | | | |
| | | month used for connection to a channelized DS1 Local Channel | | | | | | | | 1 | | | | | | | 1 |
| | | in the same SWC as collocation | | | U1TUB | UC1CA | 2.77 | | | 1 | | | | | | | i |
| | | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | | 1 | | | İ | | | | | | | í |
| | | used for a Local Loop | | | UEA | 1D1VG | 0.61 | | | 1 | | | | | | | í |
| | | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | | | | | | | | | | | | ĺ |
| 1 | | used for connection to a channelized DS1 Local Channel in the | | | | | | | | 1 | | | | | | | 1 |
| | | same SWC as collocation | | | U1TUC | 1D1VG | 0.61 | | | 1 | | | | | | | í |
| | | DS3 to DS1 Channel System per month | | | UNC3X | MQ3 | 191.05 | | | | | | | | | | ĺ |
| | | STS-1 to DS1 Channel System per month | | | UNCSX | MQ3 | 191.05 | | | | | | | | | | i . |
| | | DS1 COCI used with Loop per month | | | USL | UC1D1 | 14.60 | | • | | | | | | | | 1 |
| | | DS1 COCI (used for connection to a channelized DS1 Local | | | | | | | • | | | | | | | | 1 |
| | <u></u> | Channel in the same SWC as collocation) per month | | | U1TUA | UC1D1 | 14.60 | | | | | | | | | | <u> </u> |
| | | DS1 COCI used with Interoffice Channel per month | | | U1TD1 | UC1D1 | 14.60 | | | | | | | | | | i |
| | | DS3 Interface Unit (DS1 COCI) used with Local Channel per | | | | | | | | | | | | | | | i |
| L | | month | | | ULDD1 | UC1D1 | 14.60 | | | | | | | | | | i |

| UNBUNE | DLED | NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachmer | nt: 2 Ex. B | | |
|-----------------|--------|---|-------------|----------|--------------|-----------|-----------------|------------------|------------------|----------------|----------------|--------|---|--|--|---|---|
| CATEGOR | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | No. | RATES (\$) | Name | Diagonal | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| <u> </u> | | | | | | | Rec | Nonrec | | Nonrecurring | | 001150 | SOMAN | | Rates (\$) | 201111 | 001111 |
| - | | | | 1 | | + | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| UNRUNDI | ED EX | CHANGE ACCESS LOOP | | | | | | | | | | | | | | | + |
| | | IIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE I | LOOP | | | | | | | | | | | | | † |
| | | Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | facility reservation - Zone 1 | | 1 | UHL | UHL2X | 8.30 | 159.09 | 113.41 | 75.05 | 15.63 | | | | | | |
| | | Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | facility reservation - Zone 2 | | 2 | UHL | UHL2X | 11.80 | 159.09 | 113.41 | 75.05 | 15.63 | | | | | | |
| | | Wire Unbundled HDSL Loop including manual service inquiry | | _ | UHL | UHL2X | 00.04 | 450.00 | 440.44 | 75.05 | 45.00 | | | | | | |
| | | facility reservation - Zone 3 Wire Unbundled HDSL Loop without manual service inquiry | | 3 | UHL | UHL2X | 20.94 | 159.09 | 113.41 | 75.05 | 15.63 | | | | | | + |
| İ | | nd facility reservation - Zone 1 | | 1 | UHL | UHL2W | 8.30 | 134.40 | 80.69 | 60.64 | 9.12 | | | | | | |
| | | Wire Unbundled HDSL Loop without manual service inquiry | | - | OFIL | OFILZVV | 6.30 | 134.40 | 80.09 | 00.04 | 9.12 | | | | | | + |
| İ | | nd facility reservation - Zone 2 | | 2 | UHL | UHL2W | 11.80 | 134.40 | 80.69 | 60.64 | 9.12 | | | | | | |
| | | Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | 1 |
| İ | | nd facility reservation - Zone 3 | | 3 | UHL | UHL2W | 20.94 | 134.40 | 80.69 | 60.64 | 9.12 | | | | | | |
| 4-V | WIRE H | IIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE I | LOOP | | | | | | | | | | | | | |
| | | Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| — | | nd facility reservation - Zone 1 | | 1 | UHL | UHL4X | 12.49 | 193.31 | 138.98 | 77.15 | 12.61 | | | | | | |
| | | -Wire Unbundled HDSL Loop including manual service inquiry | | _ | UHL | 11111 477 | 47.70 | 400.04 | 420.00 | 77.45 | 40.04 | | | | | | |
| | | nd facility reservation - Zone 2 -Wire Unbundled HDSL Loop including manual service inquiry | | 2 | UHL | UHL4X | 17.76 | 193.31 | 138.98 | 77.15 | 12.61 | | | | | | + |
| | | nd facility reservation - Zone 3 | | 3 | UHL | UHL4X | 31.50 | 193.31 | 138.98 | 77.15 | 12.61 | | | | | | |
| | | -Wire Unbundled HDSL Loop without manual service inquiry | | - 3 | OTIL | OTILAX | 31.30 | 190.01 | 130.30 | 77.13 | 12.01 | | | | | | + |
| | | nd facility reservation - Zone 1 | | 1 | UHL | UHL4W | 12.49 | 168.62 | 115.47 | 62.74 | 11.22 | | | | | | |
| | | Wire Unbundled HDSL Loop without manual service inquiry | | | - | | _ | | | - | | | | | | | |
| | | nd facility reservation - Zone 2 | | 2 | UHL | UHL4W | 17.76 | 168.62 | 115.47 | 62.74 | 11.22 | | | | | | |
| İ | | Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | | nd facility reservation - Zone 3 | | 3 | UHL | UHL4W | 31.50 | 168.62 | 115.47 | 62.74 | 11.22 | | | | | | |
| 4-V | | S1 DIGITAL LOOP | | 1 | 1101 | USLXX | 04.05 | 040.75 | 101.10 | 04.00 | 10.50 | | | | | | |
| - | | -Wire DS1 Digital Loop - Zone 1 -Wire DS1 Digital Loop - Zone 2 | | | USL USL | USLXX | 81.35 115.62 | 313.75 313.75 | 181.48 181.48 | 61.22 61.22 | 13.53 13.53 | | | | | | + |
| | | -Wire DS1 Digital Loop - Zone 2 -Wire DS1 Digital Loop - Zone 3 | | | USL | USLXX | 205.15 | 313.75 | 181.48 | 61.22 | 13.53 | | | | | | + |
| HIGH CAP | | UNBUNDLED LOCAL LOOP | | - 3 | 001 | OOLXX | 200.10 | 313.73 | 101.40 | 01.22 | 10.00 | | | | | | + |
| 1011 077 | | igh Capacity Unbundled Local Loop - DS3 - Per Mile per | | | | | | | | | | | | | | | 1 |
| | | onth | | | UE3 | 1L5ND | 12.56 | | | | | | | | | | |
| | | igh Capacity Unbundled Local Loop - DS3 - Facility | | | | | | | | | | | | | | | |
| | | ermination per month | | | UE3 | UE3PX | 444.91 | | | | | | | | | | |
| | | igh Capacity Unbundled Local Loop - STS-1 - Per Mile per | | | LIDLOY | 41 END | 10.50 | | | | | | | | | | |
| $\vdash \vdash$ | | onth igh Capacity Unbundled Local Loop - STS-1 - Facility | | | UDLSX | 1L5ND | 12.56 | | | | | | | | | | |
| 1 1 | | ermination per month | | | UDLSX | UDLS1 | 490.59 | | | | | | 1 | | | | |
| UNBUNDL | | DICATED TRANSPORT | | | SSLOX | 55251 | 430.33 | | | | | | | | 1 | | |
| | | FICE CHANNEL - DEDICATED TRANSPORT | | | 1 | | | | | | | | | | | | |
| | ln | teroffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | | | | | | |
| | | onth | | | U1TD1 | 1L5XX | 0.21 | | | | | | | | | | ļ |
| | | steroffice Channel - Dedicated Tranport - DS1 - Facility | | | l==. | | | | | | | | 1 | | | | |
| | | ermination | | <u> </u> | U1TD1 | U1TF1 | 101.71 | | | | | | | | | | ├ |
| | | steroffice Channel - Dedicated Transport - DS3 - Per Mile per nonth | | | U1TD3 | 1L5XX | 4.45 | | | | | | | | | | |
| | | teroffice Channel - Dedicated Transport - DS3 - Facility | | - | סווט | ILUAA | 4.45 | | | | | 1 | - | | 1 | | + |
| | | ermination per month | | | U1TD3 | U1TF3 | 1231.65 | | | | | | 1 | | | | |
| | | teroffice Channel - Dedicated Transport - STS-1 - Per Mile per | | | 1 | 1 0 | .201.30 | | | | | | | | | | † |
| | m | onth | | | U1TS1 | 1L5XX | 4.45 | | | | | | 1 | | | | |
| | | teroffice Channel - Dedicated Transport - STS-1 - Facility | | | | | | | | | | | | | | | |
| | | ermination | | | U1TS1 | U1TFS | 1214.40 | | | | | | | | | | <u> </u> |
| | 11.7 | ocal Channel - Dedicated - 2-Wire Voice Grade - Zone 1 | l | | ULDVX, UNCVX | ULDV2 | 22.61 | | | | | | | | | | ↓ |
| | | ocal Channel - Dedicated - 2-Wire Voice Grade - Zone 2 | | _ | ULDVX, UNCVX | ULDV2 | 32.13 | | | | | | | | | | |

| UNBUND | LED NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachmer | nt: 2 Ex. B | | |
|----------|---|--|----------|--------------------|----------------|-----------------|---------------|---------------|--|---------------|--|-----------|--|-------------|-------------|--|
| | | | | | | | | | | | Svc Order | Svc Order | | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | | Manual Svc | Manual Svc | |
| CATEGORY | Y RATE ELEMENTS | | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Ļ., | | | T | | | | | | | |
| | | | <u> </u> | | | Rec | | curring | | g Disconnect | | | | Rates (\$) | | |
| | Lacal Channel Dadiested C Wise Veice Crade Dev. Bot | | | | | + + | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat Zone 1 | | | ULDVX | ULDR2 | 22.61 | | | | | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat | | 1 | ULDVX | ULDRZ | 22.01 | | | - | | + | | | | | |
| | Zone 2 | | 2 | ULDVX | ULDR2 | 32.13 | | | | | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat | | | OLDVX | OLDINE | 02.10 | | | | | | | | | | |
| | Zone 3 | | 3 | ULDVX | ULDR2 | 57.02 | | | | | | | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1 | | 1 | ULDVX, UNCVX | ULDV4 | 23.52 | | | | | 1 | | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2 | | | ULDVX, UNCVX | ULDV4 | 33.42 | | | | | | | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3 | | 3 | ULDVX, UNCVX | ULDV4 | 59.29 | | | | | | | | | | |
| | Local Channel - Dedicated - DS1 - Zone 1 | | | ULDD1, UNC1X | ULDF1 | 41.96 | | | | | | | | | | |
| | Local Channel - Dedicated - DS1 - Zone 2 | | | ULDD1, UNC1X | ULDF1 | 59.63 | | | | | | | | | | |
| | Local Channel - Dedicated - DS1 - Zone 3 | | 3 | ULDD1, UNC1X | ULDF1 | 105.80 | | | | | | | | | | |
| | Local Channel - Dedicated - DS3 - Per Mile per month | | | ULDD3, UNC3X | 1L5NC | 9.78 | | | | | | | | | | |
| | Local Channel - Dedicated - DS3 - Facility Termination | | | ULDD3, UNC3X | ULDF3 | 611.70 | | | 1 | | | | | | | |
| | Local Channel - Dedicated - STS-1- Per Mile per month | ļ | | ULDS1, UNCSX | 1L5NC | 9.78 | | ļ | 1 | 1 | 1 | | ļ | | | |
| | Local Channel - Dedicated - STS-1 - Facility Termination | | | ULDS1, UNCSX | ULDFS | 621.79 | | | | | | | | | | |
| | D EXTENDED LINK (EELs) | <u> </u> | L.,. | | L | <u> </u> | | l <u> </u> | <u> </u> | <u> </u> | .l_, | | | | | |
| | TE: The monthly recurring and non-recurring charges below will | | | | | | | | | | | | | | | |
| | TE: The monthly recurring and the Switch-As-Is Charge and not to | ne non- | recurri | ng charges below w | ill apply for | UNE combination | ons provisior | ied as Curren | tiy Combined | Network Eleme | ents. | | | | | |
| Z-VV | /IRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 14.08 | | | | | | | | | | |
| - | 2-Wire VG Loop (SL2) in Combination - Zone 2 | | | UNCVX | UEAL2 | 20.01 | | | | | 1 | | | | | |
| - | 2-Wire VG Loop (SL2) in Combination - Zone 3 | | | UNCVX | UEAL2 | 35.50 | | | | | 1 | | | | | |
| - | Voice Grade COCI - Per Month | | | UNCVX | 1D1VG | 1.59 | | | | | | | | | | |
| 4-W | VIRE VOICE GRADE LOOP FOR USE IN A COMBINATION | | | 0.1017 | .5 | | | | | | | | | | | |
| | 4-Wire Analog Voice Grade Loop in Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 21.72 | | | | | 1 | | | | | |
| | 4-Wire Analog Voice Grade Loop in Combination - Zone 2 | | | UNCVX | UEAL4 | 30.87 | | | | | | | | | | |
| | 4-Wire Analog Voice Grade Loop in Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 54.76 | | | | | | | | | | |
| | Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 1.59 | | | | | | | | | | |
| 4-W | /IRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | |
| | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 | | | UNCDX | UDL56 | 25.53 | | | | | | | | | | |
| | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 | | | UNCDX | UDL56 | 36.29 | | | | | | | | | | |
| | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL56 | 64.39 | | | | | | | | | | |
| | OCU-DP COCI (data) per month (2.4-64kbs) | | <u> </u> | UNCDX | 1D1DD | 2.42 | | | | | | | | | | |
| 4-vv | /IRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION | | 4 | LINCDV | LIDI C4 | 25.52 | | | - | | + | | | | | |
| | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 | | 2 | UNCDX UNCDX | UDL64 UDL64 | 25.53 36.29 | | - | + | + | 1 | | - | | - | |
| -+ | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 | 1 | | UNCDX | UDL64 | 64.39 | | + | + | | | | | | | |
| | OCU-DP COCI (data) - in combination - per month (2.4-64kbs) | | 3 | UNCDX | 1D1DD | 2.42 | | 1 | 1 | + | 1 | | 1 | | 1 | - |
| 2-W | /IRE ISDN LOOP FOR USE IN COMBINATION | 1 | | 5.10DA | .5100 | 2.72 | | † | + | + | | | | | | |
| | 2-Wire ISDN Loop in Combination - Zone 1 | 1 | 1 | UNCNX | U1L2X | 22.17 | | 1 | 1 | 1 | | | 1 | | | |
| | 2-Wire ISDN Loop in Combination - Zone 2 | | | UNCNX | U1L2X | 31.51 | | 1 | 1 | | 1 | | | | İ | |
| | 2-Wire ISDN Loop in Combination - Zone 3 | | | UNCNX | U1L2X | 55.91 | | | | | | | | | | |
| | 2-wire ISDN COCI (BRITE) - in combination - per month | | | UNCNX | UC1CA | 4.21 | | | | | | | | | | |
| 4-W | /IRE DS1 DIGITAL LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | | UNC1X | USLXX | 81.35 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | | UNC1X | USLXX | 115.62 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 205.15 | | | 1 | 1 | | | | | | |
| | DS1 COCI in combination per month | <u> </u> | | UNC1X | UC1D1 | 15.82 | | | ļ | 1 | | | | | | |
| 2 W | VIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | MBINA | IION | | 1 | | | 1 | 1 | 1 | - | | | | | |
| | Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month | l | 1 | LINICVA | 11 5 7 7 | 0.04 | | | 1 | | 1 | | | | | |
| | Month Interoffice Transport - 2-wire VG - Dedicated - Facility | | - | UNCVX | 1L5XX | 0.01 | | | + | + | 1 | | | | - | - |
| | Termination per month | 1 | | UNCVX | U1TV2 | 29.12 | | | I | | | | 1 | | | |
| 4 W | IRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | MRINA | TION | 0110 1/ | J11 VZ | 23.12 | | 1 | 1 | + | 1 | | 1 | | 1 | + |
| | Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per | | | | 1 | | | 1 | | + | † | | | | | |
| | Month | l | | UNCVX | 1L5XX | 0.01 | | | 1 | | | | | | | |
| | Interoffice Transport - 4-wire VG - Dedicated - Facility | | | - | 1 | 1 2.31 | | Ì | 1 | | | | 1 | | | 1 |
| | Termination per month | l | 1 | UNCVX | U1TV4 | 25.97 | | | 1 | | 1 | | | | | 1 |
| | | | | | | | | | | | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachmer | nt: 2 Ex. B | | |
|--|--|---------|-------|----------------|----------------|----------------|-------|------------|-------------|--------------|-----------|-----------|-------------|-------------|-------------|--|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| CATEGORY | RATE ELEMENTS | Interi | 7 | BCS | USOC | | | DATES (6) | | | Elec | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | m | Zone | всэ | USUC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonre | curring | Nonrecurrin | g Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| DS1 II | TEROFFICE TRANSPORT FOR COMBINATION | | | | | | | | | | | | | | | ļ! |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | LINIOAN | 41.500/ | 0.04 | | | | | | | | | | 1 |
| | per month Interoffice Transport - Dedicated - DS1 combination - Facility | | | UNC1X | 1L5XX | 0.21 | | | | | | | | | | |
| | Termination per month | | | UNC1X | U1TF1 | 101.71 | | | | | | | | | | ł |
| DS3 II | ITEROFFICE TRANSPORT FOR USE IN A COMBINATION | | | 011017 | 01111 | 101.71 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Per Mile | | | | | | | | | | | | | | | ĺ . |
| | Per Month | | | UNC3X | 1L5XX | 4.45 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | | | | | | | | | | | | | ł |
| ere 4 | INTEROFFICE TRANSPORT FOR USE IN COMBINATION | | | UNC3X | U1TF3 | 1231.65 | | | + | | | | | | | |
| 313-1 | Interoffice Transport - Dedicated - STS-1 combination - Per Mile | | | | + | | | 1 | + | 1 | 1 | | | | | |
| | Per Month | | | UNCSX | 1L5XX | 4.45 | | | 1 | | | | | | | l |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | | | | | | 1 | | | | | | | |
| | Termination per month | | | UNCSX | U1TFS | 1214.40 | | | 1 | | | | | | | |
| 4-WIR | E 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN | SPORT | | | | | | | | | | | | | | |
| \vdash | 4-wire 56 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL56 | 25.53 | | | _ | ļ | 1 | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3 | | | UNCDX UNCDX | UDL56 UDL56 | 36.29 64.39 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | 3 | UNCDX | UDL36 | 64.39 | | | 1 | | | | | | | |
| | Per Mile per month | | | UNCDX | 1L5XX | 0.01 | | | | | | | | | | ł |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | | | | | | | | | | | i |
| | Facility Termination per month | | | UNCDX | U1TD5 | 21.21 | | | | | | | | | | <u> </u> |
| 4-WIR | E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | FFICE T | RANSI | | | | | | | | | | | | | <u> </u> |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 1 | | 2 | UNCDX | UDL64 | 25.53 | | | | | | | | | | |
| - | 4-wire 64 kbps Lcoal Loop in Combination - Zone 2 4-wire 64 kbps Lcoal Loop in Combination - Zone 3 | | | UNCDX UNCDX | UDL64 UDL64 | 36.29 64.39 | | | + | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | 3 | ONODA | ODLO4 | 04.55 | | | + | | | | | | | |
| | Per Mile per month | | | UNCDX | 1L5XX | 0.01 | | | | | | | | | | ł |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | | | ĺ . |
| | Facility Termination per month | | | UNCDX | U1TD6 | 21.21 | | | | | | | | | | L |
| 4-WIR | E 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC | E TRAN | | | 1151.50 | | | | 1 | | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 1 4-wire 56 kbps Local Loop in combination - Zone 2 | | 1 2 | UNCDX UNCDX | UDL56 UDL56 | 25.53 36.29 | | | 1 | | | | | | | |
| h + + + + + + + + + + + + + + + + + + + | 4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3 | | | UNCDX | UDL56 | 64.39 | | | 1 | | | | | | | |
| | 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per | | Ŭ | ONODA | OBLOO | 04.00 | | | | | | | | | | |
| | month | | | UNCDX | 1L5XX | 0.01 | | | | | | | | | | ł |
| | 4-wire 56 kbps Interoffice Transport - Dedicated - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | 10000 | UNCDX | U1TD5 | 21.21 | | | | | | | | | | |
| 4-WIR | E 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC | E TRAN | | | LIDL64 | 25 52 | | | + | | 1 | | | | | |
| | 4-wire 64 kbps Local Loop in combination - Zone 1 4-wire 64 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX UNCDX | UDL64 UDL64 | 25.53 36.29 | | 1 | + | 1 | 1 | | | | | |
| | 4-wire 64 kbps Local Loop in combination - Zone 3 | | | UNCDX | UDL64 | 64.39 | | | | | | | | | | |
| | 14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per | | | | | | | | 1 | | | | | | | |
| | month | | | UNCDX | 1L5XX | 0.01 | | | | | | | | | | |
| | 4-wire 64 kbps Interoffice Transport - Dedicated - Facility | | | LINODY | LIATES | 2. 2. | | | 1 | | | | | | | i ' |
| DC4 5 | Termination per month IGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT | | | UNCDX | U1TD6 | 21.21 | | | 1 | | | | | | | |
| ם ויפט | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 81.35 | | | + | | } | | | | | · |
| | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 115.62 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | | UNC1X | USLXX | 205.15 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| \vdash | per month | | | UNC1X | 1L5XX | 0.21 | | | 1 | | | | | | | ļ |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | LINGAY | LIATEA | 404.74 | | | 1 | | | | | | | 1 |
| Des D | Termination per month IGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO |) DT | | UNC1X | U1TF1 | 101.71 | | - | + | 1 | - | | | | | |
| 1000 0 | DS3 Local Loop in combination - per mile per month | , | | UNC3X | 1L5ND | 14.44 | | | 1 | 1 | 1 | | | | | |
| | por milo por month | | | | 1-2 | | | | 1 | | | | | | | |
| | DS3 Local Loop in combination - Facility Termination per month | | | UNC3X | UE3PX | 511.65 | | | <u> </u> | | | | | | | l |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachmer | nt: 2 Ex. B | | |
|--|--|----------|---------|------------------------------|---------------|----------------|---------|------------|--------------|------------|-----------|-----------|--|-------------------|-------------|--|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| — | | | | | | I | Nonrec | urring | Nonrecurring | Disconnect | | | 220 | Rates (\$) | | L |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 4.45 | 1 11 51 | Addi | 11100 | Addi | COMILO | COMPAR | COMPAN | COMPAR | COMPAR | COMPAR |
| | Interoffice Transport - Dedicated - DS3 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNC3X | U1TF3 | 1231.65 | | | | | | | | | | ĺ |
| STS-1 | DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN | ISPORT | | | | | | | | | | | | | | |
| | STS-1 Local Lolp in combination - per mile per month | | | UNCSX | 1L5ND | 14.44 | | | | | | | | | | |
| | STS-1 Local Loop in combination - Facility Termination per | | | | | | | | | | | | | | | ĺ |
| | month Interoffice Transport - Dedicated - STS-1 combination - per mile | | | UNCSX | UDLS1 | 564.18 | | | | | | | | | | |
| | per month | | | UNCSX | 1L5XX | 4.45 | | | | | | | | | | 1 |
| — | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | UNCSA | ILSAA | 4.45 | | | | | | - | | - | | |
| | Termination per month | | | UNCSX | U1TFS | 1214.40 | | | | | | | | | | 1 |
| ADDITIONAL | NETWORK ELEMENTS | | | 01100/1 | 01110 | 1214.40 | | | | | | | | | | |
| | used as a part of a currently combined facility, the non-recurr | rng cha | rges do | not apply, but a S | witch As Is c | harge does app | ly. | | | | | | | İ | | |
| | used as ordinarily combined network elements in All States, t | | | | | | | | | | | | | | | |
| Nonre | curring Currently Combined Network Elements "Switch As Is" | Charge | (One a | pplies to each com | bination) | | | | | | | | | | | |
| Optio | nal Features & Functions: | | | | | | | | | | | | | | | |
| | | | | U1TD1, | | | | | | | | | | | | ĺ |
| | Clear Channel Capability Extended Frame Option - per DS1 | I | | ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | 01011-01-11/0 | ١. | | U1TD1, | 00005 | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | i |
| | Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent | <u> </u> | | ULDD1,UNC1X ULDD1, U1TD1, | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | - | | | | \vdash |
| | Activity - per DS1 | l , | | UNC1X, USL | NRCCC | | 184.92 | 23.82 | 2.07 | 0.80 | | | | | | ĺ |
| | Activity - per DOT | - | | U1TD3, ULDD3, | MICOCO | | 104.32 | 25.02 | 2.07 | 0.00 | | | | | | |
| | C-bit Parity Option - Subsequent Activity - per DS3 | l i | | UE3, UNC3X | NRCC3 | | 219.09 | 7.67 | 0.773 | 0.00 | | | | | | ĺ |
| MULT | IPLEXERS | | | | | | | | | | | | | | | |
| | DS1 to DS0 Channel System per month | | | UNC1X | MQ1 | 168.79 | | | | | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | ĺ |
| | month (2.4-64kbs) used for a Local Loop | | | UDL | 1D1DD | 2.42 | | | | | | | | | | . |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | 1 |
| | month (2.4-64kbs) used for connection to a channelized DS1 | | | LIATUD | 10100 | 0.40 | | | | | | | | | | 1 |
| | Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | U1TUD | 1D1DD | 2.42 | | | | | | - | | | | |
| | month for a Local Loop | | | UDN | UC1CA | 4.21 | | | | | | | | | | 1 |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | 1 | | ODIA | 0010/1 | 7.21 | | | | | | | | | | — |
| | month used for connection to a channelized DS1 Local Channel | | | | | | | | | | | | | | | 1 |
| | in the same SWC as collocation | | | U1TUB | UC1CA | 4.21 | | | | | | | | | | 1 |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | | | | | | | | | | | | |
| | used for a Local Loop | | | UEA | 1D1VG | 1.59 | | | | | | | | | | L |
| 1 1 - | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | | | | · | | | | | | 1 | | 1 |
| 1 1 | used for connection to a channelized DS1 Local Channel in the | | | | | | | | | | | | | 1 | | 1 |
| | same SWC as collocation | 1 | | U1TUC UNC3X | 1D1VG MQ3 | 1.59 242.87 | | | | | 1 | 1 | | 1 | | |
| \vdash | DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month | 1 | | UNCSX | MQ3 | 242.87 | | | | | | | | - | | |
| | DS1 COCI used with Loop per month | l | | USL | UC1D1 | 15.82 | | | | | | | 1 | | | |
| | DS1 COCI (used for connection to a channelized DS1 Local | 1 | | | 55151 | 10.02 | | | | | | | | - | | |
| | Channel in the same SWC as collocation) per month | | | U1TUA | UC1D1 | 15.82 | | | | | | | | 1 | | 1 |
| | DS1 COCI used with Interoffice Channel per month | | | U1TD1 | UC1D1 | 15.82 | | | | | | | | | | |
| | DS3 Interface Unit (DS1 COCI) used with Local Channel per | | | | | | | | | | | | | | | |
| 1 1 | month | | | ULDD1 | UC1D1 | 15.82 | | | | | | | 1 | | | 1 |

| IINRI | INDI F | D NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachmer | nt: 2 Ex. B | | |
|----------|--|---|--|--|-----------------------|----------|----------------|------------------|----------------|----------------|--|-----------|-----------|-------------|--|-------------|-------------|
| ONDO | JNDLL | | 1 | | | 1 | 1 | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | ١ | | | | | | | | | Elec | Manually | | Manual Svc | Manual Svc | Manual Svc |
| CATE | GORY | RATE ELEMENTS | Interi | Zone | BCS | usoc | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | - (,, | | | per Lon | per LSK | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | DISC 1St | DISC Add I |
| | | | | | | | Rec | Nonred | | | g Disconnect | | | | Rates (\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| UNBU | | EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| - | 2-WIRE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | IIBLE | LOOP | | | | | | | | | | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 | ١. | | UHL | UHL2X | 9.06 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| - | + | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | UNL | UHLZX | 9.00 | 44.09 | 31.33 | 0.00 | 0.00 | | | | | | |
| | | & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 10.45 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | 1 | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | OTIL | OTILEX | 10.40 | 44.00 | 01.00 | 0.00 | 0.00 | | | | | | |
| | | & facility reservation - Zone 3 | 1 | 3 | UHL | UHL2X | 16.65 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| L | <u> </u> | and facility reservation - Zone 1 | 1 | 1 | UHL | UHL2W | 9.06 | 44.69 | 31.55 | 0.00 | 0.00 | <u> </u> | | <u> </u> | <u> </u> | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | _ | | | |
| | | and facility reservation - Zone 2 | I | 2 | UHL | UHL2W | 10.45 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | 1 | 2 Wire Unbundled HDSL Loop without manual service inquiry | 1 | | l | |] | | | |] | 1 | | | _ | | |
| | | and facility reservation - Zone 3 | l l | 3 | UHL | UHL2W | 16.65 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | 4-WIRE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | | | | | | | | | | | | | |
| | | 4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 11.95 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry | - 1 | | UNL | UHL4A | 11.95 | 44.09 | 31.33 | 0.00 | 0.00 | | | | - | | |
| | | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 13.80 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | 1 | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | OTIL | OFFICAN | 13.00 | 44.03 | 31.00 | 0.00 | 0.00 | | | | | | |
| | | and facility reservation - Zone 3 | 1 | 3 | UHL | UHL4X | 21.93 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 1 | - 1 | 1 | UHL | UHL4W | 11.95 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 2 | - 1 | 2 | UHL | UHL4W | 13.80 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 3 | ı | 3 | UHL | UHL4W | 21.93 | 44.69 | 31.55 | 0.00 | 0.00 | | | | | | |
| | 4-WIRE | DS1 DIGITAL LOOP | | | 1101 | 1101.207 | 47.47 | 044.00 | 70.40 | 00.04 | 7.00 | | | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 1 4-Wire DS1 Digital Loop - Zone 2 | | 1 2 | USL USL | USLXX | 47.17 53.37 | 211.93 211.93 | 72.49 72.49 | 38.24 38.24 | 7.20 7.20 | | | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 71.33 | 211.93 | 72.49 | 38.24 | 7.20 | | | | | | |
| HIGH (| CAPACI | TY UNBUNDLED LOCAL LOOP | | 3 | OOL | OOLXX | 71.55 | 211.33 | 12.43 | 30.24 | 7.20 | | | | | | |
| 1 | 1 | High Capacity Unbundled Local Loop - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | | month | | | UE3 | 1L5ND | 12.62 | | | | | | | | | | |
| | i | High Capacity Unbundled Local Loop - DS3 - Facility | l | | | | | | | | | | | | | | |
| | <u> </u> | Termination per month | <u> </u> | <u>L</u> | UE3 | UE3PX | 291.39 | | | | <u> </u> | | | | <u></u> | <u> </u> | <u> </u> |
| | | High Capacity Unbundled Local Loop - STS-1 - Per Mile per | | | | | | | | | | | | _ | | | |
| | <u> </u> | month | | <u> </u> | UDLSX | 1L5ND | 12.62 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - STS-1 - Facility | | | LIDLOY | LIDLG: | | | | | | | | | 1 | | |
| UNIDIT | IIII | Termination per month | ļ | <u> </u> | UDLSX | UDLS1 | 351.23 | | | 1 | | | | | 1 | | |
| ONBU | | DEDICATED TRANSPORT DEFICE CHANNEL - DEDICATED TRANSPORT | <u> </u> | | | - | | | | | | | | | - | | |
| - | INTER | Interoffice Channel - Dedicated Transport Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | 1 | | 1 | 1 | | | | 1 | 1 | | 1 | 1 | | 1 | 1 |
| | 1 | month | 1 | 1 | U1TD1 | 1L5XX | 0.13 | | | | | 1 | | | | | |
| | 1 | Interoffice Channel - Dedicated Tranport - DS1 - Facility | 1 | | 551 | .20/01 | 5.15 | | | † | | | | | - | | |
| | 1 | Termination | 1 | 1 | U1TD1 | U1TF1 | 39.32 | | | | | 1 | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | 1 | | | | | | | | | | | | | |
| L | <u> </u> | month | <u></u> | L | U1TD3 | 1L5XX | 2.91 | | | | <u> </u> | <u> </u> | <u> </u> | <u></u> | <u> </u> | <u> </u> | <u> </u> |
| | | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | | | | | | _ | | | |
| | <u> </u> | Termination per month | <u> </u> | <u> </u> | U1TD3 | U1TF3 | 393.32 | | | | | | | | 1 | | |
| | 1 | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | 1 | | l | I | | | | | | 1 | | | _ | | |
| | | month | ļ | <u> </u> | U1TS1 | 1L5XX | 2.92 | | | ļ | | | | | | | |
| | 1 | Interoffice Channel - Dedicated Transport - STS-1 - Facility | 1 | 1 | 114704 | U1TFS | 440.47 | | | | | 1 | | | | | |
| _ | | Termination Local Channel - Dedicated - 2-Wire Voice Grade | | ! | U1TS1 ULDVX, UNCVX | ULDV2 | 412.47 8.90 | | | - | | | | | | | |
| - | 1 | Local Channel - Dedicated - 2-Wire Voice Grade Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat | 1 | 1 | ULDVX, UNCVX | ULDV2 | 8.90 | | | | | | | | + | | |
| - | 1 | Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat Local Channel - Dedicated - 4-Wire Voice Grade | 1 | | ULDVX, UNCVX | ULDV4 | 10.03 | | | † | | | | | | | |
| | 1 | Local Channel - Dedicated - US1 Zone 1 | 1 | 1 | ULDD1, UNC1X | ULDF1 | 21.24 | | | 1 | 1 | | | | 1 | | |
| | 1 | | · | <u></u> ' | 1 | 1000. | 21.27 | | | · | 1 | <u> </u> | 1 | · | 1 | · | l |

| LINBLINDI E | D NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachme | nt: 2 Ex. B | | |
|---------------|--|--|--|--------------------|----------------|-----------------|---------------|-----------------|---------------|--|--|-----------|-------------|-------------|-------------|--|
| ONBONDEL | D NETWORK ELLINENTS - Georgia | 1 | | 1 | 1 | 1 | | | | | Svc Order | Svc Order | | | Incremental | Incremental |
| | | | | | | | | | | | 1 | Submitted | | | | |
| | | | | | | | | | | | 1 | | Charge - | Charge - | Charge - | Charge - |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | Elec | Manually | Manual Svc | | Manual Svc | |
| CATEGORI | RATE ELEMENTS | m | Zone | 603 | 0300 | | | KAILS (4) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | - | | | | Nonre | | Monroourrin | g Disconnect | | l | 000 | Rates (\$) | | |
| | | | | | - | Rec | First | | | <u> </u> | COMEC | SOMAN | | | SOMAN | SOMAN |
| | Local Channel - Dedicated - DS1 Zone 2 | | - | ULDD1, UNC1X | ULDF1 | 64.75 | FIRST | Add'l | First | Add'l | SOMEC | SUMAN | SUMAN | SOWAN | SOWAN | SUMAN |
| - | Local Channel - Dedicated - DS1 Zone 3 | | | ULDD1, UNC1X | ULDF1 | 189.41 | | | | - | 1 | | | | | - |
| | Local Channel - Dedicated - DS1 Zone 3 Local Channel - Dedicated - DS3 - Per Mile per month | | | ULDD3, UNC3X | 1L5NC | 1.66 | | | | | | | | | | |
| | Local Channel - Dedicated - DS3 - Fel Mile per Month Local Channel - Dedicated - DS3 - Facility Termination | | | ULDD3, UNC3X | ULDF3 | 169.06 | | | | | | | | | | |
| | Local Channel - Dedicated - DSS - Facility Termination Local Channel - Dedicated - STS-1- Per Mile per month | | | ULDS1, UNCSX | 1L5NC | 1.66 | | | | | | | | | | |
| | Local Channel - Dedicated - STS-1 - Per Mile per month Local Channel - Dedicated - STS-1 - Facility Termination | | | ULDS1, UNCSX | ULDFS | 177.81 | | | | | | | | | | |
| ENILIANICED E | XTENDED LINK (EELs) | | | ULDST, UNCSX | ULDF5 | 177.81 | | | | | | | | | | |
| | The monthly recurring and non-recurring charges below will | onnly o | nd the | Switch As Is Chara | o will not on | alv for UNE con | hinations pro | visioned so ! C | rdinarily Cam | hinad' Naturar | r Elemente | | | | | |
| | The monthly recurring and the Switch-As-Is Charge and not t | | | | | | | | | | | | | | | |
| | | ne non- | recurri | ng charges below v | viii appiy ioi | UNE COMBINALI | ons provision | eu as Current | ly Combined | Network Eleme | 1115. | | | | | |
| 2-WIR | E VOICE GRADE LOOP FOR USE IN A COMBINATION | | 4 | UNCVX | UEAL2 | 13.31 | | | | + | <u> </u> | | | - | | |
| \vdash | 2-Wire VG Loop (SL2) in Combination - Zone 1 | | | UNCVX | UEAL2 | 13.31 | | | - | + | <u> </u> | | - | - | | - |
| \vdash | 2-Wire VG Loop (SL2) in Combination - Zone 2 | | | | UEAL2 | 19.49 38.04 | | | | | | | | | | |
| \vdash | 2-Wire VG Loop (SL2) in Combination - Zone 3 | | 3 | UNCVX | 1D1VG | 38.04 0.54 | | | | + | <u> </u> | | | - | | |
| 4 18/15 | Voice Grade COCI - Per Month | | | UNCVX | וטועט | 0.54 | | | | + | <u> </u> | | | - | | |
| 4-WIR | E VOICE GRADE LOOP FOR USE IN A COMBINATION | | 1 | LINCVV | UEAL4 | 00.47 | | | | + | <u> </u> | | | - | | |
| \vdash | 4-Wire Analog Voice Grade Loop in Combination - Zone 1 | | | UNCVX UNCVX | UEAL4 UEAL4 | 20.47 24.93 | | | | + | <u> </u> | | | - | | |
| | 4-Wire Analog Voice Grade Loop in Combination - Zone 2 | | | | | | | | | | | | | | | |
| | 4-Wire Analog Voice Grade Loop in Combination - Zone 3 | | 3 | UNCVX | UEAL4 1D1VG | 34.79 | | | | | | | | | | |
| | Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 0.54 | | | | | | | | | | |
| 4-WIR | E 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION | | | LINIORY/ | | 0.5.4.4 | | | | | | | | | | |
| | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 | | | UNCDX | UDL56 | 25.14 | | | | | | | | | | |
| | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 | | 2 | UNCDX | UDL56 | 32.61 | | | | | | | | | | |
| | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL56 | 43.95 | | | | | | | | | | |
| | OCU-DP COCI (data) per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.15 | | | | | | | | | | |
| 4-WIR | E 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATI\ON | | | LINIORY/ | | 0.5.4.4 | | | | | | | | | | |
| | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL64 | 25.14 | | | | | | | | | | |
| | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 | | | UNCDX | UDL64 | 32.61 | | | | | | | | | | |
| | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 | 43.95 | | | | | | | | | | |
| | OCU-DP COCI (data) - in combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.15 | | | | | | | | | | |
| 2-WIR | E ISDN LOOP FOR USE IN COMBINATION | | | LINONIX | 1141.07/ | 00.70 | | | | | | | | | | |
| | 2-Wire ISDN Loop in Combination - Zone 1 | | | UNCNX | U1L2X | 22.79 | | | | | | | | | | |
| | 2-Wire ISDN Loop in Combination - Zone 2 | | | UNCNX | U1L2X | 30.20 | | | | | | | | | | |
| | 2-Wire ISDN Loop in Combination - Zone 3 | | 3 | UNCNX | U1L2X | 48.50 1.91 | | | | | | | | | | |
| 4 14/15 | 2-wire ISDN COCI (BRITE) - in combination - per month | | - | UNCIX | UC1CA | 1.91 | | | | | | | | | | |
| 4-WIR | E DS1 DIGITAL LOOP FOR USE IN A COMBINATION | | 1 | LINIOAN | 1101 1/1/ | 47.47 | | | | | | | | | | |
| - | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | | UNC1X UNC1X | USLXX | 47.17 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | | | | 53.37 71.33 | | | | | | | | | | |
| \vdash | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX UC1D1 | | | | | | | | | | | |
| 0.14/15/ | DS1 COCI in combination per month VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | OMERY | TICN | UNC1X | OCIDI | 8.45 | | | | | | | | | | |
| 2 WIR | | ONIRINA | HON | | 1 | | | | | + | <u> </u> | | | - | | |
|] | Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month | 1 | 1 | UNCVX | 11.5 | 0.01 | | |] | | | 1 | | | | I |
| | Interoffice Transport - 2-wire VG - Dedicated - Facility | l | | UNCVA | 1L5XX | 0.01 | | | ļ | 1 | | - | - | 1 | | |
| | Termination per month | 1 | | UNCVX | U1TV2 | 14.80 | | | | 1 | | | | | | 1 |
| 4.14/15 | | | TION | UNCVX | UTIVZ | 14.80 | | | | | | | | | | |
| 4 WIR | E VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | DIVIBINA | TION | | - | | | | | | | | | | | |
| | Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month | | | UNCVX | 1L5XX | 0.01 | | | | | | | | | | |
| | Interoffice Transport - 4-wire VG - Dedicated - Facility | | | UNCVA | ILSAA | 0.01 | | | | | | | | | | |
| | Termination per month | 1 | 1 | UNCVX | U1TV4 | 12.40 | | |] | | | 1 | | | | I |
| D04 II | ITEROFFICE TRANSPORT FOR COMBINATION | | | OINOVA | 01174 | 12.40 | | | - | + | | | - | - | | |
| יוו ויפט | Interoffice Transport - Dedicated - DS1 combination - Per Mile | 1 | - | | 1 | | | | | + | 1 | | | | | 1 |
| | per month | 1 | 1 | UNC1X | 1L5XX | 0.13 | | |] | | | 1 | | | | I |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | ONCIA | ILOAA | 0.13 | | | | + | <u> </u> | | | - | | |
| | | 1 | | UNC1X | U1TF1 | 39.32 | | | | 1 | | | | | | 1 |
| \vdash | Termination per month | | 1 | UNC1X UNC1X | _ | 39.32 80.21 | | | | | | | | | | |
| Dea II | 1/0 Channelization System in combination Per Month ITEROFFICE TRANSPORT FOR USE IN A COMBINATION | | | UNCIA | MQ1 | 80.21 | | | | + | <u> </u> | | | - | | \vdash |
| D93 IV | | | - | | + | - | | | - | + | <u> </u> | | - | - | | - |
| | Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month | 1 | 1 | UNC3X | 1L5XX | 2.91 | | | İ | 1 | | 1 | | | | |
| LL | Let Mount | 1 | <u> </u> | UINCOV | ILOAX | 2.91 | | | <u> </u> | 1 | 1 | l | L | <u> </u> | | l |

| UNBU | NDLE | D NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachmer | nt: 2 Ex. B | | |
|---------|---|--|----------|---------|------------|----------------|----------------|-------|------------|-------------|--------------|-----------|-----------|-------------|-------------|-------------|--|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEG | ORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | - (1) | | | per LSK | per LSK | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | 1 | Nonre | curring | Nonrecurrin | g Disconnect | | l | oss | Rates (\$) | <u> </u> | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | | | | | 71441 | | 7.44 | 0020 | | | | | |
| | | month | | | UNC3X | U1TF3 | 393.32 | | | | | | | | | | 1 |
| | STS-1 | INTEROFFICE TRANSPORT FOR USE IN COMBINATION | | | OHOOA | 01110 | 000.02 | | | | | | | | | | |
| | 0.0 | Interoffice Transport - Dedicated - STS-1 combination - Per Mile | | | | | | | | | | | | | | | — |
| | | Per Month | | | UNCSX | 1L5XX | 2.91 | | | | | | | | | | 1 |
| | | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | ONOOX | TLOAK | 2.51 | | | | | | | | | | |
| | | Termination per month | | | UNCSX | U1TFS | 412.47 | | | | | | | | | | 1 |
| | 4-WIRE | 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN | SPORT | | ONOOX | 01110 | 712.77 | | | | | | | | | | —— |
| | - ************************************* | 4-wire 56 kbps Local Loop in combination - Zone 1 | 1 | 1 | UNCDX | UDL56 | 25.14 | | | | | | | | | | |
| | | 4-wire 56 kbps Local Loop in combination - Zone 2 | | | UNCDX | UDL56 | 32.61 | | | | | | | | | | |
| | | 4-wire 56 kbps Local Loop in combination - Zone 3 | | | UNCDX | UDL56 | 43.95 | | | | | | | | | | — |
| | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | 3 | ONODA | ODLOG | 40.00 | | | | | | | | | | |
| 1 | 1 | Per Mile per month | l | 1 | UNCDX | 1L5XX | 0.01 | | | | 1 | | 1 | | l | | 1 |
| - | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | UNCDA | ILJAA | 0.01 | | | | - | | | | | | |
| | | Facility Termination per month | | | UNCDX | U1TD5 | 9.00 | | | | | | | | | | 1 |
| - | 4 WIDE | E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | EEICE 1 | DANCI | | UTIDS | 9.00 | | | | - | | | | | | |
| - | 4-WIRE | 4-wire 64 kbps Lcoal Loop in Combination - Zone 1 | FFICE | | UNCDX | UDL64 | 25.14 | | | | - | | | | | | |
| | | 4-wire 64 kbps Lcoal Loop in Combination - Zone 2 | | 2 | | | | | | | | | | | | | |
| - | - | 4-wire 64 kbps Lcoal Loop in Combination - Zone 2 4-wire 64 kbps Lcoal Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 UDL64 | 32.61 43.95 | | | | | | | | | | |
| - | - | | | 3 | UNCDX | UDL64 | 43.95 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | LINODY | 41.5007 | 0.04 | | | | | | | | | | 1 |
| - | - | Per Mile per month | | | UNCDX | 1L5XX | 0.01 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | | | 1 |
| | | Facility Termination per month | | | UNCDX | U1TD6 | 9.00 | | | | | | | | | | |
| | 4-WIRE | 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC | EIRAN | | | | | | | | | | | | | | |
| | | 4-wire 56 kbps Local Loop in combination - Zone 1 | | | UNCDX | UDL56 | 25.14 | | | | | | | | | | |
| | | 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 32.61 | | | | | | | | | | |
| | | 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 43.95 | | | | | | | | | | |
| | | 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per | | | | | | | | | | | | | | | 1 |
| | | month | | | UNCDX | 1L5XX | 0.01 | | | | | | | | | | |
| | | 4-wire 56 kbps Interoffice Transport - Dedicated - Facility | | | | | | | | | | | | | | | 1 |
| | | Termination per month | | | UNCDX | U1TD5 | 9.00 | | | | | | | | | | |
| | 4-WIRE | 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC | E TRAN | | | | | | | | | | | | | | ! |
| | | 4-wire 64 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL64 | 25.14 | | | | | | | | | | ! |
| | | 4-wire 64 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL64 | 32.61 | | | | | | | | | | ! |
| | | 4-wire 64 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL64 | 43.95 | | | ļ | _ | | | | ļ | | |
| | | I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per | | | | | | | | | | | | | | | 1 |
| <u></u> | ļ | month | | | UNCDX | 1L5XX | 0.01 | | | ļ | 1 | <u> </u> | | | | | |
| 1 | 1 | 4-wire 64 kbps Interoffice Transport - Dedicated - Facility | l | 1 | l . | 1 | | | | | 1 | | 1 | | Ì | | 1 |
| | | Termination per month | <u> </u> | | UNCDX | U1TD6 | 9.00 | | | ļ | 1 | ļ | ļ | | | | |
| | DS1 DI | GITAL LOOP AND DS1 INTERFOFFICE TRANSPORT | | | | 1 | | | | ļ | _ | | | | ļ | | |
| | | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 47.17 | | | ļ | _ | | | | ļ | | |
| <u></u> | ļ | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 53.37 | | | ļ | 1 | <u> </u> | | | | | |
| <u></u> | ļ | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 71.33 | | | ļ | 1 | <u> </u> | | | | | |
| 1 | 1 | Interoffice Transport - Dedicated - DS1 combination - Per Mile | l | 1 | | | | | | | 1 | | 1 | | Ì | | 1 |
| <u></u> | ļ | per month | | | UNC1X | 1L5XX | 0.13 | | | ļ | 1 | <u> </u> | | | | | |
| | l | Interoffice Transport - Dedicated - DS1 combination - Facility | l | | | | | | | | 1 | | | | | | 1 |
| | | Termination per month | <u> </u> | | UNC1X | U1TF1 | 39.32 | | | ļ | 1 | <u> </u> | | | | | |
| | DS3 DI | GITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO | DRT | | | 1 | | | | ļ | 1 | <u> </u> | | | | | |
| | | DS3 Local Loop in combination - per mile per month | | | UNC3X | 1L5ND | 14.51 | | | ļ | _ | | | | ļ | | |
| 1 | 1 | | l | 1 | l . | 1 ! | | | | | 1 | | 1 | | Ì | | 1 |
| | ļ | DS3 Local Loop in combination - Facility Termination per month | | | UNC3X | UE3PX | 335.10 | | | ļ | 1 | <u> </u> | | | | | |
| | | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 2.91 | | | | | | | | | | |
| | l | Interoffice Transport - Dedicated - DS3 combination - Facility | l | | | | 1 | | | | 1 | | | | | | 1 |
| | | Termination per month | | | UNC3X | U1TF3 | 393.32 | | | ļ | 1 | | | |] | | ! |
| | STS-1 | DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN | SPORT | | | | | · · | |] | | | | | | | |
| | | STS-1 Local Lolp in combination - per mile per month | | | UNCSX | 1L5ND | 14.51 | · · | |] | | | | | | | |
| | 1 | STS-1 Local Loop in combination - Facility Termination per | 1 | | | 1 | Π | | | | | | 1 | |] | | 1 |
| 1 | l | month | <u> </u> | <u></u> | UNCSX | UDLS1 | 403.92 | | | <u></u> | <u> </u> | <u> </u> | <u> </u> | | L | | L |

| UNBL | JNDLE | D NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachmer | nt: 2 Ex. B | | |
|-------|--------|--|-------------|---------|-----------------------------|---------------|----------------|-----------|------------|--------------|------------|-------|-------|-----------|-------------|---|---|
| CATE | GORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | - | | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | curring | Nonrecurring | Disconnect | | 1 | oss | Rates (\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Transport - Dedicated - STS-1 combination - per mile per month | | | UNCSX | 1L5XX | 2.91 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | | | | | | | | | | | | | 1 |
| | | Termination per month | | | UNCSX | U1TFS | 412.47 | | | | | | | | | | |
| ADDIT | | ETWORK ELEMENTS | | | | | | | | | | | | | | | 1 |
| | | used as a part of a currently combined facility, the non-recurr | | | | | | | | | | | | | | | |
| | When t | used as ordinarily combined network elements in All States, the | ne non- | recurri | ng charges apply ar | nd the Switch | As Is Charge o | loes not. | | | | | | | | | |
| | | urring Currently Combined Network Elements "Switch As Is" | Charge | (One a | pplies to each com | bination) | | | | | | | | | | | |
| | Option | al Features & Functions: | | | | | | | | | | | | | | | |
| | | Clear Channel Capability Extended Frame Option - per DS1 | - 1 | | U1TD1, ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Clear Channel Capability Super FrameOption - per DS1 | - | | U1TD1, ULDD1,UNC1X | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 | _ | | ULDD1, U1TD1, UNC1X, USL | NRCCC | | 184.62 | 23.78 | 2.03 | 0.79 | | | | | | |
| | | C-bit Parity Option - Subsequent Activity - per DS3 | i | | U1TD3, ULDD3, UE3. UNC3X | NRCC3 | | 218.74 | 7.66 | 0.7591 | 0.00 | | | | | | |
| | | PLEXERS | | | , | | | _,,,,, | | | | | | | | | |
| | | DS1 to DS0 Channel System per month | | | UNC1X | MQ1 | 80.21 | | | | | | | | | | ĺ |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop | | | UDL | 1D1DD | 1.15 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation | | | U1TUD | 1D1DD | 1.15 | | | | | | | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop | | | UDN | UC1CA | 1.91 | | | | | | | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation | | | U1TUB | UC1CA | 1.91 | | | | | | | | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop | | | UEA | 1D1VG | 0.54 | | | | | | | | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation | | | U1TUC | 1D1VG | 0.54 | | | | | | | | | | |
| | | DS3 to DS1 Channel System per month | | | UNC3X | MQ3 | 140.18 | | | | | | | | | | |
| | | STS-1 to DS1 Channel System per month | | | UNCSX | MQ3 | 140.18 | | | | | | | | | | |
| | | DS1 COCI used with Loop per month | | | USL | UC1D1 | 8.45 | | | | | | | | | | |
| | | DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month | | | U1TUA | UC1D1 | 8.45 | | | | | | | | | | |
| | | DS1 COCI used with Interoffice Channel per month | | | U1TD1 | UC1D1 | 8.45 | | | | | | | | | | |
| | | DS3 Interface Unit (DS1 COCI) used with Local Channel per month | | | ULDD1 | UC1D1 | 8.45 | | | | | | | | | | |

| UNRII | NDI F | D NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachmo | nt: 2 Ex. B | | |
|----------|----------|---|----------|-------|--------------|----------|-----------------|--------|------------------|----------------|----------------|-----------|-----------|-------------|-------------|-------------|-------------|
| SINDU | NULE | NETWORK ELEMENTS - Remucky | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | Manually | | | Manual Svc | Manual Svc |
| CATEG | ORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | | | | | | |
| CAILO | OKI | KATE ELEMENTO | m | 20116 | 500 | 0000 | | | KATEO (ψ) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | Nonrec | urring | Nonrecurring | g Disconnect | | | 220 | Rates (\$) | l | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | FIISL | Auu i | FIISL | Auu i | SOWIEC | JOWAN | JOWAN | JOWAN | JOWAN | JOWAN |
| LIMBUM | DI ED E | L EXCHANGE ACCESS LOOP | | | | + | | | | | | | | | | | |
| | | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIDI E I | OOB | | | | | | | | | | | | | |
| | Z-VVIKL | 2 Wire Unbundled HDSL Loop including manual service inquiry | IIBLE | LOOF | | + | | | | | | | | | | | |
| | | & facility reservation - Zone 1 | | 4 | UHL | UHL2X | 10.06 | 151.54 | 89.29 | 69.09 | 11.54 | | | | | | |
| - | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | UNL | UHLZA | 10.06 | 151.54 | 09.29 | 69.09 | 11.34 | | | | | | |
| | | & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 10.99 | 151.54 | 89.29 | 69.09 | 11.54 | | | | | | |
| - | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | UNL | UHLZA | 10.99 | 151.54 | 09.29 | 69.09 | 11.34 | | | | | | |
| | | & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 12.20 | 151.54 | 89.29 | 69.09 | 11.54 | | | | | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | 3 | UNL | UHLZA | 12.20 | 131.34 | 09.29 | 69.09 | 11.54 | | | | | | |
| | | and facility reservation - Zone 1 | 1 | 4 | UHL | UHL2W | 10.06 | 130.74 | 78.56 | 69.09 | 11.54 | | | | | | |
| \vdash | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | 1 | OI IL | UNLZVV | 10.06 | 130.74 | dc.81 | 69.09 | 11.54 | | | - | 1 | - | - |
| | | and facility reservation - Zone 2 | 1 | 2 | UHL | UHL2W | 10.99 | 130.74 | 78.56 | 69.09 | 11.54 | | | | | | |
| \vdash | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | OI IL | UNLZVV | 10.99 | 130.74 | dc.81 | 69.09 | 11.54 | | | | - | | |
| | | and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 12.20 | 130.74 | 78.56 | 69.09 | 11.54 | | | | | | |
| \vdash | 4-7V(ID) | jang facility reservation - Zone 3 : HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIDIE | | OI IL | UNLZVV | 12.20 | 130.74 | dc.81 | 69.09 | 11.54 | | | - | 1 | - | |
| \vdash | 4-WIKE | 4 Wire Unbundled HDSL Loop including manual service inquiry | IIDLE | LOUP | | + | | | | 1 | - | | | - | 1 | - | |
| | | and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 16.04 | 185.75 | 123.50 | 74.95 | 14.69 | | | | | | |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry | | - | UNL | UHL4A | 16.04 | 100.70 | 123.30 | 74.95 | 14.09 | | | | | | |
| | | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 18.03 | 185.75 | 123.50 | 74.95 | 14.69 | | | | | | |
| - | | | | | UHL | UHL4X | 18.03 | 185.75 | 123.50 | 74.95 | 14.69 | | | | | | |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry | | 3 | UHL | UHL4X | 19.53 | 405.75 | 400.50 | 74.95 | 14.69 | | | | | | |
| - | | and facility reservation - Zone 3 4-Wire Unbundled HDSL Loop without manual service inquiry | | 3 | UHL | UHL4X | 19.53 | 185.75 | 123.50 | 74.95 | 14.69 | | | | | | |
| | | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 16.04 | 164.95 | 114.04 | 77.32 | 15.80 | | | | | | |
| | | | | ' | UHL | UHL4VV | 16.04 | 164.95 | 114.04 | 11.32 | 15.80 | | | | | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | 2 | UHL | UHL4W | 40.00 | 164.95 | 114.04 | 77.32 | 15.80 | | | | | | |
| | | and facility reservation - Zone 2 | | 2 | UHL | UHL4VV | 18.03 | 164.95 | 114.04 | 11.32 | 15.80 | | | | | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | 3 | UHL | UHL4W | 19.53 | 164.95 | 114.04 | 77.32 | 15.80 | | | | | | |
| | 4 WIDE | and facility reservation - Zone 3 DS1 DIGITAL LOOP | | 3 | UHL | UHL4VV | 19.53 | 164.95 | 114.04 | 11.32 | 15.80 | | | | | | |
| - | 4-WIRE | | | 1 | 1101 | 1101.107 | 00.44 | 202.00 | 474.44 | 05.00 | 44.55 | | | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 1 | | 2 | USL USL | USLXX | 99.44 131.22 | 306.69 | 174.44 174.44 | 65.83 65.83 | 14.55 14.55 | | | | | | |
| - | | 4-Wire DS1 Digital Loop - Zone 2 | | | | | | 306.69 | 174.44 | | | | | | | | |
| HIGH | ADACIT | 4-Wire DS1 Digital Loop - Zone 3 Y UNBUNDLED LOCAL LOOP | | 3 | USL | USLXX | 342.42 | 306.69 | 174.44 | 65.83 | 14.55 | | | | | | |
| HIGH C | APACII | High Capacity Unbundled Local Loop - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | | | | | 1150 | 1L5ND | 40.04 | | | | | | | | | | |
| \vdash | | month High Capacity Unbundled Local Loop - DS3 - Facility | | | UE3 | TLOIND | 10.64 | | | - | | | | | - | | |
| | | | 1 | | UE3 | UE3PX | 354.56 | | | | | | | | | | |
| \vdash | | Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per | | | UE3 | UE3PX | 354.56 | | | 1 | 1 | | | - | 1 | - | - |
| | | | | | LIDL CV | 11 END | 40.04 | | | | | | | | | | |
| \vdash | | month | | | UDLSX | 1L5ND | 10.64 | | | 1 | 1 | | | - | 1 | - | - |
| | | High Capacity Unbundled Local Loop - STS-1 - Facility | 1 | | LIDI CV | LIDI C4 | 200 50 | | | | | | | | | | |
| LINIBURY | DI E5 - | Termination per month | | | UDLSX | UDLS1 | 368.59 | | | 1 | 1 | | | - | 1 | - | - |
| | | DEDICATED TRANSPORT | | | | + | | | | | | | | 1 | | 1 | - |
| \vdash | INTERC | DFFICE CHANNEL - DEDICATED TRANSPORT | | | | 1 | | | | | - | | | | | | |
| | | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | l | | LIATE | 41.500/ | 0.00 | | | | | | | | | | |
| \vdash | | month | | | U1TD1 | 1L5XX | 0.26 | | | | - | | | | | | |
| | | Interoffice Channel - Dedicated Tranport - DS1 - Facility | l | | LIATOA | LIATE 4 | 440.7- | | | | | | | | | | |
| \vdash | | Termination | | | U1TD1 | U1TF1 | 110.45 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | l | | LIATED | 41.5727 | E 70 | | | | | | | | | | |
| \vdash | | month | | | U1TD3 | 1L5XX | 5.72 | | | | | | | 1 | | 1 | - |
| | | Interoffice Channel - Dedicated Transport - DS3 - Facility | l | | LIATEDO | LIATES | 4== - | | | | | | | | | | |
| \vdash | | Termination per month | | | U1TD3 | U1TF3 | 1351.42 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | 1 | | | | | | | | | | | | | | |
| | | month | | | U1TS1 | 1L5XX | 5.72 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - STS-1 - Facility | | | | 1 | | | | | | | | | | | |
| | | Termination | | | U1TS1 | U1TFS | 1321.94 | | | | ļ | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade | | | ULDVX, UNCVX | ULDV2 | 21.36 | | | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat | | | ULDVX | ULDR2 | 21.36 | | | | | | | | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade | | | ULDVX, UNCVX | ULDV4 | 22.84 | | | | | | | | | | |
| | | Local Channel - Dedicated - DS1 - Zone 1 | | 1 | ULDD1, UNC1X | ULDF1 | 46.53 | | | |] | <u>l</u> | <u>l</u> | | | | |

| LINDI | INDI E | D NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachman | nt: 2 Ex. B | 1 | |
|----------|----------|--|--|---------|---------------------|----------------|-----------------|----------------|-----------------|--|----------------|-----------|-----------|-------------|--|------------------------|------------------------|
| UND | JNDLE | NETWORK ELEMENTS - Relitucky | 1 | | | | | | | | | Svc Order | Svc Order | | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | | | |
| | | | | | | | | | | | | Elec | Manually | Manual Svc | Charge - Manual Svc | Charge - Manual Svc | Charge - Manual Svc |
| CATE | SORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | | , | | | | |
| OA.L | | NATE ELEMENTO | m | 20110 | 500 | 0000 | | | π. Ευ (ψ) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | + | | Nonre | curring | Nonrecurrin | g Disconnect | 1 | l | oss | Rates (\$) | l | l |
| | | | | | | + | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Local Channel - Dedicated - DS1 - Zone 2 | | 2 | ULDD1, UNC1X | ULDF1 | 49.90 | | 71441 | | 71441 | | | | | | |
| | | Local Channel - Dedicated - DS1 - Zone 3 | | | ULDD1, UNC1X | ULDF1 | 189.18 | | | | | | | | | | |
| | | Local Channel - Dedicated - DS3 - Per Mile per month | | | ULDD3, UNC3X | 1L5NC | 10.05 | | | | | | | | | | |
| | | Local Channel - Dedicated - DS3 - Facility Termination | | | ULDD3, UNC3X | ULDF3 | 662.46 | | | | | | | | | | |
| | | Local Channel - Dedicated - STS-1- Per Mile per month | | | ULDS1, UNCSX | 1L5NC | 10.05 | | | | | | | | | | |
| | | Local Channel - Dedicated - STS-1 - Facility Termination | | | ULDS1, UNCSX | ULDFS | 624.73 | | | | | | | | | | |
| ENHA | NCED EX | XTENDED LINK (EELs) | | | | | | | | | | | | | | | |
| | NOTE: | The monthly recurring and non-recurring charges below will | apply a | nd the | Switch-As-Is Charge | e will not app | oly for UNE con | nbinations pro | visioned as ' C | Ordinarily Com | bined' Network | Elements. | | | | | |
| | NOTE: | The monthly recurring and the Switch-As-Is Charge and not t | he non- | recurri | ng charges below w | vill apply for | UNE combinati | ons provision | ed as ' Current | ly Combined' | Network Eleme | nts. | | | | | |
| | 2-WIRE | VOICE GRADE LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop (SL2) in Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 14.57 | | | | | | | | | | |
| | | 2-Wire VG Loop (SL2) in Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 20.07 | | | | | | | | | | |
| | | 2-Wire VG Loop (SL2) in Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 38.20 | | | | | | | | | | |
| | | Voice Grade COCI - Per Month | | | UNCVX | 1D1VG | 0.71 | | | | | | | | | | |
| | 4-WIRE | VOICE GRADE LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | |
| | | 4-Wire Analog Voice Grade Loop in Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 33.65 | | | | | | | | | | |
| | | 4-Wire Analog Voice Grade Loop in Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 39.39 | | | | | | | | | | |
| | | 4-Wire Analog Voice Grade Loop in Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 97.82 | | | | | | | | | | |
| | | Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 0.71 | | | | | | | | | | |
| | 4-WIRE | 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | |
| | | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL56 | 31.73 | | | | | | | | | | |
| | | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 | | 2 | UNCDX | UDL56 | 37.35 | | | | | | | | | | |
| | | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL56 | 41.83 | | | | | | | | | | |
| | | OCU-DP COCI (data) per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.52 | | | | | | | | | | |
| | 4-WIRE | 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATI\ON | | | | L | | | | | | | | | | | |
| | | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL64 | 31.73 | | | | | | | | | | |
| | | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 | | 2 | UNCDX | UDL64 | 37.35 | | | | | | | | | | |
| | | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 | 41.83 | | | | | | | | | | |
| | O MUDI | OCU-DP COCI (data) - in combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.52 | | | - | | | | | | | |
| | Z-WIRE | E ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1 | | 1 | UNCNX | U1L2X | 21,21 | | | | | | | | | | |
| | + | 2-Wire ISDN Loop in Combination - Zone 1 | | 2 | UNCNX | U1L2X | 28.84 | | | | | 1 | | | | | |
| | | 2-Wire ISDN Loop in Combination - Zone 2 | | 3 | UNCNX | U1L2X | 49.30 | | | | | | | | | | |
| - | | 2-wire ISDN COCI (BRITE) - in combination - per month | | 3 | UNCNX | UC1CA | 3.27 | | | - | | - | | | - | | |
| | 4-WIDE | E DS1 DIGITAL LOOP FOR USE IN A COMBINATION | | | ONONA | OCTOA | 5.27 | | | | | | | | | | |
| | 7-VVIIX | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 99.44 | | | | | | | | | | |
| | 1 | 4-Wire DS1 Digital Loop in Combination - Zone 2 | 1 | 2 | UNC1X | USLXX | 131.22 | | | - | 1 | <u> </u> | | | I | | |
| | 1 | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | | UNC1X | USLXX | 342.42 | | | - | 1 | | l | | | | 1 |
| | 1 | DS1 COCI in combination per month | 1 | Ť | UNC1X | UC1D1 | 13.57 | | | | † | | | | <u> </u> | | |
| | 2 WIRE | VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | OMBINA | TION | | | .5.07 | | | | † | | | | <u> </u> | | |
| | | Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per | 1 | 1 | | | | | | | | | | | | | |
| | 1 | Month | 1 | | UNCVX | 1L5XX | 0.01 | | | 1 | | | | | 1 | | |
| | 1 | Interoffice Transport - 2-wire VG - Dedicated - Facility | 1 | | | 1 | | | | 1 | İ | | | | 1 | İ | İ |
| 1 | 1 | Termination per month | 1 | | UNCVX | U1TV2 | 27.54 | | | I | | | 1 | | I | | |
| | 4 WIRE | VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | OMBINA | TION | | | | | | | | | | | | | |
| | | Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per | | | | | | | | | | | | | | | |
| | | Month | | | UNCVX | 1L5XX | 0.01 | | | | | | | | | | |
| | | Interoffice Transport - 4-wire VG - Dedicated - Facility | | | | | | | | | | | | | | | |
| | ļ | Termination per month | ļ | | UNCVX | U1TV4 | 27.54 | | | | | | | | | | |
| | <u> </u> | | <u> </u> | | | | | | | | [| | | | | | |
| | DS1 IN | TEROFFICE TRANSPORT FOR COMBINATION | <u> </u> | | | 1 | | | | ļ | | | | | ļ | | |
| | 1 | Interoffice Transport - Dedicated - DS1 combination - Per Mile | 1 | | | | | | | 1 | | | | | 1 | | |
| <u> </u> | | per month | ļ | | UNC1X | 1L5XX | 0.22 | | | | ļ | | | | | | |
| | 1 | Interoffice Transport - Dedicated - DS1 combination - Facility | 1 | | LINGAY | | | | | 1 | | | | | 1 | | |
| - | D00 !:: | Termination per month | ! | | UNC1X | U1TF1 | 90.87 | | | ! | ļ | | | | ! | 1 | ļ |
| <u> </u> | DS3 IN | TEROFFICE TRANSPORT FOR USE IN A COMBINATION | 1 | | | + | 1 | | | | | - | ļ | | | - | - |
| | 1 | Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month | 1 | | UNC3X | 1L5XX | 4.70 | | | I | | | 1 | | I | | |
| L | 1 | Let Mount | | | OINCOV | ILOVY | 4.70 | | | 1 | l | 1 | l | | 1 | l | <u> </u> |

| UNBU | INDLE | D NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachmer | nt: 2 Ex. B | | |
|----------|----------|--|----------|----------|---------|--------|---------|-------|------------|-------------|--------------|-----------|-----------|-------------|-------------|-------------|--|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | | Manual Svc | Manual Svc | | Manual Svc |
| CATEG | ORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | - (1) | | | per Lon | per LSK | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | 1 | Nonre | curring | Nonrecurrin | g Disconnect | 1 | l | oss | Rates (\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | | | 1 | 11100 | Addi | 11100 | Addi | COME | COMPAR | COMAIN | COMPAN | COMPAN | COMPAR |
| | | month | | | UNC3X | U1TF3 | 1111.92 | | | | | | | | | | |
| | STS-1 | INTEROFFICE TRANSPORT FOR USE IN COMBINATION | | | OHOOA | 01110 | 1111.02 | | | | | | | | | | |
| | 0.0 | Interoffice Transport - Dedicated - STS-1 combination - Per Mile | | | | | | | | | | | | | | | |
| | | Per Month | | | UNCSX | 1L5XX | 4.70 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | OHOOX | 120/00 | 4.70 | | | | - | 1 | | | | | |
| | | Termination per month | | | UNCSX | U1TFS | 1087.66 | | | | | | | | | | |
| | 4-WIRE | 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN | SPORT | | 0.100/1 | 01110 | 1001.00 | | | | - | 1 | | | | | |
| | | 4-wire 56 kbps Local Loop in combination - Zone 1 | 1 | 1 | UNCDX | UDL56 | 31.73 | | | | - | 1 | | | | | |
| | | 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 37.35 | | | | - | 1 | | | | | |
| | | 4-wire 56 kbps Local Loop in combination - Zone 3 | | | UNCDX | UDL56 | 41.83 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | Ť | O. TOBA | 02200 | 11.00 | | | | | | | | | | |
| 1 | | Per Mile per month | l | 1 | UNCDX | 1L5XX | 0.01 | | | | 1 | | 1 | | Ì | | |
| | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | ОПОВА | 120701 | 0.01 | | | | | | | | | | |
| | | Facility Termination per month | | | UNCDX | U1TD5 | 19.84 | | | | | | | | | | |
| | 4-WIRE | 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | FEICE 1 | RANSI | | OTTEG | 10.04 | | | | - | 1 | | | | | |
| | 7 ****** | 4-wire 64 kbps Lcoal Loop in Combination - Zone 1 | | | UNCDX | UDL64 | 31.73 | | | | - | 1 | | | | | |
| | | 4-wire 64 kbps Lcoal Loop in Combination - Zone 2 | | 2 | UNCDX | UDL64 | 37.35 | | | | | | | | | | |
| | | 4-wire 64 kbps Lcoal Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 | 41.83 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | OHODA | ODLOT | 41.00 | | | | | | | | | | |
| | | Per Mile per month | | | UNCDX | 1L5XX | 0.01 | | | | | | | | | | |
| - | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | ONODA | ILOXX | 0.01 | | | | | | | | | | |
| | | Facility Termination per month | | | UNCDX | U1TD6 | 19.84 | | | | | | | | | | |
| | 4-WIRE | 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC | F TRAN | SPORT | | OTIDO | 10.04 | | | | | | | | | | |
| | 7 ****** | 4-wire 56 kbps Local Loop in combination - Zone 1 | <u> </u> | | UNCDX | UDL56 | 31.73 | | | | | | | | | | |
| | | 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 37.35 | | | | - | 1 | | | | | |
| | | 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 41.83 | | | | - | 1 | | | | | |
| | | 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per | | | OHODA | ODLOO | 41.00 | | | | | | | | | | |
| | | month | | | UNCDX | 1L5XX | 0.01 | | | | | | | | | | |
| | | 4-wire 56 kbps Interoffice Transport - Dedicated - Facility | | | O. TODA | 120701 | 0.01 | | | | - | 1 | | | | | |
| | | Termination per month | | | UNCDX | U1TD5 | 19.84 | | | | | | | | | | |
| | 4-WIRE | 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC | F TRAN | SPORT | | 01120 | 10.01 | | | | | | | | | | |
| | | 4-wire 64 kbps Local Loop in combination - Zone 1 | <u> </u> | 1 | UNCDX | UDL64 | 31.73 | | | | - | 1 | | | | | |
| | | 4-wire 64 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL64 | 37.35 | | | | | | | | | | |
| | | 4-wire 64 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL64 | 41.83 | | | | | | | | | | |
| | | I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per | l | | | | | | | | 1 | | | | 1 | | |
| 1 | | Imonth | l | 1 | UNCDX | 1L5XX | 0.01 | | | | 1 | | 1 | | Ì | | |
| — | | 4-wire 64 kbps Interoffice Transport - Dedicated - Facility | 1 | | - | | 2.31 | | | Ì | 1 | | | | 1 | | |
| 1 | | Termination per month | l | 1 | UNCDX | U1TD6 | 19.84 | | | | 1 | | 1 | | Ì | | |
| | DS1 DI | GITAL LOOP AND DS1 INTERFOFFICE TRANSPORT | | | | | | | İ | 1 | 1 | | | | İ | | |
| | | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 99.44 | | İ | 1 | 1 | | | | İ | | |
| | | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 131.22 | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 342.42 | | İ | 1 | 1 | | | | İ | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | | per month | l | | UNC1X | 1L5XX | 0.22 | | | | 1 | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | |
| 1 | | Termination per month | l | 1 | UNC1X | U1TF1 | 90.87 | | | | 1 | | 1 | | Ì | | |
| | DS3 DI | GITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO | DRT | | | | | | | | | | | | | | |
| | | DS3 Local Loop in combination - per mile per month | | | UNC3X | 1L5ND | 12.23 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| L | <u> </u> | DS3 Local Loop in combination - Facility Termination per month | <u></u> | <u> </u> | UNC3X | UE3PX | 407.74 | | | | 1 | <u></u> | <u></u> | | <u> </u> | | |
| | | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 4.70 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS3 combination - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | l | | UNC3X | U1TF3 | 1111.92 | | | | 1 | | | | | | |
| | STS-1 | DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN | SPORT | | | | | | | | | | | | | | |
| | | STS-1 Local Lolp in combination - per mile per month | | | UNCSX | 1L5ND | 12.23 | | | | | | | | | | |
| | | STS-1 Local Loop in combination - Facility Termination per | | | | | | | | | | | | _ | | _ | |
| | 1 | month | l | 1 | UNCSX | UDLS1 | 423.87 | | | | 1 | | 1 | | l | | |

| UNBUN | NDLE | NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attachmer | nt: 2 Ex. B | | |
|----------|---------|---|-------------|---------|---|---------------------------------------|----------------|--------|------------|--------------|------------|-------|-------|--|--|---|---|
| CATEGO | DRY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | , | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | • | • |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Transport - Dedicated - STS-1 combination - per mile per month | | | UNCSX | 1L5XX | 4.70 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month | | | UNCSX | U1TFS | 1087.66 | | | | | | | | | | |
| ADDITIO | NAL N | ETWORK ELEMENTS | | | | | | | | | | | | | | | |
| | | sed as a part of a currently combined facility, the non-recurr | ng cha | rges do | not apply, but a S | witch As Is c | harge does app | oly. | | | | | | | | | |
| | | sed as ordinarily combined network elements in All States, the | | | | | | | | | | | | | | | |
| N | Nonrec | urring Currently Combined Network Elements "Switch As Is" | Charge | (One a | applies to each com | bination) | | | | | | | | | | | |
| | Optiona | al Features & Functions: | | Ì | | , , , , , , , , , , , , , , , , , , , | | | | | | | | | | | |
| | | Clear Channel Capability Extended Frame Option - per DS1 | _ | | U1TD1, ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Clear Channel Capability Super FrameOption - per DS1 | | | U1TD1, ULDD1,UNC1X | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Clear Channel Capability (SF/ESF) Option - Subsequent | | | ULDD1, U1TD1, | 00001 | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Activity - per DS1 | 1 | | UNC1X, USL | NRCCC | | 184.91 | 23.82 | 1.99 | 0.78 | | | | | | |
| | | | | | U1TD3, ULDD3, | | | | | | | | | | | | |
| | | C-bit Parity Option - Subsequent Activity - per DS3 | i | | UE3. UNC3X | NRCC3 | | 205.70 | 7.20 | 0.6924 | 0.00 | | | | | | |
| N | | PLEXERS | | | , | | | | | | | | | | | | |
| | | DS1 to DS0 Channel System per month | | | UNC1X | MQ1 | 130.33 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| | | month (2.4-64kbs) used for a Local Loop | | | UDL | 1D1DD | 1.52 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| | | month (2.4-64kbs) used for connection to a channelized DS1 | | | | | | | | | | | | | | | |
| | | Local Channel in the same SWC as collocation | | | U1TUD | 1D1DD | 1.52 | | | | | | | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | | | | | | | | | | | | | |
| | | month for a Local Loop | | | UDN | UC1CA | 3.27 | | | | | | | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation | | | U1TUB | UC1CA | 3.27 | | | | | | | | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop | | | UEA | 1D1VG | 0.72 | | | | | | | | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | UEA | טועו | 0.72 | | | | | | | | | | |
| | | used for connection to a channelized DS1 Local Channel in the same SWC as collocation | | | U1TUC | 1D1VG | 0.72 | | | | | | | | | | |
| | | DS3 to DS1 Channel System per month | | | UNC3X | MQ3 | 181.93 | | | | | | | | 1 | 1 | |
| | | STS-1 to DS1 Channel System per month | | | UNCSX | MQ3 | 181.93 | | | | | | | | İ | İ | |
| | | DS1 COCI used with Loop per month | | | USL | UC1D1 | 13.57 | | | | | | | | | | |
| | | DS1 COCI (used for connection to a channelized DS1 Local | | | | | | | | | | | | | | | |
| | | Channel in the same SWC as collocation) per month | | | U1TUA | UC1D1 | 13.57 | | | | | | | | | | |
| | | DS1 COCI used with Interoffice Channel per month | | | U1TD1 | UC1D1 | 13.57 | | | | | | | | | | |
| | | DS3 Interface Unit (DS1 COCI) used with Local Channel per month | | | ULDD1 | UC1D1 | 13.57 | | | | | | | | | | |

| UNBUND | DLED | NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachmer | nt: 2 Ex. B | | |
|-----------------|-------|---|--|--|-----------------------|----------------|-----------------|------------------|------------------|-------|--------------|--|---|--|--|---|---|
| CATEGOR | | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | | curring | | g Disconnect | | | | Rates (\$) | | |
| $\vdash \vdash$ | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| LINIBLINIBL | ED EV | OULANDE ACCESS LOOP | | | | | | | | | | | | | | | |
| | | CHANGE ACCESS LOOP IIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIDI E I | OOB | | - | | | | | | | | | | | |
| Z-V | | Wire Unbundled HDSL Loop including manual service inquiry | IIBLE | LUUP | | - | | | | | | | | | | | |
| 1 | | facility reservation - Zone 1 | | 1 | UHL | UHL2X | 11.26 | 125.50 | 76.77 | | | | | | | | |
| | | Wire Unbundled HDSL Loop including manual service inquiry | | <u> </u> | OFF | OTILEX | 11.20 | 123.30 | 70.77 | | | | | | | | |
| 1 | | facility reservation - Zone 2 | | 2 | UHL | UHL2X | 13.25 | 125.50 | 76.77 | | | | | | | | |
| | | Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | facility reservation - Zone 3 | | 3 | UHL | UHL2X | 14.65 | 125.50 | 76.77 | | | | | | | | |
| 1 | | Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| $\vdash \vdash$ | | nd facility reservation - Zone 1 | | 1 | UHL | UHL2W | 11.26 | 101.24 | 64.43 | | | | | | | | |
| i I | | Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 | 1 | 2 | UHL | UHL2W | 13.25 | 101.24 | 64.43 | | | | | | | | |
| \vdash | | Wire Unbundled HDSL Loop without manual service inquiry | | | OI IL | OI ILZVV | 13.25 | 101.24 | 04.43 | 1 | 1 | | | | | | + |
| 1 | | nd facility reservation - Zone 3 | 1 | 3 | UHL | UHL2W | 14.65 | 101.24 | 64.43 | | | | | | | | |
| 4-V | | IIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | | 1 | | 50 | | 3 40 | | İ | | | | | | |
| | | Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | nd facility reservation - Zone 1 | | 1 | UHL | UHL4X | 18.68 | 153.26 | 104.54 | | | | | | | | |
| 1 | | Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| $\vdash \vdash$ | | nd facility reservation - Zone 2 | | 2 | UHL | UHL4X | 19.15 | 153.26 | 104.54 | | | | | | | | |
| 1 | | Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 19.94 | 153.26 | 104.54 | | | | | | | | |
| \vdash | | Wire Unbundled HDSL Loop without manual service inquiry | | 3 | UHL | UHL4X | 19.94 | 153.26 | 104.54 | | | | | | | | |
| 1 | | nd facility reservation - Zone 1 | | 1 | UHL | UHL4W | 18.68 | 129.00 | 92.20 | | | | | | | | |
| | | Wire Unbundled HDSL Loop without manual service inquiry | | | | - | | | | | | | | | İ | | |
| 1 | | nd facility reservation - Zone 2 | | 2 | UHL | UHL4W | 19.15 | 129.00 | 92.20 | | | | | | | | |
| | | Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| $\vdash \vdash$ | | nd facility reservation - Zone 3 | | 3 | UHL | UHL4W | 19.94 | 129.00 | 92.20 | | | | | | | | |
| 4-V | | S1 DIGITAL LOOP | | | | 1101101 | 00.50 | 0.15.10 | 150.00 | | | | | | | | |
| $\vdash \vdash$ | | Wire DS1 Digital Loop - Zone 1 Wire DS1 Digital Loop - Zone 2 | | | USL USL | USLXX | 98.56 224.20 | 245.16 245.16 | 152.98 152.98 | | | | | | | | |
| \vdash | | Wire DS1 Digital Loop - Zone 2 Wire DS1 Digital Loop - Zone 3 | | | USL | USLXX | 565.73 | 245.16 | 152.98 | | | | | | | | |
| HIGH CAP | | UNBUNDLED LOCAL LOOP | | - 3 | OOL | OOLXX | 303.73 | 240.10 | 132.30 | | | | | | | | |
| | | igh Capacity Unbundled Local Loop - DS3 - Per Mile per | | | | | | | | | | | | | 1 | | |
| i l | m | onth | | | UE3 | 1L5ND | 11.55 | | | | | | | | | | |
| | | igh Capacity Unbundled Local Loop - DS3 - Facility | | | | | | | | | | | | | | | |
| lacksquare | | ermination per month | | | UE3 | UE3PX | 416.69 | | | | | | | | | | |
| i I | | igh Capacity Unbundled Local Loop - STS-1 - Per Mile per | l | | UDLSX | 1L5ND | 11.55 | | | | | | | | 1 | | |
| \vdash | | onth igh Capacity Unbundled Local Loop - STS-1 - Facility | - | | ODESX | ILDIND | 11.55 | | | | | | | - | - | | |
| i I | | ermination per month | l | | UDLSX | UDLS1 | 430.74 | | | | | | | | 1 | | |
| UNBUNDL | | DICATED TRANSPORT | | | | | 100.14 | | | | İ | | | | 1 | İ | |
| INT | | FICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | | teroffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | _ | | | | | | | | | |
| $\vdash \vdash$ | | onth | | <u> </u> | U1TD1 | 1L5XX | 0.30 | | | | | ļ | | | | | |
| i I | | teroffice Channel - Dedicated Tranport - DS1 - Facility | l | | LIATEA | LIATE 4 | 04.64 | | | | | | | | 1 | | |
| $\vdash \vdash$ | | ermination teroffice Channel - Dedicated Transport - DS3 - Per Mile per | 1 | | U1TD1 | U1TF1 | 81.04 | | | 1 | | | | | 1 | | 1 |
| i l | | teronice Channel - Dedicated Transport - D53 - Per Mile per onth | 1 | | U1TD3 | 1L5XX | 6.95 | | | | | | | | | | |
| | | teroffice Channel - Dedicated Transport - DS3 - Facility | 1 | | | .20,50 | 0.00 | | | 1 | 1 | | | 1 | † | 1 | † |
| | | ermination per month | 1 | | U1TD3 | U1TF3 | 978.02 | | | | | | | | | | |
| | ln: | teroffice Channel - Dedicated Transport - STS-1 - Per Mile per | | | | | | | | | | | | | | | |
| $oxed{oxed}$ | | onth | | | U1TS1 | 1L5XX | 6.95 | | | | | ļ | | | | | |
| | | teroffice Channel - Dedicated Transport - STS-1 - Facility | l | | | | | | | | | | | | 1 | | |
| | | ermination ocal Channel - Dedicated - 2-Wire Voice Grade | | <u> </u> | U1TS1 ULDVX, UNCVX | U1TFS ULDV2 | 954.72 | | | 1 | 1 | <u> </u> | | - | 1 | 1 | |
| | | ocal Channel - Dedicated - 2-Wire Voice Grade ocal Channel - Dedicated - 2-Wire Voice Grade Rev Bat | | - | ULDVX, UNCVX | ULDV2 ULDR2 | 21.07 21.07 | | | 1 | - | | | 1 | | - | - |
| | | ocal Channel - Dedicated - 2-Wire Voice Grade Rev Bat | | | ULDVX, UNCVX | ULDV4 | 22.32 | | | 1 | 1 | | | | t | 1 | |
| | | ocal Channel - Dedicated - DS1 - Zone 1 | | | ULDD1, UNC1X | ULDF1 | 45.06 | | | + | | | | | | - | |

| UNB | UNDLE | D NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachmer | nt: 2 Ex. B | | |
|----------|---------|---|--|---------|--------------------|----------------|----------------|---------------|-----------------|--|--|-----------|-----------|-------------|--|--|--|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | 1 | | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | Manually | Manual Svc | | | Manual Svc |
| CATE | GORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | "" | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | - (2) | | |
| | | | | | | | Rec | | curring | | g Disconnect | 001150 | 001111 | | Rates (\$) | 0011411 | 001111 |
| | | Local Channel - Dedicated - DS1 - Zone 2 | 1 | 2 | ULDD1, UNC1X | ULDF1 | 139.82 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Local Channel - Dedicated - DS1 - Zone 2 | | | ULDD1, UNC1X | ULDF1 | 80.52 | | | | | | | | | | |
| | | Local Channel - Dedicated - DS3 - Per Mile per month | | - 3 | ULDD3, UNC3X | 1L5NC | 8.99 | | | | | | | | | | |
| | | Local Channel - Dedicated - DS3 - Facility Termination | | | ULDD3, UNC3X | ULDF3 | 539.86 | | | | | | | | 1 | 1 | |
| | | Local Channel - Dedicated - STS-1- Per Mile per month | | | ULDS1, UNCSX | 1L5NC | 8.99 | | | | | | | | | | |
| | | Local Channel - Dedicated - STS-1 - Facility Termination | | | ULDS1, UNCSX | ULDFS | 525.80 | | | | | | | | | | |
| ENHA | | XTENDED LINK (EELs) | | | | | | | | | | | | | | | |
| | | The monthly recurring and non-recurring charges below will | | | | | | | | | | | | | | | |
| | | The monthly recurring and the Switch-As-Is Charge and not t | he non- | recurri | ng charges below v | vill apply for | UNE combinati | ons provision | ed as ' Current | tly Combined' | Network Eleme | nts. | | | | | |
| - | 2-WIR | E VOICE GRADE LOOP FOR USE IN A COMBINATION | ļ | 1 | LINIOVAY | LIEALO | 47.47 | | | 1 | 1 | | | | 1 | 1 | 1 |
| <u> </u> | + | 2-Wire VG Loop (SL2) in Combination - Zone 1 | 1 | | UNCVX | UEAL2 UEAL2 | 17.17 29.15 | | | | _ | - | | - | - | - | - |
| - | - | 2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3 | 1 | | UNCVX | UEAL2 UEAL2 | 29.15 58.03 | | - | + | 1 | - | | - | | | 1 |
| — | + | Voice Grade COCI - Per Month | | 3 | UNCVX | 1D1VG | 0.75 | | | † | | 1 | - | | t | t | |
| | 4-WIR | E VOICE GRADE LOOP FOR USE IN A COMBINATION | 1 | | | | 5.75 | | | 1 | 1 | 1 | | | † | † | |
| | 1 | 4-Wire Analog Voice Grade Loop in Combination - Zone 1 | 1 | 1 | UNCVX | UEAL4 | 35.43 | | | Ì | İ | | | | 1 | 1 | |
| | | 4-Wire Analog Voice Grade Loop in Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 44.07 | | | | | | | | | | |
| | | 4-Wire Analog Voice Grade Loop in Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 69.45 | | | | | | | | | | |
| | | Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 0.75 | | | | | | | | | | |
| | 4-WIRI | 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | |
| | | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 | | | UNCDX | UDL56 | 35.64 | | | | | | | | | | |
| | | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 | | | UNCDX | UDL56 | 42.30 | | | | | | | | | | |
| | | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX UNCDX | UDL56 1D1DD | 44.76 1.59 | | | | | | | | | | |
| | 4 WIDI | OCU-DP COCI (data) per month (2.4-64kbs) E 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATI\ON | | | UNCDX | טטוטו | 1.59 | | | | | | | | | | |
| | 4-4411 | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL64 | 35.64 | | | | | | | | | | |
| | | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 | | 2 | UNCDX | UDL64 | 42.30 | | | | | | | | | | |
| | | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 | 44.76 | | | | | | | | 1 | 1 | |
| | | OCU-DP COCI (data) - in combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.59 | | | | | | | | | | |
| | 2-WIRI | E ISDN LOOP FOR USE IN COMBINATION | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Loop in Combination - Zone 1 | | | UNCNX | U1L2X | 25.40 | | | | | | | | | | |
| | | 2-Wire ISDN Loop in Combination - Zone 2 | | | UNCNX | U1L2X | 40.57 | | | | | | | | | | |
| | | 2-Wire ISDN Loop in Combination - Zone 3 | | 3 | UNCNX UNCNX | U1L2X | 74.96 | | | | | | | | | | |
| | 4 WIDI | 2-wire ISDN COCI (BRITE) - in combination - per month E DS1 DIGITAL LOOP FOR USE IN A COMBINATION | | | UNCIX | UC1CA | 3.40 | | | | | | | | | | |
| | 4-VVIK | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 98.56 | | | | | | | | | | |
| - | 1 | 4-Wire DS1 Digital Loop in Combination - Zone 1 | 1 | 2 | UNC1X | USLXX | 224.20 | | | † | | | | | t | t | |
| | 1 | 4-Wire DS1 Digital Loop in Combination - Zone 3 | 1 | 3 | UNC1X | USLXX | 565.73 | | | | | | | | 1 | 1 | |
| | | DS1 COCI in combination per month | 1 | | UNC1X | UC1D1 | 13.55 | | | 1 | | | | | | | |
| | 2 WIRI | VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | OMBINA | TION | | | | | | | | | | | | | |
| | | Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per | | | | | | | | | | | | | | | |
| | | Month | | | UNCVX | 1L5XX | 0.01 | | | | ļ | | | | | | |
| 1 | | Interoffice Transport - 2-wire VG - Dedicated - Facility | 1 | | LINIONAY | | | | | | | | | | | | |
| <u> </u> | 4 14/15 | Termination per month | DMDIE: | TION | UNCVX | U1TV2 | 25.99 | | | 1 | 1 | | | | 1 | 1 | 1 |
| <u> </u> | 4 WIRI | E VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | OMBINA | IION | | 1 | | | | | 1 | | | - | - | - | |
| 1 | | Month | 1 | | UNCVX | 1L5XX | 0.01 | | | | | | | | | | |
| | 1 | Interoffice Transport - 4-wire VG - Dedicated - Facility | 1 | | J | .20/01 | 5.01 | | | † | 1 | | | | - | - | 1 |
| 1 | | Termination per month | 1 | | UNCVX | U1TV4 | 22.78 | | | | | | | | | | |
| | DS1 IN | ITEROFFICE TRANSPORT FOR COMBINATION | | | | | | | | | 1 | | | | | | <u> </u> |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | _ | | | _ |
| | | per month | 1 | | UNC1X | 1L5XX | 0.30 | | | | | | | | | | |
| 1 | | Interoffice Transport - Dedicated - DS1 combination - Facility | 1 | | l <u>-</u> | I | | | | | | | | | _ | _ | |
| | DC: /* | Termination per month | <u> </u> | | UNC1X | U1TF1 | 81.04 | | | ļ | ļ | <u> </u> | | | | | |
| — | DS3 IN | ITEROFFICE TRANSPORT FOR USE IN A COMBINATION | l | | | + | | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month | 1 | | UNC3X | 1L5XX | 6.95 | | | | | | | | | | |
| - | + | Interoffice Transport - Dedicated - DS3 - Facility Termination per | 1 | | 014037 | ILUAA | 0.95 | | 1 | 1 | 1 | 1 | 1 | 1 | | | |
| | | month | 1 | | UNC3X | U1TF3 | 978.02 | | | | | | | | I | I | |
| | | 1 | | | | | U. U. U. | | 1 | 1 | 1 | 1 | | 1 | 1 | 1 | 1 |

| UNBUNDLE | D NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachmer | nt: 2 Ex. B | | |
|----------|--|-------------|-------|--------|--------|--------|-------|------------|-------------|--------------|--|---|-------------------------|---|----------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- | Charge - | Charge - Manual Sve Order vs. Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonre | curring | Nonrecurrin | g Disconnect | | | oss | Rates (\$) | | • |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| STS-1 | INTEROFFICE TRANSPORT FOR USE IN COMBINATION | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month | | | UNCSX | 1L5XX | 6.95 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month | | | UNCSX | U1TFS | 954.72 | | | | | | | | | | |
| 4 WID | Termination per month E 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN | EDODT | | UNCSX | UTIFS | 954.72 | | | | | | | | | | + |
| 4-9915 | 4-wire 56 kbps Local Loop in combination - Zone 1 | ISPURI | | UNCDX | UDL56 | 35.64 | | | | | | | | | | + |
| | 4-wire 56 kbps Local Loop in combination - Zone 1 | | | UNCDX | UDL56 | 42.30 | | | | | | | | | | + |
| | 4-wire 56 kbps Local Loop in combination - Zone 3 | | | UNCDX | UDL56 | 44.76 | | | | | | | | | | + |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | 3 | | | - | | | | | | | | | | <u> </u> |
| | Per Mile per month | | | UNCDX | 1L5XX | 0.01 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | LINCDY | LIATOS | 47.05 | | | | | | | | | | |
| 4 14/15 | Facility Termination per month E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | EEICE T | DANIC | UNCDX | U1TD5 | 17.95 | | 1 | 1 | + | 1 | | | | - | + |
| 4-WIRI | 4-wire 64 kbps Lcoal Loop in Combination - Zone 1 | FFICE | KANS | UNCDX | UDL64 | 35.64 | | 1 | 1 | + | | | | | - | + |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 1 4-wire 64 kbps Lcoal Loop in Combination - Zone 2 | | 2 | UNCDX | UDL64 | 42.30 | | | | | | | | | | + |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 3 | | | UNCDX | UDL64 | 44.76 | | | | | | | | | | + |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | 3 | UNCDA | ODL04 | 44.70 | | | | | | | | | | + |
| | Per Mile per month | | | UNCDX | 1L5XX | 0.01 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | ONODA | TEO/OX | 0.01 | | | | | | | | | | + |
| | Facility Termination per month | | | UNCDX | U1TD6 | 17.95 | | | | | | | | | | |
| 4-WIRI | E 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC | E TRAN | SPORT | | 01120 | | | | | | | | | | | † |
| | 4-wire 56 kbps Local Loop in combination - Zone 1 | | | UNCDX | UDL56 | 35.64 | | | | | | | | | | † |
| | 4-wire 56 kbps Local Loop in combination - Zone 2 | | | UNCDX | UDL56 | 42.30 | | | | | | | | | | 1 |
| | 4-wire 56 kbps Local Loop in combination - Zone 3 | | | UNCDX | UDL56 | 44.76 | | | | | | | | | | 1 |
| | 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month | | | UNCDX | 1L5XX | 0.01 | | | | | | | | | | |
| | 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month | | | UNCDX | U1TD5 | 17.95 | | | | | | | | | | |
| 4-WID | E 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC | F TRAN | SPORT | | 01100 | 17.00 | | | | | | | | | | + |
| 7 77110 | 4-wire 64 kbps Local Loop in combination - Zone 1 | | | UNCDX | UDL64 | 35.64 | | | | | | | | | | + |
| | 4-wire 64 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL64 | 42.30 | | | | | | | | | | † |
| | 4-wire 64 kbps Local Loop in combination - Zone 3 | | | UNCDX | UDL64 | 44.76 | | | | | | | | | | 1 |
| | I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month | | | UNCDX | 1L5XX | 0.01 | | | | | | | | | | |
| | 4-wire 64 kbps Interoffice Transport - Dedicated - Facility | | | UNCDA | ILJAA | 0.01 | | | | | | | | | | + |
| | Termination per month | | | UNCDX | U1TD6 | 17.95 | | | | | | | | | | |
| DS1 D | IGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT | | | 011057 | 01120 | | | | | | | | | | | + |
| | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 98.56 | | | | | | | | | | 1 |
| | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | | UNC1X | USLXX | 224.20 | | | | | | | | | | 1 |
| | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | | UNC1X | USLXX | 565.73 | | | | | | | | | | 1 |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile per month | | | UNC1X | 1L5XX | 0.30 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | , | 5.50 | | | | | | | | | | 1 |
| | Termination per month | | | UNC1X | U1TF1 | 81.04 | | | | | | | | | | |
| DS3 D | IGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO | ORT | | | | | | | | | | | | | | 1 |
| | DS3 Local Loop in combination - per mile per month | | | UNC3X | 1L5ND | 13.28 | | | | | | | | | | |
| | DS3 Local Loop in combination - Facility Termination per month | | | UNC3X | UE3PX | 479.19 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 6.95 | | | | | | | | | | 1 |
| | Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month | | | UNC3X | U1TF3 | 978.02 | | | | | | | | | | |
| STS-1 | DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN | ISPORT | | 011007 | 01113 | 910.02 | | 1 | 1 | 1 | 1 | | | 1 | 1 | + |
| 0.0-1 | STS-1 Local Lolp in combination - per mile per month | | | UNCSX | 1L5ND | 13.28 | | 1 | 1 | + | | | | | | + |
| | STS-1 Local Loop in combination - Facility Termination per month | | | UNCSX | UDLS1 | 495.36 | | | | 1 | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - per mile | | | OINOOA | UDLST | 490.36 | | - | } | + | } | | | - | 1 | + |

| UNBU | JNDLE | D NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachmen | nt: 2 Ex. B | | |
|-------|---------|--|-------------|--------|-----------------------------|----------|----------------|-----------|------------|--------------|------------|--|-----------|--|-------------|---|---|
| CATE | GORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | - | _ 1 | Nonrec | urrina | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month | | | UNCSX | U1TFS | 954.72 | | | | | | | | | | |
| ADDIT | IONAL N | ETWORK ELEMENTS | | | | | | | | | | | | | | | í |
| | | used as a part of a currently combined facility, the non-recurr | | | | | | | | | | | | | | | |
| | | used as ordinarily combined network elements in All States, the | | | | | As Is Charge o | loes not. | | | | | | | | | Ī |
| | Nonrec | curring Currently Combined Network Elements "Switch As Is" | Charge | (One a | pplies to each comb | ination) | | | | | | | | | | | |
| | Option | al Features & Functions: | | | | | | | | | | | | | | | |
| | | Clear Channel Capability Extended Frame Option - per DS1 | _ | | U1TD1, ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Clear Channel Capability Super FrameOption - per DS1 | ı | | U1TD1, ULDD1,UNC1X | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 | _ | | ULDD1, U1TD1, UNC1X, USL | NRCCC | | 184.65 | 23.79 | 1.97 | 0.77 | | | | | | |
| | | | | | U1TD3, ULDD3, | | | | | - | | | | | | | |
| | | C-bit Parity Option - Subsequent Activity - per DS3 | i | | UE3, UNC3X | NRCC3 | | 218.78 | 7.66 | 0.7263 | 0.00 | | | | | | |
| | | PLEXERS | | | | | | | | | | | | | | | |
| | | DS1 to DS0 Channel System per month | | | UNC1X | MQ1 | 120.85 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop | | | UDL | 1D1DD | 1.59 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 | | | | | | | | | | | | | | | |
| | | Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | U1TUD | 1D1DD | 1.59 | | | | | | | | | | |
| | | month for a Local Loop | | | UDN | UC1CA | 3.40 | | | | | | | | | | 1 |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel | | | LIATUD | 110404 | 0.40 | | | | | | | | | | |
| | | in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month | | | U1TUB | UC1CA | 3.40 | | | | | | | | | | |
| | | used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month | | | UEA | 1D1VG | 0.75 | | | | | | | | | | |
| | | used for connection to a channelized DS1 Local Channel in the same SWC as collocation | | | U1TUC | 1D1VG | 0.75 | | | | | | | | | | |
| | | DS3 to DS1 Channel System per month | | | UNC3X | MQ3 | 231.70 | | | | | | | | | | i . |
| | | STS-1 to DS1 Channel System per month | | | UNCSX | MQ3 | 231.70 | | | | | | | | | | |
| | | DS1 COCI used with Loop per month | | | USL | UC1D1 | 13.55 | | · | | | | | · | | | |
| | | DS1 COCI (used for connection to a channelized DS1 Local | | | | | | | | | | | | | | | ł |
| | | Channel in the same SWC as collocation) per month | | | U1TUA | UC1D1 | 13.55 | | | | | | | | | | |
| | | DS1 COCI used with Interoffice Channel per month | | | U1TD1 | UC1D1 | 13.55 | | | | | | | | | | |
| | | DS3 Interface Unit (DS1 COCI) used with Local Channel per month | | | ULDD1 | UC1D1 | 13.55 | | | | | | | | | | |

| HINRH | UDI FI | D NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachmor | nt: 2 Ex. B | | |
|-----------|--------|---|--|--|-------|----------|------------------|------------------|------------------|--|----------------|-----------|-----------|-------------|-------------|-------------|-------------|
| ONBO | ADEL | | 1 | Ι | | | 1 | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | 1 | | | | | | | | | Elec | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEG | ORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | *** | | | per Lor | per Lor | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | 151 | Add I | DISC 1St | DISC Add I |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | g Disconnect | | | oss | Rates (\$) | | |
| | | | | | | | Rec | | Add'l | | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| | | XCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| | 2-WIRE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | | | | | | | | | | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 10.06 | 129.98 | 79.52 | 50.38 | 7.93 | | | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | _ | | | | | | | | | | | | | |
| | | & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 10.60 | 129.98 | 79.52 | 50.38 | 7.93 | | | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | _ | | | 44.05 | | ===== | = | | | | | | | |
| | | & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 11.35 | 129.98 | 79.52 | 50.38 | 7.93 | | | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry | l | 4 | UHL | UHL2X | 12.03 | 129.98 | 79.52 | 50.38 | 7.93 | | | | | | |
| 1 | | & facility reservation - Zone 4 | | 4 | UNL | UHLZX | 12.03 | 129.98 | 79.52 | 50.38 | 7.93 | | | | | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1 | 1 | 1 | UHL | UHL2W | 10.06 | 104.86 | 66.74 | 50.38 | 7.93 | | | | | | |
| \vdash | | 2 Wire Unbundled HDSL Loop without manual service inquiry | - | | UIIL | UNLZVV | 10.06 | 104.80 | 00.74 | 50.38 | 1.93 | | | | - | | |
| | | and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 10.60 | 104.86 | 66.74 | 50.38 | 7.93 | | | | | | |
| - | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | OFF | OFILZVV | 10.00 | 104.00 | 00.74 | 30.30 | 1.93 | | | | | | |
| | | and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 11.35 | 104.86 | 66.74 | 50.38 | 7.93 | | | | | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | 3 | OTIL | OFILZVV | 11.33 | 104.00 | 00.74 | 30.30 | 1.55 | | | | | | |
| | | and facility reservation - Zone 4 | | 4 | UHL | UHL2W | 12.03 | 104.86 | 66.74 | 50.38 | 7.93 | | | | | | |
| | 4-WIRE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIRLE I | OOP | OTIL | OTILEVV | 12.00 | 104.00 | 00.7 4 | 00.00 | 7.00 | | | | | | |
| | | 4 Wire Unbundled HDSL Loop including manual service inquiry | | <u> </u> | | | | | | | | | | | | | |
| | | and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 15.85 | 158.74 | 108.28 | 56.72 | 10.68 | | | | | | |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry | | <u> </u> | 0.12 | 01.12.17 | 10.00 | .00 | 100.20 | 00.72 | 10.00 | | | | | | |
| | | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 15.44 | 158.74 | 108.28 | 56.72 | 10.68 | | | | | | |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 17.93 | 158.74 | 108.28 | 56.72 | 10.68 | | | | | | |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 4 | | 4 | UHL | UHL4X | 16.63 | 158.74 | 108.28 | 56.72 | 10.68 | | | | | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 15.85 | 133.62 | 95.50 | 56.72 | 10.68 | | | | | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 2 | | 2 | UHL | UHL4W | 15.44 | 133.62 | 95.50 | 56.72 | 10.68 | | | | | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 17.93 | 133.62 | 95.50 | 56.72 | 10.68 | | | | | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | 1 | ١. | | | l l | | | | | | | | | | |
| | | and facility reservation - Zone 4 | | 4 | UHL | UHL4W | 16.63 | 133.62 | 95.50 | 56.72 | 10.68 | | | | | | |
| | 4-WIRE | DS1 DIGITAL LOOP | <u> </u> | | 1101 | 1101.307 | 110.00 | 050.00 | 150 15 | 10.10 | 10.0= | | | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 1 | | 1 2 | | USLXX | 118.62 148.79 | 253.93 253.93 | 158.45 158.45 | 46.10 | 12.07 | | | | | | |
| 1 | | 4-Wire DS1 Digital Loop - Zone 2 | | | USL | USLXX | 148.79 237.75 | 253.93 | 158.45 | 46.10 46.10 | 12.07 12.07 | | | | | | |
| \vdash | | 4-Wire DS1 Digital Loop - Zone 3 4-Wire DS1 Digital Loop - Zone 4 | - | 4 | | USLXX | 527.23 | 253.93 | 158.45 | 46.10 | 12.07 | | | | | | |
| HIGH C | ADACIT | Y UNBUNDLED LOCAL LOOP | 1 | 4 | UUL | USLAA | 521.23 | ∠53.93 | 158.45 | 46.10 | 12.07 | | | | | | |
| поп С | TEACH | High Capacity Unbundled Local Loop - DS3 - Per Mile per | 1 | | | - | | | | | | | | | | | |
| | | month | 1 | 1 | UE3 | 1L5ND | 12.88 | | | I | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 - Facility | 1 | | 010 | ILUIND | 12.00 | | | | | | | | | | |
| | | Termination per month | 1 | 1 | UE3 | UE3PX | 375.07 | | | I | | | | | | | |
| | | High Capacity Unbundled Local Loop - STS-1 - Per Mile per | 1 | l | 0_0 | OLG: A | 373.07 | | | I | | | | | | | |
| | | month | l | | UDLSX | 1L5ND | 12.88 | | | 1 | | | | | | | |
| | | High Capacity Unbundled Local Loop - STS-1 - Facility | 1 | | | 1 | .2.50 | | | t | | | | | | | |
| | | Termination per month | l | | UDLSX | UDLS1 | 389.33 | | | 1 | | | | | | | |
| UNBUN | DLED [| DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | NTER | OFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | | | | | | |
| | | month | <u></u> | | U1TD1 | 1L5XX | 0.23 | | | <u> </u> | | | | | <u> </u> | <u> </u> | |
| | | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | | | _ | | | | | | | | | |
| | | Termination | | | U1TD1 | U1TF1 | 65.93 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | · | | | | | | | | |
| | | month | | | U1TD3 | 1L5XX | 5.47 | | | l . | | | | | | | |

| LINDI | INDI E | D NETWORK ELEMENTS Mississippi | | | | | | | | | | | | Attachman | -4.0 Fu D | 1 | |
|----------|--|---|--|---------|------------------------------|----------------|-----------------|----------------|-----------------|-----------------|--|-------------|-----------|-------------|-------------|--|-------------|
| UNDU | JNDLE | D NETWORK ELEMENTS - Mississippi | 1 | 1 | | | 1 | | | | | Svc Order | Svc Order | | nt: 2 Ex. B | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | | Manual Svc | | | Manual Svc |
| CATE | GORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | | | | per Lor | per Lor | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | 2.00 .01 | 2.007.444 |
| | | | | | | | Rec | Nonre | | Nonrecurring | g Disconnect | | | | Rates (\$) | | |
| | | Little (Co. Olever) Bullion I Transaction BOO Feeling | | | | | | | Add'l | | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | U1TD3 | U1TF3 | 738.18 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | | 1 | 01103 | UTIF3 | 738.18 | | | | | | | | | | |
| | | month | | | U1TS1 | 1L5XX | 5.47 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - STS-1 - Facility | | | 31.01 | 120701 | 0 | | | | | | | | | | |
| | | Termination | | | U1TS1 | U1TFS | 740.84 | | | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade | | | ULDVX, UNCVX | ULDV2 | 17.15 | | | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat | | | ULDVX | ULDR2 | 17.15 | | | | | | | | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade | | | ULDVX, UNCVX | ULDV4 | 18.39 | | | | | | | | | | |
| | | Local Channel - Dedicated - DS1 - Zone 1 | | | ULDD1, UNC1X | ULDF1 | 42.35 | | | | | | | | | | |
| | | Local Channel - Dedicated - DS1 - Zone 2 | <u> </u> | | ULDD1, UNC1X | ULDF1 | 41.39 | | | ļ | | <u> </u> | | | ļ | ļ | |
| | | Local Channel - Dedicated - DS1 - Zone 3 | ! | | ULDD1, UNC1X | ULDF1 | 254.87 | | | 1 | 1 | 1 | | | 1 | | |
| <u> </u> | | Local Channel - Dedicated - DS1 - Zone 4 Local Channel - Dedicated - DS3 - Per Mile per month | | 4 | ULDD1, UNC1X ULDD3, UNC3X | ULDF1 1L5NC | 254.87 11.11 | | | - | | 1 | | | - | - | |
| - | 1 | Local Channel - Dedicated - DS3 - Per Mile per month Local Channel - Dedicated - DS3 - Facility Termination | 1 | | ULDD3, UNC3X | ULDF3 | 475.95 | | | 1 | | 1 | | | 1 | 1 | |
| - | 1 | Local Channel - Dedicated - DSS - Pacificy Termination Local Channel - Dedicated - STS-1- Per Mile per month | 1 | | ULDS1, UNCSX | 1L5NC | 11.11 | | | † | † | | | | 1 | | |
| | 1 | Local Channel - Dedicated - STS-1 - Facility Termination | 1 | | ULDS1, UNCSX | ULDFS | 469.22 | | | 1 | 1 | | | | | 1 | |
| ENHA | NCED EX | KTENDED LINK (EELs) | | | | | | | | | | | | | | | |
| | NOTE: | The monthly recurring and non-recurring charges below will | apply a | nd the | Switch-As-Is Charge | will not app | oly for UNE con | nbinations pro | visioned as ' (| Ordinarily Com | bined' Networ | k Elements. | | | | | |
| | NOTE: | The monthly recurring and the Switch-As-Is Charge and not t | he non | recurri | ng charges below w | ill apply for | UNE combinati | ons provision | ed as ' Curren | tly Combined' I | Network Eleme | nts. | | | | | |
| | 2-WIRE | VOICE GRADE LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop (SL2) in Combination - Zone 1 | | | UNCVX | UEAL2 | 15.97 | | | | | | | | | | |
| | | 2-Wire VG Loop (SL2) in Combination - Zone 2 | | | UNCVX | UEAL2 | 21.56 | | | | | | | | | | |
| | | 2-Wire VG Loop (SL2) in Combination - Zone 3 | | 3 | UNCVX | UEAL2 UEAL2 | 31.68 | | | | | 1 | | | | | |
| - | | 2-Wire VG Loop (SL2) in Combination - Zone 4 Voice Grade COCI - Per Month | | 4 | UNCVX UNCVX | 1D1VG | 52.58 0.66 | | | | - | | | | | | |
| | 4-WIRE | VOICE GRADE LOOP FOR USE IN A COMBINATION | 1 | | ONOVA | IDIVO | 0.00 | | | | | | | | | | |
| | | 4-Wire Analog Voice Grade Loop in Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 31.59 | | | | | | | | | | |
| | | 4-Wire Analog Voice Grade Loop in Combination - Zone 2 | | | UNCVX | UEAL4 | 44.00 | | | | | | | | | | |
| | | 4-Wire Analog Voice Grade Loop in Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 57.53 | | | | | | | | | | |
| | | 4-Wire Analog Voice Grade Loop in Combination - Zone 4 | | 4 | UNCVX | UEAL4 | 57.53 | | | | | | | | | | |
| | | Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 0.66 | | | | | | | | | | |
| | 4-WIRE | 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | |
| | | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 | | 2 | UNCDX | UDL56 | 31.56 | | | | | | | | | | |
| | - | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX UNCDX | UDL56 UDL56 | 39.73 46.87 | | | | | | | | | | |
| | + | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 | 1 | 4 | UNCDX | UDL56 | 37.09 | | | <u> </u> | | | | | | 1 | |
| <u> </u> | 1 | OCU-DP COCI (data) per month (2.4-64kbs) | 1 | - | UNCDX | 1D1DD | 1.40 | | | † | † | | | | 1 | | |
| | 4-WIRE | 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATI\ON | | | | | 7.10 | | | Ì | 1 | | | | | İ | |
| | | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL64 | 31.56 | | | | | | | | <u> </u> | <u> </u> | |
| | | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 | | 2 | UNCDX | UDL64 | 39.73 | | | | | | | | | | |
| | | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 | 46.87 | | | | | | | | | | |
| | <u> </u> | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 4 | <u> </u> | 4 | UNCDX | UDL64 | 37.09 | | | | ļ | | | | | ļ | |
| <u> </u> | 2-14/155 | OCU-DP COCI (data) - in combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.40 | | | - | | 1 | | | - | - | |
| - | Z-WIRE | E ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1 | 1 | 1 | UNCNX | U1L2X | 24.16 | | | | + | | | | | | |
| <u> </u> | 1 | 2-Wire ISDN Loop in Combination - Zone 2 | 1 | 2 | UNCNX | U1L2X | 31.73 | | | | + | | | | | | |
| | 1 | 2-Wire ISDN Loop in Combination - Zone 3 | 1 | | UNCNX | U1L2X | 42.94 | | | 1 | 1 | | | | | 1 | |
| | 1 | 2-Wire ISDN Loop in Combination - Zone 4 | 1 | | UNCNX | U1L2X | 68.06 | | | 1 | | | | | | | |
| | | 2-wire ISDN COCI (BRITE) - in combination - per month | | | UNCNX | UC1CA | 3.01 | | | | | | | | | | |
| | 4-WIRE | DS1 DIGITAL LOOP FOR USE IN A COMBINATION | | | | | | | · | | | | | _ | | | |
| | | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 90.94 | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop in Combination - Zone 2 | ļ | 2 | UNC1X | USLXX | 148.79 | | | | | | | | | | |
| <u> </u> | | 4-Wire DS1 Digital Loop in Combination - Zone 3 | ! | 3 | UNC1X | USLXX | 237.75 | | | 1 | 1 | 1 | | | 1 | | |
| | 1 | 4-Wire DS1 Digital Loop in Combination - Zone 4 DS1 COCI in combination per month | 1 | 4 | UNC1X UNC1X | USLXX UC1D1 | 527.23 3.01 | | | ļ | | } | | | | | |
| - | 2 WIRE | EVOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | OMBINA | TION | OINO IA | וטוטו | 3.01 | | | 1 | | 1 | - | | 1 | 1 | |
| | | Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per | 1 | 1 | | | - | | | † | - | | | | | | |
| 1 | 1 | Month | 1 | | UNCVX | 1L5XX | 0.00 | | | | 1 | | 1 | | | 1 | |
| | | • | | | | | | | | ė . | | • | | | | | |

| UNB | UNDLE | D NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attachmei | nt: 2 Ex. B | | |
|----------|---------|--|--|--------|----------------|----------------|----------------|-------|------------|-------------|--------------|-----------|-----------|-------------|--|--|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | | Manual Svc | | | Manual Svc |
| CATE | GORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | | | | po. 2011 | po. 2011 | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | -100 101 | |
| | _ | | | | | | Rec | Nonre | curring | Nonrecurrin | g Disconnect | | | | Rates (\$) | | |
| | | | | | | | | | Add'l | | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Transport - 2-wire VG - Dedicated - Facility | | | 1110000 | 11477.00 | 00.07 | | | | | | | | | | |
| | 4 W/IDI | Termination per month VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | OMDINIA | TION | UNCVX | U1TV2 | 23.37 | | | | | | | | | | |
| | 4 WIRI | Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per | JIVIDIIVA | IION | | | | | | | | | | | | | |
| | | Month | | | UNCVX | 1L5XX | 0.00 | | | | | | | | | | |
| | | Interoffice Transport - 4-wire VG - Dedicated - Facility | | | ONOVA | 1LO/O | 0.00 | | | | | | | | | | |
| | | Termination per month | | | UNCVX | U1TV4 | 20.54 | | | | | | | | | | |
| | DS1 IN | TEROFFICE TRANSPORT FOR COMBINATION | | | | | | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | | per month | | | UNC1X | 1L5XX | 0.21 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility | 1 | | | | | | | | | | | | |] | |
| | | Termination per month | ļ | | UNC1X | U1TF1 | 59.48 | | | | | | | | 1 | ļ | |
| | DS3 IN | TEROFFICE TRANSPORT FOR USE IN A COMBINATION | <u> </u> | ļ | | | | | | ļ | ļ | | | | | ļ | |
| l | | Interoffice Transport - Dedicated - DS3 combination - Per Mile | | | LINGOV | 41.577 | F 47 | | | | | | | | 1 | | |
| | 1 | Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per | <u> </u> | | UNC3X | 1L5XX | 5.47 | | | 1 | 1 | - | | | | - | |
| | | month | | | UNC3X | U1TF3 | 738.18 | | | | | | | | | | |
| | STS-1 | INTEROFFICE TRANSPORT FOR USE IN COMBINATION | | | UNCOX | 01113 | 730.10 | | | | | | | | | | |
| | 0.0. | Interoffice Transport - Dedicated - STS-1 combination - Per Mile | | | | | | | | | | | | | | | |
| | | Per Month | | | UNCSX | 1L5XX | 5.47 | | | | | | | | | | |
| | | 3/1 Channel System in combination per month | | | UNCSX | MQ3 | 196.22 | | | | | | | | | | |
| | 4-WIRI | 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN | ISPORT | | | | | | | | | | | | | | |
| | | 4-wire 56 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL56 | 31.56 | | | | | | | | | | |
| | | 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 39.73 | | | | | | | | | | |
| | | 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 46.87 | | | | | | | | | | |
| | _ | 4-wire 56 kbps Local Loop in combination - Zone 4 | | 4 | UNCDX | UDL56 | 37.09 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | LINODY | 41.5307 | 0.04 | | | | | | | | | | |
| | - | Per Mile per month Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | UNCDX | 1L5XX | 0.01 | | | | | | | | | | |
| | | Facility Termination per month | | | UNCDX | U1TD5 | 25.90 | | | | | | | | | | |
| | 4-WIR | E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | FEICE 1 | RANSI | | 01103 | 25.90 | | | | | | | | | | |
| | 7 77117 | 4-wire 64 kbps Lcoal Loop in Combination - Zone 1 | | | UNCDX | UDL64 | 31.56 | | | | | | | | | | |
| | | 4-wire 64 kbps Lcoal Loop in Combination - Zone 2 | | | UNCDX | UDL64 | 39.73 | | | | | | | | | | |
| | | 4-wire 64 kbps Lcoal Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 | 46.87 | | | | | | | | | | |
| | | 4-wire 64 kbps Lcoal Loop in Combination - Zone 4 | | 4 | UNCDX | UDL64 | 37.09 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | | | |
| | | Per Mile per month | | | UNCDX | 1L5XX | 0.01 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | | | |
| <u> </u> | 4 14/15 | Facility Termination per month | E TD () | ICDOC: | UNCDX | U1TD6 | 25.90 | | - | 1 | 1 | | | | 1 | | |
| | 4-WIRI | 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC 4-wire 56 kbps Local Loop in combination - Zone 1 | E IRAN | | UNCDX | UDL56 | 31.56 | | | 1 | 1 | - | | | | - | |
| | + | 4-wire 56 kbps Local Loop in combination - Zone 1 | 1 | 2 | UNCDX | UDL56 | 31.56 | | | | | | | | + | | |
| | 1 | 4-wire 56 kbps Local Loop in combination - Zone 2 | 1 | 3 | UNCDX | UDL56 | 46.87 | | | | 1 | - | | | t | | |
| | + | 4-wire 56 kbps Local Loop in combination - Zone 4 | † | 4 | UNCDX | UDL56 | 37.09 | | | 1 | 1 | <u> </u> | | | I | | |
| | 1 | 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per | | | - 2-11 | | 200 | | | | | | | | 1 | | |
| | | month | 1 | | UNCDX | 1L5XX | 0.01 | | | | | | | | | 1 | |
| | | 4-wire 56 kbps Interoffice Transport - Dedicated - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | <u> </u> | | UNCDX | U1TD5 | 25.90 | | | | | | | | | | |
| | 4-WIR | 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC | E TRAN | | | | | | | | | | | | | | |
| | | 4-wire 64 kbps Local Loop in combination - Zone 1 | ļ | | UNCDX | UDL64 | 31.56 | | | ļ | ļ | | | | | | |
| | - | 4-wire 64 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL64 | 39.73 | | | | | | | | 1 | | |
| | + | 4-wire 64 kbps Local Loop in combination - Zone 3 4-wire 64 kbps Local Loop in combination - Zone 4 | | 3 | UNCDX UNCDX | UDL64 UDL64 | 46.87 37.09 | | | | | 1 | | | 1 | | |
| - | + | I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per | | 4 | OINCDA | UDL04 | 31.09 | | | | | | | | + | | |
| | | month | 1 | | UNCDX | 1L5XX | 0.01 | | | | | | | | | 1 | |
| | 1 | 4-wire 64 kbps Interoffice Transport - Dedicated - Facility | † | | 5.10DX | 120/00 | 0.01 | | | 1 | 1 | 1 | | | † | 1 | |
| | | Termination per month | | | UNCDX | U1TD6 | 25.90 | | | | | | | | 1 | | |
| | DS1 D | GITAL LOOP AND DS1 INTERFOFFICE TRANSPORT | 1 | | - | | | | | | | | | | 1 | İ | |
| | | 4-Wire DS1 Digital Loop in Combination - Zone 1 | 1 | 1 | UNC1X | USLXX | 90.94 | | | | | | | | | | 1 |
| | _ | | | | | | | | | | | | | _ | | | |

| UNDUI | NDLE | D NETWORK ELEMENTS - Mississippi | | | | | · | · | | • | | _ | | Attachmen | t: 2 Ex. B | _ | |
|--------|---------|---|-------------|--------|---|--|--|------------------|---------------|--------------|-------|---|---|---|---|--|--------------------------|
| CATEGO | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Order vs. Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | | | Add'l | | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 148.79 | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 237.75 | | | | | | | | | | |
| | | 4-wire DS1 Digital Lcoal Loop in Combination - Zone 4 | | 4 | UNC1X | USLXX | 527.23 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | | per month | | | UNC1X | 1L5XX | 0.21 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | | | UNC1X | U1TF1 | 59.48 | | | | | | | | | | |
| | DS3 DI | GITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO | DRT | | | | | | | | | | | | | | |
| | | DS3 Local Loop in combination - per mile per month | | | UNC3X | 1L5ND | 14.81 | | | | | | | | | | |
| | | | | | l . | 1 | l l | | | | | 1 | | | | | |
| | | DS3 Local Loop in combination - Facility Termination per month | | | UNC3X | UE3PX | 431.33 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 5.47 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS3 combination - Facility | | | | | | | | | | 1 | | | | | |
| | | Termination per month | | | UNC3X | U1TF3 | 738.18 | | | | | | | | | | |
| , | STS-1 | DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN | ISPORT | | | 41.51.5 | | | | | | | | | | | |
| | | STS-1 Local Lolp in combination - per mile per month | | | UNCSX | 1L5ND | 14.81 | | | | | | | | | | |
| | | STS-1 Local Loop in combination - Facility Termination per | | | | | | | | | | | | | | | |
| | | month | | | UNCSX | UDLS1 | 447.73 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS-1 combination - per mile | | | | | | | | | | | | | | | |
| | | per month | | | UNCSX | 1L5XX | 5.47 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | | | UNCSX | U1TFS | 740.84 | | | | | | | | | | |
| | | NETWORK ELEMENTS | | | | 1 | | | | | | | | | | | |
| | | used as a part of a currently combined facility, the non-recurr | | | | | | | | | | | | | | | |
| | | used as ordinarily combined network elements in All States, the | | | | | As Is Charge d | oes not. | | | | | | | | | |
| | | curring Currently Combined Network Elements "Switch As Is" | Charge | (One a | ipplies to each com | bination) | | | | | | | | | | | |
| ! | Option | al Features & Functions: | | | LIATOA | | | | | | | | | | | | |
| | | Class Channel Carability Fixed and France Option and DC4 | | | U1TD1, ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Clear Channel Capability Extended Frame Option - per DS1 | - | | | CCOEF | 1 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Clear Channel Capability Super FrameOption - per DS1 | | | U1TD1, | 00005 | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | | - 1 | | ULDD1,UNC1X | CCOSF | 1 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | | | | ULDD1, U1TD1, | | | | | 4.00 | 0.76 | | | | | | |
| | | Clear Channel Capability (SF/ESF) Option - Subsequent | | | | NIDOOO | l I | 404.00 | | | | | | | | | |
| | | | ı | | UNC1X, USL | NRCCC | | 184.60 | 23.78 | 1.96 | 0.70 | | | | | | |
| | | Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 | <u>l</u> | | UNC1X, USL U1TD3, ULDD3, | | | | | | | | | | | | |
| | MIII TI | Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 | i | | UNC1X, USL | NRCC3 | | 184.60 218.72 | 23.78 7.66 | 0.7201 | 0.00 | | | | | | |
| ı | MULTI | Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS | i | | UNC1X, USL U1TD3, ULDD3, UE3, UNC3X | NRCC3 | 110.20 | | | | | | | | | | |
| ı | MULTI | Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month | i | | UNC1X, USL U1TD3, ULDD3, | | 118.28 | | | | | | | | | | |
| I | MULTI | Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per | i | | UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X | NRCC3 | | | | | | | | | | | |
| 1 | MULTI | Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop | i | | UNC1X, USL U1TD3, ULDD3, UE3, UNC3X | NRCC3 | 118.28 | | | | | | | | | | |
| I | MULTI | Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per | i | | UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X | NRCC3 | | | | | | | | | | | |
| I | MULTI | Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 | i | | UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL | MQ1 1D1DD | 1.40 | | | | | | | | | | |
|] | MULTI | Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation | i | | UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X | NRCC3 | | | | | | | | | | | |
| 1 | MULTI | Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per | i | | UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL | MQ1 1D1DD 1D1DD | 1.40 | | | | | | | | | | |
| I | MULTI | Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop | i | | UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL | MQ1 1D1DD | 1.40 | | | | | | | | | | |
| 1 | MULTI | Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | i | | UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL | MQ1 1D1DD 1D1DD | 1.40 | | | | | | | | | | |
| 1 | MULTI | Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel | i | | UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN | MQ1 1D1DD 1D1DD UC1CA | 1.40 1.40 3.01 | | | | | | | | | | |
| I | MULTI | Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation | i | | UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL | MQ1 1D1DD 1D1DD | 1.40 | | | | | | | | | | |
| | MULTI | Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month for a Local Loop | i | | UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN | MQ1 1D1DD 1D1DD UC1CA | 1.40 1.40 3.01 3.01 | | | | | | | | | | |
| | MULTI | Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop | i | | UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN | MQ1 1D1DD 1D1DD UC1CA | 1.40 1.40 3.01 | | | | | | | | | | |
| I | MULTI | Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month | i | | UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN | MQ1 1D1DD 1D1DD UC1CA | 1.40 1.40 3.01 3.01 | | | | | | | | | | |
| I | MULTI | Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop | i | | UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN U1TUB UEA | MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG | 1.40 1.40 3.01 3.01 0.66 | | | | | | | | | | |
| | MULTI | Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation | i | | UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN U1TUB UEA | MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG | 1.40 1.40 3.01 3.01 0.66 | | | | | | | | | | |
| | MULTI | Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation | i | | UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN U1TUB UEA U1TUC UNC3X | MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG | 1.40 1.40 3.01 3.01 0.66 | | | | | | | | | | |
| | MULTI | Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month | i | | UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN U1TUB UEA U1TUC UNC3X UNC3X | MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG MQ3 MQ3 | 1.40 1.40 3.01 3.01 0.66 0.66 196.22 198.22 | | | | | | | | | | |
| | MULTI | Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month DS3 to DS1 Channel System per month DS1 COCI used with Loop per month | i | | UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN U1TUB UEA U1TUC UNC3X | MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG MQ3 | 1.40 1.40 3.01 3.01 0.66 0.66 | | | | | | | | | | |
| | MULTI | Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month | i | | UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN U1TUB UEA U1TUC UNC3X UNC3X | MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG MQ3 MQ3 | 1.40 1.40 3.01 3.01 0.66 0.66 196.22 198.22 | | | | | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Mississippi | | | | | | | | | | | Attachmen | t: 2 Ex. B | | |
|----------|---|--------|------|-------|-------|-------|--------|------------|------------------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonrec | urring | Nonrecurring Disconnec | t | | oss | Rates (\$) | • | |
| | | | | | | Rec | | Add'l | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | DS3 Interface Unit (DS1 COCI) used with Local Channel per | | | | | | | • | | | | | | | |
| | month | | | ULDD1 | UC1D1 | 14.90 | | | | | | | | | |

| UNBUNDL | ED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachmer | nt: 2 Ex. B | | |
|-------------|---|--|------|--------------|----------|-----------------|--------|------------|--|-------|--|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | | curring | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| LINDUNDI EF | D EXCHANGE ACCESS LOOP | | | | | | | | | | | | - | - | | <u> </u> |
| | RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIRLE I | OOP | | | | | | - | | | | | | | |
| 2-7711 | 2 Wire Unbundled HDSL Loop including manual service inquiry | I | 1 | | + | | | | | | | | | | | - |
| | & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 10.36 | 284.74 | 163.54 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 17.10 | 284.74 | 163.54 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 26.24 | 284.74 | 163.54 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | 40.00 | 007.40 | 400.05 | | | | | 00.04 | 40.70 | 0.00 | 0.00 |
| | and facility reservation - Zone 1 2 Wire Unbundled HDSL Loop without manual service inquiry | | 1 | UHL | UHL2W | 10.36 | 207.48 | 132.05 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 17.10 | 207.48 | 132.05 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | OFFE | OTILZVV | 17.10 | 207.40 | 132.03 | | | | | 20.34 | 12.70 | 0.00 | 0.00 |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 26.24 | 207.48 | 132.05 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| 4-WII | RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | | | | | | | | | | | | | | |
| | 4 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 12.21 | 341.65 | 220.45 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 20.32 | 341.65 | 220.45 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | 2 | UHL | 11111 47 | 24.22 | 244.05 | 220 45 | | | | | 20.04 | 40.70 | 0.00 | 0.00 |
| | and facility reservation - Zone 3 4-Wire Unbundled HDSL Loop without manual service inquiry | | 3 | UHL | UHL4X | 31.33 | 341.65 | 220.45 | - | | | - | 26.94 | 12.76 | 0.00 | 0.00 |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 12.21 | 264.39 | 188.96 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | OTIL | OFFE | 12.21 | 204.00 | 100.00 | | | | | 20.04 | 12.70 | 0.00 | 0.00 |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4W | 20.32 | 264.39 | 188.96 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 31.33 | 264.39 | 188.96 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| 4-WII | RE DS1 DIGITAL LOOP | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 1 | | | USL | USLXX | 54.74 | 714.84 | 421.47 | | | | | 42.19 | | 0.00 | 0.00 |
| | 4-Wire DS1 Digital Loop - Zone 2 | | | USL | USLXX | 97.01 154.43 | 714.84 | 421.47 | - | | | | 42.19 | | 0.00 | 0.00 |
| HIGH CABAC | 4-Wire DS1 Digital Loop - Zone 3 CITY UNBUNDLED LOCAL LOOP | | 3 | USL | USLXX | 154.43 | 714.84 | 421.47 | - | | | - | 42.19 | 12.76 | 0.00 | 0.00 |
| HIGH CAFAC | High Capacity Unbundled Local Loop - DS3 - Per Mile per | | | | | | | | + | | 1 | | | | | 1 |
| | month | | | UE3 | 1L5ND | 15.33 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Facility | | | 020 | 120.12 | 10.00 | | | | | | | İ | İ | | |
| | Termination per month | | | UE3 | UE3PX | 518.29 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | UDLSX | 1L5ND | 15.33 | | | 1 | | ļ | | 1 | 1 | | 1 |
| | High Capacity Unbundled Local Loop - STS-1 - Facility | | | LIDLOY | LIDI C4 | 500.53 | | | | | | | | | | |
| LINDUNDI ET | Termination per month DEDICATED TRANSPORT | | | UDLSX | UDLS1 | 533.90 | | | | | | - | | | | |
| | ROFFICE CHANNEL - DEDICATED TRANSPORT | | | | + | | | | + | | | - | - | - | - | |
| 1111 | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | 1 | | | | | | | + | | | | | | | † |
| | month | 1 | | U1TD1 | 1L5XX | 0.66 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | | | | | | | | | | | | 1 |
| | Termination | <u> </u> | | U1TD1 | U1TF1 | 81.98 | | | | | <u> </u> | | <u></u> | <u></u> | | <u> </u> |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | l | | | 1 | | | | | | | | | | | |
| | month Park at Tax at 170 Park | | | U1TD3 | 1L5XX | 14.93 | | | ļ | | ļ | | | | | . |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | HIITD2 | U1TF3 | 828.44 | | | | | | | | | | |
| - | Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | 1 | | U1TD3 | UIIF3 | 8∠8.44 | | | + | | | | + | + | | + |
| | month | 1 | | U1TS1 | 1L5XX | 7.06 | | | | | | | | | | |
| - | Interoffice Channel - Dedicated Transport - STS-1 - Facility | 1 | | 001 | .20/01 | 7.00 | | | + | | | | — | — | | † |
| | Termination | l | | U1TS1 | U1TFS | 908.93 | | | | | | | 1 | 1 | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1 | 1 | 1 | ULDVX, UNCVX | ULDV2 | 12.93 | | | 1 | | | | 1 | 1 | | 1 |
| | Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2 | | 2 | ULDVX, UNCVX | ULDV2 | 22.90 | | | | | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3 | | | ULDVX, UNCVX | ULDV2 | 36.46 | | | | | | | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1 | | 1 | ULDVX, UNCVX | ULDV4 | 13.83 | | | | | | | | | | |

| UNR | UNDI F | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachmer | nt: 2 Ex. B | | |
|----------|----------|---|----------|----------|--------------------|----------------|--|---------------|----------------|---------------|--|-----------|-----------|-------------|--|-------------|--|
| 0.10 | 0.10 | | | | | | | | | | | Svc Order | Svc Order | | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | | Manual Svc | | Manual Svc | Manual Svc |
| CATE | GORY | RATE ELEMENTS | Interi | Zone | BCS | usoc | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | = (+) | | | per LSK | per LSK | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | | | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | 1st | Add'l | DISC 1St | DISC Add I |
| | | | | | | | I | Nonre | curring | Nonrecurrin | g Disconnect | | | oss | Rates (\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2 | | 2 | ULDVX, UNCVX | ULDV4 | 24.53 | | | | | | | | | | í |
| | | Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3 | | 3 | ULDVX, UNCVX | ULDV4 | 39.04 | | | | | | | | | | í |
| | | Local Channel - Dedicated - DS1 - Zone 1 | | 1 | ULDD1, UNC1X | ULDF1 | 31.11 | | | | | | | | | | í |
| | | Local Channel - Dedicated - DS1 - Zone 2 | | 2 | ULDD1, UNC1X | ULDF1 | 55.13 | | | | | | | | | | i |
| | | Local Channel - Dedicated - DS1 - Zone 3 | | 3 | ULDD1, UNC1X | ULDF1 | 87.77 | | | | | | | | | | i |
| | | Local Channel - Dedicated - DS3 - Per Mile per month | | | ULDD3, UNC3X | 1L5NC | 1.14 | | | | | | | | | | i |
| | | Local Channel - Dedicated - DS3 - Facility Termination | | | ULDD3, UNC3X | ULDF3 | 343.76 | | | | | | | | | | 1 |
| | | Local Channel - Dedicated - STS-1- Per Mile per month | | | ULDS1, UNCSX | 1L5NC | 1.14 | | | | | | | | | | |
| | | Local Channel - Dedicated - STS-1 - Facility Termination | | | ULDS1, UNCSX | ULDFS | 329.05 | | | | | | | | | | ļ |
| ENH/ | | XTENDED LINK (EELs) | | | | | | | | | | | | | | | |
| | | The monthly recurring and non-recurring charges below will | | | | | | | | | | | | | | | |
| | | The monthly recurring and the Switch-As-Is Charge and not | the non- | -recurr | ng charges below w | vill apply for | UNE combination | ons provision | ed as ' Curren | tly Combined' | Network Elem | ents. | | | | | |
| | 2-WIR | E VOICE GRADE LOOP FOR USE IN A COMBINATION | | | | ļ <u>.</u> | | | | | | | | | | | |
| | | 2-Wire VG Loop (SL2) in Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 17.22 | | | | | | | | | | |
| | | 2-Wire VG Loop (SL2) in Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 29.82 | | | | | | | | | | |
| | | 2-Wire VG Loop (SL2) in Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 46.93 | | | | | | | | | | |
| | | Voice Grade COCI - Per Month | | | UNCVX | 1D1VG | 1.46 | | | | | | | | | | 1 |
| | 4-WIR | E VOICE GRADE LOOP FOR USE IN A COMBINATION | | | | ļ | | | | | | | | | | | |
| | | 4-Wire Analog Voice Grade Loop in Combination - Zone 1 | | | UNCVX | UEAL4 | 24.52 | | | | | | | | | | |
| | | 4-Wire Analog Voice Grade Loop in Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 41.71 | | | | | | | | | | |
| | | 4-Wire Analog Voice Grade Loop in Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 65.06 | | | | | | | | | | |
| | | Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 1.46 | | | | | | | | | | |
| | 4-WIR | E 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | |
| | | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL56 | 29.12 | | | | | | | | | | |
| <u> </u> | | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 | | 2 | UNCDX | UDL56 | 49.58 | | | | | | | | | | |
| <u> </u> | | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL56 | 77.35 | | | | | | | | | | |
| | 4 14(15) | OCU-DP COCI (data) per month (2.4-64kbs) | | | UNCDX | 1D1DD | 2.30 | | | | | | | | | | |
| - | 4-WIR | E 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION | | - | LINCDY | LIDL C4 | 20.42 | | | | | | | | | | |
| - | | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL64 | 29.12 | | | | | | | | | | |
| - | - | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 | ļ | 2 | UNCDX | UDL64 | 49.58 | | | | | | | | | | |
| | | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 | 77.35 | | | | | + | | | | | |
| - | O WID | OCU-DP COCI (data) - in combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 2.30 | | | | | | | | | | |
| - | Z-WIRI | E ISDN LOOP FOR USE IN COMBINATION | ļ | 1 | LINIONIV | U1L2X | 22.33 | | | | | | | | | | |
| | | 2-Wire ISDN Loop in Combination - Zone 1 | | | UNCNX | U1L2X | | | | | | + | | | | | |
| | + | 2-Wire ISDN Loop in Combination - Zone 2 | 1 | 2 | UNCNX UNCNX | U1L2X U1L2X | 37.81 58.81 | | | 1 | | 1 | 1 | | | | |
| | - | 2-Wire ISDN Loop in Combination - Zone 3 | 1 | 3 | UNCNX | UC1CA | 4.13 | | | + | 1 | + | | | | | |
| | 4-WID | 2-wire ISDN COCI (BRITE) - in combination - per month E DS1 DIGITAL LOOP FOR USE IN A COMBINATION | 1 | - | OINOINA | JUIUA | 4.13 | | | + | 1 | + | | | | | |
| - | - WIK | 4-Wire DS1 Digital Loop in Combination - Zone 1 | 1 | 1 | UNC1X | USLXX | 54.74 | | | 1 | ł | 1 | 1 | | | | 1 |
| - | + | 4-Wire DS1 Digital Loop in Combination - Zone 1 | 1 | 2 | UNC1X | USLXX | 97.01 | | | 1 | ł | 1 | 1 | | | | 1 |
| | + | 4-Wire DS1 Digital Loop in Combination - Zone 2 | 1 | 3 | UNC1X | USLXX | 154.43 | | | + | | 1 | | | | | |
| | + | DS1 COCI in combination per month | 1 | - | UNC1X | UC1D1 | 18.48 | | | + | † | + | | | - | | |
| — | 2 WIRI | E VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | OMBINA | TION | 5.101A | 30101 | 10.40 | | | + | | 1 | 1 | | | | |
| | | Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per | | 1 | | + | | | | + | † | 1 | 1 | | | | ſ |
| | | Month | | | UNCVX | 1L5XX | 0.03 | | | | | | | | 1 | | ł |
| | | Interoffice Transport - 2-wire VG - Dedicated - Facility | 1 | † | | .20.00 | 0.00 | | | | 1 | | | | 1 | | í |
| | | Termination per month | | | UNCVX | U1TV2 | 20.70 | | | | | | | | 1 | | ł |
| | 4 WIRI | VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | OMBINA | TION | - | 1 | | | | 1 | 1 | | | | t | | i |
| | | Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per | | | | 1 | | | | | † | | | | İ | | í Toronto |
| 1 | | Month | | | UNCVX | 1L5XX | 0.03 | | | | | | | | I | | 1 |
| | | Interoffice Transport - 4-wire VG - Dedicated - Facility | | | | | 5.30 | | | | İ | | | | İ | | í |
| | | Termination per month | | | UNCVX | U1TV4 | 22.16 | | | | | | | | I | | 1 |
| | DS1 IN | ITEROFFICE TRANSPORT FOR COMBINATION | | | İ | 1 | | | | | İ | | | | İ | | í |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | í |
| | | per month | | | UNC1X | 1L5XX | 0.66 | | | | | | | | I | | 1 |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | í |
| | | Termination per month | | | UNC1X | U1TF1 | 81.98 | | | | | | | | 1 | | ł |
| | DS3 IN | ITEROFFICE TRANSPORT FOR USE IN A COMBINATION | | | | | | | | | 1 | | | | | | i |
| | | | | | | | | | | | | | | | | | |

| CATEGORY RATE ELEMENTS Interior | UNDLED | NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachmer | nt: 2 Ex. B | | |
|--|----------|--|---------|--|---------|--------|--------|-------|------------|--|--------------|--------------|-----------|-----------|--|-------------|--|
| CATEGORY RATE ELEMENTS Interf Zone BCS USOC RATES (8) Submitted Submit | | | | | | | | | | | | Svc Order | Svc Order | | | Incremental | Incremental |
| ATEGORY RATE BLEMENTS minerical min | | | | | | | | | | | | | | | Charge - | Charge - | Charge - |
| CATEGORY RATE ELEMENTS March BCS USOC RATES (\$) per LSR per LSR codes vs. per LSR codes vs. per LSR | | | 1 | | | | | | | | | 1 | | | Manual Svc | | Manual Svc |
| Recording | GORY | RATE ELEMENTS | | Zone | BCS | usoc | | | RATES (\$) | | | | , | | Order vs. | Order vs. | Order vs. |
| New | | | m | | | | | | | | | per LSK | per LSK | | | Electronic- | Electronic- |
| Nonecouring Disconnect | | | | | | | | | | | | | | | Electronic- | | |
| Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Meth | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Meth | 1 | | | | | + | 1 | Nonre | curring | Nonrecurrin | a Disconnect | | l | oss | Rates (\$) | | |
| Interestical Transport - Decidend - DSS combination - Per Mile DSS combination - Per Mile DSS combinatio | + + | | | | | + | Rec | | | | <u> </u> | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| Per Mortin | Ir | nteroffice Transport - Dedicated - DS3 combination - Per Mile | | | | | | | 7.44 | | 7.44 | | | | | | |
| Intended | | | | | LINC3X | 11 5XX | 14 93 | | | | | | | | | | |
| STS-1 HTSROFTCE TRANSPORT FOR USE IN COMBINATION | | | | | 01100/1 | TEO/OX | 14.50 | | | | | | | | | | |
| STS1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION | | | | | LINC3X | H1TF3 | 828 44 | | | | | | | | | | |
| Intereffice Transport - Dedicated - STS-1 combination - Per Mile Per Month Intereffice Transport - Dedicated - STS-1 combination - Per Mile Per Month Intereffice Transport - Dedicated - STS-1 combination - Per Mile Intereffice Transport - Dedicated - Per Mile per month Intereffice Transport - Dedicated - Per Mile per mon | STS-1 IN | ITEROFFICE TRANSPORT FOR USE IN COMBINATION | | | 01100/1 | 01110 | 020.11 | | | | - | | | | | | |
| Per Mouth | | | | | | + | | | | | - | | | | | | |
| Intereffice Transport - Dedicated - \$15*1 combination - Facility UNCSX | | | | | LINCSX | 11 5XX | 7.06 | | | | | | | | | | |
| A-WIRE 6 KRPS DIGITAL LOOP WITH 56 KRPS INTEROFFICE TRANSPORT | | | | | ONOON | TEO/OX | 7.00 | | | | | | | | | | |
| ### WIRE 56 KR9P DIGITAL LOOP WITH 56 KR9PS INTEROFFICE TRANSPORT UNCDX UDL56 29.12 UNCDX UDL56 49.58 | | | | | UNCSX | U1TES | 908 93 | | | | | | | | | | |
| 4-wire 66 kbps Local Loop in combination - Zone 1 | | | SPORT | | 01100/1 | 01110 | 000.00 | | | | - | | | | | | |
| 4-wire 56 ktps Local Loop in combination - Zone 2 2 UNCDX UDL56 49.88 | | | l o.c. | 1 | LINCDX | LIDL56 | 29 12 | | | | - | | | | | | |
| 4-wire 68 kbps Local Loop in combination - Zone 3 3 UNCDX UDL56 77.35 | | | 1 | 2 | | | | | 1 | l . | † | 1 | | | 1 | | t |
| Interoffice Transport - Dedicated -4-wire 58 kbps combination - UNCDX 1L5XX 0.03 | | | 1 | | | | | | | 1 | † | | l | | | | — |
| Per Mile per month | | | 1 | | C.10D/ | CDLOG | 77.55 | | | 1 | | | | | | | — |
| Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month | | | l | | LINCDX | 11 5XX | 0.03 | | | | 1 | | | | | | 1 |
| Facility Termination per month | | | | | ONODA | TLOXX | 0.03 | | | | | | | | | | |
| #WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT 4-wire 64 kbps Local Loop in Combination - Zone 1 | | | | | LINCDX | LIITDS | 20.01 | | | | | | | | | | |
| 4-wire 64 kbps Local Loop in Combination - Zone 1 | | | FEICE T | PANS | | 01103 | 20.01 | | | | | | | | | | |
| 4-wire 64 kbps Local Loop in Combination - Zone 2 | | | I | | | LIDL64 | 20 12 | | | | | | | | | | |
| 4-wire 64 kbps Local Loop in Combination - Zone 3 3 UNCDX UDL64 77.35 | | | | | | | | | | | | | | | | | |
| Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month | | | | | | | | | | | | | | | | | |
| Per Mile per month | | | | 3 | UNCDX | UDL04 | 11.55 | | | | | | | | | | |
| Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Enablish Termination per month | | | | | LINCDY | 11.577 | 0.03 | | | | | | | | | | |
| Facility Termination per month | | | | | UNCDA | ILJAA | 0.03 | | | | - | 1 | | | | | |
| ### 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT 4-WIRE 56 KBPS Local Loop in combination - Zone 1 | | | | | LINCDY | LIATOS | 20.01 | | | | | | | | | | |
| 4-wire 56 kbps Local Loop in combination - Zone 1 | | | E TDAN | SDODI | | UTIDO | 20.01 | | | | | | | | | | |
| 4-wire 56 kbps Local Loop in combination - Zone 2 2 UNCDX UDL56 49.58 | | | LINAN | | | LIDLES | 20.12 | | | | | | | | | | |
| 4-wire 68 kbps Local Loop in combination - Zone 3 3 UNCDX UDL56 77.35 | | | | | | | | | | | 1 | | | | | | |
| 4-wire 56 kbps Interoffice Transport - Dedicated - Per Mile per month 4-wire 55 kbps Interoffice Transport - Dedicated - Facility Termination per month 4-wire 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT 4-wire 64 kbps Local Loop in combination - Zone 1 1 UNCDX UDL64 29.12 4-wire 64 kbps Local Loop in combination - Zone 2 2 UNCDX UDL64 49.58 4-wire 64 kbps Local Loop in combination - Zone 3 3 UNCDX UDL64 77.35 4-wire 64 kbps Local Loop in combination - Zone 3 3 UNCDX UDL64 77.35 4-wire 64 kbps Local Loop in combination - Zone 3 3 UNCDX UDL64 77.35 4-wire 64 kbps Local Loop in combination - Zone 3 3 UNCDX UDL64 77.35 BIORITAL LOOP AND DS1 INTERFOFFICE TRANSPORT 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month UNCDX UDL64 77.35 DS1 Digital Loop in Combination - Zone 1 1 UNCDX UDL64 20.01 4-Wire DS1 Digital Loop in Combination - Zone 1 1 UNCTX USLXX 97.01 4-Wire DS1 Digital Loop in Combination - Zone 2 2 UNCTX USLXX 97.01 4-Wire DS1 Digital Loop in Combination - Zone 3 3 UNCTX USLXX 97.01 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month UNCTX USLXX 0.66 DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT UNCTX UTF1 81.98 DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT | | | | | | | | | | | | | | | | | |
| Month Windows Window | | | | 3 | ONODA | ODLOG | 11.55 | | | | | | | | | | |
| A-wire 56 kbps Interoffice Transport - Dedicated - Facility UNCDX U1D5 20.01 | | | | | LINCDY | 11.577 | 0.03 | | | | | | | | | | |
| Termination per month | | | | | UNCDX | ILJAA | 0.03 | | | | | | | | | | |
| 4-Wire 64 kbps Local Loop in combination - Zone 1 | | | | | LINCDY | LIATOS | 20.01 | | | | | | | | | | |
| 4-wire 64 kbps Local Loop in combination - Zone 1 | | | ETDAN | SDODI | | 01103 | 20.01 | | | | - | 1 | | | | | |
| 4-wire 64 kbps Local Loop in combination - Zone 2 2 UNCDX UDL64 49.58 | | | LINAI | | | LIDL64 | 20.12 | | | | | | | | | | |
| 4-wire 64 kbps Local Loop in combination - Zone 3 Id-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month UNCDX U1TD6 20.01 UNCDX U1TD6 20.01 UNCDX U1TD6 20.01 UNCDX U1TD6 20.01 UNCDX U1TD6 UNCDX U1TD6 20.01 UNCDX U1TD6 UNCDX U1TD6 UNCDX U1TD6 UNCDX U1TD6 UNCDX U1TD6 UNCDX U1TD6 UNCDX U1TD6 UNCDX U1TD6 UNCDX U1TD6 UNCDX U1TD6 UNCDX U1TD6 UNCDX U1TD6 UNCDX U1TD6 UNCDX U1TD6 UNCDX U1TD6 UNCDX U1TD6 UNCDX U1TD6 UNCDX U1TD6 UNCDX U1TD6 UNCDX | | | | | | | | | | | | | | | | | |
| Id-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month | | | | | | | | | | | + | 1 | | | | | |
| Month | | | 1 | 3 | CHODA | ODLU4 | 11.35 | | | 1 | + | 1 | - | | 1 | | |
| 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month DS1 DIGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT 4-Wire DS1 Digital Loop in Combination - Zone 1 1 UNC1X USLXX 54.74 4-Wire DS1 Digital Loop in Combination - Zone 2 2 UNC1X USLXX 97.01 4-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X USLXX 97.01 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT | | | 1 | 1 | UNCDX | 1I 5XX | 0.03 | | | | 1 | | 1 | | Ì | | 1 |
| Termination per month | | | 1 | | 5.10DA | TEO// | 0.03 | | | | 1 | 1 | | | | | |
| DS1 DIGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT 4-Wire DS1 Digital Loop in Combination - Zone 1 1 UNC1X USLXX 54.74 4-Wire DS1 Digital Loop in Combination - Zone 2 2 UNC1X USLXX 97.01 4-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X USLXX 97.01 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month UNC1X 1L5XX 0.66 Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month UNC1X UTF1 81.98 DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT | | | 1 | 1 | LINCDX | LITTE | 20.01 | | | | 1 | | 1 | | Ì | | 1 |
| 4-Wire DS1 Digital Loop in Combination - Zone 1 | | | 1 | 1 | CITODA | 01100 | 20.01 | | | 1 | | | | | | | — |
| 4-Wire DS1 Digital Loop in Combination - Zone 2 2 UNC1X USLXX 97.01 4-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X USLXX 154.43 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month UNC1X 1L5XX 0.66 Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month UNC1X USLXX 154.43 UNC1X 1L5XX 0.66 Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month UNC1X U1TF1 81.98 DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT | | | 1 | 1 | UNC1X | USI XX | 54 74 | | | | 1 | 1 | | | | | |
| 4-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X USLXX 154.43 | | | 1 | 2 | | | | | | | 1 | 1 | | | | | |
| Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month UNC1X U1TF1 81.98 UNC1X U1TF1 81.98 | | 9 | | | | | | | | | | | | | | | |
| per month UNC1X 1L5XX 0.66 UNC1X 1L5XX 0.66 UNC1X 1L5XX 0.66 UNC1X 1L5XX 0.66 UNC1X 1L5XX 0.66 UNC1X U | | | 1 | | 5.101A | 302/00 | 104.43 | | | 1 | + | | l | | | | — |
| Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT UNC1X U1TF1 81.98 | | | l | | UNC1X | 1I 5XX | 0.66 | | | | 1 | | | | | | 1 |
| Termination per month UNC1X U1TF1 81.98 S1 | | | | - | 551X | .20/01 | 5.00 | | | 1 | + | | | | | | |
| DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT | | | 1 | 1 | UNC1X | U1TF1 | 81 98 | | | | 1 | | 1 | | Ì | | 1 |
| | | | DRT | 1 | | 1 | 550 | | 1 | l . | † | 1 | | | 1 | | |
| | | | i i | 1 | UNC3X | 1L5ND | 15.33 | | 1 | l . | † | 1 | | | 1 | | |
| | | 22 222 200p in combination per fillio per filoriti | 1 | 1 | 2.100/1 | | 10.00 | | 1 | l . | † | 1 | | | 1 | | |
| DS3 Local Loop in combination - Facility Termination per month UNC3X UE3PX 518.29 | | DS3 Local Loop in combination - Facility Termination per month | 1 | 1 | UNC3X | UE3PX | 518.29 | | | | 1 | | 1 | | Ì | | 1 |
| Interoffice Transport - Dedicated - DS3 - Per Mile per month UNC3X 11.5XX 14.93 | | | l | | | | | | | l | 1 | | | | 1 | | |
| Interoffice Transport - Dedicated - DS3 combination - Facility | | | l | | | | | | | l | 1 | | | | 1 | | |
| Termination per month UNC3X U1TF3 828.44 | | | l | | UNC3X | U1TF3 | 828.44 | | | | 1 | | | | | | 1 |
| STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT | | | SPORT | | | | 020. F | | | 1 | 1 | | | | 1 | | |
| STS-1 Local Lolp in combination - per mile per month UNCSX 1L5ND 15.33 | | | 1 | 1 | UNCSX | 1L5ND | 15.33 | | | 1 | | 1 | | | | | — |

| IINRI | INDI E | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attachmor | nt: 2 Ex. B | | |
|-------|---------|--|----------|----------|---------------------|---------------|-----------------|-----------|------------|--------------|------------|-----------|-----------|-------------------|-------------|-------------|-------------------|
| UND | MULL | I NETWORK ELEMENTS - NOTHI Carollia | | | | 1 | ı | | | | | · | | | | | |
| | | | | | | | | | | | | | | Incremental | | Incremental | |
| | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATE | GORY | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | | | | Po. 20.1 | Po. 2011 | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | 1 | | | | | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | STS-1 Local Loop in combination - Facility Termination per | | | | | | 11131 | Addi | 11130 | Auu | JOHILO | SOMAN | JOHAN | JONIAN | JOHAN | JOHIAN |
| | | month | | | UNCSX | UDLS1 | 533.90 | | | | | | | | | | |
| | | | | | UNCSX | ODEST | 533.90 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS-1 combination - per mile | | | | 41 = 207 | | | | | | | | | | | |
| | | per month | | | UNCSX | 1L5XX | 7.06 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | | | UNCSX | U1TFS | 908.93 | | | | | | | | | | |
| ADDIT | IONAL N | IETWORK ELEMENTS | | | | | | | | | | | | | | | |
| | When | used as a part of a currently combined facility, the non-recurr | rng cha | rges do | not apply, but a S | witch As Is c | harge does app | oly. | | | | | | | | | |
| | When | used as ordinarily combined network elements in All States, the | he non- | recurrii | ng charges apply an | d the Switch | As Is Charge of | loes not. | | | | | | | | | |
| | | curring Currently Combined Network Elements "Switch As Is" | | | | | | | | | | | | | | | |
| | | al Features & Functions: | | (| <u> </u> | | | | | | | | | | | | |
| | opo | | | | U1TD1. | | | | | | | | | | | | |
| | | Clear Channel Capability Extended Frame Option - per DS1 | | | ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| - | - | Clear Channel Capability Extended Frame Option - per DST | <u> </u> | | U1TD1. | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | 0, 0, 10, 13, 0, 5, 0, 1 | ١. | | | | | | | | | | | | | | |
| | | Clear Channel Capability Super FrameOption - per DS1 | - 1 | | ULDD1,UNC1X | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Clear Channel Capability (SF/ESF) Option - Subsequent | | | ULDD1, U1TD1, | | | | | | | | | | | | |
| | | Activity - per DS1 | I | | UNC1X, USL | NRCCC | | 184.76 | 23.80 | 1.99 | 0.78 | | | | | | |
| | | | | | U1TD3, ULDD3, | | | | | | | | | | | | |
| | | C-bit Parity Option - Subsequent Activity - per DS3 | i | | UE3, UNC3X | NRCC3 | | 218.92 | 7.66 | 0.7576 | 0.00 | | | | | | |
| | MULTI | PLEXERS | | | | | | | | | | | | | | | |
| | | DS1 to DS0 Channel System per month | | | UNC1X | MQ1 | 168.69 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| | | month (2.4-64kbs) used for a Local Loop | | | UDL | 1D1DD | 2.30 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | 002 | 15.55 | 2.00 | | | | | - | | | | | |
| | | month (2.4-64kbs) used for connection to a channelized DS1 | | | | | | | | | | | | | | | |
| | | | | | LIATUD | 4D4DD | 0.00 | | | | | | | | | | |
| | | Local Channel in the same SWC as collocation | | | U1TUD | 1D1DD | 2.30 | | | | | | | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | | | ا ا | | | | | 1 | l | | | | |
| | | month for a Local Loop | | | UDN | UC1CA | 4.13 | | | | | | | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | | | | | | | | | | | | | |
| | | month used for connection to a channelized DS1 Local Channel | | | | | | | | | | 1 | l | | | | |
| | | in the same SWC as collocation | | | U1TUB | UC1CA | 4.13 | | | | | | | | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | | | | | | | | | | | | |
| | | used for a Local Loop | | | UEA | 1D1VG | 1.46 | | | | | | | | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | | | | | | | İ | i | | | | |
| 1 | | used for connection to a channelized DS1 Local Channel in the | | | | 1 | | | | | | 1 | l | | | | |
| | | same SWC as collocation | | | U1TUC | 1D1VG | 1.46 | | | | | 1 | l | | | | |
| - | 1 | DS3 to DS1 Channel System per month | 1 | | UNC3X | MQ3 | 268.06 | | | | | 1 | | | | | |
| - | 1 | STS-1 to DS1 Channel System per month | 1 | | UNCSX | MQ3 | 268.06 | | | | | 1 | | | | | |
| | 1 | | - | | | UC1D1 | | | | | | | | | | | |
| - | 1 | DS1 COCI used with Loop per month | 1 | | USL | OCIDI | 18.48 | | | | | 1 | | | | | |
| | | DS1 COCI (used for connection to a channelized DS1 Local | | | | | ا ا | | | | | 1 | l | | | | |
| | | Channel in the same SWC as collocation) per month | | | U1TUA | UC1D1 | 18.48 | | | | | | | | | | |
| | 1 | DS1 COCI used with Interoffice Channel per month | <u> </u> | | U1TD1 | UC1D1 | 18.48 | | | | | | | | | | |
| | | DS3 Interface Unit (DS1 COCI) used with Local Channel per | | | | | | | | | | | 1 | | | | |
| | 1 | month | 1 | | ULDD1 | UC1D1 | 18.48 | | | | | 1 | l | | | | |

| UNBI | JNDLF | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachme | nt: 2 Ex. B | | |
|-------------|---------|--|--|------|---------------|----------|---------|--------|------------|--|--------------|-----------|-----------|-------------|--|-------------|--|
| 5.450 | | | I | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | | Manual Svc | | | Manual Svc |
| CATE | ORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | - | | | | | | per LSK | per LSK | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | 151 | Add I | DISC ISL | DISC Add I |
| | | | | | | | В | Nonred | curring | Nonrecurring | g Disconnect | | | oss | Rates (\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| UNBU | | XCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| | 2-WIRE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | | | | | | | | | | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 11.02 | 129.52 | 79.24 | 50.37 | 7.93 | | | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 12.56 | 129.52 | 79.24 | 50.37 | 7.93 | | | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 13.11 | 129.52 | 79.24 | 50.37 | 7.93 | | | | | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 11.02 | 104.49 | 66.50 | 50.37 | 7.93 | | | | | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry | 1 | | l | | | | | I | | | 1 | | I | | 1 |
| | | and facility reservation - Zone 2 | <u> </u> | 2 | UHL | UHL2W | 12.56 | 104.49 | 66.50 | 50.37 | 7.93 | | | | 1 | | 1 |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry | 1 | | l | | | | | I | | | 1 | | I | | 1 |
| | | and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 13.11 | 104.49 | 66.50 | 50.37 | 7.93 | | | | | | |
| L | 4-WIRE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | | 1 | | | | | | | | | | | ├ |
| | | 4 Wire Unbundled HDSL Loop including manual service inquiry | | ١., | | | | .= | | | 40.00 | | | | | | |
| | | and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 18.42 | 158.18 | 107.89 | 55.12 | 10.38 | | | | | | |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry | | _ | | | | | | == 40 | | | | | | | |
| | | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 16.48 | 158.18 | 107.89 | 55.12 | 10.38 | | | | | | |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry | | 2 | UHL | 11111 47 | 40.07 | 450.40 | 407.00 | 55.40 | 40.00 | | | | | | |
| | | and facility reservation - Zone 3 4-Wire Unbundled HDSL Loop without manual service inquiry | | 3 | UHL | UHL4X | 19.37 | 158.18 | 107.89 | 55.12 | 10.38 | | | | | | |
| | | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 18.42 | 133.14 | 95.16 | 55.12 | 10.38 | | | | | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | - | OFIL | OI IL4VV | 10.42 | 133.14 | 93.10 | 33.12 | 10.30 | - | | | - | | |
| | | and facility reservation - Zone 2 | | 2 | UHL | UHL4W | 16.48 | 133.14 | 95.16 | 55.12 | 10.38 | | | | | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | OFIL | OI IL4VV | 10.40 | 133.14 | 93.10 | 33.12 | 10.36 | | | | | | |
| | | and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 19.37 | 133.14 | 95.16 | 55.12 | 10.38 | | | | | | |
| | 4-WIRE | DS1 DIGITAL LOOP | | | OTIL | OFFE | 10.07 | 100.14 | 30.10 | 00.12 | 10.00 | | | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 91.44 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 2 | | | USL | USLXX | 156.40 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 3 | | | USL | USLXX | 263.52 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | |
| HIGH (| CAPACIT | Y UNBUNDLED LOCAL LOOP | | | | | | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | | month | | | UE3 | 1L5ND | 14.10 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | | | UE3 | UE3PX | 352.31 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - STS-1 - Per Mile per | | | | | | | | | | | | | | | |
| | | month | | | UDLSX | 1L5ND | 14.10 | | | | | | | | | | <u> </u> |
| | | High Capacity Unbundled Local Loop - STS-1 - Facility | | | | | | | | | | | | | | | 1 |
| | | Termination per month | | | UDLSX | UDLS1 | 360.51 | | | | | | | | | | |
| UNBU | | EDICATED TRANSPORT | | | | | | | | | | | | | | | |
| L | INTERC | OFFICE CHANNEL - DEDICATED TRANSPORT | ļ | | | 1 | | | | ļ | ļ | | | | ļ | | |
| | | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | 1 | | | | | | | I | | | 1 | | I | | 1 |
| | | month | ļ | | U1TD1 | 1L5XX | 0.39 | | | | | | | | | | ├ |
| | | Interoffice Channel - Dedicated Tranport - DS1 - Facility | 1 | | | | | | | I | | | 1 | | I | | 1 |
| <u> </u> | 1 | Termination | <u> </u> | | U1TD1 | U1TF1 | 88.71 | | | _ | | | | | - | ļ | ├ |
| | | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | 1 | | LIATES | 1L5XX | 9.22 | | | I | | | 1 | | I | | 1 |
| | 1 | month Interoffice Channel - Dedicated Transport - DS3 - Facility | | | U1TD3 | ILOXX | 9.22 | | | | ļ | - | | | | - | |
| | | Termination per month | 1 | | U1TD3 | U1TF3 | 1012.75 | | | I | | | 1 | | I | | 1 |
| - | 1 | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | | | טווט | UIIF3 | 1012.75 | | | + | 1 | - | | | + | 1 | |
| | | month | 1 | | U1TS1 | 1L5XX | 9.22 | | | I | | | 1 | | I | | 1 |
| | 1 | Interoffice Channel - Dedicated Transport - STS-1 - Facility | | | 01101 | ILUAA | 9.22 | | | + | 1 | - | | | + | 1 | |
| | | Termination | 1 | | U1TS1 | U1TFS | 1012.63 | | | I | | | 1 | | I | | 1 |
| | 1 | Local Channel - Dedicated - 2-Wire Voice Grade | | | ULDVX | ULDV2 | 17.63 | | | | 1 | | | | t | 1 | |
| | 1 | Local Channel - Dedicated - 2-Wire Voice Grade Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat | | | ULDVX | ULDR2 | 17.63 | | | | | | | | t | | |
| | 1 | Local Channel - Dedicated - 2-Wire Voice Grade Nev Bat Local Channel - Dedicated - 4-Wire Voice Grade | † | | ULDVX, UNCVX | ULDV4 | 19.02 | | | - | | <u> </u> | | | I | | — |
| | | Local Channel - Dedicated - 4-Wire Voice Grade Local Channel - Dedicated - DS1 - Zone 1 | | 1 | ULDD1, UNC1X | ULDF1 | 49.01 | | | <u> </u> | | | | | <u> </u> | | † |
| | 1 | 2004 C.Id.IIIC. Dodioated DOT Zono I | 1 | | 323D1, 01101X | 02011 | 45.01 | | | 1 | 1 | l . | | | 1 | 1 | 1 |

| IINRI | INDI F | D NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachmer | nt: 2 Ex. B | | |
|----------|----------|--|----------|---------|---------------------|----------------|-----------------|----------------|-----------------|----------------|----------------|-----------|-----------|-------------|-------------|-------------|-------------|
| ONDO | NULL | | 1 | | | | 1 | | | | | Svc Order | Svc Order | | | Incremental | Incremental |
| | | | | | | | | | | | | 1 | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | Manually | Manual Svc | | Manual Svc | Manual Svc |
| CATE | ORY | RATE ELEMENTS | Interi | Zone | BCS | usoc | | | RATES (\$) | | | 1 | | | | | |
| OA.L | | KATE EEEMENTO | m | 20.10 | 500 | 0000 | | | π. Ευ (ψ) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | Nonre | curring | Nonrecurrin | g Disconnect | | | oss | Rates (\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Local Channel - Dedicated - DS1 - Zone 2 | | 2 | ULDD1, UNC1X | ULDF1 | 80.87 | | 71441 | | 7144 | | 00 | | | | |
| | | Local Channel - Dedicated - DS1 - Zone 3 | | | ULDD1, UNC1X | ULDF1 | 219.28 | | | | | | | | | | |
| | | Local Channel - Dedicated - DS3 - Per Mile per month | | | ULDD3, UNC3X | 1L5NC | 13.72 | | | | | | | | | | |
| | | Local Channel - Dedicated - DS3 - Facility Termination | | | ULDD3, UNC3X | ULDF3 | 512.90 | | | | | | | | | | |
| | | Local Channel - Dedicated - STS-1- Per Mile per month | | | ULDS1, UNCSX | 1L5NC | 13.72 | | | | | | | | | | |
| | | Local Channel - Dedicated - STS-1 - Facility Termination | | | ULDS1, UNCSX | ULDFS | 500.37 | | | | | | | | | | |
| FNHAI | NCED EX | (TENDED LINK (EELs) | | | 02501, 01100/1 | OLD. C | 000.01 | | | | | | | | | | |
| | | The monthly recurring and non-recurring charges below will | apply a | nd the | Switch-As-Is Charge | e will not apr | oly for UNE con | nbinations pro | visioned as ' (| Ordinarily Com | bined' Networl | Elements. | | | | | |
| | | | | | | | - | | | - | | | | | | | |
| | | The monthly recurring and the Switch-As-Is Charge and not t | he non- | recurri | ng charges below w | vill apply for | UNE combinati | ons provision | ed as ' Current | lly Combined | Network Eleme | nts. | | | | | |
| | 2-WIRE | VOICE GRADE LOOP FOR USE IN A COMBINATION | ļ | | | | | | | ! | ļ | | | | ļ | | |
| <u> </u> | - | 2-Wire VG Loop (SL2) in Combination - Zone 1 | <u> </u> | | UNCVX | UEAL2 | 19.18 | | | ļ | | | | | | | |
| <u> </u> | - | 2-Wire VG Loop (SL2) in Combination - Zone 2 | <u> </u> | | UNCVX | UEAL2 | 26.60 | | | ļ | | | | | | | |
| | 1 | 2-Wire VG Loop (SL2) in Combination - Zone 3 | ļ | 3 | UNCVX | UEAL2 | 32.73 | | | ļ | ļ | ļ | | | | | |
| | | Voice Grade COCI - Per Month | ļ | | UNCVX | 1D1VG | 0.64 | | | ļ | | | | | | | |
| | 4-WIRE | VOICE GRADE LOOP FOR USE IN A COMBINATION | ļ | | | 1 | L | | | ļ | | | | | | | |
| | | 4-Wire Analog Voice Grade Loop in Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 37.48 | | | ļ | ļ | | | | ļ | | |
| | | 4-Wire Analog Voice Grade Loop in Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 50.47 | | | | | | | | | | |
| | | 4-Wire Analog Voice Grade Loop in Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 49.89 | | | | | | | | | | |
| | | Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 0.64 | | | | | | | | | | |
| | 4-WIRE | 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | |
| | | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL56 | 34.42 | | | | | | | | | | |
| | | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 | | 2 | UNCDX | UDL56 | 39.09 | | | | | | | | | | |
| | | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL56 | 39.95 | | | | | | | | | | |
| | L | OCU-DP COCI (data) per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.37 | | | | | | | | | | |
| | 4-WIRE | 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATI\ON | | | | | | | | | | | | | | | |
| | | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL64 | 34.42 | | | | | | | | | | |
| | | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 | | 2 | UNCDX | UDL64 | 39.09 | | | | | | | | | | |
| | | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 | 39.95 | | | | | | | | | | |
| | | OCU-DP COCI (data) - in combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.37 | | | | | | | | | | |
| | 2-WIRE | ISDN LOOP FOR USE IN COMBINATION | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Loop in Combination - Zone 1 | | 1 | UNCNX | U1L2X | 28.99 | | | | | | | | | | |
| | | 2-Wire ISDN Loop in Combination - Zone 2 | | 2 | UNCNX | U1L2X | 37.67 | | | | | | | | | | |
| | ļ | 2-Wire ISDN Loop in Combination - Zone 3 | | 3 | UNCNX | U1L2X | 43.36 | | | | | | | | | | |
| | | 2-wire ISDN COCI (BRITE) - in combination - per month | | | UNCNX | UC1CA | 2.94 | | | | | | | | | | |
| | 4-WIRE | DS1 DIGITAL LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | |
| | 1 | 4-Wire DS1 Digital Loop in Combination - Zone 1 | ļ | 1 | UNC1X | USLXX | 104.50 | | | ! | ļ | | | | ļ | | |
| <u> </u> | - | 4-Wire DS1 Digital Loop in Combination - Zone 2 | <u> </u> | 2 | UNC1X | USLXX | 178.74 | | | ļ | | | | | | | |
| <u> </u> | <u> </u> | 4-Wire DS1 Digital Loop in Combination - Zone 3 | <u> </u> | 3 | UNC1X | USLXX | 301.17 | | | 1 | | | | 1 | | 1 | 1 |
| <u> </u> | 0.14"5 | DS1 COCI in combination per month | DMC::: | TICS | UNC1X | UC1D1 | 9.94 | | | ļ | | | | | | | |
| <u> </u> | 2 WIRE | VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | NIRIN'S | IION | | 1 | . | | | 1 | | | | 1 | | 1 | 1 |
| 1 | | Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per | 1 | | 111000 | 41.5307 | | | | | | | | | | | |
| <u> </u> | <u> </u> | Month | <u> </u> | | UNCVX | 1L5XX | 0.02 | | | 1 | | | | 1 | | 1 | - |
| | | Interoffice Transport - 2-wire VG - Dedicated - Facility | | | LINIOVO | LIATVO | 20.00 | | | | | | | | | | |
| | 4 14/15 | Termination per month | | | UNCVX | U1TV2 | 22.36 | | | ! | ļ | | | | ļ | | |
| <u> </u> | 4 WIRE | VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | NIRIN'S | TION | | 1 | . | | | 1 | | | | 1 | | 1 | - |
| 1 | | Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per | | | | | | | | | | | 1 | | | | |
| <u> </u> | <u> </u> | Month | <u> </u> | | UNCVX | 1L5XX | 0.02 | | | 1 | | | | 1 | | 1 | - |
| 1 | | Interoffice Transport - 4-wire VG - Dedicated - Facility | | | 11110101 | | 40 =0 | | | | | | 1 | | | | |
| <u> </u> | DC4 !:- | Termination per month | <u> </u> | | UNCVX | U1TV4 | 19.58 | | | 1 | | | | 1 | | 1 | 1 |
| <u> </u> | DS1 IN | TEROFFICE TRANSPORT FOR COMBINATION | <u> </u> | | | 1 | . | | | 1 | | | | 1 | | 1 | - |
| 1 | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | 1 | | LINIOAN | 41.5307 | | | | | | | | | | | |
| <u> </u> | <u> </u> | per month | <u> </u> | | UNC1X | 1L5XX | 0.31 | | | 1 | | | | 1 | | 1 | 1 |
| 1 | | Interoffice Transport - Dedicated - DS1 combination - Facility | 1 | | LINIOAN | LIATE? | | | | | | | | | | | |
| <u> </u> | D00 !:: | Termination per month | <u> </u> | | UNC1X | U1TF1 | 70.97 | | | ļ | | | | | | | |
| <u> </u> | DS3 IN | TEROFFICE TRANSPORT FOR USE IN A COMBINATION | <u> </u> | | | 1 | . | | | 1 | | | | 1 | | 1 | 1 |
| | | Interoffice Transport - Dedicated - DS3 combination - Per Mile | | | LINIONY | 41.5307 | | | | | | | 1 | | | | |
| - | 1 | Per Month | | | UNC3X | 1L5XX | 7.38 | | | | 1 | - | | - | 1 | - | - |
| | | Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | LINICAV | LIATES | 040.00 | | | | | | | | | | |
| | 1 | month | 1 | | UNC3X | U1TF3 | 810.20 | | | l | 1 | l | 1 | l | 1 | l | L |

| UNBUNDLE | D NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachmer | nt: 2 Ex. B | | |
|----------|--|--|--|---------|---------|--------|-------|--------------|----------|--|-----------|--------------|-------------|-------------|-------------|--------------|
| | | | | | | | | | | | Svc Order | Svc Order | | | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | | | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | | | | | | |
| CATEGORI | RATE ELEMENTS | m | ZOITE | B03 | 0300 | | | KAILS (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | T | | | | | - 4 | | |
| | | | | | | Rec | | curring | | g Disconnect | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| STS-1 | INTEROFFICE TRANSPORT FOR USE IN COMBINATION | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | | UNCSX | 1L5XX | 7.38 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | | | | | | Î | | | | | | | |
| | Termination per month | | | UNCSX | U1TFS | 810.11 | | | | | | | | | | |
| 4-WIR | E 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN | ISPORT | | | | | | | 1 | | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 1 | 10. 0 | 1 | UNCDX | UDL56 | 34.42 | | | | | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 39.09 | | | | | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 39.95 | | | | | | | | | | |
| | | | 3 | UNCDA | UDLS6 | 39.93 | | | + | | - | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | 41 =>04 | | | | | | | | | | | |
| | Per Mile per month | | | UNCDX | 1L5XX | 0.02 | | | | ļ | <u> </u> | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | 1 | 1 | I | | l | | | 1 | | | | | | 1 | 1 |
| | Facility Termination per month | | | UNCDX | U1TD5 | 15.42 | | | | | | | | | | |
| 4-WIR | E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | FFICE T | RANS | PORT | | | | | 1 | | | | | | | |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 1 | | 1 | UNCDX | UDL64 | 34.42 | | | | | | | | | | |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 2 | | 2 | UNCDX | UDL64 | 39.09 | | | | | | | | | | |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 3 | | | UNCDX | UDL64 | 39.95 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | CHODA | 05201 | 00.00 | | | | | | | | | | |
| | Per Mile per month | | | UNCDX | 1L5XX | 0.02 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | 1 | | ONODA | TLOXX | 0.02 | | | + | | | | | | | |
| | | | | LINODY | LIATEDO | 45.40 | | | | | | | | | | |
| | Facility Termination per month | | | UNCDX | U1TD6 | 15.42 | | | | | | | | | | |
| 4-WIR | E 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC | E TRAN | | | | | | | | | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 1 | | | UNCDX | UDL56 | 34.42 | | | | | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 39.09 | | | | | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 39.95 | | | | | | | | | | |
| | 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | UNCDX | 1L5XX | 0.02 | | | | | | | | | | |
| | 4-wire 56 kbps Interoffice Transport - Dedicated - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNCDX | U1TD5 | 15.42 | | | | | | | | | | |
| 4-WIR | E 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC | E TRAN | SPOR | | | | | | + | | | | | | | |
| 7-1111 | 4-wire 64 kbps Local Loop in combination - Zone 1 | LINAN | | UNCDX | UDL64 | 34.42 | | | + | | | | | | | |
| - | 4-wire 64 kbps Local Loop in combination - Zone 2 | <u> </u> | 2 | UNCDX | UDL64 | 39.09 | | | + | | | | | - | - | |
| | | | | | UDL64 | 39.95 | | | + | | - | | | | | |
| | 4-wire 64 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL64 | 39.95 | | | | | | | | | | |
| | I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | UNCDX | 1L5XX | 0.02 | | | | | | | | | | |
| | 4-wire 64 kbps Interoffice Transport - Dedicated - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNCDX | U1TD6 | 15.42 | | | | | | | | | | |
| DS1 E | IGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 104.50 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 178.74 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | | UNC1X | USLXX | 301.17 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | per month | | | UNC1X | 1L5XX | 0.31 | | | 1 | | | | | | | |
| | <u> </u> | 1 | | 5.101/ | ILONA | 0.51 | | 1 | + | 1 | 1 | | | 1 | 1 | 1 |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | 1 | 1 | İ | | l | | | 1 | | | | | | 1 | 1 |
| I | Termination per month | <u> </u> | | UNC1X | U1TF1 | 70.97 | | <u> </u> | <u> </u> | <u> </u> | | | | <u> </u> | <u> </u> | <u></u> |
| DS3 E | IGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO | ORT | | | | | | | | | | | | | | |
| | DS3 Local Loop in combination - per mile per month | | | UNC3X | 1L5ND | 14.10 | | | | | | | | | | |
| İ | | | | | | Ì | | 1 | | 1 | 1 | | | | | |
| 1 | DS3 Local Loop in combination - Facility Termination per month | | | UNC3X | UE3PX | 352.31 | | | 1 | | | | | 1 | | Ì |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month | 1 | † | UNC3X | 1L5XX | 7.38 | | | + | 1 | 1 | | | 1 | | |
| + | Interoffice Transport - Dedicated - DS3 combination - Facility | | | 5.100/ | 120700 | 7.30 | | 1 | + | | + | | | 1 | 1 | |
| 1 | | | | UNC3X | U1TF3 | 810.20 | | | 1 | | | | | 1 | | Ì |
| CTC 4 | Termination per month DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN | ICDOCT | | UNUSA | UIIF3 | 810.20 | | | + | | + | | | - | - | ļ |
| 515-1 | | 1904CI | <u> </u> | LINIOOV | 41.5115 | 44.10 | | | | ļ | ļ | | | | | |
| | STS-1 Local Lolp in combination - per mile per month | | | UNCSX | 1L5ND | 14.10 | | | | ļ | | | | | | |
| | STS-1 Local Loop in combination - Facility Termination per | | | 1 | | l | | | 1 | | | | | | | 1 |
| | month | | | UNCSX | UDLS1 | 360.51 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - per mile | | | | | | | | 1 | 1 | | | | | | |
| | per month | 1 | 1 | UNCSX | 1L5XX | 7.38 | | | 1 | | | | | | 1 | 1 |

| UNBUNDLE | D NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attachmen | t: 2 Ex. B | | |
|--------------|--|-------------|---------|-----------------------------|---------------|----------------|--------|------------|--------------|------------|---|-----------|--|--|----------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | _ 1 | Nonred | urrina | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | 1 | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month | | | UNCSX | U1TFS | 810.11 | | | | | | | | | | |
| ADDITIONAL N | ETWORK ELEMENTS | | | | | | | | | | | | | | | |
| When | used as a part of a currently combined facility, the non-recurr | ng cha | rges do | not apply, but a S | witch As Is c | harge does app | oly. | | | | | | | | | |
| | used as ordinarily combined network elements in All States, the | | | | | | | | | | | | | | | |
| Nonrec | urring Currently Combined Network Elements "Switch As Is" | Charge | (One a | applies to each com | bination) | | | | | | | | | | | |
| | al Features & Functions: | . 3 | T | | | | | | | | | | | | | |
| | Clear Channel Capability Extended Frame Option - per DS1 | - | | U1TD1, ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Clear Channel Capability Super FrameOption - per DS1 | ı | | U1TD1, ULDD1,UNC1X | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 | ı | | ULDD1, U1TD1, UNC1X, USL | NRCCC | | 185.26 | 23.86 | 1.99 | 0.78 | | | | | | |
| | C-bit Parity Option - Subsequent Activity - per DS3 | i | | U1TD3, ULDD3, UE3, UNC3X | NRCC3 | | 219.58 | 7.69 | 0.737 | 0.00 | | | | | | |
| MULTI | PLEXERS | | | | | | | | | | | | | | | |
| | DS1 to DS0 Channel System per month | | | UNC1X | MQ1 | 123.71 | | | | | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop | | | UDL | 1D1DD | 1.37 | | | | | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation | | | U1TUD | 1D1DD | 1.37 | | | | | | | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop | | | UDN | UC1CA | 2.94 | | | | | | | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation | | | U1TUB | UC1CA | 2.94 | | | | | | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop | | | UEA | 1D1VG | 0.64 | | | | | | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation | | | U1TUC | 1D1VG | 0.64 | | | | | | | | | | |
| | DS3 to DS1 Channel System per month | | | UNC3X | MQ3 | 165.62 | | | | | | | | | | |
| | STS-1 to DS1 Channel System per month | | Ì | UNCSX | MQ3 | 165.62 | | | | | | | | | | |
| | DS1 COCI used with Loop per month | | | USL | UC1D1 | 9.94 | | | | | | | | | | |
| | DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month | | | U1TUA | UC1D1 | 9.94 | | | | | | | | | | |
| | DS1 COCI used with Interoffice Channel per month | | 1 - | U1TD1 | UC1D1 | 9.94 | | | | | | | | | | |
| | DS3 Interface Unit (DS1 COCI) used with Local Channel per | | | ULDD1 | UC1D1 | 9.94 | | | | | | | | | | |

| UNBUNDLI | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachmer | nt: 2 Ex. B | | |
|--|--|--|------|--------------|----------|--------|--------------|------------|-------|--|----------|--|--|--|---|-----------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Order vs. |
| | | | | | | Rec | Nonrecurring | | | g Disconnect | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| LINIDUNIDU ED | EXCHANGE ACCECS LOOP | | | | | | | | | | | | | | | |
| | EXCHANGE ACCESS LOOP RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIDI E I | OOB | | | | | | | | | | | | | + |
| 2-9915 | 2 Wire Unbundled HDSL Loop including manual service inquiry | IIIBLE | LOOP | | | | | | | | 1 | | | | | + |
| | & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 12.45 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | OFIL | OFFICEA | 12.40 | 270.01 | 254.05 | 74.54 | 39.14 | | | 20.55 | 10.54 | 13.32 | 10.02 |
| | & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 16.27 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 21.28 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | I | 1 | UHL | UHL2W | 12.45 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | Ι. | _ | | | | | | 40.00 | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 16.27 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 | ١. | 3 | UHL | UHL2W | 21.28 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| 4-WIE | RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | | UNL | UHLZVV | 21.20 | 31.99 | 20.02 | 10.65 | 1.41 | 1 | | 20.33 | 10.54 | 13.32 | 13.32 |
| 7-1111 | 4 Wire Unbundled HDSL Loop including manual service inquiry | I | 1 | | | | | | | | | | | | | + |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 16.02 | 279.60 | 244.22 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | 1 |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 20.93 | 279.60 | 244.22 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 27.37 | 279.60 | 244.22 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | I | 1 | UHL | UHL4W | 16.02 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | Ι. | _ | | | | | | 40.00 | | | | | | | 40.00 |
| - | and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry | | 2 | UHL | UHL4W | 20.93 | 31.99 | 20.02 | 10.65 | 1.41 | 1 | | 20.35 | 10.54 | 13.32 | 13.32 |
| | and facility reservation - Zone 3 | ١., | 3 | UHL | UHL4W | 27.37 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| 4-WIF | RE DS1 DIGITAL LOOP | <u> </u> | 3 | OFIL | OI IL4VV | 21.31 | 31.99 | 20.02 | 10.03 | 1.41 | 1 | | 20.33 | 10.34 | 13.32 | 13.32 |
| 1 | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 66.39 | 313.08 | 219.72 | 96.86 | 40.45 | | | 18.98 | 8.43 | 11.95 | 11.95 |
| | 4-Wire DS1 Digital Loop - Zone 2 | | | USL | USLXX | 86.71 | 313.08 | 219.72 | 96.86 | 40.45 | | | 18.98 | 8.43 | 11.95 | |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 113.38 | 313.08 | 219.72 | 96.86 | 40.45 | | | 18.98 | 8.43 | 11.95 | 11.95 |
| HIGH CAPAC | ITY UNBUNDLED LOCAL LOOP | | | | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | UE3 | 1L5ND | 10.57 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Facility | | | | l | | | | | | | | | | | |
| | Termination per month | | | UE3 | UE3PX | 430.38 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month | | | UDLSX | 1L5ND | 10.57 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Facility | | | ODLOA | ILJIND | 10.57 | | | | 1 | | | 1 | 1 | | + |
| | Termination per month | 1 | | UDLSX | UDLS1 | 447.75 | | | | | | | 1 | 1 | | |
| UNBUNDLED | DEDICATED TRANSPORT | | | - | 1 | | | | | Ì | | | İ | Ì | | 1 |
| | ROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | 1 |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | _ | | | | | | | |
| | month | | | U1TD1 | 1L5XX | 0.41 | | | | | | | | | | 1 |
| 1 1 | Interoffice Channel - Dedicated Tranport - DS1 - Facility | l | | | I | | | | | | | | | | | 1 |
| | Termination | ļ | | U1TD1 | U1TF1 | 89.54 | | | | | | | | | | + |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | l | | LIATES | 1L5XX | 2.69 | | | | | | | | | | 1 |
| | month Interoffice Channel - Dedicated Transport - DS3 - Facility | | - | U1TD3 | ILOAA | ∠.69 | | | | - | 1 | | - | - | - | + |
| | Termination per month | 1 | | U1TD3 | U1TF3 | 976.34 | | | | | | | 1 | 1 | | 1 |
| | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | 1 | | 5.150 | 31113 | 370.34 | | | | | | | | | | + |
| | month | 1 | | U1TS1 | 1L5XX | 2.69 | | | | | | | 1 | 1 | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Facility | | | | | | | | | | | | 1 | 1 | | 1 |
| <u></u> | Termination | <u> </u> | | U1TS1 | U1TFS | 976.70 | | | | <u> </u> | <u></u> | <u> </u> | <u></u> | <u> </u> | <u> </u> | 1 |
| | Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1 | | | ULDVX, UNCVX | ULDV2 | 19.76 | | | | | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2 | | | ULDVX, UNCVX | ULDV2 | 25.81 | | | | | | | | | | |
| . | Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3 | l | 3 | ULDVX, UNCVX | ULDV2 | 33.74 | | | | | |] | | | | 1 |

| UNBL | JNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachmei | nt: 2 Ex. B | | |
|-------------|----------|---|----------|---------|--------------------|----------------|----------------|---------------|-----------------|---------------|---------------|-----------|-----------|-------------|-------------|-------------|--------------|
| <u> </u> | | | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incrementa |
| | | | | | | | | | | | | Submitted | 1 | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | | | Manual Svc | | Manual Svo |
| CATE | GORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | (4) | | | per LSK | per LSK | | | | |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | Nonrecurring | | Nonrecurrin | g Disconnect | | | oss | Rates (\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat | | | | | | | | 1 | | | | | | | |
| | | Zone 1 | | 1 | ULDVX | ULDR2 | 19.76 | | | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat | | | | | | | | | | | | | | | |
| | | Zone 2 | | 2 | ULDVX | ULDR2 | 25.81 | | | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat | | | | | | | | | | | | | | | |
| | | Zone 3 | | 3 | ULDVX | ULDR2 | 33.74 | | | | | | | | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1 | | 1 | ULDVX, UNCVX | ULDV4 | 20.91 | | | | | | | | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2 | | 2 | ULDVX, UNCVX | ULDV4 | 27.30 | | | | | | | | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3 | | | ULDVX, UNCVX | ULDV4 | 35.71 | | | | | | | | | | |
| | | Local Channel - Dedicated - DS1 - Zone 1 | | | ULDD1, UNC1X | ULDF1 | 41.68 | | | | | | | | | | |
| | | Local Channel - Dedicated - DS1 - Zone 2 | | | ULDD1, UNC1X | ULDF1 | 54.43 | | | | | | | | | | |
| | | Local Channel - Dedicated - DS1 - Zone 3 | | | ULDD1, UNC1X | ULDF1 | 71.17 | | | | | | | | | | |
| | | Local Channel - Dedicated - DS3 - Per Mile per month | | | ULDD3, UNC3X | 1L5NC | 8.22 | | | | | | | | | | |
| | | Local Channel - Dedicated - DS3 - Facility Termination | | | ULDD3, UNC3X | ULDF3 | 703.00 | | ` | | | | | | | | |
| | 1 | Local Channel - Dedicated - STS-1- Per Mile per month | 1 | | ULDS1, UNCSX | 1L5NC | 8.22 | | | | | <u> </u> | | | | | 1 |
| | | Local Channel - Dedicated - STS-1 - Facility Termination | | | ULDS1, UNCSX | ULDFS | 689.53 | | | | | | | | | | |
| ENHA | | (TENDED LINK (EELs) AND THEIR COMPONETS | | | | | | | | | | | | | | | |
| | | The monthly recurring and non-recurring charges below will | | | | | | | | | | | | | | | |
| | | The monthly recurring and the Switch-As-Is Charge and not t | the non- | recurri | ng charges below w | vill apply for | UNE combinati | ons provision | ed as ' Current | tly Combined' | Network Eleme | ents. | | | | | |
| | 2-WIRE | VOICE GRADE LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | |
| | ļ | 2-Wire VG Loop (SL2) in Combination - Zone 1 | ļ | | UNCVX | UEAL2 | 19.04 | | | | | | | | | | |
| | | 2-Wire VG Loop (SL2) in Combination - Zone 2 | | | UNCVX | UEAL2 | 24.87 | | | | | | | | | | |
| | | 2-Wire VG Loop (SL2) in Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 32.52 | | | | | | | | | | |
| | | Voice Grade COCI - Per Month | | | UNCVX | 1D1VG | 1.05 | | | | | | | | | | |
| | 4-WIRE | VOICE GRADE LOOP FOR USE IN A COMBINATION | | | LINIONA | LIE AL 4 | 00.40 | | | | | | | | | | |
| | | 4-Wire Analog Voice Grade Loop in Combination - Zone 1 | | 1 2 | UNCVX | UEAL4 UEAL4 | 28.40 37.10 | | | | | - | | | | | |
| | | 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 | | 3 | UNCVX UNCVX | UEAL4 | 48.51 | | | | | - | | | | | |
| | - | Voice Grade COCI in combination - per month | - | 3 | UNCVX | 1D1VG | 1.05 | | | | | - | | | | | + |
| | 4-WIDE | 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION | 1 | | UNCVA | IDIVG | 1.03 | | | | | 1 | 1 | | | | |
| | 4-4411/1 | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL56 | 35.76 | | | | | 1 | | | | | |
| | | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 | | | UNCDX | UDL56 | 46.70 | | | | | - | | | | | + |
| | | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 | | | UNCDX | UDL56 | 61.08 | | | | | - | | | | | + |
| | | OCU-DP COCI (data) per month (2.4-64kbs) | | Ŭ | UNCDX | 1D1DD | 1.05 | | | | | 1 | | | | | † |
| | 4-WIRE | 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATI\ON | | | | | | | | | | | | | | | |
| | | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL64 | 35.76 | | | | | | | | | | |
| | | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 | | 2 | UNCDX | UDL64 | 46.70 | | | | | | | | | | |
| | | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 | 61.08 | | | | | | | | | | |
| | | OCU-DP COCI (data) - in combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.05 | | | | | | | | | | |
| | 2-WIRE | ISDN LOOP FOR USE IN COMBINATION | 1 | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Loop in Combination - Zone 1 | | 1 | UNCNX | U1L2X | 25.55 | | | | | | | | | | |
| | | 2-Wire ISDN Loop in Combination - Zone 2 | | 2 | UNCNX | U1L2X | 33.37 | | | | | | | | | | |
| | | 2-Wire ISDN Loop in Combination - Zone 3 | | 3 | UNCNX | U1L2X | 43.64 | | | | | | | | | | |
| | | 2-wire ISDN COCI (BRITE) - in combination - per month | | | UNCNX | UC1CA | 3.73 | | | | | | | | | | |
| | 4-WIRE | DS1 DIGITAL LOOP FOR USE IN A COMBINATION | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 66.39 | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | | UNC1X | USLXX | 86.71 | | | | ļ | | | | 1 | | 1 |
| | | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 113.38 | | | ļ | ļ | | | | | ļ | ļ |
| | | DS1 COCI in combination per month | | | UNC1X | UC1D1 | 20.22 | | | ļ | ļ | 1 | | | ļ | | 1 |
| | 2 WIRE | VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | OMBINA | TION | | | | | | ļ | ļ | | | | | | _ |
| | | Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per | | | | L | _ | | | | | | | | I | 1 | |
| | | Month Control of the No. 2011 April 1997 | | | UNCVX | 1L5XX | 0.02 | | | ļ | ļ | | | | | | _ |
| | | Interoffice Transport - 2-wire VG - Dedicated - Facility | | | 1110101 | | | | | | | | | | 1 | | |
| | 4 15 | Termination per month | 0145 | TICT | UNCVX | U1TV2 | 25.06 | | | ļ | 1 | | | | - | | |
| | 4 WIRE | E VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO | OMBINA | HON | | 1 | | | | ļ | 1 | 1 | | | 1 | - | |
| i | | Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month | | | LINCVY | 11.5 | 0.00 | | | | | | | | 1 | | |
| | ! | Interoffice Transport - 4-wire VG - Dedicated - Facility | ! | | UNCVX | 1L5XX | 0.02 | - | | | | <u> </u> | | - | - | - | |
| | | Termination per month | | | UNCVX | U1TV4 | 31.40 | | | | | | | | I | Ì | |
| | 1 | remination per month | 1 | 1 | OINCVA | U11V4 | 31.40 | i | 1 | 1 | 1 | 1 | 1 | i | İ | Ì | 1 |

| JNBUNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachmer | nt: 2 Ex. B | | <u></u> |
|----------|---|-------------|------|----------------|----------------|----------------|--------------|------------|--------------|--------------|--|---|-------------------------|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | | | | | | | | | DISC 1St | DISC Add I |
| | | | | | | Rec | Nonrecurring | | | g Disconnect | | | | Rates (\$) | | T |
| DC4 IN | TERRETICE TRANSPORT FOR COMPINATION | | | | + | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| חו ויפט | ITEROFFICE TRANSPORT FOR COMBINATION Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | + + | | | | | | | | | | | |
| | per month | | | UNC1X | 1L5XX | 0.41 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | 0.10.71 | 120701 | 0 | | | | | | | | | | 1 |
| | Termination per month | | | UNC1X | U1TF1 | 89.54 | | | | | | | | | | |
| | 1/0 Channelization System in combination Per Month | | | UNC1X | MQ1 | 92.89 | | | | | | | | | | |
| DS3 IN | ITEROFFICE TRANSPORT FOR USE IN A COMBINATION | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Per Mile | | | LINICOV | 41.577 | 2.00 | | | | | | | | | | |
| | Per Month | | | UNC3X | 1L5XX | 2.69 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Facility Termination per month | | | UNC3X | U1TF3 | 983.22 | | | | | | | | | | |
| STS-1 | INTEROFFICE TRANSPORT FOR USE IN COMBINATION | | | C.130/1 | 31110 | 555.22 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Per Mile | | | | 1 | | | | | | | | | | | |
| | Per Month | | | UNCSX | 1L5XX | 2.69 | | | | | | | | | | |
| | 3/1 Channel System in combination per month | | | UNCSX | MQ3 | 256.43 | | | ļ | ļ | ļ | | | | | <u> </u> |
| 4-WIR | E 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN | SPORT | | LINCDY | UDL56 | 25.70 | | | 1 | 1 | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 1 4-wire 56 kbps Local Loop in combination - Zone 2 | | | UNCDX UNCDX | UDL56 | 35.76 46.70 | | | | | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 3 | | | UNCDX | UDL56 | 61.08 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | 0.1027 | 02200 | 01.00 | | | | | | | | | | 1 |
| | Per Mile per month | | | UNCDX | 1L5XX | 0.02 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | | | | | | | | | | | 1 |
| | Facility Termination per month | | | UNCDX | U1TD5 | 24.37 | | | | | | | | | | |
| 4-WIRI | E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROP | FICE T | | | 1151.04 | | | | | | | | | | | |
| | 4-wire 64 kbps Local Loop in Combination - Zone 1 | | | UNCDX | UDL64 | 35.76 46.70 | | | | | | | | | | |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 2 4-wire 64 kbps Lcoal Loop in Combination - Zone 3 | | | UNCDX UNCDX | UDL64 UDL64 | 61.08 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | 3 | ONODA | ODLOT | 01.00 | | | | | | | | | | |
| | Per Mile per month | | | UNCDX | 1L5XX | 0.02 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | | | 1 |
| | Facility Termination per month | | | UNCDX | U1TD6 | 24.37 | | | | | | | | | | |
| 4-WIRI | E 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE | ETRAN | | | 1101 50 | | | | | | | | | | | |
| | 4-wire 56 kbps Local Loop in combination - Zone 1 | | | UNCDX UNCDX | UDL56 UDL56 | 35.76 46.70 | | | | | | | | | | - |
| | 4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3 | | | UNCDX | UDL56 | 61.08 | | | | | | | | | | - |
| | 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per | | 3 | ONODA | ODLOG | 01.00 | | | | | 1 | | | | | |
| | month | | | UNCDX | 1L5XX | 0.02 | | | | | | | | | | |
| | 4-wire 56 kbps Interoffice Transport - Dedicated - Facility | | | | | | | | | | | | | | | 1 |
| 4 900 | Termination per month | | CDAD | UNCDX | U1TD5 | 24.37 | | | | | | | | | | |
| 4-WIRI | 4-wire 64 kbps Local Loop in combination - Zone 1 | LIKAN | | UNCDX | UDL64 | 35.76 | | | | | | | | | | |
| | 4-wire 64 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL64 | 46.70 | | | | | | | | | | |
| | 4-wire 64 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL64 | 61.08 | | | | | | | | | | 1 |
| | I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | UNCDX | 1L5XX | 0.02 | | | | | | | | | | |
| | 4-wire 64 kbps Interoffice Transport - Dedicated - Facility | | | | [| | | | | | | | | | | |
| 504.5 | Termination per month | | | UNCDX | U1TD6 | 24.37 | | | ļ | ļ | <u> </u> | | | | | <u> </u> |
| DS1 D | GITAL LOOP AND DS1 INTERFOFFICE TRANSPORT 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 66.39 | | | 1 | 1 | 1 | | | | | - |
| | 4-Wire DS1 Digital Loop in Combination - Zone 1 4-Wire DS1 Digital Loop in Combination - Zone 2 | | | UNC1X | USLXX | 86.71 | | | | <u> </u> | | | | | | + |
| | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | | UNC1X | USLXX | 113.38 | | | İ | i e | | | | | | † |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | - | | | | | | | | | | | | |
| | per month | | | UNC1X | 1L5XX | 0.41 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | [T | | | | | | | | | | | |
| D00 D | Termination per month | NDT. | | UNC1X | U1TF1 | 89.54 | | | 1 | 1 | <u> </u> | | | | | |
| DS3 D | IGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO | κı | | UNC3X | 1L5ND | 10.57 | | | + | 1 | | | | | | |
| - | 200 Local Loop in combination - per fille per filoriti | | | 014037 | ILJIND | 10.57 | | | 1 | 1 | | | | | | |
| | DS3 Local Loop in combination - Facility Termination per month | | l | UNC3X | UE3PX | 429.49 | | | | | | l | | | | |

| UNBUNE | LFI | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attachme | nt: 2 Ex. B | | |
|----------|-------|---|-------------|----------|-----------------------------|---------------|-------------------|--------------|------------|--------------|------------|---|-----------|-------------|-------------------------|----------|---|
| CATEGOR | | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Submitted | Incremental | Incremental Charge - | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates (\$) | L | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 2.69 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month | | | UNC3X | U1TF3 | 983.22 | | | | | | | | | | |
| ST | S-1 I | DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN | SPORT | | | | | | | | | | | | | | |
| | | STS-1 Local Lolp in combination - per mile per month | | | UNCSX | 1L5ND | 10.57 | | | | | | | | | | |
| | | STS-1 Local Loop in combination - Facility Termination per month | | | UNCSX | UDLS1 | 453.74 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS-1 combination - per mile per month | | | UNCSX | 1L5XX | 2.69 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month | | | UNCSX | U1TFS | 976.70 | | | | | | | | | | |
| ADDITION | AI N | IETWORK ELEMENTS | | | UNCSX | UTIFS | 976.70 | | | | | | | | | | + |
| | | used as a part of a currently combined facility, the non-recurr | rna cha | raes do | not apply but a S | witch As Is c | harge does ann | dv | | - | | | - | | - | | |
| | | used as a part of a currently combined facility, the horsecuri | | | | | | | | | | | | | | | |
| | | urring Currently Combined Network Elements "Switch As Is" | | | | | l As is Gliarge (| ioco not. | | | | | | | | | |
| | | al Features & Functions: | Onargo | (One a | pplies to each com | Dination, | | | | | | | | | | | |
| | | Clear Channel Capability Extended Frame Option - per DS1 | 1 | | U1TD1, ULDD1,UNC1X | CCOEF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | | | | U1TD1, | | | 0.00 | | | | | | | | | |
| | | Clear Channel Capability Super FrameOption - per DS1 | i | | ULDD1,UNC1X | CCOSF | | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 | 1 | | ULDD1, U1TD1, UNC1X, USL | NRCCC | | 185.16 | 23.85 | 2.03 | 0.79 | | | | | | |
| | | C-bit Parity Option - Subsequent Activity - per DS3 | i | | U1TD3, ULDD3, UE3, UNC3X | NRCC3 | | 219.46 | 7.68 | 0.7637 | 0.00 | | | | | | |
| MU | JLTIE | PLEXERS | | | | | | | | | | | | | | | |
| | | DS1 to DS0 Channel System per month | | | UNC1X | MQ1 | 92.89 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| | | month (2.4-64kbs) used for a Local Loop | | | UDL | 1D1DD | 2.09 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 | | | | 10100 | 0.00 | | | | | | | | | | |
| | | Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | <u> </u> | U1TUD | 1D1DD | 2.09 | | | | | | | | | | - |
| | | month for a Local Loop | | | UDN | UC1CA | 3.56 | | | | | | | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation | | | U1TUB | UC1CA | 3,56 | | | | | | | | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | ОТТОВ | UCTOA | 3.30 | | | | | | | | | | |
| | | used for a Local Loop | | | UEA | 1D1VG | 1.05 | | | | | | | | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the | | | | | | | | | | | | | | | |
| | | same SWC as collocation | | | U1TUC | 1D1VG | 1.05 | | | | | | | | 1 | | |
| | | DS3 to DS1 Channel System per month | | | UNC3X | MQ3 | 256.43 | | | | | | | | | | |
| | | STS-1 to DS1 Channel System per month | 1 | | UNCSX | MQ3 | 256.43 | | | | | | | | | | |
| | | DS1 COCI used with Loop per month | | | USL | UC1D1 | 20.22 | | | | | | | | | | |
| | | DS1 COCI (used for connection to a channelized DS1 Local | | | | | | | | | | | | | | | |
| | | Channel in the same SWC as collocation) per month | | | U1TUA | UC1D1 | 20.22 | | | | | | | | | | |
| | | DS1 COCI used with Interoffice Channel per month | ļ | | U1TD1 | UC1D1 | 20.22 | | | ļ | | | | | 1 | | |
| | | DS3 Interface Unit (DS1 COCI) used with Local Channel per | | | LII DD4 | LIC4P4 | 20.00 | | | | | | | | 1 | | |
| 1 1 | | month | 1 | İ | ULDD1 | UC1D1 | 20.22 | | | 1 | | | 1 | l | 1 | i | 1 |

Attachment 3

Network Interconnection

Version: 4Q04 Standard ICA 01/12/05

TABLE OF CONTENTS

| 1. | GENERAL | 3 |
|-----|---|-----------|
| 2. | DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT) | 3 |
| 3. | NETWORK INTERCONNECTION | 5 |
| 4. | INTERCONNECTION TRUNK GROUP ARCHITECTURES | 7 |
| 5. | NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTIO | N13 |
| 6. | FORECASTING FOR TRUNK PROVISIONING | 14 |
| 7. | LOCAL DIALING PARITY | 16 |
| 8. | INTERCONNECTION COMPENSATION | 17 |
| 9. | FRAME RELAY SERVICE INTERCONNECTION | 22 |
| 10. | ORDERING CHARGES | 25 |
| 11. | BASIC 911 AND E911 INTERCONNECTION | 25 |
| 12. | SS7 NETWORK INTERCONNECTION | 26 |
| Rat | es | Exhibit A |
| Bas | ic Architecture | Exhibit B |
| | e Way Architecture | Exhibit C |
| Two | o Way Architecture | Exhibit D |
| Sun | ergroup Architecture | Exhibit E |

NETWORK INTERCONNECTION

1. GENERAL

- 1.1 The Parties shall provide interconnection with each other's networks for the transmission and routing of telephone exchange service (Local Traffic), ISP-Bound Traffic, and exchange access (Switched Access Traffic) on the following terms:
- 2. DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT)

For purposes of this attachment only, the following terms shall have the definitions set forth below:

- Automatic Location Identification (ALI) is a feature by which the address associated with the calling party's telephone number (ANI) is forwarded to the PSAP for display. Access to the ALI database is described in Attachment 2 to this Agreement.
- 2.2 **Automatic Number Identification (ANI)** corresponds to the seven-digit telephone number assigned by the serving local exchange carrier.
- 2.3 **BellSouth Trunk Group** is defined as a one-way trunk group carrying BellSouth originated traffic to be terminated by REDSQUARE.
- 2.4 **911 Service** is as described in this Attachment.
- 2.5 **Call Termination** has the meaning set forth for "termination" in 47CFR § 51.701(d).
- 2.6 **Call Transport** has the meaning set forth for "transport" in 47 CFR § 51.701(c).
- 2.7 **Call Transport and Termination** is used collectively to mean the switching and transport functions from the Interconnection Point to the last point of switching.
- Common (Shared) Transport is defined as the transport of the originating Party's traffic by the terminating Party over the terminating Party's common (shared) facilities between (1) the terminating Party's tandem switch and end office switch, (2) between the terminating Party's tandem switches, and/or (3) between the terminating Party's host and remote end office switches. All switches referred herein must be entered into the Local Exchange Routing Guide (LERG).
- 2.9 **Dedicated Interoffice Facility** is defined as a switch transport facility between a Party's Serving Wire Center and the first point of switching within the LATA on the other Party's network.
- 2.10 **End Office Switching** is defined as the function that establishes a communications path between the trunk side and line side of the End Office switch.

Version: 4Q04 Standard ICA

2.11 **Fiber Meet** is an interconnection arrangement whereby the Parties physically interconnect their networks via an optical fiber interface at which one Party's facilities, provisioning, and maintenance responsibility begins and the other Party's responsibility ends. 2.12 **Final Trunk Group** is defined as the trunk group that does not carry overflow traffic. 2.13 **Integrated Services Digital Network User Part (ISUP)** is a message protocol to support call set-up and release for interoffice voice connections over SS7 signaling. 2.14 **Interconnection Point (IP)** is the physical telecommunications equipment interface that interconnects the networks of BellSouth and REDSQUARE. 2.15 **IntraLATA Toll Traffic** is as defined in Section 7 of this Attachment. **ISP-Bound Traffic** is as defined in this Attachment. 2.16 2.17 **Local Channel** is defined as a switched transport facility between a Party's Interconnection Point and the IP's Serving Wire Center. 2.18 **Local Traffic** is as defined in of this Attachment. 2.19 **Public Safety Answering Point (PSAP)** is the answering location for 911 calls. 2.20 **Selective Routing (SR)** is a standard feature that routes an E911 call from the tandem to the designated PSAP based upon the address of the ANI of the calling party. 2.21 **Serving Wire Center** is defined as the wire center owned by one Party from which the other Party would normally obtain dial tone for its IP. 2.22 Signaling System 7 (SS7)/Common Channel Signaling 7 (CCS7) is an out-ofband signaling system used to provide basic routing information, call set-up and other call termination functions. Signaling is removed from the voice channel and put on a separate data network. 2.23 **Tandem Switching** is defined as the function that establishes a communications path between two switching offices through a third switching office through the provision of trunk side to trunk side switching. 2.24 **Transit Traffic** is traffic originating on REDSQUARE's network that is switched and/or transported by BellSouth and delivered to a third party's network, or traffic

Version: 4Q04 Standard ICA 01/12/05

BellSouth and delivered to REDSQUARE's network.

originating on a third party's network that is switched and/or transported by

3. NETWORK INTERCONNECTION

- 3.1 This Attachment pertains only to the provision of network interconnection where REDSQUARE owns, leases from a third party or otherwise provides its own switch(es).
- 3.2 Network interconnection may be provided by the Parties at any technically feasible point within BellSouth's network. Requests to BellSouth for interconnection at points other than as set forth in this Attachment may be made through the Bona Fide Request/New Business Request (BFR/NBR) process set out in this Agreement.
- 3.2.1 Each Party is responsible for providing, engineering and maintaining the network on its side of the IP. The IP must be located within BellSouth's serving territory in the LATA in which traffic is originating. The IP determines the point at which the originating Party shall pay the terminating Party for the Call Transport and Termination of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic. In selecting the IP, both Parties will act in good faith and select the point that is most efficient for both Parties.
- 3.2.2 Pursuant to the provisions of this Attachment, the location of the initial IP in a given LATA shall be established by mutual agreement of the Parties. Subject to the requirements for installing additional IPs, as set forth below, any IPs existing prior to the Effective Date of the Agreement will be accepted as initial IPs and will not require re-grooming. When the Parties mutually agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic between each other, the Parties shall mutually agree to the location of IP(s). If the Parties are unable to agree to a mutual initial IP, each Party, as originating Party, shall establish a single IP in the LATA for the delivery of its originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic to the other Party for Call Transport and Termination by the terminating Party.
- 3.2.3 Additional IP(s) in a LATA may be established by mutual agreement of the Parties. Notwithstanding the foregoing, additional IP(s) in a particular LATA shall be established, at the request of either Party, when the Local Traffic and ISP-Bound Traffic exceeds 8.9 million minutes per month for three consecutive months at the proposed location of the additional IP. BellSouth will not request the establishment of an IP in a BellSouth Central Office where physical or virtual collocation space is not available or where BellSouth fiber connectivity is not available. When the Parties agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic the Parties must agree to the location of the IP(s).
- 3.3 Interconnection via Dedicated Facilities

Version: 4Q04 Standard ICA

- 3.3.1 <u>Local Channel Facilities.</u> As part of Call Transport and Termination, the originating Party may obtain Local Channel facilities from the terminating Party. The percentage of Local Channel facilities utilized for Local Traffic and ISP-Bound Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor as set forth in this Attachment. The charges applied to the percentage of Local Channel facilities used for Local Traffic and ISP-Bound Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment. The remaining percentage of Local Channel facilities shall be billed at BellSouth's applicable access tariff rates.
- 3.3.2 <u>Dedicated Interoffice Facilities.</u> As a part of Call Transport and Termination, the originating Party may obtain Dedicated Interoffice Facilities from the terminating Party. The percentage of Dedicated Interoffice Facilities utilized for Local Traffic and ISP-Bound Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor as set forth in this Attachment. The charges applied to the percentage of the Dedicated Interoffice Facilities used for Local Traffic and ISP-Bound Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment. The remaining percentage of the Dedicated Interoffice Facilities shall be billed at BellSouth's applicable access tariff rates.
- Fiber Meet. Notwithstanding Section 3.2.1, 3.2.2, and 3.2.3 above, if REDSQUARE elects to establish interconnection with BellSouth pursuant to a Fiber Meet Local Channel, REDSQUARE and BellSouth shall jointly engineer, operate and maintain a Synchronous Optical Network (SONET) transmission system by which they shall interconnect their transmission and routing of Local Traffic and ISP-Bound Traffic via a Local Channel at either the DS1 or DS3 level. The Parties shall work jointly to determine the specific transmission system. However, REDSQUARE's SONET transmission system must be compatible with BellSouth's equipment, and the Data Communications Channel (DCC) must be turned off.
- 3.4.1 Each Party, at its own expense, shall procure, install and maintain the agreed upon SONET transmission system in its network.
- The Parties shall agree to a Fiber Meet point between the BellSouth Serving Wire Center and the REDSQUARE Serving Wire Center. The Parties shall deliver their fiber optic facilities to the Fiber Meet point with sufficient spare length to reach the fusion splice point for the Fiber Meet Point. BellSouth shall, at its own expense, provide and maintain the fusion splice point for the Fiber Meet. A building type Common Language Location Identification (CLLI) code will be established for each Fiber Meet point. All orders for interconnection facilities from the Fiber Meet point shall indicate the Fiber Meet point as the originating point for the facility.

- 3.4.3 Upon verbal request by REDSQUARE, BellSouth shall allow REDSQUARE access to the fusion splice point for the Fiber Meet point for maintenance purposes on REDSQUARE's side of the Fiber Meet point.
- 3.4.4 Neither Party shall charge the other for its Local Channel portion of the Fiber Meet facility used exclusively for Local Traffic and ISP-Bound Traffic. The percentage of Local Channel facilities utilized for Local Traffic and ISP-Bound Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor as set forth in this Attachment. The charges applied to the percentage of Local Channel facilities used for Local Traffic and ISP-Bound Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment. The remaining percentage of Local Channel facilities shall be billed at BellSouth's applicable access tariff rates. Charges for switched and special access services shall be billed in accordance with the applicable access service tariff.

4. INTERCONNECTION TRUNK GROUP ARCHITECTURES

- 4.1 BellSouth and REDSQUARE shall establish interconnecting trunk groups and trunk group configurations between networks, including the use of one-way or two-way trunks in accordance with the following provisions set forth in this Agreement. For trunking purposes, traffic will be routed based on the digits dialed by the originating End User and in accordance with the LERG.
- 4.2 REDSQUARE shall establish an interconnection trunk group(s) to at least one BellSouth access tandem within the LATA for the delivery of REDSQUARE's originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic and for the receipt and delivery of Transit Traffic. To the extent REDSQUARE desires to deliver Local Traffic, ISP-Bound Traffic, IntraLATA Toll Traffic and/or Transit Traffic to BellSouth access tandems within the LATA, other than the tandems(s) to which REDSQUARE has established interconnection trunk groups, REDSQUARE shall pay the appropriate rates for Multiple Tandem Access, as described in this Attachment.
- 4.2.1 Notwithstanding the forgoing, REDSQUARE shall establish an interconnection trunk group(s) to all BellSouth access and local tandems in the LATA where REDSQUARE has homed (i.e. assigned) its NPA/NXXs. REDSQUARE shall home its NPA/NXXs on the BellSouth tandems that serve the exchange rate center areas to which the NPA/NXXs are assigned. The specified exchange rate center assigned to each BellSouth tandem is defined in the LERG. REDSQUARE shall enter its NPA/NXX access and/or local tandem homing arrangements into the LERG.
- 4.3 Switched access traffic will be delivered to and from Interexchange Carriers (IXCs) based on REDSQUARE's NXX access tandem homing arrangement as specified by REDSQUARE in the LERG.

Version: 4Q04 Standard ICA

- Any REDSQUARE interconnection request that (1) deviates from the interconnection trunk group architectures as described in this Agreement, (2) affects traffic delivered to REDSQUARE from a BellSouth switch, and (3) requires special BellSouth switch translations and other network modifications will require REDSQUARE to submit a BFR/NBR via the BFR/NBR Process as set forth in this Agreement.
- 4.5 Recurring and nonrecurring rates associated with interconnecting trunk groups between BellSouth and REDSQUARE are set forth in Exhibit A. To the extent a rate associated with the interconnecting trunk group is not set forth in Exhibit A, the rate shall be as set forth in the appropriate BellSouth tariff for switched access services.
- For two-way trunk groups that carry only both Parties' Local Traffic, the Parties shall be compensated at 50% of the nonrecurring and recurring rates for dedicated trunks and DS1 facilities. REDSQUARE shall be responsible for ordering and paying for any two-way trunks carrying Transit Traffic.
- 4.7 All trunk groups will be provisioned as Signaling System 7 (SS7) capable where technically feasible. If SS7 is not technically feasible, multi-frequency (MF) protocol signaling shall be used.
- In cases where REDSQUARE is also an IXC, the IXC's Feature Group D (FG D) trunk group(s) must remain separate from the local interconnection trunk group(s).
- Each Party shall order interconnection trunks and trunk group including trunk and trunk group augmentations via the ASR process. A Firm Order Confirmation (FOC) shall be returned to the ordering Party, after receipt of a valid, error free ASR, within the timeframes set forth in each state's applicable Performance Measures. Notwithstanding the foregoing, blocking situations and projects shall be managed through BellSouth's Carrier Interconnection Switching Center (CISC) Project Management Group and REDSQUARE's equivalent trunking group, and FOCs for such orders shall be returned in the timeframes applicable to the project. A project is defined as (1) a new trunk group or (2) a request for more than 192 trunks on a single or multiple group(s) in a given BellSouth local calling area.
- 4.10 Interconnection Trunk Groups for Exchange of Local Traffic and Transit Traffic.

 Upon mutual agreement of the Parties in a joint planning meeting, the Parties shall exchange Local Traffic on two-way interconnection trunk group(s) with the quantity of trunks being mutually determined and the provisioning being jointly coordinated. Furthermore, the Parties shall agree upon the IP(s) for two-way interconnection trunk groups transporting both Parties' Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic. REDSQUARE shall order such two-way trunks via the Access Service Request (ASR) process. BellSouth will use the Trunk Group Service Request (TGSR) to request changes in trunking. Furthermore, the Parties shall jointly review trunk performance and forecasts in

accordance with Section 5.7 of this Attachment. The Parties' use of two-way interconnection trunk groups for the transport of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic between the Parties does not preclude either Party from establishing additional one-way interconnection trunks for the delivery of its originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic to the other Party. Other trunk groups for operator services, directory assistance and intercept must be established pursuant to the applicable BellSouth tariff if service is requested.

- 4.10.1 <u>BellSouth Access Tandem Interconnection.</u> BellSouth access tandem interconnection at a single access tandem provides access to those end offices subtending that access tandem (Intratandem Access). Access tandem interconnection is available for any of the following access tandem architectures
- 4.10.1.1 Basic Architecture. In the basic architecture, REDSQUARE's originating Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic and originating and terminating Transit Traffic is transported on a single two-way trunk group between REDSQUARE and BellSouth access tandem(s) within a LATA to provide Intratandem Access. This trunk group carries Transit Traffic between REDSQUARE and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which REDSQUARE desires to exchange traffic. This trunk group also carries REDSQUARE originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to REDSOUARE. The LERG contains current routing and tandem serving arrangements. The basic Architecture is illustrated in Exhibit B.
- 4.10.1.2 One-Way Trunk Group Architecture. In one-way trunk group architecture, the Parties interconnect using three separate trunk groups. A one-way trunk group provides Intratandem Access for REDSOUARE-originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic destined for BellSouth End Users. A second one-way trunk group carries BellSouth-originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic destined for REDSQUARE End-Users. A two-way trunk group provides Intratandem Access for REDSQUARE's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between REDSOUARE and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which REDSQUARE exchanges traffic. This trunk group also carries REDSQUARE originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to

Version: 4Q04 Standard ICA

REDSQUARE. The LERG contains current routing and tandem serving arrangements. The one-way trunk group architecture is illustrated in Exhibit C.

- 4.10.1.3 Two-Way Trunk Group Architecture. The two-way trunk group Architecture establishes one two-way trunk group to provide Intratandem Access for the exchange of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic between REDSQUARE and BellSouth. In addition, a separate two-way transit trunk group must be established for REDSQUARE's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between REDSQUARE and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which REDSQUARE exchanges traffic. This trunk group also carries REDSOUARE originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to REDSQUARE. However, where REDSQUARE is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the two-way Local Traffic trunk group carrying ISP-Bound Traffic and IntraLATA Toll Traffic. The LERG contains current routing and tandem serving arrangements. The twoway trunk group architecture is illustrated in Exhibit D.
- 4.10.1.4 Supergroup Architecture. In the supergroup architecture, the Parties' Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic and REDSQUARE's Transit Traffic are exchanged on a single two-way trunk group between REDSQUARE and BellSouth to provide Intratandem Access to REDSQUARE. This trunk group carries Transit Traffic between REDSQUARE and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which REDSQUARE desires to exchange traffic. This trunk group also carries REDSQUARE originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to REDSQUARE. However, where REDSQUARE is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the Supergroup. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The supergroup architecture is illustrated in Exhibit E.
- 4.10.1.5 <u>Multiple Tandem Access Interconnection.</u> Where REDSQUARE does not choose access tandem interconnection at every BellSouth access tandem within a LATA, REDSQUARE must utilize BellSouth's multiple tandem access interconnection

Version: 4Q04 Standard ICA

(MTA). To utilize MTA REDSQUARE must establish an interconnection trunk group(s) at a minimum of one BellSouth access tandem within each LATA as required. BellSouth will route REDSQUARE's originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic for LATA wide transport and termination. REDSQUARE must also establish an interconnection trunk group(s) at all BellSouth access tandems where REDSQUARE NXXs are homed as described in Section 4.2.1 above. If REDSQUARE does not have NXXs homed at any particular BellSouth access tandem within a LATA and elects not to establish an interconnection trunk group(s) at such BellSouth access tandem, REDSQUARE can order MTA in each BellSouth access tandem within the LATA where it does have an interconnection trunk group(s) and BellSouth will terminate REDSQUARE's Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic to End-Users served through those BellSouth access tandems where REDSOUARE does not have an interconnection trunk group(s). MTA shall be provisioned in accordance with BellSouth's Ordering Guidelines.

- 4.10.1.5.1 REDSQUARE may also utilize MTA to route its originated Transit Traffic; provided, however, that MTA may not be utilized to route switched access traffic that transits the BellSouth network to an IXC. Switched access traffic originated by or terminated to REDSOUARE will be delivered to and from IXCs based on REDSQUARE's NXX access tandem homing arrangement as specified by REDSQUARE in the LERG.
- 4.10.1.5.2 Compensation for MTA shall be at the applicable tandem switching and transport charges specified in Exhibit A to this Attachment and shall be billed in addition to any Call Transport and Termination charges.
- 4.10.1.5.3 To the extent REDSQUARE does not purchase MTA in a LATA served by multiple access tandems, REDSQUARE must establish an interconnection trunk group(s) to every access tandem in the LATA to serve the entire LATA. To the extent REDSQUARE routes its traffic in such a way that utilizes BellSouth's MTA service without properly ordering MTA, REDSQUARE shall pay BellSouth the associated MTA charges.
- 4.10.2 Local Tandem Interconnection. Local Tandem Interconnection arrangement allows REDSQUARE to establish an interconnection trunk group(s) at BellSouth local tandems for: (1) the delivery of REDSQUARE-originated Local Traffic and ISP-Bound Traffic transported and terminated by BellSouth to BellSouth end offices served by those BellSouth local tandems, and (2) for local Transit Traffic transported by BellSouth for third party network providers who have also established an interconnection trunk group(s) at those BellSouth local tandems.
- 4.10.2.1 When a specified local calling area is served by more than one BellSouth local tandem, REDSQUARE must designate a "home" local tandem for each of its assigned NPA/NXXs and establish trunk connections to such local tandems. Additionally, REDSQUARE may choose to establish an interconnection trunk

Version: 4Q04 Standard ICA

group(s) at the BellSouth local tandems where it has no codes homing but is not required to do so. REDSQUARE may deliver Local Traffic and ISP-Bound Traffic to a "home" BellSouth local tandem that is destined for other BellSouth or third party network provider end offices subtending other BellSouth local tandems in the same local calling area where REDSQUARE does not choose to establish an interconnection trunk group(s). It is REDSQUARE's responsibility to enter its own NPA/NXX local tandem homing arrangements into the LERG either directly or via a vendor in order for other third party network providers to determine appropriate traffic routing to REDSQUARE's codes. Likewise, REDSQUARE shall obtain its routing information from the LERG.

- 4.10.2.2 Notwithstanding establishing an interconnection trunk group(s) to BellSouth's local tandems, REDSQUARE must also establish an interconnection trunk group(s) to BellSouth access tandems within the LATA on which REDSQUARE has NPA/NXXs homed for the delivery of Interexchange Carrier Switched Access (SWA) and toll traffic, and traffic to Type 2A CMRS connections located at the access tandems. BellSouth shall not switch SWA traffic through more than one BellSouth access tandem. SWA, Type 2A CMRS or toll traffic routed to the local tandem in error will not be backhauled to the BellSouth access tandem for completion. (Type 2A CMRS interconnection is defined in BellSouth's A35 General Subscriber Services Tariff).
- 4.10.2.3 BellSouth's provisioning of Local Tandem Interconnection assumes that REDSQUARE has executed the necessary local interconnection agreements with the other third party network providers subtending those local tandems as required by the Act.
- 4.10.3 <u>Direct End Office-to-End Office Interconnection.</u> Direct End Office-to-End Office one-way or two-way interconnection trunk groups allow for the delivery of a Party's originating Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic to the terminating Party on a direct end office-to-end office basis.
- 4.10.3.1 The Parties shall utilize direct end office-to-end office trunk groups under any one of the following conditions:
- 4.10.3.1.1 Tandem Exhaust If a tandem through which the Parties are interconnected is unable to, or is forecasted to be unable to support additional traffic loads for any period of time, the Parties will mutually agree on an end office trunking plan that will alleviate the tandem capacity shortage and ensure completion of traffic between REDSQUARE and BellSouth.
- 4.10.3.1.2 Traffic Volume –To the extent either Party has the capability to measure the amount of traffic between REDSQUARE's switch and a BellSouth end office and where such traffic exceeds or is forecasted to exceed a single DS1 of traffic per month, then the Parties shall install and retain direct end office trunking sufficient to handle such traffic volumes. Either Party will install additional capacity between

Version: 4Q04 Standard ICA 01/12/05

such points when overflow traffic exceeds or is forecasted to exceed a single DS1 of traffic per month. In the case of one-way trunking, additional trunking shall only be required by the Party whose trunking has achieved the preceding usage threshold.

- 4.10.3.1.3 Mutual Agreement The Parties may install direct end office trunking upon mutual agreement in the absence of conditions (1) or (2) above.
- 4.10.4 Transit Traffic Trunk Group. Transit Traffic trunks can either be two-way trunks or two one-way trunks ordered by REDSQUARE to deliver and receive Transit Traffic. Establishing Transit Traffic trunks at BellSouth access and local tandems provides intratandem access to the third parties also interconnected at those tandems. REDSQUARE shall be responsible for all recurring and non-recurring charges associated with Transit Traffic trunks and facilities.
- 4.10.4.1 Toll Free Traffic. If REDSQUARE chooses BellSouth to perform the Service Switching Point (SSP) Function (i.e., handle Toll Free database queries) from BellSouth's switches, all REDSQUARE originating Toll Free traffic will be routed over the Transit Traffic Trunk Group and shall be delivered using GR-394 format. Carrier Code "0110" and Circuit Code (to be determined for each LATA) shall be used for all such calls.
- 4.10.4.1.1 REDSQUARE may choose to perform its own Toll Free database queries from its switch. In such cases, REDSOUARE will determine the nature (local/intraLATA/interLATA) of the Toll Free call (local/IntraLATA/InterLATA) based on the response from the database. If the call is a BellSouth local or intraLATA Toll Free call, REDSQUARE will route the post-query local or IntraLATA converted ten-digit local number to BellSouth over the local or intraLATA trunk group. If the call is a third party (ICO, IXC, CMRS or other CLEC) local or intraLATA Toll Free call, REDSQUARE will route the post-query local or intraLATA converted ten-digit local number to BellSouth over the Transit Traffic Trunk Group and REDSQUARE shall provide to BellSouth a Toll Free billing record when appropriate. If the query reveals the call is an interLATA Toll Free call, REDSQUARE will route the post-query interLATA Toll Free call (1) directly from its switch for carriers interconnected with its network or (2) over the Transit Traffic Trunk Group to carriers that are not directly connected to REDSQUARE's network but that are connected to BellSouth's access tandem.
- 4.10.5 All post-query Toll Free calls for which REDSQUARE performs the SSP function, if delivered to BellSouth, shall be delivered using GR-394 format for calls destined to IXCs, and GR-317 format for calls destined to end offices that directly subtend a BellSouth access tandem within the LATA.
- 5. NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION

Version: 4Q04 Standard ICA

- 5.1 <u>Network Management and Changes</u>. The Parties will exchange toll-free maintenance contact numbers and escalation procedures. The Parties will provide public notice of network changes in accordance with applicable federal and state rules and regulations.
- Interconnection Technical Standards. The interconnection of all networks will be based upon accepted industry/national guidelines for transmission standards and traffic blocking criteria. Interconnecting facilities shall conform, at a minimum, to the telecommunications industry standard of DS-1 pursuant to Telcordia Standard No. GR-NWT-00499. Where REDSQUARE chooses to utilize Signaling System 7 signaling, also known as Common Channel Signaling (SS7), SS7 connectivity is required between the REDSQUARE switch and the BellSouth Signaling Transfer Point (STP). BellSouth will provide SS7 signaling using Common Channel Signaling Access Capability in accordance with the technical specifications set forth in the BellSouth Guidelines to Technical Publication, GR-905-Core. Facilities of each Party shall provide the necessary on-hook, off-hook answer and disconnect supervision and shall provide calling number ID (Calling Party Number) when technically feasible.
- 5.3 <u>Network Management Controls.</u> Both Parties will work cooperatively to apply sound network management principles by invoking appropriate network management controls (e.g., call gapping) to alleviate or prevent network congestion.

6. FORECASTING FOR TRUNK PROVISIONING

- 6.1 Within six (6) months after execution of this Agreement, REDSQUARE shall provide an initial interconnection trunk group forecast for each LATA in which it plans to provide service within BellSouth's region. Upon receipt of REDSQUARE's forecast, the Parties shall conduct a joint planning meeting to develop a joint interconnection trunk group forecast. Each forecast provided under this Section shall be deemed "Confidential Information" under the General Terms and Conditions of this Agreement.
- At a minimum, the forecast shall include the projected quantity of Transit Trunks, REDSQUARE-to-BellSouth one-way trunks (REDSQUARE Trunks), BellSouth-to-REDSQUARE one-way trunks (BellSouth Trunk Groups) and/or two-way interconnection trunks, if the Parties have agreed to interconnect using two-way trunking to transport the Parties' Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic. The quantities shall be projected for a minimum of six months and shall include an estimate of the current year plus the next two years total forecasted quantities. The Parties shall mutually develop BellSouth Trunk Groups and/or two-way interconnection trunk forecast quantities.
- 6.1.2 All forecasts shall include, at a minimum, Access Carrier Terminal Location (ACTL), trunk group type (local/intraLATA toll, Transit, Operator Services, 911,

Version: 4Q04 Standard ICA

etc.), A location/Z location (CLLI codes for REDSQUARE location and BellSouth location where the trunks shall terminate), interface type (e.g., DS1), Direction of Signaling, Trunk Group Number, if known, (commonly referred to as the 2-6 code) and forecasted trunks in service each year (cumulative).

- Once initial interconnection trunk forecasts have been developed, REDSQUARE shall continue to provide interconnection trunk forecasts at mutually agreeable intervals. REDSQUARE shall use its best efforts to make the forecasts as accurate as possible based on reasonable engineering criteria. The Parties shall continue to develop Reciprocal Trunk Group and/or two-way interconnection trunk forecasts as described in Section 6.1.1.
- The submission and development of interconnection trunk forecasts shall not replace the ordering process for local interconnection trunks. Each Party shall exercise its best efforts to provide the quantity of interconnection trunks mutually forecasted. However, the provision of the forecasted quantity of interconnection trunks is subject to trunk terminations and facility capacity existing at the time the trunk order is submitted. Furthermore, the receipt and development of trunk forecasts does not imply any liability for failure to perform if capacity (trunk terminations or facilities) is not available for use at the forecasted time.
- 6.4 Trunk Utilization. For the BellSouth Trunk Groups that are Final Trunk Groups (BellSouth Final Trunk Groups), BellSouth and REDSQUARE shall monitor traffic on each Bellsouth Final Trunk Group that is ordered and installed. The Parties agree that the BellSouth Final Trunk Groups will be utilized at 60 percent (60%) of the time consistent busy hour utilization level within 90 days of installation. The Parties agree that the BellSouth Final Trunk Groups will be utilized at eighty percent (80%) of the time consistent busy hour utilization level within 180 days of installation. Any BellSouth Final Trunk Group not meeting the minimum thresholds set forth in this Section are defined as "Under-utilized" trunks. BellSouth may disconnect any Under-utilized BellSouth Final Trunk Groups and REDSQUARE shall refund to BellSouth the associated nonrecurring and recurring trunk and facility charges paid by BellSouth, if any.
- 6.4.1 BellSouth's CISC will notify REDSQUARE of any under-utilized BellSouth Trunk Groups and the number of such trunk groups that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated REDSQUARE interface. REDSQUARE will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which REDSQUARE expects to need such trunks. BellSouth's CISC Project Manager and Circuit Capacity Manager (CCM) will discuss the information with REDSQUARE to determine if agreement can be reached on the number of BellSouth Final Trunk Groups to be removed. If no agreement can be reached,

Version: 4Q04 Standard ICA

BellSouth will issue disconnect orders to REDSQUARE. The due date of these orders will be four weeks after REDSOUARE was first notified in writing of the underutilization of the trunk groups.

- 6.4.2 To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties may review the trunk groups and, if necessary, shall negotiate in good faith for the installation of augmented facilities.
- 6.4.3 For the two-way trunk groups, BellSouth and REDSQUARE shall monitor traffic on each interconnection trunk group that is ordered and installed. The Parties agree that within 90 days of the installation of the BellSouth two-way trunk or trunks, the trunks will be utilized at 60 percent (60%) of the time consistent busy hour utilization level. The Parties agree that within 180 days of the installation of a trunk or trunks, the trunks will be utilized at eighty percent (80%) of the time consistent busy hour utilization level. Any trunk or trunks not meeting the minimum thresholds set forth in this Section are defined as "Under-utilized" trunks. BellSouth will request the disconnection of any Under-utilized two-way trunk(s) and REDSQUARE shall refund to BellSouth the associated nonrecurring and recurring trunk and facility charges paid by BellSouth, if any.
- 6.4.3.1 BellSouth's CISC will notify REDSQUARE of any under-utilized two-way trunk groups and the number of trunks that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated REDSOUARE interface. REDSOUARE will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the two-way trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which REDSQUARE expects to need such trunks. BellSouth's CISC Project Manager and CCM will discuss the information with REDSQUARE to determine if agreement can be reached on the number of trunks to be removed. If no agreement can be reached, REDSQUARE will issue disconnect orders to BellSouth. The due date of these orders will be four weeks after REDSQUARE was first notified in writing of the underutilization of the trunk groups.
- 6.4.3.2 To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties may review the trunk groups and, if necessary, shall negotiate in good faith for the installation of augmented facilities.

7. LOCAL DIALING PARITY

7.1 BellSouth and REDSQUARE shall provide local and toll dialing parity, as defined in FCC rules and regulations, with no unreasonable dialing delays. Dialing parity

Version: 4004 Standard ICA

shall be provided for all originating telecommunications services that require dialing to route a call.

8. INTERCONNECTION COMPENSATION

- 8.1 Compensation for Call Transportation and Termination for Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic
- 8.1.1 For the purposes of this Attachment and for intercarrier compensation for Local Traffic exchanged between the Parties pursuant to this Attachment, Local Traffic is defined as any telephone call that originates in one exchange and terminates in either the same exchange, or other local calling area associated with the originating exchange as defined and specified in Section A3 of BellSouth's General Subscriber Service Tariff.
- 8.1.1.1 Additionally, Local Traffic includes any cross boundary, voice-to-voice intrastate, interLATA or interstate, interLATA calls established as a local call by the ruling regulatory body.
- 8.1.2 For purposes of this Attachment and for intercarrier compensation for ISP-Bound Traffic exchanged between the Parties, ISP-Bound Traffic is defined as calls to an information service provider or Internet service provider (ISP) that are dialed by using a local dialing pattern (7 or 10 digits) by a calling party in one exchange to an ISP server or modem in either the same exchange or other local calling area associated with the originating exchange as defined and specified in Section A3 of BellSouth's General Subscriber Service tariff. ISP-Bound Traffic is not Local Traffic subject to reciprocal compensation, but instead is information access traffic subject to the FCC's jurisdiction.
- 8.1.3 Neither Party shall pay compensation to the other Party for per minute of use rate elements as set forth in Exhibit A associated with the Call Transport and Termination of Local Traffic or ISP-Bound Traffic.
- 8.1.4 The appropriate elemental rates set forth in Exhibit A of this Attachment shall apply for Transit Traffic as described in this Attachment and for Multiple Tandem Access as described in this Attachment.
- 8.1.5 Neither Party shall represent Switched Access Traffic as Local Traffic or ISP-Bound Traffic for purposes of determining compensation for the call.
- 8.1.6 IntraLATA Toll Traffic is defined as all traffic, regardless of transport protocol method, that originates and terminates within a single LATA that is not Local Traffic or ISP-Bound traffic under this Attachment.
- 8.1.6.1 For terminating its intraLATA toll traffic on the other Party's network, the originating Party will pay the terminating Party BellSouth's current intrastate or interstate, whichever is appropriate, terminating switched access tariff rates as set

Version: 4Q04 Standard ICA

forth in BellSouth's Access Services Tariffs as filed and in effect with the FCC or appropriate Commission. The appropriate charges will be determined by the routing of the call. Additionally, if one Party is the other Party's End User's presubscribed interexchange carrier or if one Party's End User uses the other Party as an interexchange carrier on a 101XXXX basis, the originating party will charge the other Party the appropriate BellSouth originating switched access tariff rates as set forth in BellSouth's Intrastate or Interstate Access Services Tariff as filed and in effect with the FCC or appropriate Commission.

- 8.1.7 If REDSQUARE assigns NPA/NXXs to specific BellSouth rate centers within the LATA and assigns numbers from those NPA/NXXs to REDSQUARE End Users physically located outside of that LATA, BellSouth traffic originating from within the LATA where the NPA/NXXs are assigned and delivered to a REDSQUARE customer physically located outside of such LATA, shall not be deemed Local Traffic. Further, REDSQUARE agrees to identify such interLATA traffic to BellSouth and to compensate BellSouth for originating and transporting such interLATA traffic to REDSQUARE at BellSouth's switched access tariff rates.
- 8.2 If REDSQUARE does not identify such interLATA traffic to BellSouth, BellSouth will determine which whole REDSQUARE NPA/NXXs on which to charge the applicable rates for originating network access service as reflected in BellSouth's Access Service Tariff. BellSouth shall make appropriate billing adjustments if REDSQUARE can provide sufficient information for BellSouth to determine whether or not said traffic is Local or ISP-Bound Traffic.
- 8.3 Jurisdictional Reporting
- 8.3.1 Percent Local Use. Each Party shall report to the other a Percent Local Usage (PLU) factor. The application of the PLU will determine the amount of local or ISP-Bound minutes to be billed to the other Party. Each Party shall update its PLU on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month based on local and ISP-Bound usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.
- 8.3.2 Percent Local Facility. Each Party shall report to the other a Percent Local Facility (PLF) factor. The application of the PLF will determine the portion of switched dedicated transport to be billed per the local jurisdiction rates. The PLF shall be applied to Multiplexing, Local Channel and Interoffice Channel Switched Dedicated Transport utilized in the provision of local interconnection trunks. Each Party shall update its PLF on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month to be effective the first bill period the following month, respectively. Requirements associated with PLF calculation and reporting

Version: 4Q04 Standard ICA

shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

- Percent Interstate Usage. Each Party shall report to the other the projected Percent Interstate Usage (PIU) factors. All jurisdictional report requirements, rules and regulations for Interexchange Carriers specified in BellSouth's Intrastate Access Services Tariff will apply to REDSQUARE. After interstate and intrastate traffic percentages have been determined by use of PIU procedures, the PLU and PLF factors will be used for application and billing of local interconnection. Each Party shall update its PIUs on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month, for all services showing the percentages of use for the past three months ending the last day of December, March, June and September. Additional requirements associated with PIU calculations and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide as it is amended from time to time.
- 8.3.4 Notwithstanding the provisions in Section 8.3.1, 8.3.2, and 8.3.3 above, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information shall, at the terminating Party's option, be utilized to determine the appropriate jurisdictional reporting factors (PLU, PIU, and/or PLF), in lieu of those provided by the originating Party. In the event that the terminating Party opts to utilize its own data to determine jurisdictional reporting factors, such terminating Party shall notify the originating Party at least 15 days prior to the beginning of the calendar quarter in which the terminating Party will begin to utilize its own data. Such factors shall be subject to the Dispute Resolution provisions in this Agreement, as well as the Audit provisions set forth in 8.3.5 below.
- 8.3.5 Audits. On thirty (30) days written notice, each Party must provide the other the ability and opportunity to conduct an annual audit to ensure the proper billing of traffic. BellSouth and REDSQUARE shall retain records of call detail for a minimum of nine months from which the PLU, PLF and/or PIU can be ascertained. The audit shall be conducted during normal business hours at an office designated by the Party being audited. Audit requests shall not be submitted more frequently than one (1) time per calendar year. Audits shall be performed by a mutually acceptable independent auditor paid for by the Party requesting the audit. The PLF, PLU and/or PIU shall be adjusted based upon the audit results and shall apply for the quarter the audit was completed, for the quarter prior to the completion of the audit, and for the two quarters following the completion of the audit. If, as a result of an audit, either Party is found to have overstated the PLF, PLU and/or PIU by twenty percentage points (20%) or more, that Party shall reimburse the auditing Party for the cost of the audit.
- 8.4 <u>Compensation for 8XX Traffic.</u> When a REDSQUARE End User places an 8XX call, BellSouth will charge the originating switched access and data query charges

Version: 4Q04 Standard ICA

as set forth in the applicable BellSouth Tariff to the IXC that is responsible for terminating the 8XX to the appropriate Wide Area Telecommunications Service (WATS) or Plain Old Telephone Service (POTS) number. REDSQUARE will be responsible for any applicable Common Channel Signaling (SS7).

- 8.4.1 Records for 8XX Billing. Where technically feasible, each Party will provide to the other Party the appropriate records, in accordance with industry standards, necessary for billing intraLATA 8XX customers. The records provided will be in a standard EMI format.
- 8.4.2 8XX Access Screening. BellSouth's provision of 8XX Toll Free Dialing (TFD) to REDSOUARE requires interconnection from REDSOUARE to BellSouth's 8XX Signal Channel Point (SCP). Such interconnections shall be established pursuant to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. REDSQUARE shall establish SS7 interconnection at the BellSouth Local Signal Transfer Points serving the BellSouth 8XX SCPs that REDSQUARE desires to query. The terms and conditions for 8XX TFD are set out in BellSouth's Intrastate Access Services Tariff.
- 8.5 Mutual Provision of Switched Access Service
- 8.5.1 Switched Access Traffic. Switched Access Traffic is described as telephone calls requiring local transmission or switching services for the purpose of the origination or termination of Telephone Toll Service. Switched Access Traffic includes, but is not limited to, the following types of traffic: Feature Group A, Feature Group B, Feature Group C, Feature Group D, toll free access (e.g., 8XX), 900 access and their successors. Additionally, any Public Switched Telephone Network interexchange telecommunications traffic, regardless of transport protocol method, where the originating and terminating points, end-to-end points, are in different LATAs, or are in the same LATA and the Parties' Switched Access services are used for the origination or termination of the call, shall be considered Switched Access Traffic. Irrespective of transport protocol method used, a call which originates in one LATA and terminates in another LATA (i.e., the end-to-end points of the call) or in which the Parties' Switched Access Services are used for the origination or termination of the call, shall be considered Switched Access Traffic.
- 8.5.2 If a BellSouth End User chooses REDSQUARE as their presubscribed interexchange carrier, or if a BellSouth End User uses REDSQUARE as an interexchange carrier on a 101XXXX basis, BellSouth will charge REDSQUARE the appropriate BellSouth tariff charges for originating switched access services.
- 8.5.3 Where the originating Party delivers a call to the terminating Party over switched access facilities, the originating Party will pay the terminating Party terminating,

Version: 4004 Standard ICA

switched access charges as set forth in BellSouth's Intrastate or Interstate Access Services Tariff, as appropriate.

- When REDSQUARE's end office switch provides an access service connection to or from an IXC by a direct trunk group to the IXC utilizing BellSouth facilities, each Party will provide its own access services to the IXC and bill on a multi-bill, multi-tariff meet-point basis. Each Party will bill its own access services rates to the IXC with the exception of the interconnection charge. The interconnection charge will be billed by REDSQUARE as the Party providing the end office function. Each party will use the Multiple Exchange Carrier Access Billing (MECAB) guidelines to establish meet point billing for all applicable traffic. The Parties shall utilize a thirty (30) day billing period.
- When REDSQUARE's end office subtends the BellSouth Access Tandem switch for receipt or delivery of switched access traffic and provides an access service connection to or from an IXC via BellSouth's Access Tandem switch, BellSouth, as the tandem company agrees to provide to REDSQUARE, as the End Office Company, as defined in MECAB, at no charge, all the switched access detail usage data, recorded at the access tandem, within no more than sixty (60) days after the recording date. Each Party will notify the other when it is not feasible to meet these requirements. As business requirements change, data reporting requirements may be modified as necessary.
- 8.5.5 BellSouth, as the tandem provider company, will retain for a minimum period of sixty (60) days, access message detail sufficient to recreate any data that is lost or damaged by the tandem provider company or any third party involved in processing or transporting data.
- 8.5.6 BellSouth, as the tandem provider company, agrees to recreate the lost or damaged data within forty-eight (48) hours of notification by the other or by an authorized third party handling the data.
- 8.5.7 Any claims against BellSouth, as the tandem provider company, for unbillable or uncollectible revenue should be filed with the tandem provider company within 120 days of the usage date.
- 8.5.8 BellSouth, as the tandem provider company shall keep records of its billing activities relating to jointly-provided Intrastate and Interstate access services in sufficient detail to permit the Subsequent Billing Party to, by formal or informal review or audit, to verify the accuracy and reasonableness of the jointly-provided access billing data provided by the Initial Billing Party. Each Party agrees to cooperate in such formal or informal reviews or audits and further agrees to jointly review the findings of such reviews or audits in order to resolve any differences concerning the findings thereof.

Version: 4Q04 Standard ICA

- 8.5.9 REDSQUARE agrees not to deliver switched access traffic to BellSouth for termination except over REDSQUARE ordered switched access trunks and facilities.
- 8.6 Transit Traffic. BellSouth shall provide tandem switching and transport services for REDSQUARE's Transit Traffic. Rates for local Transit Traffic and ISP-Bound Transit Traffic shall be the applicable Call Transport and Termination charges as set forth in Exhibit A to this Attachment. Rates for Switched Access Transit Traffic shall be the applicable charges as set forth in BellSouth Interstate or Intrastate Switched Access tariffs. Billing associated with all Transit Traffic shall be pursuant to MECAB guidelines. Traffic between REDSQUARE and Wireless Type 1 third parties shall not be treated as Transit Traffic from a routing or billing perspective. Traffic between REDSQUARE and Wireless Type 2A or a third party CLEC utilizing BellSouth switching shall not be treated as Transit Traffic from a routing or billing perspective until BellSouth and the Wireless carrier or a third party CLEC utilizing BellSouth switching have the capability to properly meetpoint-bill in accordance with MECAB guidelines.
- 8.6.1 The delivery of traffic that transits the BellSouth network and is transported to another carrier's network is excluded from any BellSouth billing guarantees. BellSouth agrees to deliver Transit Traffic to the terminating carrier; provided, however, that REDSQUARE is solely responsible for negotiating and executing any appropriate contractual agreements with the terminating carrier for the exchange of Transit Traffic through the BellSouth network. BellSouth will not be liable for any compensation to the terminating carrier or to REDSQUARE. In the event that the terminating third party carrier imposes on BellSouth any charges or costs for the delivery of Transit Traffic, REDSQUARE shall reimburse BellSouth for such charges or costs. Additionally, the Parties agree that any billing to a third party or other Telecommunications carrier under this section shall be pursuant to MECAB procedures.

9. FRAME RELAY SERVICE INTERCONNECTION

- 9.1 In addition to the Local Interconnection services set forth above, BellSouth will offer a network to network Interconnection arrangement between BellSouth's and REDSQUARE's frame relay switches as set forth below. The following provisions will apply only to Frame Relay Service and Exchange Access Frame Relay Service and Managed Shared Frame Relay Service in those states in which REDSQUARE is certified and providing Frame Relay Service as a Local Exchange Carrier and where traffic is being exchanged between REDSQUARE and BellSouth Frame Relay Switches in the same LATA.
- 9.2 The Parties agree to establish two-way Frame Relay facilities between their respective Frame Relay Switches to the mutually agreed upon Frame Relay Service point(s) of interconnection (IP(s)) within the LATA. All IPs shall be within the

Version: 4Q04 Standard ICA

same Frame Relay Network Serving Areas as defined in Appendix A of BellSouth's FCC Tariff No. 1 except as set forth in this Attachment.

- 9.3 Upon the request of either Party, such interconnection will be established where BellSouth and REDSQUARE have Frame Relay Switches in the same LATA. Where there are multiple Frame Relay switches in one central office, an interconnection with any one of the switches will be considered an interconnection with all of the switches at that central office for purposes of routing packet traffic.
- 9.4 The Parties agree to provision local (intraLATA) Frame Relay Service and Exchange Access Frame Relay Service and Managed Shared Frame Relay Service (both intrastate and interstate) over Frame Relay interconnection facilities between the respective Frame Relay switches and the IPs.
- 9.5 The Parties agree to assess each other reciprocal charges for the facilities that each provides to the other according to the Percent Local Circuit Use Factor (PLCU), determined as follows:
- 9.5.1 If the data packets originate and terminate in locations in the same LATA, and are consistent with the local definitions of the Agreement, the traffic is considered local. Frame Relay framed packet data is transported within Virtual Circuits (VC). For the purposes of this Agreement, if all the data packets transported within a VC remain within the LATA, then consistent with the local definitions in this Agreement, the traffic on that VC is local (Local VC).
- 9.5.2 If the originating and terminating locations of the two-way packet data traffic are not in the same LATA, the traffic on that VC is interLATA (InterLATA VC).
- 9.5.3 The PLCU is determined by dividing the total number of Local VCs, by the total number of VCs on each Frame Relay facility. To facilitate implementation, REDSQUARE may determine its PLCU in aggregate, by dividing the total number of Local VCs in a given LATA by the total number VCs in that LATA. The Parties agree to renegotiate the method for determining PLCU, at BellSouth's request, and within 90 days, if BellSouth notifies REDSOUARE that it has found that this method does not adequately represent the PLCU.
- 9.5.4 If there are no VCs on a facility when it is billed, the PLCU will be zero.
- 9.5.5 BellSouth will provide the circuit between the Parties' respective Frame Relay Switches. The Parties will be compensated as follows: BellSouth will invoice, and REDSQUARE will pay, the total nonrecurring and recurring charges for the circuit based upon the rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. REDSQUARE will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed charges for the circuit by one-half of REDSQUARE's PLCU.

Version: 4004 Standard ICA 01/12/05

- 9.6 The Parties agree to compensate each other for Frame Relay network-to-network interface (NNI) ports based upon the NNI rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. Compensation for each pair of NNI ports will be calculated as follows: BellSouth will invoice, and REDSOUARE will pay, the total nonrecurring and recurring charges for the NNI port. REDSQUARE will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed nonrecurring and recurring charges for the NNI port by REDSQUARE's PLCU.
- 9.7 Each Party agrees that there will be no charges to the other Party for its own subscriber's Permanent Virtual Circuit (PVC) rate elements for the local PVC segment from its Frame Relay switch to its own subscriber's premises. PVC rate elements include the Data Link Connection Identifier (DLCI) and Committed Information Rate (CIR).
- 9.8 For the PVC segment between the REDSQUARE and BellSouth Frame Relay switches, compensation for the PVC charges is based upon the rates in BellSouth's Interstate Access Tariff, FCC No. 1.
- 9.9 Compensation for PVC rate elements will be calculated as follows:
- 9.9.1 If REDSQUARE orders a VC connection between a BellSouth subscriber's PVC segment and a PVC segment from the BellSouth Frame Relay switch to the REDSOUARE Frame Relay switch, BellSouth will invoice, and REDSOUARE will pay, the total nonrecurring and recurring PVC charges for the PVC segment between the BellSouth and REDSQUARE Frame Relay switches. If the VC is a Local VC, REDSQUARE will then invoice and BellSouth will pay, the total nonrecurring and recurring PVC charges billed for that segment. If the VC is not local, no compensation will be paid to REDSQUARE for the PVC segment.
- 9.9.2 If BellSouth orders a Local VC connection between a REDSQUARE subscriber's PVC segment and a PVC segment from the REDSQUARE Frame Relay switch to the BellSouth Frame Relay switch, BellSouth will invoice, and REDSQUARE will pay, the total nonrecurring and recurring PVC and CIR charges for the PVC segment between the BellSouth and REDSOUARE Frame Relay switches. If the VC is a Local VC, REDSQUARE will then invoice and BellSouth will pay the total nonrecurring and recurring PVC and CIR charges billed for that segment. If the VC is not local, no compensation will be paid to REDSQUARE for the PVC segment.
- 9.9.3 The Parties agree to compensate each other for requests to change a PVC segment or PVC service order record, according to the Feature Change charge as set forth in the BellSouth access tariff BellSouth Tariff FCC No. 1.
- 9.9.4 If REDSOUARE requests a change, BellSouth will invoice and REDSOUARE will pay a Feature Change charge for each affected PVC segment.

- 9.9.4.1 If BellSouth requests a change to a Local VC, REDSQUARE will invoice and BellSouth will pay a Feature Change charge for each affected PVC segment.
- 9.9.5 The Parties agree to limit the sum of the CIR for the VCs on a DS1 NNI port to not more than three times the port speed, or not more than six times the port speed on a DS3 NNI port.
- 9.9.6 Except as expressly provided herein, this Agreement does not address or alter in any way either Party's provision of Exchange Access Frame Relay Service, Managed Shared Frame Relay Service or interLATA Frame Relay Service. All charges by each Party to the other for carriage of Exchange Access Frame Relay Service or interLATA Frame Relay Service are included in the BellSouth access tariff BellSouth Tariff FCC No. 1.
- 9.10 REDSQUARE will identify and report quarterly to BellSouth the PLCU of the Frame Relay facilities it uses, per Section 9.5.3 above.
- 9.11 Either Party may request a review or audit of the various service components, consistent with the provisions of section E2 of the BellSouth State Access Services tariffs or Section 2 of the BellSouth FCC No.1 Tariff.

10. ORDERING CHARGES

- The facilities purchased pursuant to this Attachment shall be ordered via the Access Service Request (ASR) process.
- The rates, terms and conditions associated with submission and processing of ASRs are as set forth in BellSouth's FCC No. 1 Tariff, Section 5.

11. BASIC 911 AND E911 INTERCONNECTION

- Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.
- Basic 911 Interconnection. BellSouth will provide to REDSQUARE a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten-digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. REDSQUARE will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate 10-digit directory number as stated on the list provided by BellSouth. REDSQUARE will be required to route that call to the appropriate Public Safety Answering Point (PSAP). When a municipality converts to E911 service, REDSQUARE will be required to begin using E911 procedures.

Version: 4Q04 Standard ICA

- 11.3 E911 Interconnection. REDSQUARE shall install a minimum of two dedicated trunks originating from its Serving Wire Center and terminating to the appropriate E911 tandem. The Serving Wire Center must be in the same LATA as the E911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital (1.544 Mb/s) interface (DS1 facility). The configuration shall use CAMA-type signaling with multifrequency (MF) pulsing or SS7/ISUP signaling either of which shall deliver ANI with the voice portion of the call. If SS7/ISUP connectivity is used, REDSQUARE shall follow the procedures as set forth in Appendix A of the CLEC Users Guide to E911 for Facility Based Providers that is located on the BellSouth Interconnection website. If the user interface is digital, MF pulses as well as other AC signals shall be encoded per the u-255 Law convention. REDSQUARE will be required to provide BellSouth daily updates to the E911 database. REDSOUARE will be required to forward 911 calls to the appropriate E911 tandem along with ANI based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, REDSQUARE will be required to route the call to a designated 7-digit or 10-digit local number residing in the appropriate PSAP. This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. REDSQUARE shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.
- 11.4 Trunks and facilities for 911 Interconnection may be ordered by REDSQUARE from BellSouth pursuant to the terms and conditions set forth in this Attachment at the rates set forth in Exhibit A hereto.
- 11.5 The detailed practices and procedures for 911/E911 interconnection are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers that is located on the BellSouth Interconnection Services Web site.

12. SS7 NETWORK INTERCONNECTION

2.1 SS7 Signaling. Both Parties will utilize LEC-to-LEC SS7 Signaling, where available, in conjunction with all traffic in order to enable interoperability of CLASS features and functions except for call return. SS7 signaling parameters will be provided, including but not limited to automatic number identification (ANI), originating line information (OLI) calling company category and charge number. Privacy indicators will be honored, and the Parties will exchange Transactional Capabilities Application Part (TCAP) messages to facilitate SS7-based features between the respective networks. Neither Party shall alter the SS7 parameters, or be a party to altering such parameters, or knowingly pass SS7 parameters that have been altered in order to circumvent appropriate interconnection charges. Nothing herein shall obligate or otherwise require BellSouth to send SS7 messages or call-related database queries to REDSQUARE's or any other third-party's call-related database, unless otherwise agreed to by the Parties under a separate agreement.


Version: 4Q04 Standard ICA

- 12.2 <u>Signaling Call Information</u>. BellSouth and REDSQUARE will send and receive 10 digits for Local Traffic. Additionally, BellSouth and REDSQUARE will exchange the proper call information, i.e. originated call company number and destination call company number, CIC, and OZZ, including all proper translations for routing between networks and any information necessary for billing.
- 12.3 SS7 Network Interconnection is the interconnection of REDSQUARE local signaling transfer point switches or REDSQUARE local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, REDSQUARE local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- 12.3.1 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and REDSQUARE or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 12.3.2 If traffic is routed based on dialed or translated digits between a REDSQUARE local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the REDSQUARE local signaling transfer point switches and BellSouth or other third-party local switch.
- 12.3.3 SS7 Network Interconnection shall provide:
- 12.3.4 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 12.3.5 Signaling Link functions, as specified in ANSI T1.111.3; and
- 12.3.6 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 12.3.7 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a REDSQUARE local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of

- messages to a gateway pair of REDSQUARE local STPs and shall not include SCCP Subsystem Management of the destination.
- 12.3.8 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
- 12.3.9 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
- 12.3.10 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 12.4 <u>Interface Requirements.</u> The following SS7 Network Interconnection interface options are available to connect REDSQUARE or REDSQUARE-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 12.4.1 A-link interface from REDSQUARE local or tandem switching systems; and
- 12.4.2 B-link interface from REDSQUARE STPs.
- 12.4.3 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 12.4.4 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 12.4.5 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- BellSouth shall set message screening parameters to accept messages from REDSQUARE local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the REDSQUARE switching system has a valid signaling relationship.


Basic Architecture

Exhibit B



One-Way Architecture


Exhibit C



Version: 4Q04 St 12/09/04

Two-Way Architecture


Exhibit D



Version: 4Q04 St 12/09/04

Supergroup Architecture

Exhibit E



| LOCAL INT | ERCONNECTION - Alabama | | | | | | | | | | | | Attachment: | 3 | Exhibit: A | |
|-------------|--|-----------|----------|--------------------|-----------------|-------------------|--------------------|-----------|--------------|--------------|-----------|-----------|--|-------------|-------------|---------------------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | | | Incrementa |
| | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | | | Manual Sv |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | II. | | | | | II. |
| CATEGORI | RATE ELEMENTS | m | Zone | B03 | 0300 | | | KAILS(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- Disc Add'l |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | |
| | | - | | | | | Nonrec | urring | Nonrecurring | n Disconnoct | | l . | 000 | Rates(\$) | l . | |
| | | - | | | | Rec | First | Add'l | First | Add'l | COMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | | - | | | | | riist | Auu i | riist | Add I | SOWIEC | SUMAN | SOMAN | SUMAN | SOWAN | SUMAN |
| OCAL INTE | I RCONNECTION (CALL TRANSPORT AND TERMINATION) | - | | | | | | - | | | | - | - | | | |
| | : "bk" beside a rate indicates that the Parties have agreed to bi | ll and k | oon for | that alament nure | uant to the to | rme and conditi | ione in Attachm | ont 2 | | | | | | | | |
| | EM SWITCHING | II allu k | eep ioi | liiat element purs | uant to the ter | Illis and conditi | Olis III Attacilii | ient 3. | | | | - | - | | | |
| IAND | Tandem Switching Function Per MOU | - | | | | 0.0004980bk | | - | | | | - | - | | | |
| | Multiple Tandem Switching, per MOU (applies to intial tandem | - | | | | 0.0004960DK | | - | | | | - | - | | | |
| | only) | | | | | 0.000498 | | | | | | | | | | |
| | Tandem Intermediary Charge, per MOU* | | <u> </u> | | | 0.000498 | | | | | | | | | | |
| * This | | dition to | o onnii | aabla awitabina an | dlar intercent | | | | | | | | | | | ļ |
| | charge is applicable only to transit traffic and is applied in add | uition te | аррііс | cable Switching an | u/or interconi | lection charges |). | | | | | | | | | |
| IKUN | Installation Trunk Side Service - per DS0 | - | - | OHD | TPP6X | 1 | 21.56 | 8.12 | | - | - | | | - | 1 | - |
| | Installation Trunk Side Service - per DS0 Installation Trunk Side Service - per DS0 | | | OHD | TPP9X | | 21.56 | 8.12 | | | | | | | | 1 |
| | Dedicated End Office Trunk Port Service-per DS0** | - | - | OHD | TDEOP | 0.00 | ∠1.56 | 8.12 | | | | | | | | |
| | Dedicated End Office Trunk Port Service-per DS0** Dedicated End Office Trunk Port Service-per DS1** | | - | | | 0.00 | | | | | | | | | | |
| | | | - | OH1 OH1MS | TDE1P | | | | | | | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS0** | | - | OHD | TDWOP | 0.00 | | | | | | | | | | 1 |
| | Dedicated Tandem Trunk Port Service-per DS1** | <u> </u> | | OH1 OH1MS | TDW1P | 0.00 | | | | | | | | | | |
| | s rate element is recovered on a per MOU basis and is included | in the | End Of | fice Switching and | I Tandem Swi | tching, per MOI | J rate elements | | | | | | | | | |
| COMI | MON TRANSPORT (Shared) | | | | | | | | | | | | | | | |
| | Common Transport - Per Mile, Per MOU | | | | | 0.0000023bk | | | | | | | | | | |
| | Common Transport - Facilities Termination Per MOU | | | | | 0.0003224bk | | | | | | | | | | |
| | RCONNECTION (DEDICATED TRANSPORT) | | | | | | | | | | | | | | | |
| INTER | ROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Per Mile per month | | | ОНМ | 1L5NF | 0.008838 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Facility Termination per month | | | ОНМ | 1L5NF | 21.13 | 40.54 | 27.41 | 16.74 | 6.90 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | | | | | | | | | | | | | |
| | per month | | | OHM | 1L5NK | 0.008838 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | OHM | 1L5NK | 15.12 | 40.54 | 27.41 | 16.74 | 6.90 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | | | | | | | | | | | | | |
| | per month | | | OHM | 1L5NK | 0.008838 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | OHM | 1L5NK | 15.12 | 40.54 | 27.41 | 16.74 | 6.90 | | | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | OH1, OH1MS | 1L5NL | 0.18 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | OH1, OH1MS | 1L5NL | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | OH3, OH3MS | 1L5NM | 4.09 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | OH3, OH3MS | 1L5NM | 703.52 | 278.75 | 162.76 | 60.20 | 58.46 | | | | | | |
| LOCA | L CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHM | TEFV2 | 13.97 | 193.10 | 33.17 | 36.64 | 3.20 | | | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | ОНМ | TEFV4 | 14.93 | 193.53 | 33.60 | 37.11 | 3.67 | | | | | | |
| | Local Channel - Dedicated - DS1 per month | | | OH1 | TEFHG | 35.76 | 177.47 | 153.72 | 22.19 | 15.26 | | | | | | |
| | | | | | Ì | | ĺ | | | | | | | | | |
| | Local Channel - Dedicated - DS3 Facility Termination per month | l | | OH3 | TEFHJ | 416.54 | 451.52 | 263.94 | 119.49 | 83.58 | | | | | | |
| LOCA | L INTERCONNECTION MID-SPAN MEET | | | | Ì | | ĺ | | | | | | | | | |
| | Local Channel - Dedicated - DS1 per month | | | OH1MS | TEFHG | 0.00 | 0.00 | | | | | | | | 1 | |
| | Local Channel - Dedicated - DS3 per month | | | OH3MS | TEFHJ | 0.00 | 0.00 | | | | | | | | | |
| MULT | TPLEXERS | | | | Ì | | | | | | | | | | | |
| | Channelization - DS1 to DS0 Channel System | | 1 | OH1, OH1MS | SATN1 | 101.06 | 91.04 | 62.57 | 10.54 | 9.79 | | | | | 1 | |
| | DS3 to DS1 Channel System per month | | | OH3, OH3MS | SATNS | 166.13 | 178.14 | 93.97 | 33.26 | 31.63 | İ | | | | | |
| | DS3 Interface Unit (DS1 COCI) per month | | 1 | OH1, OH1MS | SATCO | 12.70 | 6.58 | 4.72 | | 1 | | | İ | İ | İ | |
| | | | | , , | | | | | | 1 | 1 | 1 | i | | 1 | t |
| SIGNALING (| CCS7) | | | | | 1 | | | | | | | | | | l l |
| SIGNALING (| | | | | + | 15.46 | 35.53 | 35.53 | 16.44 | 16.44 | | | | | | |
| SIGNALING (| CCS7) CCS7 Signaling Connection, Per 56Kbps Facility CCS7 Signaling Termination, Per STP Port | | | UDB | PT8SX | 15.46 130.83 | 35.53 | 35.53 | 16.44 | 16.44 | | | | | | |

Version: 4Q04 Standard ICA 03/16/05

| LOCAL INT | RCONNECTION - Alabama | | | | | | | | | | | | Attachment: | 3 | Exhibit: A | |
|-----------|---|-------------|------|-----|-------|-----------|--------|-----------|--------------|------------|-------|-----------|-------------|-----------|---|----------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted | Charge - | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | В | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | CCS7 Signaling Connection, Per link (A link) | | | UDB | TPP6A | 15.46 | 35.53 | 35.53 | 16.44 | 16.44 | | | | | | |
| | CCS7 Signaling Connection, Per link (B link) (also known as D link) | | | UDB | TPP6B | 15.46 | 35.53 | 35.53 | 16.44 | 16.44 | | | | | | |
| | CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling | | | UDB | TPP6X | 15.46 | 35.53 | 35.53 | 16.44 | 16.44 | | | | | | |
| | CCS7 Signaling Connection-A link, per month | | | UDB | TPP9A | 15.46 | 35.53 | 35.53 | 16.44 | 16.44 | | | | | | |
| | CCS7 Signaling Connection-B link(also known as D link) per month | | | UDB | TPP9B | 15.46 | 35.53 | 35.53 | 16.44 | 16.44 | | | | | | |
| | CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling | | | UDB | TPP9X | 15.46 | 35.53 | 35.53 | 16.44 | 16.44 | | | | | | |
| | CCS7 Signaling Usage, Per ISUP Message | | | | 1 | 0.0000142 | | | | | | | | | | |
| | CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB | STU56 | 650.33 | | | | | | | | | | |
| | CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected | | | UDB | CCAPO | | 29.01 | 29.01 | 35.57 | 35.57 | | | | | | |

03/16/05

| LOCAL INT | ERCONNECTION - Florida | | | | | | | | | | | | Attachment: | 3 | Exhibit: A | |
|---------------|--|--|--|--------------------|---------------------------------------|-----------------|-----------------|-----------|--------------|------------|--------------|--|--|--|--------------|------------|
| , | | 1 | | | | | | | | | Svc Order | Svc Order | Incremental | | | Increment |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| | | Interi | _ | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual S |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | ļ - | | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add' |
| | | | | | | | | | | | | | 100 | Add I | D130 131 | DISC Add I |
| | | | | | | D | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | • | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | SOWAN |
| LOCAL INTER | RCONNECTION (CALL TRANSPORT AND TERMINATION) | | | | | | | | | | | | | | | |
| | : "bk" beside a rate indicates that the Parties have agreed to bil | ll and k | een for | that element nurs | uant to the ter | rms and conditi | ions in Attachm | ent 3 | | | | | | | | |
| | EM SWITCHING | l unu k | CCP 10. | that cicinent pars | T T T T T T T T T T T T T T T T T T T | lino ana conan | Ono in Attaonin | iciit o. | | | <u> </u> | | | | + | |
| IAND | Tandem Switching Function Per MOU | | | | | 0.0006019bk | | | | | 1 | | | - | + | |
| | Multiple Tandem Switching, per MOU (applies to intial tandem | | | | | 0.0000019DK | | | | | 1 | | | | | |
| | | | | | | 0.0000040 | | | | | | | | | | |
| | only) | | | | | 0.0006019 | | | | | | | | | | |
| | Tandem Intermediary Charge, per MOU* | L | l | | | 0.0025 | | | | | | | | | | |
| | charge is applicable only to transit traffic and is applied in add | dition to | applic | cable switching an | d/or interconn | nection charges | S. | | | | | | | | | |
| TRUN | K CHARGE | | | | | | | | | | Į | ļ | | | 1 | |
| | Installation Trunk Side Service - per DS0 | | | OHD | TPP6X | | 21.73 | 8.19 | | | | | | | | |
| | Installation Trunk Side Service - per DS0 | | | OHD | TPP9X | | 21.73 | 8.19 | | | | | | | | |
| | Dedicated End Office Trunk Port Service-per DS0** | | | OHD | TDEOP | 0.00 | | | | | | | | | | |
| | Dedicated End Office Trunk Port Service-per DS1** | | | OH1 OH1MS | TDE1P | 0.00 | İ | | | | 1 | İ | | | | |
| | Dedicated Tandem Trunk Port Service-per DS0** | | | OHD | TDWOP | 0.00 | | | | | | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS1** | | | OH1 OH1MS | TDW1P | 0.00 | | | | | | | | | | |
| ** This | s rate element is recovered on a per MOU basis and is included | in the | End Of | | | | l rate elements | | | | | | | | | |
| | MON TRANSPORT (Shared) | | Liiu Oi | nce owncrining and | Tandem Swit | T T T | o rate elements | | | | 1 | | | - | + | |
| COMIN | Common Transport - Per Mile, Per MOU | | | | | 0.0000035bk | | | | | 1 | | | | | |
| | | | | | | | | | | | | | | | | |
| | Common Transport - Facilities Termination Per MOU | | | | | 0.0004372bk | | | | | | | | | | |
| | RCONNECTION (DEDICATED TRANSPORT) | | | | | | | | | | | | | | | |
| INTER | ROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Per Mile per month | | | OHM | 1L5NF | 0.0091 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Facility Termination per month | | | OHM | 1L5NF | 25.32 | 47.35 | 31.78 | 18.31 | 7.03 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | | | | | | | | | | | | | |
| | per month | | | OHM | 1L5NK | 0.0091 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | ОНМ | 1L5NK | 18.44 | 47.35 | 31.78 | 18.31 | 7.03 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | OTTIVI | TEORIT | 10.44 | 47.00 | 01.70 | 10.01 | 7.00 | | | | | | |
| | per month | | | ОНМ | 1L5NK | 0.0091 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | Of livi | ILJINK | 0.0091 | | | | | 1 | | | | | |
| | | | | ОНМ | 41.55.114 | 40.44 | 47.05 | 04.70 | 10.01 | 7.00 | | | | | | |
| | Termination per month | | | ОНМ | 1L5NK | 18.44 | 47.35 | 31.78 | 18.31 | 7.03 | | | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | OH1, OH1MS | 1L5NL | 0.1856 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | OH1, OH1MS | 1L5NL | 88.44 | 105.54 | 98.47 | 21.47 | 19.05 | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | OH3, OH3MS | 1L5NM | 3.87 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | OH3, OH3MS | 1L5NM | 1,071.00 | 335.46 | 219.28 | 72.03 | 70.56 | | | | | | |
| LOCA | L CHANNEL - DEDICATED TRANSPORT | | | , | | ., | | | | | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHM | TEFV2 | 19.66 | 265.84 | 46.97 | 37.63 | 4.00 | | | | t | † | |
| | Local Channel - Dedicated - 2-Wire Voice Grade per month | | 1 | OHM | TEFV4 | 20.45 | 266.54 | 47.67 | 44.22 | 5.33 | 1 | 1 | 1 | t | 1 | |
| | Local Channel - Dedicated - 4-wire voice Grade per month | 1 | - | OHM OH1 | TEFHG | 36.49 | 216.65 | 183.54 | 24.30 | 16.95 | 1 | | | | + | |
| | Local Channel - Dedicated - DST per month | | | OH | IEFRG | 30.49 | ∠10.00 | 183.54 | 24.30 | 10.95 | 1 | - | | | | |
| | Level Channel Dedicated DCC 5111 Territoria | 1 | 1 | OLIO | I | 504.01 | 550.07 | 040.01 | 400.40 | 20.01 | I | l | l | 1 | 1 | 1 |
| | Local Channel - Dedicated - DS3 Facility Termination per month | <u> </u> | | OH3 | TEFHJ | 531.91 | 556.37 | 343.01 | 139.13 | 96.84 | 1 | ļ | | | | ļ |
| LOCA | L INTERCONNECTION MID-SPAN MEET | | | | | | | | | | ļ | ļ | | ļ | | |
| | Local Channel - Dedicated - DS1 per month | | | OH1MS | TEFHG | 0.00 | 0.00 | | | | | | | | | |
| | Local Channel - Dedicated - DS3 per month | | | OH3MS | TEFHJ | 0.00 | 0.00 | | | | Į | ļ | | | 1 | |
| MULT | TPLEXERS | | | | | | | | | | | | | | | |
| | Channelization - DS1 to DS0 Channel System | | | OH1, OH1MS | SATN1 | 146.77 | 101.42 | 71.62 | 11.09 | 10.49 | | | | | | |
| | DS3 to DS1 Channel System per month | | | OH3, OH3MS | SATNS | 211.19 | 199.28 | 118.64 | 40.34 | 39.07 | | | | | | |
| | DS3 Interface Unit (DS1 COCI) per month | | | OH1, OH1MS | SATCO | 13.76 | 10.07 | 7.08 | | | İ | | | | 1 | |
| SIGNALING (| | 1 | | , | | | | | | | 1 | i | 1 | 1 | 1 | |
| J. SIVALING (| CCS7 Signaling Termination, Per STP Port | 1 | 1 | UDB | PT8SX | 135.05 | - | | | | 1 | | | - | 1 | |
| | CCS7 Signaling Usage, Per TCAP Message | ! | - | ODB | 1 100/ | 0.0000607 | | | | | } | | - | - | | |
| | | - | - | LIDD | TPP6A | | 40.57 | 40.57 | 40.04 | 10.01 | 1 | | | - | 1 | |
| | CCS7 Signaling Connection, Per link (A link) | | | UDB | TPP6A | 17.93 | 43.57 | 43.57 | 18.31 | 18.31 | l | | | l | | L |
| | | | | | | | | | | | | | | | | |

Version: 4Q04 Standard ICA 03/16/05

| LOCAL INT | ERCONNECTION - Florida | | | | | | | | | | | | Attachment: | 3 | Exhibit: A | |
|-----------|---|-------------|----------|------------|----------------|-------------------|----------------|----------------|----------------|----------------|-------|-----------------------|-------------|-----------|---|----------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted Manually | Charge - | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | _ | Nonrec | urrina | Nonrecurring | Disconnect | | | OSS | Rates(\$) | l. | II. |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | CCS7 Signaling Connection, Per link (B link) (also known as D link) | | | UDB | TPP6B | 17.93 | 43.57 | 43.57 | 18.31 | 18.31 | | | | | | |
| | CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream | | | LIDD | TDDOV | 47.00 | 40.57 | 40.57 | 40.04 | 40.04 | | | | | | |
| - | signaling CCS7 Signaling Connection-A link, per month | | | UDB UDB | TPP6X TPP9A | 17.93 17.93 | 43.57 43.57 | 43.57 43.57 | 18.31 18.31 | 18.31 18.31 | | | | | | |
| | CCS7 Signaling Connection-B link(also known as D link) per month | | | UDB | TPP9B | 17.93 | 43.57 | 43.57 | 18.31 | 18.31 | | | | | | |
| | CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling | | | UDB | TPP9X | 17.93 | 43.57 | 43.57 | 18.31 | 18.31 | | | | | | |
| | CCS7 Signaling Usage, Per ISUP Message | | | | | 0.0000152 | | | | | | | | | | |
| | CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB | STU56 | 694.32 | | | | | | | | | | |
| | CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected | | | UDB | CCAPO | | 46.03 | 46.03 | 46.03 | 46.03 | | | | | | |
| Notes | : If no rate is identified in the contract, the rates, terms, and co | ndition | s for th | | | Il be as set fort | | | | 10.00 | | | | | | <u> </u> |

03/16/05

| LOCA | L INTE | RCONNECTION - Georgia | | | | | | | | | | | | Attachment: | 3 | Exhibit: A | |
|----------|---------|---|-------------|--|---------------------|----------------|---------------------|--|-----------|--------------|------------|--|---|-------------|--|-------------------------|---|
| CATEG | | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | ı | | | | | - | | Nonrec | | Nonrecurring | Disconnect | | | 220 | Rates(\$) | | <u> </u> |
| | | | | | | 1 | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | 7144 | 101 | 7144 | 0020 | | | | | |
| LOCAL | | CONNECTION (CALL TRANSPORT AND TERMINATION) | | | | | | | | | | | | | | | |
| | | "bk" beside a rate indicates that the Parties have agreed to bi | ll and k | eep for | that element pursu | ant to the ter | ms and conditi | ons in Attachr | nent 3. | | | | | | | | <u> </u> |
| | I ANDE | M SWITCHING Tandem Switching Function Per MOU | | | | | 0.0004086bk | | | | | | | | | | |
| | | Multiple Tandem Switching, per MOU (applies to intial tandem | | | | + | 0.0004066BK | | | | | | | | | | |
| | | only) | | | | | 0.0004086 | | | | | | | | | | |
| | | Tandem Intermediary Charge, per MOU* | | | | | 0.0025 | | | | | | | | | | |
| | | charge is applicable only to transit traffic and is applied in add | dition to | o appli | cable switching and | l/or intercon | nection charges | | | | | | | | | | <u> </u> |
| | TRUNK | CHARGE Installation Trunk Side Service - per DS0 | | | OHD | TPP6X | | 21.53 | 8.11 | | | | | | | | |
| | 1 | Installation Trunk Side Service - per DS0 | | 1 | OHD | TPP9X | | 21.53 | 8.11 | | | | | | | | |
| | | Dedicated End Office Trunk Port Service-per DS0** | | † | OHD | TDEOP | 0.00 | 21.00 | 0.11 | | | | | | | | |
| | | Dedicated End Office Trunk Port Service-per DS1** | | | OH1 OH1MS | TDE1P | 0.00 | | | | | | | | | | |
| | | Dedicated Tandem Trunk Port Service-per DS0** | | | OHD | TDWOP | 0.00 | | | | | | | | | | <u> </u> |
| | ** Th:- | Dedicated Tandem Trunk Port Service-per DS1** | in the | F= 1 0 | OH1 OH1MS | TDW1P | 0.00 | l ==================================== | | | | | | | | | 4 |
| | | rate element is recovered on a per MOU basis and is included ON TRANSPORT (Shared) | I in the | Ena O | Tice Switching and | l andem Swi | cning, per MOL | J rate elements | 5 | | | | | | | | · |
| | COMM | Common Transport - Per Mile, Per MOU | | | | | 0.0000027bk | | | | | | | | | | |
| | | Common Transport - Facilities Termination Per MOU | | | | | 0.0001914bk | | | | | | | | | | |
| LOCAL | | CONNECTION (DEDICATED TRANSPORT) | | | | | | | | | | | | | | | |
| | INTER | OFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month | | | ОНМ | 1L5NF | 0.0057 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month | | | ОНМ | 1L5NF | 12.87 | 48.455 | 19.48 | 16.575 | 4.995 | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | | | | 40.400 | 19.46 | 10.575 | 4.995 | | | | | | |
| | | per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | OHM | 1L5NK | 0.0057 | | | | | | | | | | |
| | | Termination per month Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | ОНМ | 1L5NK | 7.83 | 48.455 | 19.48 | 16.575 | 4.995 | | | | | | <u> </u> |
| | | per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | ОНМ | 1L5NK | 0.0057 | | | | | | | | | | |
| | | Termination per month | | | ОНМ | 1L5NK | 7.83 | 48.455 | 19.48 | 16.575 | 4.995 | | | | | | |
| | | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month | | | OH1, OH1MS | 1L5NL | 0.1154 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month | | | OH1, OH1MS | 1L5NL | 34.19 | 111.025 | 80.28 | 31.355 | 21.73 | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month | | | OH3, OH3MS | 1L5NM | 2.53 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | OH3, OH3MS | 1L5NM | 342.02 | 320.47 | 86.32 | 66.77 | 52.81 | | | | | | |
| | LOCAL | . CHANNEL - DEDICATED TRANSPORT | | | OT 13, OT ISINO | TESTAIN | 342.02 | 320.47 | 00.32 | 00.77 | 32.01 | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHM | TEFV2 | 7.74 | 121.065 | 53.295 | 46.395 | 13.365 | | | | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | OHM | TEFV4 | 8.72 | 125.62 | 54.43 | 46.395 | 13.365 | | | | | | |
| | | Local Channel - Dedicated - DS1 per month | | | OH1 | TEFHG | 18.47 | 149.46 | 111.195 | 40.355 | 26.115 | | | | | | |
| | | Local Channel - Dedicated - DS3 Facility Termination per month | | | ОНЗ | TEFHJ | 147.01 | 445.01 | 145.18 | 112.905 | 75.88 | | | | | | |
| | LOCAL | INTERCONNECTION MID-SPAN MEET | | | 0.11110 | | | | | | | | | | | | |
| - | 1 | Local Channel - Dedicated - DS1 per month Local Channel - Dedicated - DS3 per month | | ! | OH1MS OH3MS | TEFHG TEFHJ | 0.00 | 0.00 | | | | 1 | - | | | | |
| - | MULTI | PLEXERS | | | OI 13IVI3 | IEFNJ | 0.00 | 0.00 | | | | 1 | | | | | |
| | | Channelization - DS1 to DS0 Channel System | | <u> </u> | OH1, OH1MS | SATN1 | 69.75 | 105.675 | 41.585 | 23.75 | 4.19 | | | | | | |
| | | DS3 to DS1 Channel System per month | | | OH3, OH3MS | SATNS | 121.90 | 224.475 | 71.83 | 40.005 | 31.065 | | | | | | |
| | | DS3 Interface Unit (DS1 COCI) per month | | | OH1, OH1MS | SATCO | 7.35 | 15.805 | 11.385 | 6.605 | 6.605 | | | | | | |
| SIGNA | LING (C | | | <u> </u> | LIDB | DTOCY | 100.00 | | | | | ļ | ļ | | | | |
| - | | CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per TCAP Message | | | UDB | PT8SX | 108.80 0.0000527 | | | - | | | - | | | | 1 |
| \vdash | 1 | CCS7 Signaling Osage, Fer TCAF Message | | <u> </u> | UDB | TPP6A | 8.73 | 34.77 | 34.77 | 16.91 | 16.91 | | | | | | + |

Version: 4Q04 Standard ICA 03/16/05

| LOCAL INTE | RCONNECTION - Georgia | | | | | | | | | | | | Attachment: | 3 | Exhibit: A | |
|------------|---|-------------|------|-----|-------|-----------|--------|-----------|--------------|------------|-------|-----------------------|-------------|-----------|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted Manually | Charge - | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Nonrec | urrina | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | CCS7 Signaling Connection, Per link (B link) (also known as D link) (same as E.3.1) | | | UDB | TPP6B | 8.73 | 34.77 | 34.77 | 16.91 | 16.91 | | | | | | |
| | CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling | | | UDB | TPP6X | 8.73 | 34.77 | 34.77 | 16.91 | 16.91 | | | | | | |
| | CCS7 Signaling Connection, Per link (A link) (same as E.3.1) | | | UDB | TPP9A | 8.73 | 34.77 | 34.77 | 16.91 | 16.91 | | | | | | |
| | CCS7 Signaling Connection-B link(also known as D link) per month (same as E.3.1) | | | UDB | TPP9B | 8.73 | 34.77 | 34.77 | 16.91 | 16.91 | | | | | | |
| | CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling | | | UDB | TPP9X | 8.73 | 34.77 | 34.77 | 16.91 | 16.91 | | | | | | |
| | CCS7 Signaling Usage, Per ISUP Message (same as E.3.3) | | | | | 0.0000132 | | | | | | | | | | |
| | CCS7 Signaling Usage Surrogate, per link | | | UDB | STU56 | 907.44 | | | | | | | | | | |
| | CCS7 Signaling Point Code, Establishment or Change, per STP affected | | | UDB | CCAPO | | 28.15 | 28.15 | 33.32 | 33.32 | | | | | | |

03/16/05

| LOCAL | INTE | RCONNECTION - Kentucky | | | | | | | | | | | | Attachment: | 3 | Exhibit: A | |
|-------------|--------|--|--|--|---------------------|-----------------|----------------|------------------|-----------|--------------|--------|-----------|-----------|-------------|-------------|--------------|------------|
| | | | 1 | | | | | | | | | Svc Order | Svc Order | Incremental | | | Incrementa |
| | | | | | | | | | | | | | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | | | | | | |
| CATECO | DV. | RATE ELEMENTS | Interi | 7000 | BCS | USOC | | | RATES(\$) | | | Elec | Manually | Manual Svc | Manual Svc | | Manual Sv |
| CATEGO | K T | RATE ELEMENTS | m | Zone | BCS | USUC | | | KATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| | | CONNECTION (CALL TRANSPORT AND TERMINATION) | | | | | | | | | | | | | | | |
| | | "bk" beside a rate indicates that the Parties have agreed to bil | ll and k | eep for | that element pursu | uant to the ter | ms and conditi | ons in Attachm | nent 3. | | | | | | | | |
| T. | | M SWITCHING | | | | | | | | | | | | | | | |
| | | Tandem Switching Function Per MOU | | | | | 0.0006772bk | | | | | | | | | | |
| | | Multiple Tandem Switching, per MOU (applies to intial tandem | | | | | | | | | | | | | | | |
| | | only) | | | | | 0.0006772 | | | | | | | | | | |
| | | Tandem Intermediary Charge, per MOU* | | | | | 0.0025 | | | | | | | | | | |
| * | This c | harge is applicable only to transit traffic and is applied in add | dition to | o applio | cable switching and | d/or interconr | ection charges | | | | | | | | | | |
| Т | RUNK | CHARGE | | | | | ľ | | | | | | | | | | |
| | | Installation Trunk Side Service - per DS0 | | İ | OHD | TPP6X | 1 | 21.58 | 8.13 | | İ | | | | İ | İ | |
| - | | Installation Trunk Side Service - per DS0 | 1 | 1 | OHD | TPP9X | | 21.58 | 8.13 | | | | 1 | | | 1 | |
| - | | Dedicated End Office Trunk Port Service-per DS0** | 1 | 1 | OHD | TDEOP | 0.00 | 21.00 | 0.10 | | | | l | | | | |
| | | Dedicated End Office Trunk Port Service-per DS1** | | | OH1 OH1MS | TDE1P | 0.00 | | | | | | | | | | |
| - | | Dedicated Tandem Trunk Port Service-per DS0** | | | OHD | TDWOP | 0.00 | + | | | | | l | | 1 | 1 | |
| | | Dedicated Tandem Trunk Port Service-per DS0 Dedicated Tandem Trunk Port Service-per DS1** | | | OH1 OH1MS | TDW0P | 0.00 | + | | | | | | | | - | |
| ** | | | in the | | | | | l ==t= =l=====t= | | | | | | | | | |
| | | rate element is recovered on a per MOU basis and is included | in the | Ena Or | Tice Switching and | Tandem Swi | cning, per wo | rate elements | | | | | | | | | |
| C | OMINIC | ON TRANSPORT (Shared) | | | | | | | | | | | | | | | |
| | | Common Transport - Per Mile, Per MOU | | | | | 0.0000030bk | | | | | | | | | | |
| | | Common Transport - Facilities Termination Per MOU | | | | | 0.0007466bk | | | | | | | | | | |
| | | CONNECTION (DEDICATED TRANSPORT) | | | | | | | | | | | | | | | |
| IN | NTERC | OFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | |
| | | Per Mile per month | | | OHM | 1L5NF | 0.01 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | | | | | | | | | | |
| | | Facility Termination per month | | | OHM | 1L5NF | 29.11 | 47.34 | 31.78 | 22.77 | 8.75 | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | | | | | | | | | | | | | |
| | | per month | | | OHM | 1L5NK | 0.0115 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | | | ОНМ | 1L5NK | 20.97 | 47.35 | 31.78 | 22.77 | 8.75 | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | | | | | | | | | | | | | |
| | | per month | | | ОНМ | 1L5NK | 0.0115 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | | | ОНМ | 1L5NK | 20.97 | 47.35 | 31.78 | 22.77 | 8.75 | | | | | | |
| | | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | OTTIVI | TEOTHY | 20.01 | 47.00 | 01.70 | 22.11 | 0.70 | | | | | | |
| | | month | | | OH1, OH1MS | 1L5NL | 0.23 | | | | | | | | | | |
| | | | | | On I, On IIVIS | ILSINL | 0.23 | + | | | | | | | | - | |
| | | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | OLIA OLIAMO | 41.5811 | 00.04 | 405 50 | 00.40 | 22.00 | 20.40 | | | | | | |
| | | Termination per month | | | OH1, OH1MS | 1L5NL | 96.04 | 105.52 | 98.46 | 23.09 | 20.49 | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | | month | | | OH3, OH3MS | 1L5NM | 4.97 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | | | OH3, OH3MS | 1L5NM | 1,175.15 | 335.40 | 219.24 | 89.57 | 87.75 | | | | | | |
| L | | CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHM | TEFV2 | 18.57 | 265.78 | 46.96 | 46.79 | 4.98 | | | | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | OHM | TEFV4 | 19.86 | 266.48 | 47.65 | 47.54 | 5.73 | | | | | | |
| | | Local Channel - Dedicated - DS1 per month | | | OH1 | TEFHG | 40.46 | 209.60 | 176.51 | 30.21 | 21.07 | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Local Channel - Dedicated - DS3 Facility Termination per month | l | | OH3 | TEFHJ | 576.05 | 551.38 | 338.08 | 173.00 | 120.42 | 1 | 1 | | I | | I |
| L | OCAL | INTERCONNECTION MID-SPAN MEET | | | | | | | | | | | | | | | |
| | | Local Channel - Dedicated - DS1 per month | | | OH1MS | TEFHG | 0.00 | 0.00 | | | | | | | | | |
| | | Local Channel - Dedicated - DS3 per month | | | OH3MS | TEFHJ | 0.00 | 0.00 | | | | | | | | | |
| М | | PLEXERS | | | - | | | | | | | | | | | | |
| | | Channelization - DS1 to DS0 Channel System | 1 | 1 | OH1, OH1MS | SATN1 | 113.33 | 101.40 | 71.60 | 13.79 | 13.04 | | 1 | | | 1 | |
| | | DS3 to DS1 Channel System per month | 1 | 1 | OH3, OH3MS | SATNS | 158.20 | 199.23 | 118.62 | 50.16 | 48.59 | 1 | 1 | | 1 | t | † |
| | | DS3 Interface Unit (DS1 COCI) per month | - | ! | OH1, OH1MS | SATCO | 11.80 | 10.07 | 7.08 | 30.10 | 70.00 | | | | | 1 | |
| SIGNALII | | | | | OTTI, OTTINO | 07100 | 11.00 | 10.07 | 1.00 | | | | l | | 1 | 1 | |
| | | CCS7 Signaling Termination, Per STP Port | 1 | 1 | UDB | PT8SX | 151 20 | | | | 1 | 1 | | | 1 | | 1 |
| I | | COST SIGNALLY TELLULATION, FELSTE POR | ı | 1 | UDB | L189Y | 151.39 | | | | l | | l | | l | ļ | |
| OIOIVALII | | CCS7 Signaling Usage, Per TCAP Message | | | | | 0.0000656 | | | | | | | | | | |

| LOCAL INTI | ERCONNECTION - Kentucky | | | | | | | | | | | | Attachment: | 3 | Exhibit: A | |
|------------|---|-------------|----------|----------------------|----------------|-------------------|-----------------|---------------|--------------|------------|-------|-----------|-------------|--------------|------------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted | | Charge - | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | • | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | CCS7 Signaling Connection, Per link (B link) (also known as D link) | | | UDB | TPP6B | 20.71 | 43.56 | 43.56 | 22.45 | 22.45 | | | | | | |
| | CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling | | | UDB | TPP6X | 20.71 | 43.56 | 43.56 | 22.45 | 22.45 | | | | | | |
| - | CCS7 Signaling Connection-A link, per month | | | UDB | TPP9A | 20.71 | 43.56 | 43.56 | 22.45 | | | | - | | | |
| | CCS7 Signaling Connection-B link(also known as D link) per month | | | UDB | TPP9B | 20.71 | 43.56 | 43.56 | 22.45 | 22.45 | | | | | | |
| | CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling | | | UDB | TPP9X | 20.71 | 43.56 | 43.56 | 22.45 | 22.45 | | | | | | |
| | CCS7 Signaling Usage, Per ISUP Message | | | | | 0.0000164 | | | | | | | | | | |
| | CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB | STU56 | 751.08 | | | | | | | | | | |
| | CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected | | | UDB | CCAPO | | 46.02 | 46.02 | 56.43 | 56.43 | | | | | | |
| | CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected | | | UDB | CCAPD | | 46.02 | 46.02 | 56.43 | 56.43 | | | | | | |
| Notes: | If no rate is identified in the contract, the rates, terms, and co | ndition | s for th | e specific service o | or function wi | Il be as set fort | h in applicable | BellSouth tar | iff. | | | | | | | |

Version: 4Q04 Standard ICA

03/16/05

| LOCAL INTER | RCONNECTION - Louisiana | | | | | | | | | | | | Attachment: | 3 | Exhibit: A | |
|---------------|--|--|---------|---------------------|-----------------|------------------|-----------------|--------------|-------------|--------------|-----------|-----------|-------------|-------------|-------------|--|
| | | 1 | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incrementa |
| | | | | | | | | | | | | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | | | | | |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | usoc | | | RATES(\$) | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | |
| CATEGORI | RATE ELEMENTS | m | Zone | ВСЗ | 0300 | | | KATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Managa | | Managarania | - Di | | | 000 | Rates(\$) | | |
| | | | | | | Rec | Nonrec | | | g Disconnect | 001150 | 001111 | | | 001441 | 001111 |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| LOCAL INTERC | ONNECTION (CALL TRANSPORT AND TERMINATION) | | - | | | | | | | - | | | | | | |
| | bk" beside a rate indicates that the Parties have agreed to bil | ll and k | oon for | that alament nurs | cont to the to | ma and aanditi | ana in Attachn | ant 2 | | - | | | | | | |
| | M SWITCHING | ii anu k | eep ioi | triat element pursi | lant to the ter | ilis and conditi | Ons in Attachi | ient 3. | | | | | | | | + |
| | Tandem Switching Function Per MOU | - | | | | 0.0005507bk | | | | | | - | | | | - |
| | Multiple Tandem Switching, per MOU (applies to intial tandem | - | | | | 0.0005507bk | | | | | | - | | | | - |
| | only) | | | | | 0.0005507 | | | | | | | | | | |
| | Tandem Intermediary Charge, per MOU* | | | | | 0.0005507 | | | | | | | | | | |
| | harge is applicable only to transit traffic and is applied in add | dition to | onnli | achla awitahina an | d/or intercent | | | | | - | | | | | | |
| | CHARGE | uition te | Таррііс | able switching and | u/or interconi | lection tharges |). | | | - | | | | | | |
| | Installation Trunk Side Service - per DS0 | | - | OHD | TPP6X | | 21.64 | 8.15 | | - | | | | | | |
| | Installation Trunk Side Service - per DS0 Installation Trunk Side Service - per DS0 | - | | OHD | TPP6X TPP9X | - | 21.64 | 8.15 8.15 | | + | 1 | | | - | - | - |
| | | | | | TDEOP | 0.00 | 21.64 | 8.15 | | | | | | | | |
| | Dedicated End Office Trunk Port Service-per DS0** Dedicated End Office Trunk Port Service-per DS1** | | - | OHD OH1 OH1MS | TDE1P | 0.00 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS0** Dedicated Tandem Trunk Port Service-per DS1** | 1 | - | OHD OH1 OH1MS | TDWOP TDW1P | 0.00 | | | | 1 | 1 | - | | - | - | |
| | | | | | | | 1 1 1 | | | | | | | | | |
| | ate element is recovered on a per MOU basis and is included | in the | Ena Of | rice Switching and | l andem Swi | cning, per MOL | J rate elements | i | | | | | | | | |
| | ON TRANSPORT (Shared) | | | | | 0.00000001.1 | | | | | | | | | | |
| | Common Transport - Per Mile, Per MOU | | | | | 0.0000032bk | | | | | | | | | | |
| | Common Transport - Facilities Termination Per MOU | | | | | 0.0003748bk | | | | | | | | | | |
| | ONNECTION (DEDICATED TRANSPORT) | | | | | | | | | | | | | | | |
| | FFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month | | | ОНМ | 1L5NF | 0.013 | | | | | | | | | | |
| | | | | ОНМ | 1L5NF | 0.013 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Facility Termination per month | | | ОНМ | 1L5NF | 22.60 | 39.36 | 26.62 | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | O. I.A. | 41.55.07 | 0.040 | | | | | | | | | | |
| | per month | | | ОНМ | 1L5NK | 0.013 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | OHM | 1L5NK | 15.61 | 39.37 | 26.62 | | | | | | | | ļ |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | | | | | | | | | | | | | |
| | per month | | | OHM | 1L5NK | 0.013 | | | | | | | | | | ļ |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | ОНМ | 1L5NK | 15.61 | 39.37 | 26.62 | | | | | | | | ļ |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | OH1, OH1MS | 1L5NL | 0.2652 | | | | | | | | | | ļ |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | OH1, OH1MS | 1L5NL | 70.47 | 86.69 | 79.44 | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | OH3, OH3MS | 1L5NM | 6.04 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | OH3, OH3MS | 1L5NM | 850.45 | 270.69 | 158.05 | | | | | | | | |
| | CHANNEL - DEDICATED TRANSPORT | ļ | | | | | | | | | | | | | | <u> </u> |
| | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHM | TEFV2 | 18.32 | 187.51 | 32.21 | | | | | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade per month | ļ | | OHM | TEFV4 | 19.41 | 187.94 | 32.63 | | | | | | | | <u> </u> |
| L L | Local Channel - Dedicated - DS1 per month | ļ | | OH1 | TEFHG | 39.18 | 172.34 | 149.27 | | | | | | | | <u> </u> |
| | | l | | | | | | | | | | | | | | |
| | Local Channel - Dedicated - DS3 Facility Termination per month | | | OH3 | TEFHJ | 469.44 | 438.46 | 256.30 | | | | | | | | |
| | INTERCONNECTION MID-SPAN MEET | | | | | | | | | | | | | | | |
| | Local Channel - Dedicated - DS1 per month | | | OH1MS | TEFHG | 0.00 | 0.00 | | | | | | | | | |
| | Local Channel - Dedicated - DS3 per month | | | OH3MS | TEFHJ | 0.00 | 0.00 | | | | | | | | | |
| | LEXERS | | | | | | | | | | | | | | | |
| | Channelization - DS1 to DS0 Channel System | | | OH1, OH1MS | SATN1 | 105.09 | 88.41 | 60.76 | | | | | | | | |
| | DS3 to DS1 Channel System per month | | | OH3, OH3MS | SATNS | 201.48 | 172.99 | 91.25 | | | | | | | | |
| | DS3 Interface Unit (DS1 COCI) per month | | | OH1, OH1MS | SATCO | 11.78 | 6.39 | 4.58 | | | | | | | | |
| SIGNALING (CC | | | | | | | | | | | | | | | | |
| | CCS7 Signaling Termination, Per STP Port | | | UDB | PT8SX | 147.60 | | | | | | | | | | |
| | CCS7 Signaling Usage, Per TCAP Message | | | | | 0.000064 | | | | | | | | | | |
| | CCS7 Signaling Connection, Per link (A link) | | | UDB | TPP6A | 15.77 | 34.50 | 34.50 | | | 1 | | - | | 1 | 1 |

| LOCAL INTI | ERCONNECTION - Louisiana | | | | | | | | | | | | Attachment: | 3 | Exhibit: A | |
|------------|---|-------------|---------|---------------------|---------------|--------------------|-----------------|---------------|--------------|--------------|-------|-----------------------|-------------|-----------|---|----------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted Manually | Charge - | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | В | Nonrec | urring | Nonrecurring | g Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | CCS7 Signaling Connection, Per link (B link) (also known as D link) | | | UDB | TPP6B | 15.77 | 34.50 | 34.50 | | | | | | | | |
| | CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling | | | UDB | TPP6X | 15.77 | 34.50 | 34.50 | | | | | | | | |
| | CCS7 Signaling Connection-A link, per month | | | UDB | TPP9A | 15.77 | 34.50 | 34.50 | | | | | | | | |
| | CCS7 Signaling Connection-B link(also known as D link) per month | | | UDB | TPP9B | 15.77 | 34.50 | 34.50 | | | | | | | | |
| | CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling | | | UDB | TPP9X | 15.77 | 34.50 | 34.50 | | | | | | | | |
| | CCS7 Signaling Usage, Per ISUP Message | | | | | 0.000016 | | | | | | | | | | |
| | CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB | STU56 | 732.10 | | | | | | | | | | |
| | CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected | | | UDB | CCAPO | | 28.17 | 28.17 | | | | | | | | |
| | CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected | | | UDB | CCAPD | | 28.17 | 28.17 | | | | | | | | |
| Notes: | If no rate is identified in the contract, the rates, terms, and co | ndition | s for t | he specific service | or function w | ill be as set fort | h in applicable | BellSouth tai | riff. | | | | | | | |

Version: 4Q04 Standard ICA

03/16/05

| LOCAL INT | ERCONNECTION - Mississippi | | | | | | | | | | | | Attachment: | 3 | Exhibit: A | |
|----------------|--|-----------|--|--------------------|---------------------------------------|-----------------|---------------------|-----------|--------------|------------|--|-----------|-------------|--------------|-------------|--|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | | | Increment |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | _ | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual S |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | - | | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add' |
| | | | | | | | | | | | | | 100 | Addi | D130 131 | Disc Add |
| | | | | | | B | Nonreci | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| LOCAL INTER | CONNECTION (CALL TRANSPORT AND TERMINATION) | | | | | | | | | | | | | | | |
| | : "bk" beside a rate indicates that the Parties have agreed to bil | l and k | een for | that element nursi | iant to the ter | rms and conditi | ons in Attachm | ent 3 | | | | | | | | |
| | EM SWITCHING | li unu k | CCP 10. | that clothert pars | I I I I I I I I I I I I I I I I I I I | Ins and contain | Olio III Attuoliili | ciit o. | | | | | | | | <u> </u> |
| IAND | Tandem Switching Function Per MOU | | | | | 0.0005379bk | + | | | | 1 | | | | | 1 |
| | Multiple Tandem Switching, per MOU (applies to intial tandem | | | | | 0.0003379DK | | | | | | | | | | |
| | | | | | | 0.0005070 | | | | | | | | | | |
| | only) | | | | | 0.0005379 | | | | | | | | | | |
| | Tandem Intermediary Charge, per MOU* | | | | | 0.0025 | | | | | | | | | | |
| | charge is applicable only to transit traffic and is applied in add | dition to | o applio | cable switching an | d/or intercon | nection charges | | | | | | | | | | |
| TRUN | K CHARGE | | | | | | | | | | | | | | | |
| | Installation Trunk Side Service - per DS0 | | | OHD | TPP6X | | 21.58 | 8.13 | | | | | | | | |
| | Installation Trunk Side Service - per DS0 | | | OHD | TPP9X | | 21.58 | 8.13 | | | | | | | | |
| | Dedicated End Office Trunk Port Service-per DS0** | | | OHD | TDEOP | 0.00 | | | | | | | | | | |
| | Dedicated End Office Trunk Port Service-per DS1** | | | OH1 OH1MS | TDE1P | 0.00 | | | | | | | | | 1 | i e |
| | Dedicated Tandem Trunk Port Service-per DS0** | | | OHD | TDWOP | 0.00 | | | | | | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS1** | | | OH1 OH1MS | TDW1P | 0.00 | | | | | | | | | | |
| ** This | s rate element is recovered on a per MOU basis and is included | in the | End Of | | | | l roto elemente | | | | | | | | | 1 |
| | | in the | Elia Oi | nce Switching and | Tandem Swi | iching, per wot | rate elements | | | | | | | | | 1 |
| COMIN | ION TRANSPORT (Shared) | | | | | | | | | | | | | | | |
| | Common Transport - Per Mile, Per MOU | | | | | 0.0000026bk | | | | | | | | | | |
| | Common Transport - Facilities Termination Per MOU | | | | | 0.0004541bk | | | | | | | | | | |
| | CONNECTION (DEDICATED TRANSPORT) | | | | | | | | | | | | | | | |
| INTER | OFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Per Mile per month | | | OHM | 1L5NF | 0.0098 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Facility Termination per month | | | OHM | 1L5NF | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | 0 | 120111 | 22.02 | | 27.07 | 11.20 | | | | | | | |
| | per month | | | ОНМ | 1L5NK | 0.0098 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | OF IIVI | ILJINK | 0.0096 | | | | | | | | | | 1 |
| | | | | 0.114 | | 4= 00 | 40.00 | | | | | | | | | |
| | Termination per month | | | OHM | 1L5NK | 15.68 | 40.78 | 27.57 | 17.26 | 7.11 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | | | | | | | | | | | | | |
| | per month | | | OHM | 1L5NK | 0.0098 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | OHM | 1L5NK | 15.68 | 40.78 | 27.57 | 17.26 | 7.11 | | | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | OH1, OH1MS | 1L5NL | 0.201 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | OTTI, OTTINIO | TEOTILE | 0.201 | | | | | | | | | | |
| | Termination per month | | | OH1, OH1MS | 1L5NL | 57.33 | 89.79 | 82.28 | 16.86 | 14.90 | | | | | | |
| | | | | On I, On IIVIS | ILSINL | 37.33 | 09.79 | 02.20 | 10.00 | 14.90 | | | | | | 1 |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | 0110 011010 | | . =0 | | | | | | | | | | |
| | month | | | OH3, OH3MS | 1L5NM | 4.76 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | OH3, OH3MS | 1L5NM | 641.90 | 280.37 | 163.70 | 62.08 | 60.29 | | | | | | |
| LOCA | L CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHM | TEFV2 | 14.91 | 194.22 | 33.36 | 37.79 | 3.30 | | | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | OHM | TEFV4 | 15.99 | 194.66 | 33.80 | 38.27 | 3.78 | | | | | | |
| | Local Channel - Dedicated - DS1 per month | | | OH1 | TEFHG | 36.83 | 178.50 | 154.61 | 22.89 | 15.74 | | | | | | |
| | | | | | 1 | 22.20 | | | | | 1 | | İ | İ | İ | 1 |
| | Local Channel - Dedicated - DS3 Facility Termination per month | l | 1 | ОНЗ | TEFHJ | 413.87 | 454.13 | 264.47 | 123.23 | 86.19 | | | | İ | | 1 |
| LOCA | L INTERCONNECTION MID-SPAN MEET | | | | | 410.07 | 70-7.10 | _07 | 120.20 | 55.19 | 1 | | | | 1 | † |
| LOCA | Local Channel - Dedicated - DS1 per month | - | - | OH1MS | TEFHG | 0.00 | 0.00 | - | | | | | 1 | | 1 | 1 |
| | | | | OH1MS OH3MS | TEFHG | 0.00 | 0.00 | | | | | - | | | 1 | |
| - | Local Channel - Dedicated - DS3 per month | | | OHOINIO | IEFFIJ | 0.00 | 0.00 | | | | | | | ! | 1 | |
| MULT | IPLEXERS | | | 0111 011111 | | | | | | | ļ | ļ | | | ļ | ļ |
| | Channelization - DS1 to DS0 Channel System | | | OH1, OH1MS | SATN1 | 102.85 | 91.57 | 62.94 | 10.87 | 10.10 | ļ | | | | ļ | ļ |
| | DS3 to DS1 Channel System per month | | | OH3, OH3MS | SATNS | 170.63 | 179.17 | 94.52 | 34.30 | 32.82 | | | | | | |
| | DS3 Interface Unit (DS1 COCI) per month | | | OH1, OH1MS | SATCO | 12.96 | 6.62 | 4.74 | | | | | | | | |
| SIGNALING (| CCS7) | | | | | | | | | | | | | | | 1 |
| | CCS7 Signaling Termination, Per STP Port | | | UDB | PT8SX | 132.21 | | | | | | | | | | |
| | | | | | | | | | | | | • | | | 1 | 1 |
| | CCS7 Signaling Usage, Per TCAP Message | | | | | 0.0000597 | J | | | | | | | | | |

| LOCAL IN | FERCONNECTION - Mississippi | | | | | | | | | | | | Attachment: | 3 | Exhibit: A | |
|----------|---|---------|----------|---------------------|-----------------|--------------------|-----------------|----------------|----------------|----------------|---------|------------------------|-------------|-------------------------|-------------------------|-------------------------|
| | | | | | | | | | | | | Svc Order Submitted | | Incremental Charge - | Incremental Charge - | Incremental Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | CCS7 Signaling Connection, Per link (B link) (also known as D link) | | | UDB | TPP6B | 16.55 | 35.74 | 35.74 | 16.53 | 16.53 | | | | | | |
| | CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream | | | | | | | | | | | | | | | |
| | signaling CCS7 Signaling Connection-A link, per month | | | UDB UDB | TPP6X TPP9A | 16.55 16.55 | 35.74 35.74 | 35.74 35.74 | 16.53 16.53 | 16.53 16.53 | | | | | | |
| | CCS7 Signaling Connection-B link(also known as D link) per | | | UDB | IFF9A | 10.55 | 33.74 | 33.74 | 16.55 | 10.55 | | | | | | 1 |
| | month | | | UDB | TPP9B | 16.55 | 35.74 | 35.74 | 16.53 | 16.53 | | | | | | |
| | CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling | | | UDB | TPP9X | 16.55 | 35.74 | 35.74 | 16.53 | 16.53 | | | | | | |
| | CCS7 Signaling Usage, Per ISUP Message | | | | | 0.0000149 | | | | | | | | | | |
| | CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB | STU56 | 683.55 | | | | | | | | | | 1 |
| | CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected | | | UDB | CCAPO | | 29.18 | 29.18 | 35.78 | 35.78 | | | | | | |
| Note | s: If no rate is identified in the contract, the rates, terms, and co | ndition | s for th | ne specific service | e or function w | ill be as set fort | h in applicable | e BellSouth ta | iff. | | | | | | | |

Version: 4Q04 Standard ICA

03/16/05

| LOCAL IN | FERCONNECTION - North Carolina | | | | | | | | | | | | Attachment: | 3 | Exhibit: A | |
|-------------|---|--|---------|--------------------|----------------|------------------|-----------------|-----------|--------------|--|-----------|--------------|-------------|-------------|--------------|--|
| | | | 1 | | 1 | 1 | | | | | Cua Order | Svc Order | Incremental | | | Increment |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Sv |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | "" | | | | | | | | | • | - | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | 151 | Auu | DISC 1St | DISC AUU I |
| | | | | | | _ | Nonrec | urring | Nonrecurring | g Disconnect | | | OSS | Rates(\$) | • | • |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| LOCAL INTE | RCONNECTION (CALL TRANSPORT AND TERMINATION) | | | | | | | | | | | | | | | |
| | E: "bk" beside a rate indicates that the Parties have agreed to bi | ll and k | een for | that element nurs | uant to the te | rme and conditi | one in Attachm | ont 3 | | | | | | | | |
| | DEM SWITCHING | ii aiiu k | cep ioi | that element purs | uant to the te | This and conditi | ons in Attacini | ient J. | | | | | | | | 1 |
| IAN | Tandem Switching Function Per MOU | | | | | 0.0012000bk | | | | | | | | | | 1 |
| | | | | | | 0.0012000DK | | | | | | | | | | |
| | Multiple Tandem Switching, per MOU (applies to intial tandem | | | | | 0.0040 | | | | | | | | | | |
| | only) | | | | | 0.0012 | | | | | | | | | | |
| | Tandem Intermediary Charge, per MOU* | L | | | | 0.0025 | | | | | | | | | | |
| | s charge is applicable only to transit traffic and is applied in ad- | dition to | applic | cable switching an | d/or interconi | nection charges | i. | | | | | | | | | |
| TRUN | NK CHARGE | | | | | | | | | | | | | | | |
| | Installation Trunk Side Service - per DS0 | | | OHD | TPP6X |] | 21.55 | 8.12 | | | | <u> </u> | | | ļ | L |
| | Installation Trunk Side Service - per DS0 | \Box | | OHD | TPP9X | | 21.55 | 8.12 | | | | <u> </u> | | | | |
| | Dedicated End Office Trunk Port Service-per DS0** | | | OHD | TDEOP | 0.00 | | | | | | | | | | |
| | Dedicated End Office Trunk Port Service-per DS1** | | | OH1 OH1MS | TDE1P | 0.00 | | | | | | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS0** | | | OHD | TDWOP | 0.00 | | | | | | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS1** | | | OH1 OH1MS | TDW1P | 0.00 | | | | | | | | | | |
| ** Thi | is rate element is recovered on a per MOU basis and is included | in the | | | | | I rate elements | | | | | | | | | |
| | MON TRANSPORT (Shared) | | Liiu Oi | noc ownoming and | Tunidem Own | toning, per mo | J rate elements | | | | | | | | | |
| CON | Common Transport - Per Mile, Per MOU | | | | | 0.0000100bk | | | | | | | | | | 1 |
| | | | | | | 0.0003400bk | | | | | | | | | | |
| LOCAL INTE | Common Transport - Facilities Termination Per MOU | | | | _ | 0.0003400bK | | | | | | | | | | |
| | RCONNECTION (DEDICATED TRANSPORT) | | | | | | | | | | | | | | | |
| INTE | ROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Per Mile per month | | | OHM | 1L5NF | 0.0282 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Facility Termination per month | | | OHM | 1L5NF | 18.00 | 137.48 | 52.58 | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | | | | | | | | | | | | | |
| | per month | | | OHM | 1L5NK | 0.0282 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | ОНМ | 1L5NK | 17.40 | 137.48 | 52.58 | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | 0.111 | 1201111 | | 101110 | 02.00 | | | | | | | | |
| | per month | | | ОНМ | 1L5NK | 0.0282 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | OT IIVI | ILOIVIC | 0.0202 | | | | | | | | | | 1 |
| | Termination per month | | | ОНМ | 1L5NK | 17.40 | 137.48 | 52.58 | | | | | | | | |
| | | | | Onivi | ILSINK | 17.40 | 137.40 | 32.36 | | | | | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | OH1, OH1MS | 1L5NL | 0.5753 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | OH1, OH1MS | 1L5NL | 71.29 | 217.17 | 163.75 | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | OH3, OH3MS | 1L5NM | 12.98 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | OH3, OH3MS | 1L5NM | 720.38 | 794.94 | 579.55 | | | | | | | | |
| LOCA | AL CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHM | TEFV2 | 11.24 | 553.80 | 89.69 | | | | | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | OHM | TEFV4 | 12.03 | 562.23 | 92.67 | | <u> </u> | 1 | 1 | | 1 | 1 | 1 |
| | Local Channel - Dedicated - 4-Wire voice Grade per month | 1 | | OH1 | TEFHG | 27.05 | 534.48 | 462.69 | | - | | | | | 1 | - |
| - | 200ai Onamoi - Dedicated - Do i per monti | | | 0111 | 121110 | 21.00 | 337.40 | 40∠.03 | | | | | | 1 | | 1 |
| | Local Channel - Dedicated - DS3 Facility Termination per month | l | | ОН3 | TEFHJ | 298.92 | 438.46 | 256.30 | | 1 | | l | | 1 | | |
| 1.00 | AL INTERCONNECTION MID-SPAN MEET | - | | OHO | IEFFIJ | 290.92 | 430.46 | 230.30 | | | 1 | | | ! | 1 | |
| LOCA | | | | 0114140 | TEELIO | 0.00 | 0.00 | | | 1 | | | - | 1 | 1 | 1 |
| | Local Channel - Dedicated - DS1 per month | <u> </u> | | OH1MS | TEFHG | 0.00 | 0.00 | | | | | | | | ļ | . |
| | Local Channel - Dedicated - DS3 per month | | | OH3MS | TEFHJ | 0.00 | 0.00 | | | | | | | | ļ | |
| MUL | TIPLEXERS | | | | |] | | | | | | <u> </u> | | | ļ | L |
| | Channelization - DS1 to DS0 Channel System | | | OH1, OH1MS | SATN1 | 146.69 | 197.78 | 140.06 | | | | | | | | |
| | DS3 to DS1 Channel System per month | | | OH3, OH3MS | SATNS | 233.10 | 403.97 | 234.40 | | | | | | | | |
| | DS3 Interface Unit (DS1 COCI) per month | | | OH1, OH1MS | SATCO | 16.07 | 13.09 | 9.38 | | | | | | | | |
| | | | | | | | | | | | | | | 1 | 1 | |
| SIGNALING (| | | | | | | | | | | | | | | | |
| SIGNALING (| | | | UDB | TPP6A | 18.22 | 278.02 | 278.02 | | | | | | | | |
| SIGNALING (| CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D | | | UDB | TPP6A | 18.22 | 278.02 | 278.02 | | | | | | | | |

| LOCAL INT | ERCONNECTION - North Carolina | | | | | | | | | | | | Attachment: | 3 | Exhibit: A | |
|-----------|---|-------------|---------|---------------------|---------------|-------------------|------------------|------------------|--------------|------------|-------|-----------------------|-------------|-----------|---|----------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted Manually | Charge - | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Dee | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling CCS7 Signaling Connection-A link, per month | | | UDB UDB | TPP6X | 18.22 18.22 | 278.02 278.02 | 278.02 278.02 | | | | | | | | |
| | | | | UDB | TPP9A | 18.22 | 278.02 | 278.02 | | | | | | | | |
| | CCS7 Signaling Connection-B link(also known as D link) per month | | | UDB | TPP9B | 18.22 | 278.02 | 278.02 | | | | | | | | |
| | CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling | | | UDB | TPP9X | 18.22 | 278.02 | 278.02 | | | | | | | | |
| | CCS7 Signaling Termination, Per STP Port | | | UDB | PT8SX | 132.83 | | | | | | | | | | |
| | CCS7 Signaling Usage, Per ISUP Message | | | | | 0.00004 | | | | | | | | | | |
| | CCS7 Signaling Usage, Per TCAP Message | | | | | 0.00009 | | | | | | | | | | |
| | CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB | STU56 | 338.98 | | | | | | | | | | |
| | CCS7 Signaling Point Code, per Originating Point Code | | | | | | | | | | | | | | | |
| | Establishment or Change, per STP affected | | | UDB | CCAPO | | 40.00 | 40.00 | | | | | | | | |
| | CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected | | | UDB | CCAPD | | 8.00 | 8.00 | | _ | | | | | | |
| Notes: | If no rate is identified in the contract, the rates, terms, and co | ndition | s for t | ne specific service | or function w | ill be as set for | h in applicable | BellSouth tar | iff. | | | | | | | |

Version: 4Q04 Standard ICA

03/16/05

| LOCAL | LINTE | RCONNECTION - South Carolina | | | | | | | | | | | | Attachment: | 3 | Exhibit: A | |
|--|----------|---|-----------|--|---------------------|-----------------|-----------------|-----------------|-----------|--------------|----------|-----------|--|-------------|-------------|--|--|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | | | Incrementa |
| | | | | | | | | | | | | | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | | | | | | |
| CATEC | OBV | RATE ELEMENTS | Interi | Zana | BCS | USOC | | | RATES(\$) | | | Elec | Manually | Manual Svc | Manual Svc | | |
| CATEG | ORT | RATE ELEMENTS | m | Zone | всэ | 0500 | | | KATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | | <u> </u> |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| | | CONNECTION (CALL TRANSPORT AND TERMINATION) | | | | | | | | | | | | | | | |
| | | "bk" beside a rate indicates that the Parties have agreed to bi | ll and k | eep for | that element pursu | uant to the ter | rms and conditi | ons in Attachn | nent 3. | | | | | | | | |
| | TANDE | M SWITCHING | | | | | | | | | | | | | | | |
| | | Tandem Switching Function Per MOU | | | | | 0.0007360bk | | | | | | | | | | |
| | | Multiple Tandem Switching, per MOU (applies to intial tandem | | | | | | | | | | | | | | | |
| | | only) | | | | | 0.000736 | | | | | | | | | | |
| | | Tandem Intermediary Charge, per MOU* | | | | | 0.0025 | | | | | | | | | | |
| | * This c | charge is applicable only to transit traffic and is applied in add | dition to | applio | cable switching and | d/or intercon | nection charges | i. | | | | | | | | | |
| ŀ | | CHARGE | | | · · | | | | | | | | | | | | 1 |
| | | Installation Trunk Side Service - per DS0 | | | OHD | TPP6X | | 21.65 | 8.16 | | İ | | 1 | | | 1 | |
| | | Installation Trunk Side Service - per DS0 | | | OHD | TPP9X | | 21.65 | 8.16 | | | | 1 | | | 1 | |
| | | Dedicated End Office Trunk Port Service-per DS0** | | | OHD | TDEOP | 0.00 | 21.00 | 0.10 | | | | | | | | |
| | | Dedicated End Office Trunk Port Service-per DS1** | | | OH1 OH1MS | TDE1P | 0.00 | | | | | | | | | | + |
| - | | Dedicated Tandem Trunk Port Service-per DS0** | | 1 | OHD | TDWOP | 0.00 | | | | | | 1 | | | 1 | |
| | | Dedicated Tandem Trunk Port Service-per DS0* Dedicated Tandem Trunk Port Service-per DS1** | | | OH1 OH1MS | TDW1P | 0.00 | | | | | 1 | 1 | | | | - |
| | | | ! 4b | | | | | l nata alamanda | | | | | | | | | |
| | | rate element is recovered on a per MOU basis and is included | in the | Ena Or | rice Switching and | randem Swi | cning, per wo | J rate elements | | | | | ļ | | | | |
| | COMM | ON TRANSPORT (Shared) | | | | | 0.000004511 | | | | | | | | | | |
| | | Common Transport - Per Mile, Per MOU | | | | | 0.0000045bk | | | | | | | | | | |
| | | Common Transport - Facilities Termination Per MOU | | | | | 0.0004095bk | | | | | | | | | | ļ |
| | | CONNECTION (DEDICATED TRANSPORT) | | | | | | | | | | | | | | | ļ |
| | INTERC | OFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | |
| | | Per Mile per month | | | OHM | 1L5NF | 0.0167 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | | | | | | | | | | |
| | | Facility Termination per month | | | OHM | 1L5NF | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | | | | | | | | | | | | | |
| | | per month | | | OHM | 1L5NK | 0.0167 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | | | ОНМ | 1L5NK | 16.76 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | | | | | | - | | | | | | | 1 |
| | | per month | | | ОНМ | 1L5NK | 0.0167 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | O | 1201111 | 0.0101 | | | | | 1 | 1 | | | | † |
| | | Termination per month | | | ОНМ | 1L5NK | 16.76 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| | | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | OTTIVI | TEOTHY | 10.70 | 40.00 | 21.41 | 10.77 | 0.01 | | | | | | + |
| | | month | | | OH1, OH1MS | 1L5NL | 0.3415 | | | | | | | | | | |
| - | | | | | OHT, OHTIVIS | ILSINL | 0.3413 | | | | | - | - | | | - | - |
| | | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | OLIA OLIAMO | 41.5811 | 77.44 | 00.47 | 04.00 | 40.00 | 44.40 | | | | | | |
| | | Termination per month | | | OH1, OH1MS | 1L5NL | 77.14 | 89.47 | 81.99 | 16.39 | 14.48 | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | | month | | | OH3, OH3MS | 1L5NM | 8.02 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | | | OH3, OH3MS | 1L5NM | 880.65 | 279.37 | 163.12 | 60.33 | 58.59 | | | | | | |
| | LOCAL | CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHM | TEFV2 | 15.33 | 193.53 | 33.24 | 36.72 | 3.21 | | | | | | 1 |
| | | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | OHM | TEFV4 | 16.54 | 193.97 | 33.68 | 37.19 | 3.68 | | | | | | |
| | | Local Channel - Dedicated - DS1 per month | | | OH1 | TEFHG | 42.62 | 177.87 | 154.06 | 22.24 | 15.30 | | | | | | |
| | | | | | | | | | | | <u> </u> | | | - | | | 1 |
| L | | Local Channel - Dedicated - DS3 Facility Termination per month | L_ | <u></u> | OH3 | TEFHJ | 446.00 | 452.52 | 264.53 | 119.75 | 83.77 | <u></u> | <u> </u> | | | <u> </u> | <u> </u> |
| | LOCAL | INTERCONNECTION MID-SPAN MEET | | | | | | | | | | | | | | | |
| | | Local Channel - Dedicated - DS1 per month | | | OH1MS | TEFHG | 0.00 | 0.00 | | | | | | | | | |
| | | Local Channel - Dedicated - DS3 per month | | | OH3MS | TEFHJ | 0.00 | 0.00 | | | | | | | | | |
| | | PLEXERS | | | | | | | | | | | | | | | |
| | | Channelization - DS1 to DS0 Channel System | | | OH1, OH1MS | SATN1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | | | | | |
| | | DS3 to DS1 Channel System per month | | | OH3, OH3MS | SATNS | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | | | | | | |
| | | DS3 Interface Unit (DS1 COCI) per month | | | OH1, OH1MS | SATCO | 8.64 | 6.59 | 4.73 | 33.30 | 350 | | | | | † | |
| SIGNAL | | | | | O. II, OI IIIVIO | 5,1150 | 0.04 | 0.09 | 7.73 | | | | | | | | |
| SIGNAL | | CCS7 Signaling Termination, Per STP Port | - | | UDB | PT8SX | 163.49 | | | | | | - | | | | |
| 1 | | CCS7 Signaling Termination, Fer STF Fort | | 1 | 000 | 1 100/ | 0.0000692 | | | | - | | | | | - | |
| | | | | | | | | | | | | | | | | | |

| LOCAL INTI | ERCONNECTION - South Carolina | | | | | | | | | | | | Attachment: | 3 | Exhibit: A | |
|------------|---|-------------|---------|-----------------------|---------------|--------------------|-----------------|---------------|--------------|------------|-------|-----------------------|-------------|-----------|---|----------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted Manually | Charge - | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | + | | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | L | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | CCS7 Signaling Connection, Per link (B link) (also known as D link) | | | UDB | TPP6B | 16.93 | 35.61 | 35.61 | 16.48 | 16.48 | | | | | | |
| | CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling | | | UDB | TPP6X | 16.93 | 35.61 | 35.61 | 16.48 | 16.48 | | | | | | |
| | CCS7 Signaling Connection-A link, per month | | | UDB | TPP9A | 16.93 | 35.61 | 35.61 | 16.48 | 16.48 | | | | | | 1 |
| | CCS7 Signaling Connection-B link(also known as D link) per month | | | UDB | TPP9B | 16.93 | 35.61 | 35.61 | 16.48 | 16.48 | | | | | | |
| | CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling | | | UDB | TPP9X | 16.93 | 35.61 | 35.61 | 16.48 | 16.48 | | | | | | |
| | CCS7 Signaling Usage, Per ISUP Message | | | | | 0.0000173 | | | | | | | | | | |
| | CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB | STU56 | 791.37 | | | | | | | | | | |
| | CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected | | | UDB | CCAPO | | 29.08 | 29.08 | 35.65 | 35.65 | | | | | | |
| | CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected | | | UDB | CCAPD | | 29.08 | 29.08 | | 35.65 | | | | | | |
| Notes: | If no rate is identified in the contract, the rates, terms, and co | ndition | s for t | ne specific service o | or function w | ill be as set fort | h in applicable | BellSouth tar | riff. | | | | | | | |

Version: 4Q04 Standard ICA

03/16/05

| LOCAL INT | ERCONNECTION - Tennessee | | | | | • | | | | - | | | Attachment: | 3 | Exhibit: A | |
|--|--|-----------|---------------|---|-----------------|-----------------|-----------------|-----------|--------------|--------|-----------|-----------|-------------|-------------|-------------|--|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | | | Incrementa |
| | | | | | | | | | | | | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | | |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | usoc | | | RATES(\$) | | | | | | | | |
| CATEGORI | RATE ELEMENTS | m | 20116 | B03 | 0300 | | | KATES(4) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | <u></u> |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | RCONNECTION (CALL TRANSPORT AND TERMINATION) | | | | | | | | | | | | | | | |
| NOTE | : "bk" beside a rate indicates that the Parties have agreed to bi | ll and ke | eep for | that element pursu | uant to the ter | rms and conditi | ions in Attachm | ent 3. | | | | | | | | |
| TAND | EM SWITCHING | | | | | | | | | | | | | | | |
| | Tandem Switching Function Per MOU | | | | | 0.0009778bk | | | | | | | | | | |
| | Multiple Tandem Switching, per MOU (applies to intial tandem | | | | | | | | | | | | | | | |
| | only) | | | | | 0.0009778 | | | | | | | | | | |
| | Tandem Intermediary Charge, per MOU* | | | | | 0.0025 | | | | | | | | | | |
| * Thic | charge is applicable only to transit traffic and is applied in add | dition to | annli | able ewitching an | d/or intercent | | | | | | 1 | 1 | | | | - |
| | | illion to | арріі | able Switching and | u/or interconi | lection charges | ». | | | | | | | | | |
| IKUN | K CHARGE | | | OLID | TDDOV | 1 | 04.50 | 0.00 | | - | 1 | 1 | | 1 | 1 | |
| | Installation Trunk Side Service - per DS0 | <u> </u> | | OHD | TPP6X | ļ | 21.59 | 8.09 | | | | ļ | | | | ↓ |
| | Installation Trunk Side Service - per DS0 | <u> </u> | | OHD | TPP9X | | 21.59 | 8.09 | | | | ļ | | | | <u> </u> |
| | Dedicated End Office Trunk Port Service-per DS0** | <u> </u> | <u> </u> | OHD | TDEOP | 0.00 | | | | | 1 | | | | | |
| | Dedicated End Office Trunk Port Service-per DS1** | | | OH1 OH1MS | TDE1P | 0.00 | | | | | | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS0** | | | OHD | TDWOP | 0.00 | | | | | | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS1** | | | OH1 OH1MS | TDW1P | 0.00 | | | | | | | | | | |
| ** Thi | s rate element is recovered on a per MOU basis and is included | in the | End Of | fice Switching and | Tandem Swi | tching, per MO | J rate elements | | | | | | | | | |
| | MON TRANSPORT (Shared) | | | • | | 3,1 | | | | | | | | | | |
| | Common Transport - Per Mile, Per MOU | | 1 | | | 0.0000064bk | | | | | | | | | | |
| | Common Transport - Facilities Termination Per MOU | | | | | 0.0003871bk | | | | | | | | | | + |
| LOCAL INTE | RCONNECTION (DEDICATED TRANSPORT) | | | | + | 0.000367 TDK | | | | | | - | | | | - |
| | | | | | | | | | | | | | | | | |
| INTE | ROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | ļ |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Per Mile per month | | | OHM | 1L5NF | 0.0174 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Facility Termination per month | | | OHM | 1L5NF | 18.58 | 55.39 | 17.37 | 27.96 | 3.51 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | | | | | | | | | | | | | |
| | per month | | | OHM | 1L5NK | 0.0174 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | ОНМ | 1L5NK | 17.98 | 55.39 | 17.37 | 27.96 | 3.51 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | OT IIVI | ILSINIC | 17.30 | 33.33 | 17.57 | 21.30 | 5.51 | | | | | | + |
| | | | | ОНМ | 1L5NK | 0.0174 | | | | | | | | | | |
| | per month | | | OHIVI | ILDINK | 0.0174 | | | | | | ļ | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | OHM | 1L5NK | 17.98 | 55.39 | 17.37 | 27.96 | 3.51 | | | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | OH1, OH1MS | 1L5NL | 0.3562 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | OH1, OH1MS | 1L5NL | 77.86 | 112.40 | 76.27 | 19.55 | 14.99 | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | , | | | | | | | | | | | | 1 |
| | month | | | OH3, OH3MS | 1L5NM | 2.34 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | OTTO, OTTOMO | ILOIVIVI | 2.04 | | | | | | | | | | |
| | Termination per month | | | OH3, OH3MS | 1L5NM | 848.99 | 395.29 | 176.56 | 109.04 | 105.91 | | | | | | |
| 1.004 | | | | Una, Unaivia | ILSINIVI | 040.99 | 393.29 | 176.56 | 109.04 | 105.91 | | | | | | |
| LOCA | L CHANNEL - DEDICATED TRANSPORT | . | | OUM | TEE\ /o | 15.00 | 400.00 | 01.10 | E 1 0 1 | 1.00 | | 1 | 1 | | | |
| $oxed{oxed}$ | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHM | TEFV2 | 15.29 | 199.33 | 24.16 | 54.81 | 4.80 | | | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | OHM | TEFV4 | 16.18 | 201.53 | 24.83 | 55.52 | 5.51 | 1 | 1 |] | | | 1 |
| | Local Channel - Dedicated - DS1 per month | | | OH1 | TEFHG | 32.25 | 277.35 | 233.26 | 33.18 | 22.30 | | | | | | |
| | | | | - | | | | | | | | | | | | |
| 1 | Local Channel - Dedicated - DS3 Facility Termination per month | l | l | OH3 | TEFHJ | 611.30 | 595.37 | 304.50 | 215.82 | 151.15 | | | 1 | 1 | 1 | 1 |
| LOCA | L INTERCONNECTION MID-SPAN MEET | | | | | | i i | | | | | | | | | |
| | Local Channel - Dedicated - DS1 per month | | | OH1MS | TEFHG | 0.00 | 0.00 | | | İ | | 1 | İ | İ | İ | |
| | Local Channel - Dedicated - DS3 per month | | | OH3MS | TEFHJ | 0.00 | 0.00 | | | | 1 | 1 | | 1 | 1 | † |
| MILL | IPLEXERS | | - | C. 101VIC | 121110 | 0.00 | 0.00 | | | | | 1 | | | | + |
| IVIULI | Channelization - DS1 to DS0 Channel System | - | - | OH1, OH1MS | SATN1 | 80.77 | 141.87 | 77.11 | 14.51 | 13.46 | 1 | ! | | - | - | |
| | | | | | | | | | | | 1 | 1 | | 1 | 1 | |
| | DS3 to DS1 Channel System per month | <u> </u> | | OH3, OH3MS | SATNS | 222.98 | 308.03 | 108.47 | 44.47 | 42.62 | | ļ | | | | |
| | DS3 Interface Unit (DS1 COCI) per month | | | OH1, OH1MS | SATCO | 17.58 | 6.07 | 4.66 | | | ļ | ļ | | | | |
| SIGNALING (| | ļ | <u> </u> | | | | | | | | | L | | | | 1 |
| I | CCS7 Signaling Termination, Per STP Port | | L | UDB | PT8SX | 138.41 | | | | | | | L | | | |
| | CCS7 Signaling Usage, Per TCAP Message | | | | | 0.0000916 | | | | | | | | | | |
| | CCS7 Signaling Connection, Per link (A link) | | | UDB | TPP6A | 17.84 | 130.84 | 130.84 | | | 1 | 1 | 20.35 | 20.35 | 13.32 | 13.3 |

| LOG, L IIII L | RCONNECTION - Tennessee | | | | | | | | | | | | Attachment: | 3 | Exhibit: A | |
|---------------|---|-------------|------|-----|-------|-----------|--------------|-----------|--------------|------------|-------|-----------------------|-------------|-----------|------------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted Manually | Charge - | Charge - | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | CCS7 Signaling Connection, Per link (B link) (also known as D link) | | | UDB | TPP6B | 17.84 | 130.84 | 130.84 | | | | | 20.35 | 20.35 | 13.32 | 13.32 |
| | CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling | | | UDB | TPP6X | 17.84 | 130.84 | 130.84 | | | | | 20.35 | 20.35 | 13.32 | 13.32 |
| | CCS7 Signaling Connection-A link, per month | | | UDB | TPP9A | 17.84 | 130.84 | 130.84 | | | | | 20.35 | 20.35 | 13.32 | 13.32 |
| | CCS7 Signaling Connection-B link(also known as D link) per month | | | UDB | TPP9B | 17.84 | 130.84 | 130.84 | | | | | 20.35 | 20.35 | 13.32 | 13.32 |
| | CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling | | | UDB | TPP9X | 17.84 | 130.84 | 130.84 | | | | | 20.35 | 20.35 | 13.32 | 13.32 |
| | CCS7 Signaling Usage, Per ISUP Message | | | | | 0.0000373 | | | | | | | | | | |
| | CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB | STU56 | 352.30 | | | | | | | | | | |
| | Signaling Point Code, per Originating Point Code Establishment or Change, per STP If no rate is identified in the contract, the rates, terms, and co | | | UDB | CCAPO | | 121.77 | 121.77 | | | | | 20.35 | 20.35 | 13.32 | 13.32 |

Version: 4Q04 Standard ICA

03/16/05

Attachment 4

Central Office Collocation

CENTRAL OFFICE COLLOCATION TABLE OF CONTENTS

- 1. Scope of Attachment
 - 1.1 BellSouth Premises
 - 1.2. Right to Occupy
 - 1.3. Space Allocation
 - 1.4. Transfer of Collocation Space
 - **1.5.** Space Reclamation
 - 1.6. Use of Space
 - 1.7. Rates and Charges
 - 1.8. Due Dates
 - 1.9. Compliance
- 2. Space Availability Report
 - 2.1. Optional Space Availability Report
- 3. Collocation Options
 - 3.1. Cageless Collocation
 - 3.2. Caged Collocation
 - 3.3. Shared Caged Collocation
 - 3.4. Adjacent Collocation
 - 3.5. Direct Connect
 - 3.6. Co-Carrier Cross Connect
- 4. Occupancy
 - 4.1. Space Ready Notification
 - 4.2. Acceptance Walk Through
 - 4.3. Early Space Acceptance
 - **4.4.** Termination of Occupancy
- 5. Use of Collocation Space
 - **5.1.** Equipment Type
 - **5.2.** Terminations
 - 5.3. Security Interest in Equipment
 - 5.4. No Marketing
 - 5.5. Equipment Identification
 - 5.6. Entrance Facilities
 - **5.7.** Dual Entrance Facilities
 - **5.8.** Shared Use
 - **5.9.** Demarcation Point
 - 5.10. Equipment and Facilities
 - 5.11. BellSouth's Access to Collocation Space

Version: 4Q04 Standard ICA

01/12/05

CENTRAL OFFICE COLLOCATION TABLE OF CONTENTS (Cont'd.)

- 5.12. Customer's Access
- **5.13.** Interference or Impairment
- 5.14. Personalty and Its Removal
- 5.15. Alterations
- 5.16. Janitorial Service

6. Ordering and Preparation of Collocation Space

- 6.1. Initial Application
- **6.2.** Subsequent Application
- **6.3.** Space Preferences
- **6.4.** Space Availability Notification
- **6.5.** Denial of Application
- 6.6. Petition for Waiver
- 6.7. Waiting List
- 6.8. Public Notification
- **6.9.** Application Response
- **6.10.** Application Modifications
- 6.11. Bona Fide Firm Order

7. Construction and Provisioning

- 7.1 Construction and Provisioning Intervals
- 7.2. Joint Planning
- 7.3. Permits
- 7.4. Circuit Facility Assignments
- 7.5. Use of BellSouth Certified Supplier
- 7.6 Alarms and Monitoring
- 7.7. Virtual to Physical Relocation
- 7.8 Virtual to Physical Conversion (In Place)
- 7.9. Cancellation
- 7.10. Licenses
- 7.11. Environmental Compliance

8. Rates and Charges

- **8.1.** Rates
- 8.2. Application Fees
- 8.3. Recurring Charges
- **8.4.** Non-Recurring Charges
- 8.5. Space Preparation
- 8.6. Floor Space
- 8.7 Power

Version: 4Q04 Standard ICA

01/12/05

CENTRAL OFFICE COLLOCATION TABLE OF CONTENTS (Cont'd.)

- 8.8 Cable Installation
- 8.9 Cable Records
- 8.10 Security Escort
- **8.11** Other
- 9. Insurance
- 10. Mechanics Lien
- 11. Inspections
- 12. Security and Safety Requirements
- 13. Destruction of Collocation Space
- 14. Eminent Domain
- 15. Nonexclusivity

EXHIBIT A ENVIRONMENTAL AND SAFETY PRINCIPLES EXHIBIT B RATES

BELLSOUTH

CENTRAL OFFICE COLLOCATION

1. Scope of Attachment

- 1.1 BellSouth Premises. The rates, terms, and conditions contained within this Attachment shall only apply when REDSQUARE is physically collocated as a sole occupant or as a Host within a BellSouth Premises pursuant to this Attachment. BellSouth Premises, as defined in this Attachment, includes BellSouth Central Offices and Serving Wire Centers (hereinafter "BellSouth Premises"). This Attachment is applicable to BellSouth Premises owned or leased by BellSouth. If the BellSouth Premises occupied by BellSouth is leased by BellSouth from a third party or otherwise controlled by a third party, special considerations and/or intervals may apply in addition to the terms and conditions contained in this Attachment.
- Right to Occupy. BellSouth shall offer to REDSQUARE collocation on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the FCC. Subject to the rates, terms and conditions of this Attachment, where space is available and it is technically feasible, BellSouth will allow REDSQUARE to occupy a certain area designated by BellSouth within a BellSouth Premises, or on BellSouth property upon which the BellSouth Premises is located, of a size which is specified by REDSQUARE and agreed to by BellSouth (hereinafter "Collocation Space"). The necessary rates, terms and conditions for a premises as defined by the FCC, other than BellSouth Premises, shall be negotiated upon reasonable request for collocation at such premises.
- 1.2.1 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth in this Attachment.
- 1.2.1.1 In all states other than Florida, the size specified by REDSQUARE may contemplate a request for space sufficient to accommodate REDSQUARE's growth within a twenty-four (24) month period.
- 1.2.1.2 In the state of Florida, the size specified by REDSQUARE may contemplate a request for space sufficient to accommodate REDSQUARE's growth within an eighteen (18) month period.
- 1.3 <u>Space Allocation.</u> BellSouth shall assign REDSQUARE Collocation Space that utilizes existing infrastructure (e.g., heating, ventilation, air conditioning (HVAC), lighting and available power), if such space is available for collocation. Otherwise, BellSouth shall attempt to accommodate REDSQUARE's requested space preferences, if any, including the provision of contiguous space for any subsequent request for collocation. In allocating Collocation Space, BellSouth shall not materially

increase REDSQUARE's cost or materially delay REDSQUARE's occupation and use of the Collocation Space, assign Collocation Space that will impair the quality of service or otherwise limit the service REDSQUARE wishes to offer, reduce unreasonably the total space available for physical collocation or preclude reasonable physical collocation within the BellSouth Premises. Space shall not be available for collocation if it is: (a) physically occupied by non-obsolete equipment; (b) assigned to another collocated telecommunications carrier; (c) used to provide physical access to occupied space; (d) used to enable technicians to work on equipment located within occupied space; (e) properly reserved for future use, either by BellSouth or another collocated telecommunications carrier; or (f) essential for the administration and proper functioning of the BellSouth Premises. BellSouth may segregate Collocation Space and require separate entrances for collocated telecommunications carriers to access their Collocation Space, pursuant to FCC Rules.

- 1.4 <u>Transfer of Collocation Space.</u> REDSQUARE shall be allowed to transfer Collocation Space to another CLEC under the following conditions: (1) the central office is not at or near space exhaustion; (2) the transfer of space shall be contingent upon BellSouth's approval, which will not be unreasonably withheld; (3) REDSQUARE has no unpaid, undisputed collocation charges; and (4) the transfer of the Collocation Space is in conjunction with REDSQUARE's sale of all, or substantially all, of the inplace collocation equipment to the same CLEC.
- 1.4.1 The responsibilities of REDSQUARE shall include: (1) submitting a letter of authorization to BellSouth for the transfer; (2) entering into a transfer agreement with BellSouth and the acquiring CLEC; and (3) returning all Security Access Devices to BellSouth. The responsibilities of the acquiring CLEC shall include: (1) submitting an application to BellSouth for the transfer of the Collocation Space; (2) satisfying all requirements of its interconnection agreement with BellSouth; (3) submitting a letter to BellSouth for the assumption of services; and (4) entering into a transfer agreement with BellSouth and REDSQUARE.
- 1.4.2 In conjunction with a transfer of Collocation Space, any services associated with the Collocation Space shall be transferred pursuant to separately negotiated rates, terms and conditions.
- 1.5 <u>Space Reclamation.</u> In the event of space exhaust within a BellSouth Premises, BellSouth may include in its documentation for the Petition for Waiver filed with the Commission, any unutilized space in the BellSouth Premises. REDSQUARE will be responsible for the justification of unutilized space within its Collocation Space, if the Commission requires such justification.
- 1.5.1 BellSouth may reclaim unused Collocation Space when a BellSouth central office is at, or near, space exhaustion and REDSQUARE cannot demonstrate that REDSQUARE will utilize the Collocation Space within a reasonable time. In the event of space

exhaust or near exhaust within a BellSouth Premises, BellSouth will provide written notice to REDSQUARE requesting that REDSQUARE release non-utilized Collocation Space to BellSouth, when 100 percent of the Collocation Space in REDSQUARE's collocation arrangement is not being utilized.

Within twenty (20) days of receipt of written notification from BellSouth, REDSQUARE shall either: (1) return the non-utilized Collocation Space to BellSouth, in which case REDSQUARE shall be relieved of all obligations for charges associated with that portion of the Collocation Space applicable from the date the Collocation Space is returned to BellSouth; or (2) for all states, with the exception of Florida, provide BellSouth with information demonstrating that the Collocation Space will be utilized within twenty-four (24) months from the date REDSQUARE accepted the Collocation Space (Acceptance Date) from BellSouth. For Florida, REDSQUARE shall provide information to BellSouth demonstrating that the Collocation Space will be utilized within eighteen (18) months from the Acceptance Date.

Disputes concerning BellSouth's claim of central office space exhaust, or near exhaust, or REDSQUARE's refusal to return requested Collocation Space should be resolved by BellSouth and REDSQUARE pursuant to the Dispute Resolution language contained in this Agreement.

- 1.6 <u>Use of Space.</u> REDSQUARE shall use the Collocation Space for the purpose of installing, maintaining and operating REDSQUARE's equipment (which may include testing and monitoring equipment) necessary for interconnection with BellSouth's services/facilities or for accessing BellSouth's unbundled network elements for the provision of telecommunications services, as specifically set forth in this Agreement. The Collocation Space assigned to REDSQUARE may not be used for any purposes other than as specifically described herein or in any amendment hereto.
- 1.7 <u>Rates and Charges.</u> REDSQUARE agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 1.8 <u>Due Dates.</u> If any due date contained in this Attachment falls on a weekend or a national holiday, then the due date will be the next business day thereafter. For intervals of ten (10) days or less, national holidays will be excluded. For purposes of this Attachment, national holidays include the following: New Year's Day, Martin Luther King, Jr. Day, President's Day (Washington's Birthday), Memorial Day, Independence Day, Labor Day, Columbus Day, Veteran's Day, Thanksgiving Day, and Christmas Day.
- 1.9 <u>Compliance.</u> Subject to Section 24 of the General Terms and Conditions of this Agreement, the Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

2. Optional Space Availability Report

- Upon request from REDSQUARE and at REDSQUARE's expense, BellSouth will provide a written report (Space Availability Report) describing in detail the space that is currently available for collocation at a particular BellSouth Premises. This report will include the amount of Collocation Space available at the BellSouth Premises requested, the number of collocators present at the BellSouth Premises, any modifications in the use of the space since the last report on the BellSouth Premises requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the BellSouth Premises for which the Space Availability Report was requested by REDSQUARE.
- 2.1.1 The request from REDSQUARE for a Space Availability Report must be in writing and include the BellSouth Premises street address, as identified in the Local Exchange Routing Guide (LERG), and the Common Language Location Identification (CLLI) code for the BellSouth Premises requested. CLLI code information is located in the National Exchange Carrier Association (NECA) Tariff FCC No. 4.
- BellSouth will respond to a request for a Space Availability Report for a particular BellSouth Premises within ten (10) days of the receipt of such request. BellSouth will make commercially reasonable efforts to respond in ten (10) days to a Space Availability Report request when the request includes from two (2) to five (5) BellSouth Premises within the same state. The response time for Space Availability Report requests of more than five (5) BellSouth Premises, whether the request is for the same state or for two or more states within the BellSouth Region, shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) day response time, BellSouth shall notify REDSQUARE and inform REDSQUARE of the timeframe under which it can respond.

3. <u>Collocation Options</u>

3.1 Cageless Collocation. BellSouth shall allow REDSQUARE to collocate REDSQUARE's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow REDSQUARE to have direct access to REDSQUARE's equipment and facilities in accordance with Section 5.12. BellSouth shall make cageless collocation available in single bay increments. Except where REDSQUARE's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), BellSouth shall assign cageless Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, REDSQUARE must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment.

- 3.2 Caged Collocation. BellSouth will make caged Collocation Space available in fifty (50) square foot increments. At REDSQUARE's option and expense, REDSQUARE will arrange with a Supplier certified by BellSouth (BellSouth Certified Supplier) to construct a collocation arrangement enclosure in accordance with BellSouth's specifications for a wire mesh enclosure prior to starting equipment installation. Where local building codes require enclosure specifications more stringent than BellSouth's wire mesh enclosure specifications, REDSQUARE and REDSQUARE's BellSouth Certified Supplier must comply with the more stringent local building code requirements. REDSQUARE's BellSouth Certified Supplier shall be responsible for filing and obtaining any and all necessary permits and/or licenses for such construction. BellSouth or BellSouth's designated agent or contractor shall provide, at REDSOUARE's expense, documentation, which may include existing building architectural drawings, enclosure drawings, specifications, etc., necessary for REDSQUARE's BellSouth Certified Supplier to obtain all necessary permits and/or other licenses. REDSQUARE's BellSouth Certified Supplier shall bill REDSQUARE directly for all work performed for REDSQUARE. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by REDSQUARE's BellSouth Certified Supplier. REDSQUARE must provide the local BellSouth Central Office Building Contact with two (2) Access Keys that will allow entry into the locked enclosure. Except in the case of an emergency, BellSouth will not access REDSQUARE's locked enclosure prior to notifying REDSQUARE at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to REDSQUARE's Collocation Space is required. Upon request, BellSouth shall construct the enclosure for REDSQUARE.
- 3.2.1 In the event REDSQUARE's BellSouth Certified Supplier will construct the collocation arrangement enclosure, BellSouth may elect to review REDSQUARE's plans and specifications, prior to allowing the construction to start, to ensure compliance with BellSouth's wire mesh enclosure specifications. BellSouth will notify REDSOUARE of its desire to conduct this review in BellSouth's Application Response, as defined herein, to REDSQUARE's Initial Application. If REDSQUARE's Initial Application does not indicate its desire to construct its own enclosure and REDSQUARE subsequently decides to construct its own enclosure prior to BellSouth's Application Response, then REDSQUARE will resubmit its Initial Application, indicating its desire to construct its own enclosure. If REDSQUARE subsequently decides to construct its own enclosure after the bona fide firm order (hereinafter "BFFO") has been accepted by BellSouth, REDSQUARE will submit a Subsequent Application, as defined in Section 6.2 of this Attachment. If BellSouth elects to review REDSQUARE's plans and specifications, then BellSouth will provide notification to REDSQUARE within ten (10) days after the Initial Application BFFO date or, if a Subsequent Application is submitted as set forth in the preceding sentence, then the Subsequent Application BFFO date. BellSouth shall complete its review within fifteen (15) days after BellSouth's receipt of

REDSQUARE's plans and specifications. Regardless of whether or not BellSouth elects to review REDSQUARE's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction has been completed to ensure that it is constructed according to REDSQUARE's submitted plans and specifications and/or BellSouth's wire mesh enclosure specifications, as applicable. If BellSouth decides to inspect the constructed Collocation Space, BellSouth will complete its inspection within fifteen (15) days after receipt of REDSQUARE's written notification that the enclosure has been completed. Within seven (7) days after BellSouth has completed its inspection of REDSQUARE's caged Collocation Space BellSouth shall require REDSQUARE, at REDSQUARE's expense, to remove or correct any structure that does not meet REDSQUARE's plans and specifications or BellSouth's wire mesh enclosure specifications, as applicable.

- 3.3 Shared Caged Collocation. REDSQUARE may allow other telecommunications carriers to share REDSQUARE's caged Collocation Space, pursuant to the terms and conditions agreed to by REDSQUARE (Host) and the other telecommunications carriers (Guests) contained in this Section, except where the BellSouth Premises is located within a leased space and BellSouth is prohibited by said lease from offering such an option to REDSQUARE. BellSouth shall be notified in writing by REDSQUARE upon the execution of any agreement between the Host and its Guest(s) prior to the submission of an application. Further, such notification shall include the name of the Guest(s), the term of the agreement, and a certification by REDSQUARE that said agreement imposes upon the Guest(s) the same terms and conditions for Collocation Space as set forth in this Attachment between BellSouth and REDSQUARE. The term of the agreement between the Host and its Guest(s) shall not exceed the term of this Agreement between BellSouth and REDSQUARE.
- 3.3.1 REDSQUARE, as the Host, shall be the sole interface and responsible Party to BellSouth for the assessment and billing of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest(s), its employees and agents. BellSouth shall provide REDSQUARE with a pro-ration of the costs of the Collocation Space based on the number of collocators and the space used by each. There will be a minimum charge of one (1) bay/rack per Host/Guest. In addition to the above, for all states other than Florida, REDSQUARE shall be the responsible Party to BellSouth for the purpose of submitting applications for initial and additional equipment placement for the Guest(s). In Florida, the Guest(s) may submit its own Initial Application and Subsequent Applications for equipment placement using the Host's Access Carrier Name Abbreviation (ACNA). A separate Guest application shall result in the assessment of an Initial Application Fee or a Subsequent Application Fee, as set forth in Exhibit B, which will be billed to the Host on the date that BellSouth provides its written Application Response to the Guest(s) Bona Fide application.

- 3.3.2 Notwithstanding the foregoing, the Guest(s) may submit service orders directly to BellSouth to request the provisioning of interconnecting facilities between BellSouth and the Guest(s), the provisioning of services, and/or access to Network Elements. The bill for these interconnecting facilities, services and Network Elements will be charged to the Guest(s) pursuant to the applicable BellSouth Tariff or the Guest's Interconnection Agreement with BellSouth.
- 3.3.3 REDSQUARE shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of REDSQUARE's Guest(s) in the Collocation Space, except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will permit an adjacent collocation arrangement (Adjacent Arrangement) on BellSouth Premises' property only when space within the requested BellSouth Premises is legitimately exhausted and where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the BellSouth Premises' property. An Adjacent Arrangement shall be constructed or procured by REDSQUARE or REDSQUARE's BellSouth Certified Supplier and must be in conformance with the provisions of BellSouth's design and construction specifications. Further, REDSQUARE shall construct, procure, maintain and operate said Adjacent Arrangement pursuant to all of the applicable rates, terms and conditions set forth in this Attachment.
- 3.4.1 If REDSQUARE requests Adjacent Collocation, pursuant to the conditions stated in 3.4 above, REDSQUARE must arrange with a BellSouth Certified Supplier to construct or procure the Adjacent Arrangement structure in accordance with BellSouth's specifications. BellSouth will provide the appropriate specifications upon request. Where local building codes require specifications more stringent than BellSouth's own specifications, REDSQUARE and REDSQUARE's BellSouth Certified Supplier shall comply with the more stringent local building code requirements. REDSQUARE's BellSouth Certified Supplier shall be responsible for filing and obtaining any and all necessary zoning, permits and/or licenses for such construction. REDSOUARE's BellSouth Certified Supplier shall bill REDSOUARE directly for all work performed for REDSQUARE to comply with this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by REDSQUARE's BellSouth Certified Supplier. REDSQUARE must provide the local BellSouth Central Office Building Contact with two (2) cards, keys or other access devices used to gain entry into the locked enclosure. Except in the case of an emergency, BellSouth will not access REDSQUARE's locked enclosure prior to notifying REDSQUARE at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the Collocation Space is required.

- 3.4.2 REDSQUARE must submit its Adjacent Arrangement construction plans and specifications to BellSouth when it places its Firm Order. BellSouth shall review REDSQUARE's plans and specifications prior to the construction of an Adjacent Arrangement to ensure REDSQUARE's compliance with BellSouth's specifications. BellSouth shall complete its review within fifteen (15) days after receipt of the plans and specifications from REDSOUARE for the Adjacent Arrangement. BellSouth may inspect the Adjacent Arrangement during and after construction is completed to ensure that it is constructed according to REDSQUARE's submitted plans and specifications. If BellSouth decides to inspect the completed Adjacent Arrangement, BellSouth will complete its inspection within fifteen (15) days after receipt of REDSQUARE's written notification that the Adjacent Arrangement has been completed. Within seven (7) days after BellSouth has completed its inspection of REDSQUARE's Adjacent Arrangement, BellSouth shall require REDSOUARE, at REDSOUARE's expense, to remove or correct any structure that does not meet its submitted plans and specifications or BellSouth's specifications, as applicable.
- 3.4.3 REDSQUARE shall provide a concrete pad, the structure housing the Adjacent Arrangement, HVAC, lighting, and all of the facilities that are required to connect the structure (i.e., racking, conduits, etc.) to the BellSouth point of demarcation. At REDSOUARE's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical Collocation services and facilities, subject to the same nondiscriminatory requirements as those applicable to any other physical Collocation arrangement. In Alabama and Louisiana, at REDSQUARE's request and expense, BellSouth will provide DC power to an Adjacent Collocation site where technically feasible, as that term has been defined by the FCC, and in accordance with applicable law. BellSouth will provide DC power in an Adjacent Arrangement provided that such provisioning can be done in compliance with the National Electric Code (NEC), all safety and building codes, and any local codes, such as, but not limited to, local zoning codes, and upon completion of negotiations between the Parties on the applicable rates and provisioning intervals. REDSOUARE will pay for any and all DC power construction and provisioning costs to an Adjacent Arrangement through individual case basis (ICB) pricing that must be paid as follows: fifty percent (50%) before the DC installation work begins and fifty percent (50%) at completion of the DC installation work to the Adjacent Arrangement. REDSQUARE's BellSouth Certified Supplier shall be responsible, at REDSQUARE's sole expense, for filing the required documentation to obtain any and all necessary permits and/or licenses for an Adjacent Arrangement. BellSouth shall allow Shared Caged Collocation within an Adjacent Arrangement, pursuant to the terms and conditions set forth in Section 3.3 above.
- 3.5 <u>Direct Connect.</u> BellSouth will permit REDSQUARE to directly interconnect between its own physical/virtual Collocation Spaces within the same BellSouth central office (Direct Connect). REDSQUARE shall contract with a BellSouth Certified Supplier to place the Direct Connect, which shall be provisioned using facilities owned

by REDSQUARE. A Direct Connect shall utilize BellSouth common cable support structure. There will be a recurring charge per linear foot, per cable, of the actual common cable support structure used by REDSQUARE to provision the Direct Connect between its physical/virtual Collocation Spaces. In those instances where REDSQUARE's physical/virtual Collocation Spaces are contiguous in the central office, REDSQUARE will have the option of using REDSQUARE's own technicians to deploy the Direct Connect using either electrical or optical facilities between its Collocation Spaces by constructing its own dedicated cable support structure. REDSQUARE will deploy such electrical or optical connections directly between its own equipment without being routed through BellSouth's equipment or common cable support structure. REDSQUARE may not self-provision a Direct Connect on any BellSouth distribution frame, POT (Point of Termination) Bay, DSX (Digital System Cross-Connect) panel or LGX (Light Guide Cross-Connect) panel. REDSQUARE is solely responsible for ensuring the integrity of the signal.

- 3.5.1 To place an order for a Direct Connect, REDSQUARE must submit an Initial Application or Subsequent Application to BellSouth. If no modification to the Collocation Space is requested other than the placement of a Direct Connect, the Co-Carrier Cross Connect/Direct Connect Application Fee for Direct Connect, as defined in Exhibit B, will apply. If other modifications are requested, in addition to the placement of a Direct Connect, either an Initial Application Fee or a Subsequent Application Fee will apply, pursuant to Section 6.2 of this Attachment. BellSouth will bill this nonrecurring charge on the date that BellSouth provides an Application Response to REDSQUARE.
- 3.6 Co-Carrier Cross Connect. A Co-Carrier Cross Connect (CCXC) is a cross connection between REDSQUARE and another collocated telecommunications carrier, other than BellSouth, in the same BellSouth Premises. Where technically feasible, BellSouth will permit REDSQUARE to interconnect between its Collocation Space(s) and the physical/virtual collocation space(s) of another collocated telecommunications carrier(s) within the same BellSouth Premises via a CCXC, pursuant to the FCC's Rules. The other collocated telecommunications carrier's agreement must also contain CCXC rates, terms and conditions before BellSouth will permit the provisioning of a CCXC between the two collocated carriers. The applicable BellSouth charges will be assessed to REDSQUARE upon REDSQUARE's request for the CCXC. REDSQUARE is prohibited from using the Collocation Space for the sole or primary purpose of cross-connecting to other collocated telecommunications carriers.
- 3.6.1 REDSQUARE must contract with a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned using facilities owned by REDSQUARE. Such cross-connections to other collocated telecommunications carriers may be made using either electrical or optical facilities. REDSQUARE shall be responsible for providing a letter of authorization (LOA), with the application, to BellSouth from the other collocated

telecommunications carrier to which it will be cross-connecting. The CCXC shall utilize BellSouth common cable support structure. There will be a recurring charge per linear foot, per cable, of the common cable support structure used by REDSQUARE to provision the CCXC to the other collocated telecommunications carrier. In those instances where REDSQUARE's equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged Collocation Space, REDSQUARE may use its own technicians to install the CCXC using either electrical or optical facilities between the equipment of both collocated telecommunications carriers by constructing a dedicated cable support structure between the two contiguous cages. REDSQUARE shall deploy such electrical or optical cross-connections directly between its own equipment and the equipment of the other collocated telecommunications carrier without being routed through BellSouth's equipment or, in the case of a CCXC provisioned between contiguous collocation spaces, common cable support structure. REDSQUARE shall not provision CCXC on any BellSouth distribution frame, POT Bay, DSX panel or LGX panel. REDSQUARE is solely responsible for ensuring the integrity of the signal.

3.6.2 To place an order for a CCXC, REDSQUARE must submit an application to BellSouth. If no modification to the Collocation Space is requested other than the placement of a CCXC, the Co-Carrier Cross Connect/Direct Connect Application Fee for a CCXC, as defined in Exhibit B, will apply. If other modifications are requested, in addition to the placement of a CCXC, either an Initial Application or a Subsequent Application Fee will apply, pursuant to Section 6.2 of this Attachment. BellSouth will bill this nonrecurring charge on the date that it provides an Application Response to REDSQUARE.

4. Occupancy

- 4.1 <u>Space Ready Notification.</u> BellSouth will notify REDSQUARE in writing when the Collocation Space is ready for occupancy (Space Ready Date).
- 4.2 Acceptance Walk Through. REDSQUARE will schedule and complete an acceptance walkthrough of new or additional provisioned Collocation Space with BellSouth within fifteen (15) days after the Space Ready Date. BellSouth will correct any identified deviations from REDSQUARE's original or jointly amended application within seven (7) days after the walkthrough, unless the Parties mutually agree upon a different time frame. BellSouth will then establish a new Space Ready Date. Another acceptance walkthrough will be scheduled and conducted within fifteen (15) days after the new Space Ready Date. This follow-up acceptance walkthrough will be limited to only those deviations identified in the initial walkthrough. If REDSQUARE completes its acceptance walkthrough within the fifteen (15) day interval associated with the applicable Space Ready Date, billing will begin upon the date of REDSQUARE's acceptance of the Collocation Space (Space Acceptance Date). In the event REDSQUARE fails to complete an acceptance walkthrough within the fifteen (15) day

interval associated with the applicable Space Ready Date, the Collocation Space shall be deemed accepted by REDSQUARE on the Space Ready Date and billing will commence from that date.

- 4.3 <u>Early Space Acceptance.</u> If REDSQUARE decides to occupy the Collocation Space prior to the Space Ready Date, the date REDSQUARE occupies the space is deemed the Space Acceptance Date and billing will begin from that date. REDSQUARE must notify BellSouth in writing that its collocation equipment installation is complete. REDSQUARE's collocation equipment installation is complete, which is when REDSQUARE's equipment has been cross-connected to BellSouth's network for the purpose of provisioning telecommunication services to REDSQUARE's customers. BellSouth may, at its discretion, refuse to accept any orders for cross-connects until it has received such notice from REDSQUARE.
- 4.4 Termination of Occupancy. In addition to any other provisions addressing termination of occupancy in this Agreement, REDSQUARE may terminate its occupancy of a particular Collocation Space by submitting a Subsequent Application requesting termination of occupancy for such Collocation Space. Such termination shall be effective upon BellSouth's acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date that REDSQUARE and BellSouth conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that REDSQUARE signs off on the Space Relinquishment Form and sends this form to BellSouth, provided no discrepancies are found during BellSouth's subsequent inspection of the terminated space. If the subsequent inspection by BellSouth reveals any discrepancies, billing will cease on the date that BellSouth and REDSQUARE jointly conduct an inspection, confirming that REDSQUARE has corrected all of the noted discrepancies identified by BellSouth. A Subsequent Application Fee will not apply for the termination of occupancy; however, specific disconnect fees may apply to the services terminating to such Collocation Space. The particular disconnect fees that would apply in each state are contained in Exhibit B of this Attachment. BellSouth may terminate REDSQUARE's right to occupy Collocation Space in the event REDSOUARE fails to comply with any provision of this Agreement, including payment of the applicable fees contained in Exhibit B of this Attachment, for such Collocation Space.
- 4.4.1 Upon termination of occupancy, REDSQUARE, at its sole expense, shall remove its equipment and any other property owned, leased or controlled by REDSQUARE from the Collocation Space. REDSQUARE shall have thirty (30) days from the BFFO date ("Termination Date") to complete such removal, including the removal of all equipment and facilities of REDSQUARE's Guest(s), unless REDSQUARE's Guest(s) has assumed responsibility for the Collocation Space housing the Guest(s)'s equipment and executed the appropriate documentation required by BellSouth to transfer the Collocation Space to the Guest(s) prior to REDSQUARE's Termination Date.

- 4.4.2 REDSQUARE shall continue the payment of all monthly recurring charges to BellSouth until the date REDSQUARE, and if applicable REDSQUARE's Guest(s), has fully vacated the Collocation Space and the Space Relinquishment Form has been accepted by BellSouth. If REDSQUARE or REDSQUARE's Guest(s) fails to vacate the Collocation Space within thirty (30) days from the Termination Date BellSouth shall have the right to remove and dispose of the equipment and any other property of REDSQUARE or REDSQUARE's Guest(s), in any manner that BellSouth deems fit, at REDSQUARE's expense and with no liability whatsoever for REDSQUARE's property or REDSQUARE's Guest(s)'s property.
- 4.4.3 Upon termination of REDSQUARE's right to occupy specific Collocation Space, the Collocation Space will revert back to BellSouth's central office space inventory. REDSQUARE shall surrender the Collocation Space to BellSouth in the same condition as when it was first occupied by REDSQUARE, with the exception of ordinary wear and tear, unless otherwise agreed to by the Parties. REDSQUARE's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth specifications including, but not limited to, BellSouth's Central Office Record Drawings and ERMA Records. REDSQUARE shall be responsible for the cost of removing any REDSQUARE constructed enclosure, as well as any supporting structures (e.g., racking, conduits, power cables, etc.), by the Termination Date and restoring the grounds to their original condition.

5. <u>Use of Collocation Space</u>

- Equipment Type. BellSouth shall permit the collocation and use of any equipment necessary for interconnection to BellSouth's network and/or access to BellSouth's unbundled network elements in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary purpose and function of any equipment collocated in a BellSouth Premises must be for interconnection to BellSouth's network or access to BellSouth's unbundled network elements in the provision of telecommunications services. Equipment is necessary for interconnection if an inability to deploy that equipment would, as a practical, economical, or operational matter, preclude the requesting carrier from obtaining interconnection with BellSouth at a level equal in quality to that which BellSouth obtains within its own network or what BellSouth provides to any affiliate, subsidiary, or other party.
- 5.1.2 Examples of equipment that would not be considered necessary include, but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized

databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on a BellSouth Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to allow the collocation of any equipment on a nondiscriminatory basis.

- 5.1.3 Such equipment must, at a minimum, meet the following Telcordia Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 1 requirements as outlined in Telcordia Special Report SR-3580, Issue 1. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation equipment based on REDSQUARE's failure to comply with this Section.
- 5.2 Terminations. REDSQUARE shall not request more DS0, DS1, DS3 and/or optical terminations for a collocation arrangement than the total port or termination capacity of the equipment physically installed in the Collocation Space. The total capacity of the equipment collocated in the Collocation Space will include equipment contained in an application, as well as any equipment already placed in the Collocation Space. If full network termination capacity of the equipment being installed is not requested in the application submitted by REDSQUARE, additional network terminations for the installed equipment will require the submission of a Subsequent Application. In the event REDSQUARE submits an application for terminations that will exceed the total capacity of the collocated equipment, REDSQUARE will be informed of the discrepancy by BellSouth and required to submit a revision to the application.
- Security Interest in Equipment. Commencing with the most current calendar quarter after the effective date of this Attachment, and thereafter with respect to each subsequent calendar quarter during the term of this Agreement, REDSQUARE will, no later than thirty (30) days after the close of such calendar quarter, provide a report to ICS Collocation Product Management, Room 34A55, 675 W. Peachtree Street, Atlanta, Georgia 30375, listing any equipment in the Collocation Space (i) that was added during the calendar quarter to which such report pertains, and (ii) for which there is a UCC-1 lien holder or another entity that has a secured financial interest in such equipment (Secured Equipment). If no Secured Equipment has been installed within a given calendar quarter, no report shall be due hereunder in connection with such calendar quarter.
- 5.4 <u>No Marketing.</u> REDSQUARE shall not use the Collocation Space for marketing purposes, nor shall it place any identifying signs or markings outside the Collocation Space or on the grounds of the BellSouth Premises.
- 5.5 <u>Equipment Identification.</u> REDSQUARE shall place a plaque or affix other identification (e.g., stenciling or labeling) to each piece of REDSQUARE's equipment,

including the appropriate emergency contacts with their corresponding telephone numbers, in order for BellSouth to properly identify REDSQUARE's equipment in the case of an emergency. For caged Collocation Space, such identification must be placed on a plaque affixed to the outside of the caged enclosure.

- Entrance Facilities. REDSQUARE may elect to place REDSQUARE-owned or REDSQUARE leased fiber entrance facilities into its Collocation Space. BellSouth will designate the point of interconnection in close proximity to the BellSouth Premises housing the Collocation Space, such as at an entrance manhole or a cable vault, which are physically accessible by both Parties. REDSQUARE will provide and place fiber cable in the entrance manhole of sufficient length to be pulled through conduit and into the splice location. REDSQUARE will provide and install a sufficient length of fire retardant riser cable, to which BellSouth will splice the entrance cable. The fire retardant riser cable will extend from the splice location to REDSQUARE's equipment in REDSQUARE's Collocation Space. In the event REDSQUARE utilizes a non-metallic, riser-type entrance facility, a splice will not be required. REDSQUARE must contact BellSouth for authorization and instruction prior to placing any entrance facility cable in an entrance manhole or cable vault. REDSQUARE is responsible for the maintenance of the entrance facilities.
- 5.6.1 <u>Microwave Transmission Facilities.</u> At REDSQUARE's request, BellSouth will accommodate, where technically feasible and space is available, a microwave entrance facility, pursuant to separately negotiated rates, terms and conditions.
- 5.6.2 Copper and Coaxial Cable Entrance Facilities. In Florida, Georgia and Tennessee, BellSouth shall permit REDSQUARE to use copper or coaxial cable entrance facilities, if approved by the Commission, but only in those rare instances where REDSQUARE demonstrates a necessity and entrance capacity is not at or near exhaust in a particular BellSouth Premises in which REDSQUARE's Collocation Space is located. Notwithstanding the foregoing, in the case of adjacent collocation, copper facilities may be used between the adjacent collocation arrangement and the central office demarcation point, unless BellSouth determines that limited space is available for the placement of these entrance facilities.
- 5.7 <u>Dual Entrance Facilities.</u> BellSouth will provide at least two interconnection points at each BellSouth Premises where at least two such interconnection points are available and capacity exists. Upon receipt of a request by REDSQUARE for dual entrance facilities to its physical Collocation Space, BellSouth shall provide REDSQUARE with information regarding BellSouth's capacity to accommodate the requested dual entrance facilities. If conduit in the serving manhole(s) is available and is not reserved for another purpose or for utilization within twelve (12) months of the receipt of an application for collocation, BellSouth will make the requested conduit space available for the installation of a second entrance facility to REDSQUARE's Collocation Space. The location of the serving manhole(s) will be determined at the sole discretion of

BellSouth. Where dual entrance facilities are not available due to a lack of capacity, BellSouth will provide this information to REDSQUARE in the Application Response.

- 5.8 <u>Shared Use.</u> REDSQUARE may utilize spare capacity on an existing telecommunications carrier's entrance facility for the purpose of obtaining an entrance facility to REDSQUARE's Collocation Space within the same BellSouth Premises.
- BellSouth shall allow the splice, as long as the fiber is non-working dark fiber. REDSQUARE must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from the other telecommunications carrier authorizing BellSouth to perform the splice of the REDSQUARE-provided riser cable to the spare capacity on the other telecommunications carrier's entrance facility. If REDSQUARE desires to allow another telecommunications carrier to use its entrance facilities, the telecommunications carrier must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from REDSQUARE authorizing BellSouth to perform the splice of the telecommunications carrier's provided riser cable to the spare capacity on REDSQUARE's entrance facility.
- Demarcation Point. BellSouth will designate the point(s) of demarcation between REDSQUARE's equipment and/or network facilities and BellSouth's network facilities. Each Party will be responsible for the maintenance and operation of all equipment/facilities on its side of the demarcation point. REDSQUARE shall be responsible for providing the necessary cabling and REDSQUARE's BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling the common block and any necessary cabling identified in Section 7 of this Attachment. REDSQUARE or its agent must perform all required maintenance to the equipment/facilities on its side of the demarcation point, pursuant to Section 5.10, following, and may self-provision cross-connects that may be required within its own Collocation Space to activate service requests.
- In Tennessee, BellSouth will designate the point(s) of demarcation between REDSQUARE's equipment and/or network facilities and BellSouth's network facilities. Each Party will be responsible for the maintenance and operation of all equipment/facilities on its side of the demarcation point. For connections to BellSouth's network, REDSQUARE may request that the demarcation point be a Point of Termination (POT) bay in a common area within the BellSouth Premises, which REDSQUARE shall be responsible for providing and REDSQUARE's BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling. REDSQUARE's BellSouth Certified Supplier shall also be responsible for installing the necessary cabling between REDSQUARE's Collocation Space and the POT bay. REDSQUARE, its agent, or REDSQUARE's BellSouth Certified Supplier must perform all required maintenance to the equipment/network

facilities on its side of the demarcation point and may self-provision cross-connects that it requires within its own Collocation Space to activate service requests. If REDSQUARE desires to avoid the use of a POT bay or any other intermediary device as contemplated by the Tennessee Regulatory Authority, BellSouth shall negotiate alternative rates, terms and conditions for such requested demarcation point.

- Equipment and Facilities. REDSQUARE, or if required by this Attachment, REDSQUARE's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, and maintenance/repair of the equipment and network facilities used by REDSQUARE, which must be performed in compliance with all applicable BellSouth specifications. Such equipment and network facilities may include, but are not limited to, cable(s), equipment, and point of termination connections. REDSQUARE and its designated BellSouth Certified Supplier must follow and comply with all BellSouth specifications outlined in the following BellSouth Technical Requirements: TR 73503, TR 73519, TR 73572, and TR 73564.
- BellSouth's Access to Collocation Space. From time to time, BellSouth may require access to REDSQUARE's Collocation Space. BellSouth retains the right to access REDSQUARE's Collocation Space for the purpose of making BellSouth equipment and building modifications (e.g., installing, altering or removing racking, ducts, electrical wiring, HVAC, and cabling). In such cases, BellSouth will give notice to REDSQUARE at least forty-eight (48) hours before access to REDSQUARE's Collocation Space is required. REDSQUARE may elect to be present whenever BellSouth performs work in the REDSQUARE's Collocation Space. The Parties agree that REDSQUARE will not bear any of the expense associated with this type of work.
- 5.11.1 In the case of an emergency, BellSouth will provide oral notice of entry as soon as possible and, upon request, will provide subsequent written notice.
- 5.11.2 REDSQUARE must provide the local BellSouth Central Office Building Contact with two (2) Access Devices that will allow BellSouth entry into any enclosed and locked Collocation Space including, but not limited to, an Adjacent Arrangement, pursuant to the requirements contained in this Section.
- 5.12 <u>REDSQUARE's Access.</u> Pursuant to Section 12, REDSQUARE shall have access to its Collocation Space twenty-four (24) hours a day, seven (7) days a week. REDSQUARE agrees to provide the name and social security number, date of birth, or driver's license number of each employee, supplier, or agent of REDSQUARE or REDSQUARE's Guest(s) with REDSQUARE's written request for access keys or cards (Access Devices) for specific BellSouth Premises, prior to the issuance of said Access Devices, using Form RF-2906-C, the "CLEC and CLEC Certified Supplier Access Request and Acknowledgement" form. The appropriate key acknowledgement

forms (the "Collocation Acknowledgement Sheet" for access cards and the "Key Acknowledgement Form" for keys) must be signed by REDSQUARE and returned to BellSouth Access Management within fifteen (15) days of REDSQUARE's receipt of these forms. Failure to return these properly acknowledged forms will result in the subsequent access key or card requests being held by BellSouth until the proper acknowledgement documents have been received by BellSouth and reflect current information. Access Devices may not be duplicated under any circumstances. REDSQUARE agrees to be responsible for all Access Devices and for the return of all Access Devices in the possession of REDSQUARE's employees, suppliers, agents, or Guests after termination of the employment relationship, the contractual obligation with REDSQUARE ends, upon the termination of this Agreement, or upon the termination of occupancy of Collocation Space in a specific BellSouth Premises. REDSQUARE shall pay all applicable charges associated with lost or stolen Access Devices.

- 5.12.1 BellSouth will permit one (1) accompanied site visit, which will be limited to no more than one hour, to REDSQUARE's designated Collocation Space, after receipt of the BFFO, without charge to REDSQUARE. REDSQUARE must submit to BellSouth the completed Access Control Request Form for all employees, suppliers, agents or Guests requiring access to a BellSouth Premises at least thirty (30) days prior to the date REDSQUARE desires to gain access to the Collocation Space. In order to permit reasonable access during construction of the Collocation Space, REDSQUARE may submit a request for its one (1) free accompanied site visit to its designated Collocation Space at any time subsequent to BellSouth's receipt of the BFFO. In the event REDSQUARE desires access to its designated Collocation Space after the first accompanied free visit and REDSQUARE's access request form(s) has not been approved by BellSouth or REDSQUARE has not yet submitted an access request form to BellSouth, REDSQUARE shall be permitted to access the Collocation Space accompanied by a BellSouth security escort, at REDSQUARE's expense, which will be assessed pursuant to the Security Escort fees contained in Exhibit B. REDSQUARE must request that escorted access be provided by BellSouth to REDSQUARE's designated Collocation Space at least three (3) business days prior to the date such access is desired. A BellSouth security escort will be required whenever REDSQUARE or its approved agent or supplier requires access to the entrance manhole.
- 5.12.2 <u>Lost or Stolen Access Devices.</u> REDSQUARE shall immediately notify BellSouth in writing when any of its Access Devices have been lost or stolen. If it becomes necessary for BellSouth to re-key buildings or deactivate an Access Device as a result of a lost or stolen Access Device(s) or for failure of REDSQUARE's employees, suppliers, agents or Guest(s) to return an Access Device(s), REDSQUARE shall pay for the costs of re-keying the building or deactivating the Access Device(s).

- 5.13 Interference or Impairment. Notwithstanding any other provisions of this Attachment, REDSQUARE shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment or facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or any other entity or any person's use of its telecommunications services; 2) endangers or damages the equipment, facilities or any other property of BellSouth or any other entity or person; 3) compromises the privacy of any communications routed through the BellSouth Premises; or 4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of REDSQUARE violates the provisions of this paragraph, BellSouth shall provide written notice to REDSQUARE, which shall direct REDSOUARE to cure the violation within forty-eight (48) hours of REDSOUARE's receipt of written notice or, if such cure is not feasible, at a minimum, to commence curative measures within twenty-four (24) hours and exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to conduct an inspection of the Collocation Space.
- 5.13.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if REDSQUARE fails to cure the violation within forty-eight (48) hours or, if such cure is not possible, to commence curative action within twenty-four (24) hours and exercise reasonable diligence to complete such action as soon as possible, or if the violation is of a character that poses an immediate and substantial threat of damage to property or injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or another entity's service, then and only in that event, BellSouth may take such action as it deems necessary to eliminate such threat including, without limitation, the interruption of electrical power to REDSQUARE's equipment and/or facilities. BellSouth will endeavor, but is not required, to provide notice to REDSQUARE prior to the taking of such action and BellSouth shall have no liability to REDSQUARE for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- 5.13.2 For purposes of this Section, the term "significantly degrades" shall be defined as an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and REDSQUARE fails to cure the violation within forty-eight (48) hours, or if such cure is not possible, to commence curative action within twenty-four (24) hours and exercise reasonable diligence to complete such action as soon as possible, BellSouth will establish before the appropriate Commission that the technology deployed is causing the significant degradation. Any claims of network harm presented to REDSQUARE or, if subsequently necessary, the Commission must be provided by BellSouth with specific

and verifiable information. When BellSouth demonstrates that a certain technology deployed by REDSQUARE is significantly degrading the performance of other advanced services or traditional voice band services, REDSQUARE shall discontinue deployment of that technology and migrate its customers to other technologies that will not significantly degrade the performance of such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that it is acceptable for deployment, pursuant to 47 C.F.R. §51.230, the degraded service shall not prevail against the newly-deployed technology.

- 5.14 Personalty and Its Removal. Facilities and equipment placed by REDSQUARE in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personal property and may be removed by REDSQUARE at any time. Any damage caused to the Collocation Space by REDSQUARE's employees, suppliers, agents, or Guests during the installation or removal of such property shall be promptly repaired by REDSQUARE at its sole expense. If REDSQUARE decides to remove equipment and/or facilities from its Collocation Space and the removal requires no physical work be performed by BellSouth and REDSQUARE's physical work includes, but is not limited to, power reduction, cross-connects, or tie pairs, BellSouth will bill REDSQUARE the Administrative Only Application Fee associated with the type of removal activity performed by REDSQUARE, as set forth in Exhibit B. This non-recurring fee will be billed on the date that BellSouth provides an Application Response to REDSQUARE.
- Alterations. Under no condition shall REDSQUARE or any person acting on behalf of REDSQUARE make any rearrangement, modification, augment, improvement, addition, and/or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Collocation Space or the BellSouth Premises, hereinafter referred to individually or collectively as "Alterations", without the express written consent of BellSouth, which shall not be unreasonably withheld. The cost of any such Alteration shall be paid by REDSQUARE. An Alteration shall require the submission of a Subsequent Application and will result in the assessment of the applicable application fee associated with the type of alteration requested, as set forth in Sections 6.2.1, and 7.1.4, which will be billed by BellSouth on the date that BellSouth provides REDSQUARE with an Application Response.
- 5.16 <u>Janitorial Service</u>. REDSQUARE shall be responsible for the general upkeep of its Collocation Space. REDSQUARE shall arrange directly with a BellSouth Certified Supplier for janitorial services applicable to caged Collocation Space. Upon request, BellSouth shall provide a list of such suppliers on a BellSouth Premises-specific basis.
- 6. Ordering and Preparation of Collocation Space

- 6.1 <u>Initial Application.</u> For REDSQUARE's or REDSQUARE's Guest's(s') initial equipment placement, REDSQUARE shall input a physical Expanded Interconnection Application Document (Initial Application) for physical Collocation Space directly into BellSouth's electronic application (e.App) system for processing. The Initial Application is considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the Initial Application are completed with the appropriate type of information. An Initial Application Fee, as set forth in Exhibit B, will apply to each Initial Application submitted by REDSQUARE and will be billed by BellSouth on the date BellSouth provides REDSQUARE with an Application Response.
- desires to modify its use of the Collocation Space after a BFFO, REDSQUARE shall complete an application that contains all of the detailed information associated with a requested Alteration of the Collocation Space, as defined in Section 5.15 of this Attachment (Subsequent Application). The Subsequent Application will be considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the Subsequent Application have been completed with the appropriate type of information associated with the requested Alteration. BellSouth shall determine what modifications, if any, to the BellSouth Premises are required to accommodate the change(s) requested by REDSQUARE in the Subsequent Application. Such modifications to the BellSouth Premises may include, but are not limited to, floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.
- 6.2.1 Subsequent Application Fees. The application fee paid by REDSOUARE for an Alteration shall be dependent upon the level of assessment needed to complete the Alteration requested. Where the Subsequent Application does not require provisioning or construction work, but requires BellSouth to perform an administrative activity, an Administrative Only Application Fee shall apply as set forth in Exhibit B. The Administrative Only Application Fee will apply to Subsequent Applications associated with a transfer of ownership of the Collocation Space, removal of equipment from the Collocation Space (where the removal requires no physical work to be performed by BellSouth), an Alteration made to a Bona Fide application by REDSQUARE prior to BellSouth's receipt of the BFFO, and a virtualto-physical conversion (in place). The Co-Carrier Cross Connect/Direct Connect Application Fee will apply when REDSQUARE submits a Subsequent Application for a direct connection between its own physical and virtual Collocation Space(s) in the same BellSouth Premises or between its physical or virtual Collocation Space and that of another collocated telecommunications carrier within the same BellSouth Premises. The Power Reconfiguration Only Application Fee will apply when REDSQUARE submits a Subsequent Application that reflects only an upgrade or reduction in the amount of power that BellSouth is currently providing to REDSQUARE's physical Collocation Space. The fee for a Subsequent Application, for which the Alteration requested has limited effect (e.g., requires limited assessment and sufficient cable

support structure, HVAC, power and terminations are available), shall be the Subsequent Application Fee, as set forth in Exhibit B. The appropriate nonrecurring application fee will be billed on the date that BellSouth provides REDSQUARE with an Application Response.

6.3 Space Preferences. If REDSQUARE has previously requested and received a Space Availability Report for the BellSouth Premises, REDSQUARE may submit up to three (3) space preferences on its application by identifying the specific space identification numbers referenced on the Space Availability Report for the space it is requesting. In the event BellSouth cannot accommodate REDSQUARE's space preference(s), REDSQUARE may accept the space allocated by BellSouth or cancel its application and submit another application requesting additional space preferences for the same BellSouth Premises. This application will be treated as a new application and the appropriate application fee will apply. The application fee will be billed by BellSouth on the date that BellSouth provides REDSQUARE with an Application Response.

6.4 Space Availability Notification.

For all states except Florida and Tennessee, BellSouth will respond to an application within ten (10) days as to whether space is available or not available within the requested BellSouth Premises. In Florida and Tennessee, BellSouth will respond to an application within fifteen (15) days as to whether space is available or not available within a BellSouth Premises. BellSouth's e.App system will reflect when REDSQUARE's application is Bona Fide. If the application cannot be Bona Fide, BellSouth will identify what revisions are necessary for the application to become Bona Fide.

- of the amount of space requested is not available, BellSouth will notify REDSQUARE of the amount of space that is available and no application fee will apply. When BellSouth's response includes an amount of space less than that requested by REDSQUARE or space that is configured differently, no application fee will apply. If REDSQUARE decides to accept the available space, REDSQUARE must resubmit its application to reflect the actual space available, including the configuration of the space, prior to submitting a BFFO. When REDSQUARE resubmits its application to accept the available space, BellSouth will bill REDSQUARE the appropriate application fee.
- Denial of Application. If BellSouth notifies REDSQUARE that no space is available (Denial of Application), BellSouth will not assess an application fee to REDSQUARE. After notifying REDSQUARE that BellSouth has no available space in the requested BellSouth Premises, BellSouth will allow REDSQUARE, upon request, to tour the entire BellSouth Premises within ten (10) days of such Denial of Application. In order to schedule this tour, BellSouth must receive the request for the tour of the BellSouth Premises within five (5) days of the Denial of Application.

- Petition for Waiver. Upon Denial of Application, BellSouth will timely file a petition with the appropriate Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit REDSQUARE to inspect any floor plans or diagrams that BellSouth provides to the Commission.
- 6.7 <u>Waiting List.</u> On a first-come, first-served basis, which is governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting telecommunications carriers that have either received a Denial of Application or, where it is publicly known that a BellSouth Premises is out of space, have submitted a Letter of Intent to collocate in that BellSouth Premises. BellSouth will notify each telecommunications carrier on the waiting list that can be accommodated by the amount of space that becomes available, according to the position of the telecommunications carrier on said waiting list.
- 6.7.1 In Florida, on a first-come, first-served basis, which is governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting telecommunications carriers that have either received a Denial of Application or, where it is publicly known that a BellSouth Premises is out of space, have submitted a Letter of Intent to collocate in that BellSouth Premises. Sixty (60) days prior to space becoming available, if known, BellSouth will notify the Commission and the telecommunications carriers on the waiting list by mail when space will become available. If BellSouth does not know sixty (60) days in advance of when space will become available, BellSouth will notify the Commission and the telecommunications carriers on the waiting list within two (2) business days of the determination that space will become available. A telecommunications carrier that, upon denial of physical Collocation Space, requests virtual Collocation Space shall automatically be placed on the waiting list for physical Collocation Space that may become available in the future.
- When physical Collocation Space becomes available, REDSQUARE must submit an updated, complete, and accurate application to BellSouth within thirty (30) days of notification by BellSouth that physical Collocation Space will be available in the requested BellSouth Premises previously out of space. If REDSQUARE has originally requested caged Collocation Space and cageless Collocation Space becomes available, REDSQUARE may refuse such space and notify BellSouth in writing, within the thirty (30) day timeframe referenced above, that REDSQUARE wishes to maintain its place on the waiting list for caged physical Collocation Space, without accepting the available cageless Collocation Space.
- 6.7.3 REDSQUARE may accept an amount of space less than what it originally requested by submitting an application as set forth above, and, upon request, may maintain its

position on the waiting list for the remaining space that was initially requested. If REDSQUARE does not submit an application or notify BellSouth in writing within the thirty (30) day timeframe as described above in Section 6.7.2, BellSouth will offer the available space to the next telecommunications carrier on the waiting list and remove REDSQUARE from the waiting list. Upon request, BellSouth will advise REDSQUARE as to its position on the waiting list for a particular BellSouth Premises.

- 6.8 <u>Public Notification.</u> BellSouth will maintain on its Interconnection Services website, www.interconnection.bellsouth.com, a notification document that will indicate all BellSouth Premises that are without available space. BellSouth shall update such document within ten (10) days of the date that BellSouth becomes aware that insufficient space is available to accommodate physical Collocation. BellSouth will also post a document on its Interconnection Services website that contains a general notice when space becomes available in a BellSouth Premises previously on the space exhaust list.
- 6.9 <u>Application Response.</u>
- 6.9.1 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, when space has been determined to be available for physical (caged or cageless) Collocation arrangements, BellSouth will provide an Application Response within twenty (20) days of receipt of a Bona Fide application. The Application Response will be a written response that includes sufficient information to enable REDSQUARE to place a Firm Order, which, at a minimum, will include the configuration of the space, the Cable Installation Fee, the Cable Records Fee, and any other applicable space preparation fees, as described in Section 8.
- In Florida and Tennessee, within fifteen (15) days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable REDSQUARE to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, the Cable Records Fee, and any other applicable space preparation fees, as described in Section 8. When REDSQUARE submits ten (10) or more applications within ten (10) days, the initial fifteen (15) day response interval will increase by ten (10) days for every additional ten (10) applications or fraction thereof.
- Application Modifications. If a modification or revision is made to any information in the Bona Fide application prior to a BFFO, with the exception of modifications to (1) Customer Information, (2) Contact Information or (3) Billing Contact Information, whether at the request of REDSQUARE or as necessitated by technical considerations, the application shall be considered a new application and handled as a new application with respect to the response and provisioning intervals. BellSouth

will charge REDSQUARE the appropriate application fee associated with the level of assessment performed by BellSouth, pursuant to Sections 6.1 and 6.2.

- 6.11 Bona Fide Firm Order.
- 6.11.1 REDSQUARE shall indicate its intent to proceed with a Collocation Space request in a BellSouth Premises by submitting a Bona Fide Firm Order (BFFO) to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) days after BellSouth's Application Response to REDSQUARE's Bona Fide application or REDSQUARE's application will expire.
- 6.11.2 BellSouth will establish a Firm Order date based upon the date BellSouth is in receipt of REDSQUARE's BFFO. BellSouth will acknowledge the receipt of REDSQUARE's BFFO within seven (7) days of receipt, so that REDSQUARE will have positive confirmation that its BFFO has been received. BellSouth's response to a BFFO will include a Firm Order Confirmation, which contains the firm order date. No revisions may be made to a BFFO.

7. <u>Construction and Provisioning</u>

- 7.1 Construction and Provisioning Intervals.
- 7.1.1 In Florida and Tennessee, BellSouth will complete construction of physical Collocation Space as soon as possible within a maximum of ninety (90) days from receipt of a BFFO or as agreed to by the Parties. For virtual Collocation Space, BellSouth will complete construction as soon as possible within a maximum of sixty (60) days from receipt of a BFFO or as agreed to by the Parties. For Alterations requested to Collocation Space after the initial space has been completed, BellSouth will complete construction for Collocation Space as soon as possible within a maximum of forty-five (45) days from receipt of a BFFO or as agreed to by the Parties, as long as no additional space has been requested by REDSQUARE, If additional space has been requested by REDSQUARE, BellSouth will complete construction for the requested Collocation Space as soon as possible within a maximum of ninety (90) days from receipt of a BFFO for physical Collocation Space and forty five (45) days from receipt of a BFFO for virtual Collocation Space. If BellSouth does not believe that construction will be completed within the relevant provisioning interval and BellSouth and REDSQUARE cannot agree upon a completion date, within forty-five (45) days of receipt of the BFFO for an initial request, or within thirty (30) days of receipt of the BFFO for an Alteration, BellSouth may seek an extension from the Commission.
- 7.1.2 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, BellSouth will complete construction for caged physical Collocation Space under ordinary conditions as soon as possible within a maximum of ninety (90) days from receipt of a BFFO or as agreed to by the Parties. BellSouth will complete

construction for cageless physical Collocation Space under ordinary conditions as soon as possible within a maximum of sixty (60) days from receipt of a BFFO and ninety (90) days from receipt of a BFFO for extraordinary conditions, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes required to BellSouth's support systems. (Examples include, but are not limited to: minor modifications to HVAC, cabling and BellSouth's power plant.) Extraordinary conditions include, but may not be limited to: major BellSouth equipment rearrangements or additions; power plant additions or upgrades; major mechanical additions or upgrades; major upgrades for ADA compliance; environmental hazards or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval for the Collocation Space requested or BellSouth may seek a waiver from the ordered interval, as set forth above, from the appropriate Commission, if BellSouth does not believe that construction will be completed within the relevant provisioning interval.

- 7.1.3 Records Only Change. When REDSQUARE adds equipment, that was originally included on REDSQUARE's Initial Application or a Subsequent Application, and the addition of this equipment requires no additional space preparation work or cable terminations on the part of BellSouth, then BellSouth will impose no additional charges or intervals.
- 7.1.4 In the states of Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, BellSouth will provide the reduced intervals outlined below to REDSQUARE, when REDSQUARE requests an Alteration specifically identified in Sections 7.1.4.1 through 7.1.4.9 as an "Augment. Except as otherwise set forth in Section 7.1.4.10 below, such Augment will require a Subsequent Application and will result in the assessment of the appropriate application fee associated with the type of Augment requested by REDSQUARE. BellSouth will assess the appropriate nonrecurring application fee set forth in Exhibit B on the date that it provides an Application Response to REDSQUARE.
- 7.1.4.1 Simple Augments will be completed within twenty (20) days after receipt of the BFFO for an:
 - Extension of Existing AC Circuit Capacity within Arrangement where Sufficient Circuit Capacity is Available
 - Fuse Change and/or Increase or Decrease -48V DC Power from Existing BellSouth BDFB
- 7.1.4.2 Minor Augments will be completed within forty-five (45) days after receipt of the BFFO for:
 - 168 DS1 Terminations at the BellSouth Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)

- 96 DS3 Terminations at the BellSouth Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
- 99 Fiber Terminations at the BellSouth Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
- Maximum of 2000 Service Ready DS0 Terminations at the BellSouth Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
- 7.1.4.3 Intermediate Augments will be completed within sixty (60) days after receipt of the BFFO for:
 - 168 DS1s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure, as Required)
 - 96 DS3s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure, as Required)
 - 99 Fiber Terminations (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure, as Required)
 - 2000 DS0s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure, as Required)
 - Installation of Cable Racking or Other Support Structures, as Required, to Support Co-Carrier Cross Connects (Adequate Floor or Ceiling Structural Capacity Exists and Support/Protection Structure for Fiber Patch Cord is Excluded)
- 7.1.4.4 Major Augments of physical Collocation Space will be completed within ninety (90) days after BFFO. This category includes all requests for additional Physical Collocation Space (caged or cageless).
- 7.1.4.5 Major Augments of virtual Collocation Space will be completed within seventy-five (75) days after BFFO. This category includes all requests for additional virtual Collocation Space.
- 7.1.4.6 If REDSQUARE submits an Augment that includes two Augment items from the same category in either Section 7.1.4.1, 7.1.4.2, or 7.1.4.3 above, the provisioning interval associated with the next highest Augment category will apply (e.g., if two items from the Minor Augment category are requested on the same request, then an interval of sixty (60) days from the receipt of the BFFO would apply, which is the interval associated with the Intermediate Augment category).
- 7.1.4.7 If REDSQUARE submits an Augment that includes three Augment items from the same category in either Section 7.1.4.1, 7.1.4.2, or 7.1.4.3 above, the Major Augment interval of ninety (90) days from the receipt of the BFFO would apply (e.g., if three items from the Simple Augment category are requested on the same request for a physical Collocation arrangement, then an interval of ninety (90) days from the receipt of the BFFO would apply, which is the Major physical Augment interval; likewise if

- three items from the Simple Augment category are requested on the same request for a virtual Collocation arrangement, then an interval of seventy-five (75) days from the receipt of the BFFO would apply, which is the Major virtual Augment interval).
- 7.1.4.8 If REDSQUARE submits an Augment that includes one Augment item from two separate categories in Sections 7.1.4.1, 7.1.4.2 and 7.1.4.3 above, the Augment interval associated with the highest Augment category will apply (e.g., if an item from the Minor Augment category and an item from the Intermediate Augment category are requested on the same request, then an interval of sixty (60) days from the receipt of the BFFO would apply, which is the interval associated with the Intermediate Augment category).
- 7.1.4.9 All Augments not expressly included in the Simple, Minor, Intermediate or Major Augment categories, as outlined above, will be placed into the appropriate category as negotiated by REDSQUARE and BellSouth. If REDSQUARE and BellSouth are unable to determine the appropriate category through negotiation, then the appropriate Major Augment category, identified in Section 7.1.4.4 and Section 7.1.4.5, would apply based on whether the Augment is for REDSQUARE's physical or virtual Collocation Space.
- 7.1.4.10 Individual application fees associated with Simple, Minor and Intermediate Augments are contained in Exhibit B. If REDSQUARE requests multiple items from different Augment categories, BellSouth will bill REDSQUARE the Augment application fee, as identified in Exhibit B of this Attachment, associated with the higher Augment category only. The appropriate application fee will be assessed to REDSQUARE at the time BellSouth provides REDSQUARE with the Application Response. REDSQUARE will be assessed a Subsequent Application Fee for all Major Augments (Major Augments are defined above in Sections 7.1.4.4 and 7.1.4.5 for physical and virtual Collocation Space, respectively). The Subsequent Application Fee is also reflected in Exhibit B of this Attachment.
- Joint Planning. Unless otherwise agreed to by the Parties, a joint planning meeting or other method of joint planning between BellSouth and REDSQUARE will commence within a maximum of twenty (20) days from BellSouth's receipt of a BFFO. At such meeting, the Parties will agree to the preliminary design of the Collocation Space and the equipment configuration requirements, as reflected in the application and affirmed in the BFFO.
- 7.3 Permits. Each Party, its agent(s) or BellSouth Certified Supplier(s) will diligently pursue filing for the permits required for the scope of work to be performed by that Party, its agent(s) or BellSouth Certified Supplier(s) within ten (10) days of the completion of the finalized construction design and specifications.
- 7.4 <u>Circuit Facility Assignments.</u> Unless otherwise specified, BellSouth will provide Circuit Facility Assignments (CFAs) to REDSQUARE prior to the applicable

provisioning interval set forth herein (Provisioning Interval) for those BellSouth Premises in which REDSQUARE has physical Collocation Space with no POT bay or with a grandfathered POT bay provided by BellSouth. BellSouth cannot provide CFAs to REDSQUARE prior to the Provisioning Interval for those BellSouth Premises in which REDSQUARE has physical Collocation Space with a POT bay provided by REDSQUARE or virtual Collocation Space, until REDSQUARE has provided BellSouth with the following information:

- 7.4.1 For physical Collocation Space with a REDSQUARE-provided POT bay, REDSQUARE shall provide BellSouth with a complete layout of the POT panels on an Equipment Inventory Update (EIU) form that shows the locations, speeds, etc.
- 7.4.2 For virtual Collocation Space, REDSQUARE shall provide BellSouth with a complete layout of REDSQUARE's equipment on an EIU form, that includes the locations of the low speed ports and the specific frame terminations to which the equipment will be wired by REDSQUARE's BellSouth Certified Supplier.
- 7.4.3 BellSouth cannot begin work on the CFAs until the complete and accurate EIU form has been received from REDSQUARE. If the EIU form is provided within ten (10) days prior to the ending date of the Provisioning Interval, then the CFAs will be made available by the ending date of the Provisioning Interval. If the EIU form is not received ten (10) days prior to the ending date of the Provisioning Interval, then the CFAs will be provided within ten (10) days of BellSouth's receipt of the EIU form.
- 7.4.4 BellSouth will bill REDSQUARE a nonrecurring charge, as set forth in Exhibit B, each time REDSQUARE requests a resend of its original CFA information for any reason other than a BellSouth error in the CFAs initially provided to REDSQUARE.
- 7.5 Use of BellSouth Certified Supplier. REDSQUARE shall select a supplier which has been approved as a BellSouth Certified Supplier to perform all engineering and installation work. REDSQUARE, if a BellSouth Certified Supplier, or REDSQUARE's BellSouth Certified Supplier must follow and comply with all of BellSouth's specifications and the following BellSouth Technical Requirements: TR 73503, TR 73519, TR 73572, and TR 73564. Unless the BellSouth Certified Supplier has met the requirements for all of the required work activities, REDSQUARE must use a different BellSouth Certified Supplier for the work activities associated with transmission equipment, switching equipment and power equipment. BellSouth shall provide REDSQUARE with a list of BellSouth Certified Suppliers, upon request. REDSQUARE, if a BellSouth Certified Supplier, or REDSQUARE's BellSouth Certified Supplier(s) shall be responsible for installing REDSQUARE's equipment and associated components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and REDSOUARE upon successful completion of the installation and any associated work. When a BellSouth Certified Supplier is used by REDSQUARE, the BellSouth Certified Supplier shall bill REDSQUARE directly

for all work performed for REDSQUARE pursuant to this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by REDSQUARE's BellSouth Certified Supplier. BellSouth shall make available its supplier certification program to REDSQUARE or any supplier proposed by REDSQUARE and will not unreasonably withhold certification. All work performed by or for REDSQUARE shall conform to generally accepted industry standards.

- Alarms and Monitoring. BellSouth shall place environmental alarms in the BellSouth Premises for the protection of BellSouth equipment and facilities. REDSQUARE shall be responsible for the placement, monitoring and removal of environmental and equipment alarms used to service REDSQUARE's Collocation Space. Upon request, BellSouth will provide REDSQUARE with an applicable BellSouth tariffed service(s) to facilitate remote monitoring of collocated equipment by REDSQUARE. Both Parties shall use best efforts to notify the other of any verified environmental condition (e.g., temperature extremes or excess humidity) known to that Party.
- Virtual to Physical Relocation. In the event physical Collocation Space was previously denied at a BellSouth Premises due to technical reasons or space limitations and physical Collocation Space has subsequently become available, REDSQUARE may relocate its existing virtual Collocation arrangement(s) to a physical Collocation arrangement(s) and pay the appropriate fees associated with the rearrangement or reconfiguration of the services being terminated into the virtual Collocation arrangement, as set forth in Exhibit B to this Attachment. If BellSouth knows when additional physical Collocation Space may become available at the BellSouth Premises requested by REDSQUARE, such information will be provided to REDSQUARE in BellSouth's written denial of physical Collocation Space. REDSQUARE must arrange with a BellSouth Certified Supplier for the relocation of equipment from a virtual Collocation Space to a physical Collocation Space and will bear the cost of such relocation, including the costs associated with moving the services from the virtual Collocation Space to the new physical Collocation Space.
- 7.7.1 In Alabama, BellSouth will complete a relocation of a virtual collocation arrangement to a cageless physical collocation arrangement within sixty (60) days from BellSouth's receipt of a BFFO and from a virtual collocation arrangement to a caged physical collocation arrangement within ninety (90) days from BellSouth's receipt of a BFFO.
- 7.8 <u>Virtual to Physical Conversion (In-Place).</u> Virtual collocation arrangements may be converted to "in-place" physical caged collocation arrangements if the potential conversion meets all of the following criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual Collocation Space; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; and 3) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified herein, BellSouth will complete virtual to physical Collocation Space

- conversions (in-place) within sixty (60) days from receipt of the BFFO. BellSouth will bill REDSQUARE an Administrative Only Application Fee, as set forth in Exhibit B, on the date BellSouth provides an Application Response to REDSQUARE.
- 7.8.1 In Alabama and Tennessee, BellSouth will complete virtual to physical conversions (in place) within thirty (30) days from receipt of the BFFO as long as the conversion meets all of the criteria specified above in Section 7.8.
- Cancellation. Unless otherwise specified in this Attachment, if at any time prior to Space Acceptance, REDSQUARE cancels its order for Collocation Space (Cancellation), BellSouth will bill the applicable nonrecurring charge(s) for any and all work processes for which work has begun or been completed. In Florida, if REDSQUARE cancels its order for Collocation Space at any time prior to the Space Ready Date, no cancellation fee shall be assessed by BellSouth; however, REDSQUARE will be responsible for reimbursing BellSouth for any costs specifically incurred by BellSouth on behalf of REDSQUARE up to the date that the written notice of cancellation was received by BellSouth. In Georgia, if REDSQUARE cancels its order for Collocation Space at any time prior to space acceptance, BellSouth will bill REDSQUARE for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the Firm Order not been canceled.
- 7.10 <u>Licenses.</u> REDSQUARE, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, permits, licenses, and certificates necessary or required to operate as a provider of telecommunications services to the public or to build-out, equip and/or occupy Collocation Space in a BellSouth Premises.
- 7.11 <u>Environmental Compliance.</u> The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

8. Rates and Charges

- 8.1 <u>Rates.</u> REDSQUARE agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 8.2 <u>Application Fees.</u> BellSouth shall assess any non-recurring application fees within thirty (30) days of the date that BellSouth provides an Application Response to REDSQUARE or on REDSQUARE's next scheduled monthly billing statement.
- 8.2.1 In Tennessee, the application fee for caged Collocation Space shall be the Application Cost Planning Fee for both Initial Applications and Subsequent Applications placed by REDSQUARE. Likewise, for cageless Collocation Space, the same Cageless Application Fee applies for both Initial Applications and Subsequent Applications

- placed by REDSQUARE. BellSouth will bill the appropriate non-recurring application fee on the date that BellSouth provides an Application Response to REDSQUARE.
- 8.3 Recurring Charges. If REDSQUARE has met the applicable fifteen (15) day acceptance walk through interval specified in Section 4.2, billing for recurring charges will begin upon the Space Acceptance Date. In the event REDSQUARE fails to complete an acceptance walk through within the applicable fifteen (15) day interval, billing for recurring charges will commence on the Space Ready Date. If REDSQUARE occupies the space prior to the Space Ready Date, the date REDSQUARE occupies the space is deemed the Space Acceptance Date and billing for recurring charges will begin on that date. The billing for all applicable monthly recurring charges will begin in REDSQUARE 's next billing cycle and will include any prorated charges for the period from REDSQUARE's Space Acceptance Date or Space Ready Date, whichever is appropriate pursuant to Section 4.2, to the date the bill is issued by BellSouth.
- 8.3.1 Unless otherwise stated in Section 8.6 below, monthly recurring charges for -48V DC power will be assessed per fused amp, per month, based upon the total number of fused amps of power capacity requested by REDSQUARE on REDSQUARE's Initial Collocation Application and all Subsequent Collocation Applications, which may either increase or decrease the originally requested, and any subsequently augmented, number of fused amps of power capacity requested, consistent with Commission orders.
- 8.3.2 BellSouth shall have the right to inspect and inventory any DC power fuse installations at a BellSouth BDFB or DC power circuit installations at BellSouth's main power board for any REDSQUARE collocation arrangement, to verify that the total number of fused amps of power capacity installed by REDSQUARE's BellSouth Certified Supplier matches the number of fused amps of DC power capacity requested by REDSQUARE on REDSQUARE's Initial Application and all Subsequent Applications. If BellSouth determines that REDSQUARE's BellSouth Certified Supplier has installed more DC capacity than REDSQUARE requested on its Initial Application and all Subsequent Applications, BellSouth shall notify REDSQUARE in writing of such discrepancy and shall assess REDSQUARE for the additional DC power fuse/circuit capacity from the Space Acceptance Date or Space Ready Date, whichever is applicable pursuant to Section 8.3 above, for the most recent Initial Application or Subsequent Application, submitted for such collocation arrangement. BellSouth shall also revise REDSQUARE's recurring DC power charges, on a going-forward basis, to reflect the higher number of fused amps of power capacity available for the collocation arrangement.
- 8.4 <u>Nonrecurring Charges.</u> In Florida, unless specified otherwise herein, BellSouth shall assess nonrecurring charges, including all application fees, within thirty (30) days of the date that BellSouth provides an Application Response to

REDSQUARE or on REDSQUARE's next scheduled monthly billing statement, if REDSQUARE's current month's billing cycle has already closed. Nonrecurring charges associated with the processing of the Firm Order for collocation space preparation (Firm Order Processing Fee) shall be billed by BellSouth within thirty (30) days of BellSouth's confirmation of REDSQUARE's BFFO or on REDSQUARE's next scheduled monthly billing statement.

- 8.5 Space Preparation. Space preparation fees consist of a nonrecurring charge for Firm Order Processing and monthly recurring charges for Central Office Modifications and Common Systems Modifications. For all states except Florida, REDSQUARE shall remit the payment of the non-recurring Firm Order Processing Fee coincident with the submission of REDSOUARE's BFFO. In Florida, the non-recurring Firm Order Processing Fee will be billed by BellSouth, pursuant to Section 8.4 above. The monthly recurring charge for Central Office Modifications will be assessed per arrangement, per square foot, for both caged and cageless physical Collocation Space. The monthly recurring charge for Common Systems Modifications will be assessed per arrangement, per square foot, for cageless physical Collocation Space and on a per cage basis for caged physical Collocation Space. These charges recover the costs associated with preparing the Collocation Space, which includes, but is not limited to, the following items: a survey, engineering of the Collocation Space, and design and modification costs for network, building and support systems.
- 8.6 <u>Floor Space.</u> The Floor Space Charge includes reasonable charges for lighting, HVAC, and other allocated expenses associated with maintenance of the BellSouth Premises; however, this charge does not include any expenses associated with AC or DC power supplied to REDSQUARE's Collocation Space for the operation of REDSQUARE's equipment.

For caged physical Collocation Space, REDSQUARE shall pay floor space charges based upon the number of square feet enclosed. The minimum size for caged Collocation Space is 50 square feet. Additional caged Collocation Space may be requested in increments of 50 square feet. For cageless Collocation Space, REDSQUARE shall pay floor space charges based upon the following floor space calculation: [(depth of the equipment lineup in which the rack is placed) + (0.5 x maintenance aisle depth) + (0.5 x wiring aisle depth)] x (width of rack and spacers). For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. BellSouth will assign cageless Collocation Space in conventional equipment rack lineups where feasible. In the event REDSQUARE's collocated equipment requires special cable racking, an isolated ground plane, or any other considerations and treatment which prevents placement within conventional equipment rack lineups, REDSQUARE shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement.

- 8.7 Power. BellSouth shall make available -48 Volt (-48V) Direct Current (DC) power for REDSQUARE's Collocation Space at a BellSouth Battery Distribution Fuse Bay (BDFB). When obtaining DC power from a BellSouth BDFB, REDSQUARE's fuses and power cables (for the A & B feeds) must be engineered (sized), and installed by REDSQUARE's BellSouth Certified Supplier, in accordance with the number of fused amps of DC power requested by REDSOUARE on REDSOUARE's Initial Application and any Subsequent Applications. REDSQUARE is also responsible for contracting with a BellSouth Certified Supplier to run the power distribution feeder cable from the BellSouth BDFB to the equipment in REDSQUARE's Collocation Space. The BellSouth Certified Supplier contracted by REDSQUARE must provide BellSouth with a copy of the engineering power specifications prior to the day on which REDSOUARE's equipment becomes operational (hereinafter "Commencement Date"). BellSouth will provide the common power feeder cable support structure between the BellSouth BDFB and REDSQUARE's Collocation Space. REDSQUARE shall contract with a BellSouth Certified Supplier who shall be responsible for performing those power provisioning activities required to enable REDSQUARE's equipment to become operational, which may include, but are not limited to, the installation, removal or replacement of the following: dedicated power cable support structure within REDSQUARE's Collocation Space, power cable feeds, and terminations of the power cabling. REDSOUARE and REDSOUARE's BellSouth Certified Supplier shall comply with all applicable NEC, BellSouth TR73503, Telcordia and ANSI Standards that address power cabling, installation, and maintenance.
- 8.7.1 In Florida only, pursuant to technical feasibility, commercial availability, and safety limitations, BellSouth will permit REDSQUARE to request DC power in 5-amp increments from 5 amps up to 100 amps from the BellSouth BDFB. However, in accordance with industry standard fuse sizing, REDSQUARE may request that BellSouth provision DC power of 70 amps or greater directly from BellSouth's main power board. The industry standard fuse size (which is a circuit breaker on the main power board) available at a BellSouth main power board in all BellSouth Premises is a 225-amp circuit breaker.
- 8.7.2 BellSouth will revise REDSQUARE's recurring power charges, in accordance with Section 8.3 above, to reflect a power upgrade when REDSQUARE submits a Subsequent Application requesting an increase in the number of fused amps it is currently receiving from BellSouth for its Collocation Space. If REDSQUARE's existing fuses and power cables (for the A&B power feed) are not sufficient to support the additional number of fused amps requested, REDSQUARE's BellSouth Certified Supplier shall perform whatever activities are necessary, which may include the installation of new/additional fuses or power cables, to comply with the appropriate NEC, BellSouth TR73503, Telcordia, and ANSI Standards, as well as the requirements noted above in Section 8.7 and 8.7.1. REDSQUARE's BellSouth

Certified Supplier shall provide notification to BellSouth when these activities have been completed.

- 8.7.3 BellSouth will revise REDSQUARE's recurring power charges, in accordance with Section 8.3 above, to reflect a power reduction upon BellSouth's receipt of the Power Reduction Form from REDSQUARE, certifying the completion of the power reduction work, including the removal of any associated power cabling by REDSQUARE's BellSouth Certified Supplier. Notwithstanding the foregoing, if REDSQUARE's BellSouth Certified Supplier has not removed or, at BellSouth's discretion, cut the power cabling within thirty (30) days, the power reduction will not become effective until the cabling is removed or, at BellSouth's discretion, cut by REDSQUARE 's BellSouth Certified Supplier and REDSQUARE shall pay for the amount of power that had been requested prior to the power reduction request for the period up to the date the power cabling is actually removed.
- 8.7.4 If REDSQUARE requests an increase or a reduction in the amount of power that BellSouth is currently providing, REDSQUARE must submit a Subsequent Application. If no modification to the Collocation Space is requested other than the increase or reduction in power, the Power Reconfiguration Only Application Fee as set forth in Exhibit B will apply. If modifications are requested in addition to the increase or reduction of power, the Subsequent Application Fee will apply. BellSouth will bill this nonrecurring fee on the date that BellSouth provides an Application Response to REDSQUARE's Subsequent Application.
- 8.7.5 If REDSQUARE has existing power configurations currently served from the BellSouth main power board and requests that its power be reconfigured to connect to a BellSouth BDFB, in a specific central office, REDSQUARE must submit a Subsequent Application. BellSouth will respond to such application within seven (7) days and a Subsequent Application fee will apply for this reconfiguration to a BellSouth BDFB.
- 8.7.6 If REDSQUARE elects to install its own DC Power Plant, BellSouth shall provide Alternating Current (AC) power to feed REDSQUARE's DC Power Plant. Charges for AC power will be assessed on a per breaker ampere, per month basis, pursuant to the rates specified in Exhibit B. The AC power rates include recovery for the provision of commercial and standby AC power. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized) and installed by REDSQUARE's BellSouth Certified Supplier, with the exception that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. REDSQUARE's BellSouth Certified Supplier must provide a copy of the engineering power specifications prior to the Commencement Date. AC power voltage and phase ratings shall be determined on a per location basis. At REDSQUARE's option, REDSQUARE may arrange for AC power in an adjacent collocation arrangement from a retail provider of electrical power.

- 8.7.7 REDSQUARE shall contract with a BellSouth Certified Supplier to perform the installation and removal of dedicated power cable support structure within REDSQUARE's arrangement and terminations of cable within the Collocation Space.
- 8.7.8 <u>Fused Amp Billing</u>. In all states, except as noted above in 8.7.1 for Florida, BellSouth shall make available –48V DC power on a per fused amp, per month basis, pursuant to the following formula:

For power provisioned from a BDFB. The number of fused amps requested by REDSQUARE on its application should reflect a multiplier of 1.5 to convert its requested amps to fused amps, with a minimum of ten (10) fused amps required. The number of fused amps requested by REDSQUARE on its collocation application will be multiplied by the DC power fused amp rate set forth in Exhibit B.

For existing power configurations that are provisioned from BellSouth's main power board. The number of fused amps made available at the main power board, in increments of 225 amps/main power board circuit, will be multiplied by the DC power fused amp rate set forth in Exhibit B. In Florida, the number of fused amps requested by REDSQUARE on its collocation application will be multiplied by the DC power fused amp rate set forth in Exhibit B

8.7.9 Florida Power Usage Option. In Florida only, REDSQUARE may request that -48 DC power provisioned by BellSouth to REDSQUARE's Collocation Space be assessed per ampere (amp), per month based upon amps used, pursuant to the rates set forth in Exhibit B of this Attachment. Monthly recurring power charges will be assessed on the Space Acceptance Date or Space Ready Date, whichever is appropriate, pursuant to Section 8.3. If REDSQUARE desires to convert existing physical collocation arrangements to the Florida Power Usage Option (hereinafter "FL Option"), then the monthly recurring power charges that are applicable to the FL Option, contained in Exhibit B, will be assessed on the Space Ready Date associated with the Subsequent Application submitted by REDSQUARE to convert an existing collocation arrangement to the FL Option. The monthly recurring charges for DC power, under the FL Option, shall be calculated and applied based on the amount of power REDSOUARE requests that it be allowed to draw at a given time to a specific physical collocation arrangement in a particular BellSouth Premises on REDSQUARE's Initial Application or Subsequent Application. BellSouth shall allow REDSQUARE, at REDSQUARE's option, to order a power feed that is capable of delivering a higher DC power level but to fuse this power feed so as to allow a power level less than the feed's maximum to be drawn by REDSQUARE. BellSouth is not required to build its central office power infrastructure to meet REDSQUARE's forecasted DC power demand. REDSQUARE must specify on its Initial or Subsequent Application the power level it wishes to be able to draw from BellSouth's power plant for each existing collocation arrangement REDSQUARE converts to the

- FL Option or for any new collocation arrangements REDSQUARE establishes under the FL Option.
- 8.7.9.1 BellSouth, at any time and at its own expense, shall have the right to verify the accuracy of REDSQUARE's power usage under the FL Option for a specific collocation arrangement in a particular BellSouth Premises, based on a meter reading(s) taken by BellSouth of the amount of power being consumed by REDSQUARE's collocation arrangement. BellSouth may perform its own meter reading(s) via any method it chooses, such as, but not limited to, a clamp-on ammeter. If the meter reading(s) varies by more than ten percent (10%) or five (5) amps from the power usage that has been requested by REDSQUARE for the collocation arrangement, under the FL Option, the Parties agree to work cooperatively to reconcile such discrepancy and establish the appropriate usage figure in a reasonable and expeditious manner. If the Parties substantiate BellSouth's reading, then BellSouth shall adjust REDSQUARE's billing to reflect BellSouth's power reading beginning with the first day of the month immediately following the date of the last metered reading taken by BellSouth.
- 8.7.9.2 BellSouth shall assess REDSQUARE a monthly recurring charge for DC power under the FL Option, as set forth in Exhibit B of this Attachment. REDSQUARE shall notify BellSouth of any change in its DC power usage by submitting a Subsequent Application, which reflects the new DC power level desired by REDSQUARE. The requested change in DC power usage will be reflected in REDSQUARE's next scheduled monthly billing cycle.
- 8.7.10 Tennessee Caged Collocation Power Usage Metering Option. In Tennessee only, REDSQUARE may request that DC power provisioned by BellSouth to REDSQUARE's caged Collocation Space be assessed pursuant to the Tennessee Regulatory Authority's Power Usage Metering Option (hereinafter "TN Option"). If REDSQUARE chooses the TN Option, BellSouth will assess REDSQUARE for -48V DC power using the following two components: (1) the actual measured AC usage, and (2) the DC power plant infrastructure provisioned by BellSouth to support the total number of fused amps of DC power requested by REDSQUARE on REDSQUARE's Initial Collocation Application and all Subsequent Collocation Applications. These monthly recurring power charges will be assessed by BellSouth on the Space Acceptance Date or Space Ready Date, whichever is appropriate, pursuant to Section 8.3. If REDSQUARE desires to convert an existing caged collocation arrangement to the TN Option, then the monthly recurring power charges that are applicable to the TN Option, contained in Exhibit B, will be assessed on the Space Ready Date associated with the Subsequent Application submitted by REDSQUARE to convert an existing caged collocation arrangement to the TN Option.
- 8.7.10.1 BellSouth, or its BellSouth Certified Supplier, will perform all metering activities, which will include providing the necessary ammeter or other measurement device, to

measure the actual power usage (AC usage) being drawn by REDSQUARE's collocation equipment on both the A and B power feeds. The AC Usage component of the DC power charge will be based upon the sum of either the instantaneous or busy hour average electric current readings, depending on the capabilities of the ammeter or other measurement device. REDSQUARE may, at its sole cost and expense, install its own meters on those BDFBs located in its own caged Collocation Space(s) and may notify BellSouth if it would like to offer BellSouth the option of using such meters for the purposes of measuring REDSQUARE's actual power usage. In such case, BellSouth, or its BellSouth Certified Supplier, will have the option of reading and recording the actual power usage from either the meter installed or maintained by REDSQUARE on REDSQUARE's own BDFB(s) or via a BellSouth provided measurement device. The usage reading for the option elected by BellSouth shall be used for purposes of calculating the DC power usage billing.

- 8.7.10.2 If BellSouth, or its BellSouth Certified Supplier, requires access to REDSQUARE's caged Collocation Space(s) for purposes of measuring the power usage, BellSouth or its BellSouth Certified Supplier shall provide REDSQUARE with a minimum of fortyeight (48) hours notice that access is required. REDSQUARE shall respond to such request for access within twenty-four (24) hours for the purpose of establishing the date and time of access to REDSQUARE's caged Collocation Space(s). Once the date and time of access to REDSQUARE's caged Collocation Space(s) has been agreed upon, REDSQUARE and BellSouth, or its BellSouth Certified Supplier, shall adhere to the agreed upon date and time, or provide a minimum of twenty-four (24) hours notice to the other Party if the original appointment(s) will be missed or must be canceled and rescheduled. If REDSQUARE fails to provide access to its caged Collocation Space(s) or fails to provide BellSouth, or its BellSouth Certified Supplier, with sufficient notification of the missed appointment(s), as noted above, then REDSQUARE shall pay the non-recurring "Additional Meter Reading Trip Charge", as set forth in Exhibit B of this Attachment, for each additional meter reading trip that must be rescheduled to measure REDSQUARE's power usage for such caged Collocation Space(s). REDSQUARE and the BellSouth Certified Supplier may jointly agree to less stringent notification requirements to address, for example, any service interruption or restoration of service situations, on a location-by-location basis.
- 8.7.10.3 For each new caged collocation arrangement for which REDSQUARE desires the TN Option, REDSQUARE shall indicate on REDSQUARE's Initial Application that the TN Option is being selected. For each location that REDSQUARE wishes to convert to the TN Option, REDSQUARE will submit a Subsequent Application and agrees to include in the Comments section of the Subsequent Application the following comment:

This Subsequent Application is REDSQUARE's certification that REDSQUARE is opting to convert this caged collocation arrangement to the TN Option and will

permit BellSouth, or the BellSouth Certified Supplier, to measure its actual power usage on all power feeds.

- 8.7.10.4 BellSouth will bill REDSQUARE a Power Reconfiguration Only Application Fee, as set forth in Exhibit B of this Attachment, on the date that BellSouth provides an Application Response to each Subsequent Application submitted by REDSQUARE requesting to convert a caged collocation arrangement to the TN Option. BellSouth shall then arrange for the measurement of REDSQUARE's actual power usage on each power feed (each A and B power feed) once each quarter at each of REDSQUARE's caged collocation arrangements for which REDSQUARE has submitted an Initial or Subsequent Application electing the TN Option. Based upon the actual power usage measurement taken by BellSouth or the BellSouth Certified Supplier, BellSouth shall assess REDSQUARE for AC power usage for the following quarter based upon REDSOUARE's actual metered usage for each power feed (both the A and B power feeds) or a minimum of ten (10) amps of -48V DC power usage for the sum of the A and B feeds for each power cable, whichever is greater. Such usage shall then be multiplied by the AC power consumption rate, set forth in Exhibit B of this Attachment, to determine the appropriate monthly recurring AC Usage charge that will be billed to REDSQUARE for the following three (3) months or until the next AC power usage measurement is taken, whichever is later.
- 8.7.10.5 Either Party, within fifteen (15) days of notice of the usage measurement established by the scheduled meter reading, may challenge the accuracy of that reading by requesting a new reading. If REDSQUARE requests that an unscheduled (prior to the next scheduled quarterly power reading date) power usage reading be taken, then REDSQUARE will be responsible for paying the "Additional Meter Reading Trip Charge" contained in Exhibit B of this Attachment. If BellSouth requests a power usage reading be taken in this instance, then REDSQUARE will not be charged the "Additional Meter Reading Trip Charge" for the unscheduled meter reading. If the readings vary by more than ten (10) % or five (5) Amps, whichever is greater, the Parties shall work cooperatively to reconcile such discrepancies and establish the appropriate usage figure in a reasonable and expeditious manner. If the readings do not vary outside these ranges, the initial reading will be used to calculate REDSQUARE's AC Usage charge for the next three (3) months.
- 8.7.10.6 In the event BellSouth elects to measure REDSQUARE's power using REDSQUARE's BDFB meter, then BellSouth, at any time and at its own expense, shall have the right to verify the accuracy of REDSQUARE's BDFB meter by performing its own meter reading via an alternate method, such as, but not limited to, an ammeter. If the meter readings vary significantly, the Parties agree to perform a joint investigation. If REDSQUARE's BDFB meter is found to be in error, then REDSQUARE agrees to recalibrate, repair, or replace its meter as required. The Parties recognize that the meter readings discussed in this Attachment are instantaneous readings that can experience minor fluctuations due to usage traffic,

voltage fluctuations, and calibration of the meters themselves. The readings must vary by more than ten (10) % or five (5) Amps, whichever is greater, before any recalibration, repair, or replacement will be required. If the BellSouth reading is substantiated, BellSouth shall adjust REDSQUARE's billing retroactive to the beginning of the quarter for which the last meter reading was taken.

- 8.7.10.7 When REDSQUARE submits the appropriate Initial or Subsequent Application indicating its desire to elect the TN Option for a specific caged collocation arrangement in a particular BellSouth Premises, BellSouth will provide the associated Application Response pursuant to Section 6 of this Attachment. It will then be the responsibility of REDSQUARE to submit a BFFO, indicating its desire to proceed with its request to elect the TN Option. After BellSouth receives the BFFO from REDSQUARE, the Initial or Subsequent Application will be completed by BellSouth within the provisioning intervals contained in Section 7 of this Attachment and REDSQUARE will be notified of the Space Ready Date or when the appropriate record and database changes have been made by BellSouth to reflect REDSQUARE's election of the TN Option (which will be considered the "Space Ready Date" for purposes of a Subsequent Application submitted to convert a specific caged collocation arrangement in a particular BellSouth Premises to the TN Option). BellSouth will not permit REDSQUARE to elect an earlier Space Acceptance Date than the Space Ready Date for any request submitted via a Subsequent Application for an existing caged collocation arrangement. When a Subsequent Application is used to elect the TN Option and there are no other changes requested, billing for the recurring charges associated with the AC Usage and DC Power Infrastructure components will begin upon the Space Ready Date. If REDSQUARE occupies the space prior to the Space Ready Date, for Initial Application requests only, the date REDSQUARE occupies the space will be deemed the new Space Acceptance Date and billing for the AC Usage and DC Power Infrastructure components will begin on that date. When REDSQUARE elects to move to the TN Option, the number of fused amps of DC Power infrastructure capacity requested by REDSQUARE on its Initial or Subsequent Application will be used for calculating the number of amps to be billed for the AC Usage component until such time as BellSouth or its BellSouth Certified Supplier can perform, under the currently existing quarterly meter reading schedule, a reading of REDSQUARE's power usage for the requested caged Collocation Space. As soon as this reading has been taken, BellSouth will adjust REDSQUARE's billing accordingly to reflect the actual metered usage back to the Space Acceptance Date. BellSouth will also use this reading for billing purposes until the next quarterly meter reading is performed by BellSouth or its BellSouth Certified Supplier.
- 8.7.10.8 BellSouth shall assess REDSQUARE the monthly recurring charge as set forth in Exhibit B of this Attachment for BellSouth's power plant infrastructure component of the DC power charges based upon the number of fused DC power amps requested by REDSQUARE, as reflected by REDSQUARE on its Initial Application, as well as any Subsequent Applications (i.e., augment applications), for the particular caged

- collocation arrangement(s) converted to the TN Option or any new caged collocation arrangement(s) for which REDSQUARE has chosen the TN Option.
- 8.7.10.9 REDSQUARE agrees to submit a Subsequent Application to notify BellSouth when REDSQUARE has removed or installed telecommunications equipment in REDSQUARE's physical Collocation Space to ensure that REDSQUARE's existing fused DC power capacity is sufficiently engineered to accommodate the power requirements associated with the installation of additional equipment in REDSQUARE's Collocation Space. An associated change in power usage will be reflected in the next quarterly power measurement billing cycle.
- 8.7.10.10 BellSouth will bill REDSQUARE a monthly recurring charge per caged Collocation Space for each arrangement that REDSQUARE has converted to the TN Option or has elected the TN Option for new caged Collocation Space. This "Meter Reading" monthly recurring rate element will be assessed to REDSQUARE for the first twelve (12) power circuits (each A and B feed counts as two circuits), and then for each additional two (2) circuits, read by BellSouth or its BellSouth Certified Supplier, at the rates set forth in Exhibit B of this Attachment and based on whether the power meter is provided by BellSouth or its BellSouth Certified Supplier or REDSQUARE.
- 8.7.11 In Alabama and Louisiana, REDSQUARE has the option to purchase power directly from an electric utility company. Under such option, REDSQUARE is responsible for contracting with the electric utility company for its own power feed and meter and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by REDSQUARE. REDSQUARE's BellSouth Certified Supplier must comply with all applicable safety codes, including the NEC and National Electric Safety Code (NESC) standards, in the installation of this power arrangement. If REDSQUARE currently has power supplied by BellSouth, REDSQUARE may request to change its Collocation Space to obtain power from an electric utility company by submitting a Subsequent Application. BellSouth will waive the application fee for this Subsequent Application if no other changes are requested therein. Any floor space, cable racking, etc. utilized by REDSQUARE in provisioning said power will be billed by BellSouth on an ICB basis.
- 8.7.12 In South Carolina, REDSQUARE has the option to purchase power directly from an electric utility company where technically feasible and where space is available in a requested BellSouth Premises. Under such option, REDSQUARE is responsible for contracting with the electric utility company for its own power feed and meter, and is financially responsible for purchasing all equipment necessary to accomplish the conversion of the commercial AC power to DC power, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and power cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by REDSQUARE. REDSQUARE's BellSouth Certified Supplier must

comply with all applicable national, regional, state and local safety, electrical, fire and building codes, including the NESC standards, in the installing this power arrangement, just as BellSouth is required to comply with these codes. REDSQUARE must submit an application to BellSouth for the appropriate amount of Collocation Space that REDSQUARE requires in order to install this type of power arrangement. BellSouth will evaluate the request and determine if the appropriate amount of space is available within the BellSouth Premises for the installation of REDSQUARE's power equipment and facilities. This type of power arrangement must be located in an appropriate area in the BellSouth Premises that has been properly conditioned for the installation of power equipment and conforms to the applicable national, regional, state and local safety, electrical, fire and building codes. BellSouth shall waive the application fee or any other nonrecurring charge that would otherwise be due from a competitive local exchange carrier (CLEC) that decides to reconfigure an existing collocation power arrangement so as to purchase power directly from an electric utility company as provided herein. REDSQUARE shall be responsible for the recurring charges associated with the additional space needed in the BellSouth Premises for this type of power arrangement, including space required to place associated power-related equipment and facilities (i.e., batteries, generator, fuse panel, power meter, etc.). If there is no space available for this type of power arrangement in the requested BellSouth Premises, BellSouth may seek a waiver of these requirements from the Commission for the BellSouth Premises requested. REDSQUARE would have the option to order its power needs directly from BellSouth.

- 8.7.13 In Alabama and Louisiana, if REDSQUARE has existing power configurations currently served from the BellSouth main power board and requests that its power be reconfigured to connect to a BellSouth BDFB, in a specific BellSouth Premises, REDSQUARE must submit a Subsequent Application to BellSouth. BellSouth will provide a response to such application within seven (7) days and no application fee will be assessed by BellSouth for this one time only power reconfiguration to a BellSouth BDFB. For any power reconfigurations thereafter, REDSQUARE will submit a Subsequent Application and the appropriate application fee will apply.
- 8.8 <u>Cable Installation.</u> Cable Installation fees will be assessed on a per entrance cable basis. This nonrecurring charge will be billed by BellSouth upon receipt of REDSQUARE's BFFO.
- 8.9 <u>Cable Records.</u> Cable Records charges apply for work activities required to build or remove existing cable records assigned to REDSQUARE in BellSouth's database systems. The VG/DS0 per cable record charge is for a maximum of 3,600 records per request. The fiber cable record charge is for a maximum of 99 records per request. Cable Record fees will be assessed as a nonrecurring charge, upon receipt of REDSQUARE's BFFO, in all BellSouth states, except Louisiana. In Louisiana, Cable Record fees will be assessed on a monthly recurring charge basis, upon receipt of REDSQUARE's BFFO.

- 8.10 Security Escort. After REDSQUARE has used its one accompanied site visit, pursuant to Section 5.12.1, and prior to REDSQUARE's completion of the BellSouth Security Training requirements, contained in Section 12 of this Agreement, a security escort will be required when REDSQUARE's employees, approved agent, supplier, or Guest(s) desire access to the entrance manhole or a BellSouth Premises. The rates for security escort service are assessed pursuant to the fee schedule contained in Exhibit B, beginning with the scheduled escort time agreed to by the Parties. BellSouth will wait for one-half (1/2) hour after the scheduled escort time to provide such requested escort service and REDSQUARE shall pay for such half-hour charges in the event REDSQUARE's employees, approved agent, supplier or Guest(s) fails to show up for the scheduled escort appointment.
- 8.11 Other. If no collocation rate element and associated rate is identified in Exhibit B of this Attachment, the Parties, upon request by either Party, will negotiate the rate for the specific collocation service or function identified in this Attachment.

9. <u>Insurance</u>

- 9.1 REDSQUARE shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A-.
- 9.2 REDSQUARE shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of REDSQUARE's real and personal property situated on or within a BellSouth Premises.
- 9.2.4 REDSQUARE may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.

- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Agreement, upon thirty (30) days notice to REDSQUARE, to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.4 All policies purchased by REDSQUARE shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Premises and shall remain in effect for the term of this Agreement or until all of REDSQUARE's property has been removed from BellSouth's Premises, whichever period is longer. If REDSQUARE fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from REDSQUARE.
- 9.5 REDSQUARE shall submit certificates of insurance reflecting the coverage required pursuant to this Section within a minimum of ten (10) business days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. REDSQUARE shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation or non-renewal from REDSQUARE's insurance company. REDSQUARE shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Office - Finance 17F54 BellSouth Center 675 W. Peachtree Street Atlanta, Georgia 30375

- 9.6 REDSQUARE must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 Self-Insurance. If REDSQUARE's net worth exceeds five hundred million dollars (\$500,000,000.00), REDSQUARE may elect to request self-insurance status in lieu of obtaining any of the insurance required in Section 9.2. REDSQUARE shall provide audited financial statements to BellSouth thirty (30) days prior to the commencement of any work in the Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to REDSQUARE in the event that self-insurance status is not granted to REDSQUARE. If BellSouth approves REDSQUARE for self-insurance, REDSQUARE shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of REDSQUARE's corporate officers. The ability to self-insure shall continue so long as the REDSQUARE meets all of the requirements of this Section. If REDSQUARE subsequently no longer satisfies the requirements of this Section, REDSQUARE is required to purchase insurance as indicated by Section 9.2.

- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) days' notice to REDSQUARE to at least such minimum limits as shall then be customary with respect to comparable occupancy of a BellSouth Premises
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

10. Mechanics Lien

10.1 If any mechanics lien or other liens are filed against property of either Party (BellSouth or REDSQUARE), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

11. <u>Inspections</u>

BellSouth may conduct an inspection of REDSQUARE's equipment and facilities in REDSQUARE's Collocation Space(s) prior to the activation of facilities and/or services between REDSQUARE's equipment and equipment of BellSouth. BellSouth may conduct an inspection if REDSQUARE adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide REDSQUARE with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspections shall be borne by BellSouth.

12. <u>Security and Safety Requirements</u>

Unless otherwise specified, REDSQUARE will be required, at its own expense, to conduct a statewide investigation of criminal history records for each REDSQUARE employee hired in the past five years being considered for work on a BellSouth Premises, for the states/counties where the REDSQUARE employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. REDSQUARE shall not be required to perform this investigation if an affiliated company of REDSQUARE has performed an investigation of the REDSQUARE employee seeking access, if such investigation meets the criteria set forth above. This requirement will

not apply if REDSQUARE has performed a pre-employment statewide investigation of criminal history records of the REDSQUARE employee for the states/counties where the REDSQUARE employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.

- 12.2 REDSQUARE will be required to administer to its personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth at www.interconnection.bellsouth.com/guides.
- REDSQUARE shall provide its employees and agents with picture identification, which must be worn and visible at all times while in REDSQUARE's Collocation Space or other areas in or around the BellSouth Premises. The photo identification card shall bear, at a minimum, the employee's name and photo and REDSQUARE's name. BellSouth reserves the right to remove from a BellSouth Premises any employee of REDSQUARE not possessing identification issued by REDSQUARE or who has violated any of BellSouth's policies as outlined in the CLEC Security Training documents. REDSQUARE shall hold BellSouth harmless for any damages resulting from such removal of REDSQUARE's personnel from a BellSouth Premises. REDSQUARE shall be solely responsible for ensuring that any Guest(s) of REDSQUARE is in compliance with all subsections of this Section.
- 12.4 REDSQUARE shall not assign to the BellSouth Premises any personnel with records of felony criminal convictions. REDSQUARE shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse building access to any of REDSQUARE's personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event REDSQUARE chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, REDSQUARE may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 12.4.1 REDSQUARE shall not knowingly assign to the BellSouth Premises any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense, whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 REDSQUARE shall not knowingly assign to the BellSouth Premises any individual who was a former supplier of BellSouth and whose access to a BellSouth Premises was revoked due to the commission of a criminal offense, whether or not BellSouth sought prosecution of the individual for the criminal offense.

- 12.5 For each REDSQUARE employee or agent hired by REDSQUARE within the last five years, who requires access to a BellSouth Premises to perform work in REDSQUARE Collocation Space(s), REDSQUARE shall furnish BellSouth certification that the aforementioned background check and security training were completed. This certification must be provided to and approved by BellSouth before an employee or agent will be granted such access to a BellSouth Premises. The certification will contain a statement that no felony convictions were found and certify that the employee completed the security training. If the employee's criminal history includes misdemeanor convictions, REDSQUARE will disclose the nature of the convictions to BellSouth at that time. In the alternative, REDSQUARE may certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions, other than misdemeanor traffic violations.
- 12.5.1 For all other REDSQUARE employees requiring access to a BellSouth Premises pursuant to this Attachment, REDSQUARE shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, REDSQUARE shall promptly remove from the BellSouth Premises any employee of REDSQUARE that BellSouth does not wish to grant access to a BellSouth Premises: 1) pursuant to any investigation conducted by BellSouth, or 2) prior to the initiation of an investigation if an employee of REDSQUARE is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall be promptly commenced by BellSouth.
- 12.7 Security Violations. BellSouth reserves the right to interview REDSQUARE's employees, agents, suppliers, or Guests in the event of wrongdoing in or around a BellSouth Premises or involving BellSouth's or another collocated telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to REDSQUARE's Security representative of such interview. REDSQUARE and its employees, agents, suppliers, or Guests shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving REDSQUARE's employees, agents, suppliers, or Guests. Additionally, BellSouth reserves the right to bill REDSQUARE for all reasonable costs associated with investigations involving its employees, agents, suppliers, or Guests if it is established and mutually agreed in good faith that REDSQUARE's employees, agents, suppliers, or Guests are responsible for the alleged act(s). BellSouth shall bill REDSQUARE for BellSouth property, which is stolen or damaged, where an investigation determines the culpability of REDSQUARE's employees, agents, suppliers, or Guests and where REDSQUARE agrees, in good faith, with the results of such investigation. REDSQUARE shall notify BellSouth in writing immediately in the event that REDSQUARE discovers one of its

employees, agents, suppliers, or Guests already working on the BellSouth Premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth's Premises, any employee found to have violated the security and safety requirements of this Section. REDSQUARE shall hold BellSouth harmless for any damages resulting from such removal of REDSQUARE's personnel from a BellSouth Premises.

- 12.8 <u>Use of Supplies.</u> Unauthorized use of equipment, supplies or other property by either Party, whether or not used routinely to provide telephone service will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines.</u> Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephone(s) of the other Party on BellSouth's Premises. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 <u>Accountability.</u> Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees, agents, suppliers, or Guests.

13. <u>Destruction of Collocation Space</u>

13.1 In the event a Collocation Space is wholly or partially damaged by fire, windstorm, hurricane, tornado, flood or by similar force majeure circumstances to such an extent as to be rendered wholly unsuitable for REDSQUARE's permitted use hereunder, then either Party may elect within ten (10) days after such damage, to terminate occupancy of the damaged Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for REDSQUARE's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to REDSQUARE, except for improvements not to the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. REDSQUARE may, at its own expense, accelerate the rebuild of its Collocation Space and equipment provided, however, that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. If REDSQUARE's acceleration of the project increases the cost of the project, then those additional charges will be incurred at REDSQUARE's expense. Where allowed and where practical, REDSQUARE may erect a temporary facility

while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, REDSQUARE shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for REDSQUARE's permitted use, until such Collocation Space is fully repaired and restored and REDSQUARE's equipment installed therein (but in no event later than thirty (30) days after the Collocation Space is fully repaired and restored). Where REDSQUARE has placed an Adjacent Arrangement pursuant to Section 3.4, REDSQUARE shall have the sole responsibility to repair or replace said Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Adjacent Arrangement.

14. Eminent Domain

14.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Collocation Space or Adjacent Arrangement as of the date possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day with a proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, BellSouth and REDSQUARE shall each have the right to terminate this Attachment with respect to such Collocation Space or Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) days after such taking.

15. Nonexclusivity

15.1 REDSQUARE understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of Collocation Space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing physical collocation arrangements.

1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and REDSQUARE agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended, and National Fire Protection Association (NFPA), NEC and National Electric Safety Codes (NESC) (Applicable Laws) requirements. Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and REDSQUARE shall provide notice to the other, including any Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. REDSQUARE should contact 1-800-743-6737 for any BellSouth MSDS required.
- Practices/Procedures. BellSouth may make available additional environmental control procedures for REDSQUARE to follow when working at a BellSouth Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. REDSQUARE will require its suppliers, agents, Guests, and others accessing the BellSouth Premises to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by REDSQUARE when operating in the BellSouth Premises.
- 1.4 <u>Environmental and Safety Inspections.</u> BellSouth reserves the right to inspect the REDSQUARE space with proper notification. BellSouth reserves the right to stop any REDSQUARE work operation that imposes Imminent Danger to the environment, employees or other persons in or around a BellSouth Premises.
- 1.5 <u>Hazardous Materials Brought On Site.</u> Any hazardous materials brought into, used, stored or abandoned at a BellSouth Premises by REDSQUARE are owned by and considered the property of REDSQUARE. REDSQUARE will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by REDSQUARE or different hazardous materials

Version: 4004 Standard ICA

used by REDSQUARE at a BellSouth Premises. REDSQUARE must demonstrate adequate emergency response capabilities for the materials used by REDSQUARE or remaining at a BellSouth Premises.

- 1.6 <u>Spills and Releases.</u> When contamination is discovered at a BellSouth Premises, either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately be reported by REDSQUARE to BellSouth.
- Coordinated Environmental Plans and Permits. BellSouth and REDSQUARE will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and REDSQUARE will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, REDSQUARE must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and the selection of BST disposition vendors and disposal sites.
- Environmental and Safety Indemnification. BellSouth and REDSQUARE shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages (including direct and indirect damages and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its employees, agents, suppliers, or Guests concerning its operations at a BellSouth Premises.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

- When performing functions that fall under the following Environmental categories on BellSouth's Premises, REDSQUARE agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. REDSQUARE further agrees to cooperate with BellSouth to ensure that REDSQUARE's employees, agents, suppliers and/or Guests are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps, which apply to the specific Environmental function being performed by REDSQUARE, its employees, agents, suppliers, and/or Guests.
- The most current version of the reference documentation must be requested from REDSQUARE's BellSouth Regional Contract Manager (RCM).

Version: 4004 Standard ICA

| ENVIRONMENTAL CATEGORIES | ENVIRONMENTAL ISSUES | ADDRESSED BY THE FOLLOWING DOCUMENTATION |
|--|---|--|
| Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent tubes, solvents & cleaning materials) | Compliance with all applicable local, state, & federal laws and regulations | Std T&C 450 Fact Sheet Series 17000 |
| | Pollution liability insurance | Std T&C 660-3 |
| | EVET approval of supplier | Approved Environmental Vendor List (Contact RCM Representative) |
| Emergency response | Hazmat/waste release/spill fire safety emergency | Fact Sheet Series 17000 Building Emergency Operations Plan (EOP) (specific to and located on BellSouth's Premises) |
| Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Premises (e.g., disposition of hazardous material/waste; maintenance of storage | Compliance with all applicable local, state, & federal laws and regulations | Std T&C 450 |
| | Performance of services in accordance with BST's environmental M&Ps | Std T&C 450-B (Contact RCM Representative for copy of appropriate E/S M&Ps.) |
| tanks) | Insurance | Std T&C 660 |
| Transportation of hazardous material | Compliance with all applicable local, state, & federal laws and regulations | Std T&C 450 Fact Sheet Series 17000 |
| | Pollution liability insurance | Std T&C 660-3 |
| | EVET approval of supplier | Approved Environmental Vendor List (Contact RCM Representative) |
| Maintenance/operations work which may produce a waste | Compliance with all applicable local, state, & federal laws and regulations | Std T&C 450 |
| Other maintenance work | Protection of BST employees and equipment | 29CFR 1910.147 (OSHA Standard) |

Version: 4Q04 Standard ICA

| | | 29CFR 1910 Subpart O (OSHA Standard) |
|---|---|--|
| Janitorial services | All waste removal and disposal must conform to all applicable federal, state and local regulations | Procurement Manager (CRES Related Matters)-BST Supply Chain Services |
| | All Hazardous Material and Waste | Fact Sheet Series 17000 |
| | Asbestos notification and protection of employees and equipment | GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom) |
| Manhole cleaning | Compliance with all applicable local, state, & federal laws and regulations | Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996 |
| | Pollution liability insurance | Std T&C 660-3 |
| | EVET approval of supplier | Approved Environmental Vendor List (Contact RCM Representative) |
| Removing or disturbing building materials that may contain asbestos | Asbestos work practices | GU-BTEN-001BT, Chapter 3 For questions regarding removing or disturbing materials that contain asbestos, call the BellSouth Building Service Center: AL, MS, TN, KY & LA (local area code) 557-6194 FL, GA, NC & SC (local area code) 780-2740 |

3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical.</u> As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Version: 4Q04 Standard ICA

Hazardous Waste. As defined in Section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a BellSouth Premises which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. ACRONYMS

<u>RCM</u> – Regional Collocation Manager (f/k/a Account Team Collocation Coordinator)

BST – BellSouth Telecommunications

<u>CRES</u> – Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

<u>E/S</u> – Environmental/Safety

EVET - Environmental Vendor Evaluation Team

GU-BTEN-001BT - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

<u>P&SM</u> - Property & Services Management

Std T&C - Standard Terms & Conditions

Version: 4Q04 Standard ICA

Attachment 4

Remote Site Collocation

Version: 4Q04 Standard ICA 12/14/04 Remote Site Collocation

REMOTE SITE COLLOCATION TABLE OF CONTENTS

- 1. Scope of Attachment
 - 1.1 Scope
 - 1.2 Right to Occupy
 - 1.3. Space Reservation
 - 1.4. Third Party Property
 - 1.5 Space Reclamation
 - 1.6 Use of Space
 - 1.7 Due Dates
 - 1.8 Compliance
- 2. Space Availability Optional Report
 - 2.1 Space Availability Optional Report
 - 2.2 Remote Terminal Information
- 3. Collocation Options
 - 3.1 Cageless Collocation
 - 3.2 Caged Collocation
 - 3.3 Shared Caged Collocation
 - 3.4 Adjacent Collocation
 - 3.5 Co-Carrier Cross Connects (CCXCs)
- 4. Occupancy
 - 4.1. Space Ready Date
 - 4.2 Acceptance Walk Through
 - 4.3 Early Space Acceptance
 - 4.4 Termination of Occupancy
- 5. Use of Remote Collocation Space
 - **5.1.** Equipment Type
 - 5.2. No Marketing
 - **5.3.** Equipment Identification
 - **5.4.** Entrance Facilities
 - 5.5 Shared Use
 - **5.6** Demarcation Point
 - 5.7 Equipment and Facilities
 - 5.8 BellSouth Access
 - 5.9 Customer Access
 - 5.10 Lost or Stolen Access Keys
 - **5.11** Interference or Impairment
 - 5.12 Personalty and Its Removal
 - 5.13 Alterations
 - **5.14** Upkeep of Remote Collocation Space

Version: 4Q04 Standard ICA

12/14/04

Remote Site Collocation

6. Ordering and Preparation of Remote Collocation Space

- **6.1.** Procedures and Intervals
- **6.2.** Remote Site Application
- 6.3 Availability of Space
- **6.4** Space Availability Notification
- 6.5 Denial of Application
- 6.6 Petition for Waiver
- 6.7 Waiting List
- **6.8** Public Notification
- **6.9** Application Response
- **6.10** Application Modifications
- 6.11 Bona Fide Firm Order

7. Construction and Provisioning

- 7.1 Construction and Provisioning Intervals
- 7.2. Joint Planning
- 7.3. Permits
- 7.4 Use of a BellSouth Certified Supplier
- 7.5 Alarms and Monitoring
- 7.6 Virtual to Physical Remote Collocation Space Relocation
- 7.7 Virtual to Physical Conversion (In-Place)
- 7.8 Cancellation
- 7.9 Licenses
- 7.10 Environmental Compliance

8. Rates and Charges

- **8.1.** Rates
- 8.2 Recurring Charges
- 8.3 Application Fee
- 8.4 Bay Space
- 8.5 Power
- 8.6 Adjacent Collocation Power
- 8.7 Security Escort
- 8.8 Other

9. Insurance

10. Mechanics Liens

11. Inspections

12. Security and Safety Requirements

13. Destruction of Remote Collocation Space

Version: 4Q04 Standard ICA

12/14/04

Remote Site Collocation

- 14. Eminent Domain
- 15. Nonexclusivity

EXHIBIT A ENVIRONMENTAL AND SAFETY PRINCIPLES

EXHIBIT B RATES

Version: 4Q04 Standard ICA

12/14/04

BELLSOUTH

REMOTE SITE COLLOCATION

1. Scope of Attachment

- 1.1 Scope. The rates, terms, and conditions contained within this Attachment shall only apply when REDSQUARE is occupying the collocation space as a sole occupant or as a Host within a Remote Site Location ("Remote Collocation Space") pursuant to this Attachment. BellSouth Premises include BellSouth Central Offices and Serving Wire Centers (hereinafter "BellSouth Premises"). This Attachment is applicable to BellSouth Premises owned or leased by BellSouth. However, if the BellSouth Premises occupied by BellSouth is leased by BellSouth from a third party, special considerations and intervals may apply in addition to the terms and conditions contained in this Attachment.
- 1.2 Right to occupy. BellSouth shall offer to REDSQUARE Remote Collocation Space on rates, terms, and conditions that are just, reasonable, non-discriminatory, and consistent with the rules of the Federal Communications Commission ("FCC"). Subject to the rates, terms, and conditions of this Attachment, where space is available and collocation is technically feasible, BellSouth will allow REDSQUARE to occupy that certain area designated by BellSouth within a BellSouth Remote Site Location, or on BellSouth property upon which the BellSouth Remote Site Location is located, of a size, which is specified by REDSQUARE and agreed to by BellSouth. BellSouth Remote Site Locations include cabinets, huts, and controlled environmental vaults owned or leased by BellSouth that house BellSouth Network Facilities. To the extent this Attachment does not include all the necessary rates, terms and conditions for BellSouth Remote Site Locations other than cabinets, huts and controlled environmental vaults, the Parties will negotiate said rates, terms, and conditions upon request for collocation at BellSouth Remote Site Locations other than those specified above.

1.3 <u>Space Reservation</u>.

1.3.1 In all states other than Florida, the number of bays specified by REDSQUARE may contemplate a request for space sufficient to accommodate REDSQUARE's growth within a two-year period.

Version: 4Q04 Standard ICA

12/14/04

- 1.3.2 In the state of Florida, the number of bays specified by REDSQUARE may contemplate a request for space sufficient to accommodate REDSQUARE's growth within an eighteen (18) month period.
- 1.3.3 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth above.
- 1.4 Third Party Property. If the Premises, or the property on which it is located, is leased by BellSouth from a Third Party or otherwise controlled by a Third Party, special considerations and intervals may apply in addition to the terms and conditions of this Attachment. Additionally, where BellSouth notifies REDSQUARE that BellSouth's agreement with a Third Party does not grant BellSouth the ability to provide access and use rights to others, upon REDSQUARE's request, BellSouth will use its best efforts to obtain the owner's consent and to otherwise secure such rights for REDSQUARE. REDSQUARE agrees to reimburse BellSouth for the reasonable and demonstrable costs incurred by BellSouth in obtaining such rights for REDSQUARE. In cases where a Third Party agreement does not grant BellSouth the right to provide access and use rights to others as contemplated by this Attachment and BellSouth, despite its best efforts, is unable to secure such access and use rights for REDSQUARE as above, REDSQUARE shall be responsible for obtaining such permission to access and use such property. BellSouth shall cooperate with REDSQUARE in obtaining such permission.
- 1.5 <u>Space Reclamation.</u> In the event of space exhaust within a Remote Site Location, BellSouth may include in its documentation for the Petition for Waiver filing any unutilized space in the Remote Site Location. REDSQUARE will be responsible for any justification of unutilized space within its Remote Collocation Space, if the Commission requires such justification.
- 1.6 <u>Use of Space.</u> REDSQUARE shall use the Remote Collocation Space for the purposes of installing, maintaining and operating REDSQUARE's equipment (which may include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities or for accessing BellSouth unbundled network elements (UNEs) in accordance with the Act and FCC and Commission rules. The Remote Collocation Space may be used for no other purposes except as specifically described herein or in any amendment hereto.
- 1.7 <u>Due Dates.</u> If any due date contained in this Attachment falls on a weekend or National holiday, then the due date will be the next business day thereafter. For intervals of ten (10) days or less National holidays will be excluded. For purposes of this Attachment, national holidays include the following: New Year's Day, Martin Luther King, Jr. Day, President's Day (Washington's Birthday), Memorial Day, Independence Day, Labor Day, Columbus Day, Veteran's Day, Thanksgiving Day, and Christmas Day.

Version: 4Q04 Standard ICA

12/14/04

1.8 <u>Compliance.</u> Subject to Section 24 of the General Terms and Conditions of this Agreement, the Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

2. Space Availability Optional Report

- 2.1 Space Availability Optional Report. Upon request from REDSQUARE, BellSouth will provide a written report ("Space Availability Report"), describing in detail the space that is available for collocation and specifying the amount of Remote Collocation Space available at the Remote Site Location requested, the number of collocators present at the Remote Site Location, any modifications in the use of the space since the last report on the Remote Site Location requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the Remote Site Location.
- 2.1.1 The request from REDSQUARE for a Space Availability Report must be written and must include the Common Language Location Identification ("CLLI") code for both the Remote Site Location and the serving wire center. The CLLI code information for the serving wire center is located in the National Exchange Carrier Association (NECA) Tariff FCC No. 4. If REDSQUARE is unable to obtain the CLLI code for the Remote Site Location from, for example, a site visit to the remote site, REDSQUARE may request the CLLI code from BellSouth. To obtain a CLLI code for a Remote Site Location directly from BellSouth, REDSQUARE should submit to BellSouth a Remote Site Interconnection Request for the serving wire center CLLI code prior to submitting its request for a Space Availability Report. REDSQUARE should complete all the requested information and submit the Request to BellSouth. BellSouth will bill the applicable fee upon receipt of the request.
- 2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular Remote Site Location within ten (10) days of receipt of such request. BellSouth will make commercially reasonable efforts to respond in ten (10) days to such a request when the request includes from two (2) to five (5) Remote Site Locations within the same state. The response time for requests of more than five (5) Remote Site Locations shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) day response time, BellSouth shall notify REDSQUARE and inform REDSQUARE of the time frame under which it can respond.
- 2.2 <u>Remote Terminal Information.</u> Upon request, BellSouth will provide REDSQUARE with the following information concerning BellSouth's remote terminals: (i) the address of the remote terminal; (ii) the CLLI code of the remote terminal; (iii) the carrier serving area of the remote terminal; (iv) the designation of which remote terminals subtend a particular central office; and (v) the number and address of customers that are served by a particular remote terminal.

Version: 4Q04 Standard ICA

12/14/04

2.2.1 BellSouth will provide this information on a first come, first served basis within thirty (30) days of a REDSQUARE request subject to the following conditions: (i) the information will only be provided on a CD in the same format in which it appears in BellSouth's systems; (ii) the information will only be provided for each serving wire center designated by REDSQUARE, up to a maximum of thirty (30) wire centers per REDSQUARE request per month per state, and up to for a maximum of one hundred twenty (120) wire centers total per month per state for all CLECs; and (iii) REDSQUARE agrees to pay the costs incurred by BellSouth in providing the information. Multiple Wire Center CLLI code requests may be place on one CD.

3. <u>Collocation Options</u>

- 3.1 Cageless Collocation. BellSouth shall allow REDSQUARE to collocate REDSQUARE's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow REDSQUARE to have direct access to REDSQUARE's equipment and facilities in accordance with Section 5.8. BellSouth shall make cageless collocation available in single bay increments. Except where REDSQUARE's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), BellSouth shall assign cageless Remote Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, REDSQUARE must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment pursuant to Section 7.4 following.
- 3.2 Caged Collocation. At REDSOUARE's option and expense, REDSOUARE may arrange with a Supplier certified by BellSouth ("BellSouth Certified Supplier") to construct a collocation arrangement enclosure, where technically feasible as that term has been defined by the FCC, in accordance with BellSouth's specifications for a wire mesh enclosure prior to starting equipment installation. Where local building codes require enclosure specifications more stringent than BellSouth's wire mesh enclosure specifications, REDSQUARE and REDSQUARE's BellSouth Certified Supplier must comply with the more stringent local building code requirements. REDSQUARE's BellSouth Certified Supplier shall be responsible for filing and obtaining any and all necessary permits and/or licenses for such construction. BellSouth or BellSouth's designated agent or contractor shall provide, at REDSQUARE's expense, documentation, which may include existing building architectural drawings, enclosure drawings, and specifications etc., necessary for REDSQUARE's BellSouth Certified Supplier to obtain the zoning, permits and/or other licenses. REDSQUARE's BellSouth Certified Supplier shall bill REDSQUARE directly for all work performed for REDSOUARE pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by REDSQUARE's BellSouth Certified Supplier. REDSQUARE must provide the local BellSouth Remote Site Location contact with two Access Keys used to enter the locked enclosure. Except in case of emergency, BellSouth will not access REDSQUARE's locked enclosure prior

Version: 4Q04 Standard ICA

12/14/04

- to notifying REDSQUARE at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to REDSQUARE's Remote Site Location is required. Upon request, BellSouth shall construct the enclosure for REDSQUARE.
- 3.2.1 BellSouth may elect to review REDSQUARE's plans and specifications, if REDSOUARE has indicated its desire to have REDSOUARE's BellSouth Certified Supplier construct the collocation arrangement enclosure, prior to allowing the construction to start, to ensure REDSOUARE's compliance with BellSouth's wire mesh enclosure specifications. BellSouth will notify REDSQUARE of its desire to execute this review in BellSouth's Application Response to REDSQUARE's application. The Application Response is defined for purposes of this Attachment as BellSouth's written response that includes sufficient information for REDSQUARE to place a firm order for the Remote Collocation Space it is requesting. If REDSQUARE's application does not indicate their desire to construct their own enclosure and REDSQUARE subsequently decides to construct its own enclosure prior to BellSouth's Application Response, then REDSQUARE will resubmit its application, indicating its desire to construct its own enclosure. BellSouth shall complete its review within fifteen (15) days after BellSouth's receipt of REDSQUARE's plans and specifications. Regardless of whether or not BellSouth elects to review REDSQUARE's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction to make sure it is constructed according to the submitted plans and specifications and/or BellSouth's wire mesh enclosure specifications, as applicable. If BellSouth decides to inspect the constructed Remote Collocation Space, BellSouth will complete its inspection within fifteen (15) days after receipt of REDSOUARE's written notification that the enclosure has been completed. BellSouth shall require REDSQUARE, at REDSQUARE's expense, to remove or correct within seven (7) days after BellSouth has completed its inspection of REDSQUARE's caged Remote Collocation Space, any structure that does not meet REDSQUARE's plans and specifications or BellSouth's wire mesh enclosure specifications, as applicable.
- 3.3 Shared Caged Collocation. REDSQUARE may allow other telecommunications carriers to sublease REDSQUARE's Remote Collocation Space pursuant to terms and conditions agreed to by REDSQUARE ("Host") and other telecommunications carriers ("Guests") and pursuant to this Section, except where the BellSouth Remote Site Location is located within a leased space and BellSouth is prohibited by said lease from offering such an option or is located on property for which BellSouth holds an easement and such easement does not permit such an option. REDSQUARE shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest prior to any application. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by REDSQUARE that said agreement imposes upon the Guest(s) the same terms and conditions for Remote Collocation Space as set forth in this Attachment between BellSouth and REDSQUARE.

Version: 4Q04 Standard ICA

12/14/04

- 3.3.1 REDSQUARE, as the Host, shall be the sole interface and responsible Party to BellSouth for assessment of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. BellSouth shall provide REDSQUARE with a proration of the costs of the Remote Collocation Space based on the number of collocators and the space used by each. BellSouth will not allocate less than one (1) bay per Host/Guest. In those instances where the Host permits a Guest to use a shelf within the Host's bay, BellSouth will not prorate the cost of the bay. In all states other than Florida, and in addition to the foregoing, REDSQUARE shall be the responsible Party to BellSouth for the purpose of submitting applications for bay placement for the Guest. In Florida the Guest may submit its own initial bay placement applications using the Host's access carrier name abbreviation (ACNA). A separate Guest application shall require the assessment of an Application Fee, as set forth in Exhibit B, which will be charged to the Host. BellSouth shall bill this nonrecurring fee on the date that BellSouth provides it written Application Response to the Guest(s) bona fide application.
- 3.3.2 Notwithstanding the foregoing, the Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and the Guest and for the provision of the services, and/or access to UNEs. The bill for these interconnecting facilities, services and access to UNEs will be charged to the Guest pursuant to the applicable BellSouth tariff or the Guest's Interconnection Agreement with BellSouth.
- 3.3.3 REDSQUARE shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of REDSQUARE's Guest(s) in the Remote Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- 3.4 Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will permit an adjacent Remote Site collocation arrangement ("Adjacent Arrangement") on the property on which BellSouth's Remote Site is located when space within the Remote Site Location is legitimately exhausted, where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Remote Site Location property. The Adjacent Arrangement shall be constructed or procured by REDSQUARE and in conformance with BellSouth's design and construction specifications. Further, REDSQUARE shall construct, procure, maintain and operate said Adjacent Arrangement pursuant to all of the terms and conditions set forth in this Attachment. Rates shall be negotiated at the time of the application for the Adjacent Arrangement.
- 3.4.1 Should REDSQUARE elect Adjacent Collocation, REDSQUARE must arrange with a BellSouth Certified Supplier to construct or procure an Adjacent Arrangement structure in accordance with BellSouth's specifications. Where local building codes require specifications more stringent than BellSouth's own specifications, REDSQUARE and REDSQUARE's BellSouth Certified Supplier must comply with

Version: 4Q04 Standard ICA

12/14/04

local building code requirements. REDSQUARE's BellSouth Certified Supplier shall be responsible for filing and obtaining any and all necessary zoning, permits and/or licenses for such construction. REDSQUARE's BellSouth Certified Supplier shall bill REDSQUARE directly for all work performed for REDSQUARE pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by REDSQUARE's BellSouth Certified Supplier. REDSQUARE must provide the local BellSouth Remote Site Location contact with two cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth shall not access REDSQUARE's locked enclosure prior to notifying REDSQUARE at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the locked enclosure is required.

- 3.4.2 REDSQUARE must submit its plans and specifications to BellSouth with its firm order. BellSouth shall review REDSQUARE's plans and specifications prior to construction of an Adjacent Arrangement to ensure compliance with BellSouth's specifications. BellSouth shall complete its review within fifteen (15) days after receipt of plans and specifications. BellSouth may inspect the Adjacent Arrangement during and after construction to confirm it is constructed according to the submitted plans and specifications. If BellSouth decides to inspect the completed Adjacent Arrangement, BellSouth will complete its inspection within fifteen (15) days after receipt of REDSQUARE's written notification that the Adjacent Arrangement has been completed. BellSouth shall require REDSQUARE, at REDSQUARE's expense, to remove or correct within seven (7) days after BellSouth has completed its inspection of REDSQUARE's Adjacent Arrangement, any structure that does not meet its submitted plans and specifications or, BellSouth's specifications, as applicable.
- 3.4.3 REDSQUARE shall provide a concrete pad, the structure housing the Adjacent Arrangement, HVAC, lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of demarcation. At REDSOUARE's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement. In Alabama and Louisiana, at REDSQUARE's request and expense, BellSouth will provide DC power to an Adjacent Collocation site where technically feasible, as that term has been defined by the FCC, and in accordance with applicable law, BellSouth will provide DC power in an Adjacent Arrangement provided that such provisioning can be done in compliance with the National Electric Code (NEC), any and all safety and local codes, such as, but not limited to, local zoning codes, and upon completion of negotiations between the Parties on the applicable rates and intervals. REDSOUARE will pay for any and all (100%) DC power construction and provisioning costs to an Adjacent Arrangement through individual case basis (ICB) pricing that must be paid as follows: fifty percent (50%) before the DC installation work begins, and fifty percent (50%) at completion of the DC installation work to the Adjacent Arrangement. REDSQUARE's BellSouth Certified Supplier shall be

Version: 4Q04 Standard ICA 12/14/04

responsible, at REDSQUARE's expense, for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement. BellSouth shall allow Shared caged Host/Guest collocation within an Adjacent Arrangement pursuant to the terms and conditions set forth herein.

- 3.5 Co-Carrier Cross-Connects (CCXCs). A Co-Carrier Cross Connect (CCXC) is a cross connection between REDSQUARE and another collocated telecommunications carrier, other than BellSouth, in the same BellSouth Remote Site Location. Where technically feasible, BellSouth will permit REDSQUARE to interconnect between its Remote Collocation Space(s) and Remote Collocation Space(s) of another (or other) collocated telecommunications carrier(s) within the same BellSouth Remote Site Location via a CCXC, pursuant to FCC Rules. The other collocated telecommunications carrier's agreement must also contain CCXC rates, terms and conditions before BellSouth will permit the provisioning of CCXC between the two collocated carriers. The applicable BellSouth charges will be assessed to the collocated telecommunications carrier that requests the CCXC. REDSQUARE is prohibited from using the Remote Collocated telecommunications carriers.
- 3.5.1 REDSQUARE must contract with a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned using facilities owned by REDSQUARE. Such crossconnections to other collocated telecommunications carriers may be made using either optical or electrical facilities. REDSQUARE shall be responsible for providing a letter of authorization (LOA), with the application, to BellSouth from the other collocated telecommunications carrier to which it will be cross-connecting. The CCXC shall utilize BellSouth common cable support structure. There will be a recurring charge per linear foot, per cable, of the common cable support structure used by REDSQUARE to provision the CCXC to the other collocated telecommunications carrier. In those instances where REDSQUARE's equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged Remote Collocation Spaces, REDSQUARE may use its own technicians to install the co-carrier cross connects using either electrical or optical facilities between the sets of equipment of both collocated telecommunications carriers by constructing a dedicated cable support structure between the two contiguous cages. REDSQUARE shall deploy such optical or electrical cross-connections directly between its own equipment and the equipment of the other collocated telecommunications carrier without being routed through BellSouth's equipment or, in the case of a CCXC provisioned between contiguous collocation spaces, common cable support structure. REDSQUARE shall not provision CCXC on any BellSouth distribution frame, POT (Point of Termination) Bay, DSX (Digital System Cross-connect) panel or LGX (Light Guide Cross-connect) panel. REDSQUARE is solely responsible for ensuring the integrity of the signal.
- 3.5.2 To place an order for a CCXC, REDSQUARE must submit an application to BellSouth. If no modification to the Remote Collocation Space is requested other than the placement of a CCXC, the Co-Carrier Cross Connect Application Fee for a

Version: 4Q04 Standard ICA

12/14/04

CCXC, as defined in Exhibit B, will apply. If other modifications are requested, in addition to the placement of a CCXC, the Application Fee will apply. BellSouth will bill this nonrecurring charge on the date that it provides an Application Response to REDSQUARE.

4. Occupancy

- 4.1 <u>Space Ready Date.</u> BellSouth will notify REDSQUARE in writing that the Remote Collocation Space is ready for occupancy ("Space Ready Date").
- 4.2 Acceptance Walk Through. REDSQUARE will schedule and complete an acceptance walkthrough of each Remote Collocation Space with BellSouth within fifteen (15) days after BellSouth notifies REDSQUARE that Remote Collocation Space is ready for occupancy ("Space Ready Date"). BellSouth will correct any deviations to REDSQUARE's original or jointly amended requirements within seven (7) days after the walkthrough, unless the Parties jointly agree upon a different time frame, and BellSouth shall establish a new Space Ready Date. Another acceptance walkthrough will then be scheduled and conducted within fifteen (15) days after the new Space Ready Date. This follow-up acceptance walkthrough will be limited to those items identified in the initial walkthrough. If REDSQUARE completes its acceptance walkthrough within the fifteen (15) day interval(s) associated with the applicable Space Ready Date, billing will begin upon the date of REDSQUARE's acceptance of the Remote Collocation Space ("Space Acceptance Date"). In the event that REDSQUARE fails to complete an acceptance walkthrough within this fifteen (15) day interval, the Remote Collocation Space shall be deemed accepted by REDSQUARE on the Space Ready Date and billing will commence from that date.
- 4.3 Early Space Acceptance. If REDSQUARE decides to occupy the Remote Collocation Space prior to the Space Ready Date, the date REDSQUARE occupies the space is deemed the Space Acceptance Date and billing will begin from that date. REDSQUARE must notify BellSouth in writing that its collocation equipment installation is complete. REDSQUARE's collocation equipment installation is complete, which is when REDSQUARE's equipment has been cross-connected to BellSouth's network for the purpose of provisioning telecommunication services to REDSQUARE's customers. BellSouth may, at its discretion, refuse to accept any orders for cross-connects until it has received such notice from REDSQUARE.
- 4.4 Termination of Occupancy. In addition to any other provisions addressing termination of occupancy in this Attachment, REDSQUARE may terminate occupancy in a particular Remote Collocation Space by submitting an application requesting termination of occupancy for such Remote Collocation Space. Such termination shall be effective upon BellSouth's acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date REDSQUARE and BellSouth conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that REDSQUARE signs off on the Space Relinquishment Form and sends the form to BellSouth if a subsequent inspection of

Version: 4Q04 Standard ICA

12/14/04

the terminated space by BellSouth reveals no discrepancies. If the subsequent inspection by BellSouth reveals any discrepancies, billing will cease on the date that BellSouth and REDSQUARE jointly conduct an inspection, which confirms that REDSQUARE has corrected the discrepancies. An Application Fee will not apply for termination of occupancy. BellSouth may terminate REDSQUARE's right to occupy the Remote Collocation Space in the event REDSQUARE fails to comply with any provision of this Agreement, for such Remote Collocation Space..

- 4.4.1 Upon termination of occupancy, REDSQUARE, at its sole expense, shall remove its equipment and other property from the Remote Collocation Space. REDSQUARE shall have thirty (30) days from the BFFO date ("Termination Date") to complete such removal, including the removal of all equipment and facilities of REDSQUARE's Guest(s), unless REDSQUARE's Guest(s) has assumed responsibility for the Remote Collocation Space housing the Guest(s)'s equipment and executed the appropriate documentation required by BellSouth to transfer the Remote Collocation Space to the Guest(s) prior to REDSQUARE's Termination Date.
- 4.4.2 REDSQUARE shall continue payment of all monthly recurring charges to BellSouth until the date REDSQUARE, and if applicable REDSQUARE's Guest(s), has fully vacated the Remote Collocation Space and the Space Relinquish Form has been accepted by BellSouth. If REDSQUARE or REDSQUARE's Guest(s) fails to vacate the Remote Collocation Space within thirty (30) days from the Termination Date, BellSouth shall have the right to remove and dispose of the equipment and any other property of REDSQUARE or REDSQUARE's Guest(s), in any manner that BellSouth deems fit, at REDSQUARE's expense and with no liability whatsoever for REDSQUARE's property or REDSQUARE's Guest(s)'s property.
- 4.4.3 Upon termination of REDSQUARE's right to occupy Remote Collocation Space, the Remote Collocation Space will revert back to BellSouth, and REDSQUARE shall surrender such Remote Collocation Space to BellSouth in the same condition as when it was first occupied by REDSQUARE, with the exception of ordinary wear and tear, unless otherwise agreed to by the Parties. For CEVs and huts, REDSQUARE's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth specifications including, but not limited to, Record Drawings and ERMA Records. REDSQUARE shall be responsible for the cost of removing any REDSQUARE constructed enclosure, as well as any support structures (e.g., racking, conduits, power cables, etc.), by the Termination Date and restoring the grounds to their original condition.

5. Use of Remote Collocation Space

Equipment Type. BellSouth permits the collocation and use of any type of equipment that is necessary and will be used primarily for interconnection to BellSouth's network or for access to UNEs in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). Equipment is necessary

Version: 4Q04 Standard ICA

12/14/04

for interconnection if an inability to deploy that equipment would, as a practical, economical, or operational matter, preclude the requesting carrier from obtaining interconnection with BellSouth at a level equal in quality to that which BellSouth obtains within its own network or what BellSouth provides to any affiliate, subsidiary, or other party.

- 5.1.1 Examples of equipment that would not be considered necessary include but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on BellSouth's Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.
- 5.1.2 Such equipment must, at a minimum, meet the following Telcordia Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 3 requirements as outlined in the Telcordia Special Report SR-3580, Issue 1. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation equipment based on REDSQUARE's failure to comply with this Section.
- 5.1.2.1 All REDSQUARE equipment installation shall comply with BellSouth TR 73503-11h, "Grounding Engineering Procedures". Metallic cable sheaths and metallic strength members of optical fiber cables as well as the metallic cable sheaths of all copper conductor cables shall be bonded to the designated grounding bus for the Remote Site Location. All copper conductor pairs, working and non-working, shall be equipped with a solid-state protector unit (over-voltage protection only), which has been listed by a nationally recognized testing laboratory.
- 5.1.3 REDSQUARE shall identify to BellSouth whenever REDSQUARE submits a Method of Procedure ("MOP") adding equipment to REDSQUARE's Remote Collocation Space all UCC-1 lien holders or other entities that have a financial interest, secured or otherwise, in the equipment in REDSQUARE's Remote Collocation Space. REDSQUARE shall submit a copy of the list of any lien holders or other entities that have a financial interest to REDSQUARE's ATCC Representative.
- 5.2 <u>No Marketing.</u> REDSQUARE shall not use the Remote Collocation Space for marketing purposes nor shall it place any identifying signs or markings in the area surrounding the Remote Collocation Space or on the grounds of the Remote Site Location.

Version: 4Q04 Standard ICA 12/14/04

- Equipment Identification. REDSQUARE shall place a plaque or affix other identification (e.g., stenciling or labeling) to each piece of REDSQUARE's equipment, including the appropriate emergency contacts with their corresponding telephone numbers, in order for BellSouth to properly identify REDSQUARE's equipment in the case of an emergency. For caged Remote Collocation Space, such identification must be placed on a plaque affixed to the outside of the caged enclosure.
- Entrance Facilities. REDSQUARE may elect to place REDSQUARE-owned or REDSQUARE-leased fiber entrance facilities into the Remote Collocation Space. BellSouth will designate the point of interconnection at the Remote Site Location housing the Remote Collocation Space, which is physically accessible by both Parties. REDSQUARE will provide and place copper cable through conduit from the Remote Collocation Space to the feeder distribution interface to the splice location of sufficient length for splicing by BellSouth. REDSQUARE must contact BellSouth for authorization and instruction prior to placing any entrance facility cable. REDSQUARE is responsible for maintenance of the entrance facilities that terminate into REDSQUARE's Remote Collocation Space.
- 5.5 <u>Shared Use.</u> REDSQUARE may utilize spare capacity on an existing telecommunications carrier's entrance facility for the purpose of obtaining an entrance facility to REDSQUARE's Remote Collocation Space within the same BellSouth Remote Site Location.
- Demarcation Point. BellSouth will designate the point(s) of demarcation between REDSQUARE's equipment and/or network facilities and BellSouth's network facilities. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. REDSQUARE or its agent must perform all required maintenance to REDSQUARE equipment/facilities on its side of the demarcation point, pursuant to Section 5.7, following.
- Equipment and Facilities. REDSQUARE, or if required by this Attachment, REDSQUARE's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and network facilities used by REDSQUARE which must be performed in compliance with all applicable BellSouth specifications. Such equipment and network facilities may include but are not limited to cable(s), equipment, and point of termination connections. REDSQUARE and its selected BellSouth Certified Supplier must follow and comply with all BellSouth specifications outlined in the following BellSouthTechnical Requirements: TR 73503, TR 73519, TR 73572, and TR 73564.
- 5.8 <u>BellSouth Access.</u> From time to time BellSouth may require access to the Remote Collocation Space. BellSouth retains the right to access the Remote Collocation Space for the purpose of making BellSouth equipment and Remote Site Location

Version: 4Q04 Standard ICA

12/14/04

modifications. Except in case of emergency, BellSouth will give notice to REDSQUARE at least forty-eight (48) hours before access to the Remote Collocation Space is required. REDSQUARE may elect to be present whenever BellSouth performs work in the Remote Collocation Space. The Parties agree that REDSQUARE will not bear any of the expense associated with this work. In the case of an emergency, BellSouth will provide oral notice of entry as soon as possible and, upon request, will provide subsequent written notice.

- 5.9 Customer Access. Pursuant to Section 12, REDSQUARE shall have access to its Remote Collocation Space twenty-four (24) hours a day, seven (7) days a week. REDSQUARE agrees to provide the name and social security number, date of birth, or driver's license number of each employee, supplier, or agent of REDSQUARE or REDSQUARE's Guest(s) with REDSQUARE's written request for access keys or cards (Access Devices) for specific BellSouth Premises, prior to the issuance of said Access Devices, using Form RF-2906-C, the "CLEC and CLEC Certified Supplier Access Request and Acknowledgement" form. The appropriate key acknowledgement forms (the "Collocation Acknowledgement Sheet" for access cards and the "Key Acknowledgement Form" for keys) must be signed by REDSQUARE and returned to BellSouth Access Management within fifteen (15) days of REDSQUARE's receipt of these forms. Failure to return these properly acknowledged forms will result in the subsequent access key or card requests being held by BellSouth until the proper acknowledgement documents have been received by BellSouth and reflect current information. Access Devices may not be duplicated under any circumstances. REDSQUARE agrees to be responsible for all Access Devices and for the return of all Access Devices in the possession of REDSOUARE's employees, suppliers, agents, or Guests after termination of the employment relationship, the contractual obligation with REDSQUARE ends, upon the termination of this Agreement, or upon the termination of occupancy of Remote Collocation Space in a specific BellSouth Premises. REDSQUARE shall pay all applicable charges associated with lost or stolen Access Devices.
- 5.9.1 BellSouth will permit one (1) accompanied site visit, which will be limited to no more than one hour, to REDSQUARE's designated Remote Collocation Space, after receipt of the BFFO, without charge to REDSQUARE. REDSQUARE must submit to BellSouth the completed Access Control Request Form for all employees, suppliers, agents or Guests requiring access to a BellSouth Premises at least thirty (30) days prior to the date REDSQUARE desires to gain access to the Remote Collocation Space. In order to permit reasonable access during construction of the Remote Collocation Space, REDSQUARE may submit a request for its one (1) free accompanied site visit to its designated Remote Collocation Space at any time subsequent to BellSouth's receipt of the BFFO. In the event REDSQUARE desires access to its designated Remote Collocation Space after the first accompanied free visit and REDSQUARE's access request form(s) has not been approved by BellSouth or REDSQUARE has not yet submitted an access request form to BellSouth, REDSQUARE shall be permitted to access the Remote Collocation Space

Version: 4Q04 Standard ICA

12/14/04

accompanied by a BellSouth security escort, at REDSQUARE's expense, which will be assessed pursuant to the Security Escort fees contained in Exhibit B. REDSQUARE must request that escorted access be provided by BellSouth to REDSQUARE's designated Remote Collocation Space at least three (3) business days prior to the date such access is desired. A BellSouth security escort will be required whenever REDSQUARE or its approved agent or supplier requires access to the entrance manhole.

- 5.10 <u>Lost or Stolen Access Keys.</u> REDSQUARE shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to re-key Remote Site Locations or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), REDSQUARE shall pay for all reasonable costs associated with the re-keying or deactivating the device(s).
- 5.11 Interference or Impairment. Notwithstanding any other provisions of this Attachment, REDSQUARE shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment and facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications service; 2) endangers or damages the equipment, facilities or other property of BellSouth or of any other entity or person; 3) compromises the privacy of any communications routed through the Remote Site; or 4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of REDSQUARE violates the provisions of this paragraph, BellSouth shall provide written notice to REDSOUARE, which shall direct REDSQUARE to cure the violation within forty-eight (48) hours of REDSQUARE's receipt of written notice or, if such cure is not feasible, at a minimum, to commence curative measures within twenty-four (24) hours and exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to conduct the inspection of the Remote Collocation Space.
- 5.11.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if REDSQUARE fails to take cure the violation within forty-eight (48) hours or, if such cure is not possible, to commence curative action within twenty-four (24) hours and exercise reasonable diligence to complete such action as soon as possible, or if the violation is of a character which poses an immediate and substantial threat of damage to property or injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or another entity's service, then and only in that event, BellSouth may take such action as it deems necessary to eliminate such threat including, without limitation, the interruption of electrical power to REDSQUARE's equipment and/or facilities. BellSouth will endeavor, but is not required, to provide notice to REDSQUARE prior to the taking of such action and BellSouth shall have no liability to REDSQUARE for any damages arising from such

Version: 4Q04 Standard ICA 12/14/04

action, except to the extent that such action by BellSouth constitutes willful misconduct.

- 5.11.2 For purposes of this Section, the term "significantly degrades" shall be defined as an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and REDSQUARE fails to take curative action within forty-eight (48) hours, or such cure is not possible, to commence curative action within twenty-four (24) hours and exercise reasonable diligence to complete such action as soon as possible, BellSouth will establish before the appropriate Commission that the technology deployed is causing the significant degradation. Any claims of network harm presented to REDSQUARE or, if subsequently necessary, the Commission must be provided by BellSouth with specific and verifiable information. Where BellSouth demonstrates that a certain technology deployed by REDSQUARE is significantly degrading the performance of other advanced services or traditional voice band services, REDSQUARE shall discontinue deployment of that technology and migrate its customers to other technologies that will not significantly degrade the performance of such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that it is acceptable for deployment, pursuant to 47CFR, Section 51.230 of the FCC's Rules, the degraded service shall not prevail against the newly-deployed technology.
- Personalty and Its Removal. Facilities and equipment placed by REDSQUARE in the Remote Collocation Space shall not become a part of the Remote Site Location, even if nailed, screwed or otherwise fastened to the Remote Collocation Space but shall retain their status as personal property and may be removed by REDSQUARE at any time. Any damage caused to the Remote Collocation Space by REDSQUARE's employees, suppliers, agents or Guests during the installation or removal of such property shall be promptly repaired by REDSQUARE at its sole expense.
- Alterations. Under no condition shall REDSQUARE or any person acting on behalf of REDSQUARE make any rearrangement, modification, augment, improvement, addition, and/or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Remote Collocation Space or the BellSouth Remote Site Location, hereinafter referred to individually or collectively as "Alterations", without the express written consent of BellSouth, which shall not be unreasonably withheld. The cost of any such Alteration shall be paid by REDSQUARE. An Alteration shall require the submission of an application and Application Fee. BellSouth will bill the nonrecurring fee on the date that BellSouth provides REDSQUARE with an Application Response.
- 5.14 <u>Upkeep of Remote Collocation Space.</u> REDSQUARE shall be responsible for the general upkeep and cleaning of the Remote Collocation Space. REDSQUARE shall

Version: 4Q04 Standard ICA

12/14/04

be responsible for removing any of REDSQUARE's debris from the Remote Collocation Space and from in and around the Remote Site Location on each visit.

6. Ordering and Preparation of Remote Collocation Space

- Procedures and Intervals. Should any state or federal regulatory agency impose procedures or intervals applicable to REDSQUARE and BellSouth that are different from procedures or intervals set forth in this Section, whether now in effect or that become effective after execution of this Attachment, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications submitted after the effective date thereof.
- 6.2 Remote Site Application. When REDSQUARE or REDSQUARE's Guest(s) desires to install a bay in a Remote Site Location, REDSQUARE shall input a BellSouth Physical Expanded Interconnection Application Document ("Application") directly into BellSouth's electronic application (e.App) system for processing. The Application is considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the Application are completed with the appropriate type of information. An Application Fee, as set forth in Exhibit B, will apply to each Application submitted by REDSQUARE and will be billed on the date BellSouth provides REDSQUARE with an Application Response. The placement of an additional bay at a later date will be treated in the same fashion and an Application will be required. The installation of additional shelves/equipment, subject to the restrictions contained in Section 5.7, within an existing bay, does not require an Application.
- Availability of Space. Upon submission of an Application, BellSouth will permit REDSQUARE to physically collocate, pursuant to the terms of this Attachment, at any BellSouth Remote Site Location, unless BellSouth has determined that there is no space available due to space limitations or that collocation at the Remote Site Location is not practical for technical reasons. In the event space is not immediately available at a Remote Site Location, BellSouth reserves the right to make additional space available, in which case the conditions in Section 7 shall apply, or BellSouth may elect to deny space in accordance with this Section, in which case, virtual or adjacent collocation options may be available. If the amount of space requested is not available, BellSouth will notify REDSQUARE of the amount that is available.
- Space Availability Notification. For all states except Florida and Tennessee, BellSouth will respond to an Application within ten (10) days as to whether space is available or not available within a BellSouth Remote Site Location. In Florida and Tennessee, BellSouth will respond to an Application within fifteen (15) days as to whether space is available or not available within a BellSouth Premises. BellSouth's e.App system will reflect when REDSQUARE's Application is Bona Fide. If the Application cannot be Bona Fide, BellSouth will identify what revisions are necessary for the Application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify REDSQUARE of the amount of space that is available and no Application

Version: 4Q04 Standard ICA

12/14/04

fee will apply. When BellSouth's response includes an amount of space less than that requested by REDSQUARE or space that is configured differently, no Application Fee shall apply. If REDSQUARE decides to accept the available space, REDSQUARE must resubmit its Application to reflect the actual space available, including the configuration of the space, prior to submitting a BFFO. When REDSQUARE resubmits its Application to accept the available space, BellSouth will bill REDSQUARE the appropriate Application Fee.

- 6.5 <u>Denial of Application.</u> If BellSouth notifies REDSQUARE that no space is available (Denial of Application), BellSouth will not assess an Application Fee to REDSQUARE. After notifying REDSQUARE that BellSouth has no available space in the requested Remote Site Location, BellSouth will allow REDSQUARE, upon request, to tour the Remote Site Location within ten (10) days of such Denial of Application. In order to schedule this tour within ten (10) days, BellSouth must receive the request for the tour of the Remote Site Location within five (5) days of the Denial of Application.
- 6.6 Petition for Waiver. Upon Denial of Application, BellSouth will timely file a petition with the appropriate Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit REDSQUARE to inspect any plans or diagrams that BellSouth provides to the Commission.
- 6.7 <u>Waiting List.</u> On a first-come, first-served basis, which is governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting telecommunications carriers who have either received a Denial of Application or, where it is publicly known that a Remote Site Location is out of space, have submitted a Letter of Intent to collocate in that Remote Site Location. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available according to the position of the telecommunications carriers on said waiting list.
- 6.7.1 In Florida, on a first-come, first-served basis, which is governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting telecommunications carriers that have either received a Denial of Application or, where it is publicly known that a Remote Site Location is out of space, have submitted a Letter of Intent to collocate in that Remote Site Location. Sixty (60) days prior to Remote Collocation Space becoming available, if known, BellSouth will notify the Commission and the telecommunications carriers on the waiting list by mail when space will become available. If BellSouth does not know sixty (60) days in advance of when Remote Collocation Space will become available, BellSouth will

Version: 4Q04 Standard ICA 12/14/04

- notify the Commission and the telecommunications carriers on the waiting list within two (2) business days of the determination that space will become available.
- 6.7.2 When Remote Collocation Space becomes available, REDSQUARE must submit an updated, complete, and accurate Application to BellSouth within thirty (30) days of such notification that Remote Collocation Space will be available in the requested Remote Site Location previously out of space. If REDSQUARE has originally requested caged Remote Collocation Space and cageless Remote Collocation Space becomes available, REDSQUARE may refuse such space and notify BellSouth in writing, within the thirty (3) day timeframe referenced above, that REDSQUARE wishes to maintain its place on the waiting list for caged Remote Collocation Space, without accepting the available cageless Remote Collocation Space. REDSQUARE may accept an amount of space less than what it originally requested by submitting an Application as set forth above, and, upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If REDSQUARE does not submit an Application or notify BellSouth in writing within the thirty (3) day timeframe as described above, BellSouth will offer the available Remote Collocation Space to the next telecommunications carrier on the waiting list and remove REDSQUARE from the waiting list. Upon request, BellSouth will advise REDSQUARE as to its position on the waiting list for a particular Remote Site Location.
- 6.8 <u>Public Notification.</u> BellSouth will maintain on its Interconnection Services Web site, www.interconnection.bellsouth.com, a notification document that will indicate all Remote Site Locations that are without available space. BellSouth shall update such document within ten (10) days of the date that BellSouth becomes aware that there is insufficient space to accommodate collocation at the Remote Site Location. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Remote Site Location previously on the space exhaust list.
- 6.9 <u>Application Response.</u>
- 6.9.1 In Florida and Tennessee, within fifteen (15) days of receipt of a Bona Fide Application, when Remote Collocation Space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the Remote Collocation Space available, BellSouth will provide an Application Response including sufficient information to enable REDSQUARE to place a firm order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, the Cable Records Fee, and any other applicable space preparation fees, as described in Section 8. When REDSQUARE submits ten (10) or more Applications within ten (10) days, the initial fifteen (15) day response interval will increase by ten (10) days for every additional ten (10) Applications or fraction thereof.

Version: 4Q04 Standard ICA 12/14/04 Remote Site Collocation

- 6.9.2 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, when Remote Collocation Space has been determined to be available, BellSouth will provide an Application Response within twenty (20) days of receipt of a Bona Fide Application. The Application Response will be a written response that includes sufficient information to enable REDSQUARE to place a firm order, which, at a minimum, will include the configuration of the space, the Cable Installation Fee, the Cable Records Fee, and any other applicable space preparation fees, as described in Section 8.
- Application Modifications. If a modification or revision is made to any information in the Bona Fide Application prior to a BFFO, with the exception of modifications to (1) Customer Information, (2) Contact Information or (3) Billing Contact Information, whether at the request of REDSQUARE or as necessitated by technical considerations, the Application shall be considered a new Application and handled as a new Application with respect to the response and provisioning intervals. BellSouth will charge REDSQUARE the Application Fee as set forth in Exhibit B. BellSouth will bill the nonrecurring fee on the date that BellSouth provides an Application Response.
- 6.11 Bona Fide Firm Order.
- 6.11.1 REDSQUARE shall indicate its intent to proceed with equipment installation in a BellSouth Remote Site Location by submitting a BFFO to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) days after BellSouth's Application Response to REDSQUARE's Bona Fide Application or REDSQUARE's Application will expire.
- 6.11.2 BellSouth will establish a Firm Order date based upon the date BellSouth is in receipt of REDSQUARE's BFFO. BellSouth will acknowledge the receipt of REDSQUARE's BFFO within seven (7) days of receipt, so that REDSQUARE will have positive confirmation that its BFFO has been received. BellSouth's response to a BFFO will include a Firm Order Confirmation, which contains the firm order date. No revisions may be made to a BFFO.

7. <u>Construction and Provisioning</u>

- 7.1 Construction and Provisioning Intervals.
- 7.1.1 In Florida and Tennessee, BellSouth will complete construction for Remote Collocation Space as soon as possible within a maximum of ninety (90) days from receipt of a BFFO or as agreed to by the Parties. For Alterations requested to Remote Collocation Space after the initial space has been completed, BellSouth will complete construction for Remote Collocation Space as soon as possible within a maximum of forty-five (45) days from receipt of a BFFO or as agreed to by the Parties, as long as no additional space has been requested by REDSQUARE, If additional space has been requested by REDSQUARE, BellSouth will complete construction for the requested

Version: 4Q04 Standard ICA

12/14/04

Remote Collocation Space as soon as possible within a maximum of ninety (90) days from receipt of a BFFO for physical Remote Collocation Space and forty five (45) days from receipt of a BFFO for virtual Remote Collocation Space. If BellSouth does not believe that construction will be completed within the relevant provisioning interval and BellSouth and REDSQUARE cannot agree upon a completion date, within forty-five (45) days of receipt of the BFFO for an initial request, or within thirty (30) days of receipt of the BFFO for an Alteration, BellSouth may seek an extension from the Commission.

- 7.1.2 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, BellSouth will complete construction for Remote Collocation Space under ordinary conditions as soon as possible within a maximum of sixty (60) days from receipt of a BFFO and ninety (90) days from receipt of a BFFO for extraordinary conditions, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes required to BellSouth's support systems. (Examples include, but are not limited to: minor modifications to HVAC, cabling and BellSouth's power plant). Extraordinary conditions, include, but may not be limited to: major BellSouth equipment rearrangements or additions; power plant additions or upgrades; major mechanical additions or upgrades; major upgrades for ADA compliance; environmental hazards or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval for the Remote Collocation Space requested or BellSouth may seek a waiver from the interval, as set forth above, from the appropriate Commission, if BellSouth does not believe that construction will be completed within the relevant provisioning interval.
- 7.1.3 If BellSouth does not have space immediately available at a Remote Site Location, BellSouth may elect, but not be limited, to make additional space available by rearranging BellSouth facilities or constructing additional capacity. In such cases, the above intervals shall not apply and BellSouth will provision the Remote Collocation Space in a nondiscriminatory manner and at parity with BellSouth and will provide REDSQUARE with the estimated completion date in its Application Response.
- Joint Planning. Unless otherwise agreed to by the Parties, a joint planning meeting or other method of joint planning between BellSouth and REDSQUARE will commence within a maximum of twenty (20) days from BellSouth's receipt of a BFFO. At such meeting, the Parties will agree to the preliminary design of the Remote Collocation Space and the equipment configuration requirements, as reflected in the Application and affirmed in the BFFO.
- 7.3 <u>Permits.</u> Each Party, its agent(s) or BellSouth Certified Supplier(s) will diligently pursue filing for the permits required for the scope of work to be performed by that Party, its agent(s) or BellSouth Certified Supplier(s) within ten (10) days of the completion of finalized construction designs and specifications.

Version: 4Q04 Standard ICA 12/14/04

- 7.4 Use of BellSouth Certified Supplier. REDSQUARE shall select a supplier, which has been approved as a BellSouth Certified Supplier to perform all construction, engineering (as specified in TR 73503), installation, and removal work. REDSOUARE, if a BellSouth Certified Supplier, or REDSOUARE's BellSouth Certified Supplier must follow and comply with all of BellSouth's specifications and the following BellSouth Technical Requirements: TR 73503, TR 73519, TR 73572, and TR 73564. Unless the BellSouth Certified Supplier has met the requirements for all of the required work activities, REDSOUARE must use a different BellSouth Certified Supplier for the work activities associated with transmission equipment, switching equipment and power equipment. BellSouth shall provide REDSQUARE with a list of BellSouth Certified Suppliers, upon request. REDSQUARE, if a BellSouth Certified Supplier, or REDSQUARE's BellSouth Certified Supplier(s) shall be responsible for installing REDSQUARE's equipment and associated components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and REDSQUARE upon successful completion of the installation and any associated work. When a BellSouth Certified Supplier is used by REDSQUARE, the BellSouth Certified Supplier shall bill REDSQUARE directly for all work performed for REDSQUARE pursuant to this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by REDSQUARE's BellSouth Certified Supplier. BellSouth shall make available its supplier certification program to REDSOUARE or any supplier proposed by REDSOUARE and will not unreasonably withhold certification. All work performed by or for REDSQUARE shall conform to generally accepted industry standards.
- Alarms and Monitoring. BellSouth may place alarms in the Remote Site Location for the protection of BellSouth equipment and facilities. REDSQUARE shall be responsible for the placement, monitoring and removal of environmental and equipment alarms used to service REDSQUARE's Remote Collocation Space. Upon request, BellSouth will provide REDSQUARE with applicable BellSouth tariffed service(s) to facilitate remote monitoring of collocated equipment by REDSQUARE. Both Parties shall use best efforts to notify the other of any verified environmental condition (e.g., temperature extremes or excess humidity) known to that Party.
- 7.6 <u>Virtual to Physical Remote Collocation Space Relocation.</u> In the event physical Remote Collocation Space was previously denied at a Remote Site Location due to technical reasons or space limitations and physical Remote Collocation Space has subsequently become available, REDSQUARE may relocate its existing virtual Remote Collocation Space(s) to physical Remote Collocation Space and pay the appropriate fees associated with the rearrangement or reconfiguration of the services being terminated into the virtual Remote Collocation Space. If BellSouth knows when additional physical Remote Collocation Space may become available at the Remote Site Location requested by REDSQUARE, such information will be provided to REDSQUARE in BellSouth's written denial of physical Remote Collocation Space. To the extent that (i) physical Remote Collocation Space becomes available to

Version: 4Q04 Standard ICA

12/14/04

REDSQUARE within one hundred eighty (180) days of BellSouth's written denial of REDSQUARE's request for physical Remote Collocation Space, (ii) BellSouth had knowledge that the Remote Collocation Space was going to become available, and (iii) REDSQUARE was not informed in the written denial that physical Remote Collocation Space would become available within such one hundred eighty (180) day period, then REDSQUARE may relocate its virtual Remote Collocation Space to a physical Remote Collocation Space and will receive a credit for any nonrecurring charges previously paid for such virtual Remote Collocation Space. REDSQUARE must arrange with a BellSouth Certified Supplier for the relocation of equipment from a virtual Remote Collocation Space to a physical Remote Collocation Space and will bear the cost of such relocation, including the costs associated with moving the services from the virtual Remote Collocation Space to the new physical Remote Collocation Space.

- 7.6.1 In Alabama, BellSouth will complete a relocation of a virtual Remote Collocation Space to a cageless physical Remote Collocation Space within sixty (60) days from BellSouth's receipt of a BFFO and from a virtual Remote Collocation Space to a caged physical Remote Collocation Space within ninety (90) days from BellSouth's receipt of a BFFO.
- 7.7 Virtual to Physical Conversion (In-Place). Virtual Remote Collocation Space may be converted to "in-place" physical caged Remote Collocation Space if the potential conversion meets all of the following criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual Remote Collocation Space; 2) the conversion of the virtual Remote Collocation Space will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; and 3) any changes to the existing Remote Collocation Space can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified herein, BellSouth will complete virtual to physical Remote Collocation Space conversions (in-place) within sixty (60) days from receipt of the BFFO. BellSouth will bill REDSQUARE an Application Fee, as set forth in Exhibit B, on the date BellSouth provides an Application Response to REDSQUARE.
- 7.7.1 In Alabama and Tennessee, BellSouth will complete virtual to physical conversions (in-place) within thirty (30) days from receipt of the BFFO as long as the conversion meets all of the criteria specified above in Section 7.7.
- Cancellation. Unless otherwise specified in this Attachment, if at any time prior to Space Acceptance, REDSQUARE cancels its order for Remote Collocation Space (Cancellation), BellSouth will bill the applicable nonrecurring charge(s) for any and all work processes for which work has begun or been completed. In Florida, if REDSQUARE cancels its order for Remote Collocation Space at any time prior to the Space Ready Date, no cancellation fee shall be assessed by BellSouth; however, REDSQUARE will be responsible for reimbursing BellSouth for any costs specifically

Version: 4Q04 Standard ICA

12/14/04

incurred by BellSouth on behalf of REDSQUARE up to the date that the written notice of cancellation was received by BellSouth. In Georgia, if REDSQUARE cancels its order for Remote Collocation Space at any time prior to Space Acceptance, BellSouth will bill REDSQUARE for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the firm order not been cancelled.

- 7.9 <u>Licenses.</u> REDSQUARE, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, permits, licenses, and certificates necessary or required to operate as a provider of telecommunications services to the public or to build-out, equip and/or occupy the Remote Collocation Space.
- 7.10 <u>Environmental Compliance.</u> The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

8. Rates and Charges

- 8.1 <u>Rates.</u> REDSQUARE agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 8.2 Recurring Charges. If REDSQUARE has met the applicable fifteen (15) day acceptance walkthrough interval specified in Section 4, billing for recurring charges will begin upon the Space Acceptance Date. In the event REDSQUARE fails to complete an acceptance walkthrough within the applicable fifteen (15) day interval, billing for recurring charges will commence on the Space Ready Date. If REDSQUARE occupies the space prior to the Space Ready Date, the date REDSQUARE occupies the space is deemed the Space Acceptance Date and billing for recurring charges will begin on that date. The billing for all applicable monthly recurring charges will begin in REDSQUARE 's next billing cycle and will include any prorated charges for the period from REDSQUARE's Space Acceptance Date or Space Ready Date, whichever is appropriate pursuant to Section 4.2, to the date the bill is issued by BellSouth.
- 8.3 <u>Application Fee.</u> BellSouth shall assess a nonrecurring Application Fee, via a service order, on the date that BellSouth provides an Application Response. BellSouth will bill the appropriate non-recurring Application Fee on the date that BellSouth provides an Application Response to REDSQUARE.
- 8.4 <u>Bay Space.</u> The bay space charge recovers the costs associated with air conditioning, ventilation and other allocated expenses for the maintenance of the Remote Site Location, and includes the amperage necessary to power REDSQUARE's equipment. REDSQUARE shall remit bay space charges based upon the number of bays requested. BellSouth will assign Remote Collocation Space in conventional remote site bay lineups where feasible.

Version: 4Q04 Standard ICA

12/14/04

- 8.5 Power. BellSouth shall make available –48 Volt (-48V) Direct Current (DC) power for REDSQUARE's Remote Collocation Space at a BellSouth Battery Distribution Fuse Bay (BDFB) within the Remote Site Location. The charge for power shall be assessed as part of the recurring charge for bay space, as referenced above in Section 8.4. If the power requirements for REDSQUARE's equipment exceed the capacity available, then such additional power requirements shall be assessed on an individual case basis. BellSouth will revise REDSQUARE's recurring power charges to reflect a power upgrade upon notification of the completion of the upgrade by REDSQUARE's BellSouth Certified Vendor. BellSouth will revise recurring power charges to reflect a power reduction upon BellSouth's receipt of the Power Reduction Form from REDSQUARE certifying the completion of the power reduction, including the removal of the power cabling by REDSQUARE's BellSouth Certified Supplier.
- Adjacent Collocation Power. Charges for AC power will be assessed on a per breaker ampere, per month basis. Rates include the provision of commercial and standby AC power, where available. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized) and installed by REDSQUARE's BellSouth Certified Supplier, with the exception that BellSouth shall engineer and install the protection devices and power cables for Adjacent Collocation. REDSQUARE's BellSouth Certified Supplier must provide a copy of the engineering power specifications prior to the equipment becoming operational. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit B. AC power voltage and phase ratings shall be determined on a per location basis. At REDSQUARE's option, REDSQUARE may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.
- 8.7 <u>Security Escort.</u> After REDSQUARE has used its one accompanied site visit, pursuant to Section 5.9.1, and prior to REDSQUARE's completion of the BellSouth Security Training requirements, contained in Section 12 of this Agreement, a security escort will be required when REDSQUARE's employees, approved agent, supplier, or Guest(s) desire access to the Remote Site Location The rates for security escort service are assessed pursuant to the fee schedule contained in Exhibit B, beginning with the scheduled escort time agreed to by the Parties. BellSouth will wait for one-half (1/2) hour after the scheduled escort time to provide such requested escort service and REDSQUARE shall pay for such half-hour charges in the event REDSQUARE's employees, approved agent, supplier or Guest(s) fails to show up for the scheduled escort appointment.
- 8.8 Other. If no collocation rate element and associated rate is identified in Exhibit B of this Attachment, the Parties, upon request by either Party, will negotiate the rate for the specific collocation service or function identified in this Attachment.

Version: 4Q04 Standard ICA 12/14/04

9. Insurance

- 9.1 REDSQUARE shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A-.
- 9.2 REDSQUARE shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of REDSQUARE's real and personal property situated on or within a BellSouth Premises and BellSouth's Remote Site Locations.
- 9.2.4 REDSQUARE may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) days notice to REDSQUARE to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.4 All policies purchased by REDSQUARE shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to a BellSouth Remote Site Location and shall remain in effect for the term of this Agreement or until all of REDSQUARE's property has been removed from BellSouth's Remote Site Location, whichever period is longer. If REDSQUARE fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from REDSQUARE.
- 9.5 REDSQUARE shall submit certificates of insurance reflecting the coverage required pursuant to this Section within a minimum of ten (10) business days prior to the commencement of any work in the Remote Collocation Space. Failure to meet this

Version: 4Q04 Standard ICA

12/14/04

interval may result in construction and equipment installation delays. REDSQUARE shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation or non-renewal from REDSQUARE's insurance company. REDSQUARE shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Office - Finance 17F54 BellSouth Center 675 W. Peachtree Street Atlanta, Georgia 30375

- 9.6 REDSQUARE must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 Self-Insurance. If REDSQUARE's net worth exceeds five hundred million dollars (\$500,000,000.00), REDSQUARE may elect to request self-insurance status in lieu of obtaining any of the insurance required in Section 9.2. REDSQUARE shall provide audited financial statements to BellSouth thirty (30) days prior to the commencement of any work in the Remote Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to REDSQUARE in the event that self-insurance status is not granted to REDSQUARE. If BellSouth approves REDSQUARE for self-insurance, REDSQUARE shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of REDSQUARE's corporate officers. The ability to self-insure shall continue so long as REDSQUARE meets all of the requirements of this Section. If REDSQUARE subsequently no longer satisfies the requirements of this Section, REDSQUARE is required to purchase insurance as indicated by Section 9.2.
- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) days' notice to REDSQUARE to at least such minimum limits as shall then be customary with respect to comparable occupancy of a BellSouth Premises.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

10. Mechanics Liens

10.1 If any mechanics lien or other liens are filed against property of either Party (BellSouth or REDSQUARE), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of

Version: 4Q04 Standard ICA

12/14/04

written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

11. Inspections

BellSouth may conduct an inspection of REDSQUARE's equipment and facilities in REDSQUARE's Remote Collocation Space(s) prior to the activation of facilities and/or services between REDSQUARE's equipment and equipment of BellSouth. BellSouth may conduct an inspection if REDSQUARE adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide REDSQUARE with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspections shall be borne by BellSouth.

12. Security and Safety Requirements

- Unless otherwise specified, REDSQUARE will be required, at its own expense, to conduct a statewide investigation of criminal history records for each REDSQUARE employee hired in the past five years being considered for work on a BellSouth Remote Site Location, for the states/counties where the REDSQUARE employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. REDSQUARE shall not be required to perform this investigation if an affiliated company of REDSQUARE has performed an investigation of the REDSQUARE employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if REDSQUARE has performed a pre-employment statewide investigation of criminal history records of the REDSQUARE employee for the states/counties where the REDSQUARE employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.
- 12.2 REDSQUARE will be required to administer to its personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth at www.interconnection.bellsouth.com/guides.
- REDSQUARE shall provide its employees and agents with picture identification, which must be worn, and visible at all times while in REDSQUARE's Remote Collocation Space or other areas in or around the Remote Site Location. The photo Identification card shall bear, at a minimum, the employee's name and photo, and REDSQUARE's name. BellSouth reserves the right to remove from its Remote Site Location any employee of REDSQUARE not possessing identification issued by REDSQUARE or who have violated any of BellSouth's policies as outlined in the

Version: 4Q04 Standard ICA

12/14/04

CLEC Security Training documents. REDSQUARE shall hold BellSouth harmless for any damages resulting from such removal of REDSQUARE's personnel from BellSouth Remote Site Location. REDSQUARE shall be solely responsible for ensuring that any Guest(s) of REDSQUARE is in compliance with all subsections of this Section.

- REDSQUARE shall not assign to the BellSouth Remote Site Location any personnel with records of felony criminal convictions. REDSQUARE shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse access to any of REDSQUARE's personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event REDSQUARE chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, REDSQUARE may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 12.4.1 REDSQUARE shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 REDSQUARE shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former supplier of BellSouth and whose access to a BellSouth Remote Site Location was revoked due to the commission of a criminal offense, whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.5 For each REDSQUARE employee or agent hired by REDSQUARE within five years prior to being considered for work on the BellSouth Premises or BellSouth's Remote Site Locations, who requires access to a BellSouth Remote Site Location to perform work in REDSQUARE's Remote Collocation Space(s), REDSQUARE shall furnish BellSouth, a certification that the aforementioned background check and security training were completed. This certification must be provided to and approved by BellSouth before an employee or agent will be granted such access to a BellSouth Premises. The certification will contain a statement that no felony convictions were found and certifying that the employee completed the security training. If the employee's criminal history includes misdemeanor convictions, REDSQUARE will disclose the nature of the convictions to BellSouth at that time. In the alternative, REDSQUARE may certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions, other than misdemeanor traffic violations.
- 12.5.1 For all other REDSQUARE employees requiring access to a BellSouth Remote Site Location pursuant to this Attachment, REDSQUARE shall furnish BellSouth, prior to

Version: 4Q04 Standard ICA

12/14/04

an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.

- At BellSouth's request, REDSQUARE shall promptly remove from the BellSouth Remote Site Location any employee of REDSQUARE that BellSouth does not wish to grant access to a Remote Site Location: 1) pursuant to any investigation conducted by BellSouth, or 2) prior to the initiation of an investigation if an employee of REDSQUARE is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall be promptly commenced by BellSouth.
- 12.7 Security Violations. BellSouth reserves the right to interview REDSQUARE's employees, agents, suppliers, or Guests in the event of wrongdoing in or around a BellSouth Premises or Remote Site Location or involving BellSouth's or another collocated telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to REDSQUARE's Security representative of such interview. REDSQUARE and its employees, agents, suppliers, or Guests shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving REDSQUARE's employees, agents, suppliers, or Guests. Additionally, BellSouth reserves the right to bill REDSOUARE for all reasonable costs associated with investigations involving its employees, agents, or suppliers, or Guests if it is established and mutually agreed in good faith that REDSQUARE's employees, agents, suppliers, or Guests are responsible for the alleged act(s). BellSouth shall bill REDSOUARE for BellSouth property, which is stolen or damaged, where an investigation determines the culpability of REDSQUARE's employees, agents, suppliers, or Guests and where REDSQUARE agrees, in good faith, with the results of such investigation. REDSQUARE shall notify BellSouth in writing immediately in the event that REDSQUARE discovers one of its employees, agents, suppliers, or Guests already working on the BellSouth Remote Site Location is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from a BellSouth Premises or Remote Site Location, any employee found to have violated the security and safety requirements of this Section. REDSQUARE shall hold BellSouth harmless for any damages resulting from such removal of REDSQUARE's personnel from a BellSouth Premises.
- 12.8 <u>Use of Supplies.</u> Unauthorized use of telecommunications equipment or supplies by either Party, whether or not used routinely to provide telephone service (e.g. plug-in cards,) will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.

Version: 4Q04 Standard ICA 12/14/04

- 12.9 <u>Use of Official Lines.</u> Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephone(s) of the other Party on the BellSouth Remote Site Location. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 <u>Accountability.</u> Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees, agents, suppliers, or Guests.

13. <u>Destruction of Remote Collocation Space</u>

13.1 In the event a Remote Collocation Space is wholly or partially damaged by fire, windstorm, hurricane, tornado, flood or by similar Acts of God or force majeure circumstances beyond a Party's reasonable control to such an extent as to be rendered wholly unsuitable for REDSQUARE's permitted use hereunder, then either Party may elect within ten (10) days after such damage, to terminate this Attachment with respect to the affected Remote Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof with respect to such Remote Collocation Space. If the Remote Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for REDSQUARE's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to REDSQUARE, except for improvements not to the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. REDSQUARE may, at its own expense, accelerate the rebuild of its Remote Collocation Space and equipment provided, however, that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. A BellSouth Certified Vendor must perform a rebuild of equipment. If REDSQUARE's acceleration of the project increases the cost of the project, then those additional charges will be incurred at REDSQUARE's expense. Where allowed and where practical, REDSOUARE may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Remote Collocation Space shall be rebuilt or repaired, REDSQUARE shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Remote Collocation Space for REDSQUARE's permitted use, until such Remote Collocation Space is fully repaired and restored and REDSQUARE's equipment installed therein (but in no event later than thirty (30) days after the Remote Collocation Space is fully repaired and restored). Where REDSOUARE has placed a Remote Site Adjacent Arrangement pursuant to Section 3.4, REDSQUARE shall have the sole responsibility to repair or replace said Remote Site Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Remote Site Adjacent Arrangement.

Version: 4Q04 Standard ICA

12/14/04

14. Eminent Domain

14.1 If the whole of a Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement as of the date possession shall be taken by such public authority and rent and other charges for the Remote Collocation Space or Remote Site Adjacent Arrangement shall be paid up to that day with a proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken under eminent domain, BellSouth and REDSQUARE shall each have the right to terminate this Attachment with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) days after such taking.

15. Nonexclusivity

REDSQUARE understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of Remote Collocation Space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis.

Version: 4Q04 Standard ICA 12/14/04

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing physical collocation arrangements.

1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and REDSQUARE agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended, and National Fire Protection Association (NFPA) NEC and National Electric Safety Codes (NESC) ("Applicable Laws") requirements. Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and REDSQUARE shall provide notice to the other, including any Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. REDSQUARE should contact 1-800-743-6737 for any BellSouth MSDS required.
- 1.3 <u>Practices/Procedures.</u> BellSouth may make available additional environmental control procedures for REDSQUARE to follow when working at a BellSouth Remote Site Location (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. REDSQUARE will require its suppliers, agents, Guests and others accessing the BellSouth Remote Site Location to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by REDSQUARE when operating in the BellSouth Remote Site Location.
- 1.4 <u>Environmental and Safety Inspections.</u> BellSouth reserves the right to inspect REDSQUARE's Remote Collocation Space with proper notification. BellSouth reserves the right to stop any REDSQUARE work operation that imposes Imminent Danger to the environment, employees or other persons in or around a Remote Site Location.
- 1.5 <u>Hazardous Materials Brought On Site.</u> Any hazardous materials brought into, used, stored or abandoned a BellSouth Remote Site Location by REDSQUARE are owned by and considered the property of REDSQUARE. REDSQUARE will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by REDSQUARE or different

Version: 4Q04 Standard ICA

12/14/04

hazardous materials used by REDSQUARE at the BellSouth Remote Site Location. REDSQUARE must demonstrate adequate emergency response capabilities for the materials used by REDSQUARE or remaining at a BellSouth Remote Site Location.

- 1.6 <u>Spills and Releases.</u> When contamination is discovered at a BellSouth Remote Site Location, either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately be reported by REDSQUARE to BellSouth.
- Coordinated Environmental Plans and Permits. BellSouth and REDSQUARE will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and REDSQUARE will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, REDSQUARE must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and the selection of BST disposition vendors and disposal sites.
- Environmental and Safety Indemnification. BellSouth and REDSQUARE shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its employees, agents, suppliers, or Guests concerning its operations at a Remote Site Location.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

- When performing functions that fall under the following Environmental categories on BellSouth's Remote Site Location, REDSQUARE agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. REDSQUARE further agrees to cooperate with BellSouth to ensure that REDSQUARE's employees, agents, suppliers and/or Guests are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by REDSQUARE, its employees, agents, suppliers and/or Guests.
- 2.1.1 The most current version of reference documentation must be requested from REDSQUARE's BellSouth Regional Contract Manager (RCM).

| ENVIRONMENTAL CATEGORIES | ENVIRONMENTAL ISSUES | ADDRESSED BY THE FOLLOWING DOCUMENTATION |
|--|---|--|
| Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent | Compliance with all applicable local, state, & federal laws and | • Std T&C 450 |

Version: 4Q04 Standard ICA

12/14/04

| tubes, solvents & cleaning | regulations | Fact Sheet Series 17000 |
|---|--|--|
| materials) | Pollution liability insurance EVET approval of supplier | Std T&C 660-3 Approved Environmental Vendor List (Contact ATCC Representative) |
| Emergency response | Hazmat/waste release/spill fire safety emergency | Fact Sheet Series 1700 Building Emergency Operations Plan (EOP) (specific to and located on Remote Site Location) |
| Contract labor/outsourcing for services with environmental implications to be performed | Compliance with all applicable local, state, & federal laws and regulations | • Std T&C 450 |
| on BellSouth Remote Site Location (e.g., disposition of hazardous material/waste; maintenance of storage tanks) | Performance of services in accordance with BST's environmental M&Ps InsuranceREDSQUARE | Std T&C 450-B (Contact ATCC Representative for copy of appropriate E/S M&Ps.) Std T&C 660 |
| Transportation of hazardous material | Compliance with all applicable local, state, & federal laws and regulations | Std T&C 450Fact Sheet Series 17000 |
| | Pollution liability insurance | • Std T&C 660-3 |
| | EVET approval of supplier | Approved Environmental Vendor List (Contact ATCC Representative) |
| Maintenance/operations work which may produce a waste Other maintenance work | Compliance with all applicable local, state, & federal laws and regulations | • Std T&C 450 |
| | Protection of BST employees and equipment | 29CFR 1910.147 (OSHA Standard) 29CFR 1910 Subpart O (OSHA Standard) |
| Janitorial services | All waste removal and disposal must conform to all applicable federal, state and local regulations | -Procurement Manager (CRES Related Matters)-BST Supply Chain Services |

Version: 4Q04 Standard ICA

12/14/04

| | All Hazardous Material and Waste | Fact Sheet Series 17000 |
|---|---|--|
| | Asbestos notification and protection of employees and equipment | GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom) |
| Manhole cleaning | Compliance with all applicable local, state, & federal laws and regulations | Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996 |
| | Pollution liability insurance | • Std T&C 660-3 |
| | EVET approval of supplier | Approved Environmental Vendor List (Contact ATCC Representative) |
| Removing or disturbing building materials that may contain asbestos | Asbestos work practices | GU-BTEN-001BT, Chapter 3 For questions regarding removing or disturbing materials that contain asbestos, call the BellSouth Building Service Center: AL, MS, TN, KY & LA (local area code) 557-6194 FL, GA, NC & SC (local area code) 780-2740 |

3. **DEFINITIONS**

<u>Generator.</u> Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical.</u> As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in section 1004 of RCRA.

<u>Imminent Danger.</u> Any conditions or practices at a remote site location which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

Version: 4Q04 Standard ICA

12/14/04

4. ACRONYMS

<u>ATCC</u> – Account Team Collocation Coordinator

BST – BellSouth Telecommunications

<u>CRES</u> – Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

<u>E/S</u> – Environmental/Safety

EVET - Environmental Vendor Evaluation Team

<u>GU-BTEN-001BT</u> - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

P&SM - Property & Services Management

Std T&C - Standard Terms & Conditions

Version: 4Q04 Standard ICA

12/14/04

Remote Site Collocation

| COLLOCAT | TON - Alabama | | | | | | | | | | | | Attachment: | 4 | Exhibit: B | . <u></u> |
|-------------|---|-------------|------|--|----------------|--------|----------------------|-----------|--------------|------------------|---|---|--|-----------|-------------------------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | | Incremental Charge - | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | • | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| PHYSICAL CO | | | | | | | | | | | | | | | | |
| Applio | Physical Collocation - Initial Application Fee | | 1 | CLO | PE1BA | - | 1,879.48 | | 0.51 | | 1 | | | | | — |
| | Physical Collocation - Initial Application Fee Physical Collocation - Subsequent Application Fee | | 1 | CLO | PE1CA | | 1,566.60 | | 0.51 | | + | | | | | |
| | Physical Collocation - Co-Carrier Cross Connects/Direct | | | CLO | FLICA | | 1,300.00 | | 0.31 | | | | | | | <u> </u> |
| | Connect, Application Fee, per application | | | CLO | PE1DT | | 584.22 | | | | | | | | | İ |
| | Physical Collocation - Power Reconfiguration Only, Application | | | | | | | | | | | | | | | |
| | Fee | | | CLO | PE1PR | | 398.76 | | | | | | | | | |
| | Physical Collocation Administrative Only - Application Fee | | | CLO | PE1BL | | 742.15 | | | | | | | | | |
| | Physical Collocation - Application Cost, Simple Augment | <u> </u> | | CLO | PE1KS | ļ | 594.41 | | 1.21 | | 1 | | | | | 1 |
| | Physical Collocation - Application Cost, Minor Augment | | | CLO | PE1KM PE1K1 | | 833.47 | | 1.21 | | | | | | | |
| | Physical Collocation - Application Cost, Intermediate Augment Physical Collocation - Application Cost - Major Augment | | | CLO | PE1K1 PE1KJ | - | 1,058.00 2,410.00 | | 1.21 1.21 | | | | | | | |
| Space | Preparation | | 1 | CLO | PEINJ | | 2,410.00 | | 1.21 | | + | | | | | |
| Эрасе | Physical Collocation - Floor Space, per sq feet | | 1 | CLO | PE1PJ | 3.22 | | | | | + | | | | | - |
| | Physical Collocation - Space Enclosure, welded wire, first 50 | | | 020 | | 0.22 | | | | | 1 | | | | | |
| | square feet | | | CLO | PE1BX | 140.99 | | | | | | | | | | İ |
| | Physical Collocation - Space enclosure, welded wire, first 100 | | | | | | | | | | | | | | | |
| | square feet | | | CLO | PE1BW | 156.33 | | | | | | | | | | |
| | Physical Collocation - Space enclosure, welded wire, each | | | | | | | | | | | | | | | |
| | additional 50 square feet | | | CLO | PE1CW | 15.34 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - C.O. Modification per | | | 0.0 | 55.00 | | | | | | | | | | | İ |
| | square ft. | | | CLO | PE1SK | 1.96 | | | | | | | | | | - |
| | Physical Collocation - Space Preparation, Common Systems Modifications-Cageless, per square foot | | | CLO | PE1SL | 2.62 | | | | | | | | | | İ |
| | Physical Collocation - Space Preparation - Common Systems | | | CLO | PEISL | 2.02 | | | | | 1 | | | | | |
| | Modifications-Caged, per cage | | | CLO | PE1SM | 88.86 | | | | | | | | | | İ |
| | Physical Collocation - Space Preparation - Firm Order | | | | | | | | | | 1 | | | | | |
| | Processing | | | CLO | PE1SJ | | 600.71 | | | | | | | | | İ |
| | Physical Collocation - Space Availability Report, per Central | | | | | | | | | | | | | | | |
| | Office Requested | | | CLO | PE1SR | | 1,075.17 | | | | | | | | | |
| Powe | | | | | | | | | | | | | | | | |
| | Physical Collocation - Power, -48V DC Power - per Fused Amp | | | 0.0 | 55.5 | | | | | | | | | | | İ |
| | Requested Physical Collocation - Power, 120V AC Power, Single Phase, | | 1 | CLO | PE1PL | 7.83 | | | | | 1 | | | | | — |
| | Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FB | 4.91 | | | | | | | | | | İ |
| | Physical Collocation - Power, 240V AC Power, Single Phase, | | 1 | CLO | FLIID | 4.51 | | | | | 1 | | | | | |
| | per Breaker Amp | | | CLO | PE1FD | 9.84 | | | | | | | | | | İ |
| | Physical Collocation - Power, 120V AC Power, Three Phase, per | | | | | | | | | | | | | | | |
| | Breaker Amp | | | CLO | PE1FE | 14.74 | | | | | | | | | | İ |
| | Physical Collocation - Power, 277V AC Power, Three Phase, per | | | | | | | | | | | | | | | |
| | Breaker Amp | | | CLO | PE1FG | 34.06 | | | | | | | | | | |
| Cross | Connects (Cross Connects, Co-Carrier Cross Connects, and P | orts) | | | | | | | | | | | | | | |
| | | | | UEANL,UEQ, | | | | | | | | | | | | İ |
| | | | | UNCNX, UEA, UCL, UAL, UHL, UDN, | | | | | | | | | | | | İ |
| | Physical Collocation - 2-wire cross-connect, loop, provisioning | | | UNCVX | PE1P2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | | | | | 1 |
| | . Try steel controlling | | 1 | UEA, UHL, UNCVX, | | 0.03 | 12.50 | 11.00 | 0.03 | J. 44 | - | | | | 1 | - |
| | Physical Collocation - 4-wire cross-connect, loop, provisioning | | | UNCDX, UCL, UDL | PE1P4 | 0.05 | 12.39 | 11.87 | 6.39 | 5.73 | | | | | | İ |
| | | | | WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, | | | | | | | | | | | | |
| | Physical Callegratine POA Once Co. 111 St. 111 | | | UEPSR, UEPSB, | | 1 | | | | | | | | | | |
| | Physical Collocation -DS1 Cross-Connect for Physical | | | UEPSE, UEPSP, | DE4E: | | | | | | | | | | | 1 |
| | Collocation, provisioning | 1 | 1 | USL | PE1P1 | 1.11 | 22.03 | 15.93 | 6.40 | 5.79 | 1 | | | l | | 1 |

| COLLO | CATI | ON - Alabama | | | | | | | | | | | | Attachment: | 4 | Exhibit: B | |
|--------|---------|---|-------------|------|---|-------|--------|-----------------|------------------|-----------------------|-------|--------|------------------------|--|--|-------------------------|---|
| CATEGO | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I |
| - | | | | | | | Rec | Nonred First | curring Add'l | Nonrecurring First | Add'I | COMEC | SOMAN | SOMAN | Rates(\$) SOMAN | SOMAN | SOMAN |
| | | Physical Collocation - DS3 Cross-Connect, provisioning | | | UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSB, UEPSB, UEPSE, UEPSP | PE1P3 | 14.16 | 20.89 | 15.20 | 7.38 | 5.92 | SOWIEC | SUMAN | SUMAN | SOWAN | SUMAN | SUMAN |
| | | Physical Collocation - 2-Fiber Cross-Connect | | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1F2 | 2.81 | 20.89 | 15.20 | 7.38 | 5.92 | | | | | | |
| | | Physical Collocation - 4-Fiber Cross-Connect | | | ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX | PE1F4 | 4.99 | 25.55 | 19.86 | 9.71 | 8.25 | | | | | | |
| | | Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per Cable. | | | CLO | PE1ES | 0.0011 | | | | | | | | | | |
| | | Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable. | | | CLO | PE1DS | 0.0016 | | | | | | | | | | |
| | | Physical Collocation 2-Wire Cross Connect, Port | | | UEPSR, UEPSP, UEPSE, UEPSB, UEPSX, UEP2C | PE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | | | | | |
| | Securit | Physical Collocation 4-Wire Cross Connect, Port | | | UEPEX, UEPDD | PE1R4 | 0.05 | 12.39 | 11.87 | 6.39 | 5.73 | | | | | 1 | <u> </u> |
| | | Physical Collocation - Security Escort for Basic Time - normally | | | CLO | PE1BT | | 16.93 | 10.73 | | | | | | | | |
| | | scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, | | | CLO | PEIBI | | 16.93 | 10.73 | | | | | | | | |
| | | per half hour Physical Collocation - Security Escort for Premium Time - | | | CLO | PE1OT | | 22.05 | 13.86 | | | | | | | | |
| | | outside of scheduled work day, per half hour | | | CLO | PE1PT | | 27.17 | 16.98 | | | | | | | | |
| | | Physical Collocation - Security Access System - Security System per Central Office | | | CLO | PE1AX | 45.70 | | | | | | | | | | |
| | | Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State | | | CLO | PE1A1 | 0.05 | 27.79 | | | | | | | | | |
| | | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 7.79 | | | | | | | | | |
| | | Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 22.78 | | | | | | | | | |
| | | Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Key, Replace Lost or | | | CLO | PE1AK | | 13.10 | | | | | | | | | |
| | CFA | Stolen Key, per Key | | | CLO | PE1AL | | 13.10 | | | | | | | | | <u> </u> |
| | | Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request | | | CLO | PE1C9 | | 77.56 | | | | | | | | | |
| | | Records Physical Collocation - Cable Records, per request | | | CLO | PE1CR | | I 759.29 | S 488.11 | 133.00 | | | | | | | |
| | | Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) | | | CLO | PE1CD | | 326.92 | | 189.12 | | | | | | | |
| | | Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair | | | CLO | PE1CO | | 4.81 | | 5.90 | | | | | | | |
| | | Physical Collocation, Cable Records, DS1, per T1 TIE | | | CLO | PE1C1 | | 2.25 | | 2.76 | | | | | | | 1 |

| COLLOCATI | ON - Alabama | | | | | | | | | | | | Attachment: | 4 | Exhibit: B | |
|-------------|--|-------------|--|---|------------|-------|----------|-----------|-------|--------------|-----------------|------------------------|--|---|------------|---|
| COLLOCATI | ON - Alabama | | | | | | | | | | | Svc Order Submitted | Incremental | Incremental Charge - | | Incrementa Charge - |
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Elec per LSR | | Manual Svc Order vs. Electronic- 1st | Manual Svc Order vs. Electronic- Add'l | | Manual Svo Order vs. Electronic Disc Add'l |
| | | | - | | | Rec | Nonrec | | | g Disconnect | 001150 | 001111 | | Rates(\$) | 001141 | 001441 |
| | Dhusian Callagation Cable Decade Fiber Cable and askin | | 1 | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records) | | | CLO | PE1CB | | 84.49 | | 77.13 | | | | | | | l |
| Virtual | to Physical | | + | CLO | FLICE | | 04.43 | | 77.13 | | | | | | | |
| Viituai | Physical Collocation - Virtual to Physical Collocation Relocation, | | 1 | | | | | | | | | | | | | - |
| | per Voice Grade Circuit | | | CLO | PE1BV | | 33.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, | | | 020 | | | 00.00 | | | | | | | | | |
| | per DSO Circuit | | | CLO | PE1BO | | 33.00 | | | | | | | | | İ |
| | Physical Collocation - Virtual to Physical Collocation Relocation, | | | | | | | | | | | | | | | |
| | per DS1 Circuit | | | CLO | PE1B1 | | 52.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, | | | | | | | | | | | | | | | |
| | per DS3 Circuit | | 1 | CLO | PE1B3 | | 52.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation In-Place, | | | | | | | | | | | | | | | |
| | Per Voice Grade Circuit | | <u> </u> | CLO | PE1BR | | 23.00 | | | | | | | | | |
| | Physical Collocation Virtual to Physical Collocation In-Place, Per | | | | | | | | | | | | | | | |
| | DSO Circuit | | | CLO | PE1BP | | 23.00 | | | | | | | | | ├ |
| | Physical Collocation - Virtual to Physical Collocation In-Place, | | | | | | | | | | | | | | | |
| | Per DS1 Circuit | | | CLO | PE1BS | | 33.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation In-Place, | | | 01.0 | DE 4 DE | | 07.00 | | | | | | | | | |
| F | per DS3 Circuit | | 1 | CLO | PE1BE | | 37.00 | | | | | | | | | |
| Entran | ce Cable | | 1 | | | | | | | | | | | | | |
| | Physical Collocation - Cable Installation, Pricing, non-recurring charge, per Entrance Cable | | | CLO | PE1BD | | 859.71 | | 22.49 | | | | | | | |
| | Physical Collocation - Cable Support Structure, per Entrance | | 1 | CLO | PEIDU | | 009.71 | | 22.49 | | | | | | | - |
| | Cable | | | CLO | PE1PM | 17.11 | | | | | | | | | | |
| | Physical Collocation - Fiber Entrance Cable Installation, per | | + | OLO | 1 E 11 IVI | 17.11 | | | | | 1 | | | | | |
| | Fiber | | | CLO | PE1ED | | 3.87 | | | | | | | | | |
| VIRTUAL COL | | | 1 | OLO | I LILD | | 0.01 | | | | | | | | | |
| Applic | | | 1 | | | | | | | | | | | | | |
| | Virtual Collocation - Application Fee | | | AMTFS | EAF | | 1,205.26 | | 0.51 | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect, | | | | | | , | | | | | | | | | |
| | Application Fee, per application | | | AMTFS | VE1CA | | 584.22 | | | | | | | | | |
| | Virtual Collocation Administrative Only - Application Fee | | | AMTFS | VE1AF | | 742.15 | | | | | | | | | |
| Space | Preparation | | | | | | | | | | | | | | | |
| | Virtual Collocation - Floor Space, per sq. ft. | | | AMTFS | ESPVX | 3.22 | | | | | | | | | | |
| Power | | | | | | | | | | | | | | | | |
| | Virtual Collocation - Power, per fused amp | | | AMTFS | ESPAX | 7.83 | | | | | | | | | | |
| Cross | Connects (Cross Connects, Co-Carrier Cross Connects, and P | orts) | | | | | | | | | | | | | | |
| | | | | UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, | | | | | | | | | | | | |
| | Virtual Collocation - 2-wire cross-connect, loop, provisioning | | | UNCDX, UNCNX | UEAC2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | | | | | |
| | | | | UEA, UHL, UCL, | | | | | | | | | | | | |
| | | | | UDL, UNCVX, | | | | | | | | | 1 | | | 1 |
| | Virtual Collocation - 4-wire cross-connect, loop, provisioning | | <u> </u> | UNCDX | UEAC4 | 0.05 | 12.39 | 11.87 | 6.39 | 5.73 | <u> </u> | | | | 1 | 1 |
| | | | | ULR, UXTD1, | | | | | | | | | 1 | | | 1 |
| | Normal Allerance Constitution Constitution | | | UNC1X, ULDD1, | | | | | | | | | 1 | | | 1 |
| | Virtual collocation - Special Access & UNE, cross-connect per | | 1 | U1TD1, USLEL, | ONOAY | ا ا | 00.00 | 45.00 | 0.10 | F === | | | | | 1 | 1 |
| | DS1 | | <u> </u> | | CNC1X | 1.11 | 22.03 | 15.93 | 6.40 | 5.79 | | | | | - | ├ |
| | | | | USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, | | | | | | | | | | | | |
| | Virtual collocation - Special Access & UNE, cross-connect per | | | ULDS1, UDLSX, | CND3X | 4440 | 00.00 | 45.00 | 7.00 | F 00 | | | 1 | | | 1 |
| | DS3 | | - | UNLD3 | CND3X | 14.16 | 20.89 | 15.20 | 7.38 | 5.92 | 1 | | | | 1 | 1 |
| | | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, | | | | | | | | | | | | |
| | Virtual Collocation - 2-Fiber Cross Connects | | 1 | ULD12, ULD48, UDF | CNC2F | 2.84 | 20.89 | 15.20 | 7.38 | 5.92 | | 1 | | | | 1 |
| 1 | | | 1 | , 5-5-6, 551 | | 2.04 | 20.00 | 10.20 | 7.50 | 0.02 | 1 | | 1 | 1 | 1 | 1 |

| COLLOCATI | ON - Alabama | | | | | | | | | | | | Attachment: | 4 | Exhibit: B | |
|----------------|---|--------|--|-------------------|-----------|--------|--------|-----------|--------------|-------|-----------|--|-------------|-------------|--|--------------|
| JULEUUAII | VII / IIUWAIIIU | | 1 | | 1 | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incrementa |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svo |
| CATEGORY | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | , | | | per Lor | per Lor | | | | |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | | | | UDL12, UDLO3, | | | | | | | | | | | | |
| | | | | U1T48. U1T12. | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | U1TO3, ULDO3, | | | | | | | | | | | | |
| | Virtual Collocation - 4-Fiber Cross Connects | | | ULD12, ULD48, UDF | F CNC4F | 5.69 | 25.55 | 19.86 | 9.71 | 8.25 | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - | | | | | | | | | | | | | | | |
| | | | | | \ /= 4 OB | | | | | | | | | | | |
| | Fiber Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CB | 0.0011 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - | | | | 1 | | | | | | I | l | | | 1 | 1 |
| | Copper/Coax Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CD | 0.0016 | | | | | 1 | l | | | 1 | 1 |
| | Coppositional Cable Support Structure, per linear root, per cable | | | | 4 L 10 D | 0.0010 | | | | | - | | | | - | |
| | | | | UEPSX, UEPSB, | 1 | | | | | | ĺ | l | | | | l |
| | | | | UEPSE, UEPSP, | 1 | | | | | | ĺ | l | | | | l |
| | Virtual Collocation 2-Wire Cross Connect, Port | | | UEPSR, UEP2C | VE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | ĺ | l | | | | l |
| | Virtual Collocation 4-Wire Cross Connect, Port | | | UEPDD, UEPEX | VE1R4 | 0.05 | 12.39 | 11.87 | 6.39 | 5.73 | | | | | | |
| CFA | | 1 | | 3D, GE, EX | 1 | 0.00 | .2.50 | | 0.00 | 3.70 | | | | | | |
| CFA | Vistant Callerenia - OFA Lafarrania - Barrant Barrania | | | | | | | | | | | | | | | |
| | Virtual Collocation - CFA Information Resend Request, per | | | | | | | | | | | | | | | |
| | Premises, per Arrangement, per request | | | AMTFS | VE1QR | | 77.56 | | | | | | | | | |
| Cable F | Records | | | | | | | | | | | | | | | |
| | Virtual Collocation Cable Records - per request | | | AMTFS | VE1BA | | 759.29 | 488.11 | 133.00 | | | | | | | |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per cable | | | | 72.07 | | 700.20 | 100.11 | 100.00 | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | record | | | AMTFS | VE1BB | | 326.92 | | 189.12 | | | | | | | |
| | Virtual Collocaiton Cable Records - VG/DS0 Cable, per each | | | | | | | | | | | | | | | |
| | 100 pair | | | AMTFS | VE1BC | | 4.81 | | 5.90 | | | | | | | |
| | Virtual Collocation Cable Records - DS1, per T1TIE | | | AMTFS | VE1BD | | 2.25 | | 2.76 | | | | | | | |
| | Virtual Collocation Cable Records - DS3, per T3TIE | - | - I | AMTFS | VE1BE | | 7.88 | | 9.66 | | | | | | | |
| | | | | AIVIIFO | VEIDE | | 1.00 | | 9.00 | | | | | | | |
| | Virtual Collocation Cable Records - Fiber Cable, per 99 fiber | | | | | | | | | | | | | | | |
| | records | | | AMTFS | VE1BF | | 84.49 | | 77.13 | | | | | | | |
| Securit | v | | | | | | | | | | | | | | | |
| | Virtual collocation - Security escort, basic time, normally | | | | | | | | | | | | | | | |
| | scheduled work hours | | | AMTFS | SPTBX | | 16.93 | 10.73 | | | | | | | | |
| | | - | | AWITTO | OF IDA | | 10.93 | 10.73 | | | | | | | | |
| | Virtual collocation - Security escort, overtime, outside of | | | | | | | | | | | | | | | |
| | normally scheduled work hours on a normal working day | | | AMTFS | SPTOX | | 22.05 | 13.86 | | | | | | | | |
| | Virtual collocation - Security escort, premium time, outside of a | | | | | | | | | | | | | | | |
| | scheduled work day | | | AMTFS | SPTPX | | 27.17 | 16.98 | | | | | | | | |
| Mainte | | - | - I | , aviii O | OI II X | | 27.17 | 10.00 | | | | | | | | |
| Wante | | | | | OTDI V | | 07.00 | 40.70 | | | | | | | | |
| | Virtual collocation - Maintenance in CO - Basic, per half hour | | | AMTFS | CTRLX | | 27.93 | 10.73 | | | | l | | | | |
| | | | | | 1 | | | | | | ĺ | l | | | | l |
| | Virtual collocation - Maintenance in CO - Overtime, per half hour | | | AMTFS | SPTOM | | 36.47 | 13.86 | | | 1 | l | | | 1 | 1 |
| | | | | | | | | | | | | | | | | |
| | Vistoral collegation Maintenance in CO. Browning and half beau | | | AMTFS | SPTPM | | 45.02 | 16.98 | | | | | | | | |
| - | Virtual collocation - Maintenance in CO - Premium per half hour | | | MIVITO | SFIPIVI | | 45.02 | 16.98 | | | | | | | 1 | |
| Entran | ce Cable | | | | | | | | | | | | | | | |
| | Virtual Collocation - Cable Installation Charge, per cable | | | AMTFS | ESPCX | | 859.71 | | 22.49 | | | 1 | | | | 1 |
| İ | Virtual Collocation - Cable Support Structure, per cable | | | AMTFS | ESPSX | 14.97 | ĺ | | | | | | | | | |
| COLLOCATION | IN THE REMOTE SITE | | | | | | t t | | | | | | | | | |
| | al Remote Site Collocation | | | | + | | | | | | | | | | 1 | |
| Pnysic | | | | 01.000 | DE4E: | | 60==6 | | | | | | | | 1 | |
| | Physical Collocation in the Remote Site - Application Fee | | | CLORS | PE1RA | | 307.70 | | 168.22 | | | ļ | | | | |
| | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 201.42 | | | | | <u> </u> | L | | | <u> </u> | L |
| | | | | | | | | | | | | | | | | |
| | Physical Collocation in the Remote Site - Security Access - Key | | | CLORS | PE1RD | | 13.10 | | | | 1 | l | | | 1 | 1 |
| | Physical Collocation in the Remote Site - Space Availability | | | | | | 10.10 | | | | l . | | | | 1 | |
| | | | | 01.000 | DE 465 | | | | | | 1 | l | | | 1 | 1 |
| | Report per Premises Requested | | | CLORS | PE1SR | | 115.87 | | | | 1 | | | | | |
| | Physical Collocation in the Remote Site - Remote Site CLLI | I | I | | | 1 | | | | | 1 | l | | | | 1 |
| | Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 37.56 | | | | ĺ | l | | | | l |
| | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 233.38 | | | | 1 | | | | | |
| | | + | | OLUNO | LINIX | 1 | 255.50 | | | | - | | | | | |
| +- | Power, DC Power Provisioning (Alabama Only ICB Rate) | | ļļ | | + | | | | | | . | | | | | ļ |
| | Physical Collocation - Security Escort for Basic Time - normally | | | | | | | | | | | l | | | | l |
| 1 | scheduled work, per half hour | | | CLORS | PE1BT | l | 16.93 | 10.73 | | | | I | | | 1 | l |

| OLLOCATI | ON - Alabama | | | | | | | | | | | | Attachment: | 4 | Exhibit: B | |
|-----------|--|-------------|---------|-------------------|-------|--------|----------------|--------------|--------------|------------|-------|------------------------------------|--|--|--|--|
| TEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. | Charge Manual : Order v |
| | | | | | | | | | | | | | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Electron Disc Ad |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Kec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMA |
| | Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLORS | PE1OT | | 22.05 | 13.86 | | | | | | | | |
| | Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour | | | CLORS | PE1PT | | 27.17 | 16.98 | | | | | | | | |
| | nt Remote Site Collocation | | | CLORG | FLIFI | | 21.11 | 10.90 | | | | | | | | |
| Aujace | Remote Site-Adjacent Collocation-Application Fee | | - | CLORS | PE1RU | 1 | 755.62 | 755.62 | | | | | | | 1 | |
| -+ | Nemote Oite-Aujacent Conocation-Application (ee | | 1 | OLONO | LINU | 1 | 100.02 | 100.02 | | | 1 | | | | | \vdash |
| | Remote Site-Adjacent Collocation - Real Estate, per square foot | | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | Remote Site-Adjacent Collocation - AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| | If Security Escort and/or Add'l Engineering Fees become nec | essarv f | or adia | | | | gotiate approp | riate rates. | | | | | | | | 1 |
| | Remote Site Collocation | ,,,,, | | | 1 | | 9 | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Application Fee | | | VE1RS | VE1RB | | 307.70 | 307.70 | 168.22 | 168.22 | | | | | | † |
| | , , , , , , , , , , , , , , , , , , , | | | - | | | | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Per Bay/Rack of Space | | | VE1RS | VE1RC | 201.42 | | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Space Availability Report | | | | | | | | | | | | | | | |
| | per Premises requested | | | VE1RS | VE1RR | | 115.87 | 115.87 | | | | | | | | |
| | Virtual Collocation in the Remote Site - Remote Site CLLI Code | | | | | | | | | | | | | | | |
| | Request, per CLLI Code Requested | | | VE1RS | VE1RL | | 37.56 | 37.56 | | | | | | | | |
| JACENT CO | DLLOCATION | | | | | | | | | | | | | | | |
| | Adjacent Collocation - Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.14 | | | | | | | | | | |
| | Adjacent Collocation - Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 5.41 | | | | | | | | | | |
| | | | | UEANL,UEQ,UEA,U | | | | | | | | | | | | |
| | Adjacent Collocation - 2-Wire Cross-Connects | | | CL, UAL, UHL, UDN | | 0.02 | 12.30 | 11.80 | 6.03 | 5.44 | | | | | | |
| | Adjacent Collocation - 4-Wire Cross-Connects | | | | PE1JF | 0.04 | 12.39 | 11.87 | 6.39 | 5.73 | | | | | | |
| | Adjacent Collocation - DS1 Cross-Connects | | | USL | PE1JG | 1.03 | 22.03 | 15.93 | 6.40 | 5.79 | | | | | | |
| | Adjacent Collocation - DS3 Cross-Connects | | | UE3 | PE1JH | 13.95 | 20.89 | 15.20 | 7.38 | 5.92 | | | | | | <u> </u> |
| | Adjacent Collocation - 2-Fiber Cross-Connect | | | CLOAC | PE1JJ | 2.36 | 20.89 | 15.20 | 7.38 | 5.92 | | | | | | |
| | Adjacent Collocation - 4-Fiber Cross-Connect | | | CLOAC | PE1JK | 4.52 | 25.55 | 19.86 | 9.71 | 8.25 | | | | | | |
| | Adjacent Collocation - Application Fee Adjacent Collocation - 120V, Single Phase Standby Power Rate | | | CLOAC | PE1JB | | 1,576.69 | | 0.51 | | | | | | | |
| | per AC Breaker Amp | | | CLOAC | PE1JL | 4.91 | | | | | | | | | | <u> </u> |
| | Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JM | 9.84 | | | | | | | | | | |
| | Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JN | 14.74 | | | | | _ | _ | | | | |
| | Adjacent Collocation - 277V, Three Phase Standby Power Rate | | | | | | | | | | | | | | | |
| | per AC Breaker Amp Adjacent Collocation - DC power provisioning (Alabama Only | | | CLOAC | PE1JO | 34.06 | | | | | | | | | | |
| | Mandate ICB) Note: ICB means Individual Case Basis | | | | | | | | | | | | | | | <u> </u> |
| 1 | Rates displaying an "R" in the interim column are interim and | | | | | | | | | | | | | | | |

| COLLOCATION - | Florida | | | | | | | | | | | | Attachment: | 4 | Exhibit: B | |
|------------------|---|--------|--|------------------|-----------|--------|----------|-----------|--------------|--------|--------------|-----------|-------------|-------------|-------------|--|
| | * *** | | 1 | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Increment |
| | | | | | | | | | | | | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | | | | | |
| 04750000 | DATE EL EMENTO | Interi | | 500 | | | | DATEO(6) | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Sv |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | 1 |
| PHYSICAL COLLOCA | ATION | | | | | | | | | | | | | | | l |
| Application | | | | | | | | | | | | | | | | ſ |
| Physic | cal Collocation - Initial Application Fee | | | CLO | PE1BA | | 2,785.00 | | 1.20 | | | | | | | 1 |
| Physic | cal Collocation - Subsequent Application Fee | | | CLO | PE1CA | | 2,236.00 | | 1.20 | | | | | | | |
| | cal Collocation - Co-Carrier Cross Connects/Direct | | | | | | , | | | | | | | | | |
| | ect, Application Fee, per application | | | CLO | PE1DT | | 564.81 | | | | | | | | | i |
| | cal Collocation - Power Reconfiguration Only, Application | | 1 | 020 | 1 2 1 2 1 | | 001.01 | | | | | | | | | — |
| Fee | cal Collocation - I ower Necoringulation Only, Application | | | CLO | PE1PR | | 409.50 | | | | | | | | | i |
| | C-llanding Administration Only Application Fac | | | CLO | PE1BL | | 760.91 | | 1.20 | | | | | | | |
| | cal Collocation Administrative Only - Application Fee | | 1 | CLO | PETBL | | 760.91 | | 1.20 | | | | | | | + |
| Space Prepar | | | | | | | | | | | | | | | | |
| | cal Collocation - Floor Space, per sq feet | | | CLO | PE1PJ | 5.28 | | | | | | | | | | 1 |
| | cal Collocation - Space Enclosure, welded wire, first 50 | | | | | | | | | | | | | | | i |
| square | e feet | | | CLO | PE1BX | 171.12 | | | | | | | | | | ı |
| Physic | cal Collocation - Space enclosure, welded wire, first 100 | | | | | | | | | | | | | | | ſ |
| square | e feet | | | CLO | PE1BW | 189.73 | | | | | | | | | | ĺ |
| Physic | cal Collocation - Space enclosure, welded wire, each | | | | | | | | | | | | | | | |
| | onal 50 square feet | | | CLO | PE1CW | 18.61 | | | | | | | | | | i |
| | cal Collocation - Space Preparation - C.O. Modification per | | | | | | | | | | | | | | | |
| square | | | | CLO | PE1SK | 2.38 | | | | | | | | | | i |
| | cal Collocation - Space Preparation, Common Systems | | | CLO | PEION | 2.30 | | | | | | | | | | |
| | | | | 01.0 | DE 401 | 0.50 | | | | | | | | | | i |
| | cations-Cageless, per square foot | | | CLO | PE1SL | 2.50 | | | | | | | | | | 1 |
| | cal Collocation - Space Preparation - Common Systems | | | | | | | | | | | | | | | i |
| | cations-Caged, per cage | | | CLO | PE1SM | 84.93 | | | | | | | | | | l |
| Physic | cal Collocation - Space Preparation - Firm Order | | | | | | | | | | | | | | | ĺ |
| Proces | ssing | | | CLO | PE1SJ | | 287.36 | | | | | | | | | i |
| Physic | cal Collocation - Space Availability Report, per Central | | | | | | | | | | | | | | | 1 |
| Office | Requested | | | CLO | PE1SR | | 572.66 | | | | | | | | | i |
| Power | . [| | | | | | | | 1 | | | | | | | |
| | cal Collocation - Power, -48V DC Power - per Fused Amp | | | | | | | | | | | | | | | |
| Reque | | | | CLO | PE1PL | 7.80 | | | | | | | | | | ĺ |
| | cal Collocation - Power, 120V AC Power, Single Phase, | | 1 | CLO | FLIFE | 7.00 | | | | | | | | | | |
| | | | | CLO | PE1FB | F 00 | | | | | | | | | | i |
| | reaker Amp | | <u> </u> | CLO | PETFB | 5.26 | | | | | | | | | | |
| | cal Collocation - Power, 240V AC Power, Single Phase, | | | | | | | | | | | | | | | i |
| | reaker Amp | | | CLO | PE1FD | 10.53 | | | | | | | | | | 1 |
| | cal Collocation - Power, 120V AC Power, Three Phase, per | | | | | | | | | | | | | | | i |
| | er Amp | | | CLO | PE1FE | 15.80 | | | | | | | | | | i |
| Physic | cal Collocation - Power, 277V AC Power, Three Phase, per | | | | | | | | | | | | | | | 1 |
| Break | er Amp | | | CLO | PE1FG | 36.47 | | | | | | | | | | ĺ |
| Physic | cal Collocation - Power - DC power, per Used Amp | | | CLO | PE1FN | 10.69 | | | | | | | | | | |
| | cts (Cross Connects, Co-Carrier Cross Connects, and P | orts) | | | | | | | | | | | | | | |
| 0.000 00 | oto (otobo comicato, oc camor cross comicato) ana : | 0.10, | | UEANL,UEQ,UNC | :N | | | | | | | | | | | |
| | | l | 1 | X, UEA, UCL, UAL | | | | | 1 | Ì | 1 |] | | | | 1 |
| Physic | cal Collocation - 2-wire cross-connect, loop, provisioning | | | UHL, UDN, UNCV | | 0.0208 | 7.32 | 5.37 | 4.58 | 2.71 | | | | | | i |
| Filysic | car constant - 2-wire cross-connect, 100p, provisioning | | | UEA, UHL, UNCV | | 0.0200 | 1.52 | 5.57 | 7.30 | 2.71 | | | | | | |
| Dt | col Collegation A wire group contact land are in the | | | UNCDX, UCL, UD | | 0.0440 | 8.00 | 5.75 | F 00 | 0.00 | | | | | | 1 |
| Pnysic | cal Collocation - 4-wire cross-connect, loop, provisioning | | 1 | | L PE1P4 | 0.0416 | 8.00 | 5.75 | 5.00 | 2.69 | 1 | - | | | - | |
| | | | | WDS1L, WDS1S, | - 1 | | | | 1 | | | | | | | 1 |
| | | | | UXTD1, ULDD1, | - 1 | | | | 1 | | | | | | | 1 |
| | | | | USLEL, UNLD1, | - 1 | | | | 1 | | | | | | | 1 |
| | | | | U1TD1, UNC1X, | - 1 | | | | 1 | | | | | | | 1 |
| | | l | 1 | UEPSR, UEPSB, | - 1 | | | | 1 | | 1 |] | |] | | 1 |
| Physic | cal Collocation -DS1 Cross-Connect for Physical | | | UEPSE, UEPSP, | - 1 | | | | 1 | | | | | | | 1 |
| | cation, provisioning | | | USL | PE1P1 | 0.3786 | 7.88 | 6.25 | 1.35 | 0.9899 | | | | | | 1 |
| | ., | | • | | | | | | | | | | | | | |

| COLLOCAT | TION - Florida | | | | | | | | | | | | Attachment: | 4 | Exhibit: B | |
|----------|---|-------------|--|--|----------------|--------|----------------|-----------|---------------|-------|-------|---|--|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonre | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation - DS3 Cross-Connect, provisioning | | | UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSB, | PE1P3 | 4.16 | 32.40 | 31.03 | 11.15 | 10.98 | | | | | | |
| | Physical Collocation - D33 Cross-Connect, provisioning | | | CLO, ULDO3, | FLIFS | 4.10 | 32.40 | 31.03 | 11.13 | 10.90 | | | | | | |
| | Physical Collocation - 2-Fiber Cross-Connect | | | ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF ULD03, ULD12, ULD48, U1TO3, U1T12, U1T48, | PE1F2 | 1.71 | 28.26 | 25.85 | 13.78 | 11.01 | | | | | | |
| 1 | Blood of College Control of College Control | | | UDLO3, UDL12, | DE4E4 | 0.04 | 07.00 | 05.54 | 40.00 | 45.44 | | | | | | |
| | Physical Collocation - 4-Fiber Cross-Connect Physical Collocation - Co-Carrier Cross Connects/Direct | | | UDF, UDFCX | PE1F4 | 3.34 | 37.92 | 35.51 | 18.20 | 15.44 | | | | | | |
| | Connects Direct Connects Fiber Cable Support Structure, per linear foot, per cable. | | | CLO | PE1ES | 0.0008 | | | | | | | | | | |
| | Physical Collocation - Co-Carrier Cross Connect/Direct Connect - | | | CLO | FLILS | 0.0008 | | | | | | | | | | |
| | Copper/Coax Cable Support Structure, per linear foot, per cable. | | | CLO | PE1DS | 0.0012 | | | | | | | | | | |
| | Cabio. | | | UEPSR, UEPSP, | | 0.0012 | | | | | | | | | | |
| | | | | UEPSE, UEPSB, | | | | | | | | | | | | |
| | Physical Collocation 2-Wire Cross Connect, Port | | | UEPSX, UEP2C | PE1R2 | 0.0208 | 7.32 | 5.37 | 4.58 | 2.71 | | | | | | |
| | Physical Collocation 4-Wire Cross Connect, Port | | | UEPEX, UEPDD | PE1R4 | 0.0416 | 8.00 | 5.75 | 5.00 | 2.69 | | | | | | |
| Secur | Physical Collocation - Security Escort for Basic Time - normally | | | CLO | DEADT | | 00.05 | 20.05 | | | | | | | | |
| | scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, | | | CLO | PE1BT | | 33.65 | 22.05 | | | | | | | | |
| | per half hour | | | CLO | PE1OT | | 44.63 | 28.89 | | | | | | | | |
| | Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour | | | CLO | PE1PT | | 55.62 | 35.73 | | | | | | | | |
| | Physical Collocation - Security Access System - Security System per Central Office, per Sq. Ft. | | | CLO | PE1AY | 0.0101 | | | | | | | | | | |
| | Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State | | | CLO | PE1A1 | | 38.95 | | | | | | | | | |
| | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 8.84 | | | | | | | | | |
| | Physical Collocation - Security Access System - Replace Lost or | | | CI O | DEAAD | | 00.70 | | | | | | | | | |
| | Stolen Card, per Card Physical Collocation - Security Access - Initial Key, per Key | | | CLO | PE1AR PE1AK | | 28.78 23.28 | | | | - | | | | | 1 |
| | Physical Collocation - Security Access - Key, Replace Lost or | | | | | | | | | | | | | | | |
| CFA | Stolen Key, per Key | | <u> </u> | CLO | PE1AL | | 23.28 | | | | | | | | | ļ |
| CFA | Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request | | | CLO | PE1C9 | | 79.52 | | | | | | | | | |
| Cable | e Records | | | OLO . | F L 108 | | 19.52 | | | | | | | | | |
| Janie | Physical Collocation - Cable Records, per request | | | CLO | PE1CR | | I 1515.00 | S 973.64 | 256.35 | | | | | | † | 1 |
| | Physical Collocation, Cable Records, VG/DS0 Cable, per cable | | | | | | | | | | | | | | | 1 |
| | record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per each | | | CLO | PE1CD | | 646.84 | | 362.41 | | | | | | | |
| | 100 pair Physical Collocation, Cable Records, DS1, per T1 TIE | | | CLO CLO | PE1CO PE1C1 | | 9.11 4.52 | | 10.80 5.35 | | | | | | | |
| ı | Physical Collocation, Cable Records, DS1, per T1 TIE Physical Collocation, Cable Records, DS3, per T3 TIE | | ├ | CLO | PE1C3 | | 15.81 | | 18.73 | | | | | | ļ | |

| COLLOCAT | ION - Florida | | | | | | | | | | | | Attachment: | 4 | Exhibit: B | |
|-------------|--|--------|----------|------------------|--------|--------|----------|------------|-------------|--------------|-----------|-----------|-------------|-------------|-------------|------------|
| 3 | | | | | 1 | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Sv |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | usoc | | | RATES(\$) | | | | | | | | |
| DATECONT | NATE ELEMENTO | m | 20.10 | 200 | 0000 | | | IIAI LO(ψ) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add' |
| | | | | | | | Nonrec | urring | Nonrecurrin | g Disconnect | | | OSS | Rates(\$) | | l |
| | | | | | + | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation - Cable Records, Fiber Cable, per cable | | | | + | | 11100 | Auu | 11100 | Auui | COMILO | COMPAR | COMPAN | COMPAR | COMPAN | COMPAR |
| | record (maximum 99 records) | | | CLO | PE1CB | | 169.96 | | 149.97 | | | | | | | |
| Virtua | I to Physical | | | 020 | . 2.02 | | 100.00 | | 1 10.01 | | | | | | | |
| 7111111 | Physical Collocation - Virtual to Physical Collocation Relocation, | | | | | | | | | | | | | | | |
| | per Voice Grade Circuit | | | CLO | PE1BV | | 33.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, | | | | | | | | | | | | | | | |
| | per DSO Circuit | | | CLO | PE1BO | | 33.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, | | | | | | | | | | | | | | | |
| | per DS1 Circuit | | | CLO | PE1B1 | | 52.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, | | | | | | | | | | | | | | | |
| | per DS3 Circuit | | | CLO | PE1B3 | | 52.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation In-Place, | | | | | | | | | | | | | | | |
| | Per Voice Grade Circuit | | | CLO | PE1BR | | 23.00 | | | | | | | | | |
| | Physical Collocation Virtual to Physical Collocation In-Place, Per | | | | | | | | | | | | | | | |
| | DSO Circuit | | | CLO | PE1BP | | 23.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation In-Place, | | | | | | | | | | | | | | | |
| | Per DS1 Circuit | | | CLO | PE1BS | | 33.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation In-Place, | | | | | | | | | | | | | | | |
| | per DS3 Circuit | | | CLO | PE1BE | | 37.00 | | | | | | | | | |
| Entrar | nce Cable | | | | | | | | | | | | | | | |
| | Physical Collocation - Cable Support Structure, per Entrance | | | | | | | | | | | | | | | |
| | Cable | | | CLO | PE1PM | 5.19 | | | | | | | | | | |
| | Physical Collocation - Fiber Entrance Cable per Cable (CO | | | | | | | | | | | | | | | |
| | manhole to vault splice) | | | CLO | PE1EC | | 994.12 | | 43.84 | | | | | | | |
| | Physical Collocation - Fiber Entrance Cable Installation, per | | | | | | | | | | | | | | | |
| | Fiber | | | CLO | PE1ED | | 7.43 | | | | | | | | | |
| VIRTUAL COL | LOCATION | | | | | | | | | | | | | | | |
| Applic | cation | | | | | | | | | | | | | | | |
| | Virtual Collocation - Application Fee | | | AMTFS | EAF | | 1,241.00 | | 1.20 | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect, | | | | | | | | | | | | | | | |
| | Application Fee, per application | | | AMTFS | VE1CA | | 564.81 | | | | | | | | | |
| | Virtual Collocation Administrative Only - Application Fee | | | AMTFS | VE1AF | | 760.91 | | 1.20 | | | | | | | |
| Space | Preparation | | | | | | | | | | | | | | | |
| | Virtual Collocation - Floor Space, per sq. ft. | | | AMTFS | ESPVX | 5.28 | | | | | | | | | | |
| Power | | | | | | | | | | | | | | | | |
| | Virtual Collocation - Power, per fused amp | | | AMTFS | ESPAX | 6.95 | | | | | | | | | | |
| | Virtual Collocation - Power, DC power, per Used Amp | | | AMTFS | VE1PF | 10.69 | | | | | | | | | | |
| Cross | Connects (Cross Connects, Co-Carrier Cross Connects, and P | orts) | | | | | | | | | | | | | | |
| | | | | UEANL, UEA, UDN, | | | | | | | | | | | | |
| | | | | UAL, UHL, UCL, | | | | | | | | | | | | |
| | | | | UEQ, UNCVX, | | | | | | | | | | | | |
| | Virtual Collocation - 2-wire cross-connect, loop, provisioning | | | UNCDX, UNCNX | UEAC2 | 0.0201 | 7.32 | 5.37 | 4.58 | 2.71 | | | | | | |
| | | | | UEA, UHL, UCL, | | | | | | | | | | | | |
| | | | | UDL, UNCVX, | | | | | | | | | | | | |
| | Virtual Collocation - 4-wire cross-connect, loop, provisioning | | ! | UNCDX | UEAC4 | 0.0403 | 8.00 | 5.75 | 5.00 | 2.69 | | | | | ļ | |
| 1 | | | | ULR, UXTD1, | | | | | | | | | | | | |
| 1 | | | | UNC1X, ULDD1, | | | | | | | | | | | | |
| 1 | Virtual collocation - Special Access & UNE, cross-connect per | | | U1TD1, USLEL, | | | | | | | | | | | | |
| | DS1 | | | UNLD1, USL | CNC1X | 0.3786 | 7.88 | 6.26 | 1.35 | 0.9915 | <u> </u> | | | | | |
| | | | | USL, UE3, U1TD3, | | | | | | | | | | | | |
| | | | | UXTS1, UXTD3, | 1 | | | | | | | | | | Ì | 1 |
| | | | | UNC3X, UNCSX, | 1 | | | | | | | | | | Ì | 1 |
| | L | | | ULDD3, U1TS1, | 1 | | | | | | | | | | Ì | 1 |
| | Virtual collocation - Special Access & UNE, cross-connect per | | | ULDS1, UDLSX, | 1 | | | | | | | | | | Ì | 1 |
| | DS3 | 1 | 1 | UNLD3 | CND3X | 4.16 | 32.40 | 31.03 | 11.15 | 10.98 | 1 | 1 | l | I | 1 | i |

| COLLOCAT | TION - Florida | | | | | | | | | | | | Attachment: | 4 | Exhibit: B | |
|----------|---|-------------|----------|--|----------------|--|-----------|-----------|--------------|-------|-------|---|--|--|--|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Virtual Collocation - 2-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC2F | 1.75 | 28.26 | 25.85 | 13.78 | 11.01 | | | | | | |
| | Natural Callegration A Fibra Coppe Copperate | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, | CNICAE | 2.50 | 27.00 | 25.54 | 40.00 | 45.44 | | | | | | |
| | Virtual Collocation - 4-Fiber Cross Connects | | | ULD12, ULD48, UDF | CNC4F | 3.50 | 37.92 | 35.51 | 18.20 | 15.44 | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CB | 0.0008 | | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - | | | | | | | | | | | | | | | |
| | Copper/Coax Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CD | 0.0012 | | | | | | | | | | |
| | | | | UEPSX, UEPSB, | | | | | | | | | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Port | | | UEPSE, UEPSP, UEPSR, UEP2C | VE1R2 | 0.0201 | 7.32 | 5.37 | 4.58 | 2.71 | | | | | | |
| | Virtual Collocation 4-Wire Cross Connect, Port | | | UEPDD, UEPEX | VE1R4 | 0.0403 | 8.00 | 5.75 | 5.00 | 2.69 | | | | | | |
| CFA | | | | | | 5.5.55 | 5.55 | | 5.55 | | | | | | | |
| | Virtual Collocation - CFA Information Resend Request, per Premises, per Arrangement, per request | | | AMTFS | VE1QR | | 79.52 | | | | | | | | | |
| Cable | Records Virtual Collocation Cable Records - per request | | | AMTFS | VE1BA | | I 1515.00 | S 973.64 | 256.35 | | | | | | | |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per cable record | | | AMTFS | VE1BB | | 646.84 | 3 973.04 | 362.41 | | | | | | | |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair | | | AMTFS | VE1BC | | 9.11 | | 10.80 | | | | | | | |
| | Virtual Collocation Cable Records - DS1, per T1TIE | | | AMTFS | VE1BD | | 4.52 | | 5.35 | | | | | | | — |
| | Virtual Collocation Cable Records - DS3, per T3TIE | | | AMTFS | VE1BE | | 15.81 | | 18.73 | | | | | | | |
| | Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records | | | AMTFS | VE1BF | | 169.96 | | 149.97 | | | | | | | |
| Secur | , | | | | | | | | | | | | | | | - |
| | Virtual collocation - Security escort, basic time, normally scheduled work hours Virtual collocation - Security escort, overtime, outside of | | | AMTFS | SPTBX | | 33.65 | 22.05 | | | | | | | | 1 |
| | onormally scheduled work hours on a normal working day Virtual collocation - Security escort, premium time, outside of a | | | AMTFS | SPTOX | | 44.63 | 28.89 | | | | | | | | 1 |
| | scheduled work day | | | AMTFS | SPTPX | | 55.62 | 35.73 | | | | | | | | İ |
| Maint | enance | | | | | | | | | | | | | | | |
| | Virtual collocation - Maintenance in CO - Basic, per half hour | | | AMTFS | CTRLX | | 54.05 | 22.05 | | | | | | | | |
| | Virtual collocation - Maintenance in CO - Overtime, per half hour | | | AMTFS | SPTOM | | 72.18 | 28.89 | | | | | | | | |
| | Virtual collocation - Maintenance in CO - Premium per half hour | | | AMTFS | SPTPM | | 90.31 | 35.73 | | | | | | | | <u> </u> |
| Entra | virtual Collocation - Cable Installation Charge, per cable | | | AMTFS | ESPCX | | 1,473.00 | | 43.84 | | | | | | | - |
| | Virtual Collocation - Cable Support Structure, per cable | | | AMTFS | ESPSX | 4.54 | 1,-110.00 | | 45.04 | | | | | | | † |
| | ON IN THE REMOTE SITE | | | | | | | | | | | | | | | |
| Physi | cal Remote Site Collocation | | | 0.000 | DE (D. | | | | | | | | | | | |
| | Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack | | <u> </u> | CLORS CLORS | PE1RA PE1RB | 154.59 | 612.23 | | 270.35 | | | | | | | |
| | Cabinet Space in the Remote Site per Bay/ Rack | | | CLUKO | LEIKB | 154.59 | | | | | | | | | | |
| | Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability | | | CLORS | PE1RD | | 23.28 | | | | | | | | | 1 |
| | Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI | | | CLORS | PE1SR | | 223.91 | | | | | | | | | |
| | Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 73.39 | | | | | | | | | |

| | ON - Florida | | | | | | | | | | | | Attachment: | | Exhibit: B | |
|------------|---|-------------|---------|---------------------|----------------|-----------------|----------------|--------------|----------|--------------|----------|---|--|--|-------------------------|--|
| TEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - | Incremer Charge Manual S Order v Electron Disc Ad |
| | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMA |
| | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 208.02 | | | | | | | | | |
| | Physical Collocation - Security Escort for Basic Time - normally | | | | | | | | | | | | | | | |
| | scheduled work, per half hour | | | CLORS | PE1BT | | 33.65 | 22.05 | | | | | | | | |
| | Physical Collocation - Security Escort for Overtime - outside of | | | | | | | | | | | | | | | |
| i i | normally scheduled working hours on a scheduled work day, | | | | | | | | | | | | | | | |
| | per half hour | | | CLORS | PE1OT | | 44.63 | 28.89 | | | | | | | | |
| | Physical Collocation - Security Escort for Premium Time - | | | | | | | | | | | | | | | |
| | outside of scheduled work day, per half hour | | | CLORS | PE1PT | | 55.62 | 35.73 | | | | | | | | |
| | nt Remote Site Collocation | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation - Real Estate, per square foot | | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation - AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| NOTE: I | f Security Escort and/or Add'l Engineering Fees become nec | essary f | or adja | cent remote site co | llocation, the | Parties will ne | gotiate approp | riate rates. | | | | | | | | |
| Virtual F | Remote Site Collocation | | | | | | | | | | | | | | | |
| ľ | Virtual Collocation in the Remote Site - Application Fee | | | VE1RS | VE1RB | | 612.23 | | 270.35 | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Per Bay/Rack of Space | | | VE1RS | VE1RC | 154.59 | | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Space Availability Report | | | | | | | | | | | | | | | |
| | per Premises requested | | | VE1RS | VE1RR | | 223.91 | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Remote Site CLLI Code | | | | | | | | | | | | | | | |
| | Request, per CLLI Code Requested | | | VE1RS | VE1RL | | 73.39 | | | | | | | | | |
| JACENT COL | LLOCATION | | | | | | | | | | | | | | | |
| | Adjacent Collocation - Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.1666 | | | | | | | | | | |
| | Adjacent Collocation - Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 4.62 | | | | | | | | | | |
| | , | | | | | | | | | | | | | | | |
| | | | | UEANL,UEQ,UEA,U | | | | | | | İ | | | | | |
| | Adjacent Collocation - 2-Wire Cross-Connects | | | CL, UAL, UHL, UDN | PE1JE | 0.0194 | 7.32 | 5.37 | 4.58 | 2.71 | İ | | | | | |
| | Adjacent Collocation - 4-Wire Cross-Connects | | | UEA,UHL,UDL,UCL | | 0.0388 | 8.00 | 5.75 | 5.00 | 2.69 | | | | | | |
| | Adjacent Collocation - DS1 Cross-Connects | | | USL | PE1JG | 0.3708 | 7.88 | 6.26 | 1.35 | 0.9915 | | | | | | |
| | Adjacent Collocation - DS3 Cross-Connects | | | UE3 | PE1JH | 4.14 | 32.40 | 31.03 | 11.15 | 10.98 | | | | | | † |
| | Adjacent Collocation - 2-Fiber Cross-Connect | | | CLOAC | PE1JJ | 1.70 | 28.26 | 25.85 | 13.78 | 11.01 | | 1 | | | | |
| | Adjacent Collocation - 4-Fiber Cross-Connect | | | CLOAC | PE1JK | 3.33 | 37.92 | 35.51 | 18.20 | 15.44 | 1 | | | | | † |
| | Adjacent Collocation - Application Fee | | | CLOAC | PE1JB | 3.00 | 2.763.00 | 33.01 | 1.02 | .5.44 | 1 | | | | | † |
| | Adjacent Collocation - 120V, Single Phase Standby Power Rate | | | 020/10 | 100 | t | 2,700.00 | | 1.02 | | 1 | | | | | † |
| | per AC Breaker Amp | | | CLOAC | PE1JL | 5.26 | | | | | İ | | | | | |
| | Adjacent Collocation - 240V, Single Phase Standby Power Rate | | | 020/10 | 10_ | 5.20 | | | | | | | | | | |
| | per AC Breaker Amp | | | CLOAC | PE1JM | 10.53 | | | | | İ | 1 | | | | |
| | Adjacent Collocation - 120V, Three Phase Standby Power Rate | | | 020/10 | . L IOIVI | 10.55 | | | 1 | | | 1 | 1 | 1 | 1 | 1 |
| | per AC Breaker Amp | | | CLOAC | PE1JN | 15.80 | | | | | İ | 1 | | | | |
| | Adjacent Collocation - 277V, Three Phase Standby Power Rate | | | CLOAC | FEIJIN | 15.80 | | | - | - | | - | - | - | - | 1 |
| | per AC Breaker Amp | | | CLOAC | PE1JO | 36.47 | | | | | | | | | | |
| | Adjacent Collocation - Cable Support Structure per Entrance | | | | | | | | | | İ | 1 | | | | |
| | Cable Rates displaying an "R" in the interim column are interim and | | | CLOAC | PE1JP | 5.19 | | | <u> </u> | L | <u> </u> | <u> </u> | <u> </u> | <u> </u> | <u> </u> | <u> </u> |

Page 10 of 48

| Phy Phy Cor Phy Fee Phy Phy Phy Phy Phy Phy Phy Space Prep Phy Squ Phy squ Phy squ Phy Add Phy Squ Phy Moo | RATE ELEMENTS | Interi | | | | | | | | | | Svc Order | Attachment: Incremental | | Exhibit: B Incremental | Incremental |
|---|--|----------|------|---|----------------|--------|----------------------|-----------|--------------|-------|------------------------------|----------------------------------|---|---|--|--|
| Application Phy Phy Phy Cor Phy Fee Phy Phy Phy Phy Phy Phy Phy Phy Space Preg Phy Squ Phy squ Phy squ Phy squ Phy squ Phy squ Phy hode | | m | Zone | BCS | USOC | | | RATES(\$) | | | Submitted Elec per LSR | Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| Application Phy Phy Phy Cor Phy Fee Phy Phy Phy Phy Phy Phy Phy Phy Space Preg Phy Squ Phy squ Phy squ Phy squ Phy squ Phy squ Phy hode | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| Application Phy Phy Phy Cor Phy Fee Phy Phy Phy Phy Phy Phy Phy Phy Acd Phy squ Phy Phy Squ Phy Phy Phy Phy Phy Phy Phy Phy Phy Phy | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Application Phy Phy Phy Cor Phy Fee Phy Phy Phy Phy Phy Phy Phy Phy Acd Phy squ Phy Phy Squ Phy Phy Phy Phy Phy Phy Phy Phy Phy Phy | OCATION | | | | 1 | | | | + | | | | | | | |
| Phy Phy Phy Cor Phy Fee Phy Phy Phy Phy Phy Phy Phy Phy Phy Space Preg Phy Squ Phy squ Phy squ Phy squ Phy Add Phy Squ Phy No Phy No | | | | | | | | | + | | | | | | | |
| Phy Phy Cor Phy Fee Phy Phy Phy Phy Phy Phy Phy Space Prep Phy Squ Phy squ Phy squ Phy Add Phy Squ Phy Moo | ysical Collocation - Initial Application Fee | | | CLO | PE1BA | | 1,285.98 | | 0.59 | | | | | | | |
| Cor Phy Fee Phy Phy Phy Phy Phy Phy Space Preg Phy squ Phy squ Phy squ Phy Add | ysical Collocation - Subsequent Application Fee | | | CLO | PE1CA | | 1,085.48 | | 0.59 | | | | | | | |
| Phy Feet Phy Phy Phy Phy Phy Space Pre Phy Squ Phy squ Phy squ Phy squ Phy Adc | ysical Collocation - Co-Carrier Cross Connects/Direct | | | | | | | | | | | | | | | |
| Fee Phy Phy Phy Phy Phy Phy Space Prep Phy Squ Phy squ Phy adc Phy squ Phy Mod | onnect, Application Fee, per application | | | CLO | PE1DT | | 583.18 | | | | | | | | | |
| Phy Phy Phy Phy Phy Space Prep Phy Squ Phy squ Phy squ Phy adc Phy squ Phy Moo | | | | CLO | PE1PR | | 398.80 | | | | | | | | | |
| Phy Phy Phy Space Prep Phy Phy Squ Phy squ Phy adc Phy squ Phy Mod | ysical Collocation Administrative Only - Application Fee | | | CLO | PE1BL | | 740.83 | | | | | | | | | Ĺ |
| Phy Phy Phy Space Preg Phy Phy squ Phy squ Phy adc Phy squ Phy Moo | sysical Collocation - Application Cost, Simple Augment | 1 | | CLO | PE1KS | | 594.05 | | 1.21 | | | | | | | |
| Phy Space Preg Phy Phy squ Phy squ Phy adc Phy squ Phy Moo | sysical Collocation - Application Cost, Minor Augment | <u> </u> | | CLO | PE1KM PE1K1 | | 832.95 | | 1.21 | | | | | | | |
| Space Preg | hysical Collocation - Application Cost, Intermediate Augment hysical Collocation - Application Cost - Major Augment | | | CLO | PE1K1 PE1KJ | | 1,057.00 2,408.00 | | 1.21 1.21 | | | | | | - | |
| Phy Phy squ Phy adc Phy squ Phy Moo | | | | CLO | PEIKJ | | 2,400.00 | | 1.21 | | | | | | - | |
| Physqu Physqu Phyadc Physqu Phy Mod | ysical Collocation - Floor Space, per sq feet | | | CLO | PE1PJ | 4.52 | | | + | | | | | | | |
| Phy squ Phy addc Phy squ Phy Moc | ysical Collocation - Space Enclosure, welded wire, first 50 uare feet | | | CLO | PE1BX | 144.71 | | | | | | | | | | |
| Phy adc Phy squ Phy Mor | uare feet uare feet | | | CLO | PE1BW | 160.45 | | | | | | | | | | |
| Phy squ Phy Mod Phy | ysical Collocation - Space enclosure, welded wire, each | | | | | | | | | | | | | | | |
| Phy Mod Phy | ditional 50 square feet sysical Collocation - Space Preparation - C.O. Modification per | | | CLO | PE1CW | 15.74 | | | | | | | | | | |
| Mod Phy | uare ft. sysical Collocation - Space Preparation, Common Systems | | | CLO | PE1SK | 2.01 | | | | | | | | | | |
| | odifications-Cageless, per square foot sysical Collocation - Space Preparation - Common Systems | | | CLO | PE1SL | 2.23 | | | | | | | | | | - |
| | odifications-Caged, per cage sysical Collocation - Space Preparation - Firm Order | | | CLO | PE1SM | 75.61 | | | | | | | | | | |
| Pro | ocessing | | | CLO | PE1SJ | | 141.10 | | | | | | | | | |
| Offi | ysical Collocation - Space Availability Report, per Central fice Requested | | | CLO | PE1SR | | 248.75 | | | | | | | | | |
| Power | | | | | | | | | 1 | | | | | | | |
| Red | sysical Collocation - Power, -48V DC Power - per Fused Amp | | | CLO | PE1PL | 4.78 | | | | | | | | | | |
| | nysical Collocation - Power, 120V AC Power, Single Phase, or Breaker Amp | | | CLO | PE1FB | 5.14 | | | | | | | | | | |
| | sysical Collocation - Power, 240V AC Power, Single Phase, r Breaker Amp | | | CLO | PE1FD | 10.30 | | | | | | | | | | |
| | ysical Collocation - Power, 120V AC Power, Three Phase, per eaker Amp | | | CLO | PE1FE | 15.44 | | | | | | | | | | |
| Phy | ysical Collocation - Power, 277V AC Power, Three Phase, per eaker Amp | | | CLO | PE1FG | 35.65 | | | | | | | | | | |
| | nnects (Cross Connects, Co-Carrier Cross Connects, and P | orts) | | 020 | | 55.55 | | | | | | | | | | |
| | , | | | UEANL,UEQ, UNCNX, UEA, UCL, | | | | | | | | | | | | |
| Phy | sysical Collocation - 2-wire cross-connect, loop, provisioning | | | UAL, UHL, UDN, UNCVX | PE1P2 | 0.0197 | | | | | | | | | | 1 |
| | rysical Collocation - 4-wire cross-connect, loop, provisioning | | | UEA, UHL, UNCVX, UNCDX, UCL, UDL | PE1P4 | 0.0393 | | | | | | | | | | |
| Phy | sysical Collocation -DS1 Cross-Connect for Physical | | | WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP, USL | PE1P1 | 0.3726 | | | | | | | | | | |

| COLLOCAT | ION - Georgia | | | | | | | | | | | | Attachment: | | Exhibit: B | |
|----------|---|-------------|------|--|-------|--|----------|-----------|----------|--------------|-------|---|--|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l |
| | | | | | | Rec | | curring | | g Disconnect | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation - DS3 Cross-Connect, provisioning | | | UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSB, | PE1P3 | 4.06 | | | | | | | | | | |
| | Physical Collocation - 2-Fiber Cross-Connect | | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1F2 | 1.72 | | | | | | | | | | |
| | | | | ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, | | | | | | | | | | | | |
| | Physical Collocation - 4-Fiber Cross-Connect | | | UDF, UDFCX | PE1F4 | 3.30 | | | ļ | | 1 | | | | | <u> </u> |
| | Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable. | | | CLO | PE1ES | 0.001 | | | | | | | | | | |
| | Physical Collocation - Co-Carrier Cross Connect/Direct Connect - | | | | | 5.55 | | | | | | | | | | |
| | Copper/Coax Cable Support Structure, per linear foot, per cable. | | | CLO | PE1DS | 0.0015 | | | | | | | | | | |
| | Physical Collocation 2-Wire Cross Connect, Port | | | UEPSR, UEPSP, UEPSE, UEPSB, UEPSX, UEP2C | PE1R2 | 0.0197 | | | | | | | | | | |
| | Physical Collocation 4-Wire Cross Connect, Port | | | UEPEX, UEPDD | PE1R4 | 0.0393 | | | | | | | | | | |
| Secur | | | | | | | | | | | | | | | | |
| | Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of | | | CLO | PE1BT | | 16.52 | 10.83 | | | | | | | | |
| | normally scheduled working hours on a scheduled work day, per half hour | | | CLO | PE1OT | | 21.92 | 14.19 | | | | | | | | |
| | Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour | | | CLO | PE1PT | | 27.31 | 17.55 | | | | | | | | |
| | Physical Collocation - Security Access System - Security System per Central Office, per Sq. Ft. | | | CLO | PE1AY | 0.0106 | 27.51 | 17.55 | | | | | | | | |
| | Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State | | | CLO | PE1A1 | | 22.00 | | | | | | | | | |
| | Physical Collocation - Security Access System - New Access Card Deactivation, per Card | | | CLO | PE1A4 | | 8.72 | 8.72 | | | | | | | | |
| | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or | | | CLO | PE1AA | | 5.38 | | | | | | | | | |
| | Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 17.01 | | | | | | | | | |
| | Physical Collocation - Security Access - Initial Key, per Key | | | CLO | PE1AK | <u> </u> | 13.20 | | <u> </u> | | | | | | | |
| 054 | Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key | | | CLO | PE1AL | | 13.20 | | | | | | | | | |
| CFA | Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request | | | CLO | PE1C9 | | 77.42 | | | | | | | | | |
| Cable | Records | | | | | | | | | | | | | | | |
| | Physical Collocation - Cable Records, per request | | | CLO | PE1CR | | I 743.65 | S 478.06 | 125.75 | | | | | | | |
| | Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per each | | | CLO | PE1CD | | 317.60 | | 177.77 | | | | | | | |
| | 100 pair | | | CLO | PE1CO | | 4.48 | | 5.30 | | | | | | | |

| COLLOCAT | TION - Georgia | | | | | | | | | | | | Attachment: | 4 | Exhibit: B | |
|------------|--|--|------|------------------------------|--------|--------|--------|-----------|--------------|---------------------------------------|--|---|-------------|--|-------------------------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| 1 | | | | | | | Nonre | | Nonrecurring | Dissennest | | | 220 | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | COMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation, Cable Records, DS1, per T1 TIE | | | CLO | PE1C1 | | 2.22 | Add I | 2.63 | Add I | SOWIEC | SOWAN | SUMAN | SOWAN | SOWAN | SOWAN |
| | Physical Collocation, Cable Records, DS3, per T3 TIE | | | CLO | PE1C3 | | 7.76 | | 9.19 | | | | | | | |
| | Physical Collocation - Cable Records, Fiber Cable, per cable | | | OLO | 1 2100 | | 7.70 | | 5.15 | | | | | | | |
| | record (maximum 99 records) | | | CLO | PE1CB | | 83.45 | | 73.57 | | | | | | | |
| Virtua | al to Physical | | | | | | | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, | | | | | | | | | | | | | | | |
| | per Voice Grade Circuit | | | CLO | PE1BV | | 33.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, | | | | | | | | | | | | | | | |
| | per DSO Circuit | | | CLO | PE1BO | | 33.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, | | | 0.0 | 55.5 | | ===== | | | | | | | | | |
| | per DS1 Circuit Physical Collocation - Virtual to Physical Collocation Relocation, | | | CLO | PE1B1 | | 52.00 | | | | | | | | | |
| | per DS3 Circuit | | | CLO | PE1B3 | | 52.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation In-Place, | | | CLO | FLIDS | | 32.00 | | | | | | | | | |
| | Per Voice Grade Circuit | l | | CLO | PE1BR | | 23.00 | | | | | | | | | 1 |
| İ | Physical Collocation Virtual to Physical Collocation In-Place, Per | | | | | | 20.00 | | | | | | | Ì | | 1 |
| | DSO Circuit | | | CLO | PE1BP | | 23.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation In-Place, | | | | | | | | | | | | | | | |
| | Per DS1 Circuit | | | CLO | PE1BS | | 33.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation In-Place, | | | | | | | | | | | | | | | |
| | per DS3 Circuit | | | CLO | PE1BE | | 37.00 | | | | | | | | | |
| Entra | nce Cable | | | | | | | | | | | | | | | |
| | Physical Collocation - Cable Installation, Pricing, non-recurring charge, per Entrance Cable | | | CLO | PE1BD | | 736.93 | | 21.51 | | | | | | | |
| | Physical Collocation - Cable Support Structure, per Entrance | | | CLO | FLIDD | | 730.93 | | 21.31 | | | | | | | |
| | Cable | | | CLO | PE1PM | 7.21 | | | | | | | | | | |
| | Physical Collocation, Entrance Cable Support Structure, | | | 020 | | | | | | | | | | | | |
| | Copper, per each 100 pairs or fraction thereof (CO Manhole to | | | | | | | | | | | | | | | |
| | Collocation Space) | | | CLO | PE1EE | 0.2629 | | | | | | | | | | |
| | Physical Collocation, Entrance Cable Installation, Copper, per | | | | | | | | | | | | | | | |
| | Cable (CO Manhole to Collocation Space) | | | CLO | PE1EF | | 755.15 | | 21.51 | | | | | | | |
| | Physical Collocation, Entrance Cable Installation, Copper, per | | | | | | | | | | | | | | | |
| | each 100 pairs or fraction thereof (CO Manhole to Collocation Space) | | | CLO | PE1EG | | 9.12 | | | | | | | | | |
| | Physical Collocation - Fiber Entrance Cable Installation, per | | | CLO | PETEG | | 9.12 | | | | 1 | | | | | - |
| | Fiber | | | CLO | PE1ED | | 3.90 | | | | | | | | | |
| VIRTUAL CO | | | | OLO | LILD | | 0.00 | | | | | | | | | |
| | cation | | | | | | | | | | | | | | | |
| | Virtual Collocation - Application Fee | | | AMTFS | EAF | | 609.52 | | 0.59 | | | | | İ | | |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect, | | | | | | | | | · · · · · · · · · · · · · · · · · · · | | | | 1 | | |
| | Application Fee, per application | ļ | | AMTFS | VE1CA | | 583.18 | | | | | | | | | |
| | Virtual Collocation Administrative Only - Application Fee | | | AMTFS | VE1AF | | 609.52 | | 1 | | ļ | | | | ļ | |
| Space | Preparation | | | AMTEC | ESPVX | 4.52 | | | 1 | | <u> </u> | | | 1 | 1 | 1 |
| Powe | Virtual Collocation - Floor Space, per sq. ft. | - | | AMTFS | LOFVA | 4.52 | | | + | | | | | - | | |
| Fowe | Virtual Collocation - Power, per fused amp | | | AMTFS | ESPAX | 4.78 | | | + | | | | | 1 | 1 | |
| Cross | S Connects (Cross Connects, Co-Carrier Cross Connects, and P | orts) | | , | 2017/0 | 4.70 | | | 1 | | | | | 1 | 1 | † |
| 0.550 | | i, | | UEANL, UEA, UDN, | | | | | 1 | | | | | 1 | 1 | 1 |
| | | 1 | | UAL, UHL, UCL, | | | | | | | | | | | | I |
| | | l | | UEQ, UNCVX, | | | | | | | | | | | | 1 |
| | Virtual Collocation - 2-wire cross-connect, loop, provisioning |] | | UNCDX, UNCNX | UEAC2 | 0.0188 | | | | | ļ | | | | | |
| | | 1 | | UEA, UHL, UCL, | | | | | | | | | | | | |
| | Notice College Control of the contro | 1 | | UDL, UNCVX, | 11546 | | | | | | | | | | | I |
| | Virtual Collocation - 4-wire cross-connect, loop, provisioning | | | UNCDX | UEAC4 | 0.0375 | | | 1 | | | | | | 1 | 1 |
| | | 1 | | ULR, UXTD1, UNC1X, ULDD1, | | | | | | | | | | | | I |
| | Virtual collocation - Special Access & UNE, cross-connect per | 1 | | U1TD1, USLEL. | | | | | | | | | | | | I |
| ı | DS1 | | 1 | UNLD1, USL | CNC1X | 0.3726 | | | 1 | | 1 | 1 | | 1 | 1 | 1 |

| COLLOCAT | ION - Georgia | | | | | | | - | - | | | | Attachment: | 4 | Exhibit: B | |
|----------|---|-------------|--|---|---------|--|--------|-----------|--------------|-------|--|---|-------------|--|--|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | | | | | | | | | D130 131 | DISC Add I |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Virtual collocation - Special Access & UNE, cross-connect per DS3 | | | USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 | CND3X | 4.06 | | | | | | | | | | |
| | Virtual Collocation - 2-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC2F | 1.73 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Virtual Collocation - 4-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC4F | 3.45 | | | | | | | | | | |
| | VIII CONSCION 4 1 ISC C1000 CONTICOLO | | | OLD 12, OLD 10, ODI | 0110-11 | 0.40 | | | | | | | | | | 1 |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - | | | | | | | | | | | | | | | |
| | Fiber Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CB | 0.001 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - | | | | | | | | | | | | | | | |
| | Copper/Coax Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CD | 0.0015 | | | | | | | | | | |
| | | | | UEPSX, UEPSB, UEPSE, UEPSP, | | | | | | | | | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Port | | | UEPSR, UEP2C | VE1R2 | 0.0188 | | | | | | | | | | |
| | Virtual Collocation 4-Wire Cross Connect, Port | | | UEPDD, UEPEX | VE1R4 | 0.0375 | | | | | | | | | | 1 |
| CFA | | | | | | 0.00.0 | | | | | | | | | | |
| | Virtual Collocation - CFA Information Resend Request, per | | | | | | | | | | | | | | | 1 |
| | Premises, per Arrangement, per request | | | AMTFS | VE1QR | | 77.42 | | | | | | | | | |
| Cable | Records | | | AMETEO | \/E4DA | | 740.05 | 470.00 | 405.75 | | | | | | | |
| | Virtual Collocation Cable Records - per request Virtual Collocation Cable Records - VG/DS0 Cable, per cable | | | AMTFS | VE1BA | | 743.65 | 478.06 | 125.75 | | - | | | | | + |
| | record | | | AMTFS | VE1BB | | 317.60 | | 177.77 | | | | | | | |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per each | | | | | | | | | | | | | | İ | + |
| | 100 pair | | | AMTFS | VE1BC | | 4.48 | | 5.30 | | | | | | | |
| | Virtual Collocation Cable Records - DS1, per T1TIE | | | AMTFS | VE1BD | | 2.22 | | 2.63 | | | | | | | |
| | Virtual Collocation Cable Records - DS3, per T3TIE | | | AMTFS | VE1BE | | 7.76 | | 9.19 | | | | | | | |
| | Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records | | | AMTFS | VE1BF | | 83.45 | | 73.57 | | | | | | | |
| Securi | | | | AWITTS | VLIDI | | 03.43 | | 73.37 | | | | | | | + |
| 0000 | Virtual collocation - Security escort, basic time, normally | | | | | | | | | | | | | | İ | + |
| | scheduled work hours | | | AMTFS | SPTBX | | 16.52 | 10.83 | | | | | | | | |
| | Virtual collocation - Security escort, overtime, outside of | | | | | | | | | | | | | | | |
| | normally scheduled work hours on a normal working day | | | AMTFS | SPTOX | | 21.92 | 14.19 | | | | | | | | |
| | Virtual collocation - Security escort, premium time, outside of a scheduled work day | | | AMTFS | SPTPX | | 27.31 | 17.55 | | | | | | | | |
| Mainte | enance | | | AIVIIFO | OF IFA | | 21.31 | 17.55 | | | | | | 1 | | + |
| manne | Virtual collocation - Maintenance in CO - Basic, per half hour | | <u> </u> | AMTFS | CTRLX | | 26.54 | 10.83 | | | 1 | | | | | † |
| | | | | | | 1 | | | | | | | | | | |
| | Virtual collocation - Maintenance in CO - Overtime, per half hour | | | AMTFS | SPTOM | | 35.44 | 14.19 | | | 1 | | | | | |
| | | | | | | | | | | | | | | | | |
| | Virtual collocation - Maintenance in CO - Premium per half hour | | <u> </u> | AMTFS | SPTPM | | 44.34 | 17.55 | | | | | | | | |
| Entrar | virtual Collocation - Cable Installation Charge, per cable | | ! | AMTFS | ESPCX | | 736.93 | | 21.51 | | | | | | | + |
| | Virtual Collocation - Cable Installation Charge, per cable Virtual Collocation - Cable Support Structure, per cable | | | AMTFS | ESPSX | 7.57 | 130.93 | | 21.51 | | | | | 1 | | + |
| 1 | Times. Comocation Capito Capport Officiale, per capit | | <u> </u> | | 201 07 | 7.57 | | | | | 1 | | | | | |
| | Virtual Collocation, Entrance Cable Support Structure, Copper, per each 100 pairs or fraction thereof (CO Manhole to Frame) | | | AMTFS | VE1EE | 0.23 | | | | | | | | | | |

| COLLOCAT | ION - Georgia | | | | | | | | | | | | Attachment: | 4 | Exhibit: B | |
|-----------------|--|-------------|---------|-------------------|----------------|--------------|----------------|--------------|----------|--------------|----------|---|-------------|--|-------------------------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - | Charge - |
| | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates(\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Virtual Collocation, Entrance Cable Installation, Copper, per | | | AMTEC | VE4EE | | 755.45 | | 04.54 | | | | | | | |
| | Cable (CO Manhole to Frame) Virtual Collocation, Entrance Cable Installation, Copper, per | | | AMTFS | VE1EF | | 755.15 | | 21.51 | | | | | | | |
| | each 100 pairs or fraction thereof (CO Manhole to Frame) | | | AMTFS | VE1EG | | 9.12 | | | | | | | | | |
| COLLOCATIO | ON IN THE REMOTE SITE | | | 741111 0 | 12.20 | | 0.12 | | | | | | | | | 1 |
| | cal Remote Site Collocation | | | | | | | | | | | | | | | |
| | Physical Collocation in the Remote Site - Application Fee | | | CLORS | PE1RA | | 300.61 | | 132.62 | | | | | | | 1 |
| | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 143.23 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Physical Collocation in the Remote Site - Security Access - Key | | | CLORS | PE1RD | | 13.20 | | | | | | | | | |
| | Physical Collocation in the Remote Site - Space Availability | | | CLORS | DE1CD | | 100.04 | | | | | | | | | |
| | Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI | | | CLORS | PE1SR | | 109.94 | | - | - | - | | | | | + |
| | Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 36.04 | | | | | | | | | |
| | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 116.64 | | | | | | | | | 1 |
| | Physical Collocation - Security Escort for Basic Time - normally | | | | | | | | | | | | | | | |
| | scheduled work, per half hour | | | CLORS | PE1BT | | 16.52 | 10.83 | | | | | | | | |
| | Physical Collocation - Security Escort for Overtime - outside of | | | | | | | | | | | | | | | 1 |
| | normally scheduled working hours on a scheduled work day, | | | | | | | | | | | | | | | |
| | per half hour | | | CLORS | PE1OT | | 21.92 | 14.19 | | | | | | | | |
| | Physical Collocation - Security Escort for Premium Time - | | | | | | | | | | | | | | | |
| | outside of scheduled work day, per half hour | | | CLORS | PE1PT | | 27.31 | 17.55 | | | | | | | | |
| Adjac | ent Remote Site Collocation Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | | |
| | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PETRU | | 755.62 | 755.62 | | | - | | | | | - |
| | Remote Site-Adjacent Collocation - Real Estate, per square foot | | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | Remote Site-Adjacent Conocation - Real Estate, per square root | | | CLORG | FLIKI | 0.134 | | | | | + | | | | | + |
| | Remote Site-Adjacent Collocation - AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| NOTE | : If Security Escort and/or Add'l Engineering Fees become nec | essary f | or adja | | | | gotiate approp | riate rates. | İ | | | | | | | + |
| Virtua | I Remote Site Collocation | | | | | | | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Application Fee | | | VE1RS | VE1RB | | 300.61 | | 132.62 | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Per Bay/Rack of Space | | | VE1RS | VE1RC | 143.23 | | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Space Availability Report | | | V= 400 | | | | | | | | | | | | |
| | per Premises requested Virtual Collocation in the Remote Site - Remote Site CLLI Code | | | VE1RS | VE1RR | | 109.94 | | 1 | | 1 | | | | | + |
| | Request, per CLLI Code Requested | | | VE1RS | VE1RL | | 36.04 | | | | | | | | | |
| ADJACENT C | OLLOCATION | | | VEINO | VETICE | | 30.04 | | | | + | | | | | + |
| 7.207.102.11.10 | Adjacent Collocation - Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.164 | | | | | | | | | | <u> </u> |
| | Adjacent Collocation - Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 4.01 | | | | | | | | | | |
| | , | | | | | | | | | | | | | | | 1 |
| | | | | UEANL,UEQ,UEA,U | | | | | | | | | | | | |
| | Adjacent Collocation - 2-Wire Cross-Connects | | | CL, UAL, UHL, UDN | PE1JE | 0.0172 | | | | | | | | | | |
| | Adjacent Collocation - 4-Wire Cross-Connects | | | UEA,UHL,UDL,UCL | | 0.0344 | | | | | | | | | | |
| | Adjacent Collocation - DS1 Cross-Connects | | | USL | PE1JG | 0.3608 | | | | | | | | | | |
| | Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - 2-Fiber Cross-Connect | | | UE3 CLOAC | PE1JH PE1JJ | 4.73 1.66 | | | | | - | | | | | |
| | Adjacent Collocation - 2-Fiber Cross-Connect | | | CLOAC | PE1JK | 3.24 | | | - | | + | | | | | + |
| | Adjacent Collocation - 4-1 iber Gross-Connect Adjacent Collocation - Application Fee | | | CLOAC | PE1JB | 5.24 | 1.382.19 | | 0.50 | | + | | | | | + |
| | Adjacent Collocation - Application ree Adjacent Collocation - 120V, Single Phase Standby Power Rate | | | | | | .,502.19 | | 0.50 | | 1 | | | | 1 | |
| | per AC Breaker Amp | | | CLOAC | PE1JL | 5.14 | | | 1 | | | | | | | 1 |
| | Adjacent Collocation - 240V, Single Phase Standby Power Rate | | | | | | | | | | Ì | | | | 1 | 1 |
| | per AC Breaker Amp | | | CLOAC | PE1JM | 10.30 | | | <u> </u> | | <u> </u> | | | | | <u> </u> |
| | Adjacent Collocation - 120V, Three Phase Standby Power Rate | | | | | | | | | | | | | | | |
| | per AC Breaker Amp | | | CLOAC | PE1JN | 15.44 | | | ļ | | 1 | | | | | ↓ |
| | Adjacent Collocation - 277V, Three Phase Standby Power Rate | | | 0.0.0 | DE / 10 | | | | 1 | | | | | | | |
| | per AC Breaker Amp Adjacent Collocation - 240V, Three Phase Standby Power Rate | | | CLOAC | PE1JO | 35.65 | | | | | 1 | | | | | |
| | radiacem Conocation - 240V. Infee Phase Standby Power Rate | | 1 | 1 | i | 1 | | | 1 | I | 1 | 1 | | | 1 | 1 |

| COLLOCA | TION - Georgia | | | | | | | | | | | | Attachment: | 4 | Exhibit: B | |
|----------|--|---------|-----------|-----------------------|--------------|--------------|-----------|-----------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | Zone | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | l | | | | | | | | | | - | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Dee | Nonre | curring | Nonrecurring | Disconnect | | l | oss | Rates(\$) | | - |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| NOT | E: Rates displaying an "R" in the interim column are interim and | d subje | ct to rat | e true-up as set fort | h in General | Terms and Co | nditions. | | | | | | | | 1 | |

| COLLOCAT | ION - Kentucky | | | | | | | | | | | | Attachment: | 4 | Exhibit: B | |
|-------------|--|-------------|------|---|-------|--------|-----------------|-----------------|-----------------------|---------------------|---------|------------------------|--|--|-------------------------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - | Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l |
| | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | Disconnect Add'l | COMEC | SOMAN | OSS SOMAN | Rates(\$) SOMAN | SOMAN | SOMAN |
| | | | | | | | FIISL | Auu I | FIISt | Add I | SOIVIEC | SUMAN | SOWAN | SOWAN | SOWAN | SOWAN |
| PHYSICAL CO | DLLOCATION | | | | | | | | | | | | | | | |
| Applio | | | | | | | | | | | | | | | | |
| | Physical Collocation - Initial Application Fee | | | CLO | PE1BA | | 3,773.54 | | 1.01 | | | | | | | |
| | Physical Collocation - Subsequent Application Fee | | | CLO | PE1CA | | 3,145.35 | | 1.01 | | | | | | | + |
| | Physical Collocation - Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | CLO | PE1DT | | 584.20 | | | | | | | | | |
| | Physical Collocation - Power Reconfiguration Only, Application | | | CLO | ILIDI | | 304.20 | | | | | | | | | + |
| | Fee | | | CLO | PE1PR | | 399.50 | | | | | | | | | |
| | Physical Collocation Administrative Only - Application Fee | | | CLO | PE1BL | | 742.12 | | | | | | | | | |
| | Physical Collocation - Application Cost, Simple Augment | | | CLO | PE1KS | | 594.98 | | 1.21 | | | | | | | |
| | Physical Collocation - Application Cost, Minor Augment | | | CLO | PE1KM | | 834.26 | | 1.21 | | | | | | | ļ |
| | Physical Collocation - Application Cost, Intermediate Augment | | | CLO | PE1K1 | | 1,059.00 | | 1.21 | | | | | | | - |
| Cnass | Physical Collocation - Application Cost - Major Augment Preparation | | | CLO | PE1KJ | | 2,412.00 | | 1.21 | | | | | | | - |
| Space | Physical Collocation - Floor Space, per sq feet | | | CLO | PE1PJ | 7.99 | | | | | | | | | 1 | + |
| | Physical Collocation - Space Enclosure, welded wire, first 50 | | | CLO | 12110 | 7.00 | | | | | | | | | | 1 |
| | square feet | | | CLO | PE1BX | 166.83 | | | | | | | | | | |
| | Physical Collocation - Space enclosure, welded wire, first 100 | | | | | | | | | | | | | | | 1 |
| | square feet | | | CLO | PE1BW | 184.97 | | | | | | | | | | |
| | Physical Collocation - Space enclosure, welded wire, each additional 50 square feet | | | CLO | PE1CW | 18.14 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - C.O. Modification per | | | | | | | | | | | | | | | |
| | square ft. Physical Collocation - Space Preparation, Common Systems | | | CLO | PE1SK | 2.32 | | | | | | | | | | - |
| | Modifications-Cageless, per square foot | | | CLO | PE1SL | 3.26 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - Common Systems Modifications-Caged, per cage | | | CLO | PE1SM | 110.57 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - Firm Order Processing | | | CLO | PE1SJ | | 1,206.07 | | | | | | | | | |
| | Physical Collocation - Space Availability Report, per Central | | | | | | | | | | | | | | | |
| | Office Requested | | | CLO | PE1SR | | 2,158.67 | | | | | | | | | |
| Power | Physical Collocation - Power, -48V DC Power - per Fused Amp | | | | | | | | | | | | | | | - |
| | Requested | | | CLO | PE1PL | 8.06 | | | | | | | | | | |
| | Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FB | 5.44 | | | | | | | | | | |
| | Physical Collocation - Power, 240V AC Power, Single Phase, | | | | | | | | | | | | | | | |
| | per Breaker Amp | | | CLO | PE1FD | 10.88 | | | | | | | | | | |
| | Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FE | 16.32 | | | | | | | | | | |
| | Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FG | 37.68 | | | | | | | | | | |
| Cross | Connects (Cross Connects, Co-Carrier Cross Connects, and P | orts) | | CLO | FLIIG | 37.00 | | | | | | | | | | + |
| 0.033 | Connectes (Gross Connectes, Go Carrer Gross Connectes, and T | 1 | | UEANL,UEQ, | 1 | | | | | | | | | | | + |
| | | | | UNCNX, UEA, UCL, UAL, UHL, UDN, | | | | | | | | | | | | |
| | Physical Collocation - 2-wire cross-connect, loop, provisioning | | | UNCVX | PE1P2 | 0.0333 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | |
| | Physical Collocation - 4-wire cross-connect, loop, provisioning | | | UEA, UHL, UNCVX, UNCDX, UCL, UDL | PE1P4 | 0.0665 | 24.88 | 23.82 | 12.77 | 11.46 | | | | | | |
| | | | | WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, | | | | | | | | | | | | |
| | Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning | | | UEPSE, UEPSP, USL | PE1P1 | 1.48 | 44.23 | 31.98 | 12.81 | 11.57 | | | | | | |

| COLLO | CATI | ON - Kentucky | | | | | | | | | | | | Attachment: | 4 | Exhibit: B | |
|---------|--------|---|-------------|------|---|----------------|--------|-----------------|-----------|-----------------------|-------|--------|------------------------|--|--|-------------------------|--|
| CATEGOI | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I |
| | | | | | | | Rec | Nonred First | Add'l | Nonrecurring First | Add'I | COMEC | SOMAN | SOMAN | Rates(\$) SOMAN | SOMAN | SOMAN |
| | | Physical Collocation - DS3 Cross-Connect, provisioning | | | UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSE, UEPSB, UEPSE, UEPSP | PE1P3 | 18.89 | 41.93 | 30.51 | 14.75 | 11.83 | SOWIEC | SUMAN | SUMAN | SOMAN | SUMAN | SUMAN |
| | | Physical Collocation - 2-Fiber Cross-Connect | | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1F2 | 3.75 | 41.93 | 30.51 | 14.76 | 11.84 | | | | | | |
| | | Physical Collocation - 4-Fiber Cross-Connect | | | ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX | PE1F4 | 6.65 | 51.29 | 39.87 | 19.41 | 16.49 | | | | | | |
| | | Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable. | | | CLO | PE1ES | 0.0012 | | | | | | | | | | |
| | | Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable. | | | CLO | PE1DS | 0.0012 | | | | | | | | | | |
| | | Physical Collocation 2-Wire Cross Connect, Port | | | UEPSR, UEPSP, UEPSE, UEPSB, UEPSX, UEP2C | PE1R2 | 0.0333 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | |
| 9 | ecurit | Physical Collocation 4-Wire Cross Connect, Port | | | UEPEX, UEPDD | PE1R4 | 0.0665 | 24.88 | 23.82 | 12.77 | 11.46 | | | | | | |
| | | Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour | | | CLO | PE1BT | | 33.98 | 21.53 | | | | | | | | |
| | | Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLO | PE1OT | | 44.26 | 27.81 | | | | | | | | |
| | | Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour | | | CLO | PE1PT | | 54.54 | 34.09 | | | | | | | | |
| | | Physical Collocation - Security Access System, Security System, per Central Office Physical Collocation -Security Access System - New Card | | | CLO | PE1AX | 76.10 | | | | | | | | | | |
| | | Activation, per Card Activation (First), per State | | | CLO | PE1A1 | 0.058 | 55.79 | | | | | | | | | |
| | | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 15.64 | | | | | | | | | |
| | | Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 45.74 | | | | | | | | | |
| | | Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key | | | CLO | PE1AK PE1AL | | 26.29 | | | | | | | | | |
| | FA | Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request | | | CLO | PE1C9 | | 77.55 | | | | | | | | | |
| Ci | | Records Physical Collocation - Cable Records, per request Physical Collocation, Cable Records, VG/DS0 Cable, per cable | | | CLO | PE1CR | | I 1524.45 | S 980.01 | 267.02 | | | | | | | |
| | | record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per each | | | CLO | PE1CD | | 656.37 | | 379.70 | | | | | | | |
| | | 100 pair Physical Collocation, Cable Records, DS1, per T1 TIE | | | CLO CLO | PE1CO PE1C1 | | 9.65 4.52 | | 11.84 5.54 | | | | | | | |

| COLLOCAT | ION - Kentucky | | | | | | | | | | | | Attachment: | 4 | Exhibit: B | |
|-------------|--|-------------|----------|------------------------------------|---------|--------|----------|-----------|--------------|------------|-------|---|---|--|------------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | _ | Nonre | curring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | 1 |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation - Cable Records, Fiber Cable, per cable | | | 0.0 | DE 100 | | | | | | | | | | | |
| Virtua | record (maximum 99 records) to Physical | | | CLO | PE1CB | | 169.63 | | 154.85 | | | | | | | |
| VIItua | Physical Collocation - Virtual to Physical Collocation Relocation, | | | | | | | | | | | | | | | <u> </u> |
| | per Voice Grade Circuit | | | CLO | PE1BV | | 33.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, | | | | | | | | | | | | | | | |
| - | per DSO Circuit Physical Collocation - Virtual to Physical Collocation Relocation, | | | CLO | PE1BO | | 33.00 | | | | | | | | | |
| | per DS1 Circuit | | | CLO | PE1B1 | | 52.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, | | | | | | | | | | | | | | | |
| | per DS3 Circuit | | | CLO | PE1B3 | | 52.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit | | | CLO | PE1BR | | 23.00 | | | | | | | | | 1 |
| | Physical Collocation Virtual to Physical Collocation In-Place, Per | | | OLO . | ILIDIN | | 23.00 | | | | | | | | | |
| | DSO Circuit | | | CLO | PE1BP | | 23.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation In-Place, | | | | | | | | | | | | | | | |
| | Per DS1 Circuit Physical Collocation - Virtual to Physical Collocation In-Place, | | | CLO | PE1BS | | 33.00 | | | | | | | | | |
| | per DS3 Circuit | | | CLO | PE1BE | | 37.00 | | | | | | | | | ĺ |
| Entrar | ce Cable | | | | | | | | | | | | | | | |
| | Physical Collocation - Cable Installation, Pricing, non-recurring | | | 0.0 | DE / DD | | . === | | | | | | | | | ĺ |
| | charge, per Entrance Cable Physical Collocation - Cable Support Structure, per Entrance | | | CLO | PE1BD | | 1,729.11 | | 45.16 | | | | | | | |
| | Cable | | | CLO | PE1PM | 19.86 | | | | | | | | | | ĺ |
| | Physical Collocation - Fiber Entrance Cable Installation, per | | | | | | | | | | | | | | | |
| | Fiber | | | CLO | PE1ED | | 7.75 | | | | | | | | | |
| VIRTUAL COL | | | | | | | | | | | | | | | | |
| Applic | Virtual Collocation - Application Fee | | | AMTFS | EAF | | 2,419.86 | | 1.01 | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect, | | | | | | , | | | | | | | | | |
| | Application Fee, per application | | | AMTFS | VE1CA | | 584.20 | | | | | | | | | |
| Cnass | Virtual Collocation Administrative Only - Application Fee Preparation | | | AMTFS | VE1AF | | 742.12 | | | | | | | | | . |
| Space | Virtual Collocation - Floor Space, per sq. ft. | | | AMTFS | ESPVX | 7.99 | | | | | | | | | | |
| Power | | | | | | | | | | | | | | | | |
| | Virtual Collocation - Power, per fused amp | | | AMTFS | ESPAX | 8.06 | | | | | | | | | | |
| Cross | Connects (Cross Connects, Co-Carrier Cross Connects, and P | orts) | | UEANL, UEA, UDN, | | | | | | | | | | | | |
| | | | | UEANL, UEA, UDN, UAL, UHL, UCL, | | | | | | | | | | | | ĺ |
| | | | | UEQ, UNCVX, | | | | | | | | | | | | İ |
| | Virtual Collocation - 2-wire cross-connect, loop, provisioning | | | UNCDX, UNCNX | UEAC2 | 0.0309 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | |
| | | | | UEA, UHL, UCL, UDL, UNCVX, | | | | | | | | | | | | 1 |
| | Virtual Collocation - 4-wire cross-connect, loop, provisioning | | | UNCDX | UEAC4 | 0.0619 | 24.88 | 23.82 | 12.77 | 11.46 | | | | | | ĺ |
| | The state of the s | | | ULR, UXTD1, | | | 00 | | | | | | | | | |
| | | | | UNC1X, ULDD1, | | | | | | | | | | | | 1 |
| | Virtual collocation - Special Access & UNE, cross-connect per DS1 | | | U1TD1, USLEL, UNLD1, USL | CNC1X | 1.48 | 44.23 | 31.98 | 12.81 | 11.57 | | | | | | ĺ |
| | DO 1 | | | USL, UE3, U1TD3, | CINCIA | 1.48 | 44.23 | 31.98 | 12.81 | 11.57 | | | | | | |
| | | | | UXTS1, UXTD3, | | | | | | | | | | | | |
| | | | | UNC3X, UNCSX, | | | | | | | | | | | | İ |
| | Virtual collocation - Special Access & LINE cross connect per | | | ULDD3, U1TS1, ULDS1, UDLSX, | | | | | | | | | | | | 1 |
| | Virtual collocation - Special Access & UNE, cross-connect per DS3 | | | UNLD3 | CND3X | 18.89 | 41.93 | 30.51 | 14.75 | 11.83 | | | | | | İ |
| | | | | | | | | 23.01 | 1 | 00 | | | | | | |
| | | | | UDL12, UDLO3, | | | | | | | | | | | | İ |
| | | | | U1T48, U1T12, U1TO3, ULDO3, | | | | | | | | | | | | İ |
| | Virtual Collocation - 2-Fiber Cross Connects | | | ULD12, ULD48, UDF | CNC2F | 3.80 | 41.94 | 30.51 | 14.76 | 11.84 | | | | | | 1 |
| | Titadi Concodion E i iboi Orodo Connocio | | l | 312 12, OLD-10, ODI | J. 1021 | 0.00 | 71.04 | 55.51 | 14.70 | 11.04 | l | l | | 1 | l | ь |

| COLLOCAT | ION - Kentucky | | | | | | | | | | | | Attachment: | 4 | Exhibit: B | |
|----------|--|-------------|----------|--|----------------|--------|----------------|-----------|-----------------|------------|-------|---|--|--|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | Nonrec | RATES(\$) | Nonrecurring | » Diagonna | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| _ | | | | | | | FIFST | Add I | FIRST | Addi | SOMEC | SUMAN | SUMAN | SOWAN | SUMAN | SOWAN |
| | Virtual Collocation - 4-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC4F | 7.59 | 51.29 | 39.87 | 19.41 | 16.49 | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CB | 0.0012 | | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CD | 0.0018 | | | | | | | | | | |
| | | | | UEPSX, UEPSB, | | | | | | | | | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Port | | 1 | UEPSE, UEPSP, UEPSR, UEP2C | VE1R2 | 0.0309 | 24.68 | 23.68 | 12.14 | 10.95 | | 1 | | | 1 | |
| | Virtual Collocation 2-Wire Cross Connect, Port Virtual Collocation 4-Wire Cross Connect, Port | | | UEPDD, UEPEX | VE1R2 VE1R4 | 0.0309 | 24.88 | 23.82 | 12.14 | 11.46 | | | | | | |
| CFA | virtual Collocation 4-Wire Cross Connect, Port | | - | UEPUD, UEPEX | VE IK4 | 0.0619 | ∠4.88 | 23.82 | 12.// | 11.46 | | | | | + | |
| | Virtual Collocation - CFA Information Resend Request, per Premises, per Arrangement, per request | | | AMTFS | VE1QR | | 77.55 | | | | | | | | | |
| Cable | Records | | | | 1/5 / 5 / | | . = | 202.21 | | | | | | | | |
| | Virtual Collocation Cable Records - per request | | | AMTFS | VE1BA | | 1,524.45 | 980.01 | 267.02 | | | | | | | |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per cable | | | AMTEC | \/E4DD | | 050.07 | | 070.70 | | | | | | | |
| | record Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair | | | AMTFS AMTFS | VE1BB VE1BC | | 656.37 9.65 | | 379.70 11.84 | | | | | | | |
| | Virtual Collocation Cable Records -DS1, per T1TIE | | | AMTFS | VE1BD | | 4.52 | | 5.54 | | | | | | | |
| | Virtual Collocation Cable Records - DS3, per T3TIE | | | AMTFS | VE1BE | | 15.81 | | 19.39 | | | | | | | |
| | Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records | | | AMTFS | VE1BF | | 169.63 | | 154.85 | | | | | | | |
| Securi | | | | | | | | | | | | | | | | |
| | Virtual collocation - Security escort, basic time, normally scheduled work hours | | | AMTFS | SPTBX | | 33.98 | 21.53 | | | | | | | | |
| | Virtual collocation - Security escort, overtime, outside of normally scheduled work hours on a normal working day | | | AMTFS | SPTOX | | 44.26 | 27.81 | | | | | | | | |
| | Virtual collocation - Security escort, premium time, outside of a scheduled work day | | | AMTFS | SPTPX | | 54.54 | 34.09 | | | | | | | | |
| Mainte | | | | | | | | | | | | | | | | |
| | Virtual collocation - Maintenance in CO - Basic, per half hour | | | AMTFS | CTRLX | | 56.07 | 21.53 | | | | | | | | |
| | Virtual collocation - Maintenance in CO - Overtime, per half hour | | | AMTFS | SPTOM | | 73.23 | 27.81 | | | | | | | | |
| | Virtual collocation - Maintenance in CO - Premium per half hour | | | AMTFS | SPTPM | | 90.39 | 34.09 | | | | | | | | |
| Entran | ice Cable | | | | | | | | | | | | | | | |
| | Virtual Collocation - Cable Installation Charge, per cable | | | AMTFS | ESPCX | | 1,729.11 | | 45.16 | | | | | | | |
| | Virtual Collocation - Cable Support Structure, per cable | | | AMTFS | ESPSX | 17.38 | | | | | | | | | ļ | |
| | N IN THE REMOTE SITE | | | | _ | | | | | | | | | | . | |
| Physic | cal Remote Site Collocation | | <u> </u> | 01.000 | 55454 | | 0.17.55 | | | | | | | | | |
| | Physical Collocation in the Remote Site - Application Fee | | <u> </u> | CLORS | PE1RA | 010.0= | 617.78 | | 338.89 | | | | | | - | |
| | Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key | | | CLORS | PE1RB PE1RD | 219.67 | 26.29 | | | | | | | | | |
| | Physical Collocation in the Remote Site - Security Access - Rey Report per Premises Requested | | | CLORS | PE1SR | | 232.64 | | | | | | | | | |
| | Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 75.40 | | | | | | | | | |
| | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 233.42 | | | | | | | | | |
| | Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour | | | CLORS | PE1BT | | 33.98 | 21.53 | | | | | | | | |

| COLLOCATION | ON - Kentucky | | | | | | | | | | | | Attachment: | 4 | Exhibit: B | |
|-------------|--|-------------|-----------|--------------------------------------|----------------|-----------------|----------------|--------------|--------------|------------|-------------------|-----------|--|-----------|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Submitted Elec | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge |
| | | | | | | _ 1 | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | 1 | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLORS | PE1OT | | 44.26 | 27.81 | | | | | | | | |
| | Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour | | | CLORS | PE1PT | | 54.54 | 34.09 | | | | | | | | |
| | nt Remote Site Collocation | | | CLORS | PEIPI | | 54.54 | 34.09 | | | | | | | | |
| | Remote Site-Adjacent Collocation-Application Fee | l | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | 1 | 1 | |
| | Remote Site-Adjacent Collocation - Real Estate, per square foot | | | CLORS | PE1RT | 0.134 | 100.02 | 133.02 | | | | | | | | |
| | • | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation - AC Power, per breaker amp | l | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| | f Security Escort and/or Add'l Engineering Fees become nec | essary f | or adja | cent remote site co | llocation, the | Parties will ne | gotiate approp | riate rates. | | | | | | | | |
| | Remote Site Collocation | | | VE 100 | 1/5/00 | | 0.15.00 | | 007.70 | | | | | | | |
| | Virtual Collocation in the Remote Site - Application Fee | | | VE1RS | VE1RB | | 615.60 | | 337.70 | | | | | | | |
| | Virtual Collocation in the Remote Site - Per Bay/Rack of Space | | | VE1RS | VE1RC | 224.41 | | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Space Availability Report per Premises requested | | | VE1RS | VE1RR | | 231.82 | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested | | | VE1RS | VE1RL | | 75.13 | | | | | | | | | |
| | LLOCATION | | | | | | | | | | | | | | | |
| | Adjacent Collocation - Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.0173 | | | | | | | | | | |
| | Adjacent Collocation - Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 5.35 | | | | | | | | | | |
| | Adjacent Collocation - 2-Wire Cross-Connects | | | UEANL,UEQ,UEA,U CL, UAL, UHL, UDN | | 0.0258 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | |
| | Adjacent Collocation - 4-Wire Cross-Connects | l | | UEA,UHL,UDL,UCL | | 0.0515 | 24.88 | 23.82 | 12.77 | 11.46 | | | | 1 | | — |
| | Adjacent Collocation - DS1 Cross-Connects | 1 | | USL | PE1JG | 1.37 | 44.23 | 31.98 | 12.81 | 11.57 | | | | <u> </u> | | † |
| | Adjacent Collocation - DS3 Cross-Connects | | | UE3 | PE1JH | 18.61 | 41.93 | 30.51 | 14.75 | 11.83 | | | | İ | | 1 |
| | Adjacent Collocation - 2-Fiber Cross-Connect | | | CLOAC | PE1JJ | 3.15 | 41.93 | 30.51 | 14.76 | 11.84 | | | | | | 1 |
| | Adjacent Collocation - 4-Fiber Cross-Connect | | | CLOAC | PE1JK | 6.02 | 51.29 | 39.87 | 19.41 | 16.49 | | | | | | |
| | Adjacent Collocation - Application Fee | | | CLOAC | PE1JB | | 3,165.50 | | | | | | | | | |
| | Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JL | 5.44 | | | | | | | | | | |
| | Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JM | 10.88 | | | | | | | | | | |
| | Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JN | 16.32 | | | | | | | | | | |
| | Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp | | ct to rat | CLOAC | PE1JO | 37.68 | | | | | | | | | | |

| COLLOCAT | ION - Louisiana | | | | | | | | | | | | Attachment: | 4 | Exhibit: B | |
|--|---|-------------|----------|--|--------|--------|----------|-----------|--------------|------------|---|---|--|-----------|-------------------------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | | Incremental Charge - | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| PHYSICAL CO | | | | | | | | | | | | | | | | |
| Applio | | | | | | | | | | | | | | | | |
| ļ | Physical Collocation - Initial Application Fee | | <u> </u> | CLO | PE1BA | | 1,837.24 | | | | | | | | | |
| | Physical Collocation - Subsequent Application Fee Physical Collocation - Co-Carrier Cross Connects/Direct | | 1 | CLO | PE1CA | - | 1,533.41 | | - | | | | | | | |
| | Connect, Application Fee, per application | | | CLO | PE1DT | | 583.30 | | | | | | | | | |
| | Physical Collocation - Power Reconfiguration Only, Application | | | CLO | FLIDI | | 303.30 | | | | | | | | | |
| | Fee | | | CLO | PE1PR | | 398.76 | | | | | | | | | |
| | Physical Collocation Administrative Only - Application Fee | | | CLO | PE1BL | | 741.97 | | | | | | | | | |
| | Physical Collocation - Application Cost, Simple Augment | | | CLO | PE1KS | | 596.35 | | 1.22 | | | | | | | |
| | Physical Collocation - Application Cost, Minor Augment | | | CLO | PE1KM | | 836.18 | | 1.22 | | | | | | | |
| | Physical Collocation - Application Cost, Intermediate Augment | | | CLO | PE1K1 | | 1,061.00 | | 1.22 | | | | | | | |
| | Physical Collocation - Application Cost - Major Augment | | | CLO | PE1KJ | | 2,418.00 | | 1.22 | | | | | | | |
| Space | Preparation | | | | | | | | | | | | | | | |
| | Physical Collocation - Floor Space, per sq feet | | | CLO | PE1PJ | 5.30 | | | | | | | | | | |
| | Physical Collocation - Space Enclosure, welded wire, first 50 | | | 01.0 | DE4DV | 400.40 | | | | | | | | | | |
| | square feet | | | CLO | PE1BX | 166.40 | | | | | | | | | | |
| | Physical Collocation - Space enclosure, welded wire, first 100 square feet | | | CLO | PE1BW | 184.50 | | | | | | | | | | |
| - | Physical Collocation - Space enclosure, welded wire, each | | | CLO | PETBW | 184.50 | | | | | 1 | | | | - | |
| | additional 50 square feet | | | CLO | PE1CW | 18.10 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - C.O. Modification per | | | OLO | I LIOW | 10.10 | | | | | | | | | | |
| | square ft. | | | CLO | PE1SK | 2.31 | | | | | | | | | | |
| | Physical Collocation - Space Preparation, Common Systems | | | | | | | | | | | | | | | |
| | Modifications-Cageless, per square foot | | | CLO | PE1SL | 2.70 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - Common Systems | | | | | | | | | | | | | | | |
| | Modifications-Caged, per cage | | | CLO | PE1SM | 91.60 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - Firm Order | | | | | | | | | | | | | | | |
| | Processing | | | CLO | PE1SJ | | 583.33 | | | | | | | | | |
| | Physical Collocation - Space Availability Report, per Central | | | | | | | | | | | | | | | |
| | Office Requested | | | CLO | PE1SR | | 1,044.07 | | | | | | | | | |
| Powe | Physical Collocation - Power, -48V DC Power - per Fused Amp | | | | | | | | | | | | | | | |
| | Requested | | | CLO | PE1PL | 8.32 | | | | | | | | | | |
| | Physical Collocation - Power, 120V AC Power, Single Phase, | | | CLO | FLIFL | 0.32 | | | | | | | | | | |
| | per Breaker Amp | | | CLO | PE1FB | 5.45 | | | | | | | | | | |
| | Physical Collocation - Power, 240V AC Power, Single Phase, | | | 020 | | 0.10 | | | | | | | | | | |
| | per Breaker Amp | | | CLO | PE1FD | 10.92 | | | | | | | | | | |
| | Physical Collocation - Power, 120V AC Power, Three Phase, per | | | | | | | | | | | | | | | |
| | Breaker Amp | | | CLO | PE1FE | 16.37 | | | | | | | | | | |
| | Physical Collocation - Power, 277V AC Power, Three Phase, per | | | | | | | | | | | | | | | |
| | Breaker Amp | | | CLO | PE1FG | 37.80 | | | | | | | | | | |
| Cross | Connects (Cross Connects, Co-Carrier Cross Connects, and P | orts) | | | | | | | | | | | | | | |
| | | | | UEANL,UEQ, | | | | | | | | | | | | |
| | | | | UNCNX, UEA, UCL, UAL, UHL, UDN, | | | | | | | | | | | | |
| | Physical Collocation - 2-wire cross-connect, loop, provisioning | l | 1 | UNCVX | PE1P2 | 0.0318 | 11.94 | 11.46 | | | | | | | I | |
| | in mysical collocation - 2-wire closs-connect, loop, provisioning | 1 | 1 | UEA, UHL, UNCVX, | I LIFZ | 0.0318 | 11.94 | 11.40 | H | | | | | 1 | + | |
| | Physical Collocation - 4-wire cross-connect, loop, provisioning | | | UNCDX, UCL, UDL | PE1P4 | 0.0636 | 12.04 | 11.53 | | | | | | | | |
| | in mysical conceation - 4-wire cross-connect, loop, provisioning | | | WDS1L, WDS1S, | | 0.0030 | 12.04 | 11.55 | | | | | | | — | |
| | | | | UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, | | | | | | | | | | | | |
| | Physical Collocation -DS1 Cross-Connect for Physical | l | | UEPSE, UEPSP, | | | | | | | | | | | 1 | |
| 1 1 | Collocation, provisioning | l | 1 | USL | PE1P1 | 1.04 | 21.39 | 15.47 | | | | | | 1 | 1 | |

| COLLO | CATI | ON - Louisiana | | | | | | | | | | | | Attachment: | 4 | Exhibit: B | |
|----------|---------|---|-------------|--|---|----------------|--------|----------------|-----------|-------|--------------|-------|---|--|--|------------|---|
| CATEGO | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonred | | | g Disconnect | | | | Rates(\$) | | |
| | | | 1 | <u> </u> | 1150 111700 | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Physical Collocation - DS3 Cross-Connect, provisioning | | | UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSP | PE1P3 | 13.21 | 20.28 | 14.76 | | | | | | | | |
| | | Physical Collegation 2 Fiber Cross Connect | | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, | PE1F2 | 2.62 | 20.29 | 14.76 | | | | | | | | |
| | | Physical Collocation - 2-Fiber Cross-Connect | | | UDL12, UDF ULDO3, ULD12, ULD48, U1TO3, | FE IFZ | 2.62 | 20.28 | 14.76 | | | | | | | | |
| | | Physical Collocation - 4-Fiber Cross-Connect | | | U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX | PE1F4 | 4.65 | 24.81 | 19.29 | | | | | | | | |
| | | Physical Collocation - 4-Fiber Cross-Connects/Direct | | | ODF, ODFCX | FE IF4 | 4.00 | 24.01 | 19.29 | | | | | | | | |
| | | Connect - Fiber Cable Support Structure, per linear foot, per cable. | | | CLO | PE1ES | 0.001 | | | | | | | | | | |
| | | Physical Collocation - Co-Carrier Cross Connect/Direct Connect - | 1 | | | | | | | | | | | | | | |
| | | Copper/Coax Cable Support Structure, per linear foot, per cable. | | | CLO UEPSR, UEPSP, | PE1DS | 0.0015 | | | | | | | | | | |
| | | Physical Collocation 2-Wire Cross Connect, Port | | | UEPSE, UEPSB, UEPSX, UEP2C | PE1R2 | 0.0318 | 11.94 | 11.46 | | | | | | | | |
| | | Physical Collocation 4-Wire Cross Connect, Port | | | UEPEX, UEPDD | PE1R4 | 0.0636 | 12.04 | 11.53 | | | | | | | | |
| S | Securit | y Physical Collocation - Security Escort for Basic Time - normally | | | | | 1 | | | | | | | | | | |
| | | scheduled work, per half hour | | | CLO | PE1BT | | 16.44 | 10.42 | | | | | | | | |
| | | Physical Collocation - Security Escort for Overtime - outside of | | | 020 | 1 2 1 2 1 | | | 10.12 | | | | | | | | |
| | | normally scheduled working hours on a scheduled work day, per half hour | | | CLO | PE1OT | | 21.41 | 13.45 | | | | | | | | |
| | | Physical Collocation - Security Escort for Premium Time - | | | OLO | 1 2101 | 1 | 21.41 | 10.40 | | | | | | | | |
| | | outside of scheduled work day, per half hour Physical Collocation - Security Access System - Security System | ļ | | CLO | PE1PT | | 26.38 | 16.49 | | | | | | | | |
| | | per Central Office, per Sq. Ft. | | | CLO | PE1AY | 0.0224 | | | | | | | | | | |
| | | Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State | | | CLO | PE1A1 | 0.0579 | 27.50 | | | | | | | | | |
| | | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 7.74 | | | | | | | | | |
| | | Physical Collocation - Security Access System - Replace Lost or | | | | | | | | | | | | | | | |
| | | Stolen Card, per Card Physical Collocation - Security Access - Initial Key, per Key | | 1 | CLO CLO | PE1AR PE1AK | 1 | 22.64 13.01 | | 1 | | | | | | | |
| | | Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key | | | CLO | PE1AL | | 13.01 | | | | | | | | | |
| С | FA | | | | | | | | | | | | | | | | |
| | | Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request | | | CLO | PE1C9 | | 77.43 | | | | | | | | | |
| С | Cable F | Records Recurring Collocation Cable Records - per request | | | CLO | DE1C!! | 40.07 | | | | | | | | | | |
| \vdash | | Recurring Collocation Cable Records - per request Recurring Collocation Cable Records - VG/DS0 Cable, per cable | | | CLO | PE1CU | 10.97 | | | - | | | | | | | |
| | | record | | | CLO | PE1CE | 5.29 | | | | | | | | | | |
| | | Recurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair | | | CLO | PE1CT | 0.08 | | | | | | | | | | |
| | | Recurring Collocation Cable Records - DS1, per T1TIE | 1 | 1 | CLO | PE1C2 | 0.04 | | | ı | l | 1 | | | l | l | |

| ICOLLC | OCATIO | ON - Louisiana | | | | | | | | | | | | Attachment: | 4 | Exhibit: B | |
|----------------|---------|---|----------|--|-------------------|--------|--------|----------|-----------|--|--------------|-----------|--|--|--|--|--|
| OOLLO | OOAII | ON Edulatina | | | | | | | | | | Svc Order | | | | | Incrementa |
| | | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | | | Manual Svc | | |
| CATEGO | ORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | | | | per LSK | per LSK | | | | |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| — т | | | | | | | I | Nonrec | rurring | Nonrecurrin | g Disconnect | - | 1 | OSS | Rates(\$) | | <u> </u> |
| | | | | + | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | | Pagurring Collegation Cable Baserds - Fiber Cable - per 00 fiber | | | | | | FIISL | Auu i | FIISL | Add I | SOWIEC | SOWAN | SUMAN | SOMAN | SOWAN | SOWAN |
| | | Recurring Collocation Cable Records - Fiber Cable, per 99 fiber records | | | CLO | PE1CG | 1.37 | | | | | | | | | | |
| | | | | | CLO | PETCG | 1.37 | | | | | | ļ | | | | |
| , | virtuai | to Physical | | 1 | | | | | | | | | | | | | ļ |
| | | Physical Collocation - Virtual to Physical Collocation Relocation, | | | | | | | | | | | | | | | |
| | | per Voice Grade Circuit | | | CLO | PE1BV | | 33.00 | | | | | | | | | ļ |
| | | Physical Collocation - Virtual to Physical Collocation Relocation, | | | | | | | | | | | | | | | |
| | | per DSO Circuit | | | CLO | PE1BO | | 33.00 | | | | | | | | | |
| | | Physical Collocation - Virtual to Physical Collocation Relocation, | | | | | | | | | | | | | | | |
| | | per DS1 Circuit | | | CLO | PE1B1 | | 52.00 | | | | | | | | | |
| | | Physical Collocation - Virtual to Physical Collocation Relocation, | | | | | | | | | | | | | | | |
| | | per DS3 Circuit | l | 1 | CLO | PE1B3 | | 52.00 | | 1 | 1 | 1 | | Ì | Ì | I | |
| | | Physical Collocation - Virtual to Physical Collocation In-Place, | | | | | | | | | | | | | | | |
| | | Per Voice Grade Circuit | | | CLO | PE1BR | | 23.00 | | | 1 | 1 | | | | | |
| \vdash | | Physical Collocation Virtual to Physical Collocation In-Place, Per | - | | | | | 20.00 | | t | + | + | 1 | | | t | |
| | | DSO Circuit | l | 1 | CLO | PE1BP | | 23.00 | | 1 | 1 | 1 | | Ì | Ì | I | |
| \vdash | | Physical Collocation - Virtual to Physical Collocation In-Place, | - | 1 | OLO | LIDE | - | 23.00 | | | + | + | | | | | |
| | | | | | CLO | PE1BS | | 00.00 | | | | | | | | | |
| | | Per DS1 Circuit | | 1 | CLO | PE1BS | | 33.00 | | | | | | | | | ↓ |
| | | Physical Collocation - Virtual to Physical Collocation In-Place, | | | | | | | | | | | | | | | |
| $\perp \perp$ | | per DS3 Circuit | | | CLO | PE1BE | | 37.00 | | | | | | | | | <u> </u> |
| F | | ce Cable | | | | | | | | | | | | | | | <u> </u> |
| | | Physical Collocation - Cable Installation, Pricing, non-recurring | | | | | | | | | | | | | | | |
| | | charge, per Entrance Cable | | | CLO | PE1BD | | 841.54 | | | | | | | | | |
| | | Physical Collocation - Cable Support Structure, per Entrance | | | | | | | | | | | | | | | |
| | | Cable | | | CLO | PE1PM | 18.31 | | | | | | | | | | |
| | | Physical Collocation - Fiber Entrance Cable Installation, per | | | | | | | | | | | | | | | |
| | | Fiber | | | CLO | PE1ED | | 3.88 | | | | | | | | | |
| VIRTUA | | OCATION | | | | | | | | | | | | | | | |
| | Applica | | | | | | | | | | | | | | | | |
| – ť | | Virtual Collocation - Application Fee | | | AMTFS | EAF | | 1,770.40 | | | + | 1 | 1 | | | | |
| + | | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect, | | | 744111 0 | L/ u | | 1,770.40 | | | | - | | | | | |
| | | Application Fee, per application | | | AMTFS | VE1CA | | 583.30 | | | | | | | | | |
| - | | Virtual Collocation Administrative Only - Application Fee | | + | | VE1AF | | 741.97 | | | | | | | | | |
| | | Preparation | | - | AWITS | VLIAI | | 741.37 | | | | | | | | | |
| | Space r | | | 1 | AMTFS | ESPVX | 3.20 | | | | | | | | | | |
| | D | Virtual Collocation - Floor Space, per sq. ft. | | 1 | AWIIFS | ESPVA | 3.20 | | | | | | | | | | |
| | Power | 15. 10.11 | | | | 50541/ | 0.00 | | | | | | ļ | | | | |
| | | Virtual Collocation - Power, per fused amp | L., | | AMTFS | ESPAX | 8.32 | | | | | | ļ | | | | |
| (| Cross C | Connects (Cross Connects, Co-Carrier Cross Connects, and P | orts) | | | | | | | | | | | | | | <u> </u> |
| | | | l | 1 | UEANL, UEA, UDN, | | | | | 1 | 1 | 1 | | Ì | Ì | I | |
| | | | l | 1 | UAL, UHL, UCL, | | | | | 1 | 1 | 1 | | Ì | Ì | I | |
| | | | l | 1 | UEQ, UNCVX, | | | | | 1 | 1 | 1 | | Ì | Ì | I | |
| oxdot | | Virtual Collocation - 2-wire cross-connect, loop, provisioning | | 1 | UNCDX, UNCNX | UEAC2 | 0.0296 | 11.94 | 11.46 | | 1 | 1 | L | | | | <u> </u> |
| | | | | | UEA, UHL, UCL, | | | | | | 1 | 1 | | | | | |
| | | | | | UDL, UNCVX, | | | | | | 1 | 1 | | | | | |
| | | Virtual Collocation - 4-wire cross-connect, loop, provisioning | | | UNCDX | UEAC4 | 0.0591 | 12.04 | 11.53 | | 1 | 1 | | | | | |
| | | | | | ULR, UXTD1, | | | | | | | | | | | | |
| | | | l | 1 | UNC1X, ULDD1, | | | | | 1 | 1 | 1 | | Ì | Ì | I | |
| | | Virtual collocation - Special Access & UNE, cross-connect per | l | 1 | U1TD1, USLEL, | | | | | 1 | 1 | 1 | | Ì | Ì | I | |
| | | DS1 | l | 1 | | CNC1X | 1.04 | 21.39 | 15.47 | 1 | 1 | 1 | | Ì | Ì | I | |
| \vdash | | | | | USL, UE3, U1TD3, | | | 50 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | | | l | 1 | UXTS1, UXTD3, | | | | | 1 | 1 | 1 | | 1 | 1 | 1 | |
| | | | l | 1 | UNC3X, UNCSX, | | | | | 1 | 1 | 1 | | Ì | Ì | I | |
| | | | l | 1 | ULDD3, U1TS1, | | | | | 1 | 1 | 1 | | Ì | Ì | I | |
| | | Virtual collocation - Special Access & UNE, cross-connect per | | | ULDS1, UDLSX, | | | | | | 1 | 1 | | | | 1 | |
| | | DS3 | | | | CND3X | 13.21 | 20.28 | 14.76 | | 1 | 1 | | | | 1 | |
| \vdash | | DOS | | 1 | UNLUS | CINDOX | 13.21 | 20.28 | 14.76 | | + | + | 1 | | | | <u> </u> |
| | | | l | 1 | LIBLAG LIBLOG | | | | | 1 | 1 | 1 | | Ì | Ì | I | |
| | | | l | 1 | UDL12, UDLO3, | | | | | 1 | 1 | 1 | | Ì | Ì | I | |
| | | | l | 1 | U1T48, U1T12, | | | | | 1 | 1 | 1 | | Ì | Ì | I | |
| | | | l | 1 | U1TO3, ULDO3, | | | | | 1 | 1 | 1 | | Ì | Ì | I | |
| | | Virtual Collocation - 2-Fiber Cross Connects | 1 | 1 | ULD12, ULD48, UDF | CNC2F | 2.65 | 20.29 | 14.76 | 1 | 1 | 1 | 1 | 1 | 1 | l | 1 |

| CATEGORY | RATE ELEMENTS | Interi | | | | | | | | | Svc Order Submitted | Svc Order Submitted | Attachment: 4 Incremental Charge - | Incremental Charge - | Charge - | Incrementa Charge - |
|-------------------------------|---|--------|--|---------------------|----------------|--------|--------|------------|-------------|--------------|------------------------|------------------------|--|-------------------------|-------------|------------------------|
| ATEGORY | RATE ELEMENTS | | _ | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | |
| ATEGORY | RATE ELEMENTS | | | | | | | | | | | | | | | Charge - |
| ATEGORY | RATE ELEMENTS | | l_ | | | | | | | | | | | | | |
| ATEGORY | RATE ELEMENTS | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Sv |
| | | | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | | Order vs. | | Order vs. | Order vs. |
| | | m | 200 | 500 | 0000 | | | ιται Ευ(ψ) | | | per LSK | per LSR | | Order vs. | | |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | 131 | Addi | Diac 1at | Disc Add I |
| | | | | | + | | Nonrec | urrina | Monrocurrin | g Disconnect | | | 220 | Rates(\$) | | |
| | | | | | | Rec | | | | | | | | | | |
| | | | | | | 1.1 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | | | | UDL12, UDLO3, | | | | | | | | | | | | |
| 1 | | | | U1T48, U1T12. | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | U1TO3, ULDO3, | | | | | | | | | | | | |
| | Virtual Collocation - 4-Fiber Cross Connects | | | ULD12, ULD48, UDF | CNC4F | 5.31 | 24.81 | 19.29 | | | | | | | | |
| | Virtual Collocation 4 Fiber Cross Conficcts | | | OLD 12, OLD 10, ODI | 0110-11 | 0.01 | 24.01 | 10.20 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - | | | | | | | | | | | | | | | |
| | Fiber Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CB | 0.001 | | | | | | | | | | |
| | i iber edbie edppert etraetare, per ilitear reet, per edbie | | | 744111 0 | VETOD | 0.001 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - | | | | | | | | | | | | | | | |
| | Copper/Coax Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CD | 0.0015 | | | | | | | | | | |
| | eoppen coax cable capport ciractare, per linear reat, per cable | | | UEPSX, UEPSB, | VETOD | 0.0010 | | | | | | | | | | |
| J | | | | | | | | | | i | | | | | | |
| Į. | | | | UEPSE, UEPSP, | | l | | | | 1 | | | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Port | | | UEPSR, UEP2C | VE1R2 | 0.0296 | 11.94 | 11.46 | | | | | | | | |
| | Virtual Collocation 4-Wire Cross Connect, Port | | 1 | UEPDD, UEPEX | VE1R4 | 0.0591 | 12.04 | 11.53 | | | | | | | | |
| | VIII. COIIOCAIIOII 4-VVIIE CIOSS COIIIIECI, FOIL | | — | OLFDD, UEPEX | VE IN4 | 0.0591 | 12.04 | 11.03 | | | | | | | | |
| CFA | | | | | | | | | | | | | | | | |
| | Virtual Collocation - CFA Information Resend Request, per | | 1 7 | | | | T | \neg | | I | | | | | | |
| | Premises, per Arrangement, per request | | | AMTFS | VE1QR | | 77.43 | | | | | | | | | |
| Cabla | Records | | | 744111 0 | VETQI | | 77.70 | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| Securi | ity | | | | | | | | | | | | | | | |
| | Virtual collocation - Security escort, basic time, normally | | | | | | | | | | | | | | | |
| | scheduled work hours | | | AMTFS | SPTBX | | 16.44 | 10.42 | | | | | | | | |
| | | | | AWITTS | OF IDA | | 10.44 | 10.42 | | | | | | | | |
| | Virtual collocation - Security escort, overtime, outside of | | | | | | | | | | | | | | | |
| | normally scheduled work hours on a normal working day | | | AMTFS | SPTOX | | 21.41 | 13.45 | | | | | | | | |
| | Virtual collocation - Security escort, premium time, outside of a | | | | 1 | | | | | | | | | | | |
| | scheduled work day | | | AMTFS | SPTPX | | 26.38 | 16.49 | | | | | | | | |
| | | | | AWIFS | SPIPA | | 20.38 | 16.49 | | | | | | | | |
| Mainte | enance | | | | | | | | | | | | | | | |
| | Virtual collocation - Maintenance in CO - Basic, per half hour | | | AMTFS | CTRLX | | 27.12 | 10.42 | | | | | | | | |
| | | | | | 1 | | | | | | | | | | | |
| | | | | | | | | 40.45 | | | | | | | | |
| | Virtual collocation - Maintenance in CO - Overtime, per half hour | | | AMTFS | SPTOM | | 35.42 | 13.45 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Virtual collocation - Maintenance in CO - Premium per half hour | | | AMTFS | SPTPM | | 43.72 | 16.49 | | | | | | | | |
| Entron | nce Cable | | | , | 0 | | 10.72 | 10.10 | | | | | | | | |
| Lillian | | | | 11.550 | E0501/ | | | | | | | | | | | |
| | Virtual Collocation - Cable Installation Charge, per cable | | | AMTFS | ESPCX | | 841.54 | | | | | | | | | |
| | Virtual Collocation - Cable Support Structure, per cable | | | AMTFS | ESPSX | 16.02 | | | | | | | | | | |
| COLLOCATIO | N IN THE REMOTE SITE | | | | 1 1 | | t t | | | | | | | | | |
| | | | \vdash | | 1 | | | - | | 1 | | | | | | |
| Physic | cal Remote Site Collocation | | | | 1 | | | | | | | | | | | |
| | Physical Collocation in the Remote Site - Application Fee | | | CLORS | PE1RA | | 298.80 | | | | | | | | | |
| | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 225.39 | | | | | | | | | | |
| | | | | | 1 1 | | | | | | | | | | | |
| Į. | Dhysical Collegation in the Remata City, Consulty Assess 16 | | | CLOBS | DE1DD | l | 40.04 | | | 1 | | | | | | |
| | Physical Collocation in the Remote Site - Security Access - Key | | | CLORS | PE1RD | | 13.01 | | | | | | | | | |
| | Physical Collocation in the Remote Site - Space Availability | | 1 1 | | 1 | | | | | I | | | | | | |
| Į. | Report per Premises Requested | | | CLORS | PE1SR | l | 112.52 | | | 1 | | | | | | |
| | Physical Collocation in the Remote Site - Remote Site CLLI | | | | 1 1 | | | | | | | | | | | |
| | | | | 01.000 | DE4DE | | 00.17 | | | i | | | | | | |
| | Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 36.47 | | | | | | | | | |
| | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | L | CLORS | PE1RR | | 233.21 | | | | | | | | | |
| | Physical Collocation - Security Escort for Basic Time - normally | | | | | | | | | | | | | | | |
| | scheduled work, per half hour | | | CLORS | PE1BT | | 16.44 | 10.42 | | i | | | | | | |
| $\longrightarrow \longmapsto$ | | | | OLONO | 1 2 101 | | 10.44 | 10.42 | | | | | | | | |
| | Physical Collocation - Security Escort for Overtime - outside of | | | | | | | | | i | | | | | | |
| Į. | normally scheduled working hours on a scheduled work day, | | | | | l | | | | 1 | | | | | | |
| Į. | per half hour | | | CLORS | PE1OT | l | 21.41 | 13.45 | | 1 | | | | | | |
| | Physical Collocation - Security Escort for Premium Time - | | 1 | | | | 211 | | | | | | | | | |
| J | | | | 0.000 | l==.== | | | | | i | | | | | | |
| 1 | outside of scheduled work day, per half hour | | L | CLORS | PE1PT | | 26.38 | 16.49 | | | | | | | | |
| | ent Remote Site Collocation | | | | | | | | | | | | | | | |
| Adjace | | | - | 01.000 | PE1RU | | 755.62 | 755.62 | | | | | | | | |
| Adjace | | | | | | | | | | | | | | | | |
| Adjace | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PETRU | | 755.02 | 755.62 | | | | | | | | |
| Adjace | Remote Site-Adjacent Collocation-Application Fee | | | | | | 755.62 | 755.62 | | | | | | | | |
| Adjace | | | | CLORS | PE1RU PE1RT | 0.134 | 755.62 | 755.62 | | | | | | | | |
| Adjace | Remote Site-Adjacent Collocation-Application Fee | | | | | 0.134 | 755.62 | 755.62 | | | | | | | | |

| COLLOCA | TION - Louisiana | | | | | | | | | | | | Attachment: | | Exhibit: B | |
|------------|--|-------------|----------|--------------------------------------|---------------|-------------------|----------------|--------------|--------------|--------------|-------|-----------|-------------|-----------|---|----------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted | Charge - | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrec | | Nonrecurring | g Disconnect | | • | | Rates(\$) | • | • |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | : If Security Escort and/or Add'l Engineering Fees become nec | essary f | or adja | cent remote site col | location, the | e Parties will ne | gotiate approp | riate rates. | | | | | | | | |
| Virtua | al Remote Site Collocation | | | | | | | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Application Fee | | | VE1RS | VE1RB | | 614.73 | | 336.08 | | | | | | | |
| | Virtual Collocation in the Remote Site - Per Bay/Rack of Space | | | VE1RS | VE1RC | 257.01 | | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Space Availability Report per Premises requested | | | VE1RS | VE1RR | | 231.49 | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested | | | VE1RS | VE1RL | | 75.02 | | | | | | | | | |
| ADJACENT C | COLLOCATION | | | | | | | | | | | | | | | |
| | Adjacent Collocation - Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.0552 | | | | | | | | | | 1 |
| | Adjacent Collocation - Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 5.61 | | | | | | | | | | |
| | Adjacent Collocation - 2-Wire Cross-Connects | | | UEANL,UEQ,UEA,U CL, UAL, UHL, UDN | PE1JE | 0.0245 | 11.94 | 11.46 | | | | | | | | |
| | Adjacent Collocation - 4-Wire Cross-Connects | | | | PE1JF | 0.0491 | 12.04 | 11.53 | | | | | | | | |
| | Adjacent Collocation - DS1 Cross-Connects | | | USL | PE1JG | 0.9605 | 21.39 | 15.47 | | | | | | | | |
| | Adjacent Collocation - DS3 Cross-Connects | | | UE3 | PE1JH | 13.01 | 20.28 | 14.76 | | | | | | | | |
| | Adjacent Collocation - 2-Fiber Cross-Connect | | | CLOAC | PE1JJ | 2.20 | 20.28 | 14.76 | | | | | | | | |
| | Adjacent Collocation - 4-Fiber Cross-Connect | | | CLOAC | PE1JK | 4.21 | 24.81 | 19.29 | | | | | | | | |
| | Adjacent Collocation - Application Fee | | | CLOAC | PE1JB | | 1,543.20 | | | | | | | | | |
| | Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JL | 5.45 | | | | | | | | | | |
| | Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JM | 10.92 | | | | | | | | | | |
| | Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JN | 16.37 | | | | | | | | | | |
| | Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JO | 37.80 | | | | | | | | | | |
| NOTE | : Rates displaying an "R" in the interim column are interim and | l subje | ct to ra | te true-up as set fort | h in Genera | l Terms and Cor | nditions. | | | | | | | | | |

| COLLOCATI | ON - Mississippi | | | | | | | | | | | - | Attachment: | 4 | Exhibit: B | |
|-------------|---|-------------|------|--|----------------|----------|----------------------|-----------|--------------|------------|-------|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | | Disconnect | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| PHYSICAL CO | LOCATION | | | | - | - | | | | | | | | | | |
| Applic | | | | | | | | | | | | | | | | - |
| 7.45.10 | Physical Collocation - Initial Application Fee | | | CLO | PE1BA | | 1,890.38 | | | | | | | | | |
| | Physical Collocation - Subsequent Application Fee | | | CLO | PE1CA | | 1,575.69 | | | | | | | | | |
| | Physical Collocation - Co-Carrier Cross Connects/Direct | | | | | | | | | | | | | | | |
| | Connect, Application Fee, per application | | | CLO | PE1DT | | 583.13 | | | | | | | | | |
| | Physical Collocation - Power Reconfiguration Only, Application Fee | | | CLO | PE1PR | | 398.76 | | | | | | | | | |
| | Physical Collocation Administrative Only - Application Fee | | | CLO | PE1BL | | 740.76 | | | | | | | | | |
| | Physical Collocation - Application Cost, Simple Augment | | | CLO | PE1KS | | 597.34 | | 1.22 | | | | | | | — |
| | Physical Collocation - Application Cost, Minor Augment | | | CLO CLO | PE1KM PE1K1 | | 837.57 | | 1.22 | | | | | | 1 | <u> </u> |
| | Physical Collocation - Application Cost, Intermediate Augment Physical Collocation - Application Cost - Major Augment | | | CLO | PE1K1 PE1KJ | | 1,063.00 2,422.00 | | 1.22 1.22 | | 1 | | | | | |
| Snace | Preparation | | | CLO | PEINJ | | 2,422.00 | | 1.22 | | | | | | | |
| Opace | Physical Collocation - Floor Space, per sq feet | | | CLO | PE1PJ | 5.74 | | | | | | | | | | |
| | Physical Collocation - Space Enclosure, welded wire, first 50 square feet | | | CLO | PE1BX | 165.23 | | | | | | | | | | |
| | Physical Collocation - Space enclosure, welded wire, first 100 | | | CLO | | | | | | | | | | | | |
| | square feet Physical Collocation - Space enclosure, welded wire, each | | | | PE1BW | 183.20 | | | | | | | | | | |
| | additional 50 square feet Physical Collocation - Space Preparation - C.O. Modification per | | | CLO | PE1CW | 17.97 | | | | | | | | | | |
| | square ft. Physical Collocation - Space Preparation, Common Systems | | | CLO | PE1SK | 2.30 | | | | | | | | | | |
| | Modifications-Cageless, per square foot Physical Collocation - Space Preparation - Common Systems | | | CLO | PE1SL | 2.52 | | | | | | | | | | - |
| | Modifications-Caged, per cage Physical Collocation - Space Preparation - Firm Order | | | CLO | PE1SM | 85.67 | | | | | | | | | | 1 |
| | Processing | | | CLO | PE1SJ | | 604.19 | | | | | | | | | |
| | Physical Collocation - Space Availability Report, per Central Office Requested | | | CLO | PE1SR | | 1,081.40 | | | | | | | | | |
| Power | | | | | | | | | | | | | | | | |
| | Physical Collocation - Power, -48V DC Power - per Fused Amp Requested | | | CLO | PE1PL | 7.33 | | | | | | | | | | |
| | Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FB | 5.29 | | | | | | | | | | 1 |
| | Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FD | 10.58 | | | | | | | | | | |
| | Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FE | 15.87 | | | | | | | | | | |
| | Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FG | 36.65 | | | | | | | | | | |
| Cross | Connects (Cross Connects, Co-Carrier Cross Connects, and P | orts) | | 020 | | 55.55 | | | | | | | | | | |
| | · · · | , | | UEANL,UEQ, UNCNX, UEA, UCL, | | | | | | | | | | | | |
| | Physical Collocation - 2-wire cross-connect, loop, provisioning | | | UAL, UHL, UDN, UNCVX | PE1P2 | 0.0288 | 12.37 | 11.87 | 6.04 | 5.45 | | | | | | |
| | Physical Collocation - 4-wire cross-connect, loop, provisioning | | | UEA, UHL, UNCVX, UNCDX, UCL, UDL | PE1P4 | 0.0576 | 12.47 | 11.94 | 6.59 | 5.91 | | | | | | |
| | Physical Collocation -DS1 Cross-Connect for Physical | | | WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP, | | | | | | | | | | | | |
| | Collocation, provisioning | | | USL | PE1P1 | 1.14 | 22.16 | 16.02 | 6.60 | 5.97 | | | | | | <u> </u> |

| COLLOCAT | ΓΙΟΝ - Mississippi | | | | | | | | | | | | Attachment: | 4 | Exhibit: B | |
|----------|---|-------------|----------|--|-------|--------|----------|-----------|--------------|-------|-------|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonre | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation - DS3 Cross-Connect, provisioning | | | UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSB, | PE1P3 | 14.49 | 21.01 | 15.29 | 7.61 | 6.10 | | | | | | |
| - | Friysical Collocation - 233 Cross-Cornect, provisioning | | 1 | CLO, ULDO3, | FLIFS | 14.43 | 21.01 | 13.29 | 7.01 | 0.10 | | | | | 1 | |
| | Physical Collocation - 2-Fiber Cross-Connect | | | ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF ULD03, ULD12, ULD48, U1TO3, U1T12, U1T48, | PE1F2 | 2.87 | 21.01 | 15.29 | 7.61 | 6.10 | | | | | | |
| | L | | | UDLO3, UDL12, | | | | | | | | | | | | |
| | Physical Collocation - 4-Fiber Cross-Connect | | | UDF, UDFCX | PE1F4 | 5.10 | 25.70 | 19.97 | 10.01 | 8.50 | | | | | | |
| | Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable. | | | CLO | PE1ES | 0.001 | | | | | | | | | | |
| | Physical Collocation - Co-Carrier Cross Connect/Direct Connect - | | | CLO | PEIES | 0.001 | | | | | | | | | | |
| | Copper/Coax Cable Support Structure, per linear foot, per cable. | | | CLO | PE1DS | 0.0015 | | | | | | | | | | |
| | | | | UEPSR, UEPSP, | | | | | | | | | | | | |
| | | | | UEPSE, UEPSB, | | | | | | | | | | | | |
| | Physical Collocation 2-Wire Cross Connect, Port | | | UEPSX, UEP2C | PE1R2 | 0.0288 | 12.37 | 11.87 | 6.04 | 5.45 | | 15.75 | | | | |
| Caarra | Physical Collocation 4-Wire Cross Connect, Port | | | UEPEX, UEPDD | PE1R4 | 0.0576 | 12.47 | 11.94 | 6.59 | 5.91 | | 15.75 | | | | |
| Secur | Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour | | | CLO | PE1BT | | 17.02 | 10.79 | | | | | | | | |
| | Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLO | PE1OT | | 22.17 | 13.94 | | | | | | | | |
| | Physical Collocation - Security Escort for Premium Time - | | | | | | | | | | | | | | | |
| | outside of scheduled work day, per half hour | | <u> </u> | CLO | PE1PT | | 27.32 | 17.08 | | | | | | | | |
| | Physical Collocation - Security Access System, Security System, per Central Office | | | CLO | PE1AX | 75.23 | | | | | | | | | | |
| | Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State | | <u> </u> | CLO | PE1A1 | 0.0576 | 27.95 | | | | | | | | | |
| | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or | | | CLO | PE1AA | | 7.84 | | | | | | | | | |
| | Stolen Card. per Card | | | CLO | PE1AR | | 22.91 | | | | | | | | | |
| | Physical Collocation - Security Access - Initial Key, per Key | | | CLO | PE1AK | | 13.17 | | | | | | | | | |
| | Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key | | | CLO | PE1AL | | 13.17 | | | | | | | | | |
| CFA | | | | 1 | 1 | | | | | | | | | | 1 | |
| | Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request | | | CLO | PE1C9 | | 77.41 | | | | | | | | | |
| Cable | Records | | | | | | | | | | | | | | | |
| | Physical Collocation - Cable Records, per request | | | CLO | PE1CR | | I 763.69 | S 490.94 | 133.77 | | | | | | | |
| | Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) | | | CLO | PE1CD | | 328.81 | | 190.22 | | | | | | | |
| | Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair | | <u> </u> | CLO | PE1CO | | 4.84 | | 5.93 | | | | | | | |
| | Physical Collocation, Cable Records, DS1, per T1 TIE | | | CLO | PE1C0 | | 2.27 | | 2.78 | | | | | | | |
| | Physical Collocation, Cable Records, DS3, per T3 TIE | - | + | CLO | PE1C3 | | 7.92 | | 9.72 | | 1 | | | | 1 | 1 |

| COLLOCAT | ON - Mississippi | | | | | | | | | | | | Attachment: | 4 | Exhibit: B | |
|-------------|--|-------------|----------|------------------------------------|--------|--------|----------|-----------|--------------|------------|-------|---|-------------|-----------|--|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | 1 | Svc Order Submitted Manually per LSR | | | Incremental Charge - | Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l |
| | | | | | | Dee | Nonre | curring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation - Cable Records, Fiber Cable, per cable | | | | | | | | | | | | | | | |
| | record (maximum 99 records) | | | CLO | PE1CB | | 84.98 | | 77.58 | | | | | | | |
| Virtual | to Physical | | | | | | | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, | | | CLO | PE1BV | | 33.00 | | | | | | | | | ĺ |
| | per Voice Grade Circuit Physical Collocation - Virtual to Physical Collocation Relocation, | | | CLO | PEIDV | | 33.00 | | | | | | | | | |
| | per DSO Circuit | | | CLO | PE1BO | | 33.00 | | | | | | | | | ĺ |
| | Physical Collocation - Virtual to Physical Collocation Relocation, | | | | | | | | | | | | | | İ | |
| | per DS1 Circuit | | | CLO | PE1B1 | | 52.00 | | | | | | | | | ĺ |
| | Physical Collocation - Virtual to Physical Collocation Relocation, | | | | | | | | | | | | | | | ĺ |
| | per DS3 Circuit | | | CLO | PE1B3 | | 52.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit | | | CLO | PE1BR | | 23.00 | | | | | | | | 1 | ĺ |
| - | Physical Collocation Virtual to Physical Collocation In-Place, Per | 1 | 1 | CLU | FEIDK | | 23.00 | | 1 | | - | | | | | |
| | DSO Circuit | | | CLO | PE1BP | | 23.00 | | | | | | | | 1 | ĺ |
| | Physical Collocation - Virtual to Physical Collocation In-Place, | | | | | | 20.00 | | | | | | İ | | 1 | |
| | Per DS1 Circuit | | | CLO | PE1BS | | 33.00 | | | | | | | | | ĺ |
| | Physical Collocation - Virtual to Physical Collocation In-Place, | | | | | | | | | | | | | | | ĺ |
| | per DS3 Circuit | | | CLO | PE1BE | | 37.00 | | | | | | | | | |
| Entran | Ce Cable | | - | | | | | | | | | | | | | |
| | Physical Collocation - Cable Installation, Pricing, non-recurring charge, per Entrance Cable | | | CLO | PE1BD | | 926.27 | | 22.62 | | | | | | | ĺ |
| | Physical Collocation - Cable Support Structure, per Entrance | | | CLO | FLIBD | | 920.21 | | 22.02 | | | | | | 1 | |
| | Cable | | | CLO | PE1PM | 17.42 | | | | | | | | | | ĺ |
| | Physical Collocation - Fiber Entrance Cable Installation, per | | | | | | | | | | | | | | | |
| | Fiber | | | CLO | PE1ED | | 3.89 | | | | | | | | | |
| VIRTUAL COL | | | | | | | | | | | | | | | | |
| Applic | Virtual Collocation - Application Fee | | - | AMTFS | EAF | | 1,212.25 | | 0.51 | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect, | | | AWIII 3 | LAI | | 1,212.23 | | 0.51 | | | | | | 1 | |
| | Application Fee, per application | | | AMTFS | VE1CA | | 583.13 | | | | | | | | | ĺ |
| | Virtual Collocation Administrative Only - Application Fee | | | AMTFS | VE1AF | | 740.76 | | | | | | | | | |
| Space | Preparation | | | | | | | | | | | | | | | |
| | Virtual Collocation - Floor Space, per sq. ft. | | | AMTFS | ESPVX | 5.74 | | | | | | | | | | Ĺ |
| Power | | | | | 50541/ | = 00 | | | | | | | | | | |
| Cross | Virtual Collocation - Power, per fused amp Connects (Cross Connects, Co-Carrier Cross Connects, and P | orte) | 1 | AMTFS | ESPAX | 7.33 | | | | | | | | | | |
| Cross | l | Orts) | 1 | UEANL, UEA, UDN, | | | | | | | | | | | | |
| | | | | UAL, UHL, UCL, | | | | | | | | | | | 1 | ĺ |
| | | | | UEQ, UNCVX, | | | | | | | | | | | 1 | 1 |
| | Virtual Collocation - 2-wire cross-connect, loop, provisioning | | | UNCDX, UNCNX | UEAC2 | 0.0268 | 12.37 | 11.87 | 6.04 | 5.45 | | | | | L | L |
| i I | | | | UEA, UHL, UCL, | | | | | | | | | | | 1 | i |
| | Vistori Callagation Audio anno assess la companie de la companie d | | | UDL, UNCVX, UNCDX | UEAC4 | 0.0536 | 12.47 | 11.94 | 0.50 | 5.91 | | | | | | ĺ |
| | Virtual Collocation - 4-wire cross-connect, loop, provisioning | | | ULR, UXTD1, | UEAU4 | 0.0536 | 12.47 | 11.94 | 6.59 | 5.91 | | | - | - | - | |
| | | | | UNC1X, ULDD1, | | | | | | | | | | | 1 | ĺ |
| | Virtual Collocation - Special Access & UNE, cross-connect per | | | U1TD1, USLEL, | | | | | | | | | | | 1 | ĺ |
| | DS1 | | | UNLD1, USL | CNC1X | 1.14 | 22.16 | 16.02 | 6.60 | 5.97 | | | | | <u> </u> | <u> </u> |
| | | | | USL, UE3, U1TD3, | | | | | | | | | | | | |
| | | | | UXTS1, UXTD3, | | | | | | | | | | | 1 | 1 |
| | | | | UNC3X, UNCSX, ULDD3, U1TS1, | | | | | | | | | | | 1 | 1 |
| | Virtual collocation - Special Access & UNE, cross-connect per | | | ULDD3, UTTS1, ULDS1, UDLSX, | | | | | | | | | | | 1 | ĺ |
| | DS3 | | | UNLD3 | CND3X | 14.49 | 21.01 | 15.29 | 7.61 | 6.10 | | | | | 1 | 1 |
| | | | | | | | | | 1 | 2.10 | | | | | | |
| | | | | UDL12, UDLO3, | | | | | | | | | | | 1 | 1 |
| | | | | U1T48, U1T12, | | | | | | | | | 1 | | | İ |
| | Virtual Collocation - 2-Fiber Cross Connects | | | U1TO3, ULDO3, ULD12, ULD48, UDF | CNCSE | 2.91 | 21.01 | 15.29 | 7.61 | 6.10 | | | 1 | | | İ |
| | VIITUAL CONOCAUOTI - Z-FIDEL CLOSS CONTIECTS | l | <u> </u> | 0LD 12, 0LD40, 0DF | CINCZE | 2.91 | 21.01 | 15.29 | 10.1 | 0.10 | I | l . | l . | l | 1 | <u> </u> |

| COLLOCAT | TION - Mississippi | | | | | | | | | | | | Attachment: | 4 | Exhibit: B | |
|------------|--|-------------|------|--|----------------|----------|--------------|-----------|--------------|------------|-------|---|---|-----------|-------------------------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | | Incremental Charge - | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | - I | Nonrec | urring | Nonrecurring | Disconnect | | | OSS | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Virtual Collocation - 4-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC4F | 5.82 | 25.70 | 19.97 | 10.01 | 8.50 | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CB | 0.001 | | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable | | | AMTFS UEPSX, UEPSB, | VE1CD | 0.0015 | | | | | | | | | | |
| | | | | UEPSE, UEPSP, | | | | | | | | | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Port | | | UEPSR, UEP2C | VE1R2 | 0.0268 | 12.37 | 11.87 | 6.04 | 5.45 | | | | | | |
| CFA | Virtual Collocation 4-Wire Cross Connect, Port | | | UEPDD, UEPEX | VE1R4 | 0.0536 | 12.47 | 11.94 | 6.59 | 5.91 | | | | | | + |
| | Virtual Collocation - CFA Information Resend Request, per Premises, per Arrangement, per request | | | AMTFS | VE1QR | | 77.41 | | | | | | | | | |
| Cable | Records Virtual Collocation Cable Records - per request | | | AMTFS | VE1BA | | 763.69 | 490.94 | 133.77 | | | | | | | |
| | Virtual Collocation Cable Records - per request Virtual Collocation Cable Records - VG/DS0 Cable, per cable | | | AIVITES | VETBA | 1 | 763.69 | 490.94 | 133.77 | | | | | | | |
| | record | | | AMTFS | VE1BB | | 328.81 | | 190.22 | | | | | | | |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair | | | AMTFS | VE1BC | | 4.84 | | 5.93 | | | | | | | |
| | Virtual Collocation Cable Records - DS1, per T1TIE Virtual Collocation Cable Records - DS3, per T3TIE | | | AMTFS AMTFS | VE1BD VE1BE | | 2.27 7.92 | | 2.78 9.72 | | | | | | | + |
| | Virtual Collocation Cable Records - DS3, per 1311E Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records | | | AMTFS | VE1BE VE1BF | | 84.98 | | 77.58 | | | | | | | |
| Secur | | | | , | 12.5. | 1 | 000 | | 77.00 | | | | | | | 1 |
| | Virtual collocation - Security escort, basic time, normally scheduled work hours | | | AMTFS | SPTBX | | 17.02 | 10.79 | | | | | | | | |
| | Virtual collocation - Security escort, overtime, outside of normally scheduled work hours on a normal working day | | | AMTFS | SPTOX | | 22.17 | 13.94 | | | | | | | | |
| | Virtual collocation - Security escort, premium time, outside of a scheduled work day | | | AMTFS | SPTPX | | 27.32 | 17.08 | | | | | | | | |
| Maint | enance | | | | | | | | | | | | | | | |
| | Virtual collocation - Maintenance in CO - Basic, per half hour | | | AMTFS | CTRLX | | 28.09 | 10.79 | | | | | | | | |
| | Virtual collocation - Maintenance in CO - Overtime, per half hour | | | AMTFS | SPTOM | | 36.69 | 13.94 | | | | | | | | |
| | Virtual collocation - Maintenance in CO - Premium per half hour | | | AMTFS | SPTPM | | 45.28 | 17.08 | | | | | | | | |
| Entra | nce Cable | | | | | | | | | | | | | | | |
| | Virtual Collocation - Cable Installation Charge, per cable Virtual Collocation - Cable Support Structure, per cable | | | AMTFS AMTFS | ESPCX ESPSX | 15.24 | 926.27 | | 22.62 | | | | | | | |
| COLLOCATIO | ON IN THE REMOTE SITE | | | / uviii O | LUI UX | 13.24 | | | | | | | | | | |
| | cal Remote Site Collocation | | | | | | | | | | | | | | | |
| | Physical Collocation in the Remote Site - Application Fee | | | CLORS | PE1RA | | 309.48 | | 168.63 | | | | | | | |
| | Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key | | | CLORS | PE1RB PE1RD | 210.05 | 13.17 | | | | | | | | | |
| | Physical Collocation in the Remote Site - Space Availability Report per Premises Requested | | | CLORS | PE1SR | | 116.54 | | | | | | | | | |
| | Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 37.77 | | | | | | | | | |
| | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | ├ | 233.14 | | | | | | | | | |
| | Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour | | | CLORS | PE1BT | | 17.02 | 10.79 | | | | | | | | |

| COLLOCATION | ON - Mississippi | | | | | | | | | | | | Attachment: | 4 | Exhibit: B | |
|-------------|--|-------------|------------|--------------------------------------|----------|--------|----------------|--------------|--------------|------------|-------------------|-----------|--|-----------|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Submitted Elec | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge |
| 1 | | | | | | _ 1 | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | 1 | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLORS | PE1OT | | 22.17 | 13.94 | | | | | | | | |
| | Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour | | | CLORS | PE1PT | | 27.32 | 17.08 | | | | | | | | |
| | nt Remote Site Collocation | | | CLOIKO | 1 - 11 1 | | 21.52 | 17.00 | | | | | | | | |
| | Remote Site-Adjacent Collocation-Application Fee | - | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | - | |
| | Remote Site-Adjacent Collocation - Real Estate, per square foot | | | CLORS | PE1RT | 0.134 | 700.02 | 700.02 | | | | | | | | |
| | Remote Site-Adjacent Collocation - AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| | If Security Escort and/or Add'l Engineering Fees become nec | essarv f | | | | | gotiate approp | riate rates. | | | | | | | | 1 |
| | Remote Site Collocation | | , . | | 1 | | 3 app p | | | | | | | | | † |
| | Virtual Collocation in the Remote Site - Application Fee | | | VE1RS | VE1RB | | 309.48 | | 168.63 | | | | | | | 1 |
| | Virtual Collocation in the Remote Site - Per Bay/Rack of Space | | | VE1RS | VE1RC | 210.05 | | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Space Availability Report per Premises requested | | | VE1RS | VE1RR | | 116.54 | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested | | | VE1RS | VE1RL | | 37.77 | | | | | | | | | |
| | LLOCATION | | | | | | | | | | | | | | | |
| | Adjacent Collocation - Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.0678 | | | | | | | | | | |
| | Adjacent Collocation - Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 4.68 | | | | | | | | | | |
| | Adjacent Collocation - 2-Wire Cross-Connects | | | UEANL,UEQ,UEA,U CL, UAL, UHL, UDN | | 0.0223 | 12.37 | 11.87 | 6.04 | 5.45 | | | | | | |
| | Adjacent Collocation - 4-Wire Cross-Connects | | | UEA,UHL,UDL,UCL | | 0.0446 | 12.47 | 11.94 | 6.59 | 5.91 | | | | | İ | 1 |
| | Adjacent Collocation - DS1 Cross-Connects | | | USL | PE1JG | 1.05 | 22.16 | 16.02 | 6.60 | 5.97 | | | | | İ | 1 |
| | Adjacent Collocation - DS3 Cross-Connects | | | UE3 | PE1JH | 14.27 | 21.01 | 15.29 | 7.61 | 6.10 | | | | | İ | 1 |
| | Adjacent Collocation - 2-Fiber Cross-Connect | | | CLOAC | PE1JJ | 2.42 | 21.01 | 15.29 | 7.61 | 6.10 | | | | | | 1 |
| | Adjacent Collocation - 4-Fiber Cross-Connect | | | CLOAC | PE1JK | 4.62 | 25.70 | 19.97 | 10.01 | 8.50 | | | | | | |
| | Adjacent Collocation - Application Fee | | | CLOAC | PE1JB | | 1,585.83 | | | | | | | | | |
| | Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JL | 5.29 | | | | | | | | | | |
| | Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JM | 10.58 | | | | | | | | | | |
| | Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JN | 15.87 | | | | | | | | | | |
| | Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JO | 36.65 | | | | | | | | | | |

| COLLOCAL | ION - North Carolina | | | | | | | | | | | | Attachment: | 4 | Exhibit: B | |
|--|--|-------------|------|--|---------|--------|----------|-----------|--------------|-------|-------|------------------------|--|--|--|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| BUILDIO AL OC | N. I. COATION | | | | | | | | | | | | | | | |
| PHYSICAL CO | | | | | | | | | | | - | | | | | |
| Applic | Physical Collocation - Initial Application Fee | | | CLO | PE1BA | | 2,322.00 | | | | - | | | | | |
| | Physical Collocation - Subsequent Application Fee | | | CLO | PE1CA | | 2,322.00 | | | | 1 | | | | | |
| | Physical Collocation - Subsequent Application Fee Physical Collocation - Co-Carrier Cross Connects/Direct | | | CLO | PETCA | | 2,311.00 | | | | 1 | | | | | |
| | Connect, Application Fee, per application | | | CLO | PE1DT | | 317.20 | | | | | | | | | |
| | Physical Collocation Administrative Only - Application Fee | | | CLO | PE1BL | | 741.44 | | | | 1 | | | | | |
| | Physical Collocation - Application Cost, Simple Augment | | | CLO | PE1KS | | 269.83 | | 1.15 | | | | | | | |
| | Physical Collocation - Application Cost, Simple Augment Physical Collocation - Application Cost, Minor Augment | | 1 | CLO | PE1KM | + | 493.40 | | 1.15 | | + | | | | | t |
| | Physical Collocation - Application Cost, Intermediate Augment | | 1 | CLO | PE1K1 | 1 | 1,012.00 | | 1.15 | | + | | | | - | - |
| | Physical Collocation - Application Cost, Intermediate Augment Physical Collocation - Application Cost - Major Augment | | 1 | CLO | PE1KJ | 1 | 2,343.00 | | 1.15 | | + | | | | - | - |
| Space | Preparation | | 1 | | | + | 2,040.00 | | 1.13 | | + | | | | | 1 |
| Орасе | Physical Collocation - Floor Space, per sq feet | | 1 | CLO | PE1PJ | 2.69 | | | | | + | | | | - | - |
| | Physical Collocation - Space Enclosure, welded wire, first 50 | | | 020 | | 2.00 | | | | | | | | | | |
| | square feet | | | CLO | PE1BX | | 534.44 | | | | | | | | | |
| | Physical Collocation - Space enclosure, welded wire, first 100 | | | OLO | LIDA | | 004.44 | | | | | | | | | |
| | square feet | | | CLO | PE1BW | | 559.81 | | | | | | | | | |
| | Physical Collocation - Space enclosure, welded wire, each | | | OLO | I LIDW | | 000.01 | | | | - | | | | | |
| | additional 50 square feet | | | CLO | PE1CW | | 25.37 | | | | | | | | | |
| | Physical Collocation - Space Preparation - C.O. Modification per | | | OLO | I LIOW | | 20.01 | | | | | | | | | |
| | square ft. | | | CLO | PE1SK | 2.42 | | | | | | | | | | |
| | Physical Collocation - Space Preparation, Common Systems | | | OLO | LION | 2.72 | | | | | | | | | | |
| | Modifications-Cageless, per square foot | | | CLO | PE1SL | 2.88 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - Common Systems | | | OLO | I LIGE | 2.00 | | | | | - | | | | | |
| | Modifications-Caged, per cage | | | CLO | PE1SM | 97.98 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - Firm Order | | | OLO | I L IOW | 57.50 | | | | | | | | | | |
| | Processing | | | CLO | PE1SJ | | 1,196.00 | | | | | | | | | |
| | Physical Collocation - Space Availability Report, per Central | | | OLO | 1 2100 | | 1,100.00 | | | | - | | | | | |
| | Office Requested | | | CLO | PE1SR | | 2,140.00 | | | | | | | | | |
| Power | | | | OLO | LION | | 2,140.00 | | | | | | | | | |
| 1000 | Physical Collocation - Power, -48V DC Power - per Fused Amp | | | | | | | | | | | | | | | |
| | Requested | | | CLO | PE1PL | 7.65 | | | | | | | | | | |
| | Physical Collocation - Power, 120V AC Power, Single Phase, | | | | 1 | | | | | | 1 | | | | <u> </u> | <u> </u> |
| | per Breaker Amp | | 1 | CLO | PE1FB | 5.50 | | | | | | | | 1 | I | I |
| | Physical Collocation - Power, 240V AC Power, Single Phase, | | | - - | 1 | 5.55 | | | 1 | | 1 | | | 1 | t | 1 |
| | per Breaker Amp | | | CLO | PE1FD | 11.01 | | | | | 1 | | | | 1 | |
| | Physical Collocation - Power, 120V AC Power, Three Phase, per | | | | i - | | | | 1 | | 1 | | | 1 | t | 1 |
| | Breaker Amp | | 1 | CLO | PE1FE | 16.51 | | | | | | | | 1 | I | |
| | Physical Collocation - Power, 277V AC Power, Three Phase, per | | | | i - | | | | 1 | | 1 | | | 1 | t | 1 |
| | Breaker Amp | | | CLO | PE1FG | 38.12 | | | | | 1 | | | | 1 | |
| Cross | Connects (Cross Connects, Co-Carrier Cross Connects, and P | orts) | | | 1 - | | | | İ | | 1 | | | İ | İ | 1 |
| | | , | | UEANL,UEQ, | | | | | | | | | | | | |
| | | | | UNCNX, UEA, UCL, | | | | | | | | | | | | |
| | | | 1 | UAL, UHL, UDN, | | | | | | | | | | 1 | I | |
|] | Physical Collocation - 2-wire cross-connect, loop, provisioning | | | UNCVX | PE1P2 | 0.0309 | 19.77 | 14.95 | | | 1 | | | l | I | 1 |
| | ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, , | | i – | UEA, UHL, UNCVX, | i - | , | | 50 | | | | | | İ | 1 | |
|] | Physical Collocation - 4-wire cross-connect, loop, provisioning | | | UNCDX, UCL, UDL | PE1P4 | 0.0618 | 19.95 | 15.05 | | | 1 | | | l | I | 1 |
| | , and a second s | | 1 | WDS1L, WDS1S, | 1 | | | . 3.00 | | | | | | | 1 | 1 |
| | | | | UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, | | | | | | | | | | | | |
| | Physical Collocation -DS1 Cross-Connect for Physical | | | UEPSE, UEPSP, | | | | | | | 1 | | | | 1 | |
| | Collocation, provisioning | | 1 | USL | PE1P1 | 1.38 | 39.15 | 23.20 | | | | | | | | |

| COLLOC | ATION - North Carolina | | | | | | | | | | | | Attachment: | 4 | Exhibit: B | |
|--|---|-------------|------|---|----------------|--------|----------------|--------------|---------------|---------------|-------|---|--|-------|-------------------------|---|
| CATEGOR | | Interi m | Zone | BCS | USOC | | Nonrec | RATES(\$) | Nonrecurring | Disconnect | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | | Incremental Charge - | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | First | Add'l | First | Add'I | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation - DS3 Cross-Connect, provisioning | | | UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSP | PE1P3 | 17.62 | 38.25 | 21.94 | 11130 | Addi | COME | COMPAN | COMPAR | SSMAN | SUMAN | SSIIIAI |
| | Physical Collocation - 2-Fiber Cross-Connect | | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1F2 | 3.50 | 38.25 | 21.94 | | | | | | | | |
| | Physical Collocation - 4-Fiber Cross-Connect | | | ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX | PE1F4 | 6.20 | 43.96 | 26.17 | | | | | | | | |
| | Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable. | | | CLO | PE1ES | 0.0028 | | | | | | | | | | |
| | Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable. | | | CLO UEPSR, UEPSP, | PE1DS | 0.0041 | | | | | | | | | | |
| | Physical Collocation 2-Wire Cross Connect, Port | | | UEPSE, UEPSB, UEPSX, UEP2C | PE1R2 | 0.0309 | 19.77 | 14.95 | | | | | 26.94 | 12.76 | | |
| 6-4 | Physical Collocation 4-Wire Cross Connect, Port | | | UEPEX, UEPDD | PE1R4 | 0.0618 | 19.95 | 15.05 | | | | | 26.94 | 12.76 | | |
| 360 | Physical Collocation - Security Escort for Basic Time - normally | | | | | | | | | | | | | | | |
| | scheduled work, per half hour | | | CLO | PE1BT | | 33.68 | 21.34 | | | | | | | | |
| | Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLO | PE1OT | | 43.87 | 27.57 | | | | | | | | |
| | Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour | | | CLO | PE1PT | | 54.06 | 33.80 | | | | | | | | |
| | Physical Collocation - Security Access System - Security System per Central Office, per Sq. Ft. | | | CLO | PE1AY | 0.0135 | 0 1100 | 00.00 | | | | | | | | |
| | Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State | | | CLO | PE1A1 | 0.0622 | 15.00 | | | | | | | | | |
| | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 15.51 | | | | | | | | | |
| | Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 15.00 | | | | | | | | | |
| | Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key | | | CLO | PE1AK PE1AL | | 15.00 15.00 | | | | | | | | | |
| CF | | | | 0.0 | LIAL | | 13.00 | | | | | | | | | |
| | Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request | | | CLO | PE1C9 | | 77.48 | | | | | | | | | |
| Cal | Physical Collocation - Cable Records, per request | | | CLO | PE1CR | | I 1458 | S 937.29 | 245.00 | 245.00 | | | | | | |
| | Physical Collocation, Cable Records, VG/DS0 Cable, per cable | | | | | | | | | | | | | | | |
| | record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per each | | | CLO | PE1CD | | 622.69 | 622.69 | 346.35 | 346.35 | | | | | | |
| | 100 pair Physical Collocation, Cable Records, DS1, per T1 TIE | | | CLO CLO | PE1CO PE1C1 | | 8.77 4.35 | 8.77 4.35 | 10.32 5.11 | 10.32 5.11 | | | | | _ | |
| | Physical Collocation, Cable Records, DS3, per T3 TIE | 1 | | CLO | PE1C3 | | 15.22 | 15.22 | 17.90 | 17.90 | | | | | | |

| COLLOCAT | ION - North Carolina | | | | | | | | | | | | Attachment: | 4 | Exhibit: B | |
|-------------|---|-------------|------|--|-------|--------|----------|-----------|--------------|--------------|-------|---|--|--|-------------------------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| 1 | | | | | + | l | Nonrec | urring | Nonrecurrin | g Disconnect | | | OSS | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation - Cable Records, Fiber Cable, per cable | | | | | | | | | | | | | | | |
| | record (maximum 99 records) | | | CLO | PE1CB | | 163.61 | 163.61 | 143.32 | 143.32 | | | | | | İ |
| Virtua | I to Physical | | | | | | | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, | | | | | | | | | | | | | | | i |
| | per Voice Grade Circuit | | | CLO | PE1BV | | 33.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit | | | CLO | PE1BO | | 33.00 | | | | | | | | | i |
| | Physical Collocation - Virtual to Physical Collocation Relocation, | | | CLO | PETBU | | 33.00 | | | | | | | | | |
| | per DS1 Circuit | | | CLO | PE1B1 | | 52.00 | | | | | | | | | <u> </u> |
| | Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit | | | CLO | PE1B3 | | 52.00 | | | | | | | | | ĺ |
| | Physical Collocation - Virtual to Physical Collocation In-Place, | | - | CLO | FLIDS | | 32.00 | | | | | | | | | |
| | Per Voice Grade Circuit | | | CLO | PE1BR | | 23.00 | | | | | | | | | ĺ |
| | Physical Collocation Virtual to Physical Collocation In-Place, Per | | | | | | | | | | | | | | | |
| | DSO Circuit | | | CLO | PE1BP | | 23.00 | | | | | | | | | i |
| | Physical Collocation - Virtual to Physical Collocation In-Place, Per DS1 Circuit | | | CLO | PE1BS | | 33.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation In-Place, | | | | | | | | | | | | | | | |
| | per DS3 Circuit | | | CLO | PE1BE | | 37.00 | | | | | | | | | i |
| Entrar | nce Cable | | | | | | | | | | | | | | | |
| | Physical Collocation - Cable Installation, Pricing, non-recurring | | | | | | | | | | | | | | | 1 |
| | charge, per Entrance Cable | | | CLO | PE1BD | | 1,233.00 | | | | | | | | | I |
| | Physical Collocation - Cable Support Structure, per Entrance | | | 01.0 | DEADM | 20.57 | | | | | | | | | | 1 |
| VIRTUAL COL | Cable | | | CLO | PE1PM | 20.57 | | | | | | | | | | |
| Applic | | | | | | | | | | | | | | | | |
| дрис | Virtual Collocation - Application Fee | | | AMTFS | EAF | | 1,195.00 | | | | | | 26.94 | 12.76 | | |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect, | | | | | | 1,100.00 | | | | | | | | | |
| | Application Fee, per application | | | AMTFS | VE1CA | | 317.20 | | | | | | | | | i |
| | Virtual Collocation Administrative Only - Application Fee | | | AMTFS | VE1AF | | 741.44 | | | | | | | | | |
| Space | Preparation | | | | | | | | | | | | | | | I |
| | Virtual Collocation - Floor Space, per sq. ft. | | | AMTFS | ESPVX | 2.69 | | | | | | | | | | |
| Power | Virtual Collocation - Power, per fused amp | | 1 | AMTFS | ESPAX | 7.65 | | | | | | | | | | |
| Cross | Connects (Cross Connects, Co-Carrier Cross Connects, and P | orte) | 1 | AWIIFS | ESPAX | 7.00 | | | | | | | | | | |
| 01033 | Connects (Closs Connects, Co-Carrier Closs Connects, and T | ortaj | | UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, | | | | | | | | | | | | |
| | Virtual Collocation - 2-wire cross-connect, loop, provisioning | | | UNCDX, UNCNX | UEAC2 | 0.0225 | 19.77 | 14.95 | | | | | 26.94 | 12.76 | | 1 |
| | | | | UEA, UHL, UCL, | | | | | | | | | | | | |
| | | | | UDL, UNCVX, | | | | | | | | | | | | i |
| | Virtual Collocation - 4-wire cross-connect, loop, provisioning | | | UNCDX | UEAC4 | 0.0449 | 19.95 | 15.05 | | | | | 26.94 | 12.76 | | |
| | | | | ULR, UXTD1, UNC1X, ULDD1, | | | | | | | | | | | | |
| | Virtual collocation - Special Access & UNE, cross-connect per | | | U1TD1, USLEL, | | | | | | | | | | | | ı |
| | DS1 | | 1 | UNLD1, USL | CNC1X | 0.4195 | 39.15 | 23.20 | 1 | 1 | | | 26.94 | 12.76 | 1 | |
| | Virtual collocation - Special Access & UNE, cross-connect per | | | USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, | | | | | | | | | | 40 ==0 | | |
| | DS3 | | 1 | UNLD3 | CND3X | 4.41 | 38.25 | 21.94 | | | 1 | | 26.94 | 12.76 | | |
| | Matural Callegation of Fit or Coppe Copperate | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, | CNOOF | 4.00 | 20.05 | 04.04 | | | | | 20.24 | 40.70 | | |
| | Virtual Collocation - 2-Fiber Cross Connects | | 1 | ULD12, ULD48, UDF | CNC2F | 1.96 | 38.25 | 21.94 | l | l | 1 | l . | 26.94 | 12.76 | L | |

| COLLOCAT | ION - North Carolina | | | | | | | | | | | | Attachment: | 4 | Exhibit: B | |
|----------|--|-------------|----------|--|----------------|--------|----------|-----------|--------------|---------|-------|---|--|--|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increments Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Virtual Collocation - 4-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC4F | 3.93 | 43.96 | 26.17 | | | | | 26.94 | 12.76 | | |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CB | 0.0028 | | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CD | 0.0041 | | | | | | | | | | |
| | | | | UEPSX, UEPSB, UEPSE, UEPSP, | | | | | | | | | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Port | | | UEPSR, UEP2C | VE1R2 | 0.0225 | 19.77 | 14.95 | | | | | 26.94 | 12.76 | | |
| | Virtual Collocation 4-Wire Cross Connect, Port | | <u> </u> | UEPDD, UEPEX | VE1R4 | 0.0449 | 19.95 | 15.05 | | | | | 26.94 | 12.76 | | |
| CFA | Virtual Collocation - CFA Information Resend Request, per Premises, per Arrangement, per request | | | AMTFS | VE1QR | | 77.48 | | | | | | | | | |
| Cable | Records | | | | \ = + B + | | 4 450 00 | | 0.15.00 | 0.15.00 | | | | | | |
| | Virtual Collocation Cable Records - per request | | | AMTFS | VE1BA | | 1,458.00 | 937.29 | 245.00 | 245.00 | | | | | | |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per cable record | | | AMTFS | VE1BB | | 622.69 | 622.69 | 346.35 | 346.35 | | | | | | |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair | | | AMTFS | VE1BC | | 8.77 | 8.77 | 10.32 | 10.32 | | | | | | |
| | Virtual Collocation Cable Records - DS1, per T1TIE | | | AMTFS | VE1BD | | 4.35 | 4.35 | 5.11 | 5.11 | | | | | | |
| | Virtual Collocation Cable Records - DS3, per T3TIE Virtual Collocation Cable Records - Fiber Cable, per 99 fiber | | | AMTFS | VE1BE | | 15.22 | 15.22 | 17.90 | 17.90 | | | | | | |
| | records | | | AMTFS | VE1BF | | 163.61 | 163.61 | 143.32 | 143.32 | | | | | | |
| Securi | Virtual collocation - Security escort, basic time, normally scheduled work hours | | | AMTFS | SPTBX | | 33.68 | 21.34 | | | | | 26.94 | 12.76 | | |
| | Virtual collocation - Security escort, overtime, outside of | | | | | | | | | | | | | | | |
| | normally scheduled work hours on a normal working day Virtual collocation - Security escort, premium time, outside of a | | | AMTFS | SPTOX | | 43.87 | 27.57 | | | | | 26.94 | 12.76 | | |
| | scheduled work day | | | AMTFS | SPTPX | | 54.06 | 33.80 | | | | | 26.94 | 12.76 | | |
| Mainte | enance | | | | | | | | | | | | | | | |
| | Virtual collocation - Maintenance in CO - Basic, per half hour | | | AMTFS | CTRLX | | 52.03 | 21.22 | | | | | 26.94 | 12.76 | | |
| | Virtual collocation - Maintenance in CO - Overtime, per half hour | | | AMTFS | SPTOM | | 69.48 | 27.81 | | | | | 26.94 | 12.76 | | |
| | Virtual collocation - Maintenance in CO - Premium per half hour | | | AMTFS | SPTPM | | 86.94 | 34.40 | | | | | 26.94 | 12.76 | | |
| Entran | ce Cable | | | | | | | | | | | | | | | |
| | Virtual Collocation - Cable Installation Charge, per cable | | | AMTFS | ESPCX | 10 | 1,233.00 | | | | | | 26.94 | 12.76 | ļ | |
| | Virtual Collocation - Cable Support Structure, per cable | | | AMTFS | ESPSX | 13.28 | | | | | | | | | | |
| | N IN THE REMOTE SITE | | | | | | | | | | | | | | | |
| Physic | Physical Collocation in the Remote Site - Application Fee | | | CLORS | PE1RA | | 589.38 | | 258.38 | | | | | | | |
| | Cabinet Space in the Remote Site or Bay/ Rack | | | CLORS | PE1RA PE1RB | 218.07 | 303.30 | | 200.38 | | | - | 1 | | 1 | - |
| | Physical Collocation in the Remote Site - Security Access - Key | | | CLORS | PE1RD | 210.07 | 15.00 | | | | | | | | | |
| | Physical Collocation in the Remote Site - Security Access - Rey Physical Collocation in the Remote Site - Space Availability Report per Premises Requested | | | CLORS | PE1SR | | 215.55 | | | | | | | | | |
| | Physical Collocation in the Remote Site - Remote Site CLLI | | | | | | | | | | | | | | | |
| | Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 70.65 | | | | | | | | | |
| | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 232.94 | | | | - | | | | | |
| | Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour | | | CLORS | PE1BT | | 33.68 | 21.34 | | | | | | | | |

| OLLOCATION | ON - North Carolina | | | | | | | | | | | | Attachment: | 4 | Exhibit: B | |
|------------|--|-------------|----------|--------------------------------------|----------------|-----------------|----------------|--------------|--------------|------------|-------------------|-----------|--|-----------|---|----------|
| TEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Submitted Elec | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge |
| | | | | | | _ 1 | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMA |
| | Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLORS | PE1OT | | 43.87 | 27.57 | | | | | | | | |
| | Physical Collocation - Security Escort for Premium Time - | | | | | | | | | | | | | | | |
| | outside of scheduled work day, per half hour | | | CLORS | PE1PT | | 54.06 | 33.80 | | | | | | | | |
| | nt Remote Site Collocation | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | | |
| | Remote Site-Adjacent Collocation - Real Estate, per square foot | | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | Remote Site-Adjacent Collocation - AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| | If Security Escort and/or Add'l Engineering Fees become nec | essary f | for adja | cent remote site co | llocation, the | Parties will ne | gotiate approp | riate rates. | | | | | | | | |
| | Remote Site Collocation | | | | | | | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Application Fee | | | VE1RS | VE1RB | | 589.38 | | 258.38 | | | | | | | |
| | Virtual Collocation in the Remote Site - Per Bay/Rack of Space | | | VE1RS | VE1RC | 218.07 | | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Space Availability Report per Premises requested | | | VE1RS | VE1RR | | 215.55 | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested | | | VE1RS | VE1RL | | 70.65 | | | | | | | | | |
| | LLOCATION | | | | | | | | | | | | | | | |
| | Adjacent Collocation - Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.1555 | | | | | | | | | | |
| | Adjacent Collocation - Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 5.78 | | | | | | | | | | |
| | Adjacent Collocation - 2-Wire Cross-Connects | | | UEANL,UEQ,UEA,U CL, UAL, UHL, UDN | | 0.0239 | 19.77 | 14.95 | | | | | | | | |
| | Adjacent Collocation - 4-Wire Cross-Connects | l | | UEA,UHL,UDL,UCL | | 0.0477 | 19.95 | 15.05 | | | | | | | 1 | — |
| | Adjacent Collocation - DS1 Cross-Connects | l | | USL | PE1JG | 1.28 | 39.15 | 23.20 | | | | | | | 1 | — |
| | Adjacent Collocation - DS3 Cross-Connects | l | | UE3 | PE1JH | 17.35 | 38.25 | 21.94 | | | | | | | 1 | † |
| | Adjacent Collocation - 2-Fiber Cross-Connect | | | CLOAC | PE1JJ | 2.94 | 38.25 | 21.94 | | | | | | | İ | 1 |
| | Adjacent Collocation - 4-Fiber Cross-Connect | | | CLOAC | PE1JK | 5.62 | 43.96 | 26.17 | | | | | | | | 1 |
| | Adjacent Collocation - Application Fee | | | CLOAC | PE1JB | | 2,266.00 | | 0.5842 | | | | | | | |
| | Adjacent Collocation - 120V, Single Phase Standby Power Rate | | | | | | | | | | | | | | | |
| | per AC Breaker Amp | L | | CLOAC | PE1JL | 5.50 | | | | | | | | | | <u> </u> |
| | Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JM | 11.01 | | | | | | | | | | |
| | Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JN | 16.51 | | | | | | | | | | |
| | Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC te true-up as set for | PE1JO | 38.12 | | | | | | | | | | |

Version: 4Q04 Standard ICA

04/05/05

| OLLOCA | TION - South Carolina | | | | | | | | | | | | Attachment: | 4 | Exhibit: B | |
|---------|---|-------------|------|--|-------|--------|----------|-----------|--------------|--------------|---------|------------------------------------|---------------------------------------|---------------------------------------|--------------------------------------|--|
| OLLOGA | South Garonna | Intori | | | | | | | | | | Svc Order Submitted Manually | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc | | Increment Charge Manual S |
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | | Order vs. Electronic- 1st | Order vs. Electronic- Add'I | Order vs. Electronic- Disc 1st | Order vs Electroni Disc Add |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | g Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | OLLOCATION | | | | | | | | | | | | | | | |
| Appl | ication | | | | | | | | | | | | | | | |
| | Physical Collocation - Initial Application Fee | | | CLO | PE1BA | | 1,883.67 | | 0.51 | | | | | | | <u> </u> |
| | Physical Collocation - Subsequent Application Fee | | | CLO | PE1CA | | 1,570.10 | | 0.51 | | | | | | | ļ |
| | Physical Collocation - Co-Carrier Cross Connects/Direct | | | CLO | PE1DT | | 504.40 | | | | | | | | | |
| | Connect, Application Fee, per application Physical Collocation - Power Reconfiguration Only, Application | | | CLO | PEIDI | - | 584.42 | | | | | | | | | |
| | Fee | | | CLO | PE1PR | | 400.33 | | | | | | | | | |
| | Physical Collocation Administrative Only - Application Fee | | | CLO | PE1BL | | 743.66 | | | | | | | | | |
| | Physical Collocation - Application Cost, Simple Augment | 1 | 1 | CLO | PE1KS | | 594.27 | | 1.21 | | 1 | | | | I | |
| | Physical Collocation - Application Cost, Minor Augment | | i – | CLO | PE1KM | † 1 | 833.26 | | 1.21 | | | | | | 1 | |
| | Physical Collocation - Application Cost, Intermediate Augment | | | CLO | PE1K1 | † | 1,058.00 | | 1.21 | Ì | | | | İ | 1 | |
| | Physical Collocation - Application Cost - Major Augment | | | CLO | PE1KJ | | 2,409.00 | | 1.21 | | | | | | | |
| Spac | e Preparation | | | | | | | | | | | | | | | |
| | Physical Collocation - Floor Space, per sq feet | | | CLO | PE1PJ | 3.95 | | | | | | | | | | |
| | Physical Collocation - Space Enclosure, welded wire, first 50 square feet | | | CLO | PE1BX | 197.69 | | | | | | | | | | |
| | Physical Collocation - Space enclosure, welded wire, first 100 square feet | | | CLO | PE1BW | 219.19 | | | | | | | | | | |
| | Physical Collocation - Space enclosure, welded wire, each additional 50 square feet | | | CLO | PE1CW | 21.50 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - C.O. Modification per square ft. | | | CLO | PE1SK | 2.75 | | | | | | | | | | |
| | Physical Collocation - Space Preparation, Common Systems Modifications-Cageless, per square foot | | | CLO | PE1SL | 3.24 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - Common Systems Modifications-Caged, per cage | | | CLO | PE1SM | 110.16 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - Firm Order | | | | | | | | | | | | | | | |
| | Processing Physical Collocation - Space Availability Report, per Central | | | CLO | PE1SJ | | 602.05 | | | | | | | | | |
| | Office Requested | | | CLO | PE1SR | | 1,077.57 | | | | | | | | | |
| Powe | Physical Collocation - Power, -48V DC Power - per Fused Amp | | | | | | | | | | | | | | | |
| | Requested | | | CLO | PE1PL | 9.19 | | | | | | | | | | <u> </u> |
| | Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FB | 5.67 | | | | | | | | | | |
| | Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FD | 11.36 | | | | | | | | | | |
| | Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FE | 17.03 | | | | | | | | | | |
| | Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FG | 39.33 | | | | | | | | | | |
| Cros | s Connects (Cross Connects, Co-Carrier Cross Connects, and P | orts) | | | | | | | | | | | | | | <u> </u> |
| | | | | UEANL,UEQ, UNCNX, UEA, UCL, UAL. UHL. UDN. | | | | | | | | | | | | |
| | Physical Collocation - 2-wire cross-connect, loop, provisioning | | | UNCVX UEA, UHL, UNCVX, | PE1P2 | 0.0341 | 12.32 | 11.83 | 6.04 | 5.45 | | | | | | |
| | Physical Collocation - 4-wire cross-connect, loop, provisioning | | | UNCDX, UCL, UDL WDS1L, WDS1S, | PE1P4 | 0.0682 | 12.42 | 11.90 | 6.40 | 5.74 | | | | | | 1 |
| | | | | UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, | | | | | | | | | | | | |
| | Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning | | | UEPSE, UEPSP, USL | PE1P1 | 1.12 | 22.08 | 15.96 | 6.42 | 5.80 | | | | | | |

| COLLOC | ATI | ON - South Carolina | | | | | | | | | | | | Attachment: | 4 | Exhibit: B | |
|---------|-------|---|-------------|------|---|----------------|--------|-----------------|------------------|-----------------------|-------|----------|------------------------|--|--|-------------------------|--|
| CATEGOR | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonred First | curring Add'l | Nonrecurring First | Add'I | COMEC | SOMAN | SOMAN | Rates(\$) SOMAN | SOMAN | SOMAN |
| | | Physical Collocation - DS3 Cross-Connect, provisioning | | | UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSB, UEPSB, UEPSE, UEPSP | PE1P3 | 14.21 | 20.94 | 15.23 | 7.39 | 5.93 | SOWIEC | SUMAN | SUMAN | SOWAN | SOMAN | SUMAIN |
| | | Physical Collocation - 2-Fiber Cross-Connect | | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1F2 | 2.82 | 20.94 | 15.23 | 7.40 | 5.93 | | | | | | |
| | | Physical Collocation - 4-Fiber Cross-Connect | | | ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX | PE1F4 | 5.01 | 25.61 | 19.90 | 9.73 | 8.26 | | | | | | |
| | | Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable. | | | CLO | PE1ES | 0.001 | | | | | | | | | | |
| | | Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable. | | | CLO | PE1DS | 0.0015 | | | | | | | | | | |
| | | Physical Collocation 2-Wire Cross Connect, Port | | | UEPSR, UEPSP, UEPSE, UEPSB, UEPSX, UEP2C | PE1R2 | 0.0341 | 12.32 | 11.83 | 6.04 | 5.45 | | 15.69 | | | | |
| 0 | | Physical Collocation 4-Wire Cross Connect, Port | | | UEPEX, UEPDD | PE1R4 | 0.0682 | 12.42 | 11.90 | 6.40 | 5.74 | | 15.69 | | | | |
| 560 | curit | Physical Collocation - Security Escort for Basic Time - normally | | | | 1 | | | | | | | | | | | |
| | | scheduled work, per half hour | | | CLO | PE1BT | | 16.96 | 10.75 | | | | | | | | |
| | | Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLO | PE1OT | | 22.10 | 13.89 | | | | | | | | |
| | | Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour | | | CLO | PE1PT | | 27.23 | 17.02 | | | | | | | | |
| | | Physical Collocation - Security Access System, Security System, per Central Office Physical Collocation - Security Access System - New Card | | | CLO | PE1AX | 74.72 | | | | | | | | | | |
| | | Activation, per Card Activation (First), per State | | | CLO | PE1A1 | 0.0601 | 27.85 | | | | | | | | | <u> </u> |
| | | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 7.81 | | | | | | | | | |
| | | Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 22.83 | | | | | | | | | |
| | | Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Key, Replace Lost or | | | CLO | PE1AK | | 13.13 | | | | | | | | | |
| CF | Α | Stolen Key, per Key | | | CLO | PE1AL | | 13.13 | | | | | | | | | |
| Cal | | Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request Records | | | CLO | PE1C9 | | 77.71 | | | | | | | | | - |
| Cal | | Physical Collocation - Cable Records, per request Physical Collocation, Cable Records, VG/DS0 Cable, per cable | | | CLO | PE1CR | | l 760.98 | S 489.2 | 133.29 | | | | | | | |
| | | Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per each | | | CLO | PE1CD | | 327.65 | | 189.54 | | | | | | | |
| | | Physical Collocation, Cable Records, V6/D30 Cable, per each 100 pair Physical Collocation, Cable Records, DS1, per T1 TIE | | | CLO CLO | PE1CO PE1C1 | | 4.82 2.26 | | 5.91 2.77 | | | | | | | |
| | | Physical Collocation, Cable Records, DS3, per T3 TIE | | | CLO | PE1C3 | | 7.90 | | 9.68 | | <u> </u> | | | | | —— |

| COLLOC | CATI | ON - South Carolina | | | | | | | | | | | | Attachment: | 4 | Exhibit: B | |
|---------|---------|--|-------------|------|------------------------------------|--------|--------|----------|-----------|--------------|-------|-------|---|--|--|------------|--|
| CATEGOR | | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | | Increment Charge - Manual Sv Order vs Electronic Disc Add |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | District College's College Courts Files College constitution | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records) | | | CLO | PE1CB | | 84.68 | | 77.30 | | | | | | | |
| Vii | irtual | to Physical | | | CLO | FLICE | | 04.00 | | 11.30 | | | | | | | - |
| - 1 | | Physical Collocation - Virtual to Physical Collocation Relocation, | | | | | | | | | | | | | | | |
| | | per Voice Grade Circuit | | | CLO | PE1BV | | 33.00 | | | | | | | | | |
| | | Physical Collocation - Virtual to Physical Collocation Relocation, | | | | | | | | | | | | | | | |
| | | per DSO Circuit | | | CLO | PE1BO | | 33.00 | | | | | | | | | |
| | | Physical Collocation - Virtual to Physical Collocation Relocation, | | | CLO | PE1B1 | | 52.00 | | | | | | | | | |
| | | per DS1 Circuit Physical Collocation - Virtual to Physical Collocation Relocation, | | | CLO | PE1B1 | | 52.00 | | | | | | | | | |
| | | per DS3 Circuit | | | CLO | PE1B3 | | 52.00 | | | | | | | | | |
| | | Physical Collocation - Virtual to Physical Collocation In-Place, | | | OLO | I LIBS | | 32.00 | | | | | | | | | |
| | | Per Voice Grade Circuit | | | CLO | PE1BR | | 23.00 | | | | | | | | | |
| | | Physical Collocation Virtual to Physical Collocation In-Place, Per | | | | | | | | | | | | | | | |
| | | DSO Circuit | | | CLO | PE1BP | | 23.00 | | | | | | | | | |
| | | Physical Collocation - Virtual to Physical Collocation In-Place, | | | | | | | | | | | | | | | |
| | | Per DS1 Circuit | | | CLO | PE1BS | | 33.00 | | | | | | | | | |
| | | Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit | | | CLO | PE1BE | | 37.00 | | | | | | | | | |
| En | | per DS3 Circuit ce Cable | | | CLO | PEIBE | | 37.00 | | | | | | | | | |
| LI | illiani | Physical Collocation - Cable Installation, Pricing, non-recurring | | 1 | | | | | | | | | | | | | |
| | | charge, per Entrance Cable | | | CLO | PE1BD | | 794.22 | | 22.54 | | | | | | | |
| | | Physical Collocation - Cable Support Structure, per Entrance | | | | | | | | | | | | | | | |
| | | Cable | | | CLO | PE1PM | 21.33 | | | | | | | | | | |
| | | Physical Collocation - Fiber Entrance Cable Installation, per | | | | | | | | | | | | | | | |
| | | Fiber | | | CLO | PE1ED | | 3.87 | | | | | | | | | |
| | | OCATION | | | | | | | | | | | | | | | |
| Ap | pplica | Virtual Collocation - Application Fee | | 1 | AMTFS | EAF | | 1,207.95 | | 0.51 | | | | | | | |
| | | Virtual Collocation - Application Fee Virtual Collocation - Co-Carrier Cross Connects/Direct Connect, | | 1 | AWIIFS | EAF | | 1,207.95 | | 0.51 | | | | | | | |
| | | Application Fee, per application | | | AMTFS | VE1CA | | 584.42 | | | | | | | | | |
| | | Virtual Collocation Administrative Only - Application Fee | | | AMTFS | VE1AF | | 743.66 | | | | | | | | | |
| Sp | | Preparation | | | | | | | | | | | | | | | |
| | | Virtual Collocation - Floor Space, per sq. ft. | | | AMTFS | ESPVX | 3.95 | | | | | | | | | | |
| Po | ower | | | | | | | | | | | | | | | | |
| | | Virtual Collocation - Power, per fused amp | L., | | AMTFS | ESPAX | 9.19 | | | | | | | | | | |
| Cr | ross (| Connects (Cross Connects, Co-Carrier Cross Connects, and P | orts) | | LIEANII LIEA LIDNI | | | | | | | | | | | | |
| | | | | | UEANL, UEA, UDN, UAL. UHL. UCL. | | | | | | | | | | | | |
| | | | | | UEQ, UNCVX, | | | | | | | | | | | | |
| | | Virtual Collocation - 2-wire cross-connect, loop, provisioning | | | UNCDX, UNCNX | UEAC2 | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | | | | | | |
| | | | | | UEA, UHL, UCL, | | | | | | | | | | | | |
| | | | | | UDL, UNCVX, | | | | | | | | | | | | |
| | | Virtual Collocation - 4-wire cross-connect, loop, provisioning | | | UNCDX | UEAC4 | 0.0634 | 12.42 | 11.90 | 6.40 | 5.74 | | | | | | |
| | | | | | ULR, UXTD1, | | | | | | | | | | | | |
| | | Nistral collegation Consid Assess 9 LINE areas assessed as | | | UNC1X, ULDD1, | | | | | | | | | | | | |
| | | Virtual collocation - Special Access & UNE,cross-connect per DS1 | | | U1TD1, USLEL, UNLD1, USL | CNC1X | 1.12 | 22.08 | 15.96 | 6.42 | 5.80 | | | | | | |
| | | D31 | | 1 | USL, UE3, U1TD3, | CINCIA | 1.12 | 22.00 | 15.90 | 0.42 | 5.60 | | | | | | |
| | | | | | UXTS1, UXTD3, | | | | | | | | | | | | |
| | | | | | UNC3X, UNCSX, | | | | | | | | | | | | |
| | | | | | ULDD3, U1TS1, | | | | | | | | | | | | |
| | | Virtual collocation - Special Access & UNE, cross-connect per | | | ULDS1, UDLSX, | | | | | | | | | | | | |
| | | DS3 | | 1 | UNLD3 | CND3X | 14.21 | 20.94 | 15.23 | 7.39 | 5.93 | | | | | | |
| | | | | | UDL12, UDLO3, | | | | | | | | | | | | |
| | | | | | U1T48, U1T12, | | | | | | | | | | | | |
| | | | | | U1TO3, ULDO3, | | | | | | | | | | | | |
| | | Virtual Collocation - 2-Fiber Cross Connects | l | 1 | ULD12, ULD48, UDF | CNC2F | 2.86 | 20.94 | 15.23 | 7.40 | 5.93 | 1 | 1 | | | 1 | 1 |

| COLLOCATIO | ON - South Carolina | | | | | | | | | | | | Attachment: | 4 | Exhibit: B | |
|------------|---|--------|--|-------------------|--------------|--|--------|-----------|--------------|------------|--------------|-----------|-------------|-------------|-------------|--|
| I | Juni ouronna | | | | | l | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incrementa |
| | | | | | | | | | | | | Submitted | Charge - | Charge - | Charge - | |
| | | | | | | | | | | | | | | | | Charge - |
| | | Interi | l_ | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Sv |
| ATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | - | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | Disc 1st | Disc Add I |
| | | | | | | _ | Nonrec | urring | Nonrecurring | Disconnect | | | OSS | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | | | | UDL12, UDLO3, | | | | | | | | | | | | |
| | | | | U1T48, U1T12, | | | | | | | | | | | | |
| | | | | U1TO3, ULDO3, | | | | | | | | | | | | |
| | (** - 1 O - 11 1 C - 1 - 1 C 1 C 1 C 1 C | | | | 011045 | 5.74 | 05.04 | 40.00 | 0.70 | 0.00 | | | | | | |
| \ | Virtual Collocation - 4-Fiber Cross Connects | | | ULD12, ULD48, UDF | CNC4F | 5.71 | 25.61 | 19.90 | 9.73 | 8.26 | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - | | | | | | | | | | | | | | | |
| F | Fiber Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CB | 0.001 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| \ | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - | | | | | | | | | | | | | | | |
| | Copper/Coax Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CD | 0.0015 | | | | | | | | | | |
| | | | | UEPSX, UEPSB, | | | | | | | | | | | | |
| | | | | UEPSE, UEPSP, | | | | | | | | | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Port | | | UEPSR, UEP2C | VE1R2 | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Virtual Collocation 4-Wire Cross Connect, Port | | | UEPDD, UEPEX | VE1R4 | 0.0634 | 12.42 | 11.90 | 6.40 | 5.74 | | | | | | |
| CFA | | | | | | | | | | | | | | | | |
| | Virtual Collocation - CFA Information Resend Request, per | | | | | | | | | | | | | | | |
| | Premises, per Arrangement, per request | | | AMTFS | VE1QR | | 77.71 | | | | | | | | | |
| Cable Re | | | | | | | | | | | | | | | | |
| \ | Virtual Collocation Cable Records - per request | | | AMTFS | VE1BA | | 760.98 | 489.20 | 133.29 | | | | | | | |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per cable | | | | | | | | | | | | | | | |
| | record | | | AMTFS | VE1BB | | 327.65 | | 189.54 | | | | | | | |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per each | | | 7 411111 0 | 72.00 | | 027.00 | | 100.01 | | | | | | | |
| | 100 pair | | | AMTFS | VE1BC | | 4.82 | | 5.91 | | | | | | | |
| | Virtual Collocation Cable Records - DS1, per T1TIE | | | AMTFS | VE1BD | | 2.26 | | 2.77 | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Virtual Collocation Cable Records - DS3, per T3TIE | | | AMTFS | VE1BE | | 7.90 | | 9.68 | | | | | | | |
| | Virtual Collocation Cable Records - Fiber Cable, per 99 fiber | | | | | | | | | | | | | | | |
| | records | | | AMTFS | VE1BF | | 84.68 | | 77.30 | | | | | | | |
| Security | 1 | | | | | | | | | | | | | | | |
| ١ | Virtual collocation - Security escort, basic time, normally | | | | | | | | | | | | | | | |
| | scheduled work hours | | | AMTFS | SPTBX | | 16.96 | 10.75 | | | | | | | | |
| | Virtual collocation - Security escort, overtime, outside of | | | | | | | | | | | | | | | |
| | normally scheduled work hours on a normal working day | | | AMTFS | SPTOX | | 22.10 | 13.89 | | | | | | | | |
| | Virtual collocation - Security escort, premium time, outside of a | | | 7 UVIII O | OI TOX | | 22.10 | 10.00 | | | | | | | | |
| | scheduled work day | | | AMTFS | SPTPX | | 27.23 | 17.02 | | | | | | | | |
| | | | | AMITES | SPIPA | | 21.23 | 17.02 | | | | | | | | |
| Maintena | | | | | | | | | | | | | | | | |
| \ | Virtual collocation - Maintenance in CO - Basic, per half hour | | | AMTFS | CTRLX | | 27.99 | 10.75 | | | | | | | | |
| | | | | | | | l | | | | l | | | | | |
| \ | Virtual collocation - Maintenance in CO - Overtime, per half hour | | | AMTFS | SPTOM | | 36.56 | 13.89 | | | | | | | | |
| | | | | - | | | | | | | | | | l | |] |
| l l | Virtual collocation - Maintenance in CO - Premium per half hour | | | AMTFS | SPTPM | | 45.12 | 17.02 | | | l | | | | | |
| Entrance | | | | | | | İ | | | | | | | | | |
| | Virtual Collocation - Cable Installation Charge, per cable | | | AMTFS | ESPCX | i i | 794.22 | | 22.54 | | i | | | | 1 | |
| | Virtual Collocation - Cable Support Structure, per cable | | | AMTFS | ESPSX | 18.66 | | | 0. | | 1 | | | | 1 | |
| | IN THE REMOTE SITE | | | ···· - | 1 | | | | | | 1 | | | 1 | | 1 |
| | I Remote Site Collocation | | | | | | + | | | | | | | | 1 | |
| | Physical Collocation in the Remote Site - Application Fee | | - | CLORS | PE1RA | + | 308.38 | | 168.60 | | | | | | 1 | |
| | | | - | | | 040.44 | JU8.38 | | 00.801 | | | | | l | 1 | |
| | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 246.44 | | | | | | | | | | |
| | | | | | l | | l | | | | l | | | | | l |
| | Physical Collocation in the Remote Site - Security Access - Key | | | CLORS | PE1RD | | 13.13 | | | | | | | | | |
| | Physical Collocation in the Remote Site - Space Availability | | | | | | | | | | 1 | | | | | 1 |
| | Report per Premises Requested | | | CLORS | PE1SR | | 116.13 | | | | l | | | | | l |
| | Physical Collocation in the Remote Site - Remote Site CLLI | | | | İ | i i | | | | | | i | | İ | 1 | |
| | Code Request, per CLLI Code Requested | 1 | 1 | CLORS | PE1RE |] | 37.64 | | | | |] | | I | | |
| | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | 1 | CLORS | PE1RR | | 234.50 | | | | | | | 1 | 1 | |
| | | | | OLUKO | FEIRK | | ∠34.50 | | | | | | | | - | |
| | Physical Collocation - Security Escort for Basic Time - normally | l | 1 | 0, 000 | l | | | | | |] |] | |] | 1 |] |
| I S | scheduled work, per half hour | l | 1 | CLORS | PE1BT | 1 | 16.96 | 10.75 | | | J | | | 1 | 1 | I |

| COLLOCATION | ON - South Carolina | | | | | | | | | | | | Attachment: | 4 | Exhibit: B | |
|-------------|--|-------------|----------|--------------------------------------|----------------|-----------------|----------------|--------------|--------------|------------|-------------------|-----------|--|-----------|---|----------|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Submitted Elec | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge |
| | | | | | | _ 1 | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | 1 | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLORS | PE1OT | | 22.10 | 13.89 | | | | | | | | |
| | Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour | | | CLORS | PE1PT | | 27.23 | 17.02 | | | | | | | | |
| | nt Remote Site Collocation | | | 020110 | | | 27.20 | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Application Fee | l | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | 1 | 1 | — |
| | Remote Site-Adjacent Collocation - Real Estate, per square foot | | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | Remote Site-Adjacent Collocation - AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| NOTE: I | If Security Escort and/or Add'l Engineering Fees become nec | essary 1 | for adja | cent remote site co | llocation, the | Parties will ne | gotiate approp | riate rates. | | | | | | | | |
| Virtual | Remote Site Collocation | | | | | | | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Application Fee | | | VE1RS | VE1RB | | 616.76 | | 337.19 | | | | | | | |
| | Virtual Collocation in the Remote Site - Per Bay/Rack of Space | | | VE1RS | VE1RC | 246.44 | | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Space Availability Report per Premises requested | | | VE1RS | VE1RR | | 232.25 | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested | | | VE1RS | VE1RL | | 75.27 | | | | | | | | | |
| | LLOCATION | | | | | | | | | | | | | | | |
| | Adjacent Collocation - Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.0939 | | | | | | | | | | |
| | Adjacent Collocation - Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 6.40 | | | | | | | | | | |
| | Adjacent Collocation - 2-Wire Cross-Connects | | | UEANL,UEQ,UEA,U CL, UAL, UHL, UDN | | 0.0264 | 12.32 | 11.83 | 6.04 | 5.45 | | | | | | |
| | Adjacent Collocation - 4-Wire Cross-Connects | | | UEA,UHL,UDL,UCL | | 0.0527 | 12.42 | 11.90 | 6.40 | 5.74 | | | | | | 1 |
| | Adjacent Collocation - DS1 Cross-Connects | | | USL | PE1JG | 1.03 | 22.08 | 15.96 | 6.42 | 5.80 | | | | | | 1 |
| | Adjacent Collocation - DS3 Cross-Connects | | | UE3 | PE1JH | 14.00 | 20.94 | 15.23 | 7.39 | 5.93 | | | | | | 1 |
| | Adjacent Collocation - 2-Fiber Cross-Connect | | | CLOAC | PE1JJ | 2.37 | 20.94 | 15.23 | 7.40 | 5.93 | | | | | | |
| | Adjacent Collocation - 4-Fiber Cross-Connect | | | CLOAC | PE1JK | 4.53 | 25.61 | 19.90 | 9.73 | 8.26 | | | | | | |
| | Adjacent Collocation - Application Fee | | | CLOAC | PE1JB | | 1,580.20 | | | | | | | | | |
| | Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JL | 5.67 | | | | | | | | | | |
| | Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JM | 11.36 | | | | | | | | | | |
| | Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JN | 17.03 | | | | | | | | | | |
| | Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JO | 39.33 | | | | | | | | | | |

Version: 4Q04 Standard ICA

| COLLOCAT | FION - Tennessee | | | | | | | | | | | | Attachment: | 4 | Exhibit: B | |
|------------|---|-------------|------|------|--------|--------|--------------|-----------|--|--------------|-------|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrecurring | | | g Disconnect | | | | Rates(\$) | 1 | |
| | | | | | + | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| DHASICVI C | DLLOCATION | | 1 | | | | | | | | | | | | | |
| | cation | | | | + | | | | + | | | | | | | |
| | Physical Collocation - Cageless - Application Fee | | | CLO | PE1CH | | 2,633.00 | | 1 | | | | | | | |
| | Physical Caged Collocation-App Cost(initial & sub)-Planning, | | | | | | | | | | | | | | | |
| | per request | | | CLO | PE1AC | 16.16 | 2,903.66 | | 1 | | | | | | | |
| | Physical Collocation - Co-Carrier Cross Connects/Direct | | | 01.0 | DE4DT | | 505.00 | | | | | | | | | |
| | Connect, Application Fee, per application Physical Collocation - Power Reconfiguration Only, Application | | | CLO | PE1DT | | 585.09 | | + | | | | | | | |
| | Fee | | | CLO | PE1PR | | 400.10 | | | | | | | | | |
| | Physical Collocation Administrative Only - Application Fee | | | CLO | PE1BL | | 743.25 | | 1 | 1 | | | | | | |
| Space | Preparation | | | | | | | | | | | | | | | |
| | | | | | | | | | 1 | | | | | | | |
| | Physical Caged Collocation-Space Prep-Grounding, per location | | | CLO | PE1SB | 4.32 | | | _ | | 1 | | | | | |
| ı İ | Physical Collocation, Caged Collocation - Space Prep-Power Cable, 40 AMP, includes 20 AMP A and B Feed | | | CLO | PE1SN | | 142.40 | | | | | | | | | |
| | Physical Collocation, Caged Collocation - Space Prep-Power | | 1 | OLO | FLISIN | | 142.40 | | 1 | | 1 | | | | | |
| ı | Cable, 100 AMP, includes 50 AMP A and B Feed | | | CLO | PE1SO | | 185.72 | | | | | | | | | |
| i 1 | Physical Collocation, Caged Collocation - Space Prep-Power | | | | | | | | | | | | | | | |
| | Cable, 200 AMP, includes 100 AMP A and B Feed | | | CLO | PE1SP | | 242.05 | | | | | | | | | |
| | Physical Caged Collocation-Space Enclosure-Cage Preparation, | | | | | | | | | | | | | | | |
| | per first 100 sq. ft. Phycical Caged Collocation-Space Enclosure-Cage Preparation, | | | CLO | PE1S1 | 110.97 | | | | | | | | | | |
| ı | per add'l 50 sq. ft. | | | CLO | PE1S5 | 55.49 | | | | | | | | | | |
| | Physical Caged Collocation-Floor Space-Land & Buildings, per | | | OLO | 1 2100 | 00.40 | | | | | | | | | | |
| ı | sq. ft. | | | CLO | PE1FS | 5.94 | | | | | | | | | | |
| | Physical Collocation - Cageless - Floor Space, per sq. ft. | | | CLO | PE1ZB | 3.91 | | | | | | | | | | |
| | Physical Collocation - Floor Space, per sq feet | | | CLO | PE1PJ | 5.94 | | | | | | | | | | |
| | Physical Collocation - Space Enclosure, welded wire, first 50 square feet | | | CLO | PE1BX | 197.09 | | | | | | | | | | |
| | Physical Collocation - Space enclosure, welded wire, first 100 | | | CLO | PETBX | 197.09 | | | + | | | | | | | |
| | square feet | | | CLO | PE1BW | 218.53 | | | | | | | | | | |
| | Physical Collocation - Space enclosure, welded wire, each | | | | | | | | | | | | | | | |
| | additional 50 square feet | | | CLO | PE1CW | 21.44 | | | | | | | | | | |
| ı | Physical Collocation - Space Preparation - C.O. Modification per | | | | | | | | | | | | | | | |
| | square ft. | | | CLO | PE1SK | 2.74 | | | | | | | | | | |
| ı | Physical Collocation - Space Preparation, Common Systems Modifications-Cageless, per square foot | | | CLO | PE1SL | 2.95 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - Common Systems | | | OLO | I LIGE | 2.90 | | | + | | | | | | | |
| | Modifications-Caged, per cage | | | CLO | PE1SM | 100.14 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - Firm Order | | | | | | İ | | | | | | | | | |
| | Processing | | | CLO | PE1SJ | | 1,204.00 | | 1 | | | | | | | |
| ı İ | Physical Collocation - Space Availability Report, per Central Office Requested | | | CLO | PE1SR | | 2,027.00 | | | | | | | | | |
| Powe | | | 1 | CLU | FEISK | | 2,027.00 | | + | | 1 | | | | | |
| rowe | Physical Collocation - Power, -48V DC Power - per Fused Amp | | 1 | | + - | | + | | 1 | | | | | | | |
| , | Requested | | | CLO | PE1PL | 8.87 | | | 1 | | | | | | | |
| | Physical Collocation - Power, 120V AC Power, Single Phase, | | | | | | ĺ | | | | | | | | | |
| | per Breaker Amp | | 1 | CLO | PE1FB | 5.60 | | | | | | | | | | |
| | Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FD | 11.22 | | | 1 | | | | | | | |
| | Physical Collocation - Power, 120V AC Power, Three Phase, per | | 1 | CLU | FEIFU | 11.22 | 1 | | + | 1 | 1 | | | | | |
| . | Breaker Amp | | | CLO | PE1FE | 16.82 | | | | | | | | | | |
| | Physical Collocation - Power, 277V AC Power, Three Phase, per | | | | 1 | | | | 1 | | | | | | | |
| | Breaker Amp | | | CLO | PE1FG | 38.84 | | | | | | | | | | |
| ı l 🗔 | Physical Caged Collocation-Power-Power Construction, per amp | | | 0.0 | | | | | | | | | | | | |
| | DC plant | | 1 | CLO | PE1PN | 3.55 | | | | | | | | | | |
| l | Physical Caged Collocation-Power-Power Consumption, per amp | | | | | | | | | | | | | | | |

| COLLOCATI | ON - Tennessee | | | | | | | | | | | | Attachment: | 4 | Exhibit: B | |
|-----------|--|-------------|------|---|--------|--------|--------------|-----------|-------|------------|--------|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrecurring | | | Disconnect | 001150 | 001111 | | Rates(\$) | 001441 | SOMAN |
| | Physical Collocation - Cageless - Power, per Fused Amp | | | CLO | PE1ZC | 6.79 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation - Cageless - Power, per 1 used Amp Physical Collocation - Meter Reading - per CLEC per CO, First | | | CLO | FLIZO | 0.79 | | | | | | | | | | |
| | 12 Circuits w/BST Meter Physical Collocation - Meter Reading -per CLEC per CO, per | | | CLO | PE1FO | 102.24 | | | | | | | | | | |
| | Physical Collocation - Meter Reading - per CLEC per CO, First | | | CLO | PE1FP | 8.94 | | | | | | | | | | |
| | 12 Circuits w/CLEC Meter | | | CLO | PE1FQ | 98.25 | | | | | | | | | | |
| | Physical Collocation - Meter Reading - per CLEC per CO, per Each Additional 2 Circuits w/CLEC Meter | | | CLO | PE1FR | 8.94 | | | | | | | | | | |
| | Physical Collocation - Additional Meter Reading Trip Charge, per | | | CLO | PE1FM | | 207.04 | | | | | | | | | |
| Cross | Central Office, per Occurrence Connects (Cross Connects, Co-Carrier Cross Connects, and P | orts) | | CLU | PETEIN | | 307.64 | | | | | | | | | |
| 0.033 | | -113) | | UEANL,UEQ, UNCNX, UEA, UCL, UAL, UHL, UDN, | | | | | | | | | | | | |
| | Physical Collocation - 2-wire cross-connect, loop, provisioning | | | UNCVX | PE1P2 | 0.033 | 33.82 | 31.92 | | | | | | | | |
| | Physcial Collocation - Cageless - 2-Wire Cross-Connects | | | UNCNX UEA, UHL, UNCVX, | PE1ZD | 0.57 | 11.62 | 9.90 | 10.38 | 8.66 | | | | | | |
| | Physical Collocation - 4-wire cross-connect, loop, provisioning | | | UNCDX, UCL, UDL | PE1P4 | 0.066 | 33.94 | 31.95 | | | | | | | | |
| | Physical Collocation - Cageless - 4-Wire Cross Connects | | | UNCVX, UNCDX, WDS1L, WDS1S, | PE1ZE | 0.57 | 11.81 | 10.04 | 10.44 | 8.67 | | | | | | |
| | Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning | | | UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP, USL | PE1P1 | 1.51 | 53.27 | 40.16 | | | | | | | | |
| | | | | WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, | | | | | 40.40 | 0.75 | | | | | | |
| | Physical Collocation - Cageless - DS1 Cross Connects Physical Collocation - DS3 Cross-Connect, provisioning | | | UEPEX, UEPDX UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSP | PE1ZF | 1.32 | 32.22 | 17.76 | 10.46 | 8.75 | | | | | | |
| | | | | UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, | | | | | | | | | | | | |
| | Physcial Collocation - Cageless - DS3 Cross Connects | | | UNLD3 | PE1ZG | 12.32 | 29.97 | 16.30 | 12.03 | 8.99 | | | | | | <u> </u> |
| | Physical Collocation - 2-Fiber Cross-Connect | | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1F2 | 15.64 | 41.56 | 29.82 | 12.96 | 10.34 | | | 2.69 | 2.69 | 1.56 | 1.5 |
| | Physical Collocation - Cageless - 2 Fiber Cross Connect | | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1CK | 3.03 | 41.56 | 29.82 | 12.96 | 10.34 | | | | | | |

| COLLOCATI | ON - Tennessee | | | | | | | | | | | | Attachment: | 4 | Exhibit: B | |
|--|--|-------------|------|---|-------|--------|--------------|-----------|-------------|--------------|-------|------------------------|---|--|-------------------------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - | Increments Charge - Manual Sv Order vs. Electronic Disc Add |
| 1 | | | | | | | Nonrecurring | | Nonrecurrin | g Disconnect | | l | OSS | Rates(\$) | 1 | I. |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation - 4-Fiber Cross-Connect | | | ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX | PE1F4 | 28.11 | 50.53 | 38.78 | 16.97 | 14.35 | | COMPAN | 2.69 | 2.69 | | 1.50 |
| | | | | ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, | 25.0 | | | | | | | | | | | |
| | Physical Collocation - Cageless - 4-Fiber Cross-Connect | | | UDF | PE1CL | 6.06 | 50.53 | 38.78 | 16.97 | 14.35 | | | | | | |
| | Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable. | | | CLO | PE1ES | 0.0013 | | | | | | | | | | |
| | Physical Collocation - Cageless - Co-Carrier Cross Connects - | | | | | | | | | | | | | | | |
| | Fiber Cable Support Structure, per linear foot, per cable. Physical Collocation - Co-Carrier Cross Connect/Direct Connect - | | | CLO | PE1ZH | 0.0031 | | | | | | | | | | |
| | Copper/Coax Cable Support Structure, per linear foot, per cable. | | | CLO | PE1DS | 0.0019 | | | | | | | | | | |
| | Physical Collocation - Cageless - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear foot, per | | | 0.0 | 25.71 | | | | | | | | | | | |
| | cable. | | - | CLO | PE1ZJ | 0.0045 | | | | . | | | | | 1 | |
| | Physical Collocation 2-Wire Cross Connect, Port | | | UEPSR, UEPSP, UEPSE, UEPSB, UEPSX, UEP2C | PE1R2 | 0.033 | 33.82 | 31.92 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Physical Collocation 4-Wire Cross Connect, Port | | | UEPEX, UEPDD | PE1R4 | 0.066 | 33.94 | 31.95 | 1 | † | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Physical Caged Collocation-2-wire Cross Connects-Voice Grade circuits, per circuit. | | | UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3 | PE12C | 0.0475 | 7.68 | | | | | | | | | |
| | Physical Caged Collocation-4-wire Cross Connects-Voice Grade circuits, per circuit. | | | UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3 | PE14C | 0.0475 | 7.68 | | | | | | | | | |
| | Physical Caged Collocation-DS1 Cross Connects-connection to DCS, per circuit. | | | UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3 | PE11S | 7.68 | 41.65 | | | | | | | | | |
| | Physical Caged Collocation-DS1 Cross Connects-Connection to DSX, per circuit. | | | UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3 | PE11X | 0.38 | 41.65 | | | | | | | | | |
| | Physical Caged Collocation-DS3 Cross Connects-Connection to DCS, per circuit. | | | U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3 | PE13S | 53.96 | 298.03 | | | | | | | | | |
| | Physical Caged Collocation-DS3 Cross Connects-Connection to DSX, per circuit. | | | U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3 | PE13X | 9.32 | 298.03 | | | | | | | | | |

| COLLOCAT | ION - Tennessee | | | | | - | - | | | | | | Attachment: | 4 | Exhibit: B | |
|----------|--|-------------|------|-------|----------------|-------|---------------|-----------|-------------|--------------|-------|---|-------------|--|-------------------------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - | Charge - |
| | | | | | | B | Nonrecurring | | Nonrecurrin | g Disconnect | | | oss | Rates(\$) | l. | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Securi | ty | | | | | | | | | | | | | | | 1 |
| | Physical Caged Collocation-Security Access-Access Cards, per | | | | | | | | | | | | | | | |
| | 5 Cards | | | CLO | PE1A2 | | 76.10 | | | | | | | | | |
| | Physcial Collocation - Cageless - Security Escort - Basic, per | | | | | | | | | | | | | | | |
| | Half Hour | | 1 | CLO | PE1ZM | | 33.15 | 20.44 | | | | | | | | |
| | Physical Collocation - Cageless - Security Escort - Overtime, per Half Hour | | | CLO | PE1ZN | | 44.50 | 25.04 | | | | | | | | |
| | Physical Collocation - Cageless - Security Escort - Premium, per | | - | CLO | PETZN | | 41.50 | 25.61 | | - | | | | | | + |
| | Half Hour | | | CLO | PE1ZO | | 49.86 | 30.79 | | | | | | | | |
| | Physical Collocation - Security Escort for Basic Time - normally | | | OLO | 1 2 120 | | 40.00 | 00.10 | | | | | | | | + |
| | scheduled work, per half hour | | | CLO | PE1BT | | 33.91 | 21.49 | | | | | | | | |
| | Physical Collocation - Security Escort for Overtime - outside of | | | | | | | | | | | | | | | 1 |
| | normally scheduled working hours on a scheduled work day, | | | | | | | | | | | | | | | |
| | per half hour | | | CLO | PE1OT | | 44.17 | 27.76 | | | | | | | | |
| | Physical Collocation - Security Escort for Premium Time - | | | | | | | | | | | | | | | |
| | outside of scheduled work day, per half hour | | | CLO | PE1PT | | 54.42 | 34.02 | | | | | | | | |
| | Physical Collocation - Security Access System - Security System per Central Office | | | CLO | PE1AX | 55.99 | | | | | | | | | | |
| | Physical Collocation -Security Access System - New Card | | | CLO | PEIAX | 55.99 | | | | | - | | | | - | + |
| | Activation, per Card Activation (First), per State | | | CLO | PE1A1 | 0.059 | 55.67 | | | | | | | | | |
| | Notivation, per outer notivation (i list), per otate | | | 020 | 1 2 17 (1 | 0.000 | 00.07 | | | | | | | | | † |
| | Physical Collocation-Security Access System-Administrative | | | | | | | | | | | | | | | |
| | Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 15.61 | | | | | | | | | |
| | Physical Collocation - Security Access System - Replace Lost or | | | | | | | | | | | | | | | |
| | Stolen Card, per Card | | | CLO | PE1AR | | 45.64 | | | | | | | | | |
| | Physical Collocation - Security Access - Initial Key, per Key | | | CLO | PE1AK | | 26.24 | | | | | | | | | |
| | Physical Collocation - Security Access - Key, Replace Lost or | | | 01.0 | DE4.41 | | 00.04 | | | | | | | | | |
| CFA | Stolen Key, per Key | | 1 | CLO | PE1AL | | 26.24 | | | | | | | | - | + |
| CFA | Physical Collocation - CFA Information Resend Request, per | | | | | | | | | | | | | | | + |
| | premises, per arrangement, per request | | | CLO | PE1C9 | | 77.67 | | | | | | | | | |
| Cable | Records | | | 020 | . 2.00 | | 77.07 | | | | | | | | İ | † |
| | Physical Collocation - Cable Records, per request | | | CLO | PE1CR | | 1,711.00 | | | | | | | | | |
| | Physical Collocation, Cable Records, VG/DS0 Cable, per cable | | | | | | | | | | | | | | | |
| | record (maximum 3600 records) | | | CLO | PE1CD | | 925.06 | | | | | | | | | |
| | Physical Collocation, Cable Records, VG/DS0 Cable, per each | | | 0.0 | 55400 | | | | | | | | | | | |
| | 100 pair Physical Collocation, Cable Records, DS1, per T1 TIE | | | CLO | PE1CO PE1C1 | | 18.05 8.45 | | | | | | | | | - |
| | Physical Collocation, Cable Records, DS1, per T1 TIE Physical Collocation, Cable Records, DS3, per T3 TIE | | | CLO | PE1C3 | | 29.57 | | | | - | | | | - | + |
| | Physical Collocation - Cable Records, Fiber Cable, per cable | | | 020 | 1 2 100 | | 20.07 | | | | | | | | | + |
| | record (maximum 99 records) | | | CLO | PE1CB | | 279.42 | | | | | | | | | |
| Virtual | to Physical | | | | | | | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, | | | | | | | | | | | | | | | |
| | per Voice Grade Circuit | | | CLO | PE1BV | | 33.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, | | | l | L | | | | | | | | | | _ | |
| | per DSO Circuit | | 1 | CLO | PE1BO | | 33.00 | | 1 | 1 | | | | | 1 | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit | | | CLO | PE1B1 | | 52.00 | | | | | | | | 1 | |
| | Physical Collocation - Virtual to Physical Collocation Relocation, | | 1 | OLO | FLIDI | | 52.00 | | 1 | + | 1 | | | | | + |
| | per DS3 Circuit | | | CLO | PE1B3 | | 52.00 | | | | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation In-Place, | | | | | | 32.30 | | | 1 | | | | | 1 | † |
| 1 | Per Voice Grade Circuit | | | CLO | PE1BR | | 23.00 | | | | | | | | | |
| | Physical Collocation Virtual to Physical Collocation In-Place, Per | | | | | | | | | | | | | | | |
| | DSO Circuit | | | CLO | PE1BP | | 23.00 | | | 1 | | | | | | |
| | Physical Collocation - Virtual to Physical Collocation In-Place, | | | l., . | DE 15.5 | | | | | | | | | | | |
| | Per DS1 Circuit | | 1 | CLO | PE1BS | | 33.00 | | 1 | + | | | | | 1 | |
| | Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit | | | CLO | PE1BE | | 37.00 | | | | | | | | | |
| Entran | per DS3 Circuit | ! | 1 | OLU | FEIDE | | 37.00 | | 1 | + | | | | - | | + |
| Littidi | oc ounic | | 1 | 1 | | | | | 1 | 1 | | | | 1 | | |

| COLLOCATI | ON - Tennessee | | | | | | | | | | | | Attachment: | 4 | Exhibit: B | |
|--------------|--|-------------|------|---|--------|--------|--------------|-----------|--|------------|----------|---|---|---|------------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Nonrecurring | | Nonrecurring | Disconnect | | | OSS | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation - Cable Support Structure, per Entrance | | | | | | | | | | | | | | | |
| | Cable Physical Collocation - Fiber Entrance Cable per Cable (CO | | | CLO | PE1PM | 19.80 | | | | | | | | | | |
| | manhole to vault splice) | | | CLO | PE1EC | | 1,071.00 | | 43.10 | | | | | | | |
| | Physical Collocation - Fiber Entrance Cable Installation, per | | | 020 | . 2.20 | | 1,07 1.00 | | 10.10 | | | | | | | |
| | Fiber | | | CLO | PE1ED | | 7.29 | | | | | | | | | |
| VIRTUAL COLI | | | | | | | | | | | | | | | | |
| Applica | | | | AMTFS | EAF | | 2,633.00 | | | | | | 2.07 | 2.81 | 0.67 | 1.41 |
| | Virtual Collocation - Application Fee Virtual Collocation - Co-Carrier Cross Connects/Direct Connect, | | | AWITS | EAF | | 2,633.00 | | | | | | 2.07 | 2.01 | 0.67 | 1.41 |
| | Application Fee, per application | | | AMTFS | VE1CA | | 585.09 | | | | | | | | | |
| | Virtual Collocation Administrative Only - Application Fee | | | AMTFS | VE1AF | | 743.25 | | | | | | | | | |
| Space | Preparation | | | | | | | | | | | | | | | |
| | Virtual Collocation - Floor Space, per sq. ft. | | | AMTFS | ESPVX | 3.91 | | | | | | | | | | |
| Power | Virtual Collocation - Power, per fused amp | | | AMTFS | ESPAX | 6.79 | 1 | | | | | | | | | |
| Cross | Connects (Cross Connects, Co-Carrier Cross Connects, and P | orts) | | AWITS | LOFAX | 0.79 | | | | | | | | | | |
| | | | | UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, | | | | | | | | | | | | |
| | Virtual Collocation - 2-wire cross-connect, loop, provisioning | | | UNCDX, UNCNX | UEAC2 | 0.57 | 11.62 | 9.90 | 10.38 | 8.66 | | | 2.07 | 2.81 | 0.67 | 1.41 |
| | | | | UEA, UHL, UCL, | | | | | | | | | | | | |
| | Virtual Collocation - 4-wire cross-connect, loop, provisioning | | | UDL, UNCVX, UNCDX | UEAC4 | 0.57 | 11.81 | 10.04 | 10.44 | 8.67 | | | 2.07 | 2.81 | 0.67 | 1.41 |
| | Virtual collocation - Special Access & UNE, cross-connect per DS1 | | | ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, | CNC1X | 1.32 | 32.22 | 17.76 | 10.46 | 8.75 | | | 2.07 | 2.81 | 0.67 | 1.41 |
| | Virtual collocation - Special Acess & UNE, cross-connect per DS3 | | | USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 | CND3X | 12.32 | 29.97 | 16.30 | 12.03 | 8.99 | | | 2.07 | 2.81 | 0.67 | 1.41 |
| | Virtual Collocation - 2-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC2F | 3.03 | 41.56 | 29.82 | 12.96 | 10.34 | | | 2.69 | 2.69 | 1.56 | 1.56 |
| | Virtual Collocation - 4-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | | 6.06 | 50.53 | 38.78 | | 14.35 | | | 2.69 | 2.69 | 1.56 | 1.56 |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CB | 0.0013 | 30.33 | 30.70 | 10.31 | 14.55 | | | 2.03 | 2.03 | 1.30 | 1.50 |
| | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable | | | AMTFS UEPSX, UEPSB, | VE1CD | 0.0019 | | | | | | | | | | |
| | | | | UEPSE, UEPSB, | | | | | | | | | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Port | | | UEPSR, UEP2C | VE1R2 | 0.57 | 11.62 | 9.90 | 10.38 | 8.66 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Virtual Collocation 4-Wire Cross Connect, Port | | | | VE1R4 | 0.57 | 11.81 | 10.04 | | 8.67 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| CFA | | | | | | | | | | | | | | | | |
| Cable I | Virtual Collocation - CFA Information Resend Request, per Premises, per Arrangement, per request Records | | | AMTFS | VE1QR | | 77.67 | | | | | | | | | |
| - Junio 1 | Virtual Collocation Cable Records - per request | 1 | | AMTFS | VE1BA | | 1,711.00 | | | | | | | 1 | 1 | 1 |

| COLLOCATI | ION - Tennessee | | | | | | | | | | | | Attachment: | 4 | Exhibit: B | |
|-------------|---|--|--|--------------------|-----------------|-----------------|---------------|---------------------------------------|--------------|-------|-----------------|------------------------|---|---|--|---|
| OLLOGAII | Tellinessee | | | | | | | | | | | Svc Order Submitted | Incremental Charge - | | | Incrementa Charge - |
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Elec per LSR | Manually per LSR | Manual Svc Order vs. Electronic- 1st | Manual Svc Order vs. Electronic- Add'I | Manual Svc Order vs. Electronic- Disc 1st | Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates(\$) | | |
| | Not all Oally of a Oally Provide MO/DOO Oally assessed | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per cable record | | | AMTFS | VE1BB | | 925.06 | | | | | | | | | |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per each | | | AWITO | VETOD | | 323.00 | | | | | | | | | |
| | 100 pair | | | AMTFS | VE1BC | | 18.05 | | | | | | | | | |
| | Virtual Collocation Cable Records - DS1, per T1TIE | | | AMTFS | VE1BD | | 8.45 | | | | | | | | | |
| | Virtual Collocation Cable Records - DS3, per T3TIE | | | AMTFS | VE1BE | | 29.57 | | | | | | | | | |
| | Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records | | | AMTFS | VE1BF | | 279.42 | | | | | | | | | |
| Securit | | | | AWITO | VEIDI | | 213.42 | | | | | | | | | |
| | Virtual collocation - Security escort, basic time, normally | | | | | | | | | | | | | | | |
| | scheduled work hours | | | AMTFS | SPTBX | | 33.15 | 20.44 | | | | | 2.07 | 2.81 | 0.67 | 1.4 |
| | Virtual collocation - Security escort, overtime, outside of | | | | 00701 | | | | | | | | | | | |
| - | normally scheduled work hours on a normal working day Virtual collocation - Security escort, premium time, outside of a | | - | AMTFS | SPTOX | | 41.50 | 25.61 | | | 1 | | 2.07 | 2.81 | 0.67 | 1.4 |
| | scheduled work day | | | AMTFS | SPTPX | | 49.86 | 30.79 | | | | | 2.07 | 2.81 | 0.67 | 1.4 |
| Mainte | | | | , | Ux | | 10.00 | 00.70 | | | | | 2.07 | 2.01 | 0.01 | |
| | Virtual collocation - Maintenance in CO - Basic, per half hour | | | AMTFS | CTRLX | | 30.64 | | | | | | 2.07 | 2.81 | 0.67 | 1.4 |
| | | | | | | | | | | | | | | | | |
| | Virtual collocation - Maintenance in CO - Overtime, per half hour | | | AMTFS | SPTOM | | 35.77 | | | | | | 2.07 | 2.81 | 0.67 | 1.4 |
| | Virtual collocation - Maintenance in CO - Premium per half hour | | | AMTFS | SPTPM | | 40.90 | | | | | | 2.07 | 2.81 | 0.67 | 1.4 |
| Entran | ce Cable | | | AWITO | OI 11 W | | 40.30 | | | | | | 2.07 | 2.01 | 0.07 | 1 |
| | Virtual Collocation - Cable Installation Charge, per cable | | | AMTFS | ESPCX | | 1,749.00 | | | | | | 2.07 | 2.81 | 0.67 | 1.4 |
| | Virtual Collocation - Cable Support Structure, per cable | | | AMTFS | ESPSX | 17.87 | | | | | | | | | | |
| | N IN THE REMOTE SITE | | | | | | | | | | | | | | | |
| | al Remote Site Collocation | | | CLODE | DEADA | | 580.20 | | 312.76 | | | | | | | |
| | Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS CLORS | PE1RA PE1RB | 220.41 | 580.20 | | 312.76 | | | | | | | |
| | Cabinet Opace in the Remote Site per Bay/ Rack | | | OLONO | LIKE | 220.41 | - | | | | | | | | | |
| | Physical Collocation in the Remote Site - Security Access - Key | | | CLORS | PE1RD | | 24.69 | | | | | | | | | |
| | Physical Collocation in the Remote Site - Space Availability | | | | | | | | | | | | | | | |
| | Report per Premises Requested | | | CLORS | PE1SR | | 218.49 | | | | | | | | | |
| | Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 70.81 | | | | | | | | | |
| | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 234.15 | | | | | | | | | |
| | Physical Collocation - Security Escort for Basic Time - normally | | | OLONO | LIKK | | 254.15 | | | | | | | | | |
| | scheduled work, per half hour | | | CLORS | PE1BT | | 33.91 | 21.49 | | | | | | | | |
| | Physical Collocation - Security Escort for Overtime - outside of | | | | | | | | | | | | | | | |
| | normally scheduled working hours on a scheduled work day, | | | | | | | | | | | | | | | |
| | per half hour Physical Collocation - Security Escort for Premium Time - | | | CLORS | PE1OT | | 44.17 | 27.76 | | | | | | | | |
| | outside of scheduled work day, per half hour | | | CLORS | PE1PT | | 54.42 | 34.02 | | | | | | | | |
| Adiace | ent Remote Site Collocation | | | OLONO | 1 = 11 1 | | 34.42 | J4.02 | | | | | | | | |
| , | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | | <u> </u> |
| | | | | | | | | | | | | | | | | 1 |
| | Remote Site-Adjacent Collocation - Real Estate, per square foot | | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | Demanda Cita Adianant Callanatia - AO Barrara - A | | | CI ODC | DE4DO | 0.00 | [| | | | | | | | | |
| NOTE: | Remote Site-Adjacent Collocation - AC Power, per breaker amp If Security Escort and/or Add'l Engineering Fees become nec | occom 4 | or adia | CLORS | PE1RS | 6.27 | antiate annes | riato ratos | | | | | | | | |
| | Remote Site Collocation | coodiy 1 | or auja | real remote site (| Jonocation, the | i aiues Will Ne | gonate approp | riale rales. | | 1 | | | | | | |
| riituai | Virtual Collocation in the Remote Site - Application Fee | | | VE1RS | VE1RB | | 580.20 | | 312.76 | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Per Bay/Rack of Space | | | VE1RS | VE1RC | 220.41 | | | | | | | | | | |
| | Virtual Collocation in the Remote Site - Space Availability Report | | | | | | | · · · · · · · · · · · · · · · · · · · | | | | | | | | |
| | per Premises requested | | ļ | VE1RS | VE1RR | | 218.49 | | | | | | | | | <u> </u> |
| | Virtual Collocation in the Remote Site - Remote Site CLLI Code | | | \/E1DQ | VE1RL | | 70.81 | | | | | | | | | |
| D IACENT CO | Request, per CLLI Code Requested DLLOCATION | | | VE1RS | VEIKL | | 70.81 | | | | | | | - | - | |
| JOHOLINI OC | Adjacent Collocation - Space Charge per Sq. Ft. | | 1 | CLOAC | PE1JA | 0.0656 | | | | | | | | ļ | | |

| COLLOCATION - Tennessee | | | | | | | | | | | | Attachment: | 4 | Exhibit: B | | |
|-------------------------|---|-------------|------|--------------------------------------|--------|-----------|--------------|-------|--------------|------------|-----------|-------------|----------|--|----------|-------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | e BCS | usoc | RATES(\$) | | | | | Submitted | Charge - | Charge - | Incremental Charge - Manual Svc Order vs. | Charge - | |
| I | | | | | | _ | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Adjacent Collocation - Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 5.53 | | | | | | | | | | 1 |
| | Adiacent Collocation - 2-Wire Cross-Connects | | | UEANL,UEQ,UEA,U CL, UAL, UHL, UDN | PF1.IF | 0.34 | 11.12 | 10.18 | 11.33 | 10.23 | | | 1.77 | 1.77 | 1.12 | 1.12 |
| | Adjacent Collocation - 4-Wire Cross-Connects | | 1 | | PE1JF | 0.33 | | 10.31 | 11.62 | 10.44 | | | 1.77 | 1.77 | | |
| | Adjacent Collocation - DS1 Cross-Connects | | 1 | USL | PE1JG | 1.70 | | 16.88 | 11.65 | 10.54 | | | 1.77 | 1.77 | | |
| | Adjacent Collocation - DS3 Cross-Connects | | | UE3 | PE1JH | 19.03 | 26.23 | 15.51 | 13.40 | 10.77 | | | 1.77 | 1.77 | | |
| | Adjacent Collocation - 2-Fiber Cross-Connect | | | CLOAC | PE1JJ | 3.49 | 26.23 | 15.51 | 13.41 | 10.78 | | | 1.77 | 1.77 | 1.12 | 1.12 |
| | Adjacent Collocation - 4-Fiber Cross-Connect | | | CLOAC | PE1JK | 6.50 | | 19.02 | 17.60 | 14.97 | | | 1.77 | 1.77 | | |
| | Adjacent Collocation - Application Fee | | | CLOAC | PE1JB | | 2,973.00 | | 0.95 | | | | 0.00 | 0.00 | 0.00 | 0.00 |
| | Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JL | 5.81 | | | | | | | | | | |
| | Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JM | 11.64 | | | | | | | | | | |
| | Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JN | 17.45 | _ | | | | | | | | | |
| | Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JO | 40.30 | | | | | | | | | | |

Version: 4Q04 Standard ICA

Attachment 5

Access to Numbers and Number Portability

Version: 4Q04 Standard ICA

TABLE OF CONTENTS

| 1. | NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS | 3 |
|----|--|----|
| 2. | LOCAL NUMBER PORTABILITY | 4 |
| 3. | OSS RATES | .5 |
| 4. | LNP IN CONJUNCTION WITH LOCAL SWITCHING | 5 |

Version: 4Q04 Standard ICA

ACCESS TO NUMBERS AND NUMBER PORTABILITY

1. NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS

- During the term of this Agreement, where REDSQUARE is utilizing its own switch, REDSQUARE shall contact the North American Numbering Plan Administrator (NANPA), or, where applicable, the relevant Number Pool Administrator for the assignment of numbering resources.
- Where BellSouth provides local switching or resold services to REDSQUARE, BellSouth will provide REDSQUARE with online access to available telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. REDSQUARE acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. REDSQUARE may designate up to a forecasted six (6) months supply of available numbers as intermediate (an available number provided to REDSQUARE) telephone numbers per rate center if the following conditions are met:
- 1.2.1 REDSQUARE must: (1) indicate that all of the intermediate numbers currently held by REDSQUARE in each rate center where REDSQUARE will be requesting intermediate telephone numbers have six (6) or less months to exhaust; (2) supply projected monthly telephone number demand on a rate center basis for the coming twelve (12) months for each rate center where REDSQUARE will be requesting intermediate telephone numbers; and, (3) demonstrate that the utilization level on current intermediate numbers held by REDSQUARE in the rate center where REDSQUARE is requesting telephone numbers has reached at least 75%.
- 1.2.2 The above information will be provided by REDSQUARE by submitting to BellSouth a fully completed "CO Code Assignments Months To Exhaust Certification Worksheet TN Level" ("MTE Worksheet"), Appendix B to the Central Office Code (NXX) Assignments Guidelines, INC 95-0407-008 for each rate center where REDSQUARE will be requesting intermediate telephone numbers. The utilization level is calculated by dividing all intermediate numbers currently assigned by REDSQUARE to End Users by the total number of intermediate numbers held by REDSQUARE in the rate center and multiplying the result by one hundred (100).
- 1.2.3 If fulfilling REDSQUARE's request for intermediate numbers results in BellSouth having to submit a request for additional telephone numbers to a national numbering administrator (either NANPA CO Code Administration or NeuStar Pooling Administration or their successors), BellSouth will submit the required numbering request to the national numbering administrator to satisfy REDSQUARE's request for intermediate numbers. BellSouth will also pursue all

Version: 4Q04 Standard ICA

appropriate steps (including submitting a safety valve request (petition) to the appropriate Commission if the numbering request is denied by the national administrator) to satisfy REDSQUARE's request for intermediate numbers. In these cases, BellSouth is not obligated to fulfill the request by REDSQUARE for intermediate numbers unless, and until, BellSouth's request for additional numbering resources is granted.

- 1.2.4 REDSQUARE agrees to supply supporting information for any numbering request and/or safety valve request that BellSouth files pursuant to Section 1.2.3above.
- 1.3 REDSQUARE acknowledges that there may be instances where there is an industry shortage of available telephone numbers in a number plan area (NPA). These instances occur where a jeopardy status has been declared by NANPA and the industry has determined that limiting the assignment of new numbers is the appropriate method to employ until the jeopardy can be alleviated. In such NPA jeopardy situations where assignment of new numbers is restricted per the jeopardy guidelines developed by the industry, BellSouth may request that REDSQUARE cancel all or a portion of its unassigned intermediate numbers. REDSQUARE's consent to BellSouth's request shall not be unreasonably withheld.

2. LOCAL NUMBER PORTABILITY

- 2.1 The Parties will offer Local number portability (LNP) in accordance with rules, regulations and guidelines adopted by the Commission, the FCC and industry fora.
- 2.2 <u>Service Management System (SMS) Administration.</u> The Parties will work cooperatively with other local service providers to establish and maintain contracts for the LNP SMS.
- 2.3 <u>Network Architecture.</u> The Parties agree to adhere to applicable FCC rules and orders governing LNP network architecture.
- 2.4 <u>Signaling.</u> In connection with LNP, each Party agrees to use SS7 signaling in accordance with applicable FCC rules and orders.
- 2.5 N-1 Query. The Parties agree to adhere to applicable FCC rules and orders governing LNP N-1 queries.
- 2.6 Porting of Reserved Numbers and Suspended Lines. End Users of each Party may port numbers, via LNP, that are in a denied state or that are on suspend status. In addition, End Users of each Party may port reserved numbers that the End User has paid to reserve. Portable reserved numbers are identified on the Customer Service Record (CSR). In anticipation of porting from one Party to the other Party, a Party's End User may reserve additional telephone numbers and include them with the numbers that are subsequently ported to the other Party. It is not necessary to restore a denied number before it is ported.
- 2.7 <u>Splitting of Number Groups.</u> The Parties shall permit blocks of subscriber numbers (including, but not limited to, Direct Inward Dial (DID) numbers and

Version: 4Q04 Standard ICA

MultiServ groups) to be split in connection with an LNP request. BellSouth and REDSQUARE shall permit End Users who port a portion of DID numbers to retain DID service on the remaining portion of numbers. If a Party requests porting a range of DID numbers smaller than a whole block, that Party shall pay the applicable charges for doing so as set forth in Attachment 2 of this Agreement. In the event no rate is set forth in Attachment 2, then the Parties shall negotiate a rate for such services.

- 2.8 The Parties will set Location Routing Number (LRN) unconditional or 10-digit triggers where applicable. Where triggers are set, the porting Party will remove the ported number at the same time the trigger is removed.
- A trigger order is a service order issued in advance of the porting of a number. A trigger order 1) initiates call queries to the AIN SS7 network in advance of the number being ported; and 2) provides for the new service provider to be in control of when a number ports.
- Where triggers are not set, the Parties shall coordinate the porting of the number between service providers so as to minimize service interruptions to the End User.
- 2.11 BellSouth and REDSQUARE will work cooperatively to implement changes to LNP process flows ordered by the FCC or as recommended by standard industry foras addressing LNP.
- Where REDSQUARE utilizes BellSouth's LNP Query Service, BellSouth shall bill and REDSQUARE shall pay the query charge associated with LNP Query Service as set forth in Attachment 2. To receive the LNP Query Service charge set forth in Attachment 2, REDSQUARE shall fill out and submit the Interconnection data sheet for BellSouth LNP Query Service. The form can be obtained on www.interconnection.bellsouth.com under BellSouth LNP Query Service and click on forms. Once the form has been filled out and submitted the LNP Query charge will take effect on the approved date. This charge is not subject to the resale discount set forth in Attachment 1 of this Agreement.

3. OSS RATES

3.1 The terms, conditions and rates for OSS utilized in connection with LNP are as set forth in Exhibit A of Attachment 2.

4. LNP IN CONJUNCTION WITH LOCAL SWITCHING

- Where REDSQUARE purchases local switching from BellSouth, the Parties shall adhere to the following processes:
- When REDSQUARE submits an LSR for services, if the telephone number associated with the services requested resides in a switch other than BellSouth's, then BellSouth will submit an LNP LSR to the appropriate switch owner. REDSQUARE shall be responsible for reimbursing BellSouth for any costs or charges imposed on BellSouth by the switch owner resulting from the submission

Version: 4Q04 Standard ICA

of the LNP LSR. In addition, REDSQUARE shall pay to BellSouth the manual service order charges specified in Exhibit A of Attachment 2 of this Agreement for BellSouth's creation and submission of the LNP LSR to the appropriate switch owner.

4.3 Working telephone numbers, telephone numbers for which payment has been made to reserve and telephone numbers that are in a denied state (but not disconnected) or suspended status may be subject to porting.

Attachment 6

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

TABLE OF CONTENTS

| 1. | QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR | . 3 |
|----|---|-----|
| 2. | ACCESS TO OPERATIONS SUPPORT SYSTEMS | . 3 |
| 3. | MISCELLANEOUS | . 7 |

PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

1. QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

1.1 BellSouth shall provide to REDSQUARE nondiscriminatory access to its Operations Support Systems (OSS) and the necessary information contained therein in order that REDSQUARE can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide REDSQUARE with all relevant documentation (manuals, user guides, specifications, etc.) regarding business rules and other formatting information as well as practices and procedures necessary to ensure requests are efficiently processed. All documentation will be readily accessible at BellSouth's Interconnection Web site and is incorporated herein by reference. BellSouth shall ensure that its OSS are designed to accommodate requests for both current and projected demands of REDSQUARE and other CLECs in the aggregate.

2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

- 2.1 BellSouth shall provide REDSQUARE nondiscriminatory access to its OSS and the necessary information contained therein in order that REDSQUARE can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide nondiscriminatory access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole responsibility of REDSQUARE to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for REDSQUARE's access and use of BellSouth's electronic interfaces are set forth at BellSouth's Interconnection Web site and are incorporated herein by reference.
- 2.1.1 REDSQUARE agrees to comply with the provisions of the Operations Support Systems (OSS) Interconnection Volume Guidelines as set forth at BellSouth's Interconnection Web site, and incorporated herein by reference as amended from time to time.
- 2.2 <u>Pre-Ordering.</u> BellSouth will provide electronic access to its OSS and the information contained therein in order that REDSQUARE can perform the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record information and loop makeup information. Mechanized access is provided by electronic interfaces whose specifications for access and use are set forth at BellSouth's Interconnection Web site and are incorporated herein by reference. The process by which BellSouth and REDSQUARE will manage these electronic interfaces to include the development and introduction of new interfaces will be

Version: 4Q04 Standard ICA

governed by the change management process as described in Section 2.6 below. REDSQUARE shall provide to BellSouth access to customer record information, including circuit numbers associated with each telephone number where applicable. REDSQUARE shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available, REDSQUARE shall provide to BellSouth paper copies of customer record information, including circuit numbers associated with each telephone number where applicable. If BellSouth requests the information before noon, the customer record information shall be provided the same day. If BellSouth requests the information after noon, the customer record information shall be provided by noon the following day.

- 2.2.1 The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission.

 REDSQUARE will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the state in which the service is provided. BellSouth reserves the right to audit REDSQUARE's access to customer record information. If a BellSouth audit of REDSQUARE's access to customer record information reveals that REDSQUARE is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to REDSQUARE may take corrective action, including but not limited to suspending or terminating REDSQUARE's electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by the Proprietary and Confidential Information section in the General Terms and Conditions of this Agreement.
- Ordering. BellSouth will make available to REDSQUARE electronic interfaces for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. Specifications for access and use of BellSouth's electronic interfaces are set forth at BellSouth's Interconnection Web site and are incorporated herein by reference as they are amended from time to time. The process by which BellSouth and REDSQUARE will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below.
- 2.3.1 REDSQUARE shall place orders for services by submitting a local service request ("LSR") to BellSouth. BellSouth shall bill REDSQUARE an electronic service order charge at the rate set forth in the applicable Attachment to this Agreement for each LSR submitted by means of an electronic interface. BellSouth shall bill REDSQUARE a manual service order charge at the rate set forth in the applicable Attachment to this Agreement for each LSR submitted by means other than the electronic Interfaces (e.g. mail, fax, courier, etc.). An individual LSR will be identified for billing purposes by its Purchase Order Number ("PON").

- 2.3.1.1 REDSQUARE may submit an LSR to request that an End User's service be temporarily suspended, denied, or restored. Alternatively, REDSQUARE may submit a list of such End Users if REDSQUARE provides a separate PON for each location on the list. Each location will be billed as a separate LSR.
- 2.3.1.2 BellSouth will bill the electronic or manual service order charge, as applicable, for an LSR, regardless of whether that LSR is later supplemented, clarified or cancelled.
- 2.3.1.3 Notwithstanding the foregoing, BellSouth will not bill an additional electronic or manual service order charge for supplements to any LSR submitted to clarify, correct, change or cancel a previously submitted LSR.
- 2.4 Provisioning. BellSouth shall provision services during its regular working hours. To the extent REDSQUARE requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians or project managers to work outside of regular working hours, overtime charges set forth in BellSouth's State E Tariff, Section 13.2, shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician or project manager during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of REDSQUARE, BellSouth will not assess REDSQUARE additional charges beyond the rates and charges specified in this Agreement.
- 2.4.1 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by REDSQUARE (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill REDSQUARE for each additional dispatch required to provision the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No. 1 Tariff, Section 13.3.1 (E).
- 2.4.2 <u>Cancellation Charges.</u> If REDSQUARE cancels an LSR for network elements or resold services, any costs incurred by BellSouth in conjunction with the provisioning of that request will be recovered in accordance with BellSouth's Private Line Tariff or BellSouth's FCC No. 1 Tariff, Section 5.4.
- 2.4.2.1 Notwithstanding the foregoing, if REDSQUARE places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements requested and another spare compatible facility cannot be found with the transmission characteristics of the network elements originally requested, cancellation charges described in this Section shall not apply. Where REDSQUARE places a single LSR for multiple network elements or services based upon loop makeup

information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, REDSQUARE may cancel its request for those network elements or services without incurring cancellation charges as described in this Section. In such instance, should REDSQUARE elect to cancel the entire LSR, cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.

- 2.4.3 <u>Service Date Advancement Charges (Expedites).</u> For Service Date Advancement requests by REDSQUARE, Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in Exhibit A of Attachment 2 of this Agreement will apply.
- 2.4.4 Order Modification Charges. If REDSQUARE modifies an order after being sent a Firm Order Confirmation (FOC) from BellSouth, the Order Modification Charge (OMC) or Order Modification Charge Additional Dispatch (OMCAD) will be paid by REDSQUARE in accordance with Exhibit A of Attachment 2 of this Agreement.
- 2.5 <u>Maintenance and Repair.</u> BellSouth will make available to REDSQUARE electronic interfaces for the purpose of reporting and monitoring service troubles. Specifications for access and use of BellSouth's maintenance and repair electronic interfaces are set forth at BellSouth's Interconnection Web site and are incorporated herein by reference. The process by which BellSouth and REDSQUARE will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. Requests for trouble repair are billed in accordance with the provisions of this Agreement. BellSouth and REDSQUARE agree to adhere to BellSouth's Operational Understanding, as amended from time to time during this Agreement and as incorporated herein by reference. The Operational Understanding may be accessed via BellSouth's Interconnection Web site.
- 2.5.1 If REDSQUARE reports a trouble on a Network Element or Other Service and no trouble actually exists on the BellSouth portion, BellSouth will charge REDSQUARE for any dispatching and testing (both inside and outside the Central Office (CO)) required by BellSouth in order to confirm the working status.
- 2.5.2 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by REDSQUARE (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill REDSQUARE for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable

Maintenance of Service rates from BellSouth's FCC No. 1 Tariff, Section 13.3.1 (E).

- 2.6 <u>Billing.</u> BellSouth will provide REDSQUARE nondiscriminatory access to billing information as specified in Attachment 7 to this Agreement.
- 2.7 Change Management. BellSouth and REDSQUARE agree that the collaborative change management process known as the Change Control Process (CCP) will be used to manage changes to existing interfaces, introduction of new interfaces and retirement of interfaces. BellSouth and REDSQUARE agree to comply with the provisions of the documented Change Control Process as may be amended from time to time and incorporated herein by reference. The change management process will cover changes to BellSouth's electronic interfaces, BellSouth's testing environment, associated manual process improvements, and relevant documentation. The process will define a procedure for resolution of change management disputes. Documentation of the CCP as well as related information and processes will be clearly organized and readily accessible to REDSQUARE at BellSouth's Interconnection Web site.
- 2.8 <u>Rates.</u> Unless otherwise specified herein, charges for the use of BellSouth's Operations Support Systems (OSS), and other charges applicable to pre-ordering, ordering, provisioning and maintenance and repair, shall be at the rates set forth in the applicable Attachment of this Agreement.
- 2.9 The Commissions in some states have ordered per element manual additive nonrecurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A of Attachment 2.

3. MISCELLANEOUS

- 3.1 <u>Pending Orders.</u> To the extent that REDSQUARE submits an LSR with incomplete, incorrect or conflicting information, BellSouth will return the LSR to REDSQUARE for clarification. REDSQUARE shall respond to the request for clarification within thirty (30) days by submitting a supplemental LSR. If REDSQUARE does not submit a supplement LSR within thirty (30) days, BellSouth will cancel the original LSR and REDSQUARE shall be required to submit a new LSR, with a new PON.
- 3.2 <u>Single Point of Contact.</u> REDSQUARE will be the single point of contact with BellSouth for ordering activity for network elements and other services used by REDSQUARE to provide services to its End Users, except that BellSouth may accept a request directly from another CLEC, or BellSouth, acting with authorization of the affected End User. REDSQUARE and BellSouth shall each

Version: 4Q04 Standard ICA

execute a blanket letter of authorization with respect to customer requests so that prior proof of End User authorization will not be necessary with every request (except in the case of a local service freeze). The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for requests, provided, however, that such processes shall comply with applicable state and federal law and industry and regulatory guidelines. Pursuant to a request from another carrier, BellSouth may disconnect any network element being used by REDSQUARE to provide service to that End User and may reuse such network elements or facilities to enable such other carrier to provide service to the End User. BellSouth will notify REDSQUARE that such a request has been processed but will not be required to notify REDSQUARE in advance of such processing.

- 3.2.1 Neither BellSouth nor REDSQUARE shall prevent or delay an End User from migrating to another carrier because of unpaid bills, denied service, or contract terms.
- 3.2.2 The Parties shall return a Firm Order Confirmation (FOC) and Local Service Request (LSR) rejection/clarification in accordance with the intervals specified in Attachment 9 of this Agreement.
- 3.2.3 <u>Use of Facilities.</u> When an End User of REDSQUARE elects to discontinue service and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to REDSQUARE by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received a request to establish new service or transfer service from an End User or from a CLEC. BellSouth will notify REDSQUARE that such a request has been processed after the disconnect order has been completed.
- 3.3 Contact Numbers. The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services. Contact numbers for maintenance/repair of services shall be staffed 24 hours per day, 7 days per week. BellSouth will close trouble tickets after making a reasonable effort to contact REDSQUARE for authorization to close a ticket. BellSouth will place trouble tickets in delayed maintenance status after making a reasonable effort to contact REDSQUARE to request additional information or to request authorization for additional work deemed necessary by BellSouth.
- 3.4 <u>Subscription Functions.</u> In cases where BellSouth performs subscription functions for an interexchange carrier (IXC) (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will in all possible instances provide the affected IXCs with the Operating Company Number (OCN) of the

local provider for the purpose of obtaining End User billing account and other End User information required under subscription requirements.

3.4.1 When REDSQUARE's End User, served by resale or loop and port combinations, changes its PIC or LPIC, and per BellSouth's FCC or state tariff the interexchange carrier elects to charge the End User the PIC or LPIC change charge, BellSouth will bill the PIC or LPIC change charge to REDSQUARE, which has the billing relationship with that End User, and REDSQUARE may pass such charge to the End User.

Attachment 7

Billing

TABLE OF CONTENTS

| 1. | PAYMENT AND BILLING ARRANGEMENTS | 3 |
|-----|---|---|
| 2. | BILLING DISPUTES | 9 |
| 3. | REVENUE ACCOUNTING OFFICE (RAO) HOSTING | 0 |
| Rat | tesExhibit / | 4 |

BILLING

1. PAYMENT AND BILLING ARRANGEMENTS

The terms and conditions set forth in this Attachment shall apply to all services ordered and provisioned pursuant to this Agreement.

- BellSouth will bill through the Carrier Access Billing System (CABS), Integrated Billing System (IBS) and/or the Customer Records Information Systems (CRIS) depending on the particular service(s) provided to REDSQUARE under this Agreement. BellSouth will format all bills in CABS Billing Output Specification (CBOS) Standard or CLUB/EDI format, depending on the type of service provided. For those services where standards have not yet been developed, BellSouth's billing format may change in accordance with applicable industry standards.
- 1.1.1 For any service(s) BellSouth receives from REDSQUARE, REDSQUARE shall bill BellSouth in CBOS format.
- 1.1.2 Any switched access charges associated with interexchange carrier access to the resold local exchange lines will be billed by, and due to BellSouth.
- 1.1.3 BellSouth will render bills each month on established bill days for each of REDSQUARE's accounts. If either Party requests multiple billing media or additional copies of the bills, the billing Party will provide these at the rates set forth in BellSouth's FCC No. 1 Tariff, Section 13.3.6.3, except for resold services which shall be at the rates set forth in BellSouth's Non-Regulated Services Pricing List N6.
- 1.1.4 BellSouth will bill REDSQUARE in advance for all services to be provided during the ensuing billing period except charges associated with service usage and nonrecurring charges, which will be billed in arrears.
- 1.1.4.1 For resold services, charges for services will be calculated on an individual End User account level, including, if applicable, any charge for usage or usage allowances. BellSouth will also bill REDSQUARE, and REDSQUARE will be responsible for and remit to BellSouth, all charges applicable to said services including but not limited to 911 and E911 charges, End Users common line charges, federal subscriber line charges, telecommunications relay charges, and franchise fees, unless otherwise ordered by a Commission.
- 1.1.5 BellSouth will not perform billing and collection services for REDSQUARE as a result of the execution of this Agreement.
- 1.2 <u>Establishing Accounts.</u> After submitting a credit profile and deposit, if required, and after receiving certification as a local exchange carrier from the appropriate Commission, REDSQUARE will provide the appropriate BellSouth advisory

team/local contract manager the necessary documentation to enable BellSouth to establish accounts for Local Interconnection, Network Elements and Other Services and/or resold services. Such documentation shall include the Application for Master Account, if applicable, proof of authority to provide telecommunications services, the appropriate Operating Company Numbers (OCN) for each state as assigned by the National Exchange Carriers Association (NECA), Carrier Identification Code (CIC), if applicable, Access Customer Name and Abbreviation (ACNA), if applicable, Blanket Letter of Authorization (LOA), Misdirected Number form, and a tax exemption certificate, if applicable. Notwithstanding anything to the contrary in this Agreement, REDSQUARE may not order services under a new account established in accordance with this Section 1.2 until thirty (30) days after all information specified in this Section 1.2 is received from REDSQUARE.

- 1.2.1 Company Identifiers. If REDSQUARE needs to change, add to, eliminate or convert its OCN(s), ACNAs and other identifying codes (collectively "Company Identifiers") under which it operates when REDSQUARE has already been conducting business utilizing those Company Identifiers, REDSQUARE shall pay all charges as a result of such change, addition, elimination or conversion to the new Company Identifiers. Such charges include, but are not limited to, all time required to make system updates to all of REDSQUARE's End User records and any other changes to BellSouth systems or REDSQUARE records, and will be handled in a separately negotiated agreement or as otherwise required by BellSouth.
- 1.2.2 Tax Exemption. It is the responsibility of REDSQUARE to provide BellSouth with a properly completed tax exemption certificate at intervals required by the appropriate taxing authorities. A tax exemption certificate must be supplied for each individual REDSQUARE entity purchasing Services under this Agreement. Upon BellSouth's receipt of a properly completed tax exemption certificate, subsequent billings to REDSQUARE will not include those taxes or fees from which REDSQUARE is exempt. Prior to receipt of a properly completed exemption certificate, BellSouth shall bill, and REDSQUARE shall pay all applicable taxes and fees. In the event that REDSQUARE believes that it is entitled to an exemption from and refund of taxes with respect to the amount billed prior to BellSouth's receipt of a properly completed exemption certificate, BellSouth shall assign to REDSQUARE its rights to claim a refund of such taxes. If applicable law prohibits the assignment of tax refund rights or requires the claim for refund of such taxes to be filed by BellSouth, BellSouth shall, after receiving a written request from REDSQUARE and at REDSQUARE's sole expense, pursue such refund claim on behalf of REDSQUARE, provided that REDSQUARE promptly reimburses BellSouth for any costs and expenses incurred by BellSouth in pursuing such refund claim, and provided further that BellSouth shall have the right to deduct any such outstanding costs and expenses from the amount of any refund obtained prior to remitting such refund to REDSQUARE. REDSQUARE shall be solely responsible for the computation, tracking, reporting and payment of

all taxes and fees associated with the services provided by REDSQUARE to its End Users.

- Deposit Policy. Prior to the inauguration of service or, thereafter, upon BellSouth's request, REDSQUARE shall complete the BellSouth Credit Profile (BellSouth form) and provide information to BellSouth regarding REDSQUARE's credit and financial condition. Based on BellSouth's analysis of the BellSouth Credit Profile and other relevant information regarding REDSQUARE's credit and financial condition, BellSouth reserves the right to require REDSQUARE to provide BellSouth with a suitable form of security deposit for REDSQUARE's account(s). If, in BellSouth's sole discretion, circumstances so warrant and/or REDSQUARE's gross monthly billing has increased, BellSouth reserves the right to request additional security (or to require a security deposit if none was previously requested) and/or file a Uniform Commercial Code (UCC-1) security interest in REDSQUARE's "accounts receivables and proceeds".
- 1.3.1 Security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or, in BellSouth's sole discretion, some other form of security proposed by REDSQUARE. Any such security deposit shall in no way release REDSQUARE from its obligation to make complete and timely payments of its bill(s). If BellSouth requires REDSQUARE to provide a security deposit, REDSQUARE shall provide such security deposit prior to the inauguration of service or within fifteen (15) days of BellSouth's request, as applicable. Deposit request notices will be sent to REDSQUARE via certified mail or overnight delivery. Such notice period will start the day after the deposit request notice is rendered by certified mail or overnight delivery. Interest on a cash security deposit shall accrue and be applied or refunded in accordance with the terms in BellSouth's General Subscriber Services Tariff (GSST).
- 1.3.2 Security deposits collected under this Section 1.3 shall not exceed two (2) months' estimated billing. Estimated billings are calculated based upon the monthly average of the previous six (6) months current billings, if REDSQUARE has received service from BellSouth during such period at a level comparable to that anticipated to occur over the next six (6) months. If either REDSQUARE or BellSouth has reason to believe that the level of service to be received during the next six (6) months will be materially higher or lower than received in the previous six (6) months, REDSQUARE and BellSouth shall agree on a level of estimated billings based on all relevant information.
- 1.3.3 In the event REDSQUARE fails to provide BellSouth with a suitable form of security deposit or additional security deposit as required herein, defaults on its account(s), or otherwise fails to make any payment or payments required under this Agreement in the manner and within the time required, service to REDSQUARE may be Suspended, Discontinued or Terminated in accordance with the terms of Section 1.5 below. Upon Termination of services, BellSouth shall apply any security deposit to REDSQUARE's final bill for its account(s).

- 1.3.3.1 At least seven (7) days prior to the expiration of any letter of credit provided by REDSQUARE as security under this Agreement, REDSQUARE shall renew such letter of credit or provide BellSouth with evidence that REDSQUARE has obtained a suitable replacement for the letter of credit. If REDSQUARE fails to comply with the foregoing, BellSouth shall thereafter be authorized to draw down the full amount of such letter of credit and utilize the cash proceeds as security for REDSQUARE accounts(s). If REDSQUARE provides a security deposit or additional security deposit in the form of a surety bond as required herein, REDSQUARE shall renew the surety bond or provide BellSouth with evidence that REDSQUARE has obtained a suitable replacement for the surety bond at least seven (7) days prior to the cancellation date of the surety bond. If REDSQUARE fails to comply with the foregoing, BellSouth shall thereafter be authorized to take action on the surety bond and utilize the cash proceeds as security for REDSQUARE's account(s). If the credit rating of any bonding company that has provided REDSQUARE with a surety bond provided as security hereunder has fallen below B, BellSouth will provide written notice to REDSQUARE that REDSQUARE must provide a replacement bond or other suitable security within fifteen (15) days of BellSouth's written notice. If REDSQUARE fails to comply with the foregoing, BellSouth shall thereafter be authorized to take action on the surety bond and utilize the cash proceeds as security for REDSQUARE's account(s). Notwithstanding anything contained in this Agreement to the contrary, BellSouth shall be authorized to draw down the full amount of any letter of credit or take action on any surety bond provided by REDSQUARE as security hereunder if REDSQUARE defaults on its account(s) or otherwise fails to make any payment or payments required under this Agreement in the manner and within the time, as required herein.
- Payment Responsibility. Payment of all charges will be the responsibility of REDSQUARE. REDSQUARE shall pay invoices by utilizing wire transfer services or automatic clearing house services. REDSQUARE shall make payment to BellSouth for all services billed including disputed amounts. BellSouth will not become involved in billing disputes that may arise between REDSQUARE and REDSQUARE's End User.
- 1.4.1 Payment Due. Payment for services provided by BellSouth, including disputed charges, is due on or before the next bill date. Information required to apply payments must accompany the payment. The information must notify BellSouth of Billing Account Numbers (BAN) paid; invoices paid and the amount to be applied to each BAN and invoice (Remittance Information). Payment is considered to have been made when the payment and Remittance Information are received by BellSouth. If the Remittance Information is not received with payment, BellSouth will be unable to apply amounts paid to REDSQUARE's accounts. In such event, BellSouth shall hold such funds until the Remittance Information is received. If BellSouth does not receive the Remittance Information by the payment due date for any account(s), late payment charges shall apply.

- 1.4.1.1 <u>Due Dates.</u> If the payment due date falls on a Sunday or on a holiday that is observed on a Monday, the payment due date shall be the first non-holiday day following such Sunday or holiday. If the payment due date falls on a Saturday or on a holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-holiday day preceding such Saturday or holiday. If payment is not received by the payment due date, a late payment charge, as set forth in Section 1.4.1.2, below, shall apply.
- Late Payment. If any portion of the payment is not received by BellSouth on or before the payment due date as set forth preceding, or if any portion of the payment is received by BellSouth in funds that are not immediately available to BellSouth, then a late payment and/or interest charge shall be due to BellSouth. The late payment and/or interest charge shall apply to the portion of the payment not received and shall be assessed as set forth in Section A2 of the General Subscriber Services Tariff, Section B2 of the Private Line Service Tariff or Section E2 of the Intrastate Access Tariff, or pursuant to the applicable state law as determined by BellSouth. In addition to any applicable late payment and/or interest charges, REDSQUARE may be charged a fee for all returned checks at the rate set forth in Section A2 of the General Subscriber Services Tariff or pursuant to the applicable state law.
- 1.5 <u>Discontinuing Service to REDSQUARE</u>. The procedures for discontinuing service to REDSQUARE are as follows:
- 1.5.1 In order of severity, Suspend/Suspension, Discontinue/Discontinuance and Terminate/Termination are defined as follows for the purposes of this Attachment:
- 1.5.1.1 Suspend/Suspension is the temporary restriction of the billed Party's access to the ordering systems and/or access to the billed Party's ability to initiate PIC-related changes. In addition, during Suspension, pending orders may not be completed and orders for new service or changes to existing services may not be accepted.
- 1.5.1.2 Discontinue/Discontinuance is the denial of service by the billing Party to the billed Party that will result in the disruption and discontinuation of service to the billed Party's End Users or customers. Additionally, at the time of Discontinuance, BellSouth will remove any Local Service Freezes in place on the billed Party's End Users.
- 1.5.1.3 Terminate/Termination is the disconnection of service by the billing Party to the billed Party.
- 1.5.2 BellSouth reserves the right to Suspend, Discontinue or Terminate service in the event of prohibited, unlawful or improper use of BellSouth facilities or service, abuse of BellSouth facilities, or any other violation or noncompliance by REDSQUARE of the rules and regulations of BellSouth's tariffs.

- Suspension. If payment of amounts due as described herein is not received by the bill date in the month after the original bill date, or fifteen (15) days from the date of a deposit request in the case of security deposits, BellSouth will provide written notice to REDSQUARE that services will be Suspended if payment of such amounts, and all other amounts that become past due before Suspension, is not received by wire transfer, automatic clearing house or cashier's check in the manner set forth in Section 1.4.1 above, or in the case of a security deposit request, in the manner set forth in Section 1.3.1: (1) within seven (7) days following such notice for CABS billed services; (2) within fifteen (15) days following such notice for Security deposit requests.
- 1.5.3.1 The Suspension notice shall also provide that all past due charges for CRIS and IBS billed services, and all other amounts that become past due for such services before Discontinuance, must be paid within thirty (30) days from the date of the Suspension notice to avoid Discontinuance of CRIS and IBS billed services.
- 1.5.3.2 For CABS billed services, BellSouth will provide a Discontinuance notice that is separate from the Suspension notice, that all past due charges for CABS billed Services, and all other amounts that become past due for such services before Discontinuance, must be paid within thirty (30) days from the date of the Suspension notice to avoid Discontinuance of CABS billed services. This Discontinuance notice may be provided at the same time that BellSouth provides the Suspension notice.
- 1.5.4 <u>Discontinuance.</u> If payment of amounts due as described herein is not received by the bill date in the month after the original bill date, BellSouth will provide written notice that BellSouth may Discontinue the provision of existing services to REDSQUARE if payment of such amounts, and all other amounts that become past due before Discontinuance, including requested security deposits, is not received by wire transfer, automatic clearing house or cashier's check in the manner set forth in Section 1.4.1 above or in the case of a deposit in accordance with Section 1.3.1, within thirty (30) days following such written notice; provided, however, that BellSouth may provide written notice that such existing services may be Discontinued within fifteen (15) days following such notice, subject to the criteria described in Section 1.5.5.
- 1.5.5 BellSouth may take the action to Discontinue the provision of existing service upon fifteen (15) days from the day after BellSouth provides written notice of such Discontinuance if (a) such notice is sent by certified mail or overnight delivery; (b) REDSQUARE has not paid all amounts due pursuant to a subject bill(s), or has not provided adequate security pursuant to a deposit request; and (c) either:
 - (1) BellSouth has sent the subject bill(s) to REDSQUARE within (7) business days of the bill date(s), verifiable by records maintained by BellSouth:

- i. in paper or CDROM form via the United States Postal Service (USPS), or
- ii. in magnetic tape form via overnight delivery, or
- iii. via electronic transmission; or
- (2) BellSouth has sent the subject bill(s) to REDSQUARE, using one of the media described in (1) above, more than thirty (30) days before notice to Discontinue service has been rendered.
- 1.5.6 In the case of Discontinuance of services, all billed charges, as well as applicable disconnect charges, shall become due.
- 1.5.7 REDSQUARE is solely responsible for notifying the End User of the Discontinuance of service. If, within seven (7) days after REDSQUARE's services have been Discontinued, REDSQUARE pays, by wire transfer, automatic clearing house or cashier's check, all past due charges, including late payment charges, outstanding security deposit request amounts if applicable and any applicable restoral charges as set forth in Section A4 of the GSST, then BellSouth will reestablish service for REDSQUARE.
- 1.5.7.1 <u>Termination.</u> If within seven (7) days after REDSQUARE's service has been Discontinued and REDSQUARE has failed to pay all past due charges as described above, then REDSQUARE's service will be Terminated.
- Notices. Notwithstanding anything to the contrary in this Agreement, all bills and notices regarding billing matters, disconnection of services for nonpayment of charges, and rejection of additional orders from REDSQUARE, shall be forwarded to the individual and/or address provided by REDSQUARE in establishment of its billing account(s) with BellSouth, or to the individual and/or address subsequently provided by REDSQUARE as the contact for billing. All monthly bills and notices described in this Section shall be forwarded to the same individual and/or address; provided, however, upon written request from REDSQUARE to BellSouth's billing organization, the notice of discontinuance of services purchased by REDSQUARE under this Agreement provided for in Section 1.5.4 of this Attachment shall be sent via certified mail to the individual(s) listed in the Notices provision of the General Terms and Conditions of this Agreement.

2. BILLING DISPUTES

2.1 REDSQUARE shall electronically submit all billing disputes to BellSouth using the form specified by BellSouth. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) days of the notification date. Within five (5) business days of BellSouth's denial, or partial denial, of the billing dispute, if REDSQUARE is not satisfied with BellSouth's resolution of the billing dispute or if no response to the billing dispute has been received by REDSQUARE by such sixtieth (60th) day, REDSQUARE must pursue the escalation process as

Version: 4Q04 Standard ICA

outlined in the Billing Dispute Escalation Matrix, set forth on BellSouth's Interconnection Services Web site, or the billing dispute shall be considered denied and closed. If, after escalation, the Parties are unable to reach resolution, then the aggrieved Party, if it elects to pursue the dispute shall pursue dispute resolution in accordance with the General Terms and Conditions of this Agreement.

2.2 For purposes of this Section 2, a billing dispute means a reported dispute submitted pursuant to Section 2.1 of a specific amount of money actually billed by BellSouth. The billing dispute must be clearly explained by REDSQUARE and supported by written documentation, which clearly shows the basis for disputing charges. The determination as to whether the billing dispute is clearly explained or clearly shows the basis for disputing charges shall be within BellSouth's sole reasonable discretion. Disputes that are not clearly explained or those that do not provide complete information may be rejected by BellSouth. Claims by REDSQUARE for damages of any kind will not be considered a billing dispute for purposes of this Section. If BellSouth resolves the billing dispute, in whole or in part, in favor of REDSQUARE, any credits and interest due to REDSQUARE as a result therof shall be applied to REDSQUARE's account by BellSouth upon resolution of the billing dispute.

3. REVENUE ACCOUNTING OFFICE (RAO) HOSTING

- 3.1 Centralized Message Distribution System (CMDS) is a national message exchange system administered by Telcordia Technologies ("Telcordia") used to transmit alternately billed calls (e.g., credit card, third number and collect) from the Earning Company, as defined herein, to the Billing Company, as defined herein, to permit the Earning Company and the Billing Company to receive appropriate compensation. It is also used to transmit access records from one company to another.
- 3.2 Direct Participants are Telecommunications carriers that exchange data directly with other Direct Participants via the CMDS Data Center and may act as host companies ("Host") for those Telecommunications carriers that do not exchange data directly via the CMDS Data Center ("Indirect Participants").
- 3.3 Revenue Accounting Office (RAO) Hosting is a hosting relationship where an Indirect Participant sends and receives CMDS eligible messages to and from its Host, who then interfaces, on behalf of the Indirect Participant, with other Direct Participants for distribution and collection of these messages. RAO Hosting also includes the Direct Participant's provision of revenue settlements functions (compensation) for alternately billed calls based upon reports generated by Credit Card and Third Number Settlement (CATS) and Non-InterCompany Settlement (NICS) as described herein. CATS and NICS are collectively referred to as Intercompany Settlements.

Version: 4Q04 Standard ICA 12/09/04

- The CATS System is a national system administered by Telcordia, used to settle revenues for calls that are sent from one CMDS Direct Participant to another for billing. CATS applies to calls that originate within one Regional Bell Operating Company's (RBOC) territory, as defined at Divestiture, and bill in another RBOC's territory. CATS calculates the amounts due to Earning Companies (i.e. billed revenue less the billing and collection fee). For alternately billed calls, the originating company, whose facilities are used to place the call, is the Earning Company and the company that puts the charges on the End User's bill is the Billing Company
- 3.5 The Non-InterCompany Settlement (NICS) System is the national system administered by Telcordia that is used in the settlement of revenues for calls that are originated and billed by two different local exchange carriers (LEC) within a single Direct Participant's territory to another for billing. NICS applies to calls involving another LEC where the Earning Company and the Billing Company are located within BellSouth's territory.
- 3.6 RAO Hosting, CATS and NICS services provided to REDSQUARE by BellSouth will be in accordance with the methods and practices regularly applied by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth.
- 3.7 REDSQUARE shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.
- 3.8 Charges or credits, as applicable, will be applied by BellSouth to REDSQUARE on a monthly basis in arrears. Amounts due (excluding adjustments) are due on or before the next bill date.
- REDSQUARE must have its own unique hosted RAO code. Where BellSouth is the selected CMDS interfacing host, REDSQUARE must request that BellSouth establish a unique hosted RAO code for REDSQUARE. Such request shall be in writing to the BellSouth RAO Hosting coordinator and must be submitted at least eight (8) weeks prior to provision of services pursuant to this Section. Services shall commence on a date mutually agreed by the Parties.
- 3.10 BellSouth will receive messages from REDSQUARE that are to be processed by BellSouth, another Local Exchange Carrier (LEC) in the BellSouth region or a LEC outside the BellSouth region. REDSQUARE shall send all messages to BellSouth no later than sixty (60) days after the message date.
- 3.11 BellSouth will perform invoice sequence checking, standard Exchange Message Interface (EMI) format editing, and balancing of message data with the EMI trailer record counts on all data received from REDSQUARE.

- 3.12 All data received from REDSQUARE that is to be processed or billed by another LEC within the BellSouth region will be distributed to that LEC in accordance with the Agreement(s) in effect between BellSouth and the involved LEC.
- 3.13 All data received from REDSQUARE that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in accordance with the agreement(s) in effect between BellSouth and its connecting contractor.
- 3.14 BellSouth will receive messages from the CMDS network that are destined to be processed by REDSQUARE and will forward them to REDSQUARE on a daily basis for processing.
- 3.15 Transmission of message data between BellSouth and REDSQUARE will be distributed via Secure File Transfer Protocol (FTP) mailbox. It will be created on a daily basis Monday through Friday, except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. If BellSouth determines the Secure FTP Mailbox is nearing capacity levels, BellSouth may move REDSQUARE to CONNECT:Direct file delivery.
- 3.15.1 If REDSQUARE is moved to CONNECT: Direct, data circuits (private line or dialup) may be required between BellSouth and REDSQUARE for the purpose of data transmission. Where a dedicated line is required, REDSQUARE will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. REDSQUARE will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to REDSQUARE. Additionally, all message toll charges associated with the use of the dial circuit by REDSQUARE will be the responsibility of REDSQUARE. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on the REDSQUARE end for the purpose of data transmission will be the responsibility of REDSQUARE.
- 3.15.2 If REDSQUARE utilizes Secure File Transfer Protocol for data file transmission, purchase of the Secure File Transfer Protocol software will be the responsibility of REDSQUARE.
- 3.16 All messages and related data exchanged between BellSouth and REDSQUARE will be EMI formatted records and packed between appropriate EMI header and trailer records in accordance with accepted industry standards.

- 3.17 REDSQUARE will maintain recorded message detail necessary to recreate files provided to BellSouth for a period of three (3) calendar months beyond the related message dates.
- 3.18 Should it become necessary for REDSQUARE to send data to BellSouth more than sixty (60) days past the message date(s), REDSQUARE will notify BellSouth in advance of the transmission of the data. BellSouth will work with its connecting contractor and/or REDSQUARE, where necessary, to notify all affected LECs.
- 3.19 In the event that data to be exchanged between the two Parties should become lost or destroyed, the Party responsible for creating the data will make every effort to restore and retransmit such data.
- 3.20 Should an error be detected by the EMI format edits performed by BellSouth on data received from REDSQUARE, the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify REDSQUARE of the error. REDSQUARE will correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on subsequent packs, REDSQUARE will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.
- 3.21 In association with message distribution service, BellSouth will provide REDSQUARE with associated intercompany settlements reports (CATS and NICS) as appropriate.
- 3.22 Notwithstanding anything in this Agreement to the contrary, in no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this Section 3.
- 3.23 Intercompany Settlements Messages
- 3.23.1 Intercompany Settlements Messages facilitate the settlement of revenues associated with traffic originated from or billed by REDSQUARE as a facilities based provider of local exchange telecommunications services.
- 3.23.2 BellSouth will receive the monthly NICS and CATS reports from Telcordia on behalf of REDSQUARE and will distribute copies of these reports to REDSQUARE on a monthly basis.
- 3.23.3 Through CATS, BellSouth will collect the revenue earned by REDSQUARE from the RBOC in whose territory the messages are billed, less a per message billing and collection fee of five cents (\$0.05), or such other amount as may be approved by the Direct Participants and Telcordia, on behalf of REDSQUARE. BellSouth will remit the revenue billed by REDSQUARE to the RBOC in whose territory the messages originated, less a per message billing and collection fee of five cents (\$0.05), or such other amount as may be approved by the Direct Participants and Telcordia, on behalf of REDSQUARE. These two amounts will be netted together

Version: 4Q04 Standard ICA 12/09/04

by BellSouth and the resulting charge or credit issued to REDSQUARE via a Carrier Access Billing System (CABS) miscellaneous bill on a monthly basis in arrears.

- Through NICS, BellSouth will collect the revenue earned by REDSQUARE within the BellSouth territory from another LEC also within the BellSouth territory (NICS) where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of REDSQUARE. BellSouth will remit the revenue billed by REDSQUARE within the BellSouth region to the LEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents (\$0.05). These two amounts will be netted together by BellSouth and the resulting charge or credit issued to REDSQUARE via a CABS miscellaneous bill on a monthly basis in arrears.
- 3.23.5 BellSouth and REDSQUARE agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.
- 3.24 <u>Rates.</u> Rates for Centralized Message Distribution System (CMDS) are set out in Exhibit A to this Attachment. If no rate is identified in this Attachment, the rate for the specific service or function will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

| CMDS | - Alab | ama | | | | | | | | | | | | Attachment: | 7 | Exhibit: A | |
|-------|--------|---|--------|------|-----|------|-------|-------|-----------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | | Charge - | | Charge - | Charge - |
| | | | Interi | _ | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEG | ORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | | | | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | _ | Nonre | curring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | l. |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| CMDS | | | | | | | | | | | | | | | | | |
| | | ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | | | | | | | | | | | | | | |
| | | CMDS: Message Processing, per message | | | | | 0.004 | | | | | | | | | | |
| | | CMDS: Data Transmission (CONNECT:Direct), per message | | | | | 0.001 | | | | | | | | | | |

| CMDS | - Flori | ida | | | | | | | | | | | | Attachment: | 7 | Exhibit: A | |
|-------|---------|---|--------|------|-----|------|-------|-------|-----------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | Interi | _ | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEG | ORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | | | | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Dan | Nonre | curring | Nonrecurring | Disconnect | | l | oss | Rates(\$) | | · |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| CMDS | | | | | | | | | | | | | | | | | i |
| | | ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | | | | | | | | | | | | | | |
| | | CMDS: Message Processing, per message | | | | | 0.004 | | | | | | | | | | |
| | | CMDS: Data Transmission (CONNECT:Direct), per message | | | | | 0.001 | • | | | | | | | | | |

| CMD | S - Geo | rgia | | | | | | | | | | | | Attachment: | 7 | Exhibit: A | |
|------|---------|---|--------|------|-----|------|-------|-------|-----------|--------------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Interi | _ | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATE | GORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | | Order vs. | | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Dee | Nonre | curring | Nonrecurring | g Disconnect | | | oss | Rates(\$) | I. | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| CMDS | | | | | | | | | | | | | | | | | |
| | | ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | | | | | | | | | | | | | | |
| | | CMDS: Message Processing, per message | | | | | 0.004 | | | | | | | | | | |
| | | CMDS: Data Transmission (CONNECT:Direct), per message | | | | | 0.001 | | | | | | | | | | |

| CMD | S - Ken | tucky | | | | | | | | | | | | Attachment: | 7 | Exhibit: A | |
|------|---------|---|--------|------|-----|------|-------|-------|-----------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | Interi | _ | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | |
| CATE | SORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | | Order vs. | | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Dee | Nonre | curring | Nonrecurring | Disconnect | | | oss | Rates(\$) | I | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| CMDS | | | | | | | | | | | | | | | | | |
| | | ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | | | | | | | | | | | | | | |
| | | CMDS: Message Processing, per message | | | | | 0.004 | | | | | | | | | | |
| | | CMDS: Data Transmission (CONNECT:Direct), per message | | | | | 0.001 | | | | | | | | | | |

| CMD | S - Lou | isiana | | | | | | | | | | | | Attachment: | 7 | Exhibit: A | |
|------|---------|---|--------|------|-----|------|-------|-------|-----------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | Interi | _ | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | |
| CATE | GORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | | Order vs. | | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Doo | Nonre | curring | Nonrecurring | Disconnect | | l | oss | Rates(\$) | I | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| CMDS | | | | | | | | | | | | | | | | | |
| | | ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | | | | | | | | | | | | | | |
| | | CMDS: Message Processing, per message | | | | | 0.004 | | | | | | | | | | |
| | | CMDS: Data Transmission (CONNECT:Direct), per message | | | | | 0.001 | | | | | | | | | | |

| CMD | S - Miss | sissippi | | | | | | | | | | | | Attachment: | 7 | Exhibit: A | |
|------|----------|---|--------|------|-----|------|-------|-------|-----------|--------------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | Interi | _ | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATE | SORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | | Order vs. | | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Dee | Nonre | curring | Nonrecurring | g Disconnect | | | oss | Rates(\$) | I | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | i . |
| CMDS | | | | | | | | | | | | | | | | | İ |
| | | ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | | | | | | | | | | | | | | |
| | | CMDS: Message Processing, per message | | | | | 0.004 | | | | | | | | | | |
| | | CMDS: Data Transmission (CONNECT:Direct), per message | | | | | 0.001 | | | | | | | | | | |

| CMDS | - Nort | th Carolina | | | | | | | | | | | | Attachment: | 7 | Exhibit: A | |
|------|--------|---|--------|------|-----|------|-------|-------|-----------|--------------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | Interi | _ | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATE | ORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | | | | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Dan | Nonre | curring | Nonrecurring | g Disconnect | | l | oss | Rates(\$) | | - |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| CMDS | | | | | | | | | | | | | | | | | |
| | | ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | | | | | | | | | | | | | | |
| | | CMDS: Message Processing, per message | | | | | 0.004 | | | | | | | | | | |
| | | CMDS: Data Transmission (CONNECT:Direct), per message | | | | | 0.001 | • | | | | | | | | | |

| CMD | S - Sou | th Carolina | | | | | | | | | | | | Attachment: | 7 | Exhibit: A | |
|------|---------|---|--------|------|-----|------|-------|-------|-----------|--------------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | Interi | _ | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | |
| CATE | GORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | | Order vs. | | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Das | Nonre | curring | Nonrecurring | g Disconnect | | l | oss | Rates(\$) | I | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| CMDS | | | | | | | | | | | | | | | | | |
| | | ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | | · | | | | | | | | | | | | |
| | | CMDS: Message Processing, per message | | | · | | 0.004 | | | | | | | | | | |
| | | CMDS: Data Transmission (CONNECT:Direct), per message | | | · | | 0.001 | | | | | | | | | | |

| CMDS | - Tenr | nessee | | | | | | | | | | | | Attachment: | 7 | Exhibit: A | |
|-------|--------|---|--------|------|-----|------|-------|--------------|-----------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| | | | Interi | _ | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEG | ORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| CMDS | | | | | | | | | | | | | | | | | |
| | | ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | | | | | | | | | | | | | | |
| | | CMDS: Message Processing, per message | | | | | 0.004 | | | | | | | | | | |
| | | CMDS: Data Transmission (CONNECT:Direct), per message | | | | | 0.001 | | | | | | | | | | |

Attachment 8

Rights-of-Way, Conduits and Pole Attachments

Version: 4Q04 Standard ICA

Rights-of-Way, Conduits and Pole Attachments

BellSouth will provide nondiscriminatory access to any pole, duct, conduit, or right-of-way owned or controlled by BellSouth pursuant to 47 U.S.C. § 224, as amended by the Act, pursuant to terms and conditions of a separate license agreement negotiated with BellSouth.

Version: 4Q04 Standard ICA

Attachment 9

Performance Measurements

Version: 4Q04 Standard ICA

PERFORMANCE MEASUREMENTS

Upon a particular Commission's issuance of an Order pertaining to Performance Measurements in a proceeding expressly applicable to all CLECs generally, BellSouth shall implement in that state such Performance Measurements as of the date specified by the Commission. Performance Measurements that have been Ordered in a particular state can currently be accessed via the internet at http://pmap.bellsouth.com.

The following Service Quality Measurements (SQM) plan as it presently exists and as it may be modified in the future, is being included as the performance measurements currently in place for the state of Tennessee. At such time that the TRA issues a subsequent Order pertaining to Performance Measurements, such Performance Measurements shall supersede the SQM contained in the Agreement.

Version: 4Q04 Standard ICA



BellSouth Service Quality Measurement Plan (SQM)

Tennessee Performance Metrics

Measurement Descriptions Version 2.00

Issue Date: July 1, 2003



Introduction

The BellSouth Service Quality Measurement Plan (SQM) describes in detail the measurements produced to evaluate the quality of service delivered to BellSouth's customers both wholesale and retail. The SQM was developed to respond to the requirements of the Communications Act of 1996 Section 251 (96 Act) which required BellSouth to provide non-discriminatory access to Competitive Local Exchange Carriers (CLEC)¹ and their Retail Customers. The reports produced by the SQM provide regulators, CLECs and BellSouth the information necessary to monitor the delivery of non-discriminatory access.

This plan results from the many divergent forces evolving from the 96 Act. The 96 Act, the Georgia Public Service Commission (GPSC) Order (Docket 7892-U 12/30/97), LCUG 1-7.0, the FCC's NPRM (CC Docket 98-56 RM9101 04/17/98), the Louisiana Public Service Commission (LPSC) Order (Docket U-22252 Subdocket C 04/19/98), numerous arbitration cases, LPSC sponsored collaborative workshops (10/98-02/00), and proceedings in Alabama, Florida, Mississippi, and North Carolina have and continue to influence the SQM. Per the Order in Docket 01-00193, issued by the Tennessee Regulatory Authority on October 4, 2002, this version of the SQM reflects the Florida Public Service Commission Order Nos. PSC-02-1736-PAA-TP, issued December 10, 2002, PSC-03-0529-PAA-TP, issued April 22, 2003 and PSC-03-0603-CO-TP, issued May 15, 2003.

The SQM and the reports flowing from it must change to reflect the dynamic requirements of the industry. New measurements are added as new products, systems, and processes are developed and fielded. New products and services are added as the markets for them develop and the processes stabilize. The measurements are also changed to reflect changes in systems, correct errors, and respond to both 3rd Party audit requirements and the Florida PSC.

This document is intended for use by someone with knowledge of the telecommunications industry, information technologies and a functional knowledge of the subject areas covered by the BellSouth Performance Measurements and the reports that flow from them.

Once it is approved, the most current copy of this document can be found on the web at URL: http://pmap.bellsouth.com in the Documentation/Exhibits folder.

Report Publication Dates

Each month, preliminary SQM reports will be posted to BellSouth's SQM web site (http://pmap.bellsouth.com) by 8:00 A.M. EST on the 21st day of each month or the first business day after the 21st. The validated SQM reports will be posted by 8:00 A.M. on the last day of the month. Reports not posted by this time will be considered late for SEEM payment purposes. Validated SEEM reports will be posted on the 15th of the following month. SEEM payments due will also be paid on the

Version 2.00 i Issue Date: July 1, 2003

¹Alternative Local Exchange Companies (ALEC) and Competing Local Providers (CLP) are referred to as Competitive Local Exchange Carriers (CLEC) in this document.

15th of the following month. For instance: May data will be posted in preliminary SQM reports on June 21. Final validated SQM reports will be posted on the last day of the month. Final validated SEEM reports will be posted and payments mailed on the 15th of the following month. BellSouth shall retain the performance measurement raw data files for a period of 18 months and further retain the monthly reports produced in PMAP for a period of three years.

Report Delivery Methods

CLEC SQM and SEEM reports will be considered delivered when posted to the web site. The Tennessee Regulatory Authority has access to the web site. In addition, a copy of the SQM and Monthly State Summary reports will be filed with the TRA as soon as possible after the last day of each month.





Contents

| Section 1: | Operations Support Systems (OSS) | |
|----------------|--|----|
| | Average Response Interval and Percent within Interval (Pre-Ordering/Ordering) | 4 |
| OSS-2: | OSS Availability (Pre-Ordering/Ordering) | |
| OSS-3: | OSS Availability (Maintenance & Repair) | |
| OSS-4: | Response Interval (Maintenance & Repair) | |
| PO-1: | Loop Makeup - Response Time – Manual | |
| PO-2: | Loop Makeup - Response Time - Electronic | 15 |
| Section 2: | Ordering | |
| 0-1: | Acknowledgement Message Timeliness | 1′ |
| O-2: | Acknowledgement Message Completeness | |
| O-3: | Percent Flow-Through Service Requests (Summary) | |
| O-4: | Percent Flow-Through Service Requests (Detail) | |
| 0 1. | Flow-Through Error Analysis | |
| O-6: | CLEC LSR Information. | |
| O-7: | Percent Rejected Service Requests | |
| O-8: | Reject Interval | |
| O-9: | Firm Order Confirmation Timeliness. | |
| O-10: | Service Inquiry with LSR Firm Order Confirmation (FOC) Response Time Manual | |
| O-11: | Firm Order Confirmation and Reject Response Completeness | |
| O-11: O-12: | Speed of Answer in Ordering Center | |
| 0 12. | Speed of 7 mis not in Ordering Conter | |
| Section 3: | Provisioning | |
| P-1: | Mean Held Order Interval & Distribution Intervals | |
| P-2: | (Deleted) Average Jeopardy Notice Interval & Percentage of Orders Given Jeopardy Notices | |
| P-2A: | Jeopardy Notice Interval | |
| P-2B: | Percentage of Orders Given Jeopardy Notices | |
| P-3: | Percent Missed Initial Installation Appointments | |
| P-3A: | (Deleted) Percent Missed Installation Appointments Including Subsequent Appointment | 60 |
| P-4: | Average Completion Interval (OCI) & Order Completion Interval Distribution | |
| P-4A: P-5: | Average Completion Notice Interval | |
| P-6: | % Completions/Attempts without Notice or < 24 hours Notice | |
| P-7: | Coordinated Customer Conversions Interval | |
| P-7A: | Coordinated Customer Conversions – Hot Cut Timeliness% within Interval and Average Interval | |
| P-7B: | Coordinated Customer Conversions – Average Recovery Time | |
| P-7C: | Hot Cut Conversions - % Provisioning Troubles Received within 7 Days of a Completed Service Order | |
| P-8: | Cooperative Acceptance Testing - % of xDSL Loops Successfully Passing Cooperative Testing | |
| P-9: | % Provisioning Troubles within 30 Days of Service Order Completion | |
| P-10: | (Deleted) Total Service Order Cycle Time (TSOCT) | 84 |
| P-11: | Service Order Accuracy | |
| P-11A: | Service Order Accuracy | |
| P-12: | (Deleted) LNP-Average Disconnect Timeliness Interval & Disconnect Timeliness Interval Distribution | |
| P-13B: | LNP-Percent Out of Service < 60 Minutes | |
| P-13C: | LNP-Percentage of Time BellSouth Applies the 10-Digit Trigger Prior to the LNP Order Due Date | |
| P-13D: | LNP-Average Disconnect Timeliness Interval Distribution (Non-Trigger) | 9: |
| Section 4: | Maintenance & Repair | |
| | Missed Repair Appointments | 9′ |
| | Customer Trouble Report Rate | |
| | Maintenance Average Duration | |
| | Percent Repeat Troubles within 30 Days | |
| | | |



| Tennessee | Performance Metrics | Contents |
|----------------|---|----------|
| M 2-D 5. | Out of Service (OOS) > 24 Hours | 100 |
| | Average Answer Time – Repair Centers. | |
| | Mean Time To Notify CLEC of Network Outages | |
| Castian 5 | Dilling | |
| Section 5 | | |
| B-1: | Invoice Accuracy | |
| B-2: | Mean Time to Deliver Invoices | |
| B-3: | Usage Data Delivery Accuracy | |
| B-4: | Usage Data Delivery Completeness | |
| B-5: | Usage Data Delivery Timeliness | |
| B-6: | Mean Time to Deliver Usage | |
| B-7: | Recurring Charge Completeness | |
| B-8: | Non-Recurring Charge Completeness | |
| B-9: B-10: | Percent Daily Usage Feed Errors Corrected in "X" Business Days Percent Billing Errors Corrected in "X" Business Days | |
| Section 6 | Operator Services and Directory Assistance | |
| | Speed to Answer Performance/Average Speed to Answer - Toll | 126 |
| OS-1: OS-2: | Speed to Answer Performance/Average Speed to Answer - 1011 | |
| | Speed to Answer Performance/Percent Answered within A Seconds – 1011 | |
| DA-1: DA-2: | | |
| DA-2: | Speed to Answer Performance/Percent Answered within "X" Seconds – Directory Assistance (DA) | 142 |
| | Database Update Information | |
| D-1: | Average Database Update Interval | |
| D-2: | Percent Database Update Accuracy | |
| D-3: | Percent NXXs and LRNs Loaded by the LERG Effective Date | 148 |
| Section 8: | E911 | |
| E-1: | Timeliness | 150 |
| E-2: | Accuracy | 152 |
| E-3: | Mean Interval | 153 |
| Section 9: | Trunk Group Performance | |
| | Trunk Group Performance-Aggregate | 155 |
| | Trunk Group Performance-CLEC Specific | |
| Section 1 |): Collocation | |
| C-1: | Collocation Average Response Time | 1.41 |
| C-1. C-2: | Collocation Average Arrangement Time | |
| C-2. C-3: | Collocation Percent of Due Dates Missed | |
| | | |
| Section 1 | : Change Management | |
| CM-1: | Timeliness of Change Management Notices | 167 |
| CM-2: | Change Management Notice Average Delay Days | 169 |
| CM-3: | Timeliness of Documents Associated with Change | 171 |
| CM-4: | Change Management Documentation Average Delay Days | 173 |
| CM-5: | Notification of CLEC Interface Outages | |
| CM-6: | Percent of Software Errors Corrected in "X" (10, 30, 45) Business Days | 177 |
| CM-7: | Percent of Change Requests Accepted or Rejected within 10 Days | |
| CM-8: | Percent Change Requests Rejected | |
| CM-9: | Number of Defects in Production Releases (Type 6 CR) | |
| CM-10: | Software Validations | |
| CM-11· | Percent of Change Requests Implemented within 60 Weeks of Prioritization | 196 |



| Tenness | see Performance Metrics | Contents |
|---------|---|----------|
| Append | lix A: Reporting Scope | |
| A-1: | Standard Service Groupings | 188 |
| A-2: | | |
| Append | lix B: Glossary of Acronyms and Terms | |
| | | |
| Append | lix C: BellSouth Audit Policy | |
| C-1: | BellSouth's Internal Audit Policy | |
| C-2: | | 199 |
| Appendi | lix D: OSS Tables | |
| | | 200 |
| Append | lix E: Flow-Through Matrix | |
| PP-011G | | 205 |
| | *************************************** | 200 |



Section 1: Operations Support Systems (OSS)

OSS-1: Average Response Interval and Percent within Interval (Pre-Ordering/Ordering)

Definition

The average response interval and percent within the Interval is the average times and percent of requests responded to within certain intervals for accessing legacy data associated with appointment scheduling, service and feature availability, address verification, request for Telephone numbers (TNs), and Customer Service Records (CSRs).

Exclusions

- Syntactically incorrect queries
- · Scheduled OSS Maintenance
- · Retail usage of LENS

Business Rules

The average response interval for retrieving pre-order/order information from a given legacy system is determined by summing the response times for all requests submitted to the legacy systems during the reporting period and dividing by the total number of legacy system requests for that month.

The response interval starts when the application (LENS or TAG for CLECs and RNS or ROS for BellSouth) submits a request to the legacy system and ends when the appropriate response is received by the client application. The percent of accesses to the legacy systems during the reporting period which take less than 2.3 seconds, the percent of accesses which take more than 6 seconds, and the percent which are less than or equal to 6.3 seconds are also captured. BellSouth will not schedule maintenance during the hours from 8:00 a.m. until 9:00 p.m., Monday through Friday.

Calculation

Response Interval = (a - b)

- a = Date and Time of Legacy Response
- b = Date and Time of Legacy Request

Average Response Interval = c / d

- c = Sum of Response Intervals
- d = Number of Legacy Requests During the Reporting Period

Percent within Interval = (e / f) X 100

- e = Count of requests within the designated Interval within the reporting period.
- f = Number of Legacy Requests during the Reporting Period for System for which a response was provided.

Report Structure

- Interface Type
- Not CLEC Specific
- Not Product/Service Specific
- Regional Level



Data Retained

Relating to CLEC Experience

- · Report Month
- Legacy Contract (per reporting dimension)
- Response Interval
- Regional Scope

Relating to BellSouth Performance

- Report Month
- Legacy Contract (per reporting dimension)
- Response Interval
- · Regional Scope

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

- RSAG Address (Regional Street Address Guide-Address) stores street address information used to validate customer addresses. CLECs and BellSouth query this legacy system.
- RSAG TN (Regional Street Address Guide-Telephone number) contains information about facilities available and telephone numbers working at a given address. CLECs and BellSouth query this legacy system.
- ATLAS (Application for Telephone Number Load Administration and Selection) acts as a warehouse for storing telephone
 numbers that are available for assignment by the system. It enables CLECs and BellSouth service reps to select and reserve
 telephone numbers. CLECs and BellSouth query this legacy system.
- **COFFI** (Central Office Feature File Interface) stores information about product and service offerings and availability. CLECs query this legacy system.
- **DSAP** (DOE Support Application) provides due date information. CLECs and BellSouth query this legacy system.
- CRIS (Customer Record Information System) Source of CSR (Customer Service Record) information. Contains information
 about individual customers including listings, addresses, features, services, etc. CLECs and BellSouth can query for CSR
 information.
- P/SIMS (Product/Services Inventory Management system) provides information on capacity, tariffs, inventory and service
 availability. CLECs query this legacy system.
- OASIS (Obtain Available Services Information Systems) Information on feature and rate availability. BellSouth queries this
 legacy system.

SQM Analog/Benchmark

• Parity + 2 seconds

(See Appendix D: Tables for SQM OSS Legacy Access Times)

SEEM Measure

| SEEM | Tier I | Tier II | Tier III |
|------|--------|---------|----------|
| Yes | | X | |

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

- RSAG Address (Regional Street Address Guide-Address) stores street address information used to validate customer addresses. CLECs and BellSouth query this legacy system.
- RSAG TN (Regional Street Address Guide-Telephone number) contains information about facilities available and telephone numbers working at a given address. CLECs and BellSouth query this legacy system.
- ATLAS (Application for Telephone Number Load Administration and Selection) acts as a warehouse for storing telephone
 numbers that are available for assignment by the system. It enables CLECs and BellSouth service reps to select and reserve



- telephone numbers. CLECs and BellSouth query this legacy system.
- **COFFI** (Central Office Feature File Interface) stores information about product and service offerings and availability. CLECs query this legacy system.
- DSAP (DOE Support Application) provides due date information. CLECs and BellSouth query this legacy system.
- CRIS (Customer Record Information System) Source of CSR (Customer Service Record) information. Contains information about individual customers including listings, addresses, features, services, etc. CLECs and BellSouth can query for CSR information.
- **P/SIMS** (Product/Services Inventory Management system) provides information on capacity, tariffs, inventory and service availability. CLECs query this legacy system.
- OASIS (Obtain Available Services Information Systems) Information on feature and rate availability. BellSouth queries this
 legacy system.

SEEM Analog/Benchmark

Parity + 2 Seconds

(See Appendix D: Tables for SEEM OSS Legacy Systems)



OSS-2: OSS Availability (Pre-Ordering)Ordering)

Definition

Percent of time OSS interface is functionally available compared to scheduled availability. Availability percentages for CLEC interface and for all Legacy systems accessed by them are captured. ("Functional Availability" is the amount of time in hours during the reporting period that the legacy systems are available to users. The planned System Scheduled Availability is the time in hours per day that the legacy system is scheduled to be available.)

Scheduled availability is posted on the Interconnection website: (www.interconnection.bellsouth.com/oss/osshour.html)

Exclusions

- CLEC impacting troubles caused by factors outside of BellSouth's purview, e.g., troubles in customer equipment, troubles in networks owned by telecommunications companies other than BellSouth, etc.
- Degraded service outages which are defined as a critical function that is normally performed by the CLEC or is normally provided by an application or system available to the CLEC, but with significantly reduced response or processing time.
- · Scheduled OSS Maintenance

Business Rules

This measurement captures the functional availability of applications/interfaces as a percentage of scheduled availability for the same systems. Only full and Loss of Functionality outages are included in the calculation for this measure. Full outages are defined as occurrences of either of the following:

- Application/Interface application is down or totally inoperative.
- Application is totally inoperative for customers attempting to access or use the application. This includes transport outages when
 they may be directly associated with a specific application.
- Loss of Functionality outages are defined as:
 - A critical function that is normally performed by the CLEC or is normally provided by an application or system is temporarily unavailable to the CLEC.

Comparison to an internal benchmark provides a vehicle for determining whether or not CLECs and retail BellSouth entities are given comparable opportunities for use of pre-ordering and ordering systems.

(Note: Scheduled maintenance will not be performed between the hours of 8:00 a.m through 9:00 p.m. Monday through Friday.)

Calculation

OSS Availability (Pre-Ordering/Ordering) = (a / b) X 100

- a = Functional Availability
- b = Scheduled Availability

Report Structure

- Interface Type
- Not CLEC Specific
- Not Product/Service Specific
- · Regional Level



Data Retained

Relating to CLEC Experience

- Report Month
- Legacy Contract Type (per reporting dimension)
- Regional Scope
- · Hours of Downtime

Relating to BellSouth Performance

- Report Month
- Legacy Contract Type (per reporting dimension)
- · Regional Scope
- Hours of Downtime

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

• Regional Level, Per OSS Interface....>= 99.5%

(See Appendix D: Tables for SQM OSS Availability)

SEEM Measure

| SEEM | Tier I | Tier II |
|------|--------|---------|
| Yes | | X |

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

• Regional Level, Per OSS Interface.....>= 99.5%

(See Appendix D: Tables for SEEM OSS Availability)



OSS-3: OSS Availability (Maintenance & Repair)

Definition

Percent of time applications are functionally available as compared to scheduled availability. Calculations are based upon availability of applications and interfacing applications utilized by CLECs for maintenance and repair. "Functional Availability" is defined as the number of hours in the reporting period that the applications/interfaces are available to users. "Scheduled Availability" is defined as the number of hours in the reporting period that the applications/interfaces are scheduled to be available.

Scheduled availability is posted on the Interconnection website: (www.interconnection.bellsouth.com/oss/osshour.html)

Exclusions

- CLEC-impacting trouble caused by factors outside of BellSouth's purview, e.g., troubles in customer equipment, troubles in networks owned by telecommunications companies other than BellSouth, etc.
- Degraded service outages which are defined as a critical function that is normally performed by the CLEC or is normally provided
 by an application or system available to the CLEC, but with significantly reduced response or processing time.

Business Rules

This measurement captures the functional availability of applications/interfaces as a percentage of scheduled availability for the same systems. Only full outages are included in the calculations for this measure. Full outages are defined as occurrences of either of the following:

- Application/interfacing application is down or totally inoperative.
- Application is totally inoperative for customers attempting to access or use the application. This includes transport outages when
 they may be directly associated with a specific application.

Loss of Functionality outages are defined as:

 A critical function that is normally performed by the CLEC or is normally provided by an application or system is temporarily unavailable to the CLEC.

Comparison to an internal benchmark provides a vehicle for determining whether or not CLECs and retail BellSouth entities are given comparable opportunities for use of maintenance and repair systems.

Calculation

OSS Availability (a / b) X 100

- a = Functional Availability
- b = Scheduled Availability

Report Structure

- Interface Type
- Not CLEC Specific
- Not Product/Service Specific
- Regional Level

Data Retained

Relating to CLEC Experience

- Availability of CLEC TAFI
- Availability of LMOS HOST, MARCH, SOCS, CRIS, PREDICTOR, LNP and OSPCM



ECTA

Relating to BellSouth Performance

- Availability of BellSouth TAFI
- · Availability of LMOS HOST, MARCH, SOCS, CRIS, PREDICTOR, LNP and OSPCM

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

• Regional Level, Per OSS Interface.....>= 99.5%

(See Appendix D: Tables for OSS Availability (M&R)

SEEM Measure

| SEEM | Tier I | Tier II |
|------|--------|---------|
| Yes | | X |

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

• Regional Level, Per OSS Interface....>= 99.5%

(See Appendix D: Tables for SEEM OSS Availability (M&R)



OSS-4: Response Interval (Maintenance & Repair)

Definition

The response intervals are determined by subtracting the time a request is received on the BellSouth side of the interface from the time the response is received from the legacy system. Percentages of requests falling into each interval category are reported, along with the actual number of requests falling into those categories.

Exclusions

None

Business Rules

This measure is designed to monitor the time required for the CLEC and BellSouth interface system to obtain from BellSouth's legacy systems the information required to handle maintenance and repair functions. The clock starts on the date and time when the request is received on the BellSouth side of the interface_and the clock stops when the response has been transmitted through that same point to the requester.

Note: The OSS Response Interval BellSouth Total Report is a combination of BellSouth Residence and Business Total.

Calculation

OSS Response Interval = (a - b)

- a = Query Response Date and Time
- b = Query Request Date and Time

Percent Response Interval (per category) = (c / d) X 100

- c = Number of Response Intervals in category "X"
- d = Number of Queries Submitted in the Reporting Period

where, "X" is
$$<= 4$$
, $> 4 <= 10$, $<= 10$, > 10 , or > 30 seconds.

Average Interval = (e / f)

- e = Sum of Response Intervals
- f = Number of Queries Submitted in the Reporting Period

Report Structure

- Not CLEC Specific
- Not Product/Service Specific
- · Regional Level

Data Retained

Relating to CLEC Experience

• CLEC Transaction Intervals

Relating to BellSouth Performance

BellSouth Business and Residential Transactions Intervals



SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

Regional Level, Per OSS Interface......Parity with Retail

(See Appendix D: Tables for Legacy System Access Times for M&R)

Note: BellSouth's Appendix D lists the query functions and the appropriate legacy systems that the queries travel through to return a response.

SEEM Measure

| SEEM | Tier I | Tier II |
|------|--------|---------|
| Yes | | X |

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark



PO-1: Loop Makeup - Response Time - Manual

Definition

This report measures the average interval and percent within the interval from the submission of a Manual Loop Makeup Service Inquiry (LMUSI) to the distribution of Loop Makeup information back to the CLEC.

Exclusions

- Inquiries, which are submitted electronically
- Designated Holidays are excluded from the interval calculation
- · Weekends are excluded from the interval calculation
- Canceled Inquiries

Business Rules

The CLEC Manual Loop Makeup Service Inquiry (LMUSI) process includes inquiries submitted via E-mail or FAX to BellSouth's Complex Resale Support Group (CRSG)

This measurement combines three intervals:

- 1. From receipt of a valid Service Inquiry for Loop Makeup to hand off to the Service Advocacy Center (SAC) for "Look-up."
- 2. From SAC start date to SAC complete date
- 3. From SAC complete date to date the Complex Resale Support Group (CRSG) distributes loop makeup information back to the CLEC.

The "Receive Date" is defined as the date the Manual LMUSI is received by the CRSG. It is counted as day Zero. LMU "Return Date" is defined as the date the LMU information is sent back to the CLEC from BellSouth. The interval calculation is reset to Zero when a CLEC initiated change occurs on the Manual LMU request.

Note: The Loop Makeup Service Inquiry Form does not require the CLEC to furnish the type of Loop. The CLEC determines whether the loop makeup will support the type of service they wish to order or not and qualifies the loop. If the loop makeup will support the service, a firm order LSR is submitted by the CLEC.

(A valid Service Inquiry is an inquiry that has all required fields populated correctly and has not been returned for clarification.)

Calculation

Response Interval = (a - b)

- a = Date the LMUSI returned to CLEC
- b = Date the LMUSI is received

Average Interval = (c / d)

- c = Sum of all Response Intervals
- d = Total Number of LMUSIs received within the reporting period

Percent within interval = (e / f) X 100

- e = Total LMUSIs received within the interval
- f = Total Number of LMUSIs processed within the reporting period



Report Structure

- · CLEC Aggregate
- CLEC Specific
- Geographic Scope
 - State
 - Region
- Interval for manual LMUs:
 - 0 <= 1 day
 - >1 <= 2 days
 - >2 <= 3 days
 - $0 \le 3 \text{ days}$
 - >3 <= 6 days
 - >6 <= 10 days
 - > 10 days
- Average Interval in days

Data Retained

Relating to CLEC Experience

- · Report Month
- Total Number of Inquiries
- SI Intervals
- State and Region

Relating to BellSouth Performance

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

SEEM Measure

| SEEM | Tier I | Tier II |
|------|--------|---------|
| Yes | X | X |

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

• Loops Benchmark: 95% <= 3 Business Days



PO-2: Loop Makeup - Response Time - Electronic

Definition

This report measures the average interval and the percent within the interval from the electronic submission of a Loop Makeup Service Inquiry (LMUSI) to the distribution of Loop Makeup information back to the CLEC.

Exclusions

- · Manually submitted inquiries
- · Canceled Requests

Business Rules

The response interval starts when the CLEC's Mechanized Loop Makeup Service Inquiry (LMUSI) is submitted electronically through the Operational Support Systems interface, TAG. It ends when BellSouth's Loop Facility Assignment and Control System (LFACS) responds electronically to the CLEC with the requested Loop Makeup data via the TAG Interface. LSRs submitted via LENs will be reflected in the results for the TAG interface.

Note: The Loop Makeup Service Inquiry Form does not require the CLEC to furnish the type of Loop. The CLEC determines whether the loop makeup will support the type of service they wish to order or not and qualifies the loop. If the loop makeup will support the service, a firm order LSR is submitted by the CLEC. EDI is not a pre-ordering system, and, therefore, is not applicable in this measure.

Calculation

Response Interval = (a - b)

- a = Date and Time the LMUSI returned to CLEC
- b = Date and Time the LMUSI is received

Average Interval = (c / d)

- c = Sum of all response intervals
- d = Total Number of LMUSIs received within the reporting period

Percent within interval = (e / f) X 100

- e = Total LMUSIs received within the interval
- f = Total Number of LMUSIs processed within the reporting period

Report Structure

- · CLEC Aggregate
- CLEC Specific
- Geographic Scope
 - State
 - Region
- Interval for electronic LMUs:
 - $0 \le 1$ minute
 - >1 -<= 5 minutes
 - $0 \le 5$ minutes
 - > 5 <= 8 minutes
 - $> 8 \le 15$ minutes



- > 15 minutes
- Average Interval in minutes

Data Retained

Relating to CLEC Experience

- Report Month
- Total Number of Inquires
- SI Interval
- · State and Region

Relating to BellSouth Performance

• Not Applicable

SQM Disaggregation - Analog/Benchmark



Section 2: Ordering

O-1: Acknowledgement Message Timeliness

Definition

This measurement provides the response interval and percent within the interval from the time an LSR or transmission (may contain multiple LSRs from one or more CLECs in multiple states) is electronically submitted via EDI or TAG until an acknowledgement notice is sent by the system.

Exclusions

- · Scheduled OSS Maintenance
- · Manually Submitted LSRs

Business Rules

The process includes EDI and TAG system functional acknowledgements for all Local Service Requests (LSRs) which are electronically submitted by the CLEC. The start time is the receipt time of the LSR at BellSouth's side of the interface (gateway). The end time is when the acknowledgement is transmitted by BellSouth at BellSouth's side of the interface (gateway). For those CLECs using EDI, if more than one CLEC uses the same ordering center, an Acknowledgement Message will be returned to the "Aggregator", however, BellSouth will not be able to determine which specific CLEC this message represented.

Calculation

Response Interval = (a - b)

- a = Date and Time Acknowledgement Notices returned to CLEC
- b = Date and Time Messages/LSRs electronically submitted by the CLEC via EDI or TAG respectively

Average Response Interval = (c / d)

- c = Sum of all Response Intervals for returned acknowledgements
- d = Total number of electronically submitted Messages/LSRs received, via EDI or TAG respectively, for which Acknowledgement Notices were returned in the Reporting Period.

Percent within Interval = (e / f) X 100

- e = Total number of electronically submitted messages/LSRs received, from CLEC via EDI or TAG respectively, in the Reporting Period.
- f = Total number of electronically submitted messages/LSRs acknowledged in the Reporting Period.

Reporting Structure

- CLEC Aggregate
- CLEC Specific
- Geographic Scope
 - Region
- Electronically Submitted LSRs
 - 0 = 10 minutes
 - > 10 <= 20 minutes
 - > 20 <= 30 minutes
 - $0 \le 30$ minutes
 - $> 30 \le 45$ minutes
 - > 45 <= 60 minutes



- > 60 <= 120 minutes
- > 120 minutes
- · Average interval for electronically submitted LSRs in minutes

Data Retained

Relating to CLEC Experience

- · Report Month
- · Record of Functional Acknowledgements

Relating to BellSouth Performance

• Not Applicable

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation • FDI

SQM Analog/Benchmark

SEEM Measure

 SEEM
 Tier I
 Tier II

 Yes
 X
 X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

EDI — 95% <= 30 Minutes
 TAG — 95% <= 30 Minutes



O-2: Acknowledgement Message Completeness

Definition

This measurement provides the percent of Messages/LSRs received via EDI or TAG, which are acknowledged electronically.

Exclusions

Manually submitted LSRs

Business Rules

EDI and TAG send Functional Acknowledgements for all LSRs, which are electronically submitted by a CLEC. For those CLECs using EDI, if more than one CLEC uses the same ordering center, an Acknowledgement Message will be returned to the "Aggregator", however, BellSouth will not be able to determine which specific CLEC this message represented. The Acknowledgement Message is returned prior to the determination of whether the LSR will be partially mechanized or fully mechanized.

Calculation

Acknowledgement Completeness = (a / b) X 100

- a = Total number of Functional Acknowledgements returned in the reporting period for Messages/LSRs electronically submitted by EDI or TAG respectively
- b = Total number of electronically submitted Messages/LSRs received in the reporting period by EDI or TAG respectively

Report Structure

- CLEC Aggregate
- CLEC Specific
- Geographic Scope
 - Region

Note: Acknowledgement message is generated before the system recognizes whether this message (LSR) will be partially or fully mechanized.

Data Retained

Relating to CLEC Experience

- · Report Month
- Record of Functional Acknowledgements

Relating to BellSouth Performance

· Not Applicable

SQM Disaggregation - Analog/Benchmark



O-2: Acknowledgement Message Completeness



SEEM Measure

 SEEM
 Tier I
 Tier II

 Yes
 X
 X

SEEM Disaggregation - Analog/Benchmark

• TAG......Benchmark: 99.5%



O-3: Percent Flow-Through Service Requests (Summary)

Definition

The percentage of Local Service Requests (LSR) and LNP Local Service Requests (LNP LSRs) submitted electronically via the CLEC mechanized ordering process that flow through and reach a status for a FOC to be issued, without manual intervention.

Exclusions

- Fatal Rejects
- · Auto Clarification
- · Manual Fallout for Percent Flow-Through only
- · CLEC System Fallout
- · Scheduled OSS Maintenance

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI and LENS), that flow through and reach a status for a FOC to be issued, without manual intervention. These LSRs can be divided into two classes of service: Business and Residence, and two types of service: Resale, and Unbundled Network Elements (UNE). The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier) or are not designed to flow through (for example, Manual Fallout.)

Definitions:

Fatal Rejects: Errors that prevent an LSR, submitted electronically by the CLEC, from being processed further. When an LSR is submitted by a CLEC, LEO/LNP Gateway will perform edit checks to ensure the data received is correctly formatted and complete. For example, if the PON field contains an invalid character, LEO/LNP Gateway will reject the LSR and the CLEC will receive a Fatal Reject.

Auto-Clarification: Clarifications that occur due to invalid data within the LSR. LESOG/LAUTO will perform data validity checks to ensure the data within the LSR is correct and valid. For example, if the address on the LSR is not valid according to RSAG, or if the LNP is not available for the NPA NXX requested, the CLEC will receive an Auto-Clarification.

Manual Fallout: Planned Fallout that occur by design. Certain LSRs are designed to fallout of the Mechanized Order Process due to their complexity. These LSRs are manually processed by the LCSC. When a CLEC submits an LSR, LESOG/LAUTO will determine if the LSR should be forwarded to LCSC for manual handling. Following are the categories for Manual Fallout:

- 1. Complex*
- 2 Special pricing plans
- 3. Some Partial migrations (All LNP Partial Migrations)
- 4. New telephone number not yet posted to BOCRIS
- 5. Pending order review required
- 6. CSR inaccuracies such as invalid or missing CSR data in CRIS
- 7. Expedites (requested by the CLEC)
- 8. Denials-restore and conversion, or disconnect and conversion orders
- 9. Class of service invalid in certain states with some types of service
- 10. Low volume such as activity type "T" (move)
- 11. More than 25 business lines, or more than 15 loops
- 12. Transfer of calls option for the CLEC end users
- 13. Directory Listings (Identions and Captions)
- 14. LNP Only Supplement LSRs except supps of O-2 (Due Date Changes) on Req Type CB

*See LSR Flow-Through Matrix in Appendix E for a list of services, including complex services, and whether LSRs issued for the services are eligible to flow through. The matrix is updated automatically when new services are added or the systems are improved to allow a service to flow through. The current version of the Flow-Through Matrix is on the PMAP website (http://pmap.bellsouth.com) in the Documentation/Exhibits folder. Any change in the flow-through order category from flow-through to non-flow-through shall require prior



Commission approval.

Total System Fallout: Errors that require manual review by the LCSC to determine if the error is caused by the CLEC, or is due to BellSouth system functionality. If it is determined the error is caused by the CLEC, the LSR will be sent back to the CLEC for clarification. If it is determined the error is BellSouth caused, the LCSC representative will correct the error, and the LSR will continue to be processed.

Z Status: LSRs that receive a supplemental LSR submission prior to final disposition of the original LSR.

Calculation

Percent Flow Through = a / [b - (c + d + e + f)] X 100

- a = the total number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c = the number of LSRs that fallout for manual processing
- d = the number of LSRs that are returned to the CLEC for auto clarification
- e = the number of LSRs that are returned to the CLEC from the LCSC due to CLEC clarification
- f = the number of LSRs that receive a Z status.

Percent Achieved Flow Through = a / [b - (c + d + e)] X 100

- a = the number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued.
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c = the number of LSRs that are returned to the CLEC for auto clarification
- d = the number of LSRs that are returned to the CLEC from the LCSC due to CLEC clarification
- e = the number of LSRs that receive Z status

Report Structure

- · CLEC Aggregate
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- Total Number of LSRs Received, by Interface, by CLEC
 - TAG
 - EDI
 - LENS
- Total Number of Errors by Type, by CLEC
 - Fatal Rejects
 - Auto Clarification
 - CLEC Caused System Fallout
- Total Number of Errors by Error Code
- Total Fallout for Manual Processing

Relating to BellSouth Performance

- Report Month
- Total Number of Errors by Type
 - BellSouth System Error



SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark^a

| • | Residence | Benchmark: 95% |
|---|-------------|----------------|
| • | Business | Benchmark: 90% |
| • | UNE - Loops | Benchmark: 85% |
| | UNE-P | |
| • | LNP | Benchmark: 85% |

SEEM Measure

| SEEM | Tier I | Tier II |
|------|--------|---------|
| Yes | | X |

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark^a

| • | Residence | . Benchmark: | 95% |
|---|-------------|--------------|-----|
| • | Business | . Benchmark: | 90% |
| • | UNE - Loops | . Benchmark: | 85% |
| | UNE-P | | |
| | LNP | | |
| | | | |

^a Benchmarks do not apply to the "Percent Achieved Flow-Through."



O-4: Percent Flow-Through Service Requests (Detail)

Definition

A detailed list, by CLEC, of the percentage of Local Service Requests (LSR) and LNP Local Service Requests (LNP LSRs) submitted electronically via the CLEC mechanized ordering process that flow through and reach a status for a FOC to be issued, without manual or human intervention.

Exclusions

- Fatal Rejects
- Auto Clarification
- · Manual Fallout for Percent Flow-Through only
- CLEC System Fallout
- Scheduled OSS Maintenance

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued, without manual intervention. These LSRs can be divided into two classes of service: Business and Residence, and two types of service: Resale, and Unbundled Network Elements (UNE). The CLEC mechanized ordering process does not include LSRs, which are submitted manually (for example, fax and courier) or are not designed to flow through (for example, Manual Fallout.)

Definitions:

Fatal Rejects: Errors that prevent an LSR, submitted electronically by the CLEC, from being processed further. When an LSR is submitted by a CLEC, LEO/LNP Gateway will perform edit checks to ensure the data received is correctly formatted and complete. For example, if the PON field contains an invalid character, LEO/LNP Gateway will reject the LSR and the CLEC will receive a Fatal Reject.

Auto-Clarification: Clarifications that occur due to invalid data within the LSR. LESOG/LAUTO will perform data validity checks to ensure the data within the LSR is correct and valid. For example, if the address on the LSR is not valid according to RSAG, or if the LNP is not available for the NPA NXX requested, the CLEC will receive an Auto-Clarification.

Manual Fallout: Planned Fallout that occur by design. Certain LSRs are designed to fallout of the Mechanized Order Process due to their complexity. These LSRs are manually processed by the LCSC. When a CLEC submits an LSR, LESOG/LAUTO will determine if the LSR should be forwarded to LCSC for manual handling. Following are the categories for Manual Fallout:

- 1. Complex*
- 2 Special pricing plans
- 3. Some Partial migrations (All LNP Partial Migrations)
- 4. New telephone number not yet posted to BOCRIS
- 5. Pending order review required
- 6. CSR inaccuracies such as invalid or missing CSR data in CRIS
- 7. Expedites (requested by the CLEC)
- 8. Denials-restore and conversion, or disconnect and conversion orders
- 9. Class of service invalid in certain states with some types of service
- 10. Low volume such as activity type "T" (move)
- 11. More than 25 business lines, or more than 15 loops
- 12. Transfer of calls option for the CLEC end users
- 13. Directory Listings (Identions and Captions)
- 14. LNP Only Supplement LSRs except supps of O-2 (Due Date Changes) on Req Type CB

*See LSR Flow-Through Matrix in Appendix E for a list of services, including complex services, and whether LSRs issued for the services are eligible to flow through. The matrix is updated automatically when new services are added or the systems are improved to allow a service to flow through. The current version of the Flow-Through Matrix is on the PMAP website (http://pmap.bellsouth.com) in the



Documentation/Exhibits folder. Any change in the flow-through order category from flow-through to non-flow-through shall require prior Commission approval.

Total System Fallout: Errors that require manual review by the LCSC to determine if the error is caused by the CLEC, or is due to BellSouth system functionality. If it is determined the error is caused by the CLEC, the LSR will be sent back to the CLEC for clarification. If it is determined the error is BellSouth caused, the LCSC representative will correct the error, and the LSR will continue to be processed.

Z Status: LSRs that receive a supplemental LSR submission prior to final disposition of the original LSR.

Calculation

Percent Flow Through = a / [b - (c + d + e + f)] X 100

- a = the total number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c = the number of LSRs that fallout for manual processing
- d = the number of LSRs that are returned to the CLEC for auto clarification
- e = the number of LSRs that are returned to the CLEC from the LCSC due to CLEC clarification
- f = the number of LSRs that receive a Z status.

Percent Achieved Flow Through = a / [b - (c + d + e)] X 100

- a = the number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c =the number of LSRs that are returned to the CLEC for auto clarification
- d = the number of LSRs that are returned to the CLEC from the LCSC due to CLEC clarification
- e = the number of LSRs that receive Z status

Report Structure

Provides the flow through percentage for each CLEC (by alias designation) submitting LSRs through the CLEC mechanized ordering process. The report provides the following:

- CLEC (by alias designation)
- Number of fatal rejects
- · Mechanized interface used
- Total mechanized LSRs
- Total manual fallout
- · Number of auto clarifications returned to CLEC
- · Number of validated LSRs
- Number of BellSouth caused fallout
- · Number of CLEC caused fallout
- · Number of Service Orders Issued
- · Base calculation
- · CLEC error excluded calculation
- Region

Data Retained

Relating to CLEC Experience

- Report Month
- Total Number of LSRs Received, by Interface, by CLEC
 - TAG
 - EDI
 - LENS
- Total Number of Errors by Type, by CLEC
 - Fatal Rejects
 - Auto Clarification



- CLEC Errors
- Total Number of Errors by Error Code
- Total Fallout for Manual Processing

Relating to BellSouth Performance

- · Report Month
- Total Number of Errors by Type
 - BellSouth System Error

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation Residence Benchmark: 95% Business Benchmark: 90% UNE - Loops Benchmark: 85% UNE-P Benchmark: 90% LNP Benchmark: 90% Benchmark: 85% Benchmark: 85% Benchmark: 85%

SEEM Disaggregation - Analog/Benchmark

Yes X

SEEM Disaggregation SEEM Analog/Benchmark • Residence Benchmark: 95% • Business Benchmark: 90% • UNE- Loops Benchmark: 85% • UNE-P Benchmark: 90% • LNP Benchmark: 85%

^a Benchmarks do not apply to the "Percent Achieved Flow-Through."



Flow-Through Error Analysis

Definition

An analysis of each error type (by error code) that was experienced by the LSRs that did not flow through or reached a status for a FOC to be issued.

Exclusions

Each Error Analysis is error code specific, therefore exclusions are not applicable.

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued. The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier).

Calculation

Total for each error type

Report Structure

Provides an analysis of each error type (by error code). The report is in descending order by count of each error code and provides the following:

- Error Type (by error code)
- Count of each error type
- · Percent of each error type
- · Cumulative percent
- Error Description
- CLEC Caused Count of each error code
- Percent of aggregate by CLEC caused count
- · Percent of CLEC caused count
- BellSouth Caused Count of each error code
- · Percent of aggregate by BellSouth caused count
- Percent of BellSouth by BellSouth caused count.

Data Retained

Relating to CLEC Experience

- · Report Month
- Total Number of LSRs Received
- Total Number of Errors by Type (by Error Code)
 - CLEC caused error

Flow-Through Error Analysis



Tennessee Performance Metrics

Relating to BellSouth Performance

- Report Month
- Total Number of Errors by Type (by Error Code)
 - BellSouth System Error

SQM Disaggregation - Analog/Benchmark

| SQM Level of Di Not Appl | 00 0 | | SQM Analog/BenchmarkNot Applicable | |
|--|--------|---------|------------------------------------|--|
| SEEM Measu | re | | | |
| SEEM | Tier I | Tier II | | |
| No | | | | |
| SEEM Disaggregation - Analog/Benchmark | | | | |
| SEEM Disaggre | gation | | SEEM Analog/Benchmark | |



O-6: CLEC LSR Information

Definition

A list with the flow through activity of LSRs by CC, PON and Ver, issued by each CLEC during the report period.

Exclusions

- Fatal Rejects
- LSRs Submitted Manually

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued. The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier).

Calculation

Not Applicable

Report Structure

Provides a list with the flow through activity of LSRs by CC, PON and Ver, issued by each CLEC during the report period with an explanation of the columns and content. This report is available on a CLEC specific basis. The report provides the following for each LSR.

- CC
- PON
- Ver
- Timestamp
- Type
- Err #
- Note or Error Description

Data Retained

Relating to CLEC Experience

- · Report Month
- Record of LSRs Received by CC, PON and Ver
- · Record of Timestamp, Type, Err # and Note or Error Description for Each LSR by CC, PON and Ver

Relating to BellSouth Performance

Not Applicable

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

Not Applicable......Not Applicable



SEEM Measure

SEEM Tier I Tier II

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark



O-7: Percent Rejected Service Requests

Definition

Percent Rejected Service Request is the percent of total Service Requests [(Local Service Requests (LSRs) or Access Service Requests (ASRs)] received which are rejected due to error or omission. Service Requests are considered valid when they are submitted by the CLEC and pass edit checks to insure the data received is correctly formatted and complete.

Exclusions

- Service Requests canceled by the CLEC prior to being rejected/clarified.
- Fatal Rejects
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Test Orders, etc.) where identifiable
- · LSRs identified as "Projects"

Business Rules

Fully Mechanized: An LSR/Service Request is considered "rejected" when it is submitted electronically but does not pass edit checks in the ordering systems (EDI, LENS, TAG, LESOG, LNP Gateway, LAUTO) and is returned to the CLEC without manual intervention. There are two types of "Rejects" in the Mechanized category:

A **Fatal Reject** occurs when a CLEC attempts to electronically submit an LSR but required fields are either not populated or incorrectly populated and the request is returned to the CLEC before it is considered a valid LSR.

Fatal rejects are reported in a separate column, and for informational purposes ONLY. They are not considered in the calculation of the percent of total LSRs rejected or the total number of rejected LSRs.

An **Auto Clarification** occurs when a valid LSR is electronically submitted but rejected from LESOG or LAUTO because it does not pass further edit checks for order accuracy.

Partially Mechanized: A valid LSR, which is electronically submitted (via EDI, LENS, TAG) but cannot be processed electronically and "falls out" for manual handling. It is then put into "clarification" and sent back (rejected) to the CLEC.

Non-Mechanized: LSRs which are faxed or mailed to the LCSC for processing and "clarified" (rejected) back to the CLEC by the BellSouth service representative.

Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). Trunk data is reported as a separate category.

Calculation

Percent Rejected Service Requests = (a / b) X 100

- a = Total Number of Service Requests Rejected in the reporting period
- b = Total Number of Service Requests Received in the reporting period

Report Structure

- Fully Mechanized, Partially Mechanized, Non-Mechanized
- Trunks
- CLEC Specific
- CLEC Aggregate
- Geographic Scope
 - State



- Region
- Product Specific percent Rejected
- Total percent Rejected

Data Retained

Relating to CLEC Experience

- · Report Month
- Total Number of LSRs
- Total Number of Rejects
- State and Region
- Total Number of ASRs (Trunks)

Relating to BellSouth Performance

Not Applicable

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

Mechanized, Partially Mechanized and Non-Mechanized

- Resale Business
- Resale Design (Special)
- · Resale PBX
- · Resale Centrex
- Resale ISDN
- LNP (Standalone)
- INP (Standalone)
- 2W Analog Loop Design
- 2W Analog Loop Non-Design
- 2W Analog Loop with INP Design
- 2W Analog Loop with INP Non-Design
- 2W Analog Loop with LNP Design
- 2W Analog Loop with LNP Non-Design
- UNE Digital Loop < DS1
- UNE Digital Loop >= DS1
- UNE Loop + Port Combinations
- UNE Combination Other
- UNE ISDN Loop
- UNE Other Design
- UNE Other Non-Design
- UNE Line Splitting
- EELs
- Switch Ports
- UNE xDSL (ADSL, HDSL, UCL)
- Line Sharing
- Local Interoffice Transport
- Local Interconnection Trunks

SEEM Measure

| SEEM | Tier I | Tier II |
|------|--------|---------|
| No | | |





SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark



O-8: Reject Interval

Definition

Reject Interval is the average reject time from receipt of Service Requests [(Local Service Requests (LSRs) or Access Service Requests (ASRs)] to the distribution of a Reject. Service Requests are considered valid when they are submitted by the CLEC and pass edit checks to insure the data received is correctly formatted and complete. When there are multiple rejects on a single version of an LSR, the first reject issued is used for the calculation of the interval duration.

Exclusions

- Service Requests canceled by CLEC prior to being rejected/clarified.
- Fatal Rejects
- Designated Holidays are excluded from the interval calculation for partially mechanized and non-mechanized LSRs/ASRs only.
- LSRs which are identified and classified as "Projects"

Non-business hours for Partially Mechanized and Non-Mechanized LSRs are excluded from the interval calculation. The excluded time is the time outside of normal operations which can be found at the following website: http://www.interconnection.bellsouth.com/centers/html/lcsc.html

Local Interconnection Service Center (LISC) - Monday through Friday 4:30 PM until 8:00 AM
From 4:30 PM Friday until 8:00 AM Monday

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

Business Rules

The Reject interval is determined for each rejected LSR processed during the reporting period. The Reject interval is the elapsed time from when BellSouth receives LSR (date and time stamps in EDI or TAG) until that LSR is rejected back to the CLEC. Elapsed time for each LSR (date and time stamps in EDI or TAG) is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of rejected LSRs to produce the reject interval distribution.

Fully Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI translator or TAG) until the LSR is rejected (date and time stamp or reject in EDI translator, or TAG). Auto Clarifications are considered in the Fully Mechanized category.

Partially Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI translator or TAG) until it falls out for manual handling. The stop time on partially mechanized LSRs is when the LCSC Service Representative clarifies the LSR back to the CLEC via EDI translator, or TAG.

Non-Mechanized: The elapsed time from receipt of a valid LSR (date and time stamp of FAX or date and time mailed LSR is received in the LCSC) until notice of the reject (clarification) is returned to the CLEC via LON.

Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). Trunk data is reported as a separate category.

O-8: Reject Interval



Tennessee Performance Metrics

Calculation

Reject Interval = (a - b)

- a = Date and Time of Service Request Rejection
- b = Date and Time of Service Request Receipt

Average Reject Interval = (c / d)

- c = Sum of all Reject Intervals
- d = Number of Service Requests Rejected in Reporting Period

Reject Interval Distribution = $(e / f) \times 100$

- e = Service Requests Rejected in reported interval
- f = Total Number of Service Requests Rejected in Reporting Period

Report Structure

- · Fully Mechanized, Partially Mechanized, Non-Mechanized
- CLEC Specific
- · CLEC Aggregate
- · Geographic Scope
 - State
 - Region
- Fully Mechanized:
 - $0 \le 4$ minutes
 - > 4 <= 8 minutes
 - >8 <= 12 minutes
 - > 12 <= 60 minutes
 - $0 \le 1 \text{ hour}$
 - $> 1 \le 4 \text{ hours}$
 - > 4 <= 8 hours
 - > 8 <= 12 hours
 - > 12 <= 16 hours
 - > 16 <= 20 hours
 - > 20 <= 24 hours
 - > 24 hours
- Partially Mechanized:
 - $0 \le 1 \text{ hour}$
 - $> 1 \le 4 \text{ hours}$
 - > 4 <= 8 hours
 - > 8 <= 10 hours
 - $0 \le 10 \text{ hours}$
 - > 10 <= 18 hours
 - $0 \le 18 \text{ hours}$
 - > 18 <= 24 hours
 - > 24 hours
- Non-mechanized:
 - $0 \le 1$ hour
 - > 1 <= 4 hours
 - > 4 <= 8 hours
 - > 8 <= 12 hours > 12 - <= 16 hours
 - > 16 <= 20 hours
 - > 10 <= 20 hours> 20 - <= 24 hours
 - $0 \le 24 \text{ hours}$
 - > 24 hours
- Trunks:



- $0 \le 36 \text{ hours}$
- > 36 hours
- Average Interval is reported in business hours.

Data Retained

Relating to CLEC Experience

- · Report Month
- Reject Interval
- Total Number of LSRs
- Total Number of Rejects
- · State and Region
- Total Number of ASRs (Trunks)

Relating to BellSouth Performance

· Not Applicable

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- Resale PBX
- · Resale Centrex
- · Resale ISDN
- LNP (Standalone)
- INP (Standalone)
- 2W Analog Loop Design
- 2W Analog Loop Non-Design 2W Analog Loop with INP Design
- 2W Analog Loop with INP Non-Design
- 2W Analog Loop with INT Non-Design
 2W Analog Loop with LNP Design
- Zw Analog Loop with LNP Desi
- 2W Analog Loop with LNP Non-Design
- UNE Digital Loop < DS1
- UNE Digital Loop >= DS1
- UNE Loop + Port Combinations
- UNE Combination Other
- UNE ISDN Loop
- UNE Other Design
- UNE Other Non-Design
- UNE Line Splitting
- EELs
- Switch Ports
- UNE xDSL (ADSL, HDSL, UCL)
- Line Sharing
- Local Interoffice Transport
- Local Interconnection Trunks: 95% <= 36 Hours

O-8: Reject Interval

BELLSOUTH®

SEEM Measure

SEEM Tier I Tier II Yes X X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

| | | | _ |
|---|------------------------------|-----|-------------|
| • | Fully Mechanized | 97% | <= 1 hour |
| | Partially Mechanized | | |
| | Non-Mechanized. | | |
| • | Local Interconnection Trunks | 95% | <= 36 hours |



O-9: Firm Order Confirmation Timeliness

Definition

Interval for Return of a Firm Order Confirmation (FOC Interval) is the average response time from receipt of valid LSR or ASR to distribution of a Firm Order Confirmation. The interval will include an electronic facilities check.

Exclusions

- Service Requests canceled by CLEC prior to being confirmed.
- Designated Holidays are excluded from the interval calculation for partially mechanized and non-mechanized LSRs/ASRs only.
- LSRs which are identified and classified as "Projects"

Non-business hours for Partially Mechanized and Non-Mechanized LSRs are excluded from the interval calculation. The excluded time is the time outside of normal operations which can be found at the following website: http://www.interconnection.bellsouth.com/centers/html/lcsc.html

For ASRs processed in the Local Interconnection Service Center (LISC) - From 4:30 PM All hours outside of Monday – Friday 8:00 AM – 4:30 PM CST, should be excluded.

The hours excluded will be altered to reflect changes in the Center operating hours. The Centers will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

Business Rules

Fully Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI or TAG) until the LSR is processed, appropriate service orders are generated and a Firm Order Confirmation is returned to the CLEC via EDI translator or TAG.

Partially Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, or TAG) which falls out for manual handling until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is returned to the CLEC via EDI translator, or TAG.

Non-Mechanized: The elapsed time from receipt of a valid paper LSR (date and time stamp of FAX or date and time paper LSRs received in LCSC) until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is sent to the CLEC via LON.

Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). The elapsed time is measured from receipt of a valid ASR (date and time stamp of a FAX or paper ASR received in the LISC) until the appropriate orders are issued by a BellSouth representative and a FOC issued in EXACT. Trunk data is reported as a separate category.

Note: When multiple FOCs occur on a single version of an LSR, the first FOC is used to measure the interval.



O-9: Firm Order Confirmation Timeliness

Tennessee Performance Metrics

Calculation

Firm Order Confirmation Interval = (a - b)

- a = Date and Time of Firm Order Confirmation
- b = Date and Time of Service Request Receipt

Average FOC Interval = (c / d)

- c = Sum of all Firm Order Confirmation Times
- d = Number of Service Requests Confirmed in Reporting Period

FOC Interval Distribution = (e / f) X 100

- e = Service Requests Confirmed in Designated Interval
- f = Total Service Requests Confirmed in the Reporting Period

Report Structure

- · Fully Mechanized, Partially Mechanized, Non-Mechanized
 - CLEC Specific
 - CLEC Aggregate
- · Geographic Scope
 - State
 - Region
- Fully Mechanized:
 - 0 <= 15 minutes
 - > 15 <= 30 minutes
 - $> 30 \le 45$ minutes
 - > 45 <= 60 minutes
 - > 60 <= 90 minutes
 - > 90 <= 120 minutes
 - > 120 <= 180 minutes
 - $0 \le 3 \text{ hours}$
 - > 3 <= 6 hours
 - > 6 <= 12 hours
 - > 12 <= 24 hours
 - $> 24 \le 48$ hours
 - > 48 hours
- Partially Mechanized:
 - $0 \le 4$ hours
 - > 4 <= 8 hours
 - > 8 <= 10 hours
 - $0 \le 10 \text{ hours}$
 - > 10 <= 18 hours
 - 0 <= 18 hours
 - $> 18 \le 24 \text{ hours}$
 - $> 24 \le 48 \text{ hours}$
 - > 48 hours
- Non-mechanized:
 - $0 \le 4 \text{ hours}$
 - > 4 <= 8 hours
 - > 8 <= 12 hours
 - > 12 <= 16 hours
 - $0 \le 24 \text{ hours}$
 - > 16 <= 20 hours > 20 - <= 24 hours
 - $> 20 \le 24 \text{ flours}$ > 24 - <= 36 hours
 - 0 <= 36 hours



- > 36 <= 48 hours
- > 48 hours
- Trunks:
 - $0 \le 48 \text{ hours}$
 - > 48 hours
- · Average Interval is reported in business hours

Data Retained

Relating to CLEC Experience

- · Report Month
- Interval for FOC
- Total Number of LSRs
- State and Region
- Total Number of ASRs (Trunks)

Relating to BellSouth Performance

· Not Applicable

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- Resale PBX
- · Resale Centrex
- · Resale ISDN
- LNP (Standalone)
- INP (Standalone)
- 2W Analog Loop Design
- 2W Analog Loop Non-Design
- 2W Analog Loop with INP Design
- 2W Analog Loop with INP Non-Design
- 2W Analog Loop with LNP Design
- 2W Analog Loop with LNP Non-Design
- UNE Digital Loop < DS1
- UNE Digital Loop >= DS1
- UNE Loop + Port Combinations
- UNE Combination Other
- UNE ISDN Loop
- UNE Other Design
- UNE Other Non-Design
- UNE Line Splitting
- EELs
- Switch Ports
- UNE xDSL (ADSL, HDSL, UCL)
- Line Sharing
- Local Interoffice Transport

SEEM Measure

| SEEM | Tier I | Tier II |
|------|--------|---------|
| Yes | X | X |



SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

| • | Fully Mechanized | 95% | <= 3 Hours |
|---|------------------------------|-----|-------------|
| | Partially Mechanized | | |
| | Non-Mechanized | | |
| • | Local Interconnection Trunks | 95% | <= 48 Hours |



O-10: Service Inquiry with LSR Firm Order Confirmation (FOC) Response Time Manual¹

Definition

This report measures the interval and the percent within the interval from the submission of a Service Inquiry (SI) with Firm Order LSR to the distribution of a Firm Order Confirmation (FOC).

Exclusions

- Designated Holidays are excluded from the interval calculation.
- Weekend hours from 5:00 PM Friday until 8:00AM Monday are excluded from the interval calculation of the Service Inquiry.
- Canceled Requests
- Electronically Submitted Requests
- Non-business hours for Partially Mechanized and Non-Mechanized LSRs are excluded from the interval calculation. The excluded time is the time outside of normal operations which can be found at the following website: http://www.interconnection.bellsouth.com/centers/html/lcsc.html

Business Rules

This measurement combines four intervals:

- 1. From receipt of a valid Service Inquiry with LSR to hand off to the Service Advocacy Center (SAC) for Loop 'Look-up'.
- 2. From SAC start date to SAC complete date.
- 3. From SAC complete date to the Complex Resale Support Group (CRSG) complete date with hand off to LCSC.
- 4. From receipt of a valid SI/LSR in the LCSC to Firm Order Confirmation.

(A valid Service Inquiry is an inquiry that has all required fields populated correctly and has not been returned for clarification.)

Calculation

FOC Timeliness Interval with SI = (a - b)

- a = Date and Time Firm Order Confirmation (FOC) for SI with LSR returned to CLEC
- b = Date and Time SI with LSR received

Average Interval = (c / d)

- c = Sum of all FOC Timeliness Intervals with SI
- d = Total number of SIs with LSRs received in the reporting period

Percent Within Interval = (e / f) X 100

- e = Total number of Service Inquiries with LSRs received by the CRSG to distribution of FOC by the Local Carrier Service Center (LCSC)
- f = Total number of Service Inquiries with LSRs received in the reporting period

Report Structure

- CLEC Aggregate
- CLEC Specific
- Geographic Scope
 - State
 - Region

¹See O-9 for FOC Timeliness



- Intervals
 - $0 \le 3 \text{ days}$
 - > 3 <= 5 days
 - $0 \le 5 \text{ days}$ > 5 - \le 7 \text{ days}
 - > 7 <= 10 days
 - > 10 <= 15 days
 - >15 days
- · Average Interval measured in days

Data Retained

Relating to CLEC Experience

- · Report Month
- · Total Number of Requests
- · SI Intervals
- State and Region

Relating to BellSouth Performance

• Not Applicable

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- xDSL (includes UNE unbundled ADSL, HDSL and95% Returned <= 5 Business Days UNE Unbundled Copper Loops)
- Unbundled Interoffice Transport

SEEM Measure

| SEEM | Tier I | Tier II |
|------|--------|---------|
| No | | |

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark



O-11: Firm Order Confirmation and Reject Response Completeness

Definition

A response is expected from BellSouth for every Local Service Request transaction (version). Firm Order Confirmation and Reject Response Completeness is the corresponding number of Local Service Requests received to the combination of Firm Order Confirmation and Reject Responses.

Exclusions

- · Service Requests canceled by the CLEC prior to FOC or Rejected/Clarified
- Fatal Rejects
- · LSRs identified as "Projects"

Business Rules

Mechanized – The number of FOCs or Auto Clarifications sent to the CLEC from EDI, or TAG in response to electronically submitted LSRs.

Partially Mechanized – The number of FOCs or Rejects sent to the CLEC from EDI, or TAG in response to electronically submitted LSRs which fall out for manual handling by the LCSC personnel.

Non-Mechanized: The number of FOCs or Rejects sent to the CLECs by FAX server.

Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). Trunk data is reported as a separate category.

For CLEC Results:

Percent responses is determined by computing the number of Firm Order Confirmations and Rejects transmitted by BellSouth and dividing by the number of Local Service Requests (all versions) received in the reporting period.

Calculation

Firm Order Confirmation / Reject Response Completeness = (a / b) X 100

- a = Total Number of Service Requests for which a Firm Order Confirmation or Reject is Sent
- b = Total Number of Service Requests Received in the Report Period

Report Structure

Fully Mechanized, Partially Mechanized, Non-Mechanized and Interconnection Trunks

- · State and Region
- CLEC Specific
- · CLEC Aggregate

Data Retained

Relating to CLEC Experience

- · Report Month
- · Total Number of LSRs
- Total Number of rejects



- Total Number of ASRs (Trunks)
- Total Number of FOCs

Relating to BellSouth Performance

• Not Applicable

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- Resale Business
- Resale Design (Special)
- Resale PBX
- Resale Centrex
- · Resale ISDN
- LNP (Standalone)
- INP (Standalone)
- 2W Analog Loop Design
- 2W Analog Loop Non-Design
- 2W Analog Loop with INP Design
- 2W Analog Loop with INP Non-Design
- 2W Analog Loop with LNP Design
- 2W Analog Loop with LNP Non-Design
- UNE Digital Loop < DS1
- UNE Digital Loop >= DS1
- UNE Loop + Port Combinations
- · UNE Combination Other
- UNE ISDN Loop
- UNE Other Design
- UNE Other Non-Design
- UNE Line Splitting
- EELs
- Switch Ports
- UNE xDSL (ADSL, HDSL, UCL)
- Line Sharing
- Local Interoffice Transport
- · Local Interconnection Trunks

SEEM Measure

| SEEM | Tier I | Tier II |
|------|--------|---------|
| Yes | X | X |

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- Partially Mechanized
- Non-Mechanized
- Local Interconnection Trunks



O-12: Speed of Answer in Ordering Center

Definition

Measures the average time a customer is in queue.

Exclusions

None

Business Rules

The clock starts when the appropriate option is selected (i.e., 1 for Resale Consumer, 2 for Resale Multiline, and 3 for UNE-LNP, etc.) and the call enters the queue for that particular group in the LCSC. The clock stops when a BellSouth service representative in the LCSC answers the call. The speed of answer is determined by measuring and accumulating the elapsed time from the entry of a CLEC call into the BellSouth automatic call distributor (ACD) until a service representative in BellSouth's Local Carrier Service Center (LCSC) answers the CLEC call.

Calculation

Speed of Answer in Ordering Center = (a / b)

- a = Total seconds in queue
- b = Total number of calls answered in the Reporting Period

Report Structure

Aggregate

- CLEC Local Carrier Service Center
- BellSouth
 - Business Service Center
- Geographic Scope
 - Region

Data Retained

Relating to CLEC Experience

· Mechanized Tracking Through LCSC Automatic Call Distributor

Relating to BellSouth Performance

• Mechanized Tracking Through BellSouth Retail Center Support System



SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

Aggregate

CLEC – Local Carrier Service Center
 Parity with Retail (Business Service Center)

SEEM Measure

 SEEM
 Tier I
 Tier II

 Yes
 X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark



Section 3: Provisioning

P-1: Mean Held Order Interval & Distribution Intervals

Definition

When delays occur in completing CLEC orders, the average period that CLEC orders are held for BellSouth reasons, pending a delayed completion, should be no worse for the CLEC when compared to BellSouth delayed orders. Calculation of the interval is the total days orders are held and pending but not completed that have passed the currently committed due date; divided by the total number of held orders. This report is based on orders still pending, held and past their committed due date. The distribution interval is based on the number of orders held and pending but not completed over 15 and 90 days. (Orders reported in the >90 day interval are also included in the >15 day interval.)

Exclusions

- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) Test order types may be C, N, R, or T
- Disconnect (D) & From (F) orders
- Orders with Appointment Code of 'A', i.e., orders for locations requiring special construction including locations where no address exists and a technician must make a field visit to determine how to get facilities to the location.

Business Rules

Mean Held Order Interval: This metric is computed at the close of each report period. The held order interval is established by first identifying all orders, at the close of the reporting interval, that both have not been reported as completed in SOCS and have passed the currently committed due date for the order and identifying all orders that have been reported as completed in SOCS after the currently committed due date for the order. For each such order, the number of calendar days between the earliest committed due date on which BellSouth had a company missed appointment and the close of the reporting period is established and represents the held order interval for that particular order. The held order interval is accumulated by the standard groupings, unless otherwise noted, and the reason for the order being held. The total number of days accumulated in a category is then divided by the number of held orders within the same category to produce the mean held order interval. The interval is by calendar days with no exclusions for Holidays or Sundays.

CLEC Specific reporting is by type of held order (facilities, equipment, other), total number of orders held, and the total and average days.

Held Order Distribution Interval: This measure provides data to report total days held and identifies these in categories of >15 days and >90 days. (Orders counted in >90 days are also included in >15 days).

Calculation

Mean Held Order Interval = a / b

- a = Sum of held-over-days for all Past Due Orders Held with a BellSouth Missed Appointment from the earliest BellSouth missed appointment
- b = Number of Past Due Orders Held and Pending But Not Completed and past the committed due date

Held Order Distribution Interval (for each interval) = $(c / d) \times 100$

- c = # of Orders Held for >= 15 days or # of Orders Held for >= 90 days
- d = Total # of Past Due Orders Held and Pending But Not Completed)



Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Circuit Breakout < 10, >= 10 (except trunks)
- Dispatch/Non-Dispatch
- · Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- CLEC Order Number and PON (PON)
- Order Submission Date (TICKET ID)
- Committed Due Date (DD)
- Service Type (CLASS_SVC_DESC)
- · Hold Reason
- Total Line/Circuit Count
- · Geographic Scope

Note: Code in parentheses is the corresponding header found in the raw data file.

Relating to BellSouth Performance

- Report Month
- BellSouth Order Number
- · Order Submission Date
- Committed Due Date
- Service Type
- Hold Reason
- Total Line/Circuit Count
- Geographic Scope

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation SQM Analog/Benchmark Resale Centrex Retail Centrex Resale ISDN Retail ISDN Switch-Based Orders) Switch-Based Orders) Switch-Based Orders)



| • UNE Digital Loop < DS1 | Retail Digital Loop < DS1 |
|---|--|
| • UNE Digital Loop >= DS1 | |
| UNE Loop + Port Combinations | |
| - Dispatch In | Dispatch |
| - Switch Based | Switched Based |
| UNE Switch Ports | |
| UNE Combo Other | Retail Residence, Business and Design Dispatch |
| UNE xDSL (HDSL, ADSL and UCL) | ADSL Provided to Retail |
| UNE ISDN (Includes UDC) | Retail ISDN - BRI |
| UNE Line Sharing | ADSL Provided to Retail |
| UNE Other Design | Retail Design |
| UNE Other Non-Design | Retail Residence and Business |
| • Local Transport (Unbundled Interoffice Transport) | Retail DS1/DS3 Interoffice |
| Local Interconnection Trunks | Parity with Retail |
| UNE Line Splitting | ADSL to Retail |
| • EELs | |
| | |

SEEM Measure

| SEEM | Tier I | Tier II |
|------|--------|---------|
| No | | |

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark • Not Applicable Not Applicable



P-2: Average Jeopardy Notice Interval & Percentage of Orders Given **Jeopardy Notices**

(Deleted)



P-2A: Jeopardy Notice Interval

Definition

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC.

The interval is from the date/time the notice is released to the CLEC/BellSouth systems until 5pm on the due date of the order.

Exclusions

- · Orders held for CLEC end user reasons
- Disconnect (D) and From (F) orders
- Orders with Jeopardy Notice when jeopardy is identified on the due date. This exclusion only applies when the technician on premises has attempted to provide service but must refer to Engineer or Cable Repair for facility jeopardy.
- Orders issued with a due date of < = 48 hours.

Business Rules

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC. The number of committed orders in a report period is the number of orders that have a due date in the reporting period. Jeopardy notices for interconnection trunk results are usually zero as these trunks seldom experience facility delays. The Committed Due Date is considered the Confirmed Due Date. This report measures dispatched orders only. If an order is originally sent as non-dispatch and it is determined there is a facility delay, the order is converted to a dispatch code so the facility problem can be corrected. It will remain coded dispatched until completion.

Calculation

Jeopardy Interval = a - b

- a = Date and Time of Scheduled Due Date on Service Order
- b = Date and Time of Jeopardy Notice

Average Jeopardy Interval = c / d

- c = Sum of all Jeopardy Intervals
- d = Number of Orders Notified of Jeopardy in Reporting Period

Report Structure

- CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate
- · Mechanized Orders
- Non-Mechanized Orders
- Dispatch/Non-Dispatch
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- · Report Month
- CLEC Order Number and PON



- Date and Time Jeopardy Notice Sent
- Committed Due Date
- Service Type

Relating to BellSouth Performance

- Report Month
- BellSouth Order Number
- Date and Time Jeopardy Notice Sent
- Committed Due Date
- Service Type

SQM Disaggregation - Analog/Benchmark

| SQM Le | vel of Disaggregation | SQM Analog/Benchmark |
|---------------------|---|-----------------------|
| • | Resale Residence | .95% > = 48 hours |
| • | Resale Business | .95% > = 48 hours |
| • | Resale Design | .95% > = 48 hours |
| • | Resale PBX | |
| • | Resale Centrex | .95% > = 48 hours |
| • | Resale ISDN | .95% > = 48 hours |
| • | LNP (Standalone) | .95% > = 48 hours |
| • | INP (Standalone) | .95% > = 48 hours |
| • | 2W Analog Loop Design | .95% > = 48 hours |
| • | 2W Analog Loop Non-Design | |
| • | 2W Analog Loop with LNP - Design | .95% > = 48 hours |
| • | 2W Analog Loop with LNP- Non-Design | |
| • | 2W Analog Loop with INP-Design | .95% > = 48 hours |
| • | 2W Analog Loop with INP-Non-Design | .95% > = 48 hours |
| • | UNE Digital Loop < DS1 | |
| • | UNE Digital Loop >= DS1 | .95% > = 48 hours |
| • | UNE Loop + Port Combinations | |
| | - Dispatch In | |
| | - Switch Based | |
| • | UNE Switch Ports | |
| • | UNE Combo Other | |
| • | UNE xDSL (HDSL, ADSL and UCL) | |
| • | UNE ISDN (Includes UDC) | |
| • | UNE Line Sharing | |
| • | UNE Other Design | |
| • | UNE Other Non-Design | |
| • | Local Transport (Unbundled Interoffice Transport) | |
| • | Local Interconnection Trunks | |
| • | UNE Line Splitting | |
| • | EELs | . 95% > = 48 nours |
| SEEM | Measure | |
| SEE | M Tier I Tier II | |
| N | 0 | |
| SEEM Disaggregation | | SEEM Analog/Benchmark |



P-2B: Percentage of Orders Given Jeopardy Notices

Definition

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC.

The Percent of Orders is the percentage of orders given jeopardy notices for facility delay in the count of orders confirmed in the report period.

Exclusions

- · Orders held for CLEC end user reasons
- Disconnect (D) and From (F) orders

Business Rules

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC. The number of committed orders in a report period is the number of orders that have a due date in the reporting period. Jeopardy notices for interconnection trunks results are usually zero as these trunks seldom experience facility delays. The Committed due date is considered the Confirmed due date. This report measures dispatched orders only. If an order is originally sent as non-dispatch and it is determined there is a facility delay, the order is converted to a dispatch code so the facility problem can be corrected. It will remain coded dispatched until completion.

Calculation

Percent of Orders Given Jeopardy Notice = (a / b) X 100

- a = Number of Orders Given Jeopardy Notices in Reporting Period
- b = Number of Orders Confirmed (due) in Reporting Period

Percent of Orders Given Jeopardy Notice > = 48 hours = (c / d) X 100

- c = Number of Orders Given Jeopardy Notice >= 48 hours in Reporting Period (electronic only)
- d = Number of Orders Given Jeopardy Notices in Reporting Period (electronic only)

Report Structure

- · CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- · Mechanized Orders
- Non-Mechanized OrdersDispatch/Non-Dispatch
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- · Report Month
- CLEC Order Number and PON



- · Date and Time Jeopardy Notice sent
- Committed Due Date
- Service Type

Relating to BellSouth Performance

- · Report Month
- BellSouth Order Number
- Date and Time Jeopardy Notice sent
- Committed Due Date
- Service Type

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation SQM Analog/Benchmark Resale Centrex Retail Centrex Resale ISDN Retail ISDN Based Orders) Based Orders) Based Orders) UNE Digital Loop >=DS1Retail Digital Loop >=DS1 Dispatch In - Dispatch In Switch Based -- Switch Based Local Interconnection Trunks.......Parity with Retail EELs Retail DS1/DS3

P-2B: Percentage of Orders Given Jeopardy Notices

SEEM Measure

SEEM Tier I Tier II No.....

SEEM Disaggregation

SEEM Analog/Benchmark



P-3: Percent Missed Initial Installation Appointments

Definition

"Percent missed initial installation appointments" monitors the reliability of BellSouth commitments with respect to committed due dates to assure that the CLEC can reliably quote expected due dates to their retail customer as compared to BellSouth. This measure is the percentage of total orders processed for which BellSouth is unable to complete the service orders on the committed due dates and reported for Total misses and End User Misses.

Exclusions

- Orders canceled prior to the due date including orders that are to be provisioned on the same day they are placed. ("Zero Due Date Orders")
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders Test Orders, etc., Order types may be coded C, N, R or T)
- Disconnect (D) & From (F) orders
- · End User Misses

Business Rules

Percent Missed Initial Installation Appointments (PMI) is the percentage of orders with completion dates in the reporting period that are past the original committed due date. Missed Appointments caused by end-user reasons will be excluded and reported separately. The first commitment date on the service order that is a missed appointment is the missed appointment code used for calculation whether it is a BellSouth missed appointment or an End User missed appointment. The "due date" is any time on the confirmed due date. Which means there cannot be a cutoff time for commitments, as certain types of orders are requested to be worked after standard business hours. Also, during Daylight Savings Time, field technicians are scheduled until 9PM in some areas and the customer is offered a greater range of intervals from which to select.

Calculation

Percent Missed Installation Appointments = (a / b) X 100

- a = Number of Orders with Completion date in Reporting Period past the Original Committed Due Date
- b = Number of Orders Completed in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Report in Categories of <10 lines/circuits >= 10 lines/circuits (except trunks)
- Dispatch/Non-Dispatch (except Trunks)
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- CLEC Order Number and PON (PON)
- Committed Due Date (DD)



- Completion Date (CMPLTN DD)
- Status Type
- Status Notice Date
- · Standard Order Activity

Note: Code in parentheses is the corresponding header found in the raw data file.

Relatng to BellSouth Performance

- Report Month
- BellSouth Order Number
- Committed Due Date (DD)
- Completion Date (CMPLTN DD)
- Status Type
- Status Notice Date
- Standard Order Activity

SQM Disaggregation - Analog/Benchmark

| Resale Residence Resale Business Retail Business Retail Business Resale Design Retail Design Retail Design Resale PBX Resale Centrex Resale Centrex Resale ISDN Retail SDN Retail SDN LAP (Standalone) Retail Residence and Business (POTS) INP (Standalone) Retail Residence and Business (POTS) 2W Analog Loop Design Retail Residence and Business (POTS) 2W Analog Loop With LNP - Design Retail Residence and Business (POTS Excluding Switch- Based Orders) 2W Analog Loop With LNP - Design Retail Residence and Business (POTS Excluding Switch- Based Orders) 2W Analog Loop With INP-Design Retail Residence and Business (POTS Excluding Switch- Based Orders) 2W Analog Loop With INP-Design Retail Residence and Business (POTS Excluding Switch- Based Orders) 2W Analog Loop With INP-Non-Design Retail Residence and Business Dispatch 2W Analog Loop With INP-Non-Design Retail Residence and Business (POTS Excluding Switch-Based Orders) UNE Digital Loop < DS1 Retail Residence and Business (POTS Excluding Switch-Based Orders) UNE Digital Loop >= DS1 Retail Digital Loop >= DS1 UNE Loop + Port Combinations Retail Digital Loop >= DS1 UNE Loop + Port Combinations Retail Digital Loop >= DS1 UNE Switch Based UNE Switch Based UNE Switch Based UNE Switch Based UNE Switch Ports Retail Residence and Business (POTS) UNE Combo Other Retail Residence and Business (POTS) UNE Combo Other With Conditioning With Conditioning With Conditioning With Conditioning UNE Other Design Retail Spisign UNE Other Posign Retail Spisign UNE Other Non-Design < | SQM Level of Disaggregation | SQM Analog/Benchmark |
|---|-------------------------------------|---|
| Resale Design Resale PBX Resale Centrex Resale Centrex Resale ISDN LNP (Standalone) Retail Residence and Business (POTS) INP (Standalone) Retail Residence and Business (POTS) 2W Analog Loop Design Retail Residence and Business Dispatch 2W Analog Loop Non-Design Retail Residence and Business Dispatch 2W Analog Loop With LNP - Design Retail Residence and Business Dispatch 2W Analog Loop With LNP - Design Retail Residence and Business Dispatch 2W Analog Loop With LNP - Non-Design Retail Residence and Business Dispatch 2W Analog Loop With INP-Non-Design Retail Residence and Business Dispatch 2W Analog Loop With INP-Design Retail Residence and Business Dispatch 2W Analog Loop With INP-Design Retail Residence and Business Dispatch 2W Analog Loop With INP-Non-Design Retail Residence and Business Ports Excluding Switch-Based Orders) UNE Digital Loop < DS1 Retail Digital Loop < DS1 Retail Digital Loop >= DS1 Retail Digital Loop >= DS1 Retail Digital Loop >= DS1 Retail Residence and Business Dispatch In Switch Based Switched Based UNE Switch Ports Retail Residence and Business (POTS) UNE Combo Other Retail Residence and Business and Design Dispatch UNE SSWICH Ports Retail Residence and Business and Design Dispatch With Conditioning With Conditioning With Conditioning With Conditioning With Conditioning With Conditioning Retail ISDN - BRI UNE Other Design Retail Design Retail Design Retail Design UNE Other Non-Design Retail Design Retail Design Retail Design Retail Design Retail Design Retai | Resale Residence | |
| Resale PBX Resale Centrex Resale LSDN LNP (Standalone) Retail Residence and Business (POTS) INP (Standalone) Retail Residence and Business (POTS) 2W Analog Loop Design Retail Residence and Business Dispatch 2W Analog Loop With LNP - Design Retail Residence and Business Dispatch 2W Analog Loop With LNP - Design Retail Residence and Business Dispatch 2W Analog Loop With LNP - Design Retail Residence and Business Dispatch 2W Analog Loop With LNP - Non-Design Retail Residence and Business Dispatch 2W Analog Loop With INP-Non-Design Retail Residence and Business Dispatch 2W Analog Loop With INP-Design Retail Residence and Business Dispatch 2W Analog Loop With INP-Non-Design Retail Residence and Business — (POTS Excluding Switch-Based Orders) UNE Digital Loop < DS1 Retail Residence and Business — (POTS Excluding Switch-Based Orders) UNE Digital Loop > DS1 Retail Digital Loop > DS1 Retail Digital Loop > DS1 Retail Digital Loop > DS1 Retail Digital Loop > DS1 UNE Loop + Port Combinations Dispatch In Switch Based Switched Based UNE Switch Ports Retail Residence and Business (POTS) UNE Combo Other Retail Residence and Business and Design Dispatch UNE Switch Ports Retail Residence and Business (POTS) UNE Line Sharing Without Conditioning With Conditioning With Conditioning With Conditioning With Conditioning With Conditioning Retail Desidence and Business Local Transport (Unbundled Interoffice Transport) Retail Desidence and Business Local Interconnection Trunks Parity with Retail UNE Line Splitting Without Conditioning ADSL Provided to Retail | Resale Business | Retail Business |
| Resale Centrex. Resale ISDN. LNP (Standalone) Retail Residence and Business (POTS) INP (Standalone) Retail Residence and Business (POTS) INP (Standalone) Retail Residence and Business (POTS) 2W Analog Loop Design. Retail Residence and Business Dispatch 2W Analog Loop Non-Design Retail Residence and Business - (POTS Excluding Switch- Based Orders) 2W Analog Loop With LNP - Design Retail Residence and Business Dispatch 2W Analog Loop With LNP- Non-Design Retail Residence and Business Dispatch 2W Analog Loop With INP-Design Retail Residence and Business Dispatch 2W Analog Loop With INP-Design Retail Residence and Business Dispatch 2W Analog Loop With INP-Non-Design Retail Residence and Business Dispatch UNE Digital Loop < DS1 Retail Residence and Business - (POTS Excluding Switch-Based Orders) UNE Digital Loop > DS1 Retail Digital Loop > DS1 UNE Loop + Port Combinations Retail Digital Loop >= DS1 UNE Loop + Port Combinations Retail Residence and Business Dispatch In Switch Based UNE Switch Based UNE Switch Ports Retail Residence and Business (POTS) UNE Combo Other Retail Residence, Business and Design Dispatch UNE XDSL (HDSL, ADSL and UCL) ADSL Provided to Retail With Conditioning With Conditioning With Conditioning With Conditioning Retail ISDN - BRI UNE ISDN Retail ISDN - BRI UNE Other Design Retail Design Retail Design Retail Design Retail Design Retail Design Retail Design Retail Design Retail Design Retail Design Retail Design Retail Design Retail Design Retail Design R | Resale Design | Retail Design |
| Resale ISDN LNP (Standalone) Retail Residence and Business (POTS) INP (Standalone) Retail Residence and Business (POTS) 2W Analog Loop Design Retail Residence and Business Dispatch 2W Analog Loop Non-Design Retail Residence and Business – (POTS Excluding Switch- Based Orders) 2W Analog Loop With LNP - Design Retail Residence and Business Dispatch 2W Analog Loop With LNP - Non-Design Retail Residence and Business Dispatch 2W Analog Loop With INP-Design Retail Residence and Business Dispatch 2W Analog Loop With INP-Design Retail Residence and Business Dispatch 2W Analog Loop With INP-Non-Design Retail Residence and Business Dispatch 2W Analog Loop With INP-Non-Design Retail Residence and Business Dispatch 2W Analog Loop Post Retail Residence and Business (POTS Excluding Switch-Based Orders) UNE Digital Loop < DS1 Retail Digital Loop < DS1 UNE Digital Loop >= DS1 Retail Digital Loop >= DS1 UNE Loop + Port Combinations Retail Residence and Business Dispatch In Switch Based Dispatch In Switch Based UNE Switch Ports Retail Residence and Business (POTS) UNE Combo Other Retail Residence Business and Design Dispatch UNE XDSL (HDSL, ADSL and UCL) ADSL Provided to Retail With Conditioning With Conditioning With Conditioning With Conditioning With Conditioning ADSL Provided to Retail UNE Other Non-Design Retail Design Retail Design UNE Other Non-Design Retail Design Retail Design UNE Coll Interconnection Trunks Parity with Retail UNE Line Splitting Without Conditioning ADSL Provided to Retail UNE Line Splitting Without Conditio | Resale PBX | Retail PBX |
| LNP (Standalone) INP (Standalone) Retail Residence and Business (POTS) 2W Analog Loop Design Retail Residence and Business Dispatch 2W Analog Loop Non-Design Retail Residence and Business Dispatch 2W Analog Loop With LNP - Design Retail Residence and Business Dispatch 2W Analog Loop With LNP - Design Retail Residence and Business Dispatch 2W Analog Loop With LNP - Non-Design Retail Residence and Business Dispatch 2W Analog Loop With INP-Design Retail Residence and Business Dispatch 2W Analog Loop With INP-Non-Design Retail Residence and Business Dispatch 2W Analog Loop With INP-Non-Design Retail Residence and Business Dispatch 2W Analog Loop With INP-Non-Design Retail Residence and Business Dispatch UNE Digital Loop > DSI Retail Digital Loop > DSI UNE Digital Loop > DSI Retail Digital Loop > DSI UNE Loop + Port Combinations Retail Digital Loop > DSI UNE Loop + Port Combinations Retail Residence and Business Dispatch In Switch Based UNE Switch Ports Retail Residence and Business (POTS) UNE Combo Other Retail Residence and Business and Design Dispatch UNE xDSL (HDSL, ADSL and UCL) With Conditioning With Conditioning With Conditioning With Conditioning With Conditioning With Conditioning Retail ISDN - BRI UNE Other Design Retail Design Retail Design Retail Design UNE Other Non-Design Retail Design Retail Design UNE Line Splitting Without Conditioning <li< td=""><td>Resale Centrex</td><td>Retail Centrex</td></li<> | Resale Centrex | Retail Centrex |
| INP (Standalone) | Resale ISDN | Retail ISDN |
| 2W Analog Loop Design | LNP (Standalone) | |
| 2W Analog Loop Non-Design | INP (Standalone) | |
| Switch- Based Orders) 2 W Analog Loop With LNP - Design | 2W Analog Loop Design | |
| 2W Analog Loop With LNP - Design Retail Residence and Business Dispatch 2W Analog Loop With LNP- Non-Design Retail Residence and Business – (POTS Excluding Switch-Based Orders) 2W Analog Loop With INP-Design Retail Residence and Business Dispatch 2W Analog Loop With INP-Non-Design Retail Residence and Business – (POTS Excluding Switch-Based Orders) UNE Digital Loop < DS1 Retail Digital Loop < DS1 UNE Digital Loop >= DS1 Retail Digital Loop >= DS1 UNE Loop + Port Combinations Retail Residence and Business Dispatch In Dispatch In Dispatch In Switch Based Switch-Based Orders) UNE Switch Ports Switch Based Switch-Based Orders With Conditioning Switch-Based Orders With Conditioning Switch-Based Orders With Conditioning Switch-Based Orders UNE Other Design Switch-Based Orders With Conditioning Switch-Based Orders With Conditioning Switch-Based Orders With Conditioning Switch-Based Orders With Conditioning Switch-Based Orders With Conditioning Switch-Based Orders With Conditioning Switch-Based Orders With Conditioning Switch-Based Orders With Conditioning Switch-Based Orders <l< td=""><td>2W Analog Loop Non-Design</td><td></td></l<> | 2W Analog Loop Non-Design | |
| 2W Analog Loop With LNP- Non-Design Switch-Based Orders) 2W Analog Loop With INP-Design Retail Residence and Business Dispatch 2W Analog Loop With INP-Non-Design Retail Residence and Business – (POTS Excluding Switch-Based Orders) UNE Digital Loop < DS1 Retail Digital Loop < DS1 UNE Digital Loop >= DS1 Retail Digital Loop >= DS1 UNE Loop + Port Combinations Retail Residence and Business Dispatch In Dispatch In Switch Based UNE Switch Ports Retail Digital Residence and Business (POTS) UNE Combo Other Retail Residence, Business and Design Dispatch UNE XDSL (HDSL, ADSL and UCL) ADSL Provided to Retail With Conditioning Without Conditioning Without Conditioning Without Conditioning ADSL Provided to Retail UNE ISDN Retail ISDN - BRI UNE Line Sharing Without Conditioning ADSL Provided to Retail With Conditioning Retail Design Retail Design Retail Design Retail Design ADSL Provided to Retail UNE Other Design Retail Design Retail Design Retail Design ADSL Provided to Retail UNE Other Non-Design Retail Design Retail Design Retail Design Retail Design ADSL Provided to Retail With Conditioning ADSL Provided to Retail Persign Retail Design Retail Design Retail Design Retail Design Retail Design Retail Design Retail Design Retail Design Retail Design Retail Design Retail Design Retail Design Retail Design Retail Persided to Retail With Conditioning ADSL Provided to Retail Persided to Retail With Conditioning ADSL Provided to Retail Persided to Retail Residence and Business Parity with Retail Persided to Retail Persided to Retail Persided to Retail Persided to Retail Persided to Retail Persided to Retail Persided to Retail Persided to Retail Persided to Retail Persided to Retail Persided to Retail Persided to Retail Persided to Retail Persided to Retail Persided to Retail Persided to Retail Persided to Retail Persided to Retail Persided to Retai | | Switch- Based Orders) |
| Switch-Based Orders) • 2W Analog Loop With INP-Design • 2W Analog Loop With INP-Design • 2W Analog Loop With INP-Non-Design Retail Residence and Business Dispatch • 2W Analog Loop With INP-Non-Design Retail Residence and Business – (POTS Excluding Switch-Based Orders) • UNE Digital Loop < DS1 • UNE Digital Loop > DS1 • UNE Loop + Port Combinations • Dispatch In • Dispatch In • Switch Based • UNE Switch Ports Retail Residence and Business • Dispatch In • Switch Based • UNE Combo Other Retail Residence, Business and Design Dispatch • UNE XDSL (HDSL, ADSL and UCL) • With Conditioning • With Conditioning • With Conditioning • With Conditioning • With Conditioning • With Conditioning • With Conditioning • With Conditioning • With Conditioning • UNE IsDN Retail ISDN - BRI • UNE Ise Sharing Without Conditioning • With Conditioning • ADSL Provided to Retail • UNE Other Design • With Conditioning • Retail Design • UNE Other Non-Design • Retail Design • UNE Other Non-Design • Retail Residence and Business • Local Transport (Unbundled Interoffice Transport) • Retail DS1/DS3 Interoffice • Local Interconnection Trunks • Parity with Retail • UNE Line Splitting Without Conditioning • ADSL Provided to Retail • With Conditioning • ADSL Provided to Retail | 2W Analog Loop With LNP - Design | |
| 2W Analog Loop With INP-Design | 2W Analog Loop With LNP- Non-Design | |
| 2W Analog Loop With INP-Non-Design Retail Residence and Business – (POTS Excluding Switch-Based Orders) UNE Digital Loop < DS1 Retail Digital Loop < DS1 UNE Digital Loop >= DS1 Retail Digital Loop >= DS1 UNE Loop + Port Combinations Retail Residence and Business - Dispatch In Switch Based Switch Based Switch Ports Retail Residence and Business (POTS) UNE Switch Ports Retail Residence and Business (POTS) UNE Combo Other Retail Residence, Business and Design Dispatch UNE xDSL (HDSL, ADSL and UCL) ADSL Provided to Retail Swith Conditioning Swith | | Switch-Based Orders) |
| Switch-Based Orders) • UNE Digital Loop < DS1 | | |
| UNE Digital Loop < DS1 Retail Digital Loop >= DS1 UNE Loop + Port Combinations Dispatch In Switch Based UNE Combo Other UNE Combo Other UNE XDSL (HDSL, ADSL and UCL) With Conditioning With Conditioning With Conditioning UNE ISDN UNE IsDN UNE Line Sharing Without Conditioning UNE Other Design UNE Other Non-Design UNE Other Non-Design Local Transport (Unbundled Interoffice Transport) UNE Line Splitting Without Conditioning Local Interconnection Trunks With Conditioning ADSL Provided to Retail UNE Line Splitting Without Conditioning ADSL Provided to Retail UNE Line Splitting Without Conditioning ADSL Provided to Retail UNE Other Posign Retail Design Retail Design Parity with Retail UNE Other Non-Design Retail Design Interoffice Local Interconnection Trunks Parity with Retail UNE Line Splitting Without Conditioning ADSL Provided to Retail With Conditioning ADSL Provided to Retail With Conditioning ADSL Provided to Retail EELs Retail DS1/DS3 | 2W Analog Loop With INP-Non-Design | Retail Residence and Business – (POTS Excluding |
| UNE Digital Loop >= DS1 UNE Loop + Port Combinations Dispatch In Switch Based UNE Switch Ports UNE Combo Other UNE Combo Other Without Conditioning With Conditioning UNE ISDN UNE ISDN UNE Line Sharing Without Conditioning UNE Other Design UNE Other Design UNE Other Design UNE Other Design UNE Other Non-Design Local Transport (Unbundled Interoffice Transport) ADSL Provided to Retail UNE Line Splitting Without Conditioning ADSL Provided to Retail Betail Design Retail Design Retail Design Retail Residence and Business Local Transport (Unbundled Interoffice Transport) Retail DS1/DS3 Interoffice Local Interconnection Trunks Parity with Retail UNE Line Splitting Without Conditioning ADSL Provided to Retail With Conditioning ADSL Provided to Retail ADSL Provided to Retail ADSL Provided to Retail EELs Retail DS1/DS3 | | |
| UNE Loop + Port Combinations | UNE Digital Loop < DS1 | Retail Digital Loop < DS1 |
| - Dispatch In Dispatch In - Switch Based - UNE Switch Based Switched Based - UNE Switch Ports - Retail Residence and Business (POTS) - UNE Combo Other - Retail Residence, Business and Design Dispatch - UNE xDSL (HDSL, ADSL and UCL) - ADSL Provided to Retail - Without Conditioning - With Conditioning - With Conditioning - With Conditioning - With Conditioning - With Conditioning - With Conditioning - With Conditioning - With Conditioning - With Conditioning - With Conditioning - With Conditioning - With Conditioning - With Conditioning - With Conditioning - With Conditioning - With Conditioning - With Conditioning - With Conditioning - ADSL Provided to Retail - UNE Line Sharing Without Conditioning - Retail Design - UNE Other Design - Retail Design - UNE Other Non-Design - Retail Residence and Business - Local Transport (Unbundled Interoffice Transport) - Retail DS1/DS3 Interoffice - Local Interconnection Trunks - Parity with Retail - UNE Line Splitting Without Conditioning - ADSL Provided to Retail - With Conditioning - ADSL Provided to Retail - With Conditioning - ADSL Provided to Retail - With Conditioning - ADSL Provided to Retail - Retail DS1/DS3 | • UNE Digital Loop >= DS1 | Retail Digital Loop >= DS1 |
| - Switch Based | | |
| UNE Switch Ports | - Dispatch In | Dispatch In |
| UNE Combo Other | | |
| UNE xDSL (HDSL, ADSL and UCL) Without Conditioning With Conditioning With Conditioning (BellSouth does not offer this service to Retail) UNE ISDN UNE Line Sharing Without Conditioning With Conditioning ADSL Provided to Retail With Conditioning ADSL Provided to Retail UNE Other Design UNE Other Non-Design Local Transport (Unbundled Interoffice Transport) Local Interconnection Trunks Parity with Retail UNE Line Splitting Without Conditioning ADSL Provided to Retail ADSL Provided to Retail ADSL Provided to Retail ADSL Provided to Retail ADSL Provided to Retail With Conditioning ADSL Provided to Retail EELs Retail DS1/DS3 | | |
| - Without Conditioning - With Conditioning (BellSouth does not offer this service to Retail) - With Conditioning (BellSouth does not offer this service to Retail) - UNE ISDN - Retail ISDN - BRI - UNE Line Sharing Without Conditioning - ADSL Provided to Retail - With Conditioning - ADSL Provided to Retail - UNE Other Design - Retail Design - UNE Other Non-Design - Retail Residence and Business - Local Transport (Unbundled Interoffice Transport) - Retail DS1/DS3 Interoffice - Local Interconnection Trunks - Parity with Retail - UNE Line Splitting Without Conditioning - ADSL Provided to Retail - With Conditioning - ADSL Provided to Retail - EELs - Retail DS1/DS3 | | |
| - With Conditioning (BellSouth does not offer this service to Retail) • UNE ISDN | • UNE xDSL (HDSL, ADSL and UCL) | |
| offer this service to Retail) UNE ISDN | - With Conditioning | With Conditioning (RellSouth does not |
| UNE ISDN | - with Conditioning | |
| UNE Line Sharing Without Conditioning | LINE ISDN | |
| With Conditioning ADSL Provided to Retail UNE Other Design Retail Design UNE Other Non-Design Retail Residence and Business Local Transport (Unbundled Interoffice Transport) Retail DS1/DS3 Interoffice Local Interconnection Trunks Parity with Retail UNE Line Splitting Without Conditioning ADSL Provided to Retail With Conditioning ADSL Provided to Retail EELs Retail DS1/DS3 | | |
| UNE Other Design UNE Other Non-Design Retail Residence and Business Local Transport (Unbundled Interoffice Transport) Retail DS1/DS3 Interoffice Local Interconnection Trunks UNE Line Splitting Without Conditioning ADSL Provided to Retail With Conditioning ADSL Provided to Retail EELs Retail DS1/DS3 | | |
| UNE Other Non-Design Retail Residence and Business Local Transport (Unbundled Interoffice Transport) Retail DS1/DS3 Interoffice Local Interconnection Trunks Parity with Retail UNE Line Splitting Without Conditioning ADSL Provided to Retail With Conditioning ADSL Provided to Retail EELs Retail DS1/DS3 | | |
| Local Transport (Unbundled Interoffice Transport) Retail DS1/DS3 Interoffice Local Interconnection Trunks UNE Line Splitting Without Conditioning ADSL Provided to Retail With Conditioning ADSL Provided to Retail EELs Retail DS1/DS3 | | |
| Local Interconnection Trunks UNE Line Splitting Without Conditioning With Conditioning ADSL Provided to Retail EELs Retail DS1/DS3 | | |
| UNE Line Splitting Without Conditioning | | |
| With Conditioning | | |
| • EELs | | |
| | | |
| • UNE UDC/IDSL Retail ISDN - BKI | UNE UDC/IDSL | |



SEEM Measure

 SEEM
 Tier I
 Tier II

 Yes
X
 X

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---|--|
| Resale Residence | Retail Residence |
| Resale Business | Retail Business |
| Resale Design | Retail Design |
| Resale PBX | Retail PBX |
| Resale Centrex | Retail Centrex |
| Resale ISDN | Retail ISDN |
| LNP (Standalone) | Retail Residence and Business (POTS) |
| INP (Standalone) | Retail Residence and Business (POTS) |
| 2W Analog Loop Design | |
| 2W Analog Loop Non-Design | Retail Residence and Business – (POTS Excluding |
| | Switch-Based Orders) |
| 2W Analog Loop With LNP - Design | |
| 2W Analog Loop With LNP- Non-Design | Retail Residence and Business – (POTS Excluding |
| | Switch-Based Orders) |
| 2W Analog Loop With INP-Design | |
| 2W Analog Loop With INP-Non-Design | |
| | Switch-Based Orders) |
| UNE Digital Loop < DS1 | |
| • UNE Digital Loop >= DS1 | |
| UNE Loop + Port Combinations | Retail Residence and Business |
| - Dispatch In | |
| - Switch Based • UNE Switch Ports | |
| UNE Combo Other | |
| UNE xDSL (HDSL, ADSL and UCL) | |
| - Without Conditioning | - Without Conditioning |
| - With Conditioning | With Conditioning (BellSouth does not offer this |
| · · | service to Retail) |
| UNE ISDN | |
| UNE Line Sharing Without Conditioning | ADSL Provided to Retail |
| With Conditioning | |
| Local Transport (Unbundled Interoffice Transport) | |
| Local Interconnection Trunks | |
| UNE Line Splitting Without Conditioning | |
| With Conditioning | |
| UNE Other Design | |
| UNE Other Non-Design | |
| • EELs | |
| UNE UDC/IDSL | Retail ISDN - BRI |

P-3A: Percent Missed Installation Appointments Including Subsequent Appointments

(Deleted)



P-4: Average Completion Interval (OCI) & Order Completion Interval Distribution

Definition

The "average completion interval" measure monitors the interval of time it takes BellSouth to provide service for the CLEC or its own customers. The "Order Completion Interval Distribution" provides the percentages of orders completed within certain time periods. This report measures how well BellSouth meets the interval offered to customers on service orders.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- Disconnect (D & F) orders (Except "D" orders associated with LNP Standalone)
- "L" Appointment coded orders (where the customer has requested a later than offered interval)
- · End user-caused misses

Business Rules

The actual completion interval is determined for each order processed during the reporting period. The completion interval is the elapsed time from when BellSouth issues a FOC or SOCS date time stamp receipt of an order from the CLEC to BellSouth's actual order completion date. The clock starts when a valid order number is assigned by SOCS and stops when the technician or system completes the order in SOCS. Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed. Orders that are worked on zero due dates are calculated with a .33-day interval (8 hours) in order to report a portion of a day interval. These orders are issued and worked/completed on the same day. They can be either flow through orders (no field work-non-dispatched) or field orders (dispatched).

The interval breakout for UNE and Design is: 0.5 = 0 < 5, 5.10 = 5 < 10, 10.15 = 10 < 15, 15.20 = 15 < 20, 20.25 = 20 < 25, 25.30 = 25 < 30, >= 30 = 30 and greater.

Calculation

Completion Interval = (a - b)

- a = Completion Date
- b = FOC/SOCS date time-stamp (application date)

Average Completion Interval = (c / d)

- c = Sum of all Completion Intervals
- d = Count of Orders Completed in Reporting Period

Order Completion Interval Distribution (for each interval) = (e / f) X 100

- e = Service Orders Completed in "X" days
- f = Total Service Orders Completed in Reporting Period

Report Structure

- · CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Dispatch/Non-Dispatch categories applicable to all levels except trunks
- Residence and Business reported in day intervals = 0,1,2,3,4,5,5+
- UNE and Design reported in day intervals =0-5,5-10,10-15,15-20,20-25,25-30, >= 30
- All Levels are reported <10 line/circuits; >= 10 line/circuits (except trunks)



- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- · Report Month
- CLEC Company Name
- Order Number (PON)
- Application Date and Time
- Completion Date (CMPLTN_DT)
- Service Type (CLASS_SVC_DESC)
- · Geographic Scope

Note: Code in parentheses is the corresponding header found in the raw data file.

Relating to BellSouth Performance

- · Report Month
- BellSouth Order Number
- · Order Submission Date and Time
- Order Completion Date and Time
- Service Type
- Geographic Scope

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|--|---|
| Resale Residence | Retail Residence |
| Resale Business | Retail Business |
| Resale Design | Retail Design |
| Resale PBX | Retail PBX |
| Resale Centrex | Retail Centrex |
| Resale ISDN | Retail ISDN |
| LNP (Standalone) | Retail Residence and Business (POTS) |
| INP (Standalone) | Retail Residence and Business (POTS) |
| 2W Analog Loop Design | Retail Residence and Business Dispatch |
| 2W Analog Loop Non-Design | Retail Residence and Business – (POTS Excluding |
| | Switch-Based Orders) |
| 2W Analog Loop with LNP - Design | |
| 2W Analog Loop with LNP- Non-Design | Retail Residence and Business – (POTS Excluding |
| | Switch-Based Orders) |
| 2W Analog Loop with INP-Design | Retail Residence and Business Dispatch |
| 2W Analog Loop with INP-Non-Design | Retail Residence and Business – (POTS Excluding |
| | Switch-Based Orders) |
| UNE Digital Loop < DS1 | Retail Digital Loop < DS1 |
| • UNE Digital Loop >= DS1 | Retail Digital Loop >= DS1 |
| UNE Loop + Port Combinations | Retail Residence and Business |
| - Dispatch In | |
| - Switch Based | |
| UNE Switch Ports | · / |
| • UNE Combo Other | Retail Residence, Business and Design Dispatch |
| UNE xDSL (HDSL, ADSL and UCL) | |
| Without Conditioning With Conditioning | <= 5 Days |
| UNE ISDN | • |
| UNE Line Sharing Without Conditioning | |
| - ONE Line Sharing without Conditioning | ADSL I TOVIDED TO RETAIL |



| | With Conditioning | <= 12 Days |
|---|---|--------------------|
| • | Local Transport (Unbundled Interoffice Transport) | |
| • | Local Interconnection Trunks | Parity with Retail |
| | UNE Line Splitting Without Conditioning | |
| | With Conditioning | |
| | UNE Other Design | Retail Design |
| | UNE Other Non-Design | |
| | EELs | |
| • | UNE UDC/IDSL | Retail ISDN - BRI |
| | | |

SEEM Measure

 SEEM
 Tier I
 Tier II

 Yes
X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark Resale Business Retail Business Resale Design Retail Design Resale PBX Retail PBX Resale Centrex Retail Centrex Resale ISDN Retail ISDN LNP (Standalone) Retail Residence and Business (POTS) INP (Standalone) Retail Residence and Business (POTS) Switch-Based Orders) Switch-Based Orders) Switch-Based Orders) Dispatch In.....- Dispatch In Switch Based.....- Switch Based UNE xDSL (HDSL, ADSL and UCL) Without Conditioning - <= 5 Days With Conditioning...... - <= 12 Days With Conditioning<= 12 Days With Conditioning<= 12 Days UNE Other Design Retail Design



P-4A: Average Order Completion and Completion Notice Interval (AOCCNI) Distribution

(Deleted)



P-5: Average Completion Notice Interval

Definitions

The Completion Notice Interval is the elapsed time between the BellSouth reported completion of work and the issuance of a valid completion notice to the CLEC.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) Test order types may be C, N, R, or T.
- D & F orders (Exception: "D" orders associated with LNP Standalone)

Business Rules

Measurement on interval of completion date and time entered by a field technician on dispatched orders, and 5PM start time on the due date for non-dispatched orders; to the release of a notice to the CLEC/BellSouth of the completion status. The field technician notifies the CLEC the work was complete and then he/she enters the completion time stamp information in his/her computer. This information switches through to the SOCS systems either completing the order or rejecting the order to the Work Management Center (WMC). If the completion is rejected, it is manually corrected and then completed by the WMC. The notice is returned on each individual order.

The start time for all orders is the completion stamp either by the field technician or the 5PM due date stamp; the end time for mechanized orders is the time stamp the notice was delivered to the CLEC interface (LENS, EDI, OR TAG). For non-mechanized orders-the end time will be date and timestamp of order update from the FAX record via LON or C-SOTS system. For the retail analog, the start time is when the technician completes the order and the end time is when the order status is changed to complete in SOCS.

Calculation

Completion Notice Interval = (a - b)

- a = Date and Time of Notice of Completion
- b = Date and Time of Work Completion

Average Completion Notice Interval = c / d

- c = Sum of all Completion Notice Intervals
- d = Number of Orders with Notice of Completion in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Mechanized Orders
- Non-Mechanized Orders
- Dispatch/Non-Dispatch
- Reporting intervals in Hours; 0.1 <= 2. > 2 <= 4. > 4 <= 8. > 8 <= 12. > 12 <= 24. > 24 plus Overall Average Hour Interval
- Reported in categories of <10 line / circuits; >= 10 line/circuits (except trunks)
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- CLEC Order Number (so_nbr)
- Work Completion Date (cmpltn_dt)
- Work Completion Time
- Completion Notice Availability Date
- · Completion Notice Availability Time
- Service Type
- Geographic Scope

Note: Code in parentheses is the corresponding header found in the raw data file.

Relating to BellSouth Performance

- Report Month
- BellSouth Order Number (so_nbr)
- Work Completion Date (cmpltn_dt)
- Work Completion Time
- Completion Notice Availability Date
- Completion Notice Availability Time
- Service Type
- Geographic Scope

Note: Code in parentheses is the corresponding header found in the raw data file.

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation SQM Analog/Benchmark Resale Residence Retail Residence Resale Design Retail Design Switch-Based Orders) Switch-Based Orders Switch-Based Orders Dispatch In - Dispatch In Switch Based --- Switch Based



| • | UNE ISDN (Includes UDC) | Retail ISDN - BRI |
|---|---|-------------------------------|
| | UNE Line Sharing | |
| | Local Transport (Unbundled Interoffice Transport) | |
| • | Local Interconnection Trunks | Parity with Retail |
| • | UNE Line Splitting | ADSL to Retail |
| • | UNE Other Design | Retail Design |
| • | UNE Other Non-Design | Retail Residence and Business |
| • | FFIs | Retail DS1/DS3 |

SEEM Measure

SEEM Tier I Tier II

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark • Not Applicable Not Applicable



P-6: % Completions/Attempts without Notice or < 24 hours Notice

Definition

The purpose of this measure is to report if BellSouth is returning a FOC to the CLEC in time for the CLEC to notify their customer of the scheduled date.

Exclusions

- · Canceled Orders
- Expedited Orders
- "0" dated orders or any request where the subscriber requested an earlier due date of < 24 hours prior to the original commitment date, or any LSR received < 24 hours prior to the original commitment date.

Business Rules

For CLEC Results:

Calculation would exclude any successful or unsuccessful service delivery where the CLEC was informed at least 24 hours in advance. BellSouth may also exclude from calculation any LSRs received from the requesting CLEC with less than 24 hour notice prior to the commitment date.

Calculation

Percent Completions or Attempts without Notice or with Less Than 24 Hours Notice = (a / b) X 100

- a = Completion Dispatches (Successful and Unsuccessful) With No FOC or FOC Received < 24 Hours of Original Committed Due Date
- b = All Completions

Report Structure

- CLEC Specific
- · CLEC Aggregate
- Dispatch /Non-Dispatch
- Total Orders FOC < 24 Hours
- Total Completed Service Orders
- % FOC < 24 Hours
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Committed Due Date (DD)
- FOC End Timestamp
- Report Month
- CLEC Order Number and PON

Relating to BellSouth Performance

· Not Applicable



SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- Resale Residence<= 5%
- Resale Business
- Resale Design
- Resale PBX
- Resale Centrex
- Resale ISDN
- LNP (Standalone)
- INP (Standalone)
- 2W Analog Loop Design
- 2W Analog Loop Non-Design
- 2W Analog Loop Design with LNP
- 2W Analog Loop Non-Design with LNP
- 2W Analog Loop Design with INP
- 2W Analog Loop Non-Design with INP
- UNE Digital Loop < DS1
- UNE Digital Loop >= DS1
- UNE Loop + Port Combinations
 - Dispatch In
 - Switch Based
- UNE Switch Ports
- UNE Combo Other
- UNE xDSL (HDSL, ADSL and UCL)
- UNE ISDN (Includes UDC)
- UNE Line Sharing
- UNE Line Splitting
- Local Transport (Unbundled Interoffice Transport)
- Local Interconnection Trunks
- EELS

SEEM Measure

| SEEM | Tier I | Tier I |
|------|--------|--------|
| No | | |

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

Not Applicable......Not Applicable



P-7: Coordinated Customer Conversions Interval

Definition

This report measures the average time it takes BellSouth to disconnect an unbundled loop from the BellSouth switch and cross connect it to CLEC equipment. This measurement applies to service orders with INP and LNP, and where the CLEC has requested BellSouth to provide a coordinated cutover.

Exclusions

- Any order canceled by the CLEC will be excluded from this measurement.
- Delays due to CLEC following disconnection of the unbundled loop
- Unbundled Loops where there is no existing subscriber loop and loops where coordination is not requested.

Business Rules

Where the service order includes LNP, the interval includes the total time for the cutover including the translation time to place the line back in service on the ported line. When the service order includes INP, the interval includes the total time for the cutover including the translation time to place the link back in service on the ported line. The interval is calculated for the entire cutover time for the service order and then divided by items worked in that time to give the average per-item interval for each service order.

Calculation

Coordinated Customer Conversions Interval = (a - b)

- a = Completion Date and Time for Cross Connection of a Coordinated Unbundled Loop
- b = Disconnection Date and Time of an Coordinated Unbundled Loop

Percent Coordinated Customer Conversions (for each interval) = (c / d) X 100

- c = Total number of Coordinated Customer Conversions for each interval
- d = Total Number of Unbundled Loop with Coordinated Conversions (items) for the reporting period

Report Structure

- · CLEC Specific
- CLEC Aggregate
- The interval breakout is 0.5 = 0 <=5, 5.15 = 55 <=15, >=15 = 15 and greater, plus Overall Average Interval
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- CLEC Order Number
- Committed Due Date (DD)
- Service Type (CLASS_SVC_DESC)
- Cutover Start Time
- Cutover Completion time
- Portability Start and Completion Times (INP orders)
- Total Conversions (Items)

Note: Code in parentheses is the corresponding header found in the raw data file.



Relating to BellSouth Performance

• No BellSouth Analog Exists

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

SEEM Measure

| SEEM | Tier I | Tier II |
|------|--------|---------|
| Yes | X | X |

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

Unbundled Loops With INP
 Unbundled Loops With LNP
 95% <= 15 minutes
 Unbundled Loops With LNP



P-7A: Coordinated Customer Conversions – Hot Cut Timeliness % within Interval and Average Interval

Definition

This category measures whether BellSouth begins the cutover of an unbundled loop on a coordinated and/or a time specific order at the CLEC requested start time. It measures the percentage of orders where the cut begins within 15 minutes of the requested start time of the order and the average interval.

Exclusions

- Any order canceled by the CLEC will be excluded from this measurement.
- Delays caused by the CLEC
- Unbundled Loops where there is no existing subscriber loop and loops where coordination is not requested.
- All unbundled loops on multiple loop orders after the first loop
- · Test Orders

Business Rules

This report measures whether BellSouth begins the cutover of an unbundled loop on a coordinated and/or a time specific order at the CLEC requested start time. The cut is considered on time if it starts 15 minutes before or after the requested start time. Using the scheduled time and the actual cutover start time, the measurement will calculate the percent within interval and the average interval. If a cut involves multiple lines, the cut will be considered "on time" if the first line is cut within the interval. <= 15 minutes includes intervals that began 15:00 minutes or less before the scheduled cut time and cuts that began 15 minutes or less after the scheduled cut time; >15 minutes, <= 30 minutes includes cuts within 15:00 – 30:00 minutes either prior to or after the scheduled cut time; >30 minutes includes cuts greater than 30:00 minutes either prior to or after the scheduled cut time. If IDLC is involved, a four hour window applies to the start time. (8 A.M. to Noon or 1 P.M. to 5 P.M.) This only applies if BellSouth notifies the CLEC by 10:30 A.M. on the day before the due date that the service is on IDLC.

Calculation

% within Interval = (a / b) X 100

- a = Total Number of Coordinated Unbundled Loop Orders for the interval
- b = Total Number of Coordinated Unbundled Loop Orders for the reporting period

Interval = (c - d)

- c = Scheduled Time for Cross Connection of a Coordinated Unbundled Loop Order
- d = Actual Start Date and Time of a Coordinated Unbundled Loop Order

Average Interval = (e / f)

- · Sum of all Intervals
- Total Number of Coordinated Unbundled Loop Orders for the reporting period.



Report Structure

- · CLEC Specific
- CLEC Aggregate

Reported in intervals of early, on time and late cuts % <= 15 minutes; % >15 minutes, <= 30 minutes; % >30 minutes, plus Overall Average Interval

- · Geographic Scope
 - State
 - Region
- Percentages are reported in intervals of early, on time and late cuts for IDLC and non-IDLC cuts

```
On Time (Non-IDLC)
```

<= 15 minutes

Note: This is a 30-minute bucket representing a cut that begins 15 minutes or less before or after the scheduled start time.

Early (Non-IDLC)

```
>15 minutes - <= 30 minutes
```

>30 minutes - <=60 minutes

>60 minutes - <= 120 minutes

>120 minutes - <= 180 minutes

>180 minutes - <= 240 minutes

<= 240 minutes

Late (Non-IDLC)

>15 minutes - <= 30 minutes

>30 minutes - <= 60 minutes

>60 minutes - <= 120 minutes

>120 minutes - <= 180 minutes

>180 minutes - <= 240 minutes

>240 minutes

Overall Average Interval for non-IDLC

On Time (IDLC)

 ≤ 2 hours

Note: This is a 4-hour bucket representing a cut involving IDLC that begins 2 hours or less before or after the scheduled start time

Early (IDLC)

>2 hours

Late (IDLC)

>2 hours

Overall Average Interval for IDLC

Data Retained

Relating to CLEC Experience

- · Report Month
- CLEC Order Number (so_nbr)
- Committed Due Date (DD)
- Service Type (CLASS_SVC_DESC)
- Cutover Scheduled Start Time
- Cutover Actual Start Time
- Total Conversions Orders

Note: Code in parentheses is the corresponding header found in the raw data file.



Relating to BellSouth Performance

• No BellSouth Analog exists

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- - SL1 Time Specific
 - SL1 Non-Time Specific
 - SL2 Time Specific
 - SL2 Non-Time Specific

 - SL2 IDLC

SEEM Measure

| SEEM | Tier I | Tier II |
|------|--------|---------|
| Yes | X | X |

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- SL1 IDLC
- SL1 Non-Time Specific
- SL2 Time Specific
- SL2 IDLC



P-7B: Coordinated Customer Conversions – Average Recovery Time

Definition

Measures the time between notification and resolution by BellSouth of a service outage found that can be isolated to the BellSouth side of the network. The time between notification and resolution by BellSouth must be measured to ensure that CLEC customers do not experience unjustifiable lengthy service outages during a Coordinated Customer Conversion. This report measures outages associated with Coordinated Customer Conversions prior to service order completion.

Exclusions

- · Cutovers where service outages are due to CLEC caused reasons when the CLEC agrees
- · Cutovers where service outages are due to end-user caused reasons when the CLEC agrees
- · Test Orders

Business Rules

Measures the outage duration time related to Coordinated Customer Conversions from the initial trouble notification until the trouble has been restored and the CLEC has been notified. The duration time is defined as the time from the initial trouble notification until the trouble has been restored and the CLEC has been notified. The interval is calculated on the total outage time for the circuits divided by the total number of outages restored during the report period to give the average outage duration.

Calculation

Recovery Time = (a - b)

- a = Date and Time That Trouble is Closed by CLEC
- b = Date and Time Initial Trouble is Opened with BellSouth

Average Recovery Time = (c / d)

- c = Sum of all the Recovery Times per circuit
- d = Number of Troubles per circuit Referred to BellSouth

Report Structure

- · CLEC Specific
- CLEC Aggregate
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- CLEC Company Name
- CLEC Order Number (so_nbr)
- Committed Due Date (DD)
- Service Type (CLASS_SVC_DESC)
- CLEC Acceptance Conflict (CLEC_CONFLICT)
- CLEC Conflict Resolved (CLEC_CON_RES)
- CLEC Conflict MFC (CLEC_CONFLICT_MFC)



• Total Conversion Orders

Note: Code in parentheses is the corresponding header found in the raw data file.

Relating to BellSouth Performance

• None

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- Unbundled Loops with INP<= 5 Hours
- Unbundled Loops with LNP.....<= 5 Hours

SEEM Measure

| SEEM | Tier I | Tier II |
|------|--------|---------|
| No | | |

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark



P-7C: Hot Cut Conversions - % Provisioning Troubles Received within 7 Days of a Completed Service Order

Definition

The Percent Provisioning Troubles received within 7 days of a completed service order associated with a Hot Cut Conversion (CCC) measures the quality and accuracy of Coordinated Customer Conversion Activities.

Exclusions

- Any order cancelled by the CLEC
- · Troubles caused by Customer Provided Equipment
- Test Orders

Business Rules

Measures the quality and accuracy of completed service orders associated with Coordinated and Non-coordinated Customer Conversions. The first trouble report received on a circuit ID within 7 days following a service order completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed Coordinated Customer Conversion service orders and following 7 days after the completion of the service order for a trouble report issue date.

Calculation

% Provisioning Troubles within 7 days of service order completion = (a / b) X 100

- a = The sum of all CCC Circuits with a trouble within 7 days following service order(s) completion
- b = The total number of CCC service order circuits completed in the previous report calendar month

Report Structure

- · CLEC Specific
- CLEC Aggregate
- Dispatch/Non-Dispatch
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- CLEC Order Number (so_nbr)
- PON
- Order Submission Date (TICKET_ID)
- Order Submission Time (TICKET_ID)
- Status Type
- Status Notice Date
- Standard Order Activity
- Geographic Scope
- · Total Conversion Circuits

Note: Code in parentheses is the corresponding header found in the raw data file.



Relating to BellSouth Performance

• No BellSouth Analog exists

SQM Disaggregation - Analog/Benchmark

SEEM Disaggregation - Analog/Benchmark

Yes X X

SEEM Disaggregation UNE Loop Design UNE Loop Non-Design = 3% UNE Loop Non-Design



P-8: Cooperative Acceptance Testing - % of xDSL Loops Successfully Passing Cooperative Testing

Definition

A loop will be considered successfully cooperatively tested when both the CLEC and BellSouth representatives agree that the loop meets the technical specifications set forth in TR 73600.

Exclusions

- Testing failures due to CLEC (incorrect contact number, CLEC not ready, etc.)
- xDSL lines with no request for cooperative testing
- · Test Orders

Business Rules

When a BellSouth technician finishes delivering an order for an xDSL loop where the CLEC order calls for cooperative testing at the customer's premise, the BellSouth technician is to call a toll free number to the CLEC testing center. The BellSouth technician and the CLEC representative at the center then test the line. As an example of the type of testing performed, the testing center may ask the technician to put a short on the line so that the center can run a test to see if it can identify the short. CLEC caused failures will be captured in the raw data files.

Calculation

Cooperative Acceptance Testing - % of xDSL Loops Successfully Tested = (a / b) X 100

- a = Total number of successful xDSL cooperative tests for xDSL lines where cooperative testing was requested in the reporting period
- b = Total Number of xDSL line tests requested by the CLEC and scheduled in the reporting period

Report Structure

- CLEC Specific
- CLEC Aggregate
- Type of Loop Tested
- · Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- CLEC Company Name (OCN)
- CLEC Order Number (so_nbr) and PON (PON)
- Committed Due Date (DD)
- Service Type (CLASS_SVC_DESC)
- Acceptance Testing Completed (ACCEPT_TESTING)
- Acceptance Testing Declined (ACCEPT_TESTING)
- Total xDSL Orders
- Missed Appointments Code (SO_MISSED_CMMT_CD)

Note: Code in parentheses is the corresponding header found in the raw data file.



Relating to BellSouth Performance

• No BellSouth Analog Exists

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- UNE xDSL 95% of Lines Successfully Tested
 - ADSL
 - HDSL
 - UCL
 - OTHER

SEEM Measure

| SEEM | Tier I | Tier II |
|------|--------|---------|
| Yes | X | X |

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- - ADSL
 - HDSL
 - UCL
 - Other



P-9: % Provisioning Troubles within 30 Days of Service Order Completion

Definition

Percent Provisioning Troubles within 30 days of Service Order Completion measures the quality and accuracy of Service order activities.

Exclusions

- · Cancelled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) Test order types may be C, N, R, or T.
- D & F orders
- Trouble reports caused and closed out to Customer Provided Equipment (CPE)

Business Rules

Measures the quality and accuracy of completed orders. The first trouble report received after service order completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed service orders and following 30 days after completion of the service order for a trouble report issue date.

D & F orders are excluded as there is no subsequent activity following a disconnect.

Note: Standalone LNP historical data is not available in the maintenance systems (LMOS or WFA).

Calculation

% Provisioning Troubles within 30 days of Service Order Activity = (a / b) X 100

- a = Trouble reports on all completed orders within 30 days following service order(s) completion
- b = All Service Orders completed in the previous report calendar month

Report Structure

- · CLEC Specific
- · CLEC Aggregate
- BellSouth Aggregate
- Reported in categories of <10 line/circuits; >= 10 line/circuits (except trunks)
- Dispatch /Non-Dispatch (except trunks)
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- CLEC Order Number and PON
- Order Submission Date (TICKET_ID)
- Order Submission Time (TICKET_ID)
- Status Type
- Status Notice Date



- Standard Order Activity
- Geographic Scope

Note: Code in parentheses is the corresponding header found in the raw data file.

Relating to BellSouth Performance

- Report Month
- BellSouth Order Number
- Order Submission Date
- Order Submission Time
- Status Type
- Status Notice Date
- Standard Order Activity
- Geographic Scope

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|---|--|
| Resale Residence | Retail Residence |
| Resale Business | Retail Business |
| Resale Design | Retail Design |
| Resale PBX | Retail PBX |
| Resale Centrex | Retail Centrex |
| Resale ISDN | Retail ISDN |
| LNP (Standalone) | Retail Residence and Business (POTS) |
| INP (Standalone) | Retail Residence and Business (POTS) |
| 2W Analog Loop Design | Retail Residence and Business Dispatch |
| 2W Analog Loop Non-Design | |
| | Switch-Based Orders) |
| 2W Analog Loop with LNP Design | Retail Residence and Business Dispatch |
| 2W Analog Loop with LNP Non-Design | |
| | Switch-Based Orders) |
| 2W Analog Loop with INP Design | Retail Residence and Business Dispatch |
| 2W Analog Loop with INP Non-Design | |
| | Switch-Based Orders) |
| • UNE Digital Loop < DS1 | Retail Digital Loop < DS1 |
| • UNE Digital Loop >= DS1 | Retail Digital Loop >= DS1 |
| UNE xDSL (HDSL, ADSL and UCL) | |
| UNE ISDN (Includes UDC) | Retail ISDN BRI |
| UNE Line Sharing | ADSL Provided to Retail |
| UNE Loop + Port Combinations | |
| - Dispatch In | |
| - Switch-Based | |
| UNE Switch Ports | ` , |
| UNE Combo Other | |
| | (Including Dispatch Out and Dispatch In) |
| Local Transport (Unbundled Interoffice Transport) | |
| UNE Other Non-Design | |
| • UNE Other Design | |
| Local Interconnection Trunks | |
| UNE Line Splitting | |
| • EELs | Retail DS1/DS3 |

P-9: % Provisioning Troubles within 30 Days of Service Order Completion

SEEM Measure

SEEM Tier I Tier II Yes X X

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---|---|
| Resale Residence | Retail Residence |
| Resale Business | Retail Business |
| Resale Design | Retail Design |
| Resale PBX | Retail PBX |
| Resale Centrex | Retail Centrex |
| Resale ISDN | Retail ISDN |
| LNP (Standalone) | |
| INP (Standalone) | |
| 2W Analog Loop Design | |
| 2W Analog Loop Non-Design | Retail Residence and Business - (POTS Excluding |
| | Switch-Based Orders) |
| 2W Analog Loop with LNP Design | |
| 2W Analog Loop with LNP Non-Design | Retail Residence and Business - (POTS Excluding |
| | Switch-Based Orders) |
| 2W Analog Loop with INP Design | |
| 2W Analog Loop with INP Non-Design | Retail Residence and Business (POTS - Excluding |
| | Switch-Based Orders) |
| UNE Digital Loop < DS1 | |
| UNE Digital Loop >= DS1 | |
| UNE Loop + Port Combinations | |
| - Dispatch In | |
| - Switch-Based | |
| UNE Switch Ports | ` , |
| UNE Combo Other | |
| The bot (that that that) | (Including Dispatch Out and Dispatch In) |
| UNE xDSL (HDSL, ADSL and UCL) | |
| UNE ISDN (Includes UDC) | |
| UNE Line Sharing | |
| Local Transport (Unbundled Interoffice Transport) | Retail DS1/DS3 Interoffice |
| Local Interconnection Trunks | |
| UNE Line Splitting LINE Oil - No. D | |
| UNE Other Non-Design | |
| UNE Other Design | |
| • EELs | Ketan DS1/DS3 |



P-10: Total Service Order Cycle Time (TSOCT) (Deleted)



P-11: Service Order Accuracy

Definition

The "service order accuracy" measurement measures the accuracy and completeness of BellSouth service orders by comparing what was ordered and what was completed.

Exclusions

- Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- D & F orders

Business Rules

A statistically valid sample of service orders, completed during a monthly reporting period, is compared to the original account profile and the order that the CLEC sent to BellSouth. An order is "completed without error" if all service attributes and account detail changes (as determined by comparing the original order) completely and accurately reflect the activity specified on the original order and any supplemental CLEC order. For both small and large sample sizes, when a Service Request cannot be matched with a corresponding Service Order, it will not be counted. For small sample sizes an effort will be made to replace the service request.

Service Order Accuracy Sampling Process: A list of all orders completed in the report month is generated. The orders are then listed by the disaggregations specified in the SQM. For each disaggregation, the quantity of completed orders and the error rate for each disaggregation from the previous month are entered into a "Stratified Random Sampling for Proportions" formula. This formula determines the number of orders that are to be reviewed for each disaggregation. Once the sample size for each disaggregation is determined, the specified quantity of orders for each disaggregation are pulled for review.

Calculation

Percent Service Order Accuracy = (a / b) X 100

- a = Orders Completed without Error
- b = Orders Completed in Reporting Period

Report Structure

- · CLEC Aggregate
- Reported in categories of <10 line/circuits; >= 10 line/circuits
- Dispatch/Non-Dispatch

Data Retained

Relating to CLEC Experience

- Report Month
- CLEC Order Number and PON
- Local Service Request (LSR)
- Order Submission Date
- Committed Due Date
- Service Type
- · Standard Order Activity



Relating to BellSouth Performance

• No BellSouth Analog Exist

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- · Resale Business
- Resale Design (Specials)
- UNE Specials (Design)
- UNE (Non-Design)
- Local Interconnection Trunks

SEEM Measure

| SEEM | Tier I | Tier II |
|------|--------|---------|
| Yes | | X |

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

| • | Resale | 95% |
|---|--------|-----|
| • | UNE | 95% |
| • | UNE-P | 95% |

Note: This measure to be replaced when P-11A is implemented.



<u>Note</u>: This measure becomes effective with September 2003 service orders. The Service Order Accuracy measure as defined in the previous SQM will be effective prior to that time.

P-11A: Service Order Accuracy

Definition

The Service Order Accuracy measurement measures the accuracy and completeness of CLEC requests for service by comparing the CLEC Local Service Request (LSR) to the completed service order after provisioning has been completed. Only electronically submitted LSRs that require manual handling by a BellSouth service representative in the LCSC are measured.

Exclusions

- Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, orders using test OCNs, which may be coded C, N, R or T etc.)
- Disconnect Orders
- CLEC LSRs submitted manually (FAX or Courier)
- CLEC LSRs submitted electronically that are not manually handled by BellSouth (Flow Through)

Business Rules

Only CLEC LSRs submitted electronically that fall out of the electronic system for manual processing (partially mechanized) by a BellSouth representative and the resulting service orders are selected for this measure. The CLEC requested services on the LSR are compared to the completed service order using the CLEC-Affecting Service Attributes shown below.

Selected CLEC-Affecting Service Attributes

The BellSouth Local Service Request (LSR) fields identified below will be used, as applicable, for this Service Order Accuracy review process.

BellSouth LSR Fields

The fields listed below would only be captured as a miss when they are service affecting. For the purpose of the Service Order Accuracy measure, if any of the fields listed below are populated on the LSR and do not match the corresponding field on the Service Order, but this mismatch does not affect the correct provisioning of the Service Order, the field is not considered to be service affecting and therefore will not be included as a miss in this measure. An example would be LCSC/System workarounds, which will be identified in a document posted on the Interconnection website. CLECs may discuss any of the posted LCSC/System Workarounds during the regular PMAP notification calls.

- · Company Code
- PON
- Billed Telephone Number
- Telephone Number
- Ported Telephone Number
- Circuit ID
- PIC
- LPIC
- Directory Listing
 - Directory Delivery Address
 - Listing Activity
 - Alphanumeric Listing Identifier Code
 - Record Type



- Listing Type
- Listed Telephone Number
- Listed Name, Last Name
- Listed Name, First Name
- Address Indicator
- Listed Address House Number
- Listed Address House Number Suffix
- Listed Address Street Directional
- Listed Address Street Name
- Listed Address Thoroughfare
- Listed Address Street Suffix
- Listed Address Locality
- Yellow Pages Heading
- Features
 - Feature Activity
 - Feature Codes
 - Feature Detail*
- Hunting
 - Hunt Group Activity
 - Hunt Group Identifier
 - Telephone Number Identifier
 - Hunt Type Code
 - Hunt Line Activity
 - Hunting Sequence
 - Number Type
 - Hunting Telephone Number
- E911 Listing
 - Service Address House Number
 - Service Address House Number Suffix
 - Service Address Street Directional
 - Service Address Street Name
 - Service Address Thoroughfare
 - Service Address Street Suffix
 - Service Address Descriptive Location
- EATN
- ATN
- APOT
- CFA
- NC
- NCI

Calculation

Percent Service Order Accuracy = (a / b) X 100

- a = Applicable Orders Completed without Error
- b = Applicable Orders Completed in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- Geographic Scope
 - Region

^{*} Feature Detail will only be checked for the following USOCs: GCE, GCJ, CREX4, GCJRC, GCZ, DRS, VMSAX, S98VM, S98AF, SMBBX, MBBRX. USOCs and FIDs for Feature Detail will be posted on the Interconnection Website. Any changes to the USOCs and FIDs required to continue checking the identical service will be updated on this Website.



Data Retained

Relating to CLEC Experience

- · Report Month
- CLEC Order Number (PON)
- Local Service Request (LSR) Number
- BellSouth Service Order Number
- BellSouth Service Order Completion Date
- Service Type (Resale, UNE, UNE-P)
- Standard Order Activity

Relating to BellSouth Performance

• No BellSouth Analog Exists

SQM Disaggregation – Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

| • | Resale | 95% Accurate |
|---|--------|--------------|
| • | UNE | 95% Accurate |
| • | UNE-P | 95% Accurate |

SEEM Measure

| SEEM | Tier I | Tier II | Tier III |
|------|--------|---------|----------|
| Yes | X | X | |

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

| • | Resale | 95% Accura | ate |
|---|--------|------------|-----|
| • | UNE | 95% Accura | ate |
| • | UNE-P | 95% Accura | ate |



P-12: LNP-Average Disconnect Timeliness Interval & Disconnect Timeliness Interval Distribution

(Deleted)



P-13B: LNP - Percent Out of Service < 60 Minutes

Definition

The Number of LNP related conversions where the time required to facilitate the activation of the port in BellSouth's network is less than 60 minutes, expressed as a percentage of total number of activations that took place.

Exclusions

- · CLEC-caused errors
- · NPAC caused errors unless caused by BellSouth
- Standalone LNP orders with more than 500 number activations

Business Rules

The Start time is the Receipt of the NPAC broadcast activation message in BellSouth's LSMS. The End time is when the Provisioning event is successfully completed in BellSouth's network as reflected in BellSouth's LSMS. Count the number of activations that took place in less than 60 minutes.

Calculation

Percent Out of Service < 60 Minutes = $(a/b) \times 100$

- a = Number of activations provisioned in less than 60 minutes
- b = Total LNP activations

Report Structure

- · CLEC Specific
- CLEC Aggregate
- · Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Order Number
- Telephone Number/Circuit Number
- Committed Due Date
- Date/Time of Recent Change Notice

Relating to BellSouth Performance

- SOCS Completion Date and Time Stamp
- CLEC Activate Message

SQM Disaggregation – Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

P-13B: LNP - Percent Out of Service < 60 Minutes

SEEM Measure

SEEM Tier II Tier III Tier I Yes X X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark



P-13C: LNP – Percentage of Time BellSouth Applies the 10-Digit Trigger Prior to the LNP Order Due Date

Definition

Percentage of time BellSouth applies 10-digit trigger for LNP TNs prior to the due date.

Exclusions

Excludes CLEC or Customer caused misses or delays.

Business Rules

Obtain number of LNP TNs where the 10-digit trigger was applicable prior to due date, and the total number of LNP TNs where the 10-digit trigger was applicable.

Calculation

Percentage of 10-Digit Applications = $(a/b) \times 100$

- a = Count of LNP TNs for which 10-digit trigger was applied prior to due date
- b = Total LNP TNs for which 10-digit triggers were applicable

Report Structure

- CLEC Specific
- CLEC Aggregate
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Order Number
- Telephone Number/Circuit Number
- Committed Due Date
- Date/Time of Recent Change Notice

Relating to BellSouth Performance

- SOCS Completion Date and Time Stamp
- CLEC Activate Message

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark



SEEM Measure

 SEEM
 Tier I
 Tier II

 Yes
 X
 X

SEEM Disaggregation SEEM Analog/Benchmark



P-13D: LNP - Average Disconnect Timeliness Interval (Non-Trigger)

Definition

Disconnect Timeliness is defined as the interval between the time ESI Number Manager receives the valid 'Number Ported' message from NPAC (signifying the CLEC 'Activate') until the time the Disconnect is completed in the Central Office switch. This interval effectively measures BellSouth responsiveness by isolating it from impacts that are caused by CLEC related activities.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) where identifiable. Order types may be C, N, R, or T.
- CLEC-caused errors
- NPAC-caused errors, unless caused by BellSouth
- Incomplete Ports where only a subset of activate messages have been received compared with the LSR and create messages.
- Orders which are candidates for 10 digit triggers, except those that did not receive 10 digit triggers prior to the port out date.
- LSRs where the CLEC did not contact BST within 30 minutes after Activate Message.

Business Rules

The Disconnect Timeliness interval is determined for each telephone number ported associated with a disconnect service order processed on an LSR during the reporting period. The Disconnect Timeliness interval is the elapsed time from when BellSouth receives a valid 'Number Ported' message in ESI Number Manager (signifying the CLEC 'Activate') for each telephone number ported until each number on the service order is disconnected in the Central Office switch. Elapsed time for each ported number is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the total number of selected telephone numbers disconnected in the reporting period. Non-Business hours will be excluded from the duration calculation for unscheduled after hours LNP ports. This will yield a benchmark equivalent to by 12:00 noon the next business day thus, keeping the benchmark at 4 hours.

Calculation

Disconnect Timeliness Interval = (a - b)

- a = Completion Date and Time in Central Office switch for each number on disconnect order
- b = Valid 'Number Ported' message received date and time

Average Disconnect Timeliness Interval = (c / d)

- c = Sum of all Disconnect Timeliness Intervals
- d = Total Number of disconnected numbers completed in reporting period

Report Structure

- CLEC Specific
- CLEC Aggregate
- · Geographic Scope
 - State
 - Region

P-13D: LNP - Average Disconnect Timeliness Interval (Non-Trigger)

Tennessee Performance Metrics

Data Retained

Relating to CLEC Experience

- Order Number
- Telephone Number/Circuit Number
- Committed Due Date
- Receipt Date/Time (ESI Number Manager)
- Date/Time of Recent Change Notice

Relating to BellSouth Performance

- SOCS Completion Date and Time Stamp
- CLEC Activate Message

SQM Disaggregation – Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- LNP (Normal Working Hours and Approved After Hours)........95% < = 4 Hours

SEEM Measure

| SEEM | Tier I | Tier II |
|------|--------|---------|
| Yes | X | X |

SEEM Disaggregation - Analog/Benchmark

- LNP (Normal Working Hours and Approved After Hours)........95% < = 4 Hours

⊕ BELLSOUTH[®]

Section 4: Maintenance & Repair

M&R-1: Missed Repair Appointments

Definition

The percent of customer trouble reports not cleared by the committed date and time.

Exclusions

- Trouble tickets canceled at the CLEC request
- BellSouth trouble reports associated with internal or administrative service
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble

Business Rules

The negotiated commitment date and time is established when the repair report is received. The cleared time is the date and time that BellSouth personnel clear the trouble and closes the trouble report in his/her Computer Access Terminal (CAT) or workstation. If this is after the Commitment time, the report is flagged as a "Missed Commitment" or a missed repair appointment. When the data for this measure is collected for BellSouth and a CLEC, it can be used to compare the percentage of the time repair appointments are missed due to BellSouth reasons. (No access reports are not part of this measure because they are not a missed appointment.)

Note: Appointment intervals vary with force availability in the POTS environment. Specials and Trunk intervals are standard interval appointments of no greater than 24 hours. Standalone LNP historical data is not available in the maintenance systems (LMOS or WFA).

Calculation

Percentage of Missed Repair Appointments = (a / b) X 100

- a = Count of Customer Troubles Not Cleared by the Quoted Commitment Date and Time
- b = Total Customer Trouble reports closed in Reporting Period

Report Structure

- Dispatch/Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
 - State
 - Region



Data Retained

Relating to CLEC Experience

- · Report Month
- CLEC Company Name
- Submission Date and Time (TICKET_ID)
- Completion Date (CMPLTN_DT)
- Service Type (CLASS_SVC_DESC)
- Disposition and Cause (CAUSE_CD & CAUSE_DESC)

Note: Code in parentheses is the corresponding header found in the raw data file.

Relating to BellSouth Performance

- · Report Month
- BellSouth Company Code
- Submission Date and Time
- Completion Date
- Service Type
- Disposition and Cause (Non-Design /Non-Special Only)
- Trouble Code (Design and Trunking Services)

SQM Disaggregation - Analog/Benchmark

| QM Level of Disaggregation | SQM Analog/Benchmark |
|---|--------------------------------|
| Resale Residence | Retail Residence |
| Resale Business | |
| Resale Design | Retail Design |
| Resale PBX | Retail PBX |
| Resale Centrex | |
| Resale ISDN | Retail ISDN |
| 2W Analog Loop Design | |
| 2W Analog Loop Non – Design | |
| | Switch-based feature troubles) |
| UNE Digital Loop < DS1 | |
| • UNE Digital Loop >= DS1 | |
| UNE Loop + Port Combinations | |
| UNE Switch ports | |
| UNE Combo Other | |
| UNE xDSL (HDSL, ADSL and UCL) | |
| UNE ISDN | Retail ISDN – BRI |
| UNE Line Sharing | |
| UNE Other Design | Retail Design |
| UNE Other Non-Design | |
| Local Interconnection Trunks | Parity with Retail |
| Local Transport (Unbundled Interoffice Transport) | |

SEEM Measure

| SEEM | Tier I | Tier II |
|------|--------|---------|
| Yes | X | X |



SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---|--|
| Resale Residence | Retail Residence |
| Resale Business | Retail Business |
| Resale Design | Retail Design |
| Resale PBX | Retail PBX |
| Resale Centrex | Retail Centrex |
| Resale ISDN | Retail ISDN |
| 2W Analog Loop Design | |
| 2W Analog Loop Non – Design | |
| | Switch-based feature troubles) |
| UNE Digital Loop < DS1 | |
| • UNE Digital Loop >= DS1 | Retail Digital Loop >= DS1 |
| UNE Loop + Port Combinations | Retail Residence & Business |
| UNE Switch ports | |
| UNE Combo Other | Retail Residence, Business and Design Dispatch |
| UNE xDSL (HDSL, ADSL and UCL) | |
| UNE ISDN | Retail ISDN – BRI |
| UNE Line Sharing | |
| UNE Other Design | Retail Design |
| UNE Other Non-Design | Retail Residence and Business |
| Local Transport (Unbundled Interoffice Transport) | |
| Local Interconnection Trunks | Parity with Retail |

M&R-2: Customer Trouble Report Rate

Definition

Initial and repeated customer direct or referred customer troubles reported within a calendar month per 100 lines/circuits in service.

Exclusions

- Trouble tickets canceled at the CLEC request.
- BellSouth trouble reports associated with internal or administrative service.
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble.

Business Rules

Customer Trouble Report Rate is computed by accumulating the number of maintenance initial and repeated trouble reports during the reporting period. The resulting number of trouble reports are divided by the total "number of service" lines, ports or combination that exist for the CLECs and BellSouth respectively at the end of the report month.

Calculation

Customer Trouble Report Rate = (a / b) X 100

- a = Count of Initial and Repeated Customer Trouble Reports closed in the Current Period
- b = Number of Service Access Lines in service at End of the Report Period

Report Structure

- · CLEC Specific
- **CLEC Aggregate**
- BellSouth Aggregate
- Dispatch/Non-Dispatch
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- **CLEC Company Name**
- Ticket Submission Date and Time (TICKET_ID)
- Ticket Completion Date (CMPLTN_DT)
- Service Type (CLASS_SVC_DESC)
- Disposition and Cause (CAUSE_CD & CAUSE_DESC)
- # Service Access Lines in Service at the end of period

Note: Code in parentheses is the corresponding header found in the raw data file.



Relating to BellSouth Performance

- Report Month
- · BellSouth Company Code
- Ticket Submission Date and Time
- Ticket Completion Date
- Service Type
- Disposition and Cause (Non-Design /Non-Special Only)
- Trouble Code (Design and Trunking Services)
- # Service Access Lines in Service at the end of period

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation SQM Analog/Benchmark Resale Centrex Retail Centrex Switch-based feature troubles) UNE Other Design Retail Design

SEEM Measure

| SEEM | Tier I | Tier II |
|------|--------|---------|
| Yes | X | X |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation SEEM Analog/Benchmark | |
|--|------|
| Resale Residence | |
| Resale Business Retail Business | |
| Resale Design Retail Design | |
| Resale PBX Retail PBX | |
| Resale Centrex Retail Centrex | |
| Resale ISDN | |
| 2W Analog Loop Design | |
| 2W Analog Loop Non – Design | ı of |
| Switch-based feature troubles) | |
| UNE Digital Loop < DS1 Retail Digital Loop < DS1 | |
| • UNE Digital Loop > DS1Retail Digital Loop >= DS1 | |
| UNE Loop + Port Combinations | |
| UNE Switch Ports | |
| UNE Combo Other | |



| • | UNE xDSL (HDSL, ADSL and UCL) | . ADSL Provided to Retail |
|---|---|---------------------------|
| • | UNE ISDN | . Retail ISDN – BRI |
| • | UNE Line Sharing | . ADSL Provided to Retail |
| • | UNE Other Design | . Retail Design |
| | UNE Other Non-Design | |
| | Local Transport (Unbundled Interoffice Transport) | |
| | Local Interconnection Trunks | |

M&R-3: Maintenance Average Duration

Definition

The Average duration of Customer Trouble Reports from the receipt of the Customer Trouble Report to the time the trouble report is cleared.

Exclusions

- · Trouble tickets canceled at the CLEC request.
- BellSouth trouble reports associated with internal or administrative service.
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble.

Business Rules

For Average Duration the clock starts on the date and time of the receipt of the correct report information, i.e. correct telephone number, correct circuit identification, trouble description, etc. for the repair request. The clock stops on the date and time the service is restored and the BellSouth or CLEC customer is notified (when the technician completes the trouble ticket on his/her CAT or work systems).

Calculation

Maintenance Duration = (a - b)

- a = Date and Time of Service Restoration
- b = Date and Time Customer Trouble Ticket was Opened

Average Maintenance Duration = (c / d)

- c = Total of all maintenance durations in the reporting period
- d = Total Closed Customer Troubles in the reporting period

Report Structure

- Dispatch/Non-Dispatch
- **CLEC Specific**
- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- Total Tickets (LINE NBR)
- CLEC Company Name
- Ticket Submission Date and Time (TICKET_ID)
- Ticket Completion Date (CMPLTN_DT)
- Service Type (CLASS_SVC_DESC)
- Disposition and Cause (CAUSE_CD & CAUSE_DESC)

Note: Code in parentheses is the corresponding header found in the raw data file.



Relating to BellSouth Performance

- Report Month
- Total Tickets
- BellSouth Company Code
- Ticket Submission Date
- Ticket Submission Time
- Ticket Completion Date
- Ticket Completion Time
- Total Duration Time
- Service Type
- Disposition and Cause (Non-Design/Non-Special Only)
- Trouble Code (Design and Trunking Services)

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation SQM Analog/Benchmark Resale Residence Retail Residence Resale Centrex Retail Centrex Resale ISDN Retail ISDN Switch-based feature troubles) UNE Digital Loop >= DS1Retail Digital Loop >= DS1 UNE Other Design Retail Design Local Interconnection Trunks......Parity with Retail

SEEM Measure

| SEEM | Tier I | Tier II |
|------|--------|---------|
| Yes | X | X |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark | |
|---|--|--|
| Resale Residence | Retail Residence | |
| Resale Business | Retail Business | |
| Resale Design | Retail Design | |
| Resale PBX | Retail PBX | |
| Resale Centrex | Retail Centrex | |
| Resale ISDN | Retail ISDN | |
| 2W Analog Loop Design | Retail Residence and Business Dispatch | |
| 2W Analog Loop Non – Design | | |
| | Switch-based feature troubles) | |
| UNE Digital Loop < DS1 | Retail Digital Loop < DS1 | |



| • | UNE Digital Loop >= DS1 | Retail Digital Loop >= DS1 |
|---|---|--|
| | UNE Loop + Port Combinations | |
| • | UNE Switch ports | Retail Residence and Business (POTS) |
| • | UNE Combo Other | Retail Residence, Business and Design Dispatch |
| • | UNE xDSL (HDSL, ADSL and UCL) | ADSL Provided to Retail |
| • | UNE ISDN | Retail ISDN – BRI |
| • | UNE Line Sharing | ADSL Provided to Retail |
| • | UNE Other Design | Retail Design |
| • | UNE Other Non-Design | Retail Residence and Business |
| • | Local Transport (Unbundled Interoffice Transport) | Retail DS1/DS3 Interoffice |
| • | Local Interconnection Trunks | Parity with Retail |



M&R-4: Percent Repeat Troubles within 30 Days

Definition

Percent Customer Repeat Troubles within 30 Days measures the percent of customer troubles, during the current reporting period, that had at least one prior trouble ticket on the same line/circuit, anytime in the proceeding 30 calendar days from the receipt of the current trouble report.

Exclusions

- Trouble tickets canceled at the CLEC request.
- BellSouth trouble reports associated with internal or administrative service.
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble.

Business Rules

This measure includes Customer trouble reports on the same line/circuit, received within 30 days of an original Customer trouble report, using the 'cleared date' of the first trouble and the 'received date' of the next trouble.

Calculation

Percent Repeat Customer Troubles within 30 Days = (a / b) X 100

- a = Count of Customer Troubles using the 'received date' where more than one trouble report was logged for the same service line/circuit, within a continuous 30 days
- b = Count of Total Customer Trouble Reports using the 'cleared date', in the Reporting Period

Report Structure

- Dispatch/Non-Dispatch
- · CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- Total Tickets (LINE_NBR)
- CLEC Company Name
- Ticket Submission Date and Time (TICKET_ID)
- Ticket Completion Date (CMPLTN_DT)
- Total and Percent Repeat Customer Trouble Reports within 30 Days (TOT_REPEAT)
- Service Type
- Disposition and Cause (CAUSE_CD & CAUSE_DESC)

Note: Code in parentheses is the corresponding header found in the raw data file.

Relating to BellSouth Performance

· Report Month



- Total Tickets
- BellSouth Company Code
- Ticket Submission Date
- Ticket Submission Time
- Ticket Completion Date
- Ticket Completion Time
- Total and Percent Repeat Customer Trouble Reports within 30 Days
- Service Type
- Disposition and Cause (Non-Design /Non-Special Only)
- Trouble Code (Design and Trunking Services)

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation SQM Analog/Benchmark Resale PBX Retail PBX Resale Centrex Retail Centrex Switch-based feature troubles) UNE Other Design Retail Design Local Interconnection Trunks Parity with Retail

SEEM Measure

| SEEM | Tier I | Tier II |
|------|--------|---------|
| Yes | X | X |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark | |
|------------------------------|--|--|
| Resale Residence | Retail Residence | |
| Resale Business | Retail Business | |
| Resale Design | Retail Design | |
| Resale PBX | Retail PBX | |
| Resale Centrex | Retail Centrex | |
| Resale ISDN | Retail ISDN | |
| 2W Analog Loop Design | Retail Residence and Business Dispatch | |
| 2W Analog Loop Non – Design | Retail Residence and Business (POTS) (Exclusion of | |
| | Switch-based feature troubles) | |
| UNE Digital Loop < DS1 | Retail Digital Loop < DS1 | |
| • UNE Digital Loop >= DS1 | Retail Digital Loop >= DS1 | |
| UNE Loop + Port Combinations | Retail Residence and Business | |
| UNE Switch ports | Retail Residence and Business (POTS) | |
| UNE Combo Other | Retail Residence, Business and Design Dispatch | |



| • | UNE xDSL (HDSL, ADSL and UCL) | ADSL Provided to Retail |
|---|---|-------------------------|
| • | UNE ISDN | Retail ISDN – BRI |
| • | UNE Line Sharing | ADSL Provided to Retail |
| • | UNE Other Design | Retail Design |
| | UNE Other Non-Design | |
| | Local Transport (Unbundled Interoffice Transport) | |
| | Local Interconnection Trunks | |

M&R-5: Out of Service (OOS) > 24 Hours

M&R-5: Out of Service (OOS) > 24 Hours

Definition

For Out of Service Customer Troubles (no dial tone, cannot be called or cannot call out) the percentage of Total OOS Customer Troubles cleared in excess of 24 hours. (All design services are considered to be out of service).

Exclusions

- Trouble Reports canceled at the CLEC request
- BellSouth Trouble Reports associated with administrative service
- Customer Provided Equipment (CPE) Troubles or CLEC Equipment Troubles.

Business Rules

Customer Trouble reports that are out of service and cleared in excess of 24 hours. The clock begins when the customer trouble report is created in LMOS/WFA and the customer trouble is counted if the elapsed time exceeds 24 hours.

Calculation

Out of Service (OOS) > 24 hours = $(a / b) \times 100$

- a = Total Cleared Customer Troubles OOS > 24 Hours
- b = Total OOS Customer Troubles in Reporting Period

Report Structure

- Dispatch/Non-Dispatch
- **CLEC Specific**
- BellSouth Aggregate
- CLEC Aggregate
- · Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- Total Tickets
- **CLEC Company Name**
- Ticket Submission Date and Time (TICKET_ID)
- Ticket Completion Date (CMPLTN_DT
- Percentage of Customer Troubles out of Service > 24 Hours (OOS>24_FLAG)
- Service type (CLASS_SVC_DESC)
- Disposition and Cause (CAUSE_CD & CAUSE-DESC)

Note: Code in parentheses is the corresponding header found in the raw data file.



Relating to BellSouth Performance

- Report Month
- · Total Tickets
- BellSouth Company Code
- Ticket Submission Date
- Ticket Submission time
- Ticket Completion Date
- Ticket Completion Time
- Percent of Customer Troubles out of Service > 24 Hours
- Service Type
- Disposition and Cause (Non-Design/Non-Special only)
- Trouble Code (Design and Trunking Services)

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation SQM Analog/Benchmark Resale Residence Retail Residence Resale Design Retail Design Switch-based feature troubles) UNE Digital Loop >= DS1Retail Digital Loop >= DS1 UNE Other Design Retail Design

SEEM Measure

| SEEM | Tier I | Tier II |
|------|--------|---------|
| Yes | X | X |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark | |
|-----------------------------|--------------------------------|--|
| Resale Residence | Retail Residence | |
| Resale Business | Retail Business | |
| Resale Design | Retail Design | |
| Resale PBX | Retail PBX | |
| Resale Centrex | Retail Centrex | |
| Resale ISDN | Retail ISDN | |
| 2W Analog Loop Design | | |
| 2W Analog Loop Non – Design | | |
| | Switch-based feature troubles) | |
| UNE Digital Loop < DS1 | Retail Digital Loop < DS1 | |



| • | UNE Digital Loop >= DS1 | Retail Digital Loop >= DS1 |
|---|---|--|
| • | UNE Loop + Port Combinations | Retail Residence and Business |
| • | UNE Switch Ports | Retail Residence and Business (POTS) |
| • | UNE Combo Other | Retail Residence, Business and Design Dispatch |
| • | UNE xDSL (HDSL, ADSL and UCL) | ADSL Provided to Retail |
| • | UNE ISDN | Retail ISDN – BRI |
| • | UNE Line Sharing | ADSL Provided to Retail |
| • | UNE Other Design | Retail Design |
| • | UNE Other Non-Design | Retail Residence and Business |
| • | Local Transport (Unbundled Interoffice Transport) | Retail DS1/DS3 Interoffice |
| • | Local Interconnection Trunks | . Parity with Retail |



M&R-6: Average Answer Time – Repair Centers

Definition

This report measures the average time a customer is in queue when calling a BellSouth Repair Center.

Exclusions

· Abandoned Calls

Business Rules

The clock starts when a CLEC Representative or BellSouth customer makes a choice on the Repair Center's menu and is put in queue for the next repair attendant. The clock stops when the repair attendant answers the call.

Note: The Total Column is a combined BellSouth Residence and Business number.

Calculation

Answer Time for BellSouth Repair Centers = (a - b)

- a = Time BellSouth Repair Attendant Answers Call
- b = Time of entry into queue after ACD Selection

Average Answer Time for BellSouth Repair Centers = (c / d)

- c = Sum of all Answer Times
- d = Total number of calls by reporting period

Report Structure

- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
 - Region

Data Retained

Relating to CLEC Experience

• CLEC Average Answer Time

Relating to BellSouth Performance

• BellSouth Average Answer Time

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

• Region. CLEC/BellSouth Service Centers and BellSouth Repair Centers are regional.

M&R-6: Average Answer Time – Repair Centers

BELLSOUTH®

Tennessee Performance Metrics

SQM Analog/Benchmark

• For CLEC, Average Answer Times in UNE Center and BRMC are comparable to the Average Answer Times in the BellSouth Repair Centers.

SEEM Measure

| SEEM | Tier I | Tier II |
|------|--------|---------|
| No | | |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |



M&R-7: Mean Time To Notify CLEC of Network Outages

Definition

BellSouth will inform the CLEC and appropriate BellSouth personnel of any Network outages (customer impacting).

Exclusions

None

Business Rules

The time it takes for the Network Management Center (NMC) to notify the CLEC and appropriate BellSouth personnel of a customer impacting network incident in equipment that may be utilized by the CLEC. When BellSouth becomes aware of a network incident, the CLEC and appropriate BellSouth personnel will be notified electronically. The notification time for each outage will be measured in minutes and divided by the number of outages for the reporting period. The CLECs will be notified the same way and at the same time as BellSouth personnel. These are broadcast messages. It is up to those receiving the message to determine if they have customers affected by the incident.

Calculation

Time to Notify = (a - b)

- a = Date and Time NMC Notified
- b = Date and Time NMC detected network incident

Mean Time to Notify = (c / d)

- c = Sum of all Times to Notify
- d = Count of all Network Incidents

Report Structure

- BellSouth Aggregate
- CLEC Aggregate
- CLEC Specific
- Geographic Scope
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- Major Network Events
- Date/Time of Incident
- Date/Time of Notification

Relating to BellSouth Performance

- Report Month
- Major Network Events
- Date/Time of Incident
- Date/Time of Notification



SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation SQM Analog/Benchmark

| • | BellSouth Aggregate | Parity with Retail |
|---|---------------------|--------------------|
| • | CLEC Aggregate | Parity with Retail |
| • | CLEC Specific | Parity with Retail |

SEEM Measure

| SEEM | Tier I | Tier II |
|------|--------|---------|
| No | | |

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark



Section 5: Billing

B-1: Invoice Accuracy

Definition

This measure provides the percentage of accuracy of the billing invoices rendered to CLECs during the current month.

Exclusions

- Adjustments not related to billing errors (e.g., credits for service outage, special promotion credits, adjustments to satisfy the customer)
- Test Accounts

Business Rules

The accuracy of billing invoices delivered by BellSouth to the CLEC must enable them to provide a degree of billing accuracy comparative to BellSouth bills rendered to retail customers of BellSouth. CLECs request adjustments on bills determined to be incorrect. The BellSouth Billing verification process includes manually analyzing a sample of local bills from each bill period. The bill verification process draws from a mix of different customer billing options and types of service. An end-to-end auditing process is performed for new products and services. Internal measurements and controls are maintained on all billing processes. The CLEC-specific raw data file (which is available on the PMAP web site) will contain the number of bills and adjustments for the reporting month. The number of bills and bill adjustments will be displayed by OCN and/or ACNA.

Calculation

Invoice Accuracy = $[(a - b) / a] \times 100$

- a = Absolute Value of Total Billed Revenues during current month
- b = Absolute Value of Total Billing Related Adjustments during current month

Measure of Adjustments = $[(c-d) / c] \times 100$

- c = Number of Bills in current month
- d = Number of Billing-related Adjustments in current month

Report Structure

- · CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
 - State
 - Region
- Number of Adjustments

Data Retained

Relating to CLEC Experience

- Report Month
- Invoice Type
 - UNE
 - Resale
 - Interconnection



- Total Billed Revenue
- Total Billing Related Adjustments
- · Number of Bills
- Number of Adjustments

Relating to BellSouth Performance

- · Report Month
- Retail Type
 - CRIS
 - CABS
- Total Billed Revenue
- Total Billing Related Adjustments

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- - Resale
 - UNE
 - Interconnection

SEEM Measure

 SEEM
 Tier I
 Tier II

 Yes
 X
 X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- UNE
- Interconnection



B-2: Mean Time to Deliver Invoices

Definition

This report measures the mean interval for timeliness of billing invoices sent to CLECs in an agreed upon format. CRIS-based invoices are measured in business days, and CABS-based invoices in calendar days.

Exclusions

None

Business Rules

Bill Distribution is calculated as follows: CRIS BILLS-The number of workdays is reported for CRIS bills. This is calculated by counting the Bill Period date as the first workday. Weekends and holidays are excluded when counting workdays. J/N Bills are counted in the CRIS work day category for the purposes of the measurement since their billing account number (Q account) is provided from the CRIS system.

CABS BILLS-The number of calendar days is reported for CABS bills. This is calculated by counting the day following the Bill Period date as the first calendar day. Weekends and holidays are included when counting the calendar days.

Calculation

Invoice Timeliness = (a - b)

- a = Invoice Transmission Date
- b = Close Date of Scheduled Bill Cycle

Mean Time To Deliver Invoices = (c / d)

- c = Sum of all Invoice Timeliness intervals
- d = Count of Invoices Transmitted in Reporting Period

Report Structure

- · CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- · Geographic Scope
 - State
 - Region



Data Retained

Relating to CLEC Experience

- Report Month
- Invoice Type
 - UNE
 - Resale
 - Interconnection
 - State
- Invoice Transmission Count
- Date of Scheduled Bill Close

Relating to BellSouth Performance

- Report Month
- Invoice Type
 - CRIS
 - CABS
- Invoice Transmission Count
- Date of Scheduled Bill Close

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

Product/Invoice Type

- Resale
- UNE
- Interconnection
- State

SQM Analog/Benchmark

 CLEC Average Delivery Intervals for both CRIS and CABS Invoices are comparable to BellSouth Average delivery for both systems.

SEEM Measure

| SEEM | Tier I | Tier II |
|------|--------|---------|
| Yes | X | X |

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- - CRIS - CABS
- BST-State



B-3: Usage Data Delivery Accuracy

Definition

This measurement captures the percentage of recorded usage that is delivered error free and in an acceptable format to the appropriate Competitive Local Exchange Carrier (CLEC). These percentages will provide the necessary data for use as a comparative measurement for BellSouth performance. This measurement captures Data Delivery Accuracy rather than the accuracy of the individual usage recording.

Exclusions

None

Business Rules

The accuracy of the data delivery of usage records delivered by BellSouth to the CLEC must enable them to provide a degree of accuracy comparative to BellSouth bills rendered to their retail customers. If errors are detected in the delivery process, they are investigated, evaluated and documented. Errors are corrected and the data retransmitted to the CLEC.

Calculation

Usage Data Delivery Accuracy (Packs) = $(a - b) / a \times 100$ (This calculation not ordered by the FPSC)

- a = Total number of usage data packs sent during current month
- b = Total number of usage data packs requiring retransmission during current month

Usage Data Delivery Accuracy (Records) = (c - d) / c X 100

- c = Total number of usage records sent during current month
- d = Total number of usage records requiring retransmission during current month

Report Structure

- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- Record Type
 - BellSouth Recorded
 - Non-BellSouth Recorded
- · Number of Records
- Packs

Relating to BellSouth Performance

- · Report Month
- Record Type
- · Number of Records
- Packs





SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation SQM Analog/Benchmark

SEEM Measure

 SEEM
 Tier I
 Tier II

 Yes
 X
 X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark

- CLEC State (In Florida, SEEM is based on records)...... Parity with Retail
- BellSouth Region



B-4: Usage Data Delivery Completeness

Definition

This measurement provides percentage of complete and accurately recorded usage data (usage recorded by BellSouth and usage recorded by other companies and sent to BellSouth for billing) that is processed and transmitted to the CLEC within thirty (30) days of the message recording date. A parity measure is also provided showing completeness of BellSouth messages processed and transmitted via CMDS. BellSouth delivers its own retail usage from recording location to billing location via CMDS as well as delivering billing data to other companies. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

Exclusions

None

Business Rules

The purpose of these measurements is to demonstrate the level of quality of usage data delivered to the appropriate CLEC. Method of delivery is at the option of the CLEC.

Calculation

Usage Data Delivery Completeness = (a / b) X 100

- a = Total number of Recorded usage records delivered during current month that are within thirty (30) days of the message recording date
- b = Total number of Recorded usage records delivered during the current month

Report Structure

- · CLEC Specific
- CLEC Aggregate
- Region

Data Retained

Relating to CLEC Experience

- · Report Month
- Record Type
 - BellSouth Recorded
 - Non-BellSouth Recorded

Relating to BellSouth Performance

None

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|--------------------------------|
| Region | >= 98% within 30 Calendar Days |





SEEM Measure

SEEM Tier I Tier II

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark

Not Applicable......Not Applicable



B-5: Usage Data Delivery Timeliness

Definition

This measurement provides a percentage of recorded usage data (usage recorded by BellSouth and usage recorded by other companies and sent to BellSouth for billing) that is delivered to the appropriate CLEC within six (6) calendar days from the receipt of the initial recording. A parity measure is also provided showing timeliness of BellSouth messages processed and transmitted via CMDS. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

Exclusions

None

Business Rules

The purpose of this measurement is to demonstrate the level of timeliness for processing and transmission of usage data delivered to the appropriate CLEC. The usage data will be mechanically transmitted or mailed to the CLEC data processing center once daily. The Timeliness interval of usage recorded by other companies is measured from the date BellSouth receives the records to the date BellSouth distributes to the CLEC. Method of delivery is at the option of the CLEC

Calculation

Usage Data Delivery Timeliness Current month = (a / b) X 100

- a = Total number of usage records sent within six (6) calendar days from initial recording/receipt
- ullet b = Total number of usage records sent

Report Structure

- CLEC Aggregate
- CLEC Specific
- Region

Data Retained

Relating to CLEC Experience

- Report Month
- Record Type
 - BellSouth Recorded
 - Non-BellSouth Recorded

Relating to BellSouth Performance

None

SQM Level of Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark





SEEM Measure

SEEM Tier I Tier II

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark



B-6: Mean Time to Deliver Usage

Definition

This measurement provides the average time it takes to deliver Usage Records to a CLEC. A parity measure is also provided showing timeliness of BellSouth messages processed and transmitted via CMDS. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

Exclusions

None

Business Rules

The purpose of this measure is to calculate the average number of days it takes BellSouth to deliver usage data to the appropriate CLEC. The calculation reflects the differences between the date the data is transmitted or mailed to the CLEC and the date the data is generated by Customer divided by the total record volume delivery.

Each delivery record is calculated as the time, in days, between when the customer generates the call and when BellSouth delivers the usage data to the CLEC. Each delivery record is categorized by the resulting number of days.

An estimated interval is calculated for each category by taking the total number of usage data records delivered for that period and multiplying it by the total number of days in that period. The mean (average) time to deliver the usage data is calculated by summing all estimated intervals and dividing by the total number of records delivered.

Note: Any usage record falling in the 30+ day interval will be added using an average figure of 31.5 days.

Usage data is mechanically transmitted or mailed to the CLEC data processing center once daily. Method of delivery is at the option of the CLEC.

Calculation

Delivery Interval Record = (a - b)

- a = Date BellSouth delivers the usage data
- b = Date usage data is generated by the customer

Estimated Interval = (c X d)

- c = Number of records delivered in each category
- d = Number of days to deliver for the category

Mean Time to Deliver Usage = (e / f)

- e = Sum of all estimated intervals
- f = Total number of records delivered

Report Structure

- CLEC Aggregate
- CLEC Specific
- Region

B-6: Mean Time to Deliver Usage



Tennessee Performance Metrics

Data Retained

Relating to CLEC Experience

- · Report Month
- · Record Type
 - BellSouth Recorded
 - Non-BellSouth Recorded

Relating to BellSouth Performance

• None

SQM Level of Disaggregation - Analog/Benchmark

SQM Level of Disaggregation • Region......<= 6 Days SEEM Measure SEEM Tier I Tier II No......

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |



B-7: Recurring Charge Completeness

Definition

This measure captures percentage of fractional recurring charges appearing on the correct bill.

Exclusions

None

Business Rules

The effective date of the recurring charge must be within 30 days of the bill date for the charge to appear on the correct bill. The count of fractional recurring charges in the calculation refers to a sum of absolute total dollar values either billed on the correct bill or absolute value of total fractional recurring charges on the bill.

Calculation

Recurring Charge Completeness = (a / b) X 100

- a = Count of fractional recurring charges that are on the correct bill¹
- b = Total count of fractional recurring charges that are on the bill

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate

Data Retained

Relating to CLEC Experience

- Report Month
- Invoice Type
- Total Recurring Charges Billed
- Total Billed On Time

Relating to BellSouth Performance

- Report Month
- Retail Analog
- · Total Recurring Charges Billed
- Total Billed On Time

¹Correct bill = next available bill



SQM Level of Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

Product/Invoice Type

| • | Resale | Par | ity | | |
|---|----------|-----|-------|----|-----|
| • | UNE | Be | nchma | rk | 90% |
| | ▼ | ъ | | • | 000 |

SEEM Measure

| SEEM | Tier I | Tier II |
|------|--------|---------|
| No | | |

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark



B-8: Non-Recurring Charge Completeness

Definition

This measure captures percentage of non-recurring charges appearing on the correct bill.

Exclusions

None

Business Rules

The effective date of the non-recurring charge must be within 30 days of the bill date for the charge to appear on the correct bill. The count of non-recurring charges in the calculation refers to a sum of absolute total dollar values either billed on the correct bill or absolute value of total non-recurring charges on the bill.

Calculation

Non-Recurring Charge Completeness = $(a / b) \times 100$

- a = Count of non-recurring charges that are on the correct bill¹
- b = Total count of non-recurring charges that are on the bill

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
 - State

Data Retained

Relating to CLEC Experience

- Report Month
- Invoice Type
- Total Non-Recurring Charges Billed
- Total Billed On Time

Relating to BellSouth Performance

- Report Month
- Retail Analog
- · Total Non-Recurring Charges Billed
- Total Billed On Time

¹Correct bill = next available bill



SQM Level of Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

Product/Invoice Type

| • | Resale | Parit | y |
|---|--------|-------|---|
| | | | |

UNE Benchmark 90%
 Interconnection Benchmark 90%

SEEM Measure

SEEM Tier I Tier II

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark



B-9: Percent Daily Usage Feed Errors Corrected in "X" Business Days

Definition

Measures the timely correction of Daily Usage Feed (DUF) errors in record information and Pack formats measured separately. Errors included (1) Pack Failure errors and (2) EMI content errors in records.

Exclusions

- Usage that cannot be corrected and resent or usage that the CLEC doesn't want Retransmitted.
- CLEC Problem/Issue/File Retransmission forms disputed by BellSouth SMEs that do not result in an EMI error.
- CLEC notification received by BellSouth > 10 business days from transmission date of errored messages or packs.

Business Rules

This measure will provide the % of errors corrected in "X" Business days.

Pack Failure errors are defined as a DUF header/trailer error containing one or more of the following conditions: Grand total records not equal to records in pack or sequence/invoice numbers for a from RAO is not sequential

EMI content errors are defined as those records with errors contained in the EMI detail records that cause a message to be unbillable by the CLEC

Only notification received via the CLEC Problem/Issue/File Retransmission form will be included in this measure. To locate the form, go to the PMAP web site (http://pmap.bellsouth.com/) and click the Documentation/Exhibits link, then select the "CLEC Problem/Issue/File Retransmission form."

When circumstances arise for multiple content errors it is not necessary for the form to be filled out in its entirety, the CLECs agree to provide sufficient information for content error research so that a thorough investigation and resolution can be completed.

For each type error condition, a new CLEC Problem/Issue/File Retransmission form should be submitted.

EMI content errors should be attached in a separate file from the CLEC Problem/Issue/File Retransmission form

Elapsed time is measured in business days.

The clock starts when BellSouth receives CLEC's Problem/Issue/File Retransmission form.

The clock stops when BellSouth provides the corrected usage to the CLEC using the predesignated DUF delivery method.

This measure applies only to CLECs that are ODUF and ADUF participants

Calculation

Timeliness of Daily Usage EMI Content Errors Corrected = $(a \, / \, b) \, X \, 100$

- a = Total number of Daily Usage Records with EMI Content Errors Corrected in the reporting month within 10 Business Days.
- b = Total number of Daily Usage Records with EMI Content Errors corrected in reporting month.

Timeliness of Daily Usage Pack Format Errors Corrected = (c / d) $X\ 100$

- c = Total number of Daily Usage Packs with Format Errors Corrected in the reporting month within 4 Business Days.
- d = Total number of Daily Usage Packs with Format Errors corrected in reporting month

B-9: Percent Daily Usage Feed Errors Corrected in "X" Business Days

Report Structure

- CLEC Specific
 - Total number of BST disputed Daily Usage Records with EMI Content Errors received in reporting month.
 - Total number of Daily Usage Records with EMI Content Errors received in reporting month.
 - Total number of BST disputed Daily Usage Packs with Format Errors received in reporting month
 - Total number of Daily Usage Packs with Format Errors received in reporting month
- CLEC Aggregate
- Geographic Scope
 - Region

Data Retained

Relating to CLEC Experience

- · Report Month
 - BellSouth Recorded
 - Non-BellSouth Recorded

Relating to BellSouth Performance

• None

SQM Level of Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation • Region | | SQM Analog/BenchmarkDiagnostic | |
|--------------------------------------|------------|--------------------------------|-----------------------|
| SEEM Measur | re | | |
| SEEM No | Tier I | Tier II | |
| SEEM Disagg | regation - | Analog/Benchma | rk |
| SEEM Disaggreg | gation | | SEEM Analog/Benchmark |



B-10: Percent Billing Errors Corrected in "X" Business Days

Definition

Measures timely carrier bill adjustments.

Exclusions

Adjustments that are initiated by BellSouth

Business Rules

This measure applies to CLEC wholesale bill adjustment requests. IXC Access billing adjustment requests are not reflected in this measure. Elapsed time is measured in business days. The clock starts when BellSouth receives the CLEC Billing Adjustment Request (BAR) form and the clock stops when BellSouth either makes an adjustment through BOCRIS or ACATS (generally next CLEC bill unless adjustment request after middle of the month) or BellSouth denies the request in BDATS or ACATS and BellSouth notifies the CLEC of the BAR resolution. BellSouth will report separately those adjustment requests that are disputed by BellSouth. (BAR form and instructions are found at www.interconnection.bellsouth.com/forms/html/billing&collections.html).

Calculation

Percent Billing Errors Corrected in 45 Business Days = (a / b) X 100

- a = Number of BAR resolutions sent in 45 Business Days
- b = Total Number of BAR resolutions due in Reporting Period

Report Structure

- · CLEC Specific
- CLEC Aggregate
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Number of BellSouth Adjustments in 45 Business Days
- · Total number of Billing Adjustment Requests in Reporting Period
- Number of Adjustments disputed by BellSouth (reported separately)

Relating to BellSouth Performance

None

SQM Disaggregation - Retail Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark



| SEEM | Measure |
|------|---------|
|------|---------|

| SEEM | Tier I | Tier I |
|------|--------|--------|
| Yes | X | X |

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark • State 90% Billing Disputes <= 45 Business Days</td>

Note: In order to set an appropriate penalty provision, staff recommends deferring implementation of the penalty until conclusion of the commission proceeding on the remedy structure of the SEEM Plan, or 120 days, whichever comes first.



Section 6: Operator Services and Directory Assistance

OS-1: Speed to Answer Performance/Average Speed to Answer - Toll

Definition

Measurement of the average time in seconds calls wait before answered by a toll operator.

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

Speed to Answer Performance/Average Speed to Answer – Toll = a / b

- a = Total queue time
- b = Total calls answered

Note: Total queue time includes time that answered calls wait in queue as well as time abandoned calls wait in queue prior to abandonment.

Report Structure

- Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Basis)

 For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP

SQM Analog/Benchmark

- Month
- Call Type (Toll)
- Average Speed of Answer

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation



SEEM Measure

SEEM Tier I Tier II

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark

Not Applicable......Not Applicable

⊕ BELLSOUTH[®]

OS-2: Speed to Answer Performance/Percent Answered within "X" Seconds - Toll

Definition

Measurement of the percent of toll calls that are answered in less than ten seconds

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

The Percent Answered within "X" Seconds measurement for toll is derived by using the BellCore Statistical Answer Conversion Tables, to convert the Average Speed to Answer measure into a percent of calls answered within "X" seconds. The BellCore Conversion Tables are specific to the defined parameters of work time, number of operators, max queue size and call abandonment rates.

Report Structure

- · Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (Toll)
- Average Speed of Answer

SQM Disaggregation - Analog/Benchmark

| SQM Level of D | isaggregatio | n: SQM Analog/Benchmark | |
|----------------|--------------|-------------------------|--|
| • None | | Parity by Design | |
| SEEM Measu | ıre | | |
| SEEM | Tier I | Tier II | |
| No | | | |
| | | | |



SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |



DA-1: Speed to Answer Performance/Average Speed to Answer – Directory Assistance (DA)

Definition

Measurement of the average time in seconds calls wait before answered by a DA operator.

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

Speed to Answer Performance/Average Speed to Answer – Directory Assistance (DA) = a / b

- a = Total queue time
- b = Total calls answered

Note: Total queue time includes time that answered calls wait in queue as well as time abandoned calls wait in queue prior to abandonment.

Report Structure

- Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (DA)
- Average Speed of Answer

SQM Level of Disaggregation - Analog/Benchmark





SEEM Measure

SEEM

No.....

Tier I

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark

Not Applicable......Not Applicable

Tier II



DA-2: Speed to Answer Performance/Percent Answered within "X" Seconds – Directory Assistance (DA)

Definition

Measurement of the percent of DA calls that are answered in less than twelve seconds.

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

The Percent Answered within "X" Seconds measurement for DA is derived by using the BellCore Statistical Answer Conversion Tables, to convert the Average Speed to Answer measure into a percent of calls answered within "X" seconds. The BellCore Conversion Tables are specific to the defined parameters of work time, number of operators, max queue size and call abandonment rates.

Report Structure

- · Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP.
- Month
- Call Type (DA)
- Average Speed of Answer

SQM Disaggregation - Analog/Benchmark

| SQM Level of D | isaggregatio | n | SQM Analog/Benchmarl |
|----------------|--------------|---------|----------------------|
| • None | | | Parity by Design |
| SEEM Measu | ıre | | |
| SEEM | Tier I | Tier II | |
| No | | | |



SEEM Disaggregation - Analog/Benchmark

| SEEM [| Disaggregation | SEEM Analog/Benchmark |
|--------|----------------|-----------------------|
| • | Not Applicable | Not Applicable |



Section 7: Database Update Information

D-1: Average Database Update Interval

Definition

This report measures the interval from receipt of the database change request to the completion of the update to the database for Line Information Database (LIDB), Directory Assistance and Directory Listings.

Exclusions

- Updates Canceled by the CLEC
- Initial update when supplemented by CLEC
- BellSouth updates associated with internal or administrative use of local services.

Business Rules

The interval for this measure begins with the date and time stamp when a service order is completed and the completion notice is released to all systems to be updated with the order information including Directory Assistance, Directory Listings, and Line Information Database (LIDB). The end time stamp is the date and time of completion of updates to the system. This metric includes updates from stand-alone directory listing orders.

For BellSouth Results:

The BellSouth computation is identical to that for the CLEC with the clarifications noted below.

Other Clarifications and Qualification:

- For LIDB, the elapsed time for a BellSouth update is measured from the point in time when the BellSouth file maintenance process
 makes the LIDB update information available until the date and time reported by BellSouth that database updates are completed.
- Results for the CLECs are captured and reported at the update level by Reporting Dimension (see below).
- The Completion Date is the date upon which BellSouth issues the Update Completion Notice to the CLEC.
- If the CLEC initiates a supplement to the originally submitted update and the supplement reflects changes in customer requirements (rather than responding to BellSouth initiated changes), then the update submission date and time will be the date and time of BellSouth receipt of a syntactically correct update supplement. Update activities responding to BellSouth initiated changes will not result in changes to the update submission date and time used for the purposes of computing the update completion interval.
- Elapsed time is measured in hours and hundredths of hours rounded to the nearest tenth of an hour.
- Because this should be a highly automated process, the accumulation of elapsed time continues through off-schedule, weekends and holidays; however, scheduled maintenance windows are excluded.

Calculation

Update Interval = (a - b)

- a = Completion Date and Time of Database Update
- b = Submission Date and Time of Database Change

Average Update Interval = (c / d)

- c = Sum of all Update Intervals
- d = Total Number of Updates Completed During Reporting Period



Report Structure

- CLEC Specific (Under development)
- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
 - Region

Data Retained

Relating to CLEC Experience

- Database File Submission Time
- Database File Update Completion Time
- CLEC Number of Submissions
- Total Number of Updates

Relating to BellSouth Performance

- Database File Submission Time
- Database File Update Completion Time
- BellSouth Number of Submissions
- Total Number of Updates

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- LIDB
- Directory Listings
- · Directory Assistance

SEEM Measure

| SEEM | Tier I | Tier II |
|------|--------|---------|
| No | | |

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark



D-2: Percent Database Update Accuracy

Definition

This report measures the accuracy of database updates by BellSouth for Line Information Database (LIDB) Directory Assistance and Directory Listings using a statistically valid sample of completed CLEC Service Orders in a manual review. This manual review is not conducted on BellSouth Service Orders.

Exclusions

- Updates canceled by the CLEC
- Initial update when supplemented by CLEC
- CLEC orders that had CLEC errors
- · BellSouth updates associated with internal or administrative use of local services.

Business Rules

For each update reviewed during the reporting period, the original update that the CLEC sent to BellSouth is compared to the database following completion of the update by BellSouth. An update is "completed without error" if the database completely and accurately reflects the activity specified on the original and supplemental update (e.g., orders) submitted by the CLEC. Each database (e.g., LIDB, Directory Assistance and Directory Listings) should be separately tracked and reported.

A statistically valid sample of completed CLEC Service Orders is pulled each month. This metric includes updates from stand-alone directory listing orders.

Calculation

Percent Update Accuracy = (a / b) X 100

- a = Number of Updates Completed Without Error
- b = Number Updates Completed

Report Structure

- · CLEC Aggregate
- CLEC Specific (not available in this report)
- BellSouth Aggregate (not available in this report)
- Geographic Scope
 - Region

Data Retained

Relating to CLEC Experience

- · Report Month
- CLEC Order Number (so_nbr) and PON (PON)
- Local Service Request (LSR)
- Order Submission Date
- Number of Orders Reviewed

Note: Code in parentheses is the corresponding header found in the raw data file.



Relating to BellSouth Performance

• Not Applicable

SQM Disaggregation - Analog/Benchmark

SEEM Disaggregation - Analog/Benchmark

No.....

SEEM Disaggregation SEEM Analog/Benchmark • Not Applicable Not Applicable



D-3: Percent NXXs and LRNs Loaded by the LERG Effective Date

Definition

Measurement of the percent of NXX(s) and Location Routing Numbers LRN(s) loaded and tested in new end office and/or tandem switches by the Local Exchange Routing Guide (LERG) effective date when facilities are in place. BellSouth has a single provisioning process for both NXX(s) and LRN(s). In this measure BellSouth will identify whether or not a particular NXX has been flagged as LNP capable (set triggers for dips) by the LERG effective date.

Exclusions

- · Activation requests where the CLEC's interconnection arrangements and facilities are not in place by the LERG effective date.
- · Expedite requests

Business Rules

Data for the initial NXX(s) and LRN(s) in a local calling area will be based on the LERG effective date or completion of the initial interconnection trunk group(s), whichever is longer. Data for additional NXX(s) in the local calling area will be based on the LERG effective date. The LERG effective date is loaded into the system at the request of the CLEC. It is contingent upon the CLEC to engineer, order, and install interconnection arrangements and facilities prior to that date.

The total Count of NXX(s) and LRN(s) that were scheduled to be loaded and those that were loaded by the LERG effective date in BellSouth switches will be captured in the Work Force Administration - Dispatch In database.

An LRN is assigned by the owner of the switch and is placed into the software translations for every switch to be used as an administrative pointer to route NXX(s) in LNP capable switches. The LRN is a result of Local Number Porting and is housed in a national database provided by the Number Portability Administration Center (NPAC). The switch owner is responsible for notifying NPAC and requesting the effective date that will be reflected in the LERG. The national database downloads routing tables into BellSouth's Service Control Point (SCP) regional databases, which are queried by switches when routing ported numbers.

The basic NXX routing process includes the addition of all NXX(s) in the response translations. This addition to response translations is what supports LRN routing. Routing instructions for all NXX(s), including LRN(s), are received from the Advance Routing & Trunking System (ARTS) and all routing, including response, is established based on the information contained in the Translation Work Instructions (TWINs) document.

Calculation

Percent NXXs/LRNs Loaded and Tested Prior to the LERG Effective Date = (a / b) X 100

- a = Count of NXXs and LRNs loaded by the LERG effective date
- b = Total NXXs and LRNs to be scheduled and loaded by the LERG effective date

Report Structure

- · CLEC Specific
- CLEC Aggregate
- BellSouth (Not Applicable)
- Geographic Scope
 - Region



Data Retained

Relating to CLEC Experience

- · Company Name
- Company Code
- NPA/NXX
- LERG Effective Date
- Loaded Date

Relating to BellSouth Performance

• Not Applicable

SQM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark • Not Applicable Not Applicable



Section 8: E911

E-1: Timeliness

Definition

Measures the percent of batch orders for E911 database updates (to CLEC resale and BellSouth retail records) processed successfully within a 24-hour period.

Exclusions

- Any resale order canceled by a CLEC
- · Facilities-based CLEC orders

Business Rules

The 24-hour processing period is calculated based on the date and time processing starts on the batch orders and the date and time processing stops on the batch orders. Mechanical processing starts when SCC (the BellSouth E911 vendor) receives E911 files containing batch orders extracted from the BellSouth Service Order Control System (SOCS). Processing stops when SCC loads the individual records to the E911 database. The E911 database includes updates to the Automatic Location Identification (ALI) database. The system makes no distinction between CLEC resale records and BellSouth retail records.

Calculation

E911 Timeliness = (a / b) X 100

- a = Number of batch orders processed within 24 hours
- b = Total number of batch orders submitted

Report Structure

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- Region

Data Retained

- Report Month
- · Aggregate Data

SQM Disaggregation - Analog/Benchmark

| SQM Level of D | Disaggregatio | n | SQM Analog/Benchmark |
|----------------|---------------|---------|----------------------|
| • None | | | Parity by Design |
| SEEM Measu | ure | | |
| SEEM | Tier I | Tier II | |
| No | | | |



E-1: Timeliness

Tennessee Performance Metrics

BELLSOUTH®

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark



E-2: Accuracy

Definition

Measures the percent of E911 telephone number (TN) record updates (to CLEC resale and BellSouth retail records) processed successfully for E911 (including the Automatic Location Identification (ALI) database).

Exclusions

- Any resale order canceled by a CLEC
- · Facilities-based CLEC orders

Business Rules

Accuracy is based on the number of records processed without error at the conclusion of the processing cycle. Mechanical processing starts when SCC (the BellSouth E911 vendor) receives E911 files containing telephone number (TN) records extracted from BellSouth's Service Order Control System (SOCS). The system makes no distinction between CLEC resale records and BellSouth retail records.

Calculation

E911 Accuracy = (a / b) X 100

- a = Number of record individual updates processed with no errors
- b = Total number of individual record updates

Report Structure

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- Region

Data Retained

- · Report Month
- Aggregate Data

SQM Level of Disaggregation

SQM Disaggregation - Analog/Benchmark

| • None | | Parity by Design | | |
|--|--------------|-----------------------|--|--|
| SEEM Measure | | | | |
| SEEM Ti | er I Tier II | | | |
| No | | | | |
| SEEM Disaggregation - Analog/Benchmark | | | | |
| SEEM Disaggregation | | SEEM Analog/Benchmark | | |

SQM Analog/Benchmark



E-3: Mean Interval

Definition

Measures the mean interval processing of E911 batch orders (to update CLEC resale and BellSouth retail records) including processing against the Automatic Location Identification (ALI) database.

Exclusions

- Any resale order canceled by a CLEC
- · Facilities-based CLEC orders

Business Rules

The processing period is calculated based on the date and time processing starts on the batch orders and the date and time processing stops on the batch orders. Data is posted is 4-hour increments up to and beyond 24 hours. The system makes no distinction between CLEC resale records and BellSouth retail records.

Calculation

E911 Interval = (a - b)

- a = Date and time of batch order completion
- b = Date and time of batch order submission

E911 Mean Interval = (c / d)

- c = Sum of all E911 Intervals
- d = Number of batch orders completed

Report Structure

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- Region

Data Retained

- Report Month
- Aggregate Data

SQM Disaggregation - Analog/Benchmark

| SQM Level of D | isaggregatio | n | SQM Analog/Benchmark |
|----------------|--------------|---------|----------------------|
| • None | | | Parity by Design |
| SEEM Measu | ıre | | |
| SEEM | Tier I | Tier II | |
| No | | | |





SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark

Section 9: Trunk Group Performance

TGP-1: Trunk Group Performance-Aggregate

Definition

The Trunk Group Performance report displays, over a reporting cycle, aggregate, average trunk group blocking data for each hour of each day of the reporting cycle, for both CLEC affecting and BellSouth affecting trunk groups.

Exclusions

- Trunk Groups blocked due to unanticipated significant increase in CLEC traffic
- Orders that are delayed or refused by CLEC
- Trunk Groups for which there was no valid data available for an entire study period
- Duplicate trunk group information
- Trunk Groups blocked due to CLEC network/equipment failure
- Final Groups actually overflowing, not blocked

Business Rules

The purpose of the Trunk Group Performance Report is to provide trunk blocking measurements on CLEC and BellSouth trunk groups for comparison only. It is not the intent of the report that it be used for network management and/or engineering. BellSouth should notify the CLEC when such blocking meets this exclusion criteria (orders that are delayed or refused by the CLEC) and report the results, both with and without the exclusions. An unanticipated significant increase in traffic is indicated by a 20% increase for small trunk groups or 1800 CCS for large groups over the previous months traffic when the increase was not forecasted by the CLEC.

Monthly Average Blocking:

- The reporting cycle includes both business and non-business days in a calendar month.
- Monthly average blocking values are calculated for each trunk group for each of the 24 time consistent hours across a reporting cycle.

Aggregate Monthly Blocking:

- Used to compare aggregate blocking across trunk groups which terminate traffic at CLEC points of presence versus BellSouth switches.
- · Aggregate monthly blocking data is calculated for each hour of the day across all trunk groups assigned to a category.

Trunk Categorization:

• This report displays, over a reporting cycle, aggregate, average blocking data for each hour of a day. Therefore, for each reporting cycle, 24 blocking data points are generated for two aggregate groups of selected trunk groups. These groups are CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups to each aggregate group, all trunk groups are first assigned to a category. A trunk group's end points and the type of traffic that is transmitted on it define a category. Selected categories of trunk groups are assigned to the aggregate groups so that trunk reports can be generated. The categories to which trunk groups have been assigned for this report are as follows.

CLEC Affecting Categories:

| | Point A | Point B |
|-------------|-------------------------|-------------------------|
| Category 1: | BellSouth End Office | BellSouth Access Tandem |
| Category 3: | BellSouth End Office | CLEC Switch |
| Category 4: | BellSouth Local Tandem | CLEC Switch |
| Category 5: | BellSouth Access Tandem | CLEC Switch |



| Category 10: | BellSouth End Office | BellSouth Local Tandem |
|--------------|----------------------|------------------------|
| Category 16: | BellSouth Tandem | BellSouth Tandem |

BellSouth Affecting Categories:

| | Point A | Point B |
|--------------|----------------------|-------------------------|
| Category 1: | BellSouth End Office | BellSouth Access Tandem |
| Category 9: | BellSouth End Office | BellSouth End Office |
| Category 10: | BellSouth End Office | BellSouth Local Tandem |
| Category 16: | BellSouth Tandem | BellSouth Tandem |

Calculation

Monthly Average Blocking:

- For each hour of the day, each day's raw data are summed across all valid measurements days in a report cycle for blocked and attempted calls.
- The sum of the blocked calls is divided by the total number of calls attempted in a reporting period.

Aggregate Monthly Blocking:

- For each hour of the day, the monthly sums of the blocked and attempted calls from each trunk group are separately aggregated over all trunk groups within each assigned category.
- The total blocked calls is divided by the total call attempts within a group to calculate an aggregate monthly blocking for each assigned group.
- The result is an aggregate monthly average blocking value for each of the 24 hours by group.
- The difference between the CLEC and BellSouth affecting trunk groups are also calculated for each hour.

Report Structure

- · CLEC Aggregate
- BellSouth Aggregate
 - State
- · With and Without Exclusion for Orders Delayed or Refused by CLEC

Data Retained

Relating to CLEC Experience

- · Report Month
- Total Trunk Groups
- Number of Trunk Groups by CLEC
- Hourly Blocking Per Trunk Group
- Hourly Usage Per Trunk Group
- Hourly Call Attempts Per Trunk Group

Related to BellSouth Performance

- Report Month
- Total Trunk Groups
- · Aggregate Hourly Blocking Per Trunk Group
- Hourly Usage Per Trunk Group
- Hourly Call Attempts Per Trunk Group



SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- BellSouth Aggregate

SEEM Measure

 SEEM
 Tier I
 Tier II

 Yes
 X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- BellSouth Aggregate

TGP-2: Trunk Group Performance – CLEC Specific

Definition

The Trunk Group Performance report displays, over a reporting cycle, CLEC specific, average trunk group blocking data for each hour of each day of the reporting cycle, for both CLEC affecting and BellSouth affecting trunk groups.

Exclusions

- Trunk Groups blocked due to unanticipated significant increase in CLEC traffic
- Orders that are delayed or refused by CLEC
- · Trunk Groups for which there was no valid data available for an entire study period
- · Duplicate trunk group information
- Trunk Groups blocked due to CLEC network/equipment failure
- Final Groups actually overflowing not blocked

Business Rules

The purpose of the Trunk Group Performance Report is to provide trunk blocking measurements on CLEC and BellSouth trunk groups for comparison only. It is not the intent of the report that it be used for network management and/or engineering. BellSouth should notify the CLEC when such blocking meets this exclusion criteria (orders that are delayed or refused by the CLEC) and report the results, both with and without the exclusions. An unanticipated significant increase in traffic is indicated by a 20% increase for small trunk groups or 1800 CCS for large groups over the previous months traffic when the increase was not forecasted by the CLEC.

Monthly Average Blocking:

- The reporting cycle includes both business and non-business days in a calendar month.
- Monthly average blocking values are calculated for each trunk group for each of the 24 time consistent hours across a reporting cycle.

Aggregate Monthly Blocking:

- Used to compare aggregate blocking across trunk groups which terminate traffic at CLEC points of presence versus BellSouth switches.
- Aggregate monthly blocking data is calculated for each hour of the day across all trunk groups assigned to a category.

Trunk Categorization:

• This report displays, over a reporting cycle, aggregate, average blocking data for each hour of a day. Therefore, for each reporting cycle, 24 blocking data points are generated for two aggregate groups of selected trunk groups. These groups are CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups to each aggregate group, all trunk groups are first assigned to a category. A trunk group's end points and the type of traffic that is transmitted on it define a category. Selected categories of trunk groups are assigned to the aggregate groups so that trunk reports can be generated. The categories to which trunk groups have been assigned for this report are as follows.

CLEC Affecting Categories:

| | Point A | Point B |
|--------------|-------------------------|-------------------------|
| Category 1: | BellSouth End Office | BellSouth Access Tandem |
| Category 3: | BellSouth End Office | CLEC Switch |
| Category 4: | BellSouth Local Tandem | CLEC Switch |
| Category 5: | BellSouth Access Tandem | CLEC Switch |
| Category 10: | BellSouth End Office | BellSouth Local Tandem |



BellSouth Affecting Categories:

| | Point A | Point B |
|--------------|----------------------|-------------------------|
| Category 1: | BellSouth End Office | BellSouth Access Tandem |
| Category 9: | BellSouth End Office | BellSouth End Office |
| Category 10: | BellSouth End Office | BellSouth Local Tandem |
| Category 16: | BellSouth Tandem | BellSouth Tandem |

Calculation

Monthly Average Blocking:

- For each hour of the day, each day's raw data are summed across all valid measurements days in a report cycle for blocked and attempted calls.
- The sum of the blocked calls is divided by the total number of calls attempted in a reporting period.

Aggregate Monthly Blocking:

- For each hour of the day, the monthly sums of the blocked and attempted calls from each trunk group are separately aggregated over all trunk groups within each assigned category.
- The total blocked calls is divided by the total call attempts within a group to calculate an aggregate monthly blocking for each assigned group.
- The result is an aggregate monthly average blocking value for each of the 24 hours by group.
- The difference between the CLEC and BellSouth affecting trunk groups are also calculated for each hour.

Report Structure

- · CLEC Specific
 - State
- With and Without Exclusion for Orders Delayed or Refused by CLEC

Data Retained

Relating to CLEC Experience

- Report Month
- Total Trunk Groups
- Number of Trunk Groups by CLEC
- Hourly Blocking Per Trunk Group
- Hourly Usage Per Trunk Group
- Hourly Call Attempts Per Trunk Group

Relating to BellSouth Performance

- Report Month
- Total Trunk Groups
- · Aggregate Hourly Blocking Per Trunk Group
- Hourly Usage Per Trunk Group
- Hourly Call Attempts Per Trunk Group



SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

Any 2 consecutive hour period in 24 hours where CLEC blockage exceeds BellSouth blockage by more than 0.5% using trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for BellSouth

SEEM Measure

 SEEM
 Tier I
 Tier II

 Yes
 X
 Y

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- BellSouth Trunk Group



Section 10: Collocation

C-1: Collocation Average Response Time

Definition

Measures the average time (counted in calendar days) from the receipt of a complete and accurate collocation application (including receipt of application fee if required) to the date BellSouth returns a response electronically or in writing. Within the number of calendar days as designated by the Collocation order after having received a bona fide application for physical collocation, BellSouth must respond with space availability and a price quote.

Exclusions

Any application canceled by the CLEC

Business Rules

The clock starts on the date that BellSouth receives a complete and accurate collocation application accompanied by the appropriate application fee if required. The clock stops on the date that BellSouth returns a response. The clock will restart upon receipt of changes to the original application request.

Calculation

Response Time = (a - b)

- a = Request Response Date
- b = Request Submission Date

Average Response Time = (c / d)

- c = Sum of all Response Times
- d = Count of Responses Returned within Reporting Period

Report Structure

- · Individual CLEC (alias) aggregate
- Aggregate of all CLECs
- Geographic Scope
 - State

Data Retained

- · Report period
- Aggregate data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- Physical Caged-Initial
- Physical Caged-Augment
- · Physical-Cageless-Initial
- Physical Cageless-Augment



C-1: Collocation Average Response Time

| (4) | BEL | LSOL | JTH° |
|--------|-----|------|------|
| \sim | | | |

SEEM Measure

SEEM Tier I Tier II No.....

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark



C-2: Collocation Average Arrangement Time

Definition

Measures the average time (counted in calendar days) from receipt of a complete and accurate Bona Fide firm order (including receipt of appropriate fee if required) to the date BellSouth completes the collocation arrangement and notifies the CLEC.

Exclusions

Any Bona Fide firm order canceled by the CLEC

Business Rules

The clock starts on the date that BellSouth receives a complete and accurate Bone Fide firm order accompanied by the appropriate fee. The clock stops on the date that BellSouth completes the collocation arrangement and notifies the CLEC. The cable assignments associated with the specific collocation request will be provided prior to completion of the arrangement.

Calculation

Arrangement Time = (a - b)

- a = Date Collocation Arrangement is Complete
- b = Date Order for Collocation Arrangement Submitted

Average Arrangement Time = (c / d)

- c = Sum of all Arrangement Times
- d = Total Number of Collocation Arrangements Completed during Reporting Period

Report Structure

- Individual CLEC (alias) Aggregate
- Aggregate of all CLECs
- Geographic Scope
 - State

Data Retained

- · Report Period
- · Aggregate Data

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|--|
| • State | Virtual - 60 Calendar Days |
| Virtual-Initial | |
| Virtual-Augment | |
| Physical Caged-Initial | Physical Caged - 90 Calendar Days (Ordinary) |
| Physical Caged-Augment | Physical Caged-Augment - 45 Calendar Days (Without Space |
| | Increase) |
| Physical Cageless-Initial | Physical Caged-Augment - 90 Calendar Days (With Space |
| | Increase) |
| Physical Cageless-Augment | Physical Cageless - 90 Calendar Days |
| | Physical Cagedless-Augment - 45 Calendar Days (Without |





BELLSOUTH[®]

Space Increase)

Physical Cagedless-Augment - 90 Calendar Days (With Space Increase)

SEEM Measure

SEEM Tier I Tier II

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark



C-3: Collocation Percent of Due Dates Missed

Definition

Measures the percent of missed due dates for both virtual and physical collocation arrangements

Exclusions

Any Bona Fide firm order canceled by the CLEC

Business Rules

Percent Due Dates Missed is the percent of total collocation arrangements which BellSouth is unable to complete by end of the BellSouth committed due date. The arrangement is considered a missed due date if it is not completed on or before the committed due date.

Calculation

% of Due Dates Missed = $(a / b) \times 100$

- a = Number of Completed Orders that were not completed by BellSouth Committed Due Date during Reporting Period
- b = Number of Orders Completed in Reporting Period

Report Structure

- Individual CLEC (alias) aggregate
- Aggregate of all CLECs
- · Geographic Scope
 - State

Data Retained

- · Report Period
- Aggregate Data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- Virtual-Initial
- Virtual- Augment
- Physical Caged- Initial
- Physical Caged- Augment
- Physical Cageless- Initial
- · Physical Cageless- Augment

SEEM Measure

| SEEM | Tier I | Tier II |
|------|--------|---------|
| Vec | Y | v |





SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

• All Collocation Arrangements>= 95% on time



Section 11: Change Management

CM-1: Timeliness of Change Management Notices

Definition

Measures whether CLECs receive required software release notices on time to prepare for BellSouth interface/system changes so CLEC interfaces are not impaired by change.

Exclusions

- Changes to release dates for reasons outside BellSouth control, such as the system software vendor changes. For example: a patch
 to fix a software problem.
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process (CCP)

Business Rules

This metric is designed to measure the percent of change management notices sent to the CLECs according to notification standards and time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the notification date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. A revised notification would be required and the clock would restart. Based on release constraints for defects/expedites, notification may be less than the agreed upon interval in the CCP for new features.

Calculation

Timeliness of Change Management Notices = (a / b) X 100

- a = Total number of Change Management Notifications Sent Within Required Time frames
- b = Total Number of Change Management Notifications Sent

Report Structure

- · BellSouth Aggregate
- · Geographic Scope
 - Region

Data Retained

- · Report Period
- Notice Date
- Release Date

SQM Disaggregation - Analog/Benchmark

| SQM Level of D | isaggregatio | n | SQM Analog/Benchmark |
|-----------------------------|--------------|---------|----------------------|
| Region. | | | 98% on time |
| SEEM Measu | ıre | | |
| SEEM | Tier I | Tier II | |
| Yes | | X | |



SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark



CM-2: Change Management Notice Average Delay Days

Definition

Measures the average delay days for change management system release notices sent outside the time frame set forth in the Change Control Process.

Exclusions

- Changes to release dates for reasons outside BellSouth control, such as the system vendor
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process

Business Rules

This metric is designed to compute the average delay days for change management notices sent to the CLECs outside the time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the notification due date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. A revised notification would be required and the clock would restart. Based on release constraints for defects/expedites, notification may be less than the agreed upon interval in the CCP for new features

Calculation

Change Management Notice Delay Days = (a - b)

- a = Date Notice Sent
- b = Date Notice Due

Change Management Notice Average Delay Days = (c / d)

- c = Sum of all Change Management Notice Delay Days
- d = Total Number of Notices Sent Late

Report Structure

- BellSouth Aggregate
- Geographic Scope
 - Region

Data Retained

- · Report Period
- Notice Date
- · Release Date

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

• Region.....<= 5 Days

CM-2: Change Management Notice Average Delay Days

SEEM Measure

SEEM Tier I Tier II

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark



CM-3: Timeliness of Documents Associated with Change

Definition

Measures whether CLECs received requirements or business rule documentation on time to prepare for BellSouth interface/system changes so CLEC interfaces are not impaired by change.

Exclusions

- Documentation for release dates that slip less than 30 days for a change mandated by regulatory or legal entities (Federal Communications Commission [FCC], a state commission/authority, or state and federal courts) or CLEC request.
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process.

Business Rules

This metric is designed to measure the percent of requirements or business rule documentation sent to the CLECs according to documentation standards and time frames set forth in the Change Control Process, a copy of which can be found at http://www.interconnection.bellsouth.com/markets/lec/ccp_live/index.html. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the business rule documentation release date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. Revisions to documentation could be required and the clock would restart.

Calculation

Timeliness of Documents Associated with Change = (a / b) X 100

- a = Change Management Documentation Sent Within Required Time frames after Notices
- b = Total Number of Change Management Documentation Sent

Report Structure

- BellSouth Aggregate
- Geographic Scope
 - Region

Data Retained

- Report Period
- Notice Date
- Release Date

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark



SEEM Measure

 SEEM
 Tier I
 Tier II

 Yes
 X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark



CM-4: Change Management Documentation Average Delay Days

Definition

Measures the average delay days for requirements or business rule documentation sent outside the time frames set forth in the Change Control Process.

Exclusions

- Documentation for release dates that slip less than 30 days for reasons outside BellSouth control, such as changes due to Regulatory
 mandate or CLEC request.
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process.

Business Rules

This metric is designed to compute the average delay days for business rule documentation sent to the CLECs outside the time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the business rule documentation release date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. Revisions to documentation could be required and the clock would restart.

Calculation

Change Management Documentation Delay Days = (a - b)

- a = Date Documentation Provided
- b = Date Documentation Due

Change Management Documentation Average Delay Days = (c / d)

- c = Sum of all CM Documentation Delay Days
- d = Total Change Management Documents Sent

Report Structure

- BellSouth Aggregate
- Geographic Scope
 - Region

Data Retained

- Report Period
- Notice Date
- Release Date

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

• Region.....<= 5 Days



SEEM Measure

SEEM Tier I Tier II

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark



CM-5: Notification of CLEC Interface Outages

Definition

Measures the time it takes BellSouth to notify the CLEC of an outage of an interface.

Exclusions

None

Business Rules

This metric measures the process of notifying CLECs of an interface outage as defined by the Change Control Process Documentation. BellSouth has 15 minutes to notify the CLECs via email, once the Help Desk has verified the existence of an outage. An outage is verified to exist when on or more of the following conditions occur:

- 1. BellSouth can duplicate a CLEC reported error.
- 2. BellSouth finds an error message within the system error log that identifiably matches a CLEC reported outage.
- 3. When 3 or more CLECs report the identical type of outage.
- 4. BellSouth detects a problem due to the loss of functionality for users of a system.

Note: The 15 minute clock begins once a CLEC reported or a BellSouth detected outage has lasted for 20 minutes and has been verified. If the outage is not verified within 20 minutes, the clock begins at the point of verification.

This metric will be expressed as a percentage.

Calculation

Notification of CLEC Interface Outages = (a / b) X 100

- a = Number of Interface Outages where CLECs are notified within 15 minutes
- b = Total Number of Interface Outages

Report Structure

- CLEC Aggregate
- Geographic Scope
 - Region

Data Retained

Relating to CLEC Experience

- Number of Interface Outages
- Number of Notifications <= 15 minutes

Relating to BellSouth Performance

Not Applicable

CM-5: Notification of CLEC Interface Outages

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

Interface Applicable to EDI.....CLEC CSOTSCLEC LENS......CLEC TAGCLEC ECTACLEC

SEEM Measure

SEEM Tier I Tier II No.....

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

Not Applicable......Not Applicable

TAFI......CLEC/BellSouth



CM-6: Percent of Software Errors Corrected in "X" (10, 30, 45) Business Days

Definition

Measures the percent of all outstanding Software Errors due and overdue to be corrected by BellSouth in "X" (10, 30, 45) business days within the monthly report period.

Exclusions

- Software Corrections having implementation intervals that are longer than those defined in this measure and agreed upon by the CLECs
- Rejected or reclassified software errors (BellSouth must report the number of rejected or reclassified software errors disputed by the CLECs)

Business Rules

This metric is designed to measure BellSouth's performance each month in correcting identified Software Errors within the specified interval. The clock starts when a Software Error validated per the Change Control Process, a copy of which can be found at http://www.interconnection.bellsouth.com/markets/lec/ccp_live/index.html, and stops when the error is corrected and notice posted to the Change Control Website. The monthly report should include all defects due and overdue to be corrected within the report period. Software defects are defined as Type 6 Change Requests in the Change Control Process.

Calculation

Percent of Software Errors Corrected in "X" (10, 30, 45) Business Days = (a / b) X 100

- a = Total number of Software Errors Corrected where "X" = 10, 30, or 45 Business Days.
- b = Total number of Software Errors requiring correction where "X" = 10, 30, or 45 Business Days.

Report Structure

- Severity 2 = 10 Business Days
- Severity 3 = 30 Business Days
- Severity 4 = 45 Business Days

Data Retained

- · Report Period
- Total Completed
- Total Completed within "X" Business Days
- Disputed, Rejected or Reclassified Software Errors

SQM Level of Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

CM-6: Percent of Software Errors Corrected in "X" (10, 30, 45) Business Days

SEEM Measure

 SEEM
 Tier I
 Tier II

 Yes
 X

SEEM Disaggregation - Analog/Benchmark



CM-7: Percent of Change Requests Accepted or Rejected within 10 Days

Definition

Measures the percent of Change Requests other than Type 1 or Type 6 Change Requests, submitted by CLECs that are Accepted or Rejected by BellSouth in 10 business days within the report period.

Exclusions

Change Requests that are canceled or withdrawn before a response from BellSouth is due.

Business Rules

The Acceptance/Rejection interval starts when the acknowledgement is due to the CLEC per the Change Control Process, a copy of which can be found at http://www.interconnection.bellsouth.com/markets/lec/ccp_live/index.html. The clock ends when BellSouth issues an acceptance or rejection notice to the CLEC. This metric includes all change requests not subject to the above exclusions, not just those received and accepted or rejected in the reporting period.

Calculation

Percent of Change Requests Accepted or Rejected within 10 Business Days = (a / b) X 100

- a = Total number of Change Requests accepted or rejected within 10 business days
- b = Total number of Change Requests submitted in the reporting period

Report Structure

· BellSouth Aggregate

Data Retained

- · Report Period
- · Requests Accepted or Rejected
- Total Requests

SQM Level of Disaggregation

SQM Level of Disaggregation - Analog/Benchmark

| • Region | | 95% within interval | |
|---------------|-------------|---------------------|-----------------------|
| SEEM Measu | ıre | | |
| SEEM | Tier I | Tier II | |
| Yes | | X | |
| SEEM Disag | gregation - | Analog/Benchma | rk |
| SEEM Disaggre | gation | | SEEM Analog/Benchmark |
| • Region | | | 95% within interval |

SQM Analog/Benchmark



CM-8: Percent Change Requests Rejected

Definition

Measures the percent of Change Requests (other than Type 1 or Type 6 Change Requests) submitted by CLECs that are rejected by reason within the report period.

Exclusions

Change Requests that are canceled or withdrawn before a response from BellSouth is due.

Business Rules

This metric includes any rejected change requests in the reporting period, regardless of whether received early or late. The metric will be disaggregated by major categories of rejections per the Change Control Process, a copy of which can be found at http://www.interconnection.bellsouth.com/markets/lec/ccp_live/index.html. These reasons are: Cost, Technical Feasibility, and Industry Direction. This metric includes all change requests not subject to the above exclusions, not just those received and accepted or rejected in the same reporting period.

Calculation

Percent Change Requests Rejected = (a / b) X 100

- a = Total number of Change Requests rejected
- b = Total number of Change Requests submitted within the report period

Report Structure

- BellSouth Aggregate
- Cost
- · Technical Feasibility

Data Retained

- · Report Period
- Requests Rejected
- Total Requests

SQM Level of Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- Reason Cost
- Reason Technical Feasibility
- Reason Industry Direction

SEEM Measure

| SEEM | Tier I | Tier II |
|------|--------|---------|
| No | | |



SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation SEEM Analog/Benchmark

⊕ BELLSOUTH[®]

CM-9: Number of Defects in Production Releases (Type 6 CR)

Definition

Measures the number of defects in Production Releases. This measure will be presented as the number of Type 6 Severity 1 defects, the number of Type 6 Severity 2 defects without a mechanized work around, and the number of Type 6 Severity 3 defects resulting within a three week period from a Production Release date. The definition of Type 6 Change Requests (CR) and Severity 1, Severity 2, and Severity 3 defects can be found in the Change Control Process Document.

Exclusions

None

Business Rules

This metric measures the number of Type 6 Severity 1 defects, the number of Type 6 Severity 2 defects without a mechanized work around, and the number of Type 6 Severity 3 defects resulting within a three week period from a Production Release date. The definitions of Type 6 Change Requests (CR) and Severity 1, 2, and 3 defects can be found in the Change Control Process, which can be found at http://www.interconnection.bellsouth.com/markets/lec/ccp_live/index.html.

Calculation

The number of Type 6 Severity 1 Defects, the number of Type 6 Severity 2 Defects without a mechanized work around, and the number of Type 6 Severity 3 defects.

Report Structure

- Production Releases
- Number of Type 6 Severity 1 defects
- Number of Type 6 Severity 2 defects without a mechanized work around
- Number of Type 6 Severity 3 defects

Data Retained

- Region
- Report Period
- Production Releases

SQM Level of Disaggregation

- Number of Type 6 Severity 1 defects
- · Number of Type 6 Severity 2 defects without a mechanized work around
- Number of Type 6 Severity 3 defects

SQM Level of Disaggregation - Analog/Benchmark

- Region—Number of Type 6 Severity 2 Defects...... 0 Defects without a mechanized work around

SQM Analog/Benchmark

CM-9: Number of Defects in Production Releases (Type 6 CR)

SEEM Measure

SEEM Tier I Tier II No.....

SEEM Disaggregation

SEEM Analog/Benchmark



CM-10: Software Validation

Definition

Measures software validation test results for Production Releases of BellSouth Local Interfaces.

Exclusions

None

Business Rules

BellSouth maintains a test deck of transactions that are used to validate that functionality in software Production Releases work as designed. Each transaction in the test deck is assigned a weight factor, which is based on the weights that have been assigned to the metrics. Within the software validation metric weight factors will be allocated among transaction types (e.g., Pre-Order, Order Resale, Order UNE, Order UNE-P) and then equally distributed across transactions within the specific type.

BellSouth will begin to execute the software validation test deck within one (1) business day following a Production Release. Test deck transactions will be executed using Production Release software in the CAVE environment. Within seven (7) business days following completion of the Production Release software validation test in CAVE, BellSouth will report the number of test deck transactions that failed. Each failed transaction will be multiplied by the transaction's weight factor.

A transaction is considered failed if the request cannot be submitted or processed, or results in incorrect or improperly formatted data.

The test deck scenario weight table can be found in the Change Control Process, a copy of which can be found at http://www.interconnection.bellsouth.com/markets/lec/ccp_live/index.html.

Calculation

This software validation metric is defined as the ratio of the sum of the weights of failed transactions using Production Release software in CAVE to the sum of the weights of all transactions in the test deck.

- Numerator = Sum of weights of failed transactions
- Denominator = Sum of weights of all transactions in the test deck

Report Structure

· BellSouth Aggregate

Data Retained

- · Report Period
- Production Release Number
- Test Deck Weights
- % Test Deck Weight Failure

SQM Level of Disaggregation - Analog/Benchmark

SQM Level of Disaggregation SQM Analog/Benchmark • Region<= 5%



SEEM Measure

SEEM Tier I Tier II

SEEM Disaggregation

SEEM Analog/Benchmark



CM-11: Percent of Change Requests Implemented within 60 Weeks of Prioritization

Definition

Measures whether BellSouth provides CLECs timely implementation of prioritized change requests.

Exclusions

- Change requests that are implemented later than 60 weeks with the consent of the CLECs
- · Change requests for which BellSouth has regulatory authority to exceed the interval

Business Rules

This metric is designed to measure BellSouth's monthly performance in implementing prioritized change requests. The clock starts when a change request has first been prioritized as described in the Change Control Process. The clock stops when the change request has been implemented by BellSouth and made available to the CLECs. BellSouth will begin reporting this monthly measure with the next release for diagnostic purposes, and will be measured for SEEM purposes 60 weeks from first prioritization meeting following Commission approval of this measure.

Calculation

Percent of Type 5 CLEC initiated Change Requests implemented on time = (a / b) X 100

- a = Total number of prioritized Type 5 Change Requests implemented each month that are less than or equal to 60 weeks of age from the date of their first prioritization plus all other prioritized change requests existing at the end of the month that are less than or equal to 60 weeks of age from prioritization.
- b = All entries in "a" above plus all Type 5 Change Requests prioritized more than 60 weeks before the end of the monthly reporting period.

Percent of Type 4 BellSouth initiated Change Requests implemented on time = $(a / b) \times 100$

- a = Total number of prioritized Type 4 Change Requests implemented each month that are less than or equal to 60 weeks of age from the date of the release prioritization list plus all other Type 4 prioritized change requests existing at the end of the month that are less than or equal to 60 weeks of age from prioritization.
- b = All entries in "a" above plus all Type 4 Change Requests prioritized more than 60 weeks before the end of the monthly reporting period.

Report Structure

- BellSouth Aggregate
- Type 4 requests implemented
- Type 5 requests implemented
- % implemented within 16, 32, 48, and 60 weeks

Data Retained

- Region
- Report Month
- Total implemented by type
- Total implemented within 60 weeks



SQM Level of Disaggregation - Analog/Benchmark

| SQM Level of D | isaggregatior | า | SQM Analog | g/Benchmark |
|------------------------------|----------------|---------|------------|--------------|
| Type 4 r | equests implem | ented | | terval |
| SEEM Measu | ıre | | | |
| SEEM | Tier I | Tier II | Tier III | |
| Yes | | X | | |
| SEEM Disaggre | gation | | SEEM Analo | og/Benchmark |

Appendix A: Reporting Scope

A-1: Standard Service Groupings

See individual reports in the body of the SQM.

A-2: Standard Service Order Activities

These are the generic BellSouth/CLEC service order activities which are included in the Pre-Ordering, Ordering, and Provisioning sections of this document. It is not meant to indicate specific reporting categories.

Service Order Activity Types

- Service Migrations Without Changes
- Service Migrations With Changes
- Move and Change Activities
- Service Disconnects (Unless noted otherwise)
- New Service Installations

Pre-Ordering Query Types

- Address
- Telephone Number
- · Appointment Scheduling
- Customer Service Record
- Feature Availability
- Service Inquiry

Maintenance Query Types

TAFI - TAFI queries the systems below

- CRIS
- March
- Predictor
- LMOS
 - DLR
 - DLETH
 - LMOSupd
- LNP
- NIW
- OSPCM
- SOCS

Report Levels

- CLEC RESH
- CLEC State
- · CLEC Region
- Aggregate CLEC State
- Aggregate CLEC Region
- · BellSouth State
- BellSouth Region



Appendix B: Glossary of Acronyms and Terms

Symbols used in calculations

A mathematical symbol representing the sum of a series of values following the symbol.

A mathematical operator representing subtraction.

HA mathematical operator representing addition.

A mathematical operator representing division.

A mathematical symbol that indicates the metric on the left of the symbol is less than the metric on the right.

A mathematical symbol that indicates the metric on the left of the symbol is less than or equal to the metric on the right.

A mathematical symbol that indicates the metric on the left of the symbol is greater than the metric on the right.

A mathematical symbol that indicates the metric on the left of the symbol is greater than or equal to the metric on the right.

Α

ACD

Automatic Call Distributor - A service that provides status monitoring of agents in a call center and routes high volume incoming telephone calls to available agents while collecting management information on both callers and attendants.

Parentheses, used to group mathematical operations which are completed before operations outside the parentheses.

Aggregate

Sum total of all items in like category, e.g. CLEC aggregate equals the sum total of all CLECs' data for a given reporting level.

ALEC

Alternative Local Exchange Company = FL CLEC

ADSL

Asymmetrical Digital Subscriber Line

ASR

Access Service Request - A request for access service terminating delivery of carrier traffic into a Local Exchange Carrier's network.

ATLAS



Appendix B: Glossary of Acronyms and Terms

Application for Telephone Number Load Administration System - The BellSouth Operations System used to administer the pool of available telephone numbers and to reserve selected numbers from the pool for use on pending service requests/service orders.

ATLASTN

ATLAS software contract for Telephone Number.

Auto Clarification

The number of LSRs that were electronically rejected from LESOG and electronically returned to the CLEC for correction.

В

BFR:

Bona Fied Request

BILLING

The process and functions by which billing data is collected and by which account information is processed in order to render accurate and timely billing.

BOCRIS

Business Office Customer Record Information System (Front-end to the CRIS database.)

BRI

Basic Rate ISDN

BRC

Business Repair Center - The BellSouth Business Systems trouble receipt center which serves large business and CLEC customers.

BellSouth

BellSouth Telecommunications, Inc.

C

CABS

Carrier Access Billing System

CCC

Coordinated Customer Conversions

CCP

Change Control Process

Centrex

A business telephone service, offered by local exchange carriers, which is similar to a Private Branch Exchange (PBX) but the switching equipment is located in the telephone company Central Office (CO).

CKTID

A unique identifier for elements combined in a service configuration

CLEC

Competitive Local Exchange Carrier

CLP

Competitive Local Provider = NC CLEC

CM

Change Management

Appendix B: Glossary of Acronyms and Terms

CMDS

Centralized Message Distribution System - Telcordia administered national system used to transfer specially formatted messages among companies.

COFFI

Central Office Feature File Interface - Provides information about USOCs and class of service. COFFI is a part of DOE/SONGS. It indicates all services available to a customer.

CRIS

Customer Record Information System - This system is used to retain customer information and render bills for telecommunications service.

CRSACCTS

CRIS software contract for CSR information

CRSG

Complex Resale Support Group

C-SOTS

CLEC Service Order Tracking System

CSR

Customer Service Record

CTTG

Common Transport Trunk Group - Final trunk groups between BellSouth & Independent end offices and the BellSouth access tandems.

D

DA

Directory Assistance

DESIGN

Design Service is defined as any Special or Plain Old Telephone Service Order which requires BellSouth Design Engineering Activities.

DISPOSITION & CAUSE

Types of trouble conditions, e.g. No Trouble Found, Central Office Equipment, Customer Premises Equipment, etc.

DLETH

Display Lengthy Trouble History - A history report that gives all activity on a line record for trouble reports in LMOS.

DLR

Detail Line Record - A report that gives detailed line record information on records maintained in LMOS

DS-0

The worldwide standard speed for one digital voice signal (64000 bps).

DS-1

24 DS-0s (1.544Mb/sec., i.e. carrier systems)

DOE

Direct Order Entry System - An internal BellSouth service order entry system used by BellSouth Service Representatives to input business service orders in BellSouth format.

Appendix B: Glossary of Acronyms and Terms

DSAP

DOE (Direct Order Entry) Support Application - The BellSouth Operations System which assists a Service Representative or similar carrier agent in negotiating service provisioning commitments for non-designed services and Unbundled Network Elements.

DSAPDDI

DSAP software contract for schedule information.

DSI

Digital Subscriber Line

DIII

Database Update Information

E

E911

Provides callers access to the applicable emergency services bureau by dialing a 3-digit universal telephone number.

EDI

Electronic Data Interchange - The computer-to-computer exchange of inter and/or intra-company business documents in a public standard format.

ESSX

BellSouth Centrex Service

F G

Fatal Reject

The number of LSRs that were electronically rejected from LEO, which checks to see of the LSR has all the required fields correctly populated.

Flow-Through

In the context of this document, LSRs submitted electronically via the CLEC mechanized ordering process that flow through to the BellSouth OSS without manual or human intervention.

FOC

Firm Order Confirmation - A notification returned to the CLEC confirming that the LSR has been received and accepted, including the specified commitment date.

FX

Foreign Exchange

Н

HAL

"Hands Off" Assignment Logic - Front end access and error resolution logic used in interfacing BellSouth Operations Systems such as ATLAS, BOCRIS, LMOS, PSIMS, RSAG and SOCS.

HALCRIS

HAL software contract for CSR information

HDSL

High Density Subscriber Loop/Line



IJK

ILEC

Incumbent Local Exchange Company

INP

Interim Number Portability

ISDN

Integrated Services Digital Network

IPC

Interconnection Purchasing Center

L

LAN

Local Area Network

LAUTO

The automatic processor in the LNP Gateway that validates LSRs and issues service orders.

LCSC

Local Carrier Service Center - The BellSouth center which is dedicated to handling CLEC LSRs, ASRs, and Preordering transactions along with associated expedite requests and escalations.

Legacy System

Term used to refer to BellSouth Operations Support Systems (see OSS)

LENS

Local Exchange Negotiation System - The BellSouth LAN/web server/OS application developed to provide both preordering and ordering electronic interface functions for CLECs.

LEO

Local Exchange Ordering - A BellSouth system which accepts the output of EDI, applies edit and formatting checks, and reformats the Local Service Requests in BellSouth Service Order format.

LERG

Local Exchange Routing Guide

LESOG

Local Exchange Service Order Generator - A BellSouth system which accepts the service order output of LEO and enters the Service Order into the Service Order Control System using terminal emulation technology.

LFACS

Loop Facilities Assessment and Control System

LIDB

Line Information Database

LMOS

Loop Maintenance Operations System - A system that provides a mechanized means of maintaining customer line records and for entering, processing, and tracking trouble reports.

LMOS HOST

Appendix B: Glossary of Acronyms and Terms



Tennessee Performance Metrics

LMOS host computer

LMOSupd

LMOS update allows trouble tickets on line records to be entered into LMOS.

LMU

Loop Make-up

LMUS

Loop Make-up Service Inquiry

LNP

Local Number Portability - In the context of this document, the capability for a subscriber to retain his current telephone number as he transfers to a different local service provider.

LNP Gateway

Local Number Portability (gateway)- A system that provides both internal and external communications with various interfaces and process including:

- (1). Linking BellSouth to the Number Portability Administration Center (NPAC).
- (2). Allowing for inter-company communications between BellSouth and the CLECs for electronic ordering.
- (3). Providing interface between NPAC and AIN SMS for LNP routing processes.

LOOPS

Transmission paths from the central office to the customer premises.

LRN

Location Routing Number

LSR

Local Service Request - A request for local resale service or unbundled network elements from a CLEC.

M

Maintenance & Repair

The process and function by which trouble reports are passed to BellSouth and by which the related service problems are resolved.

MARCH

A memory administration system that translates line-related service order data into switch provisioning messages and automatically transmits the messages to targeted stored program control system switches.

Ν

NBR

New Business Request

NC

"No Circuits" - All circuits busy announcement.

NIW

Network Information Warehouse - A system that stores central office blockage data for use in processing trouble reports.



Appendix B: Glossary of Acronyms and Terms

NMLI

Native Mode LAN Interconnection

NPA

Numbering Plan Area

NXX

The "exchange" portion of a telephone number.

0

OASIS

Obtain Availability Services Information System - A BellSouth front-end processor, which acts as an interface between COFFI and RNS. This system takes the USOCs in COFFI and translates them to English for display in RNS.

OASISBSN

OASIS software contract for feature/service

OASISNET

OASIS software contract for feature/service

OASISOCP

OASIS software contract for feature/service

ORDERING

The process and functions by which resale services or unbundled network elements are ordered from BellSouth as well as the process by which an LSR or ASR is placed with BellSouth.

Order Types

The following order types are used in this document:

- (1). T The "to" portion of a change of address. This Order Type is used to connect main service at a new address when a customer moves from one address to another in any of the nine states within the BellSouth region. A "T" Order Type is always pared with an "F" Order Type which will have the same telephone number following the "F" Order Type Code unless the orders are within different states.
- (2). N Orders establishing a new account. Also, this Order Type Code is occasionally used when changing from one type of system to another such as when changing from PBX to Centrex.
- (3). C Order Type used for the following conditions: changes or partial connections or disconnections of service or equipment; change of telephone number, grade or class of main line, additional lines, auxiliary lines, PBX trunks and stations; addition of trunks or lines to existing accounts; move of equipment (other than change of address); temporary suspension and restoration of service at customer's request.
- (4). R Order Type used for the following conditions: additions, removals or changes in directory listings; responsibility change orders, addition, removal or changes in directory and billing information; other record corrections where no "field work" is involved.

OSPCM

Outside Plant Contract Management System - A system that provides scheduling and completion information on outside plant construction activities.

OSS

Operations Support System - A support system or database which is used to mechanize the flow or performance of work. The term is used to refer to the overall system consisting of hardware complex, computer operating system(s), and

Appendix B: Glossary of Acronyms and Terms

application which is used to provide the support functions.

OUT OF SERVICE

Customer has no dial tone and cannot call out.

P Q

PMAP

Performance Measurement Analysis Platform

PON

Purchase Order Number

POTS

Plain Old Telephone Service

PREDICTOR

A system which is used to administer proactive maintenance and rehabilitation activities on outside plant facilities, provide access to selected work groups to Mechanized Loop Testing and switching system I/O ports.

Preordering

The process and functions by which vital information is obtained, verified, or validated prior to placing a service request.

PRI

Primary Rate ISDN

Provisioning

The process and functions by which necessary work is performed to activate a service requested via an LSR or ASR and to initiate the proper billing and accounting functions.

PSIMS

Product/Service Inventory Management System - A BellSouth database Operations System which contains availability information on switching system features and capabilities and on BellSouth service availability. This database is used to verify the availability of a feature or service in an NXX prior to making a commitment to the customer.

PSIMSORB

PSIMS software contract for feature/service.

R

RNS

Regional Negotiation System - An internal BellSouth service order entry system used by BellSouth Consumer Services to input service orders in BellSouth format.

ROS

Regional Ordering System

RRC

Residence Repair Center - The BellSouth Consumer Services trouble receipt center which serves residential customers.

RSAG

Regional Street Address Guide - The BellSouth database, which contains street addresses validated to be accurate with state and local governments.



Appendix B: Glossary of Acronyms and Terms

RSAGADDR

RSAG software contract for address search.

RSAGTN

RSAG software contract for telephone number search.

S

SAC

Service Advocacy Center

SEEM

Self Effectuating Enforcement Mechanism

SOCS

Service Order Control System - A system which routes service order images among BellSouth drop points and BellSouth OSS during the service provisioning process.

SOIR

Service Order Interface Record - any change effecting activity to a customer account by service order that impacts 911/E911

SONGS

Service Order Negotiation and Generation System.

Syntactically Incorrect Query

A query that cannot be fulfilled due to insufficient or incorrect input data from the end user. For example, A CLEC would like to query the legacy system for the following address: 1234 Main ST. Entering "1234 Main ST" will be considered syntactically correct because valid characters were used in the address field. However, entering "AB34 Main ST" will be considered syntactically incorrect because invalid characters (i.e., alpha characters were entered in numeric slots) were used in the address field.

T

TAFI

Trouble Analysis Facilitation Interface - The BellSouth Operations System that supports trouble receipt center personnel in taking and handling customer trouble reports.

TAG

Telecommunications Access Gateway – TAG was designed to provide an electronic interface, or machine-to-machine interface for the bi-directional flow of information between BellSouth's OSSs and participating CLECs.

TN

Telephone Number

Total Manual Fallout

The number of LSRs which are entered electronically but require manual entering into a service order generator.

UV

UNE

Unbundled Network Element

UCL

Unbundled Copper Link



Appendix B: Glossary of Acronyms and Terms

USOC

Universal Service Order Code

WXYZ

WATS

Wide Area Telephone Service

WFA

Work Force Administration

WMC

Work Management Center

WTN

Working Telephone Number.



Appendix C: BellSouth Audit Policy

C-1: BellSouth's Internal Audit Policy

BellSouth's internal efforts to make certain that the reports produced by the PMAP platform are of the highest accuracy has been formalized into a Performance Measurements Quality Assurance Plan (PMQAP) that documents and augments existing quality assurance processes integral to the production and validation of Performance Measurements data.

The plan consists of three sections:

Change Control addresses the quality assurance steps involved in the introduction of new measurements and changes to existing
measurements.

Appendix C: Audit Policy

- 2. Production addresses the quality assurance steps used to create monthly SQM reports.
- 3. Monthly Validation addresses the quality assurance steps used to ensure accurate posting of monthly results.

The BellSouth PMQAP will ensure that BellSouth effectively and consistently provides accurate performance measurements data for the activities included in the SQM. The BellSouth Internal Audit department will audit this plan and its quality assurance steps annually, beginning in 4Q01.

C-2: BellSouth's External Audit Policy

BellSouth currently provides many CLECs with audit rights as a part of their individual interconnection agreements. BellSouth has developed a proposed Audit Plan for use by the parties to an audit. If requested by a Public Service Commission or by a CLEC exercising contractual audit rights, BellSouth will agree to undergo a comprehensive audit of the current year aggregate level reports for both BellSouth and the CLECs for each of the next five (5) years (2001 - 2005), to be conducted by an independent third party auditor jointly selected by BellSouth and the CLEC. The results of audits will be made available to all the parties subject to proper safeguards to protect proprietary information. Requested audits include the following specifications:

- 1. The cost shall be borne by BellSouth.
- 2. The independent third party auditor shall be selected with input from BellSouth, the PSC, if applicable, and the CLEC(s).
- 3. BellSouth, the PSC and the CLECs shall jointly determine the scope of the audit.

These comprehensive audits are intended to provide the basis for the PSCs and CLECs to determine that the SQM, PMAP and SEEM produce accurate data that reflects each States Order for performance measurements. Once this has been verified by an initial audit, the BellSouth PMQAP will provide the basis for future audits.



Appendix D: OSS Tables

OSS-1: Average Response Interval and Percent Within Interval (Pre-Ordering/Ordering)

Table 1: Legacy System Access Times For RNS

| System RSAG | Contract | Data | < 2.3 sec. | > 6 sec. | <= 6.3 sec. | Avg. Sec. | # of Calls |
|----------------|-----------|-----------------|------------|----------|-------------|-----------|------------|
| | RSAG-TN | Address | x | X | X | x | X |
| RSAG | RSAG-ADDR | Address | x | X | X | x | x |
| ATLAS | ATLAS-TN | TN | x | X | X | x | x |
| DSAP | DSAP-DDI | Schedule | x | xx | x | x | x |
| CRIS | CRSACCTS | CSR | x | xx | x | x | x |
| OASIS | OASISBIG | Feature/Service | x | X | x | x | x |

Table 2: Legacy System Access Times For R0S

| System | Contract | Data | < 2.3 sec. | > 6 sec. | <= 6.3 sec. | Avg. sec. | # of Calls |
|--------|-----------|-----------------|------------|----------|-------------|-----------|------------|
| RSAG | RSAG-TN | Address | X | X | X | X | X |
| RSAG | RSAG-ADDF | R Address | X | X | X | x | X |
| ATLAS | ATLAS-TN | TN | x | xx | X | x | x |
| DSAP | DSAP-DDI | Schedule | x | xx | x | x | x |
| CRIS | CRSOCSR | CSR | x | x | x | x | x |
| OASIS | | Feature/Service | | | | | |

Table 3: Legacy System Access Times For LENS

| | Contract | Data | < 2.3 sec. | > 6 sec. | <= 6.3 sec. | Avg. sec. | # of Calls |
|--------|-------------|----------------|------------|----------|-------------|-----------|------------|
| RSAG | RSAG-TN | Address | x | X | x | x | X |
| RSAG | RSAG-ADDR | Address | X | X | X | x | X |
| ATLAS | ATLAS-TN | TN | x | X | x | x | X |
| DSAP | DSAP | Schedule | x | X | X | x | x |
| CRIS | CRSECSRL | CSR | x | xx | x | x | x |
| COFFI | COFFI/USOCF | eature/Service | x | x | x | x | x |
| P/SIMS | PSIMS/ORB F | eature/Service | x | xx | X | x | x |

Table 4: Legacy System Access Times For TAG

| System | Contract | Data | < 2.3 sec. | > 6 sec. | <= 6.3 sec. | Avg. sec. | # of Calls |
|--------|-----------|-----------------|------------|----------|-------------|-----------|------------|
| RSAG | RSAG-TN | Address | X | X | X | x | X |
| RSAG | RSAG-ADDR | R Address | x | xx | X | x | X |
| ATLAS | ATLAS-TN | TN | | | | | |
| | | TN | | | | | |
| ATLAS | ATLAS-DID | TN | x | x | X | x | x |
| DSAP | DSAP-DDI | Schedule | x | xx | x | x | x |
| CRIS | TAG-CSR | CSR | x | xx | X | xx | x |
| P/SIMS | PSIM/ORB | Feature/Service | X | X | X | x | X |



OSS-1: Average Response Interval and Percent Within Interval (Pre-Ordering/Ordering)

SEEM OSS Legacy System

| System | BellSouth | CLEC |
|------------------|------------------------------|-----------|
| | Telephone Number/Address | |
| RSAG-ADDR | RNS, ROS | TAG, LENS |
| RSAG-TN | RNS, ROS | TAG, LENS |
| Atlas | RNS,ROS | TAG. LENS |
| | Appointment Scheduling | |
| DSAP | RNS, ROS | TAG, LENS |
| | CSR Data | |
| CRSACCTS | RNS | |
| CRSOCSR | ROS | |
| CRSECSRL | | LENS |
| TAG-CSR | | TAG |
| | Service/Feature Availability | |
| OASISBIG | RNS, ROS | |
| PSIMS/ORB, COFFI | | LENS, TAG |

OSS-2: OSS Availability (Pre-Ordering/Ordering)

OSS Availability

| OSS Interface | Applicable to | % Availability |
|---------------|---------------|----------------|
| EDI | CLEC | X |
| LENS | CLEC | X |
| LEO | CLEC | X |
| LESOG | CLEC | X |
| PSIMS | CLEC | X |
| TAG | CLEC | X |
| LNP Gateway | CLEC | X |
| COG | CLEC | X |
| SOG | CLEC | x |



| DOM | x |
|-------------|-----------------|
| DOE | CLEC/BellSouthx |
| CRIS | CLEC/BellSouthx |
| ATLAS/COFFI | CLEC/BellSouthx |
| BOCRIS | CLEC/BellSouthx |
| DSAP | CLEC/BellSouthx |
| RSAG | CLEC/BellSouthx |
| SOCS | CLEC/BellSouthx |
| SONGS | CLEC/BellSouthx |
| RNS | BellSouthx |
| ROS | BellSouthx |

OSS-2: OSS Availability (Pre-Ordering/Ordering)

SEEM OSS Availability

| OSS Interface | Applicable to | % Availability |
|---------------|---------------|----------------|
| EDI | CLEC | X |
| LENS | CLEC | X |
| LEO | CLEC | x |
| LESOG | CLEC | X |
| PSIMS | CLEC | x |
| TAG | CLEC | X |
| LNP Gateway | CLEC | X |
| COG | CLEC | x |
| SOG | CLEC | X |
| DOM | CLEC | X |



OSS-3: OSS Availability (Maintenance & Repair)

OSS Availability (M&R)

| OSS Interface | % Availability |
|------------------|----------------|
| BellSouth TAFI | x |
| CLEC TAFI | x |
| CLEC ECTA | X |
| BellSouth & CLEC | |
| CRIS | x |
| LMOS HOST | x |
| LNP Gateway | x |
| MARCH | x |
| OSPCM | x |
| PREDICTOR | x |
| SOCS | Y |

OSS-3: OSS Availability (Maintenance & Repair)

SEEM OSS Availability (M&R)

| OSS Interface | % Availability |
|---------------|----------------|
| CLEC TAFI | . X |
| CLEC ECTA | X |

OSS-4: Response Interval (Maintenance & Repair)

Legacy System Access Times for M&R

| System | BellSouth | | | Count | | |
|-----------|------------------|-------------|-----------|-------|------|----------------|
| • | & CLEC | <= 4 | > 4 <= 10 | <= 10 | > 10 | > 30 Avg. Int. |
| CRIS | Х | x | X | X | X | x |
| DLETH | X | x | X | X | X | x |
| DLR | X | x | X | X | X | x |
| LMOS | Х | x | X | X | X | x |
| LMOSupd | X | x | X | X | X | x |
| LNP | X | x | X | X | X | x |
| MARCH | Х | x | X | X | X | x |
| OSPCM | Х | x | X | X | X | x |
| Predictor | Х | x | X | X | X | xx |
| SOCS | X | x | X | X | X | x |
| NIW | X | x | X | xx | xx | xx |

Version 2.00 203 Issue Date: July 1, 2003



TAFI

| System | Open Trouble Ticket | Status Trouble Ticket | Mechanized Line Testing | Close Trouble Ticket |
|-----------|------------------------|--------------------------|----------------------------|-------------------------|
| CRIS | Χ | | | |
| DLETH | Χ | | | |
| DLR | Χ | | | |
| LMOS | Χ | X | | Χ |
| LMOSSupd | X | X | X | X |
| LNP | X | | | |
| MARCH | X | | | |
| OSPCM | X | X | | |
| Predictor | X | X | | |
| SOCS | Χ | X | | |
| NIW | Χ | | | |

Note: Depending on the type of customer report multiple systems maybe touched in one transaction.



Appendix E: LSR Flow-Through Matrix (as of May 13, 2003)

| Product | PRODUCT TYPE | REQTYPE | ACT TYPE | F/T ³ | COMPLEX SERVICE | COMPLEX ORDER | PLANNED FALLOUT FOR MANUAL HANDLING ¹ | EDI | TAG ² | LENS ⁴ | COMMENTS |
|---|-----------------|----------|-----------------|------------------|--------------------|------------------|--|-----|------------------|-------------------|---|
| 2 wire analog DID trunk port | U | F | N | No | UNE | Yes | NA | N | N | N | |
| 2 wire analog port | U | F | N | No | UNE | No | Yes | Υ | Υ | Υ | |
| 2 wire ISDN digital line | U | A | N,T | No | UNE | Yes | NA | N | N | N | |
| 2 wire ISDN digital loop | U | A | N,C,D | Yes | UNE | Yes | No | Υ | Υ | Z | |
| 2 wire ISDN digital loop - LNP | U | В | V,P,Q | Yes | UNE | Yes | No | Υ | Υ | Ν | |
| 3 Way Calling | R,B | E,M | N,C,V,W,P,Q,T | Yes | No | No | No | Υ | Υ | Y | |
| 3rd Party Call Block | R,B | E,M | N,C,V,W,D,P,Q,T | Yes | No | No | No | Υ | Υ | Υ | |
| 4 wire analog voice grade loop | U | A | T | No | UNE | Yes | Yes | Υ | Υ | Ν | |
| 4 wire analog voice grade loop | U | A | N | Yes | UNE | Yes | No | Υ | Υ | Z | |
| 4 wire DS1 & PRI digital loop | U | A | N,T | No | UNE | Yes | NA | Ν | N | Z | |
| 4 wire DSO & PRI digital loop | U | A | N,T | No | UNE | Yes | NA | N | N | Z | |
| 4 wire ISDN DSI digital trunk ports | U | A | N,T | No | UNE | Yes | NA | N | N | Ν | |
| 4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT DS1 | С | М | N,C,D,V | No | Yes | Yes | NA | N | N | N | |
| 4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT TRUNK SERVICE | С | М | N,C,D,V | No | Yes | Yes | NA | N | N | N | |
| 900 Call Block | R,B | E,M | N,C,V,W,D,P,Q,T | Yes | No | No | No | Υ | Υ | Υ | |
| Accupulse | С | E | N,C,T,V,W | No | Yes | Yes | NA | N | N | Ν | |
| ADSL | R,B,C | E | V,W,D | Yes | C/S | C/S | No | Y | Y | Y | NOTE THIS PRODUCT CAN BE ORDERED FOR RES/BUS AND |
| | С | E | | No | Yes | Yes | NA NA | N | N | N | CENTREX |
| Analog Data/Private Line Area Plus | | | N,C,T,V,W,D | Yes | No | No | No No | Y | Y | Y | |
| ATM (ASYNCHRONOUS TRANFER MODE) | R,B C | E,M E | N,C,V,W,P,Q,T | No | Yes | Yes | NA | N | N | N | |
| Basic Rate ISDN *Unbundled | U | | N,C,V,W,D T | No | Yes | Yes | Yes | Y | Y | N | |
| Basic Rate ISDN *Unbundled Basic Rate ISDN *Unbundled | U | A | N,V,D | Yes | UNE | Yes | No Yes | Y | Y | Y | |
| | | A | | | | | | - | Y | Y | - |
| Basic Rate ISDN *Unbundled | U | A | C,T | No | UNE | Yes | Yes | Y | | | Merrical |
| Basic Rate ISDN 2 Wire UNE P | С | M | N,C,D,V | No | Yes | Yes | NA | N | N | N | Manual |
| Basic Rate ISDN 2 Wire | C | E | N,C,D,T,V,P,Q | No | Yes | Yes | Yes | Υ | Υ | Υ | |



Appendix E: LSR Flow-Through Matrix (as of May 13, 2003)

| Product | PRODUCT TYPE | REQTYPE | ACT TYPE | F/T ³ | COMPLEX SERVICE | COMPLEX ORDER | PLANNED FALLOUT FOR MANUAL HANDLING ¹ | EDI | TAG ² | LENS ⁴ | COMMENTS |
|---|-----------------|---------------|---------------------|------------------|--------------------|------------------|--|-----|------------------|-------------------|----------|
| BELLSOUTH CHANNELIZED TRUNKS | С | Е | N,C,D,T,V,W,P,Q | No | Yes | Yes | NA | N | N | N | |
| Call Block | R,B | E,M | N,C,V,W,P,Q,T | Yes | No | No | No | Υ | Υ | Υ | |
| Call Forwarding | R,B | E,M | N,C,V,W,P,Q,T | Yes | No | No | No | Υ | Υ | Υ | |
| Call Return | R,B | E,M | N,C,V,W,P,Q,T | Yes | No | No | No | Υ | Υ | Υ | |
| Call Selector | R,B | E,M | N,C,V,W,P,Q,T | Yes | No | No | No | Υ | Υ | Υ | |
| Call Tracing | R,B | E,M | N,C,V,W,P,Q,T | Yes | No | No | No | Υ | Υ | Υ | |
| Call Waiting | R,B | E,M | N,C,V,W,P,Q,T | Yes | No | No | No | Υ | Υ | Υ | |
| Call Waiting Deluxe | R,B | E,M | N,C,V,W,P,Q,T | Yes | No | No | No | Υ | Υ | Υ | |
| Caller ID | R,B | E,M | N,C,V,W,P,Q,T | Yes | No | No | No | Υ | Υ | Υ | |
| BELLSOUTH CENTREX* | С | P | N,C,D,W,T,S,B,L,V,P | No | Yes | Yes | NA | N | N | N | |
| UNE P CENTREX | С | M | N,C,D,V | No | Yes | Yes | NA | N | N | N | |
| Collect Call Block | R,B | E,M | N,C,V,W,D,P,Q,T | Yes | No | No | No | Υ | Υ | Υ | |
| DID | С | N | N,C,D,V,W,T,P,Q | No | Yes | Yes | Yes | Υ | Υ | Υ | |
| 2-WIRE DIRECT INWARD DIAL (DID) TRUNK PORT AND VOICE GRADE LOOP COMBINATION | С | M | N,C,D,V | No | Yes | Yes | NA | N | N | N | |
| Digital Data Transport | U | E | N,C,T,V,W | No | UNE | Yes | NA NA | N | N | N | |
| DIGITAL DIRECT INTEGRATION TERMINATION SERVICES (DDITS) DS1 | С | M | N,C,D,V | No | Yes | Yes | NA | N | N | N | |
| DIGITAL DIRECT INTEGRATION TERMINATION SERVICES (DDITS) TRUNK SERVICE | | | | | | | | | | | |
| SERVICE | С | M | N,C,D,V | No | Yes | Yes | NA | N | N | N | |
| Directory Listing Indentions | B,U | B,C,E,F,J,M,N | N,C,T,R,V,W,P,Q | No | No | No | Yes | Υ | Υ | Υ | |
| Directory Listings (simple) | R,B,U | B,C,E,F,J,M,N | N,C,R,V,W,P,Q | Yes | No | No | No | Υ | Υ | Υ | |
| Directory Listings (simple) | R,B,U | B,C,E,F,J,M,N | T | No | No | No | Yes | Υ | Υ | N | |
| Directory Listings Captions | R,B,U | B,C,E,F,J,M,N | N,C,T,R,V,W,P,Q | No | No | Yes | Yes | Υ | Υ | Υ | |
| DIFFERENT PREMISE ADDRESS (DPA) | С | Е | N,C,D,V,W,T | No | Yes | Yes | NA | N | N | N | |
| DS1Loop | U | A | N,D,V | Yes | UNE | Yes | No | Υ | Υ | Υ | |
| DS3 | U | A | N,C,V | No | UNE | Yes | NA | N | N | N | |
| DSO Loop | U | A | N,D,V | Yes | UNE | Yes | No | Υ | Υ | Υ | |
| DSO Loop | U | A | C,T | No | No | No | Yes | Υ | Υ | Υ | |
| Enhanced Caller ID | R,B | Е | C,D,N,V,W,P,Q,T | Yes | No | No | No | Υ | Υ | Υ | |

Version 2.00 206 Issue Date: July 1, 2003



Appendix E: LSR Flow-Through Matrix (as of May 13, 2003)

| Product | PRODUCT TYPE | REQTYPE | ACT TYPE | F/T ³ | COMPLEX SERVICE | COMPLEX ORDER | PLANNED FALLOUT FOR MANUAL HANDLING ¹ | EDI | TAG ² | LENS ⁴ | COMMENTS |
|--|-----------------|---------|--------------------------------|------------------|--------------------|------------------|--|-----|------------------|-------------------|----------|
| Enhanced Extended Links (EELS) | U | A | C,D,N,T,V | Yes | No | No | No | Υ | Υ | Υ | |
| ESSX | С | P | C,D,T,V,S,B,W,L,P,Q | No | Yes | Yes | NA | Ν | N | N | |
| Flat Rate/Business | В | E, M | C,D,N,V,W,T Y,B,L,S,D,T,P,Q | Yes | No | No | No | Υ | Υ | Υ | |
| Flat Rate/Residence | R | E, M | C,D,N,V,W,T Y,B,L,S,D,T,P,Q | Yes | No | No | No | Υ | Υ | Y | |
| FLEXSERV | С | Е | N,C,D,T,V,W,P,Q | No | Yes | Yes | NA | N | N | N | |
| Frame Relay | C | Е | N,C,D,V,W | No | Yes | Yes | NA | N | N | N | |
| FX/FCO | С | Е | N,C,D,T,V,W,P,Q | No | Yes | Yes | NA | N | N | N | |
| UNE P FX/FCO (RES,BUS,PBX) (NOTE: THIS PRODUCT WILL NOT BE AVAILABLE UNTIL 0801-02 | C | M | N,C,V,D,T,S,B,L,W,Y,P,Q | No | Yes | Yes | NA | N | N | N | |
| Ga. Community Calling | R,B | M | C,D,N,V,W,P,Q | No | No | No | NA | N | N | N | |
| Ga. Community Calling | R,B | Е | T | No | No | No | Yes | Υ | Υ | N | |
| HDSL | U | A | T | No | UNE | No | Yes | Υ | Υ | N | |
| HDSL | U | A | N,C,D,V | Yes | UNE | No | No | Υ | Υ | Υ | |
| Hunting MLH | R,B | E, M | C,D,N,T,V,W | No | C/S ⁴ | C/S | Yes | Υ | Υ | N | |
| Hunting Series Completion | R,B | E, M | C,D,N,V,W | Yes | C/S | C/S | No | Υ | Υ | Υ | |
| Hunting Series Completion | R,B | E, M | T | No | No | No | Yes | Υ | Υ | N | |
| INP to LNP Conversion | U | С | С | No | UNE | Yes | Yes | Υ | Υ | N | |
| LightGate | С | Е | N,C,D,T,V,W,P,Q | No | Yes | Yes | NA | N | N | N | |
| Line Sharing | U | Α | N,C,D,V,P,Q | Yes | UNE | No | No | Υ | Υ | Υ | |
| Line Splitting | U | Α | N,C,D | Yes | UNE | No | No | Υ | Υ | Υ | |
| LNP With Complex Listing | U | С | P,V,Q | No | UNE | Yes | Yes | Υ | Υ | N | |
| LNP with Complex Services | U | С | P,V,Q | No | UNE | Yes | Yes | Υ | Υ | N | |
| LNP with Partial Migration | U | С | P,V,Q | No | UNE | Yes | Yes | Υ | Υ | N | |
| LNP | U | С | P,V,Q | Yes | UNE | Yes | No | Υ | Υ | N | |
| Local Number Portability (INP to LNP) | U | С | С | No | UNE | No | Yes | Υ | Υ | N | |
| INP | U | B,C | D | No | UNE | No | Yes | Υ | Υ | N | |
| Loop+LNP | U | В | V,P,Q | Yes | UNE | No | No | Υ | Υ | N | |
| Measured Rate/Bus | R,B | E,M | C,D,N,V,W,P,Q,T Y,B,L,S,D | Yes | No | No | No | Y | Y | Y | |



Appendix E: LSR Flow-Through Matrix (as of May 13, 2003)

| Product | PRODUCT TYPE | REQTYPE | ACT TYPE | F/T ³ | COMPLEX SERVICE | COMPLEX ORDER | PLANNED FALLOUT FOR MANUAL HANDLING ¹ | EDI | TAG ² | LENS ⁴ | COMMENTS |
|--|-----------------|---------|-----------------------|------------------|--------------------|------------------|--|-----|------------------|-------------------|----------|
| | | | C,D,N,V,W,P,Q,T | | | | | | | | |
| Measured Rate/Res | R,B | E,M | Y,B,L,S,D | Yes | No | No | No | Υ | Υ | Υ | |
| Megalink POINT TO POINT | С | E | N,V,W,T,D,C,P,Q | No | Yes | Yes | NA | N | N | N | |
| Megalink CHANNELIZED | С | E | N,V,W,T,D,C,P,Q | No | Yes | Yes | NA | N | N | N | |
| Memory Call | R,B | E, M | C,D,N,V,W,P,Q,T | Yes | No | No | No | Υ | Υ | Υ | |
| Memory Call Ans. Svc. | R,B | E, M | C,D,N,V,W,P,Q,T | Yes | No | No | No | Υ | Υ | Υ | |
| Multiserv | С | Р | N,C,D,T,V,S,B,W,L,P,Q | No | Yes | Yes | NA | N | N | N | |
| Native Mode LAN Interconnection (NMLI) | С | E | N,C,D,V,W | No | Yes | Yes | NA | Ν | N | Ν | |
| Off-Prem Stations | С | E | N,C,D,V,W,T,P,Q | No | Yes | Yes | NA | Ν | N | N | |
| Optional Calling Plan | R,B | E, M | N,V,P,Q,W | Yes | No | No | No | Υ | Υ | Υ | |
| Package/Complete Choice and Area Plus | R,B | E, M | N,C,V,W,P,Q | Yes | No | No | No | Υ | Υ | Υ | |
| Package/Complete Choice and Area Plus | R,B | E, M | Т | No | No | No | Yes | Υ | Υ | N | |
| Pathlink/ Primary Rate ISDN | С | Е | N,C,D,T,V,W,P,Q | No | Yes | Yes | NA | Ν | N | N | |
| 4-WIRE ISDN PRI UNE COMBO | С | М | N,C,D,V | No | Yes | Yes | NA | Ν | N | N | |
| Pay Phone Provider | В | E,M | C,D,T,N,V,W,P,Q | Yes | No | No | No | Υ | Υ | Υ | |
| PBX Standalone Port | С | F | N,C,D | No | Yes | Yes | Yes | Υ | Υ | N | |
| PBX Trunks | С | Е | N,C,D,V,W,T,P,Q | No | Yes | Yes | Yes | Υ | Υ | N | |
| PIC/LPIC Change | R,B,C | E,M | C,V,P,Q,T | Yes | No | No | No | Υ | Υ | Υ | |
| PIC/LPIC Freeze | R,B,C | E,M | N,C,V,P,Q,T | Yes | No | No | No | Υ | Υ | Υ | |
| PORT/LOOP COMBO 2-WIRE PBX | С | М | N,C,D,V | No | No | No | Yes | Υ | Υ | N | |
| Port/Loop Simple | U | М | N,C,D,V | Yes | No | No | No | Υ | Υ | Υ | |
| Preferred Call Forward | R,B,U | E,M | C,D,N,V,W,P,Q,T | Yes | No | No | No | Υ | Υ | Υ | |
| RCF Basic | R,B | E,M | N,D,W,V,P,Q,T | No | No | No | Yes | Υ | Υ | N | |
| Remote Access to CF | R,B | E,M | C,D,N,V,W,P,Q,T | No | No | No | NA | Υ | Υ | N | |
| Repeat Dialing | R,B | E,M | C,D,N,V,W,P,Q,T | Yes | No | No | No | Υ | Υ | Υ | |
| Ringmaster | R,B | E,M | C,D,N,V,W,P,Q,T | Yes | No | No | No | Υ | Υ | Υ | |
| Smartpath | R,B | E | C,D,T,N,V,W | No | Yes | Yes | NA | N | N | N | |
| SmartRING | С | Е | N,D,C,V,W | No | Yes | Yes | NA | Ν | N | Ν | |
| Speed Calling | R,B | E,M | C,D,N,V,W,P,Q,T | Yes | No | No | No | Υ | Υ | Υ | |
| Synchronet | С | Е | N,D,C,V,W | No | Yes | Yes | Yes | Υ | Υ | N | |
| Three Way Call Block | R,B | E,M | C,D,N,V,W,P,Q,T | Yes | No | No | No | Υ | Υ | N | |

Version 2.00 208 Issue Date: July 1, 2003



Appendix E: LSR Flow-Through Matrix (as of May 13, 2003)

| Product | PRODUCT TYPE | REQTYPE | ACT TYPE | F/T ³ | COMPLEX SERVICE | COMPLEX ORDER | PLANNED FALLOUT FOR MANUAL HANDLING ¹ | | TAG² | LENS⁴ | COMMENTS |
|--|-----------------|---------|-----------------|------------------|--------------------|------------------|--|---|------|-------|----------|
| Tie Lines | С | Е | N,C,D,V,W,T,P,Q | No | Yes | Yes | NA | Ν | N | N | |
| TOLL FREE DIALING (TFD) | С | E | N,C,D,V,W | No | Yes | Yes | NA | Ν | N | N | |
| Touchtone | R,B | E | C,D,N,V,W,P,Q,T | Yes | No | No | No | Υ | Υ | Υ | |
| Unbundled Loop-Analog 2W, SL1, SL2 | U | A,B | D,N,V | Yes | UNE | No | No | Υ | Υ | Υ | |
| Unbundled Loop-Analog 2W, SL1,SL2 | U | A,B | C ** | Yes | UNE | No | Yes | Υ | Υ | Υ | |
| Unbundled Universal Digital Channel (UDC) Loop | U | Α | N,D | Yes | UNE | No | No | Υ | Υ | Υ | |
| WATS* | С | E | W,D,N,C,V | No | Yes | Yes | NA | Ν | N | N | |
| XDSL | U | A,B | N,C,V,D | Yes | UNE | No | No | Υ | Υ | Υ | |
| XDSL | U | A,B | T | No | No | No | Yes | Υ | Υ | N | |

Product: U-UNE; C-Complex; B-Business; R-Residence

Reqtype: A-Loop; B-Loop with LNP/INP; C-LNP/INP; E-Resale; F-Port; J-Directory Listing and Directory Assistance; M-UNE-P; N-DID Resale; P-Centrex Resale, ACT: N-New installation-; C-Change an existing account; D-Disconnection; T-Outside move of end user location; R-Record activity is for ordering administrative changes; V-Conversion of service to new LSP as specified; W-Conversion of service to new LSP "as is"; S-Suspend; B-Restore; Y-Deny; L-Seasonal Suspend; P-Partial Migration (initial); Q-Partial Migration (subsequent)

Note 1: Planned Fallout for Manual Handling denotes those services that are electronically submitted and are not intended to flow-through due to the complexity of the service.

Note 2: The TAG column includes thse LSRs submitted via Robo TAG.

Note 3: For all services that indicate 'No' for flow-through, the following reasons, in addition to complex services or complex order, also prompt manual handling: Expedites from CLECs, special pricing plans, partial migrations (although conversions-as-is flow through for issue 9 unless migrating the main TN and a new TN must be assigned), class of service invalid in certain states with some TOS e.g. government, or cannot be changed when changing main TN on C activity, pnding order review required (Example: Any pending service order (PSO) not related to current PON, pending service order (PSO) with multiple service orders pending realted to current PON and SUP received), more than 25 business lines and more than 15 loops, CSR inaccuracies such as invalid or missing CSR data in CRIS, Directory listings with Indentions or Captions, , transfer of calls option for CLEC end user – new TN not yet posted to CRIS.

Note 4: Services with C/S in the Complex Service and/or the Complex Order columns can be either complex or simple.

Note 5: The following list of items will not FT:

LSRs with Project or RPON fields populated

**SL1 REOTYP A, ACT C, LNA N, C, or D

**SL2 REQTYP A, ACT C, LNA C

REQTYP B, C, ACT P when migrating main telephone number

REQTYP B, C ACT V with Complex

REQTYP E, M, N and P; ACT = V, LNA = V (LNP to Resale/UNE Switched Combinations)

Attachment 10

BellSouth Disaster Recovery Plan

| CON | <u>ITENT</u> | <u>S</u> | | PAGE | | | | |
|-----|--|------------|---|------|--|--|--|--|
| 1.0 | | | | | | | | |
| 1.0 | Purpo | | | 2 | | | | |
| 2.0 | _ | e Point of | | 2 | | | | |
| 3.0 | Identi | fying the | Problem | 2 | | | | |
| | 3.1 | Site Co | ontrol | 3 | | | | |
| | 3.2 | Enviro | nmental Concerns | 4 | | | | |
| 4.0 | The Emergency Control Center (ECC) | | | | | | | |
| 5.0 | Reco | edures | 5 | | | | | |
| | 5.1 | CLEC (| Outage | 5 | | | | |
| | 5.2 | BellSou | uth Outage | 5 | | | | |
| | | 5.2.1 | Loss of Central Office | 6 | | | | |
| | | 5.2.2 | Loss of a Central Office with Serving Wire Center Functions | 6 | | | | |
| | | 5.2.3 | Loss of a Central Office with Tandem Functions | 6 | | | | |
| | | 5.2.4 | Loss of a Facility Hub | 7 | | | | |
| | 5.3 Combined Outage (CLEC and BellSouth Equipment) | | | | | | | |
| 6.0 | T1 Id | | on Procedures | 7 | | | | |
| 7.0 | Acro | ıvms | | 8 | | | | |

1.0 PURPOSE

In the unlikely event of a disaster occurring that affects BellSouth's long-term ability to deliver traffic to a Competitive Local Exchange Carrier (CLEC), general procedures have been developed by BellSouth to hasten the recovery process in accordance with the Telecommunications Service Priority (TSP) Program established by the Federal Communications Commission to identify and prioritize telecommunication services that support national security or emergency preparedness (NS/EP) missions. A description of the TSP Program as it may be amended from time to time is available at the following website: http://interconnection.bellsouth.com/products/vertical/tsp.html. Since each location is different and could be affected by an assortment of potential problems, a detailed recovery plan is impractical. However, in the process of reviewing recovery activities for specific locations, some basic procedures emerge that appear to be common in most cases.

These general procedures should apply to any disaster that affects the delivery of traffic for an extended time period. Each CLEC will be given the same consideration during an outage, and service will be restored as quickly as possible.

This document will cover the basic recovery procedures that would apply to every CLEC.

2.0 SINGLE POINT OF CONTACT

When a problem is experienced, regardless of the severity, the BellSouth Network Management Center (NMC) will observe traffic anomalies and begin monitoring the situation. Controls will be appropriately applied to insure the sanity of BellSouth's network; and, in the event that a switch or facility node is lost, the NMC will attempt to circumvent the failure using available reroutes.

BellSouth's NMC will remain in control of the restoration efforts until the problem has been identified as being a long-term outage. At that time, the NMC will contact BellSouth's Emergency Control Center (ECC) and relinquish control of the recovery efforts. Even though the ECC may take charge of the situation, the NMC will continue to monitor the circumstances and restore traffic as soon as damaged network elements are revitalized.

The telephone number for the BellSouth Network Management Center in Atlanta, as published in Telcordia's National Network Management Directory, is 404-321-2516.

3.0 IDENTIFYING THE PROBLEM

During the early stages of problem detection, the NMC will be able to tell which CLECs are affected by the catastrophe. Further analysis and/or first hand observation will determine if the disaster has affected CLEC equipment only, BellSouth equipment only or a combination. The initial restoration activity will be largely determined by the equipment that is affected.

Once the nature of the disaster is determined and after verifying the cause of the problem, the NMC will initiate reroutes and/or transfers that are jointly agreed upon by the affected CLECs' Network Management Center and the BellSouth NMC. The type and percentage of controls used will depend upon available network capacity. Controls necessary to stabilize the situation will be invoked and the NMC will attempt to re-establish as much traffic as possible.

Version: 4004 Standard ICA

For long-term outages, recovery efforts will be coordinated by the Emergency Control Center (ECC). Traffic controls will continue to be applied by the NMC until facilities are re-established. As equipment is made available for service, the ECC will instruct the NMC to begin removing the controls and allow traffic to resume.

3.1 SITE CONTROL

In the total loss of building use scenario, what likely exists will be a smoking pile of rubble. This rubble will contain many components that could be dangerous. It could also contain any personnel on the premises at the time of the disaster. For these reasons, the local fire marshal with the assistance of the police will control the site until the building is no longer a threat to surrounding properties and the companies have secured the site from the general public.

During this time, the majority owner of the building should be arranging for a demolition contractor to mobilize to the site with the primary objective of reaching the cable entrance facility for a damage assessment. The results of this assessment would then dictate immediate plans for restoration, both short term and permanent.

In a less catastrophic event, i.e., the building is still standing and the cable entrance facility is usable, the situation is more complex. The site will initially be controlled by local authorities until the threat to adjacent property has diminished. Once the site is returned to the control of the companies, the following events should occur.

An initial assessment of the main building infrastructure systems (mechanical, electrical, fire and life safety, elevators, and others) will establish building needs. Once these needs are determined, the majority owner should lead the building restoration efforts. There may be situations where the site will not be totally restored within the confines of the building. The companies must individually determine their needs and jointly assess the cost of permanent restoration to determine the overall plan of action.

Multiple restoration trailers from each company will result in the need for designated space and installation order. This layout and control is required to maximize the amount of restoration equipment that can be placed at the site, and the priority of placements.

Care must be taken in this planning to ensure other restoration efforts have logistical access to the building. Major components of telephone and building equipment will need to be removed and replaced. A priority for this equipment must also be jointly established to facilitate overall site restoration. (Example: If the AC switchgear has sustained damage, this would be of the highest priority in order to regain power, lighting, and HVAC throughout the building.)

If the site will not accommodate the required restoration equipment, the companies would then need to quickly arrange with local authorities for street closures, rights of way or other possible options available.

3.2 ENVIRONMENTAL CONCERNS

In the worse case scenario, many environmental concerns must be addressed. Along with the police and fire marshal, the state environmental protection department will be on site to monitor the situation.

Items to be concerned with in a large central office building could include:

- 1. Emergency engine fuel supply. Damage to the standby equipment and the fuel handling equipment could have created "spill" conditions that have to be handled within state and federal regulations.
- 2. Asbestos-containing materials that may be spread throughout the wreckage. Asbestos could be in many components of building, electrical, mechanical, outside plant distribution, and telephone systems.
- 3. Lead and acid. These materials could be present in potentially large quantities depending upon the extent of damage to the power room.
- 4. Mercury and other regulated compounds resident in telephone equipment.
- 5. Other compounds produced by the fire or heat.

Once a total loss event occurs at a large site, local authorities will control immediate clean up (water placed on the wreckage by the fire department) and site access.

At some point, the companies will become involved with local authorities in the overall planning associated with site clean up and restoration. Depending on the clean up approach taken, delays in the restoration of several hours to several days may occur.

In a less severe disaster, items listed above are more defined and can be addressed individually depending on the damage.

In each case, the majority owner should coordinate building and environmental restoration as well as maintain proper planning and site control.

4.0 THE EMERGENCY CONTROL CENTER (ECC)

The ECC is located in the Midtown 1 Building in Atlanta, Georgia. During an emergency, the ECC staff will convene a group of pre-selected experts to inventory the damage and initiate corrective actions. These experts have regional access to BellSouth's personnel and equipment and will assume control of the restoration activity anywhere in the nine-state area.

In the past, the ECC has been involved with restoration activities resulting from hurricanes, ice storms and floods. They have demonstrated their capabilities during these calamities as well as

Version: 4004 Standard ICA

during outages caused by human error or equipment failures. This group has an excellent record of restoring service as quickly as possible.

During a major disaster, the ECC may move emergency equipment to the affected location, direct recovery efforts of local personnel and coordinate service restoration activities with the CLECs. The ECC will attempt to restore service as quickly as possible using whatever means is available, leaving permanent solutions, such as the replacement of damaged buildings or equipment, for local personnel to administer.

Part of the ECC's responsibility, after temporary equipment is in place, is to support the NMC efforts to return service to the CLECs. Once service has been restored, the ECC will return control of the network to normal operational organizations. Any long-term changes required after service is restored will be made in an orderly fashion and will be conducted as normal activity.

5.0 RECOVERY PROCEDURES

The nature and severity of any disaster will influence the recovery procedures. One crucial factor in determining how BellSouth will proceed with restoration is whether or not BellSouth's equipment is incapacitated. Regardless of whose equipment is out of service, BellSouth will move as quickly as possible to aid with service recovery; however, the approach that will be taken may differ depending upon the location of the problem.

5.1 CLEC OUTAGE

For a problem limited to one CLEC (or a building with multiple CLECs), BellSouth has several options available for restoring service quickly. For those CLECs that have agreements with other CLECs, BellSouth can immediately start directing traffic to a provisional CLEC for completion. This alternative is dependent upon BellSouth having concurrence from the affected CLECs.

Whether or not the affected CLECs have requested a traffic transfer to another CLEC will not impact BellSouth's resolve to re-establish traffic to the original destination as quickly as possible.

5.2 BELLSOUTH OUTAGE

Because BellSouth's equipment has varying degrees of impact on the service provided to the CLECs, restoring service from damaged BellSouth equipment is different. The outage will probably impact a number of Carriers simultaneously. However, the ECC will be able to initiate immediate actions to correct the problem.

A disaster involving any of BellSouth's equipment locations could impact the CLECs, some more than others. A disaster at a Central Office (CO) would only impact the delivery of traffic to and from that one location, but the incident could affect many Carriers. If the Central Office is a Serving Wire Center (SWC), then traffic from the entire area to those Carriers served from that switch would also be impacted. If the switch functions as an Access Tandem, or there is a tandem in the building, traffic from every CO to every CLEC could be interrupted. A disaster that destroys a facility hub could disrupt various traffic flows, even though the switching equipment may be unaffected.

The NMC would be the first group to observe a problem involving BellSouth's equipment. Shortly after a disaster, the NMC will begin applying controls and finding re-routes for the

Version: 4Q04 Standard ICA

completion of as much traffic as possible. These reroutes may involve delivering traffic to alternate Carriers upon receiving approval from the CLECs involved. In some cases, changes in translations will be required. If the outage is caused by the destruction of equipment, then the ECC will assume control of the restoration.

5.2.1 Loss of a Central Office

When BellSouth loses a Central Office, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or End Users served by BellSouth or CLEC in accordance with the TSP priority restoration coding scheme entered in the BellSouth Maintenance database immediately prior to the emergency.

5.2.2 Loss of a Central Office with Serving Wire Center Functions

The loss of a Central Office that also serves as a Serving Wire Center (SWC) will be restored as described in Section 5.2.1.

5.2.3 Loss of a Central Office with Tandem Functions

When BellSouth loses a Central Office building that serves as an Access Tandem and as a SWC, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or End Users served by BellSouth or CLEC in accordance with the TSP priority restoration coding scheme entered in the BellSouth Maintenance database immediately prior to the emergency;
- e) Re-direct as much traffic as possible to the alternate access tandem (if available) for delivery to those CLECs utilizing a different location as a SWC;
- f) Begin aggregating traffic to a location near the damaged building. From this location, begin re-establishing trunk groups to the CLECs for the delivery of traffic normally found on the direct trunk groups. (This aggregation point may be the alternate access tandem location or another CO on a primary facility route.)

Version: 4004 Standard ICA

5.2.4 Loss of a Facility Hub

In the event that BellSouth loses a facility hub, the recovery process is much the same as above. Once the NMC has observed the problem and administered the appropriate controls, the ECC will assume authority for the repairs. The recovery effort will include

- a) Placing specialists and emergency equipment on notice;
- b) Inventorying the damage to determine what equipment and/or functions are lost;
- c) Moving containerized emergency equipment to the stricken area, if necessary;
- d) Reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or End Users served by BellSouth or CLEC in accordance with the TSP priority restoration coding scheme entered in the BellSouth Maintenance database immediately prior to the emergency; and
- e) If necessary, BellSouth will aggregate the traffic at another location and build temporary facilities. This alternative would be viable for a location that is destroyed and building repairs are required.

5.3 COMBINED OUTAGE (CLEC AND BELLSOUTH EQUIPMENT)

In some instances, a disaster may impact BellSouth's equipment as well as the CLECs'. This situation will be handled in much the same way as described in Section 5.2.3. Since BellSouth and the CLECs will be utilizing temporary equipment, close coordination will be required.

6.0 T1 IDENTIFICATION PROCEDURES

During the restoration of service after a disaster, BellSouth may be forced to aggregate traffic for delivery to a CLEC. During this process, T1 traffic may be consolidated onto DS3s and may become unidentifiable to the Carrier. Because resources will be limited, BellSouth may be forced to "package" this traffic entirely differently than normally received by the CLECs. Therefore, a method for identifying the T1 traffic on the DS3s and providing the information to the Carriers is required.

Version: 4004 Standard ICA

7.0 ACRONYMS

CLEC - Competitive Local Exchange Carrier

CO - Central Office (BellSouth)

DS3 - Facility that carries 28 T1s (672 circuits)

ECC - Emergency Control Center (BellSouth)

NMC - Network Management Center

SWC - Serving Wire Center (BellSouth switch)

T1 - Facility that carries 24 circuits

TSP - Telecommunications Service Priority

Hurricane Information

During a hurricane, BellSouth will make every effort to keep CLECs updated on the status of our network. Information centers will be set up throughout BellSouth Telecommunications. These centers are not intended to be used for escalations, but rather to keep the CLEC informed of network related issues, area damages and dispatch conditions, etc.

Hurricane-related information can also be found on line at http://www.interconnection.bellsouth.com/network/disaster/dis_resp.htm. Information concerning Mechanized Disaster Reports can also be found at this website by clicking on CURRENT MDR REPORTS or by going directly to http://www.interconnection.bellsouth.com/network/disaster/mdrs.htm.

BST Disaster Management Plan

BellSouth maintenance centers have geographical and redundant communication capabilities. In the event of a disaster removing any maintenance center from service another geographical center would assume maintenance responsibilities. The contact numbers will not change and the transfer will be transparent to the CLEC.

Version: 4Q04 Standard ICA

Attachment 11

Bona Fide Request and New Business Request Process

Version: 4Q04 Standard ICA 12/09/04

BONA FIDE REQUEST AND NEW BUSINESS REQUEST PROCESS

1. **BONA FIDE REQUEST**

- 1.1 The Parties agree that REDSQUARE is entitled to order any Network Element, interconnection option or service option required to be made available by FCC or Commission requirements pursuant to the Act. A Bona Fide Request (BFR) is to be used when REDSQUARE makes a request of BellSouth to provide a new or modified Network Element, interconnection option or other service option pursuant to the Act that was not previously provided for in this Agreement.
- 1.2 A BFR shall be submitted in writing by REDSQUARE and shall specifically identify the requested service date, technical requirements, space requirements and/or such other specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. Such a request shall also include REDSQUARE's designation of the request as being pursuant to the Telecommunications Act of 1996 (i.e. a BFR). The request shall be sent to REDSQUARE's designated BellSouth Sales contact or Local Contract Manager (LCM).
- 1.3 Within two (2) business days of receipt of a BFR, BellSouth shall acknowledge in writing its receipt and identify a single point of contact responsible for responding to the BFR and shall request any additional information needed to process the request to the extent known at that time. Notwithstanding the foregoing, BellSouth may reasonably request additional information from REDSQUARE at any time during the processing of the BFR.
- 1.4 Within thirty (30) business days of BellSouth's receipt of the BFR, if the preliminary analysis of the requested BFR is not of such complexity that it will cause BellSouth to expend extraordinary resources to evaluate the BFR, BellSouth shall respond to REDSQUARE by providing a preliminary analysis of the new or modified Network Element or interconnection option not ordered by the FCC or Commission that is the subject of the BFR. The preliminary analysis shall either confirm that BellSouth will offer access to the new or modified Network Element, interconnection option or service option or confirm that BellSouth will not offer the new or modified Network Element, interconnection option or service option.
- 1.5 For any new or modified Network Element, interconnection option or service option not ordered by the FCC or Commission, if the preliminary analysis states that BellSouth will offer the new or modified Network Element, interconnection option or service option, the preliminary analysis

Version: 4Q04 Standard ICA

will include an estimate of the costs of utilizing existing resources, both personnel and systems, in the development including, but not limited to, request parameters analysis, determination of impacted BellSouth departments, determination of required resources, project management resources, etc. (Development Rate) including a general breakdown of such costs associated with the Network Element, interconnection option or service option and the date the request can be met. If the preliminary analysis states that BellSouth will not offer the new or modified Network Element, interconnection option or service option, BellSouth will provide an explanation of why the request is not technically feasible, does not qualify as a BFR for the new or modified Network Element, interconnection option or service option, should actually be submitted as a NBR or is otherwise not required to be provided under the Act. If BellSouth cannot provide the Network Element, interconnection option or service option by the requested date, BellSouth shall provide an alternative proposed date together with a detailed explanation as to why BellSouth is not able to meet REDSQUARE's requested date.

- For any new or modified Network Element, interconnection option or 1.6 service option not ordered by the FCC or Commission, if BellSouth determines that the preliminary analysis of the requested BFR is of such complexity that it will cause BellSouth to expend extraordinary resources to evaluate the BFR, BellSouth shall notify REDSQUARE within ten (10) business days of BellSouth's receipt of BFR that a fee will be required prior to the preliminary evaluation of the BFR. Such fee shall be limited to BellSouth's extraordinary expenses directly related to the complex request that require the allocation and engagement of additional resources above the existing allocated resources used on BFR cost development which include, but are not limited to, expenditure of funds to develop feasibility studies, specific resources that are required to determine request requirements (such as operation support system analysts, technical managers, software developers), software impact analysis by specific software developers; software architecture development, hardware impact analysis by specific system analysts, etc. and the request for such fee shall be accompanied with a general breakdown of such costs. If REDSQUARE accepts the complex request evaluation fee proposed by BellSouth, REDSQUARE shall submit such fee within thirty (30) business days of BellSouth's notice that a complex request evaluation fee is required. Within thirty (30) business days of BellSouth's receipt of the complex request evaluation fee, BellSouth shall respond to REDSQUARE by providing a preliminary analysis, consistent with Section 1.4 of this Attachment 11.
- 1.7 REDSQUARE may cancel a BFR at any time up until thirty (30) business days after receiving BellSouth's preliminary analysis. If REDSQUARE

Version: 4Q04 Standard ICA 12/09/04

cancels the BFR within thirty (30) business days after receipt of BellSouth's preliminary analysis, BellSouth shall be entitled to keep any complex request evaluation fee submitted in accordance with Section 1.6 above, minus those costs included in the fee that have not been incurred as of the date of cancellation.

- 1.8 REDSQUARE will have thirty (30) business days from receipt of preliminary analysis to accept the preliminary analysis or cancel the BFR. If REDSQUARE fails to respond within this thirty (30) business day period, the BFR will be deemed cancelled. Acceptance of the preliminary analysis must be in writing and accompanied by the estimated Development Rate for the new or modified Network Element, interconnection option or service option quoted in the preliminary analysis.
- 1.9 Notwithstanding any other provision of this Agreement, BellSouth shall propose a firm price quote, including the firm Development Rate, the firm nonrecurring rate and the firm recurring rate, and a detailed implementation plan within ten (10) business days of receipt of REDSQUARE's accurate BFR application for a Network Element, interconnection option or service option that is operational at the time of the request; thirty (30) business days of receipt of REDSOUARE's accurate BFR application for a new or modified Network Element, interconnection option or service option ordered by the FCC or Commission; and within sixty (60) business days of receipt of REDSQUARE's accurate BFR application for a new or modified Network Element, interconnection option or service option not ordered by the FCC or Commission or not operational at the time of the request. The firm nonrecurring rate will not include any of the Development Rate or the complex request evaluation fee, if required, in the calculation of this rate. Such firm price quote shall not exceed the estimate provided with the preliminary analysis by more than 25%.
- 1.10 REDSQUARE shall have thirty (30) business days from receipt of firm price quote to accept or deny the firm price quote and submit any additional Development or nonrecurring rates quoted in the firm price quote.
- 1.11 Unless REDSQUARE agrees otherwise, all prices shall be consistent with the applicable pricing principles and provisions of the Act.
- 1.12 If REDSQUARE believes that BellSouth's firm price quote is not consistent with the requirements of the Act, either Party may seek dispute resolution in accordance with the dispute resolution provisions set forth in the General Terms and Conditions of this Agreement.

Version: 4Q04 Standard ICA 12/09/04

1.13 Upon agreement to the rates, terms and conditions of a BFR, the Parties shall negotiate in good faith an amendment to this Agreement.

2 New Business Request

- 2.1 REDSQUARE also shall be permitted to request the development of new or modified facilities or service options which may not be required by the Act. Procedures applicable to requesting the addition of such elements, services and options are specified in this Attachment 11. A New Business Request (NBR) is to be used by REDSQUARE to make a request of BellSouth for a new or modified feature or capability of an existing product or service, a new product or service that is not deployed within the BellSouth network or operations and business support systems, or a new or modified service option that was not previously included in this Agreement (Requested NBR Services) and is not required by the Act.
- An NBR shall be submitted in writing by REDSQUARE and shall specifically identify the requested service date, technical requirements, space requirements and/or such specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. The request shall be sent to REDSQUARE's designated BellSouth Sales contact or LCM.
- 2.3 Within two (2) business days of receipt of an NBR, BellSouth shall acknowledge in writing its receipt and identify a single point of contact responsible for responding to the NBR and shall request any additional information needed to process the request to the extent known at that time. Notwithstanding the foregoing, BellSouth may reasonably request additional information from REDSQUARE at any time during the processing of the NBR.
- If the preliminary analysis of the request NBR is not of such complexity that it will cause BellSouth to expend extraordinary resources to evaluate the NBR, within thirty (30) business days of its receipt of the NBR, BellSouth shall respond to REDSQUARE by providing a preliminary analysis of such Requested NBR Services that are the subject of the NBR. The preliminary analysis shall either confirm that BellSouth will offer access to the Requested NBR Services or confirm that BellSouth will not offer the Requested NBR Services.
- 2.5 If the preliminary analysis states that BellSouth will offer the Requested NBR Services, the preliminary analysis will include an estimate of the Development Rate including a general breakdown of costs and the date the request can be met. If BellSouth cannot provide the Requested NBR Service by the requested date, it shall provide an alternative proposed date

Version: 4Q04 Standard ICA

together with a detailed explanation as to why BellSouth is not able to meet REDSQUARE's requested date.

- If BellSouth determines that the preliminary analysis of the requested NBR is of such complexity that it will cause BellSouth to expend extraordinary resources to evaluate the NBR, BellSouth shall notify REDSQUARE within ten (10) business days of BellSouth's notice that a complex request evaluation fee is required prior to the evaluation of the NBR. Such fee shall be limited to BellSouth's extraordinary expenses directly related to the complex request. If REDSQUARE accepts the complex request evaluation fee amount proposed by BellSouth, REDSQUARE shall submit such complex request evaluation fee within thirty (30) business days of BellSouth's notice that a complex request evaluation fee is required.
- 2.7 Within thirty (30) business days of BellSouth's receipt of the complex request evaluation fee, BellSouth shall respond to REDSQUARE by providing a preliminary analysis of such Requested NBR Services.
- 2.8 REDSQUARE may cancel an NBR at any time. If REDSQUARE cancels the request more than ten (10) business days after submitting it, REDSQUARE shall pay BellSouth's reasonable and demonstrable costs of processing and/or implementing the NBR up to the date of cancellation in addition to any fee submitted in accordance with Section 1.6 above.
- 2.9 REDSQUARE will have thirty (30) business days from receipt of the preliminary analysis to accept the preliminary analysis or cancel the NBR. If REDSQUARE fails to respond within this thirty (30) business day period, the NBR will be deemed cancelled.
- 2.10 Acceptance of the preliminary analysis must be in writing and accompanied by the estimated Development Rate for the Requested NBR Services quoted in the preliminary analysis.
- 2.11 BellSouth shall propose a firm price quote including the firm Development Rate, the firm nonrecurring rate, and the firm recurring rate, and a detailed implementation plan within ten (10) business days of receipt of REDSQUARE's accurate NBR application for a Requested NBR Service that is operational at the time of the request and within sixty (60) business days of receipt of REDSQUARE's accurate NBR application for the Requested NBR Services not operational at the time of the request. The firm nonrecurring rate will not include any of the Development Rate or the complex request evaluation fee, if required, in the calculation of this rate. Such firm price quote shall not exceed the estimate provided with the preliminary analysis by more than 25%.

Version: 4Q04 Standard ICA

- 2.12 REDSQUARE shall have thirty (30) business days from receipt of the firm price quote to accept or deny the firm price quote and submit any additional nonrecurring, non-refundable fees quoted in the firm price quote. If the firm price quote is less than the preliminary analysis' estimate of the Development Rate, BellSouth will credit REDSQUARE's account for the difference.
- 2.13 Upon agreement to the rates, terms and conditions of a NBR, an amendment to this Agreement, or a separate agreement, may be required and the Parties shall negotiate such agreement or amendment in good faith.